

# HERPETOZOA

Berichte der Österreichischen Gesellschaft für Herpetologie

## INDEX

BÄNDE / VOLUMES 21 (2008) + 22 (2009)

(zusammengestellt von / compiled by HEINZ GRILLITSCH)

### AUTORENREGISTER / AUTHOR INDEX

- ALCOSER-VILLAGÓMEZ, M. siehe/see VALENCIA, J. H. & ALCOSER-VILLAGÓMEZ, M. & GARZÓN, K. & HOLMES, D.
- APARICIO, J. siehe/see MORAVEC, J. & APARICIO, J. & GUERRERO-REINHARD, M. & CALDERON, G.
- ARBELÁEZ, E. siehe/see VALENCIA, J. H. & ARBELÁEZ, E. & GARZÓN, K. & PICERNO-TOALA, P.
- ARRIBAS, O. J. 21: 94  
 Comments about the original description and type specimens of *Iberolacerta monticola* (BOULENGER, 1905) [Short Note]
- ARRIBAS, O. J. 21: 123  
 Morphological variability of the Cantabro-Pyrenean populations of *Zootoca vivipara* (JACQUIN, 1787) with description of a new subspecies  
 Morphologische Variabilität der kantabro-pyrenäischen Populationen von *Zootoca vivipara* (JACQUIN, 1787) samt Beschreibung einer neuen Unterart
- ARRIBAS, O. J. 22: 145  
 Habitat selection, thermoregulation and activity of the Pyrenean Rock Lizard *Iberolacerta bonnali* (LANTZ, 1927)  
 Habitatwahl, Thermoregulation und Aktivität bei der Pyrenäen-Felseidechse *Iberolacerta bonnali* (LANTZ, 1927)
- AVILA, L. J. & PÉREZ, C. H. F. & MORANDO, M. & PÉREZ, R. 21: 86  
 First records for *Liolaemus grosseorum* ETHERIDGE, 2001 in eastern Neuquén province, Patagonia, Argentina [Short Note]
- BABOCSAY, G. & TALBI, R. & SHACHAM, B. & SELIGMANN, H. 22: 173  
 Nocturnal or diurnal? Notes on the daily activity pattern and life history of the Middle Eastern Elegant Racer *Platyceps elegantissimus* (GÜNTHER, 1878)  
 Nacht- oder tagaktiv? Bemerkungen über die zirkadiane Aktivität und das Verhalten der vorderasiatischen Prachtzornnatter *Platyceps elegantissimus* (GÜNTHER, 1878)
- BADER, TH. & RIEGLER, CH. & GRILLITSCH, H. 21: 147  
 The herpetofauna of the Island of Rhodes (Dodecanese, Greece)  
 Die Herpetofauna der Insel Rhodos (Dodekanes, Griechenland)
- BAUER, A. M. siehe/see COTTONE, A. M. & BAUER, A. M.
- BENYR, G. 21: 41  
 Tierschutzrelevante Aspekte der Markierung von Arten der Gattung *Testudo* mit Transpondern  
 Animal welfare aspects associated with the marking of specimens of the genus *Testudo* with transponders
- BETANCOURT-YÉPEZ, R. siehe/see VALENCIA, J. H. & GARZÓN, K. & BETANCOURT-YÉPEZ, R.
- BRITO, J. C. siehe/see VASCONCELOS, R. & ROCHA, S. & BRITO, J. C. & CARRANZA, S. & HARRIS, D. J.

- BROGGI, M. F. 21: 79  
The herpetofauna of Lipsi (Dodecanese, Greece) and nature conservation aspects  
Die Herpetofauna der Insel Lipsi (Dodekanes, Griechenland) und Aspekte des Naturschutzes
- BROGGI, M. F. 22: 87  
The herpetofauna of Ithaki (Ithaca, Ionian Islands, Greece) [Short Note]
- CALDERON, G. siehe/see MORAVEC, J. & APARICIO, J. & GUERRERO-REINHARD, M. & CALDERON, G.
- CARRANZA, S. siehe/see VASCONCELOS, R. & ROCHA, S. & BRITO, J. C. & CARRANZA, S. & HARRIS, D. J.
- CISNEROS-HEREDIA, D. F. & DELIA, J. & YÁNEZ-MUÑOZ, M. H. & ORTEGA-ANDRADE, H. M. 21: 57  
Natural history and intraspecific variation of the Ecuadorian Blue Glassfrog *Cochranella mache* GUAYASAMIN & BONACCORSO, 2004  
Biologie und innerartliche Variabilität des Ekuadorianischen Blauen Glasfrosches *Cochranella mache* GUAYASAMIN & BONACCORSO, 2004
- CISNEROS-HEREDIA, D. F. & MORALES-MITE, M. A. 21: 49  
A new species of glassfrog from the elfin forests of the Cordillera del Cóndor, southeastern Ecuador  
Eine neue Glasfroschart aus den Gebirgs-Nebelwäldern der Cordillera del Cóndor, Südost-Ecuador
- COTTONÉ, A. M. & BAUER, A. M. 21: 186  
Self-rubbing and substrate marking by the Rhombic Skaapsteker, *Psammophylax rhombeatus rhombeatus* (LINNAEUS, 1758) [Short Note]
- CUNNINGHAM, P. L. 22: 91  
Foraging behavior of the Egyptian Spiny-tailed Lizard *Uromastix aegyptia* (FORSKÅL, 1775) [Short Note]
- DELIA, J. siehe/see CISNEROS-HEREDIA, D. F. & DELIA, J. & YÁNEZ-MUÑOZ, M. H. & ORTEGA-ANDRADE, H. M.
- DUTTA, S. K. siehe/see MAHAPATRA, P. K. & NAYAK, S. & DUTTA, S. K.
- DUTTA, S. K. siehe/see SAHOO, G. & MOHAPATRA, B. K. & DUTTA, S. K.
- EIFLER, D. A. siehe/see ZERO, V. H. & EIFLER, D. A. & POWELL, R.
- ESMAEILI, H. R. siehe/see GHOLAMHOSSEINI, A. & SCHMIDTLER, J. F. & ZAREIAN, H. & ESMAEILI, H. R.
- FARKAS, B. siehe/see TÓTH, T. & FARKAS, B. & GÉCZY, C. & SÓS, E. & HALPERN, B.
- FUHRMANN, K. siehe/see KUCHARZEWSKI, CH. & TILLACK, F. & FUHRMANN, K.
- GARZÓN, K. siehe/see VALENCIA, J. H. & ALCOSER-VILLAGÓMEZ, M. & GARZÓN, K. & HOLMES, D.
- GARZÓN, K. siehe auch/see also VALENCIA, J. H. & ARBELÁEZ, E. & GARZÓN, K. & PICERNO-TOALA, P.
- GARZÓN, K. siehe auch/see also VALENCIA, J. H. & GARZÓN, K. & BETANCOURT-YÉPEZ, R.
- GÉCZY, C. siehe/see TÓTH, T. & FARKAS, B. & GÉCZY, C. & SÓS, E. & HALPERN, B.
- GHOLAMHOSSEINI, A. & SCHMIDTLER, J. F. & ZAREIAN, H. & ESMAEILI, H. R. - The second specimen of the Iranian *Eirenis rechingeri* EISELT, 1971 [Short Note] 22: 189
- GRILLITSCH, H. & WERNER, Y. L. 22: 65  
The southern limit of *Natrix natrix* in the Levant – a detective story  
Die südliche Verbreitungsgrenze von *Natrix natrix* in der Levante – eine Detektivgeschichte
- GRILLITSCH, H. 22: 191  
INDEX zu den Bänden 21 und 22 / INDEX to the volumes 21 and 22
- GRILLITSCH, H. siehe auch/see also BADER, TH. & RIEGLER, CH. & GRILLITSCH, H.
- GRILLITSCH, H. siehe auch/see also WILSON, M. J. & GRILLITSCH, H.
- GUERRERO-REINHARD, M. siehe/see MORAVEC, J. & APARICIO, J. & GUERRERO-REINHARD, M. & CALDERON, G.
- GÜL, Ç. siehe/see TOSONOĞLU, M. & GÜL, Ç. & UYSAL, İ.

- GÜL, Ç. siehe auch/see also TOSONOĞLU, M. & TOK, C. V. & GÜL, Ç. & GÜLDALI, G.  
 GÜLDALI, G. siehe/see TOSONOĞLU, M. & TOK, C. V. & GÜL, Ç. & GÜLDALI, G.  
 GUTIÉRREZ-C. P. D. siehe/see ROJAS, R. & GUTIÉRREZ-C. P. D.  
 HALPERN, B. siehe/see TÓTH, T. & FARKAS, B. & GÉCZY, C. & SÓS, E. & HALPERN, B.  
 HARRIS, D. J. siehe/see VASCONCELOS, R. & ROCHA, S. & BRITO, J. C. & CARRANZA, S. & HARRIS, D. J.  
 HELFENBERGER, N. siehe/see SCHÄTTI, B. & TILLACK, F. & HELFENBERGER, N. 22: 94  
 HERTZ, A. & VAN DEN BERGHE, E.  
 Atypical coloration pattern in a specimen of *Lampropeltis triangulum stuarti* WILLIAMS, 1978, from western Nicaragua [Short Note]  
 HOLMES, D. siehe/see VALENCIA, J. H. & ALCOSER-VILLAGÓMEZ, M. & GARZÓN, K. & HOLMES, D.  
 IFTIME, A. & IFTIME, O. & POP, D. A. 22: 55  
 Observations on the herpetofauna of the Iezer-Păpușa Massif (southern Carpathians, Romania)  
 Beobachtungen über die Herpetofauna des Iezer-Păpușa Massivs (Südkarpaten, Rumänien)  
 IFTIME, O. siehe/see IFTIME, A. & IFTIME, O. & POP, D. A.  
 JAVARI, M. & TORKI, F. 21: 171  
 Notes on morphology, ecology, behavior and systematics of *Bufo luristanicus* SCHMIDT, 1952  
 Bemerkungen zu Morphologie, Ökologie, Verhalten und Systematik von *Bufo luristanicus* SCHMIDT, 1952  
 KAMMEL, W. 21: 99  
 Äußere Morphologie und Geschlechterverhältnis bei der Äskulapnatter, *Zamenis longissimus longissimus* (LAURENTI, 1768) in Österreich  
 External morphology and sex ratio of the Aesculapian Snake *Zamenis longissimus longissimus* (LAURENTI, 1768), in Austria  
 KAMMEL, W. 22: 3  
 Jahres- und Tagesrhythmen in der Aktivität und Beobachtungshäufigkeit dreier mitteleuropäischer Schlangenarten  
 Circannual and circadian rhythms in the activity and observation frequency of three Middle European snake species  
 KIRCHNER, M. 21: 189  
*Telescopus fallax* (FLEISCHMANN, 1831) found in the Aegean Island of Chios, Greece [Short Note]  
 KUCHARZEWSKI, CH. & TILLACK, F. & FUHRMANN, K. 22: 181  
 Rediscovery and redescription of the type specimens of *Ophites ruhstrati* FISCHER, 1886  
 Wiederfund und Neubeschreibung der Typusexemplare von *Ophites ruhstrati* FISCHER, 1886  
 KUCHARZEWSKI, CH. siehe auch/see also SCHÄTTI, B. & TILLACK, F. & KUCHARZEWSKI, CH.  
 LU, X. & ZENG, X. & NIE, C. 21: 67  
 Reproductive ecology of *Rana kukunoris* NIKOLSKII, 1918, a high-altitude frog native to the Tibetan Plateau  
 Fortpflanzungsökologie von *Rana kukunoris* NIKOLSKII, 1918, einem Gebirgsfrosch des tibetischen Hochlandes  
 MAHAPATRA, P. K. & NAYAK, S. & DUTTA, S. K. 21: 31  
 Age estimates for a population of the Indian Tree Frog *Polypedates maculatus* (GRAY, 1833)  
 Altersschätzungen an einer Population des Gefleckten Ruderfrosches *Polypedates maculatus* (GRAY, 1833)  
 MOHAPATRA, B. K. siehe/see SAHOO, G. & MOHAPATRA, B. K. & DUTTA, S. K.  
 MORALES-MITE, M. A. siehe/see CISNEROS-HEREDIA, D. F. & MORALES-MITE, M. A.  
 MORANDO, M. siehe/see AVILA, L. J. & PÉREZ, C. H. F. & MORANDO, M. & PÉREZ, R.  
 MORAVEC, J. & APARICIO, J. & GUERRERO-REINHARD, M. & CALDERON, G. 22: 92  
 First record of *Siphophis worontzowi* (PRADO, 1940) from Bolivia and Peru [Short Note]

- NAYAK, S. siehe/see MAHAPATRA, P. K. & NAYAK, S. & DUTTA, S. K.  
 NIE, C. siehe/see LU, X. & ZENG, X. & NIE, C.  
 OHLER, A. 21: 179  
*Rhacophorus burmanus* (ANDERSSON, 1939) - the valid nomen for *Rhacophorus taronensis* SMITH, 1940 and *Rhacophorus gongshanensis* YANG & SU, 1984 [Short Note]
- ORTEGA-ANDRADE, H. M. siehe/see CISNEROS-HEREDIA, D. F. & DELIA, J. & YÁNEZ-MUÑOZ, M. H. & ORTEGA-ANDRADE, H. M.  
 PÉREZ, C. H. F. siehe/see AVILA, L. J. & PÉREZ, C. H. F. & MORANDO, M. & PÉREZ, R.  
 PÉREZ, R. siehe/see AVILA, L. J. & PÉREZ, C. H. F. & MORANDO, M. & PÉREZ, R.  
 PICERNO-TOALA, P. siehe/see VALENCIA, J. H. & ARBELÁEZ, E. & GARZÓN, K. & PICERNO-TOALA, P.  
 POP, D. A. siehe/see IFTIME, A. & IFTIME, O. & POP, D. A.  
 POWELL, R. siehe/see ZERO, V. H. & EIFLER, D. A. & POWELL, R.  
 RAIKOVA-PETROVA, G. N. siehe/see ŽIVKOV, M. T. & RAIKOVA-PETROVA, G. N. & TRICHKOVA, T. A.  
 RIEGLER, CH. siehe/see BADER, TH. & RIEGLER, CH. & GRILLITSCH, H.  
 ROCHA, S. siehe/see VASCONCELOS, R. & ROCHA, S. & BRITO, J. C. & CARRANZA, S. & HARRIS, D. J.  
 ROJAS, R. & GUTIÉRREZ-C. P. D. 21: 85  
*Pristimantis repens* (LYNCH, 1984), a frog not restricted to the Páramo [Short Note]
- SAHOO, G. & MOHAPATRA, B. K. & DUTTA, S. K. 22: 137  
 Structure and chemical composition of shells of abnormal eggs of Olive Ridley Turtles, *Lepidochelys olivacea* (ESCHSCHOLTZ, 1829)  
 Struktur und chemische Zusammensetzung der Schalen abnormer Eier der Bastardschildkröte *Lepidochelys olivacea* (ESCHSCHOLTZ, 1829)
- SCHÄTTI, B. & TILLACK, F. & HELFENBERGER, N. 22: 115  
 A contribution to *Spalerosophis microlepis* JAN, 1865, with a short review of the genus and a key to the species  
 Ein Beitrag zu *Spalerosophis microlepis* JAN, 1865 mit einem kurzen Überblick zur Gattung und einem Bestimmungsschlüssel der Arten
- SCHÄTTI, B. & TILLACK, F. & KUCHARZEWSKI, CH. 22: 43  
 Identität und Status dreier aus Ägypten beschriebener Schlangenarten: *Coluber tyria* LINNAEUS, 1758, *Coluber cahirinus* GMELIN, 1789 und *Coluber geoffroyii* GRAY, 1831  
 Identity and status of three snake species described from Egypt: *Coluber tyria* LINNAEUS, 1758, *Coluber cahirinus* GMELIN, 1789, and *Coluber geoffroyii* GRAY, 1831
- SCHMIDTLER, J. F. siehe/see GHOLAMHOSSEINI, A. & SCHMIDTLER, J. F. & ZAREIAN, H. & ESMAEILI, H. R.  
 SELIGMANN, H. siehe/see BABOCSAY, G. & TALBI, R. & SHACHAM, B. & SELIGMANN, H.  
 SHACHAM, B. siehe/see BABOCSAY, G. & TALBI, R. & SHACHAM, B. & SELIGMANN, H.  
 SÓS, E. siehe/see TÓTH, T. & FARKAS, B. & GÉCZY, C. & SÓS, E. & HALPERN, B.  
 TALBI, R. siehe/see BABOCSAY, G. & TALBI, R. & SHACHAM, B. & SELIGMANN, H.  
 TILLACK, F. siehe/see KUCHARZEWSKI, CH. & TILLACK, F. & FUHRMANN, K.  
 TILLACK, F. siehe/see SCHÄTTI, B. & TILLACK, F. & HELFENBERGER, N.  
 TILLACK, F. siehe/see SCHÄTTI, B. & TILLACK, F. & KUCHARZEWSKI, CH.  
 TOK, C. V. siehe/see TOSONOĞLU, M. & TOK, C. V. & GÜL, Ç. & GÜLDALI, G.  
 TORKI, F. 22: 79  
 Sexual dimorphism of scale keeling in *Asaccus kurdistanensis* RASTEGAR-POUYANI, NILSON & FAIZI, 2006 [Short Note]
- TORKI, F. siehe auch/see also JAVARI, M. & TORKI, F.  
 TOSONOĞLU, M. & GÜL, Ç. & UYSAL, İ. 22: 75  
 The herpetofauna of Tenedos (Bozcaada, Turkey) [Short Note]

- 
- TOSONOĞLU, M. & TOK, C. V. & GÜL, Ç. & GÜLDALI, G. 21: 87  
 The blood cells of West Anatolian *Lissotriton vulgaris* (LINNAEUS, 1758)  
 [Short Note]
- TÓTH, T. & FARKAS, B. & GÉCZY, C. & SÓS, E. & HALPERN, B. 22: 82  
 Herpetofaunal data from Ilovik and neighboring islets (Cres-Lošinj  
 Archipelago, Croatia) [Short Note]
- TÓTH, T. & GÉCZY, C. & SÓS, E. & MOLNÁR, Z. & HALPERN, B. 21: 192  
 Further data on the Herpetofauna of Lošinj Island, Croatia [Short Note]
- TRICHKOVA, T. A. siehe/see ŽIVKOV, M. T. & RAIKOVA-PETROVA, G. N. &  
 TRICHKOVA, T. A.
- UYSAL, İ. siehe/see TOSONOĞLU, M. & GÜL, Ç. & UYSAL, İ.
- VALENCIA, J. H. & ALCOSER-VILLAGÓMEZ, M. & GARZÓN, K. & HOLMES, D. 21: 190  
 Albinism in *Ninia hudsoni* PARKER, 1940 from Ecuador [Short Note]
- VALENCIA, J. H. & ARBELÁEZ, E. & GARZÓN, K. & PICERNO-TOALA, P. 21: 91  
 Notes on *Corallus blombergi* (RENDAHL & VESTERGREN, 1941) from Ecuador  
 [Short Note]
- VALENCIA, J. H. & GARZÓN, K. & BETANCOURT-YÉPEZ, R. 21: 95  
 Notes on the reproduction of the Ecuadorian toad-headed pitviper  
*Bothrocophias campbelli* (FREIRE-LASCANO, 1991) [Short Note]
- VAN DEN BERGHE, E. siehe/see HERTZ, A. & VAN DEN BERGHE, E.
- VAN ROOIJEN, J. siehe/see VOGEL, G. & VAN ROOIJEN, J.
- VASCONCELOS, R. & ROCHA, S. & BRITO, J. C. & CARRANZA, S. & HARRIS, D. J. 21: 183  
 First report of introduced African Rainbow Lizard *Agama agama* (LINNAEUS,  
 1758) in the Cape Verde Islands [Short Note]
- VOGEL, G. & VAN ROOIJEN, J. 21: 3  
 Contributions to a review of the *Dendrelaphis pictus* (GMELIN, 1989) complex -  
 2. the eastern forms  
 Beiträge zu einer Revision des *Dendrelaphis pictus* (GMELIN, 1989) Komplexes - 2. die östlichen  
 Formen
- WARBURG, M. R. 22: 27  
 Long-term study on the reproductive strategy of *Salamandra infraimmaculata*  
 MARTENS, 1855 females in a single, isolated population breeding under pre-  
 carious ambient conditions  
 Langzeituntersuchung zur Fortpflanzungsstrategie der Weibchen von *Salamandra infraimmacu-  
 lata* MARTENS, 1855 einer isolierten Population unter widrigen Umweltbedingungen
- WERNER, Y. L. siehe/see GRILLITSCH, H. & WERNER, Y. L.
- WILSON, M. J. & GRILLITSCH, H. 22: 99  
 The herpetofauna of Simi (Dodecanese, Greece)  
 Die Herpetofauna der Insel Simi (Dodekanes, Griechenland)
- YÁNEZ-MUÑOZ, M. H. siehe/see CISNEROS-HEREDIA, D. F. & DELIA, J. & YÁNEZ-  
 MUÑOZ, M. H. & ORTEGA-ANDRADE, H. M.
- ZAREIAN, H. siehe/see GHOLAMHOSSEINI, A. & SCHMIDTLER, J. F. & ZAREIAN, H. &  
 ESMAEILI, H. R.
- ZENG, X. siehe/see LU, X. & ZENG, X. & NIE, C.
- ZERO, V. H. & EIFLER, D. A. & POWELL, R. 22: 167  
 Foraging behavior of the lizard *Ameiva erythrocephala* DAUDIN, 1802  
 Das Beuteverhalten von *Ameiva erythrocephala* DAUDIN, 1802
- ŽIVKOV, M. T. & RAIKOVA-PETROVA, G. N. & TRICHKOVA, T. A. 22: 11  
 Population biology and ontogenetic allometry of *Testudo hermanni boettgeri*  
 MOJSISOVICS, 1889, in a marginal population in Bulgaria  
 Zur Populationsbiologie und ontogenetischen Allometrie bei einer Randpopulation von *Testudo  
 hermanni boettgeri* MOJSISOVICS, 1889 aus Bulgarien
-

## GATTUNGS-, ARTEN- UND UNTERARTENREGISTER INDEX TO THE GENERA, SPECIES, AND SUBSPECIES

mit den Abschnitten Pflanzen, Invertebrata, Vertebrata / including the sections plants, invertebrata, vertebrata

\* Abbildung / Illustration T XX(/.) \* Titelbild / cover illustration

- Ablepharus kitaibelii* 21: 80, 156, 157, 166; 22: 75-77, 87, 99, 100, 110, 111  
*kitaibelii* 22: 106
- Acanthodactylus* 22: 174
- Agama anchietae* 21: 185  
*agama* 21: 183-186  
*atra* 21: 185  
*impalearis* 21: 185  
*planiceps* 21: 185
- Algyroides moreoticus* 22: 87  
*nigropunctatus* 21: 192; 22: 87  
*nigropunctatus* 22: 83
- Ambystoma jeffersonianum* 21: 75  
*maculatum* 21: 75
- Ameiva* 22: 168, 170  
*erythrocephala* 22: 167-171  
*exsul* 22: 168  
*fuscata* 22: 168  
*wetmorei* 22: 168
- Amietophrynus* siehe/see *Bufo*
- Anatolacerta anatolica* 21: 157  
*danfordi* 21: 157; 22: 77  
*pentanisiensis* 21: 157  
*oertzeni* 21: 153, 156, 157, 166; 22: 99, 100, 103, 110, 111  
*pelasgiana* 21: 153, 156, 157; 22: 105, 106
- Anaxyrus* siehe/see *Bufo*
- Anguis cephalonicus* 22: 87  
*fragilis* 22: 58, 59-63, 77, 87
- Anolis* 22: 167  
*chlorocyanus* 21: 183  
*porcatus* 21: 183
- Asaccus elisae* 21: 176; 22: 81  
*griseonotus* 22: 80, 82  
*kurdistanensis* 22: 79-82\*  
*nasrullahi* 21: 176; 22: 80
- Blanus strauchi* 21: 82, 153, 158, 162\*, 166; 22: 99, 100, 110-112  
*aporus* 22: 65  
*strauchi* 22: 103
- Bombina variegata* 22: 56-63
- Bothrocophias* 21: 96  
*campbelli* 21: 95-96\*  
*hyoprora* 21: 96  
*microphthalmus* 21: 96
- Bufo americanus* 21: 37, 39  
(*Amietophrynus*) *pardalis* 21: 37, 39  
(*Anaxyrus*) *americanus* 21: 37, 39  
*arenarum* 21: 38  
*bufo* 21: 38, 39, 90, 151; 22: 58-63, 77, 87, 111  
*calamita* 21: 39  
(*Duttaphrynus*) *melanostictus* 21: 37  
(*Epidalea*) *calamita* 21: 39  
*luristanicus* 21: 171-173, 174\*, 175\*, 176-178  
*melanostictus* 21: 37
- Bufo minshanicus* 21: 68  
*pardalis* 21: 37, 39  
*pentoni* 21: 38  
(*Pseudepidalea*) *viridis* 21: 80, 82  
(*Rhinella*) *arenarum* 21: 38  
*surdus* 21: 176, 177  
*annulatus* 21: 177  
*surdus* 21: 177  
complex 21: 176, 177  
*variabilis* siehe/see *Bufo viridis* 22: 99, 102, 110, 111  
*viridis* 21: 80, 82, 149, 150, 166, 174\*, 175\*, 176, 177, 192; 22: 56, 58, 59, 75-77, 84\*, 86, 87, 99, 102, 103, 110, 111  
*viridis* 22: 89
- Caretta caretta* 21: 81, 152; 22: 86
- Centrolene altitudinale* 21: 51, 54, 56  
*audax* 21: 51  
*buckleyi* 21: 51, 54, 56  
*condor* sp. nov. 21: 49-56\*  
*durrellorum* 21: 51  
*geckoideum* 21: 62  
*gorzulai* 21: 62  
*heloderma* 21: 51, 54, 56  
*hesperium* 21: 51, 54, 56  
*lema* 21: 62  
*lemniscatum* 21: 51, 54, 56  
*litorale* 21: 58  
*mariaelenae* 21: 51, 62  
*papillahallicum* 21: 62  
*pipilatum* 21: 51  
*prosoblepon* 21: 58  
*venezuelense* 21: 51, 54
- Chalcides ocellatus* 21: 156-158, 166; 22: 111
- Chamaeleo chamaeleon* 21: 154, 156, 163\*; 22: 111
- Chelonia mydas* 21: 152; 22: 140
- Chirolepis* 22: 117
- Cochranella* 21: 58  
*albomaculata* 21: 58  
*antisthenesi* 21: 62, 63  
*amelie* 21: 51, 62  
*ametarsia* 21: 51  
*castroviejoi* 21: 62  
*euknemos* 21: 63  
*granulosa* 21: 63  
*helenae* 21: 62  
*mache* 21: 57-66\*  
*midas* 21: 51  
*phryxa* 21: 62  
*pulverata* 21: 58, 62, 63  
*pulveratum* 21: 63  
*resplendens* 21: 51, 62
- Coluber* 22: 48, 50, 87, 174  
siehe auch/see also *Dolichophis*, *Hemorrhoids*, *Hierophis*, *Pantherophis*, *Platyceps*, *Spalerosophis*

- Coluber boiga* 21: 3  
*cahirinus* 22: 43-54  
*caspius* 21: 160, 161  
*caspius* 21: 160, 161  
*eiselti* 21: 160, 161  
*cliffordi* 22: 48, 116  
*cliffordii* 22: 45, 46, 50, 116  
*diadema* 22: 45, 48, 118, 131  
*florulentus* 22: 45  
*geoffroyii* 22: 43-54  
*(Hemorrhoidis) nummifer* 22: 45  
*guttatus* 22: 45-50  
*jugularis* 21: 160, 161  
*nummifer* 22: 49, 50  
*nympha* 22: 118  
*(Pantherophis) guttatus* 22: 45, 49  
*pictus* 21: 3-4  
*(Psammophis) schokari* 22: 45  
*ravergieri* 22: 48  
*sinai* 22: 178  
*(Spalerosophis) diadema* 22: 45  
*(Spalerosophis) microlepis* 22: 121  
*thomasi* 22: 174  
*tyria* 22: 43-54, 129, 131  
*diadema* 22: 47  
*tyria* 22: 47  
*Contia decemlineata* 22: 189  
*Corallus* 21: 91, 92  
*annulatus* 21: 91, 92  
*blombergi* 21: 91  
*blombergi* 21: 91-94\*  
*caninus* 21: 91  
*hortulanus* 21: 91  
*Coronella austriaca* 22: 5, 8, 56, 62; 22: 77  
*Crocodylus niloticus* 22: 72  
*Crotalus* 21: 191  
*Cyrtopodion (Mediodactylus) kotschyi* 21: 80, 81; 22: 75-77, 87, 99, 100, 103, 110, 111  
*beutleri* 22: 104\*, 105  
*scabrum* 21: 176  
*Dendrelaphis* 21: 3-29  
*cyanochloris* 21: 4  
*grimeri* sp. nov. 21-26\*  
*haasi* 21: 4  
*hollinrakei* 21: 4  
*marenae* sp. nov. 21: 13-27\*  
*pictus* 21: 3-29\*  
*andamanensis* 21: 4  
*bifrenalis* 21: 4  
*cyanochloris* 21: 4  
*inornatus* 21: 4  
*intermedius* 21: 4  
*ngansonensis* 21: 4, 26, 27  
*timorensis* 21: 4  
*proarchus* 21: 4, 26  
*Dermochelys coriacea* 22: 139  
*Dinodon* 22: 182  
*futsingensis* 22: 182  
*septentrionale* 22: 182  
*multifasciatum* 22: 182  
*ruhstrati* 22: 182  
*septentrionalis* 22: 184  
*var. ruhstrati* 22: 182  
*Dipsas* 21: 44  
*Dipsina* 21: 188  
*Dolichophis* 21: 155, 166  
*caspius* 21: 82, 159-161, 165\*, 166; 22: 75-77, 88\*-90, 111  
*jugularis* 21: 159-161, 165\*, 166; 22: 99, 100, 104\*-107, 110-112  
*Dryomarchon corais couperi* 21: 118  
*Dryocalamus nympha* 22: 118  
*Duttaphrynus* siehe/see *Bufo*  
*Echis* 21: 188; 22: 174  
*Eirenis* 22: 174, 189  
*(Pediophis) collaris* 22: 189, 190  
*coronella* 22: 189  
*(Eoseirenis) decemlineatus* 22: 189, 190  
*(Pediophis) medus* 22: 189, 190  
*modestus* 21: 82, 160; 22: 77, 99, 100, 111, 189  
*semimaculatus* 22: 107  
*persicus* 22: 189  
*(Pediophis) punctatolineatus* 22: 189, 190  
*rechingeri* 22: 189, 190\*  
*Elaphe* 22: 109  
*longissima* siehe/see *Zamenis longissima*  
*quatuorlineata* 21: 192; 22: 77, 89  
*sauromates* 22: 111  
*Eleutherodactylus* 21: 85  
*Emys orbicularis* 21: 80, 81, 151; 22: 70, 72, 77, 111  
*hellenica* 21: 151  
*luteofusca* 21: 151  
*Eoseirenis* siehe/see *Eirenis*  
*Epidalea* siehe/see *Bufo*  
*Eryx jaculus* 21: 82, 158, 160; 22: 76, 77, 111  
*turcicus*: 21: 160  
*Euphlyctis cyanophlyctis* 21: 37, 39  
*hexadactylus* 21: 38  
*Euprepes (Tiliqua) ruhstrati* 22: 181  
*Euprepis fellowsii* 21: 158  
*Eutropis longicaudata* 22: 181  
*Fejervarya limnocharis* 21: 38, 39  
*Hemidactylus angulatus* 21: 183  
*bouvieri* 21: 183  
*raoensis* 21: 183  
*frenatus* 21: 183  
*garnotii* 21: 183  
*mabouia* 21: 183  
*turcicus* 21: 192; 22: 75-77, 87, 99, 100, 106, 110, 111  
*turcicus* 21: 80, 81, 152, 153, 157, 166; 22: 103  
*Hemorrhoidis* 22: 131  
*nummifer* 21: 80, 159, 161, 164, 166, 167; 22: 45-50, 99, 100, 104\*, 105, 107\*-112  
*Hierophis gemonensis* 21: 192; 22: 84\*, 86, 87, 89  
*Hyalinobatrachium* 21: 58, 62, 63  
*eurygnathum* 21: 58, 62  
*fleischmanni* 21: 58, 61  
*parvulum* 21: 58, 62  
*pulveratum* 21: 63  
*pellucidum* 21: 51  
*uranoscopum* 21: 58, 62  
*Hyla* 22: 174  
*arborea* 21: 149, 150; 22: 56, 58, 77, 87  
*arborea* 21: 149, 166; 22: 111  
*kretensis* 21: 149, 166  
*labialis* 21: 75

- Hyloxalus subpunctatus* 21: 85  
*Hynobius kimurae* 21: 39
- Iberolacerta** 22: 146, 159, 163  
*aranica* 22: 146, 159, 162, 163  
*aurelioi* 22: 146, 162  
*bonnali* 22: 145-166  
*cyreni* 21: 94; 22: 162  
*estrellensis* 21: 94-95  
*galani* 22: 162  
*horvathi* 22: 159, 162, 163  
*martinezricai* 22: 162  
*monticola* 21: 94-95; 22: 159, 162, 163  
*cantabrica* 21: 95
- Invertebrata**  
*Carabus (Hygrocarabus) variolosus* 22: 62  
*Cybister* 22: 62  
*Dytiscus* 22: 62  
*Euscorpis* 22: 83  
*Hydropsyche* 21: 12  
*Peryphus* 22: 164
- Lacerta agilis** 22: 56-63  
*aurata* 21: 158  
*bilineata* 21: 192  
*bilineata* 22: 86  
*dugesii* 21: 183  
*estrellensis* 21: 95  
*monticola bonnali* 22: 146  
*muralis* var. *monticola* 21: 94  
*oedura* 21: 124  
*(Podarcis) monticola bonnali* 22: 146  
*princeps* 22: 129  
*trilineata* 21: 157, 192; 22: 77, 87, 90, 111  
*diplochondrodes* 21: 153, 155, 156, 166  
*viridis* 22: 77  
*vivipara* var. *varnolicola* 21: 124  
*vasconiae* 21: 144
- Lampropeltis triangulum** 22: 94, 95  
*hondurensis* 22: 94  
*stuarti* 22: 94, 95\*
- Laudakia** 22: 174  
*nupta* 21: 176  
*stellio* 21: 149; 22: 77, 99, 100, 105, 107, 110, 111  
*daani* 21: 82, 153-155, 166; 22: 105
- Lepidochelys kempii** 22: 139  
*olivacea* 22: 137-143\*
- Lepidodactylus lugubris** 21: 183
- Limnonectes** 21: 10
- Liolaemus grosseorum* 21: 86, 87  
*Lissotriton montandoni* 22: 56-63  
*montandoni* x *L. vulgaris* 22: 56-63\*  
*vulgaris* 21: 87-91; 22: 58-63, 77, 87
- Lithobates chiricahuensis** 21: 39  
*pipiens* 21: 39
- Loxodon microlepis** 22: 117, 120
- Lyciasalamandra facillae** 22: 111  
*flavimembris* 11: 111  
*helverseni* 21: 148, 149  
*luschani* 22: 111
- Lycodon fasciatus** 22: 182  
*Mülleri* 22: 182, 184  
*ruhstrati* 22: 181-187\*  
*multifasciatus* 22: 182  
*ruhstrati* 22: 182
- Lytorhynchus diadema** 22: 174
- Macrovipera lebetina obtusa** 22: 65
- Malpolon** 21: 188  
*moilensis* 22: 177, 178  
*monspeulanus* 21: 176, 187, 188, 192; 22: 75-77, 88\*, 90  
*fuscus* 22: 88\*, 90  
*insignitus* 21: 166; 22: 111
- Mauremys rivulata** 21: 150, 151, 166; 22: 72, 75-77, 111
- Mediodactylus** siehe auch/see also *Cyrtopodion*  
*kotschyi* 21: 152-154, 163\*, 166  
*beutleri* 21: 154, 163\*  
*bileki* 21: 154  
*ciliciensis* 21: 154  
*danilewskii* 21: 154
- Mesalina** 22: 174
- Mesotriton alpestris** 21: 90; 22: 58-63
- Micrelaps** 22: 174
- Microgecko helenae** 22: 129
- Microhyla ornata** 21: 37-39
- Montivipera xanthina** 21: 80-83\*, 166, 167; 22: 77, 99, 100, 108\*, 109, 110-112
- Nanorana parkeri** 21: 73  
*pleskei* 21: 68, 73
- Natrix** 22: 44  
*natrix* 21: 82, 159, 164; 22: 3-9, 65-74\*, 77, 111  
*persa* 21: 159, 164  
*tessellata* 21: 119, 164, 166, 176; 22: 3-9, -65-74\*, 77, 111
- Nephurus wheeleri** T 21 (3/4)\*
- Neurergus strauchii** 21: 90
- Ninia hudsoni** 21: 190-192\*
- Nymphargus** 21: 58, 62  
*anomalous* 21: 63  
*laurae* 21: 51  
*megacheirus* 21: 51  
*rosada* 21: 63  
*siren* 21: 51  
*wileyi* 21: 51
- Ommatotriton vittatus** 21: 90; 22: 77
- Ophisops elegans** 21: 80, 153, 155-157, 166, 176; 22: 75-77, 99, 100, 110-112  
*ehrenbergii* 21: 155  
*macroductylus* 21: 80, 155; 22: 106
- Ophites ruhstrati** 22: 181-187\*
- Osteocephalus** 21: 62
- Oxyrhopus** cf. *petola* 22: 92  
*marcapatae* 22: 92
- Pantherophis guttatus** 22: 45, 49
- Pediophis** siehe/see *Eirenis*
- Pelobates syriacus** 21: 151  
*balcanicus* 22: 111
- Pelophylax bedriagae** 21: 150, 151  
*cerigensis* 21: 149-151, 166; 22: 111  
*esculentus* 21: 37; 22: 58, 62  
*ridibundus* 21: 37, 39, 90, 151, 176; 22: 58, 63, 77, 111
- Periops** 22: 129  
*parallelus* 21: 45  
*schiraziana* 22: 118  
 var. *schirastiana* 22: 119



## Pflanzen / Plants

- Acacia* 22: 168  
     *tortilis* 22: 91  
*Acer platanoides* 22: 56  
     *pseudoplatanus* 22: 56  
*Aegilops triaristata* 22: 75  
*Agave americana* 22: 85  
*Allium dodecanesii* 21: 79  
*Alnus incana* 22: 56  
*Alyssum umbellatum* 22: 75  
*Amaranthus deflexus* 22: 75  
*Arctostaphylos uva-ursi* 22: 146  
*Arum discordis* 22: 102  
*Arundo donax* 21: 151; 22: 86  
*Asphodelus albus* 22: 103  
*Atriplex lampa* 21: 87  
*Ballota acetabulosa* 22: 75  
*Beta maritima* 22: 75  
*Betula pendula* 22: 56  
*Calamagrostis* 21: 85  
*Calluna* 22: 156  
*Cardopatum corymbosum* 22: 75  
*Carpinus betulus* 22: 56  
*Centaurea solstitialis* 22: 75  
*Cerastium brachypetalum* 22: 75  
*Chenopodium album* 22: 75  
*Citrus lemon* 22: 85  
*Coridothymus capitatus* 22: 75  
*Cupressus sempervirens* 22: 83, 85, 86, 102  
*Cynodon dactylon* 22: 75  
*Dianthus corymbosus* 22: 75  
*Ephedra ochreatea* 21: 87  
*Erica* 22: 156  
*Eryngium campestre* 22: 75  
*Espeletia* 21: 85  
*Eucalyptus* 21: 93  
*Euphorbia* 22: 85  
     *burmannii* 21: 188  
     *characias* 22: 85  
     *dendroides* 22: 102  
*Fagus sylvatica* 22: 55  
*Festuca airoides* 22: 146, 156  
*Haloxylon salicornicum* 22: 91  
*Helicrysum italicum* 22: 85  
*Hordeum marinum* 22: 75  
     *murinum* 22: 75  
*Jatropha gossypifolia* 22: 168  
*Juniperus oxycedrus* 22: 85, 86  
*Kobresia myosuroides* 22: 146, 156  
*Larrea cuneifolia* 21: 87  
     *divaricata* 21: 87  
*Marrubium vulgare* 22: 75  
*Nardus* 22: 156  
*Notobasis syriaca* 22: 75  
*Ocotea* 21: 85  
*Onopordum illyricum* 22: 75  
*Opuntia ficus-indica* 22: 85  
*Orchis laxiflora* 22: 89  
*Oreopanax* 21: 85  
*Origanum heraceoticum* 22: 102  
*Paliurus spina-christi* 22: 85  
*Papaver virchowii* 22: 75  
*Pennisetum divisum* 22: 91  
*Phoenix canariensis* 22: 85, 86  
*Pinus brutia* 22: 102  
     *halepensis* 22: 83, 86  
     *mugo* 22: 56

## Pflanzen / Plants

- Pistacia terebinthus* 22: 85, 86  
*Polylepis* 21: 85  
*Prosopidastrum globosum* 21: 87  
*Punica granatum* 22: 85  
*Quercus ilex* 22: 83, 85, 86  
*Rhododendron* 22: 156  
     *ferrugineum* 22: 146, 156  
     *myrtifolium* 22: 56  
*Salsola spinescens* 22: 91  
*Sagina maritima* 22: 75  
*Schinus polygamus* 21: 87  
*Sedum caespitosum* 22: 75  
*Stipa* 21: 87  
*Suaeda divaricata* 21: 87  
*Teucrium polium* 22: 75  
*Typha domingensis* 22: 89  
*Urginea maritima* 22: 103  
*Vaccinium uliginosum* 22: 146  
*Weinmannia mariquitae* 21: 85  
*Platyceps* 22: 131, 174  
     *collaris* 22: 111  
     *elegantissimus* 22: 173-180  
     *florulentus* 22: 44, 45, 49  
     *karelini* 21: 176  
     *najadum* 21: 80, 159, 161, 166; 22: 77, 111  
         *dahlia* 21: 80, 81, 159, 161  
     *rhodorachis* 22: 177  
     *saharicus* 22: 177  
*Podarcis raffonei* 21: 183  
     *melisellensis* 21: 192; 22: 83, 85  
         *fiumana* 22: 83  
     *muralis* 22: 56, 58, 59, 60; 22: 77, 83  
     *sicula* 21: 183  
     *siculus* 21: 192; 22: 77, 83, 85, 86  
         *campestris* 22: 83  
     *taurica* 21: 157; 22: 87  
*Polypedates maculatus* 21: 31-40  
     (*Rhacophorus*) *dennysii burmana* 21: 179-182\*  
*Pristimantis* 21: 85  
     *buckleyi* 21: 85  
     *elegans* 21: 85  
     *myersi* 21: 85  
     *repens* 21: 85, 86  
*Psammophis* 21: 188  
     *aegyptius* 22: 177, 178  
     *schokari* 22: 45, 178  
     *sibilans* 22: 177  
*Psammophylax* 21: 188  
     *rhombeatus* 22: 44  
         *rhombeatus* 21: 186-189\*  
*Pseudepidalea* siehe/see *Bufo*  
*Pseudopus apodus* 21: 192\*; 22: 76, 77, 86, 111  
     *thracicus* 21: 153, 155; 22: 86  
*Pseudotrapelus* 22: 174  
*Pyrenesaura* 22: 146, 149, 163  
*Rana* siehe auch/see also *Euphylyctis*, *Fejervarya*,  
     *Pelophylax*  
     *chensinensis* 21: 68, 75, 76  
     *dalmatina* 22: 56, 58, 77  
     *dybowski* 21: 73  
     *kukunoris* 21: 67-77  
     *latastei* 21: 39  
     *taronensis* 21: 182  
     *temporaria* 21: 37-39, 68, 73, 75, 58-63

- Rhacophorus* 21: 179-182  
     *burmanus* 21: 179-182  
     *dennysi* 21: 179-182  
     *gongshanensis* 21: 179-182  
     *taronensis* 21: 179-182  
*Rhinella* siehe/see *Bufo*
- Salamandra infraimmaculata* 22: 27-42  
     *salamandra* 22: 56-63  
     *terrestris* 22: 35  
*Siphlophis worontzowi* 22: 92, 93\*  
*Spalaerosophis* 22: 117  
*Spalerosophis* 22: 117  
*Spalerosophis* 22: 43, 49, 115-135  
     *arenarius* 22: 115, 116, 118-120, 129-131  
     *atriceps* 22: 118, 129-131  
     *cliffordi* 22: 118  
     *cliffordii* 22: 45  
     *diadema* 22: 43, 45, 48, 115, 116, 118, 119,  
         129-131, 174  
     *cliffordii* 22: 44-50, 118, 119, 120, 129-  
         132  
     *diadema* 22: 118, 119, 129, 132  
     *schirasianus* 22: 131  
     *dolichospilus* 22: 118, 129, 131, 132  
     *josephscortecii* 22: 116, 118, 119, 129-132  
     *macrolepis* 22: 121  
     *microlepis* T 22 (3/4), 22: 115-135\*  
*Spelaerosophis microlepis* 22: 121  
*Sphalerosophis microlepis* 22: 120, 121
- Tarentola gigas* 21: 183  
     *mauritanica* 21: 183; 22: 87  
*Telescopus fallax* 21: 80, 189-190, 192; 22: 77, 100,  
     108\*, 109-111  
     *fallax* 21: 190  
     *rhodicus* 21: 159, 166; 22: 109  
*Testudo* 22: 174  
     *graeca* 21: 41-48, 82, 150, 152; 22: 75-77,  
         99, 100, 110, 111  
     *ibera* 22: 103  
     *hermanni* 21: 41-48, 150-152, 192; 22: 11-26,  
         89, 111  
     *boettgeri* 21: 152, 163\*; 22: 11-26  
     *horsefieldi* 21: 41-48  
     *kleinmanni* 21: 45  
     *marginata* 21: 41-48  
     *wernerii* 21: 45  
*Tiliqua* 22: 181  
*Timon princeps* 22: 129  
*Toxodon microlepis* 22: 117, 120  
*Trachylepis aurata* 21: 156, 158, 166, 176; 22: 99,  
     100, 104\*, 105, 110, 111  
     *aurata* 22: 106  
     *septemtaeniata* 21: 158
- Trionyx triunguis* 21: 152  
*Triturus cristatus* 21: 90; 22: 56-63  
     *karelinii* 21: 90; 22: 77  
     *marmoratus* T 21 (1/2)\*  
     *vittatus* 22: 77  
*Tropidonotus hydrus* 22: 66  
     *natix* 22: 66  
*Tropicolotes helenae* 21: 176; 22: 129  
*Typhlops vermicularis* 21: 82, 159, 160; 22: 76, 77,  
     111
- Uromastyx acanthinura* 22: 91  
     *aegyptia* 22: 91
- Vertebrata**  
*Alectoris chukar* 21: 83  
*Apodemus* 22: 107  
*Athene noctua* 21: 82  
*Bubo bubo* 22: 85  
*Carollia castanea* 21: 92  
*Corvus cornix* 21: 82  
     *corone* 21: 82  
*Cottus (gobio) transsilvaniae* 22: 63  
*Gyps fulvus* 22: 83  
*Larus audouinii* 21: 79  
*Monachus monachus* 21: 83; 22: 83  
*Mustela putorius* 22: 60  
*Oenanthe oenanthe* 22: 167  
*Rattus* 22: 107  
     *norvegicus* 21: 82  
*Turdus* 22: 107  
*Tursiops truncatus* 22: 83  
*Vipera ammodytes* 22: 87, 89  
     *meridionalis* 21: 166  
     *berus* 22: 58, 59, 62
- Zamenis* 22: 45, 50, 129  
     *diadema* 22: 119, 130  
     *diadema* var. *atriceps* 22: 118  
     *longissimus longissimus* 21: 99-121; 22: 3-9  
     *romanus* 21: 117, 118  
     *microlepis* 22: 121  
     *nummifer* 22: 47, 49  
     *situla* 21: 159, 164, 192; 22: 77, 87, 89, 111  
*Zootoca* 21: 123-126, 136-140  
     *vivipara* 21: 123-146\*; 22: 58-63  
         *carniolica* 21: 124-126, 136, 140, 144  
         *louislantzi* ssp. nov. 21: 123, 135\*,  
             140-141, 142\*-143\*, 144\*  
         *pannonica* 21: 124, 126, 134, 135\*,  
         *sachalinensis* 21: 124, 126, 136  
         *vivipara* 21: 124, 125, 134, 135\*; 22:  
             56-63

## SACHREGISTER / KEY WORD AND SUBJECT INDEX

- 16S rRNA (*Agama agama*, introduction, mitochondrial DNA, Cape Verde Islands) 21: 183-186
- Aberrant scale configuration (*Zamenis longissimus*, morphology, pholidosis, sex ratio, Austria) 21: 99-121
- Abnormal egg (*Lepidocheilus olivacea*, Olive Ridley Turtle, eggshell, calcium, ultrastructure, shell unit, fibers, egg shell chemical composition, Gahirmatha, Orissa, India) 22: 137-143
- Abundance (Herpetofauna of Simi [Symi] Dodecanese, Greece, species abundance, new island record *Telescopus fallax*) 22: 99-113
- Activity (*Iberolacerta bonnali*, microhabitat, body temperatures, habitat selection, high mountain environment, thermoregulation, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166  
 (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, apparent abundance, ecology, behavior, physiology, temperature-related activity, Austria) 22: 3-9  
 (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- Age (*Polypedates maculatus*, population ecology, longevity, skeletochronology, India) 21: 31-40  
 (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, body mass condition, Eminska Mountains, Bulgaria) 22: 11-26
- Age composition siehe/see Age (*Testudo hermanni*)
- Age determination siehe/see Age
- Albinism (*Ninia hudsoni*, morphology, Ecuador) 21: 190-192
- Altitude siehe/see (herpetofauna, Iezer-Păpușa Mountains, Romania)
- Altitudinal range (*Spalerosophis*, *S. microlepis*, type species, taxonomy, morphology, distribution, determination key) 22: 115-135
- Amphibian reproduction siehe/see Reproduction (*Salamandra infraimmaculata*)
- Animal welfare (Marking techniques for *Testudo*, transponder, protection of species, EU Wildlife Trade Regulations, law) 21: 41-48
- Apparent abundance (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, ecology, behavior, physiology, temperature-related activity, Austria) 22: 3-9  
 (*Zamenis longissimus*, morphology, pholidosis, aberrant scale configuration, scale malformation, sex ratio) 21: 99-121
- Argentina (*Liolaemus grosseorum*, new record localities, faunistics, Neuquén Province, Patagonia) 21: 86, 87
- Austria (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, apparent abundance, ecology, behavior, physiology, temperature-related activity, Austria) 22: 3-9  
 (*Zamenis longissimus*, morphology, pholidosis, aberrant scale configuration, scale malformation, sex ratio) 21: 99-121
- Behavior (*Ameiva erythrocephala*, feeding, search behavior, ethology, foraging, diet, digging behavior, ontogenetic shifts in diet and foraging, St. Eustatius, Netherlands Antilles) 22: 167-171  
 (*Bufo luristanicus*, systematics, taxonomy, morphology, ecology, behavior, Iran) 21: 171-178  
 (*Iberolacerta bonnali*, high mountain environment, microhabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, physiology, Pyrenees, Spain, France) 22: 145-166  
 (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, apparent abundance, ecology, physiology, temperature-related activity, Austria) 22: 3-9  
 (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180  
 (*Psammophylax rhombeatus*, narial valve, biology, physiology, chemical marking, South Africa) 21: 186-189
- Bertalanffy's equation (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, body mass condition, Eminska Mountains, Bulgaria) 22: 11-26
- Biology (*Cochranella mache*, morphology, morphological variation, coloration, sexual dimorphism, systematics, natural history, Ecuador) 21: 57-66  
 (*Corallus blombergi*, morphology, distribution, ecology, Ecuador) 21: 91-94  
 (*Psammophylax rhombeatus*, narial valve, biology, physiology,

- chemical marking, South Africa) 21: 186-189
- Blood cells normal morphology siehe/see Haematology (*Lissotriton vulgaris*, Turkey)
- Blood smears siehe/see Haematology (*Lissotriton vulgaris*, Turkey)
- Body mass condition (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, Eminska Mountains, Bulgaria) 22: 11-26
- Body temperatures (High mountain environment, *Iberolacerta bonnali*, microhabitat, habitat selection, thermoregulation, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- Bolivia (*Siphophis worontzowi*, new country record, Peru) 22: 92-94
- Breeding ecology siehe/see Reproductive ecology
- Breeding season siehe/see Reproduction (*Rana kukunoris*)
- Bulgaria (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, body mass condition, Eminska Mountains) 22: 11-26
- Calcium (*Lepidochelys olivacea*, Olive Ridley Turtle, abnormal egg, ultrastructure, shell unit, fibers, eggshell chemical composition, Gahirmatha, Orissa, India) 22: 137-143
- Cantabrian Mountains siehe/see Iberian Peninsula (*Zootoca vivipara*, new subspecies)
- Cape Verde Islands (*Agama agama*, introduction, mitochondrial DNA, 16S rRNA) 21: 183-186
- Chemical marking (*Psammophylax rhombeatus*, behavior, biology, physiology, South Africa) 21: 186-189
- China (*Rana kukunoris*, reproduction, reproductive ecology, breeding ecology, breeding season, life history, mating system, oviposition habitat, Tibetan Plateau) 21: 67-77  
(*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, holotype redescription, systematics, taxonomy, morphology, Myanmar) 21: 179-182
- Chios siehe/see Greece (*Telescopus fallax*)
- Choco region siehe/see Ecuador (*Bothrocophias campbelli*)
- Circadian activity siehe/see Activity
- Circannual activity siehe/see Activity
- Coloration (*Cochranella mache*, morphology, morphological variation, sexual dimorphism, systematics, biology, natural history, Ecuador) 21: 57-66  
(*Zamenis longissimus*, morphology, pholidosis, sex ratio, Austria) 21: 99-121
- (*Zootoca vivipara*, new subspecies, morphology, taxonomy, geographic differentiation, Pyrenees, Iberian Peninsula, Cantabrian mountains) 21: 123-146
- Coloration-Pattern (*Lamprozelis triangulum stuarti*, atypical colorpattern, Nicaragua) 22: 94-95
- Consecutive breeding siehe/see Reproduction (*Salamandra infraimmaculata*)
- Conservation (Herpetofauna of Lipsi, faunistics, new island record, nature conservation aspects, Dodecanese, Greece) 21: 79-84
- Cordillera del Cóndor siehe/see Ecuador
- Cres-Lošinj Island siehe/see Croatia (Ilovik, Kozjak Archipelago)
- Croatia (Herpetofauna of Ilovik, Kozjak, Cres-Lošinj Archipelago, new island records, Kvarner, Croatia) 22: 82-87  
(Herpetofauna of Lošinj, new island records of *Bufo viridis*, *Testudo hermanni*, *Pseudopus apodus*, Croatia) 21: 192
- Daily activity pattern (*Platyceps elegantissimus*, behavior, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- Determination key (*Spalerosophis*, *S. microlepis*, type species, altitudinal range, taxonomy, morphology, distribution) 22: 115-135
- Diet siehe/see Feeding, Prey
- Digging behavior (*Ameiva erythrocephala*, feeding, search behavior, ethology, foraging, diet, ontogenetic shifts in diet and foraging, St. Eustatius, Netherlands Antilles) 22: 167-171
- Distribution (Amphibia, Reptilia, herpetofauna, Iezer-Păpușa Mountains, Romania) 22: 55-64  
(*Corallus blombergi*, morphology, biology, ecology, Ecuador) 21: 91-94  
(Herpetofauna of Rhodes, distribution, list of species, new island record, Greece) 21: 147-169  
(*Natrix natrix*, ecology, Levant, Israel, Lebanon, Palestine) 22: 65-74  
(*Pristimantis repens*, ecology, páramo, high-Andean forests) 21: 85, 86  
(*Spalerosophis*, *S. microlepis*, type species, altitudinal range, taxonomy, morphology, determination key) 22: 115-135  
(*Telescopus fallax*, Chios, Greece, new island record) 21: 189-190
- Dodecanese siehe/see Greece
- Ecology siehe auch/see also Feeding (Age structure, Skeletochronology, population ecology, *Polypedates maculatus*, India) 21: 31-40

- (Amphibia, Reptilia, herpetofauna, Iezer-Păpușa Mountains, Romania) 22: 55-64
- (*Bufo luristanicus*, systematics, taxonomy, morphology, behavior, Iran) 21: 171-178
- (*Corallus blombergi*, distribution, morphology, biology, Ecuador) 21: 91-94
- (*Iberolacerta bonnali*, high mountain environment, microhabitat, body temperatures, habitat selection, thermoregulation, activity, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- (*Natrix natrix*, distribution, Levant, Israel, Lebanon, Palestine) 22: 65-74
- (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, apparent abundance, behavior, physiology, temperature-related activity, Austria) 22: 3-9
- (*Pristimantis repens*, distribution, high-Andean forests, páramo) 21: 85, 86
- (*Testudo hermanni*, population biology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, body mass condition, Eminska Mountains, Bulgaria) 22: 11-26
- Ecuador (*Bothrocophias campbelli*, reproductive biology, Choco region) 21: 95, 96
- (*Centrolene condor* sp. nov., new species, morphology, systematics, taxonomy, Cordillera del Cóndor) 21: 49-56
- (*Cochranella mache*, morphology, morphological variation, coloration, sexual dimorphism, systematics, biology, natural history) 21: 57-66
- (*Corallus blombergi*, distribution, morphology, biology, ecology) 21: 91-94
- (*Ninia hudsoni*, albinism, morphology) 21: 190-192
- Eggshell (*Lepidochelys olivacea*, Olive Ridley Turtle, abnormal egg, calcium, ultrastructure, shell unit, fibers, chemical composition, Gahirmatha, Orissa, India) 22: 137-143
- Eggshell chemical composition siehe/see Eggshell (*Lepidochelys olivacea*)
- Egypt (*Coluber tyria*, *Coluber geoffroyii* [nomen oblitum], *Coluber tyria*, *Coluber geoffroyii*, *Spalerosophis diadema cliffordii* [nomen protectum], morphology, nomenclature, taxonomy, Egypt) 22: 43-54
- Eleutherodactylinae (*Pristimantis repens*, distribution, ecology, high-Andean forests, páramo) 21: 85, 86
- Eminska Mountains siehe/see Bulgaria
- Ethology siehe/see Behavior (*Ameiva erythrocephala*)
- EU Wildlife Trade Regulations (Marking techniques for *Testudo*, transponder, animal welfare, protection of species, law) 21: 41-48
- External morphology siehe/see Morphology (*Zamenis longissimus*, Austria)
- Fars province siehe/see Iran, *Eirenis rechingeri*
- Faunistics (Herpetofauna, Iezer-Păpușa Mountains, Romania) 22: 55-64
- (Herpetofauna of Ilovik, Kozjak, Cres-Lošinj Archipelago, new island records, Kvarner, Croatia) 22: 82-87
- (Herpetofauna of Ithaki, Ionian Islands, Greece, new island records) 22: 87-90
- (Herpetofauna of Lipsi, new island records, nature conservation aspects, Dodecanese, Greece) 21: 79-84
- (Herpetofauna of Lošinj, Croatia, new island records) 21: 192
- (Herpetofauna of Rhodes, distribution, list of species, new island record, Greece) 21: 147-169
- (Herpetofauna of Simi [Symi] Dodecanese, Greece, species abundance, new island record *Telescopus fallax*) 22: 99-113
- (Herpetofauna, Tenedos, Turkey, new island records) 22: 75-78
- (*Liolaemus grasseorum*, new record localities, Neuquén Province, Patagonia, Argentina) 21: 86-87
- Feeding (*Ameiva erythrocephala*, search behavior, ethology, foraging, diet, digging behavior, ontogenetic shifts in diet and foraging, St. Eustatius, Netherlands Antilles) 22: 167-171
- (*Uromastix aegyptia*, diet, feeding ecology, Saudi Arabia) 22: 91
- Feeding ecology siehe/see Feeding
- Fibers siehe/see Ultrastructure (*Lepidochelys olivacea*)
- Field observations (*Platycephus elegantissimus*, behavior, daily activity pattern, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- Foraging siehe/see Feeding (*Ameiva erythrocephala*)
- France (*Iberolacerta bonnali*, high mountain environment/microhabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, physiology, behavior, Pyrenees, Spain, France) 22: 145-166
- Gahirmatha siehe/see India (*Lepidochelys olivacea*)
- Geographic differentiation siehe/see Taxonomy (*Zootoca vivipara*, Iberian Peninsula, new subspecies)

- Greece (Herpetofauna of Ithaki, Ionian islands, new island records) 22: 87-90  
 (Herpetofauna of Lipsi, new island records, faunistics, nature conservation aspects, Dodecanese) 21: 79-84  
 (Herpetofauna of Rhodes, distribution, list of species, new island record) 21: 147-169  
 (Herpetofauna of Simi [Symi] Dodecanese, species abundance, new island record *Telescopus fallax*) 22: 99-113  
 (*Telescopus fallax*, Chios, distribution, new island record) 21: 189-190
- Growth siehe/see Skeletochronology  
 Growth mark siehe/see Skeletochronology  
 Growth pattern siehe/see Skeletochronology  
 Growth rings siehe/see Skeletochronology  
 Growth self-regulation (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, body mass condition, Eminska Mountains, Bulgaria) 22: 11-26
- Habitat (Amphibia, Reptilia, distribution, altitude, herpetofauna, Iezer-Păpușa Mountains, Romania) 22: 55-64
- Habitat selection (*Iberolacerta bonnali*, high mountain environment, microhabitat, body temperatures, thermoregulation, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- Haematology (*Lissotriton vulgaris*, blood cells normal morphology, blood smears, histology, Turkey) 21: 87-91
- Herpetofauna siehe/see Faunistics
- High altitude records (*Bufo bufo*, *Lissotriton montandoni*, herpetofauna, Iezer-Păpușa Mountains, Romania) 22: 55-64
- High-Andean forests (*Pristimantis repens*, distribution, ecology, páramo) 21: 85, 86
- High mountain environment (*Iberolacerta bonnali*, microhabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- Histology (*Lissotriton vulgaris* blood cells normal morphology, Turkey) 21: 87-91
- Holotype redescription (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, taxonomy, morphology, Myanmar, China) 21: 179-182
- Iberian Peninsula (*Iberolacerta bonnali*, high mountain environment/microhabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- (*Zootoca vivipara*, new subspecies, taxonomy, morphology, geographic differentiation, Pyrenees, Cantabrian mountains) 21: 123-146
- Iezer-Păpușa Mountains (Herpetofauna, high altitude records, ecology, distribution, Romania) 22: 55-64
- Ilovik Island siehe/see Croatia (new island records)
- India (*Lepidochelys olivacea*, Olive Ridley Turtle, eggshell, abnormal egg, calcium, ultrastructure, shell unit, fibers, chemical composition, Gahirmatha, Orissa) 22: 137-143  
 (*Polypedates maculatus*, age, population ecology, longevity, growth pattern, skeletochronology, India) 21: 31-40
- Indonesia (*Dendrelaphis grimeri* sp. nov., *Dendrelaphis marenae* sp. nov., Philippines, Moluccas) 21: 3-29
- Introduction (*Agama agama*, Cape Verde Islands, Mitochondrial DNA, 16S rRNA) 21: 183-186
- Ionian Islands siehe/see Greece (Herpetofauna of Ithaki)
- Iran (*Asaccus kurdistanensis*, sexual dimorphism, tubercular scale rugosity, keeling, morphology, taxonomic implications, Palangan) 22: 79-82  
 (*Bufo luristanicus*, systematics, taxonomy, ecology, behavior, Iran) 21: 171-178  
 (*Eirenis rechingeri*, second specimen, Fars province) 22: 189-190
- Israel (*Natrix natrix*, distribution, ecology, Levant, Lebanon, Palestine) 22: 65-74  
 (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180  
 (*Salamandra infraimmaculata*, amphibian reproduction, population ecology, consecutive breeding, pond duration, sperm storage, unpredictable weather, Israel) 22: 27-42
- Ithaca siehe/see Greece (Herpetofauna of Ithaki)  
 Ithaki siehe/see Greece (Herpetofauna of Ithaki)
- Jordan (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- Keeling siehe/see Morphology (*Asaccus kurdistanensis*)
- Koziak Island siehe/see Croatia (new island records)
- Kvarner siehe/see Croatia (new island records)

- Law siehe/see EU Wildlife Trade Regulations
- Lebanon (*Natrix natrix*, distribution, ecology, Levant, Israel, Palestine) 22: 65-74
- Levant siehe/see Israel (*Natrix natrix*, distribution)
- Life history (*Rana kukunoris*, reproduction, reproductive ecology, breeding ecology, breeding season, mating system, oviposition habitat, Tibetan Plateau, China) 21: 67-77
- Lines of arrested growth (LAG) siehe/see skeletochronology
- Liolaemini siehe/see *Liolaemus grosseorum*, Argentina
- Lipsi siehe/see Greece, island of Lipsi
- List of species siehe/see Faunistics (herpetofauna of Rhodes)
- Lizards siehe/see Sexual dimorphism (*Asaccus kurdistanensis*) 22: 79-82
- Local herpetofauna siehe/see Herpetofauna (Iezer-Păpușa Mountains, Romania)
- Longevity siehe/see Age (*Polypedates maculatus*)
- Lošinj (*Bufo viridis*, *Testudo hermanni*, *Pseudopus apodus*, herpetofauna, Croatia, new island records) 21: 192
- Marking techniques (for *Testudo*, transponder, animal welfare, protection of species, EU Wildlife Trade Regulations, law) 21: 41-48
- Mating system (*Rana kukunoris*, reproduction, reproductive ecology, breeding ecology, breeding season, life history, oviposition habitat, Tibetan Plateau, China) 21: 67-77
- Microhabitat (*Iberolacerta bonnali*, high mountain environment, body temperatures, habitat selection, thermoregulation, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- Middle East (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- Mitochondrial DNA (*Agama agama*, introduction, Cape Verde Islands, 16S rRNA) 21: 183-186
- Moluccas (*Dendrelaphis griseri* sp. nov., *Dendrelaphis marenae* sp. nov., Philippines, Indonesia) 21: 3-29
- Morphological variation siehe/see Morphology (*Cochranella mache*, Ecuador)
- Morphology (*Asaccus kurdistanensis*, sexual dimorphism, tubercular scale rugosity, keeling, taxonomic implications, Palangan, Iran) 22: 79-82
- (*Bufo luristanicus*, systematics, taxonomy, ecology, behavior, Iran) 21: 171-178
- (*Centrolene condor* sp. nov., systematics, taxonomy, new species, Cordillera del Cóndor, Ecuador) 21: 49-56
- (*Cochranella mache*, morphological variation, coloration, sexual dimorphism, systematics, biology, natural history, Ecuador) 21: 57-66
- (*Coluber tyria*, *Coluber geoffroyii* [nomen oblitum], *Coluber tyria*, *Coluber geoffroyii*, *Spalerosophis diadema cliffordii* [nomen protectum], nomenclature, taxonomy, Egypt) 22: 43-54
- (*Corallus blumbergi*, distribution, morphology, biology, ecology, Ecuador) 21: 91-94
- (*Ninia hudsoni*, albinism, Ecuador) 21: 190-192
- (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, holotype redescription, taxonomy, systematics, Myanmar, China) 21: 179-182
- (*Spalerosophis*, *S. microlepis*, type species, altitudinal range, taxonomy, distribution, determination key) 22: 115-135
- (*Zootoca vivipara*, new subspecies, morphology, taxonomy, coloration, scalation, geographic differentiation, Pyrenees, Iberian Peninsula, Cantabrian mountains) 21: 123-146
- Myanmar (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, holotype redescription, taxonomy, systematics, morphology, China) 21: 179-182
- Narial valve (*Psammophylax rhombeatus*, behavior, biology, physiology, chemical marking, South Africa) 21: 186-189
- Nature conservation aspects siehe/see Conservation
- Natural history siehe/see Biology
- Netherlands Antilles (*Ameiva erythrocephala*, search behavior, ethology, foraging, diet, feeding, digging behavior, ontogenetic shifts in diet and foraging, St. Eustatius, Netherlands Antilles) 22: 167-171
- Neuquén Province siehe/see Argentina
- New country record (*Siphlophis worontzowi*, Bolivia, Peru) 22: 92-94
- New island record (Herpetofauna of Chios, Greece, distribution, *Telescopus fallax*) 21: 189-190
- (Herpetofauna of Ilovik, Kozjak, Cres-Lošinj Archipelago, Kvarner, Croatia) 22: 82-87
- (Herpetofauna of Ithaki, Ionian Islands, Greece) 22: 87-90
- (Herpetofauna of Lipsi, faunistics, nature conservation aspects, Dodecanese, Greece) 21: 79-84
- (Herpetofauna of Lošinj, Croatia *Bufo viridis*, *Testudo hermanni*, *Pseudopus apodus*, ) 21: 192
- (Herpetofauna of Rhodes, distribution, list of species, Greece) 21: 147-169

- (Herpetofauna of Simi [Symi] Dodecanese, Greece, species abundance, new island record *Telescopus fallax*) 22: 99-113
- (Herpetofauna of Tenedos Island, Turkey) 22: 75-78
- New record siehe/see Faunistics
- New record localities siehe/see Faunistics
- New species (*Centrolene condor* sp. nov., morphology, systematics, taxonomy, Cordillera del Cóndor, Ecuador) 21: 49-56
- (*Dendrelaphis grimeri* sp. nov., *Dendrelaphis marenae* sp. nov., Philippines, Moluccas, Indonesia) 21: 3-29
- New subspecies (*Zootoca vivipara*, taxonomy, morphology, geographic differentiation, Pyrenees, Iberian Peninsula, Cantabrian mountains) 21: 123-146
- Nicaragua (*Lampropeltis triangulum stuarti*, atypical colorpattern) 22: 94-95
- Nomenclature (*Coluber tyria*, *Coluber geoffroyii* [nomen oblitum], *Coluber tyria*, *Coluber geoffroyii*, *Spalerosophis diadema cliffordii* [nomen protectum], morphology, taxonomy, Egypt) 22: 43-54
- Nomen oblitum siehe/see Nomenclature (*Coluber tyria*, *Coluber geoffroyii*)
- Nomen protectum siehe/see Nomenclature (*Coluber tyria*, *Coluber geoffroyii*, *Spalerosophis diadema cliffordii*)
- Observations in captivity (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, Israel, Jordan, Middle East) 22: 173-180
- Ontogenetic shifts in diet and foraging (*Ameiva erythrocephala*, feeding, search behavior, ethology, foraging, diet, digging behavior, St. Eustatius, Netherlands Antilles) 22: 167-171
- Orissa siehe/see India (*Lepidocheilus olivacea*)
- Oviposition habitat (*Rana kukunoris*, reproduction, reproductive ecology, breeding ecology, breeding season, life history, mating system, Tibetan Plateau, China) 21: 67-77
- Palangan siehe/see Iran (*Asaccus kurdistanensis*)
- Palestine siehe/see Israel (*Natrix natrix*, distribution)
- Páramo siehe/see High-Andean forests
- Patagonia siehe/see Argentina (*Liolaemus grosseorum*)
- Peru (*Siphophis worontzowi*, new country record, Bolivia) 22: 92-94
- Philippines (*Dendrelaphis grimeri* sp. nov., *Dendrelaphis marenae* sp. nov., Moluccas, Indonesia) 21: 3-29
- Pholidosis siehe/see Morphology (*Zamenis longissimus*, Austria)
- Physiology (*Iberolacerta bonnali*, high mountain environment/microhabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, behavior, Pyrenees, Spain, France) 22: 145-166
- (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, apparent abundance, behavior, ecology, temperature-related activity, Austria) 22: 3-9
- (*Psammophylax rhombeatus*, narial valve, biology, physiology, chemical marking, South Africa) 21: 186-189
- Pond duration siehe/see Ecology (*Salamandra infraimmaculata*)
- Population biology siehe/see Ecology (*Testudo hermanni*)
- Population ecology siehe auch /see also Ecology (Age structure) (*Salamandra infraimmaculata*, amphibian reproduction, consecutive breeding, pond duration, sperm storage, unpredictable weather, Israel) 22: 27-42
- Populations siehe/see herpetofauna (Iezer-Păpușa Mountains, Romania)
- Portugal (*Iberolacerta monticola*, taxonomy, type specimen, Serra de Estrela, Sistema Central, Spain) 21: 94-95
- Protection of species (Marking techniques for *Testudo*, transponder, animal welfare, EU Wildlife Trade Regulations, law) 21: 41-48
- Psammophiidae siehe/see Behavior (*Psammophylax*)
- Pyrenees siehe/see Iberian Peninsula
- Redescription of holotype (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, systematics, taxonomy, morphology, Myanmar, China) 21: 179-182
- Redescription of syntypes (*Ophites ruhstrati*, systematics, taxonomy, Taiwan) 22: 181-187
- Reproductive biology siehe/see Reproduction (*Bothrocophias campbelli*)
- Reproductive ecology siehe/see Reproduction (*Rana kukunoris*)
- Reproduction (*Bothrocophias campbelli*, reproductive biology, Choco region, Ecuador) 21: 95, 96
- (*Rana kukunoris*, reproductive ecology, breeding ecology, breeding season, life history, mating system, oviposition habitat, Tibetan Plateau, China) 21: 67-77
- (*Salamandra infraimmaculata*, amphibian reproduction, population ecology, consecutive breeding, pond duration, sperm storage,



- unpredictable weather, Israel)  
22: 27-42
- Rhodes siehe/see Greece (herpetofauna of Rhodes)
- Romania (Iezer-Păpușa Mountains, herpetofauna, high altitude records, ecology, distribution) 22: 55-64
- Saudi Arabia (*Uromastyx aegyptia*, diet, feeding ecology) 22: 91
- Scalation siehe/see Taxonomy (*Zootoca vivipara*, new subspecies, Iberian Peninsula)
- Scale malformation (*Zamenis longissimus*, morphology, pholidosis, sex ratio, Austria) 21: 99-121
- Search behavior siehe/see Behavior (*Ameiva erythrocephala*)
- Second specimen (*Eirenis rechingeri*, Fars province, Iran) 22: 189-190
- Serra de Estrela siehe/see Taxonomy (*Iberolacerta monticola*)
- Seskliä Island (Herpetofauna of Simi [Symi] Dodecanese, Greece, species abundance, new island record *Telescopus fallax*) 22: 99-113
- Sex ratio (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, body mass condition, Eminska Mountains, Bulgaria) 22: 11-26  
(*Zamenis longissimus*, morphology, pholidosis, aberrant scale configuration, scale malformation, Austria) 21: 99-121
- Sexual dimorphism (*Cochranella mache*, morphology, morphological variation, coloration, systematics, biology, natural history, Ecuador) 21: 57-66  
(*Asaccus kurdistanensis*, tubercular scale rugosity, keeling, morphology, taxonomic implications, Palangan, Iran) 22: 79-82
- Shell unit (*Lepidochelys olivacea*, Olive Ridley Turtle, eggshell, abnormal egg, calcium, ultrastructure, fibers, chemical composition, Gahirmatha, Orissa, India) 22: 137-143
- Simi [Symi] siehe/see Greece
- Sistema Central siehe/see Spain (*Iberolacerta monticola*)
- Size siehe/see Morphology (*Zamenis longissimus*, Austria)
- Skeletochronology *Polypedates maculatus* (age, population ecology, longevity, India) 21: 31-40
- South Africa (*Psammophylax rhombeatus*, narial valve, biology, behavior, physiology, chemical marking) 21: 186-189
- Spain (*Iberolacerta bonnali*, high mountain environment/microhabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, physiology, behavior, Pyrenees, Spain, France) 22: 145-166  
(*Iberolacerta monticola*, taxonomy, type specimen, Serra de Estrela, Si-
- stema Central, Portugal)  
21: 94, 95
- Species abundance siehe/see (Herpetofauna of Simi [Symi] Dodecanese, Greece)  
22: 99-113
- Sperm storage (*Salamandra infraimmaculata*, population ecology, amphibian reproduction, consecutive breeding, pond duration, sperm storage, unpredictable weather, Israel)  
22: 27-42
- St. Eustatius, Netherlands Antilles (*Ameiva erythrocephala*, feeding, search behavior, ethology, foraging, diet, digging behavior, ontogenetic shifts in diet and foraging) 22: 167-171
- Systematics (*Bufo luristanicus*, morphology, taxonomy, ecology, behavior, Iran) 21: 171-178  
(*Centrolene condor* sp. nov., morphology taxonomy, new species, Cordillera del Cóndor, Ecuador) 21: 49-56  
(*Cochranella mache*, morphology, morphological variation, coloration, sexual dimorphism, biology, natural history, Ecuador)  
21: 57-66  
(*Ophites ruhstrati*, redescription of syntypes, systematics, taxonomy, Taiwan) 22: 181-187  
(*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, holotype redescription, taxonomy, morphology, Myanmar, China) 21: 179-182
- Taiwan (*Ophites ruhstrati*, redescription of syntypes, systematics, taxonomy, Taiwan)  
22: 181-187
- Taxonomic implications siehe/see Taxonomy (*Asaccus kurdistanensis*)
- Taxonomy siehe auch/see also Systematics  
(*Asaccus kurdistanensis*, sexual dimorphism, tubercular scale rugosity, keeling, morphology, Palangan, Iran) 22: 79-82  
(*Bufo luristanicus*, systematics, morphology, ecology, behavior, Iran)  
21: 171-178  
(*Centrolene condor* sp. nov., morphology systematics, new species, Cordillera del Cóndor, Ecuador)  
21: 49-56  
(*Coluber tyria*, *Coluber geoffroyii* [nomen oblitum], *Coluber tyria*, *Coluber geoffroyii*, *Spalerosophis diadema cliffordii* [nomen protectum], morphology, nomenclature, Egypt)  
22: 43-54  
(*Iberolacerta monticola*, type specimen, Serra de Estrela, Portugal, Sistema Central, Spain)  
21: 94-95

- 
- (*Ophites ruhstrati*, redescription of syn-  
types, systematics, taxonomy,  
Taiwan) 22: 181-187
- (*Rhacophorus burmanus*, *R. taronensis*,  
*R. gongshanensis*, holotype  
redescription, systematics, mor-  
phology, Myanmar, China) 21:  
179-182
- (*Spalerosophis*, *S. microlepis*, type  
species, altitudinal range, mor-  
phology, distribution, deter-  
mination key) 22: 115-135
- (*Zootoca vivipara*, new subspecies, mor-  
phology, geographic differentia-  
tion, Pyrenees, Iberian Pen-  
insula, Cantabrian mountains)  
21: 123-146
- Temperature-related activity siehe/see Activity
- Tenedos Island (Herpetofauna, Turkey, new island  
records) 22: 75-78
- Thermoregulation (*Iberolacerta bonnali*, microhabitat,  
body temperatures, high moun-  
tain environment, habitat selec-  
tion, activity, ecology, behavior,  
physiology, Pyrenees, Spain,  
France) 22: 145-166
- Tibetan Plateau siehe/see China (*Rana kukunoris*)
- Transponder (Marking techniques for *Testudo*, animal  
welfare, protection of species,  
EU Wildlife Trade Regulations,  
law) 21: 41-48
- Tubercular scale rugosity siehe/see Morphology  
(*Asaccus kurdistanensis*)
- Turkey (*Lissotriton vulgaris* blood cells normal mor-  
phology, histology) 21: 87-91  
(Tenedos Island, Herpetofauna, new  
island records) 22: 75-78
- Type species (*Spalerosophis*, *S. microlepis*, altitudinal  
range, taxonomy, morphology,  
distribution, determination key)  
22: 115-135
- Type specimen (*Iberolacerta monticola*, taxonomy,  
Serra de Estrela, Portugal, Siste-  
ma Central, Spain) 21: 94, 95
- Ultrastructure (Eggshell, *Lepidochelys olivacea*, Olive  
Ridley Turtle, abnormal egg,  
calcium, shell unit, fibers, chem-  
ical composition, Gahirmatha,  
Orissa, India) 22: 137-143
- Unpredictable weather siehe/see Population ecology  
(*Salamandra infraimmaculata*)
- Von Bertalanffy's equation siehe/see Bertalanffy's  
equation
- Weight siehe/see Morphology (*Zamenis longissimus*,  
body mass, Austria)
- 
-

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Herpetozoa](#)

Jahr/Year: 2010

Band/Volume: [22\\_3\\_4](#)

Autor(en)/Author(s):

Artikel/Article: [AUTORENREGISTER 191-208](#)