

HERPETOZOA

Berichte der Österreichischen Gesellschaft für Herpetologie

INDEX

BÄNDE / VOLUMES 21 (2008) + 22 (2009)

(zusammengestellt von / compiled by HEINZ GRILLITSCH)

AUTORENREGISTER / AUTHOR INDEX

- ALCOSER-VILLAGÓMEZ, M. siehe/see VALENCIA, J. H. & ALCOSER-VILLAGÓMEZ, M.
& GARZÓN, K. & HOLMES, D. 21: 94
- APARICIO, J. siehe/see MORAVEC, J. & APARICIO, J. & GUERRERO-REINHARD, M. &
CALDERON, G. 21: 123
- ARBELÁEZ, E. siehe/see VALENCIA, J. H. & ARBELÁEZ, E. & GARZÓN, K. & PICERNO-
TOALA, P. 21: 145
- ARRIBAS, O. J. 21: 123
Comments about the original description and type specimens of *Iberolacerta
monticola* (BOULENGER, 1905) [Short Note]
- ARRIBAS, O. J. 22: 145
Habitat selection, thermoregulation and activity of the Pyrenean Rock Lizard
Iberolacerta bonnali (LANTZ, 1927)
Habitatwahl, Thermoregulation und Aktivität bei der Pyrenäen-Felsidechse *Iberolacerta bonnali*
(LANTZ, 1927)
- AVILA, L. J. & PÉREZ, C. H. F. & MORANDO, M. & PÉREZ, R. 21: 86
First records for *Liolaemus grosseorum* ETHERIDGE, 2001 in eastern Neuquén
province, Patagonia, Argentina [Short Note]
- BABOCAY, G. & TALBI, R. & SHACHAM, B. & SELIGMANN, H. 22: 173
Nocturnal or diurnal? Notes on the daily activity pattern and life history of
the Middle Eastern Elegant Racer *Platyceps elegantissimus* (GÜNTHER, 1878)
Nacht- oder tagaktiv? Bemerkungen über die zirkadiane Aktivität und das Verhalten der vorder-
asiatischen Prachtzornnatter *Platyceps elegantissimus* (GÜNTHER, 1878)
- BADER, TH. & RIEGLER, CH. & GRILLITSCH, H. 21: 147
The herpetofauna of the Island of Rhodes (Dodecanese, Greece)
Die Herpetofauna der Insel Rhodos (Dodekanes, Griechenland)
- BAUER, A. M. siehe/see COTTONE, A. M. & BAUER, A. M. 21: 41
- BENYR, G. 21: 147
Tierschutzrelevante Aspekte der Markierung von Arten der Gattung *Testudo*
mit Transpondern
Animal welfare aspects associated with the marking of specimens of the genus *Testudo* with
transponders
- BETANCOURT-YÉPEZ, R. siehe/see VALENCIA, J. H. & GARZÓN, K. & BETANCOURT-
YÉPEZ, R. 21: 147
- BRITO, J. C. siehe/see VASCONCELOS, R. & ROCHA, S. & BRITO, J. C. & CARRANZA,
S. & HARRIS, D. J. 21: 147

- BROGGI, M. F. 21: 79
 The herpetofauna of Lipsi (Dodecanese, Greece) and nature conservation aspects
 Die Herpetofauna der Insel Lipsi (Dodekanes, Griechenland) und Aspekte des Naturschutzes
- BROGGI, M. F. 22: 87
 The herpetofauna of Ithaki (Ithaca, Ionian Islands, Greece) [Short Note]
- CALDERON, G. siehe/see MORAVEC, J. & APARICIO, J. & GUERRERO-REINHARD, M. & CALDERON, G.
- CARRANZA, S. siehe/see VASCONCELOS, R. & ROCHA, S. & BRITO, J. C. & CARRANZA, S. & HARRIS, D. J.
- CISNEROS-HEREDIA, D. F. & DELIA, J. & YÁNEZ-MUÑOZ, M. H. & ORTEGA-ANDRADE, H. M. 21: 57
 Natural history and intraspecific variation of the Ecuadorian Blue Glassfrog *Cochranella mache* GUAYASAMIN & BONACORSO, 2004
 Biologie und innerartliche Variabilität des Ekuadorianischen Blauen Glasfrosches *Cochranella mache* GUAYASAMIN & BONACORSO, 2004
- CISNEROS-HEREDIA, D. F. & MORALES-MITE, M. A. 21: 49
 A new species of glassfrog from the elfin forests of the Cordillera del Cóndor, southeastern Ecuador
 Eine neue Glasfroschart aus den Gebirgs-Nebelwäldern der Cordillera del Cóndor, Südost-Ecuador
- COTTONE, A. M. & BAUER, A. M. 21: 186
 Self-rubbing and substrate marking by the Rhombic Skapsteker, *Psammophylax rhombeatus rhombeatus* (LINNAEUS, 1758) [Short Note]
- CUNNINGHAM, P. L. 22: 91
 Foraging behavior of the Egyptian Spiny-tailed Lizard *Uromastyx aegyptia* (FORSKÅL, 1775) [Short Note]
- DELIA, J. siehe/see CISNEROS-HEREDIA, D. F. & DELIA, J. & YÁNEZ-MUÑOZ, M. H. & ORTEGA-ANDRADE, H. M.
- DUTTA, S. K siehe/see MAHAPATRA, P. K. & NAYAK, S. & DUTTA, S. K.
- DUTTA, S. K. siehe/see SAHOO, G. & MOHAPATRA, B. K. & DUTTA, S. K.
- EIFLER, D. A. siehe/see ZERO, V. H. & EIFLER, D. A. & POWELL, R.
- ESMAEILI, H. R. siehe/see GHOLAMHOSSEINI, A. & SCHMIDTLER, J. F. & ZAREIAN, H. & ESMAEILI, H. R.
- FARKAS, B. siehe/see TÓTH, T. & FARKAS, B. & GÉCZY, C. & SÓS, E. & HALPERN, B.
- FUHRMANN, K. siehe/see KUCHARZEWSKI, CH. & TILLACK, F. & FUHRMANN, K.
- GARZÓN, K. siehe/see VALENCIA, J. H. & ALCOSER-VILLAGÓMEZ, M. & GARZÓN, K. & HOLMES, D.
- GARZÓN, K. siehe auch/see also VALENCIA, J. H. & ARBELÁEZ, E. & GARZÓN, K. & PICERNO-TOALA, P.
- GARZÓN, K. siehe auch/see also VALENCIA, J. H. & GARZÓN, K. & BETANCOURT-YÉPEZ, R.
- GÉCZY, C. siehe/see TÓTH, T. & FARKAS, B. & GÉCZY, C. & SÓS, E. & HALPERN, B.
- GHOLAMHOSSEINI, A. & SCHMIDTLER, J. F. & ZAREIAN, H. & ESMAEILI, H. R. - The second specimen of the Iranian *Eirenis rechingeri* EISELT, 1971 [Short Note] 22: 189
- GRILLITSCH, H. & WERNER, Y. L. 22: 65
 The southern limit of *Natrix natrix* in the Levant – a detective story
 Die südliche Verbreitungsgrenze von *Natrix natrix* in der Levante – eine Detektivgeschichte
- GRILLITSCH, H. 22: 191
 INDEX zu den Bänden 21 und 22 / INDEX to the volumes 21 and 22
- GRILLITSCH, H. siehe auch/see also BADER, TH. & RIEGLER, CH. & GRILLITSCH, H.
- GRILLITSCH, H. siehe auch/see also WILSON, M. J. & GRILLITSCH, H.
- GUERRERO-REINHARD, M. siehe/see MORAVEC, J. & APARICIO, J. & GUERRERO-REINHARD, M. & CALDERON, G.
- GÜL, Ç. siehe/see TOSONOĞLU, M. & GÜL, Ç. & UYSAL, İ.

-
- GÜL, Ç. siehe auch/see also TOSONOĞLU, M. & TOK, C. V. & GÜL, Ç. & GÜLDALI, G
GÜLDALI, G siehe/see TOSONOĞLU, M. & TOK, C. V. & GÜL, Ç. & GÜLDALI, G
GUTIÉRREZ-C. P. D. siehe/see ROJAS, R. & GUTIÉRREZ-C. P. D.
HALPERN, B. siehe/see TÓTH, T. & FARKAS, B. & GÉCZY, C. & SÓS, E. & HALPERN, B.
HARRIS, D. J. siehe/see VASCONCELOS, R. & ROCHA, S. & BRITO, J. C. & CARRANZA,
S. & HARRIS, D. J.
- HELFENBERGER, N. siehe/see SCHÄTTI, B. & TILLACK, F. & HELFENBERGER, N. 22: 94
- HERTZ, A. & VAN DEN BERGHE, E.
- Atypical coloration pattern in a specimen of *Lampropeltis triangulum stuarti*
WILLIAMS, 1978, from western Nicaragua [Short Note]
- HOLMES, D. siehe/see VALENCIA, J. H. & ALCOSER-VILLAGÓMEZ, M. & GARZÓN, K.
& HOLMES, D.
- IFTIME, A. & IFTIME, O. & POP, D. A. 22: 55
- Observations on the herpetofauna of the Iezer-Păpușa Massif (southern
Carpathians, Romania)
Beobachtungen über die Herpetofauna des Iezer-Păpușa Massivs (Südkarpaten, Rumänien)
- IFTIME, O. siehe/see IFTIME, A. & IFTIME, O. & POP, D. A.
- JAVARI, M. & TORKI, F. 21: 171
- Notes on morphology, ecology, behavior and systematics of *Bufo luristanicus*
SCHMIDT, 1952
Bemerkungen zu Morphologie, Ökologie, Verhalten und Systematik von *Bufo luristanicus*
SCHMIDT, 1952
- KAMMEL, W. 21: 99
- Äußere Morphologie und Geschlechterverhältnis bei der Äskulapnatter,
Zamenis longissimus longissimus (LAURENTI, 1768) in Österreich
External morphology and sex ratio of the Aesculapian Snake *Zamenis longissimus longissimus*
(LAURENTI, 1768), in Austria
- KAMMEL, W. 22: 3
- Jahres- und Tagesrhythmen in der Aktivität und Beobachtungshäufigkeit
dreier mitteleuropäischer Schlangenarten
Circannual and circadian rhythms in the activity and observation frequency of three Middle
European snake species
- KIRCHNER, M. 21: 189
- Telescopus fallax* (FLEISCHMANN, 1831) found in the Aegean Island of Chios,
Greece [Short Note]
- KUCHARZEWSKI, CH. & TILLACK, F. & FUHRMANN, K. 22: 181
- Rediscovery and redescription of the type specimens of *Ophites ruhstrati*
FISCHER, 1886
Wiederfund und Neubeschreibung der Typusexemplare von *Ophites ruhstrati* FISCHER, 1886
- KUCHARZEWSKI, CH. siehe auch/see also SCHÄTTI, B. & TILLACK, F. & KUCHAR-
ZEWSKI, CH.
- LU, X. & ZENG, X. & NIE, C. 21: 67
- Reproductive ecology of *Rana kukunoris* NIKOLSKII, 1918, a high-altitude
frog native to the Tibetan Plateau
Fortpflanzungsökologie von *Rana kukunoris* NIKOLSKII, 1918, einem Gebirgsfrosch des tibeti-
schen Hochlandes
- MAHAPATRA, P. K. & NAYAK, S. & DUTTA, S. K. 21: 31
- Age estimates for a population of the Indian Tree Frog *Polypedates maculatus*
(GRAY, 1833)
Altersschätzungen an einer Population des Gefleckten Ruderfrosches *Polypedates maculatus*
(GRAY, 1833)
- MOHAPATRA, B. K. siehe/see SAHOO, G. & MOHAPATRA, B. K. & DUTTA, S. K.
- MORALES-MITE, M. A. siehe/see CISNEROS-HEREDIA, D. F. & MORALES-MITE, M. A.
- MORANDO, M. siehe/see AVILA, L. J. & PÉREZ, C. H. F. & MORANDO, M. & PÉREZ, R.
- MORAVEC, J. & APARICIO, J. & GUERRERO-REINHARD, M. & CALDERON, G. 22: 92
- First record of *Siphlophis worontzowi* (PRADO, 1940) from Bolivia and Peru
[Short Note]

- NAYAK, S. siehe/see MAHAPATRA, P. K. & NAYAK, S. & DUTTA, S. K.
 NIE, C. siehe/see LU, X. & ZENG, X. & NIE, C.
 OHLER, A. 21: 179
Rhacophorus burmanus (ANDERSSON, 1939) - the valid nomen for *Rhacophorus taronensis* SMITH, 1940 and *Rhacophorus gongshanensis* YANG & SU, 1984 [Short Note]
- ORTEGA-ANDRADE, H. M. siehe/see CISNEROS-HEREDIA, D. F. & DELIA, J. & YÁNEZ-MUÑOZ, M. H. & ORTEGA-ANDRADE, H. M.
- PÉREZ, C. H. F. siehe/see AVILA, L. J. & PÉREZ, C. H. F. & MORANDO, M. & PÉREZ, R.
 PÉREZ, R. siehe/see AVILA, L. J. & PÉREZ, C. H. F. & MORANDO, M. & PÉREZ, R.
 PICERNO-TOALA, P. siehe/see VALENCIA, J. H. & ARBELÁEZ, E. & GARZÓN, K. & PICERNO-TOALA, P.
- POP, D. A. siehe/see IFTIME, A. & IFTIME, O. & POP, D. A.
- POWELL, R. siehe/see ZERO, V. H. & EIFLER, D. A. & POWELL, R.
- RAIKOVA-PETROVA, G. N. siehe/see ŽIVKOV, M. T. & RAIKOVA-PETROVA, G. N. & TRICHKOVA, T. A.
- RIEGLER, CH. siehe/see BADER, TH. & RIEGLER, CH. & GRILLITSCH, H.
- ROCHA, S. siehe/see VASCONCELOS, R. & ROCHA, S. & BRITO, J. C. & CARRANZA, S. & HARRIS, D. J.
- ROJAS, R. & GUTIÉRREZ-C. P. D. 21: 85
Pristimantis repens (LYNCH, 1984), a frog not restricted to the Páramo [Short Note]
- SAHOO, G. & MOHAPATRA, B. K. & DUTTA, S. K. 22: 137
 Structure and chemical composition of shells of abnormal eggs of Olive Ridley Turtles, *Lepidochelys olivacea* (ESCHSCHOLTZ, 1829)
 Struktur und chemische Zusammensetzung der Schalen abnormer Eier der Bastardschildkröte *Lepidochelys olivacea* (ESCHSCHOLTZ, 1829)
- SCHÄTTI, B. & TILLACK, F. & HELFENBERGER, N. 22: 115
 A contribution to *Spalerosophis microlepis* JAN, 1865, with a short review of the genus and a key to the species
 Ein Beitrag zu *Spalerosophis microlepis* JAN, 1865 mit einem kurzen Überblick zur Gattung und einem Bestimmungsschlüssel der Arten
- SCHÄTTI, B. & TILLACK, F. & KUCHARZEWSKI, CH. 22: 43
 Identität und Status dreier aus Ägypten beschriebener Schlangenarten: *Coluber tyria* LINNAEUS, 1758, *Coluber cahirinus* GMELIN, 1789 und *Coluber geoffroyii* GRAY, 1831
 Identity and status of three snake species described from Egypt: *Coluber tyria* LINNAEUS, 1758, *Coluber cahirinus* GMELIN, 1789, and *Coluber geoffroyii* GRAY, 1831
- SCHMIDTLER, J. F. siehe/see GHOLAMHOSSEINI, A. & SCHMIDTLER, J. F. & ZAREIAN, H. & ESMAEILI, H. R.
- SELIGMANN, H. siehe/see BABOCSAY, G. & TALBI, R. & SHACHAM, B. & SELIGMANN, H.
- SHACHAM, B. siehe/see BABOCSAY, G. & TALBI, R. & SHACHAM, B. & SELIGMANN, H.
 SÓS, E. siehe/see TÓTH, T. & FARKAS, B. & GÉCZY, C. & SÓS, E. & HALPERN, B.
 TALBI, R. siehe/see BABOCSAY, G. & TALBI, R. & SHACHAM, B. & SELIGMANN, H.
 TILLACK, F. siehe/see KUCHARZEWSKI, CH. & TILLACK, F. & FUHRMANN, K.
 TILLACK, F. siehe/see SCHÄTTI, B. & TILLACK, F. & HELFENBERGER, N.
 TILLACK, F. siehe/see SCHÄTTI, B. & TILLACK, F. & KUCHARZEWSKI, CH.
 TOK, C. V. siehe/see TOSONOĞLU, M. & TOK, C. V. & GÜL, Ç. & GÜLDALI, G
 TORKI, F. 22: 79
 Sexual dimorphism of scale keeling in *Asaccus kurdistanensis* RASTEGAR-POUYANI, NILSON & FAIZI, 2006 [Short Note]
- TORKI, F. siehe auch/see also JAVARI, M. & TORKI, F.
- TOSONOĞLU, M. & GÜL, Ç. & UYSAL, İ. 22: 75
 The herpetofauna of Tenedos (Bozcaada, Turkey) [Short Note]

TOSONOĞLU, M. & TOK, C. V. & GÜL, Ç. & GÜLDALI, G The blood cells of West Anatolian <i>Lissotriton vulgaris</i> (LINNAEUS, 1758) [Short Note]	21: 87
TÓTH, T. & FARKAS, B. & GÉCZY, C. & SÓS, E. & HALPERN, B. Herpetofaunal data from Ilovik and neighboring islets (Cres-Lošinj Archipelago, Croatia) [Short Note]	22: 82
TÓTH, T. & GÉCZY, C. & SÓS, E. & MOLNÁR, Z. & HALPERN, B. Further data on the Herpetofauna of Lošinj Island, Croatia [Short Note]	21: 192
TRICHKOVA, T. A. siehe/see ŽIVKOV, M. T. & RAIKOVA-PETROVA, G. N. & TRICHKOVA, T. A.	
UYDAL, İ. siehe/see TOSONOĞLU, M. & GÜL, Ç. & UYSAL, İ. VALENCIA, J. H. & ALCOSER-VILLAGÓMEZ, M. & GARZÓN, K. & HOLMES, D. Albinism in <i>Ninia hudsoni</i> PARKER, 1940 from Ecuador [Short Note]	21: 190
VALENCIA, J. H. & ARBELÁEZ, E. & GARZÓN, K. & PICERNO-TOALA, P. Notes on <i>Corallus bombergi</i> (RENDAHL & VESTERGREN, 1941) from Ecuador [Short Note]	21: 91
VALENCIA, J. H. & GARZÓN, K. & BETANCOURT-YÉPEZ, R. Notes on the reproduction of the Ecuadorian toad-headed pitviper <i>Bothrocophias campbelli</i> (FREIRE-LASCANO, 1991) [Short Note]	21: 95
VAN DEN BERGHE, E. siehe/see HERTZ, A. & VAN DEN BERGHE, E. VAN ROOIJEN, J. siehe/see VOGEL, G. & VAN ROOIJEN, J.	
VASCONCELOS, R. & ROCHA, S. & BRITO, J. C. & CARRANZA, S. & HARRIS, D. J. First report of introduced African Rainbow Lizard <i>Agama agama</i> (LINNAEUS, 1758) in the Cape Verde Islands [Short Note]	21: 183
VOGEL, G. & VAN ROOIJEN, J. Contributions to a review of the <i>Dendrelaphis pictus</i> (GMELIN, 1989) complex - 2. the eastern forms Beiträge zu einer Revision des <i>Dendrelaphis pictus</i> (GMELIN, 1989) Komplexes - 2. die östlichen Formen	21: 3
WARBURG, M. R. Long-term study on the reproductive strategy of <i>Salamandra infraimmaculata</i> MARTENS, 1855 females in a single, isolated population breeding under precarious ambient conditions Langzeituntersuchung zur Fortpflanzungsstrategie der Weibchen von <i>Salamandra infraimmaculata</i> MARTENS, 1855 einer isolierten Population unter widrigen Umweltbedingungen	22: 27
WERNER, Y. L. siehe/see GRILLITSCH, H. & WERNER, Y. L.	
WILSON, M. J. & GRILLITSCH, H. The herpetofauna of Simi (Dodecanese, Greece) Die Herpetofauna der Insel Simi (Dodekanes, Griechenland)	22: 99
YÁNEZ-MUÑOZ, M. H. siehe/see CISNEROS-HEREDIA, D. F. & DELIA, J. & YÁNEZ-MUÑOZ, M. H. & ORTEGA-ANDRADE, H. M.	
ZAREIAN, H. siehe/see GHOLAMHOSSEINI, A. & SCHMIDTLER, J. F. & ZAREIAN, H. & ESMAEILI, H. R.	
ZENG, X. siehe/see LU, X. & ZENG, X. & NIE, C.	
ZERO, V. H. & EIFLER, D. A. & POWELL, R. Foraging behavior of the lizard <i>Ameiva erythrocephala</i> DAUDIN, 1802 Das Beuteverhalten von <i>Ameiva erythrocephala</i> DAUDIN, 1802	22: 167
ŽIVKOV, M. T. & RAIKOVA-PETROVA, G. N. & TRICHKOVA, T. A. Population biology and ontogenetic allometry of <i>Testudo hermanni boettgeri</i> MOJSISOVICS, 1889, in a marginal population in Bulgaria Zur Populationsbiologie und ontogenetischen Allometrie bei einer Randpopulation von <i>Testudo hermanni boettgeri</i> MOJSISOVICS, 1889 aus Bulgarien	22: 11

GATTUNGS-, ARTEN- UND UNTERARTENREGISTER INDEX TO THE GENERA, SPECIES, AND SUBSPECIES

mit den Abschnitten Pflanzen, Invertebrata, Vertebrata / including the sections plants, invertebrata, vertebrata

* Abbildung / Illustration T XX(./)* Titelbild / cover illustration

- Ablepharus kitaibeliae* 21: 80, 156, 157, 166; 22: 75-77, 87, 99, 100, 110, 111
kitaibeliae 22: 106
- Acanthodactylus* 22: 174
- Agama anchietae* 21: 185
agama 21: 183-186
atra 21: 185
impalearis 21: 185
planiceps 21: 185
- Algypoides moreoticus* 22: 87
nigropunctatus 21: 192; 22: 87
nigropunctatus 22: 83
- Ambystoma jeffersonianum* 21: 75
maculatum 21: 75
- Ameiva* 22: 168, 170
erythrocephala 22: 167-171
exsul 22: 168
fuscata 22: 168
wetmorei 22: 168
- Amietophryne* siehe/see *Bufo*
- Anatolacerta anatolica* 21: 157
danfordi 21: 157; 22: 77
pentaniensis 21: 157
oertzeni 21: 153, 156, 157, 166; 22: 99, 100, 103, 110, 111
pelasgiana 21: 153, 156, 157; 22: 105, 106
- Anaxyrus* siehe/see *Bufo*
- Anguis cephalonicus* 22: 87
fragilis 22: 58, 59-63, 77, 87
- Anolis* 22: 167
chlorocyanus 21: 183
porcatus 21: 183
- Asaccus elisae* 21: 176; 22: 81
griseonotus 22: 80, 82
kurdistanensis 22: 79-82*
nasrullahi 21: 176; 22: 80
- Blanus strauchi* 21: 82, 153, 158, 162*, 166; 22: 99, 100, 110-112
aporus 22: 65
strauchi 22: 103
- Bombina variegata* 22: 56-63
- Bothrocophias* 21: 96
campbelli 21: 95-96*
hyoprora 21: 96
microphthalmus 21: 96
- Bufo americanus* 21: 37, 39
(Amietophryne) pardalis 21: 37, 39
(Anaxyrus) americanus 21: 37, 39
arenarium 21: 38
bufo 21: 38, 39, 90, 151; 22: 58-63, 77, 87, 111
calamita 21: 39
(Duttaphrynus) melanostictus 21: 37
(Epidalea) calamita 21: 39
luristanicus 21: 171-173, 174*, 175*, 176-178
melanostictus 21: 37
- Bufo minshanicus* 21: 68
pardalis 21: 37, 39
pentoni 21: 38
(Pseudepidalea) viridis 21: 80, 82
(Rhinella) arenarum 21: 38
surdus 21: 176, 177
annulatus 21: 177
surdus 21: 177
complex 21: 176, 177
variabilis siehe/see *Bufo viridis* 22: 99, 102, 110, 111
viridis 21: 80, 82, 149, 150, 166, 174*, 175*, 176, 177, 192; 22: 56, 58, 59, 75-77, 84*, 86, 87, 99, 102, 103, 110, 111
viridis 22: 89
- Caretta caretta* 21: 81, 152; 22: 86
- Centrolene altitudinale* 21: 51, 54, 56
audax 21: 51
buckleyi 21: 51, 54, 56
condor sp. nov. 21: 49-56*
durrellorum 21: 51
geckoideum 21: 62
gorzulai 21: 62
heloderma 21: 51, 54, 56
hesperium 21: 51, 54, 56
lema 21: 62
lemniscatum 21: 51, 54, 56
litorale 21: 58
mariaelenae 21: 51, 62
papillahallicum 21: 62
pipilatum 21: 51
prosoblepon 21: 58
venezuelense 21: 51, 54
- Chalcides ocellatus* 21: 156-158, 166; 22: 111
- Chamaeleo chamaeleon* 21: 154, 156, 163*, 22: 111
- Chelonia mydas* 21: 152; 22: 140
- Chirolepis* 22: 117
- Cochranella* 21: 58
albomaculata 21: 58
antisthenesi 21: 62, 63
amelie 21: 51, 62
ametarsia 21: 51
castroviejoi 21: 62
euknemos 21: 63
granulosa 21: 63
helena 21: 62
mache 21: 57-66*
midas 21: 51
phryxa 21: 62
pulverata 21: 58, 62, 63
pulveratum 21: 63
resplendens 21: 51, 62
- Coluber* 22: 48, 50, 87, 174
siehe auch/see also *Dolichophis*, *Hemorrhois*, *Hierophis*, *Pantherophis*, *Platyceps*, *Spalerosophis*

- Coluber boiga* 21: 3
cahirinus 22: 43-54
caspicus 21: 160, 161
caspicus 21: 160, 161
eiselti 21: 160, 161
cliffordi 22: 48, 116
cliffordii 22: 45, 46, 50, 116
diadema 22: 45, 48, 118, 131
florulentus 22: 45
geoffroyii 22: 43-54
(Hemorrhois) nummifer 22: 45
guttatus 22: 45-50
jugularis 21: 160, 161
nummifer 22: 49, 50
nympha 22: 118
(Pantherophis) guttatus 22: 45, 49
pictus 21: 3-4
(Psammophis) schokari 22: 45
ravergieri 22: 48
sinai 22: 178
(Spalerosophis) diadema 22: 45
(Spalerosophis) microlepis 22: 121
thomasi 22: 174
tyria 22: 43-54, 129, 131
diadema 22: 47
tyria 22: 47
Contia decemlineata 22: 189
Corallus 21: 91, 92
annulatus 21: 91, 92
blombergi 21: 91
blombergi 21: 91-94*
caninus 21: 91
hortulanus 21: 91
Coronella austriaca 22: 5, 8, 56, 62; 22: 77
Crocodylus niloticus 22: 72
Crotalus 21: 191
Cyrtopodion (Mediodactylus) kotschy 21: 80, 81; 22:
 75-77, 87, 99, 100, 103, 110,
 111
beutleri 22: 104*, 105
scabrum 21: 176
Dendrelaphis 21: 3-29
cyanochloris 21: 4
grismeri sp. nov. 21-26*
haasi 21: 4
hollinrakei 21: 4
marenae sp. nov. 21: 13-27*,
pictus 21: 3-29*
andamanensis 21: 4
bifrenalis 21: 4
cyanochloris 21: 4
inornatus 21: 4
intermedius 21: 4
ngansonensis 21: 4, 26, 27
timorensis 21: 4
proarchus 21: 4, 26
Dermochelys coriacea 22: 139
Dinodon 22: 182
futsingensis 22: 182
septentrionale 22: 182
multifasciatum 22: 182
ruhstrati 22: 182
septentrionalis 22: 184
 var. *ruhstrati* 22: 182
Dipsas 21: 44
Dipsina 21: 188
Dolichophis 21: 155, 166
caspicus 21: 82, 159-161, 165*, 166; 22: 75-
 77, 88*-90, 111
jugularis 21: 159-161, 165*, 166; 22: 99, 100,
 104*-107, 110-112
Drymarchon corais couperi 21: 118
Dryocalamus nympha 22: 118
Duttaphrynus siehe/see *Bufo*
Echis 21: 188; 22: 174
Eirenis 22: 174, 189
(Pediophis) collaris 22: 189, 190
coronella 22: 189
(Eoseirenis) decemlineatus 22: 189, 190
(Pediophis) medus 22: 189, 190
modestus 21: 82, 160; 22: 77, 99, 100, 111, 189
semimaculatus 22: 107
persicus 22: 189
(Pediophis) punctatolineatus 22: 189, 190
rechingeri 22: 189, 190*
Elaphe 22: 109
longissima siehe/see *Zamenis longissimus*
quatuorlineata 21: 192; 22: 77, 89
sauromates 22: 111
Eleutherodactylus 21: 85
Emys orbicularis 21: 80, 81, 151; 22: 70, 72, 77, 111
hellenica 21: 151
luteofusca 21: 151
Eoseirenis siehe/see *Eirenis*
Epidalea siehe/see *Bufo*
Eryx jaculus 21: 82, 158, 160; 22: 76, 77, 111
turcicus: 21: 160
Euphlyctis cyanophlyctis 21: 37, 39
hexadactylus 21: 38
Euprepes (Tiliqua) ruhstrati 22: 181
Euprepis fellowsii 21: 158
Eutropis longicaudata 22: 181
Fejervarya limnocharis 21: 38, 39
Hemidactylus angulatus 21: 183
bouvieri 21: 183
razoensis 21: 183
frenatus 21: 183
garnotii 21: 183
mabouia 21: 183
turcicus 21: 192; 22: 75-77, 87, 99, 100, 106,
 110, 111
turcicus 21: 80, 81, 152, 153, 157, 166;
 22: 103
Hemorrhois 22: 131
nummifer 21: 80, 159, 161, 164, 166, 167;
 22: 45-50, 99, 100, 104*, 105,
 107*-112
Hierophis gemonensis 21: 192; 22: 84*, 86, 87, 89
Hyalinobatrachium 21: 58, 62, 63
eurynathum 21: 58, 62
fleischmanni 21: 58, 61
parvulum 21: 58, 62
pulveratum 21: 63
pellucidum 21: 51
uranoscopum 21: 58, 62
Hyla 22: 174
arborea 21: 149, 150; 22: 56, 58, 77, 87
arborea 21: 149, 166; 22: 111
kretensis 21: 149, 166
labialis 21: 75

- Hylohalus subpunctatus* 21: 85
Hynobius kimurae 21: 39
- Iberolacerta* 22: 146, 159, 163
 aranica 22: 146, 159, 162, 163
 aurelio 22: 146, 162
 bonnali 22: 145-166
 cyreni 21: 94; 22: 162
 estrellensis 21: 94-95
 galani 22: 162
 horvathi 22: 159, 162, 163
 martinezricai 22: 162
 monticola 21: 94-95; 22: 159, 162, 163
 cantabrica 21: 95
- Invertebrata
- Carabus (Hygrocarabus) variolosus* 22: 62
Cybister 22: 62
Dytiscus 22: 62
Euscorpius 22: 83
Hydropsyche 21: 12
Peryphus 22: 164
- Lacerta agilis* 22: 56-63
 aurata 21: 158
 bilineata 21: 192
 bilineata 22: 86
 dugesii 21: 183
 estrellensis 21: 95
 monticola bonnali 22: 146
 muralis var. monticola 21: 94
 oedura 21: 124
(Podarcis) monticola bonnali 22: 146
 princeps 22: 129
 trilineata 21: 157, 192; 22: 77, 87, 90, 111
 diplochondrodes 21: 153, 155, 156,
 166
 viridis 22: 77
 vivipara var. varniolica 21: 124
 vasconiae 21: 144
- Lampropeltis triangulum* 22: 94, 95
 hondurensis 22: 94
 stuarti 22: 94, 95*
- Laudakia* 22: 174
 nupta 21: 176
 stellio 21: 149; 22: 77, 99, 100, 105, 107, 110,
 111
 daani 21: 82, 153-155, 166; 22: 105
- Lepidochelys kempii* 22: 139
 olivacea 22: 137-143*
- Lepidodactylus lugubris* 21: 183
- Limnonectes* 21: 10
- Liolemaus grosseorum* 21: 86, 87
- Lissotriton montandoni* 22: 56-63
 montandoni x *L. vulgaris* 22: 56-63*
 vulgaris 21: 87-91; 22: 58-63, 77, 87
- Lithobates chiricahuensis* 21: 39
 pipiens 21: 39
- Loxodon microlepis* 22: 117, 120
- Lyciasalamandra facilae* 22: 111
 flavimembris 11: 111
 helverseni 21: 148, 149
 luschani 22: 111
- Lycodon fasciatus* 22: 182
 Müller 22: 182, 184
 ruhstrati 22: 181-187*
 multifasciatus 22: 182
 ruhstrati 22: 182
- Lytorhynchus diadema* 22: 174
- Macrovipera lebetina obtusa* 22: 65
Malpolon 21: 188
 moilensis 22: 177, 178
 monspessulanus 21: 176, 187, 188, 192; 22:
 75-77, 88*, 90
 fuscus 22: 88*, 90
 insignitus 21: 166; 22: 111
- Mauremys rivulata* 21: 150, 151, 166; 22: 72, 75-77,
 111
- Mediodactylus* siehe auch/see also *Cyrtopodion*
 kotschy 21: 152-154, 163*, 166
 beutleri 21: 154, 163*
 bileki 21: 154
 ciliciensis 21: 154
 danilewskii 21: 154
- Mesalina* 22: 174
- Mesotriton alpestris* 21: 90; 22: 58-63
- Micrelaps* 22: 174
- Microgecko helenae* 22: 129
- Microhyla ornata* 21: 37-39
- Montivipera xanthina* 21: 80-83*, 166, 167; 22: 77,
 99, 100, 108*, 109, 110-112
- Nanorana parkeri* 21: 73
 pleskei 21: 68, 73
- Natrix* 22: 44
 natrix 21: 82, 159, 164; 22: 3-9, 65-74*, 77,
 111
 persa 21: 159, 164
 tessellata 21: 119, 164, 166, 176; 22: 3-9, -
 65-74*, 77, 111
- Nephurus wheeleri* T 21 (3/4)*
- Neurergus strachii* 21: 90
- Ninia hudsoni* 21: 190-192*
- Nymphargus* 21: 58, 62
 anomalus 21: 63
 laurae 21: 51
 megacheirus 21: 51
 rosada 21: 63
 siren 21: 51
 wileyi 21: 51
- Ommatotriton vittatus* 21: 90; 22: 77
- Ophisops elegans* 21: 80, 153, 155-157, 166, 176; 22:
 75-77, 99, 100, 110-112
 ehrenbergii 21: 155
- macrodactylus* 21: 80, 155; 22: 106
- Ophites ruhstrati* 22: 181-187*
- Osteocephalus* 21: 62
- Oxyrhopus* cf. *petola* 22: 92
 marcapatae 22: 92
- Pantherophis guttatus* 22: 45, 49
- Pediophis* siehe/see *Eirenis*
- Pelobates syriacus* 21: 151
 balcanicus 22: 111
- Pelophylax bedriagae* 21: 150, 151
 cerigensis 21: 149-151, 166; 22: 111
 esculentus 21: 37; 22: 58, 62
 ridibundus 21: 37, 39, 90, 151, 176; 22: 58,
 63, 77, 111
- Periops* 22: 129
 parallelus 21: 45
 schiraziana 22: 118
 var. schirasiana 22: 119

Pflanzen / Plants

- Acacia* 22: 168
- tortilis* 22: 91
- Acer platanoides* 22: 56
- pseudoplatanus* 22: 56
- Aegilops triaristata* 22: 75
- Agave americana* 22: 85
- Allium dodecanesii* 21: 79
- Alnus incana* 22: 56
- Alyssum umbellatum* 22: 75
- Amaranthus deflexus* 22: 75
- Arctostaphylos uva-ursi* 22: 146
- Arum discordis* 22: 102
- Arundo donax* 21: 151; 22: 86
- Asphodelus albus* 22: 103
- Atriplex lampas* 21: 87
- Ballota acetabulosa* 22: 75
- Beta maritima* 22: 75
- Betula pendula* 22: 56
- Calamagrostis* 21: 85
- Calluna* 22: 156
- Cardopatium corymbosum* 22: 75
- Carpinus betulus* 22: 56
- Centaurea solstitialis* 22: 75
- Cerastium brachypetalum* 22: 75
- Chenopodium album* 22: 75
- Citrus lemon* 22: 85
- Coridothymus capitatus* 22: 75
- Cupressus sempervirens* 22: 83, 85, 86, 102
- Cynodon dactylon* 22: 75
- Dianthus corymbosum* 22: 75
- Ephedra ochreata* 21: 87
- Erica* 22: 156
- Eryngium campestre* 22: 75
- Espeletia* 21: 85
- Eucalyptus* 21: 93
- Euphorbia* 22: 85
 - burmannii* 21: 188
 - characias* 22: 85
 - dendroides* 22: 102
- Fagus sylvatica* 22: 55
- Festuca airoides* 22: 146, 156
- Haloxylon salicornicum* 22: 91
- Hericrysum italicum* 22: 85
- Hordeum marinum* 22: 75
 - murinum* 22: 75
- Jatropha gossypiifolia* 22: 168
- Juniperus oxycedrus* 22: 85, 86
- Kobresia myosuroides* 22: 146, 156
- Larrea cuneifolia* 21: 87
 - divaricata* 21: 87
- Marrubium vulgare* 22: 75
- Nardus* 22: 156
- Notobasis syriaca* 22: 75
- Ocotea* 21: 85
- Onopordum illyricum* 22: 75
- Opuntia ficus-indica* 22: 85
- Orchis laxiflora* 22: 89
- Oreopanax* 21: 85
- Origanum heracleoticum* 22: 102
- Palurus spina-christi* 22: 85
- Papaver virchowii* 22: 75
- Pennisetum divisum* 22: 91
- Phoenix canariensis* 22: 85, 86
- Pinus brutia* 22: 102
 - halepensis* 22: 83, 86
 - mugo* 22: 56

Pflanzen / Plants

- Pistacia terebinthus* 22: 85, 86
- Polylepis* 21: 85
- Prosopidastrum globosum* 21: 87
- Punica granatum* 22: 85
- Quercus ilex* 22: 83, 85, 86
- Rhododendron* 22: 156
 - ferrugineum* 22: 146, 156
 - myrtifolium* 22: 56
- Salsola spinescens* 22: 91
- Sagina maritima* 22: 75
- Schinus polygamus* 21: 87
- Sedum caespitosum* 22: 75
- Stipa* 21: 87
- Suaeda divaricata* 21: 87
- Teucrium polium* 22: 75
- Typha domingensis* 22: 89
- Urginea maritima* 22: 103
- Vaccinium uliginosum* 22: 146
- Weinmannia mariquiae* 21: 85
- Platyceps* 22: 131, 174
 - collaris* 22: 111
 - elegans* 22: 173-180
 - florulentus* 22: 44, 45, 49
 - karelinskii* 21: 176
 - najadum* 21: 80, 159, 161, 166; 22: 77, 111
 - dahlii* 21: 80, 81, 159, 161
 - rhodorachis* 22: 177
 - saharicus* 22: 177
- Podarcis raffonei* 21: 183
 - melisellensis* 21: 192; 22: 83, 85
 - flumana* 22: 83
 - muralis* 22: 56, 58, 59, 60; 22: 77, 83
 - sicula* 21: 183
 - siculus* 21: 192; 22: 77, 83, 85, 86
 - campestris* 22: 83
 - taurica* 21: 157; 22: 87
- Polypedates maculatus* 21: 31-40
 - (*Rhacophorus*) *dennysii burmana* 21: 179-182*
- Pristimantis* 21: 85
 - buckleyi* 21: 85
 - elegans* 21: 85
 - myersi* 21: 85
 - repens* 21: 85, 86
- Psammophis* 21: 188
 - aegyptius* 22: 177, 178
 - schokari* 22: 45, 178
 - sibilans* 22: 177
- Psammophylax* 21: 188
 - rhombeatus* 22: 44
 - rhombeatus* 21: 186-189*
- Pseudepidalea* siehe/see *Bufo*
- Pseudopus apodus* 21: 192*; 22: 76, 77, 86, 111
 - thraciensis* 21: 153, 155; 22: 86
- Pseudotrapelus* 22: 174
- Pyrenesaura* 22: 146, 149, 163
- Rana* siehe auch/see also *Euphyctis*, *Fejervarya*, *Pelophylax*
 - chensinensis* 21: 68, 75, 76
 - dalmatinus* 22: 56, 58, 77
 - dybowskii* 21: 73
 - kukunoris* 21: 67-77
 - latastei* 21: 39
 - taronensis* 21: 182
 - temporalis* 21: 37-39, 68, 73, 75, 58-63

- Rhacophorus* 21: 179-182
burmanus 21: 179-182
dennysi 21: 179-182
gongshanensis 21: 179-182
taronensis 21: 179-182
- Rhinella* siehe/see *Bufo*
- Salamandra infraimmaculata* 22: 27-42
salamandra 22: 56-63
terrestris 22: 35
- Siphlophis worontzowi* 22: 92, 93*
- Spalaerosophis* 22: 117
- Spalerophis* 22: 117
- Spalerosophis* 22: 43, 49, 115-135
arenarius 22: 115, 116, 118-120, 129-131
atriceps 22: 118, 129-131
cliffordi 22: 118
cliffordii 22: 45
diadema 22: 43, 45, 48, 115, 116, 118, 119, 129-131, 174
cliffordii 22: 44-50, 118, 119, 120, 129-132
diadema 22: 118, 119, 129, 132
schirasianus 22: 131
dolichospilus 22: 118, 129, 131, 132
josephscortecci 22: 116, 118, 119, 129-132
macrolepis 22: 121
microlepis T 22 (3/4), 22: 115-135*
- Spelaerosophis microlepis* 22: 121
- Sphalerosophis microlepis* 22: 120, 121
- Tarentola gigas* 21: 183
mauritanica 21: 183; 22: 87
- Telescopus fallax* 21: 80, 189-190, 192; 22: 77, 100, 108*, 109-111
fallax 21: 190
rhoducus 21: 159, 166; 22: 109
- Testudo* 22: 174
graeca 21: 41-48, 82, 150, 152; 22: 75-77, 99, 100, 110, 111
ibera 22: 103
hermanni 21: 41-48, 150-152, 192; 22: 11-26, 89, 111
boettgeri 21: 152, 163*; 22: 11-26
- horsefieldi* 21: 41-48
kleinmanni 21: 45
marginata 21: 41-48
werneri 21: 45
- Tiliqua* 22: 181
- Timon princeps* 22: 129
- Toxodon microlepis* 22: 117, 120
- Trachylepis aurata* 21: 156, 158, 166, 176; 22: 99, 100, 104*, 105, 110, 111
aurata 22: 106
septemtaeniata 21: 158
- Trionyx triunguis* 21: 152
- Triturus cristatus* 21: 90; 22: 56-63
karelinii 21: 90; 22: 77
marmoratus T 21 (1/2)*
vittatus 22: 77
- Tropidonotus hydrus* 22: 66
natrix 22: 66
- Tropiocolotes helena* 21: 176; 22: 129
- Typhlops vermicularis* 21: 82, 159, 160; 22: 76, 77, 111
- Uromastyx acanthinura* 22: 91
aegyptia 22: 91
- Vertebrata**
- Alectoris chukar* 21: 83
- Apodemus* 22: 107
- Athene noctua* 21: 82
- Bubo bubo* 22: 85
- Carollia castanea* 21: 92
- Corvus cornix* 21: 82
corone 21: 82
- Cottus (gobio) transsilvaniae* 22: 63
- Gyps fulvus* 22: 83
- Larus audouinii* 21: 79
- Monachus monachus* 21: 83; 22: 83
- Mustela putorius* 22: 60
- Oenanthe oenanthe* 22: 167
- Rattus* 22: 107
norvegicus 21: 82
- Turdus* 22: 107
- Tursiops truncatus* 22: 83
- Vipera ammodytes* 22: 87, 89
meridionalis 21: 166
berus 22: 58, 59, 62
- Zamenis* 22: 45, 50, 129
diadema 22: 119, 130
diadema var. *atriceps* 22: 118
longissimus longissimus 21: 99-121; 22: 3-9
romanus 21: 117, 118
microlepis 22: 121
nummifer 22: 47, 49
situla 21: 159, 164, 192; 22: 77, 87, 89, 111
- Zootoca* 21: 123-126, 136-140
vivipara 21: 123-146*; 22: 58-63
carniolica 21: 124-126, 136, 140, 144
louisianae ssp. nov. 21: 123, 135*, 140-141, 142*-143*, 144*
pannonica 21: 124, 126, 134, 135*,
sachalinensis 21: 124, 126, 136
vivipara 21: 124, 125, 134, 135*; 22:
56-63

SACHREGISTER / KEY WORD AND SUBJECT INDEX

- 16S rRNA (*Agama agama*, introduction, mitochondrial DNA, Cape Verde Islands) 21: 183-186
- Aberrant scale configuration (*Zamenis longissimus*, morphology, pholidosis, sex ratio, Austria) 21: 99-121
- Abnormal egg (*Lepidochelys olivacea*, Olive Ridley Turtle, eggshell, calcium, ultrastructure, shell unit, fibers, egg shell chemical composition, Gahirmatha, Orissa, India) 22: 137-143
- Abundance (Herpetofauna of Simi [Symi] Dodecanese, Greece, species abundance, new island record *Telescopus fallax*) 22: 99-113
- Activity (*Iberolacerta bonnali*, microhabitat, body temperatures, habitat selection, high mountain environment, thermoregulation, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, apparent abundance, ecology, behavior, physiology, temperature-related activity, Austria) 22: 3-9
- (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- Age (*Polypedates maculatus*, population ecology, longevity, skeletochronology, India) 21: 31-40
- (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, body mass condition, Eminská Mountains, Bulgaria) 22: 11-26
- Age composition siehe/see Age (*Testudo hermanni*)
- Age determination siehe/see Age
- Albinism (*Ninia hudsoni*, morphology, Ecuador) 21: 190-192
- Altitude siehe/see (herpetofauna, Iezer-Păpușa Mountains, Romania)
- Altitudinal range (*Spalerosophis*, *S. microlepis*, type species, taxonomy, morphology, distribution, determination key) 22: 115-135
- Amphibian reproduction siehe/see Reproduction (*Salamandra infraimmaculata*)
- Animal welfare (Marking techniques for *Testudo*, transponder, protection of species, EU Wildlife Trade Regulations, law) 21: 41-48
- Apparent abundance (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, ecology, behavior, physiology, temperature-related activity, Austria) 22: 3-9
- Argentina (*Liolaemus grosseorum*, new record localities, faunistics, Neuquén Province, Patagonia) 21: 86, 87
- Austria (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, apparent abundance, ecology, behavior, physiology, temperature-related activity, Austria) 22: 3-9
- (*Zamenis longissimus*, morphology, pholidosis, aberrant scale configuration, scale malformation, sex ratio) 21: 99-121
- Behavior (*Ameiva erythrocephala*, feeding, search behavior, ethology, foraging, diet, digging behavior, ontogenetic shifts in diet and foraging, St. Eustatius, Netherlands Antilles) 22: 167-171
- (*Bufo luristanicus*, systematics, taxonomy, morphology, ecology, behavior, Iran) 21: 171-178
- (*Iberolacerta bonnali*, high mountain environmentmicrohabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, physiology, Pyrenees, Spain, France) 22: 145-166
- (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, apparent abundance, ecology, physiology, temperature-related activity, Austria) 22: 3-9
- (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- (*Psammophylax rhombeatus*, narial valve, biology, physiology, chemical marking, South Africa) 21: 186-189
- Bertalanffy's equation (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, body mass condition, Eminská Mountains, Bulgaria) 22: 11-26
- Biology (*Cochranella mache*, morphology, morphological variation, coloration, sexual dimorphism, systematics, natural history, Ecuador) 21: 57-66
- (*Corallus blombergi*, morphology, distribution, ecology, Ecuador) 21: 91-94
- (*Psammophylax rhombeatus*, narial valve, biology, physiology,

- chemical marking, South Africa) 21: 186-189
- Blood cells normal morphology siehe/see Haematology (*Lissotriton vulgaris*, Turkey)
- Blood smears siehe/see Haematology (*Lissotriton vulgaris*, Turkey)
- Body mass condition (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, Eminska Mountains, Bulgaria) 22: 11-26
- Body temperatures (High mountain environment, *Iberolacerta bonnali*, microhabitat, habitat selection, thermoregulation, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- Bolivia (*Siphlophis worontzowi*, new country record, Peru) 22: 92-94
- Breeding ecology siehe/see Reproductive ecology
- Breeding season siehe/see Reproduction (*Rana kukunoris*)
- Bulgaria (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, body mass condition, Eminska Mountains) 22: 11-26
- Calcium (*Lepidochelys olivacea*, Olive Ridley Turtle, abnormal egg, ultrastructure, shell unit, fibers, eggshell chemical composition, Gahirmatha, Orissa, India) 22: 137-143
- Cantabrian Mountains siehe/see Iberian Peninsula (*Zootoca vivipara*, new subspecies)
- Cape Verde Islands (*Agama agama*, introduction, mitochondrial DNA, 16S rRNA) 21: 183-186
- Chemical marking (*Psammophylax rhombeatus*, behavior, biology, physiology, South Africa) 21: 186-189
- China (*Rana kukunoris*, reproduction, reproductive ecology, breeding ecology, breeding season, life history, mating system, oviposition habitat, Tibetan Plateau) 21: 67-77
- (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, holotype redescription, systematics, taxonomy, morphology, Myanmar) 21: 179-182
- Chios siehe/see Greece (*Telescopus fallax*)
- Choco region siehe/see Ecuador (*Bothrocophias campbelli*)
- Circadian activity siehe/see Activity
- Circannual activity siehe/see Activity
- Coloration (*Cochranella mache*, morphology, morphological variation, sexual dimorphism, systematics, biology, natural history, Ecuador) 21: 57-66
- (*Zamenis longissimus*, morphology, pholidosis, sex ratio, Austria) 21: 99-121
- (*Zootoca vivipara*, new subspecies, morphology, taxonomy, geographic differentiation, Pyrenees, Iberian Peninsula, Cantabrian mountains) 21: 123-146
- Coloration-Pattern (*Lampropeltis triangulum stuarti*, atypical colorpattern, Nicaragua) 22: 94-95
- Consecutive breeding siehe/see Reproduction (*Salamandra infraimmaculata*)
- Conservation (Herpetofauna of Lipsi, faunistics, new island record, nature conservation aspects, Dodecanese, Greece) 21: 79-84
- Cordillera del Cóndor siehe/see Ecuador
- Cres-Lošinj Island siehe/see Croatia (Ilovik, Kozjak Archipelago)
- Croatia (Herpetofauna of Ilovik, Kozjak, Cres-Lošinj Archipelago, new island records, Kvarner, Croatia) 22: 82-87
- (Herpetofauna of Lošinj, new island records of *Bufo viridis*, *Testudo hermanni*, *Pseudopus apodus*, Croatia) 21: 192
- Daily activity pattern (*Platyceps elegantissimus*, behavior, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- Determination key (*Spalerosophis*, *S. microlepis*, type species, altitudinal range, taxonomy, morphology, distribution) 22: 115-135
- Diet siehe/see Feeding, Prey
- Digging behavior (*Ameiva erythrocephala*, feeding, search behavior, ethology, foraging, diet, ontogenetic shifts in diet and foraging, St. Eustatius, Netherlands Antilles) 22: 167-171
- Distribution (Amphibia, Reptilia, herpetofauna, Iezer-Păpușa Mountains, Romania) 22: 55-64
- (*Corallus blombergi*, morphology, biology, ecology, Ecuador) 21: 91-94
- (Herpetofauna of Rhodes, distribution, list of species, new island record, Greece) 21: 147-169
- (*Natrix natrix*, ecology, Levant, Israel, Lebanon, Palestine) 22: 65-74
- (*Pristimantis repens*, ecology, páramo, high-Andean forests) 21: 85, 86
- (*Spalerosophis*, *S. microlepis*, type species, altitudinal range, taxonomy, morphology, determination key) 22: 115-135
- (*Telescopus fallax*, Chios, Greece, new island record) 21: 189-190
- Dodecanese siehe/see Greece
- Ecology siehe auch/see also Feeding
(Age structure, Skeletochronology, population ecology, *Polypedates maculatus*, India) 21: 31-40

- (Amphibia, Reptilia, herpetofauna, Iezer-Păpușa Mountains, Romania) 22: 55-64
- (*Bufo luristanicus*, systematics, taxonomy, morphology, behavior, Iran) 21: 171-178
- (*Corallus blombergi*, distribution, morphology, biology, Ecuador) 21: 91-94
- (*Iberolacerta bonnali*, high mountain environment, microhabitat, body temperatures, habitat selection, thermoregulation, activity, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- (*Natrix natrix*, distribution, Levant, Israel, Lebanon, Palestine) 22: 65-74
- (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, apparent abundance, behavior, physiology, temperature-related activity, Austria) 22: 3-9
- (*Pristimantis repens*, distribution, high-Andean forests, páramo) 21: 85, 86
- (*Testudo hermanni*, population biology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, body mass condition, Emirska Mountains, Bulgaria) 22: 11-26
- Ecuador (*Bothrocophias campbelli*, reproductive biology, Choco region) 21: 95, 96
- (*Centrolene condor* sp. nov., new species, morphology, systematics, taxonomy, Cordillera del Cóndor) 21: 49-56
- (*Cochranella mache*, morphology, morphological variation, coloration, sexual dimorphism, systematics, biology, natural history) 21: 57-66
- (*Corallus blombergi*, distribution, morphology, biology, ecology) 21: 91-94
- (*Ninia hudsoni*, albinism, morphology) 21: 190-192
- Eggshell (*Lepidochelys olivacea*, Olive Ridley Turtle, abnormal egg, calcium, ultrastructure, shell unit, fibers, chemical composition, Gahirmatha, Orissa, India) 22: 137-143
- Eggshell chemical composition siehe/see Eggshell (*Lepidochelys olivacea*)
- Egypt (*Coluber tyria*, *Coluber geoffroyii* [nomen oblitum], *Coluber tyria*, *Coluber geoffroyii*, *Spalerosophis diadema cliffordii* [nomen protectum], morphology, nomenclature, taxonomy, Egypt) 22: 43-54
- Eleutherodactylinae (*Pristimantis repens*, distribution, ecology, high-Andean forests, páramo) 21: 85, 86
- Eminska Mountains siehe/see Bulgaria
- Ethology siehe/see Behavior (*Ameiva erythrocephala*)
- EU Wildlife Trade Regulations (Marking techniques for *Testudo*, transponder, animal welfare, protection of species, law) 21: 41-48
- External morphology siehe/see Morphology (*Zamenis longissimus*, Austria)
- Fars province siehe/see Iran, *Eirenis rechingeri*
- Faunistics (Herpetofauna, Iezer-Păpușa Mountains, Romania) 22: 55-64
- (Herpetofauna of Illovik, Kozjak, Cres-Lošinj Archipelago, new island records, Kvarner, Croatia) 22: 82-87
- (Herpetofauna of Ithaki, Ionian Islands, Greece, new island records) 22: 87-90
- (Herpetofauna of Lipsi, new island records, nature conservation aspects, Dodecanese, Greece) 21: 79-84
- (Herpetofauna of Lošinj, Croatia, new island records) 21: 192
- (Herpetofauna of Rhodes, distribution, list of species, new island record, Greece) 21: 147-169
- (Herpetofauna of Simi [Symi] Dodecanese, Greece, species abundance, new island record *Telescopus fallax*) 22: 99-113
- (Herpetofauna, Tenedos, Turkey, new island records) 22: 75-78
- (*Liolaemus grosseorum*, new record localities, Neuquén Province, Patagonia, Argentina) 21: 86-87
- Feeding (*Ameiva erythrocephala*, search behavior, ethology, foraging, diet, digging behavior, ontogenetic shifts in diet and foraging, St. Eustatius, Netherlands Antilles) 22: 167-171
- (*Uromastyx aegyptia*, diet, feeding ecology, Saudi Arabia) 22: 91
- Feeding ecology siehe/see Feeding
- Fibers siehe/see Ultrastructure (*Lepidochelys olivacea*)
- Field observations (*Platyceps elegantissimus*, behavior, daily activity pattern, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- Foraging siehe/see Feeding (*Ameiva erythrocephala*)
- France (*Iberolacerta bonnali*, high mountain environment, microhabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, physiology, behavior, Pyrenees, Spain, France) 22: 145-166
- Gahirmatha siehe/see India (*Lepidochelys olivacea*)
- Geographic differentiation siehe/see Taxonomy (*Zootoca vivipara*, Iberian Peninsula, new subspecies)

- Greece (Herpetofauna of Ithaki, Ionian islands, new island records) 22: 87-90
 (Herpetofauna of Lipsi, new island records, faunistics, nature conservation aspects, Dodecanese) 21: 79-84
 (Herpetofauna of Rhodes, distribution, list of species, new island record) 21: 147-169
 (Herpetofauna of Simi [Symi] Dodecanese, species abundance, new island record *Telescopus fallax*) 22: 99-113
 (*Telescopus fallax*, Chios, distribution, new island record) 21: 189-190
- Growth siehe/see Skeletochronology
 Growth mark siehe/see Skeletochronology
 Growth pattern siehe/see Skeletochronology
 Growth rings siehe/see Skeletochronology
 Growth self-regulation (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, body mass condition, Eminski Mountains, Bulgaria) 22: 11-26
- Habitat (Amphibia, Reptilia, distribution, altitude, herpetofauna, Iezer-Păpușa Mountains, Romania) 22: 55-64
- Habitat selection (*Iberolacerta bonnali*, high mountain environment, microhabitat, body temperatures, thermoregulation, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- Haematology (*Lissotriton vulgaris*, blood cells normal morphology, blood smears, histology, Turkey) 21: 87-91
- Herpetofauna siehe/see Faunistics
 High altitude records (*Bufo bufo*, *Lissotriton montandoni*, herpetofauna, Iezer-Păpușa Mountains, Romania) 22: 55-64
- High-Andean forests (*Pristimantis repens*, distribution, ecology, páramo) 21: 85, 86
- High mountain environment (*Iberolacerta bonnali*, microhabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- Histology (*Lissotriton vulgaris* blood cells normal morphology, Turkey) 21: 87-91
- Holotype redescription (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, taxonomy, morphology, Myanmar, China) 21: 179-182
- Iberian Peninsula (*Iberolacerta bonnali*, high mountain environmentmicrohabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- (*Zootoca vivipara*, new subspecies, taxonomy, morphology, geographic differentiation, Pyrenees, Cantabrian mountains) 21: 123-146
- Iezer-Păpușa Mountains (Herpetofauna, high altitude records, ecology, distribution, Romania) 22: 55-64
- Ilovik Island siehe/see Croatia (new island records)
- India (*Lepidochelys olivacea*, Olive Ridley Turtle, eggshell, abnormal egg, calcium, ultrastructure, shell unit, fibers, chemical composition, Gahirmatha, Orissa) 22: 137-143
 (*Polypedates maculatus*, age, population ecology, longevity, growth pattern, skeletochronology, India) 21: 31-40
- Indonesia (*Dendrelaphis grismeri* sp. nov., *Dendrelaphis marenae* sp. nov., Philipines, Moluccas) 21: 3-29
- Introduction (*Agama agama*, Cape Verde Islands, Mitochondrial DNA, 16S rRNA) 21: 183-186
- Ionian Islands siehe/see Greece (Herpetofauna of Ithaki)
- Iran (*Asaccus kurdistanensis*, sexual dimorphism, tubercular scale rugosity, keeling, morphology, taxonomic implications, Palangan) 22: 79-82
 (*Bufo luristanicus*, systematics, taxonomy, ecology, behavior, Iran) 21: 171-178
 (*Eirenis rechingeri*, second specimen, Fars province) 22: 189-190
- Israel (*Natrix natrix*, distribution, ecology, Levant, Lebanon, Palestine) 22: 65-74
 (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
 (*Salamandra infraimmaculata*, amphibian reproduction, population ecology, consecutive breeding, pond duration, sperm storage, unpredictable weather, Israel) 22: 27-42
- Ithaca siehe/see Greece (Herpetofauna of Ithaki)
 Ithaki siehe/see Greece (Herpetofauna of Ithaki)
- Jordan (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- Keeling siehe/see Morphology (*Asaccus kurdistanensis*)
 Koziak Island siehe/see Croatia (new island records)
 Kvarner siehe/see Croatia (new island records)

- Law siehe/see EU Wildlife Trade Regulations
 Lebanon (*Natrix natrix*, distribution, ecology, Levant, Israel, Palestine) 22: 65-74
- Levant siehe/see Israel (*Natrix natrix*, distribution)
 Life history (*Rana kukunoris*, reproduction, reproductive ecology, breeding ecology, breeding season, mating system, oviposition habitat, Tibetan Plateau, China) 21: 67-77
- Lines of arrested growth (LAG) siehe/see skeletochronology
- Liolaemini siehe/see *Liolaemus grosseorum*, Argentina
- Lipsi siehe/see Greece, island of Lipsi
- List of species siehe/see Faunistics (herpetofauna of Rhodes)
- Lizards siehe/see Sexual dimorphism (*Asaccus kurdistanensis*) 22: 79-82
- Local herpetofauna siehe/see Herpetofauna (Iezer-Păpușa Mountains, Romania)
- Longevity siehe/see Age (*Polypedates maculatus*)
- Lošinj (*Bufo viridis*, *Testudo hermanni*, *Pseudopus apodus*, herpetofauna, Croatia, new island records) 21: 192
- Marking techniques (for *Testudo*, transponder, animal welfare, protection of species, EU Wildlife Trade Regulations, law) 21: 41-48
- Mating system (*Rana kukunoris*, reproduction, reproductive ecology, breeding ecology, breeding season, life history, oviposition habitat, Tibetan Plateau, China) 21: 67-77
- Microhabitat (*Iberolacerta bonnali*, high mountain environment, body temperatures, habitat selection, thermoregulation, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- Middle East (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, observations in captivity, Israel, Jordan, Middle East) 22: 173-180
- Mitochondrial DNA (*Agama agama*, introduction, Cape Verde Islands, 16S rRNA) 21: 183-186
- Moluccas (*Dendrelaphis grismeri* sp. nov., *Dendrelaphis marenae* sp. nov., Philipines, Indonesia) 21: 3-29
- Morphological variation siehe/see Morphology (*Cochranella mache*, Ecuador)
- Morphology (*Asaccus kurdistanensis*, sexual dimorphism, tubercular scale rugosity, keeling, taxonomic implications, Palangan, Iran) 22: 79-82
- (*Bufo luristanicus*, systematics, taxonomy, ecology, behavior, Iran) 21: 171-178
- (*Centrolene condor* sp. nov., systematics, taxonomy, new species, Cordillera del Cóndor, Ecuador) 21: 49-56
- (*Cochranella mache*, morphological variation, coloration, sexual dimor-
- phism, systematics, biology, natural history, Ecuador) 21: 57-66
- (*Coluber tyria*, *Coluber geoffroyii* [nomen oblitum], *Coluber tyria*, *Coluber geoffroyii*, *Spalerosophis diadema cliffordii* [nomen protectum], nomenclature, taxonomy, Egypt) 22: 43-54
- (*Corallus blombergi*, distribution, morphology, biology, ecology, Ecuador) 21: 91-94
- (*Ninia hudsoni*, albinism, Ecuador) 21: 190-192
- (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, holotype redescription, taxonomy, systematics, Myanmar, China) 21: 179-182
- (*Spalerosophis*, *S. microlepis*, type species, altitudinal range, taxonomy, distribution, determination key) 22: 115-135
- (*Zootoca vivipara*, new subspecies, morphology, taxonomy, coloration, scalation, geographic differentiation, Pyrenees, Iberian Peninsula, Cantabrian mountains) 21: 123-146
- Myanmar (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, holotype redescription, taxonomy, systematics, morphology, China) 21: 179-182
- Narial valve (*Psammophylax rhombatus*, behavior, biology, physiology, chemical marking, South Africa) 21: 186-189
- Nature conservation aspects siehe/see Conservation
- Natural history siehe/see Biology
- Netherlands Antilles (*Ameiva erythrocephala*, search behavior, ethology, foraging, diet, feeding, digging behavior, ontogenetic shifts in diet and foraging, St. Eustatius, Netherlands Antilles) 22: 167-171
- Neuquén Province siehe/see Argentina
- New country record (*Siphlophis worontzowi*, Bolivia, Peru) 22: 92-94
- New island record (Herpetofauna of Chios, Greece, distribution, *Telescopus fallax*) 21: 189-190
- (Herpetofauna of Illovik, Kozjak, Cres-Lošinj Archipelago, Kvarner, Croatia) 22: 82-87
- (Herpetofauna of Ithaki, Ionian Islands, Greece) 22: 87-90
- (Herpetofauna of Lipsi, faunistics, nature conservation aspects, Dodecanese, Greece) 21: 79-84
- (Herpetofauna of Lošinj, Croatia *Bufo viridis*, *Testudo hermanni*, *Pseudopus apodus*,) 21: 192
- (Herpetofauna of Rhodes, distribution, list of species, Greece) 21: 147-169

- (Herpetofauna of Simi [Symi] Dodecanese, Greece, species abundance, new island record *Telescopus fallax*) 22: 99-113
- (Herpetofauna of Tenedos Island, Turkey) 22: 75-78
- New record siehe/see Faunistics
- New record localities siehe/see Faunistics
- New species (*Centrolene condor* sp. nov., morphology, systematics, taxonomy, Cordillera del Cóndor, Ecuador) 21: 49-56
- (*Dendrelaphis grismeri* sp. nov., *Dendrelaphis marenae* sp. nov., Philippines, Moluccas, Indonesia) 21: 3-29
- New subspecies (*Zootoca vivipara*, taxonomy, morphology, geographic differentiation, Pyrenees, Iberian Peninsula, Cantabrian mountains) 21: 123-146
- Nicaragua (*Lampropeltis triangulum stuarti*, atypical colorpattern) 22: 94-95
- Nomenclature (*Coluber tyria*, *Coluber geoffroyii* [nomen oblitum], *Coluber tyria*, *Coluber geoffroyii*, *Spalerosophis diadema cliffordii* [nomen protectum], morphology, taxonomy, Egypt) 22: 43-54
- Nomen oblitum siehe/see Nomenclature (*Coluber tyria*, *Coluber geoffroyii*)
- Nomen protectum siehe/see Nomenclature (*Coluber tyria*, *Coluber geoffroyii*, *Spalerosophis diadema cliffordii*)
- Observations in captivity (*Platyceps elegantissimus*, behavior, daily activity pattern, field observations, Israel, Jordan, Middle East) 22: 173-180
- Ontogenetic shifts in diet and foraging (*Ameiva erythrocephala*, feeding, search behavior, ethology, foraging, diet, digging behavior, St. Eustatius, Netherlands Antilles) 22: 167-171
- Orissa siehe/see India (*Lepidochelys olivacea*)
- Oviposition habitat (*Rana kukunoris*, reproduction, reproductive ecology, breeding ecology, breeding season, life history, mating system, Tibetan Plateau, China) 21: 67-77
- Palangan siehe/see Iran (*Asaccus kurdistanensis*)
- Palestine siehe/see Israel (*Natrix natrix*, distribution)
- Páramo siehe/see High-Andean forests
- Patagonia siehe/see Argentina (*Liolemaus grosseorum*)
- Peru (*Siphlophis worontzowi*, new country record, Bolivia) 22: 92-94
- Philippines (*Dendrelaphis grismeri* sp. nov., *Dendrelaphis marenae* sp. nov., Moluccas, Indonesia) 21: 3-29
- Pholidosis siehe/see Morphology (*Zamenis longissimus*, Austria)
- Physiology (*Iberolacerta bonnali*, high mountain environment/microhabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, behavior, Pyrenees, Spain, France) 22: 145-166
- (*Natrix natrix*, *N. tessellata*, *Zamenis longissimus*, circannual and circadian rhythms, apparent abundance, behavior, ecology, temperature-related activity, Austria) 22: 3-9
- (*Psammophylax rhombatus*, narial valve, biology, physiology, chemical marking, South Africa) 21: 186-189
- Pond duration siehe/see Ecology (*Salamandra infraimmaculata*)
- Population biology siehe/see Ecology (*Testudo hermanni*)
- Population ecology siehe auch /see also Ecology (Age structure)
- (*Salamandra infraimmaculata*, amphibian reproduction, consecutive breeding, pond duration, sperm storage, unpredictable weather, Israel) 22: 27-42
- Populations siehe/see herpetofauna (Lezer-Păpușa Mountains, Romania)
- Portugal (*Iberolacerta monticola*, taxonomy, type specimen, Serra de Estrela, Sistema Central, Spain) 21: 94-95
- Protection of species (Marking techniques for *Testudo*, transponder, animal welfare, EU Wildlife Trade Regulations, law) 21: 41-48
- Psammophiidae siehe/see Behavior (*Psammophylax*)
- Pyrenees siehe/see Iberian Peninsula
- Redescription of holotype (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, systematics, taxonomy, morphology, Myanmar, China) 21: 179-182
- Redescription of syntypes (*Ophites rustratus*, systematics, taxonomy, Taiwan) 22: 181-187
- Reproductive biology siehe/see Reproduction (*Bothrocophias campbelli*)
- Reproductive ecology siehe/see Reproduction (*Rana kukunoris*)
- Reproduction (*Bothrocophias campbelli*, reproductive biology, Choco region, Ecuador) 21: 95, 96
- (*Rana kukunoris*, reproductive ecology, breeding ecology, breeding season, life history, mating system, oviposition habitat, Tibetan Plateau, China) 21: 67-77
- (*Salamandra infraimmaculata*, amphibian reproduction, population ecology, consecutive breeding, pond duration, sperm storage,

- unpredictable weather, Israel) 22: 27-42
- Rhodes siehe/see Greece (herpetofauna of Rhodes)
- Romania (Lezer-Păpușa Mountains, herpetofauna, high altitude records, ecology, distribution) 22: 55-64
- Saudi Arabia (*Uromastyx aegyptia*, diet, feeding ecology) 22: 91
- Scalation siehe/see Taxonomy (*Zootoca vivipara*, new subspecies, Iberian Peninsula)
- Scale malformation (*Zamenis longissimus*, morphology, pholidosis, sex ratio, Austria) 21: 99-121
- Search behavior siehe/see Behavior (*Ameiva erythroccephala*)
- Second specimen (*Eirenis rechingeri*, Fars province, Iran) 22: 189-190
- Serra de Estrela siehe/see Taxonomy (*Iberolacerta monticola*)
- Seskla Island (Herpetofauna of Simi [Symi] Dodecanese, Greece, species abundance, new island record *Telescopus fallax*) 22: 99-113
- Sex ratio (*Testudo hermanni*, population biology, ecology, age composition, sex ratio, von Bertalanffy's equation, growth self-regulation, body mass condition, Emirska Mountains, Bulgaria) 22: 11-26
- (*Zamenis longissimus*, morphology, pholidosis, aberrant scale configuration, scale malformation, Austria) 21: 99-121
- Sexual dimorphism (*Cochranella mache*, morphology, morphological variation, coloration, systematics, biology, natural history, Ecuador) 21: 57-66
- (*Asaccus kurdistanensis*, tubercular scale rugosity, keeling, morphology, taxonomic implications, Palangan, Iran) 22: 79-82
- Shell unit (*Lepidochelys olivacea*, Olive Ridley Turtle, eggshell, abnormal egg, calcium, ultrastructure, fibers, chemical composition, Gahirmatha, Orissa, India) 22: 137-143
- Simi [Symi] siehe/see Greece
- Sistema Central siehe/see Spain (*Iberolacerta monticola*)
- Size siehe/see Morphology (*Zamenis longissimus*, Austria)
- Skeletochronology *Polyptedtes maculatus* (age, population ecology, longevity, India) 21: 31-40
- South Africa (*Psammophylax rhombeatus*, narial valve, biology, behavior, physiology, chemical marking) 21: 186-189
- Spain (*Iberolacerta bonnali*, high mountain environment/microhabitat, body temperatures, habitat selection, thermoregulation, activity, ecology, physiology, behavior, Pyrenees, Spain, France) 22: 145-166
- (*Iberolacerta monticola*, taxonomy, type specimen, Serra de Estrela, Si-
- stema Central, Portugal) 21: 94, 95
- Species abundance siehe/see (Herpetofauna of Simi [Symi] Dodecanese, Greece) 22: 99-113
- Sperm storage (*Salamandra infraimmaculata*, population ecology, amphibian reproduction, consecutive breeding, pond duration, sperm storage, unpredictable weather, Israel) 22: 27-42
- St. Eustatius, Netherlands Antilles (*Ameiva erythroccephala*, feeding, search behavior, ethology, foraging, diet, digging behavior, ontogenetic shifts in diet and foraging) 22: 167-171
- Systematics (*Bufo luristanicus*, morphology, taxonomy, ecology, behavior, Iran) 21: 171-178
- (*Centrolene condor* sp. nov., morphology, taxonomy, new species, Cordillera del Cóndor, Ecuador) 21: 49-56
- (*Cochranella mache*, morphology, morphological variation, coloration, sexual dimorphism, biology, natural history, Ecuador) 21: 57-66
- (*Ophites ruhstrati*, redescription of syntypes, systematics, taxonomy, Taiwan) 22: 181-187
- (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, holotype redescription, taxonomy, morphology, Myanmar, China) 21: 179-182
- Taiwan (*Ophites ruhstrati*, redescription of syntypes, systematics, taxonomy, Taiwan) 22: 181-187
- Taxonomic implications siehe/see Taxonomy (*Asaccus kurdistanensis*)
- Taxonomy siehe auch/see also Systematics
- (*Asaccus kurdistanensis*, sexual dimorphism, tubercular scale rugosity, keeling, morphology, Palangan, Iran) 22: 79-82
- (*Bufo luristanicus*, systematics, morphology, ecology, behavior, Iran) 21: 171-178
- (*Centrolene condor* sp. nov., morphology, systematics, new species, Cordillera del Cóndor, Ecuador) 21: 49-56
- (*Coluber tyria*, *Coluber geoffroyii* [nomen oblitum], *Coluber tyria*, *Coluber geoffroyii*, *Spalerosophis diadema cliffordii* [nomen protectum], morphology, nomenclature, Egypt) 22: 43-54
- (*Iberolacerta monticola*, type specimen, Serra de Estrela, Portugal, Sistema Central, Spain) 21: 94-95

-
- (*Ophites ruhstrati*, redescription of syn-types, systematics, taxonomy, Taiwan) 22: 181-187
- (*Rhacophorus burmanus*, *R. taronensis*, *R. gongshanensis*, holotype redescription, systematics, morphology, Myanmar, China) 21: 179-182
- (*Spalerosophis*, *S. microlepis*, type species, altitudinal range, morphology, distribution, determination key) 22: 115-135
- (*Zootoca vivipara*, new subspecies, morphology, geographic differentiation, Pyrenees, Iberian Peninsula, Cantabrian mountains) 21: 123-146
- Temperature-related activity siehe/see Activity Tenedos Island (Herpetofauna, Turkey, new island records) 22: 75-78
- Thermoregulation (*Iberolacerta bonnali*, microhabitat, body temperatures, high mountain environment, habitat selection, activity, ecology, behavior, physiology, Pyrenees, Spain, France) 22: 145-166
- Tibetan Plateau siehe/see China (*Rana kukunoris*)
- Transponder (Marking techniques for *Testudo*, animal welfare, protection of species, EU Wildlife Trade Regulations, law) 21: 41-48
- Tubercular scale rugosity siehe/see Morphology (*Asaccus kurdistanensis*)
- Turkey (*Lissotriton vulgaris* blood cells normal morphology, histology) 21: 87-91
(Tenedos Island, Herpetofauna, new island records) 22: 75-78
- Type species (*Spalerosophis*, *S. microlepis*, altitudinal range, taxonomy, morphology, distribution, determination key) 22: 115-135
- Type specimen (*Iberolacerta monticola*, taxonomy, Serra de Estrela, Portugal, Sistema Central, Spain) 21: 94, 95
- Ultrastructure (Eggshell, *Lepidochelys olivacea*, Olive Ridley Turtle, abnormal egg, calcium, shell unit, fibers, chemical composition, Gahirmatha, Orissa, India) 22: 137-143
- Unpredictable weather siehe/see Population ecology (*Salamandra infraimmaculata*)
- Von Bertalanffy's equation siehe/see Bertalanffy's equation
- Weight siehe/see Morphology (*Zamenis longissimus*, body mass, Austria)

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Herpetozoa](#)

Jahr/Year: 2010

Band/Volume: [22_3_4](#)

Autor(en)/Author(s):

Artikel/Article: [AUTORENREGISTER 191-208](#)