

adpressis fuscescentibus vestitum, depilatum sordide olivaceum
Dentes sporocarpium paullo longiores. Sori utrinque 6—7.

M. (Drummondii var.) salvatrix Hanstein in Monatsb. d. Ak. Febr. 1863 p. 103; A. Br. in Monatsb. Oct. 1863 p. 427. Speciosa, rhizomate etiam in planta fructifera elongato. Foliola fronte crenata vel crenato-incisa, crenis 6—8 rarius pluribus, decrepita brunneo- vel coffeaceo-fuscescentia. Pedunculus sporocarpio triplo- ad quadruplo longior, leniter curvatus. Sporocarpium adscendens, compressum, ovale, linea ventrali convexiore subobliquum, apice rotundatum, ad maturitatem usque pilis fuscescentibus dense vestitum, depilatum intensius fuscum et conspicue costatum. Dentes quam in *M. Drummondii* genuina fortiores, inferior longior obtusus, superior acutus, maturitate non decorticatus. Sori utrinque 8—12.

M. (Drummondii var.) elata A. Br. Statura fere praecedentium, rhizomate plantae fructiferae valde constipato. Foliola integerrima vel fronte leniter repando-crenata, villosa, decrepita flavescentia. Pedunculus longissimus sporocarpium quinquies ad vigesies longitudine exsuperans, erectus. Sporocarpium erectum, valde compressum, ovale vel oblongum, subaequilaterum, altero latere basi brevissime bidentatum, pilis argenteo-canescens ad maturitatem usque dense vestitum, depilatum laete aut griseo-fuscum, conspicue costatum. Sori utrinque 7—9.

Fr. Arnold, Suraflechten. Nr. 296—318. Enthält:

Leptogium lacerum var. *filiforme* Arn., *Imbricaria physodes* var. *labrosa* Ach., *Callopusia vitellinellum* Mudd., *Pyrenodesmia fulva* Anzi, *Lecanora Sambuci* P., *Acarospora rufescens* (Borr.) Hepp, *Scoliciosporum holomelaenum* (Flk.) var. *corticolum* Anzi, *Arthonia petrosa* Arn. n. sp., *Thelidium Nylanderii* Rabh. exs., *Th. acrotellum* (Ach.) Arn., *Lithoidea chlorotica* (Ach.) var., *Verrucaria papillosa* Körb. (Forma!), *V. submersa* Hepp (Forma), *V. calciseda* f. *lactea* Hepp, *V. calciseda* f. *alocyza* Hepp, *V. calciseda* f. *caesia* Anzi, *V. calciseda* f. *calcivora* Mass., *Opegrapha varia* var. *pulicaris* H. saxicola Stiz., *Arthonia globulosaeformis* (Hepp), *A. marmorata* (Ach.) Nyl., *Cyphelium albidum* Körb., *Coniocybe hyalinella* Nyl., *Coniocybe furfuracea* var. *sulphurella* Whbg., *Abrothallus Smithii* Tul.

Nachträge zu 100b. *Catopyrenium Tremniacense* Mass., 165b. *Diploicia epigaea* (P.) Mass., 280b. *Biatorina erysiboides* (Nyl.), 288b. *Cyphelium parietinum* Nyl., 292b. *Lecanactis plocina* (Ach.) Mass.

L. R.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Hedwigia](#)

Jahr/Year: 1868

Band/Volume: [7_1868](#)

Autor(en)/Author(s): Rabenhorst Gottlob Ludwig

Artikel/Article: [Literaturbesprechung 142](#)