

**Die Marmorierte Baumwanze *Halyomorpha halys* (STÅL 1855)**  
**und die Samurai-Wespe - Bibliographie -**  
**(Nachtrag zum Artikel in HETEROPTERON H. 61, 33-39)**

HANS-JÜRGEN HOFFMANN

Wegen der sehr großen wirtschaftlichen Bedeutung von *Halyomorpha halys* (STÅL, 1855) wird intensivst an der Art, sowohl in biologischer Hinsicht als auch an Bekämpfungsmaßnahmen, geforscht. Nur 10% der hier gebrachten 145 Titel entstanden vor 2010, 1/3 erschienen im JOURNAL OF PEST SCIENCE. Die Zahl der Publikationen ist so hoch, dass sie nicht im HETEROPTERON H. 61 untergebracht werden konnte, sie sollen daher hier als Bibliographie folgen.

**Literatur:**

- ABRAM, P., HOELMER, K., ACEBES-DORIA, A., ANDREWS, H., BEERS, E., BERGH, J.C., BESSIN, R., BIDDINGER, D., BOTCH, P., BUFFINGTON, M., CORNELIUS, M., COSTI, E., DELFOSSE, E., DIECKHOFF, C., DOBSON, R., DONAIS, Z., GRIESHOP, M., HAMILTON, G., HAYE, T., HEDSTROM, C., HERLIHY, M.V., HODDLE, M., HOOKS, C.R.R., JENTSCH, P., NEELANDRA, J., KUHAR, T., LARA, J., LEGRAND, A., LEE, J., LESKEY, T., LOWENSTEIN, D., MILNES, J., MAISTRELLO, L., MORRISON, III W.R., NIELSEN, A.L., OGBURN, E., PICKETT, C., POLEY, K., POTE, J., JAMES, R., SHREWSBURY, P.M., TALAMAS, E., TAVELLA, L., WALGENBACH, J., WATERWORTH, R., WEBER, D.C., WELTY, C. & WIMAN, N.G (2017): Indigenous arthropod natural enemies of the invasive brown marmorated stink bug in North America and Europe. - Journal of Pest Science **90**, 1009–1020.
- ABRAM, P.K., HUEPPELSHEUSER, T., ACHEAMPONG, S., CLARKE, P., DOUGLAS, H. & GARIEPY, T.D. (2017): Evidence of established brown marmorated stink bug populations in British Columbia, Canada. - Journal of the Entomological Society of British Columbia **114**, 83-86.
- ARNOLD, K. (2009): *Halyomorpha halys* (STÅL, 1855), eine für die europäische Fauna neu nachgewiesene Wanzenart (Insecta: Heteroptera, Pentatomidae, Pentatominae, Cappaeini). – Mitteilungen des Thüringer Entomologenverbandes **16**, 19.
- AUKEMA, B., DEN BIEMAN, K., LOMMEN, G., VAN DE MAAT, G., TROISFONTAINE, L. & VOSSEN, P. (2019): Nieuwe en interessante Nederlandse wantsen IX (Hemiptera: Heteroptera) - Nederlandse Faunistische Mededelingen **52**, 25-41.
- AUSTRALIAN DEPARTMENT OF AGRICULTURE (2019): Final pest risk analysis for brown marmorated stink bug (*Halyomorpha halys*). - <https://www.agriculture.gov.au/sites/default/files/documents/final-bmsb-pra-report.pdf>.
- BERGMANN, E., VENOGOPAL, D.J.P., MARTINSON, H.M., RAUPP, M.J. & SHREWSBURY, P.M. (2016): Host plant use by the invasive *Halyomorpha halys* (STÅL) on woody ornamental trees and shrubs. - Plos One **11**, 2: e0149975.
- BOSCO, L., MORAGLIO, S.T. & TAVELLA, L. (2018): *Halyomorpha halys*, a serious threat for hazelnut in newly invaded areas. - Journal of Pest Science **91**, 661–670.
- CALLOT, H. & BRUA, C. (2013): *Halyomorpha halys* (STÅL, 1855) la Punaise diabolique, nouvelle espèce pour la faune de France (Heteroptera Pentatomidae). – L’Entomologiste **69**, 69–71.
- CANN, A.J. (2020): New shieldbug recorded in Leicester. - (<https://www.naturespot.org.uk/node/216124>)
- CARAPEZZA, A. & LO VERDE, G. (2017): First record of *Halyomorpha halys* (STÅL, 1855) (Hemiptera Pentatomidae) in Sicily. - Naturalista Siciliano (IV) **41**, 139-145.
- CARSTENS, P. (2020): Insekten: Samuraiwespe in Deutschland entdeckt: Warum Landwirte sich freuen. - GEO digital 12.10.2020.
- CASTRACANI, C., BULGARINI, G., GIANNETTI, D., SPOTTI, F.A., MAISTRELLO, L., MORI, A. & GRASSO, D.A. (2017): Predatory ability of the ant *Crematogaster scutellaris* on the brown marmorated stink bug *Halyomorpha halys*. - Journal of Pest Science **90**, 1181–1190.
- ÇERÇİ, B. & KOÇAK, O. (2017): Further contribution to the Heteroptera (Hemiptera) fauna of Turkey with a new synonymy. - Acta Biologica Turcica **30**, 121-127.
- CESARI, M., MAISTRELLO, L., GANZERLI, F., DIOLI, P., REBECCHE, L. & GUIDETTI, R. (2015): A pest alien invasion in progress: potential pathways of origin of the brown marmorated stink bug *Halyomorpha halys* populations in Italy. – Journal of Pest Sciences **88**, 1–7.
- CHEN, J.H., AVILA, G.A., ZHANG, F., GUO, L.F., SANDANAYAKA, M., MI, Q.-Q., SHI, S.-S. & ZHANG, J.-P. (2020): Field cage assessment of feeding damage by *Halyomorpha halys* on kiwifruit orchards in China. - Journal of Pest Science **93**, 953–963.

- CIRA, T.M., VENETTE, R.C., AIGNER, J., KUHAR, T., MULLINS, D.E., GABBERT, S.E. & HUTCHISON, W.D. (2016): Cold Tolerance of *Halyomorpha halys* (Hemiptera: Pentatomidae) Across Geographic and Temporal Scales. - Environmental Entomology **2016**, 1–8.
- CIRA, T.M., BURKNESS, E.C., KOCH, R.L., & HUTCHISON, W.D. (2017): *Halyomorpha halys* mortality and sublethal feeding effects following insecticide exposure. - Journal of Pest Science **90**, 1257–1268.
- CLAEREBOUT, S., HAYE, T., ÓLAFSSON, E., PANNIER, E. & BULTOT, J. (2019): Premières occurrences de *Halyomorpha halys* (STÅL, 1855) pour la Belgique et actualisation de sa répartition en Europe (Hemiptera: Heteroptera: Pentatomidae). - Bulletin de la Société royale belge d'Entomologie **154**, 205-227.
- COSTI, E., HAYE, T. & MAISTRELLO, L. (2017): Biological parameters of the invasive brown marmorated stink bug, *Halyomorpha halys*, in southern Europe. - Journal of Pest Science **90**, 1059-1067.
- COUCH, Y. & POWELL, G. (2020): First Report of the Brown Marmorated Stink Bug *Halyomorpha halys* in Essex. - Essex Naturalist (New Series) **37**, 147-150.
- DAVIES, M. (2018): The brown marmorated stink bug is here, kicking up a stink in the UK, as predicted by PCN! - Pest Control News (<https://www.pestcontrolnews.com/the-brown-marmorated-stink-bug-is-here-kicking-up-a-stink-in-the-uk-as-predicted-by-pcn/>)
- DIECKHOFF, CH., TATMAN, K.M. & HOELMER, K.A. (2017): Natural biological control of *Halyomorpha halys* by native egg parasitoids: a multi-year survey in northern Delaware. - Journal of Pest Science **90**, 1143–1158.
- DIOLI, P., LEO, P. & MAISTRELLO, L. (2016): Prime segnalazioni in Spagna e in Sardegna della specie aliena *Halyomorpha halys* (STÅL, 1855) e note sulla sua distribuzione in Europa (Hemiptera, Pentatomidae) - Revista Gaditana de Entomología **7**, 539-548.
- DpS (2010): Stinkende Wanzen in Zürich - Zwei eingeschleppte Wanzenarten breiten sich in der Schweiz aus. - DpS, Fachzeitschrift für Schädlingsbekämpfung **4**, 14-15.
- ESENBEKOVA, P.A. (2017): First record of *Halyomorpha halys* (STÅL, 1855) (Heteroptera, Pentatomidae) from Kazakhstan. - Euroasian Entomological Journal **16**, 23-24.
- EXPRESS (2020): Samuraiwespe: Neue Wespenart in Deutschland entdeckt - Sensationelle Entdeckung Neue Wespenart in Deutschland – aber ist die gefährlich? - EXPRESS 07.10.2020.
- FAÚNDEZ, E.I. & RIDER, D.A. (2017): The brown marmorated stink bug *Halyomorpha halys* (STÅL, 1855) (heteroptera: Pentatomidae) in Chile. - Arquivos Entomológicos **17**, 305-307.
- FOGAIN, R. & GRAFF, S. (2011): First records of the invasive pest, *Halyomorpha halys* (Hemiptera: Pentatomidae), in Ontario and Quebec. - Journal of the Entomological Society of Ontario **142**, 45-48.
- FRAGA, D.F., PARKER, J., BUSOLI, A.C., HAMILTON, G.C., NIELSEN, A.L. & RODRIGUEZ-SAONA, C. (2017): Behavioral responses of predaceous minute pirate bugs to tridecane, a volatile emitted by the brown marmorated stink bug . - Journal of Pest Science **90**, 1107–1118.
- FREERS, A. (2012): Blinde Passagiere: Stinkwanzen – Marmorierte Baumwanze. - Internet-Mitteilungen, Lebensmittelüberwachungs-, Tierschutz- und Veterinärdienst des Landes Bremen (LMTVet). [http://www.lmtvet.bremen.de/sixcms/media.php/13/Blinde\\_Passagiere\\_Stinkwanze\\_3\\_2012.pdf](http://www.lmtvet.bremen.de/sixcms/media.php/13/Blinde_Passagiere_Stinkwanze_3_2012.pdf) (2016-12-02).
- FREY, D., ZANETTA, A., MORETTI, M. & HECKMANN, R. (2016): First records of *Chlamydatus saltitans* (FALLÉN, 1807) and *Tupiocoris rhododendri* (DOLLING, 1972) (Heteroptera, Miridae) and notes on other rare and alien true bugs in Switzerland. - Mitteilungen der Schweizerischen Entomologischen Gesellschaft **89**, 51-68.
- GADALLA, S.M. (2004): New records of Pentatomomorpha (Hemiptera) from Egypt. - Journal of Union of Arab Biologists (A) **21**, 43-58.
- GAPON, D.A. (2016): First records of the brown marmorated stink bug *Halyomorpha halys* (STÅL, 1855) (Heteroptera, Pentatomidae) in Russia, Abkhazia, and Georgia. - Entomological Review **96**, 1086-1088.
- GARIEPY, T.D., FRASER, H. & SCOTT-DUPRÉE, C.D. (2014): Brown marmorated stink bug (Hemiptera: Pentatomidae) in Canada: recent establishment, occurrence, and pest status in southern Ontario. - The Canadian Entomologist **146**, 579-582.
- GARIEPY, T.D., HAYE, T., FRASER, H. & ZHANG, J. (2014): Occurrence, genetic diversity, and potential pathways of entry of *Halyomorpha halys* in newly invaded areas of Canada and Switzerland. - Journal of Pest Science **87**, 17–28.
- GARIEPY, T.D., BRUIN, A., HAYE, T., MILONAS, P. & VÉTEK, G. (2015): Occurrence and genetic diversity of new populations of *Halyomorpha halys* in Europe. – Journal of Pest Sciences **88**, 451–460.
- GARIEPY, T.D., HAYE, T. & ZHANG, J. (2014): A molecular diagnostic tool for the preliminary assessment of host-parasitoid associations in biological control programs for a new invasive pest. - Molecular Ecology **23**, 3912–3924.
- GARIEPY, T.D., HAYE, T., FRASER, H. & ZHANG, J. (2014): Occurrence, genetic diversity, and potential pathways of entry of *Halyomorpha halys* in newly invaded areas of Canada and Switzerland. – Journal of Pest Sciences **87**, 17–28.

- GARROUSTE, R., NEL, P., NEL, A., HORELLOU, A. & PLUOT-SIGWALT, D. (2014): *Halyomorpha halys* (STÅL, 1855) en île de France (Hemiptera : Pentatomidae : Pentatominae): surveillons la punaise diabolique. – Annales de la Société entomologique de France (N.S.) **50**, 257–259.
- GROSSO-SILVA, J.M., GASPAR, H. CASTRO, S. LOUREIRO, J. AMORIM, F. & VAN DER HEYDEN, T. (2020): Confirmation of the presence of *Halyomorpha halys* (STÅL, 1855) (Hemiptera: Pentatomidae) in mainland Portugal. - Arquivos Entomológicos **22**, 373–376.
- HANSELMANN, D. (2016): Aliens and Citizens in Germany: *Halyomorpha halys* (STÅL, 1855) and *Nezara viridula* (LINNAEUS, 1758) new to Rhineland-Palatinate, *Oxycarenus lavaterae* (FABRICIUS, 1787) new to Saxony, *Arocatus longiceps* STÅL, 1872 new to Hesse. – Mainzer Naturwissenschaftliches Archiv **53**, 159–177.
- HAYE, T. & WEBER, D.C. (2017): Special issue on the brown marmorated stink bug, *Halyomorpha halys*: an emerging pest of global concern. - Journal of Pest Science **90**, 987–988.
- HAYE, T. & ZIMMERMANN, O. (2017): Establishment of the brown marmorated stink bug, *Halyomorpha halys* (STÅL, 1855), in Germany. - Heteropteron H. **48**, 34–37.
- HAYE, T., ABDALLAH, S. GARIEPY, T. & WYNIGER, D. (2014): Phenology, life table analysis and temperature requirements of the invasive brown marmorated stink bug, *Halyomorpha halys*, in Europe. - Journal of Pest Science **87**, 407–418.
- HAYE, T., FISCHER, S., ZHANG, J. & GARIEPY, T.D. (2015): Can native egg parasitoids adopt the invasive brown marmorated stink bug, *Halyomorpha halys* (Heteroptera: Pentatomidae), in Europe? - Journal of Pest Science **88**, 693–705.
- HAYE, T., GARIEPY, T., HOELMER, K., ROSSI, J.-P., STREITO, J.-C., TASSUS, X. & DESNEUX, N. (2015): Range expansion of the invasive brown marmorated stinkbug, *Halyomorpha halys*: an increasing threat to field, fruit and vegetable crops worldwide. - Journal of Pest Science **88**, 665–673.
- HAYE, T., GARIEPY, T.D., HOELMER, K., ROSSI, J.-P., STREITO, J.-C., TASSUS, T. & DESNEUX, N. (2015): Range expansion of the invasive brown marmorated stinkbug, *Halyomorpha halys*: an increasing threat to field, fruit and vegetable crops worldwide. - Journal of Pest Science **88**, 665–673.
- HAYE, T., MORAGLIO, S.T., STAHL, J. VISENTIN, S., GREGORIO, T. & TAVELLA, L. (2020): Fundamental host range of *Trissolcus japonicus* in Europe. - Journal of Pest Science **93**, 171–182.
- HAYE, T., WYNIGER, D. & GARIEPY, T. (2014): Recent range expansion of Brown Marmorated Stink Bug in Europe. – In: MÜLLER, G., POSPISCHIL, R. & ROBINSON, W.H. (eds.): Proceedings of the 8th International Conference on Urban Pests 20–23 July, Zurich, Switzerland, 309–314.
- HECKMANN, R. (2012): Erster Nachweis von *Halyomorpha halys* (STÅL, 1855) (Heteroptera: Pentatomidae) für Deutschland. – Heteropteron H. **36**, 17–18.
- HECKMANN, R. (2016): Weitere Nachweise von *Halyomorpha halys* (STÅL, 1855) (Heteroptera: Pentatomidae) im westlichen Bodenseegebiet. - Heteropteron H. **46**, 3–4.
- HEDSTROM, CH., LOWENSTEIN, D., ANDREWS, H., BAI, B. & WIMAN, N. (2017): Pentatomid host suitability and the discovery of introduced populations of *Trissolcus japonicus* in Oregon. - Journal of Pest Science **90**, 1169–1179.
- HEMALA, V. & KMENT, P. (2017): First record of *Halyomorpha halys* and mass occurrence of *Nezara viridula* in Slovakia. - Plant Protection Science. **53**, 247–253.
- HOEBEKE, E.R. & CARTER, M.E. (2003): *Halyomorpha halys* (STÅL) (Heteroptera: Pentatomidae): a polyphagous plant pest from Asia newly detected in North America. – Proceedings of the Entomological Society of Washington **105**, 225–237.
- HOFER, S. (2018): Evaluation von Bekämpfungsstrategien gegen Wanzen. – Bachelor-Arbeit, Zürcher Hochschule für Angewandte Wissenschaften, 37 S.
- HÖHL, S. (2018): Plage aus China. Stinkwanze breitet sich in Freiburg aus – und bedroht Obst und Gemüse. – Badische Zeitung vom 19.09.2018.
- JONES, A.L., JENNINGS, D.E., CERRUTI, R., HOOKS, R. & SHREWSBURY, P.M. (2017): Field surveys of egg mortality and indigenous egg parasitoids of the brown marmorated stink bug, *Halyomorpha halys*, in ornamental nurseries in the mid-Atlantic region of the USA. - Journal of Pest Science **90**, 1159–1168.
- JOSIFOV, M. & KERZHNER, I.M. (1978): Heteroptera aus Korea. II. Teil (Aradidae, Berytidae, Lygaeidae, Pyrrhocoridae, Rhopalidae, Alydidae, Coreidae, Urostylidae, Acanthosomatidae, Scutelleridae, Pentatomidae, Cydnidae, Plataspidae). - Fragmenta Faunistica **23**, 137–196.
- KERZHNER, I.M. (1978): Bugs (Heteroptera) of Sakhalin and Kurile Islands. - Trudy Biologo-Pochvennogo Instituta Dalnevostochnogo Nauchnogo Tsentr Akademii Nauk SSSR (N.S.) **50**, 31–57.
- KISTNER, E.J. (2017): Climate change impacts on the potential distribution and abundance of the brown marmorated stink bug (Hemiptera: Pentatomidae) with special reference to North America and Europe. - Environmental Entomology **46**, 1212–1224.

- KMENT, P. & BŘEZÍKOVÁ, M. (2018): First record of the invasive Brown Marmorated Stink Bug (*Halyomorpha halys*) (Hemiptera: Pentatomidae) in the Czech Republic. - *Klapalekiana* **54**, 221-232.
- KOBAYASHI, T. (1956): The developmental stages of some species of the Japanese Pentatomoidea (Hemiptera). - *Transactions of the Shikoku Entomological Society* **V 4**, 120-130.
- KONOPKA, J.K., GARIEPY, T.D. HAYE, T., ZHANG, J. RUBIN B.D. & MCNEIL, J.N. (2019): Exploitation of pentatomids by native egg parasitoids in the native and introduced ranges of *Halyomorpha halys*: a molecular approach using sentinel egg masses. - *Journal of Pest Science* **92**, 609–619.
- KONOPKA, J.K., HAYE, T., GARIEPY, T.D. & MCNEIL, J.N. (2017): Possible coexistence of native and exotic parasitoids and their impact on control of *Halyomorpha halys*. - *Journal of Pest Science* **90**, 1119–1125.
- KONOPKA, J.K., HAYE, T., GARIEPY, T., MCNEIL, J., MASON, P. & GILLESPIE, D. (2017): An exotic parasitoid provides an invasional lifeline for native parasitoids. - *Ecology and Evolution* **7**, 277-284.
- KOTT, P. (2019a): Die Marmorierte Baumwanze *Halyomorpha halys* (STÅL, 1855) in NRW. - *Heteropteron* **H. 54**, 23-26.
- KOTT, P. (2019b): *Halyomorpha halys* (STÅL, 1855) – Beobachtungen zur Ausbreitung der Art im Kölner Raum. - *Heteropteron* **H. 56**, 33-38.
- KRITICOS, D.J., KEAN, J.M., PHILLIPS, C.B., SENAY, S.D., ACOSTA, H. & HAYE, T. (2017): The potential global distribution of the brown marmorated stink bug, *Halyomorpha halys*, a critical threat to plant biosecurity. - *Journal of Pest Science* **90**, 1033-1043.
- KUHAR, TH.P. & KAMMINGA, K. (2017): Review of the chemical control research on *Halyomorpha halys* in the USA. - *Journal of Pest Science* **90**, 1021–1031.
- LEE, D., SHORT, B.D., JOSEPH, S.V., BERGH, J.C. & LESKEY, T.C. (2013): Review of the biology, ecology, and management of *Halyomorpha halys* (Hemiptera: Pentatomidae) in China, Japan, and the Republic of Korea. - *Environmental Entomology* **42**, 627–641.
- LESKEY, T. C & NIELSEN, A.L. (2018): Impact of the invasive brown marmorated stink bug in North America and Europe: history, biology, ecology and management. - *Annual Review of Entomology* **63**, 599-618.
- LESKEY, T.C., SHORT, B.D., BUTLER, B.R & WRIGHT, S.E. (2012): Impact of the invasive brown marmorated stink bug, *Halyomorpha halys* (STÅL), in mid-atlantic tree fruit orchards in the United States: case studies of commercial management. - *Psyche* **2012**, 114.
- LIN, Y.J., ZHANG, S.M. & ZHENG, L. (1999A): Pentatomoidea. . -In: HUANG, B.K. (ed.): Fauna of insects, Fujian Province of China. - Fujian Science and Technology Press, Fuzhou **2**, 26-112.
- MACAVEI, L.I., BĂETAN, R., OLTEAN, I., FLORIAN, T., VARGA, M., COSTI, E. & MAISRELLO, L. (2015): First detection of *Halyomorpha halys* STÅL, a new invasive species with a high potential of damage on agricultural crops in Romania. – *Lucrări Științifice, seria Agronomie* **58**, 105-108.
- MAISTRELLA, L., COSTI, E., CARUSO, S., VACCARI, G., BORTOLOTTI, P., NANNINI, R., CASOLI, L., MONTERMINI, A., BARISELLI, M. & GUIDETTI, R. (2016): *Halyomorpha halys* in Italy: first results of field monitoring in fruit orchards. - *Integrated Protection of Fruit Crops Subgroups "Pome fruit arthropods" and "Stone fruits"* IOBC-WPRS Bulletin **112**, 1-5.
- MAISTRELLA, L., DIOLI, P. & BARISELLI, M. (2013): Trovata una cimice esotica dannosa per i frutteti. - *Agricoltura* **6**, 67-68..
- MAISTRELLA, L., DIOLI, P., VACCARI, G., NANNINI, R., BORTOLOTTI, P., CARUSO, S., COSTI, E., MONTERMINI, A., CASOLI, L. & BARISELLI, M. (2014): Primi rinvenimenti in Italia della cimice esotica *Halyomorpha halys*, una nuova minaccia per la frutticoltura. – *ATTI Giornate Fitopatologiche* **2014**, 283–288.
- MAISTRELLA, L., VACCARI, G. CARUSO, ST. COSTI, E., BORTOLINI, S., MACAVEI, L., FOCA, G., ULRICI, A., BORTOLOTTI, P.P., NANNINI, R., CASOLI, L., FORNACIARI, M., MAZZOLI, G.L. & DIO, P. (2017): Monitoring of the invasive *Halyomorpha halys*, a new key pest of fruit orchards in northern Italy. - *Journal of Pest Science* **90**, 1231–1244.
- MALUMPHY, C. (2014): Second interception of *Halyomorpha halys* (STÅL) (Hemiptera: Pentatomidae) in Britain. - *Het News, 3rd Series* **21**, 45.
- MALUMPHY, C. & EYRE, D. (2015): Plant pest factsheet, Brown marmorated stink bug *Halyomorpha halys*. Department of Environment Food and Rural affairs (DEFRA) (<https://planhealthportal.defra.gov.uk/assets/factsheets/halyomorpha-halys-defra-pest-factsheet-v3.pdf>)
- MARTINSON, H.M., VENUGOPAL, P.D., BERGMANN, E.J., SHREWSBURY, P.M. & RAUPP, M.J. (2015): Fruit availability influences the seasonal abundance of invasive stink bugs in ornamental tree nurseries. - *Journal of Pest Science* **88**, 461–468.
- MARTORANA, L., FOTI, M.C., RONDINI, G., CONTI, E., COLAZZA, ST. & PERI, E (2017): An invasive insect herbivore disrupts plant volatile-mediated tritrophic signalling. - *Journal of Pest Science* **90**, 1079–1085.

- MATHEWS, C.R., BLAAUW, B., DIVELY, G. KOTCON, J., MOORE, J., OGBURN, E., PFEIFFER, D.G., TROPE, T., WALGENBACH, J.F., WELTY, C., ZINATI, G. & NIELSEN, A.L. (2017): Evaluating a polyculture trap crop for organic management of *Halyomorpha halys* and native stink bugs in peppers. - *J. Pest. Sci.* DOI 10.1007/s10340-017-0838-z
- MAUREL, J.-P., BLAYE, G., VALLADARES, L., ROINEL, E. & COCHARD, P.-O. (2016): *Halyomorpha halys* (STÅL, 1855), la punaise diabolique en France, à Toulouse (Heteroptera; Pentatomidae). - *Carnets natures* **3**, 21–25.
- MAZZONI, V., POLAJNAR, J., BALDINI, M., ROSSI STACCONI, M.V., ANFORA, G., GUIDETTI, R. & MAISTRELLI, L. (2017): Use of substrate-borne vibrational signals to attract the Brown Marmorated Stink Bug, *Halyomorpha halys*. - *Journal of Pest Science* **9**, 1219–1229. doi: 10.1007/s10340-017-0862-z
- MILONAS, P.G. & PARTSINEVELOS, G.K. (2014): First report of brown marmorated stink bug *Halyomorpha halys* STÅL (Hemiptera: Pentatomidae) in Greece. – *Bulletin OEPP/EPPO Bulletin* **44**, 183–186.
- MITYUSHEV, I.M. (2016): First record of *Halyomorpha halys* in Russia. - *Zashchita i Karantin Rastenii* **3**, 48.
- MORAGLIO, S.T., TORTORICI, F. PANSA, M.G., CASTELLI, G., PONTINI, M., SCOVERO, S., VISENTIN, S. & TAVELLA, L. (2020): A 3-year survey on parasitism of *Halyomorpha halys* by egg parasitoids in northern Italy. - *Journal of Pest Science* **93**, 183–194.
- MOREHEAD, TH. & KUHAR, P. (2017): Efficacy of organically approved insecticides against brown marmorated stink bug, *Halyomorpha halys* and other stink bugs. - *Journal of Pest Science* **90**, 1277–1285.
- MORKEL, C. & DOROW, W.H.O. (2017): Die Marmorierte Baumwanze *Halyomorpha halys* (STÅL, 1855) (Heteroptera: Pentatomidae) hat Hessen erreicht. – *Heteropteron H.* **49**, 16–17.
- MORRISON, R. III, PARK, CH.G., SEO, B.Y., PARK, Y.-L., KIM, H.G., RICE, K.B., LEE, D.-H. & LESKE, T.C. (2017): Attraction of the invasive *Halyomorpha halys* in its native Asian range to traps baited with semiochemical stimuli. - *Journal of Pest Science* **90**, 1205–1217.
- MORRISON, W.R. III, LEE, D.H., SHORT, B.D., KHRIMIAN, A. & LESKEY, T.C. (2016): Establishing the behavioral basis for an attract-and-kill strategy to manage the invasive *Halyomorpha halys* in apple orchards. - *Journal of Pest Science* **89**, 81–96
- MÜLLER, G., LÜSCHER, I. & SCHMIDT, M. 2011: Data on the incidence of household arthropod pests and new invasive pests in Zurich (Switzerland). – In: ROBINSON, W.H. & CARVALHO CAMPOS, A.E. DE (eds.): *Proceedings of the 7th International Conference on Urban Pests*, pp. 99–104.
- MUSOLIN, D.L., DOLGOVSKAYA, M.Y. PROTSENKO, V.Y., KARPUN, N.N., REZNIK, S.Y. & SAULICH, A.K. (2019): Photoperiodic and temperature control of nymphal growth and adult diapause induction in the invasive Caucasian population of the brown marmorated stink bug, *Halyomorpha halys*. - *Journal of Pest Science* **92**, 621–631.
- NIELSEN, A.L. & HAMILTON, G.C. (2009a): Life history of the invasive species *Halyomorpha halys* (Hemiptera: Pentatomidae) in northeastern United States. – *Ann. Entom. Soc. Am.* **102**, 608–616.
- NIELSEN, A.L. & HAMILTON, G.C. (2009b): Seasonal occurrence and impact of *Halyomorpha halys* (Hemiptera: Pentatomidae) in tree fruit. - *Journal of Economic Entomology* **102**, 1133–1140.
- NIELSEN, A.L., FLEISCHER, S., HAMILTON, G., HANCOCK, T., KRAWCZYK, G., LEE, J.C., OGBUM, E., POTE, J.M., RAUDENBUSH, A., RUCKER, A., SAUNDERS, M., SKILLMAN, V.P., SULLIVAN, J., TIMER, J., WALGENBACH, J., WIMAN, N.G. & LESKEY, T.C. (2017): Phenology of brown marmorated stink bug described using female reproductive development. - *Ecology and Evolution* **7**, 6680–6690.
- NIXON, L.J., TABB, A., MORRISON, W.R., RICE K.B., BROCKERHOFF, E.G., LESKEY, T.C., VAN KOTEN, CH., GOLDSON, ST. & ROSTÁS, M. (2019): Volatile release, mobility, and mortality of diapausing *Halyomorpha halys* during simulated shipping movements and temperature changes. - *Journal of Pest Science* **92**, 633–641
- PANSA, M.G., ASTEGGIANO, L., COSTAMAGNA, C., VITDONE, G. & TAVELLA, L. (2013): First discovery of *Halyomorpha halys* in peach orchards in Piedmont. – *Informatore Agrario* **69**, 60–61.
- PARSHAD, R. (1957b): Cytological studies in the Heteroptera. III. A comparative study of the chromosomes in the male germ-cells of eleven species of the sub-family Pentatominae. - *Research Bulletin of the Panjab University, Zoology* **122**, 401–420.
- PENCA, C. & HODGES, A.C. (2017): Pyriproxyfen treatment terminates *Halyomorpha halys* reproductive diapause, with an indirect mortality effect on its egg parasitoid *Trissolcus japonicus*. - *Journal of Pest Science* **90**, 1269–1276.
- POWELL, G. (2018): Brown marmorated stink bug *Halyomorpha halys*: species alert. - *British Journal of Entomology and Natural History* **31**, 288.
- POWELL, G., BARCLAY, M.V., COUCH, L.Y. & EVANS, K.A. (2021): Current invasion status and potential for UK establishment of the brown marmorated stink bug, *Halyomorpha halys* (Hemiptera: Pentatomidae). - *Br. J. Ent. Nat. Hist.* **34**, 9–21.
- RABITSCH, W. & FRIEß, G. (2015): From the west and from the east? First records of *Halyomorpha halys* (STÅL, 1855) (Hemiptera: Heteroptera: Pentatomidae) in Vorarlberg and Vienna, Austria. – *Beiträge zur Entomofaunistik* **16**, 115–139.

- REN, S.Z. (1992a): An iconography of Hemiptera-Heteroptera eggs in China. - Science Press **i-vi**. 1-118. Beijing.
- RICE, K.B., BERGH, C.J., BERGMANN, E.J., BIDD INGER, D.J., DIECKHOFF, C., DIVELY, G., FRASER, H., GARIEPY, T., HAMILTON, G., HAYE, T., HERBERT, A., HOELMER, K., HOOKS, C.R., JONES, A., KRAWCZYK, G., KUHAR, T., MARTINSON, H., MITCHELL, W., NIELSEN, A.L., PFEIFFER, D.G., RAUPP, M.J., RODRIGUEZ-SAONA, C., SHEARER, P., SHREWSBURY, P., VENUGOPAL, P.D., WHALEN, J., WIMAN, N.G., LESKEY, T.C. & TOOKER, J.F. (2014): Biology, Ecology, and Management of Brown Marmorated Stink Bug (Hemiptera: Pentatomidae). - Journal of Integrated Pest Management **5**, A1–A13.
- ROCKHILL, J. (2019): Brown marmorated stink bug (*Halyomorpha halys*) report on iNaturalist. (<https://www.inaturalist.org/observations/23382471>)
- RONDONI, G., BERTOLDI, V., MALEK, R., DJELOUAH, K., MORETTI, CH., BUONAURIO, R. & CONTI, E. (2018): *Vicia faba* plants respond to oviposition by invasive *Halyomorpha halys* activating direct defences against offspring. - Journal of Pest Science **91**, 671–679.
- RONDONI, G., BERTOLDI, V., MALEK, R., FOTI, M.C., PERI E., MAISTRELLO, L., HAYE, T. & CONTI, E. (2017): Native egg parasitoids recorded from invasive *Halyomorpha halys* exploit volatiles emitted by the plant–herbivore complex. - Journal of Pest Science **90**, 1087–1095.
- ROT, M., DEVETAK, M., CARLEVARIS, B., ŽEŽLINA, J. & ŽEŽLINA, I. (2018): First report of brown marmorated stink bug (*Halyomorpha halys* (STÅL, 1855)) (Hemiptera: Pentatomidae) in Slovenia. - Acta Entomologica Slovenica **26**, 5–12.
- ŠAPINA, I. & L. ŠERIĆ JELASKA (2018): First report of invasive brown marmorated stink bug *Halyomorpha halys* (STÅL, 1855) in Croatia. - Bulletin OEPP/EPPO Bulletin **48**, 138-143.
- SCACCINI, D., FALAGIARDA, M., TORTORICI, F., MARTINEZ-SAÑUDO ,I., TIRELLO, P., REYES-DOMINGUEZ ,Y., GALLMETZER, A., TAVELLA, L., ZANDIGIACOMO, P., DUSO, C. & POZZEBON, A. (2020): An Insight into the Role of *Trissolcus mitsukurii* as Biological Control Agent of *Halyomorpha halys* in Northeastern Italy. - Insects **11**, 306.
- SCHMIDT, S. & FALAGIARDA, M. (2020): Die natürlichen Gegenspieler der Marmorierteren Baumwanze. - obstbau - weinbau (Laimburg, It.) **4/2020**, 13-15.
- ŠEAT, J. (2015): *Halyomorpha halys* (STÅL, 1855) (Heteroptera: Pentatomidae) a new invasive species in Serbia. – Acta entomologica serbica **20**, 167-171.
- SHORT, B.D., KHRIMIAN, A. & LESKEY, T.C. (2017): Pheromone-based decision support tools for management of *Halyomorpha halys* in apple orchards: development of a trap-based treatment threshold. - Journal of Pest Science **90**, 1191–1204.
- SICKINGER, D. (2020): Marmorierte Baumwanze breitet sich immer weiter aus. - TASPO Online (TASPO Wochenzeitung für den gesamten grünen Markt), 09.10.2020.
- SIMOV, N. (2016): The invasive brown marmorated stink bug *Halyomorpha halys* (STÅL, 1855) (Heteroptera: Pentatomidae) already in Bulgaria. - Ecologica Montenegrina **9**, 51-53.
- STAHL, J.M., BABENDREIER, D. & HAYE, T. (2018): Using the egg parasitoid *Anastatus bifasciatus* against the invasive brown marmorated stink bug in Europe: can non-target effects be ruled out? - Journal of Pest Science **91**, 1005–1017.
- STAHL, J., TORTORICI, F., PONTINI, M., BON, M.-C., HOELMER, K., MARAZZI, C., TAVELLA, L. & HAYE, T. (2019): First discovery of adventive populations of *Trissolcus japonicus* in Europe. - Journal of Pest Science **92**, 371–379.
- STÅL, C. (1855): Nya Hemiptera. - Öfversigt af Kongl. Vetenskaps-Akademiens Förhandlingar **12**, 181-192.
- STREITO, J.-C., ROSSI, J.-P., HAYE, T., HOELMER, K. & TASSUS, X. (2014): La punaise diabolique (*Halyomorpha halys*): nouveau ravageur à la conquête de la France. - Phytoma **677**, 26-29.
- TALAMAS, E. (by K. SERVICK) (2018): Scientists spent years on a plan to import this wasp to kill stinkbugs. Then it showed up on its own. - digital: science.aav0327, Aug. 9, 2018.
- TAYLOR, C.M., COFFEY, P.L., HAMBY, K.A. & DIVELY, G.P. (2017): Laboratory rearing of *Halyomorpha halys*: methods to optimize survival and fitness of adults during and after diapause. - Journal of Pest Science **90**, 1069–1077.
- TAYLOR, C.M., JOHNSON, V. & DIVELY G. (2017): Assessing the use of antimicrobials to sterilize brown marmorated stink bug egg masses and prevent symbiont acquisition. - Journal of Pest Science **90**, 1287–1294.
- UHLER, P.R. (1860): Hemiptera of the North Pacific Exploring Expedition under Com'r RODGERS and RINGGOLD. - Proceedings of the Academy of Natural Sciences of Philadelphia **12(1861)**, 221-231.
- UNTERTHURNER, M., LADURNER, M., ZELGER, A., FISCHNALLER, S., WALCHER, M. & HAYE, T. (2017): Die Marmorierteren Baumwanze hat Südtirol erreicht. - obstbau\*weinbau **54 (2)**, 5-11.
- VÉTEK, G., PAPP, V., HALTRICH, A. & RÉDEI, D. (2014): First record of the brown marmorated stink bug, *Halyomorpha halys* (Hemiptera: Heteroptera: Pentatomidae), in Hungary, with description of the genitalia of both sexes. – Zootaxa **3780**, 194–200.

- WALKER, F. (1867b): Catalogue of the specimens of Heteropterous Hemiptera in the collection of the British Museum. - British Museum (Natural History) **1**, 1-240. London.
- WATANABE, M., ARAKAWA, R., SHINAGAWA, Y. & OKAZAWA, T. (1994): Anti-invading methods against brown marmorated stink bug, *Halyomorpha mista*, in houses. - Animal Health **45**, 25–31.
- WATANABE, M., KAMIMURA, K. & KOIZUMI, Y. (1978): The annual life cycle of *Halyomorpha ista* and ovarian development process. – Toyama Journal of Rural Medicine **9**, 95–99.
- WEBER, D.C., MORRISON, W.R., KHRIMIAN, A., RICE, K.B., LESKEY, T.C., RODRIGUEZ-SAONA, C., NIELSEN, A. & BLAAUW, B.R. (2017): Chemical ecology of *Halyomorpha halys*: discoveries and applications. - Journal of Pest Science **90**, 989–1008.
- WERMELINGER, B., WYNIGER, D. & FORSTER, B. (2008): First records of an invasive bug in Europe: *Halyomorpha halys* STÅL (Heteroptera: Pentatomidae), a new pest on woody ornamentals and fruit trees? – Mitteilungen der Schweizerischen Entomologischen Gesellschaft **81**, 1-8.
- WIMAN, N.G., WALTON, V.M., SHEARER, P.W., RONDON, S.I. & LEE, J.C. (2014): Factors affecting flight capacity of brown marmorated stink bug, *Halyomorpha halys* (Hemiptera: Pentatomidae). - Journal of Pest Science **88**, 37–47.
- WYNIGER, D. & KMENT, P. (2010): Key for the separation of *Halyomorpha halys* (STÅL) from similar-appearing pentatomids (Insecta: Heteroptera: Pentatomidae) occurring in Central Europe, with new Swiss records. – Mitteilungen der Schweizerischen Entomologischen Gesellschaft **83**, 261–270.
- YANG, S.Y., ZHAN, H.X., ZHANG, F., BABENDREIER, D., ZHONG, Y.-Z., LOU, Q.-Z., ZHONG, Y., ZHANG, J.-P. (2018): Development and fecundity of *Trissolcus japonicus* on fertilized and unfertilized eggs of the brown marmorated stink bug, *Halyomorpha halys*. - Journal of Pest Science **91**, 1335–1343.
- ZHANG, C.T., LI, D.L., SU, H.F. & XU, G.L. (1993): Study on the biological characteristics of *Halyomorpha picus* and *Erthesina fullo* (auf Chinesisch). - Forest Research **6**, 271–275.
- ZHANG, J., ZHANG, F., GARIEPY, T., MASON, P., GILLESPIE, D., TALAMAS, E. & HAYE, T. (2017): Seasonal parasitism and host specificity of *Trissolcus japonicus* in north eastern China. - Journal of Pest Science **90**, 1127–1141.
- ZHANG, S.M. (1985): Economic insect fauna of China. - **31**, Hemiptera (1): i-x, 1-242. Science Press, Beijing.
- ZHONG, Y.Z., ZHANG, J.P., REN, L.L., TANG, R., ZHAN, H.-X., CHEN, G.-H. & ZHANG, F. (2017): Behavioral responses of the egg parasitoid *Trissolcus japonicus* to volatiles from adults of its stink bug host, *Halyomorpha halys*. - Journal of Pest Science **90**, 1097–1105.
- ZHU, G., BU, W., GAO, Y. & LIU, G. (2012): Potential geographic distribution of Brown Marmorated Stink Bug invasion (*Halyomorpha halys*). – Public Library of Science One **7**(2), e31246.
- ZHU, G., GARIEPY, T.D., HAYE, T. & BU, W. (2017): Patterns of niche filling and expansion across the invaded ranges of *Halyomorpha halys* in North America and Europe. - Journal of Pest Science **90**, 1045–1057.
- ZIMMERMANN, O. (2016): Diagnose von Schädlingen, Maßnahmen bei neu auftretenden Arten mit Beispielen. – Digest of the 17. Pflanzenschutztag in Welzheim am 12.01.2016. –www.katzbiotech.de/cms/resources/tagungsmappe-wh-2016.pdf (2016-12-09).
- ZIMMERMANN, O. (?) (2020): Wanzen: Auf der Mauer, auf der Lauer - In Bayern sind neue Schadwanzen auf dem Vormarsch. Beide Arten können im Garten, in Streuobstwiesen und auch in Ackerkulturen Schaden anrichten. - Bayerisches landwirtschaftliches Wochenblatt, 22.09.2020.

### **Anschrift des Autors:**

Dr. H.J. Hoffmann, c/o Zoologisches Institut, Biozentrum der Universität zu Köln,  
Zülpicher Str. 47 b, D-50674 KÖLN, e-mail: hj.hoffmann@uni-koeln.de

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Heteropteron - Mitteilungsblatt der Arbeitsgruppe  
Mitteleuropäischer Heteropterologen](#)

Jahr/Year: 2021

Band/Volume: [63](#)

Autor(en)/Author(s): Hoffmann Hans-Jürgen

Artikel/Article: [Die Marmorierte Baumwanze \*Halyomorpha halys\* \(STÅL 1855\) und die  
Samurai-Wespe - Bibliographie - \(Nachtrag zum Artikel in HETEROPTERON H. 61,  
33-39\) 16-22](#)