

Koleopterologische Rundschau, Band 56 (1982)

SOME NOMENCLATURAL REMARKS ON DICHOTRACHELUS STIERLINI KNECHTI
STIERLIN (COL. CURCULIONIDAE)

M. MEREGLI, Torino

. Manuscript received on 29.4.1982

The examination of a specimen of *Dichotrachelus knechti* STIERLIN, 1875, surely belonging to the type-series gave rise to some nomenclatural problems which require some considerations.

The specimen in question is a o , prepared on a Stierlin's typical triangular mounting paper; it has the Author's autographic indications: "v. *knechti*, M.te.Rosa, type, Stierlin" and is conserved at the Museum of Vienna.

It is the only typical specimen of *D. knechti* STIERLIN today known: unfortunately, it does not belong to the taxon currently identified with such name, but is a *D. rudeni* STIERLIN, 1853.

Some more specifications are necessary: in fact, STIERLIN (1875) indicated as type-locality of *D. knechti* the "Col della Nuova, südlich von Aosta" (today "Colle dell'Arietta", in the Gran Paradiso mountains) and OSELLA (1967), not finding any typical specimen in Stierlin's collection, instituted a neotype with a topotypical specimen conserved at the Museum of Verona. This last Author also considered *knechti* as a subspecies of *D. sterlini* GREDL.

In Stierlin's collection (fide OSELLA, 1.c.) four *Dichotrachelus* (not typical) are conserved under the name *knechti*: two of these are real *knechti*, from "Savoyer Alpen", while the other two are *rudeni*, from "Macugnaga" (Mt.Rosa).

Thus, it seems very likely that STIERLIN confused the characters of the two species and then that, describing *knechti*, examined both specimens from the "Col della Nuova" (indicated as type-locality) and specimens from the Mt.Rosa, these last belonging to *rudeni*.

As the typical specimen conserved at the Museum of Vienna comes from the Mt. Rosa, it does not accord with the type-locality stated by Stierlin; therefore it cannot be considered as holotype nor as lectotype but can only be regarded as one of the paratypes of *knechti*.

⁺ I wish to thank Dr. F. Janczyk of Vienna for the loan of the typical specimen of *D. knechti* and my friends Drs. A. Casale and G.OSELLA for their useful advices.

Basing on these considerations, it appears clear that, even if the only Stierlin's typical specimen today existing is a *rudeni*, *D. knechti* STIERLIN cannot be regarded as a synonym of *rudeni*; therefore, the neotype of *knechti* instituted by OSELLA, 1967, maintains its validity.

SUMMARY:

The only typical specimen of *Dichotrachelus knechti* STIERLIN, 1875, today known (Nat.hist.Museum, Vienna), examined by the Author, belongs to *D. rudeni* STIERLIN, 1853; moreover, it was not collected in the type-locality reported for *knechti*. From an accurate study of STIERLIN's original description, the Author infers that this specimen cannot be considered as holotypus nor as lectotypus of *D. knechti*. Therefore, *D. knechti* STIERLIN, 1875 cannot be regarded as a synonym of *D. rudeni* STIERLIN, 1853.

ZUSAMMENFASSUNG:

Nomenkatorische Bemerkungen zu *Dichotrachelus stierlini knechti* STIERLIN. Das einzige heute bekannte Typen-Exemplar von *D. knechti* STIERLIN, 1875, (Nat.-hist.Museum, Wien), das vom Autor untersucht wurde, gehört zu *D. rudeni* STIERLIN, 1853; darüber hinaus stammt dieses Exemplar nicht von jenem Fundort der für *D. knechti* als locus typicus angegeben wurde. Aus dem Studium der Originalbeschreibung STIERLIN's schließt der Autor, daß dieses Exemplar weder als Holotypus noch als Lectotypus von *D. knechti* angesehen werden kann. Daher kann auch *D. knechti* STIERLIN, 1875, nicht als Synonym von *D. rudeni* STIERLIN, 1853, betrachtet werden.

RIASSUNTO:

Alcune osservazioni nomenclaturali su *Dichotrachelus stierlini knechti* STIERLIN (Col. Curc.). L'A. ha esaminato l'unico esemplare appartenente alla serie tipica di *D. knechti* STIERLIN, 1875, attualmente noto. Esso proviene dal Monte Rosa ma in realtà appartiene a *D. rudeni* STIERLIN, 1853. Poiché la località tipica indicata da STIERLIN per *knechti* è il Colle dell'Arietta (Gran Paradiso), l'A. conclude che l'esemplare in questione non può essere considerato né come holotypus né come lectotypus ma solo come paratypus di *D. knechti* e, pertanto, che *D. knechti* STIERLIN non può essere considerato sinonimo di *D. rudeni* STIERLIN.

Bibliography:

- OSELLA, G., 1967: Revisione delle specie italiane del genere *Dichotrachelus* Stierlin (Col. Curc.) Mem.Mus.Civ.St.Nat.Verona, 15:349 - 445.
- STIERLIN, G., 1853: Eine neue Gattung von Rüsselkäfern mit zwei Euro - päischen Arten. Stett.Ent.Zeit., 14:171-172.
- STIERLIN, G., 1875: Beschreibung einiger neuer Käferarten. Mitt.Schweiz. Ent.Gesell., 4:481-482.

Authors address: Dr. Massimo Meregalli, Istituto di Entomologia Agraria ed Apicoltura, Università di Torino, V.Giuria 15, I-10123 Torino, Italy

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Koleopterologische Rundschau](#)

Jahr/Year: 1982

Band/Volume: [56_1982](#)

Autor(en)/Author(s): Meregalli Massimo

Artikel/Article: [Some nomenclatural remarks on Dichotrachelus stierlini knechti Stierlin \(Col. Curculionidae\). 145-146](#)