

Faunistic records of Heteroceridae from the Brazilian state of Mato Grosso (Coleoptera: Heteroceridae)

S. SKALICKÝ

Abstract

Heterocerus danielssoni SKALICKÝ, 2006, *H. steineri* SKALICKÝ, 2006 and *Tropicus alaicornis* MASCAGNI, 1989 are confirmed for the first time for the fauna of Brazil (Mato Grosso). *Tropicus borysi* SKALICKÝ, 2006 and *T. tuberculatus* PACHECO, 1964 are confirmed for the first time for the Brazilian state of Mato Grosso. Additional distributional records for two other species from Mato Grosso are provided.

Key words: Coleoptera, Heteroceridae, *Heterocerus*, *Tropicus*, Brazil, Mato Grosso, faunistics.

Introduction

In the most recent list of the heterocerid fauna of Brazil (SKALICKÝ 2017, 2021b), a total of 31 species (*Heterocerus* FABRICIUS, 1792: 13 spp., *Tropicus* PACHECO, 1964: 18 spp.) are documented for the individual states of Brazil. In this article, three additional species of Heteroceridae are recorded for the first time from Brazil (Mato Grosso). Furthermore, two species are recorded for the first time from the Brazilian state of Mato Grosso. In addition, new distributional records of two other species (*H. sazheni* SKALICKÝ, 2017 and *H. similis* GROUVELLE, 1896) in the state of Mato Grosso are presented.

Separate labels are indicated by double slashes, locality data are cited verbatim in “quotation marks”.

If not otherwise stated, all specimens listed below are deposited in the Natural History Museum, London, U.K.


Distributional notes

Heterocerus danielssoni SKALICKÝ, 2006

MATERIAL EXAMINED: 6 ♂♂: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema 15°35'32"S 56°01'36"W UV light, 30.IV.2020 BMNH{E} 2020-32”; 1 ♂ (deposited in coll. Skalický), 2 exs. (sex not examined): “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 2.IV.2020 BMNH(E) 2020-32”; 1 ♂, 4 exs. (sex not examined): “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 17.IV.2020 BMNH(E) 2020-32”; 2 exs. (sex not examined): “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 19.IV.2020 BMNH(E) 2020-32”; 7 ♂♂, 1 ♀, 4 exs. (sex not examined): “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 21.IV.2020 BMNH(E) 2020-32”; 1 ♂ (deposited in coll. Skalický), 1 ♂, 1 ex. (sex not examined): “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 30.IV.2020 BMNH(E) 2020-32”; 1 ex. (sex not examined): “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 6.VII.2020 BMNH(E) 2020-32”.

DISTRIBUTION: Bolivia (SKALICKÝ 2006a). First record for Brazil (Mato Grosso).

VARIABILITY: The elytral color pattern of the specimens from Brazil (Fig. 2) deviates from the type specimens from Bolivia (Fig. 1).



Figs. 1–2: Elytral pattern of *Heterocerus danielssoni*: 1) holotype, 2) specimen from Brazil (Mato Grosso).

***Heterocerus sazhnevi* SKALICKÝ, 2017**

MATERIAL EXAMINED: 1 ♂: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 17.IV.2020 BMNH{E} 2020-32.”; 1 ♂, 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 19.IV.2020 BMNH{E} 2020-32.” (1 ♂ deposited in coll. Skalický), 1 ♂: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 30.IV.2020 BMNH{E} 2020-32.”.

DISTRIBUTION: Brazil (Mato Grosso) (SKALICKÝ 2017).

***Heterocerus similis* GROUVELLE, 1896**

MATERIAL EXAMINED: 1 ♂: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 19.IV.2020 BMNH{E} 2020-32.”.

DISTRIBUTION: Argentina, Bolivia, Brazil (Santa Catarina, Mato Grosso), Chile, Paraguay, Uruguay, Venezuela (MASCAGNI & MONTE 2010, PACHECO 1964, SKALICKÝ 2002, 2004, 2008, 2016, 2017).

***Heterocerus steineri* SKALICKÝ, 2006**

MATERIAL EXAMINED: 1 ♂: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema 15°35'32"S 56°01'36"W UV light, 17.IV.2020 BMNH{E} 2020-3.”.

DISTRIBUTION: Bolivia, Peru (SKALICKÝ 2006a, 2009). First record for Brazil (Mato Grosso).

***Tropicus alcornis* MASCAGNI, 1989**

MATERIAL EXAMINED: 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 05.XI.2020 BMNH{E} 2020-32.”; 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 06.IV.2020 BMNH{E} 2020-32.”; 2 ♂♂, 9 ♀♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema 15°35'32"S 56°01'36"W UV light, 17.IV.2020 BMNH{E} 2020-32.”; 6 ♂♂, 9 ♀♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 19.IV.2020 BMNH{E} 2020-32”; 1 ♂ (deposited in coll. Skalický), 1 ♀: “BRAZIL: MATO GROSSO Pantanal de Poconé, Aymara lodge (25 km S of Poconé), 127 m, 16°30'15"S 56°40'31"W, 23.II.2020.” // “light trap (LED). A.A.Mota, M.V.L.Barclay, J.P.Cristóvão, M.F.Geiser & A. Gonzáles-Alvarado leg., BMNH{E} 2020-32.”; 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 1.II.2020 BMNH(E) 2020-32”; 11 ♂♂, 9 ♀♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 2.IV.2020 BMNH(E) 2020-32”; 11 ♂♂, 9 ♀♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 17.IV.2020 BMNH(E) 2020-32”; 3 ♂♂, 3 ♀♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 21.IV.2020 BMNH(E) 2020-32”; 4 ♂♂, 3 ♀♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 30.IV.2020 BMNH(E) 2020-32”; 12 ♂♂, 17 ♀♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 9.V.2020 BMNH(E) 2020-32”; 1 ♂ (deposited in coll. Skalický), 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 10.VI.2020 BMNH(E) 2020-32”; 1 ♂, 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 6.VII.2020 BMNH(E) 2020-32”; 13 ♀♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 20.XII.2020 BMNH(E) 2020-32”.

DISTRIBUTION: Argentina, Bolivia, Paraguay, Venezuela (MASCAGNI & MONTE 2010, SKALICKÝ 2021). First record for Brazil (Mato Grosso).

***Tropicus borysi* SKALICKÝ, 2006**

MATERIAL EXAMINED: 1 ♂: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 2.IV.2020 BMNH(E) 2020-32”; 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 21.IV.2020 BMNH(E) 2020-32”; 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 20.XII.2020 BMNH(E) 2020-32”.

DISTRIBUTION: Brazil (Goiás) (SKALICKÝ 2006b). First record for the Brazilian state of Mato Grosso.

***Tropicus tuberculatus* PACHECO, 1964**

MATERIAL EXAMINED: 1 ♂: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 2.IV.2020 BMNH(E) 2020-32”; 1 ♂: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 17.IV.2020 BMNH(E) 2020-32”; 1 ♂: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 19.IV.2020 BMNH(E) 2020-32”; 1 ♂, 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 9.V.2020 BMNH(E) 2020-32”; 1 ♂ (deposited in coll. Skalický), 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 6.VII.2020 BMNH(E) 2020-32”; 3 ♀♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 20.XII.2020 BMNH(E) 2020-32”.

DISTRIBUTION: Argentina, Brazil (Santa Catharina), Bolivia, Paraguay (PACHECO 1964, SKALICKÝ 2016, 2019, 2021a). First record for the Brazilian state of Mato Grosso.

***Tropicus* sp. (females)**

MATERIAL EXAMINED: 1 ♀: “BRAZIL: MATO GROSSO Pantanal de Poconé, Aymara lodge (25 km S of Poconé), 127 m, 16°30'15"S 56°40'31"W, 23.II.2020.” // “light trap (LED). A.A.Mota, M.V.L.Barclay, J.P.Cristóvão, M.F.Geiser & A. Gonzáles-Alvarado leg., BMNH{E} 2020-32.”; 1 ♀: “BRAZIL: MATO GROSSO Cuiabá, Recanto do Siriema. 15°35'32"S 56°01'36"W UV light, 9.V.2020 BMNH(E) 2020-32”.

Acknowledgements

I wish to express my thanks to Maxwell V.L. Barclay, Dr. Michael F. Geiser and Dr. Joana P. Cristóvão (Natural History Museum, London, U.K.) for the kind loan of material and for valuable comments and improving the English text.

References

- MASCAGNI, A. & MONTE, C. 2010: Three new species and new records of Heteroceridae from the Neotropical Region (Coleoptera: Heteroceridae). – *Koleopterologische Rundschau* 80: 159–166.
- PACHECO, F. 1964: Sistemática, filogenia y distribución de los heterocéridos de América (Coleoptera, Heteroceridae). – *Monografías del Colegio de Post Graduados (Chapingo, México)* 1: 1–209.
- SKALICKÝ, S. 2002: New species and new records of Heteroceridae from Argentina and Paraguay (Coleoptera: Heteroceridae). – *Koleopterologische Rundschau* 72: 169–182.
- SKALICKÝ, S. 2004: *Tropicus migueli* n. sp. from Paraguay (Coleoptera: Heteroceridae). – *Mitteilungen des Internationalen Entomologischen Vereins* 29 (1/2): 11–16.
- SKALICKÝ, S. 2006a: New species of Heteroceridae from Bolivia (Coleoptera: Heteroceridae). – *Entomological Problems* 36 (2): 85–90.
- SKALICKÝ, S. 2006b: Description of six new species of genus *Tropicus* Pacheco, 1964 (Coleoptera: Heteroceridae). – *Entomologica Basiliensia* 28: 73–82.
- SKALICKÝ, S. 2008: New species of *Tropicus* Pacheco, 1964 from Paraguay and Ecuador (Coleoptera, Heteroceridae). – *Entomologica Basiliensia* 30: 27–34.
- SKALICKÝ, S. 2009: New species and new records of Heteroceridae from Peru (Coleoptera: Heteroceridae). – *Koleopterologische Rundschau* 79: 273–277.
- SKALICKÝ, S. 2016: New species and new records of *Tropicus* Pacheco, 1964 from Paraguay (Coleoptera: Heteroceridae). – *Koleopterologische Rundschau* 86: 213–222.
- SKALICKÝ, S. 2017: New faunistic records of Heteroceridae, mainly from Brazil, with description of a new species of *Heterocerus* Fabricius, 1792 (Coleoptera: Heteroceridae). – *Koleopterologische Rundschau* 87: 275–281.
- SKALICKÝ, S. 2019: Description of six new species of Heteroceridae (Coleoptera) from Bolivia. – *Acta Musei Moraviae, Scientiae biologicae* 104 (2): 121–137.
- SKALICKÝ, S. 2021a: New species and new records of Heteroceridae from Argentina (Coleoptera: Heteroceridae). – *Koleopterologische Rundschau* 91: 145–151.
- SKALICKÝ, S. 2021b: *Heterocerus paranaensis* sp. nov. from Brazil (Insecta: Coleoptera: Heteroceridae). – *Studies and reports, Taxonomical series* 17 (2): 423–426.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Koleopterologische Rundschau](#)

Jahr/Year: 2023

Band/Volume: [93_2023](#)

Autor(en)/Author(s): Skalicky Stanislav

Artikel/Article: [Faunistic records of Heteroceridae from the Brazilian state of Mato Grosso \(Coleoptera: Heteroceridae\) 211-214](#)