

Linzer biol. Beitr.	37/1	195-213	25.7.2005
---------------------	------	---------	-----------

A Survey of Braconinae (Hymenoptera, Braconidae) of Turkish Western Black Sea Region

A. BEYARSLAN, Ö.Ç. ERDOĞAN & M. AYDOĞDU

A b s t r a c t : From Turkish Western Black Sea region are recorded 62 Braconinae species of genera *Glyptomorpha* HOLMGREN, *Pseudovipio* SZÉPLIGETI, *Vipio* LATREILLE, *Ceratobracon* TELENGA, *Bracon* FABRÍCIUS and *Pigeria* ACHTERBERG. All the species are new to the fauna this region and 21 them are new to the fauna of Turkey.

K e y w o r d s : Braconinae, Braconidae, Hymenoptera, Western Black Sea Region, Turkey.

Introduction

Braconinae is the largest subfamily of Braconids, comprising hundreds of genera and about 2500 species, mostly in the tropics. This subfamily includes the largest Braconids: In the tropics up to 25-27mm, in north up to 15mm. All members of subfamily are predominantly external parasites of concealed larvae of Lepidoptera, Coleoptera, though a few are parasitic on sawflies and Cecidomyiid midges.

The hosts all share a moderate degree of concealment, usually in living plant tissue and typically include inhabitants of tree bark, stems of annual and biennial plants, galls and seed heads or vessels, but some are case-bearers. Leaf rollers and endophytic hosts that are only weakly concealed such as leaf-miners, as well as those living fully concealed in hard wood, are much less regularly attacked.

Several braconines attack economically important hosts: for example some *Bracon* species parasitise forestry pests, and there are other *Bracon* species that attack stored products pests such as flour moths. In warm temperate climates some *Bracon* species regularly parasitise weevil grubs and caterpillars damaging field crops like cotton and maize, including in a few cases more or less exposed noctuid larvae (SHAW M.R. & T. HUDDLESTON 1991).

The Braconinae fauna of Turkey is not well known. Studies on Turkish Braconinae fauna include Mediterranean, Aegean, Marmara and partly East and Southeast Anatolia regions (BEYARSLAN 1986a, 1986b, 1987, 1988, 1991, 1992, 1996, 1999, 2002a, 2002b; BEYARSLAN & FISCHER 1990; BEYARSLAN et al. 2002). Regarding Central Anatolia, only 7 species from province Ankara appear to have been recorded in the literature (GÜLER & CAĞATAY 2001).

Material And Methods

The material for the present study was collected by sweep-net from various localities of Turkish Western Black Sea region between 2000 and 2003 (Fig. 1) and sacrificed with ethyl acetate or cigarette smoke. Collected samples were pinned and labelled according to taxonomic rules and regulations. Specimens are deposited in the Zoological Museum of the Department of Biology, Trakya University.

Relevant literature was used for taxonomical examination of materials (ACHTERBERG 1983a, 1983b, 1985, 1988, 1990; ACHTERBERG & QUICKE 1991, CHISTI & QUICKE 1995, PAPP 1997, PAPP 1999a, PAPP 1999b, PAPP 1999c, QUICKE 1987, QUICKE 1991, SHENEFELT, 1978, TOBIAS 1976, TOBIAS 1986). The specimens were identified mostly using the keys by (ACHTERBERG 1990, BEYARSLAN & FISCHER 1990, QUICKE 1987).



Fig. 1: Western Black Sea region of Turkey.

Results

B r a c o n i n a e

Glyptomorpha (HOLMGREN 1868)

Glyptomorpha pectoralis (BRULLÉ 1832)

M a t e r i a l e x a m i n e d : Cankiri-Ilgaz-Kale, 4.7.2001, 1♀. Karabük-Safranbolu-Inceçay-Saricicek dagi, 29.6.2001, 2♀♀, 3♂♂; - Eski Pazar, 28.8.2002, 1♂. Kastamonu-Daday-Ballıdag-Kelebek yaylasi, 1.7.2001, 2♂♂; - Daday-Ballıdag-Sarpun, 1.7.2001, 1♂; - Hanönü, 2.7.2001, 2♂♂; - Küre-Ersizlerdere 12.6.2002, 5♂♂; Sinop-Ayancık-Bakırızaviye, 2.7.2001, 1♂; - Boyabat-Salar, 3.7.2001, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Africa, Austria, Asia Minor, Caucasus, Central Asia, China, Greece, India, Kazakhstan, Mongolia, Pakistan, southern part of Western Europe, Southern Russia.

H o s t s : Coleoptera: *Sphenoptera laticollis* OL., *S. gossypii* KERR., *S. montana* JAK., *Chrysobothris affinis* F. (Buprestidae), *Plagionotus arcuatus* L., *Schinocerus speciosus* AD. (Cerambycidae).

Pseudovipio SZÈPLIGETI 1896

Pseudovipio castrator (FABRICIUS 1798)

M a t e r i a l e x a m i n e d : Kastamonu-Az davay-Mehmetcelebi, 5.9.2001, 1♀; - Tasköprü-Alamasili, 6.9.2001, 1♀; - Cide, 10.6.2002, 1♀; - Catalzeytin-Köprüköy-10.6.2002, 1♀. Sinop-Boyabat-Salar, 3.7.2001, 1♀; - Demirci, 7.9.2001, 1♀; - Yenicam, 2.7.2001, 3♀♀, 2♂♂. Zonguldak-Cukurören, 9.6.2001, 3♀♀, 1♂; - Caycuma-Yolgecen, 9.6.2002, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Asia minor, Caucasia, Central Asia, Kazakhstan, Mongolia, Northern Africa, Russia (northern part), South and Middle Europe.

H o s t s : Coleoptera: *Chrysobothris affinis* F., *Buprestis* sp. (Buprestidae), *Lixus junci* BOH. (Curculionidae), *Plagionotus arcuatus* L. (Cerambycidae), Lepidoptera: *Gortyna xanthères* GERM. (Noctuidae).

Pseudovipio inscriptor (NEES VON ESENBECK 1834)

M a t e r i a l e x a m i n e d : Kastamonu-Arac-Toprakcuma, 13.6.2002, 2♀♀. Karabük-Bostanbükü, 13.6.2002, 1♀; - Eskipazar-Ortaköy, 28.8.2002, 1♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Caucasia, Central Asia, Kazakhstan, Mongolia, Central and South Russia, Western Europe.

H o s t : Lepidoptera: *Ostrinia nubilalis* HB. (Pyraustidae).

Vipio LATREILLE 1804

Vipio nominator (FABRICIUS 1787)

M a t e r i a l e x a m i n e d : Bartın-Camlık, 30.6.2001, 1♀; - Kurucasile-Danışment, 9.6.2002, 2♂♂. Bolu-Düzce-Kabalar, 8.6.2002, 1♀; - Siyamoglu, 28.6.2001, 1♀, 1♂. Karabük-Safranbolu-Inceçay-Sarıcicek dağı, 29.6.2001, 4♀♀, 7♂♂. Kastamonu-Küre-Ersizlerdere-Ipsinler, 12.6.2002, 2♀♀, 2♂♂; - Cide, 10.6.2002, 2♂♂; - Cide- Danışment, 10.6.2002, 1♀. Sinop-Ayancık-Bakırlızaviye, 2.7.2001, 1♀; - Demirci, 11.6.2002, 2♂♂. Zonguldak-Cukurören, 29.6.2001, 2♀♀, 9.6.2002, 3♂♂; - Caycuma-Yolgecen, 9.6.2002, 1♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Azerbaijan, Caucasia, Europe, Kazakhstan, Mongolia, Russia, Syria, Turkey. Neotropic: French Guiana.

H o s t s : Coleoptera: *Acanthocinus griseus* F., *Elateroides dermestoides* L., *Lymexylon navale* L. (Lymexylonidae).

Vipio tentator (ROSSI 1790)

M a t e r i a l e x a m i n e d : Bolu-Siyamoglu, 28.6.2001, 1♂. Kastamonu-Küre-Ersizlerdere-Ipsinler, 12.6.2002, 2♀♀, 2♂♂. Sinop-Boyabat-Salar, 3.7.2001, 2♀♀; - Demirci, 3.7.2001, 1♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Algeria, Azerbaijan, Caucasia,

Corsica, former Czechoslovakia, former Yugoslavia, Hungary, Israel, Italy, Kazakhstan, Rumenia, Russia, Sicily, Tunisia, Turkey.

Host : Coleoptera : *Agrilus coeruleus* ROSSI (Buprestidae)

***Ceratobracon* TELENGA 1939**

***Ceratobracon stschegolevi* (TELENGA 1933)**

Material examined : Kastamonu-Ilgaz dagi-Catören, 3.7.2001, 1♀; - Hanönü, 2.7.2001, 6♀♀, 5♂♂; - Tasköprü-Alamasisli, 2.7.2001, 1♀, 1♂. Sinop-Boyabat-Salar, 3.7.2001, 5♀♀; - Kabali, 3.7.2001, 1♀. Zonguldak-Caycuma-Kayikcilar, 30.6.2001, 1♀.

General Distribution: Palaearctic: Caucasus, Central Asia, Mongolia, Central and South Russia, Turkey.

Host : Hymenoptera: *Cephus pygmaeus* L. (Cephidae).

***Bracon* FABRICIUS 1804**

Subgenus *B r a c o n* s.str.: FAHRINGER 1927

***Bracon (Bracon) chagrinicus* BEYARSLAN 2002**

Material examined : Kastamonu-Daday-Ballidag, 1.7.2001, 1♂.

General Distribution: Palaearctic: Turkey.

***Bracon (Bracon) exhilarator* (NEES VON ESENBECK 1834)**

Material examined : Kastamonu-Daday-Ballidag- Kelebek yaylasi, 1.7.2001, 1♂; - Daday-Incegiz, 1.7.2001, 1♀, 4♂♂; - Hanönü, 2.7.2001, 4♀♀. Sinop-Boyabat-Salar, 3.7.2001, 4♀♀; - Kabali, 3.7.2001, 2♀♀.

Material examined : Palaearctic: Eastern Siberia, Kazakhstan, Turkey, Western Europe.

Hosts : Lepidoptera: *Acleris rhombana* f. *ciliata* HB. (Tortricidae), Coleoptera: *Apion hookeri* KBY. (Curculionidae), Diptera: *Amaurosoma* sp. (Scatophagidae).

***Bracon (Bracon) fulvipes* (NEES VON ESENBECK 1834)**

Material examined : Bartın, 9.6.2002, 1♂; - Camlik, 30.6.2001, 1♀. Bolu-Aladag-Kökez, 27.8.2002, 1♂. Düzce-Kaynasli-Ucköprü, 27.6.2001, 1♀. Kastamonu-Az davay-Kirazdağı, 5.8.2001, 2♀♀, 1♂; - Catören, 30.8.2002, 1♀; - Azdavay-Mehmetcelebi, 5.8.2001, 1♂; - Hanönü, 2.7.2001, 2♀♀, 1♂. Karabük-Cay, 28.8.2002, 1♂; 13.6.2002, 1♂. Sinop-Yenicam, 2.7.2001, 2♀♀, 1♂. Zonguldak-Caycuma-Kayikcilar, 30.6.2001, 1♀, 1♂.

General Distribution: Palaearctic: Austria, Belgium, England, Finland, France, Germany,

Greece, Holland, Hungary, Italy, Mongolia, Poland, Russia, Spain, Sweden, Turkey.

Hosts : Coleoptera: *Mononychus punctum-album* HBST. (Curculionidae),

Lepidoptera: *Paranthrene tabaniformis* ROTT. (Sesiidae), *Coleophora coronillae* Z. (Coleophoridae), Hymenoptera: *Tetramesa hyalipennis* WALK., *T. brevicollis* WALK. (Eurytomidae).

Bracon (Bracon) gusaricus TELENGA 1936

Material examined: Kastamonu-Hanönü, 2.7.2001, 1♀, 4♂♂.

General Distribution: Palaearctic: Bulgaria, Central Asia.

New record for Turkey.

Bracon (Bracon) immutator (NEES VON ESENBECK 1834)

Material examined: Bolu-Mengen-Kiyaslar, 28.6.2001, 1♀. Kastamonu-Daday-Ballidag, 1.7.2001, 4♂♂.

General Distribution: Palaearctic: Northern Russia, Northern and Central Ukraine, Western Europe.

New record for Turkey.

Bracon (Bracon) intercessor (NEES VON ESENBECK 1834)

Material examined: Bartın, 9.6.2002, 1♀; - Camlik, 30.6.2001, 1♀; - Kurucasile-Danisman, 9.6.2002, 3♀♀, 1♂. Bolu-Aladag-Ardictepe, 27.8.2002, 1♂. Cankiri-Ilgaz-Kale, 4.7.2001, 1♀. Corum-Kargi, 31.8.2002, 2♀♀. Düzce-Kaynasli-Ücköprü, 27.6.2001, 2♂♂. Karabük-Cay, 28.8.2002, 1♀; - Safranbolu-Incecay-Saricicek dagi, 29.6.2001, 1♀, 3♂♂. - Eskipazar-Ortaköy, 28.8.2002, 1♀, 1♂. Kastamonu-Arac-Akgecit, 28.6.2002, 2♀♀; - Cide, 10.6.2002, 2♀♀, 3♂♂; - Catalzeytin-Köprüköy, 10.6.2002, 1♂; - Catören, 30.8.2002, 1♀; - Daday-Ballidag, 1.7.2001, 1♂, 1♀, 28.8.2002, 2♀♀, 1♂; - Daday-Ballidag- Sarpun 1.7.2001, 1♂, 29.8.2002, 1♀; - Daday-Incegiz-Ciftlik, 29.8.2002, 1♀, 1♂; - Doganyurt-Denizbüyükü, 10.6.2002, 2♂♂; - Hanönü, 2.7.2001, 2♀♀, 2♂♂; - Ilgaz dagi-Catören, 3.7.2001, 1♂; - Inebolu-Yakaboyu, 10.6.2002, 1♀; - Küre-Ersizlerdere, 12.6.2002, 1♀; - Tasköprü-Alamasisli, 6.9.2001, 27♀♀, 18♂♂; - Tosya-Ekinci, 31.8.2002, 2♂♂. Sinop-Ayancik-Bakirlizaviye, 2.7.2001, 1♀; - Demirci, 7.9.2001, 1♀; - Boyabat-Yabanli, 7.9.2001, 43♀♀, 40♂♂; - Boyabat-Salar, 3.7.2001, 3♀♀, 5♂♂; - Kabali, 3.7.2001, 2♀♀, 1♂; - Saraydüzü-Yalmansaray, 31.8.2002, 1♀; - Yenicam, 2.7.2001, 1♂. Zonguldak-Cukurören, 29.6.2001, 5♂♂; - Cukurören, 9.6.2002, 1♂; - Devrek, 28.6.2001, 3♀♀, 1♂; - Devrek-Davulga, 29.6.2001, 3♀♀; - Karadeniz Ereglisi, 8.6.2002, 1♀, 3♂♂.

General Distribution: Palaearctic: Austria, England, former Yugoslavia, France, Germany, Hungary, Italy, Kazakhstan, Poland, Spain, Sweden, Turkey.

Hosts: Coleoptera: *Rhynchites bacchus* L. (Attelabidae), *Microlarinus lypriformis* WOLL., *M. lareyniei* JACQ., *Anthonomus pomorum* L., *A. pedicularis* L., *A. sorbi* GERM., *Apion opeticum* BACY., *Lixus junci* BOY., (Curculionidae), Lepidoptera: *Parametriotes theae* KUZN. (Momphidae), *Augasma atraphaxidellum* KUZN., *Sparganothis pilleriana* DEN. & SCHIFF. (Tortricidae), Hymenoptera: *Tetramesa hyalipennis* WALK., *T. rossica* R.-K. (Eurytomidae).

Bracon (Bracon) kozak TELENGA 1936

Material examined: Sinop-Ayancik-Bakirlizaviye, 2.7.2001, 1♀.

General Distribution: Palaearctic: Caucasia, Central Asia, Moldavia.

New record for Turkey.

Bracon (Bracon) leptus MARSHALL 1897

M a t e r i a l e x a m i n e d : Karabük-Safranbolu-Inceçay-Saricicek dağı, 29.6.2001, 2♀ ♀, 1♂. Sinop-Yenicam, 2.7.2001, 2♀ ♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Central Asia, Eastern Siberia, Southern and Central Caucasia, Kazakhstan, Western Europe.

H o s t : Lepidoptera: *Metzneria lappella* L. (Gelechiidae).

New record for Turkey.

Bracon (Bracon) longicollis WESMAEL 1838

M a t e r i a l e x a m i n e d : Bartın, 9.6.2002, 1♂; - Amasra, 9.6.2002, 1♂; - Kurucasile-Danışment, 9.6.2002, 2♀ ♀. Bolu-Caydurt, 28.6.2001, 1♀; - Mengen-Kiyaslar, 28.6.2001, 1♀, 2♂ ♂; - Aladag-Kökez, 27.8.2002, 1♂. Corum-Kargı, 31.8.2002, 5♀ ♀. Kastamonu-Daday-Ballıdag-Sarpun, 1.7.2001, 1♂; - Daday-Incegiz-Ciftlik, 29.8.2002, 1♀, 2♂ ♂; - Hanönü, 2.7.2001, 2♀ ♀; - Tasköprü-Alamaslı, 2.7.2001, 1♀; 6.9.2001, 1♀; - Ballıdag, 29.8.2002, 1♂; - Akkaya, 31.8.2002, 1♂; - İlgaçdağı, 30.8.2002, 1♀. Karabük-Cay, 28.8.2002, 1♀, 2♂ ♂; - Eskişehir-Ortaköy, 28.8.2002, 1♀, 1♂; - Bostanbükü, 28.8.2002, 1♀, 2♂ ♂. Zonguldak-Devrek-Davalga, 29.6.2001, 2♂ ♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Caucasus, Central Asia, Iran, Kazakhstan, Mongolia, Siberia, Western Europe.

New record for Turkey.

Bracon (Bracon) luteator (SPINOLA 1808)

M a t e r i a l e x a m i n e d : Bolu-Aladag-Kökez, 27.8.2002, 1♀, 1♂. Kastamonu-Az davay-Catören, 3.7.2001, 1♂; - Az davay-Mehmetcelebi, 5.9.2001, 1♂; - Tosya-Ekinçi, 31.8.2002, 1♀; - Kanlıgöl-M.Parkı, 28.8.2002, 1♀; - Daday-Incegiz-Ciftlik, 29.8.2002, 5♀ ♀, 2♂ ♂. Karabük-Eskişehir-Ortaköy, 28.8.2002, 2♀ ♀; - Safranbolu-Saricicek dağı, 4.9.2001, 1♂. Sinop-Yenicam, 6.9.2001, 1♀, 1♂; - Boyabat-Yabanlı, 7.9.2001, 1♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Austria, Azerbaijan, Caucasia, Central Asia, Crimea, England, former Yugoslavia, France, Greece, Hungary, Iran, Israel, Italy, Kazakhstan, Russia, Sicily, Spain, Sweden, Turkey, Turkmenistan, Ukraine.

H o s t s : Lepidoptera: Associated with Compositae (*Centaurea*, *Oirsium*, *Carduus*), in their heads infecting larvae of *Metzneria aestivella* Z., *M. lappella* L. (Gelechiidae). Diptera: *Urophora solstitialis* L. (Tephritidae).

Bracon (Bracon) mariae DALLA TORRE 1898

M a t e r i a l e x a m i n e d : Bolu-Siyamoglu, 28.6.2001, 1♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Algeria, Crimea, former Yugoslavia, Hungary, Italy, Russia, Spain, Sweden, Switzerland, Turkey.

Bracon (Bracon) minutator (FABRICIUS 1798)

M a t e r i a l e x a m i n e d : Karabük-Safranbolu-Inceçay-Saricicek dağı, 29.6.2001, 1♀. Kastamonu-Daday-Incegiz, 1.7.2001, 1♀; - Hanönü, 2.7.2001, 1♀. Sinop-Boyabat-Salar, 3.7.2001, 1♀; - Demirci, 3.7.2001, 1♀; - Kabah, 3.7.2001, 1♀; 11.6.2002, 1♀. Zonguldak-Devrek-Davalga, 29.6.2001, 1♀.

General Distribution: Palaearctic: Austria, Belgium, Caucasia, Denmark, England, Finland, former Yugoslavia, Germany, Greece, Hungary, Italy, Kazakhstan, Poland, Russia, Siberia, Turkey.

Hosts: Lepidoptera: *Rhyacionia buoliana* DEN. & SCHIFF., *Leguminivora glycinivorella* MATS., *Cochylis posterana* Z. (Tortricidae), *Pennisetia hylaeiformis* LASP. (Sesiidae), *Caloptilia syringella* F. (Gracillariidae), *Mesapamea secalis* L., *Oria musculosa* HB., *Sesamia nonagrioides* LED. (Noctuidae), Coleoptera: *Anthonomus pomorum* L. (Curculionidae), Diptera: *Lipera lucens* MG. (Chloropidae), Hymenoptera: *Cephus pygmaeus* L. (Cephidae).

***Bracon (Bracon) migratus* WESMAEL 1838**

Material examined: Bartın-Camlık, 30.6.2001, 1♀. Kastamonu-Az davay-Mehmetcelebi, 5.9.2001, 1♀.

General Distribution: Palaearctic: Western Europe, North and Central Siberia.

Hosts: Lepidoptera: *Grapholitha compositella* F. (Tortricidae), *Coleophora millefolii* Z. (Coleophoridae), *Zygaena achilleae* ESP. (Zygaenidae), *Chaetostomella cylindrica* R.-D. (Tephritidae).

New record for Turkey.

***Bracon (Bracon) pectoralis* (WESMAEL 1838)**

Material examined: Bartın-Kurucasile-Danışment, 9.6.2002, 1♀. Bolu-Siyamoglu, 28.6.2001, 1♀. Çankırı-Cerkes, 4.7.2001, 1♀. Düzce-Kaynaslı-Üçköprü, 27.6.2001, 1♀. Kastamonu-Doğanyurt-Denizbüyük, 10.6.2002, 1♀; - Tosya-Ekinci, 31.8.2002, 1♂, 1♀. Sinop-Ayancık-Bakırızlıviye, 2.7.2001, 1♀. Zonguldak-Cukurören, 29.6.2001, 1♂; - Devrek, 28.6.2001, 1♀; - Karadeniz Ereglisi, 3.9.2001, 1♀.

General Distribution: Palaearctic: Albania, Austria, Belgium, Bulgaria, Caucasia, England, former Yugoslavia, France, Germany, Hungary, Italy, Russia, Spain, Tunisia, Turkey, Turkmenistan.

Hosts: Coleoptera: *Sphenoptera laticollis* OL., *S. gossypii* KERR., *S. montana* JAK., *Chrysobothris affinis* F. (Buprestidae), *Plagionotus arcuatus* L., *Schinocerus speciosus* AD. (Cerambycidae).

***Bracon (Bracon) subglaber* SZÈPLIGETI 1904**

Material examined: Bartın-Kurucasile-Danışment, 9.6.2002, 1♀. Bolu-Aladag-Kökez, 27.8.2002, 1♀; - Karacasu-Gölcük, 26.8.2002, 1♀. Karabük-Safranbolu-Inceçay-Saricek dagı, 4.9.2001, 1♂. Kastamonu-Daday-Sarpun, 29.8.2002, 2♀, 2♂; - Cide, 10.6.2002, 1♂. Sinop-Boyabat-Salar, 3.7.2001, 1♂; - Demirci, 3.7.2001, 1♀; - Yenicam, 2.7.2001, 2♂, 1♀.

General Distribution: Palaearctic: Caucasia, Central Asia, Kazakhstan, Turkey, Western Europe.

Hosts: Lepidoptera: *Paranthrene tabaniformis* ROTT., *Pennisetia hylaeiformis* LASP. (Sesiidae), *Epichnopterix sieboldi* ROTT. (Psychidae), *Aethes williana* BR. (Tortricidae), *Metzneria lappella* L. (Gelechiidae), *Urophora cardui* L., *U. solstitialis* L., *U.*

quadrifasciata MG., *Terellia serretulae* L., *Tephritis leontodontis* DEG., *Noeeta pupillata* FALL. (Tephritidae), Coleoptera: *Ceutorhynchus fairmairei* Cy. BRIS. (Curculionidae).

***Bracon (Bracon) trucidator* (MARSHALL 1888)**

Material examined: Cankiri-Cerkes, 4.7.2001, 1♀; - Ilgaz-Kale, 4.7.2001, 1♀. Karabük-Bostanbüyük, 28.8.2002, 1♂; - Cay, 28.8.2002, 1♀; - Eskipazar-Ortaköy, 28.8.2002, 1♀, 2♂. Kırklareli-Kofcaz-Erikler, 2.8.2000, 2♂. Kastamonu-Hanönü, 2.7.2001, 1♀, 1♂; - Tosya-Ekinci, 31.8.2002, 6♀. Sinop-Ayancık-Bakırılızaviye, 2.7.2001, 2♂♂; - Demirci, 7.9.2001, 1♀, 1♂; - Boyabat-Kozcağız, 2.7.2001, 1♀; - Demirci, 7.9.2001, 1♀, 4♂♂; 11.6.2002, 2♂♂; - Yenice, 6.9.2001, 1♀. Zonguldak-Devrek, 29.6.2001, 1♀.

General Distribution: Palaearctic: Algeria, Austria, Caucasia, former Yugoslavia, Hungary, Italy, Rumenia, Russia, Spain, Sweden, Turkey.

Hosts: Lepidoptera: *Metzneria lappella* L. (Gelechiidae).

Subgenus *Cyanopterobracon* TOBIAS 1957

***Bracon (Cyanopterobracon) illyricus* (MARSHALL 1888)**

Material examined: Sinop-Boyabat-Salar, 3.7.2001, 1♀; - Demirci, 3.7.2001, 1♂.

General Distribution: Palaearctic: Albania, Austria, former Yugoslavia, Hungary, Russia, Turkey.

Host: Coleoptera: *Larinus turbinatus* GYLL. (Curculionidae).

Subgenus *Glabrobracon* FAHRINGER 1927

***Bracon (Glabrobracon) angustiventris* TOBIAS 1957**

Material examined: Sinop-Ayancık-Bakırılızaviye, 2.7.2001, 1♀.

General Distribution: Palaearctic: Azerbaijan, Kazakhstan, Russia, Turkey, Turkmenistan.

***Bracon (Glabrobracon) anthracinus* (NEES VON ESENBECK 1834)**

Material examined: Bolu-Mengen-Kiyaslar, 28.6.2001, 1♂; - Siyamoglu, 28.6.2001, 1♀. Düzce-Kaynaslı-Ücköprü, 27.6.2001, 2♀. Karabük-Safranbolu-Inceçay-Saricicek dağı, 29.6.2001, 3♀, 1♂; - Cay, 28.8.2002, 1♀, 13.6.2002, 1♀; - Eskipazar-Ortaköy, 28.8.2002, 2♀. Kastamonu-Catören, 30.8.2002, 3♀, 1♂; - Akkaya, 31.8.2002, 1♀; - Ballıdag, 29.8.2002, 1♀; - Daday-Ballıdag, 1580 m. 1.7.2001, 1♀; - Daday-Ballıdag-Sarpun 1.7.2001, 1♀; - Daday-Incegiz, 1.7.2001, 1♀; - Ilgaz dağı- Catören, 3.7.2001, 2♀; - Arac-Akgecit, 28.6.2002, 1♂; - Küre-Ersizlerdere, 12.6.2002, 1♀, 1♂; - Küre-Ersizlerdere-İpsinler, 12.6.2002, 1♀. Sinop-Boyabat-Çangal dağı-Kozcağız, 2.7.2001, 3♀, 1♂; - Boyabat-Salar, 3.7.2001, 1♀; - Boyabat-Çangal dağı-Avdullu, 2.7.2001, 1♀; - Boyabat-Çangal dağı-Kozcağız, 2.7.2001, 1♂; - Demirci, 11.6.2002, 1♀. Zonguldak-Karadeniz Ereğli, 8.6.2002, 1♀.

General Distribution: Palaearctic: Austria, Azerbaijan, Belgium, Caucasia, China, England, former Yugoslavia, France, Germany, Greece, Hungary, Italy, Kazakhstan, Mongolia, Poland, Russia, Spain, Sweden, Turkey, Turkmenistan.

H o s t s : Coleoptera: *Miarus campanulae* L., *Hylobius piceus* DEG. (Curculionidae),
Lepidoptera : *Laspeyresia strobilella* L. (Tortricidae), Diptera: *Urophora cuspidata* MG.
(Tephritidae).

***Bracon (Glabrobracon) atrator* (NEES VON ESENBECK 1834)**

M a t e r i a l e x a m i n e d : Bolu-Siyamoglu, 28.6.2001, 1♀, 1♂. Karabük-Cay, 13.6.2002,
1♂; - Safranbolu-Inceçay-Saricicek dagi, 29.6.2001, 3♂♂, 2♀♀; - Eskipazar-Ortaköy,
28.8.2002, 1♀. Kastamonu-Akkaya, 31.8.2002, 1♀; - Catalzeytin-Koprüköy, 10.6.2002, 1♀; -
Daday-Ballıdag, 1950 m. 1.7.2002, 2♀♀, 1♂; - Daday-Ballıdag- Kelebek yaylasi 1.7.2001, 1♀;
- Daday-Ballıdag-Sarpun, 1.7.2001, 4♀♀, 2♂♂; - Tosya-Ekinici, 31.8.2002, 1♀; - Küre-
Ersizlerdere, 12.6.2002, 1♀, 4♂♂; - Ilgazdağı-Catören, 3.7.2001, 1♀, 1♂. Sinop-Boyabat-
Kozcağız, 2.7.2001, 1♀, 4♂♂; - Kabalı, 11.6.2002, 1♀; - Küre-İkizciler, 12.6.2002, 6♀♀;
Yenicam, 6.9.2001, 3♀♀. Zonguldak-İlkış, 8.6.2002, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Austria, Belgium, Central Asia, Eng-
land, Finland, former Yugoslavia, France, Germany, Holland, Hungary, Italy,
Kazakhstan, Russia, Spain, Sweden, Turkey.

H o s t s : Coleoptera: *Gymnetron villosulum* GYKK., *Apion buddebergi* BED. (Curculi-
onidae), Diptera: *Tephritis separata* RD., *T. conura* Lw. (Tephritidae), *Phytobia*
flavifrons MG. (Agromyzidae), Lepidoptera: *Coleophora coronillae* Z. (Coleophoridae).

***Bracon (Glabrobracon) bilgini* BEYARSLAN 2002**

M a t e r i a l e x a m i n e d : Kastamonu-Arac-Toprakcuma, 13.6.2002, 1♀, 1♂; - Küre-
Ersizlerdere, 12.6.2002, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Turkey.

***Bracon (Glabrobracon) ciscaucasicus* TELENGA 1936**

M a t e r i a l e x a m i n e d : Zonguldak-Devrek-Davulga, 29.6.2001, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Azerbaijan, Caucasia, Crimea,
Kazakhstan, Kirghizistan.

New record for Turkey.

***Bracon (Glabrobracon) dolichurus* MARSHALL 1897**

M a t e r i a l e x a m i n e d : Cankiri-Cerkes, 4.7.2001, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Hungary, Rumenia.
New record for Turkey.

***Bracon (Glabrobracon) epitriptus* MARSHALL 1885**

M a t e r i a l e x a m i n e d : Zonguldak-Devrek, 28.6.2001, 1♀; - Devrek-Davulga, 29.6.2001, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Baltic, Caucasia, Kazakhstan, Western
Europe.

H o s t s : Coleoptera: *Iteomyia capreae* WINN. (Cecidomyiidae), *Agromyza flaviceps*
FALL. (Agromyzidae), *Cryptorrhynchus lapathi* L. (Curculionidae).

New record for Turkey.

Bracon (Glabrobracon) fadiche BEYARSLAN 1996

M a t e r i a l e x a m i n e d : Bolu-Aladag-Kökez, 27.8.2002, 1♀. Karabük-Safranbolu-Inceçay-Saricicek dağı, 29.6.2001, 2♀♀; - Safranbolu-Inceçay-Saricicek dağı, 4.9.2001, 1♂. Kastamonu-Küre-Ersizlerdere, 12.6.2002, 1♀; - Daday-Ballıdag, 29.8.2002, 1♀; - Catalzeytin-Köprüköy, 10.6.2002, 1♀; - Kanlıgöl, 28.8.2002, 1♀. Sinop-Demirci, 3.7.2001, 1♀; - Boyabat-Kozcağız, 2.7.2001, 1♀; - Boyabat-Yabanlı, 7.9.2001, 1♂; - Yenicam, 6.9.2001, 1♀, 2♂♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Turkey.

Bracon (Glabrobracon) fumipennis (THOMSON 1892)

M a t e r i a l e x a m i n e d : Kastamonu-Hanönü, 2.7.2001, 1♀, 1♂; - İlgaçdağı-Catören, 3.7.2001, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Austria, Finland, former Yugoslavia, France, England, Sweden, Hungary, Poland, Russia, Turkey.

H o s t s : Diptera: *Tephritis pulchra* Lw., *Chaetostomella cylindrica* R.-D., *C. onotropes* Lw. (Tephritidae).

Bracon (Glabrobracon) larvicida (WESMAEL 1838)

M a t e r i a l e x a m i n e d : Bartın, 9.6.2002, 1♀. Bolu-Aladag-Kökez, 27.8.2002, 1♀. Cankiri-Ilgaz-Derbent Motel, 30.8.2002, 8♀♀, 2♂♂. Karabük-Safranbolu-Inceçay-Saricicek dağı, 29.6.2001, 1♀. Kastamonu-Catören, 30.8.2002, 1♀, 1♂; - Daday-Ballıdag-Sarpun, 1.7.2001, 1♀; 29.8.2002, 1♀; - İlgaç dağı, 1850-2100m, 20.8.2002, 1♀; - Küre-Ersizlerdere-Ipsinler, 12.6.2002, 5♀♀, 1♂. Sinop-Ayancık, 6.9.2001, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Austria, Belgium, former Yugoslavia, France, England, Italy, Hungary, Central Asia, Rumenia, Turkey.

Bracon (Glabrobracon) lividus TELENGA 1936

M a t e r i a l e x a m i n e d : Bolu-Aladag-Kökez, 27.8.2002, 1♀; - Aladag-Serif Yüksel Araç Ormanı, 27.8.2002, 1♀. Cankiri-Ilgaz-Derbent Motel, 30.8.2002, 1♀. Kastamonu-Azdaçay-Kayabogazı, 5.9.2001, 1♀; - Arac-Akgeçit, 28.6.2002, 1♀, 3♂♂; - Catören, 30.8.2002, 1♀; - Hanönü, 2.7.2001, 1♀; 6.9.2001, 1♂; - Ballıdag, 29.8.2002, 2♀♀; - Daday-Inceğiz Çiftlik, 29.8.2002, 1♂; - İlgaç dağı-Catören, 3.7.2001, 1♀. Karabük-Bostanbükü, 28.8.2002, 1♀, 1♂; - Cay, 28.8.2002, 1♀, 1♂; - Eskipazar-Ortaköy, 28.8.2002, 1♂. Sinop-Boyabat-Salar, 3.7.2001, 1♀; - Yenicam, 2.7.2001, 1♀, 1♂; 6.9.2001, 1♀, 1♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Armenia, Caucasia, Turkey.

Bracon (Glabrobracon) macrurus THOMSON 1892

M a t e r i a l e x a m i n e d : Kastamonu-Küre-Ersizlerdere, 12.6.2002, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Caucasia, Northern Europe.

H o s t : Coleoptera: *Anthonomus pomorum* L. (Curculionidae).

New record for Turkey.

Bracon (Glabrobracon) nigripilosus TOBIAS 1957

M a t e r i a l e x a m i n e d : Sinop-Kabah, 7.9.2001, 1♀; - Küre-İkizciler, 12.6.2002, 2♀♀; - Yenicam, 6.9.2001, 2♀♀.

General Distribution: Palaearctic: SSSR.

New record for Turkey.

***Bracon (Glabrobracon) obscurator* (NEES VON ESENBECK 1812)**

Material examined: Bolu-Caydurt, 28.6.2001, 1♂. Cankiri-Ilgaz-Derbent Motel, 30.8.2002, 6♀♀, 2♂♂. Corum-Kargi, 31.8.2002, 1♂. Düzce-Ücköprü-Kaynasli, 27.6.2001, 2♀♀. Kastamonu-Daday-Ballidag-Sarpun, 1.7.2001, 1♀; - Kanlıgöl-M. Parki, 28.8.2002, 2♀♀; - Akkaya 31.8.2002, 1♀; - Daday-Ballidag-Sarpun, 29.8.2002, 2♀♀; - Daday-Incegiz, 1.7.2001, 1♂; - Catören, 30.8.2002, 3♀♀; - Catalzeytin-Köprüköy, 10.6.2002, 1♀; - Ilgazdağı-Catören, 3.7.2001, 1♀; - Hanönü, 6.9.2001, 3♀♀; - Küre-Ersizlerdere-Ipsinler, 12.06.2002, 3♀♀, 1♂. Karabük-Eskipazar-Ortaköy, 28.8.2002, 3♀♀; - Cay, 28.8.2002, 1♀; - Bostanbükkü, 28.8.2002, 1♀. Sinop-Kabali, 11.6.2002, 1♀; - Yenicam, 2.7.2001, 1♂. Zonguldak-Caycuma-Yolgecen, 9.6.2002, 1♂.

General Distribution: Palaearctic: Austria, Azerbaijan, Belgium, Caucasia, Central Asia, China, Denmark, England, former Czechoslovakia, Finland, former Yugoslavia, Germany, Hungary, Italy, Kazakhstan, Poland, Rumenia, Russia, Siberia, Spain, Sweden, Turkey.

Hosts: Lepidoptera: *Homoeosoma sinuellum* F. (Phycitidae), *Epermenia fulviguttella* Z. (Epermeniidae), *Coleophora caespitiella* Z. (Coleophoridae), Coleoptera: *Trachys pumila* Ill., *T. troglodytes* GYLL. (Buprestidae), *Orthotomicus suturalis* GYLL., *Hylesinus fraxini* PANZ., *Ips typographus* L. (Scolytidae).

***Bracon (Glabrobracon) osculator* (NEES VON ESENBECK 1812)**

Material examined: Bolu-Siyamoglu, 28.6.2001, 1♂. Cankiri-Ilgaz-Kale, 4.7.2001, 1♂. Kastamonu-Daday-Ballidag, 1.7.2001, 1♀; - Hanönü, 2.7.2001, 1♀, 1♂; - Ilgaz dagi, Catören, 3.7.2001, 1♂; - Arac-Toprakcuma, 13.6.2002, 1♀; - Tasköprü-Alamasisli, 2.7.2001, 1♂. Sinop-Ayancık-Bakırızaviye, 2.7.2001, 3♀♀, 1♂; - Boyabat-Salar, 3.7.2001, 1♀. Zonguldak-Devrek, 28.6.2001, 1♀.

General Distribution: Palaearctic: Austria, Azerbaijan, Belgium, Caucasia, Denmark, England, Finland, former Yugoslavia, France, Germany, Holland, Hungary, Italy, Mongolia, Poland, Rumenia, Russia, Siberia, Sweden, Turkey.

Hosts: *Coleophora* sp. (Coleophoridae).

***Bracon (Glabrobracon) pauris* BEYARSLAN 1996**

Material examined: Karabük-Safranbolu-Inceçay-Saricicek dagi, 29.6.2001, 2♀♀. General Distribution: Turkey.

***Bracon (Glabrobracon) picticornis* (WESMAEL 1838)**

Material examined: Corum-Kargi, 31.8.2002, 3♀♀. Kastamonu-Arac-Akgecici, 28.6.2002, 1♂; - Catalzeytin-Köprüköy, 10.6.2002, 1♀; - Ilgazdağı-Catören, 3.7.2001, 3♀♀, 1♂; - Hanönü, 2.7.2001, 2♀♀; - Azdavay-Mehmetcelebi, 5.8.2001, 1♂. Sinop-Boyalı, 11.6.2002, 1♂; - Boyabat-Kozcağız, 2.7.2001, 1♀; - Boyabat-Salar, 3.7.2001, 2♂♂; - Yenicam, 6.9.2001, 1♀. Zonguldak-Devrek-Davulga, 29.6.2001, 1♂.

General Distribution: Palaearctic: Afghanistan, Austria, Belgium,

England, Finland, former Yugoslavia, France, Germany, Holland, Hungary, Italy, Kazakhstan, Poland, Russia, Sweden, Turkey.

H o s t s : Lepidoptera: *Pontania viminalis* L., *P. vesicator* BREMI, *P. proxima* LEP., *P. pedinculi* HTG., *Nematus bipartitus* LEP., *N. salicis* L. (Tenthredinidae), *Cochylis pallidana dolosana* KENN. (Tortricidae). Coleoptera: *Plagionotus arcuatus* L., *Cyltus* sp. (Cerambycidae),

***Bracon (Glabrobracon) pineti* THOMSON 1892**

M a t e r i a l e x a m i n e d : Bolu-Siyamoglu, 28.6.2001, 2♀ ♀. Kastamonu-Ballidag 1600-1740m, 29.8.2002, 2♀ ♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Caucasia, Central Asia, Eastern Siberia, Kazakhstan, Western Europe.

H o s t s : Lepidoptera : *Laspeyresia strobilella* L. (Tortricidae). Coleoptera : *Ernobius abietis* F., *E. abietinus* GYLL., *E. nigrinus* STURM., *E. longicornis* STURM. (Anobiidae).

New record for Turkey.

***Bracon (Glabrobracon) planinotus* TOBIAS 1957**

M a t e r i a l e x a m i n e d : Bolu-Siyamoglu, 28.6.2001, 3♀ ♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Kazakhstan, Turkey.

***Bracon (Glabrobracon) popovi* TELENGA 1936**

M a t e r i a l e x a m i n e d : Bolu-Siyamoglu, 28.6.2001, 1♂, 1♀. Kastamonu-Daday-Ballidag-Sarpun, 1.7.2001, 1♀; - Arac-Akgecit, 28.6.2002, 1♀; - Ilgazdağı-Catören, 3.7.2001, 4♀ ♀. Karabük-Safranbolu-Inceçay-Saricicek dagi, 29.6.2001, 1♀. Sinop-Boyabat-Kozcagiz, 2.7.2001, 2♀ ♀; - Demirci, 3.7.2001, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Central Asia, Kazakhstan, Russia, Turkey.

***Bracon (Glabrobracon) praetermisus* MARSHALL 1885**

M a t e r i a l e x a m i n e d : Kastamonu-Daday-Ballidag, 1.7.2001, 2♀ ♀; - Küre-Ersizlerdere-Ipsinler, 12.6.2002, 1♂; - Daday-Sarpun, 29.8.2002, 1♀, - Ballidag, 29.8.2002, 1♂; - Igaz dagi, 30.8.2002, 1♀; Arac-Toprakcuma, 13.6.2002, 1♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Caucasia, Kazakhstan, Southern Siberia, Western Europe.

H o s t s : *Cochylis posterans* Z., *C. roseana* Hw. (Tortricidae); *Nepticula hanoverella* GLITZ. (Nepticulidae), *Aristotelia brizella* TR. (Gelechiidae); Diptera: *Noeeta pupillata* FALL. (Tephritidae); Hymenoptera: *Biorhiza pallida* OL. (Cynipidae), *Cephus pygmaeus* L. (Cephidae); Coleoptera: *Orthotomicus proximus* EICHH. *O. laricis* F. *O. suturalis* GYLL. (Scolytidae).

New record for Turkey.

***Bracon (Glabrobracon) variator* (NEES VON ESENBECK 1812)**

M a t e r i a l e x a m i n e d : Kastamonu-Daday-Incegiz, 1.7.2001, 1♂. Bartın, 9.6.2002, 2♀♀; - Çamlık, 30.6.2001, 2♀♀. Bolu-Aladag-Kökez, 27.8.2002, 1♀; - Aladag-Serif Yüksel Araş. Orm., 27.8.2002, 2♀♀; - Siyamoglu, 28.6.2001, 1♀. Cankiri-Ilgaz-Derbent Motel, 30.8.2002, 1♀; - Ilgaz-Kale, 4.7.2001, 1♀, 1♂. Düzce-Kaynaklı-Ücköprü, 27.6.2001, 3♂♂; Karabük-Eskipazar-Ortaköy, 28.8.2002, 1♀; - Safranbolu-Inceçay-Saricicek dagı, 29.6.2001, 1♀. Kastamonu-Ilgaz dagı-Catören, 3.7.2001, 1♀; - Küre-Ersizlerdere, 12.6.2002, 1♀; - Daday-Incegiz, 1.7.2001, 2♀♀, 1♂; - Daday-Incegiz-Ciftlik, 29.8.2002, 1♀; - Daday-Ballıdag, 1500-1700 m, 29.8.2002, 1♀; - Hanönü, 6.9.2001, 2♀♀, 1♂; - Kanlıgöl Milli Parkı, 28.8.2002, 1♀, 1♂. Sinop-Ayancık-Bakırılızviye, 6.9.2001, 1♀; - Akkaya, 31.8.2002, 1♀; - Boyabat-Kozcağız, 2.7.2001, 2♀♀; - Boyabat-Salar, 3.7.2001, 1♂; - Boyabat-Yabanlı, 7.9.2001, 1♀; - Yenicam, 6.9.2001, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Austria, Belgium, Central Asia, China, Crimea, England, Finland, former Czechoslovakia, former Yugoslavia, France, Germany, Holland, Hungary, Iran, Italy, Mongolia, Poland, Rumenia, Russia, Spain, Sweden, Turkey.

H o s t s : Lepidoptera: *Platyedra subcinerea* Hw., *Pexicopia malvella* HB., *Mesophleps corsicellus* Y.-S. (Gelechiidae), *Hadena bicruris* HFN. (Noctuidae), *Lithocolletis mespilella* HB. (Gracillariidae), *Aegeria andrenaeformis* LASP. (Sesiidae), *Coleophora medelichennis* KR., *C. coronillae* Z. (Coleophoridae), *Grapholitha funebrana* TR., *G. dorsana* F., *Barbara herrichiana* OBR., *Pandemis cerasana* HB., *Petrova resinella* L., *Laspeyresia strobilella* L., *eucoisma cana* HW. (Tortricidae), *Etiella zinckenella* TR., *Dioryctria abietella* DEN. & SCHIFF., *Myelois cibrella* HB. (Phycitidae), Coleoptera: *Ernobius nigrinus* STURM. (Anobiidae), *Larinus turbinatus* GYLL., *L. jaceae* F., *Anthonomus pomorum* L., *Sibinia viscariae* L., *Pissodes validirostris* GYLL., *Baris cuprirostris* F., *B. laticollis* MARSY., *B. chlorisans* GERM., *Magdalalis rufa* GERM., *Gymnetron tetrum* L., *G. asellus* GRAV., *Miarus campanulae* L., *Sitona longulus* GYLL., *Ceutorhynchus punctiger* GYLL. (Curculionidae), *Bruchus laticollis* BOY., *B. lentsis* FROL., *B. viciae* OL., *B. atomarius* L., *Bruchidius lividimanus* GYLL., *B. poupillieri* ALL. (Bruchidae), Diptera: *Pegohylemyia seneciella* MEADE (Anthomyiidae), *Noeeta pupillata* FALL., *Chaetostomella cylindrica* R.-D., *Tephritis leontodontis* DEG., *Sphenella marginata* FALL. (Tephritidae); *Hoplocampa brevis* KLUG, Hymenoptera: *Y. flava* L. (Tenthredinidae).

Subgenus *H a b r o b r a c o n* ASHMEAD 1895***Bracon (Habrobracon) hebetor* (SAY 1836)**

M a t e r i a l e x a m i n e d : Karabük-Safranbolu, 4.9.2001, 1♀, 3♂♂. Kastamonu-Hanönü, 6.9.2001, 34♀♀, 33♂♂; - Azdavay-K-boğazi, 5.9.2001, 3♀♀. Sinop-Boyabat-Yabanlı, 7.9.2001, 4♀♀, 1♂; - Kabalı, 7.9.2001, 2♀♀; - Yenicam, 6.9.2001, 1♀, 2♂♂; Zonguldak-Cukuroren, 9.6.2002, 1♀.

G e n e r a l D i s t r i b u t i o n : Etiopic: Indo-Austria, Nearctic, Neotropic, Palaearctic (including Turkey)

H o s t s : Lepidoptera: *Ephestia*, *Plodia* and *Galleria* species; in fields parasitizes many hosts, mostly lepidopterans of different families [*Ostrinia nubilalis* HB., *Pexicopia malvella* HB., *Etiella zinckenella* TR., *Helicoverpa armigera* HB., *Heliothis peltigera* DEN. & SCHIFF. (Phycitidae)].

***Bracon (Habrobracon) nigricans* (SZÉPLIGETI 1901)**

M a t e r i a l e x a m i n e d : Kastamonu-Küre-Ersizlerdere-Ipsinler, 12.6.2002, 1♀, 1♂; - Arac-Toprakcuma, 13.6.2002, 1♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Asia, China, Hungary, Mongolia, Russia, Turkey.

H o s t s : Lepidoptera : *Etiella zinckenella* TR. (Phycitidae), *Pexicopia malvella* HB. (Gelechiidae), *Cnebahasia sedana* CONTS. (Torticidae).

***Bracon (Habrobracon) radialis* TELENGA 1936**

M a t e r i a l e x a m i n e d : Sinop-Boyalı, 11.6.2002, 2♀♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Austria, Central Asia, Kazakhstan, Mongolia, Turkey, Western Russia.

H o s t : Lepidoptera: *Plutella maculipennis* CURT. (Plutellidae).

***Bracon (Habrobracon) variegator* (SPINOLA 1808)**

M a t e r i a l e x a m i n e d : Bolu-Mengen-Kiyaslar, 28.6.2001, 1♀. Karabük-Safranbolu-Inceçay-Saricicek dağı, 29.6.2001, 1♀. Kastamonu-Daday-Ballıdag-Sarpun, 1.7.2001, 1♀. Zonguldak-Cukurören, 9.6.2002, 1♀; - Karadeniz Ereğlisi, 8.6.2002, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Austria, Belgium, China, England, Finland, former Yugoslavia, France, Russia, Germany, Hungary, Italy, Poland, Rumenia, Siberia.

H o s t s : Lepidoptera: *Tortrix viridana* L., *Laspeyresia strobilella* L., *Archips rosana* L., (Tortricidae); *Recurvaria nanella* DEN. & SCHIFF., *Anarsia lineatella* Z., *Teleia modesta* D. (Gelechiidae); *Endrosis sarcitrella* L., *Agonopterix propinquella* TR. (Oecophoridae); *Acrobasis obtusella ottomana* CAR., *Hyphantidium terebellum* ZK. (Phycitidae); *Coleophora ibipennella* Z. (Coleophoridae); *Lithocolletis mespilella* HB., *L. kleemanella* F. (Gracillariidae); *Yponomeuta padellus* L. (Yponomeutidae), Coleoptera: *Ernobius abietis* F. (Anobiidae).

Subgenus *Lucobracon* FAHRINGER 1927

***Bracon (Lucobracon) brevitemporalis* TOBIAS 1959**

M a t e r i a l e x a m i n e d : Karabük-Safranbolu-Inceçay-Saricicek dağı, 29.6.2001, 2♀♀. Kastamonu-Daday-Ballıdag, 1.7.2001, 1♀. - Arac-Akgecit, 28.6.2002, 1♀, 1♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Kazakhstan.

New record for Turkey.

***Bracon (Lucobracon) erraticus* (WESMAEL 1838)**

M a t e r i a l e x a m i n e d : Bartın, 9.6.2002, 1♀, 2♂♂; - Çamlık, 30.6.2001, 1♂. Bolu-Caydurt, 28.6.2001, 1♀; - Mengen-Kiyaslar, 28.6.2001, 1♀. Cankırı-Cerkes, 4.7.2001, 1♂. Karabük-Safranbolu-Inceçay-Saricicek dağı, 29.6.2001, 1♂; Karabük-Bostanbüyü, 13.6.2002, 2♀♀; Kastamonu-Daday-Incegiz, 1.7.2001, 1♀; - Daday-Ballıdag, 1.7.2001, 1♂; 29.8.2002, 1♀; - Daday-Ballıdag-Sarpun, 1.7.2001, 2♀♀, 3♂♂; - Ilgaz dağı-Catören, 3.7.2001, 2♂♂; 30.8.2002, 1♀; - Inebolu-Yakaboyu, 10.6.2002, 1♂; Arac-Akgecici, 28.6.2002, 2♀♀, 1♂; - Kûre-Ayrancı, 12.6.2002, 1♀; - Kûre-Ersizlerdere, 12.6.2002, 2♂♂. Sinop-Ayancık-Bakırızaviye, 2.7.2001, 1♂; - Boyabat-Salar, 3.7.2001, 1♀; - Boyabat-Çangaldağı-Kozcağız, 2.7.2001, 1♀; - Kabah, 3.7.2001, 1♀, 3♂♂; 11.6.2002, 1♂; - Yenicam, 2.7.2001, 2♀♀. Zonguldak-Caycuma-Yolgecen, 9.6.2002, 1♂; - Devrek-Davulga, 29.6.2001, 1♂; - Karadeniz Ereglisi, 8.6.2002, 3♂♂.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Austria, Belgium, Caucasia, England, former Yugoslavia, Germany, Hungary, Kazakhstan, Lithuania, Poland, Russia, Spain, Sweden, Switzerland, Turkey.

H o s t s : Coleoptera: *Phaedon cochleariae* F., *Gastroidea viridula* DEG., *Phyllotreta nemorum* L. (Chrysomelidae) Lepidoptera: *Coleophora laricella* HB., *C. lutipennella* Z. (Coleophoridae); *Metzneria lapella* L. (Gelechiidae), *Chaetostomella cylindrica* R.-D., *Urophora eriolepidis* Lw., *Terellia serratulae* L. (Tephritidae); *Acleris rhombana* DEN. & SCHIFF. (Tortricidae); *Pennisetia hylaeiformis* LASP. (Sessidae).

***Bracon (Lucobracon) fortipes* WESMAEL 1838**

M a t e r i a l e x a m i n e d : Kastamonu-Daday-Sarpun, 29.8.2002, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Belgium, France, Germany, Hungary, Italy, Poland, Yugoslavia.

New record for Turkey.

***Bracon (Lucobracon) grandiceps* (THOMSON 1892)**

M a t e r i a l e x a m i n e d : Kastamonu-Daday-Sarpun, 29.8.2002, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Turkey, Western Europe.

***Bracon (Lucobracon) humidus* TOBIAS 1976**

M a t e r i a l e x a m i n e d : Kastamonu-Cide, 10.6.2002, 1♀. Bolu-Siyamoglu, 28.6.2001, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Black Sea coast of Caucasus.

New record for Turkey.

***Bracon (Lucobracon) hungaricus* (SZÉPLIGETI 1896)**

M a t e r i a l e x a m i n e d : Sinop-Boyabat-Çangal dağı- Kozcağız, 2.7.2001, 1♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: former Yugoslavia, Hungary, Russia, Turkey.

***Bracon (Lucobracon) meyeri* (TELENGA 1936)**

Material examined: Cankiri-Ilgaz dagi-Derbent Motel, 30.8.2002, 1♀.

General Distribution: Palaearctic: Kazakhstan, Mongolia, Russia, Yakutia.

New record for Turkey.

***Bracon (Lucobracon) nigriventris* (WESMAEL 1838)**

Material examined: Bartin-Kurucasile-Danisment, 9.6.2000, 1♀ ; Bolu-Aladag-Cebni Yaylasi, 27.8.2002, 1♀ ; - Gerede-Guney, 13.6.2002, 1♀ ; Kastamonu-Arac-Akgecit, 28.6.2002, 1♀, 2♂♂ ; - Daday-Ballidag, 1.7.2001, 1♀, 4♂♂ ; - Catören, 30.8.2002, 2♂♂ ;

General Distribution: Palaearctic: Caucasus, Central Asia, Kazakhstan, Mongolia, Russia, Western Europe.

Hosts: Coleoptera: *Pissodes pini* L. *Hylobius piceus* DEG. (Curculionidae); *Plagionotus floralis* PALL. (Cerambycidae).

New record for Turkey.

***Bracon (Lucobracon) punctithorax* TOBIAS 1959**

Material examined: Karabük-Safranbolu-Inceçay-Saricicek dagi, 29.6.2001, 1♀ ; Kastamonu-Arac-Akgecit, 28.6.2002, 1♀, 1♂ ; Kastamonu-Daday-Ballidag, 1.7.2001, 1♀, 1♂ ; Kocaeli-Uzuntarla, 7.7.1993, 1♀.

General Distribution: Palaearctic: Kazakhstan.

New record for Turkey.

***Bracon (Lucobracon) suchorukovi* (TELENGA 1936)**

Material examined: Karabük-Cay, 28.8.2002, 1♀, Kastamonu-Ilgaz dagi, 30.8.2002, 1♀,

General Distribution: Palaearctic: Austria, Caucasus, Kazakhstan, Russia, Ukraine.

***Bracon (Lucobracon) thuringiacus* (SCHMIEDEKNECHT 1896)**

Material examined: Kastamonu-Küre-Ersizlerdere-Ipsinler, 12.6.2002, 1♀

General Distribution: Palaearctic: former Yugoslavia, Germany.

New record for Turkey.

***Bracon (Lucobracon) triangularis* (NEES VON ESENBECK 1834)**

Material examined: İstanbul-Bahçekoy-Bilezikçifliği, 24.6.1993, 1♀.

General Distribution: Palaearctic: Western Europe.

Host: Lepidoptera: *Aegeria tipuliformis* CL. (Sessidae).

New record for Turkey.

Subgenus *R o s t r o b r a c o n* TOBIAS 1957

***Bracon (R o s t r o b r a c o n) urinator* (FABRICIUS 1798)**

M a t e r i a l e x a m i n e d : Bolu-Karacasu-Gölcük, 26.8.2002, 1♀; - Aladag-Kökez, 27.8.2002, 1♂. Cankiri-Ilgaz-Derbent Motel, 30.8.2002, 1♀; - Cerkes, 4.7.2001, 1♀. Karabük-Safranbolu-Inceçay-Saricicek dağı, 29.6.2001, 1♂; - Eskipazar-Ortaköy, 28.8.2002, 2♂♂. Kastamonu-Daday-Ballıdag-Kelebek yaylası, 1.7.2001, 2♂♂; - Arac-Akgecıt, 28.6.2002, 3♀♀, 1♂; - Akkaya, 31.8.2002, 1♀; - Daday-Incegiz-Ciftlik, 29.8.2002, 1♀; - Daday-Ballıdag-Sarpun, 1.7.2001, 1♂. Sinop-Boyabat-Salar, 3.7.2001, 1♀; - Demirci, 3.7.2001, 1♂. Zonguldak-Devrek, 28.6.2001, 1♀, 3♂♂; 29.6.2001, 1♀; - Karadeniz Ereglisi, 8.6.2002, 2♀♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Albania, Belgium, Central Asia, France, Germany, Greece, Holland, Hungary, India, Iran, Italy, Kazakhstan, Portekiz, Rumenia, Russia, Spain, Syria, Tajikistan, Turkey.

H o s t s : Coleoptera : *Rhyocyllus conicus* FRÖL., *R. latirostris* F., *Larinus sturnus* SCHALL., *L. saussureae* MARSY. (Curculionidae), *Tephritis pulchra* Lw. (Tephritidae).

***Pigeria* ACHTERBERG 1985**

***Pigeria piger* (WESMAEL 1838)**

M a t e r i a l e x a m i n e d : Bartın-Camlık, 30.6.2001, 1♀. Bolu-Mengen-Kiyaslar, 28.6.2001, 2♀♀; - Siyamoglu, 28.6.2001, 1♀. Kastamonu-Daday-Ballıdag, 1.7.2001, 1♀; - Hanönü, 2.7.2001, 1♂; - İlgaçdağı-Catören, 3.7.2001, 1♂, 1♀; - Ballıdag, 29.8.2002, 1♀; - Daday-Sarpun, 29.8.2002, 1♀; - Arac-Toprakeuma, 13.6.2002, 1♀. Karabük-Bostanbükü, 13.6.2002, 1♀; - Cay, 28.8.2002, 1♀; - Safranbolu-Inceçay-Saricicek dağı, 29.6.2001, 1♀; - Eskipazar-Ortaköy, 28.8.2002, 1♂. Sinop-Boyabat-Çangal dağı-Avdullu, 2.7.2001, 1♀; - Yenicam, 2.7.2001, 2♀♀. Zonguldak-Caycuma-Kayıkcilar, 30.6.2001, 2♀♀.

G e n e r a l D i s t r i b u t i o n : Palaearctic: Austria, Belgium, England, former Czechoslovakia, France, Hungary, Italy, Japonya, Kazakhstan, Rumenia, Russia, Southern Caucasia, Turkey.

H o s t s : Lepidoptera : *Etiella zinckenella* TR. (Phycitidae), *Cochylis epilinana* DUP., *Cnephiasia longana* HW. (Tortricidae).

Acknowledgements

This research was supported by the Turkish Scientific and Technical Research Council (TUBITAK). Project: TBAG-1924.

Zusammenfassung

Von der westlichen Schwarzmeerküste wurden 62 Braconinae der Gattungen *Glyptomorpha* HOLMGREN, *Pseudovipio* SZÉPLIGETI, *Vipio* LATREILLE, *Ceratobracon* TELENGA, *Bracon* FABRICIUS und *Pigeria* ACHTERBERG nachgewiesen. Alle angeführten Arten sind Erstnachweise für die Regionalfauna, 21 zudem neu für die Türkei.

References

- ACHTERBERG C. van (1983a): Three new Palaearctic genera of Braconinae (Hymenoptera: Braconidae). — Ent. Scand. **14**: 69-76.
- ACHTERBERG C. van (1983b): Six new genera of Braconinae from Afrotropical Region (Hymenoptera: Braconidae). — Tijdschr. Ent. **126**: 175-202.
- ACHTERBERG C. van (1985): *Pigeria* gen.nov., a new Palaearctic genus of Braconinae (Hymenoptera: Braconidae). — Zool. Med. Leiden **59**: 168-174.
- ACHTERBERG C. van (1988): *Bracon lineifer* gen. nov., a peculiar new species from the Netherlands (Hymenoptera: Braconidae). — Ent. Ber. **49**: 191-194, Amsterdam.
- ACHTERBERG C. van (1990): Illustrated key to the subfamilies of the Holarctic Braconidae (Hymenoptera: Ichneumonoidea). — Zool. Med. Leiden **64** (1): 1-20.
- ACHTERBERG C. van & D.L.J. QUICKE (1991): A new genus of Braconinae with depressed ovipositor-tip from Oriental region (Hymenoptera: Braconidae). — Zool. Med. Leiden **65**: 199-202.
- BEYARSLAN A. (1986a): Türkiye'nin Akdeniz Bölgesinde saptanan *Bracon* F. (Hym.: Braconidae: Braconinae) türleri üzerinde araştırmalar I. [Investigations on the *Bracon*-species of Turkish Mediterranean region I (Hym.: Braconidae: Braconinae)]. — Turkish J. of Zool. (A2), **10**/1: 39-52, Ankara.
- BEYARSLAN A. (1986b): Türkiye'nin Akdeniz Bölgesinde saptanan *Bracon* F. (Hym.: Braconidae: Braconinae) türleri üzerinde araştırmalar II. [Investigations on the *Bracon*-species of Turkish Mediterranean region II (Hym.: Braconidae: Braconinae)], pp. 387-402. — In: VIII. National Congress of Biology, Izmir, Turkey.
- BEYARSLAN A. (1987): Trakya Bölgesinde Braconinae (Hym.: Braconidae) faunası üzerinde sistematičká araştırmalar [Investigations on the Braconinae-fauna of the Turkish Thrace (Hym.: Braconidae)]. I. Turkish Congress of Entomology, 13-16 October 1987. — Entomoloji Derneği yayınları 3: 595-604, İzmir.
- BEYARSLAN A. (1988): Zwei neue Arten der Familie Braconidae (Hym.) aus der Türkei. — Z. Arbgem. Österr. Ent. **39**/3-4: 71-76.
- BEYARSLAN A. (1991): Die Arten der Tribus Vipionini TELENGA aus der Türkei (Hym.: Braconidae: Braconinae). — Linzer biol. Beitr. **23**: 495-519.
- BEYARSLAN A. (1992): *Isomecus lalapasaensis* sp.nov. und *Vipiomorpha fischeri* sp. nov., zwei neue Arten der Tribus Vipionini (Hym.: Braconidae: Braconinae). — Entomofauna **13**/**15**: 253-260.
- BEYARSLAN A. (1996): Vier neue Arten der Tribus Braconini (Hym.: Braconidae, Braconinae). — Entomofauna **17**/**21**: 345-352.
- BEYARSLAN A. (1999): Liste der Braconinae-Arten der Mittelmeer- und Marmara Region der Türkei (Hym.: Braconidae). — Entomofauna **20**/**5**: 93-120.
- BEYARSLAN A. (2002a): Four new species of the genus *Bracon* (Hymenoptera: Braconidae, Braconinae) from Turkey. — Biologia **57** (2): 139-146.
- BEYARSLAN A. (2002b): Five new species of Braconinae from Turkey (Hymenoptera: Braconidae). — Entomofauna **23** (16): 189-200.
- BEYARSLAN A. & M. FISCHER (1990): Bestimmungsschlüssel zur Identifikation der paläarktischen *Bracon*-Arten des Subgenus *Glabrobracon* TOBIAS (Hym.: Braconidae: Braconinae). — Ann. Naturhist. Mus. Wien **91**/**B**: 137-145.
- BEYARSLAN A., İNANÇ F., ÇETİN Ö. & M AYDOĞDU 2002: Braconiden von den türkischen Inseln Imbros und Tenedos (Hymenoptera, Braconidae: Agathidinae, Braconinae, Cheloninae, Microgastrinae). — Entomofauna **23**(15): 173-188.
- CHISTI M.J.K. & D.L.J. QUICKE (1995): A new genus and phylogenetic analysis of the Bathyloaulacini and Glyptomorphini (Hymenoptera: Braconidae: Braconinae). — Syst. Ent. **20**: 73-84.

- GÜLER Y. & N. ÇAĞATAY (2001): Systematical Studies on the genus *Bracon* (*Glabrobracon*) (Hymenoptera: Braconidae: Braconinae) in Ankara Province. — Turkish J. Zool. 25(3): 275-285.
- PAPP J. (1997): Braconidae (Hymenoptera) from Korea, XIX. — Acta Zool. Hung. 43(2): 93-110.
- PAPP J. (1999a): A revision of the *Bracon* species described by O. Schmiedeknecht (Insecta: Hymenoptera: Braconidae: Braconinae). — Ent. Abh. Staatl. Mus. Tierkunde Dresden 58(16): 299-308.
- PAPP J. (1999b): Braconidae (Hymenoptera) from Greece, 4. — Annales Musei Goulandris 10: 223-247.
- PAPP J. (1999c): *Bracon (Glabrobracon) dilatus* sp. n. from Iran and Iraq with taxonomical remarks on several related species (Hymenoptera: Braconidae: Braconinae). — Folia Ent. Hung. 60: 269-282.
- QUICKE D.L.J. (1987): The Old World genera of braconinae wasps (Hym.: Braconidae). — J. Nat. Hist. 21: 43-157.
- QUICKE D.L.J. (1991): A Revision of the Australian Species of *Iphiaulax* FOERSTER and *Chaoilia* CAMERON (Insecta: Hymenoptera: Braconidae). — Records of the Australian Museum 43: 63-84.
- SHENEFELT R.D. (1978): Hymenopterum Catalogus, Pars 15. — The Hague (W. Junk) 1872 pp.
- SHAW M.R. & T. HUDDLESTON (1991): Classification and biology of braconid wasps (Hymenoptera: Braconinae). Handbooks for the Identification of British Insects, Vol. 7, Part 11. — Royal Entomol. Soc. of London, London, England: 1-126.
- TOBIAS V.I. (1976): Braconidi Kavkaza. Leningradskoe Otdelenie Nauk: 1-285.
- TOBIAS V.I. (1986): Translation: Keys to the Insects of European Part of the USSR, 3(4) (Hymenoptera, Braconidae). Science Publishers, Inc. 52 Labombard Road North Lebanon, NH 03766, USA. 94-149.

Address of the authors: Prof. Dr. Ahmet BEYARSLAN
Trakya Üniversitesi, Fen-Edebiyat Fakültesi
Biyoloji Bölümü
TR-22030 Edirne, Turkey
E-Mail: abeyars@trakya.edu.tr

Dr. Özlem Çetin ERDOĞAN
Trakya Üniversitesi, Fen-Edebiyat Fakültesi
Biyoloji Bölümü
TR-22030 Edirne, Turkey
E-Mail: cetinozlem@hotmail.com

Mitat AYDOĞDU
Trakya Üniversitesi, Fen-Edebiyat Fakültesi
Biyoloji Bölümü
TR-22030 Edirne, TURKEY
E-Mail: maydogdu75@hotmail.com

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Linzer biologische Beiträge](#)

Jahr/Year: 2005

Band/Volume: [0037_1](#)

Autor(en)/Author(s): Beyarslan Ahmet, Erdogan Özlem Çetin, Aydogdu Mitat

Artikel/Article: [A Survey of Braconinae \(Hymenoptera, Braconidae\) of Turkish Western Black Sea Region 195-213](#)