

Linzer biol. Beitr.	43/2	1623-1624	19.12.2011
---------------------	------	-----------	------------

## **Corrigendum**

**to**

**Description of a gynandromorphic  
*Myrmilla calva* (VILLIERS 1789), with a summary on  
gynandromorphism phenomenon within Mutillidae  
(Hymenoptera: Scolioidea)**

G.F. TURRISI & A. FOUCART

published in Linzer biologische Beiträge 40/2: 1873-1880  
(2008)

QUINTERO & CAMBRA (1994: 306) described a gynandromorphic specimen of *Pseudomethoca areta* (CAMERON 1895), who indicated that "*Thorax and legs identical to those of a normal male, without a recognizable trace of female characters*". Thus, the indication "*entirely female*" reported in TURRISI & FOUCART (2008: 1880, tab. 1 column 5, row 11) must be replaced with "*entirely male*" (see emended table below).

**Tab. 1:** Summary of described cases of gynandromorphism in Mutillidae, with topology of deviant mixed female-male characters and the group according to the classification proposed by DALLA TORRE & FRIESE (1899).

Species	Reference	Group	Head	Mesosoma	Metasoma
<i>Mutilla europaea</i> LINNAEUS 1758	MAEKLIN (1856)	I	left half male/right half female	left half male/right half female	left half male/right half female
<i>Pseudomethoca frigida</i> (SMITH 1855)	WHELEER (1910)	I	left half female/right half male	left half female/right half male	left half female, including part of genitalia/right half male, including part of genitalia
<i>Myrmosa atra</i> PANZER 1801	BISCHOFF (1913)	I	left half female in- cluding antenna 12- segmented/right half male including an- tenna 13-segmented	female	female (right half of T1 deformed but not recognizable as male trait)
<i>Dasymutilla vestita</i> (LEPELETIER 1845)	MANN (1915)	I	left half female/right half male	left half male/right half female; wings absent	left half male including part of genital capsule/ right half female inclu- ding part of genitalia
<i>Dasymutilla cypris</i> (BLAKE 1871)	MICKEL (1928)	III	entirely male	entirely male	segments 1-4 female; segments 5-7 male
<i>Traumatomutilla dubia</i> (FABRICIUS 1804)	BISCHOFF (1931)	IV	entirely male	entirely male	segment 1 male; remaining parts mosaic
<i>Dasymutilla gloriosa</i> (SAUSSURE 1868)	MICKEL (1936)	not indicated	not described	not described	not described
<i>Trogaspidia niveitegulata</i> BISCHOFF 1920	NONVEILLER (1973)	IV	entirely male	entirely male	six segments as female; segment 1 male; T2-3 mosaic; remaining parts female
<i>Smicromyrme varians</i> ANDRÉ 1904	NONVEILLER (1973)	II	entirely female	pronotum, mesonotum and metanotum male; wings vestigial; remaining parts, including legs, female	entirely female
<i>Pseudomethoca areta</i> (CAMERON 1895)	QUINTERO & CAMBRA (1994)	IV	entirely female	<b>entirely male</b>	T1 male; T2 left/right mosaic; T3 partial left/ right mosaic; segments 4-6 female; sternites left/right mosaic, except S3 female
<i>Myrmilla bison</i> (A. COSTA 1887)	TURRISI (1999)	I	left half male/right half female; an- tennae and supra- antennal horns fe- male (right antenna darker as male)	left half male/right half female; legs female (right legs darker as male)	female; presence of sting, without traces of male genital capsule
<i>Myrmilla calva</i> (VILLIERS 1789)	present paper	III	entirely female	entirely female	segments 1-5 female; segments 6-7 male, genital capsule of male present

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Linzer biologische Beiträge](#)

Jahr/Year: 2011

Band/Volume: [0043\\_2](#)

Autor(en)/Author(s): Turrisi Giuseppe Fabrizio, Foucart Antoine

Artikel/Article: [C o r r i g e n d u m to Description of a gynandromorphic \*Myrmilla calva\* \(VILLIERS 1789\), with a summary on gynandromorphism phenomenon within Mutillidae \(Hymenoptera: Scolioidea\) 1623-1624](#)