

Linzer biol. Beitr.	49/2	1133-1137	11.12.2017
---------------------	------	-----------	------------

On the Nearctic *Cryptophilus* REITTER, 1874 (Coleoptera: Erotylidae)

Jens ESSER

A b s t r a c t : The nearctic *Cryptophilus* REITTER, 1874 are revised. There are three species; all are introduced from the Palaearctic Region. The species described from the Nearctic Region by CASEY (1924) are junior synonyms.

K e y w o r d s : Erotylidae, *Cryptophilus*, Nearctic Region, new synonymy.

Introduction

There is different information about the number of species of *Cryptophilus* REITTER, 1874 in the Nearctic Region. LAWRENCE & VAURIE (1983) and ARNETT et al. (2002) mentioned three species for the United States and Canada: *Cryptophilus fluminalis* CASEY, 1924, *C. integer* (HEER, 1841) and *C. seriatus* CASEY, 1924. BOUSQUET et al. (2013) mentioned only *C. integer* (HEER, 1841) for Alaska and Canada.

Studying the types of *Cryptophilus fluminalis* CASEY, 1924 and *C. seriatus* CASEY, 1924 and the revision of *C. integer* (HEER, 1841) (ESSER 2016) shows that the Nearctic is inhabited by three species: *C. obliteratus* REITTER, 1874 (= *C. seriatus* CASEY, 1924), *C. propinquus* REITTER, 1874 (= *C. fluminalis* CASEY, 1924, *C. integer* sensu auct.) and *C. angustus* (ROSENHAUER, 1856) (= *C. integer* sensu auct.).

The name "*integer* HEER, 1841" is a junior synonym of *Micrambe abietis* (PAYKULL, 1798) (ESSER 2016). As in the Palaearctic Region are in the United States and Canada two different species named "integer": *C. propinquus* REITTER, 1874 and *C. angustus* (ROSENHAUER, 1856).

Material and methods

The material examined is deposited in the following collections:

MNHMHungarian National Museum, Budapest

UMSPUniversity of Minnesota Insect Collection, St. Paul, MN, USA

USNMNational Museum of Natural History, Smithsonian Institution,
Washington D. C.

WIRC.....Wisconsin Insect Research Collection, Madison, WI, USA

cES.....author's private collection, Berlin, Germany

The morphological studies were conducted using a Euromex DZ 1605 and Euromex BB.1153.PLI. Photographs were created with a ToupCam 14MP (ToupTek).

Results

The study of the types of *Cryptophilus fluminalis* CASEY, 1924 and *C. seriatus* CASEY, 1924 results the following synonymy:

***Cryptophilus obliterated* REITTER, 1874**

Cryptophilus seriatus CASEY, 1924

***Cryptophilus propinquus* REITTER, 1874**

Cryptophilus fluminalis CASEY, 1924

Cryptophilus integer sensu auct. nec HEER, 1841 part.

Among material from different institutes and private collections were found also *Cryptophilus angustus* (ROSENHAUER, 1856) (= *simplex* (WOLLASTON, 1857) = *Cryptophilus integer* sensu auct. nec HEER, 1841 part). For details, see ESSER 2016 and ESSER 2017.

Material examined

The following material was examined:

***Cryptophilus angustus* (ROSENHAUER, 1856)**

FL: Monroe Co. (USNM), TX: Travis Co. (cES).

***Cryptophilus propinquus* REITTER, 1874**

MS: Vicksburg Co. (type of *fluminalis* CASEY, 1924), MD: Prince George Co. (USNM), MI: Jackson Co., WI: Dane Co., Ozaukee Co., Sauk Co. (WIRC).

***Cryptophilus obliterated* REITTER, 1874**

AR: Faulkner Co. (WIRC), MA: Framingham Co., (type of *seriatus* CASEY, 1924), MD: Prince George Co. (USNM), MN: Rock Co. (UMSP), WI: Dane Co. , Door Co., Green Co., Iowa Co., Jefferson Co., Milwaukee Co., Ozaukee Co., Sauk Co. (WIRC).

Acknowledgement

I have to thank Craig Brabant, Jeff Gruber (WIRC, Madison), Charyn Micheli, Floyd Shockley (USNM, Washington), Ottó Merkl (Budapest), Robin Thomson (UMSP, St. Paul) for collecting, loaning or donating specimens. I also wish to thank the staff (Johannes Frisch, Bernd Jaeger, Manfred Uhlig and Joachim Willers) of the Museum für Naturkunde, Berlin for loaning specimens and supporting my work. Arved Lompe (Nienburg) prepared the pictures of the genitalia.




Fig. 1-4: (1) *Cryptophilus fluminalis* CASEY, 1924, holotype (USNM), (2) *Cryptophilus seriatus* CASEY, 1924, holotype (USNM); (3) *Cryptophilus obliteratus* REITTER, 1874, male, (4) aedeagus.




Fig. 5-8: (5) *Cryptophilus propinquus* REITTER, 1874, male, (6), aedeagus; (7) *Cryptophilus angustus* (ROSENHAUER, 1856), male, (8) aedeagus.

Zusammenfassung

Die Arten der Gattung *Cryptophilus* REITTER, 1874 aus der Nearktis werden revidiert. Es sind drei Arten in der Region bekannt, alle aus der Paläarktis eingeschleppt. Die beiden von CASEY (1924) aus der Nearktis beschriebenen Arten sind jüngere Synonyme.

References

- ARNETT Jr. R.H., THOMAS M.C., SKELLEY P.E. & J.H. FRANK (ed.) (2002): American Beetles, Vol. 2: Polyphaga: Scarabaeoidea through Curculionoidea. — CRC Press, Boca Raton.
- BOUSQUET Y., BOUCHARD P., DAVIS A.E. & D.S. SIKES (2013): Checklist of beetles (Coleoptera) of Canada and Alaska, Second edition. — Zookeys **360**:1-44.
- CASEY T.L. (1924): Additions to North American Coleoptera. — Memoirs on the Coleoptera **XI**: 188-189.
- ESSER J. (2016): Über die Identität von *Cryptophilus integer* (HEER, 1841) (Coleoptera: Erotylidae). — Entomologische Nachrichten und Berichte 60/3+4: 213-218.
- ESSER J. (2017): Was ist *Typhaea angusta* ROSENHAUER, 1856 (Coleoptera)? — Entomologische Zeitschrift **127** (4) (in press).
- LAWRENCE J.F. & P. VAURIE (1983): A Catalog of the Coleoptera of America North of Mexico. Family: Languriidae. — United States Department of Agriculture, No. 529-92.

Address of the author: Jens ESSER
Fagottstraße 6
D-13127 Berlin, Germany
E-mail: jens_esser@yahoo.de

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Linzer biologische Beiträge](#)

Jahr/Year: 2017

Band/Volume: [0049_2](#)

Autor(en)/Author(s): Esser Jens

Artikel/Article: [On the Nearctic Cryptophilus REITTER, 1874 \(Coleoptera: Erotylidae\) 1133-1137](#)