

Linzer biol. Beitr.	55/1	213-218	August 2023
---------------------	------	---------	-------------

A catalogue of the family Agaonidae (Hymenoptera, Chalcidoidea) of Eritrea

Michael MADL

A b s t r a c t : In Eritrea the family Agaonidae is represented by four genera and eight species. The subfamily Agaoninae is known by four species in the genera *Elisabethiella* GRANDI, 1928 (three species) and *Platyscapa* MOTSCHOUFSKY, 1864 (one species). The subfamily Kradibiinae is represented by four species in the genera *Ceratosolen* MAYR, 1885 (three species) and *Kradibia* SAUNDERS, 1883 (one species).

Key words : Agaonidae, Agaoninae, *Elisabethiella*, *Platyscapa*, Kradibiinae, *Ceratosolen*, *Kradibia*, catalogue, Eritrea

Introduction

Although 13 *Ficus* species have been recorded from Eritrea (AWERKE 1979, BERG & WIEBES 1992), the fig wasps fauna is poorly known. Hitherto, only eight species of the family Agaonidae have been recorded mainly based on historical material. The subfamily Agaoninae is represented by the genera *Elisabethiella* GRANDI, 1928 and *Platyscapa* MOTSCHOUFSKY, 1864 and the subfamily Kradibiinae by the genera *Ceratosolen* MAYR, 1885 and *Kradibia* SAUNDERS, 1883.

Annotated catalogue

AWEKE (1979: 71, 101) recorded *Ceratosolen* cf. *occultiventris* (MAYR, 1885) from Senkata (Eritrea). This is probably a printing error, because the locality is situated in Ethiopia (Province Tigray).

Subfamily A g a o n i n a e

Elisabethiella allotriozoonoides (GRANDI, 1916)

Blastophaga allotriozoonoides n.sp.: GRANDI 1916: 126 (key ♀), 128 (key ♂, Eritrea without exact locality), 129 (footnote 2: taxonomy), 136 (footnote: taxonomy).

Blastophaga allotriozoonoides GRANDI, 1916: GRANDI 1917: 4 (taxonomy, description ♀ ♂, Ghinda), 6 (figs 1.1-10), 11 (figs 2.1-10).

Blastophaga allotriozoonoides GRANDI, 1916: GRANDI 1920: 126 (footnote 1: taxonomy), 129 (footnote 1: taxonomy), 131 (footnote 1: taxonomy), 133 (footnote 1: taxonomy), 135 (footnote 1: taxonomy).

Blastophaga (Elisabethiella) allotriozoonoides GRANDI, 1916: GRANDI 1928a: 68 (taxonomy), 69 (taxonomy, catalogue Afrotropical region).

Blastophaga (Elisabethiella) allotriozoonoides GRANDI, 1916: GRANDI 1928b: 217 (world catalogue).

Blastophaga (Elisabethiella) allotriozoonoides GRANDI, 1916: GRANDI 1935: 221 (world catalogue).

Blastophaga (Elisabethiella) allotriozoonoides GRANDI, 1916: GRANDI 1941: 8 (world catalogue).

Blastophaga (Elisabethiella) allotriozoonoides GRANDI, 1916: GRANDI 1952: 76 (world catalogue).

Blastophaga (Elisabethiella) allotriozoonoides GRANDI, 1916: GRANDI 1955: 114 (world catalogue).

Elisabethiella allotriozoonoides (GRANDI, 1916): GRANDI 1963: 354 (taxonomy, world catalogue).

Elisabethiella allotriozoonoides (GRANDI, 1916): WIEBES 1966: 9 (world host-fig wasps catalogue).

Elisabethiella allotriozoonoides (GRANDI, 1916): WIEBES 1974: 31 (key).

Elisabethiella allotriozoonoides (GRANDI, 1916): BOUČEK, WATSHAM & WIEBES 1981: 167 (key).

Elisabethiella allotriozoonoides (GRANDI, 1916): WIEBES 1989a: 122 (key), 135 (taxonomy, Eritrea (GRANDI 1917)).

Elisabethiella allotriozoonoides (GRANDI, 1916): WIEBES & COMPTON 1990: 220 (pollinator-host catalogue Afrotropical region).

Elisabethiella allotriozoonoides (GRANDI, 1916): BERG & WIEBES 1992: 181 (biology), 234 (key ♀, tab. 9: taxonomy ♂), 242 (taxonomy, description ♀ ♂, biology, Ethiopia = Eritrea).

Host fig: *Ficus natalensis* HOCHSTETTER, 1847 – not recorded from Eritrea.

Distribution: Ghinda.

Elisabethiella allotriozoonoides is also known from Uganda.

***Elisabethiella glumosae* WIEBES, 1989**

Elisabethiella glumosae spec.nov: WIEBES 1989a: 119 (tab. 1: biology), 120 (tab. 2: biology), 122 (key), 131 (description ♀ ♂, biology, Ethiopia without exact locality (leg. Beccari) = Keren), 132 (figs 28-32).

Elisabethiella glumosae WIEBES, 1989: WIEBES & COMPTON 1990: 204 (tab. 1: host-pollinator catalogue Afrotropical region), 220 (pollinator-host catalogue Afrotropical region).

Elisabethiella glumosae WIEBES, 1989: BERG & WIEBES 1992: 39 (tab. 6: biology), 108 (biology), 234 (key ♀, tab. 9: taxonomy ♂), 240 (taxonomy, description ♀ ♂, biology, Ethiopia = Eritrea).

**Elisabethiella* sp.: AWEKE 1979: 28 (Keren – locality of host fig), 99 (biology, Ethiopia = Eritrea).

Host fig: *Ficus glumosa* DELILE, 1826.

Distribution: Keren.

Elisabethiella glumosae is also recorded from Cameroon, Republic of Guinea, South Africa, Tanzania, and Zambia. When I read the record from Ethiopia (leg. Beccari) by WIEBES (1989), I immediately thought, that the locality is situated in Eritrea. The record in AWEKE (1979: 28, 99) confirmed my presumption. The Italian botanist Odoardo Beccari (16.11.1843 – 25.10.1920) visited Eritrea in 1870 and collected mainly in Bogos, the area around Keren (ISSEL 1876).

***Elisabethiella socotrensii* (MAYR, 1885)**

Elisabethiella socotrensii (MAYR, 1885): AWEKE 1979: 92 (Saganeiti (Valle di Degerra) – locality of the host fig), 102 (biology, Eritrea part of Ethiopia).

Elisabethiella socotrensii (MAYR, 1885): WIEBES 1989a: 119 (tab. 1: biology), 120 (tab. 2: biology), 122 (key), 132 (fig. 27), 134 (taxonomy, biology, Saganeiti (Valle di Degerra)).

Elisabethiella socotrensii (MAYR, 1885): WIEBES & COMPTON 1990: 204 (tab. 1: host-pollinator catalogue Afrotropical region), 220 (pollinator-host catalogue Afrotropical region).

Elisabethiella socotrensii (MAYR, 1885): BERG & WIEBES 1992: 38 (tab. 5: biology), 39 (tab. 6: biology), 108 (biology), 122 (biology), 199 (fig. 41b), 200 (footnote: taxonomy), 234 (key ♀, tab. 9: taxonomy ♂), 242 (taxonomy, description ♀ ♂, biology, Eritrea part of Ethiopia).

Host fig: *Ficus vasta* FORSSKÅL, 1775.

D i s t r i b u t i o n : Saganeiti.

Elisabethiella socotrensis is known from the Afrotropical (Eritrea, Ethiopia, Kenya, South Africa, Tanzania, Uganda, Zambia, Zimbabwe, Socotra) and Palaearctic (Saudi Arabia) regions.

***Platyscapa soraria* WIEBES, 1977**

Platyscapa soraria spec.nov.: WIEBES 1980: 205 (figs 35-39), 206 (description ♀ ♂, biology, 18 km SW Asmara (road to Adua), footnote: taxonomy of host fig).

Platyscapa soraria WIEBES, 1980: WIEBES 1986: 350 (tab. 5: world parasitoid-host catalogue: Ethiopia = Eritrea), 351 (biology, Ivory Coast, South Africa).

Platyscapa soraria WIEBES, 1980: WIEBES & COMPTON 1990: 204 (tab.1: host-pollinator catalogue Afrotropical region), 219 (pollinator-host catalogue Afrotropical region, footnote 6: biology).

Platyscapa soraria WIEBES, 1980: BERG & WIEBES 1992: 24 (biology), 90 (biology), 196 (taxonomy), 222 (key, fig. 58d), 223 (key), 226 (taxonomy, description ♀ ♂, biology, Ethiopia = Eritrea).

**Platyscapa* sp.: AWEKE 1979: 41 (18 km SW Asmara (road to Adua)) – locality of the host fig), 100 (biology, Ethiopia = Eritrea).

H o s t f i g : *Ficus ingens* MIQUEL, 1867.

D i s t r i b u t i o n : 18 km S Asmara.

Platyscapa soraria is also recorded from Ivory Coast, Malawi, South Africa, Tanzania, Zambia and Zimbabwe.

Subfamily K r a d i b i i n a e

***Ceratosolen arabicus* MAYR, 1906**

Ceratosolen arabicus MAYR, 1906: GRANDI 1917: 15 (taxonomy, description ♀ ♂, biology, Ghinda (♂ partim), Keren), 16 (figs 3.1-10), 17 (footnote 1: taxonomy), 18 (figs 4.1-3), 20 (figs 5.1, 2), 22 (figs 5.1-11), 24 (figs 7.1-3).

Ceratosolen arabicus MAYR, 1906: GRANDI 1928b: 170 (taxonomy, biology, Eritrea (Grandi 1917)), 221 (world catalogue).

Ceratosolen arabicus MAYR, 1906: GRANDI 1935: 325 (world catalogue).

Ceratosolen arabicus MAYR, 1906: GRANDI 1941: 14 (world catalogue).

Ceratosolen arabicus MAYR, 1906: GRANDI 1952: 81 (world catalogue).

Ceratosolen arabicus MAYR, 1906: GRANDI 1955: 120 (world catalogue).

Ceratosolen arabicus MAYR, 1906: GRANDI 1963: 340 (world catalogue).

Ceratosolen arabicus MAYR, 1906: WIEBES 1964: 187 (taxonomy, Ghinda partim), 188 (taxonomy, Ghinda).

Ceratosolen arabicus MAYR, 1906: WIEBES 1966: 32 (world host-fig wasps catalogue).

Ceratosolen arabicus MAYR, 1906: WIEBES 1968: 307 (taxonomy, Ghinda), 309 (fig. 1: map).

Ceratosolen arabicus MAYR, 1906: GALIL, STEIN & HOROVITZ 1977: 202 (biology, Eritrea: Ghinda, Keren (WIEBES 1968)).

Ceratosolen arabicus MAYR, 1906: WIEBES 1989b: 252 (tab. 1: host-pollinator catalogue Afrotropical region), 254 (key ♀), 255 (taxonomy, Eritrea (MAYR 1906 – error, GRANDI 1917, WIEBES 1964, 1968), 256 (fig. 1: map).

Ceratosolen arabicus MAYR, 1906: WIEBES & COMPTON 1990: 204 (tab. 1: host-pollinator catalogue Afrotropical region), 220 (pollinator-host catalogue Afrotropical region).

Ceratosolen arabicus MAYR, 1906: BERG & WIEBES 1992: 25 (biology), 26 (tab. 2: biology), 27 (fig. 11), 27-28 (biology), 37 (biology), 38 (tab. 5: biology), 76 (biology), 77 (biology), 210 (key ♀), 211 (taxonomy, description ♀ ♂, tab. 8: taxonomy ♂, biology, Eritrea part of Ethiopia).

H o s t f i g : *Ficus sycomorus* LINNAEUS, 1753.

D i s t r i b u t i o n : Ghinda, Keren.

Ceratosolen arabicus, which is widely distributed in the Afrotropical region, is also known from Ethiopia and the Arabian Peninsula (Yemen).

***Ceratosolen galili* WIEBES, 1964**

Ceratosolen galili spec.nov.: WIEBES 1964: 188 (description ♀ ♂, biology, Ghinda), 189 (figs 1-15). *Ceratosolen galili* WIEBES, 1964: WIEBES 1968: 307 (taxonomy, biology, Ghinda), 309 (fig. 1: map). *Ceratosolen galili* WIEBES, 1964: WIEBES 1989b: 252 (tab. 1: world pollinator-host catalogue), 253 (tab. 2: world host-pollinator catalogue), 255 (key ♀), 261 (taxonomy, fig. 14, Eritrea (WIEBES 1964, 1968)).

Ceratosolen galili WIEBES, 1964: WIEBES & COMPTON 1990: 204 (tab. 1: host-pollinator catalogue Afrotropical region), 219 (pollinator-host catalogue Agaonidae Afrotropical region, footnote 4: biology).

Ceratosolen galili WIEBES, 1964: BERG & WIEBES 1992: 37 (biology), 38 (tab. 5: biology), 76 (biology), 77 (biology), 209 (key ♀), 210 (fig. 54f), 211 (tab. 8: taxonomy ♂), 215 (taxonomy, description ♀ ♂, biology, Eritrea part of Ethiopia).

Ceratosolen (Ceratosolen) galili WIEBES, 1964: WIEBES 1994: 126 (taxonomy, world catalogue).

**Ceratosolen arabicus* MAYR, 1906: GRANDI 1917: 15 (Ghinda (♂ partim – WIEBES 1964).

H o s t f i g : *Ficus sycomorus* LINNAEUS, 1753.

D i s t r i b u t i o n : Ghinda.

Ceratosolen galili, which is widely distributed in the Afrotropical region, is also recorded from Ethiopia and the Arabian Peninsula (Yemen).

***Ceratosolen julianae* GRANDI, 1916**

Ceratosolen julianae n.sp.: GRANDI 1916: 134 (taxonomy), 135 (taxonomy), 137 (taxonomy), 141 (taxonomy), 142 (taxonomy), 143 (taxonomy), 146 (taxonomy), 147 (taxonomy), 149 (taxonomy), 151 (key ♀), 152 (key ♂), 166 (description ♀ ♂, Asmara), 167 (figs 9.1-4), 168 (figs 10.1-9), 171 (figs 11.1-10).

Ceratosolen julianae GRANDI, 1916: GRANDI 1920: 72-73 (footnote 2: taxonomy).

Ceratosolen julianae GRANDI, 1916: GRANDI 1928b: 223 (world catalogue).

Ceratosolen julianae GRANDI, 1916: GRANDI 1935: 228 (world catalogue).

Ceratosolen julianae GRANDI, 1916: GRANDI 1941: 16 (world catalogue).

Ceratosolen julianae GRANDI, 1916: GRANDI 1952: 84 (world catalogue).

Ceratosolen julianae GRANDI, 1916: GRANDI 1955: 123 (world catalogue).

Ceratosolen julianae GRANDI, 1916: GRANDI 1963: 349 (world catalogue).

Ceratosolen julianae GRANDI, 1916: WIEBES 1989b: 252 (taxonomy (nomen oblitum), tab. 1: pollinator-host catalogue Afrotropical region).

H o s t f i g : unknown.

D i s t r i b u t i o n : Asmara.

Ceratosolen julianae, which is not mentioned in WIEBES & COMPTON (1990: 219), BERG & WIEBES (1992) and WIEBES (1994: 126), is also known from Cameroon.

***Kradibia gestroi afrum* (WIEBES, 1969)**

Kradibia gestroi afrum (WIEBES, 1969): BERG & WIEBES 1992: 26 (tab. 2: biology as *Kradibia gestroi* (GRANDI, 1916), 38 (tab. 5: biology as *Kradibia gestroi* (GRANDI, 1916), 42 (biology as *Kradibia gestroi* (GRANDI, 1916), 65 (biology), 69 (biology), 70 (biology), 205 (key), 206 (taxonomy, description ♀ ♂, fig. 52a (as *Kradibia gestroi* (GRANDI, 1916), biology, Eritrea part of Ethiopia).

**Liporrhopalum* sp.: AWEKE 1979: 15 (33 km S Nefasit – locality of the host fig), 99 (biology, Eritrea part of Ethiopia).

**Kradibia gestroi* (GRANDI, 1916): WIEBES 1978: 167 (tab. 1: host-pollinator catalogue), 170 (key), 176 (taxonomy, biology, Eritrea part of Ethiopia).

H o s t f i g : *Ficus capreifolia* DELILE, 1843.

D i s t r i b u t i o n : 33 km S Nefasit.

Kradibia gestroi afrum is also recorded from Cameroon, Ethiopia, Gabon, Ghana, Ivory Coast, Senegal, Tanzania, Togo, Zambia and Zimbabwe.

Acknowledgements

I would like to thank Manuela Vizek (Natural History Museum Vienna, Austria) for her support in many ways in compilation of the catalogue.

Zusammenfassung

Die Familie Agaonidae ist in Eritrea mit acht Arten aus vier Gattungen vertreten. Von der Unterfamilie Agaoninae sind vier Arten aus den Gattungen *Elisabethiella* GRANDI, 1928 (drei Arten) und *Platyscapa* MOTSCHOUISKY, 1864 (eine Art) nachgewiesen und von der Unterfamilie Kradibiinae vier Arten aus den Gattungen *Ceratosolen* MAYR, 1885 (drei Arten) und *Kradibia* SAUNDERS, 1883 (eine Art).

References

- AWEKE G. (1979): Revision of the genus *Ficus* L. (Moraceae) in Ethiopia (Primitiae Africanae XI). — Mededelingen Landbouwhogeschool Wageningen **79/3**: 1-115.
- BERG C.C. & J.T. WIEBES (1992): African fig trees and fig wasps. — Verhandelingen der Koninklijke Nederlandse Akademie van Wetenschappen **89**, 298 pp.
- BOUČEK Z., WATSHAM A. & J.T. WIEBES (1981): The fig wasp fauna of the receptacles of *Ficus thonningii* (Hymenoptera, Chalcidoidea). — Tijdschrift voor Entomologie **124/5**: 149-233, pls. 1-4.
- GALIL J., STEIN M. & A. HOROVITZ (1977): On the Origin of the Sycomore Fig (*Ficus sycamorus* L.) in the Middle East. — Gardens' Bulletin Singapore **29**: 191-205.
- GRANDI G. (1916): Gli Agaonini (Hymenoptera Chalcididae) raccolti nell'Africa Occidentale dal Prof. F. Silvestri. — Bollettino del Laboratorio di Zoologia Generale e Agraria della R. Scuola Superiore d'Agricoltura in Portici **10**: 121-286.
- GRANDI G. (1917): Contributo alla conoscenza degli "Agaonini" (Hymenoptera Chalcididae) dell'Eritrea e dell'Uganda. — Bollettino della Società Entomologica Italiana **48/1-4**: 3-42.
- GRANDI G. (1920): Studio morfologico e biologica della *Blastophaga psenes* (L.). — Bollettino del Laboratorio di Zoologia Generale e Agraria della R. Scuola Superiore d'Agricoltura in Portici **14**: 63-204.
- GRANDI G. (1928a): Due specie di *Blastophaga* delle isole Figi ed istituzione di un nuovo sottogenere (26° Contributo alla conoscenza degli Insetti dei Fichi). — Bollettino della Laboratorio di Entomologia del R. Istituto Superiore Agrario di Bologna **1**: 65-70.
- GRANDI G. (1928b): Revisione critica degli Agaonidi descritti di Gustavo Mayr e Catalogo ragionato delle specie fino ad oggi descritte di tutto il mondo (28° Contributo alla conoscenza degli Insetti dei Fichi). — Bollettino della Laboratorio di Entomologia del R. Istituto Superiore Agrario di Bologna **1**: 107-235.
- GRANDI G. (1935): Catalogo ragionato degli Agaonidi di tutto il mondo descritti fino ad oggi (2° edizione). — Bollettino del Laboratorio di Entomologia del R. Istituto Superiore Agrario di Bologna **7**: 214-240.

- GRANDI G. (1941): Catalogo ragionato degli Agaonidi di tutto il mondo descritti fino ad oggi (3° edizione). — Bollettino dell'Istituto di Entomologia della R. Università degli Studi di Bologna **13**: 1-28.
- GRANDI G. (1952): Catalogo ragionato delle Agaonine di tutto il mondo descritti fino ad oggi (4° edizione) (48° Contributo alla conoscenza degli Insetti dei Fichi). — Bollettino dell'Istituto di Entomologia della R. Università degli Studi di Bologna **19**: 69-96.
- GRANDI G. (1955): Catalogo ragionato delle Agaonine di tutto il mondo descritti fino ad oggi (5° edizione) (51° Contributo alla conoscenza degli Insetti dei Fichi). — Bollettino dell'Istituto di Entomologia della R. Università degli Studi di Bologna **19**: 107-139.
- GRANDI G. (1963): Catalogo degli Agaonidi del mondo descritti fino a oggi (6° Edizione) (57° Contributo alla conoscenza degli Insetti dei Fichi) (Hymenoptera Chalcidoidea). — Bollettino dell'Istituto Entomologica della Università di Bologna **26**: 319-373.
- ISSEL A. (1876) (2. edition): Viaggio nel Mar Rosso e tra i Bogos. — Milano (Fratelli Treves), 131 pp.
- UNIVERSAL CHALCIDOIDEA DATABASE: nhm.ac.uk/our-science/data/chalcidoids/
- WIEBES J.T. (1964): Fig wasps from Israeli *Ficus sycomori* and related East African species (Hymenoptera, Chalcidoidea). I. Agaonidae. — Entomologische Berichten **24**: 187-191.
- WIEBES J.T. (1966): Provisional host catalogue of fig wasps (Hymenoptera, Chalcidoidea). — Zoologische Verhandelingen **83**, 44 pp.
- WIEBES J.T. (1968): Fig wasps from Israeli *Ficus sycomori* and related East African species (Hymenoptera, Chalcidoidea). I. Agaonidae and Sycophagini. — Zoologische Mededelingen **42/28**: 307-320, pl. 1.
- WIEBES J.T. (1974): Nigeriella, a new genus of West African fig wasps allied to *Elisabethiella* GRANDI (Hymenoptera Chalcidoidea, Agaonidae). — Zoologische Mededelingen **48/5**: 29-42.
- WIEBES J.T. (1978): The genus *Kradibia* SAUNDERS and an addition to *Ceratosolen* MAYR (Hymenoptera Chalcidoidea, Agaonidae). — Zoologische Mededelingen **53/16**: 165-184.
- WIEBES J.T. (1986): Agaonidae (Hymenoptera Chalcidoidea) and *Ficus* (Moraceae): fig wasps and their figs I. — Proceedings of the Koninklijke Nederlandse, Series C, **89/3**: 335-355.
- WIEBES J.T. (1989a): Agaonidae (Hymenoptera Chalcidoidea) and *Ficus* (Moraceae): fig wasps and their figs, III (*Elisabethiella*). — Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series C, **92/1**: 117-126.
- WIEBES J.T. (1989b): Agaonidae (Hymenoptera Chalcidoidea) and *Ficus* (Moraceae): fig wasps and their figs, IV (*Ceratosolen*). — Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series C, **92/2**: 251-266.
- WIEBES J.T. (1994): Agaonidae (Hymenoptera Chalcidoidea) and *Ficus* (Moraceae): fig wasps and their figs, XIII (*Ceratosolen* & additions). — Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen **97/1**: 123-136.
- WIEBES J.T. & U.C. ABDURAHIMAN (1980): Additional notes on *Platyscapa* MOTSCHOUISKY (Hymenoptera Chalcidoidea, Agaonidae). — Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen **83/2**: 195-207.
- WIEBES J.T. & S.G. COMPTON (1990): Agaonidae (Hymenoptera Chalcidoidea) and *Ficus* (Moraceae): fig wasps and their figs, VI (Africa concluded). — Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen **93/2**: 203-222.

Author's address: Michael MADL
 Naturhistorisches Museum Wien
 2. Zoologische Abteilung
 Burggring 7, 1010 Vienna, Austria
 E-mail: michael.madl@nhm-wien.ac.at

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Linzer biologische Beiträge](#)

Jahr/Year: 2023

Band/Volume: [0055_1](#)

Autor(en)/Author(s): Madl Michael

Artikel/Article: [A catalogue of the family Agaonidae \(Hymenoptera, Chalcidoidea\) of Eritrea 213-218](#)