

12/VII/10.

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 16:

P. Pape

Brachyceridae.

Brachycerinae.



W. Junk

Berlin W. 15, Kurfuerstendamm 201.
1910.

Fam. Brachyceridae.

Auct. P. Pape.

Aurivillius, Öfvers. af Vetensk.-Ak. Förh. XLII, 1885, p. 5—24. — Pape,
Deutsche Ent. Zeitschr. 1907, p. 105—140, 482.

Brachycerides Jekel, Ann. Soc. Ent. Fr. (4) IV, 1864, p. 541.

Brachycerinae Bovie (als Subfam. d. Curc.) in Wytsman, Gen.
Ins. IC, 1909, p. 1—38, t. 1—3.

I. Subfam. Microcerinae.

Aurivillius, l. c. p. 6—20; Kongl. Svenska Vetenskaps-Akademiens Hand-
lingar XXI, 15, 1887, p. 1—80.

Microcerides Lacord. Gen. Col. VI, 1863, p. 20.

Microcerinae Jekel, Col. Jek. II, 1875, p. 104.

Microcerini Bovie in Wytsm. Gen. Ins. IC, 1909, p. 2.

Episus Schoenh.

Schoenh. Disp. meth. 1826, p. 78; Gen. Curc. I, 1833, p. 374. — Lacord.
Gen. Col. VI, 1863, p. 22. — Jekel, Col. Jek. II, 1875, p. 104, 131. —
Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 7; Sv. Vetensk.-Ak. Handl.
XXI, 15, 1887, p. 10. — Kraatz, Berl. Ent. Zeitschr. VIII, 1864, p. 169.
— Bovie in Wytsm. Gen. Ins. IC, 1909, p. 3.

Lagenisus Jekel (pars) l. c. p. 105.

aculeatus Imh. et Labr. Gen. Curc. I, 1838/42, nr. 25, Capland

t. 25. — Boh. in Schoenh. Gen. Curc. V, 2,
1840, p. 601. — Auriv. Öfv. Vet. Ak. Förh.
XLII, 1885, p. 12; Sv. Vet. Ak. Handl. XXI,
15, 1887, p. 34, t. 3, f. 7.

var. *stricticollis* Jek. Col. Jek. II, 1875, p. 119.
— Auriv. Öfv. Vet. Ak. Förh. XLII, 1885,
p. 12; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 35,
t. 3, f. 8.

angulicollis Auriv. Öfv. Vet. Ak. Förh. XLII, 1885,
p. 16; Sv. Vet. Ak. Handl. XXI, 15, 1887,
p. 54, t. 5, f. 9.

Capland,
Orange-
Fluß

Kaffraria,
Natal,
Transvaal,
Ost-Afrika?

1*

angusticollis Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 4. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 9; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 23, t. 2, f. 4.	Kaffraria, Transvaal
Bohemani Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 12; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 37, t. 3, f. 10.	Namaqua, Damara, Nolagi, Ovambo
brevicollis Jek. Col. Jek. II, 1875, p. 117. — Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 29, t. 10, f. 2; t. 2, f. 10. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 4, t. 3, f. 2, 3. <i>impressicollis</i> Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 11. var. <i>nigrovittatus</i> Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 30	Damara, Delagoa- Bay, Transvaal
cognatus Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 5. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 12; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 16, t. 1, f. 8.	Damara, Capland Kaffraria
contractus Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 6. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 12; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 36, t. 3, f. 9. — Péring. Denksch. med.-natw. Ge- sellsch. Jena XIII, 1908, p. 417.	Kaffraria Transvaal, Capland, Hereroland
cyathiformis Gyll. in Schoenh. Gen. Cerc. I, 1833, p. 376. — Jek. l. c. p. 106 (<i>Lagenisus</i>). — Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 13, t. 1, f. 1—5. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 4, t. 1, f. 1; t. 3, f. 1. var. <i>coenosus</i> Jek. l. c. p. 107 (<i>Lagenisus</i>). var. <i>parallelus</i> Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 14, t. 1, f. 5. var. <i>paucidentatus</i> Auriv. l. c. p. 15, t. 1, f. 3. var. <i>Wahlbergi</i> Jek. l. c. p. 109 (<i>Lagenisus</i>). — Auriv. l. c. p. 14, t. 1, f. 5.	Gambia, Senegal, Gabun, Ob.-Ägypt., Kaffraria, Transvaal Damara
Devylderi Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 10; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 24, t. 2, f. 6.	Dtsch.-Süd- westafrika
Dohrni Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 11; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 33, t. 3, f. 4.	Damara, Delagoa- Bay
dorsalis Fährs. l. c. XXVIII, 1871, p. 4. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 7; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 15, t. 1, f. 6.	Kaffraria, Capland Kaffraria, Transvaal
Dregei Boh. in Schoenh. Gen. Cerc. V, 2, 1840, p. 595. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 15; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 48, t. 5, f. 1.	Capland
<i>obliquus</i> Jek. l. c. p. 113. <i>rostratus</i> Ol. Encycl. meth. Ins. V, 1790, p. 186; Ent. V, 1790, p. 65, t. 1, f. 4. — Herbst, Käfer VII, 1797, p. 82, t. 101, f. 5.	"
echinatus Boh. l. c. V, 2, 1840, p. 594. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 14; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 46, t. 4, f. 8.	"
elongatus Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 8; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 18, t. 1, f. 9.	"
Fahrsei Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 10; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 24, t. 2,	Dtsch.-Süd- westafrika,

<i>f. 5.</i> — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 4, t. 1, f. 2.	Damara
<i>fictus</i> Gyll. in Schoenh. Gen. Cerc. V, 2, 1840, p. 597. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 16; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 52, t. 5, f. 7. — Péring. Denkschr. med.-natw. Gesellsch. Jena XIII, 1908, p. 416.	Capland, Kaffraria
<i>flexuosus</i> Boh. l. c. V, 2, 1840, p. 599. — Fährs. l. c. XXVIII, 1871, p. 4. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 16; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 53, t. 5, f. 8.	Capland, Natal, Transvaal, Kaffraria
<i>ganglionicus</i> Boh. l. c. V, 2, 1840, p. 603. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 16; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 34, t. 3, f. 5, 6.	Kaffraria
<i>gibbosus</i> Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 16; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 42, t. 4, f. 3. var. <i>Krebsi</i> Auriv. l. c. p. 42, t. 4, f. 4.	Capland
<i>gravidus</i> Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 11; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 30, t. 2, f. 11.	Kaffraria Vaal-Fluß
<i>hieroglyphicus</i> Fährs. l. c. XXVIII, 1871, p. 3. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 10; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 25, t. 2, f. 7.	Kaffraria, Transvaal, Delagoa- Bay, Süd-Africa
<i>Hopei</i> Boh. l. c. V, 2, 1840, p. 600. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 10; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 32, t. 3, f. 2. var. ? Auriv. l. c. p. 33, t. 3, f. 3.	Capland
<i>hypocritus</i> Gyll. in Schoenh. Gen. Cerc. I, 1833, p. 375. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 15; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 50, t. 5, f. 4.	„
<i>cristatus</i> Gyll. l. c. V, 2, 1840, p. 596. — Auriv. l. c.	Namaqua
<i>inermicollis</i> Gyll. l. c. V, 2, 1840, p. 590. — Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 28, t. 3, f. 1.	„
<i>dentatus</i> Boh. l. c. V, 2, p. 592. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 11; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 29. — Péring. Denkschr. med.-natw. Gesellsch. Jena XIII, 1909, p. 416.	
<i>mendosus</i> Gyll. l. c. I, 1833, p. 377. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 15; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 19, t. 1, f. 11. — Péring. Denkschr. med.-natw. Gesellsch. Jena XIII, 1908, p. 417.	Capland
<i>muricatus</i> Boh. l. c. V, 2, 1840, p. 598. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 15; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 49, t. 5, f. 2. var. <i>dubius</i> Auriv. l. c. p. 50, t. 5, f. 3.	Kaffraria
<i>nodicollis</i> Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 14; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 45, t. 4, f. 7.	Capland,
<i>Oberthüri</i> Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 12; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 37, t. 3, f. 11.	Kaffraria Senegal, Casamance
<i>opalinus</i> Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 10; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 28, 87, t. 2, f. 9.	Capland
<i>Peringuayi</i> Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 9; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 21, t. 2, f. 2.	Capland, Orlog-Fluß

- punctatus** Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 15; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 51, t. 5, f. 5. Capland, Grahams-town
- quadrulifer** Jek. l. c. p. 115. — Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 55, t. 10, f. 1. Capland
- robustus** Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 10; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 27, t. 2, f. 8. „
- Roelofsi** Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 14; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 44, t. 4, f. 6. „
- * **rostratus** F. Spec. Ins. I, 1781, p. 194. — Thunbg. Nov. Act. Ups. VI, 1799, p. 32. — Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 43. „
- albulus** Lacord. Gen. Col. VI, 1863 (Expl. des pl. p. 21), t. 61, f. 1. Thunbergi Boh. l. c. V, 2, 1840, p. 591. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 13; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 43, t. 4, f. 5. „
- rotundicollis** Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 13; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 41, t. 4, f. 2. „
- simulator** Dalm. in Schoenh. Gen. Curc. I, 1833, p. 377. — Gyll. l. c. V, 2, 1840, p. 593. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 8; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 20, t. 20, f. 1. Patria?
- spinosus** Boh. l. c. V, 2, 1840, p. 602. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 13; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 40. Capland
- var. ? Auriv. l. c. p. 40, t. 4, f. 1. „
- sputatilius** Gyll. l. c. I, 1833, p. 378. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 14; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 46, t. 4, f. 9. „
- T-album** Jek. l. c. II, 1875, p. 11. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 16; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 51, t. 5, f. 6. Damara, Capland
- tenuis** Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 310. Ost-Afrika
- truncatus** Boh. in Schoenh. Gen. Curc. VIII, 2, 1845, p. 374. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 8; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 16, t. 1, f. 7. Capland
- tuberosus** Gerst. Arch. Naturgesch. XXXVII, 1871, I, p. 68; Decken's Reise III, 2, 1873, p. 217. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 8; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 16, t. 1, f. 7. Uru, Zanzibar, N'Gami, Abessinien
- Westermannii** Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 9; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 22, t. 2, f. 3. Capland

Microcerus Schoenh.

Schoenh. Gen. Curc. I, 1833, p. 441. — Imhoff & Labram, Gen. Curc. II, 1846, p. 17. — Lacord. Gen. Col. VI, 1863, p. 23. — Jekel, Col. Jek. II, 1875, p. 132. — Kraatz, Berl. Ent. Zeitschr. VIII, 1864, p. 169. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 6, 16; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 56. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 6. abyssinicus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 33. Choa

* type species (mon.): Billberg 1820:40

albiventer	Gerst. Monatsb. Berl. Akad. 1855, p. 84; Peters' Reise 1862, p. 308. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 18; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 66, t. 7, f. 2.	Mosambik, Zambesi, Delagoa- Bay
annuliger	Har. Monatsb. Berl. Akad. XLV, 1880, p. 265. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 18; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 65, t. 7, f. 1.	Sansibar
Besckeii	Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 729. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 19; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 71, t. 7, f. 8.	Mosambik
Borreii	Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 18; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 67, t. 7, f. 4.	Südwest- afrika
cavirostris	Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 312. — Gestro, Ann. Mus. Genova (2) XV, 1895, p. 397. — Pape, Deutsche Ent. Zeitschr. 1907, p. 482.	Ostafrika
costalis	Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 7. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 19; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 73, t. 7, f. 10. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 7, t. 1, f. 3; t. 3, f. 7.	Kaffraria, Transvaal, Damara
cretaceus	Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 727. — Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 78.	Kaffraria
cribellatus	Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 312. — Pape, Deutsche Ent. Zeitschr. 1907, p. 482.	Ost-Afrika
depressus	Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 19; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 71, t. 1, f. 7.	Kaffraria
dorsofumatus	Fairm. Compt. rend. Soc. Ent. Belg. XXVIII, 1884, p. 147, 311. — Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 79.	Ost-Afrika
Dregei	Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 725. — ?Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 60.	Capland
Fahraei	Jek. Col. Jek. II, 1875, p. 121. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 19; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 73, t. 10, f. 4. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 7, t. 1, f. 5. var. <i>?sulcifrons</i> Auriv. l. c. p. 73, t. 8, f. 1.	N'Gami, Süd-Afrika
fallax	Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 8. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 18; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 64, t. 7, f. 5.	Kaffraria
fissirostris	Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 313.	Ostafrika
fossilis	Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 61, t. 6, f. 6, 7.	Delagoa Bay
Kirschi	Auriv. (non Jek.) Öfv. Vet. Ak. Förh. XLII, 1885, p. 18; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 61.	Ostafrika
grisescens	Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 728. — Imh. & Labr. Gen. Curc. II, 1846, nr. 17. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 17; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 70, t. 8, f. 3.	Capland

- idolum** Gyll. l. c. I, 1833, p. 443. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 17; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 61, t. 6, f. 3. — Péring. Denksch. med.-natw. Gesellsch. Jena XIII, 1908, p. 416.
Dregei Lacord. Gen. Col. VI, 1863, t. 61, f. 2.
 — Auriv. l. c.
- inaequalis** Gyll. l. c. V, 2, 1840, p. 730. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 20; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 78, t. 8, f. 4, 5.
- interstitiopunctatus** Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 19; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 75, t. 7, f. 9.
- Kirschi** Jek. Col. Jek. II, 1875, p. 125. — Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 62, t. 10, f. 5.
- latipennis** Fährs. l. c. XXVII, 1871, p. 6. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 17; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 62, t. 6, f. 2.
 — Bovie in Wytsm. IC, 1909, p. 7, t. 3, f. 5, 6.
- melancholicus** Gyll. l. c. V, 2, 1840, p. 726. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 15; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 78, t. 8, f. 6.
- oblongus** Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 20; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 77, t. 8, f. 7.
- Pascoei** Jek. Col. Jek. II, 1875, p. 121. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 19; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 74, t. 10, f. 3.
- planifrons** Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 74, t. 8, f. 2.
- retusus** F. Spec. Ins. I, 1781, p. 195; Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 382; Syst. Eleuth. II, 1807, p. 415. — L. Syst. Nat. ed. XIII (Gmelin) I, 4, 1789, p. 1790. — Ol. Encycl. meth. V, 1790, p. 186; Ent. V, 1807, 82, p. 62 t. 1, f. 6. — Herbst, Käfer VII, 1797, p. 83, t. 101, f. 5. — Gyll. in Schoenh. Gen. Cure. I, 1833, p. 442; l. c. V, 2, 1840, p. 724. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 17; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 59, t. 6, f. 8.
bimaculatus Thunbg. Nov. Act. Ups. VI, 1799, p. 33.
- ephippiatus* Sparrm. Act. Holm. VI, 1785, p. 52, t. 3, f. 27.
- var. *rotundatus* Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 60, t. 6, f. 4.
- var. *spissus* Auriv. l. c. p. 59, t. 6, f. 5.
- spiniger** Gerst. Monatsb. Berl. Akad. 1855, p. 83; Peters' Reise 1862, p. 307, t. 18, f. 9 (nec f. 8!). — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 17; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 64, t. 6, f. 1. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 8, t. 1, f. 4.
- subcaudatus** Gerst. Monatsb. Berl. Akad. 1855, p. 83; Peters' Reise 1862, p. 307, t. 18, f. 8 (nec f. 9!). — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885,

Capland,
Transvaal,
Hereroland

Capland

Transvaal

N'Gami

Kaffraria,
Capland,
Damara,
Transvaal
Capland

Namaqua

Damara

Transvaal,
Kaffraria
Capland

Kaffraria,
Süd-Afrika
Kaffraria,
Transvaal,
Capland

Mosambik,
Sansibar,
Zambesi,
Quango,
Benguela

Mosambik,
Transvaal,
Kaffraria

Bills ~ 1820: 39

p. 19; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 72, t. 7, f. 6.	
tuberifrons Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 154.	Somaliland
tutanus Jek. l. c. p. 127. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 19; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 68, t. 7, f. 3.	Natal, Capland
vermiculatus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 310.	Ost-Afrika

Gyllenhalia Auriv.

Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 20; Sv. Vet. Ak. Handl. XXI,
15, 1887, p. 79. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 8.

— spectrum F. (<i>Curculio</i>) Spec. Ins. I, 1781, p. 194; Mant. Ins. I, 1787, p. 119. — L. Syst. Nat. ed. XIII (<i>Gmelin</i>) I, 4, 1789, p. 1789. — (<i>Brachycerus</i>) F. Ent. Syst. I, 2, 1792, p. 383; Syst. Eleuth. II, 1807, p. 415. — Ol. Enc. meth. Ins. V, 1790, p. 186; Ent. V, 1790, 82, p. 65, t. 1, f. 5. — Herbst, Käfer VII, 1797, p. 84, t. 101, f. 6. — Schoenh. Gen. Curc. I, 1833, p. 431. — (<i>Gyllen-</i> <i>halia</i>) Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 20; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 80, t. 9, f. 1, 2; Ent. Tidskr. 1888, p. 153. — Bovie, in Wytsm. Gen. Ins. IC, 1909, p. 9, t. 1, f. 6; t. 3, f. 8, 9.	Capland
---	---------

II. Subfam. Brachycerinae.

Aurivillius, Öfv. Vet. Ak. Förh. XLII, 1885, p. 21—23; Sv. Vet. Ak. Handl.
XXI, 15, 1887, p. 81—84.

Brachycerides Lacord. Gen. Col. VI, 1863, p. 283—286.

Brachycerides Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 119—212.

Brachycerini Bovie in Wytsm. Gen. Ins. IC, 1909, p. 9—28.

1. Tribus: Protomantini.

Protomantinae Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 21;
Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 81.

Protomantis Schoenh.

Schoenh. Gen. Curc. V, 2, 1840, p. 721. — Lacord. Gen. Col. VI, 1863,
p. 24. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 21; Sv. Vet. Ak. Handl.
XXI, 15, 1887, p. 82. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 9.

— Dregei Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 723. Capland
— Auriv. Öfv. Vet. Ak. Förh. XLII, 1885,

- p. 22; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 82,
t. 9, f. 3—5. — Bovie in Wytsm. Gen. Ins.
IC, 1909, p. 10, t. 1, f. 7; t. 3, f. 10.
- elegans Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 21; Capland
Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 83, t. 9,
f. 8.
- Peringueyi Auriv. Öfv. Vet. Ak. Förh. XLII, 1885,
p. 21; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 84,
t. 9, f. 6, 7.

3

2. Tribus: Brachycerini.

Brachycerinae verae Auriv. Öfv. Vet. Ak. Förh. XLII, 1885,
p. 22.
Brachycerinae Auriv. Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 81.

Theates Fåhrs.

Fåhrs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 68. — Auriv. Öfv. Vet. Ak.
Förh. XLII, 1885, p. 22; Ent. Tidskr. 1888, p. 149. — Bovie in Wytsm.
Gen. Ins. IC, 1909, p. 27.

- angusticollis Wiedem. (*Brachycerus*) Zool. Mag. II, Capland
1823, p. 119. — Gyll. in Schoenh. Gen. Cure.
V, 2, 1840, p. 703. — Marshall, Deutsche Ent.
Zeitschr. 1907, p. 481.
- cristatus Péring. Trans. S. Afric. Phil. Soc. IV,
1888, p. 163, t. 3, f. 14. — Marshall, l. c.
- magus Auriv. Ent. Tidskr. 1888, p. 153, t. 2,
f. 1—3. — Marshall, l. c.
- ludificator Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, N'Gami
p. 22; Ent. Tidskr. 1888, p. 152, t. 2, f. 10—12.
— Bovie in Wytsm. Gen. Ins. IC, 1909, p. 27,
t. 1, f. 8; t. 3, f. 16.
- petiolatus Fåhrs. Öfv. Vet. Ak. Förh. XXVIII, 1871,
p. 68. — Auriv. Öfv. Vet. Ak. Förh. XLII,
1885, p. 22; Ent. Tidskr. 1888, p. 151, t. 2,
f. 7—9.
- spectator Fåhrs. l. c. p. 68. — Auriv. Öfv. Vet. Ak.
Förh. XLII, 1885, p. 22; Ent. Tidskr. 1888,
p. 152, t. 2, f. 4—6.

4

Dyerocera Pasc.

Pasc. Trans. Ent. Soc. Lond. 1887, p. 334. — Marshall, Deutsche Ent.
Zeitschr. 1907, p. 481.

- gradata Pasc. Trans. Ent. Soc. 1887, p. 334, t. 11, f. 9. Transvaal
1

Euretus Péring.

Péring. Trans. Ent. Soc. Lond. 1896, p. 186. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 27.

Aurivillii Péring. Trans. Ent. Soc. Lond. 1896, p. 186. Capland
— Bovie in Wytsm. Gen. Ins. IC, 1909, p. 28,
t. 1, f. 9; t. 3, f. 17.

1

Brachycerus Ol.

Ol. Encycl. meth. Ins. V, 1790, p. 181. — Thunbg. Nov. Act. Ups. VI, 1799, p. 11. — Herbst, Käfer VII, 1799, p. 71. — F. Syst. Eleuth. II, 1801, p. 412. — Latr. Gen. Crust. et Ins. II, 1807, p. 251. — Ol. Entom. V, 82, 1807, p. 41. — Illig. Magaz. III, 1807, p. 103. — Schoenh. Disp. meth. 1826, p. 79; Gen. Cerc. I, 1833, p. 385. — Lacord. Gen. Col. VI, 1863, p. 284. — Kraatz, Berl. Ent. Zeitschr. VIII, 1864, p. 169. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 42. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 142. — Auriv. Öfv. Vet. Ak. Förh. XLII, 1885, p. 23; Sv. Vet. Ak. Handl. XXI, 15, 1887, p. 3. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 10.

Subgen. *Brachycerus* i. spec. Bovie in Wytsm. Gen. Ins. IC, 1909, p. 11.

Subgen. *Brachycerinus* Bovie, l. c.

Subgen. *Brachyceromorphus* Bovie, l. c.

accola Kolbe, Arch. Naturg. LXIV, 1898, p. 241.

Brit. Ost-

Afrika

(*acerbus* Gyll.) in Schoenh. Gen. Cerc. V, 2, 1840, p. 671.

Capland

adustus Péring. Trans. S. Afric. Phil. Soc. VI, 1892, p. 72.

Ovamboland,

N°Gami,

Namaqua

aegrotus Péring. l. c. IV, 1888, p. 150, t. 4, f. 8.

Süd-Afrika,

Transvaal(?)

Capland

Kaaffraria

= intutus, Gyll.

= lividulus

affaber Gyll. l. c. p. 641.

Natal

albarius Gyll. l. c. p. 633. — Imh. & Labr. Gen. Cerc. II, 1846, nr. 10.

Corsica,

Sicilien,

Sardinien

albicollis Pasc. Trans. Ent. Soc. Lond. 1887, p. 13, t. 2, f. 1.

Namaqua

Damara

Süd-

Frankreich,

Corsica,

Spanien,

Italien,

Sardinien,

Sicilien,

Malta,

albidentatus Gyll. l. c. p. 654. — Imh. & Labr. l. c. nr. 15. — Bedel, Nouv. et faits 1872, p. 118; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 127. —

Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 11. — Bovie in Wytsm. Gen. IC, 1909, p. 13, t. 3, f. 11—19.

Biologie: Perris, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 125, t. 2, f. 1, 2.

albofasciatus Péring. l. c. IV, 1888, p. 154, t. 4, f. 9.

albotectus Péring. l. c. III, 1885, p. 129, t. 2, f. 5.

algitrus F. Mant. Ins. I, 1787, p. 120 (*Curculio*); Entom.

Syst. I, 2, 1792, p. 382; Syst. Eleuth. II, 180,

p. 415. — Thunbg. Nov. Act. Ups. VI, 1799, p. 26. — Ol. Entom. V, 1807, 82, p. 54, t. 2,

f. 19a, b. — Latr. Hist. Nat. Crust. et Ins. XI, 1804, p. 92. — Lamarek, Hist. nat. Anim. sans vert. IV, 1817, p. 358. — Gyllh. l. c. I, 1833,

p. 416. — Bedel, Bull. Soc. Ent. Fr. (5) II,

- 1872, p. 7, 50; Nouv. et faits 1872, p. 119. — Ann. Soc. Ent. Fr. (5) IV, 1874, p. 153. — Desbr. Bull. Soc. Ent. Fr. (5) II, 1872, p. 85. — Rey, Echange 1894, p. 63. — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 11.
- Biologie:** Jonicus (Champion), Ent. Magaz. III, 1836, p. 465. — Perris, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 128.
- carinula* Rey, l. c.
- cirrosus* Gyll. l. c. V, 1840, p. 660. — Bedel, Bull. Soc. Ent. Fr. 1872, p. 50; Nouv. et Faits 1872, p. 119; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 154. — Vitale, l. c. p. 12.
- exemptus* Rey, l. c.
- muricatus* Ol. Encycl. méth. V, 1790, p. 136. — Herbst, Käfer VII, 1797, p. 97, t. 101, f. 8. — Latr. Gen. Crust. et Ins. II, 1807, p. 253. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 153.
- perodiosus* Gyll. l. c. V, 1840, p. 661.
- planirostris* Gyll. l. c. I, 1833, p. 417.
- semaeneus* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 365.
- sulcifrons* Gyll. l. c. I, 1833, p. 420. — (patria falsa: Senegal? Bedel, l. c. p. 154 nota!).
- var. *attenuatus* Vitale, Riv. Col. Ital. I, 1903, p. 42. Sicilien
- *amabilis* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 152. Namaqua
- *amatongas* Péring. Ann. S. Afric. Mus. V, 1908, p. 613. Mosambik
- *ambulans* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1870, p. 65.
- *anaglypticus* Gyll. in Schoenh. Gen. Cure. V, 2, 1840, p. 679. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 14, t. 2, f. 9.
- var. *nodiferus* Gyll. l. c. Capland, Kaffraria
- var. *sparsipes* Gyll. l. c. " "
- *annulatus* Gerst. Monatsbl. Berl. Akad. 1855, p. 83; Peters' Reise 1862, p. 305, t. 18, f. 6. — Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 284.
- var. *maculicollis* Péring. Ann. Mag. Nat. Hist. II, 1888, p. 222. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481. Natal
- *apicatus* Gyll. in Schoenh. Gen. Cure. Gen. V, 2, 1840, p. 637. Capland
- *stellaris* Gyll. l. c. I, 1833, p. 424; V, 2, 1840, p. 626, obs!
- var. *cirriferus* Gyll. l. c. V, 2, 1840, p. 637. " "
- *apterus* L. Syst. Nat. ed. X, 1758, p. 386. — F. Syst. Ent. 1775, p. 142; Spec. Ins. 1781, p. 196; Mant. Ins. I, 1787, p. 121; Ent. Syst. II, 1792, p. 379; Syst. Eleuth. II, 1801, p. 412. — Sparrm. Act. Holm. 1785, p. 54, t. 3, f. 31. — Ol. Encycl. méth. Ins. V, 1790, p. 183, t. 223, f. 122. Entom. V, 1807, 82, p. 44, t. 1, f. 3a, b. — Voet, Cat. II, 1806, p. 41, t. 33, f. A. — Lamarck, Hist. Nat. Anim. sans vert. IV, 1817, p. 358. — Gyll. in Schoenh. Gen. Cure. I, 1833, p. 386; V, 2, 1840, p. 606. — Imh. & Labr. Gen. Cure. Capland, Kaffraria

Type species - Latreille 1810: 430

- II, 1846, nr. 13. — Gerst. in Peters² Reise 1862, p. 305. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 42. — F. Hartm. Deutsche Ent. Zeitschr. 1906, p. 65. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 14, t. 2, f. 7; t. 3, f. 15.
- cruciatus* Geer (*Curculio*) Mém. Ins. V, 1775, p. 275, t. 16, f. 1.
- var. *caffer* Gyll. l. c. I, 1833, p. 394; V, 2, 1840, p. 607.
- var. *ferrugineus* Ol. Entom. V, 1807, 82, p. 45, t. 3, f. 26. — Gyll. l. c. I, 1833, p. 389; V, 2, 1840, p. 606.
- (var. *tessellatus* Gyll. l. c. I, 1833, p. 388; V, 2, 1840, p. 606. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 401.)
- apterus* Thunbg. Nov. Act. Ups. VI, 1799, p. 17.
- *atrox* Gerst. in Arch. Naturgesch. XXXVII, 1871, I, p. 72; Decken's Reise III, 2, 1873, t. 11, f. 10.
- *auguris* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 50.
- *auritus* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 151, t. 4, f. 3.
- *axillaris* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 715.
- *baccatus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 65.
- *balearicus* Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 171, t. 4, f. 3, 17.
- ← *barbarus* L. Syst. Nat. ed. X, 1758, p. 386; ed. XII, 1767, I, 2, p. 617 (parte prima descrip.). — F. Syst. Ent. 1775, p. 120; Spec. Ins. 1781, p. 194; Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 381; Syst. Eleuth. II, 1801, p. 414. — Ol. Encyl. méth. Ins. V, 1790, p. 185; Entom. V, 1807, 82, p. 49, t. 2, f. 15a, b. — Herbst, Käfer VII, 1797, p. 80. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 661. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 183. — H. Lucas, Bull. Soc. Ent. Fr. 1884, p. 56. — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 11.
- Biologie: Jonicus (Champion!), Entomol. Magaz. III, 1836, p. 465. — Perris, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 128.
- algirus* Latr. Gen. Crust. et Ins. II, 1807, p. 253. — Bedel, l. c. p. 183.
- curtulus* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 366.
- fluctiger* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 651.
- interruptus* Rey, Échange 1894, p. 63.
- lateralis* Gyll. l. c. I, 1833, p. 407; V, 2, 1840, p. 651. — Reiche, l. c.
- latro* Gyll. l. c. I, 1833, p. 412; V, 2, 1840, p. 656.
- libertinus* Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 650.
- paradoxus* Rey, l. c.
- var. *ramosus* Schauf. Nunq. Ot. III, 1882, p. 542.
- *batrachus* Gestro, Ann. Mus. Genova XXXV, 1895, p. 405.
- *bicallosus* Gyll. l. c. V, 2, 1840, p. 613.
- Capland, Kaffraria, Sierra Leone Capland Madagascar Capland = ornatus, Dr. Sansibar Kaffraria Capland Namaqua Capland Kaffraria Balearen Spanien Portugal, Südfrankreich, Algier, Marokko Balearen Gallaland Kaffraria

- bicornutus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1874, p. 66.
biglobatus Sparrm. Act. Holm. 1785, p. 53, t. 3, f. 30.
 — Öl. Encycl. meth. Ins. V, 1790, p. 569. —
 Gyll. l. c. I, 1833, p. 432; V, 2, 1840, p. 696.
spectrum Thunbg. Nov. Act. Ups. VI, 1799, p. 35.
 var. *interpunctatus* Gyll. l. c. V, 2, 1840, p. 697.
 var. *lentus* Gyll. l. c. p. 696.
 var. *saxosus* Gyll. l. c. p. 697.
 var. *scrobirostris* Gyll. l. c. p. 697.
 var. *ungulatus* Gyll. l. c. p. 967.
- boschimanus* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 160.
- Bottegi* Gestro, Ann. Mus. Genova XXXV, 1895, p. 406.
- brachyceropsides* Péring. Ann. Mag. Nat. Hist. II, 1888, p. 222.
- brevicostatus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 48.
 var. *cinnamomeus* Pasc. Trans. Ent. Soc. 1887, p. 8, t. 1, f. 1; l. c. 1888, p. 25. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.
- buculus* Schoenh. Gen. Curc. I, 1833, p. 427.
juvencus Thunbg. Nov. Act. Ups. VI, 1799, p. 22.
- callosus* Schoenh. l. c. p. 427. — Fährs. in Schoenh., Gen. Curc. V, 2, 1840, p. 657. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 187; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 200; Bull. Soc. Ent. Fr. 1906, p. 92. — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 10, f. 3a.
- algitrus* H. Luc. Hist. Nat. anim. artic. Algér. II, 1849, p. 414.
- Chevrolati* Fährs. l. c. p. 657. — Bedel, Nouv. et Faits 1872, p. 118; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 184, t. 4, f. 9; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 200; Bull. Soc. Ent. Fr. 1906, p. 92. — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 10, f. 3a.
- hypocritus* Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 190, t. 4, f. 5, 10. — Fauv. Rev. d'Ent. III, 1884, p. 81.
- parens* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 366.
- peninsularis* Chevr. Rev. Mag. Zool. 1866, p. 105, 26.
- Raffrayi* Desbr. l. c. p. 365.
- semituberculatus* H. Luc. l. c. p. 411, t. 35, f. 6.
- variolosus* Thunbg. l. c. p. 30.
- canalirostris* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 62.
- cancellatus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 404; V, 2, 1840, p. 615. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 46.
- caperans* A. Lcht. Cat. Mus. Hambg. 1795, p. 55. — Herbst, Käfer VII, 1797, p. 88.
- carbunculus* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 287.
- catenulatus* Fährs. l. c. p. 64.
- caviceps* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 149, t. 4, f. 2.
- cavifrons* Gyll. l. c. I, 1833, p. 435; V, 2, 1840, p. 717.
 var. *milleporellus* Bovie, Ann. Soc. Ent. Belg. LII, 1908, p. 43.
- Kaffraria
Capland
- Gallaland
Natal
- Kaffraria,
Sansibar
- Capland
- Spanien,
Portugal,
Sicilien,
Algier
- Kaffraria
Capland
- Central-
Afrika
- Kaffraria
Capland
- Namaqua
- Capland

- milleporus* Gyll. (nec Wied.) l. c. I, 1833, p. 435;
V, 2, 1840, p. 707, obs.; p. 717.
- cineticollis* Quedf. l. c. p. 285.
- cinctipes* Gyll. l. c. I, 1833, p. 397.
- cinerarius* Wiedem. Zool. Mag. II, 1823, p. 115. — Gyll.
l. c. I, 1833, p. 426. — Fährs. in Schoenh. Gen.
Curc. V, 2, 1840, p. 664.
- var. *spilopterus* Wiedem. Zool. Mag. II, 1823,
p. 117. — Schoenh. Gen. Curc. I, 1833, p. 440;
V, 2, 1840, p. 720. — Bovie in Wytsm. Gen. Ins.
IC, 1909, p. 16.
- cinereus* Ol. Ent. V, 1807, 82, p. 56, t. 3, f. 35a, b. —
Schoenh. Gen. Curc. I, 1833, p. 424. — Bedel,
Bull. Soc. Ent. Fr. 1872, p. 50; Nouv. et Faits
1872, p. 119; Ann. Soc. Ent. Fr. (5) IV, 1874,
p. 156. — Vitale, l. c. p. 11, f. 5a.
lutosus Gyll. l. c. I, 1833, p. 417. — Vitale, l. c.
p. 12. — Rey, Échange 1894, p. 63.
- pulverulentus* Ol. l. c. p. 56, t. 3, f. 29.
- quadrisulcatus* Fisch.-Waldh. Bull. Mosc. II,
1830, ed. Lequien I, p. 95.
- superciliosus* Gyll. l. c. I, 1833, p. 422. — Fald.
Fn. Transc. II, 1837, p. 168, t. 5.
- clitellatus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 56.
collaris Fährs. l. c. p. 61.
- comparabilis* Kolbe, Arch. Naturgesch. LXIV, 1898,
p. 243.
- comitus* Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 663.
- congestus* Gerst. Monatsb. Berl. Ak. 1855, p. 83; Peters'
Reise 1862, p. 306, t. 18, f. 7.
- consimilis* Péring. Trans. S. Afric. Phil. Soc. III, 1885,
p. 133, t. 3, f. 2.
- contortus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 57.
- cordiger* Sparrm. Act. Holm. 1785, I, p. 50, t. 3, f. 23.
— Ol. Enc. méth. Ins. V, 1790, p. 568. — F.
Suppl. Ent. Syst. 1798, p. 161; Syst. Eleuth.
II, 1801, p. 413. — Gyll. l. c. I, 1833, p. 395;
V, 2, 1840, p. 613. — Bovie in Wytsm. Gen.
Ins. IC, 1909, p. 16, t. 2, f. 8.
papillous Thunbg. Nov. Act. Ups. VI, 1799, p. 20.
- scabrosus* Ol. Enc. méth. Ins. V, 1790, p. 184;
Ent. V, 1807, 82, p. 48, t. 2, f. 11. — Herbst,
Käfer VII, 197, p. 93.
- corniculatus* Gyll. l. c. I, 1833, p. 429; V, 2, 1840, p. 686.
- cornutus* L. (*Curculio*) Mus. Ludov. Ulr. 1764, p. 57.
— F. Syst. Ent. 1775, p. 153; Spec. Ins. I, 1781,
p. 195; Mant. Ins. I, 1787, p. 120; Ent. Syst.
I, 2, 1792, p. 322; Syst. Eleuth. II, 1801, p. 415.
— Sparrm. Act. Holm. 1785, p. 51, t. 3, f. 24.
— Herbst, Käfer VII, 1797, p. 90. — Thunbg.
Nov. Act. Ups. VI, 1799, p. 20. — Gyll. l. c.
I, 1833, p. 399; V, 2, 1840, p. 643. — Imh. & Labr.
Gen. Curc. II, 1846, nr. 11. — Bovie in Wytsm.
Gen. Ins. IC, 1909, p. 16, t. 2, f. 4; t. 3, f. 14.
- rizzator* Pasc. Trans. Ent. Soc. 1887, p. 11, t. 1,
f. 7. — Marshall, Deutsche Ent. Zeitschr. 1907,
p. 481.

Central-
Afrika
Capland
„

Südfrank-
reich,
Italien,
Sicilien,
Dalmatien,
Ungarn,
Griechen-
land,
Caucasus,
Trans-
caucasien,
Unter-
Ägypten

Kaffraria
West-
Usambara
Capland
Mosambik

Capland,
Namaqua
Kaffraria
Capland

Kaffraria
Capland,
Kaffraria,
Damara

- spinirostris* Ol. Enc. méth. Ins. V, 1790, p. 183; Ent. V, 1807, 82, p. 59, t. 2, f. 9. — Hbst. Käfer VII, 1797, p. 93.
- *coronirostris* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 627.
- *costalis* Gyll. l. c. p. 616.
- *costatus* Gyll. l. c. p. 687.
- erenatus* Ol. Enc. méth. Ins. V, 1790, p. 186; Ent. V, 1807, 82, p. 66, t. 2, f. 17. — Herbst, Käfer VII, 1797, p. 96. — Gyll. l. c. V, 2, 1840, p. 707.
- (*crispatrirostris* Gyll.) l. c. V, 2, 1840, p. 689.
- crispatus* F. Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 382; Syst. Eleuth. II, 1801, p. 414. — Thunbg. Nov. Act. Ups. VI, 1799, p. 29. — Herbst, l. c. p. 86. — Ol. Ent. V, 1807, 82, p. 54, t. 3, f. 27. — Schoenh. Gen. Curc. I, 1833, p. 410. — Bedel, Nouv. et Faits 1872, p. 118. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 180.
- clathratus* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 362.
- pterygomalis* H. Luc. Hist. Nat. Algér. II, 1849, p. 411.
- rectecostatus* Desbr. l. c.
- crispicularis* Gyll. l. c. V, 2, 1840, p. 690.
- (*cristatus* Péring.) Trans. S. Afric. Phil. Soc. III, 1885, p. 134, t. 2, f. 7.
- *curruea* Gyll. l. c. p. 677.
- *cylindripes* Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 171, t. 4, f. 4.
- deceptor* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 163.
- densegranosus* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 320, t. 3, f. 8.
- *detritus* Thunbg. Nov. Act. Ups. VI, 1799, p. 21. — Gyll. l. c. I, 1833, p. 403. — Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 612.
- var. *hottenottus* Gyll. l. c. I, 1833, p. 393. — Fährs. l. c. p. 612.
- var. *koroquarus* Fährs. l. c. p. 612.
- var. *maculosus* Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 429. — Schoenh. l. c. I, 1833, p. 399; V, 2, 1840, p. 669. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.
- maculatus* F. Syst. Eleuth. II, 1801, p. 413. — Schoenh. l. c. I, 1833, p. 395. — Fährs. l. c. p. 611.
- difficilis* Péring. Denkschr. med.-natw. Gesellsch. Jena XIII, 1908, p. 421.
- discolor* Gyll. l. c. V, 2, 1840, p. 647.
- disjunctus* Pasc. Journ. Linn. Soc. Lond. XII, 1873, p. 10, t. 1, f. 4.
- dispar* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 158.
- dorsalis* Gyll. l. c. I, 1833, p. 425; V, 2, 1840, p. 677.
- (*dorsomaculatus* Quedl.) Berl. Ent. Zeitschr. XXXII, 1888, p. 193.
- dubius* Panz. Voets Beschr. IV, 1798, p. 42, t. 34, f. E.
- minor* Voet, Cat. II, 1806, p. 46, & Index p. 16, t. 34, f. E.

✓ <i>duplicatus</i> Gyll. l. c. V, 2, 1840, p. 638. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 51. var. <i>Boei</i> Gyll. l. c. p. 638.	Kaffraria
✓ <i>ebullinus</i> Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 157.	Capland ^{= Z. sp. nov.}
✓ <i>echinatus</i> Gyll. l. c. I, 1833, p. 402; V, 2, 1840, p. 645.	
✓ <i>Eckloni</i> Gyll. l. c. V, 2, 1840, p. 694. <i>♂ longiusculus</i> Gyll. l. c. p. 695. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.	Kaffraria
✓ <i>suturalis</i> Pasc. Trans. Ent. Soc. Lond. 1887, p. 9, t. 1, f. 2, 1888, p. 25.	
✓ <i>effertus</i> Péring. Trans. Ent. Soc. Lond. 1896, p. 188.	Zambesi
✓ <i>emeritus</i> L. Mus. Ludov. Ulr. 1764, p. 56. — F. Syst. Ent. 1775, p. 152; Spec. Ins. I, 1781, p. 194; Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 480; Syst. Eleuth. II, 1801, p. 535. — Ol. Encycl. meth. V, 1790, p. 546. — Thunbg. Nov. Act. Ups. VI, 1799, p. 59. — Schoenh. Gen. Curc. I, 1833, p. 403. — Gyll. l. c. V, 2, 1840, p. 617.	Capland
✓ <i>ephippiatus</i> Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 56. ^{p. 53, t. 5, l. 125}	Kaffraria
✓ <i>erinaceus</i> Ol. Ent. V, 1807. — Gyll. l. c. I, 1833, p. 400; V, 2, 1840, p. 644.	Capland
✓ <i>erosus</i> Gerst. Monatsb. Berl. Akad. 1855, p. 83; Peters' Reise 1862, p. 306.	Mosambik
✓ <i>errans</i> Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 66.	Kaffraria
✓ <i>eximius</i> Pasc. Trans. Ent. Soc. Lond. 1887, p. 9, t. 1, f. 3.	Capland
✓ <i>facietatus</i> Gyll. l. c. V, 2, 1840, p. 618.	
✓ <i>Fahraci</i> Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 718.	
✓ <i>farcetus</i> Ill. in Schneider, Neues Ent. Magaz. V, 1794, p. 617. — Herbst, Käfer VII, 1797, p. 98. — Schoenh. l. c. I, 1833, p. 393; V, 2, 1840, p. 611.	
✓ <i>fascicularis</i> Ol. Ent. V, 1807, 82, p. 64, t. 3, f. 31. — Schoenh. l. c. I, 1833, p. 438. — Gyll. l. c. V, 2, 1840, p. 645.	"
✓ <i>fascicularis</i> Panz. (gen. dub.!) Voets Beschr. IV, 1798, p. 42, t. 34, f. c.	"
<i>capensis</i> Voet, Cat. II, 1806, p. 45, Index p. 16, t. 34, f. C.	
✓ <i>fasciculosus</i> Germ. in Schoenh. Gen. Curc. I, 1833, p. 425. — Fährs. in Schoenh. l. c. V, 2, 1840, p. 634.	"
✓ <i>ferox</i> Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 320.	Deutsch-Ostafrica
✓ <i>ferrugatus</i> Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 286.	Central-Afrika
✓ <i>Fischeri</i> Kolbe, Arch. f. Naturgesch. LXIV, 1898, p. 244.	Ost-Usambara
✓ <i>flavonotatus</i> Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 147, t. 4, f. 8.	Capland
✓ <i>formidulosus</i> Gyll. l. c. V, 2, 1840, p. 699.	
✓ <i>foveifrons</i> Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 194, t. 4, f. 6, 15.	Syrien
✓ <i>foveolatus</i> Péring. l. c. IV, 1888, p. 160.	Capland
✓ <i>fuliginosus</i> Gyll. l. c. V, 2, 1840, p. 712.	
✓ <i>gemmatus</i> Ol. Enc. meth. Ins. V, 1790, p. 185; Entom. V, 82, p. 62, t. 2, f. 13. — Schoenh. l. c. I, 1833, p. 438.	Patria?

<i>gemmeus</i>	Gyll. l. c. V, 2, 1840, p. 704.	Capland
<i>gemmifer</i>	Germ. in Schoenh. Gen. Cerc. I, 1833, p. 394. — Fährs. in Schoenh. Gen. Cerc. V, 2, 1840, p. 680.	"
<i>glabratu</i> s	Wiedem. in Germar, Magaz. IV, 1821, p. 157. — Gyll. l. c. I, 1833, p. 437; V, 2, 1840, p. 719.	"
<i>glanduliferu</i> s	Gyll. l. c. V, 2, 1840, p. 667.	"
<i>globiferu</i> s	Thunbg. Nov. Act. Ups. VI, 1799, p. 21. — Gyll. l. c. I, 1833, p. 403; V, 2, 1840, p. 621. var. <i>bullatus</i> Gyll. l. c. I, 1833, p. 396; V, 2, 1840, p. 621.	"
<i>globosu</i> s	Drury, Illustr. Nat. Hist. I, 1770, p. 69, t. 32, f. 4; II, 1773, Index. — F. Syst. Ent. 1775, p. 153; Spec. Ins. 1781, p. 195; Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 381; Syst. Eleuth. II, 1801, p. 413. — Sparrm. Act. Holm. 1785, p. 54. — Ol. Enc. meth. Ins. V, 1790, p. 184; Ent. V, 1807, 82, p. 47, t. 2, f. 10a, b. — Herbst, Käfer VII, 1797, p. 85, t. 101, f. 7. — Thunbg. Nov. Act. Ups. VI, 1799, p. 18. — Gyll. l. c. I, 1833, p. 392. — Fährs. l. c. V, 2, 1840, p. 610.	"
<i>granicollis</i>	Gyll. l. c. V, 2, 1840, p. 710.	
<i>granifer</i>	Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 43.	Kaffraria
<i>granirostris</i>	Fährs. l. c. p. 62.	"
<i>granosu</i> s	Gyll. l. c. I, 1833, p. 387. — Fährs. in Schoenh. Gen. Cerc. V, 2, 1840, p. 607; Öfv. Vet. Ak. Förh. XXVIII, p. 43. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 401. — F. Hartm. Deutsche Ent. Zeitschr. 1906, p. 65. (?) <i>ornatus</i> Drury, Illustr. Nat. Hist. II, 1773, p. 63, t. 34, f. 3.	= ornatus, Dr.
<i>granulatu</i> s	Lacord. Gen. Col. VI, 1863, p. 284, nota 2.	Senegal
<i>gravis</i>	Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 46.	Kaffraria
<i>griseus</i>	F. Syst. Eleuth. II, 1801, p. 415. — Gyll. l. c. I, 1833, p. 433; V, 2, 1840, p. 714.	Capland
<i>gryphu</i> s	Pasc. Trans. Ent. Soc. Lond. 1887, p. 16, t. 2, f. 7 (neq. 6). — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.	Usambara = atrox
<i>guineensis</i>	Péring. Stett. Ent. Zeit. XLVIII, 1887, p. 407. — Marshall, l. c.	Guinea
<i>Gyllenhalii</i>	Gyll. l. c. V, 2, 1840, p. 614.	Capland
<i>haedus</i>	Gyll. l. c. I, 1833, p. 401; V, 2, 1840, p. 644.	"
<i>hilaris</i>	Péring. Denksch. med.-natw. Gesellsch. Jena XIII, 1908, p. 420.	Namaqua
<i>Hofmanni</i>	Faust, Ann. Soc. Ent. Belg. XL, 1896, p. 72. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 19, t. 2, f. 10.	Mbungu, Brit. Ostafrika
<i>honorabilis</i>	Brancs. Jahresh. Naturw. Ver. Trenesien. Komit. XIX, 1897, p. 122, t. 4, f. 14.	Zambesi = <i>honorabilis</i>
<i>humeralis</i>	Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 151.	Namaqua
<i>hybridu</i> s	Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 58.	Kaffraria
<i>hypocrita</i> s	Fährs. l. c. p. 59.	"
<i>hystrix</i>	Schoenh. Gen. Cerc. I, 1833, p. 399; V, 2, 1840, p. 644. — Marshall, Proc. Zool. Soc. Lond. 1906, p. 957.	Capland

- cornutus* Ol. Enc. meth. Ins. V, 1790, p. 183;
Ent. V, 1807, 82, p. 53, t. 2, f. 14. — Lacord.
Gen. Col. VI, 1863, p. 286 nota 1.
- frontalis* Fährs. in Schoenh. Gen. Curc. V, 2,
1840, p. 619. — Marshall, Deutsche Ent. Zeitschr.
1907, p. 481.
- ignavus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 44.
- impedens* Fährs. l. c. p. 47.
- impius* Fährs. l. c. p. 46.
- impressicollis* Péring. Trans. S. Afric. Phil. Soc. III,
1885, p. 130, t. 2, f. 1, 1a.
- draco* Pasc. Trans. Ent. Soc. Lond. 1887, p. 15,
t. 2, f. 4. — Marshall, Deutsche Ent. Zeitschr.
1907, p. 481.
- impressifrons* Gyll. l. c. V, 2, 1840, p. 631.
- imprudens* Gyll. l. c. p. 670.
- inaequalis* Thunbg. Nov. Act. Ups. VI, 1799, p. 27.
— Gyll. l. c. p. 648.
- Thunbergi* Gyll. l. c.
- Incommodus* Péring. Trans. S. Afric. Phil. Soc. VI, 1892,
p. 72.
- indutus* Péring. Trans. Ent. Soc. Lond. 1896, p. 187.
- infitalis* Péring. Denksch. med.-natw. Gesellsch. Jena
XIII, 1908, p. 420.
- ingratus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 50.
- inops* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 161.
- inordinatus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871,
p. 54.
- intermedius* Péring. Trans. S. Afric. Phil. Soc. III,
1885, p. 127.
- interpositus* F. Hartm. Deutsche Ent. Zeitschr. 1906,
p. 66.
- interstitialis* Fährs. l. c. p. 59.
- intutus* Gyll. l. c. V, 2, 1840, p. 658.
- inurbanus* Gyll. l. c. V, 2, 1840, p. 626.
- junix* A. Lcht. Cat. Mus. zool. Hamb. III, 1796, p. 55.
— Herbst, Käfer VII, 1797, p. 88. — Brullé,
Expéd. Morée III, 1832, p. 236. — Schoenh.
Gen. Curc. I, 1833, p. 440; V, 2, 1840, p. 657.
— Bedel, Nouv. et Faits 1872, p. 118; Ann.
Soc. Ent. Fr. (5) IV, 1874, p. 195. — Kraatz,
Deutsche Ent. Zeitschr. XIX, 1875, p. 421.
— Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 12,
f. 7a. — Rey, Échange 1894, p. 63.
- pisifer* Thunbg. Nov. Act. Ups. VI, 1799, p. 23.
— Schoenh. l. c. I, 1833, p. 427; V, 2, 1840, p. 656.
- var. *aegyptiacus* Ol. Ent. V, 1807, 82, p. 51,
t. 3, f. 34. — Gyll. in Schoenh. Gen. Curc. I,
1833, p. 410. — Kraatz, Deutsche Ent. Zeitschr.
1875, p. 421. — Vitale, Riv. Ital. Sc. Nat. XXII,
1902, p. 5, 12. — Rey, Échange 1894, p. 63.
- argillaceus* Reiche, Ann. Soc. Ent. Fr. (3) V,
1857, p. 654.
- Kaffraria
"
Transvaal,
Capland
Kaffraria
Capland
"
Owamboland
Capland
Hereroland
Kaffraria
Capland
Kaffraria
Transvaal
"
Kaffraria
Capland
"
Sicilien,
Jonische
Inseln,
Griechen-
land,
Türkei,
Chios,
Kleinasiens,
Syrien,
Mesopo-
tamien,
Süd-
Rußland,
Kaukasus,
Unter-
Ägypten,
Tripolis
Ägypten,
Kleinasiens,
Syrien,
Griechen-
land,
Sicilien

- insularis* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 367.
nodulosus Reiche, l. c. p. 658.
Olivieri Desbr. l. c. p. 367.
ornatus Reiche, l. c. p. 658.
siculus Gyll. in Schoenh. Gen. Curc. I, 1833, p. 414.
tauricus Desbr. l. c. p. 368. — Kraatz, l. c. p. 422.
var. *cibrarius* Ol. Ent. V, 1807, 82, p. 58, t. 3, f. 33. — Schoenh. Gen. Curc. I, 1833, p. 403.
fimbriatus Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 365.
var. *orbipennis* Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 656.
var. *sinuatus* Ol. Ent. V, 1807, 82, p. 58, t. 3, f. 26. — Schoenh. Gen. Curc. I, 1833, p. 414. — Kiesw. Berl. Ent. Zeitschr. VIII, 1864, p. 264. — Kraatz, Deutsche Ent. Zeitschr. XIX, 1875, p. 233.
Besseri Kryn. Bull. Mosc. V, 1832, p. 145; ed. Lequien, p. 181. — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 413; V, 2, 1840, p. 656. — Fald. Faun. Transcauc. II, 1837, p. 165, t. 5. — Imh. & Labr. Gen. Curc. II, 1846, nr. 15.
diformis Fald. Nouv. Mém. Mosc. VI, 1837, p. 16.
incertus Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 367.
lutulentus Gyll. l. c. I, 1833, p. 418; V, 2, 1840, p. 657. — Rey, Échange 1894, p. 63.
juveneus Sparrm. Act. Holm. 1795, p. 51, t. 3, f. 26. — Schoenh. Gen. Curc. I, 1833, p. 424.
ixodicoides Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 162.
— *kabylianus* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 364. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 169.
velutinus Desbr. l. c. p. 364. — Bedel, l. c. p. 169.
— *karooensis* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 153.
— *khoikhoianus* Péring. Ann. S. Afric. Mus. V, 1908, p. 315.
— *kumbanensis* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 192, 284. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 402. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 20, t. 2, f. 2.
— *labruska* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 672. — *uva* Thunbg. Nov. Act. Ups. VI, 1799, p. 23. (nec Sparrmann 1785)
— *Lacordairei* Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 401.
laevifrons Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 58.
— *Lafertei* Péring. Compt. rend. Soc. Ent. Belg. XXXII, 1888, p. 78.
lateritius Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 685.
latifrons Gyll. l. c. p. 642.
levidipus Gyll. l. c. p. 700.
— *lividicollis* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 57.
— *lobaticollis* Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 131, t. 2, f. 2.
— *longirostris* Gyll. l. c. V, 2, 1840, p. 692.
longulus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 34.
- Mesopotamien, Syrien, Tripolis Syrien
- Dalmatien, Ungarn, Südrußland,
- Türkei, Griechenland, Chios, Kleinasien, Persien
- Capland
- Algier, Tunis
- Capland
- Namaqua Quango, Kumbana, (Central-Afrika)
- Capland Congo
- Kaffraria Madagascar
- Capland
- Kaffraria
- Damara
- Capland Choa

<i>loquax</i> F. Hartm.) Deutsche Ent. Zeitschr., 1906, p. 66.	Transvaal
<i>luridus</i> Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 44.	Kaffraria
<i>luteus</i> Wiedm. Zool. Mag. II, 1823, p. 114. — Schoenh. Gen. Cure. I, 1833, p. 440; V, 2, 1840, p. 720.	Capland
<i>maculatus</i> Ol. Enc. meth. Ins. V, 1790, p. 183; Ent. V, 1807, 82, p. 45, t. 2, f. 8. — Herbst, Käfer VII, 1797, p. 92. — Schoenh. Gen. Cure. V, 2, 1840, p. 613.	Madagaskar
<i>madagascariensis</i> Schoenh. l. c. p. 613.	Abessinien
<i>maculipes</i> Chevr. Compt. rend. Soc. Ent. Belg. XXVI, 1882, p. 89. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 34.	Kaffraria, Capland
<i>margaritifer</i> Gyll. in Schoenh. Gen. Cure. V, 2, 1840, p. 697. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 59.	Kaffraria, Capland
<i>biglobatus</i> var. η Gyll. l. c. (olim).	Kaffraria, Capland
<i>milleporus</i> Wiedm. in Germ. Magaz. IV, 1821, p. 162. — Gyll. in Schoenh. Gen. Cure. V, 2, 1840, p. 706. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 21, t. 2, f. 6.	Kaffraria Zambesi
<i>gemmosus</i> Gyll. l. c. I, 1833, p. 436; V, 2, 1840, p. 706, 707 obs.	Namaqua
<i>modestus</i> Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 52.	Kaffraria
<i>moerens</i> Pasc. Trans. Soc. Ent. Lond. 1887, p. 17, t. 2, f. 6 (nec 8!). — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.	Kaffraria Capland
<i>divergens</i> Péring. Trans. Ent. Soc. Lond. 1896, p. 187. — Marshall, l. c. p. 481.	Kaffraria Capland
<i>moestus</i> Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 156.	Namaqua
<i>monachus</i> Fährs. l. c. XXVIII, 1871, p. 60.	Kaffraria
<i>morio</i> F. Syst. Eleuth. II, 1801, p. 416. — Schoenh. Gen. Cure. I, 1833, p. 438. — Gyll. in Schoenh. Gen. Cure. V, 2, 1840, p. 711.	Capland
<i>Mouffleti</i> Péring. Ann. S. Afric. Mus. V, 1908, p. 317.	N.-Ovambo- land, Benguela
<i>muricatus</i> F. Ent. Syst. I, 2, 1792, p. 383; Syst. Eleuth. II, 1801, p. 415. — Ol. Ent. V, 1807, 82, p. 19, t. 13, f. 21. — Gyll. l. c. I, 1833, p. 419; V, 2, 1840, p. 662. — Redt. Fn. Austr. ed. II, 1858, p. 696; ed. III, 1873, II, p. 240. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 192.	Oesterreich, Ungarn, Sicilien, Türkei, Kleinasien
<i>foveicollis</i> Gyll. l. c. I, p. 419. — Bedel, Nouv. et Faits 1872, p. 119; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 191, t. 4, f. 11. — Vitale, Riv. Ital. Sc. Nat. XXIII, 1902, p. 12, f. 8a.	Sicilien
<i>ventralis</i> Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 366.	Capland
var. <i>pygmaeus</i> Vitale, l. c. p. 12.	„
<i>namanus</i> Péring. Ann. S. Afric. Mus. V, 1908, p. 316; Denkschr. med.-natw. Gesellsch. Jena XIII, 1908, p. 419.	Namaqua
<i>namaqua</i> Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 148, t. 4, f. 6.	Kaffraria Capland
<i>natalensis</i> Fährs. l. c. XXVIII, 1871, p. 48.	<i>tauricus</i>
<i>nebulosus</i> Ol. Ent. V, 1807, 82, p. 60, t. 3, f. 20. — Gyll. in Schoenh. Gen. Cure. I, 1833, p. 405; V, 2, 1840, p. 646.	Kaffraria Capland

- nodifrons* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 52.
nodulosus Fährs. l. c. p. 49.
Normandi Desbr. Frelon VII, 1899, p. 11.
nudus Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 135,
 t. 3, f. 3.
obesus F. (*Curculio*) Syst. Ent. Append. 1775, p. 822;
 Spec. Ins. I, 1781, p. 195; Mant. Ins. I, 1787,
 p. 120. — Sparrm. Act. Holm. 1785, p. 54, t. 3,
 f. 32. — Herbst in Fuessly, Arch. 1786, p. 167
 t. 45, f. 8. — L. Syst. Nat. ed. XIII (*Gmelin*)
 I, 4, 1788, p. 1788. — F. (*Brachycerus*) Ent.
 Syst. I, 2, 1792, p. 380; Syst. Eleuth. II, 1801,
 p. 413. — Herbst, Käfer VII, 1797, p. 78, t. 101,
 f. 2. — Thunbg. Nov. Act. Ups. VI, 1799, p. 18.
 — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 391.
 — Fährs. in Schoenh. Gen. Curc. V, 2, 1840,
 p. 608. — Imh. & Labr. Gen. Curc. II, 1846, nr. 13.
afer Wulfen, Descript. Capens. Insect. 1786, p. 15
 t. 1, f. 11a, b.
oedematosus Sulz. Abgek. Gesch. Ins. 1776, p. 40
 t. 4, f. 10.
scalaris Ol. Enc. méth. Ins. V, 1790, p. 183;
 Ent. V, 1807, 82, p. 46, t. 2, f. 18.
 var. *tuberculatus* Geer, Mém. Ins. VII, 1778,
 p. 658. t. 49, f. 8. — Gyll. l. c. I, 1833, p. 391
 (var. β).
obesus Ol. Enc. méth. Ins. V, 1790, p. 184; Ent.
 V, 1807, 82, p. 46, t. 1, f. 1a, b.
 var. *punctulatus* Ol. Ent. V, 1807, 82, p. 48,
 t. 3, f. 37. — Gyll. l. c. I, 1833, p. 391 (var. δ).
oblongus Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 49.
Fausti Pasc. Trans. Ent. Soc. Lond. 1887, p. 12,
 t. 1, f. 8; Proc. Ent. Soc. Lond. 1888, p. 25.
praecursor Pasc. Trans. Ent. Soc. Lond. 1887,
 p. 12, t. 1, f. 9; Proc. Ent. Soc. Lond. 1888, p. 25.
obtusus Pasc. Trans. Ent. Soc. Lond. 1887, p. 14, t. 2, f. 3.
ocellatus F. (*Curculio*) Syst. Ent. 1775, p. 154; Spec.
 Ins. I, 1781, p. 196; Mant. Ins. I, 1787, p. 121.
 — L. Syst. Nat. ed. XIII (*Gmelin*) I, 4, 1788,
 p. 1792. — F. (*Brachycerus*) Ent. Syst. I, 2,
 1792, p. 380; Syst. Eleuth. II, 1801, p. 412. —
 Ol. Enc. méth. Ins. V, 1790, p. 183. — Herbst,
 Käfer VII, 1797, p. 89. — Thunbg. Nov. Act.
 Ups. VI, 1799, p. 19. — Schoenh. Gen. Curc.
 I, 1833, p. 390; V, 2, 1840, p. 608. — Alluaud
 in Grandidier, Hist. Nat. Madag. 1900, p. 406.
madecassus Péring. Compt. rend. Soc. Ent. Belg.
 XXXII, 1888, p. 77. — Fairm. Rev. d'Ent.
 XXII, 1903, p. 38. — Marshall, Deutsche Ent.
 Zeitschr. 1907, p. 481.
ochreosignatus Fährs. Öfv. Vet. Ak. Förh. XXVIII,
 1871, p. 43.
oxonehus Wiedem. Zool. Mag. II, 1823, p. 118. — Schoenh.
 Gen. Curc. I, 1833, p. 440; V, 2, 1840, p. 720.
papulosus Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 705.
pareus Kolbe, Arch. Naturgesch. LXIV, 1898, p. 243.
peregrinus Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871,
 p. 63.

Kafffraria

"

Tunis

Namaqua,
Capland

"

"

Kafffraria

Natal
Capland

Natal

Madagascar

Kafffraria

Capland

Tanganyika-
See

Kafffraria

<i>perplexus</i> Fährs. l. c. p. 51.		Kaffraria
<i>Perrieri</i> Fairm. Rev. d'Ent. XXII, 1903, p. 38.		Madagascar
<i>pertusus</i> Thunbg. Nov. Act. Ups. VI, 1799, p. 36. —		Capland
Cyll. in Schoenh. Gen. Cerc. V, 2, 1840, p. 713.		
— Imh. & Labr. Gen. Cerc. II, 1846, nr. 12.		
— Bovie in Wytsm. Gen. Ins. IC, 1909, p. 22, t. 2, f. 5.		
var. <i>pseudocancellatus</i> Pape, nom. nov.	"	
<i>cancellatus</i> Gyll. l. c. V, 2, 1840, p. 713.		
<i>petuleus</i> Gyll. in Schoenh. Gen. Cerc. I, 1833, p. 429; V, 2, 1840, p. 686.	Kaffraria	
	Orange-Fluß	
<i>phlyctaenoides</i> Pasc. Trans. Ent. Soc. Lond. 1887, p. 13, t. 1, f. 10.	Guinea	
<i>phrygianus</i> Gyll. l. c. V, 2, 1840, p. 698.	Capland	
<i>phrynopterus</i> Fairm. Compt. rend. Soc. Ent. Belg. XXVI, 1882, p. 53. — Kolbe in Werther, Irangit-Expedition 1898, p. 309.	Sansibar,	Massai-steppe
<i>pieturatus</i> Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 45.	Kaffraria	
(<i>pietus</i> Germ.) in Schoenh. Gen. Cerc. I, 1833, p. 426; V, 2, 1840, p. 668.	Capland	= <i>venustus</i> , lvd.
<i>piger</i> Gyll. in Schoenh. Gen. Cerc. V, 2, 1840, p. 640.	Kaffraria	= <i>vestitus</i> , Gyll.
<i>plicatus</i> Gyll. l. c. I, 1833, p. 415; V, 2, 1840, p. 659.	Spanien,	
— Bedel, Nouv. et Faits 1872, p. 119; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 164, t. 4, f. 8, 13, 16.	Balearen,	
<i>europaeus</i> Gyll. l. c. I, 1833, p. 421.	Griechen-	
<i>insignis</i> Mill. Wien. Ent. Monatschr. V, 1861, p. 206. — Mars. Abeille IV, 1867, p. XV.	land,	
<i>opacus</i> Woll. Cat. Col. Canar. 1864, p. 334.	Kleinasiens,	
<i>scutipennis</i> Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 363.	Algier	
<i>superciliosus</i> Gyll. (var. β) l. c. V, 2, 1840, p. 662. — Imh. & Labr. Gen. Cerc. II, 1846, nr. 16.		
<i>tetanicus</i> H. Luc. Hist. Nat. Algér. II, 1849, p. 414.		
<i>vespertilio</i> Desbr. l. c. p. 363.		
<i>polymastulus</i> Kolbe, Arch. Naturgesch. LXIV, 1898, p. 242.	Sansibar	
<i>polyophthalmus</i> Gyll. l. c. V, 2, 1840, p. 693. — Guér. Icon. Règne Anim. Ins. 1829/38, p. 140.	Capland	
<i>oculatus</i> Guér. l. c. p. 140, t. 37, f. 1. — Gyll. l. c. V, 2, 1840, p. 694.		
<i>posticus</i> Gyll. l. c. V, 2, 1840, p. 643.	Kaffraria	
<i>Pradieri</i> Fairm. Ann. Soc. Ent. Fr. (3) IV, 1856, p. 536.	West-	
— Bedel, Nouv. et Faits 1872, p. 119; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 161.	Frankreich,	
Biologie: Mars. Nouv. et Faits 1875, p. 96. — Laboulbène, Ann. Soc. Ent. Fr. (5) V, 1875, p. 96. — Baron, Bull. Soc. Ent. Fr. (5) 1875, p. 155, 162.	Spanien	
<i>europaeus</i> Pradal, Hist. Col. Loire-Inf. 1859, p. 140. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 162.		
<i>proletarius</i> Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 158.	Namaqua	
<i>pseudoscutellatus</i> Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 63.	Kaffraria	

- ~~puerilis~~ Kolbe, Arch. Naturgesch. LXIV, 1898, p. 240.
- ~~pulvereus~~ Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 629.
- ~~pumilus~~ Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.
- ~~nanus~~ Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 161.
- ~~pustulosus~~ Gyll. in Schoenh. Gen. Curc. I, 1833, p. 390; V, 2, 1840, p. 608.
- ~~racemus~~ Gyll. l. c. V, 2, 1840, p. 673.
- ~~Raffrayi~~ Chevr. Compt. rend. Soc. Ent. Belg. XXVI, 1882, p. 89. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 35.
- ~~reflexus~~ Gyll. l. c. V, 2, 1840, p. 620.
- ~~Reinhardtii~~ Gyll. l. c. V, 2, 1840, p. 675.
- ~~reticulatus~~ Wiedem. Zool. Mag. II, 1823, p. 113. — Gyll. l. c. I, 1833, p. 424; V, 2, 1840, p. 683.
- ~~reticulosus~~ Gyll. l. c. I, 1833, p. 434; V, 2, 1840, p. 714.
- ~~riguus~~ Er. in Wagners Reise III, 1841, p. 185, t. 8. — Küster, Käf. Eur. II, 1845, fol. 38. — Bedel, Nouv. et Faits 1872, p. 118; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 149. — Rey, Échange 1894, p. 63.
- ~~rotundatus~~ Péring. Trans. S. Afric. Phil. Soc. III 1885 p. 136, t. 2, f. 6.
- ~~rubiginosus~~ Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 624.
- ~~rudis~~ Gyll. l. c. V, 2, 1840, p. 625.
- ~~rugipes~~ Gyll. l. c. p. 629.
- ~~rugosus~~ Thunbg. Nov. Act. Ups. VI, 1799, p. 27. — Schoenh. Gen. Curc. I, 1833, p. 427. — Gyll. l. c. V, 2, 1840, p. 649.
- ~~rugulosus~~ Gyll. l. c. p. 649.
- ~~rusticanus~~ Gyll. l. c. p. 669.
- ~~sacer~~ Latr. in Caillaud, Voyage à Méroé IV, 1827, p. 291. — Bertolini, Nov. Comm. Ac. Bonon. X, 1849, p. 401. — Imh. & Labr. Gen. Curc. II, 1846, nr. 14. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 401.
- bufo* Boh. in Schoenh. Gen. Curc. VIII, 2, 1845, p. 375. — Gemm. & Har. Cat. Col. VIII, 1871, p. 2334.
- var. *pustulatus* Faust, l. c. p. 401.
- ~~saginatus~~ Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 709.
- ~~salamensis~~ Kolbe, Arch. Naturgesch. LXIV, 1898, p. 243.
- ~~seabiosus~~ Gyll. l. c. V, 2, 1840, v. 674.
- ~~scalaris~~ F. (*Curculio*) Gen. Ins. Mant. 1777, p. 228; Spec. Ins. I, 1781, p. 195; Mant. Ins. I, 1787, p. 120. — L. Syst. Nat. ed. XIII (*Gmelin*) I, 4, 1788, p. 1789. — F. (*Brachycerus*) Ent. Syst. I, 2, 1792, p. 380; Syst. Eleuth. II, 1801, p. 412. — Herbst, Käfer VII, 1797, p. 87. — Thunbg. Nov. Act. Ups. VI, 1799, p. 19. — Schoenh. Gen. Curc. I, 1833, p. 392; V, 2, 1840, p. 610.
- ~~scelestus~~ Gyll. l. c. V, 2, 1840, p. 715. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 66.
- ~~Schalowi~~ Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 285.
- ~~serobicollis~~ Gyll. l. c. V, 2, 1840, p. 622.
- Brit. Ost-Afrika
Capland
"
" = det. itea, Thunb.
"
Abessinien
Kaffraria - *taniculus*, sp.
Guinea
Capland
"
Algier
Damara,
Zambesi
Capland
"
"
"
Kaffraria
Capland
Sennaar
Congo
Kaffraria
Sansibar
Capland
"
"
Kaffraria
Tanganyika
Kaffraria

- serobiculatus* Gyll. l. c. I, 1833, p. 404; V, 2, 1840, p. 615. Capland
serobipennis Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, Kaffraria
 p. 53.
 — *serupulosus* Gyll. l. c. V, 2, 1840, p. 701. Capland
 var. *suspiciosus* Gyll. l. c. p. 701. ”
 — *sculpturatus* Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 678. ”
electilis Pasc. Trans. Ent. Soc. Lond. 1887, Algoa Bay
 p. 14, t. 2, f. 2; Proc. Ent. Soc. Lond. 1888, p. 25.
 — *scutellaris* H. Luc. Hist. Nat. Algér. II, 1849, p. 413, Algier
 t. 35, f. 9. — Bedel, Nouv. et. Faits 1872, p. 118;
 Ann. Soc. Ent. Fr. (5) IV, 1874, p. 159, t. 4, f. 14.
cirrosus H. Luc. l. c. p. 413, t. 35, f. 8 a, d.
 — *scutirostris* Germ. in Schoenh. Gen. Curc. I, 1833, p. 437. Patria?
 — Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 637.
 — *semiocellatus* Gyll. in Schoenh. Gen. Curc. I, 1833, Senegal
 p. 397; V, 2, 1840, p. 623.
 — *seriesdentatus* Fairm. Rev. d'Ent. XXII, 1903, p. 39. Madagascar
 — *setiger* Gyll. l. c. V, 2, 1840, p. 633. Kaffraria
 — *setipennis* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, ”
 p. 60.
 — *setosus* Wiedem. in Germ. Magaz. IV, 1821, p. 160. — Capland
 Gyll. in Schoenh. Gen. Curc. I, 1833, p. 431; V, 2, 1840, p. 688.
 — *severus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 47. Kaffraria
 — *signatus* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, Capland
 p. 159.
socors Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 51. Kaffraria
 — *Sparrmani* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 716. Capland
 — *spinicollis* Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 205, Syrien
 t. 4, f. 7, 12.
 — *spiniger* F. Syst. Eleuth. II, 1801, p. 413. — Schoenh. Guinea
 l. c. I, 1833, p. 439. — Gyll. l. c. V, 2, 1840, p. 691.
 — *spinipes* Péring. Trans. S. Afric. Phil. Soc. III, 1885, Namaqua,
 p. 133, t. 3, f. 4. Capland
spissus Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 708. Kaffraria
squalidus Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, ”
 p. 64.
squamosus Péring. l. c. III, 1885, p. 128, t. 2, f. 4. Damara
 — *stellaris* Ol. Entom. V, 1807, 82, p. 63, t. 3, f. 36. Capland
 — Gyll. l. c. V, 2, 1840, p. 635.
 — *capito* Pasc. Trans. Ent. Soc. Lond. 1887, p. 10, A good sp.
 t. 1, f. 5; Proc. Ent. Soc. Lond. 1888, p. 25.
sticticus Voet in Panzer, Voets Beschr. hartsch. Ins. ”
 IV, 1798, p. 42, t. 34, f. D.
americanus Voet, Catal. II, 1806, p. 45; Index
 p. 16, t. 34, f. D.
scoposus Gyll. in Schoenh. Gen. Curc. I, 1833, Senegal E. Africa
 p. 400; V, 2, 1840, p. 644.
serratus Thunbg. Nov. Act. Ups. VI, 1799, p. 25.
 — *strumosus* Pasc. Trans. Ent. Soc. Lond. 1887, p. 16, t. 2, f. 8
 (nec 71). — Marshall, Deutsche Ent. Zeitschr.
 1907, p. 481. — Bovie in Wytsm. Gen. Ins.
 IC, 1909, p. 24, t. 2, f. 3.
Schoenherri Péring. Trans. S. Afric. Phil. Soc.
 IV, 1888, p. 149, t. 4, f. 5. — Marshall, l. c.

- subfasciatus* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 640.
var. *bardus* Gyll. l. c.
- suleaticeps* Kolbe, Arch. Naturgesch. LXIV, 1898, p. 44.
- sulcicollis* F. Hartm. Deutsche Ent. Zeitschr. 1906, p. 67.
- suturalis* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 156, t. 4, f. 1.
- Papei* Zaitzev, Rev. Russe d'Ent. 1907, p. 137.
- tauriculus* Sparrm. (*Curculio*) Act. Holm. 1785, p. 51, t. 3, f. 25. — Ol. Enc. méth. Ins. V, 1790, p. 569.
- inaequalis* Ol. Encycl. méth. Ins. V, 1790; p. 185; Ent. V, 1807, 28, p. 61, t. 2, f. 12. — F. Ent. Syst. I, 2, 1792, p. 382; Syst. Eleuth. II, 1801, p. 414. — Herbst, Käfer VII, 1797, p. 89. — Schoenh. Gen. Curc. I, 1833, p. 428.
- tenebrosus* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 630.
- tergosignatus* Gyll. l. c. p. 702.
- texatus* Gyll. l. c. I, 1833, p. 433; V, 2, 1840, p. 711.
- torvus* Gyll. l. c. V, 2, 1840, p. 691.
- transversefoveatus* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 154.
- transversus* Ol. Entom. V, 1807, 82, p. 57, t. 3, f. 23. Gyll. l. c. I, 1833, p. 415; V, 2, 1840, p. 615. — Bedel, Nouv. et Faits 1872, p. 118; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 148.
- barbarus* Latr. Gen. Crust. Ins. II, 1807, p. 253.
- tremens* Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 686. — Bovie in Wytsm. Gen. Ins. IC, 1909, t. 2, f. 1.
- (tuberosus* Wiedem. in Germ. Magaz. IV, 1821, p. 160. — Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 666. var. *contextus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 423. — Fährs. l. c. V, 2, 1840, p. 665. var. *gemmaatus* Thunbg. Nov. Act. Ups. VI, 1799, p. 22. — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 419 (ex err.). — Fährs. l. c. V, 2, 1840, p. 665. var. *instabilis* Fährs. l. c. V, 2, 1840, p. 665. var. *margaritaceus* Germ. in Schoenh. Gen. Curc. I, 1833, p. 398. — Fährs. l. c. V, 2, 1840, p. 665. var. *subverrucosus* Fährs. l. c. V, 2, 1840, p. 666.
- turbatus* Pasc. Trans. Ent. Soc. 1887, p. 15, t. 2, f. 5.
- turgidus* Gyll. l. c. V, 2, 1840, p. 609.
- turriferus* Gyll. l. c. p. 623.
- tursio* Pasc. Journ. Linn. Soc. Lond. XII, 1873, p. 6, t. 1, f. 10.
- var. *insignis* Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 127, t. 2, f. 3.
- (ulcerosus* Gyll. l. c. V, 2, 1840, p. 668.
- umbrinus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 55. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 25, t. 2, f. 11.
- undatus* F. Suppl. Ent. Syst. 1798, p. 162; Syst. Eleuth. II, 1801, p. 414. — Ill. Magaz. VI, 1807, p. 305. — Ol. Entom. V, 1807, 82, p. 50, t. 2, f. 16a, b. — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 408; V, 2, 1840, p. 653. — Imh. & Labr. II, 1846, nr. 16. — Jacq. du Val, Gen. Col. d'Eur. Curc. 1854, t. 4, f. 20. — Bedel, Nouv. et Faits 1872, p. 118; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 173.
- Capland
- "
- Sansibar
- Transvaal
- "
- Capland
- Kaffraria
- Capland
- "
- Namaqua
- Algier
- Kaffraria
- Capland
- = *germatus*
- Natal
- Capland
- "
- Damara
- "
- Capland = *geminifer*
- Kaffraria
- Algier,
- Spanien,
- Balearen,
- Süd-
- frankreich,
- Italien,
- Sicilien,
- Sardinien,

- Har. Col. Hefte XVI, 1879, p. 146 (patr. Afr. centr.). — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 10, f. 1a. — Rey, Échange 1894, p. 63.
- Biology:** Jonicus (Pseudon. Champion), Entom. Magaz. III, 1836, p. 465. — Perris, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 128. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, v. 177. — Laboulbène, Ann. Soc. Ent. Fr. (5) V, 1875, p. 95, 96.
- algorus* Ol. Encycl. méth. Ins. V, 1790, p. 185. — Herbst, Käfer VII, 1797, p. 91, t. 101, f. 3.
- barbarus* L. Syst. (*Curculio*) Nat. ed. XII, 1767, I, 2, p. 617 (parte sec. descr.). — F. Syst. Ent. 1775, p. 152; Specim. Ins. II, 1791, p. 194; Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 381. — De Villers, Car. Linn. Ent. I, 1789, p. 211. — Rossi, Fauna Etruse. I, 1790, p. 122. — Petagna, Specim. Insect. Calabr. 1787, p. 13; Instit. Ent. 1792, t. 2, f. 3. — Thunbg. Nov. Act. Ups. VI, 1799, p. 24. — Dum. Cons. gén. Ins. 1823, t. 16, f. 4. — H. Luc. Hist. Nat. Algér. II, 1849, p. 412.
- capensis* Schoenh. Gen. Curc. I, 1833, p. 427; V, 2, 1840, p. 652.
- cornifrons* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 363.
- corrosus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 409; V, 2, 1840, p. 654.
- crispatus* Latr. Gen. Crust. Ins. II, 1807, p. 253.
- crispatus* Rey, Échange 1894, p. 63.
- europaeus* Thunbg. Nov. Act. Ups. VI, 1799, p. 25.
- hispidus* Desbr. l. c. p. 361.
- incultus* Gyll. l. c. I, 1833, p. 411; V, 2, 1840, p. 653.
- lacunatus* Latr. l. c. p. 252 nota.
- mauritanicus* Ol. Entom. V, 1807, p. 51, t. 3, f. 22. — Schoenh. Gen. Curc. I, 1833, p. 414; V, 2, 1840, p. 653. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 661 nota. — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 12.
- nubilus* Desbr. l. c. p. 361.
- ovatus* Brullé, Expéd. Morée III, 1832, p. 235, t. 42, f. 1.
- pterygomalis* Gyll. l. c. I, 1833, p. 406; V, 2, 1840, p. 652.
- quadratus* Voet, Cat. Col. II, 1806, p. 45, t. 33, f. B.
- serviceus* Desbr. l. c. p. 361.
- serratus* Ol. Entom. V, 1807, 82, p. 52, t. 3, f. 30.
- subvariolatus* Desbr. l. c. p. 360.
- var. *lyrae* Vitale, Riv. Coleott. Ital. III, 1905, p. 206.
- uvula** Sparre. Act. Holm. 1785, p. 53, t. 3, f. 29. — Ol. Encycl. méth. Ins. V, 1790, p. 596. — L. Syst. Nat. XIII, I, 4, 1788, p. 1794. — F. Ent. Syst. I, 2, 1792, p. 383; Syst. Eleuth. II, 1801, p. 416. — Herbst, Käfer VII, 1797, p. 86. — Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 673.
- uvula** Kolbe, Arch. f. Naturgesch. LXIV, 1898, p. 242.
- vacca** Thunbg. Nov. Act. Ups. VI, 1799, p. 17.
- asper* Ol. Entom. V, 1807, 82, p. 64, t. 3, f. 32. — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 428. V, 2, 1840, p. 684.

Illyrien,
Istrien,
Griechen-
landSicilien
CaplandOst-Afrika
Capland

- . *vagabundus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 54.
 . *variegatus* Pape, Deutsche Ent. Zeitschr. 1907, p. 106.
sticticus Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 67.
variipictus Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 284, t. 6, f. 7.
variolosus Ol. Encycl. méth. Ins. V, 1790, p. 185; Entom. V, 1807, 82, p. 61, t. 1, f. 7. — Herbst, Käfer VII, 1797, p. 95, t. 101, f. 10. — Schoenh. Gen. Curc. I, 1833, p. 438; V, 2, 1840, p. 707.
varius Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 155.
venustus Wiedem. Zool. Magaz. II, 1823, p. 116. — Schoenh. Gen. Curc. I, 1833, p. 440; V, 2, 1840, p. 720.
verrucifer Kirby, Trans. Linn. Soc. Lond. 1818, p. 430.
 — Schoenh. l. c. I, 1833, p. 431; V, 2, 1840, p. 683.
verrucipennis Gyll. in Schoenh. Gen. Curc. I, 1833, p. 430; V, 2, 1840, p. 699.
verrucosiusculus Pape, Deutsche Ent. Zeitschr. 1907, p. 106.
subverrucosus Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 53.
verrucosus Ol. Encycl. méth. Ins. V, 1790, p. 184, t. 224, f. 3; Entom. V, 1807, 82, p. 49, t. 1, f. 2. — Herbst, Käfer VII, 1797, p. 94, t. 101, f. 9. — Gyll. l. c. I, 1833, p. 396; V, 2, 1840, p. 620.
speciosus Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 131, t. 3, f. 1. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.
taeniatus Thunbg. Nov. Act. Ups. VI, 1799, p. 28.
 var. *nanus* Péring. l. c. p. 132. — Marshall, l. c.
vestitus Gyll. l. c. V, 2, 1840, p. 628.
viduatus Péring. Trans. S. Afric. Phil. Soc. VI, 1892, p. 73.
Wahlbergi Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 45. — Péring. l. c. VI, 1892, p. 74.
Westermanni Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 607. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 27, t. 2, f. 12.
Zeyheri Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 682.
 298

Lufi - Schule

III. Subfam. Brotheinae.

Marshall, Trans. South Afric. Philos. Soc. XVIII, 1907, p. 89.

Brotheini Bovie in Wytsm. Gen. Ins. IC, 1909, p. 29.

Synthocus Schoenh.

Schoenh. Gen. Curc. VI, 2, 1842, p. 408. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 89. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 29.

Daulaxius Pasc. Trans. Ent. Soc. Lond. 1887, p. 333.

<i>acuticollis</i>	Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 96, t. 6, f. 8.	Namaqua
— <i>adustus</i>	Pasc. Journ. Linn. Soc. Lond. X, 1870, p. 464. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 102.	Betschuana-land, Damara-land
	<i>sordidus</i> Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 140.	
— <i>damarensis</i>	Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 96.	Damaraland
— <i>dorsalis</i>	Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 198. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 95.	Mashonaland, Matabele-land
	<i>flavotuberous</i> Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 101, t. 6, f. 10.	Damaraland
— <i>frater</i>	Marshall, l. c. p. 99, t. 6, f. 9.	Namaqua
— <i>Hopei</i>	Boh. in Schoenh. Gen. Cerc. VI, 2, 1842, p. 412. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 92.	Capland, Namaqua
	<i>paradoxus</i> Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 137, t. 3, f. 5.	
— <i>mashunus</i>	Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 104.	Mashonaland Matabele-land
— <i>nigropictus</i>	Pasc. Journ. Linn. Soc. Lond. X, 1870, p. 463, t. 19, f. 11. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 102. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 30, t. 1, f. 11, t. 3, f. 19. <i>sagittarius</i> Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 139.	
	<i>ovampoensis</i> Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 98, t. 6, f. 7.	Ovamboland
— <i>parvus</i>	Péring. Trans. S. Afr. Phil. Soc. IV, 1888, p. 164. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 99.	Capland, Transvaal, Ovambo-land
	<i>plagosus</i> Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 138. — Marshall, l. c. XVIII, 1907, p. 103.	Capland
	<i>quadripennis</i> Péring. Trans. S. Afr. Phil. Soc. IV, 1888, p. 165. — Marshall, l. c. XVIII, 1907, p. 97.	Namaqua
— <i>Reichei</i>	Boh. in Schoenh. Gen. Cerc. VI, 2, 1842, p. 411. — Marshall, l. c. XVIII, 1907, p. 100.	
— <i>sinuatus</i>	Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 94.	Betschuana-land, Mashona-land, Sudan
— <i>stolatus</i>	Pasc. (<i>Daulaxius</i>) Trans. Ent. Soc. 1887, u. 333, t. 11, f. 11. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 105.	Delagoa-Bay
— <i>truncatus</i>	Boh. in Schoenh. Gen. Cerc. VI, 2, 1842, p. 410. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 105. 43	Capland, Senegal
	<i>informis</i> Chevr. (<i>Rhytirrhinus</i>) in Guér. Icon. Régne Anim. 1844, p. 143, t. 37, f. 8.	
— <i>Wardeni</i>	Péring. Trans. S. Afr. Phil. Soc. IV, 1888, p. 165, t. 3, f. 13. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 105.	Namaqua
	var. <i>bicuspis</i> Marshall, l. c. XVIII, 1907, p. 106.	„

Brotheus Steph.

Steph. Ill. Brit. Ent. IV, 1831, p. 152. — Schoenh. Gen. Curc. VI, 2, 1842, p. 421. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 106. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 31.

Ixodicus Pasc. Journ. Linn. Soc. Lond. XI, 1872, p. 448.

binodosus Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 108, t. 6, f. 11. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 31, t. 1, f. 12.	Capland
carinatus Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 110, t. 6, f. 14.	"
crenelatus Marshall, l. c. XVIII, 1907, p. 112, t. 6, f. 12.	"
flexuosus Marshall, l. c. p. 115, t. 6, f. 15. — Bovie, l. c. t. 1, f. 13.	"
laevigatus Marshall, l. c. v. 109.	"
occlusus Pasc. (<i>Ixodicus</i>) Journ. Linn. Soc. Lond. XI, 1872, p. 448, t. 13, f. 8. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 114.	"
planus Thunbg. (<i>Brachycerus</i>) Nov. Act. Ups. VI, 1799, p. 35. — Schoenh. (<i>Byrsops</i>) Gen. Curc. II, 1834, p. 413. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 112.	"
praeccisicollis Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 109.	Süd-Afrika
praemorsus Thunbg. (<i>Brachycerus</i>) Nov. Act. Ups. VI, 1899, p. 33. — Schoenh. Gen. Curc. I, 1833, p. 439. — Schoenh. (<i>Byrsops</i>) Gen. Curc. VI, 2, 1842, p. 408. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 115.	Capland
deprimatus Boh. (<i>Byrsops</i>) Schoenh. Gen. Curc. VI, 2, 1842, p. 407.	
porcatus Marsham (<i>Curculio</i>) Ent. Brit. 1802, p. 255. — Steph. (<i>Brotheus</i>) Ill. Brit. Ent. IV, 1831, p. 154. — Schoenh. Gen. Curc. VI, 2, 1842, p. 421; VIII, 2, 1845, p. 315.	
pumilus Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 116, t. 6, f. 13.	"
pusio Wiedem. (<i>Brachycerus</i>) Zool. Magaz. II, 1, 1823, p. 113. — Schoenh. (<i>Byrsops</i>) Gen. Curc. 1834, p. 413; VI, 2, 1842, p. 408. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 111.	"
sordidus Pasc. (<i>Ixodicus</i>) Journ. Linn. Soc. Lond. XI, 1872, p. 448. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 113.	"

Euryxena Pasc.

Pasc. Trans. Ent. Soc. Lond. 1887, p. 337. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 117. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 32.

bruchoides Pasc. Trans. Ent. Soc. Lond. 1887, p. 338, t. 11, f. 1. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 118.

PX-16

Index.

Subfamiliae, Tribus, Genera, Subgenera.

- | | |
|------------------------------------|----------------------------------|
| Brachycerinae Auriv. 9 | Gyllenhalia Auriv. 9 |
| Brachycerini Pape 10 | * <i>Ixodicus</i> Pasc. 30 |
| <i>Brachycerinus</i> Bovie 11 | * <i>Lagenisus</i> Jek. 3 |
| <i>Brachyceromorphus</i> Bovie 11 | Microcerinae Auriv. 3 |
| Brachycerus Ol. 11 | * <i>Microcerus</i> Schoenh. 6 |
| <i>Brachycerus</i> i. sp. Bovie 11 | Protomantini Pape 9 |
| <i>Brotheinæ</i> Marshall 28 | * <i>Protomantis</i> Schoenh. 9 |
| Brotheus Steph. 30 | * <i>Synthocetus</i> Schoenh. 28 |
| <i>Daulaxius</i> Pasc. 28 | * <i>Theates</i> Fährs. 10 |
| Dyerocera Pasc. 10 | |
| * <i>Episus</i> Schoenh. 3 | |
| * <i>Euretus</i> Péring. 11 | |
| * <i>Euryxena</i> Pasc. 30 | |

Species, Varietates.

- | | |
|-----------------------------|---|
| abyssinicus Fairm. 6 | anaglypticus Gyll. 12 |
| aceola Kolbe 11 | angulicollis Auriv. 3 |
| acerbus Gyll. 11 | angusticollis Fährs. (<i>Episus</i>) 4 |
| aculeatus Imh. 3 | angusticollis Wiedem. (<i>Theates</i>) 10 |
| acuticollis Marshall 29 | annulatus Gerst. 12 |
| adustus Péring. (Brach.) 11 | annuliger Har. 7 |
| adustus Pasc. (Synth.) 29 | apicatus Gyll. 12 |
| aegrotus Péring. 11 | apterus L. 12 |
| <i>aegyptiacus</i> Ol. 19 | apterus Thunbg. 13 |
| afer Wulfn. 22 | apterus Hbst. 18 |
| affaber Gyll. 11 | argillaceus Reiche 19 |
| albarius Gyll. 11 | asper Ol. 27 |
| albicollis Pasc. 11 | attenuatus Vitale 12 |
| albidentatus Gyll. 11 | atrox Gerst. 13 |
| albiventer Gerst. 7 | auguris Fährs. 13 |
| albofasciatus Péring. 11 | auritus Péring. 13 |
| albotectus Péring. 11 | Aurivillii Péring. 11 |
| albulus Lacord. 6 | axillaris Gyll. 13 |
| algirus F. 11 | baccatus Fährs. 13 |
| algirus Latr. 13 | balearicus Bedel 13 |
| algirus H. Luc. 14 | barbarus L. 13 |
| algirus Ol. 27 | barbarus Latr. 26 |
| amabilis Péring. 12 | barbarus L. 27 |
| amatongas Péring. 12 | bardus Gyll. 26 |
| ambulans Fährs. 12 | |
| <i>americanus</i> Voet 25 | |

batrachus Gestro 13
Besckei Fährs. 7
Besseri Kryn. 20
bicallosus Gyll. 13
bicornutus Fährs. 14
bicuspidis Marshall 29
biglobatus Sparrm. 14
biglobatus Gyll. 21
bimaculatus Thunbg. 8
binodosus Marshall 30
Boei Gyll. 17
Bohemani Auriv. 4
Borrei Auriv. 7
boschimanus Péring. 14
Bottegi Gestro 14
brachyceropsides Péring. 14
brevicollis Jek. 4
brevicostatus Fährs. 14
bruchoides Pasc. 30
buculus Schoenh. 14
bufo Boh. 24
bullatus Gyll. 18

caffer Gyll. 13
callosus Schoenh. 14
canalirostris Fährs. 14
cancellatus Gyll. 14
cancellatus Gyll. 23
capensis Voet 17
capensis Schoenh. 27
caperans A. Leht. 14
capito Pasc. 25
carbunculus Quedf. 14
carinatus Marshall 30
carinula Rey 12
catenulatus Fährs. 14
caviceps Péring. 14
cavifrons Gyll. 14
cavirostris Fairm. 7
Chevrolati Fährs. 14
cincticollis Quedf. 15
cinctipes Gyll. 15
cinerarius Wiedem. 15
cinereus Ol. 15
cinnamomeus Pasc. 14
cirriferus Gyll. 12
cirrosus Gyll. 12
cirrosus H. Luc. 25
clathratus Desbr. 16
clitellatus Fährs. 15.
coenosus Jek. 4
cognatus Fährs. 4
collaris Fährs. 15
comparabilis Kolbe 15
comitus Fährs. 15
congestus Gerst. 15
consimilis Péring. 15
contextus Gyll. 26
contortus Fährs. 15

contractus Fährs. 4
cordiger Sparrm. 15
corniculatus Gyll. 15
cornifrons Desbr. 27
cornutus L. 15
cornutus Ol. 19
coronirostris Gyll. 16
corrosus Gyll. 27
costalis Fährs. (Micr.) 7
costalis Gyll. (Brach.) 16
costatus Gyll. 16
crenatus Ol. 16
crenelatus Marshall 30
cretaceus Gyll. 7
cribellatus Fairm. 7
cribrarius Ol. 20
crispatriostris Gyll. 16
crispatus F. 16
crispatus Latr. 27
crispatus Rey 27
crispicularis Gyll. 16
cristatus Péring. (Brach.) 16
cristatus Gyll. (Episus) 5
cristatus Péring. (Theates) 10
cruciatus Geer 13
currucoides Gyll. 16
curtulus Desbr. 13
cyathiformis Gyll. 4
cylindripes Bedel 16

damarensis Marshall 29
deceptor Péring. 16
densegranosus Fairm. 16
dentatus Boh. 5
depressus Auriv. 7.
deprimatus Boh. 30
detritus Thunbg. 16
Devylderii Auriv. 4
diffficilis Péring. 16
difformis Fald. 20
discolor Gyll. 16
disjunctus Pasc. 16
dispar Péring. 16
divergens Péring. 21
Dohrni Auriv. 4
dorsalis Fährs. (Synth.) 29
dorsalis Fährs. (Episus) 4
dorsalis Gyll. (Brach.) 16
dorsofumatus Fairm. 7
dorsomaculatus Quedf. 16
draco Pasc. 19
Dregei Gyll. (Micr.) 7
Dregei Gyll. (Protom.) 9
Dregei Boh. (Episus) 4
Dregei Lacord. (Micr.) 8
dubius Panz. (Brach.) 16
dubius Auriv. (Episus) 5
duplicatus Gyll. 17

- ebullinus Péring. 17
 echinatus Boh. (Episus) 4
 echinatus Gyll. (Brach.) 17
 Eckloni Gyll. 17
 effertus Péring. 17
elechilis Pasc. 25
 elegans Auriv. 10
 elongatus Auriv. 4
 emeritus L. 17
 ephippiatus Fährs. (Brach.) 17
ephippiatus Sparrm. (Micr.) 8
 erinaceus Ol. 17
 erosus Gerst. 17
 errans Fährs. 17
europaeus Gyll. 23
europaeus Pradal 23
europaeus Thunbg. 27
exemptus Rey 12
 eximius Pasc. 17

 facietatus Gyll. 17
Fahraei Auriv. (Episus) 4
Fahraei Jek. (Micr.) 7
Fahraei Fährs. (Brach.) 17
 fallax Fährs. 7
 farctus Ill. 17
 fascicularis Ol. 17
 fascicularis Panz. 17
 fasciculosus Germ. 17
Fausti Pasc. 22
 ferox Fairm. 17
 ferrugatus Quedf. 17
ferrugineus Ol. 13
 fictus Gyll. 5
fimbriatus Desbr. 20
Fischeri Kolbe. 17
fassirostris Fairm. 7
 flavonotatus Péring. 17
 flavotuberous Marshall 29
 flexuosus Boh. (Episus) 5
 flexuosus Marshall (Broth.) 30
fluctiger Gyll. 13
 formidulosus Gyll. 17
 fossilis Auriv. 7
foveicollis Gyll. 21
 foveifrons Bedel 17
 foveolatus Péring. 17
 frater Marshall 29
frontalis Fährs. 19
 fuliginosus Gyll. 17

 ganglionicus Boh. 5
 gemmatus Ol. 17
gemmaeus Thunbg. 26
 gemmeus Gyll. 18
gemmosus Gyll. 21
 gemmifer Germ. 18
 gibbosus Auriv. 5
 glabratus Wiedem. 18

 glanduliferus Gyll. 18
globiferus Thunbg. 18
globosus Drury 18
granicollis Gyll. 18
graniferus Fährs. 18
granirostris Fährs. 18
granosus Gyll. 18
granulatus Lacord. 18
gravida Pasc. 10
gravidus Auriv. 5
gravis Fährs. 18
grisescens Gyll. 7
griseus F. 18
gryphus Pasc. 18
guineensis Péring. 18
Gyllenhali Gyll. 18

 haedus Gyll. 18
hieroglyphicus Fährs. 5
hilaris Péring. 18
hispidus Desbr. 27
Hofmanni Faust 18
honorabilis Brancs. 18
Hopei Boh. (Episus) 5
Hopei Boh. (Synth.) 29
hottentottus Gyll. 16
humeralis Péring. 17
hybridus Fährs. 18
hypocritus Gyll. (Episus) 5
hypocritus Fährs. (Brach.) 18
hypocritus Bedel (Brach.) 14
hystrix Schoenh. 18

 idolum Gyll. 8
ignavus Fährs. 19
impendens Fährs. 19
impius Fährs. 19
impressicollis Auriv. (Episus) 4
impressicollis Péring. (Brach.) 19
impressifrons Gyll. 19
imprudens Gyll. 19
inaequalis Gyll. (Micr.) 8
inaequalis Thunbg. (Brach.) 19
inaequalis Ol. 26
incertus Desbr. 20
incommodus Péring. 19
incultus Gyll. 27
indutus Péring. 19
inermicollis Gyll. 5
infitalis Péring. 19
informis Chevr. 29
ingratus Fährs. 19
inops Péring. 19
inordinatus Fährs. 19
insignis Mill. 23
insignis Péring. 26
instabilis Fährs. 26
insularis Desbr. 20
intermedius Péring. 19

interpositus Hartm. 19
interpunctatus Gyll. 14
interruptus Rey 13
interstitialis Fährs. 19
interstitionipunctatus Auriv. 8
intutus Gyll. 19
inurbanus Gyll. 19

junix A. Leht. 19
juvencus Sparrm. 20
juvencus Thunbg. 14
ixodicoides Péring. 20

kabylianus Desbr. 20
karoensis Péring. 20
khoikhoianus Péring. 20
Kirschi Jek. 8
Kirschi Auriv. 7
koroquanus Fährs. 16
Krebsi Auriv. 5
kumbanensis Quedf. 20

labruska Gyll. 20
Lacordairei Faust 20
lacunatus Latr. 27
laevifrons Fährs. 20
laevigatus Marshall 30
Lafertei Péring. 20
lateralis Gyll. 13
lateritus Gyll. 20
latifrons Gyll. 20
latipennis Fährs. 8
latro Gyll. 13
lentus Gyll. 14
levidipus Gyll. 20
libertinus Fährs. 13
lividicollis Fährs. 20
lobaticollis Péring. 20
longirostris Gyll. 20
longiusculus Gyll. 17
longulus Fairm. 20
loquax F. Hartm. 21
ludificator Auriv. 10
luridus Fährs. 21
luteus Wiedem. 21
lutosus Gyll. 15
lutulentus Gyll. 20
lyrae Vitale 27

maculatus Ol. 21
maculatus F. 16
maculicollis Péring. 12
maculipes Chevr. 21
maculosus Kirby 16
madagascariensis Schoenh. 21
madecassus Péring. 22
magus Auriv. 10
margaritaceus Germ. 26
margaritifer Gyll. 21

mashunus Marshall 29
mauritanicus Ol. 27
melancholicus Gyll. 8
mendosus Gyll. 5
milleporellus Bovie 14
milleporus Wiedem. 21
milleporus Gyll. 15
minor Voet 16
modestus Fährs. 21
moerens Pasc. 21
moestus Péring. 21
monachus Fährs. 21
morio F. 21
Mouffleti Péring. 21
muricatus Boh. (*Episus*) 5
muricatus F. 21
muricatus Ol. 12

namanus Péring. 21
namaqua Péring. 21
nanus Péring. 24
nanus Péring. 28
natalensis Fährs. 21
nebulosus Ol. 21
nigropictus Pasc. 29
nigrovittatus Auriv. 4
nodicollis Auriv. 5
nodiferus Gyll. 12
nodifrons Fährs. 22
nodulosus Fährs. 22
nodulosus Reiche 20
Normandi Desbr. 22
nubilus Desbr. 27
nudus Péring. 22

Oberthüri Auriv. 5
obesus F. 22
obesus Ol. 22
obliquus Jek. 4
oblongus Auriv. (*Microtis*) 8
oblongus Fährs. (*Brach.*) 22
obtusus Pasc. 22
occlusus Pasc. 30
ocellatus F. 22
ochreosignatus Fährs. 22
oculatus Guér. 23
oedematosus Sulz. 22
Olivieri Desbr. 20
opacus Woll. 23
opalinus Auriv. 5
orbipennis Reiche 20
ornatus Reiche 20
ornatus Drury 18
ovampoensis Marshall 29
ovatus Brullé 27
oxonchus Wiedem. 22

Papei Zaitzev 26
papillosus Thunbg. 15

papulosus Gyll. 22
paradoxus Rey (Brach.) 13
paradoxus Péring. (Synth.) 29
parallelus Auriv. 4
parcus Kolbe 22
parens Desbr. 14
parvus Fähr. 29
Pascoeii Jek. 8
paucidentatus Auriv. 4
peninsularis Chevr. 14
peregrinus Fährs. 22
Peringueyi Auriv. (*Episus*) 5
Peringueyi Auriv. (*Prot.*) 10
perodosus Gyll. 12
perplexus Fährs. 23
Perrieri Fairm. 23
pertusus Thunbg. 23
petiolatus Fährs. 10
petulcus Gyll. 23
phlyctaenoides Pasc. 23
phrygianus Gyll. 23
phrynopterus Fairm. 23
picturatus Fährs. 23
pictus Germ. 23
piger Gyll. 23
pisifer Thunbg. 19
plagosus Péring. 29
planifrons Auriv. 8
planirostris Gyll. 12
planus Thunbg. 30
plicatus Gyll. 23
polymastulus Kolbe 23
polyophthalmus Gyll. 23
porcatus Marsham 30
posticus Gyll. 23
Pradieri Fairm. 23
praeciscicollis Marshall 30
praecursor Pasc. 22
praemorsus Thunbg. 30
proletarius Péring. 23
pseudocancellatus Pape 23
pseudoscutellatus Fährs. 23
pterygomalis H. Luc. 16
pterygomalis Gyll. 27
puerilis Kolbe 24
pulvereus Gyll. 24
pulverulentus Ol. 15
pumilus Marshall (Brach.) 24
pumilus Marshall (Broth.) 30
punctatus Auriv. 6
punctulatus Ol. 22
pusio Wiedem. 30
pustulatus Faust 24
pustulosus Gyll. 24
pygmaeus Vitale 21

quadratus Voet 27
quadripennis Péring. 29

quadrisulcatus Fisch. 15
quadrulifer Jek. 6

racemus Gyll. 24
Raffrayi Chevr. 24
Raffrayi Desbr. 14
ramosus Schauf. 13
rectecostatus Desbr. 16
reflexus Gyll. 24
Reichei Roh. 29
Reiuhardti Gyll. 24
reticulatus Wiedem. 24
reticulosus Gyll. 24
retusus F. 8
riguus Er. 24
rixator Pasc. 15
robustus Auriv. 6
Roelofsi Auriv. 6
rostratus F. 6
rostratus Ol. 4
rotundatus Auriv. (Micr.) 8
rotundatus Péring. (Brach.) 24
rotundicollis Auriv. 6
rubiginosus Gyll. 24
rudis Gyll. 24
rugipes Gyll. 24
rugosus Thunbg. 24
rugulosus Gyll. 24
rusticanus Gyll. 24

sacer Latr. 24
saginatus Gyll. 24
sagittarius Péring. 29
salamensis Kolbe 24
saxosus Gyll. 14
scabiosus Gyll. 24
scabrosus Ol. 15
scalaris F. 24
scalaris Ol. 22
scelestus Gyll. 24
Schalowi Quedf. 24
Schoenherri Péring. 25
scoposus Gyll. 25
serobicollis Gyll. 24
serobiculatus Gyll. 25
serobipennis Fährs. 25
scrobirostris Gyll. 14
serupulosus Gyll. 25
sculpturatus Fährs. 25
scutellaris H. Luc. 25
scutipennis Desbr. 23
scutirostris Germ. 25
semiaeneus Desbr. 12
semiocellatus Gyll. 25
semituberculatus H. Luc. 14
sericeus Desbr. 27
seridendentatus Fairm. 25

- serratus* Thunbg. 25
serratus Ol. 27
setiger Gyll. 25
setipennis Fährs. 25
setosus Wiedem. 25
severus Fährs. 25
siculus Gyll. 20
signatus Péring. 25
simulator Dalm. 6
sinuatus Ol. (Brach.) 20
sinuatus Marshall (Synth.) 29
socors Fährs. 25
sordidus Pasc. (Broth.) 30
sordidus Péring. (Synth.) 29
Sparrmani Gyll. 25
sparsipes Gyll. 12
speciosus Péring. 28
spectator Fährs. 10
spectrum F. (Gyllenh.) 9
spectrum Thunbg. (Brach.) 14
spilopterus Wiedem. 15
spinicollis Bedel 25
spiniger Gerst. (Micr.) 8
spiniger F. (Brach.) 25
spinipes Péring. 25
spinirostris Ol. 16
spinosus Boh. 6
spissus Auriv. (Micr.) 8
spissus Gyll. (Brach.) 25
sputatilius Gyll. 6
squalidus Fährs. 25
squamulosus Péring. 25
stellaris Ol. 25
stellaris Gyll. 12
sticticus Voet 25
sticticus Fährs. 28
stolatus Pasc. 29
stricticollis Jek. 3
strumosus Pasc. 25
subcaudatus Gerst. 8
subfasciatus Gyll. 6
subvariolatus Desbr. 27
subverrucosus Fährs. 26
subverrucosus Fährs. 28
sulcataeeps Kolbe 26
suleicollis Hartm. 26
sulcifrons Auriv. (Micr.) 7
sulcifrons Gyll. (Brach.) 12
superciliatus Gyll. 23
superciliatus Gyll. 15
suspiciosus Gyll. 25
suturalis Péring. 26
suturalis Pasc. 17
taeniatus Thunbg. 28
T-album Jek. 6
tauriculus Sparrm. 26
tauricus Desbr. 20
tenebrosus Gyll. 26
tenuis Fairm. 6
tergosignatus Gyll. 26
tessellatus Gyll. 13
tetanicus H. Luc. 23
texatus Gyll. 26
Thunbergi Boh. (Episus) 6
Thunbergi Gyll. (Brach.) 19
torvus Gyll. 26
transversefoveatus Péring. 26
transversus Ol. 26
tremens Fährs. 26
truncatus Boh. (Episus) 6
truncatus Boh. (Synth.) 29
tuberculatus Geer 22
tuberifrons Fairm. 9
tuberosus Gerst. (Episus) 6
tuberosus Wiedem. (Brach.) 26
turbatus Pasc. 26
turgidus Gyll. 26
turriferus Gyll. 26
tursio Pasc. 26
tutanus Jek. 9
uleerosus Gyll. 26
umbrinus Fährs. 26
undatus F. 26
ungulatus Gyll. 14
uva Sparrm. 27
uva Thunbg. 20
uva Gyll. 24
uvula Kolbe 27
vacca Thunbg. 27
vagabundus Fährs. 28
variegatus Pape 28
variipictus Quedf. 28
variolosus Ol. 28
variolosus Thunbg. 14
varius Péring. 28
velutinus Desbr. 20
ventralis Desbr. 21
venustus Wiedem. 28
vermiculatus Fairm. 9
verrucifer Kirby 28
verrucipennis Gyll. 28
verrucosiusculus Pape 28
verrucosus Ol. 28
vespertilio Desbr. 23
vestitus Gyll. 28
viduatus Péring. 28
Wahlbergi Fährs. (Brach.) 28
Wahlbergi Jek. (Episus) 4
Wardeni Péring. 29
Westermannii Auriv. (Episus) 6
Westermannii Fährs. (Brach.) 28
Zeyheri Gyll. 28

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 116:

S. Schenkling et G. A. K. Marshall

Curculionidae:

Dinomorphinae, Somatodinae,

Amycterinae, Gonipterinae.



W. Junk

Berlin W 15.

30. III. 1931.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Monografien Entomologie Coleoptera](#)

Jahr/Year: 1910

Band/Volume: [0055](#)

Autor(en)/Author(s): Junk W., Schenkling Sigmund, Pape Paul

Artikel/Article: [Coleopterorum Catalogus, Pars 16: Brachyceridae 1-36](#)