


CATALOG DER LEPIDOPTEREN DES PALAEARCTISCHEN FAUNENGEBIETES VON

DR. PHIL. O. STAUDINGER UND DR. PHIL. H. REBEL.

DRITTE AUFLAGE
DES CATALOGES DER LEPIDOPTEREN DES EUROPÄISCHEN
FAUNENGEBIETES.

BERLIN.
R. FRIEDELÄNDER & SOHN.
MAI 1901.



O. Haenkele

CATALOG

LEPIDOPTEREN DES PALEARCTISCHEN FAUNENGEBIETES.

THIRD

FAMIL. PAPILIONIDAE - MELIOLYAE

800.

Dr. O. STAUBISCHER und Dr. H. MEIER.

BERLIN.

B. FRIEDLAENDER & SONS.
1901.

CATALOG

DER

LEPIDOPTEREN DES PALAEARCTISCHEN FAUNENGEBIETES.

I. THEIL:

FAMIL. PAPILIONIDAE—HEPIALIDAE

VON

DR. O. STAUDINGER UND DR. H. REBEL.



BERLIN.
R. FRIEDLÄNDER & SOHN.
1901.

des Cataloges allein zu übernehmen. Trotz einer im September desselben Jahres erfolgten eingehenden Besprechung in Blasewitz blieb die Arbeit nach unbedeutenden Anfängen abermals über ein Jahr liegen, woran namentlich der Umstand Schuld trug, dass zwischen mir und Dr. Staudinger keine Einigung über die nach meinem Vorschlage einzutretenden Änderungen in Systeme zu Stande kommen konnte. Erst über neuerliche dringendste Aufforderung Dr. Staudinger's im December 1898 entschloss ich mich, die Herstellung des Manuscriptes für den ganzen Catalog zu übernehmen, dessen erster Theil durch Dr. Staudinger revidirt werden sollte.

Zur Wahrung meines wissenschaftlichen Standpunktes in Fragen der Systematik schrieb ich damals in Voraussicht, dass ich gerade in dieser Hinsicht Dr. Staudinger Concessionen zu machen gezwungen sein würde, den Artikel „Ueber den gegenwärtigen Stand der Lepidopteren-Systematik.“¹⁾

Nunmehr, nachdem auch Dr. Staudinger die Verlagsfrage bei der Firma R. Friedländer & Sohn in freundlichster Weise besorgt hatte, begann die Arbeit energisch und bereits anfangs April 1899 konnte ich das besonders mühevoll herzustellende Manuscript über die Rhopaloceren-Familien an Dr. Staudinger zur Revision senden.

Dr. Staudinger's Thätigkeit ging nun vielfach weit über den ursprünglich geplanten Umfang seiner Antheilnahme hinaus, da er sich nicht auf eine Revision des Manuscriptes allein beschränkte, sondern gleichzeitig auch eine solche sämmtlicher ihm erreichbarer Typen vornahm und vor Allem auch Belegstücke für neue Fundorte, soweit seine Sammlung solche nicht selbst enthielt, aus den bedeutendsten Sammlungen des Continents zur Ansicht erbat, was die Arbeit einerseits selbstverständlich sehr an Werth erhöhte, andererseits aber auch ausserordentlich verzögerte und erschwerte.

Die enorme Gewissenhaftigkeit Dr. Staudinger's in Fragen der geographischen Verbreitung hat auch die Uebergehung zahlreicher in der Literatur angegebenen Fundorte, für welche Dr. Staudinger keinen neuen Nachweis erlangen konnte, zur Folge gehabt, andererseits aber — namentlich für Kleinasien — oft zur Aufnahme relativ engbegrenzter und faunistisch kaum unterscheidbarer Localitäten geführt.

So kam es, dass erst im November 1899 die erste von Dr. Staudinger revidirte Partie des Manuscriptes an mich zurücklangte, welche nach neuerlicher Durchsicht und formeller Vollendung sofort zum Druck ging.

Inzwischen hatte ich einen grossen Theil der Heterocerenfamilien für den ersten Theil im Manuscript vollendet und auch bereits die Familie der Tortriciden für den zweiten Theil abgeschlossen.

¹⁾ Iris Band XI p. 377 ff.

Die Revisionsarbeiten Dr. Staudinger's, der wiederholt starke Anfälle in seinem Herzleiden hatte, verzögerte sich aber immer mehr, so dass von einer Einhaltung des ursprünglichen Termines für den Abschluss des Manuscriptes, als welcher anfänglich März 1900 in's Auge gefasst war, keine Rede sein konnte. Um diese Zeit (März 1900) wurde erst die Revision jener Heterocerenfamilien, welche in der Neuordnung des Cataloges den Noctuiden vorangehen, und erst Ende Juli jene der Noctuiden selbst durch Dr. Staudinger vollendet. Trotz meines oftmaligen Ersuchens, sich nicht zu sehr in Detailfragen, namentlich der geographischen Verbreitung, einzulassen, deren mühevolle Klarstellung in der Anlage des Cataloges nicht einmal genügend zum Ausdrucke kommen könne, verwendete doch Dr. Staudinger darauf eine peinliche und zeitraubende Sorgfalt, die es ihm erst möglich machte, im August 1900 mit der Revision der Geometriden zu beginnen. Auch hier hatte ich ihm vorgeschlagen, diese von mir zuletzt gearbeitete Familie vorderhand in der Revision zurückzustellen und die seiner corrigirenden Hand mehr bedürftigen, in der Anordnung des Cataloges allerdings erst später folgenden Familien der Zygaeniden, Sesiiden und Cossiden vorerst vorzunehmen. Dr. Staudinger lehnte jedoch auch dieses Ansuchen ab und arbeitete mit grosser Energie an der Revision der Geometriden, die er auch glücklich Mitte September vollendete.

Er war damit aber auch an das Ende seiner Kräfte gelangt und glaubte in einer Schweizerreise, die er in Begleitung seiner treuen Lebensgefährtin antrat, wieder Erholung finden zu können. Aus Interlaken schrieb er mir noch, dass es mit seinen Kräften nicht vorwärts gehen wolle, er hoffe noch auf den Süden, der ihm schon öfters Stärkung gebracht habe, und wolle nach Lugano. Die Kräfte des im einund siezigsten Lebensjahre Stehenden reichten jedoch für die Strapazen der Fahrt nicht mehr aus. Er musste dieselbe in Luzern unterbrechen, wo ihn das unausbleibliche Schicksal am 13. Oktober ereilte. — — —

Es kann hier nicht der Ort sein, die Verdienste eines Mannes, welcher sein ganzes arbeitsreiches Leben der Lepidopterologie gewidmet hatte, und der fast ein halbes Saeculum auf diesem Gebiete literarisch thätig war, nach allen Richtungen voll zu würdigen. Besser als viele Worte es thun können, sagt ein Blick in den vorliegenden Catalog, worin auf jeder Seite Dr. Staudinger entweder als Autor neuer Formen oder auch nur als solcher für die kritische Feststellung bekannter Arten genannt erscheint, welche ausnehmend hohe Verdienste sich der Verstorbene in der descriptiven Literatur der palaearctischen Lepidopterenfauna allein erworben hat. Er muss für dieselbe geradezu als der hervorragendste Autor der letzten Decennien bezeichnet werden. Staudinger war namentlich auch

ein unübertroffener Meister im Auseinanderhalten einander sehr nahestehender Formen, wobei er sich aber niemals von minutiösen morphologischen Untersuchungen, sondern hauptsächlich von seiner aus enormer Formenkenntnis entspringenden Erfahrung leiten liess, die ihm auch nur selten betrog. Charakteristisch für Staudinger war eben auch ein starker Zweifel an den Resultaten moderner Forschung, nicht bloss auf dem ihm ganz fern liegenden Gebiete der Stammesgeschichte, sondern der Morphologie überhaupt. Schon die aus der Untersuchung des Genitalapparates sich ergebenden Ansichten anderer Autoren pflegte er, wenn irgend möglich, abzulehnen. Seine reichen Erfahrungen über die Variabilität in Schuppenkleid und Habitus der Lepidopteren liessen ihm eben seine Zweifel an der Beständigkeit der Merkmale auch auf alle anderen Gebiete übertragen.

Seit dem Tode Julius Lederer's und dem Erscheinen der zweiten Auflage des Cataloges des Europäischen Faunengebietes war Dr. Staudinger's Autorität in steter Zunahme begriffen gewesen und genoss zuletzt einen selten universellen Ruf.

Sein Lieblingswunsch war noch eine dritte Auflage des Cataloges, welche die überaus reichen Resultate der neuen Entdeckungen vereinen sollte, erleben zu können, und es bleibt eine Härte des Schicksals, dass ihm die Erfüllung dieses Wunsches nur zum Theile gegönnt war: Staudinger hat den Druck des neuen Cataloges nur bis gegen den Schluss der Familie der Noctuiden, bis wohin er sich auch an der Correctur betheiligte, gesehen. Seine Antheilnahme im Manuscrite reicht jedoch, wie bereits erwähnt, bis zum Schluss der Geometriden. Von der Familie der Epiplemiden ab (No. 4096 des I. Theiles) wie am ganzen zweiten Theil des Cataloges hat Staudinger gar keinen Anteil genommen.

Dem in Blasewitz im September 1897 vereinbarten Plane entsprechend enthält der vorliegende Catalog in erster Linie nur jene Literatur-Citate, welche zur Identification der imaginalen, im freien Naturleben auftretenden Individuen dienen.

Ausgeschlossen blieb daher prinzipiell die Literatur über Entwickelungsstadien, doch wurden gerade hier mehrfache Ausnahmen gemacht, namentlich fand die betreffende Literatur stets dann Berücksichtigung, wenn sie zur Unterscheidung nahe verwandter Formen regelmässig herangezogen zu werden pflegt, wie beispielsweise in der Geometridengattung *Tephroclystia* Hb. (*Eupithecia*).

Unberücksichtigt blieb ferner die Literatur über alle nur in der Experimental-Biologie, namentlich durch Temperatur-Versuche, erzielten Formen. Von hybriden Formen konnten auch nur jene berücksichtigt werden, welche bisher im freien Naturleben gefunden wurden.

Ausgeschlossen wurde auch die teratologische Literatur im weiteren Sinne, also auch jene über gynandromorphe und hermaphroditische Individuen.

Aber auch auf dem engeren Gebiete der rein systematisch-descriptiven Literatur, welche nur das Imaginalstadium behandelt, sind die Citate selbstverständlich nicht erschöpfend. Neben dem ersten Citat der betreffenden Form wurden vor Allem Abbildungen, welche gerade bei Lepidopteren in den meisten Fällen zur raschen Identification dienen können, berücksichtigt, ferner mit kritischer Auswahl namentlich jene neuere Literatur, die ein tieferes Studium der Formen selbst durch Angabe weiterer Citate ermöglicht. In manchen Fällen stellen die im Catalog gegebenen Citate daher gleichsam nur den Beginn und das Ende eines Fadens dar, an dessen Hand der Forschende das weitläufige Gebäude der Literatur betreten kann.

Die in den letzten Jahren in so grosser Zahl bekannt gemachten und meist auch benannten Individual-Aberrationen fanden, wenn es überhaupt möglich war sie zu berücksichtigen, Aufnahme unter den Synonymen der Art mit dem Beisatze „ab.“ und zuweilen auch mit einer kurzen Diagnose in eckigen Klammern.

Dem Plane gemäss sollte der Catalog rasch erscheinen und nur den gegenwärtigen Stand unseres Wissens, wie er sich aus der Benützung der neuesten massgebenden Literatur ergibt, bringen, nicht aber auch der Ausdruck einer selbständigen, nur auf Grund von Materialvergleich möglichen, mehrere Jahre beanspruchenden Revisionsarbeit über die mächtig angewachsene Zahl palaearctischer Lepidopterenformen sein.

Wenn dieses ideale Ziel trotzdem in vielen Partien erreicht wurde, so bleibt es vor Allem das Verdienst Dr. Staudinger's durch Vergleich zahlreicher Typen am meisten dazu beigetragen zu haben. Selbstredend wurde auch schon bei Anlage des Catalogmanuscriptes überall Kritik geübt und als synonym erkennbar beschriebene Formen sofort eingezogen.

In zahlreichen Fällen wurden — namentlich von Dr. Staudinger — Diagnosen neuer Formen aufgenommen und neue Gattungen errichtet. Wo letzteres nothwendig schien, hat mir Dr. Staudinger in den meisten Fällen vorher die Stücke zur morphologischen Untersuchung eingesandt.

In Bezug auf die dem Cataloge zu Grunde gelegte systematische Anordnung, namentlich die Familienreihenfolge war einerseits mein publicirter Entwurf (Iris XI), andererseits der Umstand massgebend, dass aus praktischen Rücksichten die Theilung des Cataloges in zwei Theile beibehalten und eine im phylogenetischen Sinne absteigende Reihenfolge der Familien gewählt werden musste. Innerhalb jedes der beiden

Catalogstheile erscheinen demnach die Familien nach stammesgeschichtlichen Gesichtspunkten in absteigender Reihenfolge geordnet.

Im Einzelnen sei für den ersten Theil nur bemerkt, dass für die Beibehaltung der Papilioniden an der Spitze der Rhopalocerengruppe, wie für die Reihenfolge derselben überhaupt, Prof. A. R. Grote's neueste phylogenetische Untersuchungen Ausschlag gebend waren. Zu einer Aenderung der Gattungsreihenfolge war jedoch Dr. Staudinger nur in wenigen Fällen zu bewegen. Die Hesperiiden wurden nach der Revision von Elwes & Edwards¹⁾ geordnet.

Von Dr. Staudinger röhrt auch die Anordnung der Sphingiden her, welche eine fast umgekehrte meines ursprünglichen Entwurfes darstellt, worin die phylogenetisch zweifellos älteren Smerinthusformen an das Ende der Familie gestellt waren, und dadurch auch die allfälligen Verwandtschaftsbeziehungen zu den darauffolgenden Notodontiden gewiss besser vermittelt schienen.

Für die Lasiocampiden war die ausgezeichnete Revisionsarbeit von Professor Aurivillius massgebend. Bezüglich der Lemoniiden habe ich meine Ansicht bereits anderwärts²⁾ ausgesprochen. Die Saturniiden wurden nach Prof. Grote's Gesichtspunkten geordnet. Zu den von mir³⁾ angenommenen beiden ostpalaearectischen Bombycidengattungen ist nachträglich noch eine dritte — Rondotia Moore — gekommen.

Die Thyrididen, wie auch die Familien von den Heterogyniden ab, hätten im zweiten Theil des Cataloges besser ihren Platz gefunden, blieben aber auf besonderen Wunsch Dr. Staudinger's im ersten Theile stehen.

Für die Anordnung der Gattungen innerhalb der Familien der Noctuiden und Geometriden waren die systematischen Arbeiten Hampson's und Meyrick's mehrfach von Einfluss. Von den bei den Noctuiden angenommenen Subfamilien haben die Trifinen und Quadrifinen nur den Werth arbiträrer Gattungsgruppen. Die Gattungsreihenfolge innerhalb der Subfamilien der Geometriden erfuhr relativ wenig Veränderungen gegenüber jener der zweiten Catalogsaufgabe. Für eine Revision des Manuscriptes dieser Familie, vor jener durch Dr. Staudinger, bin ich Herrn O. Bohatsch zum Danke verpflichtet.

Bei den Syntomiden und Lithosiiden wurden Hampson's monographische Arbeiten, bei den Psychiden jene von Heylaërt benutzt.

Relativ am unbefriedigendsten vom Standpunkte einer Revisionsarbeit musste trotz freundlicher Unterstützung Herrn R. Püngeler's die

¹⁾ Tr. Zool. Soc. Lond. XIV, 1897.

²⁾ Ent. Nachr. XXVI p. 49.

³⁾ Iris XIII p. 105.

Familie der Cossiden ausfallen. Wenn auch hier der Zuwachs an neuen Arbeiten gewiss ein überraschend grosser ist, so wurden doch gerade in dieser Familie sehr viele neue Arten nach einzelnen Stücken und ohne genügendes Vergleichsmaterial aufgestellt. Eine monographische Revision dieser Gruppe würde einem Bedürfnisse entsprechen.

Im zweiten Theile des Cataloges wurden bei den Pyraliden die hervorragenden Revisionsarbeiten Hampson's mit ganz geringen Abweichungen befolgt. Die grössten Schwierigkeiten boten bei der Anlage des Manuscriptes die Subfamilien der Galleriinen, Anerastiinen und Phycitinen, insoweit ihre Bearbeitung in dem noch nicht erschienenen zweiten Theil der Ragonot'schen Monographie aussteht. Hier war die Lösung der Aufgabe nur durch die aufopfernde Bereitwilligkeit der Herren Sir G. F. Hampson, Abée J. de Joannis, Theodor Seibold und A. Constant möglich gemacht, welchen ich an dieser Stelle meinen wärmsten Dank wiederhole. Sämmtliche im zweiten Theil der gedachten Monographie enthaltenen Abbildungen palaeearctischer Arten wie auch sämmtliche dort neu beschriebenen palaeearctischen Formen konnten dadurch bereits im vorliegenden Cataloge Aufnahme finden.

Das Tortriciden-Manuscript hatte Prof. J. von Kennel die Freundlichkeit durchzusehen, und verdanke ich ihm auch einige Bemerkungen. Bedauerlicher Weise konnten die von ihm in jüngster Zeit publicirten zahlreichen neuen Arten nur mehr in den Nachträgen des Cataloges Aufnahme finden.

Die Einziehung der im Entwurfe (Iris XI.) angenommenen Familien der Oecophoriden und Blastobasiden als Subfamilien der Gelechiiden, wie die Annahme einer eigenen Familie der Lyonetiiden ist das Resultat einer neuerlichen vergleichenden Uebersicht der im zweiten Theile des Cataloges enthaltenen Familien.

In Bezug auf das dem Catalog zu Grunde gelegte Faunengebiet wurden die für die zweite Auflage massgebend gewesenen Grenzen mit einiger Erweiterung beibehalten. Das Gebiet umfasst demnach den allergrössten Theil der palaeearctischen Region im Sinne von Wallace einschliesslich der ganzen mediterranen Subregion und des arctischen Circumpolar gebietes. Eine Erweiterung erfuhr der Westen des Territoriums durch Einbeziehung des ganzen Nordrandes von Africa, also namentlich auch Unter-Aegyptens mit dem Gebiet des Nil-Deltas bis Cairo.

Grosse Schwierigkeiten ergaben sich bei Festhaltung einer Südgrenze im ostpalaeearctischen Gebiete. Im Allgemeinen bildet hier der Nordrand des eigentlichen Tibet und der Unterlauf des Hoang-Ho bis zum Chingan-Gebirge die Südgrenze. Der nördlichste Theil der Mandschurei und das ganze Ussuri-Gebiet erscheinen noch einbezogen.

Eine Anfangs geplante Aufnahme von ganz Japan erwies sich jedoch als undurchführbar; denn wenn auch die Nord-Insel eine vorwiegend palaearctische Lepidopterenfauna besitzt, so beherbergen doch die Süd-Inseln andererseits eine solche Fülle rein orientalischer Formen, dass ihre Berücksichtigung auch jene Korea's und des grössten Theiles von China nothwendig gemacht hätte. Selbstverständlich sprachen für die Berücksichtigung resp. Ausserachtlassung mancher faunistischer Grenzgebiete oft auch conventionelle Gründe.

Die in dem Localitätsverzeichnis gewählten Benennungen und faunistische Abgrenzung centralasiatischer Gebiete röhren von Dr. Staudinger und H. J. Elwes her.

Eine wesentliche Bereicherung erfuhrn die Angaben über die geographische Verbreitung dadurch, dass bei sämmtlichen im Catalog aufgenommenen Arten auch ihre ausserhalb des dem Cataloge zu Grunde gelegten Gebietes constatirte Verbreitung berücksichtigt wurde. Hierdurch erscheint namentlich die Verbreitung rein palaearctischer Formen in Japan ausreichend ersichtlich gemacht. Ueberdies wurden auf ausdrücklichen Wunsch Dr. Staudinger's alle Varietäten der im Catalog aufgenommenen Arten berücksichtigt, also auch jene, welche ein nur ausserhalb des dem Cataloge zu Grunde gelegten Territoriums vorhandenes Verbreitungsgebiet besitzen. Letztere ausserterritorialen Formen wurden mit einem Sternchen (*) versehen.

So wünschenswerth es vom biologischen Standpunkte aus gewesen wäre, die Localitätsangaben bei den einzelnen Arten mit ihrem gegenwärtigen Verbreitungszentrum zu beginnen — anstatt wie herkömmlich mit Europa — so erwies sich doch unsere heutige Kenntnis über die geographische Verbreitung der Formen hiefür noch als unzureichend. Namentlich für die im zweiten Theile des Cataloges behandelten Familien macht sich gegenwärtig noch der Mangel einer reicherer faunistischen Literatur für die asiatischen Ländermassen empfindlich fühlbar. Die Kenntnis über die geographische Verbreitung steht bei diesen Familien annähernd noch auf derselben Stufe, welche die übrigen Heteroceren-familien zur Zeit des Erscheinens der zweiten Catalogs-Auflage inne-hatten.

In allen formellen Fragen war die Thatsache massgebend, dass es sich bei vorliegender Catalogsarbeit um die dritte Auflage eines best bekannten und im allgemeinen Gebrauche stehenden Werkes handle, so dass alle nicht dringend gebotenen Neuerungen bei den meisten Interessenten mehr als Störung wie als wohlthätiger Fortschritt empfunden worden wären. Auch hätte der starke Conservatismus Dr. Staudinger's, namentlich in allen nomenclatorischen Fragen, ein nicht zu überwindendes

Hindernis für einschneidende Neuerungen, wie es beispielsweise die Annahme trimärer Nomenclatur gewesen wäre, gebildet. Der Catalog nimmt sonach in nomenclatorischer Hinsicht im Allgemeinen den Standpunkt ein, welcher in der Vorrede zur zweiten Auflage 1871 von Dr. Staudinger eingehend klargelegt wurde.

Nur in wenigen, unwesentlichen Punkten war Dr. Staudinger diesmal anderer Ansicht: so glaubte er in allen Fällen an der ursprünglichen Schreibweise der Namen festhalten zu sollen und auch von einer Uebereinstimmung der adjektivischen Artnamen mit dem Geschlechte des Gattungsnamens absehen zu können, welche Ansicht im ersten Theile des Cataloges auch zur Annahme gelangte.

Im Allgemeinen war jedoch Dr. Staudinger's Theilnahme von vornherein nur um den Preis grösster Beständigkeit in allen formellen Fragen zu gewinnen gewesen.

Aus diesem Grunde musste auch eine von mir beantragte Synonymie der Gattungsnamen, sowie die wünschenswerth gewesene Angabe, in welcher Gattung eine Art zuerst publicirt wurde, unterbleiben. Allerdings war es nur auf dem im Catalog bisher üblichen, stark abgekürzten Wege der Citirweise möglich an 22 000 Namen mit mehr als 50 000 Literatur-Citaten auf den Raum von nur 40 Druckbogen in übersichtlicher und allgemein verständlicher Weise zu bringen und nebstbei noch lateinische Diagnosen sämmtlicher als Kategorien behandelter Aberrationen und Varietäten nicht bloss im ersten, sondern auch im zweiten Theile des Cataloges, wo sie bisher fehlten, zu geben.

Um allen Irrthümern vorzubeugen, sei in letzterer Hinsicht bemerkt, dass die kurzen lateinischen Diagnosen nur zur allgemeinen Orientirung dienen und nicht in allen Fällen ein Nachlesen der betreffenden Literatur-Citate vollständig entbehrlich machen können.

Bis zum Abschluss der Nachträge wurde die laufende Literatur für alle auch schon längst abgeschlossene und gedruckte Theile des Cataloges benutzt, was sowohl den grossen Vortheil bot, dass Publicationen auch aus allerjüngster Zeit noch Berücksichtigung finden konnten, als es auch nur so möglich wurde, ein allgemeines Abschlussdatum für die Benützung der Literatur anzugeben, als welches Ende December 1900 anzunehmen ist. Aus dem Literatur-Verzeichnis lässt sich für periodische Schriften und namentlich auch für Lieferungswerke genauer ersehen, bis wie weit dieselben Berücksichtigung finden konnten.

Es erübrigts mir schliesslich noch — insbesondere auch im Namen Dr. Staudinger's — all den zahlreichen Lepidopterologen, welche durch Einsendung von Material oder Ertheilung von Auskünften das mühevolle Unternehmen förderten, den wärmsten Dank auszusprechen. Im Einzelnen

sei ausser den bereits früher Genannten noch den Herren A. Bang-Haas, Heinrich Calberla, H. J. Elwes, Otto Herz, Dr. S. Matsumura, Charles Oberthür, R. Püngeler und Rudolf Tancré bestens gedankt.

Vor Allem muss ich hier aber auch noch der thatkräftigen Unterstützung mit aufrichtigem Danke gedenken, welche mir mein College Herr Dr. A. Penther nicht nur bei Anlage des Manuscriptes des ersten Theiles durch Abschrift des Urtextes, sondern namentlich auch bei der Correctur angedeihen liess. Von ihm allein röhrt auch die Anlage des äusserst mühevollen Index her. Ohne seine Hilfe wäre ich der grossen Arbeitslast nicht gewachsen gewesen.

Aus den eingangs mitgetheilten Thatsachen geht zur Genüge hervor, unter welch' ausnehmend schwierigen Verhältnissen das Werk entstanden ist. Selbst nach ernstlicher Inangriffnahme der Arbeit war deren Vollendung noch nicht gesichert. Die Entfernung der Wohnorte, Blasewitz und Wien, machte trotz mehrmaliger mündlicher Besprechungen eine äusserst zeitraubende Correspondenz nothwendig, die wegen sachlicher Divergenzen wiederholt dem Abbruche nahe war. Manches Opfer an Ueberzeugung musste gebracht werden. Wie viele Unvollkommenheiten und Schwächen aber auch vorliegende Arbeit enthalten mag, so wird bei ihrer Beurtheilung unter Anwendung des richtigen Maßstabes, welcher unmittelbar in einem Vergleiche mit der bisher im allgemeinen Gebrauche gestandenen zweiten Auflage des Cataloges gegeben ist, doch der gerechte Ausspruch dahin lauten müssen, es wurde das gethan, was wir auf allen Gebieten immer anstreben sollen: ein Schritt nach Vorwärts.

Wien, am 31. December 1900.

Dr. H. Rebel.

Verzeichnis der Abkürzungen von Autorennamen und Publicationen.

Abh. Naturf. Görl.	Abhandlungen der naturforsch. Gesellschaft zu Görlitz I. 1827 - XXII. 1898.	Auriv. Rhop. Aeth.	Aurivillius, Rhopalocera Aethiopica. Stockholm 1898. (Kong. Svens. Vet. Akad. Handl. Bd. XXXI.)
Acerbi (Quens.) . . .	Acerbi, Travels through Sweden, Finland and Lapland, to the North-Cape. London 1802. (Voyage au Cap Nord, par la Suède, la Finlande et la Laponie. Paris 1804.) (Lepidopteren bearbeitet von Quensel).	Aust.	Austaut, J. L., Les Parnassiens de la Faune paléarctique. Leipzig 1889.
Act. Fen.	Acta Societatis pro fauna et flora fennica. Helsingfors I (1875-77) - XVII (1898-9).	Barr. (Brit. Lep.)	Barrett, Charles G., The Lepidoptera of the British Islands. Lond. I. 1892-93; II. 1893-95; III. 1895-96; IV. 1896-7; V. 1897-99; VI. 1899-1900; VII. (1900)-part 76.
Alph.	Alphéry Sergius, † 1896.	Bart.-Rühl	Bartel, M., Die palaearect. Grossschmetterlinge u. ihre Naturgeschichte (siehe Rühl). II. Bd. Nachtfalt. Heft 17-18.
Ann. (f.)	The Entomologist's Annual for 1855-1874, by Stainton, London.	Bayle-Barelle	Bayle-Barelle, degli Insetti nocivi all' uomo. alle bestie, all' agricoltura, ecc. Milano 1824.
Ann. & Mag.	The Annals (or) and Magazine of Natural History Lond. Serie 1-7 (Vol. VI) 1838-1900.	Bell.	Bellier de la Chavignerie, Jean Bapt. Eug. † 1888.
Ann. Mus. Pétersb.	Annaire du Musée Zoologique de l'Académie Impériale des Sciences de St. Pétersbourg Tom. I-V, 1, 2. 1895-1900.	Bentl.	Bentley, William (publ. 1833-1845).
Ann. Naturh. Hofmus.	Annalen des K.K. Naturhistorischen Hofmuseums. Wien. I-XV. 1886-1900.	Berce (Lep. Franc.)	Berce, E., Faune entomol. française. Lépidoptères 6 vols. Paris 1867-81.
Ann. S. Belg. (C. R.)	Annales de la Société Entomologique Belge. Bruxelles I-XLIV, 1857-1900 et Comptes Rendus.	Berl. e. Z.	Berliner Entomologische Zeitschrift. Berlin I-XVIII. 1857-1874; XXV-XLV. 1881-1900. (Bd. XIX-XXIV siehe Deutsche Ent. Zeitschrift.)
Ann. S. Fr.	Annales de la Société Entomologique de France. Paris 1832-1900 (Bulletins besonders paginiert u. als solche citiert.)	Berl. M.	siehe Hufn. Berl. M.
Ann. S. Lin. Lyon	Annales de la Société Linnaéenne de Lyon 1836-1899 (pr. p.)	Ber. naturw. Ver. Regensburg.	Berichte des naturwiss. Vereins in Regensburg (als Fortsetzung des Correspondenzblattes des zool. mineral. Ver.) 1887-1899.
Ann. S. Lin. Paris	Annales de la Société Linnaéenne de Paris 1822-1827.	Bertol. Hist.	Bertolini, Historia Lepidopterorum agri Bononiensis. Bononiae 1844.
Ann. Sc. (Nat.) Cannes	siehe Mém. Sc. Nat. Cannes.	B. Gen.	Boisduval, Genera et Index methodicus. Parisiis 1840.
Ann. Sc. Obs.	Annales des sciences d'observation. Vol. II. 1829, Paris.	B. Haas	Bang-Haas, Andreas.
An. Soc. Esp.	Anales Sociedad Espanola de Historia Natural. Madrid. I (1872)-XXVIII (1900).	Bhtsch.	Bohatsch, Otto.
Arch. f. Math.	Archiv for Mathematik og Naturvidenskab. Christiania I, 1876 - XX, 1899 (pr. p.).	B. Ic.	Boisduval, Icones Historique des Lépidoptères nouveaux ou peu connus de l'Europe. Paris 1832-1841.
Auriv. Grönl.	Aurivillius, Chr., Grönlands Insekta fauna. I. Lepidoptera, Hymenoptera. (Bih. K. S. Vet. Ak. Handl. XV.) Stockholm 1890.	Bienert Diss.	Bienert, Th., Lepidopterologische Ergebnisse einer Reise nach Persien in den Jahren 1858 und 1859. Leipzig 1870.
Auriv. Nord. Fjär.	Nordens Fjärlilar. Handbok i Sveriges, Norges, Danmarks och Finlands Macro-lepidoptera. Stockholm 1888-1891.	B. Ind.	Boisduval, Europeorum Lepidopterorum Index methodicus. Parisiis 1829.
		Bkh. (I. II. III. IV. V.)	Borkhausen, Naturgeschichte der europäischen Schmetterlinge. Frankfurt I. 1788; II. 1789; III. 1790; IV. 1792; V. 1794

Bkh. Rh. Mag.	Borkhausen, Rheinisches Magazin zur Erweiterung der Naturkunde. Giessen 1793.	Bull. Acad.	Bulletin de l'Académie Impériale des Sciences de St. Pétersbourg (classe physico-mathématique) 1839-1900.
B.-Lec.	Boisduval-Lecomte, Histoire générale et Iconographie des Lépidoptères et des Chenilles de l'Amérique Septentrionale. Paris 1829-42.	Bull. M.	Bulletin de la Société Impériale des Naturalistes de Moscou. Moscou 1829-1899. siehe Ann. S. Fr.
B. Mon. Z.	Boisduval, Essai sur une Monographie des Zygenides. Paris 1829.	Bull. S. Fr.	Bulletino della Società Entomologica Italiana. Firenze I-XXXII, 1-3. 1869-1900.
Bnks.	Banckes, Eustace R.	Bull. S. (Ent.) It.	Butler, A. G., Catalogue of Satyridae. London 1868.
Böb.	Böber, Johann von, † 1820.	Butl. Cat.	Calberla, Heinrich.
Boh. Först.	Bohemian, Förstek till systematiskt Uppställning af de i Sverige förekommande Nattfjärilar. (Vet. Acad. Handl. Stockholm 1848).	Calb.	The Canadian Entomologist. Toronto I-XXXII. 1869-1900.
Bon. Descr.	Bonelli, Descrizione di sei nouve specie d'Insetti ecc. (Mem. d. R. Accad. d. Sc. di Torino Tom. XXX, 1824). ²	Canad. Ent.	Caradja, Aristides von.
Brahm, Ins. Kal.	Brahm, Insektenkalender für Sammler und Oeconomen. Mainz I. 1790; II. 1791.	Chamb.	Chambers, V. T.
Brams.	Bramson, K. L., Die Tagfalter Europas und des Caucasus. Analytisch bearbeitet. Kiew 1890.	Chapm.	Chapman, T. A.
B. Rbr. et Grasl. Coll. Ic.	Boisduval, Rambur et Graslin, Collection Iconographique et Historique des chenilles d'Europe. Paris 1832-37.	Charp.-Zk.	siehe Zk.-Charp.
Brd. Cat. Doubs.	Braud, Cat. syst. et synon. de Lépidoptères du Départ. du Doubs. Besançon 1845. — le même ouvr. Microlépidoptères 1847.	Chr.	Christoph, Hugo, † 1894.
Brd. Mon. Ps.	—, Monographie des Psychidæ. (Mém. de la Soc. libré d'Emul. du Doubs 1853).	Chréti.	Chrétien, Pierre.
Brem. & Grey (Schm. n. Ch.)	Bremer und Grey, Beiträge zur Schmetterlingsfauna des nördlichen China. St. Petersburg 1853.	Cist. Ent.	Cistula Entomologica. London I-III (pars 29) 1869-1885.
Brem. Lep. (O. S.)	—, Lepidopteren Ost-Sibiriens, insbesondere des Amur-Landes. (Mém. de l'Acad. Imp. des Sc. de St. Pétersbourg 1864).	Clem.	Clemens, Dr. Brackenridge.
Bresl. e. Zeit. (Z.)	Zeitschrift für Entomologie herausgegeb. von dem Verein für schlesische Insektenkunde zu Breslau. I-XV, 1847-1861. Neue Folge I-XXIII, 1870-1898.	Cl. Ic.	Clerck, Icones Insectorum variorum cum nominibus eorum trivialibus, locisque C. Linnaei ete. Syst. Nat. allegatis. Holmiae 1759-1764.
Brgstr. Nat.	Bergsträßer, Naturgeschichte der europäischen Schmetterlinge. I. und 2. Lieferung etc. Hanau 1779.	Compt. Rend.	Comptes Rendus Hebdomadaires des séances de l'Académie de sciences Paris. I, 1835-CXXVII, 1898.
Brgstr. Nom.	—, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau etc. Hanau 1778 und 1780.	Const. Cat.	Constant, A., Catalogue des Lépidoptères du département de Saône-et-Loire. Autom 1866.
Brullé Exp. Mor.	Brullé, Expédition scientifique de Moree, Tom. III. 1. 1832.	Corr. Ins.	Correspondenzblatt für Sammler von Insekten, insbesondere von Schmetterlingen. Regensburg 1860-1863.
Brullé (Webb.- Berth.)	—, in Backer-Webb et Berthelot, Histoire naturelle de les Canaries. Paris 1836-1850.	Corr. (z.-m. V.)	Correspondenzblatt des zoologisch-mineralogischen Vereins in Regensburg 1847-1887 (siehe auch Berichte des naturw. Ver. Regensburg).
B. Spec. Gen. (Het.)	Boisduval, Species General des Lépidoptères. Tom. I. Papillons diurnes. Paris 1836. —, Le même ouvrage Crepusculaires (Heterocera). Tom. I. Sphingides, Sesiidae, Castniidae. Paris 1874.	Costa Atl.	Costa, Oronzio Gabriele, Atlante della Statistica Fisica ed economica della isola di Capri. Napoli 1840.
Buckl. Larv.	Buckler, William, The Larvae of the British Butterflies and Moths. Vol. I-VIII. Lond. 1886-1899 (Ray Society).	Costa Fn. Nap.	—, Fauna del regno di Napoli etc. A. Lepidotteri. Napoli 1832-1851 (pr. p.).
		Cr. P. Ex.	Cramer, Papillons exotiques des trois parties du monde etc. 4 vols., Amsterdam 1775-1782. (Supplementband von Stoll 1787-1796).
		Curt. (B. E.)	Curtis, British Entomology. London I-XVI, 1825-1840.
		Curt. Deser. App.	—, Description of the Insects in the Appendix to the Narrative of a second voyage in search of a North West Passage and of a residence in the arctic regions. London 1835.
		Narr.	Cyrilli, Entomologiae Neapolitanæ specimen primum. Napoli 1787-1792.
		Cyr. Ent. Neap.	Dalman, Analecta entomologica. Dalmania, Holmiae 1823.
		Dalun. An. ent.	—, Förstek till sistematiskt Uppställning af Sveriges Fjärilar. (Vetens. Ac. Handl. Stockholm 1816).
		Dalm. Först.	Dobleday, Edward (and Westwood), The Genera of Diurnal Lepidoptera. London 1845-1852.
		Dbld. (Edw.) Gen.	—, Henry, A. Synonymic List of British Lepidoptera etc. London 1850.
		Dbld. (H.) List.	

De Geer Mem.	De Geer, Mémoires pour servir a l'histoire des Insectes. Stockholm Tom. I, 1752; Tom. II-VII, 1771-1778. (Deutsch von Götz, Nürnberg 1778-1783).	Ersch. Fedtsch.	Erschoff, Nicol., Lepidoptera, gesammelt auf der wissen- schaftlichenForschungsreise nach Turkestan unter A. P. Fedtschenko. Petersburg 1874 (russisch).
Deutsch. E. Z.	Deutsche Entomologische Zeit- schrift. Berlin 1875-1900 (1875-1880 auch als Fort- setzung der Berl. e. Z. Bd. XIX-XXIV).	Esch.	Eschscholtz, F., Beschreibung exotischer Schmetterlinge in Kotzebue's Reise um die Welt. Weimar 1830.
Dgl.	Douglas, John William.	Esp. I-V	Esper, Die Schmetterlinge in Abbildungen nach der Natur. Erlangen I. (1777)-V. (1794); Suppl. (bis 1805). (Neuheraus- gegeben von Toussaint von Charpentier 1829-1839).
Don. Nat. Hist.	Donovan, Natural History of British Insects. London 1792-1816.	Ev. F. V. U.	Eversmann, E., Fauna Lepido- pterologica Volgo-Uralensis. Casani 1844.
Donz.	Donzel, Hugues, † 1850.	Ev. Lep. Ross.	— et Fischer de Waldheim, Entomographia Imperii Ros- sici. Tom. V. Lepidoptera Rossica. Mosquæ 1851.
Dorfm.	Dorfmeister, Vincenz, † 1895.	Faill. (-Ted.) Fn. Sic.	Faill-Tedaldi e Minà Palumbo Materiali per la Fauna Lepid. della Sicilia 1889 (Natur. Sicil. VII, VIII).
Drapiez	Drapiez, Annales générales des sciences physiques. Tom. I-III. Bruxelles 1819-1820.	F. d. W. Ent.	Fischer de Waldheim, Ento- mographie de la Russie etc. (Entomographia Imperii Ros- sici) Vol. I. Mosquæ 1820- 1822; II. 1823-1824.
Drury (Dru.)	Drury, Illustrations on Natural History. London 1770-1775.	Feisth.	Feisthamel, Baron de.
Duncan	Duncan and Westwood, British Butterflies. Edinburg 1835; British Moths etc. 1836.	Feld. Nov.	Felder, C. u. R. (u. Rogenhofer) Beschreibung der Lepido- pteren, gesammelt auf der Reise der Freg. Novara. Wien 1865-1877.
Dup. VI-XI, (Suppl.) I-IV	Duponchel, histoire Naturelle des Lépidoptères etc. (Con- tinuation de l'ouvrage de Godart) Paris Tom. VI, (1826)- XI, (1838). Supplement Tom. I, (1832)-IV, (1842).	Fern. Cramb.	Fernald, C. H. The Crambidae of North America. Mass. Agr. Coll. 1896.
Dup. Cat.	— Catalogue méthodique des Lépidoptères d'Europe. Paris 1844.	Fern. Pter.	—, The Pterophoridae of North America. Revis. Edit. Boston 1898.
Durr.	Durrant, J. H.	Fern. Tortr. Cat.	—, a Synonymical Catalogue of the describ. Tortriidae of North America north of Mexico (Tr. Am. Ent. Soc. X, 1882).
Edw. Butt.	Edwards, Will. H., The Butter- flies of North America Vol. I-III, 1868-1897.	F. E. S.	Fabricius, Entomologia Syste- matica emendata et aucta Tom. III. Pars I. et II. Hafniae 1793-1794.
Eim. Artb.	Eimer, G. H. Th., Artbildung und Verwandtschaft bei den Schmetterlingen. Jena I. 1889, II. 1895.	Feuille Jeun. Nat.	Feuille des jeunes naturalistes Vol. I-XXXI. Paris (Dornach) 1870-1900.
Elw.	Elwes, Henry J.	F. Gen.	Fabricius, Genera Insectorum (eum Mantissa specierum nuper detectarum p. 209-310). Chilonii 1777.
Ent. Jhrb.	Entomologisches Jahrbuch. Kalender für alle Insekten- sampler. Herausgegeben v. Dr. O. Kranner. 1892-1901. Leipzig.	Fixs.	Fixsen, Dr. C., † 1892.
Ent. Mag.	The Entomological Magazine. I-V London 1833-1838.	F. Mant.	Fabricius, Mantissa Insecto- rum. Tom. II. Hafniae 1787.
Ent. Med.	Entomologiske Meddelelser (Meinert). Kopenhagen I-V. 1887-1896; (2) I. 1897, 1, 2.	Forst.	Forster, Novae Species Insec- torum. Centuria I. Londini 1771.
Ent. Mntsbl.	Entomologische Monatsblätter Berlin (Kraatz) I. 1876, II. 1880.	Fourc. Ent. Par.	Fourcroy, A. F., Entomologia parisiensis. 2 vol. Paris 1785. (Die Autorschaft der beschriebenen Arten soll Geoffroy gebühren.)
Ent. Nachr.	Entomologische Nachrichten (begründet von Dr. F. Katter, fortgesetzt von Dr. F. Karsch) Berlin. I-XXVI, 1875-1900.	F. Phil.	Fabricius, Philosophia Ento- mologica. Hamburgi et Ki- loni 1781.
Ent. News	Entomological News. Phila- delphia I. 1890- XI, 1900.	F. R.	Fischer Edler von Rösler- stamm, Abbildungen zur Berichtigung u. Ergänzung der Schmetterlingskunde. Centurie I. Leipzig 1838-1844.
Entom. (Ent.)	The Entomologist. Edited by Newman. London I. 1839- 1842, II-XXXIII. 1862-1900.	Frey Lep.	Frey, H., Die Lepidopteren der Schweiz. Leipzig 1880.
Ent. Rec.	The Entomologist's Record and Journal of Variation. (Tutt) London I-XII. 1890-1900.		B
Ent. Z. Gab.	Entomologische Zeitschrift. Central-Organ des interna- tionalen Entom. Vereins. Guben (H. Redlich) I-XIV. 1887-1900.		
Eppish.	Eppelsheim, Friedr., † 1900.		
Ernst & Engr.	Ernst & Engramelle, Papillons d'Europe. Paris I. (1779)- VIII (1792) (Rhopal.-Noct.) (Nur in den Anmerkungen theilweise mit lateinischer Nomenclatur).		

XVIII

Verzeichnis der Abkürzungen

- Frey (Tin.) Frey, Die Tineen und Pterophoren der Schweiz. Zürich 1856.
- Friv. 1835 Frivaldszky, Emerich von († 1871) m. academiam L. Tag ujabb Közlesei as altala eszközlött, etc. Budan II. 1835.
- Friv. 1845 —, Rovid attekintése egy termesz utazás az europ. Török birodal. T. I. 1841-45 (Jahrb. d. K. ungar. naturw. Ges.).
- Friv. (J.) —, Johann von, † 1895.
- Friv. Jell. . . . —, Em. v., Jellemzö adatok magyarorszag faunajahoz. (Data characteristica ad Faunam Hungariae). (Tudom Akad. Evkón. XI Köt, IV Darab. Budapest 1866).
- Froel. (En. Tort.) . Frölich, F., Enumeratio Tortricum Württembergiae. Tübingae 1828.
- Frr. B. Freyer, C. F., Beiträge zur Geschichte europäischer Schmetterlinge. Augsburg I-III. 1827-1831.
- Frr. Falt. —, Die Falter um Augsburg. 1860.
- Frr. (N. B.) —, Neuere Beiträge zur Schmetterlingskunde. Augsburg I-VII. 1831-1858.
- F. S. E. Fabricius, Systema Entomologiae. Flensburgi et Lipsiae 1775.
- F. Sp. —, Species Insectorum. Tom. II. Hamburgi et Kilonii 1781.
- F. Suppl. E. S. . . —, Supplementum Entomologiae Systematicae. Hafniae 1798.
- Fuessl. Arch. . . . Fuessly, Archiv der Insectengeschichte. Zürich und Winterthur 1781-86.
- Fuessl. Mag. . . . —, Magazin für die Liebhaber der Entomologie. Zürich u. Winterthur 1778-9.
- Fuessl. n. Mag. . . —, Neues Magazin für die Liebhaber der Entomologie. Zürich 1782-87.
- Fuessl. Verz. . . . —, Verzeichniß der ihm bekannten Schweizerischen Insecten. Zürich und Winterthur 1775.
- Gartn. Gartner, Ant., Die Geometrinen und Microlepidopteren des Brünner Faunengebietes. Brünn 1866 et Suppl. 1870. (Verh. des nat. Ver. in Brünn, Bd. IV und VIII).
- Gene Gene, De Quibusdam insectis Sardiniae novis aut minus cognitis. (Memorie della R. Acad. di Torino. Tom. XXXIX. 1836.)
- Gerh. Gerhard, Versuch einer Monographie der europäischen Schmetterlingsarten: Thecla, Polyommatus, Lycaena, Nemeobius. Hamburg 1853.
- Germ. Fn. I. E. . . Germar, Fauna Insectorum Europae. Halae 1812-1844.
- Germ. Mag. (Ent.) . . . (und Zincken), Magazin der Entomologie. Halle I-IV. 1813-1821.
- Ghil. Elenco Ghiliani, V., Elenco delle specie di Lepidotteri riconosciuti esistenti negli Stati Sardi. Torino 1852. (Mem. d. R. Acad. d. Sc. di Torino). Suppl.-Gianelli, G., Osserv. ed aggiunte al Cat. dei Lep. del Piemonte di V. Ghil. Torino 1890.
- Gladbach Gladbach, Beschreibungen neuer europäischer Schmetterlinge, die weder im Rösel noch Kleemann beschrieben stehen. Frankfurt a. M. 1777.
- Gmel. L. S. N. XIII . Gmelin, Caroli a Linne Systema Naturae. Ed. XIII. Lipsiae 1788 etc. Tom. I. Pars 5.
- Gmppbg. Geom. . . Gumpenberg, C. Frhr. v., Systema Geometrarum zonae temperatoris septentr. 8 Theile. Halle 1887-96. (Nova Acta Ksl. Leop. Carol. Deutschen Akad. d. Naturforscher).
- Gn. et Vill. . . . De Villiers et Guenée, Tableaux Synoptiques des Lépidoptères d'Europe. Tom. I. Paris 1835.
- Gn. Ind. Guenée, A., Europaeorum Microlepidopterorum Index methodicus. Parisiis 1845.
- Gn. (Noct.) I-III . —, Species Général des Lépidoptères. Tom. V-VII. Noctuelles I-III. Paris 1842.
- Gn. (Phal.) I-II . —, Species Général des Lépidoptères. Tom. IX. X. Uranides et Phalenites. I. II. Paris 1857.
- Gn. (Pyr.) —, Species Général des Lépidoptères. Tom. VIII. Deltoides et Pyralites. Paris 1854.
- God. I-V Godart, J. B., Histoire Naturelle des Lépidoptères de France. Tom. I-V. Paris 1821-1824. (V reimpresión 1837.) (Fortsetzung des Werkes siehe Duponchel).
- God. Enc. Meth. . . —, Encyclopédie Méthodique. Tom. IX. Article Papillon. Paris 1819.
- Göze Btr. Göze, Entomologische Beiträge, III. Theil, I-III. Bd. Leipzig 1779-1851.
- Graells Mem. . . . Graells, Memorias de la Comision del Mapa Geologico de España, Año de 1835. Madrid 1858 (pag. 106-111, Lepidopteros).
- Graeser, Louis.
- Graslin, A. de, † 1882.
- Greentzenberg, Robert, Noctuiden und Geometriden der Provinz Preussen. Königberg 1869. (Schrift. d. k. phys. oeon. Ges. Bd. XI.)
- Grummi-Grshimaio Gr.
- Grote, A. R., Die Apateliden. (Mith. Roemer Museum, Hildesheim N. 3. 1896.)
- Grote Fn. Hild. . . . —, Die Schmetterlingsfauna von Hildesheim. I. Tagfalter. (Mith. Roem. Mus. Hildesheim, N. 8. 1897.)
- Grote Sat. —, Die Saturniiden. (Mith. Roem. Mus. Hildesheim, N. 6. 1896.)
- Grote & Rbs. . . . —, Aug. Radcliffe und Robinson Coleman T.
- Guér. Mag. Guérin, Magasin de Zoologie, d'Anatomie etc. Paris 1831-1848. (Fortsetzung siehe Rev. & Mag.)
- Guill. Guillermot, Vingt-cinq Jours de chasses aux Lépidoptères a Barcelonnette et a Larche. Clermont 1836.
- Hag. Bibl. Hagen, Bibliotheca Entomologica I. II. Leipzig 1862-1863.
- Hand. N. E. V. . . Handelingen der Nederlandse Entomolog. Vereeniging. I-IV. Leyden 1854-1857.

von Autorennamen und Publicationen

XIX

Harr.	Harris, Thad. Will., † 1856.	Hmps. Synt.	Hampson, Catalogue of the Syntomidae in the collection of the British Museum. (Catalogue of the Lepidoptera Phalaenae Vol. I). Lond. 1898.
Hb. (Abb.)	Hübner, Jakob, (Abbildungen und Beschreibungen noch nicht abgebildeter und noch nicht beschriebener Schmetterlinge, mit illuminirten (3) Kupfern. Augsburg 1755. Opus ineditum).	Hochenw. Btr.	Hochenwarth, Beiträge zur Insectengeschichte. Schrift. Berl. Ges. naturf. Freunde VI, 1785 p. 334-337.
Hb. Btr.	, Beiträge zur Geschichte der Schmetterlinge. Augsburg I. Bd. 1786-1789; II. Bd. mit Nachtrag 1791.	Hodgk.	Hodgkinson, J. B., † 1897.
Hb. Ex.	, Sammlung exotischer Schmetterlinge I-III. Augsburg 1806-18.	Höfn.	Höfner, Gabriel.
Hb. (Gesch.) Larv.	, Geschichte europäischer Schmetterlinge (Ranpen). Augsburg 1793-1831.	Hofm. Gr. Schm.	Hoffmann, August.
Hb. (Pap. Sph. Bomb. Noct. Geom. Pyr. Tort. Tin. Al.)	, Sammlung europäischer Schmetterlinge. Augsburg 1793-1827.	Hofm. Nat. Ps.	Hofmann, Prof. Ernst, Die Gross-Schmetterlinge Europas, 2. Aufl. Stuttgart 1894.
H. G.	, Sammlung europäischer Schmetterlinge, Fortsetzung von Geyer, 1827-1841. (Pap. t. 182-207; Sph. t. 36-38; Bom. t. 70-83; Noct. t. 158-185; Geom. t. 106-113; Pyr. t. 31, 32; Tort. t. 49-53; Tin. t. 70, 71).	Hofm. Pteroph.	, Dr. Ottmar, Ueber die Naturgeschichte der Psycheden. Erlangen 1859.
Hb. S. a. V.	, Systematisch-alphabetisches Verzeichniß aller bisher bey den Fördürungen zur Sammlung europäischer Schmetterlinge angegebenen Gattungsbenennungen. Augsburg 1822.	Holl. Butt.	, Die deutschen Pterophorinen. (Berichte des naturw. Ver. zu Regensburg, V. Heft. pro 1894-5).
Hb. Verz.	, Verzeichniß bekannter Schmetterlinge. Augsburg 1816 (1818-1822?).	Holt-White	Holland, W. J., The Butterfly Book. A popular Guide to a Knowledge of the Butterflies of North America. New-York 1898.
Hb. Vög.	, Sammlung Auserlesener Vögel und Schmetterlinge etc. (mit 100 Kupfern). Augsburg 1793.	Honr.	Holt-White. The Butterflies and Moths of Teneriffe. London 1894.
Hb. Zutr.	, Zuträge zur Sammlung exotischer Schmetterlinge. Augsburg 1818-1825.	Hor.	Honrath, E. G., † 1893.
Hbst. (& Jabl.)	Herbst und Jablonsky, Natur-system aller etc. Insecten, Schmetterlinge. Berlin Bd. I, 1783; Bd. II, 1784 von Jablonsky; Bd. III, 1789-XI, 1804 von Herbst.	Horm. (Hormuz)	Horae Societatis Entomologicae Rossicae. I-XXXIV. Petropoli 1861-1900.
Hdnr. Cat.	Heydenreich, G. H., Lepidopterorum Europaeorum Catalogus methodicus. Editio III. Leipzig 1851.	Horsf. et Moore Cat.	Hormuzaki, Constant., Frhr. v. Horsfeld, Thom., and Moore, Fred., A Catalogue of the Lepidopterous Insects in the Museum of the Hon. East India Company. Lond. I, II, 1857-59.
Hedem.	Hedemann, Wilhelm von.	HS. I-VI	Herrick-Schäffer, G. A. W., Systematische Bearbeitung der Schmetterlinge von Europa als Text, Revision und Supplement zu Hübner. I-VI. Regensburg 1843-1856.
Heeger Btr.	Heeger, Beiträge zur Schmetterlingskunde. Wien 1838.	HS. Deutsch. I	, Deutschlands Insecten (als Fortsetzung z. Panzer). Heft 111-190. 1829-1844.
Hein. (Schm. D.) I, II. III. 1. Heft; Hein.-Wek. III, 2. Heft	Heinemann, H. von, Die Schmetterlinge Deutschlands und der Schweiz. Braunschweig I. 1859; II. 1863-5; III. 1. Heft 1870; 2. Heft von Hein. und Dr. M. F. Wocke. 1876.	HS. n. Schm.	, Neue Schmetterlinge aus Europa und den angrenzenden Ländern. Regensburg. Heft I-III, 1856, 1860, 1861.
Hew. Exot. Butt.	Hewitson, W. C., Exotic Butterflies. 5 vols. London 1856-76.	Hufn. Berl. M.	Hufnagel, Tabellen von den Tag-, Abend-, und Nacht-Vögeln der Gegend von Berlin. Berlinisches Magazin etc. II. Bd. 1766; III. Bd. 1767; IV. Bd. 1769.
Hew. Ill. Diurn.	, Illustrations of Diurnal Lepidoptera. Lycaenidae. London 1862-78.	Hw. (Lep. Br.)	Haworth, A. H., Lepidoptera Britannica. Londini 1803-1829.
Heyd.	Heyden, Carl von, † 1866.	Jabl.	Jablonsky, siehe Hbst.
Heyl.	Heylaerts, Dr. F. J. M.	Jans.	Janson, Joh. Ludw.
Hfinggg.	Hoffmannsegg, Graf von.	Jhrb. Kärnt.	Jahrbücher des Naturhist. Landesmuseums Kärthen. Klagenfurt-LXV. 1852-1898.
Hmps. Ind. Moths	Hampson, Sir G. F., The Fauna of British India. Moths. London Vol. I, 1892, II, 1894, III, 1895, IV, 1896.	Jhrb. Nass.	Jahrbücher des Nassauischen Vereins für Naturkunde. Wiesbaden I-LIII. 1844-1900.
Hmps. Nol. & Lith.	, Catalogue of the Arctiidae (Nolinae, Lithosianae) in the coll. of the British Museum (Catal. of the Lepid. Phalaenae Vol. II). London 1900.	Jhrsb. Schles. Ges.	Jahresberichte der Schlesischen Gesellschaft für vaterländische Cultur. Breslau 1850-98.
		Jhrsb. Elberfeld.	Jahresberichte des naturwissenschaftl. Vereins von Elberfeld. V. 1878, VI. 1881, VII. 1887, VIII. 1896, IX. 1899.
		Jhrsb. Graub.	Jahresbericht d. naturf. Gesellschaft Grünbündens. Chur I. (1854)-XLIII. (1899-1900.)

Jhrsb. Hannov.	Jahresberichte der Naturhistorischen Gesellschaft zu Hannover. II. 1851-2 - XLVII. 1896-7.	Klug Symb. Phys.	Klug, F., Symbolae Physicae, seu Icones etc. Berolini. Heft 4. 1832.
Jhrsb. Wien. (Wr.) E. V.	Jahresberichte des Wiener Entomologischen Vereines. I-X. 1890-1899.	Knoch (Kn.) Btr.	Knoch, A. W., Beiträge z. Insectengeschichte I-III. Leipzig 1781-1783.
Jhrsh. Naturk. Würt.	Jahreshefte des Vereins für vaterländ. Naturkunde in Würtemberg. Stuttgart I. 1845-LIII. 1898.	Kob (Panz.)	Panzer in Kob, Wahre Ursache der Baumtrockniss der Nadelwälder durch die Naturgeschichte der Forphalaene. Nürnberg 1786.
Ill. Het.	Illustrations of Typical Heterocera in the Collection of the British Mus. Part I-IX. London 1877-1893.	Koll. Btr. Landesk. Oestr.	Kollar, Vinc., Systematisches Verz. d. Schmett. im Erzherzogth. Oestreich. Beitrag zur Landeskunde Oestreichs unter der Enns. II, Wien 1832.
Ill. Mag.	Illiger, Magazin für Insektenkunde. Braunschweig I-VI. 1801-1807.	Koll. Hüg. Kaschm.	—, Lepid. in Carl Freih. v. Hügel's Kaschmir. IV. Bd. Stuttgart 1848.
Ill. S. V. W. II	Systematisches Verzeichniß von den Schmetterlingen der WienerGegend. Mit einer Synonymie der vorzüglichsten Schriftsteller etc. von Neuem herausgegeben. Braunschweig 1801. Illustrirte (Wochen-) Zeitschrift für Entomologie. I-V. Neudamm 1896-1900.	Koll. Ins. Pers.	—, Ueber den Charakter der Insectenfauna von Süd-Persien (Sitzungsber. Akad. Wissenschaft. Wien 1848, Separat 1849).
Ill. Ztschr. Ent.	Insect Life. Washington I-VII. 1888-95.	Kol. Mel. Eut.	Kolenat, Friedr. A., Meletimate Entomologica. Petropoli, V. 1846 (Juni).
Ins. Life	Joannis, J. de, abbé, Paris. Joan. (L.)	Krul.	Kruikowsky, L. Kupido, Neuentdecktes europäisches Nacht-Pfauenauge. Brünn 1825.
Jord.	Jordan, Dr. Karl. Journal of the Asiatic Society of Bengal. Calcutta LXIII-LXIX. 1900 (pr. p.)	Kup.	De la Harpe, Contributions à la Faune de la Sicile. Lauzaune 1860. (Bull. d. l. Soc. Vaudoise des Sc. Nat.)
Journ. As. Soc.	Journal of the Proceedings of the Linnean Society of London (Zoology). I-XXVIII. 1857-1900.	Lah. Contr.	—, Fauna Suisse. Lépidoptères; IV. Partie Phalaenides et Suppl. I (Geometra L.) Zürich (vol. XIII) 1853; V. Partie Pyrales et Phalaen. Suppl. II (vol. XIV) 1855; VI. Partie Tortricides 1858 Suppl. Phalaen. III, Pyral. et Tortr. I (vol. XX) 1864. (Neue Denkschr. d. allg. Schweiz. Ges. f. die ges. Naturwiss.).
Journ. Limn. Soc. Lond.	Corresp.-Blatt des Ent. Ver. Iris zu Dresden. Bd. I. 1884-1888. Deutsche Ent. Ztschr. herausgegeben von der Gesellschaft Iris zu Dresden in Verbindung mit der Deutschen Ent. Ges. zu Berlin. Lepidopterologische Hefte. Bd. II-XII. 1 (2 pr. p.) 1889-1900.	Lah. (Geom. Pyr. Tort. Suppl.)	Lang, H. C., The Butterflies of Europe. 2 vols. Lond. 1884.
Iris	Isis, Encyclopädische Zeitschrift, herausgegeben von Oken. Leipzig 1817-1848.	Lang (Butt.)	Lang, H. G., Verzeichniß seiner Schmetterlinge etc. II. Aufl. Augsburg 1789. (I. Aufl. 1782).
Is.	Iudeich u. Nitsche, Lehrbuch der Mitteleurop. Förstinstenkunde. Zwei Bände, Wien 1895 (als 8. Auflage von Ratzburg's Waldverderbniss).	Lasp. Plat.	Laspeyres, J., Vorschlag z. ein. neuen Gattung Platypteryx. Berlin 1803.
Iud.-Nitsche	Kalchb.	Lasp. Ses. Eur.	Sesiae Europaea. Berolini 1801.
Kalchb.	Kalchberg, Adolf Freiherr von, † 1899.	Latr. Fam. N.	Lattreille, Familles Naturelles du Régne Animal. Paris 1825.
Kayser Deutschl. Schm.	Kayser, Deutschlands Schmetterlinge mit Berücksichtigung sämmtlicher europäischer Arten. Leipzig 1852-59.	Latr. Gen.	—, Genera Crustaceorum et Insectorum secundum ordinem naturalem in familiis disposita. I-IV. Paris 1802-1809.
Kef.	Keferstein, Adolf, † 1884.	Leach	Leach, Zoological Miscellany. I-III. London 1814-1817.
Kenn.	Kennel, Prof. J. von.	Ld. Geom.	Lederer, Julius, Versuch die europäischen Spanner in möglichst natürliche Reihenfolge zu stellen. (Z. d. V. Wien 1853).
Kinderm.	Kindermann, Albert (nur nomina in lit.) † 1860.	Ld. Noct.	—, Die Noctuinen Europa's. Wien 1857.
Kirb. Cat. Het.	Kirby, W. F., Catalogue of Lepidoptera Heterocera. Vol. I Sphingae and Bombycæ. Lond. & Berl. 1892.	Ld. Pyr.	—, Beitrag zur Kenntniss der Pyralidinen. Wien 1863. (Wien. Mts. Bd. VII.)
Kleem. Btr.	Kleemann, Beiträge zur Natur- und Insecten-Geschichte. Nürnberg: Rösel IV. Theil 1761 (vide Rösel), Beiträge zur allgemeinen Natur- und Insecten-Geschichte. 1761-1776 (V. Theil von Rösel).	L. E.	Linnaea Entomologica. Zeitschrift herausgegeben von dem entomologischen Verein in Stettin. Berlin, I-XVI. 1846-1866.
Klem.	Klemensiewicz, Dr. Stanislaus.		

Leech Butt. China	Leech, John H., Butterflies from China, Japan and Corea. Lond. Part I, II. 1892-94.	Mén. feu Leh.	Ménétries, Descriptions des Insectes, réceuillis par feu M. Lehmann. St. Pétersbourg 1849. (Mém. Ac. Imp. St. Petersb. T. VI.)
LeechPyr.(Pteroph.)	_____, British Pyralides and Pterophorides. Lond. 1886.	Mén. Lep. Jak.	_____, Sur quelques Lépidoptères du gouvernement de Jakoutsk. (Bull. phys. Ac. St. Pétersb. T. VI.)
Lef.	Lefebvre, Alexandre, † 1867.	Mén. Lep. Lenk.	_____, Sur les Lépidoptères de Lenkoran et de Talyche (Bull. phys.-math. St. Pet. 1859).
Lepechin	Lepechin, Tagebuch der Reise durch verschiedene Provinzen des russischen Reiches in den Jahren 1768-1770. Aus dem Russischen übersetzt von M. Chr. H. Haase. Altenburg 1774.	Mén. Lep. Sib.	_____, Lépidoptères de la Sibérie orientale et en particulier des rives de l'Amour. (Mélanges biol. Ac. St. Pétersb. 1859, Tom. I.)
Lewin Ins.	Lewin, W., The Insects of Great Britain, etc. Lepidoptera. London 1795.	Mén. Midd. R.	_____, Insecten in Middendorff's Reise in Sibirien. Petersburg 1851.
L. F. S. (II)	Linné, C. v., Fauna Svecica. Editio altera. Stockholmiae 1761.	Mén. Schrk.	_____, Dr. L. v. Schrenck's Reisen und Forschungen im Amur-Lande. Bd. II. 1. Lieferung. Lépidopteren. St. Petersburg 1859.
L. Mant.	_____, Mantissa Plantarum. Holmiae 1771.	Mén. Siem. Russk.	_____, in Siemaschko's Russischer Fauna. Petersburg 1849 (?) (russ.).
L. M. L.U.(Mus. Ulr.)	_____, Museum Ludovicus Ulriæ Reginæ. Holmiae 174.	Meyer-Dür Tgf. (M. D.)	Meyer-Dür, Verzeichniss der Schmetterlinge der Schweiz. I. Tagfalter. (Denkschr. d. allg. schw. Gesellsch. f. die ges. Naturw. Zürich 1852).
L. S. N. ed. X	_____, Systema Naturae, Editio decima. Tom. I. Holmiae 1758.	Mill. Cat. rais	Meyrick, E., A Handbook of British Lepidoptera. Lond. 1895.
L. S. N. ed. XII	_____, Systema Naturae, Editio duodecima. Tom. I. Pars II. Holmiae 1767.	Mill. Ic.	Millière, P., Catalogue raisonné des Lépidoptères des Alpes maritimes. Paris 1871-75 (3 prts.).
Lint.	Lintner, Jos. A., Prof.	Mill. Ic.	_____, Iconographie et Description de Chéñilles et Lépidoptères inédits. Lyon Tome I, 1859-64, T. II, 1864-68, T. III, 1869-74.
Luc. Expl. Alg.	Lucas, H., Exploration scientifique de l'Algérie. Tom. III. Insectes, 6. ordre les Lépidoptères. Paris 1848.	Mitth.	Mittheilungen der Schweizerischen Entomologischen Gesellschaft. Schaffhausen I-X. 1862-1899.
Mab.	Mabille, Paul.	Mitth. Naturw. V. Steiermark.	Mittheilung des naturwiss. Vereines für Steiermark. Graz I, 1863 - XXXVI, 1899.
Marsh.	Marsham, Thom., † 1812 (?).	Mn.	Maun, Josef, † 1889.
Martorell Cat.	Martorell, D. Miguel Cuni y, Catalogo metódico y razoñado des los Lepidopteros de Barcelona. Barcelona 1874.	Möschl. (Möschl., Mösch.) Schm. Ob.	Möscher, Die Schmetterlinge d. Oberlausitz. I. 1857; II. 1860. (Neues Lausitzer Magazin).
Medd. Soc. Fen.	Meddelanden, Societatis pro fauna et flora fennicae. Helsingfors. I. 1873 - XXIII. (1898) (cfr. Act. Fen.).	Monthl. Mag.	The Entomologist's Monthly Magazine. London Vol. I-XXV. 1864-1889, (2) 1890-1900 (I-XI).
Meig. I-III	Meigen, J. W., Systematische Bearbeitung der europäischen Schmetterlinge. I-III. Aachen und Leipzig 1829-1832.	Möore Lep. Atk.	Moore, F., Descriptions of New Indian Lepidopterous Insects from the Collect. of the late Mr. W. S. Atkinson. Heterocera I-III, Calcutta 1879-1885. (Rhopalocera by W.C. Hewittson).
Meissn. N. Anz. Schw.	Meissner, Naturwissenschaftlicher Anzeiger der allg. Schweizer Gesellschaft für die gesammten Naturwissenschaften. Bern. 1818-V. 1823.	Moore Yark. Miss.	_____, Lepidopt. coll. dur. the second Yarkand Mission. Calcutta 1879.
Mém. Ac. Imp. Pet.	Mémoires de l'Académie Impériale des sciences de St. Pétersbourg (pr. p.).	Morr.	Morrison, H. K.
Mém. Mosc. (Nouv.)	Mémoires de la Société Impériale des Naturalistes de Moscou. Tom. I-VI. (1806-1823); (2) Nouveaux Mém. Tom. I-XVI. (1829-98).	Motsch. (Mot.) Et.	Motschulsky, Études Entomologiques. Helsingfors. I. (1853)-IX. (1860), X. Dresden 1860.
Mém. Rom.	Mémoires sur les Lépidoptères, rédigés par N. M. Romanoff, St. Pétersbourg. Tom. I. 1884, II. 1885, III. 1887, IV. 1890, V. 1889, VI. 1892, VII. 1893, IX. 1897.	Müll. Fn. Fr.	Müller, Otto Fried. Fauna Insectorum Friedrichsdalina. Hafniae et Lipsiae 1764.
Mém.Sc.Nat.Cannes	Mémoires (Annales) de la Société des sciences naturelles des lettres et des beaux arts de Cannes. 1868-1882 (pr. p.).	Müll. Fn. Sil.	_____, C. L. von. Fauna Lepidopterorum Silesiacae. Abth. I. Heft 1; Abth. III. Heft 1. Breslau (1802).
Mén. Cat. Rais.	Ménétries, Catalogue raisonné des objects de Zoologie réceuillis dans un voyage au Caucase et jusqu'aux frontières actuelles de la Perse. St. Pétersbourg 1-32.	Müll. Lep. Sil.	_____, Lepidoptera Silesiacae. Breslau 1773.
Mén. En. (I-III)	_____, Enumeratio corporum animalium Musei Imp. etc. Petropoli. Pars I. Lep. Diurna 1855; Pars II et III. Lep. Heterocera 1857 et 1863 (la dernière partie publiée par A. Morawitz).		

Müll. Z. D.	Müller, Otto Fried., Zoologiae Danicae Prodromus, seu Animalium Daniae et Norvegiae indigenarum etc. Hafniae 1776.	O. Schm. S.	Oehsenheimer, Die Schmetterlinge Sachsens. Dresden und Leipzig 1805.
Münch. E. V. (Mitth.)	Mittheilungen des Münchener Entomolog. Vereins. I-V. 1877-81.	Overs. Vid. Selsk. Kopenh.	Oversigt over del Kgl. Danske Vidensk. Selskabs Forhandlinger. Kopenhagen 1806-1899.
Murr.	Murray, H.	Pack. Geom.	Packard, A. S., Monogr. of the Geometrid. Moths or Phalaenidae of the Unit.-Staates. Washington 1876.
Nat. Sic.	II Naturalista Siciliano; giornale di Scienze Naturali. Palermo I-XIV. 1881-1895; (2) I-III. 1896-1899.	Pack. Labr.	—, View of the Lepidopterous Fauna of Labrador. (Proc. Soc. N. Boston. T. XI, 1867.)
Nat. Tids.	Naturalhistorisk Tidsskrift. Kopenhagen 1837-1884 (pr. p.)	Pall. Ic.	Pallas, Icones Insectorum praesertim Russiae Siberiaeque peculiarium, quae collegit et descripsit illustravit. Erlangae 1781, 1782, 1798.
Natural.	Le Naturaliste. Paris I-XXII. 1879-1900 (Fortsetz. der Petit. Nouv. Entom. 1869-78).	Pall. Reis.	—, Reisen durch verschiedene Provinzen d. russischen Reiches in den Jahren 1768-1774. Petersburg. Tom. I, 1771.
Natural. (Maund)	The Naturalist. Edited by Maund and Koll. I-IV. London 1837-1839.	Pall. Spic.	—, Spicilegia zoologica, quibus novae imprimis et obscurae animalium species iconibus etc. illustrantur. Fascic. IX. Berolini 1772.
Naturf.	Der Naturforscher. I-XXVIII. Halle 1774-1799.	Panz. Fn. Ins.	Panzer, Fauna Insectorum Germaniae Initia (oder Deutschlands Insecten-Fauna). Heft 1-10. Nürnberg 1793-1812. (Forts. siehe HS. Deutschl. I.)
Nat. Ver. Riga . .	Arbeiten (Correspondenzblatt) des Naturforscher-Vereines zu Riga. 1848-1900.	Papilio	Papilio, the organ of the New-York Entomological Club. Vol. I-IV. New-York (Philadelphia) 1881-84.
Nicév. Butt.	Marshall and Nicéville, Butterflies of India, Burmah and Ceylon. Vol. I-III. 1882-90.	Payk. Beskr.	Paykull, Beskrivelse over 5 arter nye nat-sommerfugle. (Skrifter af Naturhist. Selskabet 1793. T. II p. 97-102).
Nick. B. Tgf.	Nickerl, F. A., Böhmens Tagfalter. Prag 1837.	Petag. Sp. Ins.	Petagna, Specimen Insectorum anterioris Calabriae. Francfurti 1787.
Nick. Syn.	—, Synopsis der Lepidopteren-Fauna Böhmens. Prag 1850.	Petit. Nouv.	Petites Nouvelles Entomologiques. Paris, I-X. 1869-1878 (Fortsetzung s. Natural.).
Nolck. Fn.	Nolcken, Baron J. H. W., Lepidopterologische Fauna von Estland, Livland und Kurland. I. 1868, II. 1870. (Arbeit. des Naturf.-Ver. zu Riga).	Peyer.	Peyerimhoff, Paul de, † 1877.
Nordm.	Nordmann, Alexander von.	Pier.	Pierret, Alexandre, † 1850.
Nov. Lep.	Novitates Lepidopterologicae par P. Mabille & Vuillot. Paris Fasc. 1-12, 1890-1895.	Piller.	Piller et Mitterpacher, Iter per Poseganam Slavoniae provinciam etc. Budae 1783.
Nov. Zool.	Novitates Zoologicae. A Journal of Zoology in Connection with the Tring Museum (Rothschild). Lond. Vol. I. 1894-VII. 1900.	Poda Ins.	Poda, Nicol., Insecta Musei Graecensis, quae in ordines, genera et species juxta systema naturae Caroli Linnaei digessit. Graecii 1761.
Now. En. (Btr.) . .	Nowicki, Max. v., Enumeratio Lepidopterorum Halicie orientalis. Leopoli 1860. (Beitrag zur Lepidopterenfauna Galiziens). (Suppl. z. b. V. 1865).	Pouj.	Poujade, G. A.
Now. M. S. N.	—, Microlepidopterorum Species Novae. Cracoviae 1864.	Proc. Bost.	Proceedings of the Society of Natural History of Boston. Vol. I-XXIX, 1841-1899.
Nyt Mag. Naturv. . .	Nyt Magazin for Naturvidenskaberne. Christiania 1835-1900 (pr. p.).	Proc. Phil.	Proceedings of the Entomological Society of Philadelphia. 1861-1867 (I-VI) (Fortsetzung siehe Tr. Phil.).
O. (I. 1, 2; II. III. IV.)	Oehsenheimer, F., Die Schmetterlinge von Europa. Leipzig I. 1 (1807), 2 (1808); II. (1808); III. (1810); IV. (1816) (Fortsetzung siehe Tr.).	Prun. Lep. Ped.	Prunner, Leonardo de, Lepidoptera Pedemontana. Augusta Taurinorum 1798.
Obth. Diag.	Oberthür, Charles, Diagnoses d'espèces nouvelles de Lépidoptères de l'île Askold. Rennes, Aout 1879.	Pryer Rhop. Nihon.	Pryer, H., Rhopalocera Nihonica. Yokohama 1886-89.
Obth. Et. I-XX . . .	—, Etudes d'Entomologie. Descriptions d'Insectes Lépidoptères nouv. ou peu connus. Rennes. I. 1876, II. 1876, III. 1878, IV. 1879, V. 1880, VI. 1881, VII. 1883, VIII. 1884, IX. 1884, X. 1884, XI. 1887, XII. 1888, XIII. 1890, XIV. 1891, XV. 1891, XVI. 1892, XVII. 1892, XVIII. 1893, XIX. 1894, XX. 1896.	Pr. Z. S.	Proceedings of the Zoological Society of London. 1832-1900.
Öfy. k. Vet. Ac. Förh.	Öfversigt af kongl. Vetenskabs Akademie Förhandlingar. Stockholm 1844-1898 (pr. p.).	Püng.	Püngeler, Rudolf.
		Quens. Besk.	Quensel, Beskrifningar öfver 8 nya svenska Dagfjärillar. (Vetensk. Acad. nya Handl. Stockh. 1791 T. XII p. 268-281).
		Rag.	Ragonot, E. L., † 1895.
		Rag. Mon. I	—, Monographie des Phyctinae et des Galleriae Pars I. (Mémoires sur les Lepidopt. Romanoff Tome VII. St. Petersb. 1893).

Rag. (& Hump.)	Ragonot et Hampson id. Pars II (ib. Tome VIII, nondum edit.).	Rtzbd. Waldv. (Wldv.)	Ratzeburg, Die Waldverderbniss. Zwei Bände. Berlin 1866-68. (8. Auflage siehe Iudeich und Nitsche).
Rag. N. Genr. . .	— Nouveaux genres et espèces de Phycitidae & Galeruclidae. Paris, Avril 1888.	Rühl (H.-[Heyne]-Rühl)	Rühl, Fritz. Die palaearctischen Gross-Schmetterlinge u. ihre Naturgeschichte. I. Bd. Tagfalter. Leipzig 1892-95 (vollendet von Alex. Heyne). II. Bd. von Bartel (siehe Bart.-Rühl).
Ragusa	Ragusa, Enrico.	Sahlb. Nord. Aberr.	Sahlberg, Prof., John, Einige Nordische Aberrationen d. Schmetterlingsgattung Argynnis F. Berlin 1893. (Auch Meddel. af Soc. pr. faun. et florae Fenniae Heft 18).
Rbl. . . .	Rebel, Dr. Hans.		
Rbr. Cat. And. . .	Rambur, P., Catalogue Systématique des Lépidoptères de l'Andalousie. Paris (1. Partie p.1-92, Pl. I-X, 1858; 2. Partie p. 93-412, Pl. XI-XXII, Aug. 1866).	Sand Cat. Lep. (Auverg., Berry)	Sand, M., Catalogue raisonné des Lépidoptères du Berry et de l'Auvergne (France centrale). Paris 1879.
Rbr. Fn. And. . .	— Faune Entomologique de l'Andalousie. Paris 1838-1839 Livr. I-V (p.1-304) (p.305-366 non édit.).	Se. Ann. Hist. Nat.	Scopoli, Annus historico-naturalis. Lipsiae, Ann. V. 1772.
Retz. (Gen. et Sp.)	Retzius Caroli de Geer genera et species Insectorum etc. Lipsiae 1783.	Se. Ent. Carn.	—, Entomologia Carniolica exhibens Insecta Carnioliae indigena et distributa in ordines, genera, species, varietates. Methodo Linnaeana. Vindobonae 1763.
Reutti Fn. . . .	Reutti, C., Uebersicht der Lepidopteren-Fauna des Grossherzogthums Baden. Freiburg 1853. (Beitr. zur Rhein. Naturg. zu Freiburg i. Brsg.) 2. Ausgabe von Ad. Meess und Dr Arnold Spuler. Berlin 1898.	Schäf. Ic. Ins.	Schäffer, Icones Insectorum circa Ratisbonam indigenorum coloribus naturam referentibus expressae. Ratisbonae, Tom. I-III. 1766-1779.
Rev. Ent. . . .	Revue d'Entomologie. Caen, I. 1882 - XIX. 1900.	Schaufuss (Nunqu. otiosus)	Nunquam otiosus. Zool. Mittheilungen von Dr. L. W. Schaufuss I-III. Dresden 1870-1882.
Rev. Ent. Silb. . .	Revue Entomologique par Mr. Silbermann. I-V. Strasbourg et Paris 1831-1837.	Schiff. S. V.	Systematisches Verzeichniss der Schmetterlinge der Wiener Gegend, herausgegeben von einigen Lehrern (Schiffermiller & Denis) am k. k. Theresianum. Wien 1776.
Rev. & Mag. (Zool.)	Revue et Magasin de Zoologie (Guérin - Menéville) Paris 1849-1879. (Fortsetzung von Guérin Mag.)	Schläg. Ber.	Schläger, F., Berichte des lepidopterologischen Tauschvereins. Jena 1848.
Rev. Mens. Ent. . .	Revue Mensuelle d'Entomologie Pure et Appliquée. St. Petersbourg I. 1883.	Schn. N. Mag.	Schneider, David Heinrich, Neuestes Magazin für die Liebhaber der Entomologie. Stralsund. Heft I-V. 1791, 1792, 1792, 1792, 1794.
Rghfr. . . .	Rogenhofer, Aloys, † 1897.	Schn. Syst. B.	—, Systematische Beschreibung der europäischen Schmetterlinge. I. Theil. Halle 1787.
Roes. Ins. . . .	Roesel, Der monathlich herausgegebenen Insecten-Belustigung erster Theil, Nürnberg 1746; zweiter Theil 1749; dritter Theil (mit Kleemann) 1755; vierter Theil (mit Kleemann) 1761.	Schott Raupk.	Schott, J. J., Raupenkalender oder systemat. Verzeichniss aller Raupen, welche in Deutschland bekannt sind. Frankfurt a. M. 1830.
Rössl. Verz. (Schppfl.)	Rössler, A., Verzeichniss der Schmetterlinge des Herzogthums Nassau. Wiesbaden 1866. (Jahrbücher des Nass. Ver. f. Naturkunde Jhrg. 19 u. 20.) 2. Ausgabe unter dem Titel: Die Schuppenflügler des Kgl. Regierungsbezirkes Wiesbaden u. ihre Entwicklungsgeschichte. Wiesbaden 1881. (Jahrbücher des Nass. Ver. f. Naturkunde Jhrg. 33 u. 34.)	Schott Schmk.	—, Schmetterlingskalender oder systematisches Verzeichniss aller Schmetterlinge, welche in Deutschland bekannt sind. Frankfurt a. M. 1830.
Rom.	Nicolai Michailowitsch Romanoff, Grossfürst v. Russland.	Schrk. Fn. B.	Schränck, Fr., Fauna Boica. Nürnberg. Band II, 1 und 2. 1801 und 1802.
Rosenh. And. . .	Rosenhauer, Die Thiere Andalusiens. Erlangen 1856 p. 389-399.	Schw. Btr.	Schwarz, Chr. Fr., Carl Kleemann's Beiträge zur Natur- und Insecten-Geschichte. Zweiter Theil. Nürnberg 1793.
Rossi Fn. Etr. . .	Rossi, Petrus, Fauna Etrusca. Liburni 1790.	Scriba Btr.	Scriba, L. G., Beiträge zu der Insectengeschichte. Frankfurt. Heft I, 1790; II, 1791; III, 1793.
Rossi Mant. . . .	— Mantissa Insectorum, exhibens species nuper in Etruria collectas Tom. II. Pisii 1794.	Scriba Journ.	—, Journal für die Liebhaber der Entomologie. Frankfurt 1790.
Rothsch.	Rothschild, Walter von.		
Rott.	Rottemburg, Anmerkungen zu den Hufnagel'schen Tabellen der Schmetterlinge (Naturf. 1775-1777).		
Rov(art.) Lap. . .	Rovartani Lapok Budapest. IV-VII. 1897-1900.		
Rtzbd. Forst. Ins.	Ratzeburg, Die Forst-Insecten. II. Theil. Die Falter. Berlin 1840.		

Seudd. Butt. N. Engl.	Seudder, S. H., <i>The Butterflies of the Eastern United States and Canada with special Reference to New England</i> . Cambridge. Vol. I-III. 1888-1889.	Steud. Verz. . . .	Steudel, Dr. W. u. Hofmann Dr. E., <i>Verzeichniss württembergischer Kleinschmetterlinge</i> . (Jahreshefte d. Ver. f. vaterl. Naturkunde in Württemb. XXXVIII. Stuttgart 1882).
Scudd. Rev. . . .	_____, <i>Revision of the hitherto known species of the genus Chionobas in North America</i> . Philadelphia 1865. (Proc. Ent. Soc. Phil. Vol. V.)	Stgr. Cat. (ed. I, ed. II)	Staudinger, Catalog d. Lepidopt. Europas u. der angrenz. Länder. I. Macrolepidopt. Editio I. Dresden 1861; desgl. des europ. Faunengebietes. Editio II. Dresden 1871.
Seeb. . . .	Seibold, Theodor.	Stgr. Diss. . . .	_____, <i>De Sesiis Agri Berolinensis Dissertatio inauguralis</i> . Berolini 1854.
Selys Longch. Cat.	Selys-Longchamps, <i>Catalogue des Lépidoptères de la Belgique</i> . Liège 1837.	Stgr. Exot. Tagf. . . .	_____, u. Schatz, <i>Exotische Schmetterlinge</i> . Th. I. Abbild. u. Beschreib. d. wichtigsten Tagfalter. Fürth 1884-88.
Selys Longch. En.	_____, <i>Enumeration des Insectes Lépidoptères de la Belgique</i> . (Mém. Soc. Sc. Liège 1845).	Stndf. Handb. . . .	Standfuss, Dr. Max, <i>Handbuch der palaeartischen Gross-Schmetterlinge für Forscher u. Sammler</i> . Zweite Auflage. Jena 1896.
Sepp.	Sepp, <i>Beschouwing der Wonderen Gods in de minstgeachte schepzen van Nederlandsche Insecten etc.</i> Deel I-VIII. 1762-1860. Fortgesetzt von Snellen von Vollenhoven Band I-III. Amsterdam 1860-94.	Stndf. Zool. Stud. . . .	_____, <i>Experimentale zool. Studien mit Lepidopteren</i> . (Denkschrift der Schweiz. Naturf. Ges. Bd. XXXVI. Zürich 1898).
Sieb. Parth. . . .	Siebold, <i>Wahre Parthenogenesis bei Schmetterlingen und Bienen</i> . Leipzig 1856.	Stndf. (sen.)	_____, Gustav, † 1897.
Sitzb. Ak. Wien . . .	Sitzungsberichte der Kaiser. Akademie der Wissenschaften in Wien (mathem.-naturw. Classe). I-CIX. (1847-1900).	Stph. Cat. . . .	Stephens, J. F., <i>A Systematic Catalogue of British Insects</i> , etc. London 1829.
Sitzb. Naturf. Ges. Dorp. . .	Sitzungsberichte der Naturforscher Gesellschaft bei der Universität Dorpat. VII. 1884-XII. 1898.	Stph. (III.) (Haust.) . . .	_____, <i>Illustrations of British Entomology etc. Haustellata</i> . I-IV. London 1827-1835.
Smith, Noct. Cat. . .	Smith, J. B., <i>Catalogue of the Lepidoptera superfam. Noctuidae found in Boreal America</i> . Washington 1893.	Stph. List. . . .	_____, <i>List of the Specimens of British Animals in the collection of the British Museum</i> . Part V. Lepidoptera (Macrolepidoptera et Pyralidae). London 1850; Part X. (Tortricidae) 1852; Part XII. (Crambidae) 1. 52.
Snell. (Vlind.) . . .	Snellen, P. C. T., <i>De Vlinders van Nederland</i> . I. Macrolepidoptera. s'Gravenhage 1867. II. Microlepidoptera (2 Theile). Leiden 1882.	Streck. Lep. . . .	Streckner, Hermaun, <i>Lepidoptera rhopaloc. and heteroc. indig. and exot. etc.</i> Reading Pa. 1872-77.
(Sm. v. V.) Sepp. (2)	_____, van Vollenhoven, <i>Beschrijvingen en afbeeldingen van Nederlandsche vlinders</i> . Deel I-III. 1860-1894. (Fortsetzung von Sepp als 2. Serie).	Ström D. S. . . .	Ström (V.), <i>Danmarks Sommerfugle i kort Oversigt</i> . Kjøbenhavn 1866. (Naturhist. Tidskrift af Schiödte, IV. 1866 p. 109-140).
Soc. Ent.	Societas Entomologica. Organ für den internationalen Entomologenverein (Rühl) Zürich. I-XV. 1866-1900.	Stt. Cat. . . .	Stainton, H. T., <i>An attempt at a systematic Catalogue of the British Tineidae and Pterophoridae</i> . Lond. 1849. Suppl. 1851.
Sodof.	Sodoffsky, Carl Heinrich Wilhelm, † 1857.	Stt. Comp. . . .	_____, <i>The Entomologist's Companion</i> . London 1854.
Sorh. Klinschm. . .	Sorhagen, L., <i>Die Kleinschmetterlinge der Mark Brandenburg</i> . Berlin 1886.	Stt. I. B. (Tin.) . . .	_____, <i>Insecta Britannica. Lepidoptera (Tineina & Pterophorina)</i> . London 1854.
Spångb. Lep. Ant. . .	Spångberg, Jacob, <i>Lepidopterologiska Anteckningar</i> . I. <i>Atgymnis. Bremthis</i> . Upsala 1876.	Stt. List. . . .	_____, <i>List of the Specimens of British Animals in the collection of the British Museum</i> . Part XIII. Lepidoptera (Tineina). London 1854.
Spraw. Kom. fizyogr.	Sprawozdania Komisji fizyograf. etc. (Berichte der Physiograph. Commission). Krakau I-XXXIV. (1866-1899).	Stt. Man. . . .	_____, <i>A Manual of British Butterflies and Moths</i> . London Vol. I. 1857; Vol. II. 1859.
Spr. geogr. Verbr. . .	Speyer (Dr. Adolf und August), <i>Die geographische Verbreitung der Schmetterlinge Deutschlands und der Schweiz</i> . Leipzig I. (Tagf., Schwärmer und Spinner) 1855; II. (Noctuinen) 1862.	Stt. Nat. Hist. . . .	_____, Zeller, Douglas and Frey, <i>The Natural History of the Tineina</i> . London I-XIII. 1855-1873.
Stefan.	Stefanelli, Pietro, Prof.	Stt. South. Eur. . . .	_____, <i>The Tineina of Southern Europe</i> . London 1869.
Stett. e. Z.	Entomologische Zeitung. Herausgegeben von dem entomologischen Verein zu Stettin. 1840-1900 (I-LX).	Stt. Syr. (& As. m.) . . .	_____, <i>The Tineina of Syria and Asia minor</i> . London 1867.

Sulz. Abg. G.	Sulzer, Abgekürzte Geschichte der Insecten nach dem Linnaischen System. Winterthur 1776.	Tr. Ent. Soc. Lond. (Tr. E. S.)	Transactions of the Entomological Society of London. (P. I-III, 1810-1812 by Haworth), Vol. IV, 1834-Vol. V, 1847-49; New Series Vol. I, 1850-Vol. V, 1861; Third Series Vol. I, 1862-Vol. V, 1867; for the Years 1868-1900.
S. V.	vide Schiff. S. V.	Trim. Butt.	Trimen and Bowker, South African Butterflies. Vol. I-III. Lond. 1887-89.
Swinh.	Swinhoe, Ernst.	Trimoulet.	Trimoulet Catalogue Lép. Gironde 1859.
Tausch. (Mém. Mosc.)	Tauscher, A. M., Lepidopterorum Russiae indigenorum observationes sex. (Mém. Mosc. 1806, p. 174-179 et p. 207-212, t. 1.) Surquelques Noctuelles nouvelles de la Russie. (Mém. Mosc. 1809, p. 313-326, t. 1.)	Tröms. Mus. Aars.	Tromsø Museum Aarshefter I. 1878-XVIII. 1895.
Teich Fn. Balt. (Suppl.)	Teich, C. A., Baltische Lepidopt.-Fauna. Riga 1889. (Arb. des Naturl. Ver. zu Riga [N.F.] Heft VI.) Nachtrag ib. 1893.	Tr. Phil.	Transactions of the American Entomological Society Philadelphia. Vol. I-XXVII, 1 1867-1900.
Term. Füz.	Termesztrajzi Füzetek. (Zeitschr. für Zoologie etc. herausgeg. vom Ung. Nat. Museum). Budapest I-XXIII. 1877-1900.	Trudy	Trudy Russkoye entom. Obschetshestwo. (russ.) Petersburg 1861-1899 (pr. p.).
Tgstr. (Tngstr.) Anm.	Tengström, J. v., Annaerkinningar och Tillägg till Finlands Småfjäril-Fauna (Not. Sällsk. pro Fauna Fenn. Förhandl. Helsingfors 1859, p. 157-226).	Tur. (E.)	Turati, Conte Ernesto.
Tgstr. Bidr.	—, Bidrag till Finlands Fjäril - Fauna. (Notiser Sällsk. pro Faun. Fenn. Helsingfors Förhandl. 1847, I, p. 69-164).	Tur. (G.)	—, Conte Gian Franco.
Tgstr. Cat.	—, Catalogus Lepidopterorum Faunae Fenniae praecursorius. Helsingfors 1869. (Acta Societatis pro Fauna et Flora fennica. X. 1869).	Tutt Brit. Butt.	Tutt, J. W., British Butterflies. A popular Hand-Book. Lond. 1896.
Th.-Mieg	Thierry-Mieg, P.	Tutt Brit. Lep.	—, British Lepidoptera. Lond. Vol. I, 1899, Vol. II, 1900.
Thnbg. (Thnbg.) Diss. Ent. I, II, III, IV, VII	Thunberg, dissertation Entomologica sistens Insecta Suecica, quorum partem primam (I) etc. publico examini subicit Joh. Borgstrom. Upsaliae XI. Dec. 1784; P. II. P. E. Becklin. X. Dec. 1791; P. III. Jac. Akerman. IX. Maji 1792; P. IV. C. F. Seebaldt, XXII. Maji 1792; P. VII. G. M. Wenner, XXII. Dec. 1794.	Tutt Brit. Noct.	—, The British Noctuae and their Varieties. Vol. I-IV. Lond. 1891-92.
Thnbg. Mus. Nat. (Don. Thnbg.)	—, Museum Naturalium Academiae Upsalensis, cuius pars sextam etc. publ. exam. subj. C. G. Schallen. Upsaliae, XVII. Maij 1788. (Donationes Thunbergianae Continuatio VI).	Van der Hoev.	Van der Hoeven.
Tidskr.	Entomologische Tidskrift. (Entomol. Föreningen i Stockholm). Stockholm I-XX. 1880-1899.	Verh. Brünn	Verhandlungen des naturforschenden Vereins in Brünn. I-XXXVIII. 1862-1900.
Tijds. (v. Ent.)	Tijdschrift voor Entomologie, uitgegeven door de Nederlandsche Entomologische Vereeniging. 's Gravenhage I-XLIII. 1. 2 1857-1900.	Ver. Naturw. Hamb.	Verhandlungen des Vereins für naturwiss. Unterhaltung zu Hamburg. I-X, 1871-1899.
Tisch. Enc. Tasch.	Tischer, Encyclopädisches Taschenbuch für deutsche angehende Schmetterlingssampler zum Gebrauch auf Excursionen. Leipzig 1804; II. Auflage. Leipzig 1825.	Verh. Sieb. Ver.	Verhandlungen des Siebenbürg. Vereins für Naturwissenschaften. Hermannstadt I. 1850-XLIX. 1899.
Tr. (V, 1. 2. 3; VI, 1. 2; VII; VIII; IX, 1. 2; X, 1. 2. 3)	Treitschke, Fr., Die Schmetterlinge von Europa. (Fortsetzung des Ochsenheimerischen Werkes). Leipzig V, 1. 2 (1825), 3 (1826); VI, 1 (1827), 2 (1828); VII (1829); VIII (1830); IX, 1 (1832), 2 (1833); X, 1 (1834), 2-3 (1835).	Vogel n. Schm.	Vogel, Eduard, Ein neu entdeckter Schmetterling aus Spanien. (Allg. Deutsche naturh. Zeitung 1857, Bd. III p. 201-206, Taf.).
		Wallgr. Dagf. (Rhop.)	Wallengren, H. D., Skandinav. Dagfjärlar. Malmö 1853.
		Wallgr. (Wllgr.)	—, Skandinaviens Fjädermott (K. Vet. Ak. Handl. Bnd. III, Stockholm 1859).

XXVI Verzeichnis der Abkürzungen von Autorennamen und Publicationen.

Wallgr. Het.	Wallengren, Lepidoptera Scandinaviae Heterocera. Vol. I., II., 1-3 (Sphinges, Bomb., Noctuae). Lund 1863-1885.	Wilde	Wilde, Die Pflanzen u. Raupen Deutschlands. Versuch einer lepidopterologischen Botanik. Berlin 1860-61, I-II.
Wallgr. Pyr.	SkandinavienPyralider och Choreutider. Stockholm 1872.	Wilk.	Wilkinson, S. J., The British Tortrices. London 1859.
Wallgr.Tortr. & Tin.	Scandin. Tortrices et Tineae. Stockholm (Ent. Tidskr. 1890).	Wisk.	Wiskott, Max.
Warr.	Warren, William.	Wlk. List. (Walk. Cat.)	Walker, Francis, List of the Specimens of Lepidopterous Insects in the coll. of British Museum. Part.I-XXXV. London 1854-1866. (Die letzten 5 Bände auch als Suppl. I-V).
Waterh. Aid (I, II)	Waterhouse, Aid to the Identification of Insectes. Lond. Vol. I, 1880-82, Vol. II, 1882-90.	Wlsghm.	Walsingham, Lord Thomas.
Wats.	Watson, E. Y.	Woll.	Wollaston, T. V.
Wck. Cat. (ed. I, ed. II)	Wocke, Catalog d. Lepidopt. Europas u. der angrenz. Länder. II. Microlepid. Editio I. Dresden 1861; desgl. des europ. Faunengebietes. Editio II. Dresden 1871.	z. b. V.	Verhandlungen der zoologisch-botanischen Gesellschaft in Wien. Bd. I-L, 1851-1900.
Wd. (Ind.)	Wood, Index Entomologicus; or, a complete illustrated Catalogue consisting of 1944 figures of the Lepidopterous Insects of Great Britain. London 1833-1839. (New edition by J. O. Westwood 1852, with a Supplement and Index 1854).	Z. Cramb.	Zeller, P. C., Chilonidarum et Crambidarum genera et species. Berol. 1863, Jul.
Weeckl. Int. (Ent. Wk. Int.)	The Entomologist's Weekly Intelligencer (by Stainton). Lond. I-X. 1856-1861.	Zett. Ins. Lap.	Zetterstedt, Insecta Lapponica. Lipsiae 1840.
Wernb. Btr.	Werneburg, A., Beiträge zur Schmetterlingskunde. Erfurt I, II. 1864.	Zk. Charp.	Zincken, genannt Sommer, Die Zinsler, Wickler, Schaben und Geistchen des systematischen Verz. der Schm. der Wien. Geg., verglichen mit den in d. Schifferm. Samml. in Wien befdl. und von J. Hübner in seinem gr. Kupferw. abgeb. Arten dieser Gattungen. Von Toussaint von Charpentier, und mit Anmerk. versehen von Zincken, genannt Sommer. Braunschweig 1821.
Westw. Br. B.	Westwood & Humphrey's British Butterflies. London 1840-1841.	Z. Lep. Caffr.	Zeller, Lepidoptera Microptera quae J. A. Wahlberg in Caffrorum terra collegit. (Vetensk. Acad. Handlanger.) Stockholm 1852.
Westw. Br. M.	British Moths. London I & II. 1851.	Zool.	The Zoologist, a monthly Journal of Natural History. London. Serie 1-4, 1843-1900.
Weym.	Weymer, Gustav.	Zool. Jhrb.	Zoologische Jahrbücher (Spenzel). Abtheilung f. Systematik etc. Jena I-XIX, 1. 1880-1900.
Wien. e. Z.	Wiener entomologische Zeitung. Wien I-XIX. 1882-1900.	Z. Thür. Ber.	siehe Schläg. Ber.
Wien. Mts.	Wiener Entomologische Monatsschrift. Wien I-VIII. 1857-1864.		

Verzeichnis der Abkürzungen von Ortsnamen und Localitäten.

<i>Aegypt.</i>	Aegyptus	Unter-Aegypten, etwa bis zu den Pyramiden.
<i>Afghan.</i>	Afghanistania	Afghanistan.
<i>Afr.</i>	Africa	Afrika.
<i>Ala Tau</i>	Ala Tau montes	Dsungarischer Ala Tau, nordwestlich von Kuldscha, südlich vom Tarbagatai-Gebiet mit Lepsa.
<i>Alp.</i>	Alpes	die europäischen Alpen.
<i>alp.</i>	alpes	höhere Gebirge.
<i>Alv. val.</i>	Alpium valles	Alpentäler.
<i>Als.</i>	Alsatia	Elsass.
<i>Alt.</i>	Altai montes	Altai-Gebiet, westlich bis Semipalatinsk und Barnaul, östlich bis zur Wasserscheide des Jenissei.
<i>Am.</i>	America	Amerika.
<i>Amdo</i>	regiones Amdo	Amdo-Gebiet mit den Sinin-Alpen, südöstlich von Kuku Noor, etwa zwischen 35-37° nördl. Breite und 98-102° östl. Länge.
<i>Amur</i>	Terrae Amurenses	Amurgebiet.
" oc.	" " occidentales	" von Pokrowka bis Blagoweschtschensk.
" c.	" " centrales	" bis Chabarowsk, besonders Radewsk (Rad.).
<i>And.</i>	Andalusia	Andalusien.
<i>Angl.</i>	Anglia	England resp. Grossbritannien.
<i>Ant.</i>	Antiochia	nördlichstes Syrien mit Antiochia, Aintab und Haleb.
<i>Apenn.</i>	Apennini montes	Apenninen.
<i>Arag.</i>	Aragonias	Aragonien.
<i>Arm.</i>	Armenia	russisch Transcaucasien.
<i>As.</i>	Asia	Asien.
" min.	" minor	Klein-Asien.
" min. c.	" " centralis	inneres Hochland von Kleinasien mit Angora, Konia und Kaisarie.
" oc.	" occidentalis	Ganz West-Asien.
<i>Austr.</i>	Austria	Oesterreich.
" inf.	" inferior	Nieder-Oesterreich.
" sup.	" superior	Ober-Oesterreich.
<i>Azor.</i>	Azores insulae	Azoren.
<i>Balc.</i>	Peninsula Balcanica	Balkan-Halbinsel.
<i>Bat.</i>	Batavia	Niederlande (Holland).
<i>Bav.</i>	Bavaria	Baier.
<i>Belg.</i>	Belgium	Belgien.
<i>Berol.</i>	Berolinum	nähere Umgegend Berlins.
<i>Bilb.</i>	Bilbao	Umgebung von Bilbao im nördl. Spanien.
<i>Bith.</i>	Bithynia	besonders Umgebung von Brussa mit dem Olymp.
<i>Boh.</i>	Bohemia	Böhmen.
<i>bor.</i>	borealis	etwa über 60-62° nördl. Breite gelegen.
<i>Bosn.</i>	Bosnia	Bosnien.
<i>Brit.</i>	Britannia	Gross-Britannien mit Irland.
<i>Buc.</i>	Bucovina	Bukowina.
<i>Buch.</i>	Regio Buchara	Buchara.
" m. or.	" " meridionalis orientalis	das Kabadian-Gebiet.
" s. or.	" " septentrionalis orientalis	das Karatigin-Gebiet.
<i>Bulg.</i>	Bulgaria	Fürstenthum Bulgarien und Ost-Rumelien.
<i>c.</i>	centralis	in der Mitte liegend.
<i>Cul.</i>	Calabria	Kalabrien.
<i>calc.</i>	solum calcarium	Kalkboden.

XXVIII

Verzeichnis der Abkürzungen

Can.	Insulae Canariae	Kanarische Inseln.
Car.	Carinthia	Kärnthen.
Carn.	Carniola	Krain.
Carp.	Carpatici montes	Karpathen.
Cast.	Castilia	Kastilien.
Cat.	Catalonia	Katalonien.
Cauc.	Caucasus	Kaukasus.
" s. or.	" septentrionalis orientalis	Daghestan.
Chang.	Changai montes	Changai-Gebirge in der Mongolei.
China s.	China septentrionalis	Nord-China etwa bis 42° nördl. Breite.
Cil.	Cilicia	südliches Kleinasien von Adalia bis Mersina und Adana.
col.	colles	Hügel.
Cor.	Corea	Korea.
Corc.	Corcyra	Insel Corfu.
Cors.	Corsica	Insel Corsica.
Creta	Creta	Insel Candia (Kreta).
Crim.	Crimaea	Halbinsel Krim.
Cur.	Curonia	Curland.
Cypr.	Cyprus	Insel Cypern.
Dalm.	Dalmatia	Dalmatien.
Dan.	Dania	Dänemark.
Daur.	Dauria (Dahuria)	südöstliches Sibirien mit Kentei (Kent.), Apfelgebirge etc.
desert.	deserta	Steppen.
Egin	vide Kurdistan oe.	
Eur.	Europa	Europa.
" c.	" centralis	Central-Europa inclus. Grossbritannien, exclus. der russischen Ost-See-Provinzen.
Est.	Estonia	Estland.
Fen.	Fennia	Finnland.
Ferg.	Regio Fergana	Russ. Provinz Fergana in Central-Asien.
" s.	" " septentrionalis	das nördlich vom Syr Darja gelegene Gebiet mit Taschkent, Namangan und den nördlich davon gelegenen Gebirgen.
" m.	" " meridionalis	das Gebiet südlich vom Syr Darja mit Margelan, Osch, Usgent, dem Alai-Gebirge und der Nordseite des Transalai.
Gal.	Gallia	Frankreich.
Germ.	Germania	Deutschland.
Gobi	Deserta Gobi	Wüste Gobi mit dem Lob Noor etc., zwischen dem Thian Schan und Küenlün.
Gotland (Goth.).	Gotlandia (Gothia)	Göthland.
Graec.	Graecia	Griechenland.
Groenl.	Groenlandia	Grönland.
Hal.	Halicia	Galizien.
Hib.	Hibernia	Irland.
Helv.	Helvetia	Schweiz.
Herc. mont.	Hercyniae montes	Harz.
Hertha	Insula Hertha	Insel Helgoland.
Hethl.	Insulae Hethlandiae	Shetland-Inseln.
Himal.	Himalaya montes	Himalaya-Gebirge.
Hisp.	Hispania	Spanien.
Hols.	Holsatia	Holstein.
Hung.	Hungaria cum Dacia, Pannonia etc.	Ungarn.
Hyrc.	Hyrcania	nordöstliches Persien mit dem Elburs-Gebirge (Asterabad und Schahrud).
Ili	vide Thian. oe.	
Ib.	Iberia	Pyrenäen-Halbinsel (Spanien und Portugal).
Ill.	Illyria	Illyrien, insbesondere die Umgebung von Görz.
Ind. or.	India orientalis	Ost-Indien.
Isl.	Islandia	Island.
Iss. K.	Terrae ad lacum Issyk Kul	Issyk Kul-Gebiet, Umgebungen des grossen See's, im Norden mit dem Transiliensischen, im Süden mit dem Terski-Ala Tau, im Westen (Iss. K. oe.) mit dem Alexander-Gebirge.

<i>Istr.</i>	Istria	Oesterr. Küstenland.
<i>It.</i>	Italia	Italien.
<i>Jap.</i>	Japonia	Japan.
<i>Jut.</i>	Jutia	Jütland.
<i>Kamt.</i>	Kamtschadalia (Camschadalia)	Halbinsel Kamtschatka.
<i>Kaschg.</i>	Terraee Kaschgarienses	Kaschgar, östlich von Pamir.
<i>Kent.</i>	vide Daur.	
<i>Kirgh.</i>	Deserta Kirghisarum	südlich und östlich vom Uralfuss gelegenes Steppen-Gebiet bis zum Aralsee.
<i>Konia</i>	vide As. min. e.	
<i>Korla</i>	Territorium Korla	Korla (Kurla) -Gebiet, südlich vom Thian Schan an der Wüste Gobi.
<i>Kuku N.</i>	Terraee ad lacum Kuku Noor	Kuku Noor-Gebiet (nordöstliches Tibet) zwischen 35-37° nördl. Breite und etwa 98-102° östl. Länge
<i>Kurd.</i>	Terraee Carduenorum (Kurd.)	Kurdistan.
" <i>oc.</i>	" " occidentales	westliches Kurdistan mit Malatia, Charput und Egin.
" <i>or.</i>	" " orientales	östliches Kurdistan mit dem Wan-See-Gebiet.
<i>Labr.</i>	Labradoria	Labrador.
<i>Ladak</i>	Terraee Ladakenses	Klein-Tibet, südostlich von Pamir, zwischen Küenlin und Pamir.
<i>Lap.</i>	Lapponia	Lappland.
<i>Lig.</i>	Liguria	Ligurien.
<i>lit.</i>	litora	Ufer oder Küsten.
<i>Liv.</i>	Livonia	Livland.
<i>Lomb.</i>	Lombardia	Lombardei.
<i>Lugdun.</i>	Lugdunum	Lyon.
<i>Lusit.</i>	Lusitania	Portugal.
<i>Lyc.</i>	Lycia	südwestliches Kleinasien vom Golf von Kos bis Adalia.
<i>Lyd.</i>	Lydia	mittleres, westliches Kleinasien mit Smyrna, Magnesia etc.
<i>m.</i>	meridionalis	südlich.
<i>Maced.</i>	Macedonia	Macedonien.
<i>Mad.</i>	Madeira	Insel Madeira.
<i>Malatia</i>	vide Kurd. <i>oc.</i>	
<i>Mandsch.</i>	Mandschuria	südlich vom Amur gelegenes Gebiet (mit dem Chingan-Gebirge) bis Nord-China und Korea.
<i>Mard.</i>	Mardin, vide Mesop.	
<i>Maur.</i>	Mauretania (Barbaria)	Nord-West-Africa (Algerien, Tunis und Marocco).
<i>Mesop.</i>	Mesopotamia s.	nördl. Mesopotamien mit Diarbekr und Mardin.
<i>Mong.</i>	Mongolia	Mongolei, südlich vom Altai, Sajan und Kentei mit Uliassutai, Changai-Gebirge und Urga.
<i>mont.</i>	montes	niedrigere Gebirge.
<i>Morav.</i>	Moravia	Mähren.
<i>Nan Schan</i>	Nan Schan montes	Gebirge südöstlich von der Wüste Gobi, nordwestlich vom Kuku Noor mit dem Humboldt-Gebirge.
<i>Norv.</i>	Norvegia	Norwegen.
<i>oc.</i>	occidentalis	westlich.
<i>or.</i>	orientalis	östlich.
<i>Pal.</i>	Palaestina	südliches Syrien von Haifa bis Südgebiet des Todes Meeres.
<i>pal.</i>	paludes	Sümpfe (Torfmoore).
<i>Pamir</i>	Pamir planicies	Pamir, centralasiatisches Hochplateau, nördlich durch den Trans Alai, südlich durch den Hindukusch begrenzt.
<i>Paphl.</i>	Paphlagonia	nördliches, mittleres Kleinasien mit Kastamuni.
<i>Ped.</i>	Pedemontium	Piemont.
<i>Pers.</i>	Persis	Persien, besonders Faristan.
" <i>s. oc.</i>	" septentrionalis occidentalis	Provinz Aserbeidschan mit dem Sawalan.
<i>Petrop.</i>	Petropolis	St. Petersburg.
<i>plan.</i>	planities	Ebenen.
<i>pol.</i>	polaris	polar (innerhalb der Polarkreise).
<i>Pom.</i>	Pomerania	Pommern.

XXX

Verzeichnis der Abkürzungen von Ortsnamen und Localitäten

<i>Pont.</i>	Pontus	nordöstliches Kleinasiens, besonders Amasia und Tokat.
<i>Rg. Pers.</i>	Regnum Persarum	heutiges Persien.
<i>Pruss.</i>	Prussia	Preussen.
<i>Ross.</i>	Rossia	Russland.
<i>Rum.</i>	Rumaenia	Königreich Rumänien.
<i>Rumel.</i>	Rumelia	Ost-Rumelien (Bulgarien).
<i>s.</i>	septentrionalis	nördlich.
<i>Saj.</i>	Terra Sajanenses	Sajan-Gebiet in Sibirien.
" <i>oc.</i>	" " occidentales	Jenissei-Gebiet.
" <i>or.</i>	" " orientales	Irkut- und Selenga-Gebiet.
<i>Saison</i>	vide Tarb.	
<i>Salish.</i>	Salisburgium	Salzburg.
<i>Saraw.</i>	Regio Maracandica	Sarawschan-Gebiet mit Samarkand und den an der Grenze von Buchara gelegenen Hasret Sultan- und Ghissar (Hissar)-Gebirgen.
<i>Sard.</i>	Sardinia	Insel Sardinien.
<i>Sax.</i>	Saxonia	Sachsen.
<i>Scand.</i>	Scandinavia	Schweden und Norwegen.
<i>Scot.</i>	Scotia	Schottland.
<i>Serb.</i>	Serbia	Königreich Serbien.
<i>Sib.</i>	Sibiria	Sibirien.
<i>Sic.</i>	Sicilia	Sicilien.
<i>Sil.</i>	Silesia,	Schlesien.
<i>Song.</i>	Songaria	Ländereien südl. und südwestl. vom Altai (Tarbagatai-Gebirge etc.).
<i>Srp.</i>	Sarepta	Umgebung von Sarepta im südöstlichen Russland.
<i>Styr.</i>	Styria	Steiermark.
<i>Suec.</i>	Suecia	Schweden.
<i>Sum. Alp.</i>	Summae Alpes	Hochalpen (etwa von 2000 m aufwärts), besonders nur das nördliche Syrien mit Beirut und dem Libanon.
<i>Syr.</i>	Syria	Tarbagatai-Gebiet, südwestlich vom Altai mit Saisan.
<i>Tarb.</i>	Tarbagatai montes	Gebirgsgebiet vom Bulghar-Dagh bis Gjaur-Dagh mit den Orten Hadjin, Zeitun, Marasch und Akbes (Eibes).
<i>Taur.</i>	Taurus	Tenerife (Canareninsel).
<i>Ten.</i>	Tenerifa	Tirol.
<i>Ter.</i>	Teriolis	das dem Catalog zu Grunde gelegte Gebiet der palaeearctischen Region.
<i>Territ.</i>	Regio palaearctica	Thian Schan-Gebiet.
<i>Thian.</i>	Thian Schan montes	" " mit Kuldscha und dem Ili-Gebiet.
" <i>oc. (= Ili)</i>	" " occidentales	" " bis Barkul und Hami.
" <i>or.</i>	" " orientales	" " Boro Choro-Gebirge.
" <i>c.</i>	" " centrales	
<i>Thuring.</i>	Thuringia	Thüringen.
<i>Transsyl.</i>	Transsylvania	Siebenbürgen.
<i>Tura</i>	Turcomania sive Tura	Transcaspien, Achal Tekke-Gebiet mit Askabad, Merw, Krasnowodsk.
<i>Turc.</i>	Turcia	Europäische Türkei.
<i>Urias.</i>	Uliassutai vide Mong.	
<i>Ur.</i>	Ural	besonders das südliche (mit Guberli) und mittlere Uralgebiet.
<i>Urga</i>	vide Mong.	
<i>Uss.</i>	Terra Ussurienses	Ussuri-Gebiet, der südliche Theil der ost-sibirischen Küstenprovinz (Primorskaja Oblasta) oder das südlich vom Amur gelegene Gebiet.
" <i>s.</i>	" " septentrionales	das nördliche (eigentliche) Ussurigebiet.
" <i>m.</i>	" " meridionales	das südliche Ussurigebiet mit Suifun, Wladivostok, Askold, Sutsch'an und Sidemi.
<i>val.</i>	valles	Thäler.
<i>Val.</i>	Valesia	Wallis.
<i>Velebit</i>	Montes Velebit	Velebit, croatisch-dalmat. Grenzgebirge.
<i>Vind.</i>	Vindobona	nähtere Umgegend Wiens.

Verzeichnis und Erklärung der nicht allgemein verständlichen Abkürzungen und Zeichen.

ab.	aberratio — Abart im biologischen Sinne der zweiten Catalogsaufgabe.
exc.	exceptus — ausgenommen.
f.	figura — Abbildung (Bild).
form. (v.) Darw.	forma Darwiniana — Subspecies im biologischen Sinne der zweiten Catalogsaufgabe.
gen. aest.	generatio aestiva — Sommergeneration.
gen. vern.	generatio vernalis — Frühlingsgeneration.
genit.	genitalia — der äussere Geschlechtsapparat.
ib.	ibidem — ebenda, d. h. in der unmittelbar vorher citirten Publication (Zeitschrift) ohne Rücksicht auf den Autor.
l. c.	loco citato — am angegebenen Orte, d. h. in der bei derselben Art bereits citirten Publication desselben Autors.
no.	numerus — Nummer.
not.	nota — Anmerkung.
p.	pagina — Druckseite.
pr. p.	pro parte — zum Theile.
r.	rectius — richtiger.
spec. typ.	specimen typicum — Originalexemplar (Type).
t.	tabula — Tafel.
trans.	transitus — Uebergang.
v.	varietas — Varietät im biologischen Sinne der zweiten Catalogsaufgabe.
v(ar). alt.	varietas alticola (Stgr.) — Höhenform.
()	Diagnosen innerhalb runder Klammern beziehen sich auf die ganze — als Kategorie behandelte — Form.
[]	Diagnosen innerhalb eckiger Klammern beziehen sich nur auf diejenige Form, hinter welcher sie unmittelbar stehen.
*	steht vor denjenigen Formen, welche nur ausserhalb des dem Cataloge zu Grunde gelegten Gebietes vorkommen.
!	steht hinter missrathenen Abbildungen.

Uebersicht der Familienreihenfolge.

Theil I.

1. Papilionidae.
2. Piéridae.
3. Nymphalidae.
 - a) Nymphalinae.
 - b) Danainae.
 - c) Satyrinae.
4. Libytheidae.
5. Erycinidae.
6. Lycaenidae.
7. Hesperiidae.
8. Sphingidae.
9. Notodontidae.
10. Thaumetopoidae.
11. Lymantriidae.
12. Lasiocampidae.
13. Endromidae.
14. Lemoniidae.
15. Saturniidae.
16. Brahmaeidae.
17. Bombycidae.
18. Drepanidae.
19. Callidulidae.
20. Thyrididae.
21. Noctuidae.
 - a) Acronyctinae.
 - b) Trifinae.
 - c) Gonopterinae.
 - d) Quadrifinae.
 - e) Hypeninae.
22. Agaristidae.
23. Cymatophoridae.
24. Brephidae.
25. Geometridae.
 - a) Geometrinae.
 - b) Acidaliinae.
 - c) Larentiinae.
 - d) Orthostixinae.
 - e) Boarmiinae.
26. Uraniidae.
27. Epiplemidae.
28. Nolidae.
29. Cimbidae.
30. Syntomidae.
31. Arctiidae.
 - a) Arctiinae.
 - b) Lithosiinae.
32. Heterogynidae.
33. Zygaenidae.
 - a) Zygaeninae.
 - b) Chalcosiinae.
34. Megalopygidae.
35. Cochliidae.
36. Psychidae.
37. Sesiidae.
38. Cossidae.
39. Hepialidae.

Theil II.

1. Pyralidae.
 - a) Gallerinae.
 - b) Crambinae.
 - c) Schoenobiinae.
 - d) Anerastinae.
 - e) Phycitinae.
 - f) Epipaschiinae.
 - g) Chrysogastrinae.
 - h) Endotrichinae.
 - i) Pyralinae.
 - k) Hydrocampinae.
 - l) Scopariinae.
 - m) Pyraustinae.
2. Pterophoridae.
3. Orneodidae.
4. Tortricidae.
 - a) Tortricinae.
 - b) Conchylinae.
 - c) Olethreutinae.
5. Glyphipterygidae.
 - a) Choreutinae.
 - b) Glyphipteryginae.
 - c) Douglasinae.
6. Yponomeutidae.
 - a) Yponomeutinae.
 - b) Argyresthiinae.
7. Plutellidae.
 - a) Plutellinae.
 - b) Orthotaeniinae.
8. Gelechiidae.
 - a) Gelechiinae.
 - b) Blastobasinae.
 - c) Oecophorinae.
9. Tinaegeriidae.
10. Elachistidae.
 - a) Scythridinae.
 - b) Momphinae.
 - c) Heliozelinae.
 - d) Coleophorinae.
 - e) Elachistinae.
11. Gracillariidae.
 - a) Gracillariinae.
 - b) Lithocolletinae.
12. Lyonetiidae.
 - a) Lyonetiinae.
 - b) Phylloconistinae.
13. Nepticulidae.
14. Talaeporiidae.
15. Tineidae.
 - a) Atychiinae.
 - b) Ochsenheimeriinae.
 - c) Acrolepiinae.
 - d) Setomorphinae.
 - e) Lypusinae.
 - f) Teichobinae.
 - g) Tineinae.
 - h) Adelinae.
16. Crinopterygidae.
17. Eriocraniidae.
18. Micropterygidae.

I. Papilionidae.

1. **Papilio** (L.) Latr. 1805.

1. **Podalirius** L. S. N. ed. X p. 463 not.; Esp. I, f. 2; Hb. 388-9; O. I, 2 p. 118; God. I, 1, f. 1; Frr. 565, 676, f. 3 (ab.); Eim. Artb. I p. 38; Rothschr. Nov. Zool. II p. 402; ab. Undecimlineatus Eim. I. e. 41, t. 1, f. 3; ab. Nigrescens Eim. I. e. 88, f. E.
- a) gen. aest. *Zanclaeus* Z. Isis 1847 p. 213; Rothschr. I. e. 404 (abdomine albo).
- b) v. (et ab.) *Smyrnensis* Eim. I. e. p. 94, f. M (al. post. strigis nigris angustiorib.).
- c) ab. (v.?) *Virgatus* Butl. Pr. Z. S. Lond. 1865 p. 430, t. 25, f. 1; Rothschr. I. e. 405 (minor, al. post. angustiorib.).
- d) gen. vern. *Miegii* Th.-Mieg. Natural. 1889 p. 74, 197; Rühl 87; Rothschr. I. e. 404 (albidior, al. post. marg. inter. toto nigro).
- e) v. *Feisthamelii* Dup. Suppl. I p. 7, t. 1, f. 1 (1832); HS. 414-16; Feisthameli Rothschr. I. e. 404 (major, albidior, al. post. macula rufa anali angusta).
- f) gen. aest. *Lotteri* Aust. Pet. Nouv. 1879 p. 304, 293 (ex errore Latteri); Rühl p. 80; Latteri Eim. I. e. p. 72, t. 1, f. 4; Rothschr. I. e. 405 (major, albidior).
- *g) v. *Podalirinus* Obth. Et. XIII p. 37, t. 9, f. 99 (1890); Leech Butt. China II p. 519; Rothschr. I. e. 405 (al. ant. strigis lationibus).
2. **Alexanor** Esp. 110, f. 1 (1805); Hb. 787-8; God. II, 1; Frr. B. 19, 1; Tr. X. 1 p. 80; Brullé Exp. Mor. t. 45, f. 1. Polidamas Prun. Lep. Ped. 69; Rothschr. Nov. Zool. II p. 277.
- a) v. *Orientalis* Rom. Mém. Rom. I p. 41, t. 5, f. 1 (1884); Seitz Stett. e. Z. 1891 p. 55 (pallidior, strig. bas. angust., al. post. late caerul. marginatis).
- b) ab. *Maccabaeus* Stgr. Iris IV (1891) p. 224; *Judaeus* Stgr. Iris VI p. 369 (striga basali late, al. post. late caeruleis).
3. **Hospiton** Génè Mém. Ac. Torin. 1839 p. 43, t. 2, f. 20, 21; HS. 249-50; Z. Is. 1847 p. 218; Rothschr. Nov. Zool. II p. 277; Eimer Artbild. II p. 110, t. 6, f. 6.
4. **Machaon** L. S. N. ed. X p. 462; Esp. I t. 1, f. 1; Hb. 390-1; O. I, 2 p. 121; God. I, 1 f. 2; Frr. 290, 1 (ab.); Eimer Artb. II (1895) p. 95; Rothschr. Nov. Zool. II p. 272; Spengel Zool. Jhrb. XII p. 337, t. 17-19 (ab.); ab. *Marginalis* Robbe C. R. Soc. Ent. Belg. 1891 p. 395; ab. *Nigrofasciatus* Rothke Stett. e. Z. 1895 p. 303; Voss Ent. Jhrb. 1898 p. 159 fig.; ab. *Atromarginata* Stndt. Zool. Stud. t. 1, f. (9) 10; Machaon var. Frr. 74; ab. *Niger* Heyne-Rühl p. 694.

Eur. c. (excl. Brit.) et m.; Arm; Alt; Tarb.

*Sic; Graec; As. min.; Eur. c. (trans.).
As. min. (Smyrna).*

Syr.

Pyr. or; Cat.

Iber; Maur.

Maur.

China m. oc.

Gal. m. or; It. s.; Dalm; Graec.

Arm; Pers; As. min.

Pal; Ferg. s. (Namanjan).

Cors., Sard.

Territ. (exc. reg. pol., Mad., Can.).

- a) ab. gen. aest. *Aurantiaca* Spr. G. Verbr. I p. 278 (1858); Krul. Bull. Mosc. 1890, t. 8, f. h; *Burdigalensis* Trimoulet Cat. Lep. Gironde p. 10; *Drusus* Fuchs Stett. e. Z. 1884 p. 241 (aurantiaca-flava, strigis nigr. angustior., abdominis vitta nigra dorsal. angusta).
- b) v. (et ab.) *Sphyrus* Hb. 775-6; Tr. X, 1 p. 79; Rothschild l. c. 275 Eim. l. c. 102, t. 6, f. 3: *Saharae* Obth. Et. IV p. 68; *Asiatica* Mén. En. I p. 70; *Aestivus* Eim. l. c. p. 103, t. 6, f. 4 (al. latius nigro-fasciatus, al. post. maculis caeruleis permagnis).
- c) v. (larvae) *Hospitonides* Obth. Et. XII p. 21, t. 4, f. 19 (larva larva Hospitonis similis).
- d) gen. aest. *Centralis* Stgr. Stett. e. Z. 1886 p. 193; *Centralasiae* Chr. Mém. Rom. III p. 51 (dilutior, area basali flavissime conspersa, abdomine fere toto flavo).
- e) v. *Sikkimensis* Moore Journ. As. Soc. Beng. 1884 p. 47; Leech. Butt. Chin. II p. 516, t. 35, f. 2; Rothschild l. c. 276; *Asiatica* Eim. l. c. p. 105, t. 6, f. 7; *Montanus* Alph. Mém. Rom. IX p. 85, 229 (al. post. caudis brevioribus, macula rufa anali supra bis nigro cineta).
- f) v. *Ladakensis* Moore Journ. As. Soc. Beng. 1886 p. 46 (ecaudata pallidior).
- g) v. *Kamtschadalus* Alph. Mém. Rom. IX p. 301, t. 14, f. 1 (minor, brevius caudata, fasciis nigris constrictis, al. post. vitta submargin. angusta).
- h) v. *Aliaska* Scud. Proc. Bost. Soc. N. H. XII (1869) p. 45; Edw. Papilio II p. 74; III p. 50; Hagen Papilio II p. 152; Holl. Butt. p. 312, t. 41, f. 1 (praec. var. similis; an eadem forma? inconstans sec. Elw.).
- *i) gen. aest. *Hippocrates* Feld. z. b. V. 1864 p. 314; Rothschild l. c. p. 276; Eim. l. c. p. 108, t. 6, f. 1 (maxima, saturior, supra magis nigricans).
5. **Xuthus** L. S. N. ed. XII p. 751 (1767); Cr. Pap. Ex. 73 A; B. Ic. t. 1, f. 1, 2; Luc. Lep. Ex. t. 19, f. 1; HS. 411-13; Leech Butt. China II p. 514; Rothschild Nov. Zool. II p. 278; Eimer Artbild. II p. 112, t. 6, f. 10.
- a) gen. vern. *Xuthulus* Brem. Bull. Ac. Petr. III p. 463 (1861); Lep. O. S. t. 1, f. 2; Rothschild l. c. 279; Eimer l. c. 116, t. 6, f. 9 (minor, dilutior).
6. ***Bianor** Cr. Pap. Ex. II t. 103, f. C; Leech Butt. China II p. 527; Rothschild Nov. Zool. II p. 378.
- a) v. *Maackii* Mén. Bull. Ac. Petr. XVII p. 212 (1859); Schrk. t. 1, f. 1, 2; Brem. Lep. O. S. p. 3; Leech Butt. China II p. 529; Rothschild Nov. Zool. II p. 380 (al. post. vitta media distincta).
- b) gen. vern. *Raddei* Brem. Lep. O. S. p. 3, t. 1, f. 1; Stgr. Mém. Rom. VI p. 129 (minor. al. post. subtus vitta albescens latiore).
- *c) v. *Syfanius* Obth. Et. XI p. 13, t. 1, f. 3 (1886); Leech Butt. China p. 532, t. 32, f. 5; Rothschild l. c. 380 (al. ant. subt. unicoloribus fuscis).
- *d) ?ab. *Dialis* Leech Entom. XXVI. Suppl. p. 104; Butt. China II p. 532, t. 32, f. 4; Rothschild l. c. 381 (uno ♂ condit., androconis differ.).

2. *Sericinus* Westw. 1851.

7. **Telamon** Don. Ins. China t. 27, f. 1 (1798) ♂ (capite falso); Mén. En. p. 70, t. 6, f. 3; Stgr. Mém. Rom. VI p. 130;

Eur. m. (c. oc.).

Eur. m.; Afr. s. oc.; As. oc. et c.

Maur. m. (Biskra).

Ferg.; Saraw.

Amdo.; China m. oc.; Himal.c.

Ladak.

Kamt.

Am. bor. (Alaska.)

China c. et or; Jap.; Cor.

Amur; China.

China oc. et s.

China s; Amur; Cor; Jap.

China m. oc.

China m. oc.

China s. et c.

Leech Butt. China II p. 484; Rühl 85, 696; *Fasciatus* Brem. & Grey Schm. n. Ch. p. 5 (t. 1, f. 1); Mén. En. t. 6, f. 1 ♀.

- a) gen. vern. *Telmona* Gray Pr. Z. Soc. Lond. 1852 p. 72; Cat. Br. Mus. t. 13, f. 3 ♂; Leech l. e. t. 33, f. 7 ♂ f. 8 ♀; Greyi Brem. & Gray l. e. p. 6 (t. 1, f. 2); Mén. En. t. 6, f. 2 (minor, al. post. fascia tenui rubra, interrupta).
- b) v. *Montela* Gray Pr. Z. Soc. l. e. p. 71; Cat. l. e. p. 79, t. 13, f. 1, 2 ♂ (1852); Stgr. Exot. Tgf. t. 14 ♂ ♀: *Fortunei* Gray l. e. f. 5 ♀ (major, striga basali lata nigra; gen. aestiva?).
- *c) v. *Koreana* Fixs. Mém. Rom. III p. 258; Graes. Berl. e. Z. 1888 p. 63 (magis nigro signata, al. ant. [plerumque] fasciis duabus exteriorib; gen. aest.).
- d) gen. aest. *Amurensis* Stgr. Mém. Rom. VI p. 130 (major, magis nigro maculata, sed area basali immaculata).
- e) gen. vern. *Telemachus* Stgr. l. e. p. 133 (minor, subt. maculis margaritaceis).
- *f) ab. (v?) *Fixseni* Stgr. l. e. p. 136; var. ♂ Greyi Fixs. l. e. p. 260, t. 13, f. 1 (praec. ab (?); al. ant. bas. nigra).

3. Luehdorfia Crüger 1876.

- 8. *Puziloi* Ersch. Hor. VIII. (1871) p. 315; Obth. Et. V. p. 12, t. 5, f. 3; Stgr. Exot. Tgf. p. 21, t. 14; Graes. Berl. e. Z. 1888 p. 63; Leech Entom. XXII. p. 25, t. 1, f. 2; Eximia Crüger Hamb. Naturwiss. Verein 1876 p. 128.
- *a) v. *Japonica* Leech Entom. XXII p. 25, t. 1, f. 1; Butt. Chin. II, p. 490, t. 33, f. 1, 2; Puziloi Pryer Rhop. Nihon p. 5, t. 1, f. 10 (major, fasciis latioribus; ♀ bursa divers. nigra; tamen sp. diversa Stgr. non videtur).

4. Thais F. 1807.

- 9. *Cerisyi* (false Cerisy) God. Mém. Soc. Linn. Paris II (1822) t. 2; Hb. 890-1; HG. 1012-13; Hb. Exot. 253; B. Ie. 2; Frr. B. 127, 1; N. B. t. 193, f. 3 ♀, t. 259; Tr. X, 1, p. 82; Stgr. Hor. XIV p. 214; Rühl 87.
- a) v. *Deyrollei* Obth. Pet. Nouv. Ent. I (1869) p. 3; Rev. & Mag. Zool. 1872 p. 480, t. 21, f. 1, 2 (tricaudata).
- b) v. *Caucasica* Led. W. Mts. 1864 p. 165, t. 3. f. 1, 2; Lang. Butt. t. 2, f. 3 (ecaudata).
- 10. *Polyxena* Schiff. S. V. p. 162, fig. (1776); Hb. 392-3; O. I. 2 p. 124; HS. 557-8 ab.; Mill. Ic. 94, 1 ab; *Hypermnestra* Sc. Ent. Carn. 149 (1763) (nom. praeocc.); *Hypsipyle* F. Gen. 265; God. II, 3, f. 1, 2; ab. *Cassandra* Mn. Stett. e. Z. 1844 p. 358, f. 3; *Rumina* Esp. 15, 1; 53, 2; (al. ant. rufo maculatis).
- a) ab. *Meta* Meig. I p. 6, t. 2, f. 3 (1829); *Rufescens* Obth. Et. IV p. 25 (1879); *Flavomacula* Schilde Ent. Nachr. 1884 p. 333; *Rumina alba* Esp. 105, 1. 2 (al. post. maculis flavis).
- b) v. *Cassandra* Hb. 910-913; B. Ie. 3, f. 1, 2; Frr. 7, f. 1; Lang. Butt. t. 3, f. 2; *Demnobia* Frr. 7, f. 2; Tr. X, 1 p. 84; Mn. l. e. p. 359, f. 3; *Creusa* Meig. I p. 161, t. 42, f. 1; Mn. l. e. f. 2 (magis nigra).
- c) ab. *Ochracea* Stgr. Cat. ed. I p. 1; *Cassandra* Dup. I. 43, f. 2, 3; *Polymnia* Mill. Ic. III p. 438, t. 154, f. 2; Ann. Sc. N. Cannes. 1880 t. 10. f. 3-5; Ann. S. Fr. 1886 t. 1, f. 1.

Cor.

Uss. m.

Uss. m.; Cor.

Cor.

Uss.

Jap.

Rumel; Turc. europ;
Graec. m; As. min;
Syr.

Pont; Kurd. oc; Syr.

Arm. oc.

Eur. or. m; Austr;
Morav; Hung; Gal.
m. et It. (pr. p.); As.
min.

It; Gal. m; Bith.

Eur. or. m; Ital m;
Bith; Vind. (aberr).

11. **Rumina** L. S. N. ed. X. p. 480; Hb. 633-4; O. I., 2 p. 129; Dup. I. 14; Poujade Ann. S. Fr. 1891 p. 597. t. 17. f. 17, 18 ab.
- a) ab. *Canteneri* Stgr. Cat. ed. I p. 1; *Rumina* Lue. Exp. Alg. t. 1, f. 1 (ab. ochracea).
 - b) v. *Medesicaste* Ill. Mag. II p. 181 (1803); Hb. 632; O. I., 2 p. 127; God. II, 3; *Rumina* Hb. 394-5; *Rumina australis* Esp. 72, f. 4 (dilutior).
 - c) ab. *Honoratii* B. Ic. 3. f. 3-5; Dup. I. t. 2, f. 3; Frr. 417, f. 1, 2; B. Sp. G. t. 5. f. 4; HS. 251-2; Lang. Butt. t. 3, f. 5 (al. post. vittis rufis).
- 5. Hypermnestra** Mén. 1855.
12. **Helios** Nick. Stett. e. Z. 1846 p. 208. t. 3; Mén. Leh. p. 58, t. 6, f. 1; Rühl 91; Ismene HS. VI p. 35.
- a) v. *Maxima* Gr. Gr. Mém. Rom. IV p. 141; ab. *Ochreo-maculata* Gr. Gr. l. c. (major, minus nigro signata).

6. Doritis (F.) B. 1832.

13. **Apollinus** Hbst. IX. t. 250, f. 5-8 (1798); O. I. 2, p. 132, IV, p. 150; Fr. B. 127, 2; N. B. 253; HS. 253-4; B. Ie. 4. f. 1, 2; Dup. I. 1, 2; Stgr. Hor. XIV. p. 217; Lang. Butt. p. 14, t. 3, f. 6; Rühl 92; Pythius Esp. 117, f. 1-4; Thia Hb. 635-6. 686-7; ab. *Krystallina* Schilde Ent. Nachr. 1884 p. 333 [fere unicolor grisea].
- a) ♀ ab. *Rubra* Stgr. Iris IV. (1891 p. 226; *Apollinus* HS. 255-6 (al. post. fere rubris).
 - b) v. *Bellargus* Stgr. l. c. (al. post. limbo late nigro).
 - c) v. *Amasina* Stgr. (al. post. medio macula parva nigra)
 - d) v. *Apollinaris* Stgr. l. c. 225 (minor, pallidior)

7. Parnassius Latr. 1805.

14. **Apollo** L. S. N. ed. X 465; Esp. t. 2, f. 1; Hb. 396-7, 730-1; Elw. Pr. Z. Soc. 1886 p. 19; v. *Carpaticus* Rbl. et Rghfr. Jhrsb. Wr. e. V. III p. 61, t. 1, f. 3 [major, mae. cost. majorib.]; ab. *Wiskotti* Obth. Et. XIV t. 2, f. 14; Apollo ab. Honr. Berl. e. Z. 1888 p. 496, t. 7. f. 4; Aust. t. 7, f. 4 [alis post. ocellis dilatatis]; ab. *Novarae* Obth. l. c. p. 7; Apollo ab. Feld. Nov. t. 21, f. c, d; Steudel Jhrh. Naturk. Württemb. 1885 p. 328. t. 6, f. 2; Deckert Ann. S. Fr. 1898 t. 16 [alis post. sine ocellis].
- a) ab. *Pseudonomion* Christ Verh. Basel VI, 368; Ap. var. Esp. I t. 112, f. 5; Ap. var. Aust. t. 7, f. 1; Deckert l. c. t. 17, f. d; Ap. var. *Nomion* Tr. X 1 p. 86 (al. ant. maculis rubris).
 - b) ♀ ab. *Brittingeri* Rbl. & Rghfr. l. c. p. 59, t. 1, f. 1; Ap. var. Esp. I t. 64, f. 1. 2; Deckert l. c. t. 17. f. c [trans.] (multo obsevior).
 - c) v. *Nevadensis* Obth. Et. XIV p. 5 (al. post. ocellis aurantiacis).
 - d) v. *Siciliae* Obth. l. c. p. 6, t. 3, f. 22 (minor albidiior).
 - e) v. *Liburnicus* Rbl. & Rghfr. l. c. p. 61, t. 1, f. 3 (major albidior. sequ. var. *Hesebol*. valde affinis).
 - f) v. *Hesebolus* Nordm. Bull. M. 1851. II 425; Stgr. Iris V 304 (major, albidiior, maeulis parvis).

*Ib; Maur. (Marocco).**And; Maur.**Gal. m; It. s.**Gal. m. (Digne).**Pers.s; Tura (desert.).**Buch; Saraw; Ferg.**As. min. oc. et m; Syr; Mesop.**Ant. s. (Aintab)**Ant. m; Pal.**Pont; Kurd. oc.**Pont. mont. alt.**Eur. (excl. reg. pol. et Brit.); Cauc; Sib. oc. et or.**Austr. et Styr. alp. (var.).**And. (Sierra Nevada).**Sic. mont. (Madonai).**Velebit; Graec; As. min;**Arm. m. oc; As. c. (pro parte).**Daur. (Kentei).*

- g) v. *Sibirica* Nordm. l. c. 422, t. 11, f. 1; *Hesebolus* Aust. p. 88, 191, t. 6, t. VI; *Uralensis* Obth. l. c. t. 3, f. 18; *Graslini* Obth. l. c. f. 23 (multo major, ♂ albidiior, ♀ obscurior).
15. **Nomion** F. d. W. Ent. II p. 242, t. 6, f. 3, 4 (1823); Hb. 1029; B. Ic. p. 21, t. 4, f. 3; B. Sp. G. p. 397, t. 6, f. 1; Dup. I 43, 1; HS. 316, 409-10; Schaufuss 1877 p. 417; Elw. Pr. Z. Soc. 1886 p. 27; Stgr. Mém. Rom. VI 136; Stgr. Iris V p. 306; Rühl 99, 703; *Mandschuriae* Obth. Et. XIV p. 2, t. 2, f. 10; Leech Butt. China 499; Davidis Obth. Et. IV p. 23, 108, t. 2, f. 2; XIV p. 2, t. 1, f. 3.
- a) v. *Nominulus* Stgr. Iris VII, 241; Rühl 704 (minor, obscurior).
- b) v. *Nomius* Gr. Gr. Hor. XXV (1891) p. 445 (minor, al. ant. distinctius rufo-maculatis; an bon. sp.?).
16. **Discobolus** Stgr. Stett. e. Z. 1881 (fine Junii) 275; Berl. e. Z. 1882 p. 162, t. 1, f. 1; Alph. Hor. XVI, 1881 (Novemb.) 349; Elw. Pr. Z. Soc. 1886 p. 29; Aust. p. 100, t. 7, f. 2, 3; Rühl 96.
- a) ♀ ab. *Nigricans* Stgr. Stett. e. Z. 1881 p. 277; Berl. e. Z. l. c. f. 2, 2a.
- b) v. *Minor* Stgr. Stett. e. Z. l. c.; Berl. e. Z. l. c. f. 3.
- c) v. *Insignis* Stgr. Stett. e. Z. 1886 p. 94; Gr. Gr. Mém. Rom. IV, 178; ? Aust. 106, 175, t. 14, f. 1; t. II, f. 2; *Superbus* Aust. p. 206; Rühl 97 (macul. nigris ocellisque rubris majorib.)
- d) v. *Romanovi* Gr. Gr. Hor. XXII (1888) 303; Mém. Rom. IV p. 181, t. 1, f. 1 a-e; Aust. p. 111, 203, t. 10, f. 3, t. 11, f. 1, t. V, f. 3 (flavescens albicans, ocellis rubr. majorib., al. ant. mac. rubris majorib. pluribusque).
17. **Olympius** Stgr. Iris X 1897, p. 344 (an praeced. var. maxima, albidiior?).
18. **Apollonius** Ev. Bull. M. 1847 III p. 71, t. 3, f. 1, 2; HS. VI p. 35, f. 636-7; Alph. Hor. XVI 354; Elw. Pr. Z. Soc. 1886 p. 34; Aust. p. 120, t. 15, f. 1, 2; Rühl 102; ab. *Flavomaculata* Aust. l. c. f. 3.
- a) v. *Alpinus* Stgr. Stett. e. Z. 1887 p. 49; Aust. p. 178, t. III, f. 1; Gr. Gr. Mém. Rom. IV p. 170; Rühl 103; Alta Rühl 103 (minor, albidiior).
- b) v. (?) *Dux* Stgr; *Princeps* Gr. Gr. Hor. XXII p. 303 (1888); Mém. Rom. IV p. 172, t. 1, f. 2, a. b (Princeps Honr. 1887 altera est sp.) (sec. 2 ♂♂ descript; Apollonii et Discoboli hybr.?)
19. **Bremeri** Brem. Lep. O. S. p. 6, t. 1, f. 4 (♀ ab.); Feld. Nov. p. 133, t. 21, f. e-g; Elw. Pr. Z. Soc. 1886 p. 33; Graes. Berl. e. Z. XXXII (1888) p. 64; Aust. 124, t. 14, f. 2, 3; Stgr. Mém. Rom. VI p. 137; Rühl 100.
- a) v. *Graeseri* Honr. Berl. e. Z. XXIX (1885) p. 272, t. 8, f. 1, a-e; Stgr. l. c. 138; Aust. 127, 173, 198, t. 19, f. 3, t. II, f. 1, t. VIII, f. 2; Rühl 101; Bremeri var. Brem. l. c. t. 1, f. 3 (al. ant. maculis rubris).
- b) v. *Conjuncta* Stgr. ♂ fascia antemarg. al. ant. nigricante, ♀ al. post. mac. rubr. conjunctis.
20. **Delius** Esp. I, 2, t. 115, f. 5 (1800); Hb. 649-52; Rühl 94, 703; Rbl. & Rghfr. Jhrs. Wr. e. V. III p. 64; *Phoebus* Prun. Lep. Ped. 69 (1798); Hb. 567-8; ♀ ab. *Herrichii* Obth. Et. XIV p. 7, t. 2, f. 15; *Delius* ab. HS. 317-18 [al. ant. maculis conjunctis]; ♀ ab. *Cardinal* Obth. l. c.
- Sib. oc. (Altai); Ural et As. c. pro parte.*
- Alt; Sib. or. m; Amur; Chin. s; Alaska.*
- Saj. or.*
- Kuku N.*
- Thian; Ferg. m; Saraw.*
- Ala Tau; Ferg. m. Ferg. m; Issyk. K.*
- Ferg.m.(Transalais.)*
- Thian. c. m. (Korla alp.).*
- Song; Thian; Saraw; Ferg.*
- Ferg. m; Iss. K. oc.*
- Buch. m. or. (Kara-teg. s. or.)*
- Amur; Uss.*
- Amur oc. (Pokrofka).*
- Uss. (Sutschau).*
- Alp. Eur.*

- f. 16; Del. Meyer-Dür Tgf. t. 2, f. 1 [al. post. ocellis dilatatis et conjunctis]; ♂ ab. Leonhardi Rühl Soc. Ent. VII 1892, 105; Pal. Gr. Schm. p. 96; Del. Hb. 684-5 (al. post. ocellis subnulis).
- a) v. *Corybas* F. d. W. Ent. II 241, t. 6, f. 1, 2; B. Sp. G. 399; Stgr. Stett. e. Z. 1881, 162; Honr. Berl. e. Z. XXVI 179; Alph. Mém. Rom. IX 308 (paullo minor. ♂ albidior).
- b) v. *Intermedius* Mén. Siem. Russk. Faun. t. 4, f. 1; Enum. I p. 72; Mén. Schrk. p. 12; Stgr. Stett. e. Z. 1881 p. 256: Aust. p. 115, t. 11, f. 3, t. 12, f. 1, 3; Rühl 95; Delius F. d. W. Ent. II p. 243, t. 7, f. 1-4;? *Phoebus* F. Ent. S. III, 181 (1793): Sedakovii Mén. l. c. t. 4, f. 2; En. p. 71, t. 1, f. 1; (minor, ocellis minoribus).
- * e) v. (? ab?) ♀ Dis Gr. Gr. Mém. Rom. IV p. 174, nota 25. (multo obscurior, nigricans sec. Elw. hic ponend.).
21. **Honrathi** Stgr. Berl. e. Z. XXVI (1882) p. 161, t. 1, f. 4, 5a, t. 2, f. 5; Elw. Pr. Z. Soc. 1886 p. 32; Aust. 108, 181, t. 10, f. 1, t. 11, f. 2, t. III, f. 2 (ab); Gr. Gr. Mém. Rom. IV, 174; Rühl 100; *Corybas* Ersch. Fedtsch. p. 2, t. 1, f. 1, 2.
22. **Actius** Ev. Bull. M. 1843. 3 p. 540, t. 9, f. 2 a, b; HS. 634-5; Stgr. Stett. e. Z. 1881 p. 278; Alph. Hor. XVI p. 342; Elw. Pr. Z. Soc. 1886 p. 28; Aust. p. 94. t. 10, f. 2; Gr. Gr. Mém. Rom. IV p. 184.
- a) v. *Caesar* Stgr. Iris X (1897) p. 347 (major, albidiior).
- b) ab. *Actinobolus* Stgr. l. c. (sine maculis antemarginal.).
23. * **Epaphus** Obth. Et. IV p. 23 (1879); XIV p. 9, t. 1, f. 4, 5; Rühl 98; Leech Butt. China p. 492; *Jacquemontii* Gray Cat. Lep. Br. Mus. t. 12, f. 1, 2 (praec. var.? alarum fasciis submargin. magis dentatis, al. post. supra macula bas. rubra).
- a) v. *Rhodius* Honr. Berl. e. Z. XXVI (1882) p. 178, t. 2, f. 6; XXIX p. 274; Aust. 96, t. 9, f. 1, 2; Gr. Gr. Mém. Rom. IV, 186; Rühl 97 (a praec. sat distincta? major, albidior).
- *b) v. *Beresowskyi* Bianchi (inedit?) (praec. major, al. post. maculis antemargin. magn. nigerrimis, maculisque margin. magn. perspicue nigrescentibus).
- c) v. *Mercurius* Gr. Gr. Hor. XXV (1891) p. 445; Aust. Natural. 1894 p. 190; 1898 p. 105 (v. *Rhodii* minor, ♂ al. post. supra sine macula rubra bas.)
- *d) v. *Poeta* Obth. Et. XVI p. 2, t. 2, f. 9 (1892); Aust. Natural. 1894, p. 190; 1898 p. 106; ab. Oberthüri Aust. l. c. 1895 p. 247; 1898 p. 106 (al. post. mac. luteis, praec. var. multo obscurior).
- e) v. *Sikkimensis* Elw. Proc. Z. Soc. Lond. 1882, p. 399, t. 25, f. 4; ib. 1886 p. 36; Alph. Mém. Rom. IV, p. 231 (forma minima in Sikkim obscurior, in Nan Sehan alp. dilutior, magis rubro notata).
24. **Simo** Gray Cat. Lep. Ins. B. M. p. 761, t. 12, f. 3, 4.
- a) v. *Simonius* Stgr. Stett. e. Z. 1889 p. 16; Aust. p. 184, t. IV, f. 1, 2; Rühl 111; Simo Gr. Gr. Mém. Rom. IV p. 207, t. 21, f. 3 a-e (al. post. fascia antemarg. tenui distincta nigra).
- b) v. *Simulator* Stgr. l. c. 18; Rühl 112 (major, obscurior).

*Kamt.**Sib. m. oc. et. c. (Alt., Tarb., Saj.).**Sib. or. (Irkutsk).**Saraw.**Ala Tau; Ferg. m. (ab.).**Thian. c. m; Ferg.; ? Amdo.**Thian. c. m. (Alp. Korla).**China m. oc; Ind. s.**Ladak; Pamir; Ferg. Saraw.**China m. oc; ? Amdo m.**Amdo.**China m. oc. (sum. alp.).**Sikkim; Nan Sehan.**Himal. s. or; Ladak. Ferg. m. (Translalai).**Issyk. K. m. oc.*

25. **Delphius** Ev. Bull. M. 1843 p. 541, t. 7, f. 1-a-b; HS. 638-9; Elw. Pr. Z. Soc. 1886 p. 39; Aust. p. 71, t. 17, f. 1; Gr. Gr. Mém. Rom. IV 194; Obth. Et. XIX t. 8, f. 71.
- a) v. *Infernalis* Stgr. Stett. e. Z. 1886 p. 195; Aust. p. 74, t. 17, f. 2; Gr. Gr. Mém. Rom. IV p. 197, t. 21, f. 2 a, b; Rühl 104 (al. ant. fasciis latis nigris, limbo externo hyalino lato).
- b) ab. *Styx* Stgr. l. e. p. 195; Aust. p. 75; Rühl 107 (fere tota nigra).
- c) v. *Infumata* Aust. Natural. 1891 p. 180 (lutescens).
- d) v. *Illustris* Gr. Gr. Hor. XXII (1888) p. 304; Mém. Rom. IV p. 198, t. 21, f. 1 a, b; Aust. p. 205; Rühl 104; *Transiens* Aust. p. 81, t. 18, f. 3; Rühl 104 (al. albidiорibus, fasciis angustioribus, al. post. maculis analibus parvis, saepe evanescitibus).
- e) v. *Staudingeri* Bang-Haas Berl. e. Z. XXVI (1882) p. 163, t. 2, f. 7, 8 a; Elw. l. e. p. 39; Aust. p. 79, t. 18, f. 1, 2; Gr. Gr. Mém. Rom. IV p. 203; Rühl 104; ab. *Caeus* Dönitz Ent. Nachr. XVIII (1892) p. 193, f. [al. post. ocellis nigris]; (albidior. al. ant fasciis angustis, al. post. maculis diabibus analibus permagnis).
- f) v. *Namanganus* Stgr. Stett. e. Z. 1886 p. 195; Aust. p. 76, t. 17, f. 3; Rühl 105 (al. post. maculis quatuor externis caeruleo pietis, macula subanali rubra).
- g) v. *Cardinalis* (false Cardinal) Gr. Gr. l. e. III p. 397; IV p. 201, t. 2, f. 2 a-d; Aust. p. 83, t. 19, f. 1; Rühl 107 (al. post. mac. puniceis permagnis, nigro-conjunctis).
- h) v. *Acdestis* Gr. Gr. Hor. XXV (1891) p. 446; Rühl 105 (al. post. maculis antemarg. parvis nec unquam fasciam formantibus).
- i) v. *Cephalus* Gr. Gr. l. e.; Rühl 106 (praeed. var. major, al. post. maculis antemarginal. magnis, caeruleo pupillatis).
- k) v. *Stenosemus* Honr. Ent. Nachr. 1890 p. 127; Berl. e. Z. 1891 p. 433, t. 15, f. 3; Rühl p. 106 (al. post. fascia marg. subnulla, maculis quatuor nigris, ocellis caeruleo pupillatis, ocello rubro [tantum] uno).
- l) v. *Stoliczkanus* Feld. Nov. p. 138, t. 59, f. 2, 3 (parva al. post. fascia marg. lata, ocello rubro [tantum] uno).
- m) v. *Hunza* Gr. Gr. Hor. XXII (1888) p. 303; Mém. Rom. IV p. 205, t. 9, f. 1 a, b; Rühl 105 (praeed. major, al. post. ♂ ocellis fuscis, ♀ parvis vel subnullis).
- n) v. *Elwesi* Leech Entom. XXVI, Suppl. (1893) p. 104; Butt. China p. 504, t. 33, f. 14; Obth. Et. XIX p. 3, t. 8, f. 72 (permagna, al. ant. macula externa rubra).
- o) v. *Albulus* Honr. Berl. e. Z. XXXII (1889) p. 161, t. 2, f. 1; Aust. p. 209; Rühl 107 (al. fascia antemarginali subnulla aut in maculis dissoluta).
- p) v. *Maximinus* Stgr. Iris IV (1891) p. 158; Rühl 106 (praeed. var. major, al. ant. fascia antemarginali non interrupta, al. post. fascia margin. subnulla).
26. ***Charltonius** Gray Cat. Lep. Ins. B. M. p. 77, t. 12, f. 7; Moore Second Yarkand Mission Lep. 1879, t. 1, f. 3.
- a) v. *Princeps* Honr. Berl. e. Z. XXXI (1887) Sitzb. p. XIII, p. 351; ib. XXXII p. 496, 501; Aust. p. 67, t. 16, f. 1, 2; Rühl 108; *Charltonius* Gr. Gr. Mém. Rom. IV p. 189, t. 2, f. 1 a-c (albidior, minus nigro picta).
- Ala Tau; Thian; Iss.
K. oc; Ferg. m.*
- Ferg. (Osch.); Thian.
Thian.*
- Ferg.m. (Karategin).
Ferg. m. oc.*
- Saraw.*
- Ferg. s.*
- Saraw; Pamir s. oc.*
- Amdo (Sinin).*
- Amdo (Sinin).*
- Ladak.*
- ? Ladak; Himal. oc.
alp.*
- Pamir m. or. (Kun-
jut).*
- China m. oc.*
- Ferg. m. or.*
- Iss. K. m. oc.*
- Himal. s. or.*
- Ferg.m. (Transalai).*

27. ***Imperator** Obth. Bull. S. Fr. 1883 p. 77; Et. IX p. 11, t. 1, f. 4 a-c ♀; Et. XIV p. 1, t. 1, f. 1 ♂; Elw. Pr. Z. Soc. 1886 p. 42; Leech Butt. China p. 505; Rühl 108.
- a) v. *Musageta* Gr. Gr. Hor. XXV (1891) p. 446; Rühl 109 (minor, minus nigro picta, al. post. subt. maenlis bas. rubris).
- b) v. *Imperatrix* Alph. Mém. Rom. IX (1897) p. 230, t. 12, f. 2 (praeed. minor, distinctius nigro picta).
28. **Szechenyi** Friv. Term. Füz. X (1886) p. 39, t. 4, f. 1, a; Obth. Et. XVI p. 4, t. 2, f. 11, 13; Aust. Natural. 1894 p. 200; Leech Butt. Chin. p. 501; Rühl 109, 706.
29. **Przewalskii** Alph. Mém. Rom. III p. 403 (1887); V p. 61, t. 4, f. 1 a-d; Rühl 109.
30. ***Orleansi** (false Orleans) Obth. Descript. d'une espèce nouv. etc. (Rennes 25. Sept. 1890); Et. XIV p. 8, t. 1, f. 2; XVI p. 3, t. 2, f. 14; Leech Butt. Chin. p. 502; Rühl 109, 705.
- a) v. *Groumi* (r. Grumi) Obth. Et. XVI p. 3, t. 2, f. 10 (1892) (minus nigro-picta).
31. **Tenedius** Ev. Bull. M. 1851, II p. 621; Mén. Schrk. II p. 14, t. 1, f. 3; HS. 632-3; Elw. Pr. Z. Soc. 1886, p. 42; Aust. 129, 175, t. 13, f. 3, t. II, f. 3; Stgr. Mém. Rom. VI, p. 137; Rühl 112.
32. **Eversmanni** Mén. Siem. Russk. Faun. t. 4, f. 5; En. p. 73, t. 1, f. 2 (♂); Elw. Pr. Z. Soc. 1886, p. 48; Aust. p. 133, t. 20, f. 2; Stgr. Mém. Rom. VI 138; Rühl 113; Wosnesenskii Mén. Siem. l. c. f. 6; En. p. 74, f. 3 (♀); Aust. 173, t. 20, f. 3, t. 21, f. 3.
33. **Felderri** Brem. Lep. O. S. p. 6, t. 1, f. 5 (♀); Elw. Pr. Z. Soc. 1886, p. 49; Aust. p. 143, t. 19, f. 2; Graes. Berl. e. Z. XXXV p. 71; Stgr. Mém. Rom. VI p. 138; Rühl 113 (praeed. sp. affinis an forma Darw.?)
- a) ab. *Atrata* Graes. l. c.; Rühl l. c. (fere tota nigra).
34. **Clarius** Ev. Bull. M. 1843 III p. 539, t. 9, f. 1 a-c; HS. 628-31; Stgr. Stett. e. Z. 1881 p. 258; Elw. Pr. Z. Soc. 1886, p. 51; Aust. p. 147, t. 20, f. 1; Rühl 101.
- a) ab. (et v.) *Dentata* Aust. p. 149, t. 21, f. 1, 2; Rühl l. c. (limbo externo deputato).
35. **Nordmanni** Mén. Siem. Russk. Faun. t. 4, f. 4; Bull. Mosc. 1851, II p. 423, t. 13, f. 1-3; Elw. Pr. Z. Soc. 1886, p. 52; Lang. Butt. t. 4, f. 3; Rühl 102; *Clarius* HS. 257-8.
- a) v. *Minima* Honr. Berl. e. Z. XXIX (1885) p. 272, t. 8, f. 2, 2a; Möschler Stett. e. Z. 1887 p. 40; Aust. p. 152, t. 22, f. 1, 2; Rühl l. c. (multo minor).
36. **Mnemosyne** L. S. N. ed. X p. 465; Esp. I, 2, t. 2, f. 2; Hb. 398; Frr. 217; Elw. Pr. Z. Soc. 1886, p. 44; Aust. p. 155, t. 23, f. 1, 2; Rühl 114; ab. *Ochracea* Aust. Natural. 1891 p. 180.
- a) ab. *Melaina* Honr. Berl. e. Z. XXIX (1885) p. 273; Aust. 197, t. VIII, f. 3; Hartmanni Stndf. Berl. e. Z. XXXII (1887) p. 234, t. 3, f. 1, 2 (♂ obscurior, ♀ fere nigra).
- b) v. *Nubilosus* Chr. Hor. X (1873) p. 19; Aust. p. 157, t. 23, f. 3, t. 24, f. 1 (al. ant., limbo externo hyalino, albo-maculato).
- c) v. *Gigantea* Stgr. Stett. e. Z. 1886 p. 197; Aust. 159, t. 24, f. 2, 3; Gr. Gr. Mém. Rom. IV p. 211 (maxima, al. ant. mac. permagnis nigris).
- China m. oc
- Amdo.
- Nan Schan.
- Amdo; China m. oc.
- Amdo m. oc.
- China m. oc.
- Amdo.
- Sib. m. et s. or. (Alt. Saj. Kent. Vilui); Amur oc; Iss. K; Amdo.
- Alt; Sib. c. m; Sib. or. s. (Vilui); Amur or. s; Alaska.
- Amur (Raddefsk.).
- Sib. oc. m. (Altai, Saisan).
- Armen. oc. (Adshara mont.)
- Cauc. s. or. (Kurusch).
- Eur. (exc. reg. pol, Brit. et Ib.); Pont, Kirgh. oc.
- Alp. Barar. (pro parte); etc.
- Graec; Taur; Hyrc; Ferg. m; Helv. (ab.).
- Ferg. m.

37. **Stubbendorfii** Mén. Lehm. p. 57, t. 6, f. 2 (1848); HS. 640; Elw. Pr. Z. Soc. 1886, p. 46; Aust. p. 161, 182, t. 22, f. 3, t. IV, f. 3; Stgr. Mém. Rom. VI 139; Rühl 115.
 a) ab. *Melanophia* Honr. Berl. e. Z. XXIX (1885) p. 274; Aust. p. 196, t. 8, f. 1 (alis fere totis obscuris).
 *b) v. *Citrinarius* Motsch. Bull. M. XXXIX p. 189 (1866); Leech Butt. China II, p. 506, t. 33, f. 6, 5: *Glacialis* Butl. Journ. Linn. Soc. IX p. 50 (1866); Pryer Rhop. Nihon. p. 5, t. 3, f. 5 (plerumque major, alis luteo-albidis; collari. abdominis lateribus ochraceis).

II. Pieridae.

8. Aporia Hb. 1816.

38. **Crataegi** L. S. N. ed. X, p. 467; Esp. 2, 3; Hb. 399, 400; O. I., 2, p. 142; God. I, 2, 3; Eckstein Zool. Jhrb. (Abth. f. Syst.) VI p. 230; Leech Butt. China II p. 473; Rühl 116, 708; Alepica Cosmovici Natural. 1892 p. 254 (ab. hyalina).
 39. **Hippia** Brem. Lep. O. S. p. 7, t. 3, f. 1 (1864); Leech Butt. China II p. 471; Crataegioides Luc. Ann. S. Fr. 1865 p. 503, t. 11, f. 11.
 a) v. *Thibetana* Gr. Gr. Hor. XXVII p. 127; Tianschanica Rühl p. 117 (minor, al. post. subtus magis ochraceis).
 b) v. *Kreitneri* Friv. Term. Füz. X p. 39, t. 4, f. 2 (1886); Rühl 118, 709 (albidior, an Ap. Martineti Obth. var.?)
 40. **Davidis** Obth. Et. II p. 18, t. 1, f. 5 (1876); Leech Butt. China II p. 468, t. 36, f. 1 (ab); Rühl 709; Alph. Mém. Rom. IX p. 92.
 *a) v. (gen. *verna*?) *Venata* Leech Entom. XXIV Suppl. p. 58; Butt. China I. c.; Davidina Obth. Et. XV p. 8, t. 3, f. 20; Alph. Mém. Rom. IX p. 93 (major, al. post. subtus venis late nigris).
 41.* **Dubernardi** Obth. Et. IX p. 13, t. 1, f. 6 (1884); Leech Butt. China II p. 467, t. 36, f. 8.
 *a) v. *Chumbicensis* Nicév. Journ. As. Soc. LXVI p. 563 t. 1, f. 6 (al. brevioribus, al. post. subtus ochraceis, venis latius infumatis).
 b) v. *Kozlovi* Alph. Mém. Rom. IX p. 232, t. 2, f. 1 (minor, albidior, subt. al. post. obscurior.).
 42. **Peloria** Hew. Ex. Butt. I Pier. t. 2, f. 15, 16 (1853); Alph. Mém. Rom. V p. 68, t. 5, f. 2; Leech Butt. China II p. 659; Rühl 118, 710; Lama Alph. Mém. Rom. III p. 404.

9. Baltia Moore 1878.

43. **Shawii** Bates Henders. & Hume Lahore to Yarkand p. 305 (1873); Gr. Gr. Mém. Rom. IV p. 222, t. 10, f. 2, a, b; Rühl 712; Edw. Entom. 1894 p. 126.
 44. **Butleri** Moore Pr. Z. S. Lond. 1882 p. 256, t. 11, f. 6, 6a; Alph. Mém. Rom. V p. 99, t. 5, f. 2, a, b.
 a) v. *Potanini* Alph. Stett. e. Z. 1888 p. 66; Rühl 128, 714 (major, ♂ fascia apicali deficiente, ♀ fulvior).

10. Pieris Schrk. 1801.

45. **Brassicae** L. S. N. ed. X p. 467 (gen. vern.); Esp. 3, 1; Hb. 401-3; O. I. 2 p. 144; God. I, 2; Lang Butt. t. 6, f. 2; Rühl 120, 711.

*Alt; Amur; Uss;
Amdo.*

Alt; Amur; Uss.

Jap; Cor. (trans.).

*Territ. (exc. Lap. s.;
Am.s; Mad; Canar.);
China; Jap.*

*Amur; Mong; China
s. et oc.*

*Nan Schan or. (Te-
tang mont.).
Amdo (Sinin).*

China m. oc; Amdo.

China m. oc.

China oc.

Chin. oc; Sikkim.

Nan Schan.

China m. oc; Amdo.

*Pamir; Ferg. m;
Ladak; Himal. s. oc.*

*Nan Schan; Amdo;
China m. oc.*

*Territ. (exc. reg. pol-
et As. or.)*

- a) gen. vern. *Chariclea* Stph. Ill. I p. 17, t. 3, f. 1, 2 (al. post. subtus obscurior).
- b) v. (gen. aest.?) *Catoleuca* Röber Ent. Nachr. 1896 p. 81 (major, maculis nigris majoribus, al. post. subtus albidi-oribus).
- c) v. *Wollastonii* Butl. Ann. & Mag. (5) XVII (1886) p. 430; Holt White p. 30, t. 1, f. 1 (al. post. subt. viridi-griseis).
- d) v. *Cheiranthi* Hb. Exot. t. 267 (1806); Eur. Schm. 647-8; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 25; Holt White p. 29, t. 1, f. 2 (major, ♀ distinctius maculata).
- e) v. *Brassicoides* Stgr.; v. *Nepalensis* Gr. Gr. Mém. Rom. IV p. 214 (gen. vern. Asiae c., al. post. subtus obscurisimis, viridescenti-nigro-conspersis).
- *f) v. *Nepalensis* Dbld. List. Lep. Ins. Brit. Mus. I p. 32; Gray Lep. Nep. (1846) t. 6, f. 1, 3 (major, signaturis nigris majoribus, al. post. subt. flavescent. nigro-conspersis).
- 45 bis. **Deota** Nicév. Journ. As. Soc. Bengal 1883, p. 82, t. 9, f. 10; Roborowskii Alph. Mém. Rom. III p. 404 (1887); ib. V p. 69, t. 4, f. 3, a. b; Gr. Gr. ib. IV p. 214; Rühl 121.
46. ***Canidia** Sparrm. Amoen. Ac. VII p. 504 not. m. (1768); Gliciria Cr. P. Ex. II t. 171, f. E. F; Leech Butt. China II p. 455; Rühl 125.
- a) v. *Palaearctica* Stgr. Stett. e. Z. 1886 p. 198; Gr. Gr. Mém. Rom. IV p. 219; v. *Aestiva* Rühl 125 (minor, minus signata).
47. **Krueperi** Stgr. Wien. Mts. 1860, p. 19; Mill. Ic. I p. 259, t. 29, f. 3-5; Lang. Butt. t. 6, f. 3; Rühl 122.
- a) gen. vern. *Vernalis* Stgr. Hor. VII p. 34 (al. post. subtus viridibus).
- b) gen. aest. *Devta* Nicév. Journ. As. Soc. 1883 p. 82, t. 9, f. 9, 9a; *Prisca* Stgr. Stett. e. Z. 1886 p. 198; Gr. Gr. Mém. Rom. IV p. 219 (al. post. subtus albis et griseis).
- c) gen. vern. *Verna* Gr. Gr. Hor. XXII (1888) p. 304; Mém. Rom. IV p. 219 (al. subt. albis, pictura obscuriore).
- d) v. *Mahometana* Gr. Gr. l. c; Mém. Rom. IV p. 220 (al. supra nigro marginatis, subt. multo obscurioribus).
48. **Rapae** L. S. N. ed. X p. 468; Esp. 3, 2; Hb. 404-5; O. I, 2 p. 146; God. I, 2, tert; Leech Butt. China II p. 456; Rühl 123; Elw. Tr. E. S. 1899 p. 315.
- a) v. (et ab.) *Leucotera* Stef. Bull. S. Ent. Ital. 1869 p. 147; Calberla Iris I p. 122; Stgr. Iris V p. 277; *Debilis* Alph. Mém. Rom. V p. 70; *Similis* Krul. Bull. Mosc. 1890 (4) p. 210, t. 8, f. b. (al. ant. macula apicali pallidiora vel deficiente).
- b) v. *Orientalis* Obth. Et. V (1880) p. 13; Leech l. c. 457; Rühl 124; *Mandschurica* Spr. Stett. e. Z. 1882 p. 379 (major, al. ant. macula apicali nigerrima, ♀ nigro consp.).
- c) v.? *Manni* Mayer Stett. e. Z. 1851 p. 151; Stgr. Hor. VII, p. 35, t. 1, f. 1; *Ergane* var. Ld. z. b. V. 1852 p. 29 (praecedentis var. minor).
49. **Ergane** H.-G. 904-7 (1827?); Dup. I p. 47, f. 1, 2; Lang Butt. p. 30, t. 6, f. 5; Rühl 125; *Narcaea* Frr. B. 43, 2 (Aug. 1828); Tr. X, 1, p. 87.
50. **Tadjika** Gr. Gr. Hor. XXII (1888) p. 304; Mém. Rom. IV p. 217, t. 6, f. 3 a, b; Rühl 123.
51. **Melete** Mén. En. p. 113, t. 10, f. 1, 2; Spr. Stett. e. Z. 1882 p. 375; Stgr. Mém. Rom. III p. 126; VI p. 140; Leech
- Azores.
- As. min; Syr; etc.
- Mad.
- Can.
- Ferg.
- Ind. (Nepal).
- Ladak; Pamir; Iss. K. m. oc; Lob Noor.
- China; Cor; Ind.
- Ferg. m; Buch. or.
- Graec; As. min; Hyrc; As. c.
- Iss. K. m; Thian. c. m; Ferg. m; Pamir; Ladak.
- As. c.
- Pamir (Daricas).
- Territ; Jap; Cor; Ladak; Amer. s. (advena).
- Daur; Amur; Chinas.
- Dalm; Balc. m; Ross. m. (Taganrog); Tura (Elw.).
- Carn; Dalm; Balc. m; Bith; As. min. m. (Zeitun, Malatia).
- Pamir; Ferg. m.
- Amur; Uss; Cor; Jap; Chinas; Himal.

- Butt. II p. 448; Rühl 119, 710; ?Dulcinea Butl. Ann. & Mag. (5), IX p. 18 (ab.?).
- a) gen. vern. *Veris* Stgr. I. c. III t. 16, f. 1, 2; ?Erutae Pouj. Bull. S. E. Fr. 1888 p. 19; (minor, albidiior).
- b) var. (gen. aest.) *Mandarina* Leech I. c. 451 (major, distinctius nigro-signata).
- *c) v. *Extensa* Pouj. I. c; Leech Butt. China 454; Eurydice Leech Ent. XXIV Suppl. p. 5; Butt. China II p. 454, t. 36, f. 4, 5. t. 43, f. 6 (major, albidiior).
- *d) v. *Ajaka* Moore Pr. Z. S. 1865 p. 490, t. 31, f. 16; (forma alpestris obscurissima, ♀ fulvior).
52. **Napi** L. S. N. ed. X p. 468; Esp. 3, 3; Hb. 406-7; O. I. 2 p. 149; God. I. 2 tert; Spr. Stett. e. Z. 1882 p. 376; Lang Butt. p. 31. t. 7. f. 1; Rühl 126, 713; Barr. Brit. Lep. I t. 3.
- a) gen. aest. *Napaea* Esp. 116, 5; Hb. 664-5; Fuchs Stett. e. Z. 1883 p. 249 (al. post. subt. pallidiior.).
- b) ab. *Intermedia* Krul. Bull. Mose. 1890 (4) p. 211, t. 8, f. a; (transit. ad Bryon.).
- c) ab. ♀ (♂) *Bryoniae* O. I. 2 p. 151; God. II, 5, 1; Weism. Stud. Desc. I p. 29. t. 1, f. 14, 15; Edw. Papilio I, p. 83. t. 2, 3; Lang t. 7. f. 2; Gumppenberg Stett. e. Z. 1884 p. 69 ♂: Napi Hb. 407*; Esp. 64, 3, 5 (obscurior).
- d) ab. *Sulphurea* Schöyen Tidskr. VI (1885) p. 140; Sulphureotincta Reuter Act. Soc. Fenn. IX (1893) p. 10 (transitus).
- e) v. *Frigida* Seudd. Pr. Bost. Nat. Hist. Soc. VIII, p. 161 (1861); Möschl. Stett. e. Z. 1874 p. 153; 1883 p. 114 (♂. supra albidiior).
- *f) v. *Hulda* Edw. Tr. Phil. 1869 p. 870; Papilio I, t. 2, f. 5 (Frigidae similis, multo minor).
- g) v. *Orientis* Obth. Et. V (1880) p. 13; Stgr. Mém. Rom. VI p. 141 (major, subtus dilutior).
- h) v. *Sifanica* Gr. Gr. Hor. XXIX (1894) p. 290 (major, subtus alis ♂ in nervis late olivaceo-nigro-atomatis, an eadem cum var. praecedente?).
53. **Ochsenheimeri** Stgr. Stett. e. Z. 1886 p. 199; Gr. Gr. Mém. Rom. IV p. 220, t. 14, f. 1, a, b; Rühl 128 (praec. forma Darwiniana).
54. **Leucodice** Ev. Bull. M. 1843, III p. 541, t. 7, f. 2, a, b; Gr. Gr. Mém. Rom. IV p. 226; Rühl 129, 715; v. Altensis Heyne-Rühl 715 (minor).
- a) v. (et ab.) *Illumina* Gr. Gr. I. c. p. 227 (supra in nervis nigro-fuscis, subt. al. post. flavescent., nervis latius fuscis).
55. **Mesentina** Cr. P. Ex. 270, f. A. B.; God. Enc. Méth. p. 130; B. Sp. G. p. 501; Trim. Butt. S. Afr. III p. 59; Rühl 122. Aurota F. E. S. p. 197.
56. **Callidice** Esp. 115, 2, 3; Hb. 408-9, 551-2; O. I. 2 p. 153; God. II. 5, f. 2, 3.
- a) v. *Chrysidice* HS. 200-3 p. 97; Frr. 514, 4 (subt. magis unicolor).
- b) v. *Orientalis* Alph. Hor. XVI (1881) p. 359; Kalora Gr. Gr. Mém. Rom. IV p. 226; Leech Butt. China II p. 459 (transitus); *Chrysidice* Stgr. Stett. e. Z. 1881 p. 259 (al. ant. mac. media majori, ♂ marginis int. mac. nigra, al. post. subt. maculis albis magnis).
- Chin. m. oc; (India).*
- China s.*
- China m. oc.*
- Sikkim alp.*
- Eur; As. c. et oc;*
Sib; Maw; Canar;
Azor.
- Ross. m; Sib. m; Alt;*
As. c. oc.
- Alp; Scand. s; Fen;*
Pont. mont.
- Scand; Eur. c.*
- Amer. bor. (Labr.).*
- Alaska.*
- Amur; Chin. m. or.*
- Amdo.*
- Ferg. m.*
- Tarb;(Saisan); Thian;*
Ferg.; Saraw.
- Hyrc.; As. c.*
- Syr.(Pal.); Pers; Ind;*
Arab; Afr. or. et m.
- Sun. Alp; Pyr; Cauc.*
- Pont. et As. min. alp;*
Hyrc.
- Alt; Tarb; Ala Tau;*
Thian; Ferg; Saraw;
Pamir.

- *c) v. *Kalora* Moore Pr. Z. Soc. Lond. 1865 p. 489, t. 21, f. 15; Leech Butt. China II p. 459 (subtus multo obscurior).
- 57. **Daplidice** L. S. N. ed. X p. 468; Esp. 3, 5, 118, 1 (ab.); Hb. 414-5, 777-8; O. I. 2, 156; God. I, 2, sec. 3, quart 2; Frr. 533, Obth. Et. XX t. 1, f. 8 (ab. flava).

 - a) gen. vern. *Bellidice* O. I. 2, 154; Belemida H-G. 931-4 (minor, subtus obscurior).
 - b) v. (et ab.) *Raphani* Esp. 84, 3, I, 2 p. 163; Frr. 121, f. 1, 2; Gr. Gr. Mém. Rom. IV p. 225; Persica Bien. Diss. p. 26; Albidice Obth. Et. VI p. 47; XII p. 23, t. 5, f. 12 (maculis subtus dilutius flavis; gen. aest.).

- 58. **Glaucome** Klug Symb. Phys. t. 7, f. 18, 19 (1829); B. Sp. G. I p. 546.

 - a) v. (gen. aest.?) *Iranica* Bien. Diss. p. 27 (1870); Chr. Mém. Rom. II p. 201, t. 12, f. 1, a-e; Rühl 131 (al. post subtus basi et disco albis).

- 59. **Chloridice** Hb. 712-5; O. IV. 154; Dup. I, 4, 3-5; B. Ic. 6, f. 5, 6; F. d. W. Ent. II p. 244, t. 8, f. 2, a-e; Lang t. 8, f. 2; Rühl 131; Daplidice v. *Russiae* Esp. 90, 1 p. 177.

 - a) gen. aest. *Aestuosa* Stgr. (al. subt. magis albicant., multo minus viridi-pictis, al. ant. mac. media nigra minore).
 - b) v. *Albidice* Stgr.; Chloridice Chr. Hor. IX (1872) p. 20 (♂ alis post. fere tot. albicantibus).

11. **Euchloë** Hb. 1816 (Anthocharis B.).

- 60. **Belemia** Esp. 110, 2; Hb. 412-3; O. I, 2, 161; Dup. I, 3, f. 1. 2; B. Ic. 6, f. 1, 2; Glauce Frr. 512, 3.

 - a) gen. aestiv. *Glauce* Hb. 546-7; O. I. 2, 160; Dup. I, 3, f. 3. 4; B. Ic. 6, f. 3, 4; B. Bull. S. Fr. 1844 p. 68; 1845, p. 36 (subtus dilutior).

- 61. **Falloui** Allard Ann. S. Fr. 1867 p. 318, t. 6, f. 1, a, b; Rühl 133, 717.
- 62. **Belia** Cr. P. Ex. t. 397, f. A. B. (1782); Esp. 92, 1 (1784); Hb. 417-8; O. I. 2 p. 163; God. II, 6, f. 1. 2; Stgr. Hor. VII, 37; Cramer Butl. Monthl. Mag. 1869, p. 271 (sed Belia L. sp. est dubia).

 - a) v. et ab. *Romana* Calb. Iris I p. 123 (trans. ad Ausoniam).
 - b) gen. aestiv. *Ausonia* Hb. 582-3; O. I. 2, 164; God. II, 6, f. 3, 4; B. Bull. S. Fr. 1845 p. 68; Belia Esp. 94, 1; Hb. 416 (subt. mac. albidis, non argent.).
 - c) v. *Simplonia* Frr. B. 73, 2 (1829); B. Ic. 5, 4-6; Dup. I, 5, f. 3, 4; Tr. X, 1, 89; Marchandae H-G. 926-8 (subt. mac. alb. dilutiorib.?).
 - d) v. *Pulverata* Chr. Mém. Rom. I (1884) p. 99; *Daphalis* Gr. Gr. Mém. Rom. IV p. 229; ?Moore Pr. Z. Soc. Lond. 1865 p. 491, t. 31, f. 14 [forma diversa?] (al. ant. maculis apic. albis conjunctis; al. post. subtus maculis pluribus nitent. albis).
 - e) v. *Orientalis* Brem. Lep. O. S. p. 8 (1864); Heyne-Rühl 716; Alph. Mém. Rom. IX p. 189, 312, t. 6, f. 1, a-d; Tagis Trybom Kong. Vet. Ak. Förh. 1877 p. 37; Belia v. *Ochraea* Trybom I. c. [ab.] (minor, al. subt. maculis alb. diversis; sp. diversa esse videtur).
 - f) v. *Ausonides* B. Ann. S. Fr. 1852 p. 286; Edw. Butt. II, Anthoch. t. 1 (praec. similis, an eadem?).

Himal. s.

Territ. (exc. reg. bor.).

Hisp; Maur; Syr;
Pers; As. c.Pers. m; Sinai; Arab;
Aegypt.Pers; As. c. (Kur-
gan).Srp; Bulg; Ture; As.
min; Hyrc; Sib. m.
et or; As. c.

As. min.

Hyrc. (Schahrud).

Ib. m; Maur; Can;
As. min. or. oc; Syr.

Maur. m.

Eur. m; Gal. c. et s;
Maur; As. min; Arm;

It. c; Graec; As. min.

Alp. (Val. Pedem.
?Teriol); Alt; Saisan.

Tura; As. c. (Ferg.).

Sib. or. s; Kamt.

Am. s. oc; Alaska

63. **Tagis** Hb. 565-6; Esp. 117. 5. 6; O. I. 2. 162; Dup. I, 4, f. 1. 2; Frr. 464, 1; B. Sp. G. t. 6, f. 3.
a) v. *Bellezina* B. Ind. p. 9; *Bellesina* Dup. I, 3, f. 5. 6; Mill. Ic. t. 71, f. 1 [ab.]; *Tagis* B. Ic. 5, 1-3; *Belledice* H.-G. 929-30 (subt. mac. alb. multis).
b) v. *Insularis* Stgr. Cat. ed. I p.2; *Tagis* Rbr. Ann. S. Fr. 1832, p. 245, t. 7, f. 1, 2 (al. ant. apice pallidiore, subt. macul. minorib.).
64. **Pechi** Stgr. Ent. Nachr. 1885 p. 11; Baker Monthl. Mag. XXI p. 241; Trans. Ent. Soc. 1889 p. 528; Obth. Et. XII p. 22, t. 5, f. 11; Rühl 135.
65. **Tomyris** Chr. Mém. Rom. I p. 99, t. 6, f. 1 a. b; ibid. V p. 3; Baker Tr. Ent. Soc. 1889 p. 527; Rühl 135.
66. **Charlonia** Donz. Ann. S. Fr. 1842 p. 197, t. 8, f. 1; Stgr. Iris IV p. 227; Baker Tr. Ent. Soc. 1889 p. 523; Levaillantii Luc. Bull. S. Fr. 1847 p. 50; l. c. Ann. 1850 p. 92, t. 1, f. 2; Expl. Alg. p. 348, t. 2, f. 1.
a) gen. vern. *Penia* Frr. 574, f. 4; Stgr. l. c. p. 228; Baker l. c. 526 (pallidior, subt. al. ant. macula discoid. obsoleta, al. post. virid.).
b) gen. aest. *Mesopotamica* Stgr. l. c. p. 228; Rühl 136 (flavidior, subtus pallidior).
c) v. *Transcaspica* Stgr. l. c. 229; Rühl 136 (supra plerumque albida, subt. al. ant. macula discoid. nigra).
*d) v. ? *Lucilla* Butl. Proc. Z. S. Lond. 1886 p. 376, t. 35, f. 4 (supra subfuscus sulphurea, parte apicali aliquot diversa; an sp. diversa?).
67. **Pyrothoë** Ev. Nouv. Mém. Mosc. 1832. p. 352. t. 20, f. 3, 4; Dup. I p. 367; HS. 622-3; Lang Butt. p. 42, t. 10, f. 1; Rühl 139. 720.
68. **Bietti** Obth. Et. IX p. 14. t. 1 (1884); XI p. 16, t. 6, f. 39; Alph. Mém. Rom. V p. 72; Leech Butt. China II p. 478; Rühl 140.
69. **Cardamines** L. S. N. ed. X p. 468; Esp. t. 4, 1, t. 27, 2; Hb. 419-20, 424-5, 791-2; O. I. 2, 165; God. I, 2, 2; Frr. 559; Mill. Ic. 20, f. 1, 2 (ab. *Lasthenia*); Barr. Brit. Lep. I t. 4, f. 2 a-h: ab. *Immaculata* Pabst. IX Ber. Naturw. Ges. Chemnitz (1884) p. 16 [al. ant. sine puncto nigro].
a) ab. *Turritis* O. IV p. 156; Kalchb. VII Jhrsb. Wr. E. Ver. 1896 t. 1, f. 5, 6 (ab. minor. al. ant. punct. nigro partem albam attingente).
b) v. *Phoenissa* Kalchb. V. Jhrsb. Wr. E. Ver. 1894 p. 27; ibid. VII 1896 t. 1, f. 3. 4; Iris X p. 163 (= *Turritis*, sed subtus albidiore).
*c) v. *Thibetana* Obth. Et. XI (1886) p. 16; Leech Butt. China II p. 477 (♂ al. post. flavescentibus).
70. **Gruneri** HS. 551-4; Frr. 575, 1. 2; Lang. Butt. p. 40, t. 9, f. 2; Rühl 138.
a) v. *Armeniaca* Chr. Iris VI p. 86 (1893); H.-Rühl 719; ab. *Homogena* H.-Rühl 717 [trans.] (albida, non flava, ♂ al. ant. parte apicali aurantiaca fusco-limitata).
71. **Damone** B. Sp. G. I p. 564 (1836); Feisth. Ann. S. Fr. 1837, 301, t. 12, f. 1; H.-G. 1010-1; HS. 196-9; Lang Butt. p. 40. t. 9, f. 3; Rühl 138; *Eunomia* Frr. 574, 3.
72. **Eupheno** L. S. N. ed. XIII, 762 ♂; Stgr. Stett. e. Z. 1869, p. 92; Butl. Monthl. M. 1869, 271; Douei Pier. Ann. S.
- Lus. c. et m; And.*
Gal. m. or.
Sard.; Cors.
Maur.
Tura (Askhabad).
Maur; Can. or.
Pont; Kurd. oc.
Kurd. oc; Taur; Syr.
Tura; Pers. s.
Ind. bor. oc.
Ross. or. m; Kirgh; Thian; Ferg. m.
Amdo (Simin).
Eur; As. min. et c; Syr; Sib.
It; As. min; Pal. etc.
Syr. (Pal.).
China oc.
Graec; Turc. m; As. min.
Arm; As. min. m; Mesop.
Balc. m; As. min;
Syr; Mesop.
Maur.

- Fr. 1836 p. 367, t. 9, f. A; Luc. Expl. Alg. t. 2, f. 2; Wagner Reis. Alg. p. 208, t. 9; Eupheno var. Douei H.-G. 1006-9.
- a) v. *Androgyne* Leech Pr. Z. Soc. Lond. 1896 p. 122 (♀ al. ant. macula apic. aurantiaca permagna, puncto nigro attigens).
73. **Euphenoides** Stgr. Stett. e. Z. 1869, p. 92; Eupheno Esp. 28, 1; 63, 2, 3; Vill. Lin. E. II, t. 4, f. 3; Hb. 421-3, 630-1; O. I, 2, p. 167; God. II, 5, f. 4, 5; Lang. Butt. p. 41, t. 9, f. 4; Calleuphenia Butl. Monthl. Mag. 1869, p. 271.

*Maur. oc. (Marocco).**Gal. m; Ib; It; Helv. m. (Locarno).*

74. **Eupheme** Esp. 113, 2, 3; H.-G. 1004-5; Dup. I p. 365; Frr. 511, 4; HS. 194-5 (ab.) Lang. Butt. t. 10, f. 2; Erothoë Ev. Mém. Mosc. 1832, p. 351, t. 20, f. 1, 2; Tschudica HS. 451-2.
- a) ab. *Tschudica* HS. 449-450, VI p. 20 (subt. albidior).
- b) v. *Menestho* Mén. Cat. Rais. p. 245; Lang. Butt. t. 10, f. 3; Erothoë Frr. 575, 3, 4; (major, subt. flavicans.).
- c) v. *Meridionalis* Ld. z. b. V. 1852 p. 30; Eupheme Rbr. Fn. And. t. 11 (major, subtus flava).
75. **Fausti** Chr. Hor. XII (1877) p. 198, t. 5, f. 1, 2; Gr. Gr. Mém. Rom. IV p. 230; Rühl 141, 721.

*Ross. m. or; Arm.; Ala Tan (Lepsa).**Ross. or. m. (Indersk., Guriev); Pal.**Pont; Taur; As. min. c; Kurd. oc.**Ib. c. et m.**Tura (Krasnow.); Ferg.*

76. **Fausta** Olivier Voyage en Syrie, t. 33. 41 (801); Klug. Symb. Phys. t. 8, f. 9; B. Sp. G. p. 586; Ld. z. b. V. 1855, t. 1, f. 1; Marshall Pr. Z. Soc. 1897 p. 8; Butl. Ann. & Mag. (6) XX. 1897 p. 498; Rühl 144.
77. (*) **Calais** Cr. Pap. Ex. I, t. 53, f. C, D. (1779); B. Sp. G. p. 587; Sharpe Monogr. Teracolus 1898 p. 1, t. 1, f. 1, 1 a-f, t. 1 a, f. 2, 2 a; Dynamene Klug Symb. Phys. t. 6, f. 17, 18; Kirby Cat. (1871) p. 499; Carnifer Butl. Pr. Z. Soc. 1876 p. 138, t. 7, f. 8, 9.
78. ***Phisadia** God. Enc. Meth. LX p. 132 (1819); Sharp Monogr. Teracolus p. 12, t. 3, f. 1 a-g, t. 4, f. 1 d; Arne Klug Symb. Phys. t. 7, f. 1-4.
- a) v. *Palaestinensis* Stgr. Iris 1897 p. 272 (♂ subt. brunnesc.).
79. **Chrysonome** Klug Symb. Phys. t. 7, f. 9-11 (1829); Butl. Ann. & Mag. (6) XX (1897) p. 503.
80. ***Daira** Klug Symb. Phys. t. 8, f. 1-4 (1829); Butl. Ann. & Mag. (6) XX 1897 p. 459; Auriv. Rhop. Aethiop. p. 435.
- a) v. *Nouna* Luc. Expl. Alg. III p. 350, t. 1, f. 2; Obth. Et. I p. 18; Rühl 720; Demagore Feld. Nov. p. 186; Evagore Marshall (non Klug) Pr. Z. Soc. 1897 p. 34 (pr. p.) (macula apic. intus hand nigro marginata, al. post. subtus carneis).

*Syr; Rg. Pers.**Pers. m; ?Syr; Arab; Afr. s. et c.**Arab; Afr. s. or.**Syr. (Pal. m.)**Pal. m; Afr. or.**Arab; Afr. s. or.**Maur. m. oc.*

14. **Leptidia** Billb. 1820 (= Leucophasia Stph. 1827).

81. **Sinapis** L. S. N. ed. X 468; Esp. 3, 4; Hb. 410-1; O. I, 2. 169; God. I, 2 tert; Leech Butt. China II p. 481; v. Sartha Rühl 722; ab. ♀ Erysimi Bkh. I, 132 [utrinque alba] (gen. aest.).
- a) gen. vern. *Lathyri* Hb. 797-8 (ante 1827) (al. post. subt. obscure virescentibus).

Eur. (exc. reg. pol.); As. oc. c. et or.

- b) ab. (v.) *Sartha* Rühl 143 (al. post. subtus flavescentibus).
 c) ab. *Subgrisea* Stgr. al. post. subtus griseis, non vires-
 centibus nec flavescentibus.
 d) gen. aest. *Diniensis* B. Gen. 6; Lang. Butt. t. 10, f. 5 (al.
 omn. subtus albidis).
82. **Amurensis** Mén. Schrk. p. 15. t. 1, f. 4, 5; Stgr. Mém. Rom.
 VI, 143; Sinapis v. Amurensis Leech Butt. China
 p. 482 (praec. var.).
- a) gen. vern. *Vernalis* Graes. Berl. e. Z. 1892 p. 209; (minor,
 subtus obscurior).
83. **Duponcheli** Stgr. Cat. ed. II p. 5; Lang. Butt. p. 46, t. 10,
 f. 5; Rühl 143, 722; *Lathyri* Dup. I. 43, 3. 4 (1832);
 HS. 407-8; Bell. Ann. S. Fr. 1869 p. 513.
- a) gen. aest. *Aestiva* Stgr. Hor. XIV p. 47 (flavescens),
- Eur. m.; As. min.; Syr.*
Amur; Chin. s.
- Gal. m.; It.; Rumel; As.*
min.; Arm.; Hyrc.
- As. min.*

15. Catopsilia Hb. 1816.

84. **Florella** F. S. E. p. 479 (1775); Trim. South Afric. Butt. III
 p. 185; Auriv. Rhop. Aethiop. p. 449; Pyrene Swains.
 Zool. Ill. (1) I t. 51 (1820); Butl. Lep. Exot. p. 44. t. 16,
 f. 8-10; Rühl 144; Minna Ld. Wr. Mts. 1857 p. 90.
- Syr.; Aegypt.; Afr.*

16. Colias (F.) Leach 1815.

85. **Marcopolo** (Marco Polo) Gr. Gr. Hor. XXII (1888) p. 304;
 Mém. Rom. IV p. 318, t. 11, f. 1-3; Rühl 148.
86. **Palaeno** L. F. S. ed. II p. 272 (1761); Stgr. Iris V, 310;
 Philomene Hb. 602-3, 740-1; Lapponica Stgr. Cat.
 ed. II p. 5; Werdandi HS. 403-4 ♀.
- a) ab. *Schildei* Stgr. Iris V, 310; (flavidior, limbo augustiore).
 b) ab. *Cretacea* Schilde Ent. Nachr. 1884 p. 339; Stgr. l. c.
 (♂ et ♀ cretacei; subt. caeruleo-grisei).
 c) v. *Europome* Esp. I t. 42. f. 1, 2; t. 100, f. 5 ♀; Hb. 434-5 ♂;
 Stgr. l. c.; Palaeno O. l. 2 p. 184; God. II, 4, f. 2; Frr.
 541, f. a, c; Lang Butt. t. 11, f. 1 (major, ♂ citrinus, ♀ alba,
 subtus flavi).
 d) ♀ ab. *Illigneri* Rühl Soc. Ent. V (1890) p. 89; Illgner
 Ent. Z. Gub. 1891 p. 127; Stgr. Iris V, 311; ? Palaeno
 Frr. 541, f. b (praec. var. ♀ supra flava).
 e) v. *Europomene* O. IV p. 157; Stgr. Iris V, 311 (minor, al.
 ant. limbo latiore, al. post. subtus obscurioribus).
 f) ♀ ab. *Herrichi* Stgr. Iris V 311; Werdandi HS. 41-2;
 Lang t. 9, f. 2; Palaeno ♀ ab. HS. 621; Philomene
 Dup. I, 47, f. 4 (praec. var. ♀ supra flava).
 g) v. (et ab.) *Caffilachi* Carad. Soc. Ent. VIII, 26 (1893) (v.
 minor, al. ant. impunctatis, margine exter. angustiore,
 al. post. saturatus viridib. Forma vix nominanda).
 h) v. *Orientalis* Stgr. Iris V p. 311 (var. Europomenae similis,
 sed subt. al. post. obse. virid.).
- Pamir m. or. (Kun-*
jut).
- Scand. et Ross. s.*
- Fen. s.*
- Germ. s. et c. Liv.*
- Sil.*
- Alp. Eur.; Jap. mont.*
(var.).
- Alp.*
- Alp.*
- Sib. oc. et or. (Alt.,*
Vilui, Kamt.); Amur.
- Amer. bor. (Hudson*
Bay, Alaska).
- Labr.; Amer. bor.*
(var.?)
87. **Pelidne** B. Ic. t. 8, f. 1-3 (1832); B.-Lee. 66, t. 21, f. 4, 5;
 Dup. I t. 15, 1-3; HS. 3, 35, 36, 43, 44; Frr. 511, 2, 3;
 Möschl. Wjen. Mts. 1860, p. 349; Edw. Butt. II t. 1,
 (Colias) f. 5-8; Lang Butt. t. 9, f. 3; Holl. Butt. p. 293.
 t. 35, f. 14, t. 36, f. 15, 16; Anthyale Stgr. Cat. ed. II
 p. 5, no. 59; Möschl. Stett. e. Z. 1870 p. 113; Labra-
 dorensis Scudd. Pr. Bost. Soc. N. Hist. IX (1862)

- p. 107: ab. *Moeschleri* Gr. Gr. Hor. XXVII p. 379 [al. ant. aurantiaco-tinetis] (praec. sp. forma Darwiniana?).
- 88. Nastes** B. Ic. 8. 4. 5 (ab. al. ant. marg. post. fusco immacul.) p. 245: Dup. I. 15. 4. 5; HS. 37. 38. 401-2: Möschl. Wien. Mts 1860 p. 354. t. 9. f. 1, 2: Lang Butt. t. 11. f. 4; Rühl 150; Edw. Butt. N. Am. II t. 1 (Col.) f. 1-4; Holl. Butt. p. 293. t. 36. f. 11. 12: v. *Streckeri* Gr. Gr. Hor. XXIX p. 290.
- v. *Rossii* Gn. Ann. S. Fr. 1864 p. 199 (δ al. ant. disco aurantiaco, ♀ alba).
 - v. *Werdandi* Zett. Ins. Lap. p. 908: Möschl. l. c. 354: Lang Butt. t. 12. f. 1; Lampa Ent. Tidskr. XIII p. 249 (major, saturior).
 - ab. *Sulphurea* Lampa Tidskr. VI (1885) p. 10 (alis sulphureis).
 - ab. δ *Immaculata* Lampa l. c. 11 (al. ant. maculis antemargin. nullis).
 - ab. *Christiernsoni* Lampa l. c. (al. ochraceis vel pallide aurantiacis).
- 89. Cocandica** Ersch. Fedtsch. (1874) p. 6. t. 1. f. 3 (♀); Gr. Gr. Mém. Rom. II p. 246; ibid. IV p. 326, t. 3, f. 1, a-c; Rühl 150; (praec.. Nastes. forma Darwiniana).
- ab. ♀ dimorph. *Galba* Gr. Gr. Hor. XXVII (1893) p. 381 (♀ ab. flava).
 - ab. *Hybrida* Gr. Gr. Hor. XXVII (1893) p. 380 (alis plus minusve aurantiaco-irroratis; Cocandicae et Eogenae hybrid.?).
 - v. *Maja* Gr. Gr. Hor. XXV (1891) p. 447; Rühl 151; (dilutior. major. δ minus viridis. ♀ fere alba).
 - v. *Grumi* Alph. Mém. Rom. IX (1897) p. 233 (pallidior, subitus al. post. caeruleo-griseis. nec viridescentibus).
 - v. *Tamerlana* Stgr. Iris X (1897 fin. Juli) p. 152, t. 5, f. 1. 3: Coc. v. *obscura* Aust. Natural. 1898 p. 202 (magna, obscurissima).
 - v. *Mongola* Alph. Mém. Rom. IX (fin. 1897) p. 188; Elw. Tr. E. S. 1899. 319 (al. post. fascia longitudinali magna albida; pro parte == v. *Tamerlana*).
 - v. *Leechii* Elw. Journ. Bomb. Soc. XI p. 466 (δ citrinoflavescens).
- 90. Melinos** Ev. Bull. M. 1847. III p. 72. t. 3. f. 3-6; HS. 624-7; Brem. Lep. O. S. p. 10; Stgr. Iris V p. 312; Rühl 152; Elw. Tr. E. S. 1899. 319; Chloë Ev. l. c. t. 4, f. 1. 2 p. 73 pro parte (praec. Nastes. forma Darwin.?).
- v. *Herzi* Stgr: Melinos Herz Iris XI p. 235 (minor, albidior. al. margine obscuro exteriore obsoleto; transit. ad Nastem).
- 91. Phicomone** Esp. 56, 1, 2; Hb. 436-7; O. I. 2, 180; God. II. 4. 3; HS. 399-400; Frr. 661; Lang Butt. t. 12. f. 2; Gr. Gr. Mém. Rom. IV p. 296 no. 20; Rühl 151, 724.
- 92. Montium** Obth. Et. XI (1886) p. 16. t. 6. f. 41 δ ; Leech Butt. China p. 436, t. 34, f. 15 ♀; Rühl 154, 725 (praec. var.?, an forma Darwin.?).
- 93. Sieversi** Gr. Gr. Mém. Rom. III (1887) p. 397; ibid. IV p. 324. t. 3. f. 3 a-d; Rühl 151.
- 94. Alpherakii** Stgr. Berl. e. Z. XXVI (1882) p. 164; Alph. Stett. e. Z. 1883 p. 494: Gr. Gr. Mém. Rom. IV p. 337, t. 3, f. 2 a-c; Rühl 151, 724; *Leucophryna* Gr. Gr. Hor. XXVII p. 381 [sec. unam ♀ sulphur. descripta].

*Labr; Amer. bor.**Boothia felix (Am. reg. pol.).**Lap; Suec. mont; Nor. Semla.**Ferg; Iss. K; Thian.**Thian. (Boro Choro, Alp. Korla).**Nan Schan.**Thian. or.**Alt. m. or; Mongol. s. oc. (Changai).**Ladak.**Alt; Saj; Kent; Amur.**Sib. s. or. (Vilui).**Alp; Pyr; Hung. mont.**China m. oc; Nan Schan or. (Tetung mont.).**Saraw; Pamir s. oc. (Darwas).**Saraw; Ferg. m; Pamir s. oc; Buch. or.*

- a) v. *Roschana* Gr. Gr. Hor. XXVII (1893) p. 381 (minor, al. post. fascia externa lata; var. vix nominanda).
95. **Sifanica** Gr. Gr. Hor. XXV (1891) p. 447; Rühl 151.
* a) v. *Nebulosa* Obth. Et. XIX p. 8, t. 8, f. 65 (obscurior).
96. **Christophi** Gr. Gr. Mém. Rom. II (1885) p. 220; ib. IV p. 340, t. 4, f. 1 a-e; Rühl 147; Wiskotti Stgr. ♀ ab. Berl. e. Z. XXVI p. 167.
97. **Ladakensis** Feld. Nov. p. 197, t. 27, f. 8, 9 (1865); Elw. Tr. Ent. Soc. Lond. 1884 p. 24; Shipkee Moore Pr. Z. Soc. 1865 p. 492, t. 31, f. 13.
98. **Hyale** L. S. N. ed. X p. 469; O. I, 2 p. 181; God. I, 2 see.: Frr. 547; HS. 33-4; Barr. Brit. Lep. I p. 32, t. 5, f. 2 a-e; Leech Butt. China II p. 431; Rühl 155, 725; Palaeno Esp. 4, 2; Hb. 438-9; ab. Uhli Kováts Ent. Z. Gub. XII (1899) p. 169 [marg. nigro immaculato].
- a) ♀ ab. (dimorph.) *Flava* Husz Eperjes Ker. coll. 1880-1 p. 34 (sep.); Ent. Nachr. 1883 p. 134; *Inversa* Alph. Hor. XVI p. 434; Stett. e. Z. 1883 p. 495.
- b) ab. *Nigrofasciata* Gr. Gr. Mém. Rom. I p. 163 (al. ant. vitta nigra discoidali).
- c) v. *Alta* Stgr. Stett. e. Z. 1886 p. 200 (major, limbo nigro latiore).
- d) v. *Poliographus* Motsch. Et. IX (1860) p. 29; Alph. Stett. e. Z. 1883 p. 494; Mém. Rom. V p. 72, 101; Leech. Butt. China p. 431, t. 34, f. 1-14 (*Hyale* var.); Simoda de l'Orza Lep. Jap. p. 16; Obth. Et. XI p. 17; ♀ ab. (dimorph.) *Hera* Gr. Gr. Hor. XXVII p. 380 (1893) (maris colore); ab. *Chrysocoma* Gr. Gr. l. c. 379 [aurantiacal] (major, flavidior, limbo magis nigro-notato).
- e) ? hybr. *Sareptensis* Stgr. Cat. ed. II p. 5; Stett. e. Z. 1881 p. 260; Alph. Hor. XVI p. 265; Gr. Gr. Mém. Rom. I p. 162 (al. ant. limbo lato nigro, ♂ satur. flavus).
- * f) x. *Marnoana* Rghfr. Sitzb. z. b. V. 1884 p. 22 (prae. var. similis, ♂ fere citrinus, al. post. maculis marg. minoribus).
99. **Erate** Esp. 119, 3. Forts. 13 (ante 1808); Lang Butt. p. 54, t. 12, f. 4; Gr. Gr. Mém. Rom. I p. 164; ib. IV p. 321; Rühl 156, 726; Neriene F. d. W. Ent. II p. 251, t. 11, f. 3, 4; Frr. 301, 1, 2; HS. 30-32.
- a) hybr. *Chrysodona* B. Sp. G. I p. 7 (1840); Alph. Hor. XVI, 367; Stett. e. Z. 1883 p. 494; Helichta Ld. z. b. V. 1853 p. 33; Swinh. Tr. Ent. Soc. 1885 p. 324; Beckeri Gerh. Berl. e. Z. XXVI p. 125; (Col. Ératae et Edusae hybr.).
- b) ♀ ab. (dimorph.) *Pallida* Stgr. Cat. ed. I p. 3; Lang l. c. f. 5; Gr. Gr. Mém. Rom. IV p. 322 (♀ alba).
- c) ab. (v.?) *Hyaleoides* Gr. Gr. Mém. Rom. IV p. 321 (minor. limbo externo angustiore macul. flavis notato; ? gen. vern.).
100. **Erschoffi** Alph. Hor. XVI (1881) p. 362, t. 14, f. 1, 2; Rühl 154, 725; Aurora Alph. Hor. XVI p. 375 (♀); Hor. XVII t. 5, f. 5 ♀.
- a) ab. *Tancrei* Aust. Natural. 1890 p. 94 (♂ alis ant. aurantiaco-flavis; vix nom. conserv., quum ♂ plerumque, ♀ semper habeant al. ant. aurantiaco-tinctas).
101. **Romanovi** Gr. Gr. Mém. Rom. II (1885) p. 229 not; III p. 398; IV p. 342, t. 5, f. 2 a-e; Rühl 164.
102. **Staudingeri** Alph. Hor. XVI (1881) p. 368, t. 14, f. 3, 4; Heyne-Rühl 729.
- Pamir s. oc. (*Roschan*).
Amdo (*Sinin*).
China m. oc.
Ferg. m; Saraw.

Ladak or.

Territ. (excl. Can. et reg. pol.).

Srp.
Ferg. m.
As. or.

Srp; Hyrc; As. c.

Abyss; Sudan.

Ross. m; Sib. m;
Amur; As. oc. et c;
(Arm., Hyrc., Tura,
Thian, Ferg., etc.).
Srp; Arm; As. c.

As. c.

Thian.

Ferg. m.

Thian (*Juddus*, *Korla*); Ferg. m. (ab.).

- a) v. *Pamira* Gr. Gr. Mém. Rom. IV p. 334, t. 4, f. 2 a-c. Pamiri Rühl 164 (major, limbo nigro latiore).
- b) v. *Maureri* Stgr. Staudingeri multo minor, ♂ alarum (praesert. ant.) limbo nigro sulphureo-maculato, ♀ maculis magnis sulphureis in limbo nigro [an sp. div.?]).
103. **Felderri** Gr. Gr. Hor. XXV (1891) p. 448; Rühl 170 (an praec. Staudingeri forma Darwin?).
104. **Regia** Gr. Gr. Mém. Rom. III (1887) p. 398; ibid. IV p. 335, t. 5, f. 3 a-c; Thiele Berl. e. Z. Sitzb. 1895 p. 6; Rühl 161, 728.
105. **Eogene** Feld. Nov. p. 196, t. 27, f. 7 ♂ (1865); Gr. Gr. Mém. Rom. IV p. 329.
- a) ♀ ab. *Cana* Gr. Gr. Mém. Rom. IV p. 333 (alba).
- b) v. (et ab.) *Erythas* Gr. Gr. l. c. 332; Rühl 727; Eogene Gr. Gr. l. c. t. 5, f. 1 a-e (transitus ad Elissam, pallidior, limbo angustiore).
- c) v. *Elissa* Gr. Gr. l. c. 332; Rühl 728; ? v. *Flavescens* Rühl 161 (vix ab. Eogen. et Eryth. distinguenda).
- d) v. *Arida* Alph. Mém. Rom. V p. 76 (1889); Gr. Gr. Hor. XXVII 382 (♀) (spec. distincta sec. Elw.); *Auritheme* Gr. Gr. l. c. p. 383 [♀ ab. macul. limb. flavis]; *Wanda* Gr. Gr. l. c. [♂ ab. pallidior] (pallidior, al. ant. apice rotundato).
- e) v. et ab. *Stoliczkanus* Moore Ann. & Mag. (5) I (1878) p. 229; Yark. Miss. 1879 p. 4, t. 1, f. 1; Alph. Mém. Rom. III p. 404; V p. 74, t. 4, f. 4 a, b, ♂ (c. d. ♀, an. Aridae [Wanda] ♀? cf. Gr. Gr. l. c. p. 383 not. 5) (♂ Col. Edusae colore aurantiaco; Aridae v. minor, pallidior sec. Elw.).
- * f) v. (?) *Leechi* Gr. Gr. Hor. XXVII (1893) p. 382.
106. **Thisoa** Mén. Cat. Rais. p. 244 (1832); En. I p. 78, t. 1, f. 6 ♂; B. Sp. G. 636; Stgr. Stett. e. Z. 1866, p. 49; Id. Ann. S. Belg. XIII p. 20, 21, t. 1, f. 1, 2; Alph. Hor. XVI p. 273, 433; Stett. e. Z. 1883 p. 490; Stgr. Berl. e. Z. XXVI p. 167 not. 1; Rom. Hor. XVII t. 5, f. 1, 2; Rühl 159; Eos HS. 395-6 ♀, VI p. 22; Stgr. Stett. e. Z. 1866 p. 48.
- a) v. *Aeolides* Gr. Gr. Mém. Rom. IV p. 346 (limbo angustiore, subtus viridior; var. vix nominanda, multis transit cum Thisoa conjuncta).
107. **Viluiensis** Mén. Bull. Ac. Petr. XVII (1859) p. 213; Schrk. p. 18, t. 1, f. 7; Graes. Berl. e. Z. XXXVII p. 210; Rühl 159; Alph. Mém. Rom. IX p. 185, t. 5, f. 1 a-f; v. Chilkana Aust. Natural. 1898 p. 202.
108. **Lada** Gr. Gr. Hor. XXV (1891) p. 447; Rühl 158.
- a) ♀ ab. *Oreas* Gr. Gr. Hor. XXVII (1893) p. 383 (cretacea).
109. **Heela** Lef. Ann. S. Fr. 1836 p. 383, t. 9, f. B. 3-6; Auriv. Bih. Svensk. Ak. Handl. XV (1890) p. 11, t. 2, f. 9, 10; *Groenlandica* (Lampa) Rühl 158; *Glacialis* Mc. Lachl. Linn. Soc. II. XIV (1878) p. 108; *Hela* Streck. Bull. Brookl. Ent. Soc. III (1880) p. 33.
- a) v. *Sulitelma* Auriv. l. c. p. 12; Rühl 727; Heela Stgr. Stett. e. Z. 1861 p. 343; Lang Butt. t. 13, f. 1; Rühl 157; *Boothii* HS. 459-60 ♀; Wallengr. Dagf. p. 139; ab. *Citrina* Stgr. (i.l.) [♀ alis citrinis supra Ladakensis valde similis] (supra saturior, ♂ al. ant. costa haud vel anguste sulphurea, subtus dilutiore).
- b) ab. *Sandahlia* Lampa Ent. Tidskr. VI (1885) p. 11; XIII p. 249; (alis pallide ochraceo flavis).
- Ferg. m. (Transalai s. or.).*
- Ferg. m. (Transalai).*
- Amdo (Sinin).*
- Ferg. m.*
- Ind. bor; (Kaschmir, Ladak); Pamir;*
Ferg. m.
- Pamir or; Ferg. m.*
- Ferg. m; Pamir.*
- Gobi m. or. (Lob Noor); Kuku N.*
- Ladak; Amdo m. oc;*
Ferg. m. (ab.).
- China m. oc.*
- Arm. mont. (Ararat); Hyrc; Tarb.*
- Ferg. m; Iss. K. oc.*
- Sib. s. or; Saj. or;*
Anmur oc.
- Amdo.*
- Groenl.*
- Scand. pol; Sib. bor.*
(Jenisei, Trybom).

110. **Boothii** Curt. Deser. App. Nar. p. 65, t. A, f. 3-5 (1834); HS. 39, 40 (♂; ♀?); Gn. An. S. Fr. 1864, 198; Stgr. Stett. e. Z. 1866 p. 47; Rühl 157.
a) ab. *Chione* Curt. l. c. p. 66, t. A, f. 6; Gn. l. c. (puncto fasciaque marginali nullis).
111. **Chrysotheme** Esp. 65, 3, 4; Hb. 426-8; O. I. 2, 178: B. Sp. G. t. 6, f. 5 ♀; Ic. 9, 3, 4; Frr. 301, 3, 4; Lang. Butt. t. 13, f. 2; May V Jhrsb. Wr. e. V. 1894 p. 41, t. 1; Rühl 158, 727.
a) v. *Sibirica* Gr. Gr. Hor. XXII p. 380 (pallidior, ♂ limbo externo latiore, ♀ macul. permagnis sulphureis) (an satis a Chrysotheme distincta?).
112. **Fieldii** Mén. En. p. 79, t. 1, f. 5 (1855); Elw. Tr. Ent. S. 1884 p. 7; Gr. Gr. Mém. Rom. IV p. 302 no. 41; Leech. Butt. China II p. 438, t. 35, f. 6, 7; Rühl 165 (sequent. var., an forma Darw.?).
113. **Edusa** F. Mant. p. 23; O. I. 2, 173; God. I, 2 sec. 1; Bkh. Rh. Mag. I, 231; Fitch. Entomol. XI (1878) p. 49, t. 1; Barr. Brit. Lep. t. 6; Rühl 162, 729; Hyale Esp. t. 4, 3, t. 26, 3; Hb. 429-31; Bkh. I 119, 254, II 213; Helena HS. 206-7, VI p. 170 (ab.); Stgr. Stett. e. Z. 1866 p. 48; Croceus Fourc. Ent. Par. II p. 250 (1785); Standfussi Gr. Gr. Hor. XXVII p. 380 [♀ ab. an artefacta?].
a) ♀ ab. *Helicina* Obth. Bull. S. Fr. 1880 p. 145; Et. XX t. 6, f. 96; Aubuissoni Carad. Iris VI (1893) p. 171 (flavescentis; transitus ad Helicem).
b) ♀ ab. *Helice* Hb. 440-1; O. I. 2, 176; Lang t. 14, f. 8; Fitch. l. c.; Barr. l. c. f. 1 c, e; Tutt. Ént. Rec. IV p. 29, t. 1, f. 15-17; Hyale var. Esp. 66, 1 (♀ alba).
c) ab. (et v.?) *Pyrenaica* Gr. Gr. Hor. XXVII (1893) p. 383 (duplo minor; vix nominanda).
114. **Myrmidoné** Esp. 65, 1, 2; Hb. 432-3; O. I. 2, 177; Dup. I, 14, f. 3, 5; B. Ic. 9, f. 1, 2; Tr. X, 1, 91; Lang. Butt. t. 13, f. 4 (non 5); Rom. Hor. XVII t. 5, f. 4;
a) ab. ♀ (dimorph.) *Alba* Stgr. Cat. ed. II p. 6; Myrmidoné ab. HS. 393-4.
b) v. *Ermaki* (Ermak) Gr. Gr. Mém. Rom. IV p. 301 no. 39 b. (major, al. ant. latioribus; subtus macula centrali permagna; an nomen conserv.?).
115. **Caucasica** Stgr. Cat. ed. II (1871) p. 6, no. 71 b; Myrmidoné var? Ld. Ann. S. Belg. XIII p. 20; Olga Rom. Hor. XVII p. 127, t. 4, f. 1, 3, 4 ab (p. 132) (1882); Gr. Gr. Mém. Rom. IV p. 302, no. 40; Rühl 169; ? Aurora var. Anna Gerh. Berl. e. Z. 1882 p. 125.
a) ♀ ab. *Alba* Rühl 731; Olga ab. Rom. l. c. f. 2 (♀ alba).
116. **Aurora** Esp. 83, 3; Hb. 544-5; O. I. 2, 176; B. Ic. t. 7; Dup. I, 6, 45; Tr. X, 1, 91; Mén. En. II, t. 8, f. 1, 2. ♂ (non ♀); HS. 204-5, 405-6; Rom. Hor. XVII t. 5, f. 5 (♀); Stgr. Iris V p. 313; Rühl 168, 731; Sibirica Ld. z. b. V 1852, p. 18 et 32 (pro parte).
a) ab. ♀ *Chloë* Ev. Bull. M. 1847, t. 4, f. 3, 4, p. 73 (pr. p.); HS. 457-8; Stgr. Stett. e. Z. 1862 p. 258; 1866 p. 19 (♀ alba).
b) v. *Decolorata* Stgr. Iris X (1897) p. 322 (pallidior).
117. **Diva** Gr. Gr. Hor. XXV (1891) p. 449; Rühl 170 (praec. forma Darwiniana?).
- Boothia felix.* (Am. reg. pol.).
- Eur. or. m. (exc. Graec.); Austr. inf.; Boh; Hung. s; As. min; Arm; Alt; Kent. Sib. (Krasnojarsk).*
- Ind. bor. et or; Tibet; China c. et m; Nan Schan.*
- Eur. (exc. reg. bor.) Afr. s; Can; Mad; As. oc; Pers.*
- Pyr; And; Maur; Sic. etc.*
- Germ.or.m.etc; Pruss; Cur (1); Austr.- Hung; Bosn; Buly; Turc. s; Ross. m. oc. (Pont. Bith. ex errore).*
- ? *Ural m. or.*
- Arm. (Transcauc.)*
- Alt; Kent; Amur, Uss; Sib. s. or. (Vilni 1 ♀).*
- Daur.*
- Amdo.*

118. **Aurorina** HS. 453-6 (Heft 45, fin. 1850); Stgr. Stett. e. Z. 1862 p. 259; Ld. Ann. S. Belg. XII p. 19; Tamara Nordm. Bull. M. 1851, II 413, t. 11, f. 2, 3 ♀; Chrysocoma Ev. Bull. M. I. c. p. 622; Chrysocome Fr. 566, 1 (2); Alba Heyne-Rühl 730.
- a) v. *Libanotica* Ld. Wien. Mts. 1858, p. 140, t. 2, f. 1 (male) 2; Stgr. l. c. p. 260; 1866 p. 48; Rom. Hor. XVII t. 5, f. 3; Chr. Mém. Rom. II p. 201, t. 12, f. 2 (ab.) (♂ et ♀ flav.).
 - b) v. *Heldreichi* Stgr. Stett. e. Z. 1862 p. 257; Mill. Ic. I p. 335, t. 40, f. 1-4; Lang Butt. t. 14, f. 3; Alph. Stett. e. Z. 1883 p. 492; Rühl 167 (♂ supra obscurior. valde caeruleo-micans).
 - c) v. *Transcaspica* Chr. Rom. V p. 4, t. 1, f. 1 (♂ et ♀ multo minus saturatus ochracei).
119. **Chlorocoma** Chr. Hor. XXII p. 308 (1888); Mém. Rom. V p. 193, t. 9, f. 1 a-d; (an v. *Libanoticae* forma dimorpha? ♂ virescens, ♀ alba).
120. **Sagartia** Ld. Hor. VI (1869) p. 75, t. 4, f. 1, 2; Chr. Hor. X p. 20; Alph. Stett. e. Z. 1883 p. 494; Rühl 153, 725.
121. **Wiskotti** Stgr. Berl. e. Z. XXVI (1882) p. 166, t. 2, f. 9, 10; Iris IV p. 230; Gr. Gr. Mém. Rom. IV p. 347; Rühl 145.
- a) ab. ♀ *Leuca* Stgr. l. c. p. 167 (alba).
 - b) v. *Separata* Gr. Gr. Hor. XXII p. 305 (1888); Mém. Rom. IV p. 349, t. 4, f. 3 a, b; Rühl 146; ? Seres Gr. Gr. Mém. Rom. IV p. 353 (virescenti-flava, al. ant. ♀ aurantiaco-tinctis limbo nigro angustiore).
 - c) ab. ♀ *Leucotheme* Gr. Gr. l. c. 351 (sulphureo-albida, al. post. tantummodo macula nigrescentii).
 - d) v. *Aurantiaca* Stgr. Iris IV (1891) p. 231 (♂ al. ant. aurantiacis, limbo angustiore).
 - e) v. *Chrysoptera* Gr. Gr. l. c. 305; ib. p. 351 (var. minor, ♂ et ♀ alis aurantiaco-flavis).
 - f) v. *Draconis* Gr. Gr. Hor. XXV (1891) p. 465; Chrysop-tera Stgr. Iris l. c. (praeec. var. forma major?).
 - g) v. *Sagina* Aust. Natur. 1891 p. 99; Stgr. Iris IV p. 232; Rühl 147 (minor. subtus viridior et nigro maculata).
- 17. Gonepteryx** Leach 1815 (Rhodocera B.).
122. **Aspasia** Mén. Schrk. p. 17, t. 1, f. 8; Leech Butt. China II p. 442; Rühl 172, 732.
- a) v. *Acuminata* Feld. Wien. Mts. VI (1862) p. 23; (♂ alis omnibus sulphureis).
123. **Farinosa** Z. Is. 1847 p. 5; Mn. Wien. Mts. V p. 157, t. 2, f. 6; Stgr. Hor. XIV p. 225; Tetens Berl. e. Z. 1885 p. 165; Rühl 172, 732.
124. **Rhamni** L. S. N. ed. X. 470; Esp. 4, 4; Hb. 442-4; O. I. 2, 186; God. I, 2; Leech Butt. China II p. 439; Rühl 171, 731.
- a) v. *Amurensis* Graes. Berl. e. Z. XXXII (1888) p. 69; Stgr. Mém. Rom. VI 145 (maculis discoid. aurantiacis majoribus. ♂ saturatus flavus).
125. **Cleopatra** L. S. N. ed. XII. 765; Esp. t. 48, 1, t. 111, 1; Hb. 445-6; O. I. 2, 189; God. I, 4; Lang Butt. t. 14, f. 5.
- | |
|--|
| <p>118. Aurorina HS. 453-6 (Heft 45, fin. 1850); Stgr. Stett. e. Z. 1862 p. 259; Ld. Ann. S. Belg. XII p. 19; Tamara Nordm. Bull. M. 1851, II 413, t. 11, f. 2, 3 ♀; Chrysocoma Ev. Bull. M. I. c. p. 622; Chrysocome Fr. 566, 1 (2); Alba Heyne-Rühl 730.</p> <ul style="list-style-type: none"> a) v. <i>Libanotica</i> Ld. Wien. Mts. 1858, p. 140, t. 2, f. 1 (male) 2; Stgr. l. c. p. 260; 1866 p. 48; Rom. Hor. XVII t. 5, f. 3; Chr. Mém. Rom. II p. 201, t. 12, f. 2 (ab.) (♂ et ♀ flav.). b) v. <i>Heldreichi</i> Stgr. Stett. e. Z. 1862 p. 257; Mill. Ic. I p. 335, t. 40, f. 1-4; Lang Butt. t. 14, f. 3; Alph. Stett. e. Z. 1883 p. 492; Rühl 167 (♂ supra obscurior. valde caeruleo-micans). c) v. <i>Transcaspica</i> Chr. Rom. V p. 4, t. 1, f. 1 (♂ et ♀ multo minus saturatus ochracei). <p>119. Chlorocoma Chr. Hor. XXII p. 308 (1888); Mém. Rom. V p. 193, t. 9, f. 1 a-d; (an v. <i>Libanoticae</i> forma dimorpha? ♂ virescens, ♀ alba).</p> <p>120. Sagartia Ld. Hor. VI (1869) p. 75, t. 4, f. 1, 2; Chr. Hor. X p. 20; Alph. Stett. e. Z. 1883 p. 494; Rühl 153, 725.</p> <p>121. Wiskotti Stgr. Berl. e. Z. XXVI (1882) p. 166, t. 2, f. 9, 10; Iris IV p. 230; Gr. Gr. Mém. Rom. IV p. 347; Rühl 145.</p> <ul style="list-style-type: none"> a) ab. ♀ <i>Leuca</i> Stgr. l. c. p. 167 (alba). b) v. <i>Separata</i> Gr. Gr. Hor. XXII p. 305 (1888); Mém. Rom. IV p. 349, t. 4, f. 3 a, b; Rühl 146; ? Seres Gr. Gr. Mém. Rom. IV p. 353 (virescenti-flava, al. ant. ♀ aurantiaco-tinctis limbo nigro angustiore). c) ab. ♀ <i>Leucotheme</i> Gr. Gr. l. c. 351 (sulphureo-albida, al. post. tantummodo macula nigrescentii). d) v. <i>Aurantiaca</i> Stgr. Iris IV (1891) p. 231 (♂ al. ant. aurantiacis, limbo angustiore). e) v. <i>Chrysoptera</i> Gr. Gr. l. c. 305; ib. p. 351 (var. minor, ♂ et ♀ alis aurantiaco-flavis). f) v. <i>Draconis</i> Gr. Gr. Hor. XXV (1891) p. 465; Chrysop-tera Stgr. Iris l. c. (praeec. var. forma major?). g) v. <i>Sagina</i> Aust. Natur. 1891 p. 99; Stgr. Iris IV p. 232; Rühl 147 (minor. subtus viridior et nigro maculata). <p>17. Gonepteryx Leach 1815 (Rhodocera B.).</p> <p>122. Aspasia Mén. Schrk. p. 17, t. 1, f. 8; Leech Butt. China II p. 442; Rühl 172, 732.</p> <ul style="list-style-type: none"> a) v. <i>Acuminata</i> Feld. Wien. Mts. VI (1862) p. 23; (♂ alis omnibus sulphureis). <p>123. Farinosa Z. Is. 1847 p. 5; Mn. Wien. Mts. V p. 157, t. 2, f. 6; Stgr. Hor. XIV p. 225; Tetens Berl. e. Z. 1885 p. 165; Rühl 172, 732.</p> <p>124. Rhamni L. S. N. ed. X. 470; Esp. 4, 4; Hb. 442-4; O. I. 2, 186; God. I, 2; Leech Butt. China II p. 439; Rühl 171, 731.</p> <ul style="list-style-type: none"> a) v. <i>Amurensis</i> Graes. Berl. e. Z. XXXII (1888) p. 69; Stgr. Mém. Rom. VI 145 (maculis discoid. aurantiacis majoribus. ♂ saturatus flavus). <p>125. Cleopatra L. S. N. ed. XII. 765; Esp. t. 48, 1, t. 111, 1; Hb. 445-6; O. I. 2, 189; God. I, 4; Lang Butt. t. 14, f. 5.</p> |
|--|

- a) gen. aest. *Italica* Gerh. Berl. e. Z. XXVI p. 125 (1882); *Massiliensis* Foulquier Cat. Rais. Lep. Bouches-du-Rhône p. 7 (1879) (δ subt. sulphureus).
 b) v. *Taurica* Stgr. Hor. XV (1881) p. 65; *Antonia* Butl. Ann. & Mag. (5) XV (1885) p. 408 (major, pallidior).
 c) v. *Maderensis* Feld. z. b. V. 1862 p. 473; Baker Tr. Ent. Soc. Lond. 1891 p. 199, t. 12, f. 1, 1a (al. ant. tot. aurantiacis).
 126. **Cleobule** Hb. Zutr. Ex. 455-6 (1825); B. Sp. G. p. 603; Alph. Mém. Rom. V p. 216, t. 11, f. 1a, b; Rühl 173; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 28; Holt White p. 35, t. 1, f. 3.

*Taur; Syr.**Mad.**Can.*

III. Nymphalidae.

A. Nymphalinae.

18. Charaxes O. 1816.

127. **Jasius** L. S. N. ed. XII, in Erratis ultimae pag.; Esp. t. 99, 1, 2, t. 104, 2-8; O. I, 1, 51; God. II, 10, f. 3, 4; Rühl 320, 771; Jason L. l. c. p. 749 no. 26; Hbst. t. 64, f. 3-5; Cr. Pap. Ex. II, t. 186, f. A, B; IV, t. 329, f. A, B; Rhea Hb. 111-2, 580-1.

Maur; Ib; Gal. m; It; Dalm; Graec; Palaest; Aegypt.

19. Hypolimnas Hb. 1816.

128. **Misippus** L. Mus. Ulr. p. 264 (1764); Nicev. Butt. Ind. II p. 126, t. 20, f. 85; Trim. South Afr. Butt. I p. 277; Rühl 246; Rbl. Ann. Naturh. Hofmus. XIII p. 363.

Syr; Can; Africa; Asia m. et insul. Malay.

20. Apatura F. 1807.

129. **Schrenckii** Mén. Bull. Ac. Petr. XVII p. 215 (1859); Schrk. p. 31, t. 3, f. 2; Stgr. Mém. Rom. VI p. 166; Leech Butt. China I p. 154; Rühl 327.

Amur; Uss; Cor.

130. **Nycteis** Mén. Schrk. p. 28, t. 2, f. 11 (1859); Stgr. Mém. Rom. VI p. 170; Leech Butt. China I p. 155; Rühl 325. *Cassiope* Mén. Schrk. p. 27, t. 2, f. 10 (aberr. una ♀ condita).

Amur; Uss; Cor.

131. **Iris** L. S. N. ed. X, 476; Hb. 117-8, 584; Esp. 71, 4 ♀, ? 11, 1 δ ; O. I, 1, 154; God. I, 6 quart. 1; Leech Butt. China I p. 160; Rühl 322, 771; Barr. Brit. Lep. I t. 16, f. 1-a-c.

Eur. c; Hisp. c; Pyr; Liv; Dan; Dalm; Pont. (Mn.); Amur; Uss; Cor; China s. et m.

- a) ab. *Jole* Schiff. S. V. p. 172; Hb. 622-23, 784-5; Esp. 46, 1; Fr. 385; Lang Butt. t. 34, f. 3, Thiele Berl. e. Z. 1884 p. 161, f. (asymetr.); *Mitis* IX Jhrbr. Wr. Ent. V. 1898 p. 49, t. 1, f. 1 a, b (trans.); *Beroe* F. E. S. 111; Hbst. t. 229, f. 3-6; *Iris* Hb. 784-5; *Iris* var. Esp. t. 71, 1, t. 72, 1 ab.; O. I, 1, 156; *Iris* ab. Weym. Jhrb. Elberf. 1884 p. 65, t. 2, f. 6 (trans.) (supra unicolor, non albo-fasciata).

- * b) v. ? *Bieti* Obth. Bull. S. Fr. 1885 p. 136; Et. XI p. 18, t. 3, f. 15; Leech l. c. t. 15, f. 4 (♀); Rühl 771 (fascia maculisque luteis; al. post. fasciis tribus luteis; an spec. diversa?).

China m. oc.

132. **Ilia** Schiff. S. V. p. 172, 171 not.; Hb. 115-6, 809-10; O. I, 1, 160; God. I, 6 quart. 2; Leech Butt. China I p. 161; Rühl 324, 771; *Iris* Esp. 11, 2 ♀, 37, 1 δ .

Germ; Austr.-Hung; Helc; Gal; Uss.

- a) ab. *Iliades* Mitis IX Jhrsbr. Wr. E. V. 1898 p. 54 (al. supra nigro-fuscis, caeruleo-nitentibus. fasciis albis subnullis).
- b) ab. (et v.) *Clytie* Schiff. S. V. p. 321: Hb. 113-4; Fr. B. 31; Mitis l. c. p. 51, t. 1, f. 3 a, b (transit. ad Astasioidem). Iris var. Esp. 25. 4 ♂. 43. 1 ♀; God. I, 6 quart. 3; Astasia Hb. 812-3 ab (fascia maculisque luteis).
- c) ab. et v. *Eos* Rossi Mant. II p. 9 (1794); *Heos* Meig. I p. 34, t. 22, f. 3; Iris rubescens Esp. 71, f. 2, 3; *Ilia* v. b. O. I, 1 p. 162; *Clytie* ab. Mitis l. c. p. 50, t. 1, f. 2 a, b; *Dilutior* Stgr. Iris VI p. 177 not. 2; *Budensis* Fuchs Jhrb. Nassau LIII p. 122 (alis fere totis luteis, praecipue in ♀, al. post. fascia antemarg. maculata obscura).
- d) ab. *Astasioides* Stgr. Cat. ed. II p. 15; Mitis VI Jhrsbr. Wr. Ent. V. 1895 p. 35; ib. IX, 1898 p. 52, t. 1, f. 4 a, b (supra fascia maculisque luteis subnullis).
- e) v. *Bunea* HS. 161-4, p. 45; Lang t. 35, f. 4; Gr. Gr. Mém. Rom. I p. 167; ab. *Coelestina* Gr. Gr. l. c. p. 171 (minor, ♂ fascia med. alba, mac. margin. luteis, al. post. ocello anguli analis subnullo).
- f) *Metis* Frr. B. 67, 1. II, p. 61; HS. 539-41; Lang t. 35, f. 3 (al. post. ocello anguli analis nullo).
- g) v. *Substituta* Butl. Cist. Ent. I p. 159 (1873); Stgr. Mém. Rom. VI p. 168; Leech l. c. p. 162 (obscurior, al. post. fascia diluta angulata subtus distincta).
- *h) v. *Here* Feld. Wien. Mts. 1862 p. 27; Leech Butt. China p. 163, t. 15, f. 8 (alis fere totis luteis, varietati *Eos* e Gall. merid. simillima).
- *i) v. ? *Serarum* Obth. Et. XV p. 11, t. 1, f. 8 (1891); var. *Phaedra* Leech l. c. f. 7 (1893) (al. post. fascia lata alba; an sp. diversa?).

Germ; *Austr.-Hung*;
Helv; *Gal*; *It.* s;
Fen; *Eur. or. et oc.*
m; *Arm*.

Germ; *Austro-Hung*;
It. c. et s; *Gal.* m.
(var.).

Srp; ? *Lyd*.

Srp; *Amur*; *Alt*.

Amur; *China* s.

China c. et m.

China m. oc.

21. Thaleropis Stgr. 1871.

133. **Jonia** Ev. Lep. Ross. (F. d. W. Ent. Tom. V) p. 111, t. 13, f. 1, 2 (1851); Stgr. Hor. XIV p. 259; Rühl 373, 784; Ammonia HS. 542-5, VI, p. 6.

Pont; *Taur*; *Kurd*;
Arm.

Himal. oc.

Saraw; *Pamir* s. oc.

Eur. m. et c. (51%);
As. min; *Syr*; *Kurd*;
Arm. oc.

Arm. or; *Hyrc*.

Eur. e. (exc. *Angl.* et
Bat.); *Scand. m*; *Fen*;
Dan; *Liv*; *Petrop*.

22. Limenitis F. 1807.

134. ***Trivena** Moore Monthl. Mag. I (1864) p. 133; Nicév. Butt. Ind. II p. 161, t. 24, f. 113 ♂.

Himal. oc.

- a) v. *Lepechini* Ersch. Fedtsch. 1874 p. 14, t. 1, f. 10 ♂; Rühl 338; *Trivena* Gr. Gr. Mém. Rom. IV p. 421 (dilutior, alarum fascia maculata alba latiore maculisque margin. magnis ochraceo-brunneis).

Eur. m. et c. (51%);
As. min; *Syr*; *Kurd*;
Arm. oc.

135. **Camilla** Schiff. S. V. p. 182; Hb. 106-7; O. I, 1, 142; God. I. 6. 3. tert. 2; Rühl 331, 774; *Lucilla* Esp. 38, 2; Bkh. I, 25; ab. *Pythonissa* Mill. Ic. t. 8, f. 1 [♀ ab. supra unicolor nigra].

Eur. m. et c. (51%);
As. min; *Syr*; *Kurd*;
Arm. oc.

- a) v. *Reducta* Stgr. alarum maculis fasciaque albis reductis.

Arm. or; *Hyrc*.

136. **Populi** L. S. N. ed. X 476; Esp. t. 12, 1, t. 114, 1. 2; Hb. 108-10; O. I, 1, 145; God. I, 6 sec. 1. 2; Frr. B. 37; Leech Butt. China I p. 187.

Eur. e. (exc. *Angl.* et
Bat.); *Scand. m*; *Fen*;
Dan; *Liv*; *Petrop*.

- a) ab. ♂ *Tremulae* Esp. 114. 3. 4 (♂ supra obscurus, tantum mac. alb. apicalibus); *Populi* var. Esp. 31, 1; Frr. 343 ab.

- b) v. *Bucorvinessis* Horm. z. b. V. 1897 p. 140; ib. 1895 p. 230; *Populi transitus ad var. Ussuriensis* Carad. Iris VIII. p. 43 (fasciis albis latioribus).
- c) ab. (v.?) *Liliputana* Stgr. Mém. Rom. III p. 144 (eadem ut praecedens, sed duplo minor).
- d) v. *Ussuriensis* Stgr. I. c. p. 143; VI p. 170; Graes. Berl. e. Z. 1888 p. 83; (major, fasciis maculisque albis perlati).
137. **Sydyi** Ld. z. b. V. 1853, p. 7, t. 1, f. 3; Leech Butt. China I p. 181.
- a) v. *Latefasciata* Mén. Schrk. p. 29; Stgr. Mém. Rom. VI p. 171; Rühl 334 (fascia alba latiore).
138. **Sibilla** (r. Sibylla) L. S. N. ed. XIII, 781 (2) no. 186; Esp. 14, 2; Hb. 103-5; O. I. 1. 139; God. I, 6 sec. 3, tert. 1; Leech Butt. China I p. 185; Rühl 332; Camilla Esp. 14, 3.
- a) ab. *Nigrina* Weym. Jhrsbr. Elberfeld VI (1884) p. 66, t. 2, f. 4, 5; Rühl 775; *Sibilla* v. Hb. Btr. II 3, 1. B: Barr. Brit. Lep. I t. 17, f. 1 a-b; Korb. Schm. Mitteleur. t. 7, f. 1, 2 (supra unicolor nigra).
- b) v. *Angustata* Stgr. Mém. Rom. III (1887) p. 144; VI p. 171; *Stenotaenia* Honr. Berl. e. Z. 1891 p. 440; Rühl 334 (alarum fasciis maculisque albis reductis).
139. **Doerriesi** Stgr. Mém. Rom. VI (1892) p. 173, t. 14, f. 1 a, b; Rühl 336.
140. **Amphyssa** Mén. Bull. Ac. Petr. XVII (1859) p. 215; Schrk. p. 30, t. 3, f. 1; Graes. Berl. e. Z. 1888 p. 84; Leech Butt. China I p. 182.
141. **Homeyeri** Tancré Ent. Nachr. VII (1881) p. 120; Stgr. Mém. Rom. III p. 144, t. 7, f. 2, a b; Leech Butt. China I p. 182; Rühl 337.
- *a) v. *Venata* Leech l. c. p. 183, t. 17, f. 6 (major, obscurior, maculis albis majoribus).
142. **Helmanni** Ld. z. b. V. 1853, p. 6, t. 1, f. 4; Leech Butt. China I p. 184; Rühl 335.
- a) v. *Pryeri* Moore Ann. & Mag. (4) XX p. 47 (1877); Leech l. c. t. 17, f. 8; v. *Duplicata* Stgr. Mém. Rom. VI (1892) p. 171 (maculis albis majoribus).
23. **Neptis** F. 1807.
143. **Pryeri** Butl. Tr. Ent. Soc. 1871 p. 403; Lep. Exot. t. 63, f. 4; Stgr. Mém. Rom. VI p. 177; Leech Butt. China I p. 206; Rühl 342; Arboretorum Obth. Et. II p. 24, t. 3, f. 3.
144. **Lucilla** F. Mant. 55; Hb. B. II, 1. 2. F; Hb. 101-2; O. I, 1. 138; Dup. I, 16, 1. 2; B. Ic. 18, 1; Frr. B. 13; Frr. 289; Rühl 339; Camilla Esp. 59, 1.
- a) v. *Ludmilla* HS. 546, VI p. 6; Stgr. Mém. Rom. VI p. 175; Horm. z. b. V. 1895 p. 231; Leech Butt. China I p. 207 (minor, maculis albis minoribus).
- b) v. *Magnata* Rühl 776 (1895) (major, al. ant. maeul. albis minoribus. striga bas. alba; al. post. mac. alb. valde separatis).
145. **Aceris** Lepechin I, 203, t. 17, f. 5, 6 (1768-70); Esp. 81, 3. 4; O. I. 1. 136; Dup. I, 16, 3. 4; B. Ic. 18, 2; Rühl 341, 776; Plantilla Hb. 99, 100; Aceris v. *Intermedia* Horm. z. b. V. 1897 p. 141.
- Bucov.; Rum.; Alt.; Kent; Mong.; Amur.; Uss. (pr. p.).*
Amur. c.
Uss.
Alt.; China c. et m. oc.
Amur.; Uss.; Cor.
Eur. c.; Dan.; Liv.; It.s. et c.; Buly; Jap. (var.).
Amur.; Uss.; Cor.; Japan (pro parte); Carn. (ab.).
Uss. m. or.
Amur.; Uss.; China c.
Amur.; Uss.
China m. oc.
Alt.; Amur (pro parte); China.
Amur.; Uss.; Cor.; China; Jap.
Uss.; Cor.; China; Jap.
Eur. or. c. et m. (exc. Bale. m.); ?Sil.; Ped.; Helv. m.; Bith.; Pont; Uss.; Cor.; China; Jap.
Eur. or. (ab); Arm.; Sib. m.; Alt.; Tarb.; Ala Tau; Ferg.; Kamt. Mongol.; Cor.; Jap.; China (pro p.).
Germ. or. m.; Austro-Hung.; Rum.; Turcs. or.; Ross. or. m.; Alt.; Amur.; Uss.; Cor.; China.

- *a) v. *Intermedia* Pryer Cist. Ent. II (1877) p. 231, t. 4, f. 1; Leech Butt. China I p. 203, t. 19, f. 8; (supra maculis albis minoribus).
146. **Speyeri** Stgr. Mém. Rom. III (1887) p. 145, t. 7, f. 3 a, b; VI. 176; Rühl 344.
147. **Philyra** Mén. Bull. Ac. Petr. XVII (1859) p. 214; Schrk. p. 25. t. 2, f. 8; Rühl 342.
148. **Philyroides** Stgr. Mém. Rom. III (1887) p. 146; VI p. 176; Fixs. ibid. p. 294. t. 14. f. 1. a. b: Graes. Berl. e. Z. 1888 p. 85; Leech Butt. China I p. 200; Rühl 343.
149. **Alwina** Brem. & Grey p. 7. t. 1, f. 4 (1853); Mén. En. t. 9. f. 1; Leech Butt. China I p. 201; Rühl 777.
150. **Thisbe** Mén. Bull. Ac. Petr. XVII p. 214 (1859); Schrk. p. 26. t. 2, f. 9; Graes. Berl. e. Z. 1888 p. 85; Stgr. Mém. Rom. VI 177; Leech Butt. China I p. 190; Rühl 344. ab. (v.) *Themis* Leech l. c. 191, t. 18, f. 8; ab. (v.) *Thetis* Leech l. c. f. 10 (major, vix nom. conserv.).
151. **Raddei** Brem. Lep. O. S. p. 18, t. 1, f. 9; Stgr. Mém. Rom. VI p. 177; Rühl 345.

24. Pyrameis Hb. 1816.

152. **Atalanta** L. S. N. ed. X 478; Esp. 14, 1; Hb. 75, 76; O. I. 1. 104; God. I, 6, 1; HS 547-8 (ab.).
- a) ab. *Klemensiewiczi* Schille Sprawozd. Kom. Fizyograf. Krakow. XXX (1896) 2, p. 217; Stndf. Zool. Stud. t. 4, f. 5; Rühl 782; Atalanta var. Esp. I t. 86, f. 4; Frr. 181, 1 (trans.); Barr. Brit. Lep. I t. 20. f. 2 a (trans.); (al. ant. macula alba anteapicali obsoleta fascia rufa abbreviata, al. post. fascia rufa marginali abbreviata sine punctis nigris).
153. **Indica** Hbst. VII p. 171, t. 180, f. 1, 2 (1794); Nicév. Butt. Ind. II p. 229, t. 18, f. 74; Leech Butt. China I p. 252; Calliroë Hb. Ex. t. 76; Atalanta Cr. P. Ex. I t. 84, f. E. F; Rühl 368.
- a) v. *Vulcania* God. Enc. Méth. IX p. 320; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 33; Occidentalis Feld. z. b. V. 1862 p. 473; Callirrhoë Mill. Ic. 88 I; Lang Butt. t. 42, f. 1 (fasciis rufis laetioribus).
154. **Cardui** L. S. N. ed. X 475; Esp. 10, 3; Hb. 75, 76; O. I. 1. 102; God. I. 5 sec. 2; ab. Inornata Bräms. Ann. S. Fr. 1886 p. 289 (mac. albis apical. major.).
- a) ab. *Elymi* Rbr. Ann. Sc. obs. II 1829, t. 5, f. 1, 2; Cardui var. HS 157-8; Barr. Brit. Lep. I t. 21, f. 1, b; Honr. Berl. e. Z. 1888 t. 7, f. 3 (al. ant. maculis nigris costalibus confluentibus).
- b) v. *Pallida* Schöyen Troms. Mus. Aarch. IV (1881) p. 77 (multo pallidior; vix nom. conserv.).
155. **Virgininiensis** Dru. Ill. Ex. Ent. I t. 5, f. 1 (1773); Rühl 365, 373 not; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 34; Huntera F. S. E. p. 499; Seud. Butt. N. Engl. I p. 457, t. 2, f. 2. 3, t. 12, f. 9; Holl. Butt. p. 170. t. 1, f. 2. t. 23, f. 6.

25. Vanessa F. 1807.

156. **Jo** L. S. N. ed. X, 472; Esp. 5, 2; Hb. 77, 78; O. I. 1, 107; God. I. 5. 2; ab. Jorides O. I. 1. 109; Bernard Ent. Nachr. 1883 p. 26 (minor).
- a) ab. *Exoculata* Weym. Jhrs. Elberfeld V (1878) p. 55;

Jap.

Uss.

Amur; Uss.

Amur; Uss; Cor.

China s. c. et m; Cor; Mong. m. or; Jap. Amur; Uss; Cor; China.

Amur; Uss.

Eur. (exc. reg. pol.); Afr. s; Can; Mad; As. min; Pal; Alt.

Amur; Uss; Cor; China; Jap; India.

Can; Mad; And. (advena).

Orbis Terrarum (exc. reg. pol. et Amer. m.).

Norv. s.

Can; Angl. (advena); America.

Eur. (exc. reg. pol. et And.); Bith; Pont; Sib. m; Amur; Uss; Cor; Jap.

- Jo var. Kayser Deutschl. Schm. 1860 t. 25, f. 2;
? *Dyophthalmica* Garbini Bull. Soc. Veneto-Trent. I
(1883) p. 19 (al. post. ocello obsoleto).
- b) ab. *Belisaria* Obth. Bull. S. Fr. 1889 p. 202; Jo var.
Newman Entom. VI p. 105. f.; South Entom. XXII
p. 218, t. 8, f. 7; Barr. Brit. Lep. I t. 19, f. 2a (trans.)
(al. ant. macul. nigris costal. confluentibus, ocello al. om-
nium extineto).
- c) v. *Sardoa* Stgr. Cat. ed. II, p. 16 (v. magna, saturatus
fulva).
- 157. Urticae** L. S. N. ed. X, 477; Esp. 13, 2; Hb. 87-9; O. I. 1.
120; God. I, 5 sec; Leech Butt. China I p. 257.
- a) ab. *Ichnusoides* Selys Cat. Lep. Belg. 1837 p. 18; Compt.
Rend. Soc. Ent. Belg. 1874 p. 37; Lambriechs ib. Ann.
XXI (1878) p. 9, t. 1, f. 4, 5 (al. ant. macul. 2, et 3. costal.
conjunctis, mac. med. nullis, subt. obscurior).
- b) ab. *Atrebatenis* B. Rev. u. Mag. Zool. 1873 p. 409, t. 17, f. 1;
Ichnusoides South Entom. XXII p. 218, t. 8, f. 2;
Urticae ab. Hb. 549-50; Kirby Handb. I, 1894 p. 91,
f. 3 (ut ab. a, sed al. post. totis infuscatis).
- c) v. (et ab.) *Urticoides* F. d. W. Ent. V p. 123 (1851) (forma
pygmaea).
- d) ab. *Nixa* Gr. Gr. Mém. Rom. IV p. 426; Rühl 354 (mac.
caeruleis antem. subnullis, al. post. margine exter. latioire).
- e) v. *Turcica* Stgr. Cat. ed. II p. 16; Hor. VII, 57; Lang Butt.
Eur. p. 174, t. 40. f. 4; Horm. z. b. V. 1895, 232 (saturatius
fulva).
- f) v. *Turcicoides* Stgr.; *Urticoides* Alph. Iris VII p. 303
(eadem cum praec. sed duplo minor).
- g) v. *Ichnusa* Bon. Deser. t. 3, f. 2; Dup. I, 23, 4; B. Ic. 24,
2; Hb. 840; Tr. X, 1. 21; Rbr. Ann. S. Fr. 1832, t. 7.
f. 3 (satur. fulva, al. ant. mac. duabus med. nullis).
- h) v. *Polaris* Stgr. Cat. ed. II p. 16; *Urticae* Stgr. Stett. e. Z.
1861, p. 345 (al. ant. mac. dors. cum mac. cost. saepius
conunctis, obscurior).
- *i) v. *Chinensis* Leech Butt. China p. 258, t. 25, f. 1; v. *Thibetana*
Aust. Natur. 1898 p. 201 (major, saturatus fulva,
al. margine toto nigro, caeruleo maculata).
- *k) v. *Connexa* Butl. Proc. Z. S. Lond. 1881, p. 851; Leech Butt.
China p. 258 (al. ant. fascia media nigra).
- l) v. *Ladakensis* Moore Ann. & Mag. (5) I 1878 p. 227;
Yark. Miss. p. 2. t. 1, f. 2; Nicév. Butt. Ind. II p. 234
(minor, al. fascia exter. flava; al. ant. sine mac. caerul.).
- *m) v. *Rizana* Moore Proc. Z. S. Lond. 1872 p. 559; Nicév. I. c.
p. 234 (sequ. var. similis sed major).
- *n) v. *Caschmirensis* Koll. Hügl. Kaschm. p. 442. t. 9, f. 3. 4;
Nicév. I. c. p. 233 (major, obscurior, al. ant. sine mac.
caerul.).
- 158. L album** Esp. I. 2 p. 69; L. album t. 62, f. 3 a, b (1780);
Bkh. I. 17. 204, II, 188; Rühl 350; V. album F. Mant. 50
(1787); Hb. 83. 84; V. album O. I. 1. 112; Dup. I, 23,
1. 2; B. Ic. 24, 1; Frr. 133; Vau-album Nicév. Butt.
Ind. II p. 236; Leech Butt. China I p. 261.
- 159. I album** B.-Lec. p. 185, t. 50, f. 1, 2 (1833); Seudd. Butt.
N. Engl. I p. 379, t. 3, f. 9; Holl. Butt. p. 168, t. 19, f. 9.
- 160. Xanthomelas** Esp. 63, 4; Hb. 85, 86; O. I. 1, 117; Dup.
I. 23, 3; B. Ic. 23, 3; Nicév. Butt. Ind. II p. 235; Leech
- Sard; Sic.*
- Territ. (exc. Am. pol. et Maur.).*
- Ross. m; Germ. etc.*
- As. c.*
- Balc. m; Bucov; As. min. et c.*
- Hyrc. sum. mont.*
- Sard; Cors.*
- Reg. pol; Kamt; Amur (trans.).*
- China m. c.*
- Jap.*
- Ladak; Sikkim alp.*
- Him. s. oc.*
- Himal. oc. et c.*
- Germ. m. (et c.);
Austro-Hung; Ross.
c; Alt; Tarb; Kent;
Amur; Uss; Jap;
Himal. oc.*
- Labr; Am. bor.*
- Germ; Helv. s; Austro-
Hung; Ross. s; Alt;*

- Butt. China I p. 260; Rühl 349; ab. *Testudo* Dahlström Insect. Börse 1898 p. 135.
- a) v. *Ferrida* Stdf. Handb. p. 265; *Xanthomelas* var. Stgr. Hor. XIV p. 263 (*laetius rufa*, al. ant. *maculis alb.* obsoletior.; transit. ad *Polychlor*?)
161. **Polychloros** L. S. N. ed. X. 477; Esp. 13, 1; Hb. 81, 82; O. I. 1, 114; God. I, 6, 2; B. Ic. 24, 4; Rühl 348, 777.
- a) ab. *Testudo* Esp. 73, 1, 2; *Pyrrhomelaena* Hb. 845-6 (maculis confluentibus).
- b) ab. *Pyromelas* Frr. 139, II p. 75 (minor, obscurior).
- c) v. *Erythromelas* Aust. Natural. VII (1885) p. 142; Rühl 777 (magis unicolor, *laetus brunnea*, subtus obscurior).
162. **Antiopa** L. S. N. ed. X. 476; Esp. 12, 2; 29, 2; Hb. 79, 80; O. I. 1, 110; God. I, 5, 2.
- a) ab. *Lintneri* Fitch III Rep. N. Y. St. Agr. Soc. 1856 p. 485; South Entom. XXII p. 219, 221, t. 8, f. 4; Daubii Stndf. Handb. ed. II p. 249 (1896); *Antiopa* Jones Entom. XXII (1889) p. 279 (obscurior, margin. luteo latiore, maculis caerulei. minoribus).
- b) ab. *Hygiaeia* Hdrch. Cat. p. 7; *Antiopa* Hb. 993; Frr. 145, 1; Mill. Ic. 94, f. 3 (marg. luteo latiss., mac. luteis costal. et mac. caerulei. antemarg. nullis).
163. **Canace** L. S. N. ed. XII p. 779; Nieév. Butt. Ind. II 231; Leech Butt. China p. 255; *Charonia* Dru. Ill. Ex. Ent. I, t. 15, f. 1, 2; Rühl 356.
- * a) v. *Glaucaria* Motsch. Et. Ent. VI p. 28; Leech l. c. p. 256 (al. ant. *maculis costalibus albis*).

26. **Polygonia** Hb. 1816 (Grapta Kirb. 1837).

164. **C. aureum** L. S. N. ed. XII p. 778; Hb. Exot. (t. 92); Leech Butt. China I p. 266; Rühl 784; *Angelica* Cr. P. Ex. IV t. 388, f. G, H.
- a) gen. aest. sive autumn. *Pryeri* Janson Cist. Ent. II p. 269; Leech l. c. p. 267, t. 25, f. 4 (minor, obscurior).
165. ***Interrogationis**¹⁾ F. E. S. Suppl. p. 424; Seud. Butt. N. Engl. I p. 319.
- a) v. *Umbrosa* Lintner Tr. Phil. II p. 313 (1869); Seud. l. c. t. 3, f. 10, 13; Holl. Butt. t. 19, f. 2 (al. post. fere totis obscuris).
166. **C. album** L. S. N. ed. X 477; Esp. t. 13, 3, t. 59, 3; Hb. 92, 93; O. I. 1, 125; God. I, 5, 3; tert. 1, HS. 159-60 ab; Leech Butt. China I p. 263; Tutt Brit. Butt. 344; Nieév. Butt. Ind. II p. 297; *Aquicula* Moore Pr. Z. S. Lond. 1872, p. 559.
- a) ab. *F. album* Esp. I, 2 p. 168; *F. album* Esp. l. c. t. 87, f. 1; *C. album* Hb. 637-8; South Entom. XXII p. 217, t. 8, f. 5, 6; *Reichenstettensis* Rühl 373 (macul. confluent.).
- b) gen. aest. *Hutchinsoni* Robson Young Nat. II (1881) p. 110; *Lutescens* Bath Entom. XXIX (1896) p. 257; *Pallida* Tutt Brit. Butt. p. 344 (major, multo pallidior, al. minus angulatis).
- c) v. *Interposita* Stgr. Stett. e. Z. 1881 p. 286; Gr. Gr. Mém. Rom. IV p. 423; Rühl 371; *Egea* v. *Undina* Gr. Gr.

Thian. or; Sib. or. s.; Amur; Uss; Cor; Jap; Chin; Himal. s. oc.
Taur; Pont; Sib. or.; ?Kurd; ?Tura.

Eur. (exc. reg. pol. et ?And.); Pont; Bith; Lyd; Mesop. s.; Arm; Syr; Alt; Himal. s. oc. (Simla).

Maur.

Eur. (exc. And.); Bith; Lyd; Pont; Arm; Sib; Amur; Thian or; China oc; Jap; Himal. oc; Amer. s. c. et m. s. (var.).

China; Asia m. or; Uss. (transit. ad Glaucon.). Jap; Cor.

Uss; Cor; China; Jap.

Amer. bor.

Labr. or; Amer. bor.

Territ. (exc. reg. pol. et Canar.); Himal. m. oc.

Eur. c; Angl. (ab.).

Tarb; Ala Tau; Saraw; Ferg.

¹⁾ *Progne* Cr. P. Ex. I, t. 5. f. E. F; Stgr. Cat. ed. II p. 16 sp. est Amer. bor. nec palaearectica, vide Alph. Mém. Rom. IX p. 320.

Mém. Rom. IV p. 424, t. 17, f. 1 (subt. al. post. signo albo angulato).

- * d) v. *Tibetana* Elw. Tr. Ent. S. 1888 p. 363, t. 10, f. 1; Leech l. c. 265 (rufescens, al. post. margine immaculato).
 - * e) v. *Hamigera* Butl. Ann. & Mag. (4) XIX 1877 p. 92; Fenton Butl. Cist. Ent. II 281; *Lunigera* Butl. Pr. Z. S. Lond. 1881, p. 850.
 - * f) v. *Faunus* Edw. Pr. Ac. N. Sci. Phil. 1862 p. 222; Scud. Butt. N. Engl. I p. 348, t. 3, f. 2, 6; Holl. Butt. t. 19, f. 12, 13.
 - * g) v. *Extensa* Leech Butt. China p. 265, t. 25, f. 5 (major, pallidior sequent var. an spec. distincta?).
167. **Egea** Cr. P. Ex. t. 78, f. C. D. (1778); Hbst. 160, 5, 6; *Triangulum* F. E. S. 125 (1793); O. I. I. 123; Vau album Esp. 52, 1; V. album Bkh. I. 17.
- a) ab. (gen. aest.) *J album* Esp. 95, 4; *L album* Hb. 90, 91; God. II, 10, 1, 2; *Autumnalis* Stefan. Bull. S. It. V p. 2; Rühl 370 (subt. multo obscurior. supra magis rufesc., mae. fulvis antemarg. distinctior.).

27. Junonia Hb. 1816.

168. ***Hierta** F. E. S. Suppl. p. 424 (1798); Nicév. Butt. Ind. II p. 71; *Oenone* Cr. (nec L.) P. Ex. I t. 35, f. A. B.
- a) v. *Cebrene* Trim. Tr. Ent. S. 1870 p. 353; South. Afr. Butt. I p. 210; *Oenone* Hb. Ex. I (t. 73), f. 1, 2; Stgr. Cat. ed. II p. 17 (laetius picta, al. ant. area basali nigra).

28. Araschnia Hb. 1816.

169. **Levana** L. S. N. ed. X. 480; Esp. t. 15, 2, t. 59, 5 ab; Hb. 97, 98, 728-9; O. I. I. 132; God. I, 5 sec. 4., tert. 3.; Leech Butt. China I p. 268, t. 26, f. 15.
- a) ab. *Porina* O. I. I. 134; Leech l. c. t. 26, f. 12 (forma intermedia).
 - b) gen. aest. *Prorsa* L. S. N. ed. X. 480; Esp. t. 15, 3, t. 59, 4; Hb. 94-6; O. I. I. 129; God. I, 5 sec. 2., tert. 2; Frr. B. 55; *Obscura* Fenton Pr. Z. S. Lond. 1881 p. 850; Leech l. c. (nigricans).

170. **Burejana** Brem. Bull. Ac. Petr. III p. 466 (1861); Lep. O. S. p. 15, t. 1, f. 8; Leech Butt. China I p. 270, t. 26, f. 10, 13, 14; Stgr. Mém. Rom. IV 181; *Strigosa* Butl. Journ. Linn. Soc. Zool. IX (1866) p. 54; Leech l. c. f. 11; Heyne-Rühl 781.

29. Melitaea F. 1807.

171. **Iduna** Dalm. För. 75, 2 (1816); Dup. I. 48, 3, 4; Frr. 611, 1/2; Lang t. 42, f. 4; Rühl 377; *Maturna* Hb. 598-601, 807-8.
172. **Maturna** L. S. N. ed. X. 480; Hbst. 275, 1-4; O. I. I. 18; Dup. I. 22, 1-3; B. Ic. 23, 3, 4; Frr. 307; HS. 132; *Cynthia* Esp. 37, 2; Bkh. I. 59; Hb. 1, 2; *Mysia* Hb. 945-6.
- a) v. et ab. *Wolfensbergeri* Frey Lep. p. 27 (1880); Mitt. VII p. 11; Riggelnbach ib. p. 45 (obscurior).
 - b) v. *Uralensis* Stgr. Cat. ed. II p. 17; Stett. e. Z. 1881 p. 287 (albo-nigro-rufoque variegata; *Idunae* similis).

Himal.c.(Sikkim.alp.)

Jap.

Amer. bor.

China m. c.

*Eur. m. (exc. Ib.
Hung. et Ross. m.);
As. oc; Pers.*

Ind; China.

Syr; Arab; Afr.

*Eur. c. (exc. Angl.),
Liv; Ped; Dalm;
Arm; Sib. m; Amur;
Uss; Cor; Jap.*

*Amur; Cor; China;
Jap.*

*Eur.s; Alt; Tarb; Saj.
or; Sib. or. s.*

*Eur. c. (exc. Angl. et
Dan.); Liv; Fen;
Suec.m; Ross. (exc.
reg. pol.); Croat; Dalm.
Helv; Germ. (ab.);
Alt. etc.*

*Ural; Alt; Ala Tau;
Mong; Amur oc.*

173. **Ichnea** B. Ic. I p. 112, t. 23, f. 5, 6; Ersch. Hor. XXII p. 199, t. 11, f. 1; Rühl 377, 785; Elw. Tr. E. S. 1899 p. 332; Matura v. *Intermedia* Mén. Schrk. p. 22, t. 2, f. 2; Brem. L. O. S. p. 12; Graes. Berl. e. Z. 1888 p. 87; Stgr. Mém. Rom. VI p. 181; Rühl 349, 786 (praec. var.? ♂ feminae colore, mac. antemarg. nigris. An sequ. var? supra subtusque magis unicolor, subtus al. post. fascia antemarg. nigro-punctata).

a) v. *Mongolica* (Matura v.) Stgr. Iris V p. 321 (minor, ♂ magis nigricans, ♀ al. post. supra maculis antemarg. subalbidis; transit ad *Cynthia*).

174. **Cynthia** Hb. 569-570 ♀, 608-9 ♂. Text p. 5; O. I. 1, 21; Dup. I, 21, 3-5; B. Ic. 22, 3-5; Frr. 247; Lang t. 42, f. 3; Rühl 375; Cynthia var. Esp. 37, 3 ♂; Trivia Esp. I, p. 139, t. 60, f. 1 ♀; Mysia Hb. 3; H.-G. 939-44.

175. **Aurinia** Rott. Naturf. VI p. 5 (1775); Tutt. Brit. Butt. 315; Rühl 381; Snell. Tijds. XXXVI p. 191; ib. XLII t. 2, f. 2 (ab.); Artemis Hb. 4-6, 653; O. I., 1, 24; God. I, 4 sec. 3, tert. 3; Frr. B. 7; HS. 364-65 (ab.); Barr. I, t. 27, f. 2; Matura Esp. t. 16, 2, t. 41, 3; Schn. Syst. B. 195; v. *Provincialis* HS. 370 (ab.); ab. *Dubia* Krul. Bull. Mose. IV 1890 p. 234, t. 8, f. f. (ab.); *Obscura* Krul. ib. 235, f. c (ab.).

a) v. *Hibernica* Birchall Monthl. Mag. X p. 154, t. 1 (alis in medio plus minus late albo-fasciatis sive maculatis).

b) v. *Merope* Prun. Lep. Ped. p. 73; O. IV, 104; Dup. I, 21, 1; B. Ic. 22, 6, 7; Frr. 13, 1, 2; Tr. X. 1, 4; HS. 134-5 (v. *alpina*, minor, minus rufescens, subt. pallidior).

c) v. *Pellucida* Chr. Iris VI (1893) p. 86 (praec. v. *Caucasica*, alis magis variegat., subdiaphanis).

d) v. *Laeta* Chr. I. e.; Herz Iris XI, p. 239 (praec. v. *similis*, sed alis nec subdiaph.. nec subt. pallidioribus).

e) v. *Asiatica* Stgr. Stett. e. Z. 1881 p. 287 (v. *Meropae similis*, sed magis unicolor. rufescens et nigra).

f) v. *Alexandrina* Stgr. Stett. e. Z. 1887 p. 52 (dilutior, rufescens, minus nigro fasciata, al. post. fascia lata rufa).

g) v. *Sibirica* Stgr. Cat. ed. I, p. 7; Mém. Rom. VI p. 182; Iris V p. 322; Desfontainesii Ev. Lep. Ross. p. 92; Davidi Obth. Et. VI p. 52 not.; Rühl 382 (alis ant. elongat., pallidissime flavescenti-rufis).

h) v. *Mandschurica* Stgr. Iris V (1892) p. 322 (laetius rufo-brunnea, distinctius nigro-signata).

i) v. *Provincialis* B. Gen. p. 20; Matura var. Esp. 97, 4, Suppl. I p. 23 (v. [major] pallidior magis unicolor. maeul. marginal. albis).

k) *Iberica* Obth. Et. VI p. 54; Desfontainii Rbr. Cat. S. And. t. 1, f. 1, 2; Desfontainesii HS. 1, 2; Beckeri Ld. z. b. V. 1852, p. 39 (saturat. fulva).

l) *Sareptana* Stgr. Cat. ed. I p. 8: *Sareptensis* Stgr. Hor. XIV p. 265 (al. ant. elongatis al. post. subt. dilutioribus, v. Oriental. proxima).

m) v. *Orientalis* HS. 265-6, VI p. 1; Artemis var. Frr. 571, 1 (major, supra magis variegata, subt. pallidior).

176. **Desfontainii** God. Enc. Méth. p. 278; Obth. Et. I p. 24; VI p. 51, t. 9, f. 12; Desfontainesii HS. 569-70; Desfontainesii B. Ic. 23, 1, 2.

a) v. *Baetica* Rbr. Cat. S. And. p. 11, t. 1, f. 3, 4; Lang Butt. t. 43, f. 6 (subtus pallidior).

Sib. or; Amur; Uss.

Kent.

Sum. Alp; ?Transsylv; Bulg. (Rhilo).

Eur. c. et s. (exc. reg. pol.); Arm; Alt; Tarb. (var.).

Hib.

Sum. Alp; Alt; Saj. or. (etc. trans.).

Cauc.s. or. (Kurusch).

Sib. or. s. (Vilui).

Ala Tau.

Iss. K. oc.

Daur; (Kent. etc.) Mong. (Urga); Chin.s.

Amur; China s; Cor.

Gal.m; Ped.m; Dalm; Ture. m; Bith; Pont.

Ib; Maur.

Srp; Sib. m. oc; Rum. (trans).

Pont; Kurd. s. (Arana - Maden, Malatia).

Maur; Arag; Cast.

And. (Granada et Antequera ?mont.).

Nymphalidae

29

177. **Cinxia** L. S. N. ed. X, 480; O. I, 1, 27; God, I, 4 quart. 1; Frr. B. 103; HS. 269, 563-4 (ab.); Rühl 383, 786; Tutt. Brit. Butt. p. 310; Cinxia major Esp. 25, 2; Delia Bkh. I. 50, II, 193, f. 9, 10 ab.; Hbst. 276, 5-8; Wallgr. Dagf. p. 73; Pilosellae Esp. t. 47. 3, t. 100, 4 ab; ab. Fulla Quens. Act. Holm. 1791 p. 279, t. 12 [al. ant. extus non nigro signatis etc.].
- a) v. *Amardea* Gr. Gr. Hor. XXIX (1895) p. 291 (minor, pallidior, vix nominanda).
- b) (?) v. *Heyni* Rühl 384 (alis flavo-brunneis, minus nigro signatis: forma Asiae centr.).
- c) v. *Clarissa* Stgr.: multo dilutior, alis in ♂ et ♀ brunneo-flavis, minus nigro-signatis.
178. **Arduinna** Esp. 87, 4 (1783), II, p. 169; Hbst. 276, 9, 10; Frr. 277, 1; HS. 319-21; Lang Butt. t. 44, f. 2; Rühl 385, 787; Uralensis Ev. Lep. Ross. p. 77, t. 10, f. 1. 2 (var.).
- a) v. *Rhodopensis* Frr. 193, 1, III p. 3 ♂; H.G. 1023-4 ♂; HS. 5, 6 ♀ ab. nigr. (v. major, saturat. fulva).
- b) v. *Evanescens* Stgr. Stett. e. Z. 1886 p. 230; Gr. Gr. Mé. Rom. IV p. 427 (dilutius fulva, minus nigro signata).
- c) ab. *Fulminans* Stgr. l. c. (alis supra et al. ant. subtus fere non nigro signatis).
179. **Aetherie** Hb. 575-8; Obth. Et. I p. 24; Rühl 389, 787; Aetheria Luc. Expl. Alg. 353, t. 2, f. 2 (Mel. Phoebea forma Darwiniana?).
- a) v. *Algirica* (Stgr.) Rühl 389 (♂ saepe obsoletius fulvus, ♀ alis ant. obscurior vel pallidior. al. post. plus minusve obseur., subt. albido-fasciatis).
180. **Phoebe** Knoch Btr. III. 124, t. 6, f. 3, 4 (1783); Hb. 13, 14; O. I, 1, 39; God. I, 4, 2; Frr. 325; HS. 263-4, 559 ab.; Rühl 387; Corythallia Esp. t. 61, 4. 5., t. 72, 2; Bkh. I, 55; Athaliae var. Esp. t. 61, 6., t. 77, 3; Tatara Krul. Bull. Mosc. IV 1890 p. 236, t. 8, f. g (ab.); ab. Melanina Bonaparte Cenni etc. 1831 [al. post. subtus rufescent., infuscatis].
- a) v. *Occitanica* Stgr. Cat. ed. II p. 18 (forma magis variegata).
- b) v. *Punica* Obth. Et. I p. 25, t. 1, f. 3 (minor, supra magis uniformis, al. post. subt. subalbido-fasciat.).
- c) v. *Saturata* Stgr. Iris V (1892) p. 323 (saturatus fulva, nigricantior: vix nominanda).
- d) v. *Caucasica* Stgr. Hor. VII (1870) p. 59, t. 1, f. 2 (major, nigricans).
- e) v. (et ab.) *Ornata* Chr. Iris VI p. 87 (1893); Rühl 787 (v. Occitanicae similis, sed magis variegata, subt. al. post. subalbido-fasciatis).
- f) v. *Tungusa* Herz Iris XI (1898) p. 240 (v. Saturatae similis, sed paullo minor, obseurior, al. ant. post medium sub-albido-maculatis).
- g) v. *Aetherea* Ev. Lep. Ross. p. 73, t. 9, f. 5, 6; Aetheria Dup. I p. 278, ? t. 44, f. 4, 5; Frr. 636; Melanina HS. 368-9 (forma dilutior, major).
- h) v. *Scotosia* Butl. Cist. Ent. II p. 282 (1878); Stgr. Mé. Rom. VI p. 182; Leech Butt. China I p. 214, t. 24, f. 10-12; Rühl 390, 787; Melanina Mén. Schrk. t. 2, f. 3 (forma maxima, al. ant. supra fascia lata externa
- Eur. (exc. reg. pol. et Ib. m.); As. min; Arm; Sib; As. c.*
- Hyrc.*
- Ferg. (? Alai); Iss. K. oc.*
- Ant; Mesop. s. (Mar-din); Tura oc.*
- Ural m. oc; Arm; ? Alt; Tarb; Ala Tau; Ferg. m. (Alai).*
- Croat; ? Ture.*
- Mesop. s. (Diarbekir); Hyre; Saraw; Ferg. (? Margel); Buch. or. Saraw; Hyre.*
- And. (lit.).*
- Maur. or. et oc. (Lambessa forma typ.).*
- Eur. m. et c. (exc. Germ. s. et Angl.); As. oc; Iss. K. oc; Amur. s.*
- Iberia.*
- Maur. or. m.*
- Sib. m. (Alt; Tarb. Kentei); Ala Tau; Mong. s. Arm; Graec. et Ross. m. (pro parte).*
- Ural. m; Arm; As. c; Mong. etc. (ab.).*
- Sib. or. s.*
- Ross. m; Sib; Hyre. (c. minor).*
- Uss; Cor; China s; Jap.*

- fulva, al. post. subt. fascia antemarg. rufa nigro punctata; sp. diversa esse videtur).
181. **Sibina** Alph. Hor. XVI (1881) p. 400, t. 14, f. 13; Gr. Gr. Mém. Rom. IV p. 428; Rühl 390, 787.
- a) v. *Dshungarica* Gr. Gr. Hor. XXIX (1895) p. 291 (al. omnib. maculis antemargin. flavescent.; vix nom. conserv.).
182. **Casta** Koll. Ins. Pers. p. 52 (1848).
183. **Saxatilis** Chr. Hor. X (1873) p. 28; Mém. Rom. II p. 201, t. 12, f. 3; Hyrcana Stgr. Berl. e. Z. 1882 p. 169 (praecl. var. Darw.).
- a) v. *Athene* Stgr. Stett. e. Z. 1881 p. 266; Rühl 398 (major, subt. distinctius nigro-maculata, al. post. pallide flavis).
- b) v. *Fergana* Stgr. Berl. e. Z. 1882 p. 168; Stett. e. Z. 1886 p. 232; Gr. Gr. Mém. Rom. IV p. 432. t. 12, f. 3 a, b; Rühl 399, 790 (saturatus fulva, subt. al. post. pallidioribus).
- c) v. *Lunulata* Stgr. subt. saturatus fulva, lunulis [maculis] marg. et antemarg. nigr. distinctiss., al. post. parte interiore multo obscuriora, nigricante.
- d) v. *Maracandica* Stgr. l. c. 168 et 233: Gr. Gr. l. c. f. 2 a, b (supra pallidior, minus signata).
- e) v. *Infernalis* Gr. Gr. Hor. XXV (1891) p. 455 (δ ut in v. Marac. sed limbo nigro non dentato, subt. immaclatis, al. post. sordide griseis).
184. **Acreaina** Stgr. Stett. e. Z. 1886 p. 233; Gr. Gr. Mém. Rom. IV p. 433, t. 8, f. 2 a, b; Rühl 398.
185. **Didyma** O. I. 1. 30; God. I, 4 sec. 2, tert. 5; Frr. B. 85, 104, 1, 2; HS. 560-2 (ab.); Mill. Ic. t. 14, f. 1. 3 (ab); Rühl 392, 788; Didymae var. Esp. 661; Cinxia Esp. t. 16, 3. t. 46, 2 a, b; Hb. 9-10; v. Altaica Gr. Gr. Hor. XXVII p. 127; v. Crasnensis Hormuz. Ent. Nachr. 1894 p. 4; z. b. V. 1897 p. 29.
- a) v. *Alpina* Stgr. Cat. ed. I p. 8, ed. II p. 18; Faseelis var. HS. 267-8 (δ non distinctus, φ al. ant. viresc., post. rufis; vix nom.).
- b) v. *Meridionalis* Stgr. Hor. VII (1870) p. 60; Didyma Tr. X, 1, 5; Brullé Exp. Mor. t. 45, 2; subv. Graeca Stgr. l. c. t. 1, f. 3 [δ late nigro limbato] (δ saturatus fulvus, φ alis grisesc. vel viridesc.; var. transiens).
- c) v. *Occidentalis* Stgr. Cat. ed. I p. 8: Horae VII p. 60; Cinxia Hb. 869-70 δ ; Trivia var. HS. 326-7 φ (δ et φ dilutior fulv.; var. trans.).
- d) v. *Persea* Koll. Ins. Pers. p. 11: Chr. Hor. X p. 28; Dalmatina (Araratica) Stgr. Hor. VII p. 60; Trivia var. HS. 181 φ . 324-5 δ ; Robertsi Butl. Pr. Z. Soc. 1880 p. 406, t. 39, f. 2; Romana Calb. Iris I p. 132 [trans.] (minor; δ et φ pallide fulvi, minus nigro-punctati; var. trans.).
- e) v. *Deserticola* Obth. Et. I p. 25, t. 3, f. 1 (supra var. praecl. similis, sed. subt. mac. nigr. pluribus et majoribus).
- f) v. *Caucasica* Stgr. Cat. ed. I p. 8; Trivia var. HS. 588-90; v. Kaschtschenkoi Chr. Ent. Nachr. XV (1889) p. 69; (v. Occidentalis similis sed major, φ mac. cost. apical. subalbidis).
- g) v. *Neera* F. d. W. Bull. M. 1840, p. 81; Didyma var. HS. 133 φ ; subv. Turanica Stgr. Stett. e. Z. 1886 p. 231; Gr. Gr. Mém. Rom. IV p. 429 [magis nigro macul.]; subv. Didymina Stgr. Iris VIII p. 347 [minor, φ pal-
- Thian*; *Ferg*; ? *Pamir*.
Dshungaria (?).
- Pers.*
Hyrc.
- Tarb.* (*Saisan*); *Ferg.*
m. (ab.).
Ferg. m; *Ferg. s.*
(var.).
- Iss. K. oc*; *Taschkend*
s. or. alp.
- Saraw*; ? *Pamir m.*
or.
Thian. c.
- Ferg. desert.*
- Germ*; *Helv*; *Gal*;
Hung; *Eur. m.* et
As. (*inter variet.*)
- Alp*; *Pyr*; *Arm. oc.*
- Sie*; *Balc. m*; *As. min.*
etc.
- Eur. m. oc*; *Maur. s.*
Balc. m; *As. oc. et c.*
- Dalm*; *Balc. m*; *Arm.*
m; *Hyrc*; *Pers*; *An-*
tioch. etc. *Afghan*;
Ind. s. oc.
- Maur. m. desert.*
(*Biskra*).
Arm. c. et or. (*He-*
lenend. Hankynda).
- Ross. m. or.* (*desert*);
Arm; *As. c*; *Mongol.*
etc. (*pro parte*).

lidior] (σ satur. fulv., minus nigro-maculatus, Ω pallide fulva aut viridis).

- h) v. *Didymoides* Ev. Bull. M. 1847, III, 67. t. 1, f. 3, 4; HS. 597-8; Stgr. Iris V, 323; Mém. Rom. VI p. 183 (σ pallide fulv., minus nigro maculat., limbo lato nigro; Ω fulvescenti-grisescens, al. post. lutesc. limbo lat. nigr.).
- i) ab. Ω *Latonigena* Ev. I. c. p. 66, f. 1, 2; HS. 599-600: Brem. Lep. O. S. p. 14; Stgr. Iris V 324 (Ω nigricans, subalbido-maculata).
- k) v. (et ab.) *Sutschuanica* Stgr. Mém. Rom. VI p. 183: *Sibirica* Rühl 394 (a v. *Didymoide* differt; σ [et Ω subt.] saturat. fulv., magis nigro maculatus, Ω obscurior; var. trans.).
- l) v. *Ala* Stgr. Stett. e. Z. 1881 p. 288; Gr. Gr. Mém. Rom. IV p. 430; Rühl 397, 790; *Latonia* Gr. Gr. Hor. XXV p. 455 (1891) (σ ante limbum nigrum latum area immaculata; Ω obscura, al. ant. virescenti-maculatis. al. post. plus minusve fulvis [v. *Alpinae* Ω similis]).
186. **Trivia** Schiff. S. V. p. 179; O. I. 1. 36; Dup. I, 22. 4. 5; B. Ic. 22. 1. 2; Calb. Iris IV p. 40; Rühl 382, 788; *Iphigenia* Esp. 77, 1. 2;
- a) v. (et ab.) *Fascelis* Esp. II p. 171, t. 88, f. 3. 4: O. IV, 107; Hb. 871-2 (major, Ω nigricans; gen. I Ross. m.).
- b) v. et ab. *Nana* Stgr. Cat. ed. II p. 18; Stgr. Hor. XIV p. 266. *Phoebe* Esp. 88, 5. 6 (1783); *Fascelis* Hb. 873-4 (duplo minor; ?gen. aest.).
- c) v. *Catapelia* Stgr. Stett. e. Z. 1886 p. 231; Gr. Gr. Mém. Rom. IV p. 429; Rühl 392 (multo pallidior).
187. **Collina** Ld. Wien. Mts. 1861, p. 148, t. 1, f. 4, 5.
188. **Romanovi** Gr. Gr. Hor. XXV (1891) p. 455; Rühl 397; Stgr. Iris V p. 325.
189. **Sultanensis** Stgr.; *Parthenie* var. *Sultanensis* Stgr. Stett. e. Z. 1881 p. 234 (nunc bona sp. Stgr. esse videtur).
190. **Dejone** H. G. 947-50; Dup. I p. 276, t. 44, f. 1, 2; HS. 366-7; Rbr. Cat. And. p. 7; Lang Butt. t. 45, f. 2; Rühl 403 (sequ. sp. forma Darwin?).
191. **Athalia** Rott. Naturf. VI p. 5 (1775); Esp. 47, 1 a, b. I, p. 377; O. I. 1. 44; God. I, 4 tert. 6; quart. 2; Frr. B. 49; Frr. 422, 2 ab; Horm. z. b. V. 1895 p. 233; Rühl 404; Tutt. Brit. Butt. 304; *Maturna* Hb. 17, 18; var. Esp. 30, 2 ab; *Aphaea* Hb. 738-9 ab; *Asteriades* Selys Ann. S. Belg. I, 19 (ab.); *Mehadiensis* Gerh. Berl. e. Z. 1882 p. 126; *Fennica* Reuter Act. Soc. Fenn. IX (1893) p. 14; *Tessellata* (St.) Tutt I. c. 306 (ab.).
- a) ab. *Corythalia* Hb. Btr. II, 2, t. 3, f. S a, b; *Pyronia* Hb. 585-8; *Samonica* Riesen Stett. e. Z. 1891 p. 357; Eos Haw. Lep. Brit. I p. 35; Stevens Entom. X p. 145 f. (al. ant. latius fulvis).
- b) ab. *Navarina* Selys Longch. Cat. p. 19; Snell. Tijds. XXXVI p. 192; ib. XLII. t. 2, f. 3, 4 (trans.); *Athalia* Hb. Btr. II, 2, t. 4, f. W 1, 2 (supra tota nigra, fascia antemarginali maculis fulvis composita).
- c) ab. *Hertha* Quens. Act. Holm. 1791 p. 280, t. 10, f. 9-10; Lampa Tidskr. 1885 p. 18; Auriv. Nord. Fjär. p. 29 (al. ant. subt. strigis fuscis longitud.).
- d) v. *Helvetica* Rühl Soc. Ent. III p. 136; Pal. Gr. Schm. p. 405 (? satis distincta).

Daur; *Amur* (pro parte).

Daur; *Amur*.

Uss. m; *Daur*. (ab.); ?*China* s.

Ala Tau; *Thian*; *Ferg.* et *Buch. or.* (pro parte).

Eur.m.or; *Cast*; *Arag.*; *As.oc*; *Sib.m*; (*All*); *Syr.* (var.).

Srp; *Balc*; *Hung.* et *Sib.* (ab.).

Balc.m; *Pont*; *Hyrc.* etc.

Sarac; *Buch. or*; *Ferg. m.* (var.).

Ant; *Taur.m*; *Mesop.* *Kent*; *Chang*; *Amdo*.

Sarac.

Gak.m; *Hisp.c. et m*; *Maur. oc*.

Eur; *Bith*; *Pont. et Arm. m*; *Sib. or*; *Amur s*.

Hele. (*Rhaetia*).

- e) v. *Berisali* Rühl Soc. Ent. V p. 149; Pal. Gr. Schm. 406; Seeb. Bull. S. Fr. 1896 p. 67; *Berisalensis* Favre et Wullschl. Mittb. X (1897) p. 34 (al. elongatis, al. post. margine nigro latioire, etc.).
- f) v. *Caucasica* Stgr. Cat. ed. II p. 19 (al. post. fere tot. nigris; an *Aureliae* var. *magna*?).
- g) v. *Orientalis* Mén. Schrk. p. 23, t. 2, f. 5; Leech Butt. China I p. 213 (Parthenie var.); Rühl 412; Alph. Mém. Rom. IX p. 321, t. 14, f. 2 a, b; *Ambigua* Mén. l. c. p. 24, f. 4 (supra fulvo variegata; subt. al. post. fasciis lation. subbaldis).
- * h) v. *Latefascia* Fixs. Mém. Rom. III, p. 303; Herz Iris XI p. 242; *Athalia* var. (*melanotica*) Fixs. l. c. p. 302; (supra obscurior. subt. fascia med. lata albido-ochracea; an *Aureliae* var. *magna*?).
- i) v. *Iberica* Stgr.; plerumque major, dilutior, minus nigropicta.
- k) v. *Niphona* Butl. Cist. Ent. II. 281 (1878); Stgr. Mém. Rom. VI 186; Leech Butt. China I p. 215, t. 24, f. 7; Rühl 406; *Mandschurica* Fixs. l. c. p. 302 (supra minus nigro pieta, subt. al. post. fasciis saturatius ochraceis, lationibus).
- 192. *Aurelia*** Nick. Syn. p. 12; Frr. 641, 2, 3; Spr. Stett. e. Z. 1867, p. 65; Rühl 408; Parthenie Hbst. t. 283, f. 1-4, X p. 238; *Athalia minor* Esp. 89. 2 (1); *Athalia* Hb. 19, 20.
- a) v. ? (ab.) *Dictynoides* Horm. Iris XI p. 2; *Aurelia* var. Horm. z. b. V. 1895 p. 245 (paullo major obscuriorque, vix nomin.).
- b) v. *Britomartis* Assmann Bresl. e. Z. 1847. 1 p. 2; 1850, 3 no. 14; 1855 p. 5; Pritt. Stett. e. Z. 1861 p. 194; 1862 p. 282; Horm. z. b. V. 1895 p. 233; Elw. Tr. E. S. 1899 p. 334; Rühl 409; *Veronicae* Dorfm. z. b. V. 1853 p. 136; Horm. ib. 1895 p. 341; ? *Aphaea* Frr. 696, 1, VII p. 169 (forma incerta. larva diversa?).
- c) v. *Rhaetica* Frey Lep. p. 30 (1880); Rühl 409; *Aurelia* Meyer-Dür Tgf. (minor, dilutior).
- d) v. *Norregica* Auri. Nord. Fjär. p. 30; *Varia* Lampa Ent. Tidsk. VI p. 18; *Scandinavica* Stgr. Iris V p. 327 (praec. v. paullo major, mac. fulv. pro parte majorib.; patria distinguenda).
- e) v. *Mongolica* Stgr. Iris V p. 327 (Dec. 1892); Horm. z. b. V. 1895 p. 242; *Athalia* var. Herz. Iris XI p. 41 (praec. var. similis sed fasciis [macul.] saturatius brunneis; patria distinguenda).
- f) v. *Amurensis* Stgr. Mém. Rom. VI p. 186 (Juli 1892); (praec. var. simillima, al. post. subt. latius brunneo-fasciata; patria disting., vix nominanda).
- 193. *Parthenie*** Bkh. II, 194; God. II, 9, 7, 8; Frr. 295, 1; Meyer-Dür Tgf. p. 133, t. 1, f. 3, 4; HS. 136-7: Spr. Stett. e. Z. 1867, p. 65, 426; *Parthenoides* Kef. Stett. e. Z. 1851, p. 244; Jordisi Rühl Soc. Ent. VII (1893) p. 164; Pal. Gr. Schm. p. 413; *Beata* Carad. Iris VI 181 [major, dilutior].
- a) v. *Varia* Meyer-Dür Tgf. p. 133, t. 1, f. 5, 6; Schilde Ent. Nachr. 1885 p. 60; *Athalia* var. HS. 270-4 (minor, subtus albo-fasciata, ♀ viridis).
- b) v. *Alatauica* Stgr. Stett. e. Z. 1881 p. 291 (praec. var. major, subt. similis, supra ♀ brunnea, al. ant. maculis dilutioribus, subalbido, mixtis).

*Val.**Kant.**Cor. c.**Hisp. c; Lus. s.**Amur; Uss; Cor; Jap.**Germ.s. etor; Austro-Hung; Helv; Scand.; ? Lap. Ross.**Bucor; etc.**Germ.or. et m; Austr.; Hung.s.: ? Val; ? Ross. m; ? Alt; ? Sib. or. m.**Helv. (Rhaet., Val. etc.); Arm. mont. Norv. c; Lap; Liv; Eston.**Kent; Urga; Irkut; Turb; Alt; Sib. s. or. (trans.).**Amur; Uss; Sib. s. or; ? Cor.**Germ. oc. m; Morav; Helv. s. oc; Gal; Ped. mont; Hisp. c; And. mont.**Sum. Alp. Helv. et Ter.**Ala Tui.*

194. **Protomedia** Mén. Schrk. p. 23, t. 2, f. 6, 7; Fixs. Mém. Rom. III p. 298, t. 14, f. 2; Stgr. ib. VI p. 185; Leech Butt. China I p. 216, t. 24, f. 8; Rühl 402, 791.
a) ab. *Argentea* Fixs. l. c. 301, t. 14, f. 3 (subt. al. post. maculis albidis, subargenteis).
195. **Dictynna** Esp. 48, 2 a, b (1779), I, p. 382; O. I., 1, 42; God. I, 4, 3., quint. 4; Frr. 319; Stgr. Mém. Rom. VI 184; Rühl 400, 790; *Corythalia* Hb. 15, 16; ? *Dictynna* ab. HS. 601-2 an *Athaliae* ab?
a) v. *Erycinides* Stgr. Iris V p. 326 (1892) (obscerior, ♀ pro parte macul. subalbidis, al. post. subtus saturatus brunneofasciatis; vix nominanda, transit.).
b) v. *Erycina* Ld. z. b. V. 1853 p. 7 (non HS. 601); *Sibirica* Stgr. Cat. ed. I p. 8 (minor, supra obscura, maculis albo-flavis).
c) ab. ? *Melicerta* Pfützner Berl. e. Z. XVII (1873) p. 159 (*Dictynnae* et *Athaliae* hybrid?).
196. **Plotina** Brem. Lep. O. S. p. 14, t. 3, f. 2; Graes. Berl. e. Z. 1888 p. 88; Stgr. Mém. Rom. VI p. 187; Rühl 414.
197. **Pamira** Stgr. Stett. e. Z. 1887 p. 53; Gr. Gr. Mém. Rom. IV p. 434, t. 12, f. 1 a, b; Rühl 406; Expressa Gr. Gr. Mém. Rom. III p. 401; *Athalia* ab. Ersch. Fedtsch. t. 1, f. 11 (sequ. [Minervae] forma Darw.?).
198. **Minerva** Stgr. Stett. e. Z. 1881 p. 289; Gr. Gr. Mém. Rom. IV t. 10, f. 7; Rühl 407, 792; *Parthenie* ab. Ersch. Fedtsch. t. 1, f. 12; *Palamedes* Gr. Gr. l. c. p. 436 (pro parte?).
a) v. *Pallas* Stgr. Stett. e. Z. 1886 p. 235; Gr. Gr. l. c. 436 (minor, dilutior).
199. **Arcesia** Brem. Lep. O. S. p. 15, t. 1, f. 7 (1864); Stgr. Mém. Rom. VI 185; Iris V 326; Rühl 402; ? *Baicalensis* Brem. l. c. p. 13; *Baikalensis* Brem. l. c. t. 1, f. 6 (ab.); Rühl 403 (nomen anterius).
a) v. *Minor* Elw. Tr. E. S. Lond. 1899 p. 334 (minor, dilutior, transit ad sequ. var.).
b) v. *Chuana* Gr. Gr. Hor. XXVII (1893) p. 128; ? *Sindura* Alph. Mém. Rom. V p. 79, t. 4, f. 6 (1889) (nec *Sindura* Moore) (dilutior, minus nigro-signata, fasciis postmed. in macul. dissolutis; ? transitus ad *Asteroideam* var. *Maculatam* Stgr.?)
200. **Asteroidea** Stgr. Stett. e. Z. 1881 p. 292; Rühl 415 (praeced., *Arcesiae*, forma Darw.?).
a) v. *Clara* Stgr. Stett. e. Z. 1887 p. 55 (♂ al. omnib., ♀ al. post. supra minus nigro-signatis).
b) v. *Pallida* Stgr.; supra pallidior, lutea, subtus magis nigro-signata.
c) v. *Variegata* Stgr.; supra ut in *Asteroidea*, subt. magis nigro-signata ut in v. *Pallida*, al. post. fasciis variegatis (brunneis et flavis).
d) v. *Solana* Alph. Hor. XVI (1881) p. 404, t. 14, f. 14, 15 (*Asteroideae* major, subt. magis nigro signata).
e) v. *Maculata* Stgr.; alarum ant. fasciis postmediis (plus minusve) in maculis dissolutis, subt. serie perspic. punctorum nigrorum; transit ad *Arces. v. Chuana*.
*f) v. *Jezabella* (Jezabel) Obth. Et. XI (1866) p. 17, t. 2, f. 14; Leech Butt. China I p. 217; Heyne-Rühl 792 (praec. var.
- Uss; Cor; China s. et c (*Vilai* false).
Eur. c. et s. (exc. Angl. et reg. bor.); Dalm; Turc. s. or; Ross. m.; Arm; Sib. m. or. et Amur (pro parte).
Sib. or. m.; Amur et Uss. (pro parte).
Alt.
Amur; Uss; Sib. or. et oc. (*Semipalat.*).
Ferg. m; Buch. or; ? Saraw.
Ala Tau; Iss. K.
Ferg. s. et m.
Ferg.m; Pamir; Iss.K.
Sib. or; Daur; Amur s. (var.); ? Alt.
Alt. sum. mont; Saj.
Amdo.
Ala Tau.
Thian oc.
Ferg. m. or. (Osch); Iss. K. oc.
Thian c. s. (Boro Choro).
Thian oc. (*Juddus*); Thian m. c. (alp. *Korla*).
Thian or. (*alpesprope Chamyl*).
China m. oc.

similis, sed major, margine exter. multo crassiore punctisque nigris major.. al. post. subt. saturate ochraceofasciatis).

- *g) v. (?) *Balbita* Moore Pr. Z. S. Lond. 1874, p. 268, t. 43, f. 5; Nicév. Butt. Ind. II, p. 26 (praeec. var. major, ♀ magis variegata etc; si eadem sp. cum *Astroidea* nomen anter.).
- 201. **Asteria** Frr. B. 36, I, p. 115; Frr. 181, 2. 3; Lang. Butt. t. 45, f. 6; Rühl 415; *Asterie* HS. 3. 4. 568.
- a) var. *Altaica* Stgr; *Aurelia* var. *nova* Elw. Tr. E. S. Lond. 1899 p. 334 (paullo major, al. ant. subt. magis nigro-signatis).

30. **Argynnis** F. 1807.

- 202. **Aphirape** Hb. 23-25; O. I. 1. 52; God. II, 9, 3. 4; Frr. B. 1. 2, 61; Rühl 417; *Eunomia* Esp. 110, 5; *Tomyris* Hbst. X p. 102, t. 270, f. 6. 7, (1800); *Kullervo* Sahlb. Nord. Aberr. 1893 p. 271; *Aino* Sahlb. l. c. f. 2 (ab.).
- a) v. *Asiatica* Stgr; *Aphirape* v. *Ossianus* Stgr. Iris V p. 328 (sequ. var. similis sed. supra dilutior, subt. mac. subalbidis).
- b) v. *Ossianus* Hbst. X p. 98, t. 270, 4. 5; Frr. 355. 1. 2; Dup. I. 20, 5. 6; HS. 322-3; Stgr. Iris V 328; *Aphirape* Hb. 734-5; *Isabella* Tgstr. Cat. p. 293; Sahlberg l. c. p. 3, f. 3 [ab. albedine infecta] (minor, supra obseurior, subt. macul. albis sive argenteis).
- c) v. *Triclaris* Hb. Exot. 61; Möschl. Wien. Mts. 1860, 334; *Ossianus* B. Ic. 19. 1-3 (praeec. var. supra dilutior, al. post. subt. diversis, saturatius brunneo-fasciatiss etc.).
- 203. **Selenis** Ev. Bull. M. 1837, I, 10; Lep. Ross. 1851 t. 4, f. 1, 2; Lef. Ann. S. Ent. Fr. 1837 p. 15, t. 1, f. 3, 4; Frr. 277, 2. 3; H. G. 1014-5; HS. 154-5; Rühl 438.
- a) v. *Sibirica* Ersch. Bull. M. 1870. I p. 112; *Selenis* Graes. Berl. e. Z. 1888 p. 89; Stgr. Mém. Rom. VI p. 188; Rühl 798 (obseurior, subt. al. post. extus saturatius violaceo-brunneis).
- 204. **Selene** Schiff. S. V. p. 321; Hb. 26, 27, 783 ab; O. I. 1. 55; God. I. 4 tert. 4; HS. 152-3 ab; Tutt. Brit. Butt. 295. *Selenia* Frr. 493, 2 [ab. parva].
- a) ab. *Thalia* Hb. Btr. II 2, p. 86, t. 1, f. C. (1790); *Marpissa* Hbst. X p. 105, t. 270, f. 8, 9 (1800); Spangb. Bih. Sy. Vet. Ak. Handl. V p. 27, f. 7. 8; Auriv. Nord. Fjär. p. 27; *Selene* Hb. 732, 3; *Selene* var. HS. t. 33, f. 151 (r. 148); Frr. 641, f. 4; ab. *Intermedia* Spangb. l. c. p. 26, f. 6 (ab. [supra] plus minusve melanotica).
- b) ab. *Rinaldus* Hbst. l. c. t. 271, f. 1, 2, 4; Spangb. l. c. p. 24, f. 1-5; *Thalia* Esp. 97, f. 2 (post. 1790?); Hb. 57-8; Auriv. l. c.; *Selene* var. HS. t. 33, f. 150 (r. 147); Frr. 422, f. 3, 4 (ab.) (inconstans, al. post. subt. maeul. argent. in radiis confluentibus).
- c) v. *Hela* Stgr. Stett. e. Z. 1861, 347 (v. minor, supra obseurior).
- d) v. *Dilutior* Fixs. Mém. Rom. III (1887) p. 303; Stgr. Mém. Rom. VI p. 188; Leech Butt. China I p. 223, t. 24, f. 14; Rühl 420, 795 (supra dilutior, vix nominanda).
- 205. **Oscarus** Ev. Bull. M. 1844 III, 588, t. 14, f. 1 a, b; Ev. Lep. Ross. t. 5, f. 3. 4; HS. 603-4; Schilde Ent. Nachr. 1885 p. 102; Leech Butt. China I p. 222; Rühl 420.

Himal. oc. (Kaschmir).

Sum. Alp. Car. Ter. Helv. or.

Alt. sum. mont; (Tschuja mont.).

Germ. s. or. et c. oc; Bav; Belg. or; Pol. Ross. c; Arm. (var.).

Sib. m. (Alt; Saj; Kent.); Amur.

Scand. c. et s; Ross. s. (Lap.).

Labr; Am. pol.

Ural c. et m.

Sib. m. et s. or; Amur.

Eur. (exc. And. Sard. Cors. Graec.); Bith; Arm; Alt; Amur. s; Sib. or. s.

Scand. c. et s. (Lap.).

Amur. m; Uss; Cor.

Sib. m. (Alt; Saj.); Daur; Sib. or. s; Amur; Uss. (pro p.).

- a) v. *Australis* Graes. Berl. e. Z. 1888 p. 90; Stgr. Mém. Rom. VI p. 189 (major, pallidior, minus distincte notata).
206. **Iphigenia** Graes. Berl. e. Z. 1888 p. 90; Stgr. Mém. Rom. VI p. 189; Rühl 421; ? Perryi Butl. Ann. & Mag. (5) 1882 IX p. 16 (cf. Elw. T. E. S. Lond. 1898 p. 538. 549) (praec. et sequ. sp. hybrida?).
207. **Angarensis** Ersch. Bull. M. 1870. I p. 112; Graes. Berl. e. Z. 1888 p. 94; Stgr. Iris V 329.
208. **Euphydryas** L. S. N. ed. X, 481; Esp. t. 18, 3 t. 72, 3; Hb. 28-30; O. I. 1. 58; God. I, 4, 1, tert. 2; Frr. B. 139; Barr. Brit. Lep. I t. 25, f. 2; Tutt. Brit. Butt. p. 300.
- a) v. *Fingal* Hbst. X p. 92, t. 270, f. 1-3; *Dia lapponica* Esp. 108, 5; *Nephela HS.* 371-72 (minor, obscurior).
- b) v. *Apennina* Stgr.; *Euphydryas* Calb. Iris I, p. 133 (minor, supra saturatus fulva, picturis nigr. minor. distinctioribus).
209. **Hegemone** Stgr. Stett. e. Z. 1881 p. 292; Alph. Hor. XVI p. 407, t. 15, f. 16, 17; Gr. Gr. Mém. Rom. IV p. 437; Alph. Mém. Rom. IX p. 322; Rühl 423 (praec. var. Darw.?).
- a) v. *Erubescens* Stgr.; saturatus fulva, picturis nigris minoribus (interdum extinetis), subt. magis unicolor (pallidior).
210. **Pales** Schiff. S. V. p. 177; Hb. 34, 35; 617-8 ab., ? 963, 965 (Arsilache?); Tr. X, 1, 11; God. II, 9, 1. 2; Frr. B. 115, f. 1, 121, f. 1; Frr. 187, 1, 205, 2 ab.; Leech Butt. China I p. 224; *Isis* Hb. 563-4 ♀; *Arsilache* Esp. 56, 4 (1780), II, p. 35; Killiasi Rühl Soc. Ent. 1892 p. 113 (ab).
- a) ab. ♀ *Napaea* Hb. 757-8; *Pales* H. G. 964 (♀ supra virescens).
- b) v. (et ab.) *Isis* Hb. 38, 39 ♂; Dup. I, 48, 7. 8 ♀; v. *Altaica* Gr. Gr. Hor. XXVII p. 128 (major, pallidior. signaturis nigr. minor., ♂ subt. sulphureus).
- c) v. *Generator* Stgr. Stett. e. Z. 1886 p. 235; Gr. Gr. Mém. Rom. IV p. 438, t. 12, f. 4 a, b; Rühl 427, 796; *Graeca* Alph. Hor. XVI (1881) p. 409 (praec. v. similis, ♂ saturatus fulvus, multo minus [saepe in disco nullo modo] nigro-signatus, ♀ lunulis antemarg. subalbidis).
- d) v. *Lapponica* Stgr. Stett. e. Z. 1861, 347 (transitus ad Arsilachem). p. (trans.); Amur s; Sib. s. or; Kamt.
- e) v. *Arsilache* (var.) Esp. 56, 5, II, p. 35; Kn. Btr. I, 73, t. 5, f. 3, 4; Hb. 36, 37; Tr. X, 1, 12; Frr. B. 115, f. 2, 121, f. 2; Inducta Spangb. Tidskr. IV p. 129; Nord. Aberr. f. 6 [ab. obse.]; *Napaea* Dup. I, 48, 5. 6 (al. ant. subt. nigro-maculatis).
- f) v. *Caucasicus* Stgr. Cat. ed. I, p. 9; Hor. VII, 1870, p. 61. *Arsilache* HS. 259-62, VI p. 5 (♂ saturatus fulvus, subt. pallidior).
- g) v. *Sifanica* Gr. Gr. Hor. XXV p. 456 (1891) (praec. var. simillima, plerumque minor, patria tantummodo distinguenda).
- h) v. *Graeca* Stgr. Hor. VII (1870) p. 62, t. 1, f. 4 (subt. pallidior, ciliis albo-nigroque variis).
- *i) v. *Sipora* Moore Pr. Z. S. Lond. 1874 p. 568, t. 46, f. 11; Nicéy. Butt. Ind. II p. 139, t. 18, f. 72; Barachla Moore l. c. 1882, p. 242, t. 9, f. 1, 1 a (var. f. et g. similis).

Uss; Cor.

Amur s. or.

Alt; Daur; Sib. s. or;
Amur s.Eur. (exc. Ib., Sard.,
Cors.); Arm; Pont;
Alt; Amur; Kamt.
Eur. bor; Sib. s. or.

It. c. (Apen.).

Ala Tau; Thian; Iss.
K. oc; Ferg.

Korla (alp.?).

Alp; Pyr; Hung. s.
Eur. bor. (cfr. var.);Sib. m. (Alt., Tarb.,
Saj.) var; Alp. ab;Ala Tau; Thian; Iss.
K. oc; Ferg; Pamir.Lap; Kent. et Alt. pro
Amur s; Sib. s. or; Kamt.
Germ; Helv. val;
Hung; Fen; Scand;
Ross. s. et c; Sib.Cauc. m; Arm. mont;
Bulg. oc. alp.

Amur.

Graec. s. mont.
(Veluchi.)

Ind. bor.

211. **Chariclea** Schn. N. Mag. V p. 588 (1794); Hbst. 272. 5. 6; Hb. 769-70; O. IV, 114; Tr. X. 1. 15; Stgr. Stett. e. Z. 1861, p. 348; Auriv. Grönl. p. 7, t. 1. f. 2; Rühl 428; ab. Kolaensis Reuter Act. Soc. Fen. IX (1893) p. 17.
- a) v. *Boisduvalii* Dup. I p. 127. t. 20, f. 4; B. Ic. 20. 5. 6; H. G. 1020-2; Frr. 441, f. 1; Auriv. l. c. p. 9, f. 1 (text); Holl. Butt. p. 132, t. 15, f. 5. 6; ? Chariclea Holl. ib. f. 4 (al. post. subt. fascia med. alba densius rufo-brunneo suffusa).
 - b) v. *Arctica* Zett. Ins. Lap. p. 899; Auriv. l. c. t. 1, f. 1; Chariclea Dup. I, 48, f. 1, 2, p. 344; Obscurata Mc. Lachl. Journ. Linn. Soc. 1878, XIV, p. 110; Butleri Edw. Canad. Ent. XV (1883), p. 32; ? Tarquinius Curt. App. Ross. 2. Voy. p. 68; Auriv. l. c. p. 8 [an ab. Freijae?] (al. post. subt. fascia med. magis dentata).
212. **Freija** Thnb. Diss. Ent. 2, p. 34. t. 5, f. 14 (1791); Quens. Act. Holm. 1791, p. 276, t. 10. f. 5. 6; Hb. 55, 56, 771-2; Esp. 109, 1; O. I. 1. 78; B. Ic. 19. 4. 5; Dup. I. 19. 6. 7; Frr. 295, 3; Rühl 429, 797; ab. Obscura Schöyen Tidskr. 1885. p. 142; Dia lapponica Esp. 97. 3.
- a) v. (et ab.) *Pallida* Elw. Tr. E. S. Lond. 1899 p. 338 (pallidior, praesertim subt. in al. ant.).
213. **Polaris** B. Ind. p. 15; Dup. I. 20. 1-3; B. Ic. 20. 1. 2; HG. 1016-9; Frr. 439. 1. 2; Möschl Wr. Mts. 1860, p. 340; Wallengr. Dagf. p. 91; Lang Butt. t. 47, f. 6; Rühl 428, 797; Holl. Butt. p. 133, t. 15, f. 11, 12 (?).
214. * **Astarte** Dbd. Hew. Gen. Diurn. Lep. t. 23, f. 5 (1848); Alph. Mém. Rom. IX p. 194.
- a) v. *Amphilochus* Mén. Bull. Ac. XVII p. 213 (1859); Mén. Schrk. p. 21. t. 2, f. 1; Graes. Berl. e. Z. 1888 p. 33; Alph. l. c. p. 190 t. 6, f. 2 a-c; Rühl 436 (major. obscurior).
 - b) v. *Elatius* Stgr. Iris V 1892 p. 329; Herz Iris XI p. 243 (praec. v. major, dilutior).
215. * **Alberta** Edw. Canad. Ent. XXII, p. 113 (1890); Butterf. III, t. 7; Alph. Mém. Rom. IX p. 194.
- a) v. *Erda* Chr. Iris VI (1893) p. 87; Alph. l. c. p. 192, t. 6. f. 3 a-e; Herz Iris XI p. 243 (al. post. subt. magis variegatis).
216. **Frigga** Thnb. Diss. Ent. 2, p. 33 (X Dec. 1791); Queens. Act. Holm. 1791, t. 19, f. 6. 7; Hb. 49, 50; O. I. 1. 74; Dup. I. 19. 3. 5; B. Ic. 19. 6. 7; Stgr. Stett. e. Z. 1861 p. 350; Rühl 433; ab. Ahti Sahlb. Nord. Aberr. 1893 p. 4. t. 1, f. 4; ab. Tapio Sahlb. l. c. f. 5.
- a) v. *Alpestris* Elw. Tr. E. S. Lond. 1899 p. 340 (alis ant. pallidiss., supra fere subalbidis, marginem versus tantummodo rufescens).
 - b) v. *Saga* Stgr. Stett. e. Z. 1861 p. 350 (al. post. supra nigris, fascia antemarg. lata rufa [nigro-maculata], subt. fascia med. obscurata).
 - c) v. *Improbata* Butl. Monthl. Mag. XIII (1877) p. 206; Lang. Butt. p. 364, t. 77, f. 8; Schöyen Tidskr. 1885 p. 142; Rühl 433, 797 (minor, multo obscurior).
217. **Thore** Hb. 571-3; O. IV. 111; Dup. I. 19. 1, 2; B. Ic. 20. 3. 4; Frr. B. 104, 3; Frr. 294, 4; Rühl 434. ab. Excellens Krul. Soc. Ent. VII 1893 p. 187.
- a) v. *Borealis* Stgr. Cat. ed. I p. 9; Stett. e. Z. 1861, 351; B. Gen. 18 (multo dilutior).

*Lap; Norv. et Ross. mont.**Labr.**Groenl; Amer. pol. ins; Nov. Semlia.**Scand. c. mont; Lap; Ross. s: Sib. (Alt., Kent., Vilui); Amur s; Labr; Brit. Col.; Colorado.**Alt. m. or. sum. mont; Lap. (ab.).**Lap. Norv. et Ross. s. (plan.);? Sib. s; Labr. (forma minor); Groenl. or; Amer. pol.**Amer. arct. (Alberta).**Sib. s. or; Amur s. oc; Saj.**Kent.**Amer. arct. (Alberta).**Sib. s. or.**Scand. (60-70°); Ross. s. (56-70°); Daur; Sib. s. or; Amur s. or; Amer. arct.**Altai m. or. sum. mont.**Labr; Alberta.**Am. pol; Nov. Semlia; Norv. pol. pro parte.**Alp; Ped; Scand. c.; Fen. (transit.).**Lap; Alt; Kent; Amur; Sib. s. or; Kamt.*

218. **Dia** L. S. N. ed. XII. 785; Esp. t. 16. 4., t. 61, 2; Hb. 31-3, 883 ab; O. I. 1. 61; God. I, 4 sec. 1., quint. 1; Frr. 211, var. 656, 2 ab; Rühl 430, 797.
- a) v. *Alpina* Elw. Tr. E. S. Lond. 1899 p. 339 (minor, obscurior).
219. **Amathusia** Esp. 88, 1. 2 (1783); Hb. 998-9 ab; O. I. 1. 75; God. II. 8, 5. 6; Frr. B. 1. 1; Rühl 432; Titania Hb. 47, 48; Diana Hb. 51-4; Esp. 103, 4 ab; Dia major Esp. 93. 2. 3.
- a) v. *Sibirica* Stgr. Iris V (1892) p. 330; Rühl 433 (dilutior, picturis nigr. minoribus).
220. **Eva** Gr. Gr. Hor. XXV (1891) p. 456; Rühl 431 (Gong. Obth. var. sec. Leech Butt. Chin. I p. 226 nec sec. Stgr.).
221. **Hecate** Esp. 76, 3 a, b (1782) II p. 127; Kn. Btr. III, 128, t. 6, f. 5, 6 (1783); Hb. 42-4; O. I. 1. 67; God. II, 9, 5. 6; Frr. B. 121, 3; HS. 138-9; Lang. Butt. t. 49, f. 1; Rühl 440; ab. Avernensis (Guill.?) Brams. Tagf. p. 76.
- a) v. et ab. *Caucasica* Stgr. Cat. ed. II p. 21 (dilutior, non nigro-inspersa, plerunque major).
- b) v. *Alaica* Stgr. Stett. e. Z. 1886 p. 236; Gr. Gr. Mém. Rom. IV 303 (pallidior, punctis nigris minoribus).
222. **Ino** Rott. Naturf. VI p. 19 t. 1, f. 3, 4 (1775); Esp. 76, 1 a, b (1782), II p. 125; O. I. 1. 69; God. II, 8, 3, 4; Frr. 409; Rühl 439; Dictynna Hb. 40, 41.
Alt.; Ala Tau; Ferg. s.; Mong.; Sib. s. or; Kant. (var.). Amur; Uss; Cor; Jap.
- a) v. *Amurensis* Stgr. Mém. Rom. III (1887) p. 146; Graes. Berl. e. Z. 1888 p. 96 (major, pallidior, subt. al. post. subvialoceis).
- b) v. *Clara* Stgr. Iris V p. 331 (major, dilutior, minus nigro-signata; subt. al. post. dilutioribus).
223. **Daphne** Schiff. S. V. p. 177; Hb. 45, 46; O. I. 1. 72; God. II, 8, 1, 2; Leech Butt. China I p. 229; Rühl 438; Chloris Esp. t. 44, 3, t. 75, 4, I, p. 372; v. Fumida Butl. Ann. & Mag. (5) IX 1882 p. 16.
Amur; Uss. (trans.); Cor. et Jap. (pro p.); Cor. et Jap. (pro p.); Kent; Uss. (trans.).
- a) v. *Rabdia* Butl. l. c. (4) XIX p. 93 (1877); Fixs. Mém. Rom. III p. 304; Daphne Stgr. Iris V p. 331 (major, dilutior).
224. **Eugenia** Ev. Bull. M. 1847. II, 68; Ev. Lep. Ross. t. 2, f. 1. 2; HS. 605-6; Stgr. Iris V. 331; Leech Butt. China I p. 226; Rühl 443; Alph. Mém. Rom. IX p. 196. t. 6, f. 4 a, b; Vega Chr. Hor. XXIII p. 298.
Sib. or. m. et s; (Saj., Kent., Witim); Kamt.
- a) v. *Rhea* Gr. Gr. Hor. XXV (1891) p. 456; Leech l. c. t. 24, f. 15 (laetius fulva, al. post. subt. macula argent. med. longiore).
225. **Lathonia** (r. Latonia) L. S. N. ed. X 481; Esp. 18, 2; Hb. 59, 60; O. I. 1. 80; God. I, 3, 3, 4 tert. 1; Frr. B. 25; HS. 153-4 ab; Leech Butt. China I p. 227; Saturata Röber Ent. Nachr. XXII p. 81.
- a) ab. *Valdensis* Esp. 115, 4; Lathonia Hb. 613; Latonia var. Frr. 422, f. 1, 671; HS. 152 (mac. argent. confluentibus).
- *b) v. *Isaca* Gray Lep. Ins. Nep. p. 11; Elw. Tr. E. S. Lond. 1889 p. 556; Leech l. c. (al. post. subt. macula argent. med. longiore, acutiore maculaque anali duplice).
226. **Elisa** God. Enc. Méth. p. 817 (ed. 1823); Dup. I, 18, 3, 4, p. 114; Rühl 444; Eliza Lang Butt. p. 208, t. 49, f. 3;

*Eur. c. et or. m; Lic; Gal; It.c.ets.; Bith; Pont; Arm; Alt; Ala Tau; Mong.**Alt. mont; Daur. mont; ? Sib. s. or. Germ.s.or. et m; Alp; Ross. c. et s. (exc. reg.pol.); Alt; Amur s. (c. minor). Alt; Kent.**Amado.**Eur. or. m. (exc. Graec.); Gal.m; It.s.**Arm; Bith; Pont; Alt; Arm; AlaTau; Maced; Hisp. c; And. Ferg. m. (Alai).**Eur. (exc. Angl., Bat., Ib., Graec. et? It. m.); Bith; ? Pont; Sib. s. or; Kant. (var.). Amur; Uss; Cor; Jap.**Kentei.**Germ. (exc. s. oc.); Gal; Hisp. c; Helv; It; Eur. or. m; Bith; Pont; Arm; Alt; Cor. et Jap. (pro p.); Cor. et Jap. (pro p.); Kent; Uss. (trans.).**Sib. or. m. et s; (Saj., Kent., Witim); Kamt.**Amado.**Territ. (exc. reg. pol.).**Himal; China m. oc.**Cors; Sard.*

- Cyrene Bon. Descr. p. 175, t. 1, f. 1; H. G. 822-5; Frr. B. 69, 1; B. Ic. 21, 1-3; Tr. X, 1, 17.
227. **Atlantis** Edw. Pr. Acad. nat. Sc. Phil. 1862 p. 54; Butt. N. Am. I Arg. 5 f. 1-3; Möschl Stett. e. Z. 1874 p. 156; Seudd. Butt. N. Engl. I p. 571 t. 4, f. 6; Rühl 444; Holl. Butt. p. 108, t. 10, f. 9.
228. * **Clara** Blanch Jacqu. Voy. IV p. 20, Ins. t. 2, f. 2, 3 (1844); Nicév. Butt. Ind. II p. 136; Rühl 445, 799.
- a) v. *Clarina* Stgr. ♂ pallidior, picturis nigr. minoribus, supra non nigro-conspersus, subt. macul. argent. minor., pro parte extinctis.
229. **Alexandra** Mén. Cat. Rais. p. 246; HS. 417-8; Ev. Lep. Ross. t. 2, f. 3, 4; Lang Butt. p. 208, t. 49, f. 4; Rühl 445.
230. **Aglaja** L. S. N. ed. X, 481, Esp. t. 17, 3. t. 60, 2; Hb. 65, 66; O. I, 1, 91; God. I, 3 sec. 3; Frr. 241, 205, 1 ab; HS. 140-1 ab; Leech Butt. China I p. 230; Barr. Brit. Lep. I t. 24; Tutt. Brit. Butt. 290; Emilia Quens. Acerbi II p. 253 t. 2, f. 1, 2 (1802); Tutt l. c. 292 (ab. supra al. ant. nigris); ab. Eridiooides Pflümer Stett. e. Z. 1879 p. 157; ab. Aberrans Lampa Tidskr. 1885 p. 20: Aglaja ab. Mill. Ic. 24, 1, 2; Honr. Berl. e. Z. 1888 t. 7, f. 2 (ab. melanot.); Weir. Entom. XV t. 1, f. 1 ab, 2; ab. Charlotta Hw. Brit. Lep. I p. 32 (1803); Arvernensis Brans. Tagf. p. 72 [ab. al. post. subt. macul. basal in tribus conjunctis].
- a) v. *Fortuna* Jans. Cist. Ent. II p. 154 (1877); Stgr. Mém. Rom. VI, 192; Leech l. c. t. 22, f. 6; Rühl 447 (major, dilutior).
 - b) v. *Ottomana* Röber Ent. Nachr. 1896 p. 82 (praeec. var. simillima, al. post. subt. maculis argent. marg. [et alteris] subnullis vel minoribus).
 - c) v. *Vitatha* Moore Pr. Z. S. Lond. 1874, p. 568; Elw. Tr. E. S. Lond. 1889, p. 559; Nicév. Butt. Ind. II p. 136 (minor, pallid., picturis nigr. minoribus).
231. **Niobe** L. S. N. ed. X, 481; Esp. 18, 4; Hbst. X p. 56, t. 267, 5-8; God. II, 7, 3, 4; O. I, 1, 83 pro parte; HS. 144-5 ab; Rühl 477, 799: Adippe var. Esp. 75, 2.
- a) ab. *Pelopia* Bkh. I, 36; Hbst. 269, 3, 4; Niobe H. G. 961-2 (al. post. [et ant.] plus minusve [totis] nigris).
 - b) v. et ab. *Eris* Meig. I p. 64, t. 14, f. 5, 6; Cleodoxa Esp. 94, 3 ab. [forma intermedia]; Niobe Hb. 61, 62; God. II, 7, 5; Frr. 199, 337; var. Esp. 75, 3; Hbst. t. 268, f. 3, 8, 10; HS. 142-3, 146 ab; (subt. punctis pauc. [nullis] argenteis; forma frequentior).
 - c) v. *Tekkensis* Chr. Iris VI p. 87 (pallidior. punctis fuscis minoribus; sequentis forma minor? vix nomin.).
 - d) v. *Orientalis* Alph. Hor. XVI (1881) p. 410; v. ? Taura Röber Ent. Nachr. 1896, p. 82 (major, dilutior, picturis nigr. minor., al. post. subt. laetior., flavescens, non argenteo-maculatis).
 - e) v. (et ab.) *Ornata* Stgr. praeec. var. similis. al. post. subt. mult. mac. argent. ornatis, paullo viridesc. (5 ♂, 4 ♀).
 - f) v. *Gigantea* Stgr. Cat. ed. II p. 21; Niobe Ld. Hor. VI (1869) 82 (v. maxima, ♂ satur. fulvous, ♀ virescens, subt. rare argenteo-maculata).
232. **Adippe** L. S. N. ed. XII, 786; Esp. t. 18, 1, t. 43, 2, t. 74, 1, 2, 4, t. 76, 2 a, t. 60, 3 ab; Hb. 63, 64; O. I, 1, 88; God. I, 3, 2, sec. 2; Frr. 229; Wallgr. Dagf. 108, 110;
- Labr; Am. bor. (et c.).
- Himal. s. oc.
- Amdo.
- Arm. m. or; Hyrc.
- Territ. (exc. Maur. Can. Syr. Hyrc. Pers. Am. s.).
- Uss; Cor; China s; Jap.
- Bith; Taur.
- Ind. bor; Ladak; Pamir; Ferg; (transit.); Korla.
- Territ. s. (exc. Angl. As. or, Amur s.).
- Territ. m. (exc. Maur. et Can.) (var.); Territ. s. (ab.).
- Tura.
- Thian; Ferg. s; Hyrc, As. min; Dalm; Hisp. pro parte.
- Ferg. m. (Alai m.); Hyrc. ab.
- Hyrc.
- Eur. (exc. reg. pol.); Bith; Pont; Arm; Sib.

Leech Butt. China I p. 232; Tutt Brit. Butt. 285; Syrinx Bkh. I p. 37; Auriv. Nord. Fjär. p. 24 [ab.]; ab. Suffusa Tutt I. c. 286 [ab. melanot.].

- a) ab. et v. *Cleodoxa* O. IV p. 118; A dippe Esp. t. 26, 4, t. 74, 3, t. 76, 2 b; H. G. 888-9; var. Hbst. 265, 6 (subt. punct. pauc. [nullis] argenteis).
- b) v. *Chlorodippe* H. S. VI p. 5; Lang Butt. t. 51, f. 3; A dippe Rbr. Fn. And. p. 279 (al. post. subt. viridissimus, maculis argent. multis).
- c) ab. *Cleodippe* Stgr. Cat. ed. II p. 21; Iris V. 1892 p. 333; A dippe Hb. 859-60 (praec. ab. mae. argent. subnullis).
- d) v. *Taurica* Stgr. Hor. XIV p. 272 (1879) (major, ♂ saturatus fulvus, ♀ viridesc., al. post. subt. viridesc., argenteo-maculatis).
- e) v. *Xanthodippe* Fixs. Mém. Rom. III p. 307 (1887); Chrysodippe Stgr. ib. VI p. 192 (1892) pro parte; v. *Coreodippe* Leech I. c. p. 232 [subv.] (fere eadem cum var. c. plerumque major; forma orient.).
- f) v. *Vorax* Butl. Tr. E. S. Lond. 1871, p. 403; Lep. Ex. p. 151, t. 54, f. 1; Leech I. c. t. 22, f. 5; Chrysodippe Stgr. I. c. pro p.; *Locuples* Butl. Ann. & Mag. (5) VII, p. 184 (1879) pro p. (♀, ♀) (al. post. subt. parte bas. viridesc., argenteo-maculat. ♂ lunulis marg. virid.).
- g) v. *Pallescents* Butl. Cist. Ent. I, p. 164 (1873); *Locuples* Butl. I. c. pro p.; Chrysodippe Stgr. I. c. pro p.; ? *Ornatissima* Leech I. c. p. 234, t. 22, f. 1, 2 [subv. subt. al. post. totis virid.] (praec. var. similis, ♂ lunul. marginalibus argenteis).
- h) v. *Tianschanica* Alph. Hor. XVI p. 412 (1881); v. *Xipe* Gr. Gr. Hor. XXV p. 457 (1891) (praec. var. minor, supra dilutior, subt. mac. argent. minus splendidis [interdum extinct.]: vix a sequ. var. separanda).
- i) v. *Jainadera* Moore Monthl. Mag. I p. 131 (1864); Pr. Z. Soc. 1865 p. 495, t. 30, f. 1; Nicéy. Butt. Ind. II p. 135; ? Gr. Gr. Mém. Rom. IV p. 440; ? Rühl 448, 800 (praec. var. similis, supra praesertim in ♀, obscurior).
233. **Nerippe** Feld. Wien. Mts. VI p. 24 (1862); Nov. t. 50, f. 1. 2; Leech Butt. China I p. 235, t. 22, f. 7, 8; Rühl 450; Coreana Butl. Ann. & Mag. (5) IX p. 15 (1882) (praec. spec. forma Darw. permagna?).
234. **Laodice** Pallas Reis. I, 470 (1771); Esp. t. 93, 1, t. 102, 4; O. I, 1. 95; Dup. I, 18, 1. 2; B. Ic. 21, 4-6; Frr. 331, 2; Lang t. 51, f. 4; Stgr. Mém. Rom. VI, 193; Leech Butt. China I p. 236; Rühl 451; Cethosia Hb. 67, 68; Hbst. 263, 1. 2; ab. *Aspasia* Garbowksi Ent. Ztschr. Guben V p. 167 [ab.].
- *a) v. *Japonica* Mén. En. p. 102, t. 10, f. 3; Leech I. c. (maculis nigr. major., al. post. subt. exstus multo obscuriorib.).
- *b) v. (?) *Rudra* Moore Horsf. et Moore Cat. I p. 157 (1857); Nicéy. Butt. Ind. II p. 132, t. 18, f. 75 (al. post. subt. viridescent., picturis paullum differ.).
235. **Ruslana** Motsch. Bull. M. 1866, II p. 117, Graes. Berl. e. Z. 1888 p. 94; Leech Butt. China I p. 237, t. 23, f. 3, 4 (ab); Rühl 452; *Lysippe* Janson Cist. Ent. II p. 154 (1877); Stgr. Mém. Rom. VI p. 194.
236. **Sagana** Dbld.-Edw. Gen. t. 21, f. 1 ♂ (1847); Feld. Wien. Mts. 1862, p. 24; Brem. Lep. O. S. p. 10; Leech Butt. China I p. 241; Rühl 453; Paulina Nordm. Bull. M. 1851, IV p. 440, t. 12, f. 1, 2 ♀.
- Graec. et Sic. (var.)
ubique ab.
- And; Hisp. c.
- Hisp. c.
- Taur.
- Kent; Uss; Cor;
China s. (? et m. oc.).
- Amur; Uss; Cor;
China s. et m. oc;
? Jap.
- Kent; Uss; China s.
et m. oc; Jap.
- Tarb; Thian oc; Buch.
s. or; Pamir; Amdo.
- Ind. bor; Ladak;
? Pamir.
- Uss; Cor; China s.
et m. oc; Jap.
- Germ. s. or; Hung.
or; Liv; Ross. c. et
m. or. (60%); Pol;
Amur; Uss. or; Cor;
China s. et m. oc.
- Jap.
- Kaschm; Ind. bor;
Assam; Birma.
- Amur; Uss; China
s. et m.; Jap; ?Cor.
- Amur; Uss; Cor;
China; Jap.

237. **Paphia** L. S. N. ed. X 481; Esp. 17, 1, 2; Hb. 69-70; O. I., 1. 96; God. I, 3, 1, sec. 1; Frr. B. 25; Frr. 595; Leech Butt. China I p. 239, t. 23, f. 2 ab.; Rühl 454; 801; Morton Monthl. Mag. 1898 t. 1 [ab. melan.]; v. Paphiooides Butl. Ann. & Mag. (5) VII 1879 p. 184; v. Delila Röber Ent. Nachr. 1896 p. 83.
- a) ab. ♀ (dimorph) *Valesina* Esp. 107, 1, 2; Frr. 331, 1; Lang t. 52, f. 2; Barr Brit. Lep. I t. 22, f. 1 b-c; Paphia Hb. 767-8 (♀ supra virescenti-fusca).
 - b) v. (et ab.) *Inmaculata* Bell. Ann. S. Fr. 1862 p. 616; *Anargyra* Stgr. Cat. ed. II p. 22 (al. post. subt. flavescent., fasciis argenteis nullis).
238. **Zenobia** Leech Entom. XXXIII (1890) p. 188; Butt. China I p. 242, t. 22, f. 5, 6; Obth. Et. XVI p. 7, t. 1, f. 1; Rühl 456.
- a) v. *Penelope* Stgr. Iris IV (1891) p. 339; ib. VIII p. 284 (♀ obseuro-viridis, ♂ androconii tribus).
239. **Anadyomene** Feld. Wr. Mts. VI p. 25 (1862); Leech Butt. China I p. 240, t. 23, f. 1 (ab); Rühl 452; Ella Brem. L. O. S. p. 94, t. 8, f. 1 (1864); Midas Butl. Journ. Linn. Soc. Zool. IX p. 53 (1866).
240. **Pandora** Schiff. S.V. p. 176 (1776); Esp. t. 58, 1, 2, t. 73, 3; Hb. 71, 72, 606-7; O. I, 1. 99; Frr. 715; Nicév. Butt. Ind. II p. 133; Rühl 456, 802; *Cynara* F. Gen. (Mant.) p. 266, (1777); Hbst. (Lasp.) X p. 1, t. 261, f. 1-4; God. II, 7, 1, 2; *Maja* Cr. P. Ex. I t. 25, f. B. C. (1776?); Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 35.
- a) ab. *Paupercula* Ragusa Nat. Sic. IV (1885) p. 271 (al. post. subt. sine [?] fasciis argenteis).
 - b) ab. (v.?) *Dacica* Horm. Ent. Nachr. 1892 p. 1 (al. ant. parte interiore obseuriore, parte exter. subalbida; an specim. detritis descripta?).

B. Danainae.

31. **Danais** Latr. 1819.

241. **Chrysippus** L. S. N. ed. X, 471; Hb. 678-9; O. IV, 120; B. Ic. 18, 3; Dup. I, 17, 1, 2; Tr. X, 1, 19; Lang Butt. p. 226, t. 54; Rbl. & Rghfr. Ann. Nat. Hofmus. IX p. 35; Rühl 459; Auriv. Rhop. Aeth. p. 32.
- a) v. et ab. *Alcippus* F. E. S. p. 50; B. Ic. 18, f. 4; Alph. Mém. Rom. V t. 11, f. 3; Rbl. & Rghfr. l. c.; *Chrysippus* Cr. P. Ex. 118, E. F. (al. post. albidis).
 - b) v. et ab. *Alcippeoides* Moore Proc. Z. S. 1883 p. 238, t. 31, f. 1; Lep. Ind. I p. 41, t. 9, f. 2; Butl. Proc. Z. S. 1888 p. 57 (al. post. plus minusve albo-suffusis).
 - *c) v. *Cratippus* Feld. Sitzb. Ak. Wien 1860 p. 449 (obseuriior, saturatus brunnea).
242. **Dorippus** Klug Symb. Phys. Dec. V Text; Obth. Et. III, t. 1, f. 5; Rühl 460; Auriv. Rhop. Aeth. p. 32; v. *Klugii* Butl. Pr. Z. S. Lond. 1885 p. 758; ib. 1886 p. 356; ab. Infumata Auriv. l. c. p. 33; *Dorippus* var. Klug l. c. t. 48, f. 5 (alis ad basin paullo infuscata).
- a) v. et ab. *Albinus* Lang Iris IX p. 130; *Dorippus* var. Klug l. c. f. 1-4 (al. post. medio plus minusve albo-suffusis).
- Eur. (exc. reg. bor.), Maur; As. oc: Sib; Amur; Uss; Cor; China; Jap.
- Cors; Sard; Cast; Graec. et Bith. (ab.).
- China m. oe; ?China s.; ?Amido.
- Uss, m; China s.
- Amur; Uss; Cor; China s; Jap.
- Eur. m. or; Germ. m. or; Val; Gal. s. oe; Maur; Can; Arm; As. min; Syr; Tura; Alt; Ala Tau; Thian; Saraw; Ferg; Ind. bor.
- Rumaen.
- Graec. c or; Cal. (olim.); Lyd; Syr; Pers; Ind; Cypr; China m. oe; Can; Africa s., m. et or; Madag. Lyd; Syr; Ind; Arab; Afr. oc, m. et c.
- Ind; Can; Africa or. et c.
- Insul. Malay.
- Syr; Arab; Ind. m; Afr. m. or. et c.
- ? Syr; Arab; Afr. or. et c.

243. **Plexippus** L. S. N. ed. X p. 471; Scudd. Butt. N. Engl. I p. 720, t. 1, f. 7, t. 16, f. 10; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 36; Holt White t. 2, f. 1; Holl. Butt. p. 82, t. 7, f. 1; Erippus Cr. P. Ex. I t. 3, f. A, B; Kirby Entom. XXIX, 1891; Archippus F. E. S. III p. 49; Barr. Brit. Lep. I p. 112, t. 12, f. 2; Tutt. Brit. Butt. p. 365.
244. **Tytia** Gray Lep. Nep. p. 9, t. 9, f. 2 (1846); Nicév. Butt. Ind. I p. 42; Leech Butt. China I p. 1; Rühl 461.

Can; (*Ib. m.*, *Gal. oc.*
et Angl. advena);
Amer. (excl. reg.
bor.); *Austral; Insul.*
Oceanici et Malay.

Uss. m. (Askold); *Jap.*
China; *Himal.*

C. Satyrinae.

32. **Melanargia** Meig. 1829 (Agapetes Billb. 1820 [satis constituta?]).

245. **Lachesis** Hb. Btr. II, 33; Hb. 186-7; O. I, 1. 247; God. II, 19, 1, 2; Mill. Ic. 62, 4, 5; Lang Butt. t. 45, f. 4; Rühl 466; Arge nemauasiaca Esp. 96, 1, 2; Canigulensis (Obth.) Brauns. Tagf. p. 81 (1890); Rühl 466 [ab. et v.? flavescens].
- a) ab. ♀ *Cataleuca* Stgr. Cat. ed. II, p. 22 (al. post. subt. unicoloribus albidis).
246. **Galathea** (r. Galatea) L. S. N. ed. X, 474; Esp. t. 7, 3, t. 25, 1; Hb. 183-5; O. I, 1. 242; God. I, 8, 2; Barr. Brit. Lep. I, t. 28 (ab.); ab. *Amarginata* Metzger VIII. Jhrs. Wr. E. V. (1898) p. 21, t. 1, f. 1, 2 [*sine linea nigra marginali*.]; ab. *Lugens* Obth. Et. XX, t. 2, f. 16; ab. *Melania* Obth. ib. f. 17.
- a) ab. ♀ *Leucomelas* Esp. 81, 1, 2; Hb. 517-8; O. I, 1. 246; Dup. I, 45, 3, 4; B. Ic. 25, 3, 4 (♀ al. post. subt. unicolor. albidis).
- b) ab. *Galene* O. I, 2. 236; Metzg. I. c. f. 3 (absque ocellis).
- c) v. *Procida* Hbst. 183, 5, 6; Hb. 658-9; O. I, 1. 246; Dup. I, 45, 5, 6; B. Ic. 25, 5, 6; Frr. 379; Lang Butt. t. 55, f. 3; *Galaxaera* Esp. 111, 5; *Electra* Meig. I, p. 99; *Galathea* Esp. 111, f. 4 [ab.] (v. obscurior).
- d) ab. *Turcica* B. Gen. p. 25; Mill. Ic. 13, f. 1, ♀ (fere tota nigra).
247. **Lucasi** Rbr. Cat. S. And. p. 20 nota; Clotho Lue. Expl. Alg. t. 2, f. 4; *Galathea* v. *Mauritanica* Obth. Et. I (1876) p. 26; III, p. 41, t. 5, f. 3 ♀; Rühl 465 (*Galatheae* an *Japygiae* var. *Darw.*?).
248. **Meda** Gr. Gr. Hor. XXIX (1895) p. 291; ? *Teneates* Ld. Hor. VIII, p. 11; Stndf. Mém. Rom. VI p. 661, alinea 4-11.
249. **Japygia** Cyr. Ent. Neap. I, t. 3, f. 5 (1787); Esp. 105, 3 (1789), 111, 3; Rühl 470; *Atropos* Hb. 192-3 (forma *parva*, *nigricans*).
- a) v. *Cleanthe* B. Ic. 26, 1-3; Dup. I, 25, 5, 6; H. G. 975-9; Mill. Ic. 62, 1, 3 (saepius minor, albidiior. vix nomin.).
- b) v. *Caucasica* Nordm. Bull. M. 1851, II, t. 8, f. 3, 6; Xenia Frr. 566, 3, 4 (v. maxima, paullo dilutior).
- c) v. *Sucarorius* Hbst. VIII, p. 18, t. 182, f. 5-7 (1796); Clotho Hb. 190-1 (1799); O. I, 1. 248; B. Ic. 25, 1, 2; Dup. I, 25, 1-4; *Arge Russiae* Esp. 84, 1, 2; Bkh. I, 107 (multo dilutior, al. ant. magis elongatis).
- d) v. *Transcaspica* Stgr. praece. var. *similis*, paullo minor, picturis nigr., praesert. al. ant. marg., magis incrassatis.
250. **Parce** Stgr. Berl. e. Z. 1882 p. 170; Stett. e. Z. 1886 p. 236; Gr. Gr. Mém. Rom. IV p. 441, t. 7, f. 1 b; Rühl 470.

Gal. m; *Ib.*

Hisp. c.

Eur. c. etm. (exc. Ib.);
Pont; Arm.

Eur. m. or; *Bith;*
Pont; Arm.

Balc.

Maur.

Pers. s. mont. (Demavend).

Cal; Sic.

Gal. m. or; *Hisp. c.*

Arm. oc. et e.

Hung; Ross. m; Sib.
oc; Alt; Tarb; Ala
Tau.

Tura; Hyrc.

Ferg; Iss. K. oc.

- a) v. *Lucida* Stgr. l. c. 1886 p. 237; Gr. Gr. l. c. p. 442, t. 8, f. 1 a, b; Persa Gr. Gr. l. c. p. 442, t. 7, f. 1 a (minor, multo dilutior, minus nigro-signata).
251. **Larissa** H. G. 896-9: Frr. B. 73, 1; B. Ic. 28, 4, 6; Dup. I, 26, 1-4; Tr. X, 1, 39; Brullé Expl. Mor. t. 45, f. 3; Lang. Butt. t. 46, 1; Rühl 469.
- a) v. (et ab.) *Astanda* Stgr. Cat. ed. II p. 23; Rom. Mém. Rom. I (1884) t. 1, f. 6 (♀), f. 5 (♂) trans. (major, obscurior, vix nomin.)
- b) v. (et ab.) *Syriaca* (Galathea v.) Obth. Et. XIX (1894) p. 18, t. 8, f. 68; ab. *Gnophos* Obth. l. c. f. 73 [ab. obscurata]; v. Taurica Röber Ent. Nachr. 1896 p. 83 (al omnibus ad basin et extus [fere] totis nigr., subt. nigricantioribus).
- c) v. (et ab.) *Herta* H. G. 900-3; B. Ic. 28, 1, 3; Tr. X, 1, 39 (forma magna, dilutior, subt. al. post. [plerumque] ocellis minor.)
- d) v. (et ab.) *Hertina* Stgr. praec. var. similis sed multo (duplo) minor, signaturis nigr. (plerumque) acutioribus.
252. **Grumi** Stndf. Mém. Rom. VI (1892) p. 661, t. 15, f. 2 a-c. Heyne-Rühl 803 (praec. forma Darwiniana).
- a) ab. *Occaecata* Stgr. subt. absque ocellis.
- b) v. *Massageta* Stgr. supra latius nigro-fasciata (ut in Larissa), subt. picturis magis extinct. (ut in Grumi), saepius fere unicoloribus (ochraceo-albidis).
253. **Hylata** Mén. Cat. Rais. p. 251; HS. 425-6; Rühl 469, 804.
254. **Titea** Klug Symb. Phys. t. 29, f. 15-18 (1832); Ld. z. b. V. 1855, t. 1, f. 5; Darceti Dup. I, 26, 5, 6 (1883); Larissa var. d'Arcet. Lef. Ann. S. Fr. 1832, p. 89, 440, t. 2, f. 1.
- a) v. *Teneates* Mén. Cat. Rais. p. 252 (1832); HS. 423-4, VI p. 7 (dilutior, al. basi minus nigricant., al. ant. macula cost. nigra angustiore).
- b) v. et ab. *Wiskotti* Röber. Ent. Nachr. 1896 p. 83; Tithea Ld. Wien. Mts. V p. 145; *Teneates* Stgr. Hor. XIII p. 273 (plerumque major, al. parte bas. albidiore; a var. praec. sat. distincta?).
- c) v. *Palaestinensis* Stgr. transitus Titeae ad Titaniam; al. post. (subt.) lineis transvers. med. magis dentatis, saepius interruptis (vel extintis).
- d) v. *Titania* Calb. Iris IV, 1891 p. 41; Stndf. Mém. Rom. VI p. 659, t. 15, f. 1 a-c; Rühl 802 (minor, dilutior, multo minus nigro-signata).
255. **Halimede** Mén. Bull. Ac. Petr. XVII p. 216 (1859); Schrk. p. 37, t. 3, f. 6, 7; Leech. Tr. Ent. Soc. 1889 p. 101, t. 8, f. 5, 5 a; Butt. China I p. 59; Stgr. Mém. Rom. III p. 147, t. 16, f. 9; Graeser Berl. e. Z. 1888 p. 95; Rühl 468; Ganymedes Heyne-Rühl 804.
256. **Meridionalis** Feld. Wr. Mts. VI p. 29 (1862); Leech Butt. China I p. 59; Stgr. Mém. Rom. III p. 147, t. 16, f. 10; VI p. 196; Graeser Berl. e. Z. 1888 p. 95; Epime de Stgr. l. c.; Rühl 468, 804 (praec. forma Darwin.?).
- *a) v. (ab?) *Lugens* Honr. Ent. Nach. XIV p. 161; Leech l. c. p. 60, t. 11, f. 1 (alis fere totis obscuratis).
- *b) v. *Montana* Leech l. c. t. 11, f. 7 (alarum signaturis transv. fere obsoletis).
257. **Ines** Hffsgg. Ill. Mag. III p. 205 (1804); O. I, 2, 237; B. Ic. 27, 5, 6; Dup. I, 24, 1-4; Lang Butt. t. 57, f. 3;
- Ferg. m*; *Saraw.*
- Bale*; *Pont*; *Bith*;
Taur; *Kurd. oc.*
Arm. pro p.
- Arm. pro parte.*
- Taur*; *Lyc.* (trans.).
- Dalm*; *Graec.*
- Arm. pro p.*
(*Achazlich*).
Mesop. s. (*Mardin*).
- Kurd. oc.* (*Malatia*).
- Arm. m. or*; *Hyrc.*
Syr. (*Beirut*); *Ant.* (pro p.).
- Arm. m. or* (*Talysh*).
- Taur. s*; ?*Arm. m. or*;
Ant. et *Syr. ab.*
- Pal*; *Libanon* (trans.).
- Syr. or* (*desert. et Hauran*); *Ant. s.* (*Orfa*,
Aintab, *Aleppo*);
Taur. m. (*Akbes*).
- Amur*; *Uss*; *Amdo*;
China.
- Amur*; *Uss*; *Corea*;
China.
- China c.*
- China c. mont.*
(*Chang-Yang*).
Ib. m; *Maur.*

Thetis Hb. 196-7 (1799 sed erat Pap. *Thetis* Rott. 1775 et *Thetys* F. Gen. 1777).

258. **Syllius** Hbst. VIII p. 15, t. 182, f. 8, 9 (1796); O. I. 1. 254; Rühl 471; *Psyche* Hb. 198-9 (1799), 676-7, 696-7 ab. nigr. God. II. 19, 3. 4; Mill. Ic. 133, f. 1-4; *Arge occitanica* Esp. 96, 3. 4; ab. *Antixora* Obth. Et. XX t. 2, f. 15.
- a) ab. *Ixora* B. Ic. 27, 3. 4; *Psyche* Hb. 694-5 (absque ocellis).
259. **Pherusa** B. Ic. 26, 4-6, I p. 141; Dup. I, 45, 1. 2; Lang Butt. t. 56, f. 3; Rühl 472.
- a) ab. *Plesaura* Bell. Ann. S. Fr. 1860, t. 12, f. 1, 2 (absque ocellis).
260. **Arge** Sulz. Abg. G. 1776, t. 16, f. 8, 9; Petag. Sp. Ins. p. 36, f. 25; Esp. t. 27, 1. t. 70, 1, t. 111, 2; O. I. 1. 251; Dup. I, 24, 5. 6; Lang Butt. t. 57, f. 2; *Amphitrite* Hb. 194-5 (1799); B. Ic. 27, 1. 2.
- a) ab. *Caecla* Stgr. absque ocellis.

33. **Erebia** Dalm. 1816.

261. **Epiphron** Kn. Btr. III, 181, t. 6, f. 7 (1783); O. I. 1. 258; HS. 92-94; Frr. 544, 1. 2; Buckell Ent. Rec. V. p. 161; Tutt Brit. Butt. p. 425; Egea Bkh. I, 77 (1788); Frr. 567, 1. 2 (fascia [maculis] externa rufa, ocellis [φ] albo-punctatis).
- a) v. *Cassiope* F. Mant. 42; Hb. 626-7; O. I. 1. 261; God. II. 15, 1. 2; Frr. 20, 1. 2; Meyer-Dür Tgf. t. 2, f. 4, 7 (v. *Valesiana*); *Melampus* Esp. 78, 2; Hbst. 209, 7. 8 (mac. ruf. obsoletis, ocellis nigris caecis).
- b) v. *Mnemon* Hw. Tr. Ent. S. I (1812) p. 332; Buckell l. c. 161; Tutt l. c. 427 (al. ant. maculis rufis 4, ocellis 3 nigris caecis, al. post. unicol. fuscis).
- c) ab. *Obsoleta* Tutt l. c. 427 (al. omnib. unicol. fuscis).
- d) v. *Pyrenaica* HS. 535-8 (v. ocellis magnis).
- e) ab. *Nelamus* B. Gen. p. 26; *Cassiope* Meyer-Dür Tgf. t. 2, f. 3 (ab. vix nigro-ocellata).
262. **Melampus** Fuessl. Verz. p. 31, f. 6 (1775); Esp. 103, 1 (? 31, 2); O. I. 1. 260; B. Ic. 35, 5. 6; Frr. 19, 1. 2; Lang Butt. t. 58, f. 3; Tutt Ent. Rec. VIII 258; Rühl 476; ? Esp. 78, 2; Janthe Hb. 624-5.
- a) v. *Sudetica* Stgr. Cat. ed. I p. 10 (var. mac. rufis majoribus).
263. **Kefersteinii** Ev. Bull. M. 1851, II, 610; HS. 617-8 (1852), VI p. 169; Stgr. Iris VII p. 244 not.; Elw. Tr. Ent. Soc. 1898 p. 186; l. c. 1899 p. 344 t. 11, f. 8-10, ? 7; Heyne Rühl 806 (praeac. var. asiatica?).
264. **Flavofasciata** Heyne-Rühl p. 805 (1895); Elw. Tr. Ent. Soc. 1898 p. 186 (*Melampi* forma *Darwiniana*?).
265. **Eriphyle** Frr. 187, 3. 4 (1836); Meyer-Dür Tgf. p. 154, t. 2, f. 8; Rothenbach Mittb. I (1863) p. 110; Christ ib. VI p. 231, VII p. 28; Rühl 477; Höfn. Wien. e. Z. 1883 p. 191; *Tristis* HS. 387-90; Rühl 478; v. [ab.] *Intermedia* Frey Soc. Ent. I (1886) p. 161 [maculis rufis majoribus].
- a) ab. *Impunctata* Höfn. Soc. Ent. II p. 121 (maculis ruf. permagnis. non ocellatis).

Gal. m; Ped; Ib.

Sic.

Cal; It. c.

Hercyn., Siles., Alsat. mont. (Vogesen); Hung. et Bulg. mont. (trans.).

Germ. m; Helv; Gal; It. s. et c. mont. et Alp.

Scot. mont.

Scot. mont.

Pyr.

Alp.

Alp; Pyr; Hung. alp.

Sil. mont.

Alt; Saj. or; Sib. or (Kultusch).

Helv. m. (Tessin Campolungo); ? Rhaetia.

Alp. Styr; Salisburg. et Car; Alp. Helv. or. (et oc?).

266. **Christi** Rätzer Mitth. VIII p. 220 (Decbr. 1890); Schulz Stett. e. Z. 1892 p. 359; Rühl 475; Elw. Tr. Ent. Soc. 1898 p. 187.
267. **Mnestra** Hb. 540-3 (1802); Esp. 120, 3. 4; O. I, 1, 264; B. Ic. 35, 1-4; Dup. I. 34. 3. 4; Frr. 91-3; HS. 96; Lang. 58, f. 6; Rühl 480.
- a) v. *Gorgophone* Bell. Ann. S. Fr. 1863, p. 419, t. 9, f. 1-3 (minor distinctius fasciata).
268. **Arete** F. Mant. 42; Hb. 231-2; O. I. 1. 301; HS. n. Schm. 54-7; Bell. Ann. S. Fr. 1858, p. 485, t. 11, f. 2; Rühl 478; ab. ♀ Albofasciata Höfn. Wien. e. Z. 1883 p. 193.
269. **Pharne** Hb. 491-4; Esp. 120, 4 (3 ?); O. I. 1. 259; B. Ic. 35, 7, 8; Dup. I. 24, 1. 2; Frr. 20, 3; 691, 2; HS. 95; Rühl 482.
- a) ab. (v. altic.?) *Phartina* Stgr. Iris VII p. 245 (1894); Rühl 808 (maculis rufis subnullis).
270. **Kindermannii** Stgr. Stett. e. Z. 1881, p. 269; Rühl 481 (certe non Elwesi [Maurisius Elw. Tr. E. S. 1898 p. 187]; minor, al. post. mac. fulv. rotundis, in ♀ nigro-punctatis; praecl. forma Darw.?).
271. **Pawlowskyi** Mén. Bull. Phys. math. XVII p. 217 (498) (1859); Herzi Chr. Hor. XXIII p. 299.
- a) v. *Sajana* Stgr. Iris VII p. 244 (major, aliquid diverso-maculata).
272. **Haberhaueri** Stgr. Stett. e. Z. 1881, p. 268; Rühl 481.
- a) v.? *Elvesi* Stgr.; Maurisius Stgr. Ir. VII, p. 246; Elw. Tr. E. S. Lond. 1899 p. 342, t. 11, f. 1-4 (certe non Maurisius Esp.) (maculis ruf. multo major. et distinctius supra subtusque signata; spec. diversa?).
- *b) v.? *Sofia* Streck. Bull. Brookl. Ent. Soc. 1881, p. 35; Elw. l. c. 1898, p. 188; Holl. Butt. p. 210, t. 25, f. 18; Ethela Edw. Can. Ent. XXIII (1891) p. 31 (al. fascia maculata rufa angustiore etc.; spec. diversa?).
273. **Maurisius** Esp. 113, 4, 5, Forts. p. 106 (1800?) (sec. alarum margin. exterior subt. griseo striatis certe!); Stubben-dorfi Elw. Tr. E. S. Lond. 1898, p. 138; l. c. 1899, p. 344.
- a) v. (et ab.) *Theano* Tausch. Mém. Mosc. 1809, t. 13, f. 1; Ev. Bull. M. 1851, II, 611; Elw. l. c. 188; ib. 1899 p. 342, t. 11, f. 5, 6; Rühl 482; Stubbendorfii Mén. Bull. Acad. V. p. 262; seu Lehmk. t. 6, f. 3; En. III, p. 145 (maculis multo major., ochraceo-fulvis).
274. **Turanica** Ersch. Hor. XII (1876) p. 336; Alph. Hor. XVI p. 413, t. 15, f. 22; Rühl 480.
- a) v. *Laeta* Stgr. Stett. e. Z. 1881 p. 295 (al. ant. maculis ochraceis tantummodo 3, fere aequalibus).
- b) v. *Tristis* Gr. Gr. Hor. XXVII, 383 (supra maculis obseuro-brunneis, al. post. subt. mac. alb. subnullis).
275. **Manto** Esp. 70, 2, 3 (1781), II p. 106; Hbst. 210, 8, 9; 211, 1, 2; Bkh. I. 100, 245; Lang t. 49, f. 1; Rühl 483; Pyrrha F. Mant. 42 (1787); Hb. 235-6, 616; O. I. 1, 267; God. II, 15, 3. 4; Frr. 31, 3. 4; 91, 4; Oeme var. Esp. 120, 1; Erina F. E. S. 237; Butl. Cat. 77; ab. ♀ Trajanus Hormuz. Soc. Ent. IX 1895 p. 161; z. b. V. 1897 p. 36 [al. post. subt. basi immaculata, maculis exterior. fere aequalibus].
- a) ab. *Bubastis* Meissn. N. Anz. Schw. 1818 p. 78; Frr. 38, 1. 1 p. 71 ♀; Pyrrha Maccabaeus Frr. 91, 4 ♂ (al. post. subt. fasc. [mac.] alba; ♀ ciliis variegatis).
- Vd. m. (*Simplon*, *Laquinthal*).
Alp. Helv. et Ter.
Gal. alp.
Car. Alp; Salisburg. (*Weissbriachthal*).
Alp; Voges.
Alt. oc.
Sib. or. s.
Saj; Mong. or. mont.
Turb.
Alt. or; Saj.
Am. bor.
Alt.
Ala Tau; Thian (ab.).
Thian oc. (*Kuldja*).
Thian c. (*Boro Choro*); ? Ferg.
Alp; Pyr; Hung.
alp.

- b) ab. et v. *Caecilia* Hb. 213-4. Text p. 35; B. Ic. 33, 5. 6; Dup. I. 49. 6. 7; HS. 584-5 (fere tota nigra).
- c) v. (altic.) *Pyrrhula* Frey Lep. 37 (1880) (minor, maculis et ocellis subnullis).
- d) v. *Vogesiaca* Christ Mitt. VI (1882) p. 239 (♀ subt. al. post. sine macula basali ceterum = Manto Esp.).
- 276. Ceto** Hb. 578-9; O. I. 1, 272; God. II. 16, 1. 2; Frr. 37, 1. 2; H. G. 1002-3.
- a) v. (et ab.) *Phoreys* Frr. 193, 2. III p. 4 (al. post. subt. macul. albis, brunneo-o-cellatis).
 - b) v. (et ab.) *Obscura* Rätzer Mitt. VIII (1890) p. 222; (maculis sordide rufis, duplo minoribus).
 - c) v. (altic.) *Caradjae* Caflisch Fauna Graub. II. Nachtr. p. 15 (minor. macul. rufis obsolet. vel extinct.).
- 277. Medusa** F. Mant. 40 (1787); Hb. t. 45, f. 103-4 (rect. f. 203-4); O. I. 1. 273; Frr. 43, 1; God. II. 15, 5. 6; Meyer-Dür Tgf. p. 163; Calberla Iris I. p. 134; Rühl 484; Ligea Esp. 7, 2; Medea Bkh. I. 74. 235 (1788); Hbst. 208. 3. 4; ?Epiphron God. II. 16, 3. 4; Meig. t. 46, f. 2.
- a) v. (et ab.) *Psodea* Hb. 497-9, Text p. 34; H. S. 167; B. Ic. 34, 3. 4; Dup. I. 49, 1. 2. Eumenis Frr. 85, 3. 4, I, p. 156 (ocellis pluribus majoribus).
 - b) v. (altic.) *Hippomedusa* O. Meissn. N. Anz. Schw. no. 12, p. 15; Meyer-Dür Tgf. p. 164; v. *Subalpina* Gmppbg. Stett. e. Z. 1888 p. 375; ab. *Procopiana* Hormuz. Ent. Nachr. 1892 p. 2; Rühl 486 [ocellis caecis] (minor, ocellis paucioribus minusque conspicuis).
 - c) v. *Polaris* Stgr. Cat. ed. I, p. 10; Stett. e. Z. 1861 p. 352; ?*Medusa* HS. 170 (minor. obseurius, subt. subfasciata).
 - d) v. *Uralensis* Stgr. Cat. ed. I, p. 10; *Medusa* Ev. V. F. U. p. 32 (minus ocellata, subtus fasciata).
 - e) v. *Transiens* Heyne-Rühl 810; *Medusa* var. Stgr. Iris V p. 334 (plerumque ocell. pluribus [ut in v. *Psodea*], al. post. subt. plus minusve griseo mixt. [fasciat. ut in v. *Uralens.*], in ♀ griseo-venatis).
 - * f) v. ? *Episodea* Butl. Cat. Sat. B. M. p. 80, t. 2. 9: Edw. Butt. N. A. III, t. 3 (supra v. f, subt. v. e simillima).
- 278. Oeme** Hb. 530-3 (1803); Esp. 120, 1, 2; O. I. 1. 270; Dup. I. 34, 4-8; B. Ic. 34, 5-8; Frr. 31, 1. 2; Rühl 486; Elw. Tr. E. S. 1898 p. 190.
- a) ab. (v.) *Lugens* Stgr. supra unicolor fusco-nigra, subt. plerumque ocellis 2 obsoletis.
 - b) v. *Spodia* Stgr. Cat. ed. II, p. 24; Rühl 487; *Psodea* Frr. 121, 3. II, p. 44; HS. 165-6, I p. 66; O. I. 1, 271 pro p. (forma major. ocellis majoribus).
- 279. Stygne** O. I. 1. 276 (1807); HS. 90, 91 ♀: Lang. Butt. t. 60, f. 1; Rühl 488; Pirene Hb. 223-4; Esp. t. 116, 3; Pyrene Esp. Forts. p. 117; Frr. 43. 2.
- a) v. (et ab.) *Valesiaca* Elw. Tr. Ent. Soc. 1898 p. 177, 192; *Stygne* v. a. M.-D. Tgf. p. 170 (supra ♂ fere totus niger, ♀ minime rufo-signata).
 - b) v. *Pyrenaica* Rühl 489 (minus rufo-signata, vix nominanda).
- 280. Erias** God. Tabl. Méth. p. 21 (1822); Lef. Ann. S. Lin. Paris 1826, 488, t. 11; B. Ic. 31, 3-5; Tr. X, 1, 44; Dup. I. 37, 1. 2, p. 236; Bonellii Hb. 892-5 (1827); Frr. 73, 1, 2; Butl. Cat. 83.
- Helv. (ab.); Pyr. (var.).*
Sum. Alp.
Voges.
Alp; Hung. alp; It. c.
? Turcia; Alp. (ab.).
Helv. (Simplon); Car. (Heiligenbl.).
Helv. (Pont); Alp. Gal. (sum)?.
Germ. c. et m; Belg; Gal. or; Helv; It. c. (trans); Balc. m; Ross.m; Sib; Amur; Pont; Arm; Ararat (trans).
Hung. or; Bulg.
Austr., Styr., Helv. Buc. Bulg. mont. et alp; ? Bohem. mont.
Lap. s; Sib. or. s.
Ural; Sib. et Mong. (var.).
Kent; Urga.
Am. s. oc.
Alp; Gal. mont; Pyr.
Helv. (Gadmen).
Austr. et Styr. alp. et mont; Bulg. mont.
Germ. m. (c.?) et Gal. m. mont; Alp; Pyr.; It. c; Arm.
Helv. pro p. (Gadmen; Simplon); Pyr.c.(ab.)
Pyr. oe; It. c. (Apennin).
Ter. m; Val., Ped. et Gal. Alp; Pyr. or; Cast.

- a) v. *Pyrenaica* Stgr.; *Pronoë* v. *Pyrenaica* Stgr. Cat. ed. II, p. 26 (ex errore minor, ocellis fasciaque fulvis minor., al. post. subt. in ♂ magis variegatis).
- b) v. *Hispanica* Zapater Ann. S. Esp. 1883 p. 300; Rühl 491; ? Lefebvri HS. 88, 89 (minor, al. ant. fascia fulvo-ochracea, supra dilatata, ocellis minor.. al. post. subt. magis unicolor.).
281. **Hewitsonii** Ld. Wien. Mts. 1864, p. 167, t. 3. f. 6, 7; Stgr. Hor. VII, 1870, p. 65; Gmppbg. Stett. e.Z. 1888, p. 388; Rühl 493; Calb. Iris IX t. 8, f. 10 (genital.) (prae. forma Darw.?).
282. **Melas** Hbst. 210, 4-7. VIII, p. 191 (1796); O. I. 1. 277; God. II, 17, 1. 2; B. Ic. 33, 3. 4; Dup. I, 39, 1-4; Frr. 49, 2; 61, 1. 2; HS. 65-8, 467-8; Stgr. Hor. VII, 65; Elw. Tr. Ent. S. 1887 p. 327; 1898 p. 191; Obth. Et. VIII p. 19; Rühl 491; Calb. Iris IX, t. 8, f. 6, 7 (genital.); Maurus Esp. 107, 3. 4 (1798?), 110, 4; Hungarica Obth. I. c. p. 22.
- a) v. *Lefebvrei* Dup. I, 35, f. 3, 4; 39, f. 5, 6; B. Ind. p. 23; Ic. 33, f. 1. 2; Tr. X, 1, p. 47; Stgr. I. c.; Elw. I. c. 1887 p. 397, 1898 p. 191; Obth. p. 21; Calb. l.c.f. 8, 8 (genital.); Lefebvri HS. 280-2, 375; v. *Pyrenaea* Obth. I. c. 20; v. *Intermedia* Obth. I. c. 21 [trans.] (plerumque magis ocellata, plus minusve fulvo-fasciata, ♀ subt. obseurior).
- b) v. et ab. *Astur* Obth. I. c. 20, t. 1, f. 12 (fere unicolor fusca, al. ant. plerumque ocello duplo apicali; interdum a forma typica Graeciae non distingueda).
283. **Nerine** Frr. 13, 3. 4 (Jul. 1831); B. Ic. 31, 6. 7 (1832); Tr. X, 1. 49; Dup. I, 35, 5. 6 ♂; HS. 69-74; Stgr. Iris VIII p. 285 (pr. p.); Rühl 489; Elw. Tr. Ent. Soc. 1898 p. 193; Goante HS. 171-2; v. *Selviana* Curo Bull. Soc. Ent. Ital. 1871 p. 347 [transit.].
- a) v. *Reichlini* HS. Corr. Ins. no. 1, p. 5; Spr. Stett. e. Z. 1865, 243; *Styx* Frr. 121, f. 4 ♀; (major, obseurior, minus fasciata, subt. al. post. inocellatis).
- b) v. *Morula* Spr. Stett. e. Z. 1865, p. 248; Gmppbg. Stett. e. Z. 1887 p. 387 (minor, obseurior).
284. **Scipio** B. Ic. 30, 1-6, 1 p. 152; Dup. I, 38, 5. 6; H. G. 980-3; Lang t. 61, f. 4; Tutt Pr. South. Lond. Ent. Soc. 1897 p. 63; Rühl 496.
285. **Glacialis** Esp. 116, 2 (ante 1800?); Calb. Iris IX p. 377, t. 8, f. 1-5 (genital); *Alecto* Frr. 49. 4 ♀; B. Ic. t. 30, f. 6, 7 ♀; Dup. t. 14, f. 3, 4 ♀; HS. 173-4 ♀ (al. fascia [maculis] lata rufa obsoleta ♀ et ♂).
- a) ab. et v. *Alecto* Hb. 515-6 ♀ [ab. ocellata] (1802?) 528-9 ♂; O. I. 1. 279; Frr. 149, 3; Calb. I. c.; Rbl. z. b.V. 1899 p. 160, t. 4, f. 1. 2; Nichollii Obth. Monthl. Mag. (2) VII (1896) p. 3; ?*Attratus* Esp. 104, 1; *Persephone* Esp. 121, 5. 6 (macul. rubris obsoletis).
- b) ab. (♂) *Pluto* Esp. 121, 1 (1805?); ?Butl. Cat. 77; *Alecto* B. Ic. 32, 4. 5; Dup. I, 38, 1. 2; *Tisiphone* Esp. 122, 5; ?*Beelzebub* Costa Esere. Acad. p. 27, t. 2, f. 1, 2; Duponcheli Obth. Bull. S. Ent. Fr. 1897 p. 290; *Alecto* Dup. 38, f. 3, 4 ♀ (ab. supr. et subt. tota nigra).
286. **Erinna** Stgr. Iris VII (1894) p. 376; Heyne-Rühl 811; Elw. Tr. Ent. Soc. 1898 p. 204; *Erynnis* Stgr. I. c. p. 247, t. 9, f. 2 (an Er. *Magdalena* Streck. Bull. Brook. E. S. III p. 35 (1880) Amer. s. var. Darwin.?).

*Pyr. c. (Sum. Pyr.)**Arag.**Arm.; ? Pers. s. mont.**Carn.; Istr.; Hung.
m. or.; Herceg;
Graec.**Pyr.**Sum. Pyr. Gal. et
Astur.**Germ. m. or. mont. et
Alp.**Bav. m. or.; Salisburg.
et Teriol. mont.**Teriol. m. et Car. Alp.**Alp. Gal. mer. or.**Sum. Alp. (oc.).**Alp. (or.).**Alp. oc.; It. c. mont.**Sajan or.*

287. **Fasciata** Butl. Cat. p. 92, t. 2, f. 8 (1868); Elw. Tr. Ent. Soc. 1898 p. 203 (sp. omn. diversa).
288. **Pronoë** Esp. 54, 1 (1780); Bkh. I, 28; O. I, 1. 290; Frr. 73, 3. 4; Rühl 506; Arachne Hb. 215-7; God. II, 16, 7. 8; v. Subalpina Gmppbg. Stett. e. Z. 1888 p. 381 (♀ ab.); Almangoviae Stgr. Iris VIII p. 287, t. 5, f. 1, 2.
- a) v. (et ab.) *Pitho* Hb. 574-7; *Pronoë* H. G. 1000-1 (obscurior, fasciis rufis subnullis).
289. **Epistygne** Hb. Verz. p. 62 (1816); B. Ic. 31, 1. 2; Hb. 855-8; Tr. X, 1. 45; *Stygne* Hb. 639-40; Frr. 49, 1; Lang. 61, f. 5; Rühl 497.
290. **Goante** Esp. 116, 1; O. I, 1. 293; God. II, 17, 3. 4; Frr. 79, 1. 2; HS. 77-9; Lang. Butt. t. 62, f. 5; Rühl 505; Sceae Hb. 233-4; *Gorgone* HS. 283-4 ♀ ab. parva; ? Montanus Prun. Lep. Ped. p. 71 (1798, nom. vet.?).
291. **Gorgone** B. Ic. 29, f. 5-8, I p. 150; HS. 75-6, 469-70; Elw. Tr. Ent. S. 1887 p. 398; 1898 p. 179, 194 (bona sp. sec. genital. ♀ subt. venis albicant.).
292. **Gorge** Esp. 119, 4. 5; Hb. 502-5; O. I, 1. 294; Frr. 79, 3; *Aethiops minor* Esp. 112, 1. 2.
- a) ab. et v. *Erynis* Esp. 121, 3; *Gorge* var. HS. 175 (absque ocellis).
- b) v. (et ab.) *Triopes* Spr. Stett. e. Z. 1865, p. 248; Mill. Ic. 153, f. 10 (al. ant. apice ocellis 3 apicalibus).
- c) v. *Gigantea* Obth. Et. VIII p. 24, t. 1, f. 7 ♀ (1884); Rühl 505 (major, vix nom. conserv.).
- d) v. *Rhodopensis* Stgr. paullo major *Gorge*, ♂ al. ant. an-dronicis perspicuus, ocello duplo apicali magno et uno subanali parvo (an praec. spec. var.?).
293. **Neoridas** B. Ind. p. 23; B. Ic. 29, 1-4; Germ. Fn. I. E. XVI, 21; Tr. X, 1. 51; Dup. I, 36, 5. 6; H. G. 984-7; Lang. Butt. t. 63, f. 3; Rühl 507.
- a) ab. *Margarita* Obth. Feuille Jeun. Nat. no. 306 p. 110 (1896); Et. XX p. 37, t. 9, f. 155; Elw. Tr. Ent. Soc. 1898 p. 195 (sec. unum ♂ parvum in al. post. non ocellatum descript; see. Obth. bon. spec.!).
294. **Zapateri** Obth. Ann. Soc. Ent. Esp. IV (1875) p. 370, t. 17, f. 1. 2; Lang. Butt. t. 63, f. 4; Rühl 509.
295. **Sedakovii** Ev. Bull. M. 1847, III, 70, t. 1, f. 5, 6; HS. 591-2, VI p. 11; Stgr. Iris V p. 334; Leech Butt. China I p. 98; Rühl 508; *Stygne* F. d. W. Ent. I p. 56, t. 1, f. 2.
- * a) v. *Niphonica* Jans. Cist. Ent. II p. 153 (1877); *Scoparia* Butl. Proc. Z. S. Lond. 1881 p. 849 (subt. al. post. in ♂ fere unicolor., in ♀ albido-fasciatis, vix nominanda).
- b) v. *Alcmena* Gr. Gr. Hor. XXV p. 457 (1891); Leech I. c. p. 99, t. 9, f. 10; Heyne-Rühl 812 (al. ant. fascia obscuriore fulva introrsum recurvata, subt. al. post. distinctius signatis; sp. prop.?).
296. **Aethiops** Esp. 25, 1 ♂ (1777) 63, 1 ♀; Schn. Syst. B. 106; Hbst. 209, 3. 4 ♂; Rühl 509; Tutt. Brit. Butt. p. 430. *Medea* Hb. 220-2; O. I, 1. 281; Frr. t. 55, 1. 2., t. 38, 2. 3 ab., t. 681, 1; *Blandina* F. E. S. 236 (1793); God. I, 7 quart. 3, quint. 3; Barr. Brit. Lep. I t. 29, f. 2; ? *Euryale* Hb. 908-9 ab.
- a) v. (et ab.) *Leucotaenia* Stgr. Cat. ed. II p. 26; *Neoridas* Frr. 55, 3. 4 (subt. fascia albicante).
- b) v. *Melusina* HS. 373-4, VI p. 10 (al. omn. fascia rufa lata).
- Am. arct; Sib. bor.
or. (Elw.).
- Alp; Gal. It. Hung.
mont; (Bith; Arm.
etc. ex errore).
- Alp.
- Gal. m. or; Arag.
- Alp; Carp. mont;
? Apen. (Fiori).
- Pyr. c.
- Alp; Pyr; It.c. mont;
Hispan. s. alp; Carp.
- Alp. (ab.); It.c. (var.).
- Sum. Alp. or.
- Pyr. Asturiae.
- Buly. m. mont.
- Gal. m. Alp. et mont;
Pyr. or.
- Pyr. or.
- Cat; Arag. mont.
- Alt; Kent; Amur; Uss.
- Jap.
- Ando; China m. oc.
(var.).
- Eur. c; It; Angl. s:
Scot; Liv; Turc.s.or;
Alt; Sib.m (Irkutsk).
- Carn; Helv.m; Hung.
m. or; Dalm; ? It.
Arm; Kurd; Pont.

- c) v. ? *Aethiopella* Stgr. Iris X (1897) p. 324 not. 2 (al. ant. fasciis rufis subnullis, al. post. nullis, ext. supra 3, subt. 5 punctis alb.; sec. 1 ♂ descripta, bon. sp.?).
- 297. *Melancholica*** HS. 276-9, VI p. 10; Elw. Tr. E. S. Lond. 1898 p. 194 (praec. spec. diversa Stgr. esse videtur; minor, al. ant. fascia rufa latiore [et breviore], al. post. sine fascia rufa, subt. fascia postmedia [in ♀ ochracea] dentata etc.).
- 298. *Dabanensis*** Ersch. Hor. VIII (1871) p. 315; Mém. Rom. II, t. 16. f. 1. p. 209; Elw. Tr. Ent. Soc. 1898 p. 199; ib. 1899, t. 12, f. 5, 6, ? var. f. 7. 8; Rühl 484, 809.
- a) v. *Tundra* Stgr. Mém. Rom. III p. 148, t. 8, f. 1 ♀; Rühl 476 (minor, pallidior, sec. 1 ♂ detrit. et 1 ♀ descript.).
- 299. *Fletcheri*** Elw. Tr. E. S. Lond. 1899 p. 347 (sine descript.), t. 12, f. 4 (una ♀ condita. an praec. var. an ab.?).
- 300. *Meta*** Stgr. Stett. e. Z. 1886 p. 237; Gr. Gr. Mém. Rom. IV p. 444, t. 13, f. 2; Rühl 479.
- a) v. *Mopsos* Stgr. l. c. 239; Rühl 487 (al. post. subt. non albo-striatis, ♀ al. ant. fere totis rufis).
- b) v. *Gertha* Stgr. l. c. 238 (al. ocellis nigr. latius rufo-cinctis, al. ant. rufo-fasciatiss. subt. plus minusve rufis).
- c) v. *Issyka* Stgr. l. c. (major, maculis nigris late fulvo-cinctis, ♀ al. ant. fere tot. fulvis):
- d) v. *Alexandra* Stgr. Stett. e. Z. 1887 p. 55; Rühl 487 (al. supra fere rufo-fasciatiss., ♀ al. ant. fere tot. fulvo-inspersis, al. post. subt. fascia lata obsoleta obscuriore, extus fere non albo-striatis).
- e) v. *Melanops* Chr. Hor. XXII p. 299; Rühl 488 (praec. v. paullo major, obscurior, ocellis parvis obsoletis, al. post. subt. albo-striatis, Metae simillima, sed multo major).
- 301. *Euryale*** Esp. 118, 2. 3; O. I, 1. 286; Hb. 789-90; Frr. t. 61, 3. 4., t. 91. 1. 2., t. 686; HS. 97-100; God. II, 13, 3. 4; Schilde Ent. Nachr. 1885 p. 168; Auriv. Tidskr. 1883 p. 33; Hormuz. z. b. V. 1895 p. 246: Elw. Tr. Ent. Soc. 1898 p. 196; ab. *Philomela* Esp. 116, 4; Hb. 218-9 (ab.); *Isarica* Rühl 812 [ab.] (sequ. sp. forma Darw.?).
- a) ab. (et v.) *Ocellaris* Stgr. Cat. ed. I. p. 11 (supra maculis parvis, [non fascia] rufis, nigro punctatis).
- b) v. et ab. *Euryalooides* Tgstr. Cat. p. 5 (295) (ocellis sub-nullis).
- c) v. *Jeniseiensis* Trybom Vet. Ak. Förh. Stockh. 1877 p. 46 (Ligea v.); *Velox* Herz Iris XI (1898) p. 246 (supra maculis nigr., ochraceo-rufo cinctis, subt. al. post. albido-fasciatiss. an Ligeae var.?).
- 302. *Ligea*** L. S. N. ed. X, 473; Hb. 225-8; O. I, 1. 283; God. II, 13, 1. 2; Frr. 67; Elw. Tr. Ent. Soc. 1898 p. 196; Alexis Esp. t. 44, f. 1. 2. t. 54, f. 2.
- a) v. (an ab?) *Adyte* Hb. 759, 760; Spr. Stett. e. Z. 1860 p. 373; Schöyen Tidsk. 1885 p. 144 (minor, forma intermedia?).
- b) ab. (et v.) *Livonica* Teich. Stett. e. Z. 1866 p. 33; Nolck. Nat. Ver. Riga 1868, p. 74; *Ligea* Schilde Stett. e. Z. 1873, p. 179 (al. post. subt. unicoloribus brunneis).
- c) v. *Ajanensis* Mén. En. II, p. 104 (1855); Stgr. Mém. Rom. VI p. 197; Eumonia Mén. Bull. Ac. XVII, p. 216; Schrk. p. 34, t. 3, f. 4 (subtus al. post. fascia alba, al. ant. fascia fulva distinctioribus).
- Kent.
- Arm. m. (*Ararat*).
- Sib. or. (*Chamar Daban*); Saj. or.
- Sib. or. (? *Kultusch*).
- Alt. or.
- Ferg. m. or. (*Osch*).
- Ferg. s. (*Namangan*).
- Ferg. s. (*Namangan*).
- Iss. K. m. or.
- Iss. K. oc.
- Saraw.
- Alp; Sil., Hung., Bulg. et Gal. mont; Pyr; It. c; Sib. or. s. (ab.).
- Ter. Styr. et Car. Alp; Sib. or. (v.). Fen; Alp. (ab.).
- Sib. c. et or. s.
- Eur. c. et s. mont. (excl. Brit.); It. c; Bulg; Alt; Urga. Scand. c. mont; ?Carp. etc. (ab.).
- Liv; Fen.
- Sib. or; Kamt; Amur; Uss.

303. **Embla** Thnb. Diss. Ent. II (X. Dec. 1791), p. 38, t. 2, f. 8; Quens. Act. Holm. 1791, t. 9, f. 1, 2; HS. 382-3; Frr. 416, 3. 4; Mén. En p. 105; Schrk. p. 35; Wek. Stett. e. Z. 1864 p. 173; Schilde ib. 1873 p. 181; Trybom Vet. Ak. Förh. 1877 p. 46; Lang t. 54, f. 2; Rühl 515; Elw. Tr. Ent. Soc. 1898 p. 199; Dioxippe Hb. 538-9 Dup. I, 36, 1. 2; ? Sophia Quens. Acerbi Trav. II p. 254, t. 3, f. 1. 2 [ab?].
 a) v. (et ab.) *Succulenta* Alph. Mém. Rom. IX (1897) p. 325; Elw. I. c. 1899, p. 350 (Lama in l.) (dilutior, al. omnib. distinct. ocellatis, ocellis nigris laete fulvescenti-circumscriptis).
304. **Disa** Thnb. Diss. Ent. II, p. 37: Frr. 416, 1. 2; Mén. En. p. 105; Stgr. Stett. e. Z. 1861 p. 353; Lang t. 64, f. 3; Schilde Ent. Nachr. 1885 p. 166; Elw. Tr. Ent. S. 1898 p. 199; Gefion Quens. Act. Holm. 1791, t. 9, f. 3, 4; Esp. 108, 2; Griela F. E. S. 236; Hb. 228-9; Stheno Hb. 561-2; Embla B. Ic. 32, 1-3; Dup. I, 36, 3. 4.
- * a) v. *Mancinus* Ibld. Hew. Gen. Diurn. Lep. II p. 380, t. 64; Holl. Butt. p. 209, t. 25, f. 23 (al. ant. supra disco rufesc., al. post. subt. minus fasciati).
305. **Rossii** Curt. App. Ross. Voy. p. 67, t. A, f. 7 (1835); Auriv. Ins. Vega Exp. IV p. 75, t. 1, f. 4 (genital); Elw. Tr. Ent. Soc. 1898 p. 202; ? Ero Trybom Vet. Ak. Förh. 1877, p. 48.
- a) v. *Ero* Brem. Lep. O. S. p. 20, t. 2, f. 1; Rühl 514, 813; *Rossii* Elw. I. c. 1899 p. 347, t. 12, f. 1-3 (al. post. subt. distinctius fasciatis; an satis distincta?).
306. **Edda** Mén. Midd. R. p. 58, t. 3, f. 11 (1851); Graes. Berl. e. Z. 1888 p. 96; Rühl 515; Elw. I. c. 348; *Cyclopius* v. *Intermedia* Trybom Vet. Ak. Förh. 1877 p. 46.
307. **Cyclopius** Ev. Bull. M. 1844, III, 590, t. 14, f. 3a, b; HS. 607-8; Rühl 514, 812.
308. **Tristis** Brem. Bull. Ac. 1861 III, p. 467; Stgr. Mém. Rom. VI, 198; Rühl 514, 813; Wanga Brem. Lep. O. S. p. 20, t. 2, f. 1.
309. **Hades** Stgr. Berl. e. Z. 1882 p. 172; Gr. Gr. Mém. Rom. IV p. 446, t. 13, f. 3 a, b; Rühl 491; v. *Erebus* Gr. Gr. I. c. 449 (non descripta) (Shallada Lang Journ. A. S. B. 1880 p. 247; Nicév. Butt. Ind. I p. 241, t. 15, f. 42 de Himal. oc. est sp. affinis).
310. ? **Nero** Stgr. Iris VII p. 247 (praecl. var.? sec. 2 ♂ descr.; al. ant. ocello minore, non bipupillata; al. post. subt. unicolor, sine punct. alb.)
311. **Mani** Nicév. Journ. As. Soc. XLIX. 2 p. 247 (1880); Butt. Ind. I p. 242, t. 15, f. 43; ?v. *Icelos* Gr. Gr. Mém. Rom. IV p. 452, t. 13, f. 4 b. e.
- a) v. *Jordana* Stgr. Berl. e. Z. 1882 p. 171; Gr. Gr. I. c. p. 449, t. 13, f. 4 a; Rühl 493; (al. ant. usque ad angulum anal. fasciatis, plus minusve castaneo-tinetis).
- b) v. *Fusciata* Stgr. Stett. e. Z. 1887 p. 57; Gr. Gr. I. c. p. 451; Roxane Gr. Gr. ib. III p. 401; ? ab. ? *Ida* Gr. Gr. I. c. IV p. 452 (al. post. late castaneo-fasciatis, al. ant. pallide flavo-fasciatis).
- c) v. *Subocellata* Stgr. al. ant. ut in v. *Jordana*, al. post. ut in v. *Fasciata* fasciatis; al. post. subt. obscurioribus, in angulo apic. ocello ochraceo ornatis ♂ et ♀.
312. **Maracandica** Ersch. Fedtsch. (1874) p. 17, t. 1, f. 13; Stgr. Stett. e. Z. 1886 p. 241; Gr. Gr. Mém. Rom. IV p. 444;
- Scand. c. et s; Ross.
s; Sib. or. (Witim);
Kent. (trans.).
- Kamt; Amur. s; Urga;
Saj. et Alt; Lap.(ab.).
- Scand. et Ross. pol;
(Lap.); Sib. bor.
- Am. bor. et s.
- Am. arct; As. pol.
- Daur; Saj. et Alt. or.
- Sib. s. c. et or; Amur
s; Daur; Saj. et
Alt. or.
- Ural; Alt; Kent;
Urga; Amur; Uss.
Amur.
- Ferg. m; Saraw;
? Pamir s. oc.
- Ferg. m. (? Transa-
lai).
- Ladak; Pamir m.
- Ferg. m. et s; Saraw;
Thian. m. (Korla).
- Ferg. m. (Transalai);
Pamir.
- Ferg. m. (? Transa-
lai).
- Ferg. m; Saraw;
Buch. s. or.

- Rühl 495 (Kalinda Moore Pr. Z. S. Lond. 1865 p. 501, t. 30, f. 5 est sp. affinis sed div.).
313. **Herse** Gr. Gr. Hor. XXV (1891) p. 457; Leech Butt. China I p. 99, t. 9, f. 7, 8; Rühl 496, 811.
314. **Discoidalis** Kirby Richards. Fn. bor. amer. p. 298, t. 3, f. 2, 3; Graes. Berl. e. Z. 1888 p. 96; Rühl 495; Holl. Butt. p. 209, t. 25, f. 19; Herz Iris XI 245; Lena Chr. Hor. XXIII p. 299.
315. **Kalmuka** Alph. Hor. XVI (1881) p. 414, t. 14, f. 18, 19; Calmucca Rühl 502, 811.
316. **Radians** Stgr. Stett. e. Z. 1886 p. 240; Gr. Gr. Mém. Rom. IV p. 453, t. 13, f. 1; Rühl 501; v. Usgentensis (Stgr.) Rühl 502 [al. post. subt. fere unicolor].
- a) v. *Progne* Gr. Gr. l. c. 454 (paullo minor, al. subt. et al. ant. supra fere unicoloribus).
317. **Sibo** Alph. Hor. XVI (1881) p. 416, (83) t. 15, f. 20, 21; Rühl 500, 811 (sequ. forma Darw.?).
318. **Oenus** Ev. Bull. M. 1843 III, 538, t. 8, f. 5 a. b; HS. 291-2; Stgr. Stett. e. Z. 1881 p. 296.
- a) v. *Mongolica* Ersch. Hor. XXII p. 199, t. 1, f. 3 (1888); Gr. Gr. Mém. Rom. IV p. 452, t. 14, f. 3; Rühl 500; v. *Tianschanica* Rühl 501 (al. ant. obsolete castaneo-striatis; al. post. subt. distinctius signatis, venis cinereis; ? trans. ad sequ.?).
319. **Lappona** Esp. 108, 3; Manto F. E. S. 231 (1783); Hb. 107-8. (r. 207-8), 512-14; O. I. 1, 296; God. II, 17, 7, 8; Frr. 85, 1, 2; Castor Esp. 67, 2; Schn. Syst. B. p. 108; Mantoides Butl. Cat. p. 87, t. 2, f. 6 ab.
- a) ab. *Pollux* Esp. 67, 3 (al. post. subt. non fasciatis).
- b) v. et ab. *Sthenyno* Grasl. Ann. S. Fr. 1850, t. 10, f. 1-3; Obth. Et. VIII p. 23 (al. ant. supra sine lineis transvers. infuscatis, al. post. subt. ut in var. *praeac.*).
320. **Tyndarus** Esp. 67, 1 (1781); O. I, 1, 299; Frr. 80, 1, 2; H. G. 971-974; Obth. Et. XX t. 9, f. 155-6; ab. *Cassiooides* Esp. 108, 2, 3; Neleus Frr. 80, 3, 4; Cleo Hb. 209-12; God. II, 17, 5, 6.
- a) ab. *Coecodromus* Gn. et Vill. p. 87 (fere tota fusca, absque ocellis).
- b) v. *Dromus* HS. 168-9; *Tyndarus forma I* Obth. Et. VIII p. 25; ib. XX, t. 9, f. 155-6; *Pyrenaica* Heyne-Rühl 812 (al. ant. ocellis apic. major., flavidius fasciat., subt. fascia med. obscuriore).
- c) v. *Hispania* (r. Hispania) Butl. Cat. 86, t. 2, f. 7 (1868); *Nevadensis* Stgr. Cat. ed. I p. 11 (1861 nom. Cat. ?); ed. II p. 25 (major, ocellis apic. maximis, subtus unicoloribus).
- d) v. *Dromulus* Stgr.; *Dromus* var. H. G. 275 VI p. 8 (*praeac. v. similis* sed latius rufo-fasciata, al. post. subt. non griseo-nervatis).
- e) v. (et ab.) *Altajana* Stgr; *Tyndarus* var. Elw. Tr. E. S. Lond. 1899 p. 345 (al. ant. mac. rufa usque ad cellam dilatata).
- f) v. *Sibirica* Stgr. Stett. e. Z. 1881 p. 270; Heyne-Rühl 812 (major, al. post. non ocellatis, subt. unicolor.).
- g) v. *Ottomana* HS. 376, 379-80, VI p. 8; Stgr. Hor. VII, 1870, p. 67 (maxima, ocellis distinctiss., subt. unicolor).
- Amdo; China m. oc.
- Am. bor; Amur. s;
- Sib. c. et or. s.
- Thian. oc; Korla.
- Ferg; Iss. K. oc.
- Ferg. m.
- Thian. s. oc. (Kuldja).
- ? Tarb; Ala Tau;
- Thian. prop.
- Thian. m; Ferg. m.
- Alp; Pyr; Hung. mont;
- Bulg. oc. alp; Scand. mont; Lap; Fen;
- Alt.
- Pyr. c; Helv. (ab.).
- Alp; It. c; Hung. et Gal. mont; Pyr. c. et oc. (Asturia); Arm. et Pers. s. oc. (trans.).
- Pyr. or.
- And. (Sierra Nevada).
- Arm. m. (Ararat);
- Pont. or.
- Alt; Saj. (trans.); Sib. or; Arm. etc. (ab.).
- Tarb; Alt; Mong. (Urga) (trans.).
- Graec; ? Bith; Pont. (var.); Bulg. mont. (trans.).

- h) v. *Iranica* Gr. Gr. Hor. XXIX (1894) p. 291 (praec. var. minor, al. omn. rufo-fasciatis, al. ant. ocellis major., al. post. subt. magis variegatis, nervis griseis).
- * i) v. *Callias* Edw. Tr. Phil. 1871 p. 274 (var e et f similis, al. post. subt. distinctius fasciatis).
321. **Afer** Esp. 83, 4, 5 (1783); O. I. 1. 275; Frr. 37, 4; Dup. I, 35, 1, 2; Afra B. Ic. 34, 1, 2; Lang 62, f. 1; Rühl 497; Phegea Bkh. I, 101; Hb. 500-501, 749-51.
- a) v. *Dalmata* God. Enc. Méth. p. 530; Gmppbg. Stett. e. Z. 1888 p. 385; Elw. Tr. Ent. Soc. 1898 p. 204 (subt. al. post., praecipue in ♂, magis unicoloribus).
- b) v. *Hyrcana* Stgr.; Afra Chr. Hor. X p. 29 (ocellis majoribus (et plur.), distinctius pallide flavo-cinctis).
322. **Parmenio** Boeb. Mém. Mose. II p. 306, t. 19; HS. 421-2, 464-6; Stgr. Mém. Rom. VI p. 197; Rühl 498; Elw. Tr. E. S. Lond. 1899 p. 351 (genus Erebomorpha).
- a) ab. *Inocellata* Graes. Berl. e. Z. 1888 p. 96 (ocellis obsoletis).
- b) v. *Alpina* Elw. l. c. p. 252 (minor, supra obscurior, ocell. minoribus).
34. **Oeneis** Hb. 1816.
323. **Aello** Hb. 519-21; Esp. 115, 1; O. I. 1. 199; B. Ic. 36, 1-3; Dup. I, 31, 1-3; HS. 125-6; Mill. Ic. 75, f. 1, ab; Z. Stett. e. Z. 1877 p. 306; Lang Butt. t. 64, f. 1; Rühl 518. Norna Hb. 141-2; Glacialis Schrk. et Möll. Naturh. Briefe I p. 102 (1783) [nom. vet; ? satis descripta].
324. **Dubia** Elw. Tr. E. S. Lond. 1899 p. 354, t. 13, f. 6, t. 14, f. 3 (an Nornae var. ? differt androconis subnallis, genital. aliiquid divers. et ♀ obscuriore).
325. **Norna** Thnb. Diss. Ins. II (X. Dec. 1791) p. 36, t. 5, f. 11; Esp. 108, 4; Hb. 763-6; O. I. 1. 201; B. Ic. 36, 4-6; Dup. I, 31, 4-5; Rühl 522; Elw. Tr. E. S. 1893 p. 469; ab. Lampana Auriv. Nord. Fjär. p. 33 [fascia ext. obscur. rufa]; ab. Ochracea Auriv. l. c. [al. ant. fere tot. ochrac.]; Celaeno Hb. 152-3, 142 * Text p. 24.
- a) ab. *Hilda* Quens. Act. Holm. 1791 p. 256, t. 9, f. 7, 8; Schn. N. Mag. IV 414; Stgr. Stett. e. Z. 1861, 355; ab. *Fulla* Stgr. l. c; Norna var. β Thnb. l. c; ? Bore Hb. 756 (al. ant. et post uno tantum ocello).
- b) v. *Altaica* Elw. Tr. E. S. Lond. 1899 p. 353, t. 13, f. 2. 5 (obscurior, praecipue ♂, al. post. subt. magis variegat., pro parte albo-venatis: an Aellois var. Darw.?).
- c) v. ? *Fulla* Ev. Bull. M. XXIV (1851) p. 614a; HS. 615-16; Stgr. Stett. e. Z. 1881 p. 271; Elw. Tr. Ent. S. 1893 p. 471 (minor, pallidior, al. post. non ocellatis; an sp. div. sec. genital.?).
- d) v. ? *Hora* Gr. Gr. Hor. XXII (1888) p. 307; Mém. Rom. IV p. 459, t.20, f. 1; Elw. Tr. E. S. Lond. 1893 p. 471 (pro p.); ib. 1899 p. 357; Rühl 524 (de Norna differt ocellis minor., paucior. vel. nullis, al. post. subt. subalbidovenatis; de v. *Fulla* differt colore saturatiore in ♂ obscuriore; an sp. diversa?).
- e) v. ? *Verdanda* Stgr. Iris X (1897) p. 349; Hora Elw. Tr. E. S. Lond. 1893 p. 471 [pro p.] (Nornae forma Darw. an Horae var. ? de Hora differt colore pallidiore et al. post. subt. fascia med. in marg. ant. multo angustiore; an sp. div.?).
- Pers. s. (Demavend).*
- Am. s. (Colorado etc.).*
- Ross. m: Arm. m. mont; Sib. or; Tarbag; Iss. K. oc; Tura (v., non Dalmata). Dalm; Kurd. oc. (Karput); ? Pont; ? Arm. Hyre.*
- Sib. m. (Alt; Saj; Kent); Urga; Amur oc.*
- Sum. Alt. or.*
- Alp.*
- Alt. or.*
- Eur. bor; As. bor; Iss. K. s. or. (var.).*
- Alt; Saj.*
- Tarb.*
- Ferg. m; Iss. K. or. et s. oc; ? Alt. m.*
- Thian. c. (Korla alp. et Boro. Choro).*

326. **Bore** Schn. N. Mag. p. 415 (1792), 585; Esp. 100, 1., 108, 1; Hb. 134-36; O. I. 1. 205; B. Ic. 37, 1 (? 2, 3); Dup. I. 32, 1, 2; Lang Butt. t. 65, f. 3; Rühl 528; Norna Quens. Act. Holm. 1791, t. 10, f. 1, 2, p. 257; var. γ Thnb. Diss. Ins. II, p. 36.
- a) v. *Taygete* Hb. Ex. Nymph. IX, Oread. D. Nubilae 4, 1-4 (ante 1830); Möschl. Wien. Mts. 1863, 213; Holl. Butt. p. 223, t. 27, f. 6; Bootes B. Ic. 37, 4-6; Dup. I. 32, 3-5; H. G. 1025-8; H. S. 391-2; Calais Scud. Rev. 1865, no. 3; Möschl. Stett. e. Z. 1870, 124 (supra plerumque obseurius, al. post. subt. dilutius pictis, albo-venatis).
- b) v. ? *Ammon* Elw. Tr. E. S. Lond. 1899, p. 356, t. 14, f. 2. 7 (al. post. supra margin'e exter. concol., subt. non albo-venatis, fascia med. obsc. distinctiore, maculis submarg. ochrac. subnullis; an sp. diversa?).
327. **Crambis** Frr. 440, 3, 4; Auriv. Veg. Exp. 1885 IV, p. 76, t. 1, f. 1, 5, 6; Rühl 524; Taygete HS. 112-5; Also Möschl. Wien. Mts. 1860, 342; Oeno Scud. Rev. no. 5; Möschl. Stett. e. Z. 1870, 123; Subhyalina Elw. (?Curt.) Tr. E. S. 1893 p. 463, 475 (cfr. Edw. Canad. Ent. XXVI p. 62).
- a) v. *Pansa* Chr. Iris VI (1893) p. 87 (Semidea var.); Herz Iris XI, p. 247 [Crambis var.]¹⁾; ? Alda Aust. Le Natural. 1895 p. 84 [sec. 1 ♂ deser.]; Heyne-Rühl 815 (plerumque major [et obseurius]; an Bore var.? in Norv. pol. 1 ♂ inter. mult. Bore captus!).
328. **Semidea** Say Am. Ent. t. 30 (1828?); Scud. Butt. N. Engl. I p. 134, t. 1, f. 9, t. 11, f. 3; Möschl. Stett. e. Z. 1870, p. 123; Elw. Tr. Ent. Soc. 1893 p. 473; Holl. Butt. p. 222, t. 27, f. 11; Oeno B. Ic. p. 195, t. 39, f. 4-6 [patriae: Lap. Ross. et Sib. ex errore]; Dup. I. 49, 1-3; HS. 59, 60, 123-4 ab. ocellata; Also B. Ic. p. 197, t. 40, f. 1, 2 [patria Sib. ex errore]; HS. 381; Assimilis Butl. Cat. p. 163, t. 2, f. 10.
329. **Tunga** Stgr. Iris VII 248, t. 9, f. 1; H.-Rühl 814; Elw. Tr. E. S. 1899 p. 358, t. 14, f. 8; Semidea v. Also Herz Iris XI, 247 (Also B. altera est sp., multo minor).
330. **Jutta** Hb. 614-5; B. Ic. 38; Dup. I. 40, 3-5; HS. 116-8; Lang t. 64, f. 4; Scudd. Butt. N. Engl. I p. 149; Elw. Tr. Ent. S. 1893 p. 460, 464; Holl. Butt. p. 222, t. 27, f. 5. Balder HS. 384-6.
- a) ab. (et v.?) *Balderi* Hb. Zutr. 981-2, p. 42; Butl. Cat. p. 160; Balder B. Ic. du reg. anim. par Guérin. Ins. t. 80, f. 1, 1a; B. Ic. 39, 1-3; Dup. I. 49, 4, 5 (minor minusque ocellata).
- b) (ab. v.) *Magna* Graes. Berl. e. Z. 1888 p. 97; Rühl 517 (major, al. post. subt. obseuriibus).
331. **Mulla** Stgr. Stett. e. Z. 1881 p. 270; Rühl 518.
- a) v. ? *Elvesi* Stgr.; Mulla Elw. Tr. E. S. Lond. 1899, p. 352, t. 13, f. 1, 7, (minor, obseurius, subt. magis variegata, al. post. fascia med. dentata obscura fasciaque exteriore subalbida; an sp. div.?).
332. **Urda** Ev. Bull. M. 1847, III, 69, t. 2, f. 1-4; HS. 461-3; Stgr. Iris V. 335; Graes. Berl. e. Z. 1888 p. 98; Rühl 526 (spec. maxime variabilis.).

*Norv. et Ross. oc.
pol. (Lap. s.).**Labr; Alaska.**Alt. or.**Amer. arct; As. arct.**Sib. or. s; Norv.
pol. (ab. Bore?).**Am. bor; Labr.**Sajan or; Sib. or. s.**Scand. c. et s. (Lap.);
Pruss. or. (Fried-
land); Liv; Ross. s;
Sib. c. et s. or; Amur
oc; Am. s. (Labr.).**Liv; Labr.**Amur oc; Sib. or. s.**Tarb.**Alt. or.**Daur; Urga; Amur;
Uss.*¹⁾ ? Elsa Aust. l. e. p. 85 de „Thibet“ territor. nostr. spec. ? sec. 1 ♂ deser.!

- a) v. (et ab.) *Umbra* Stgr. Iris V, p. 335 (major, multo obscurior, ♂ fere tot. fuscus).
333. **Mongolica** Obth. Et. II p. 31, t. 4, f. 6 (1879); Leech. Butt. China I p. 76; Elw. Tr. Ent. Soc. 1893 p. 470 (praeform. Darw.?).
- *a) v.? *Walkyria* Fixs. Mém. Rom. III p. 310 et 355, t. 14, f. 4 (al. ant. sine ocello apic., sed in coll. Stgr. de Corea cum ocello apic; subt. Mongolicae simillima).
334. **Nanna** Mén. Schrk. II p. 38, t. 3, f. 5 (1859); Stgr. Mém. Rom. VI p. 200; Elw. Tr. Ent. S. 1893 p. 469; ib. 1899 p. 355, t. 13, f. 3, 8, ?f. 4 (ab.); Hulda Stgr. l. c. III p. 149, t. 16, f. 8 (1887); Graes. Berl. e. Z. 1888 p. 98; Rühl 520.
335. **Sculda** Ev. Bull. M. 1851, II, 612; HS. 613-4; Rühl 519. Elw. Tr. E. S. Lond. 1899 p. 355, t. 14, f. 5, 9, t. 13, f. 9 ab.?
- a) v. (et ab.) *Pumila* Stgr. Mém. Rom. VI p. 201; Sculda Graes. Berl. e. Z. 1888, p. 99 (minor, pallidior).
336. **Tarpeia** Pall. R. I. p. 18 (1771); Esp. 83. 1. 2: O. I. 1, 203; Hb. 779-82; Frr. 427, 3. 4; HS. 61-64; Dup. I, 31, 6. 7; Lang. Butt. t. 65, f. 2; Rühl 519; Celimene Cr. P. ex. t. 375, f. E, F; Vacuna Gr. Gr. Hor. XXV, p. 458; Rühl 521 [Tarpeia defecata].
- a) v. (et ab.) *Lederi* Alph. Mém. Rom. IX p. 186 (1897) (pallidior, sub. al. post. minus distincte albovenatis).
337. **Buddha** Gr. Gr. Hor. XXV (1891) p. 458; Leech Butt. China I p. 77; Rühl 521.
35. **Satyrus** (Latr.) Westw. 1851
338. **Pumilus** Feld. Nov. p. 490. t. 49, f. 6. 7 (1866) (non Oeneis); Nicév. Butt. Ind. I p. 238, t. 15, f. 37; Leech Butt. China I p. 75. (Genus Aulocera Butl. sec. Elw.).
- *a) v. *Sikkimensis* Stgr. Stett. e. Z. 1889 p. 21; Pumilus Elw. Pr. Z. S. 1882 p. 404, t. 25. f. 3 (alis obscurior, fasciis angustior).
- b) v. *Palaearticus* Stgr. l. c. p. 20; Rühl 525; Pumilus v. Lama Alph. Mém. Rom. V p. 80 (praevar. similis, al. post. subt. multo dilutior, distinctius albo-venatis).
- *c) v. *Jole* Leech l. c. t. 11, f. 2 (major. obscurior, fascia maculata angustissima).
339. ***Sybillina** Obth. Et. XIII p. 40, t. 10, f. 106 (1890); Leech Butt. China I p. 73.
- a) v. *Bianor* Gr. Gr. Hor. XXV (1891) p. 458; Rühl 816 (subt. pallidior, vix nomin.).
340. **Circe** F. S. E. 495; (1775); Lang. t. 66, f. 2; Rühl 529; Rossi Fn. Etr. II, 147; God. I, 7 sec. 1; Proserpina Schiff. S. V. p. 169, t. 1, f. 9 a, b (1776); Esp. 39, 2; Hb. 119-21; O. I. 1167: ab. *Silenus* Stgr. Hor. XIV p. 276 [fascia alba obsoleta].
341. **Hermione** L. M. L. U. p. 281; Schiff. S. V. p. 169; Schn. N. Mag. p. 471; Hb. 122-4; O. I. 1, 173; God. I, 7 sec. 2; Esp. 70, 4; Lang. t. 66, f. 1; Rühl 527; Hermione major Esp. 8. 3.
- a) v. *Syriaca* Stgr. Cat. ed II p. 27; Hor. XIV p. 275 (al. post. subt. magis unicol. pulverulentis).
- b) v. *Cypriaca* Stgr. Hor. XIV p. 274 (1878); Rühl 815 (multo obscurior, fasciis obsoletis, in al. post. subnullis).
342. **Alecyone** Schiff. S. V. p. 169; Schn. N. Mag. p. 471; Hb. 125-6; O. I. 1, 176; B. Ic. 40, 5. 6; Dup. I, 27, 1. 2; Mill. Ic. III, t. 133, 5-7; Lang. Butt. t. 65, f. 4; Rühl 528,
- Uss. m.; Amur (ab. minor).*
Mongol. or.
- Cor.*
- Amur; Uss; Urga (var.); Saj. or. (var.); Alt. or.*
- Daur. (Kent.); Alt. or.*
Anur s. oc; Daur. (ab.); Alt. or.
- Ross. m. or; Kirgh; Alt; Daur. (Kent.); Kuku N.*
- Mong. (Changai., Urga); Daur. (ab.).*
Amdo; China m. oc.
- Ladak.*
- Sikkim.*
- ?*IssykK.m. (?Panir); As. c. m. (Lob Noor).*
- China m. oc.*
- China m. oc.*
- Amdo.*
- Germ. c. et m; Austro-Hung; Eur. m. (exc. And. et Sic.); As. min; Arm; Mesop. s.*
- Germ. et Gal. c. et m; Helv; Austro-Hung; Eur. m. (exc. Ib. c. et m.); As. min.*
- Syr.*
- Cyprus.*
- Eur. c. et m. (exc. Bale. m. et Srp.); As. min.*

- 815: Obth. Et. XIX p. 19, t. 7, f. 59: *Hermione* Bkh. I, 63, II, 199; Hbst. 215, 1. 2; *Hermione minor* Esp. 8, 2; v. *Pyrenaea* Obth. l. c. f. 60; ab. *Vernetensis* Obth. l. c. f. 62.
- a) v. *Vandalusica* Obth. l. c. f. 58 (major, fasciis obsoletioribus, angustior, magisque dentatis).
 - b) v. *Ellena* Obth. Et. XIX p. 19, t. 7, f. 57 (maxima, fasciis angustior., albidiioribus).
343. **Briseis** L. M. L. U. 276: Hb. 130, 1; Bkh. I, 69; O. I, 1, 170; God. I, 7, 1; Frr. 481; HS. 180-1; Rühl 530. *Janthe major* Esp. 26, 1, minor 2; Bkh. I, 67.
- a) v. *Major* Obth. Et. I (1876) p. 27; *Meridionalis* Stgr. Stett. e. Z. 1886 p. 242 (major, fascia alba in al. post. latiore, distinctiore).
 - b) ♀ ab. *Pirata* Esp. 100, f. 3; Hb. 604-5 (fasciis infuscatis).
 - c) v. *Hyrcana* Stgr. l. c. 243; Chr. Mém. Rom. V p. 8 (fasciis albis angustioribus).
 - d) v. *Fergana* Stgr. l. c.; Gr. Gr. Mém. Rom. IV p. 455 (plerunque major, al. post. subt. dilutior., ochraceo-brunneo-tinctis).
 - e) v. *Maracandica* Stgr. l. c. 245; Gr. Gr. l. c. 456 (al. post. margine lato albo, subtus al. post. fere unicolor. ochraceo-albidis; sec. Gr. Gr. cum transit. ad. v. *Ferganam*).
344. **Staudingeri** B. Haas Berl. e. Z. 1882 p. 172; Gr. Gr. Mém. Rom. IV p. 459, t. 16, f. 1 a, b (sequ. forma Darw. distinctissima, fasciis alb. maxime dilatatis).
- a) v. *Tadjika* Gr. Gr. l. c. p. 463; Sieversi v. *Sartha* Gr. Gr. l. c. t. 14, f. 5 (al. post. basi margineque exter. obscurioribus, fascia alba haud rufo-tincta).
345. **Bischoffii** HS. 307-10, IV, p. 12; Rühl 537.
- a) ab. *Nigrolimbatus* Stgr. Iris IV (1891) p. 238 (al. post. margine externo lato nigro).
 - b) v. *Eginus* Stgr. l. c. p. 237; Rühl 537 (al. post. supra basi et margine exteriore fuscis, fascia med. alba, exinde rufa).
346. **Kaufmanni** Ersch. Fedtsch. (1874) p. 19, t. 1, f. 14 [fig. subt. nimis ochracea]; Gr. Gr. Mém. Rom. IV p. 458; Rühl 539, 818; Sieversi v. *Obseurior* Stgr. Stett. e. Z. 1887 p. 57 (praec. forma Darw. obscura).
- a) v. *Sieversi* Chr. Mém. Rom. II p. 167, t. 15, f. 1 a, b (1885); Rühl 539 (alis supra maculis parv., albo-fasciatis).
 - b) v. *Sartha* Stgr. l. c. 1886 p. 244 ♂; *Staudingeri* v. Gultschensis Gr. Gr. l. c. p. 459, t. 14, f. 4 (♀) (al. ant. mac. major. albis, al. post. fascia alba, extus rufo-tincta; transit. ad *Staudingeri*).
347. **Heydenreichi** Ld. z. b. V. 1853, p. 359, t. 1, f. 2.
- a) v. *Shandura* Marshal Journ. As. S. B. 1882 p. 38, t. 4, f. 3; Nicév. Butt. Ind. I p. 191; v. *Nana* Rühl 533; *Heydenreichi* Gr. Gr. Mém. Rom. IV p. 457 (distinctius albo-signata, saepius minor).
348. **Prieuri** Pier. Ann. S. Fr. 1837 p. 304, t. 12, f. 6; Butl. Cat. p. 55; Rühl 532.
- a) ♀ v. *Uhagonis* Obth. Ann. S. Ent. Esp. 1875 p. 371, t. 17, f. 3, 4 (fasciis albis infuscatis).
349. **Anthe** O. I, 1. 169; B. Ic. 40, 3. 4; Dup. I, 27, 3. 4; Nicév. Butt. Ind. I p. 192; Rühl 533; *Persephone* Hb. 589-90, 710-1; Butl. Cat. p. 55.
- And.
Maur.
Germ; Austro-Hung;
Helv.
Eur.m; As.min. et oc;
Maur.
Ferg; Iss. K. oc;
Buch. s. or.
Saraw.
Saraw.
Buch. s. or. (*Kara-
tegin*).
Pont; Taur; Kurd;
Arm. m.
Pont; Kurd. oc.
(*Malatia*).
Kurd. oc. (*Egin*).
Saraw. (*Hissar*); Iss.
K. oc. (*Alex. mont.*);
Thian. or.
Tura; Iss. K. s. or.
(*plan.*) (*trans.*).
Ferg. m.
Alt. oc; Tarb. et Ala
Tau (*trans. ad v.a.*)
Ind.s.? Pamir; Buch.
s. or; Ferg. m;
Thian. or. et c. m.
(*Korla*).
Maur; Arag; ? Cast.
Arag.
Ross. m. or; Pont;
Taur; Syr; Kurd;
Mesop.

- a) v. (et ab.) *Hanifa* Nordm. Bull. M. 1851, II, t. 9, f. 1-3; HS. 477-8; Frr. 617, 3; Lang. t. 67, f. 2 (ochraceo-fasciata).
- b) v. *Enervata* Stgr. Stett. e. Z. 1881 p. 271 (fin. Juni 1881); Alph. Hor. XVI p. 418 (fin. 1881); Gr. Gr. Mém. Rom. IV 458; Rühl 534, 817 [subt. al. post. haud albo-venatis, saepius minor].
- c) ab. *Analoga* Alph. l. c.; *Ochracea* Rühl 534 (praec. ab. ochraceo-brunneo-fasciata).
350. **Autonoë** Esp. 86, 1-3 (1783); Hb. 137-8; O. I, 1, 177; B. Ic. 41, 5, 6; Dup. I, 28, 3, 4; Frr. 283, 1, 2; HS. 127-30.
- a) v. *Sibirica* Stgr. Cat. ed. I p. 12 (dilutior, fasciis albicantibus).
- b) v. *Extrema* Alph. Mém. Rom. V p. 116; VI p. 2, t. 1, f. 1 (major, fasc. albidis distinctiss. latior. an territ. nostri?).
- *c) v. *Celaeno* Leech Butt. China I p. 69, t. 11, f. 6 (multo obscurior, ocellis minoribus).
351. **Hippolyte** Esp. I, 2, p. 164; Hbst. 211, 3, 4; O. I, 1, 206; B. Ic. 42, 1, 2!; Dup. I, 28, 5, 6; Frr. 278, 1, 2; HS. 80-3; Lang t. 68, f. 3; Rühl 544; *Agave* Esp. 84, 4; Hb. 139-40; Rhena HS. 572-3 (♀).
- a) v. (et ab.) *Mercurius* Stgr. Stett. e. Z. 1887 p. 58; Rühl 535. *Hippolyte* Stgr. Iris V p. 336 (saturate fulvo-fasciata).
- b) v. altic. (et ab.) *Pallida* Stgr.; *Hippolyte* Elw. Tr. E. S. Lond. 1899 p. 359 (minor, pallidior, fasciis [fere] non fulvo-tinctis, in al. ant. strigis crassior. intersectis).
352. **Semele** L. S. N. ed. X, 474; Esp. 8, 1; Hb. 143-4, 826-7; O. I, 1, 197; God. I, 7 tert. 1; var. HS. 182 (ab.); Barr. Brit. Lep. I t. 30; ab. *Anopenopterus* Lambrichs Compt. Rend. Belg. 1875 p. 22, f. [absque ocellis].
- a) v. *Algirica* Obth. Et I, p. 27 (subt. minus albido-marmo- rata, ♂ supra al. ant. ochraceo-maculatis ut in ♀).
- b) v. *Aristaeus* Bon. Descr. p. 177, t. 2, f. 1; Tr. X, 1, 30. Frr. 397, 1; Lang Butt. t. 67, f. 5; *Semele* Hb. 832-5 (saturatius rufo-brunneo-fasciata).
- c) v. *Mersina* Stgr. Cat. ed. II, p. 28; Hor. XIV p. 277 (al. post. subt. fere unicolor. griseis). pro p;
- d) v. *Maderensis* Baker Tr. Ent. Soc. 1891 p. 202, t. 12, f. 2, 2a (multo obscurior, supra fere unicolor fusca).
353. **Arethusa** Esp. 69, 3, 4 (1781); Hb. 154-5; O. I, 1, 208; God. I, 7 tert. 2; Lang t. 69, f. 2; Rühl 551; *Erythia* Hb. 591-2 (ab.); O. I, 1, 209; v. *Pontica* Heyne-Rühl 821 [v. minor].
- a) v. *Dentata* Stgr. Cat. ed. II, p. 29; Lang t. 69, f. 3; *Erythia* Stgr. Hor. VII, 1870, 71; (supra fascia latiore; al. post. subt. venis albis, striga dentata ante marginem).
- b) v. *Boabdil* Rbr. Fn. And. t. 12, f. 1, 2; HS. 474-6; *Arethusa* var. Frr. 567, f. 3 ♀ (supra obscurior, subt. dilutior, venis albis).
354. **Neomiris** (r. *Neomyris*) God. Enc. Méth. p. 827 (1822?); God. II, 11, 1, 2; B. Ic. 42, 6-8; Lang t. 69, f. 1; Rühl 551; *Jolaus* Bon. Descr. t. 3, f. 1 (1824); Frr. B. 67, 2; Tr. X, 1, 27; *Marmorae* Hb. 814-7.
355. **Geyeri** HS. 301-2, VI, p. 13; Frr. 611, 4; Rühl 545.
356. **Boloricus** Gr. Gr. Hor. XXII (1888) p. 307; Mém. Rom. IV, 470, t. 14, f. 6a, b; Rühl 548.
- Arm.* (v. cum trans.); ubique ab.
- Alt;* *Tarb;* *Ala Tau;* *Thian;* *Ferg;* *Saraw;* ? *Pamir;* *Tura.*
- Ross.* m. or; *Kirgh;* *Alt;* *Tarb;* *Ala Tau;* *Thian.*
- Daur;* *Amur s;* *Urga.*
- China* s. oc.
- China* m. oc.
- Ural m;* *Alt. oc;* *Tarb;* *Ala Tau;* *Thian or;* *Mong;* *And. mont.* (*Sierra Nev.*).
- Iss.* K. oc. (*Alex.* mont.); *Kent;* *Tarb.* etc. (ab.).
- Alt. or. alp;* *And.* (ab.).
- Eur.* (exc. reg. pol.); *Arm;* *As. min.* (pro p.); *Ant;* *Mesop.* et *Tura* (v. *Mardina*). *Maur;* *It. m. et Sic.* (trans. ad v. b.). *Cors;* *Sard;* *Elba.*
- Cil.* (*Mersin.*); *Taur.* *Lyd.* et *Cypr.* (trans.). *Mad.*
- Germ. m;* *Austro-Hung;* *Gal. c;* *Hisp. c;* *Helv;* *Eur. m. or;* *Arm;* *Pont;* *Alt;* *Ala Tau.* *Gal. m. oc.*
- And. mont.*
- Cors;* *Sard;* *Elba.*
- Pont;* *Kurd. oc;* *Arm. m;* *Ararat.*
- Pamir m. or;* (*Kunjut*).

357. **Regeli** Alph. Hor. XVI (1881) p. 419, t. 15, f. 23; Rühl 547.
 a) v. *Tancrei* Gr. Gr. Hor. XXVII p. 128 (1893) [diagnosis et patria non quadrant]; Rühl 548; Huebneri v. Conradti Alph. Iris VI, p. 346 (Jan. 1894); Rühl 547 (multo dilutior, al. ant. basi paullum obscurata cum fascia externa fere confluenta, ocell. major., saepius subaeccis; al. post. plerumque ocello anali subcaeco).
 b) v. *Hoffmanni* Chr. Stett. e. Z. 1893 p. 32 [Huebneri v.]; Rühl 546 (multo obscurior, praecipue ♂ fascia externa fere tota infumata, al. post. subt. non albo-signatis, venis infumatis; sp. diversa esse videtur).
358. **Abramovi** Ersch. Hor. XVIII (1884) p. 245; Gr. Gr. Mém. Rom. IV p. 472, t. 17, f. 2 a, b; Rühl 547; Regeli v. Regulus Stgr. Stett. e. Z. 1887 p. 59.
 a) v. *Korlana* Stgr. alarum fasciis albido-ochraceis, extus brunneo-tinctis.
359. **Huebneri** Feld. Nov. p. 494, t. 69, f. 8. 9 (1867); Nicév. Butt. Ind. I p. 189; Gr. Gr. Mém. Rom. IV p. 463 et Rühl 546 sine descript.
 a) v. *Cadesia* Moore Pr. Z. S. Lond. 1874 p. 565, t. 66, f. 7; Nicév. I. c. p. 190; Wilkinsi Ersch. Hor. XVIII (1884) p. 244; Gr. Gr. I. c. p. 475 pro p.; Rühl 548; Josephi Stgr. Berl. e. Z. 1882 p. 174; Stett. e. Z. 1886 p. 245; Gr. Gr. I. c. p. 479, t. 15, f. 4, a. b; Rühl 594 (al. ant. ocell. major., albo-punctatis).
 b) v. (et ab.) *Decolorata* Stgr. fasciis pallide fulvis, interius subalbido-mixtis (non saturate fulvis); v. *Leechi* similis sed major parteque basali in ♂ obscura.
 c) v. (et ab.) *Dissoluta* Stgr. Stett. e. Z. 1886 p. 246; Rühl 546; ?Gr. Gr. I. c. 476 pro p.; *Intermedius* Gr. Gr. I. c. p. 480, t. 15, f. 7 [ex err. Pamirus]; Wilken si Gr. Gr. I. c. f. 5. a. b. p. 475 pro p. (dilutior alarum basi non obscurata, sed saepe dilutius flavescenti).
 d) v. *Leechi* Gr. Gr. I. c. p. 473, t. 15, f. 3, a. b. [ex err. Hübneri] (minor, pallidior, al. basi fere non obscurata).
360. **Pamirus** Stgr. Stett. e. Z. 1887 p. 61; Gr. Gr. Mém. Rom. IV p. 482, t. 15, f. 6 [ex errore *Intermedius*]; Rühl 550.
361. **Telephassa** Hb. Exot. (t. 172) f. 1—4; Klug Symb. Phys. t. 29, f. 1-4; HS. 305-6; Nicév. Butt. Ind. I p. 187; Rühl 543.
362. **Anthelea** Hb. 861-2 (ante 1827); B. Ic. 41, 1-4 (1832), I p. 204 pro parte; Frr. 265, 2. 3; Dup. I, 27, 5. 6 ♂; HS. 178-9 ♀; ? *Telephassa* Dup. I, 28, 1, 2 ♀; v. *Syriaca* Rühl 544 [?Libanon].
 a) v. *Amalthea* Friv. Magy. Ac. 1845, p. 186, t. 3, f. 3, 4; Stgr. Hor. VII, 1870 p. 68; Lang Butt. t. 68, f. 2; Pontica Frr. 475, 2. 2; Butl. Cat. p. 51; *Anthelea* ♀ HS. 303-4 (♂ et ♀ col. albido).
363. **Pelopea** Klug Symb. Phys. III, t. 28, f. 5-8 (1832); Stgr. Hor. VII p. 70; ib. XVI p. 69; Rühl 539.
 a) v. *Persica* Stgr. Hor. XVI p. 69; Mém. Rom. I, t. 2, f. 3, 4; Stgr. Hor. XIV p. 279 (pro p.) (minor, obscurior, al. post. subt. magis griseescens.).
 b) v. *Schahrudensis* Stgr. Hor. XVI p. 69 (1881); Mém. Rom. I, t. 2, f. 1 (? 2 ♀ trans.); *Persica* Stgr. Hor. XIV p. 279 (pro p.); ? *Persica* Chr. Hor. XII p. 101 [descriptio brev. non quadrat] (albo-ciliata, subt. griseescens, magis signata).

Thian. oc.
Kaschgar; *Ferg. m.*

Saraw; *Ferg. m.*

Iss. K. c. oc; *Kaschg. s;* *Ferg. m.*

Thian c. m. (*Korla alp.*)

Himal. s. oc; *Ladak.*

Ladak; *Pamir;* *Kaschgar;* *Ferg;* *Iss. K. s.*

Thian. or. (*prope Chamyl*); *Buch. s. or.* (*ab.*)

Ferg. m; *Buch. s. or;* *?etc.*

Pamir. m. or.

Ferg. m; *?Buch. s. or.*

Cil. (Makri); Syr;
Arm. m. or; *Mardin;*
Hyre; *Tura;* *Afghan.*
Lyd; *?Cyprus;* *Pont;*
Taur; *Kurd. oc.*

Graec; *Turc. m.*

Syr. or. (*Libanon*);
Pers. (var.).

Hyre; *Arm. m. or.*

Pers. s. plan. (*Schahrud*); *Arm. m. or.*
(trans.).

- c) v. *Tekkensis* Heyne-Rühl 819 (laetus fulvo-fasciata, al. post. fascia latissima).
- d) v. *Kurdistana* Stgr. supra obscurior, ♂ fasciis ruf. obsoletis, al. post. subt. obscurioribus.
- e) v. *Caucasica* Ld. Wien. Mts. 1864 p. 168, t. 3, f. 5; Stgr. Hor. XIV p. 279; Kirgis Gerh. Berl. e. Z. 1882 p. 127 (major, obscurior, al. post. subt. obscurissimis).
364. **Mniszechii** HS. 577-9, VI p. 14 (1852); Frr. 617, 2; Ld. Wien. Mts. 1858 p. 138; Stgr. Hor. XIV p. 279 (a *Pelopea* et var. differt al. ant. fascia rufa non late interrupta; *Baldivae* forma primo descripta?).
- a) v. *Herrichi* Stgr. albociliata, fasciis laetus latiusque rufis, al. post. subt. griseo-fulva, distinctius (in ♂) signatis.
365. * **Baldiva** Moore Proc. Z. S. Lond. 1865 p. 499, t. 30, f. 4; Nicév. Butt. Ind. I p. 188 (an *Mniszechii* HS. forma Darw.?).
- a) v. *Sagina* Rühl 542 (al. ant. ocellis nigr. multo majoribus, al. post. subt. minus signatis, rufescenscentior.)
- b) v. *Lehana* Moore Ana. & Mag. (5) I p. 227 (1878); Sec. Yark. Miss. Lep. p. 1, t. 1, f. 4; Nicév. Butt. Ind. I p. 188, t. 16, f. 48; Gr. Gr. Mém. Rom. IV p. 463; Rühl 542; v. *Turkestanica* Gr. Gr. Hor. XVII (1892) 384 (major, al. latius et laetus fulvo-fasciatis).
- c) v. *Tarbagata* Stgr.; *Alpina* Stgr. Stett. e. Z. 1881 p. 272 (praec. var. paullo minor, obscurior [praesert. al. post. subt.], angustiusque fasciata, trans. ad v. praec.).
366. **Alpina** Stgr. Hor. XIV p. 281 (1879); XVI p. 70; Mém. Rom. I t. 2, f. 5. 6; Rühl 541, 819: ab. *Guriensis* Stgr. Hor. XIV p. 280; *Beroë* var. Ld. Ann. S. Belg. XIII (1870) p. 26, t. 1, f. 3; Olg a Gerh. Berl. e. Z. 1882 p. 127 [ab.?] (an praec. var? ocellis etc. albo-punctatis, subt. al. post. obscurissimis).
367. **Beroë** Frr. 415, 1, 2, V p. 53; HS. 108-11, I, p. 74; Stgr. Hor. XVI p. 71; Rühl 544, 820; Rhena HS. 571 ♂.
- a) v. *Aurantiaca* Stgr. Cat. ed. II p. 29; Hor. XIV p. 283 (fasciis aurantiacis).
368. **Mamurra** HS. 314-5 ♀; Frr. 617, 1; Stgr. Hor. XIV p. 281; *Pelopea* HS. 575-6, VI p. 14; Stgr. Hor. VII. 1870, p. 70.
- a) v. *Graeca* Stgr. Hor. VII p. 70 (1870); XVI p. 71; Lang. Butt. p. 278, t. 68, f. 1; Rühl 543, 820 (pallidior, sub-albido [rare rufesc.] -fasciata, al. post. subt. albido-cinereis).
- b) v. *Lydia* Stgr. Hor. XIV p. 281 (obscurior [ciliis obscur.], alarum post. fascia unicoll. ochraceo-fulva).
- c) v. *Schakuhensis* Stgr. Hor. XVI (1881) p. 70; Mém. Rom. I t. 3, f. 1-3 (minor, obscurior).
- d) v. *Obscura* Stgr. Hor. XIV p. 282 (multo obscurior, fasciis subnull., al. post. subt. cinereo-griseis, non rufesc.).
369. **Sintenisi** Stgr. Iris VIII (1895) p. 288, t. 5, f. 3 (praec. forma obscurissima? sec. 1 ♂ et 1 ♀ descr.).
370. **Statilinus** Hufn. Berl. M. II, p. 84 (1766); O. I, 1, 184; Frr. 499, 2. 3; HS. 177; Rühl 554: Fauna Sulz. Abg. G. t. 17, f. 8, 9 (1776); Esp. 29, 1, 63, 7; Hb. 507-9; God. I, 7 tert. 3, quint. 1; Arachne Esp. 95, 2. 3.
- a) v. *Allionia* F. Spec. 83 (1781); Cyr. Ent. Neap. I. t. 2, f. 13 (1787); Esp. 105, 4; O. I, 1, 181; Tr. X, I. 30; Fauna Hb. 145-6, 510-1, Text p. 23; *Fidia* var. Esp. 52, 4;
- Tura*.
Mardin; *Taur.* m. or. (*Zeitun*) (var.).
Arm.
- Pont*; *Kurd. oc*; *Taur.* (v.); *Mardin* (v.).
- Tura* oc; *Pers. s. or.*
- Kunawar* sup. (*Tibet*).
Saraw; *Buch. s. or.*
- Ladak*; *Ferg. m*;
? *Pamir*; *Iss. K. oc.*
- Tarb*; *Thian. or.*
(*Chamyl* mont.).
Arm.
- Bith.* et *Pont. alp*:
Taur; *Arm.*
- Hyrc. alp.*
- Pont. alp*; *Kurd. s. or.*
(*Malatia*); ? *Aravat*;
? *Taur.* (pro p.).
Graec. m. mont.
- Lyd. mont.*
- Hyrc. alp.*
- Taur.*
- Pont. s. or.* (*Gümüschane*).
- Eur. c.* (exc. *Angl.*)
et *m.* (*And.*, *Sic.*,
Graec.).
- Gal. m*; *It. m*; *Balc. m*; ? *Bith.*

- Statilinus* var. *Martianii* HS. 190-1, VI p. 15 (major, dilutior).
- b) v. *Hansii* Aust. Natural. I (1879) p. 138; Obth. Et. VI p. 55, t. 2, f. 1 (♂), t. 3, f. 1 (♀); Rühl 552 (al. ant. ocellis distinctius ochraceo-cinct., punctis alb. subnull., disco plus minusve [subt. semper] lutescentibus).
371. **Fatua** Frr. 415, 3, 4 (Sept. 1843); HS. 192-3 (1844); Stgr. Hor. VII 1870 p. 72; Lang. t. 70, f. 2; Rühl 555, 821; Calberla Iris I 136; *Allionii* Hb. 818-9 [nom. anter. sed nom. „Allionia“ nimis affinis].
- a) v. *Sichaea* Ld. Wien. Mts. 1857 p. 91; Stgr. l. c. (major al. post. subtus magis variegatis).
- b) v. *Wyssi* Chr. Mittb. VIII (1889) p. 98; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 38, t. 1, f. 1 (praeac. var. mutabilis simillima, praeceipe patria distinguenda).
- c) v. *Sylvicola* Aust. Natural. I (1880) p. 284; Obth. Et. VI p. 55, t. 3, f. 2; Rühl 553 (minus signata, al. post. subt. fere unicolor. griseis, ♀ supra extus non pallidior).
372. **Fidia** L. S. N. ed. XII, 770; Esp. 49, 3; Hb. 147-8; O. I. 1. 179; God. II, 11. 3. 4; Mill Ic. 93, f. 1-4; Lang t. 70, f. 3; Rühl 556; ab. *Monticola* Th. Mieg. Natural. XI (1889) p. 181; Heyne-Rühl 822 [minor obscurior].
- a) v. *Albovenosa* Aust. Natural. VII (1885) p. 142; Rühl 821 (al. post. subt. magis conspicue albo-venatis, ♂ supra obscurior; vix nominanda).
373. **Pisidice** Klug. Symb. Phys. t. 29, f. 9, 10; Rühl 557.
374. **Stulta** Stgr. Berl. e. Z. 1882 p. 175; Gr. Gr. Mém. Rom. IV p. 482, t. 16, f. 2 a, b; Rühl 557.
375. **Parisatis** Koll. Ins. Pers. p. 52 (1849); Nicév. Butt. Ind. I p. 184, t. 16, f. 47; Rom. Mém. Rom. I t. 3, f. 4. 5; Gr. Gr. Mém. Rom. IV p. 483; Rühl 558; v. *Laeta* Chr. Stett. e. Z. 1887 p. 162; Mém. Rom. V p. 8.
- a) v. (et ab.) *Macrophthalmus* Ev. Bull. M. 1851, II, p. 615; Gr. Gr. l. c.: *Malatinus* Rühl 559 (margin'e albo angustiore, nullo ♂ al. ant.). (Egin);
376. **Favonius** Stgr. Iris IV (1891) p. 239, t. 3, f. 1; Rühl 565.
377. **Abdelkader** (Abd-el-Kader) Pier. Ann. S. Fr. 1837, p. 19, t. 1, f. 5, 6; Luc. Expl. Alg. p. 355, t. 2, f. 3; Rühl 561; ab. *Serrata* Heyne-Rühl 822.
- a) v. *Lambessanus* Stgr. obscurior, alis extus caeruleo-maculatis (macul. 2—4), in ♂ non fulvo-tinetis.
378. **Actaea** Esp. 57, 1 a, b (1780); Hb. 151-2 ♂, 610-1 ♀; O. I. 1. 193; God. I, 7 quart. 1; Rühl 562.
- a) v. *Podarce* O. I. 1. 195; Esp. 123, 1. 2; HS. 49-52; Frr. 463, 3. 4; Stgr. Hor. VII, p. 75; v. *Mattozi* Monteiro Journ. Sciene. Mathem. Phys. Lisb. XXXIV (1883) p. 107 (minor, al. post. albo-venatis).
- b) v. *Cordula* F. E. S. 226 (1793); Hb. 619-20 ♀; O. I. 1. 190; God. II, 12, 3. 4; H. G. 969-70 ♂; HS. 176; Stgr. l. c.: *Hippodice* Hb. 718-9; *Actaea* var. Esp. 85, 4; Bryce God. II, 12, 1. 2 (major, al. ant. biocellatis, al. post. ♂ subt. fere tot. obscuris).
- c) ab. ♀ *Peas* (r. Poeas) Hb. 132-3; Esp. 112. 1 [certa] (♀ late ochraceo-fasciata, subt. albidi).
- d) v. *Virbius* HS. 45-48, I p. 79; Frr. 463, 1. 2; Stgr. l. c. (praeac. v. minor, al. post. subt. fere unicoloribus, in ♂ extus albidis).
- Maur.
- Graec. c. or. (Attica); Ital. c. (et m.?) ; As. min.; Kurd. (trans.).
- Syr; Mardin.
- Can.
- Maur.
- Gal. m; Ib; Maur. or; ? It. c.
- Maur. oc. (Marocco).
- Syr.
- Saraw; Buch. s. or.
- Pers; Tura; Afghan; Pamiroc; Himal. oc.
- Arm. m. or. (Ordu-bat); Kurd. s. oc. Taur. m. or. (Akbes). Kurd. s. oc. (Malatia); Taur. m. or. Maur. oc. (Oran); ? Marocco).
- Maur. or. (Lam-bessa).
- Gal. m.; Hisp; It. s. oc. et c.
- Lus. c. (Serra d'Estrella); Syr. (Libanon).
- Alp. (Helv., Ter., Gal.-val); Balc. m.
- Ross. m. (Samara).

- e) v. *Cordulina* Stgr. Stett. e. Z. 1886 p. 246; Rühl 563; ? v. *Alaica* Gr. Gr. Mém. Rom. IV p. 486 pro p. (praec. v. minor, ceterum v. *Cordulae simillima*).
 f) v. *Bryce* Hb. 149-50; 724-7; O. I. 1. 188; HS. 53-58, 574; Elw. Tr. E. S. Lond. 1899 p. 360; v. *Altaica* Gr. Gr. Hor. XXVII p. 384 [trans. de *Cordula ad Bryce.*]; v. *Ganssuensis* Gr. Gr. I. c. [al. post. subt. albidior] (ab v. *Cordula* differt al. post. subt. multo albidioribus).
 g) v. *Hadjina* Heyne-Rühl 822 (trans. de *Cordula ad v. Amasina*, praec. v. paullo minor, al. post. ♂ subt. obseuris, fasciis duabus albidis, subalbido-venatis).
 h) v. *Amasina* Stgr. Cat. ed. I p. 13; ed. II p. 29; Hor. VII p. 75; Hor. XIV p. 286 (al. post. subt. albidioribus, distincte albo-venatis).
 i) v. *Parthica* Ld. Hor. VI (1869) p. 83, t. IV, f. 12, 13; Rühl 564 (al. ant. plerumque ocello uno, subt. disco ochraceo, al. post. subt. distinctissime albo-venatis).
 k) v. *Alaica* Stgr. Stett. e. Z. 1886 p. 247; Rühl 564; ?Gr. Gr. Mém. Rom. IV p. 486 pro p. (sec. 1 ♂ descr.; ocello unico, supra subcaeco, subt. ut in v. [majore] *Amasina*; an forma constans?).
 l) v. *Nana* Stgr. Stett. e. Z. 1886 p. 247; Rühl 564 (v. *Parthicae proxima*, multo minor, ocello apic. minimo).
379. *Stheno* Gr. Gr. Mém. Rom. III (1887) p. 401; IV p. 484, t. 16, f. 3 a-c; Rühl 562.
380. *Paupera* Alph. Stett. e. Z. 1888 p. 67; Mém. Rom. V p. 117 (1889) [*Dryas* v.]; Rühl 560; *Dryas* v. *Astraea* Leech Butt. China I p. 70 (1892); v. *Thibetanus* Rühl 560: 822 (an sequ. forma *Darw.*? minor, ocellis distinctius fulvo-cinctis, al. post. ocellis 2-4, subt. lineis duabus dentat. nigris).
381. *Dryas* Sc. Ent. Carn. p. 153 (1763); Esp. 40, 1. 2; Hormuz. z. b. V. 1895 p. 249; Rühl 559; *Phaedra* L. M. L. U. p. 280 (1764); Hb. 127-9; O. I. 1. 186; God. I. 7 quart. 2; Frr. 373; *Briseis* Esp. 6, 1; *Athene* Bkh. I, 71.
 a) v. et ab. *Sibirica* Stgr. Cat. ed. II p. 29; Iris V p. 336 (subtus ♂ et ♀ al. post. omnino unicoloribus).
 b) v. (et ab.) *Bipunctatus* Motsch. Et. Ent. IX p. 29 (1860); Stgr. Mém. Rom. VI p. 201 (major, subt. albidius fasciata).

36. *Ypthima* (Hb.) Westw. 1851.

382. *Argus* Butl. Journ. Linn. Soc. Zool. IX p. 56 (1866); Leech Butt. China I p. 90 [*Philomela* var.] II p. 649; Elw. & Edwards Tr. Ent. S. 1893 p. 35; Baldus Stgr. (non F.) Cat. ed. II p. 30; Mém. Rom. VI p. 202; ?*Philomela* Johannsson Amoen. Acad. VII p. 404 (1764).
383. **Nareda* Koll. Hügl. Kaschm. IV, 2 p. 451; Nicév. Butt. Ind. I p. 221.
 a) v. *Motschulskyi* Brem. et Grey Et. Motsch. I p. 60; Beitr. p. 8; Mén. En. t. 6, f. 5; Stgr. Mém. Rom. VI p. 203; Leech Butt. China I p. 88 II p. 646; Elw. & Edw. Tr. Ent. Soc. 1893 p. 16, t. 2, f. 34 (genital); Rühl 570. *Amphithea* Mén. Schrk. p. 41, t. 3, f. 10 (major, ocellis minoribus).
384. *Asterope* Klug Symb. Phys. t. 29, f. 11-14; Ld. z. b. V. 1855, t. 1, f. 6; Nicév. Butt. Ind. I p. 224; Elw. & Edwards Tr. Ent. Soc. 1893 p. 11, t. 1, f. 4; t. 3, f. 44 (genital); Rühl 569.
Saraw; *Buch.* s. or;
? Ferg. m.
Ross. m; *Alt*; *Tarb*;
Ferg. m; *Kent*;
Amdo.
Taur. or. c. (*Hadjin*);
Malatia et *Lyd*.
(trans.).
Pont; *Kurd.* s. oc.
(*Malatia*); *Arm.* m.
or; *Tura* mont. (trans.).
Hyrc.
Ferg. m.
Tura plan. (?).
Buch. s. oc. (*Kara-*
tegin).
China c. et m. oc.
(an *Territ. nostris*?).
Eur. c. (exc. *Dan*.
Bat. *Belyg.* *Angl.*);
It. c; *Bulg.*; *Ross.* m;
Arm.; *Pont*; *Alt*.
Kent. (v.); *ubique* ab.
Jap; *Cor*; *Uss.* (ab.).
Amur; *Uss*; *Cor*;
Jap. *China*; ?*Ind*.
Ind; *Birma*.
Amur; *Uss*; *Cor*;
Jap; *China* s. et m.
Syr; *Cil.* (*Makri*)
Arab; *Ind*; *Afr*.

37. Pararge Hb. 1816

385. **Aegeria** (r. Egeria) L. S. N. ed. X, 473 Barr. Brit. Lep. I, t. 31; Egeria Lang t. 72, f. 2; Meone Esp. 95, 1 (1789); Hb. 179-80; O. I, 1, 240 (forma australis lutea).
- a) v. *Egerides* Stgr. Cat. ed. II, p. 30; Lang t. 72, f. 3; Rühl 581; Aegeria Esp. 7, 1; Hb. 181, 2; Fr. 403; Egeria O. I, 1, 238 (forma septentrionalis, pallidior).
386. **Xiphia** F. S. E. 492; E. S. 95; HS. 86, 87; Baker Tr. Ent. Soc. 1891, 202.
- a) v. *Xiphoides* Stgr. Cat. ed. II p. 30; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX. 39; Xiphia B. Ic. 44, 7, I p. 223; HS. 84, 85.♂ (forma minor).
387. **Eversmanni** Ev. Bull. M. 1847, III, t. 2, f. 5. 6; Ersch. Fedtsch. p. 19, t. 2, f. 15 (1874); Stgr. Stett. e. Z. 1881 p. 297; Gr. Gr. Mém. Rom. IV p. 487; Rühl 572; v. *Unicolor* Gr. Gr. Hor. XXVII (1892) p. 384.
388. **Climene** (r. Clymene) Esp. 85, 1-3 (1783); Hb. 165-6; Rühl 573; Clymene O. I, 1, 215; B. Ic. 43, 4-6; Dup. I, 29, 4, 5; Fr. B. 109, 1; Fr. 25, 2; HS. 102, 3; Mill. Ic. 119, f. 1-3; Lang 71, f. 3.
- a) v. *Roxandra* HS. 471-3 (1850); Nordm. Bull. M. 1851, II, 410, t. 10, f. 1-4 (al. post. subt. magis variegatis, macula albida).
389. **Roxelana** Cr. P. Ex. t. 161, f. C-F (1782); O. I, 1, 217; Hb. 680-3; B. Ic. 43, 1-3; Dup. I, 30, 1-4; Fr. B. 109, 2; Fr. 25, 1; Lang Butt. t. 71, f. 2; Rühl 572.
390. **Megera** (r. Megaera) L. S. N. ed. XII, 771; Megaera Esp. 6, 3; 68, 4; Hb. 177-8; O. I, 1, 235; ? God. I, 7 sext. 3; Z. Isis 1847, 140; Barr. Brit. Lep. I t. 32; Tutt. Brit. Butt 392; Xiphia B. Ic. 44, 6; Megaerina HS. VI, p. 19 ab intermedia; ab. Mediolugens Fuchs Jhrb. Nassau 1892 p. 87; ab. Alberti Albert Ent. Zeit. Guben IX, p. 57 [al. ant. ocell. 2 magnis].
- a) v. *Lyssa* B. Ic. 44, 4, 5, I, p. 222; H. G. 914-7 (al. post. subt. cinerascentibus).
- b) v. *Tigelius* Bon. Descr. t. 1, f. 2 (1824); B. Ic. 45, 1-3; Dup. I, 30, 5-7; Fr. B. 68, 1; Lang 71, f. 6; Para-megaera Hb. 842-4 (v. minor, supra minus signata).
- c) v. *Transcaspica* Stgr. ♂ supra obscurior, minus saturate fulvis, signaturis fascis latior., in al. post. colore obse. praevaleente).
391. **Hiera** F. Gen. 262; Hb. 176; O. IV, 135; B. Ic. 44, 1-3; Dup. I, 46, 3, 4; Z. Stett. e. Z. 1872 p. 46; 1877 p. 307; Lang t. 71, f. 4; Rühl 577.
- Kent; Sib. or s.; Amur s.
392. **Maera** L. S. N. ed. X, 437; Esp. t. 6, 2., t. 68, 3; Hb. 174-5; O. I, 1, 231; Adrasta Dup. I, 46, 1, 2; Hyglaea Mab. Bull. Soc. Phil. Paris 1888 p. 55.
- a) ab. (v.?) *Monotonia* Schilde Ent. Nachr. 1885 p. 137; Auriv. Nord. Fjär. p. 37 (al. ant. non rufo-maculatis nec fasciatis).
- b) v. (gen. aest.?) *Adrasta* Hb. 836-9: Tr. X, 1, 36; Maerae var. Esp. 49, 1 ab; Maera Esp. 68, 3; God. I, 7 sext. 2; Megaerae var. Esp. 68, 1, 2; ab. *Triops* Fuchs Jhrb. Nass. Ver. XLII, p. 195 (al. ant. ♂ magis ochraceo-fulvo-macul., ♀ fere tot. fulvis, al. post. subt. pallidior).
- Eur. m. oc; Val; Maur; Cil; Taur.m.; Ant; Mesop; Sgr; (Eur. m. or. trans). Mad.
- Can.
- Ala Tau; Ferg; Saraw; Buch. s. or.
- Hung. or; Ross. m.; Arm; Pont; Bith; Taur; Kurd. s. oc.
- Arm. c. (Helenendorf).
- Hung. or; m; Bale; Coreyra; Cypr; As. min; Mardin.
- Eur. (exc. reg. pol); Maur; As. min; Arm.
- Dalm; Bale. m; As. min.
- Cors; Sard.
- Tura; Hyrc.
- Alp. val; Hung; Bale. et It. c. mont; Scand; Ross. s; Alt; Tarb; Kent; Sib. or s; Amur s.
- Eur. (exc. Dan. Bat. Angl. et Ross. m.); Alt; Tarb; Ala Tau.
- Suec; Bale; Arm.; Ala Tau etc. ab.
- Germ. m. etc; Eur. m. oc. et or. (gen. aest.).

- c) gen. aest. *Maja* Fuchs Stett. e. Z. 1873 p. 98; 1874 p. 78
(cadem cum praeced. sed minor, vix nom. conservand.).
- d) v. *Orientalis* Stgr. differt a var. *Adrasta* colore castaneo,
in ♂ etiam al. ant. cellula med. castaneo-inspersa.
- e) v. (gen. aest.?) *Sicula* Stgr. e. Z. 1876 p. 138 (major,
supra pallidior, fascia [linea] antemarg. griseescens,
subt. pallidissima, albo-grisescens).
- f) v. *Montana* Hormuz. z. b. V. 1897 p. 40 (subt. obscurior,
trans. Maerae ad. v. sequu.).
- g) v. *Adrastoides* Bienert Diss. p. 30; Chr. Hor. X p. 29
(subt. obscurissima, al. ant. supra late pallide ochraceo-
fasciatiss.).
- * h) v. (?) *Schakra* Koll. Hüg. Kaschn. IV, 2 p. 496, t. 15, f. 3.
4; Nicév. Butt. Ind. I p. 179, t. 15, f. 45. 46 (v. *Siculae*
simillima, differt al. post. subt. lineis transv. med. minus
dentatis; certe Maerae var. Stgr. esse videtur).
393. **Menava** Moore Pr. Z. S. 1865 p.499, t. 30, f. 3 : Lep. Ind. II
p. 9, t. 96, f. 4; Nicév. Butt. Ind. I p. 180; Gr. Gr. Mém.
Rom. IV p. 489; Rühl 577; *Maeroides* Feld. Nov.
III t. 69, f. 1 ♀ certe (1866); *Nashreddini* Chr. Hor.
XII (1877) p. 240, t. 5, f. 13, 14.
394. **Achine** Sc. Ent. Carn. p. 156 (1763); Leech. Butt. China
I p. 64; Rühl 582; *Dejanira* L. M. L. U. p. 282
(1764); Esp. 9, 2; Hb. 170-1; O. I. 1. 229; God. I, 8, 1;
Frr. 391.
- a) v. *Achinoides* Butl. Cist. Ent. II p. 283 (1878); *Eximia*
Stgr. Iris V 337; Rühl 583 (major, ocellis majoribus).
395. **Deidamia** Ev. Bull. M. 1851, II, p. 617; HS. 609-10; Stgr.
Mém. Rom. VI 204; Leech. Butt. China I p. 65, t. 12,
f. 5; Rühl 583; *Menetriesii* Brem. Mot. Et. 1852
p. 59; Brem. et Grey p. 8; Mén. En. I, t. 6, f. 4;
Erebina Butl. Ann. & Mag. (5) XI p. 278 (1883) [v.
major, ocell. major.].
396. **Epimenides** Mén. Schrk. p. 39, t. 3, f. 8, 9; Stgr. Mém.
Rom. III p. 156, t. 17, f. 2; Leech. Butt. China I p. 19;
Rühl 585.
397. **Epaminondas** Stgr. Mém. Rom. III (1887) p. 150, t. 17,
f. 1; VI p. 204; Graeser Berl. e. Z. 1888 p. 99 (praec.
sp. similis et forma Darw., sed melius sp. div.).
398. **Schrenckii** Mén. Schrk. p. 33, t. 3. f. 3 (1859); Leech.
Butt. China I p. 17; Rühl 585.
38. **Lethe** Hb. 1816
399. **Maackii** Brem. Bull. Ac. Petr. III p. 468 (1861); Lep.
O. S. p. 22, t. 3, f. 3; *Marginalis* Leech Butt. China
I p. 25; ? Motsch. Et. IX p. 29 (1860) [descripti omnino
non quadrat].
400. **Diana** Butl. Journ. Linn. Soc. Zool. IX p. 55 (1866); Leech
Butt. China I p. 28.
39. **Aphantopus** Wallgr. 1853
401. **Hyperantus** (r. *Hyperanthus*) L. S. N. ed. X, 471; (-thus)
Esp. t. 5, 1., t. 57, 2 ab; O. I. 1. 225; God. I, 7. 3; Barr.
Brit. Lep. I t. 35; Rühl 566; Leech Butt. China I p. 79;
Tutt Brit. Butt. 411; *Polymeda* Hb. 172-3; ab. *Caea* a
Fuchs Stett. 1884, 253 [ocellis subnullis]; ab. *Lanceola*
Shipp Entom. 1895. 17; *Hyperanthus* ab. South ib.
- Germ. c. oc.*
- As. min; Syr; Kurd;*
Arm.
- Sic.*
- Bucov. mont.*
- Hyrc.;? Arm.or. (Len-*
koran).
- Himal. oc.*
- Him. s. oc; Ladak;*
? Pamir; Ferg;
Saraw; Tura; Pers.s.
- Eur. c. et s. (exc. reg.*
bor.); Ross. m; Alt;
Kent; Urga; Amur.
- Uss; Cor; Jap.*
- Ural;Alt;Kent;Mong.*
Amur;Uss;Cor.Jap;
China s. et m; Amdo
(v. subt. pallidior).
- Amur; Uss; Cor;*
? China.
- Amur; Uss; Jap;*
China; ? Cor.
- Amur; Uss; Cor; Jap;*
China s. et m.
- Amur; Uss; Cor;*
Jap; China.
- ? Uss; Cor; Jap;*
China oc.
- Eur. c. et s. (exc. reg.*
pol.); Ped; Dalm;
Bith; Arm; Alt; Saj;
Daur; Amur; Uss.
(ab.); Urga.

1893 p. 281 f; Barr. l. c. f. 1 e; v. *Bieti* Horm. z. b. V.
1897 p. 43 [trans. ad ab. *Aretem*].

- a) ab. *Arete* Müll. Fn. Fr. p. 36; O. I., 1. 228; Barr. l. c. f. 1 d; *Hyperanthus* var. Esp. 57, 3. 4; Frr. 290, 2; *Polymeda* Hb. 173* (subt. punct. [non ocellis] albis).
- b) v. *Ocellatus* Butl. Ann. & Mag. (5) IX p. 14 (1882); *Amurensis* Stgr. Mém. Rom. VI 206 (1892) (major, subt. obscurior, ocellis majoribus).
- *c) v. *Bieti* Obth. Et. IX p. 17, t. 2, f. 2; Leech l. c. 79; (minor, ocellis minoribus paucioribusque).

Uss; ?*Cor*; ?*Jap.*

China m. oc.

40. **Epinephele** Hb. 1816

402. **Jurtina** L. S. N. ed. X, 415 no. 104; Hb. 161-2 ♀; Auriv. Nord. Fjär. p. 35 (nom. anterius); Janira L. S. N. ed. X, 475, no. 106; Esp. 10, 1. 2; O. I., 1. 219; God. I, 7 sext. 1; Esp. 82, 5 et HS. 104-5 ab. albedine infecta; var. HS. 429 ab; Rühl 599; Barr. Brit. Lep. I t. 33; Tutt. Brit. Butt. p. 402; Erymanthea Esp. 90, 4, (ab. ocellata); ab. ♀ *Brigitta* Ijungh Act. Holm. 1799 p. 147, t. 2-3, f. 6. 7; Auriv. l. c. [al. subalbid.. al. ant. macula fulva]; ab. ?*Pallens* Th.-Mieg Natur. 1889 p. 74 [maculis subalbidis].

*Eur. (exc. reg. pol.);
Bith; Pont; Arm.*

a) v. *Hispilla* Hb. 593-6; Esp. 119, 1. 2; O. I., 1. 222 (major, ♀ multo magis fulva). *Taur*; *Eur. m; Lyd; Cil;*

b) v. *Fortunata* Alph. Mém. Rom. V p. 222, t. 11, f. 4; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 40 (♀ major, dilutior, subt. al. post. ad basin obscurioribus; ad v. *Hispullam transiens*: vix nominanda).

*Maur. et Can. pr. p.
Can; Maur.*

c) v. ?*Telmessia* Z. Isis 1847 p. 4; HS. 479-82; Stgr. Hor. VII 1870. 79; Kurdistana Rühl 601 [♀ al. ant. macula fulva dissoluta] (minor, al. ant. magis rotundatis etc; an sp. diversa?).

*Cypr; Lyd; Cil;
Taur; Syr; Mardin
(v. Kurd.).*

403. **Nurag** Ghil. Elenco p. 83: Dutreux Stett. e. Z. 1855, 78; Stgr. Hor. VII, 1870, 79; Lang Butt. t. 72, f. 5; Rühl 602.

Sard.

404. **Sifanica** Gr. Gr. Hor. XXV (1891) p. 459; Rühl 590 (sequ. similis sed androconii diversis etc.).

Amdo.

405. **Lycaon** Rott. Naturf. VI p. 17 (1775); *Eudora* Esp. 45, 1 (1777), 69, 1. 2; Hb. 163-4; O. I., 1. 223; God. II, 18, 1-3; Janirula Esp. 113, 1 ♂ parvus; ?*Jurtina* Hb. 160 ♂.

*Eur. (exc. oc. c. et s.);
Arm; Alt; Tarb; Ala
Tau et Thian pro p.*

a) v. *Catamelas* Stgr. Stett. e. Z. 1886 p. 251; Rühl 599 (subt. multo obscurior, al. post. plerunque unicoloribus).

*Sib. m; Kent; Urga;
Alt. et Thian. pr. p.
Amur.*

b) v. *Pasimelas* Stgr. l. c. (major. obscurior, al. ant. etiam subt. fere tot. obscuris).

Maur.

c) v. *Mauritanica* Obth. Et. VI (1891) p. 58; Rühl 599 (al. post. subt. unicolor., ♂ androconiis major., ♀ supra obscurior).

Mong. (Uliass.).

d) v. *Catalampra* Stgr. Iris VIII 347 (al. post. subt. cinereo-griseous, ♂ supra al. ant. obsolete fulvo-maculatus etc.).

*Ross. m. or. (Cauc.);
As. min; Syr; Kurd;
Arm; Hyrc; Tura;
As. c. oc.*

e) v. *Intermedia* Stgr. Stett. e. Z. 1886 p. 251; Rühl 598; v. *Turanica* Rühl 578, 825; v. *Lanata* Rühl 599; *Lycaon* v. Alph. Hor. XVI 424 (forma *intermedia* [*Lycaon* et v. *Lupinus*], *Lupino* minor, ♂ minus lanatus, paullo obscurior etc.).

f) v. *Lupinus* Costa Faun. Nap. t. 4, f. 3. 4 (ante 1836); Stgr. Hor. VII 1870, 79; *Rhamnusia* Frr. 457, 2. 3 (1845); HS. 377-8 ♀, 427-8 ♂; ?*Eudora* HS. 582-

It. m; Sic; Balc. m.

3 ♀ (major, dilutior, ♂ al. ant. lanatis, androconii distinctissimis).

- g) v. *Libanotica* Stgr. magnitudine Lycaonis, multo pallidior. ♀ al. ant. fere totis pallide ochraceis, al. post. (♂ et ♀) subt. albido-griseis.

406. **Interposita** Ersch. Fedtsch. (1874) p. 22, t. 2, f. 16; Butl. Pr. Z. S. 1880 p. 405, t. 39, f. 1; Stgr. Stett. e. Z. 1881 p. 298; Nicév. Butt. Ind. I p. 206; Gr. Gr. Mém. Rom. IV p. 496; Rühl 597; Moore Lep. Ind. II p. 49.

407. **Wagneri** HS. 311-3 (1846), VI p. 16; Rühl 587.

- a) v. *Mandane* Koll. Ins. Pers. p. 52; Rühl 588 (al. supra pallidior, ocello apical. multo longiore).

408. **Davendra** Moore Pr. Z. S. 1865 p. 502, t. 30, f. 7. 8; Nicév. Butt. Ind. I p. 201, t. 15, f. 39; Moore Lep. Ind. II p. 45, t. 103, f. 1; Roxane Feld. Nov. III p. 491, t. 69, f. 12, 13 (1866).

- a) v. *Comara* Ld. Hor. VIII p. 12, t. 2, f. 9. 10 (1870?); Rühl 588; Cyri Bienert Diss. 31 (ed. fin. Octob. 1870) (nom. anteriorius?) (minor, obseurius).

409. **Dysdora** Ld. Hor. VI (1869) p. 85, t. 5, f. 3. 4; Gr. Gr. Mém. Rom. IV p. 490; Rühl 589, 824; v. *Tristis* Gr. Gr. Hor. XXVII p. 128 [eadem eum Dysdora typ.].

- a) v. *Dysdorina* Rühl 589; *Dysdora* var. Alph. Hor. XVI p. 422; Gr. Gr. Mém. Rom. IV p. 490 (al. ant. magis fulvo-tinctis).

410. **Narica** Hb. 704-7; Frr. 464, 2. 3; Lang Butt. t. 73. f. 1; Rühl 590.

- a) v. *Naricina* Stgr. Berl. e. Z. 1870 p. 100; Rühl 590 (al. post. subt. fere unicoloribus).

m. et Buch. s. or. (forma major).

411. **Kirghisa** Alph. Hor. XVI (1881) p. 423, t. 15, f. 24, 25; Gr. Gr. Mém. Rom. IV. 491; Rühl 592.

- a) v. *Chamyla* Stgr. al. omn. usque ad medium obseuratis marginibusque obseuris latioribus, androconii ♂ minus conspic., al. post. ♀ fere tot. obseuris.

412. **Haberhaueri** Stgr. Stett. e. Z. 1886 p. 247; Gr. Gr. Mém. Rom. IV, 492, t. 17, f. 6 a, b; Rühl 590; ? *Kirghisa* var. ? (v. *Sartha*) Gr. Gr. l. e. p. 491 [una ♀ descr.] (praeac. forma Darw. obseura?).

- a) v. *Germana* Stgr. Stett. e. Z. 1887 p. 62 (sequ. var. major, al. ant. ocellis distincte ochraceo cinctis).

- b) v. (alt.?) *Maureri* Stgr. l. e.; *Lycaon* var. *Galtsha* Gr. Gr. Hor. XXVII, p. 129 (plerumque minor, ♂ al. ant. [fere] totis obseuris).

413. **Rueckbeili** Stgr. Stett. e. Z. 1887 p. 63; Rühl 592.

414. **Amardaea** Ld. Hor. VI (1869) p. 84, t. 5, f. 1, 2; Rühl 593.

- a) v. *Glasunovi* Gr. Gr. Hor. XXVII (1893) p. 129 (subt. minus signata, lineis transversis subnullis).

415. **Cadusia** Ld. Hor. VI (1869) p. 84, t. 4, f. 10, 11; Rühl 593.

416. **Cadusina** Stgr. Stett. e. Z. 1881 p. 299; 1886 p. 250; Rühl 594 (praeac. var.?).

- a) v. *Monotoma* Stgr. l. e. 1886, p. 250 (al. post. subt. minus signata, fere unicolor.; vix nominanda).

- b) v. *Laeta* Stgr. l. e.; Gr. Gr. Mém. Rom. IV p. 495 (♂ al. ant. supra disco rufo, androconii fuscis distinctissimis).

Syr. (Libanon).

Tura; Saraw; Ferg; Thian; Ala Tau; Ind. s. (Kandahar).

Arm. m. oc. (Ararat); Malatia); Taur. m. oc. Pers. s. (Schahrud).

Himal. oc. et s; Ladak; Afghan; Ferg. m; Saraw; Buch. s. or.

Hyre; Tura oc.

Hyre; Tura; Tarb. (trans.).

Thian; AlaTau; Ferg; Saraw; Buch. s. or.

Kirgh; Tarb. (Sai-san); Tura oc. (trans. pr. p.). Tura oc. et Thian oc. (forma minor); Ferg. s. or. (forma major).

Thian. oc; Saraw.

Thian. or. (prope Chamyl).

Ferg; Saraw; Buch. s. or.

Issyk. K. s. oc; Buch. s. or.

Ferg. m; Buch s. or.

Issyk. K.

Hyre; ? Tura.

Buch. s. or; ? Saraw; Ferg. m.

Hyre; Tura.

Ala Tau.

Saraw.

Ferg. m.

417. **Naubidensis** Ersch. Fedtsch. p. 21, t. 5, f. 73 (1874) (Amar-daea var.); Stgr. Stett. e. Z. 1881, p. 273; Gr. Gr. Mém. Rom. IV p. 494, t. 17, f. 5 a, b; Rühl 594.
418. **Pulchella** Feld. Nov. p. 490, l. 69, f. 16; Nicév. Butt. Ind. I p. 208, t. 15, f. 40 (ad sinistram); Moore Lep. Ind. II p. 54, t. 105, f. 1, 1a; Rühl 596.
- a) v. *Pulchra* Feld. l. c. p. 491; Nicév. l. c. p. 209, f. 40 (ad dextram); ? Neoza Lang Monthl. Mag. V p. 35 (supra multo obscurior).
419. **Hilaris** Stgr. Stett. e. Z. 1886 p. 249; Rühl 559; *Pulchella* Gr. Gr. Mém. Rom. IV p. 493, t. 17, f. 3 a, b (certe non *Pulchellae* var.).
420. **Capella** Chr. Hor. XII (1877) p. 245, t. 5, f. 15, t. 6, f. 16; Gr. Gr. Mém. Rom. IV 492; Rühl 596.
421. **Janiroides** HS. 533-4. VI p. 17; Obth. Et. I p. 28, t. 1, f. 5; Rühl 603. 825.
422. **Tithonus** L. S. N. ed. XII, II, 2. App. p. 537; O. I. 1. 210, 235; Barr. Brit. Lep. I t. 34; Rühl 605; Tutt. Brit. Butt. 407; *Tithonius* L. Mant. I, 537; Esp. I p. 120; Fuessl. Schw. Ins. p. 31; *Amaryllis* Bkh. I, 80; God. I, 7, 2; Herse Hb. 156-7, 612; *Phaedra* Esp. t. 9, 1, t. 28, 3.
423. **Ida** Esp. 92, 2 (1784), 102, 3; Hb. 158-9; O. I. 1. 212; God. II. 18, 4, 5; HS. 183; Rühl 603; v. *Cecilia* Vallantin Natural. 1894 p. 260; Rühl 825; ab. *Albomarginata* Fallou Ann. S. Ent. Fr. 1883 p. 21, t. 1, f. 2 a, b.
424. **Pasiphaë** Esp. 67, 4 (1781), 97, 1; O. I. 1. 214; Mill. Ic. 119, f. 4-6; *Pasiphae* Hb. 167-9; God. II p. 132; Lang. t. 74, f. 3; Rühl 605; *Bathseba* God. II, t. 18, f. 6, 7.
- a) v. *Philippina* Aust. Pet. Nouv. Ent. 1877 p. 149; Obth. Et. VI p. 59; Rühl 606; ab. *Tessaleensis* Aust. Natural. 1880 p. 156; Heyne-Rühl 826 (al. post. subt. obscurioribus, fascia alba angustiore vel subnulla [ut in ab. *Tessal.*]).

41. Coenonympha Hb. 1816

425. **Oedippus** (r. *Oedipus*) F. Mant. 31 (1787): *Oedipus* O. I. 1. 315; God. II, 19, 5; Lang t. 74, f. 6; Leech. Butt. China I p. 94; Rühl 607; Stgr. Mém. Rom. VI 206; *Geticus* Esp. t. 102, 2, t. 107, 5; *Pylarge* Hb. 245-6, 702-3; v. *Annulifer* Butl. Ann. & Mag. (4) XIX 1877 p. 91; v. *Amurensis* Rühl 607; var. *Miris* Rühl l. c. [ab.] (sp. multo variabilis, non var. const. formans).
426. **Hero** L. F. S. 274; Esp. 22, 4; Hb. 252-3, 849-50; O. I. 1. 313; God. I, 8 sec. 2; Rühl 608; Leech. Butt. China I p. 95; ab. *Areteoides* Folgone C. R. Soc. Belg. XVII 1874 p. 98, fig. [absque ocellis].
- a) v. (ab?) *Stolida* Schilde Ent. Nachr. 1885, 171; Auri. Nord. Fjär. p. 35; Rühl 608 (minor, obscurior subt. [ut v. *Perseis*] albo-fasciata).
- b) v. *Perseis* Ld. z. b. V. 1853 p. 10; Stgr. Mém. Rom. VI 204; *Sibirica* Stgr. Cat. ed. I p. 14 (subt. al. ant. albido-, al. post. latius albo-fasciatis).
427. **Iphis** Schiff. S. V. p. 321; Hb. 249-51; O. I. 1. 310; God. II, 20, 3, 4; Frr. 355, 3, 4 ab., 606.
- Fen; Ped; Dalm; Balc. s.; Ross. c. et m.
- a) ab. (v.?) *Anaxagoras* Assmuss Bresl. e. Z. 1857 p. 9 (al. post. subt. ocellis [5] minoribus, linea argentea nulla).

Tarb; *Ala Tau*; *Ferg*;
Saraw; *Buch* s. or.

Ladak; *Himal.* oc.

Himal. oc; *Ladak*.

Ferg. m; *Saraw*;
Pamir m. or.

Hyrc; *Saraw*; *Buch*.
s. or; *Pamir* s. oc.
Maur. or. (*Collo*;
? *Constantine*).

Eur. (exc.s.or.); *Bith*;
Pont; ? *Arm*.

Eur. m; *Maur.*? *Bith*;
? *Pont*. (ex errore pro
Tithono?).

Gal. m; *Ib.*

Maur.

Gal. m; *Ped*; *Helv.* s;
Austr; *Hung*; *Ural*;
Alt; *Sib*; *Kent*; *Urga*;
Cor; *China* s; *Jap*.

Eur. c. (exc. *Angl.*);
Scand. c; *Liv*; *Fen*;
Petrov.

Suec. c.

Alt; *Kent*; *Sib.* or. s;
Amur; *Uss*; *Cor*.

Eur. c. (exc. *Bat*.
Belg. *Angl.*); *Liv*;
Bith; *Arm*; *Amur*.
Eur. c. (ab.); *Ross.* c.
(v.?).

- b) v. *Carpathica* Hormuz. z. b. V. 1897 p. 45 (alis non ocellatis, vel al. post. ocell. subnullis; plerumque minor).
- c) v. (et ab.) *Iphina* Stgr. Iris V (1892) p. 339 (al. post. subt. ocellis brunneo-cinetis, vix nominanda).
- d) v. *Iphicles* Stgr. l. c. p. 338; Rühl 612; Elw. Tr. E. S. Lond. 1899 p. 362; v. *Heroides* Chr. Iris VI (1893) p. 87; Rühl 612; Herz. Iris XI 248 (al. post. supra [plerumque] ocellis distinctis, subt. brunnescens., ocellis major., brunneo-cinetis).
- e) v. *Mahometana* Alph. Hor. XVI (1881) p. 428; Rühl 826; Elw. l. c. (supra obscurior, griseo-fusca, al. post. subt. mac. ocellisque albid. argenteo-punctatis: sp. diversa esse videtur).
428. **Leander** Esp. 89, 5 (1784); O. I. 1. 309; B. Ic. 45, 7, 8: Dup. I, 33, 5-7; Frr. B. 110, 1; HS. 184-5; Rühl 610; Clite Hb. 526-7, 747-8.
- a) v. (et ab.) *Obscura* Rühl 610 (obscurior, ♂ supra [fere] totus obscurus).
429. **Iphioides** Stgr. Berl. e. Z. 1870 p. 101; Rühl 610 (praeec. var. Iberica?).
430. **Nolkeni** Ersch. Fedtsch. (1874) p. 23, t. 2, f. 17; Gr. Gr. Mém. Rom. IV p. 497; Rühl 609.
431. **Myops** Stgr. Stett. e. Z. 1881 p. 296; 1886 p. 241; Rühl 495, 810.
- a) v. *Tekkensis* Stgr. l. c. 1886 p. 241; Chr. Mém. Rom. V p. 7, t. 1, f. 3 a b (al. post. subt. obscurior., magis unicolor).
432. **Mongolica** Alph. Hor. XVI (1881) p. 426. t. 15. f. 26; Rühl 624, 827.
433. **Arcania** L. F. S. 273 (1761); Hb. 240-2; O. I. 1. 317; (-ius) Esp. 21, 4; God. I, 8, 2; Sauveur et Colbeau Ann. S. Ent. Belg. VII, 1863, p. 57, t. 2.
- a) v. *Insubrica* Frey Mitth. VI (1881) p. 353; Wackerzapp Stett. e. Z. 1890 p. 147; Darwiniana Rätzer Mitth. VI 186 (al. ant. margine nigro latiore, al. post. subt. fascia alba angustiore. magis dentata; vix nominanda).
- b) v. *Darwiniana* Stgr. Cat. ed. II p. 32; Lang t. 75, f. 5; Wackerzapp l. c.; Arcanius var. HS. 186-7, VI, p. 169 (var. subalpina, minor al. post. subt. fascia tenui alba, ocello costali ut in Satyrione).
- c) v. (et ab.) *Philea* Frr. 367, 3, 4; God. II, 20, 1, 2; Rbl. z. b. V. 1899 p. 162 (praeec. var. minor trans. ad v. sequ.).
- d) v. alt. *Satyripon* Esp. 122, 2 (post 1805?); O. I. 1. 322; Frr. 367, 1, 2; HS. 289-90; Z. Stett. e. Z. 1877 p. 308; Wackerzapp ib. 1890, 147; Tutt. Pr. Ent. S. Lond. 1896 p. 43; Philea Hb. 254-5 (v. minima, supra grisescens, al. post. subt. fascia alba fere aequali, ocellis minoribus).
434. **Arcanioides** Pier. Ann. S. Fr. 1837, 306, t. 12, f. 5; HS. 580-1; Frr. 457, 1; Rühl 614; ? Marginalis Butl. Cat. Satyr. p. 42 (? ab.).
435. **Fettigii** Obth. Pet. Nov. Ent. no. 103 (1874) p. 412; Et. I p. 28, t. 1, f. 4 a, b; VI p. 59; Rühl 609.
436. **Dorus** Esp. 78, 1; O. I. 1. 320; God. II, 20, 5, 6; Lang t. 77, f. 1; Rühl 616; Dorilis Blkh. I p. 93; Hb. Text p. 42; Dorian Hb. 247-8.
- a) v. *Bieli* Stgr. al. post. supra in ♂ et ♀ fere totis obscuris, subt. ocellis minoribus, linea argentea obsoleta vel sub-nulla.
- Bucov. mont; Arm.*
- Tarb. (v.); Alt. (ab.).*
- Alt; Saj; Kent; Sib. or. s; Uliass; Chang; Urga.*
- Thian. oc; Iss. K. s. or.*
- Hung. or. m; Bulg.; Rumel. s; Ross. m. or; Arm; Hyrc; Pont. (pr. p. et ab.).*
- Pont; Ross. m., Rumel. etc. (ab.).*
- Cast; Arag.*
- Ferg; ? Pamir.*
- Ala Taw; Ferg. m.*
- Tura.*
- Thian. oc.*
- Eur. c. et m. (exc. Angl. et Ib. m.); Scand. c; Bith; Pont; Arm.*
- Alp. m. val. (Helv.; Car.).*
- Alp. val; (Helv. m. Ped. Gal.).*
- Alp. Ter. Car. Helv. etc.*
- Sum. Alp; Hung. s. mont.*
- Maur; Ib. m. (ad-vena).*
- Maur. oc.*
- Gal. m; It; Hisp.; Lusit. m.*
- Lusit. s.*

- b) v. *Austauti* Obth. Et. VI p. 59 (1881); Rühl 616 (♂ al. ant. fulvo mixtis, subt. al. ant. fascia alba distinctiore).
437. **Corinna** Hb. 536-7 (1800?); O. I. 1. 323; God. II, 20, 7. 8; HS. 285-6; Lang t. 75, f. 7; Rühl 615; Norax Bon. Descr. p. 183, t. 2, f. 2; Frr. B. 68, 2.
- a) v. *Elbana* Stgr. al. post. supra (caeco-)ocellatis, subt. obscurioribus, ocellis majoribus, linea argentea latioire.
438. **Saadi** Koll. Ins. Pers. p. 52 (1848); Rom. Mém. Rom. I t. 3, f. 6. 7; Rühl 617; Iphias Ev. Bull. M. 1851, II, p. 618.
- a) v. *Mesopotamica* Rühl 617 (supra minus signata, subt. lineis argent. nullis, ocell. minor. non argenteo-ornatis).
439. **Thyrsis** Frr. 475, 1. V, p. 157; HS. 297-300; Stgr. Hor. VII, 1870, 80; Lang t. 75, f. 9; Rühl 615; Pamph. v. Cretica Stndf. Stett. e. Z. 1855 p. 158 (sequ. forma Darw.?).
440. **Pamphilus** L. S. N. ed. X, 472; Esp. 21, 3; 78, 4 ab; O. I. 1. 305; God. I, 8 sec., 3; Barr. Brit. Lep. I t. 36, f. 2; Rühl 618, Tutt. Brit. Butt. 421; Nephele Hb. 237-9.
- a) v. (et ab.) *Marginata* Rühl 619 (supra latius fusco-marginata, ocello apic. majori, subt. dilutior sed non pallida ut in v. sequ.).
- b) gen. aestiv. (merid.) *Lyllus* Esp. 122, 1; O. I. 1. 307; God. II, 20. 9. 10; Frr. 499, 1; Z. Isis 1847 p. 144; Pamphila Hb. 557-8 (subt. multo pallidior, ochraceo-flavescens).
- c) ab. (et v.?) *Thyrsides* Stgr.; *Lyllus* var. HS. 430-1 al. post. supra subtusque 3-4 ocellis parvis nigris vel albido-pupillatis.
441. **Amaryllis** Cr. P. Ex. 391, A, B; HS. 188-9 ♂, 287-8 ♀; Lang t. 75, f. 8; Leech Butt. China I p. 95; Rühl 617; Amarillis Hbst. 187. 7. 8; Frr. 283, 3. 4; Dup. I, p. 371.
- a) v. (et. ab.) *Rinda* Mén. Schrk. p. 42, t. 4, f. 1; Graes. Berl. e. Z. 1888 p. 100; Stgr. Mém. Rom. VI p. 207 (supra ocello unico vel non ocellata, subt. ocellis minoribus).
- b) v. *Evanescens* Alph. Mém. Rom. V p. 118 (supra inocellata, subt. ocellis lineaque argentea subnullis).
- c) v. *Ordossi* Alph. I. c. p. 118 (minor, dilutissima).
- *d) v. *Accrescens* Stgr. ocellis majoribus, subt. in fascia flava positis; ♂ margine exteriore obscuriore.
442. **Symphta** (r. Symphyta) Ld. Ann. S. Belg. 1970 p. 44; Rom. Mém. Rom. I t. 3, f. 8. 9; Rühl 622 (Tiphonis forma Darw.?).
- a) v. *Tiphonides* Stgr. al. post. subt. albo-maculatis, saepius ocellis paucioribus (trans. ad Tiphon.).
443. **Tiphon** Rott. Naturf. VI p. 15 (1775); Elw. Ent. Rec. VIII p. 228; Tutt. Brit. Butt. 416; Rühl 620; Typhon Hw. 16; Buckell Ent. Rec. VII 100; Davus F. Gen. 259 (1777); Hbst. 186, 3-6; O. I. 1. 302; God. II, 21, 1. 2; Barr. Brit. Lep. I t. 36, f. 1; Tullia Hb. 243-4; Laidion Bkh. I, 91 cum figuris (ab.).
- a) v. (et ab.) *Philoxenus* Esp. 78, 3; (54, 5); Rothliebi Stgr. Cat. ed. I p. 14; Barr. I. c. f. I. c. d. (supra subtusque obscurior, magis ocellata, subt. ocellis major.).
- b) v. *Scotica* Stgr.; Laidion Stgr. Cat. ed. II p. 32; Elw. et Tutt. I. c. (al. supra [al. post. latius] cinereo-marginatis, subt. obscurior ocellis subnull.).
- Maur; Hisp. (Murcia.)
Cors; Sard.

Elba.

Pers; Hyrc. m; Arm. m. or. (trans.).
Mesopot. (Mardin.).

Creta.

Eur; Maur; Sib. oc. m; As. min; As. c. et or. s; Ferg.
Graec; As. min.

Eur. m; As. min. et As. or. c.

Sic; Dalm; Syr; Tura; Taur. m. or. (Akbes) (v.?).
Ural m; Alt; Tarb; Kent; Mongol. s; Amur. (ab.).
Amur. (v.); Amdo oc. (v.); Tarb. etc. ab.

Amdo or. (an territ.?).

Prov. Ordos. (China oc., an territ.?).
China s; Cor.

Arm. (Achalzich; Bakuriani).

Bulg. oc. (Rhilo Dagh); ?Arm (pro p.).
Eur. c.

Germ. s. oc; Angl. s.

Scotia; Hibern. (trans.).

- c) v. (et ab.) *Isis* Thnb. Diss. Ins. II p. 31 (1791); Zett. Ins. Lap. p. 905; Demophile Frr. 439, 3, 4 (1844); Laidion Auriv. Nord. Fjär. p. 37 (v. minor minusve ocellata, subt. obscure grisescens).
- d) v. *Subcaeca* Heyne-Rühl 827 (Caeca var.): Tiphon var. Elw. Tr. E. S. Lond. 1899 p. 363 (praec. v. minor, al. post. subt. 2-4 ocellis parvis, vix nomin.).
- e) v. *Mixturata* Alph. Mém. Rom. IX p. 326; ? Kodiak (a) Edw. Tr. Amer. Ent. S. II 1869 p. 375; Holl. Butt. p. 207, t. 25, f. 22 ♀ (non ocellata, al. ant. supra griseo-ochraceis, subt. disco ochraceo, al. post. griseo-).
f) v. *Viluiensis* Mén. Schrk. p. 44; Alph. Mém. Rom. IX p. 197, t. 14, f. 4; Herz. Iris XI 249; Rühl 622; Griseocens Chr. Iris VI 87 (parva, inoccultata, ubique griseocens; subt. albido-fasciata; sp. div. esse videtur).
- *g) v. ?*Inornata* Edw. Proc. Ac. Nat. Se. Phil. 1861 p. 163; Holl. Butt. t. 25, f. 13; ? Ampelos Edw. Tr. Phil. 1871 p. 213; Holl. l. c. f. 21, 30 (v. e similis sed pallidius ochracea extus cinerascens).
- *h) v. ?*Ochracea* Edw. l. c.; Holl. l. c. f. 11, 12 (supra laete ochracea, al. post. subt. albo-maculatis, ocellis obsoletis).
444. **Caecea** Stgr. Stett. e. Z. 1886 p. 251; Rühl 622 (an forma pygmaea Tiphonis?).
445. **Sinica** Alph. Stett. e. Z. 1888 p. 66; Mém. Rom. V p. 121, t. 5, f. 7; Rühl 622, 827; ? Typhon v. Tydeus Leech Butt. China I p. 96, t. 11, f. 3 [sec. Elw. Ent. Rec. VIII 229] (Tiphonis forma Darw.?).
446. **Semenovi** Alph. Mém. Rom. III (1887) p. 405; V p. 82, 118, t. 4, f. 7; Leech Butt. China I p. 96, t. 11, f. 4; Rühl 623.
447. **Sunbecca** Ev. Bull. M. 1843, III, p. 538, t. 7, f. 4 a, b; HS. 611-2; Stgr. Stett. e. Z. 1881 p. 300; Alph. Hor. XVI. 430; Gr. Gr. Mém. Rom. IV 498; Rühl 623.
- a) v. *Alexandra* Rühl 624 (al. post. subt. basi non maculatis, macul. albis minoribus; vix nominanda).

42. **Triphysa** Z. 1850

448. **Phryne** Pall. Reis. p. 470 (1771); Esp. t. 89, 3, 4, t. 113, 6 ab; Hb. 200-1 ♀ ab. 708-9 ♂; O. I, 1. 256; B. Ic. 45, 4-6; Dup. I, 33, 1-4; HS. 106-7; Rühl 625; Elw. Tr. E. S. Lond. 1899 p. 364; Tircis Cr. P. Ex. t. 373, f. D, E; Hbst. 183, 7, 8 ♀.
- a) var. (et ab.) *Dohrni* Z. Stett. e. Z. 1850 p. 308; HS. 641-2; Stgr. Iris VIII, 348 (ab. al. supra margine albo).
- b) v. *Biocellata* Stgr. a praec. var. differt al. ant. supra ocellis duobus magnis caecis (nigr.) plerumque etiam in ♂ perspicuis; al. post. subt. ocell. minoribus.
- c) v. *Striatula* Elw. l. c. p. 365 (♂ supra al. omnibus plus minusve subalbido [late] striatis).
449. **Nervosa** Motsch. Bull. Mosc. 1866, I, p. 189; Stgr. Mém. Rom. VI. 208; Rühl 626; Albovenosa Ersch. Hor. XII. 1877, p. 336; Mém. Rom. II p. 209, t. 16, f. 2 (verisimile praec. var. inoccultata).

Scand. et Ross. s. et bor; Hung. alp; Alp. pro p; Amur. s. (var.).

Alt; Tarb; Saj; Witim.

Kamt; ?Alaska.

Sib. or. s. (Vilui).

Am. s.

Am. s.

Ferg. s. (Namangan)

Nan Schan: ? China m. oc.

Amdo: China oc.

Ala Tau; Thian. oc. et or; Ferg.

Iss. K. s. oc.

Ross. m. or; Arm. m. or; Alt.

Saj; Utiass; Sib. or. ? Ross. m. (ab.).

Amdo.

Thian. c. m. (Korla).

Amur (Jap. false.).

IV. Libytheidae

42. *Libythea* F. 1807

450. **Celtis** Laicharting Fuessl. Arch. t. 8, f. 1-3 (1782) t. 14; Esp. 87, 2. 3 (1783), 109, 2-8; Hb. 447-9; O. I. 2, 192; God. II. 6. 5; Lang Butt. t. 23, f. 2; Rühl 318; Mill. Ann. Sc. Nat. Cannes 1879, t. 6, f. 10 [ab. obseura].

*Eur. m.; Maur.; As.
oc; Saraw; Ferg. s.*

V. Erycinidae

44. *Nemeobius* Stph. 1827

451. **Lucina** L. S. N. ed. X, 480; Esp. 16, 2: Hb. 21, 22; O. I. 1, 50; God. I, 4, quart. 3, quint. 5; Frr. B. 43, 1; HS. 156 ab; Lang t. 23, f. 1; Barr. Brit. Lep. I t. 15. f. 1 a-c; Rühl 313.

*Eur. c. (exc. or. m.);
Dan; Liv; Suec. m;
Hisp. c; It; Bale. s.*

45. *Polycaena* Stgr. 1886

452. **Tamerlana** Stgr. Stett. e. Z. 1886 p. 227; Gr. Gr. Mém. Rom. IV p. 420, t. 10, f. 6 a, b; Rühl 314.
a) v. *Timur* Stgr. l. e. 230; Rühl 316 (supra fulvescens. subt. flavidior).
b) v. *Temir* Gr. Gr. l. e.; Rühl 316 (alis supra subitusque concoloribus ferrugineis).
453. **Lua** Gr. Gr. Hor. XXV (1891) p. 454; Rühl 315.
454. **Princeps** Obth. Et. XI (1886) p. 22, t. 7, f. 57; Leech Butt. China I p. 293; Rühl 770.

*Ferg.
Thian.
Ferg. m.
Amdo (Sinin).
Amdo; China m. oc.*

VI. Lycaenidae

46. *Rapala* Moore 1881

455. **Arata** Brem. Lep. O. S. p. 25, t. 3, f. 6; Leech Butt. China II p. 416; Rühl 189, 738; ? Fixs. Mém. Rom. III p. 281, t. 13, f. 3 [ab. an diversa sp.?].
a) v. ? *Tyrianthina* Butl. Ann. & Mag. (5) VII (1881) p. 34, t. 4, f. 5 (al. subt. brunneis, fasc. divers.; an sp. diversa?).
456. **Micans** Brem. & Grey p. 9 (1853); Mén. En. t. 1, f. 4; Leech Butt. Chin. II p. 414; Rühl 736; *Caerulea* Brem. & Grey p. 8; Mén. En. t. 4, f. 3; Rühl 735.

*Amur; Uss; Cor; Jap.
Uss; Jap.
Mandsch; China s.*

47. *Laeosopis* Rbr. 1858

457. **Roboris** Esp. 103, 5 (1789); O. I. 2, 95; *Evippus* Hb. Vög. & Schm. t. 56, 57 (1793); Hb. 366-7; God. II, 22, 1. 2.; Lang Butt. t. 18, f. 4; Rühl 196.
a) v. *Lusitanica* Stgr. Iris IV (1891) p. 232 (subt. ochraceo-grisea, fasciis marg. ochraceo-rubris).

*Gal. m; Ib.
Lusit.*

48. *Satsuma* Murr. 1875

458. **Frivaldszkyi** Ld. z. b. V. 1855 p. 100, t. 1, f. 1; Graes. Berl. e. Z. 1888 p. 74; Leech Butt. Chin. II p. 353 text [non syn. *Ferrea* Butl.]; Rühl 194.

*Alt; Sib. m. or; Amur;
Uss.*

49. **Niphanda** Moore 1874

459. **Fusca** Brem. & Grey p. 9; Mén. En. t. 4, f. 5; Brem. Bull. Acad. III 1861 p. 469; Leech Butt. China II p. 340; Rühl 192; *Dispar* Brem. Lep. O. S. p. 24, t. 3, f. 4; *Fuscus* Obth. Et. II p. 20, t. 4, f. 5.
- a) ♀ ab. *Lasurea* Graes. Berl. e. Z. 1888 p. 74; Leech l. e. t. 31, f. 17 (alis disco cyaneo).
50. **Thecla** F. 1807
460. **Spini** Schiff. S.V. p. 186 (1776); F. Mant. p. 68; Hb. 376-7: O. I, 2, 103; Frr. 523; Leech Butt. China II p. 357; *Lynceus* Esp. I p. 356 (1777); Sehn. Syst. B. 222.
- a) ab. *Lynceus* Hb. 674-5; *Vandalusica* Ld. z. b. V. 1852, p. 19 (al. supra mae. magnis fulvis).
- b) v. *Melanthro* Klug Symb. Phys. t. 40, f. 10, 11 (subt. pallidior, longius caudata).
- c) v. *Latior* Fixs. Mém. Rom. III p. 271; Graes. Berl. e. Z. 1888 p. 71; Rühl 734 (major obscurior).
461. **Album** Knoch. Btr. II p. 85, t. 6, f. 1, 2; Hb. 380-1; *W. album* O. I, 2, 109; God. I, 9, 3, 9 tert. 2; Leech Butt. Chin. II p. 358; Rühl 181, 734; Fenton Butl. Pr. Z. Soc. 1881 p. 854; Waterh. Aid Identif. II t. 115, f. 2; ab. *Butlerowi* Krul. Bull. Mosc. IV (1896) p. 216 t. 8, f. d. [subtus al. post. linea alba litteram W non formante].
462. **Eximia** Fixs. Mém. Rom. III p. 271, t. 13, f. 2 (1887); Leech Butt. China II p. 359; Rühl 734; *Affinis* Stgr. Mém. Rom. VI p. 148 (praec. forma Darwiniana?).
- * a) v. ? *Fixseni* Leech l. e. p. 360, t. 29, f. 2, 3 (al. ant. maculis fulvis; spec. diversa?).
463. **Grandis** Feld. Wien. Mts. VI p. 24 (1862); Leech Butt. China II p. 360; *Eretria* Hew. Ill. Diurn. p. 114, t. 42, f. 153.
464. **Ilicis** Esp. I p. 353; Hb. 378-9; O. I, 2, 105; Frr. 529, 589; *Linceus* F. Mant. 69.
- a) ab. *Cerri* Hb. 863-6; *Esculi* Hb. 690-1 (al. ant. macula magna fulva).
- b) v. *Esculi* (r. *Aesculi*) Hb. 559-60; (Ae-) O. I, 2, 170; God. II, 21, 3, 4! (minor, al. ant. subt. lineis albis subnullis).
- c) v. (et ab.) *Caudatula* Z. Isis 1847 p. 6; Bischoffii Gerh. t. 2, f. 4, a-c. (longius caudata).
- d) v. *Mauretanica* Stgr. Iris V (1892) p. 279; Rühl 185 (minor, subtus obscurior, fere unicolor).
465. **Acaciae** F. Mant. 69; Hb. 743-6; O. I, 2, 108; God. II, 21, 6, 7.
- a) v. *Abdominalis* Gerh. t. 4, f. 3 a, b; HS. n. Schm. p. 9 f. 58; Stgr. Hor. XIV p. 227; Rühl 737 (subtus pallidior, al. ant. angulo anali plaga fusca).
- b) *Gerhardi* Stgr. Iris VII (1894) p. 241 (subtus lineis albis et maculis fulvis obsoletis).
466. **Pruni** L. S. N. ed. X 482; Esp. t. 19, 3., t. 39, 1; Hb. 386-7; O. I, 2, 111; God. I, 9, 2; Frr. 535; Leech Butt. China II, p. 361; Rühl 183.
467. **Prunoides** Stgr. Mém. Rom. III p. 129, t. 6, f. 1, a, b (1887); Fixs. ibid. p. 278; Leech Butt. China II p. 362.
- Amur; Uss; China s; Cor.*
- Eur. c. et m. (exc. Angl.); ? Sib.*
- Eur. m. oc; Transsyl.*
- As. oc; Hyrc.*
- Amur; Uss; Cor; China s.*
- Eur. (exc. reg. pol. et Ib.); As. min; Changhai; Uss; Jap.*
- Uss; Cor; China s. (et m. oc.?).*
- China m. oc.*
- China s. et m. oc.*
- Eur. c. (exc. Angl.) et or. m.; Dan; Liv; Suec.m; Maur; Bulg; Pont; Bith; Arm.*
- Eur. m. oc.*
- As. min. oc; Ant; Syr.*
- Maur; Tunis.*
- Eur. c. et m. (exc. Angl. Ib. et It.).*
- As. min; Arm; Syr; Hyrc.*
- Mesop. (Mardin); Ant. s.*
- Eur. c. et s. (excl. reg. pol.); It. s. et c; Dalm; Alt; Uss; Cor.*
- Alt; Amur; Uss; Cor; Jap.*

468. **Herzi** Fixs. Mém. Rom. III p. 279, t. 13, f. 4 (1887): Leech Butt. China II p. 367; Rühl 184, 736.
Cor; Uss; Amur.
469. **Ledereri** B. Bull. S. Fr. 1848 p. 29; HS. 445-8 (1850); Frr. 572, 4; Nordm. Bull. M. 1851, II t. 12, f. 1, 2; Gerh. t. 4, f. 6 a-c; Rühl 186.
Arm; Hyrc.
470. **Lunulata** Ersch. Fedtsch (1874) p. 7, t. 1, f. 5; Gr. Gr. Mém. Rom. IV p. 356; Baker Tr. Ent. Soc. 1892 t. 2, f. 3 (genital.); Rühl 182.
 a) v. *Acaudata* Stgr. forma non caudata.
Saraw. (Arm. et Tura ex errore).
471. **Sassanides** Koll. Ins. Pers. p. 51 (1849); Nicéy. Butt. Ind. II p. 298, t. 27, f. 202; Gr. Gr. Mém. Rom. IV p. 354; Baker Tr. Ent. Soc. 1892 t. 2, f. 2; Rühl 182; Deria Moore Pr. Z. Soc. 1865 p. 507, t. 31, f. 11; Mirabilis Ersch. Fedtsch. p. 7, t. 1, f. 4; Lunulata Rom. Mém. Rom. I p. 48.
Ferg.
Pers; Arm. m. or; Tura; Saraw; Ferg; Himal. s. oc.
472. **Myrtale** Klug Symb. Phys. t. 40, f. 15, 16.
Syr. (Libanon).
473. **Rhymnus** Ev. Nouv. Mém. Mosc. 1832, 350, t. 19, f. 1, 2; HS. 22, 23; Frr. 386, 1; Lang Butt. t. 24, f. 4; Rühl 255.
Ross. m. or; Ural; Kirgh.
474. **Tengstroemi** Ersch. Fedtsch. (1874) p. 11, t. 1, f. 8; Gr. Gr. Mém. Rom. IV p. 387; Baker Tr. Ent. Soc. 1892 p. 27, t. 2, f. 4 (genital.); Leech Butt. China II p. 368; Rühl 253.
 a) v. *Carbonaria* Gr. Gr. l. c. p. 388, t. 8, f. 9 (al. ant. subt. nigris).
 b) v. *Davidi* Obth. Et. VI (1881) p. 13, t. 8, f. 1 [forma major]; v. *Tangutica* Stgr. Iris VIII p. 346 [forma minor] (al. post. subtus macul. albis latioribus, magis separatis).
 c) v. *Tangutica* Gr. Gr. Hor. XXV (1891) p. 452 (obscurior, subt. mac. alb. distinctiss., non obscure adumbratis).
 d) v. ? *Iliensis* Gr. Gr. l. c. (subtus multo pallidior, al. post. viridescent., signaturis omnibus evanescent. aut deficiensibus; sp. propria sec. Elw.).
Tura s. oc; Buch. or; Ferg. m; Tarb. (Saisan).
475. **Sinensis** Alph. Hor. XVI (1881) p. 383, t. 14, f. 7; Gr. Gr. Mém. Rom. IV p. 388; Rühl 255.
Pamirs. oc. (Darwas).
- a) v. *Pretiosa* Stgr. Stett. e. Z. 1886 p. 209; Baker Tr. Ent. Soc. 1892 p. 27, t. 2, f. 6 (genital.); Rühl 255 (subtus multo magis picta, al. ant. ocellis 5-6 antemarg.).
China s; Mong. s. oc.
- Amdo (Dshachar).*
- Thian. oc.*
- Thian. oc.*
- Ferg; ? Pamir.*

51. **Callophrys** Billb. 1820

476. **Rubi** L. S. N. ed. X 483; Esp. 21, 2; Hb. 364-5, 786; O. I. 2. 91; God. I, 10, 3; Rühl 196, 740; ab. *Immaculata* Fuchs Jhrb. Nassau 1891 p. 211 [subtus immaculata]; v. *Borealis* Krul. Bull. Mosc. 1890, II p. 19; v. *Sibirica* Rühl 740 [subt. pallidior].
 a) v. *Suaveola* Stgr. Stett. e. Z. 1881 p. 279 (major, subtus pallidior, al. post. acaudata).
 b) v. (gen. aest.?) *Fervida* Stgr. supra multo dilutior, fere brunnea.
Territ. (exc. Am. s. et Can.).
- Tarb; Ala Tau; Ferg.*
- Ib. m; Maur; As. min.*

52. **Zephyrus** Dalm. 1816

477. **Smaragdina** Brem. Lep. O. S. p. 25, t. 3, f. 5 (1864); Stgr. Mém. Rom. III p. 130; Leech Butt. China II p. 372 pro parte; Rühl 189.
Amur e; Uss.
478. **Brillantina** Stgr. Mém. Rom. III (1887) p. 180; Rühl 189; *Smaragdina* Leech Butt. China II p. 372 (pr. p.).
Amur e; Uss; China s; Jap.

479. **Taxila** Brem. Lep. O. S. p. 26, 95, t. 3, f. 7; ?t. 8, f. 2 (1864); Stgr. Mém. Rom. III p. 133, VI p. 150; Leech Butt. China II p. 370; Rühl 187; Japonica Murr. Monthl. Mag. XI p. 169 [v. Jap. vix nomin.]; Fasciata Jans. Cist. Ent. II p. 272, t. 5, f. 4 (♀); v. Ultra-marina Fixs. Mém. Rom. III p. 278 [v. Cor. vix nomin.]. ? Aurorina Obth. Et. V p. 18 [♀ al. ant. macul. fulvis].
480. **Orientalis** Murr. Monthl. Mag. XI p. 169 (1875); Leech Butt. China II p. 376; Rühl 187.
- a) v. *Diamantina* Obth. Et. V p. 18, t. 1, f. 1; Cognata Stgr. Mém. Rom. VI p. 152 not. (1892) (al. ant. ♂ costa limboque lat. nigris. subtus obseurior).
481. **Saphirina** Stgr. Mém. Rom. III (1887) p. 135, t. 16, f. 3-5; Leech Butt. China II p. 378; Rühl 188.
482. **Quercus** L. S. N. ed. X, 482; Esp. 19, 2; Hb. 368-70; O. I., 2. 96; God. I, 9 tert., 3; Rühl 190, 738.
- a) ♀ ab. *Bellus* Gerh. t. 4, f. 2; *Quercus* Hb. Btr. II, 4, 1; Hb. 621 (al. ant. maculis fulvis).
- b) v. *Iberica* Stgr.; *Quercus* Obth. Et. I, p. 19 (subtus pallidior, signaturis evanescentibus).
483. **Attilia** Brem. Bull. Ac. Petr. III p. 469 (1861); Lep. O. S. p. 24, t. 2, f. 3; Stgr. Mém. Rom. VI p. 153; Leech Butt. China II p. 392; Rühl 194, 739.
484. **Enthea** Jans. Cist. Ent. II (1877) p. 157; Leech Butt. China II p. 391, t. 30, f. 18 (var.); Rühl 193.
485. **Butleri** Fenton Pr. Z. Soc. Lond. 1881 p. 853; Waterh. Aid. Ident. t. 115, f. 1; Leech Butt. China II p. 393; Oberthüri Stgr. Mém. Rom. III (1887) p. 138, t. 6, f. 4 a. b.; Rühl 194.
486. **Quercivora** Stgr. Mém. Rom. III (1887) p. 137, t. 6, f. 2 a, b; Graes. Berl. e. Z. 1888 p. 71; Leech Butt. China II p. 382, t. 27, f. 15; Rühl 191 (Signatae Butl. var. ? efr. Leech l. c.)
487. **Lutea** Hew. Ill. Diurn. p. 67, t. 26, f. 9, 10; Leech Butt. China II p. 386; Rühl 138.
488. **Saepestriata** Hew. Ill. Diurn. Lep. p. 67, t. 26, f. 7, 8 (1865); Leech Butt. China II p. 384; Rühl 178, 733.
489. **Michaelis** Obth. Et. V (1880) p. 19, t. 5, f. 2; Leech Butt. China II p. 388; Rühl 177, 733.
- *a) v. (an ab.?) *Gabrielis* Leech l. c. 389, t. 28, f. 7 (supra fere unicolor lutea; sec. unam ♀ deser.!).
490. **Raphaelis** Obth. Et. V (1880) p. 20, t. 5, f. 1; Leech Butt. China II p. 389; Rühl 179; Flamen Leech Pr. Z. Soc. 1887 p. 410, t. 36, f. 2; Butt. China II p. 390, t. 28. f. 10 (supra marginibus late fuscis; forma frequentior).
491. **Jonasi** Jans. Cist. Ent. II p. 157 (1877); Obth. Et. VI p. 13, t. 8, f. 2 (1881); Leech Butt. China II p. 385; Rühl 179, 734.
492. **Betulae** L. S. N. ed. X, 482; Esp. 19, 1; Hb. 383-5; O. I., 2. 113; God. I, 9, 1; *Spinosae* Gerh. t. 3, f. 2 [♂ al. ant. mac. mag. conspicuus]. *Sib. m.; Alt.; Tarb.*
- *a) v. *Crassa* Leech Butt. China II p. 384, t. 28, f. 11 (longius caudata).
493. **Betulina** Stgr. Mém. Rom. III (1887) p. 127, t. 16, f. 6; Graes. Berl. e. Z. 1888 p. 70; Rühl 176.
- Amur; Uss; Cor; Jap.
- Uss; Cor; China s; Jap.
- Uss. m.
- Amur; c; Uss; Cor; Jap.
- Eur. (exc. reg. s.); Arm; Taur.
- Hung; Dalm; Germ. m; Angl.
- Ib. c. et m; Maur.
- Amur c; Uss; Jap; China m. oc.
- Amur c; Uss; China m. oc.
- Amur c; Uss; Jap.
- Uss. m.
- Amur c; Uss; Jap.
- Uss. m; Jap.
- Uss. m.
- China m. oc.
- Uss. m; Cor.
- Amur c; Uss; Jap.
- Eur. c. et s. (excl. reg. pol.); Ross. m; Arm; Changai; Amur; Uss. China m. oc.
- Amur c; Uss.

53. **Thestor** Hb. 1816

494. **Mauritanicus** (r. Mauret.) Lue. Expl. Alg. p. 360, t. 1, f. 3; Obth. Et. VI p. 49; Rühl 198; **Ballus** v. Undulatus Gerh. t. 5, f. 2 a, b.
495. **Ballus** F. Mant. 80; Hb. 360-1, 550: O. I., 2. 90; Dup. I. 7, 1. 3; B. Ie. 10, 6. 7; Frr. B. 133, 2; Gerh. t. 5, f. 1 a, b; Rühl 197.
496. **Fedtschenkoi** Ersch. Fedtsch. (1874) p. 8, t. 1, f. 6; Gr. Gr. Mém. Rom. IV p. 357; Rühl 201.
- a) v. *Alpina* Gr. Gr. l. c. (al. ant. part. bas. majori obseura discoque oehraceo-luteo).
497. **Romanovi** Chr. Hor. XVII (1881) p. 106; Rom. Mém. Rom. I t. 1, f. 1, 2; Rühl p. 200.
- a) v. *Maculifera* Stgr. Iris IV 1891 p. 233 (al. post. subtus maculis vel punctis fulvis pluribus).
498. **Callimachus** Ev. Bull. M. 1848, III, 208; Nordm. Bull. M. 1851, II t. 12, f. 3-5; Mill. Ie. 155, f. 6-8; Lang Butt. p. 85, t. 18, f. 7; Rühl 199; Hafis Koll. Ins. Pers. p. 51; Gerh. t. 10, f. 5 a-c; Epiphania B. Bull. S. Fr. 1848 p. 29; HS. 438-41 (1850).
- a) v. (et ab.) *Dentata* Stgr. Iris IV p. 233 (al. ant. fascia marg. dentata, al. post. subtus brunneo-griseis).
499. **Nogelii** (r. Nogelli) HS. 529-32, VI p. 33; Frr. 574, 1; Nogellii Lang Butt. p. 84, t. 18, f. 6.
- a) v. (et ab.) *Obscura* Rühl 199; Nogeli Frr. l. c. t. 2 (obscurior, plerumque major).
- b) v. (et ab.) *Aurantiaca* Stgr. supra color aurantiacus praevaleat, al. post. (♂ et ♀) macula magna anali aurant.
- c) v. (et ab.) *Nesimachus* Obth. Et. XVIII (fin. 1893) p. 14. t. 2, f. 30; (praecl. similis sed al. ant. fascia margin. obscura aurantiaco interrupta, vel al. ant. aurantiacis macul. obscuris marginalibus).
- d) v. *Dobrogensis* Carad. Iris VIII (1895) p. 34 (duplo major).
500. **Virgaureae** L. S. N. ed. X, 484; Esp. 22, 2; Hb. 349-51, 884-7; O. I. 2. 85; God. I, 10 sec. 4., 9 sec. 6: Frr. 115.
- a) v. *Estonica* Huene Ent. Nachr. 1883 p. 49 (minor. marg. latiore, ♀ nigricans).
- b) v. *Oranula* Frr. 455. I. 2., V p. 121 (v. minor).
- c) v. *Virgaureola* Stgr. Iris V p. 314 (al. post. subtus obscurioribus).
- d) v. (♂, ♀) *Zermattensis* Fallou Ann. S. Fr. 1865 p. 101, t. 2, f. 3 (♀ non fulva, sed brunnea).
- e) v. ♀ *Apennina* Calb. Iris I (1886) p. 125 (dilutior).
- f) v. *Aureocircans* Heyne Soc. Ent. XII (1897) p. 9.
- g) v. *Miepii* Vogel n Sehm. 1857 p. 201-6, t. VI (♂ supra nigropunctatus, ♀ pallidior).
501. **Ottomanus** Lef. Guér. Mag. 1830 p. 19, t. 19; B. Ie. 10, 4. 5; Dup. I. 9. 1. 2; Tr. 10, 1. 75; HS. 236-9; Brullé Exp. Mor. t. 45, f. 4; Lang p. 87, t. 19, f. 2; Rühl 203; Legeri Frr. B. 133, 1, III p. 125 (Dec. 1830).
502. **Thetis** Klug. Symb. Phys. t. 40, f. 17, 18 (1834); HS. 643; Lang p. 88, t. 20, f. 2; Rühl 204; Ignitus HS. 332; Gerh. t. 5, f. 2.
- Maur.*
- Gal. m.; Hisp.; Maur. (lit.); Aegypt. (Alexandr.).*
- Saraw.; Ferg.*
- Pamirs.oc. (Darwas).*
- Arm.m.or. (Ordubad).*
- Mesop. s. (Mardin).*
- Srp.; Arm.; Pers.; Kirgh.; Ferg.; Iss. K. oc.*
- Mesop. s. (Mardin).*
- Pont. (Amasia, Tokat).*
- Taur.; Arm. (?).*
- As. min. c. (Kaisarie); Ant. (Aintab).*
- Taur. or. (Akbes); Ant. et As. m.c. (ab.).*
- Rumaen.s. (Tultscha).*
- Eur. (exc. Angl; Bat. Ib. m. Srp.); Pont; Arm.; Alt; Sib. or. Est; Ural.*
- Lap.*
- Daur.; Mong. s. (Urga).*
- Helv; Ter. (prop.).*
- It. c.*
- Taur. (Mersina).*
- Hisp. c; Pyr. et Arm. (pro parte).*
- Turc.m; Graec; Bith.*
- Graec.s; Bith; Pont; Lyd; Taur.*

- a) v. *Caudatus* Stgr. ♂ et ♀ cundula tenui, ♀ plerumque multo obscurior (gen. aestiva?).
503. **Ochimus** HS. 523-6 (1851) VI p. 31; Lang p. 89, t. 20, f. 3; Rühl 204; Phaeton Frr. 571, 2; Kefersteinii Gerh. t. 9, f. 4 a-c.
- a) v. (an ab.?) *Alpherakii* Gr. Gr. Hor. XXII p. 305 (1888); Mém. Rom. IV p. 359, t. 14, f. 2; Heyne-Rühl 742 (sec. uno ♂ descripta; al. ant. supra limbo nigro magis dentato, in apice densato, al. omn. subt. maculis ante-marg. minor. obsoletis; sec. Elw. = Aditya).
504. **Solskyi** Ersch. Fedtsch. (1874) p. 8, t. 1, f. 7; Rühl 204.
- a) v. *Fulminans* Gr. Gr. Hor. XXII (1888) p. 305; Mém. Rom. IV p. 358, t. 6, f. 4 a, b (vix nominanda; subtus plerumque al. anf. magis aurantiaco tinctis, al. post. dilutius griseis).
- b) v. *Aditya* Moore Proc. Z. S. Lond. 1874 p. 571, t. 66, f. 1; Nicéy. Butt. Ind. III p. 318 (al. ant. limbo nigro tenuiore, in apice minus densato, al. post. limbo nigro-maculato).
505. **Lampon** Ld. Hor. VIII (1871) p. 8, t. 1, f. 2, 3; Rühl 208.
- a) v. *Lamponides* Stgr. major, dilutior signaturis nigris minoribus, supra Ochimo simillima, ♂ acaudatus (forma planorum).
506. **Thersamon** Esp. 89, 6 (1784); O. I. 2, 73: God. II, 22, 7, 8; Frr. 109, 3, 4; Xanthe Hb. 346 ♀; v. *Persica* Bien. Diss. p. 28; Rühl 208 [forma non diversa]; ?*Hyllus* Cr. Pap. Ex. I p. 67, t. 43, f. B. C. (1776) [de Smyrna. ♀ hujus spec. esse videtur, nom. anter.].
- a) v. et ab. *Omphale* Klug Symb. Phys. t. 40, f. 12-14: Xanthe Hb. 347-8 (v. [gen. aest.] et ab. caudata).
- b) v. *Alaica* Gr. Gr. Hor. XXII (1888) p. 305; Mém. Rom. IV p. 364 (supra obscurior, subtus punctis nigris majoribus, al. post. luteis).
507. **Asabinus** HS. 527-8; Helius HS. VI, p. 33; Rühl 209.
- a) v. *Tauricus* Heyne-Rühl 744 (al. post. in ♂ brevius, in ♀ longius caudatis).
- b) v. (gen. aest.?) *Satraps* Stgr. Hor. XIV (1879) p. 230: XVI p. 65; Mém. Rom. I t. 1, f. 4 (al. post. subtus griseis. maculis nigr. distinctioribus).
508. **Dispar** Hw. Lep. Brit. p. 40; Wd. Ind. f. 59 a, b; Dup. I, 13, 3-6; B. Ic. 10, 1-3; Dale Ent. 1894 p. 60; Tutt. Ent. Rec. VIII p. 57; Brit. Butt. p. 149, t. 1, f. 10; Barr. Brit. Lep. I p. 56, t. 1, f. 9 a, b; Hippothoë Lewin Ins. t. 40; Donov. Br. Ins. t. 117; HG. 966-8; var. Esp. 38, 1, 2 (forma extincta).
- a) v. *Rutilus* Wernb. Btr. I p. 391; Hippothoë Hb. 352-4, 966-8; O. I. 2, 83; God. I, 9 sec. 5, 10 sec. 3; Frr. 127; Lang t. 20, f. 1; v. *Vernalis* Horm. Soc. Ent. VIII p. 130 (macul. nigris minoribus, praesertim subtus).
- b) ab. *Sagittifera* Horm. I. c. p. 58; Caradj. Iris VIII p. 35 (al. ant. supra macul. sagittiferis).
- c) v. *Auratus* Leech Pr. Z. Soc. 1887 p. 414, t. 35, f. 3; Butt. China II p. 397, t. 28, f. 4, 6; Alph. Mém. Rom. V p. 103; Dahurica Graes. Berl. e. Z. 1888 p. 75 (♂ supra impunctatus, ♀ al. post. nigricantioribus; subt. al. post. griseis, non caerulecentibus).
- Arm. m.; Pont. or; Kurd. s. oc.*
- Pont; Lyd; Arm; Hyrc.*
- Pamir m. or. (Kun-jut).*
- Saraw.*
- Ferg. m.*
- Ladak; Ind. bor.*
- Hyrc. mont. (Had-schyabad, Schahkuh). Pers. s. (Schahrud).*
- Eur. or. m; Boh; It. s. et c; As. oc. et c.*
- Ferg. m.*
- Pont; Lyd.*
- Taur. or; Ant; Kurd. oc; Mesop. s.*
- Taur. oc; Arm. m. or.*
- Angl. (olim.).*
- Germ; Gal; It. s; Eur. or. m. (exc. Graec); Bith; Pont; Arm; Alt.*
- Daur; Amur; Cor; China; Amdo.*

509. **Splendens** Stgr. Stett. e. Z. 1881 p. 280; Alph. Hor. XVI (1881) p. 376. t. 14, f. 12; Schilde Ent. Nachr. 1884 p. 360; Rühl 213.
- a) v. *Violaceus* Stgr. Iris V (1892) p. 315; VIII p. 345 (supra paullo violaceo-micans, al. post. subtus griseis, non griseo-ochraceis).
510. **Hippothoë** L. F. S. II, 274 (1761); Esp. 22. 3., 28, 5., 100, 2. ab., I p. 292; Kn. Btr. II, 88, t. VI, f. 3; Eurydice Rott. Naturf. VI p. 28 (1775); Esp. 31, 3 ♀; Chryseis Bkh. I, 144; Hb. 337-8, 355; O. I, 2. 79; God. I, 9 sec. 4; Frr. 163, 1. 3; Wallgr. Dgf. p. 192 obs. „an Hippothoë L.“ (cfr. Butl. Monthl. Mag. XXII p. 64, 110).
- a) ab. *Confluens* Gerh. t. 8, f. 1 a-d; *Chryseis* ab. B. gen. p. 9 (punctis subt. confluentibus).
 - b) v. *Italica* Calb. Iris I (1887) p. 126 (trans. ad Euryb.).
 - c) v. *Eurybia* O. I, 2. 81; Frr. 163. 4; *Euridice* Hb. 339-42; Esp. 116, 6. 7; God. II, 22, 5. 6 (var. *alpina*).
 - d) v. *Amurensis* Stgr. Mém. Rom. VI p. 155; Rühl 213 (major, subt. punctis majoribus, al. post. vitta rufa distincta).
 - e) v. *Stieberi* Gerh. t. 35, f. 1 a, b (minor, ♀ supra fulva).
 - f) v. *Candens* HS. 229-31, 355, I p. 133; Frr. 571, 3. 4 (major, ♀ supra fulva). *Graec.* (*Parnass*)
511. **Alciphron** Rott. Naturf. VI p. 11 (1775); Stgr. Hor. VII p. 45; Hippo noë Esp. 78. 6 (1782); O. I, 2. 76; Frr. 103; Lampetie Hb. 356-7.
- a) v. *Melibaeus* Stgr. Hor. XIV (1879) p. 231; Mém. Rom. I t. 1, f. 3 (♂ violaceo-rufus, ♀ plus minusve rufo-tineta; transitus ad Gordium).
 - b) v. *Gordius* Sulz. Abg. G. p. 146, t. 18, f. 7, 8 (1776); Esp. 30, 3., 77, 4., 94, 4; Hb. 343-5; O. I, 2. 75; God. II, 23, 1. 2; Frr. 109, 1. 2 (♂ supra violaceo-fulvus, ♀ fulva, mac. nigris conspicuis).
 - c) ab. ♀ *Intermedia* Stefanelli Bull. Soc. Ent. Ital. VI (1874) p. 83 t. 1, f. 1; Calb. Iris I p. 121 (al. ant. disco fulvo, al. post. ut in *Alciphron*).
512. **Phlaeas** L. F. S. 285; Esp. 22, 1; Hb. 362-3; O. I, 2. 87; God. I, 10, 1; Frr. 151; Leech Butt. China II p. 399; Rühl 217, 746.
- a) ab. *Schmidii* Gerh. t. 10, f. 3 a, b; *Phlaeas* var. Esp. 60, 5; Hb. 736-7 (albicans).
 - b) gen. aest. *Eleus* F. Suppl. E. S. 430; O. I, 2. 90; Gerh. t. 5, 3; *Turcicus* Gerh. t. 5, f. 5 a-c; *Stygianus* Butl. Pr. Z. Soc. 1880 p. 408, t. 39. f. 5; *Turanica* Heyne-Rühl 747 (trans.); ?v. *Oxiana* Gr. Gr. Mém. Rom. IV (1890) p. 365 (supra multo obscurior, al. post. plerumque caudula parva).
 - c) v. (gen. aest.) *Chiensis* Feld. z. b. V. 1862 p. 488; Rühl 218; ?*Comedarum* Gr. Gr. Mém. Rom. IV p. 365 [trans.] (major, maculis permagnis).
 - d) v. *Hypophleas* B. Ann. S. Fr. (2) X 1852 p. 291; Seud. Butt. N. Engl. II p. 998. t. 5, f. 11, t. 13, f. 5; *Americana* d'Urban Can. Nat. V (1857) p. 246; Schöyen Tidskr. VI (1885) p. 141; Stgr. Mém. Rom. VI p. 156 (al. post. subtus cinereis punctis nigris distinctissimis).
 - e) v. *Phlaeoides* (Knaggs in l.?) Stgr. al. post. subtus fascia antimarginali dilutiore (cinerea) distincta.

*Ala Tau; Thian. oc.
et m; Iss. K. oc.**Sib. m. or. (Kentei,
Sajan); Mong. s. oc.**Eur. s. et c. (?Angl.
olim); Pyr; Alp.mar;
Dalm.**It. c. mont.**Alp; Suec; Alt; Sajan
or; Mong. (Ürga).
Amur.**Lap; Sib. s. or.
(Vilui).**Pont.alp;Arm; Hyrc.
1 ♂, an Hippothoë?.*
*Eur. or. c. et m; Liv;
Alt; Ala Tau; Chang.**Graec; As.min; Kurd.
s.oc. (Arm. et Hyrc.
transit.).**Alp. val. m; Eur. oc.
m; Sic; Arm.**Ital. c.**Territ; Himal. oc.**Territ. m.**China (s.?); Jap;
?Pamir.**Lap; Scand.bor; Saj;
Amur; (Am.s.)**Mad.*

513. **Dorilis** Hufn. Berl. M. II, 68 (1766); Rott. Naturf. VI 6; Circe Schiff. S. V. p. 181 (1776); Hb. 334-6; O. I, 2. 70; Ffr. 157, 3. 4; Xanthe F. Mant. 81 (1787); God. I, 9 sec. 3, 10 sec. 1; Phocas Rott. l. c. p. 29; Esp. 35, 1. 2; Xanthoides Peyer. Cat. Lep. Alsace II 1863 p. 9 (? hybrid); ab. Albicans Fuchs Jhrb. Nass. XLII p. 194.
- a) v. *Subalpina* Spr. Stett. e. Z. 1851 p. 339; *Montana* Meyer-Dür Tgf. p. 60, t. 2, f. 2; *Xanthe* var. Bell. Ann. S. Fr. 1859, t. 5, II, f. 3 (supra unicolor, subtus sine rubidine).
- b) v. *Bleusei* Obth. Et. VIII (1884) p. 15 not; XX t. 5, f. 66, 67 (al. post. distinct. caudatis, subtus flavidior, ♂ al. ant. supra fulvo-mixtis).
- c) v. *Orientalis* Stgr. Stett. e. Z. 1881 p. 281 (subtus flavidior. ♀ supra tota obscura, maculis margin. tantum rufo-cinctis).
514. **Amphidamas** Esp. 58, 4 ♂ (1779), 63, 5 ♀; Kn. Btr. t. IV, f. 4, 5; Rühl 219, 747; Helle Hb. 331-3; O. I, 2. 68; God. II, 23, 5. 6; Frr. B. 8; Ffr. 157, 1. 2; v. *Lapponica* Backhaus Ent. Mntsbl. I p. 40 (1876).
- a) gen. aest. *Obscura* Rühl 220 (multo obseurior).
515. **Dorcas** Kirby Fn. Bor. Am. IV p. 299, t. 4 (1837); Morr. p. 90; Epixanthe Mschl. (non B. Lec.) Stett. e. Z. 1870 p. 114; Rühl 216; *Helloides* Mschl. l. c. 1883 p. 115.
516. **Standfussi** Gr. Gr. Hor. XXV (1891) p. 450; Leech Butt. China II p. 404, t. 30, f. 19; Obth. Et. XVIII p. 15, t. 3. f. 42; Rühl 216.
517. **Sultani** (false Sultan) Stgr. Stett. e. Z. 1886 p. 202; Gr. Gr. Mém. Rom. IV p. 360, t. 6, f. 6 a, b; Rühl 206.
518. **Caspius** Ld. Hor. VI (1869) p. 77, t. 4, f. 3; Rühl 205.
- a) v. *Transiens* Stgr. Stett. e. Z. 1886 p. 201; Nicév. Butt. Ind. III p. 320, t. 27, f. 206 (al. subtus multo dilutioribus, supra al. post. mac. analibus fulvis).
519. **Sarthus** Stgr. Stett. e. Z. 1886 p. 202; Gr. Gr. Mém. Rom. IV p. 361, t. 6, f. 5; Rühl 206.
- a) v. *Caudatus* Stgr. caudis tenuibus, al. post. subtus (plenumque) flavidioribus (supra Caspii varietati Transienti simillima).
520. **Phoenicurus** Ld. Hor. VIII (1871) p. 8, t. 1, f. 4, 5; Alph. Hor. XVI p. 377; Rühl 206.
- a) v. *Scintillans* Chr. Stett. e. Z. 1887, p. 162; Mém. Rom. V p. 5, t. 1, f. 2 a, b (♂ saturatus violaceus, distinctius obscuro-venatus, al. ant. margine obscur. latiore; vix nominanda).
- b) v. *Iliensis* Stgr. Stett. e. Z. 1886 p. 203 (supra dilutior, ♂ violaceo-rufescens, ♀ fascia ext. lata rufa).
- c) v. *Margelanica* Stgr. Stett. e. Z. 1881 p. 282; Gr. Gr. Mém. Rom. IV p. 361 (major, ♂ supra magis violaceus).
521. **Dimorphus** Stgr. Stett. e. Z. 1881 p. 282; Gr. Gr. Mém. Rom. IV p. 362, t. 6, f. 7 a, b; Rühl 206, 742.
- a) v. *Dilutior* Stgr. l. c. 283 (major, subtus flavidior).
522. **Athamanthis** Ev. Bull. M. 1854, III, 180, t. 1, f. 3, 3; HS. n. Schm. 4-6, p. 1; Rühl 220.
- Eur. c. et m. (exc. Angl. And. Sic.); Lap.; Labr.; As. min. (pro p.).*
- Alp.*
- Castil.*
- Asia min; Arm; Alt; Ala Tau.*
- Eur. s. et c. (exc. oc.); Arm; Ala Tau; Sib. m; Chang; Amur.*
- Germ. c. et s; Suec. m.*
- Labr. m; Am. bor. (Alaska).*
- Amdo (Sinin); China oc. m.*
- Saraw.*
- Hyrc.*
- Saraw; Beludschanistan.*
- Ferg. m; Pamir s. oc. (Darwas).*
- Buch. s. or. (Kartegin).*
- Hyrc.*
- Turamont. (Germob.).*
- Thian. oc.*
- Ferg. oc; Saraw; ? Pamir.*
- Ala Tau; Thian. oc; Iss. K. oc.*
- Ferg. m. mont.*
- Kirgh. m; Syr Darja.*

55. **Cigaritis** B. 1847

523. **Acamas** Klug. Symb. Phys. t. 40, f. 7-9 (1834); Ld. z. b. V. 1855, t. 1, f. 2; Leech Butt. China II p. 658; Rühl 220, 748; Epargyros Ev. Bull. M. 1854. III, 178, t. 1, f. 2; Hypargyrus Butl. Proc. Z. S. L. 1886 p. 369, t. 35, f. 3; Nicév. Butt. Ind. III, p. 352.
- a) v. *Transcaspica* Stgr. supra saturatus brunnea, signat. obscuris multo latioribus, subtus obscurior.
 - b) v. *Obscurata* Stgr. supra fere omnino (sive per major. parte) obscurata.
524. **Cilissa** Ld. Wien. Mts. 1861 p. 147, t. 1, f. 1.
- a) v. *Maxima* Stgr. duplo major, supra dilutior, longius caudata.
 - b) v. *Minima* Stgr. duplo minor, obscurior.
525. **Zohra** Donz. Ann. S. Fr. 1847 p. 528, t. 8, f. 5, 6; Obth. Et. I p. 20; IX p. 35, t. 3, f. 8, 9; Rühl 222, 748; Massinissa Luc. Exp. Alg. p. 364; Ann. S. Fr. 1850, 99, t. 2, f. 2.
- a) v. *Iugurtha* Obth. Et. I (1876) p. 21; VI p. 49; IX p. 35, t. 3, f. 6, 7; Rühl 223 (al. post. subtus obscurioribus).
526. **Siphax** Lue. Expl. Alg. p. 362, t. 1, f. 8.
- a) v. *Erythrea* Stgr. Iris V (1892) p. 280 (al. post. subt. obscure violaceis).

56. **Hypolycaena** Feld. 1862

527. **Livia** Klug. Symb. Phys. t. 40, f. 3. 4.

Syr.; Pers.; Kurd.; Mesop. s.; Tura; Kirgh.m.; Ili; Gobi; Ind. s. oc.

Tura oc. m. mont; (Nuchur.). Taur. s. (Hadjin).

Ant; Cil; Kurd. oc. (pro p.).

Kurd. oc. (Malatia); Mesop. s. (Mardin).

Taur. s. (Hadjin). Maur.

Maur.

Maur.

Aegypt. (Cairo); Arab; Afr. or.

57. **Jolaus** Hb. 1816

528. **Jordanus** Stgr. Iris X (1897) p. 153, t. 5, f. 5 (hujus generis?).

Pal. m. or.

58. **Lampides** Hb. 1816 (Polyommatus [Latr.] Seud.)¹⁾

529. **Boeticus** L. S. N. ed. XII 789; Esp. 27, 3 a, b., 91, 3; Hb. 373-5; O. I. 2. 99: God. I. 9 tert. 4., 10, 2; Mill. Ic. t. 28, f. 1-5; Trim. South. Afric. Butt. II p. 58; Nicév. Butt. Ind. III p. 204; Leech Butt. China II p. 337; Rühl 224, 749; v. *Armeniensis* Gerh. Berl. e. Z. XXVI p. 125 [dilutior].
530. **Telicanus** Lang Verz. p. 47 (1789); Hb. 371-2, 553-4; O. I, 2. 102; God. II, 22, 3, 4; Frr. 56; Mill. Ic. 108, f. 10-13; Trim. South. Afr. Butt. II p. 69; ?Pirithous²⁾ L. S. N. ed. XIII p. 790 (1767) [sec. ♂ ecaudat. descripta]: ab. Bellieri Ragusa Nat. Sicil. I (1881/2) p. 37, t. 3, f. 2 [subt. multo dilutior].

Eur. m. et c. (advena); Gal. c. et s. oc; Maur; Canar; Mad; Aegypt; As. oc. et c. et m; Africa; Australia.

Eur. m. (exc. or.); Eur. c. (var.); Maur; As. oc.

531. **Balkanica** (r. Balcan.) Frr. V p. 63, t. 421, 1. 2 (mense Feb. 1844); Psittacus HS. 220-3, p. 129 (fin. 1844); Balcanica Lang t. 22, f. 4; Rühl 226.

Balc; As. oc; Hyrc.

532. **Theophrastus** F. E. S. 281; Nicév. Butt. Ind. III p. 187; Theophrastes Lue. Expl. Alg. III p. 362, t. 1, f. 6; Psittacus Allard Ann. S. Fr. 1867, 313; Nara Koll. Hüg. Kaschm. IV p. 421; Nicév. l. e. p. 190; Venosus Moore Proc. Z. S. L. 1882 p. 245, t. 12, f. 6. 6a.

Afric. s; Hisp. m; Sic. (I); Arabia; India.

¹⁾ *Lamp. Ethoda* Wlk. Entom. V p. 53 (Cairo) nomen est incertum.

²⁾ *Philiasus* L. I. e. n. 233 de Algeria, certe species nota, cognoscere non possum (Stgr.).

- a) ab. *Rosacea* Aust. Natural. VII (1885) p. 141; *Rosea* Rühl 749 (supra violaceo-caerulea).
- * b) v. (gen. aest.?) *Alteratus* Moore Pr. Z. Soc. 1882 p. 245, t. 12, f. 4; 4 a: Nicév. l. c. 192 (minor, pallidior).
533. **Jesous** Guér. Lefebv. Voy. Abyss. VI p. 383, t. 11, f. 3, 4 (1847); Trim. Butt. II p. 72; Gamra Ld. z. b. V. 1855 p. 189, t. 1, f. 3; Nicév. Butt. III p. 125, t. 26, f. 176.
534. **Webbianus** Brullé Webb-Berth. p. 93, t. 4, f. 1, a; Alph. Mém. Rom. V p. 217, t. 11, f. 2 a-c; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 30; Rühl 226; Fortunata Stgr. Berl. e. Z. 1870 p. 99 (gen. proprium?).
535. **Phiala** Gr. Gr. Mém. Rom. IV (1890) p. 366, t. 21, f. 4 (♀ supra obscura, obsolete dilutus recticulata).
536. **Eleusis** Demaison Bull. S. Fr. 1888 p. 66; 1895 p. 60; Podorina Mab. Ann. S. Fr. 1890 p. 25; Pharaonis Stgr. Iris VII p. 243, t. 9, f. 4.
537. **Thebana** Stgr. Iris VII (1894) p. 244, t. 9, f. 3; ? Itea Wlk. Entom. V (1870) p. 55 [♀].
538. **Galba** Ld. z. b. V. 1855, p. 190, t. 1, f. 4; Rühl 230.
- Maur. oc.*
- Himal. oc.*
- Syr.; Afr.*
- Can.*
- Buch. or. m.; Arm. m.*
or;
- Aegypt.*
- Aegypt.*
- Syr.*
59. **Chilades** Moore 1881
539. **Trochylus** (r. *Trochilus*) Frr. 440, 1, V, p. 88 (Aug. 1844); *Trochilus* HS. 224-6; Trim. South. Afr. Butt. II, 52; Nicév. Butt. Ind. III p. 91.
- * a) v. *Putti* Koll. Hüg. Kaschm. IV, p. 422; Moore, Butl., Swinhoe etc. cfr. Nicév. l. e. (minor, obscurior.).
- Balc. m.; As. oc.; Hyrc.; Tura; Ferg.; Sarav.; Arab.; Afr. or. et m.*
India; Java etc;
Australia.

60. **Lycaena** F. 1807 (Nicév.)¹⁾

540. **Argiades** Pall. Reis. I, p. 472 (1771); Nicév. Butt. Ind. III p. 137, t. 26, f. 180; Leech Butt. China II p. 328; Barr. Brit. Lep. t. 10, f. 2a; Rühl 228, 750; Tutt. Brit. Butt. p. 185; Tiresias Rott. Naturf. VI, 23 (1775); Esp. 34. 1, 2; Amyntas Hb. 322-4; O. I. 2, 59; God. I, 9 see. tert.; ? Idmon Hb. 820-1 [ab. ?, an sp. propr.]?
- a) ab. *Coretas* O. I. 2, 60; Gerh. t. 11, f. 5 (subt. mae. ruf. nullis).
- b) ab. *Decolorata* Stgr. Stett. e. Z. 1886 p. 204 (major, viridi-caerulea subt. maculis rufis nullis).
- c) gen. vern. *Polysperchon* Berg. Nom. t. 44, f. 3-5; O. I. 2, 61; Tiresias Hb. 319; Esp. 49, 2 (minor).
- d) gen. vern. *Decor* Stgr. l. c. p. 203 (♂ viridi-caeruleus).
- * e) v. *Parrhasius* F. E. S. III, p. 289; Dipora Moore Proc. Z. S. 1865 p. 506 (♂ limbo nigro latiore).
- * f) v. *Comyntas* God. Ene. Méth. IX, p. 660 (al. post. supra maculis margin. distinctioribus).
541. **Fischeri** Ev. Bull. M. 1843, III, 537; HS. 218-9; Frr. 440. 2: Lang Butt. p. 112, t. 22, f. 6; Leech Butt. China II p. 330; Rühl 230.
542. **Alaina** Stg. Stett. e. Z. 1887 p. 50; Gr. Gr. Mém. Rom. IV p. 368, t. 8, f. 7; Rühl 231; Muzaffar Gr. Gr. Mém. Rom. III p. 399.
543. **Argus** L. S. N. ed. X, 483 ♂ (Idas 284 ♀); Kirby Syn. Cat. 1871 p. 357 no. 145; Schöyen Tidskr. III (1882) p. 33, 100 (Ent. Nachr. 1882 p. 213, 276); De Vos Tijds. XLII
- Eur. c. et m. (exc. Ib.);*
As. oc. s.; Sib. m.;
Mong. s.; Amur; Uss.;
Cor; Jap.
- Astro-Hung; Rum;*
Bulg.
- Eur. c. et m.*
- Ferg. m. (Margelan).*
- Orb. Terrar. mer. or.*
- Am. s. et c.*
- Ural m; Alt; Tarb;*
Mong. s; Amur; Cor;
China s.
- Ferg. m; Pamir oc.*
- Eur; As. palaearet.*
(cfr. var.).

¹⁾ *Lycaena Cleodora* Wlk. Entom. V p. 54 (Cairo) nomen est incert.

- p. 37; *Aegon* Schiff. S. V. p. 185; Hb. 313-15; O. I, 2 p. 57; God. I, 11 sec. 4; Frr. 175; Spr. Stett. e. Z. 1882 p. 379; Leech Butt. China II p. 300; Rühl 232; De Vos Tijds. XXXX (1897) p. 229; *Argyrotoxus* Brgstr. Nom. II p. 77, t. 47, f. 3, 4. ♂ (1779).
- a) v. *Corsica* Bell. Ann. S. Fr. 1862 p. 615, t. 14, f. 5 (subtus brunneo-grisea, vix nominanda). *Cors. mont.*
- b) v. *Hypochiona* Rbr. Cat. And. p. 35; Stgr. Hor. VII (1870) p. 48; Obth. Et. VIII p. 15; XX p. 27, t. 4, f. 59, 60; Schöyen l. c. (major, subtus albicans; an *Argyrognomon* var.?). *And; Graec.*
- c) v. *Bella* HS. 227-8, I p. 127; Gerh. t. 37, f. 1; Rühl 232; Obth. Et. XX p. 27 (al. post. mac. marg., subt. pallidior.). *Bith; Pont; Taur. Arm; Hyrc.*
544. ***Argyrogномон*** Brgstr. Nom. II p. 76, t. 46, f. (1) 2, t. 51, f. 7, 8 (1779) (ab. ♀ caerulea); Bkh. I p. 152; Kirby Syn. Cat. 1871 p. 358, no. 153; Schöyen Tidskr. III p. 33, 100; Argus Esp. 20, 3., 101, 5; Hb. 316-18; O. I, 2 p. 52; Tr. X, 1 p. 71; God. I, 11 tert. 4; Frr. 169; HS. 247 (aberr.); Gerh. 24, f. 1 a-c; Alph. Mém. Rom. V p. 105; De Vos Tijd. XXXX (1897) p. 229; Obth. Et. XX p. 26, t. 4, f. 52-8 (ab.); Calliopis B. Ic. I p. 58, t. 15, f. 5; Obth. Et. VIII p. 15; XX t. 5, f. 64-65 [pallidior, ♀ caeruleo]; Subsolanus Ev. Bull. M. 1851, II, 620; Rühl 311 [una ♀ nec ♂ condita; teste Alph. certe *Argyrogno*. ab.]; *Caeruleo* Gr. Gr. Hor. XXVII p. 127 [♂ ab.] (praec. forma Darwiniana? ubique sat diversa?).
- a) ab. ♀ *Callarga* Stgr; *Argyrogномон* Brgstr. l. c. t. 46, f. 1; Calliopis B. I. c. t. 15, f. 4 (♀ supra caerulea). *Alp; Reg. pol. et bor.*
- b) v. *Aegidion* Meissn. Nat. Anz. Schw. Ges. 1818 p. 88; Germ. Mag. IV, 394; *Lapponica* Gerh. t. 34, f. 3 a-c; Z. Stett. e. Z. 1877 p. 288; *Argulus* Frey Mitth. VI (1882) p. 350 [♀ ab. maris colore]; v. *Ganssuensis* Gr. Gr. Hor. XXV, 450; *Tomyris* Gr. Gr. Mém. Rom. IV, p. 377, t. 7, f. 5 [una ♀ ab. condita!] (minor, ♂ violaceus). *Pomu; etc.*
- c) v. et ab. *Dubia* Schulz (Hering) Stett. e. Z. 1881 p. 135; Stgr. ib. p. 261; Rössl. Jhrb. Nass. XXXII p. 29 (major, inconstans). *As. c. (deserta).*
- d) v. *Planorum* Alph. Hor. XVI (1881) p. 379; Stgr. Iris VIII p. 345; *Dschagatai* Gr. Gr. Mém. Rom. IV p. 370; *Aegina* Gr. Gr. Hor. XXV p. 451; *Regina* Rühl 233 (♂ laetus violaceus, linea limbali tenuissima). *As. c. (Dshachar mont.); Amdo.*
- e) ? v. *Sifanica* Gr. Gr. Hor. XXV (1891) p. 450 (major, obscurior, limbo externo latissimo, puncto centrali distinctissimo, sec. 1 ♂ descript! nom. sec. Elw. non conserv.). *Saraw.*
- f) ? v. (an ab.) *Maracandica* Ersch. Fedtsch. (1874) p. 10 (subtus punctis ocellaribus subnullis, ♀ caerulea, fusco adumbrata; sequent. ab.?). *Ferg; Thian; Buchor; ? Afganist.(Candahar).*
- g) v. *Argiva* Stgr. Stett. e. Z. 1886 p. 204; Gr. Gr. Mém. Rom. IV p. 372; Rühl 236; *Roxane* Gr. Gr. l. c. 372, t. 7, f. 3, a. b.; Rühl 235; *Bactriana* Gr. Gr. l. c. 374 (♀ ab. caerul.); *Calmucca* Gr. Gr. Hor. XXV p. 450; ? *Bractea* Butl. Pr. Z. S. L. 1880 p. 407, t. 39, f. 4, an eadem var.? (subtus ocellis marg. paulum fulvo-tinctis, lunulis tenuib. nigro-cinetis). *Kamt; Amer. bor.*
- h) ? v. *Melissa* Edw. Tr. Phil. IV (1873) p. 346; Streck. Lep. t. 10, f. 8, 9; Alph. Mém. Rom. IX p. 315; Holl. Butt. p. 265, t. 31, f. 25, 26.

545. **Aster** Edw. Can. Ent. XIV p. 194 (1882); Holl. Butt. p. 266, t. 30, f. 40, 46, 47; Seudderii Möschl. Stett. e. Z. 1874 p. 155 (praec. var. americana?).
Labr. m; Newfoundland.
546. **Tancrei** Graes. Berl. e. Z. 1888 p. 77; Stgr. Mém. Rom. VI p. 158; Rühl 237 (Argyrogommonis forma Darwiniana?).
Amur s; ? Uss. var.
547. **Cleobis** Brem. Bull. Acad. III 1861 p. 472; Graes. Berl. e. Z. 1888 p. 77; Rühl 236; Aegonides Brem. Lep. O. S. p. 28, t. 3, f. 8.
Sib. or; Amur; Alt. (var.); Cor; Jap.
- a) v. *Ida* Gr. Gr. Hor. XXV (1891) p. 451; Rühl 237, 753; Kenteana Stgr. Iris V (1892) 316; VIII 346 (minor, subtus obscurior).
Daur; Mong.s; Amdo.
548. **Eversmanni** Stgr. Stett. e. Z. 1886 p. 205; Gr. Gr. Mém. Rom. IV p. 375, t. 7, f. 2 a. b.; Rühl 241.
a) v. ? *Grumi* Stgr. al. supra ut in Eversmanni, subtus valde diversae, cinereo-griseae, al. post. basi viridescenti, signaturis omnibus multo minoribus, obsoletioribus, in margine vix rufescens. (Subtus spec. div. esse videtur.)
Ferg; Saraw; Pamir.
549. **Lucifera** Stgr. Stett. e. Z. 1867, p. 100; 1874 p. 87; 1886 p. 206; Iris V p. 316, t. 3, f. 1; Rühl 211; Biton Brem. Lep. O. S. p. 30, t. 3, f. 9 (1864) (nom. praeoccup.); Stgr. Mém. Rom. VI p. 163; ? Brem. l. c. p. 30 ♀; Themis Gr. Gr. Hor. XXV p. 451; Rühl 242.
Transalai (sec. Maurer).
550. **Euryipilus** (r.-pylus) Frr. 573, 4. VI, p. 148; Stgr. Hor. XIV p. 237; Rühl 247; Carmon Gerh. t. 25, f. 1 a, c.
Sib. m. (Alt; Saj; Kentei); Mong. s; Amdo.
551. **Pylaon** F. d. W. Nouv. Mém. Mosc. II, 357, t. 19, f. 5, 6; HS. 333-4, 339-42; Stgr. l. c. p. 49; Chr. Stett. e. Z. 1893 p. 31; Rühl 247; Cyane Frr. 469, 1. 2; Zephyrus HS. 20, 21.
As. min; Kurd. oc; Mesop. s; Arm; Hyrc; Tura.
552. **Sephyrus** Friv. Tarsas Evkönyv. II (1835) p. 269, t. 7, f. 1, 2; Zephyrus HS. 208-11, I, p. 126; Stgr. Hor. VII (1870) 48; XIV p. 235; Spr. Stett. e. Z. 1882 p. 379; Rühl 245, 754 (praeced. forma Darwiniana).
a) v. *Zephyrinus* Chr. Mém. Rom. I, t. 6, f. 3 a, b, p. 102 (1884); Stgr. Stett. e. Z. 1886 p. 204; Gr. Gr. Mém. Rom. IV p. 382; Alph. Tr. Ent. Soc. 1891 p. 499; Rühl 246 (♂ supra limbo nigro latiore, ♂ et ♀ subtus ocellis [maculis] nigris majoribus).
Ross. m. or; Kirgh; ? Alt.
- b) v. *Hesperica* Rbr. Fn. And. p. 270, t. 10, f. 1-4 (1839); HS. 14, 15 ♂, 349, 350 ♀; Stgr. Hor. VII (1870) p. 50 (♂ dilutiōr, caeruleus).
Ture; Budg; Graec; As. min; Arm.
- c) v. *Lycidas* Trapp (non Bkh.) Mitth. I (1863) p. 103; Jäaggi Mitth. VI p. 95, t. 3 ♂ ♀; Lang Butt. p. 363, t. 82, f. 7; Rühl 246 (♂ obseurius caeruleus, limbo nigro latiore effluente).
Ferg; Iss. K. oc; Saraw; Buch or; ? Alt. m. oc.
553. **Allardii** Obth. Pet. Nouv. Ent. I p. 412 (1874); Allardi Obth. Et. IX p. 35, t. 3, f. 16 (praec. forma Darwiniana?).
And; Aragon.
554. **Loewii** Z. Is. 1847 p. 9; HS. 434-7; Nicév. Butt. III p. 79, t. 26, f. 167; Empyrea Frr. 573, 1 (1852); Gerh. t. 17, f. 2 a-c.
a) v. *Gigas* Stgr. Cat. ed. II p. 10; Rühl 754 (fere duplo major).
Val.
555. **Fergana** Stgr. Stett. e. Z. 1881 p. 262 (fin. Jun.); Rühl 214; Fergana Gr. Gr. Mém. Rom. IV p. 281.
a) v. *Torgouta* Alph. Hor. XVI p. 380, t. 14, f. 5, 6 (fin. 1881); Chr. Mém. Rom. I p. 102; Rühl 245 (minor).
Maur. oc. (Sebdou).
556. **Martini** Allard Ann. S. Fr. 1867 p. 319, t. 6, f. 2; Obth. Et. I p. 23, t. 1. f. 1; Rühl 246.
As. min; Arm; Syr; Tura oc.
- Lyd. mont; Taur; Mesop. s.*
- Ferg; Buch. or; Pamir oc; ? Tarbag.*
- Thian. or; Tura oc; Hyrc.*
- Maur.*

557. **Staudingeri** Chr. Hor. X (1873) p. 26, t. 1, f. 5, 6; Rühl 294.
558. **Christophi** Stgr. Stett. e. Z. XXXV p. 87 (Januar. 1874); Mill. Ic. III p. 419, t. 152, f. 2, 3; Chr. Mém. Rom. I, t. 6, f. 2 a, b; Gr. Gr. ib. IV 376 (forma planorum).
- a) v. *Rogneda* Gr. Gr. l. c. (fere eadem cum Christophi, al. post. macul. exteriorib. magis aurantiacis; vix nominanda).
 - b) v. *Agnata* Stgr. l. c. 1886 p. 19; Rühl 299 (major, ♂ obscure caerule. ut in *Semiargo*. limbo nigro latiore, diffluente, ♀ obscurior. al. subt. griseo-brunneis; forma alp.?).
 - c) v. *Sumudra* Moore Pr. Z. Soc. 1874 p. 574. t. 47, f. 2; Nicév. Butt. Ind. III p. 78 (praec. var. similis, sed subtus cinereo-grisea).
559. **Sieversi** Chr. Hor. X (1873) p. 23, t. 1, f. 1, 2; Rühl 242; Mirza Stgr. Stett. e. Z. 1874 p. 90; Rühl 239.
- a) v. *Haberhaueri* Stgr. l. c. 1886 p. 206; Gr. Gr. Mém. Rom. IV p. 379, t. 7, f. 6 a b; Rühl 242; (major, margin. exter. latius nigris, subt. ocell. majorib.).
560. **Bellona** Gr. Gr. Hor. XXII (1888) p. 306; Mém. Rom. IV p. 380. t. 15, f. 1; Rühl 243 (sec. uno ♂ descripta, praec. [Sieversi] var. an ab.?).
561. **Hyrcana** Ld. Hor. VI (1869) p. 78, t. 4, f. 6, 7; Chr. Mém. Rom. V p. 6; Rühl 239.
562. **Alcedo** Chr. Hor. XII (1877) p. 200, t. 5, f. 3, 4; Rühl 237.
563. **Optilete** Knoch Btr. I p. 76. t. 5, f. 5, 6 (1781); Esp. 79, 4, 5 (1782); Hb. 310-2; O. I. 2. 51; God. II, 26, 1. 2; Frt. 451, 2, 3, 656; Rühl 243.
- a) v. *Sibirica* Stgr. Iris V 1892 p. 317; Rühl 753 (transitus ad var. *Cyparissum*).
 - b) v. *Cyparissus* Hb. 654-7 (v. minor).
564. **Panagaea** HS. 490-3 (1851), VI p. 30; Rühl 251; Endymion Frr. 572, 2, 3 (Febr. 1852); Gerh. t. 16, f. 2 a, b.
565. **Cytis** Chr. Hor. XII (1877) p. 234, t. 5, f. 5, 6; Gr. Gr. Mém. Rom. IV 385; Rühl 252.
- a) v. *Panaegides* Stgr. Stett. e. Z. 1886 p. 206; Alaiica Stgr. l. c. p. 207; Gr. Gr. l. c. p. 386, t. 8, f. 8 (supra multo obscurior, al. ant. mac. antemarg. nigr. vix perspicuis).
566. **Iris** Stgr. Stett. e. Z. 1886 p. 207; Gr. Gr. Mém. Rom. IV p. 378. t. 7, f. 8, a. b.; Rühl 241.
567. **Rutilans** Stgr. Stett. e. Z. 1886 p. 208; Gr. Gr. Mém. Rom. IV p. 378, t. 7, f. 7.
568. **Anisophtalma** Koll. Ins. Pers. p. 51; *Panagaea* v. *Arsacia* Ld. Hor. VI (1869) p. 78, t. 4, 9; VIII p. 9; Rühl 240.
569. **Lysimon** Hb. 584-5; O. I. 2. 24; Dup. I, 8, 6. 7; B. Ic. 17, 7. 8; HS. 28. 29; Nicév. Butt. Ind. III p. 116. t. 26, f. 173; Rühl 252.
570. **Triphysina** Stgr. Iris IV (1891) p. 235, t. 3, f. 2; Rühl 254.
571. **Anthracias** Chr. Hor. XII (1877) p. 239, t. 5, f. 12; Rühl 254, 757.
572. **Panope** Ev. Bull. M. 1851, II, 619; Ersch. Fedtsch. p. 11; Rühl 251 (bona spec. nec Batonis var.).
573. **Baton** Berg. Nom. t. 60, f. 6-8, II p. 18 (1779); *Amphion* Esp. 53, 1 (1780). Forts. p. 18, t. 79, f. 3; Bkh. I, 160; *Hylas* Hb. 325-7; O. I. 2. 63; God. I, 11 sec. 5, tert. 5; Nicév. Butt. Ind. III p. 84; Vicrama Moore Pr. Z.

Hyrc. (*Tasch.*
Schahkh).*Pers. s.* (*Schahrud*);
Tura.*Pamir;* *Kaschgar*.*Iss.* *K. m.**Himal.* *oc.* (*Baltistan*,
Ladak); *China* *m.*
oc. (*et s?*).*Hyrc.* (*As. c.* (*Kitchi*-
Karamuk)).*Ferg;* *Saraw*.*Pamir* *c.* (*flum.*
Kudara).*Hyrc;* ? *Tura* (*var.*).*Hyrc.**Germ;* *Alp;* *Bat*;
Scand. *m.*; *Ross.* *s.*
Sib; *Alt.**Daur;* *Anur* *s.**Lap;* *Sib.* *s.**As. min;* *Arm;* *Hyrc*;
Tura; *Syr.**Hyrc;* *Saraw;* *Pamir*
(*Kudara*).*Saraw;* *Ferg;* *Iss.*
*K. oc.**Ferg.* *m;* *Saraw;*
Pamir *oc.**Ferg.* *m.**Pers;* *Hyrc.**Gal. m;* *And;* *Maur*;
Can; *As. min.* (*lit.*);
India; *Africa.**As. c;* (*Kaschgar*).*Hyrc;* *Thian.* *oc.**Kirgh.* (*Indersk*).*Eur. c.* *et m.* *or;* *As.*
oc. *et c;* *Ind. s.* *oc.*

- Soc. Lond. 1865 p. 505, t. 31, f. 6; *Cashmirensis*
Moore l. c. 1874 p. 272.
- a) v. et ab. *Clara* (Stgr.) Chr. Mém. Rom. III p. 51 (δ supra
subcaeeruleus sive albo-caeruleus).
- b) v. *Panoptes* Hb. 670-3; Mill. Ic. t. 85, f. 1; Stgr. Hor. VII,
1870, 50 (minor, subtus obscurior, sine maculis rufis).
- c) v. *Abencerragus* Pier. Ann. S. Fr. 1837 p., 21, t. 1, f. 7;
Z. Stett. e. Z. 1877 p. 289 (subt. pallidior, sine macul. ruf.).
574. **Orion** Pall. Reis. I, p. 471 (1771); Wernb. Btr. p. 360;
Telephi Esp. 41, 2 (1779) p. 363, t. 94, f. 5; Bkh. I.
159, 278, II, 227; Battus Hb. 328-30, 801-2; O. I, 2.
64; God. II, 25, 7. 8.
- a) gen. vern. (et ab.) *Ornata* Stgr. Mém. Rom. VI p. 159 (1892)
(minor, supra magis caerulescens, serie completa punct.
antemarg.).
- b) v. *Orithya* Gr. Gr. Hor. XXV (1891) p. 452 (praec. similis,
supra minus caerulea, serie punct. antemarg. obsoletissima).
575. **Bavius** Ev. Nouv. Mém. Mose. 1832, 349, t. 19, f. 3, 4;
HS. 10, 11. 357-60; Frr. 511, 1; Lang t. 23, f. 7; Rühl 248.
- a) v. *Fatma* Obth. Et. XIII (1890) p. 19, t. 7, f. 50, 51 (magis
caerulescens, al. post. maculis rubris antemarg. majoribus).
non?);
576. **Lantyi** (false Lanty) Obth. Et. XI, p. 21, t. 7, f. 53; Alph.
Mém. Rom. V, p. 108; Leech Butt. China II, p. 310;
Rühl 755.
577. **Divina** Fixs. Mém. Rom. III p. 286, t. 13, f. 5 a, b.
578. **Cyane** Ev. Bull. M. 1837, I, 22; 1841, I, 23, t. 3, f. 1. 2;
HS. 646-9; Ld. z. b. V. 1853, t. 1, f. 1; Chr. Stett. e. Z.
1893 p. 31; Rühl 755.
- a) v. *Deserticola* Elw. Tr. E. S. Lond. 1899 p. 325 (duplo
minor, δ et φ maculis marg. obscur. subalbido-cinetics).
579. **Elvira** Ev. Bull. M. 1854, III. 177; HS. n. Schm. 1-3, p. 1;
Gr. Gr. Mém. Rom. IV p. 369, t. 7, f. 4 a, b; Rühl 238;
Oberthüri Gr. Gr. l. c. III p. 399; Rühl 770.
580. **Miris** Stgr. Stett. e. Z. 1881 p. 263; Chr. Mém. Rom. I p. 103,
t. 6, f. 4; Gr. Gr. ib. IV p. 391; Rühl 259.
581. **Orbitulus** Prun. Lep. Ped. p. 75 (1798); Esp. 112, 4 (1800);
O. I, 2. 43; Hb. 841 ab; God. II, 25, 3. 4; Frr. 421, 3. 4.
- a) subv. *Oberthüri* Stgr.; *Orbitulus* var. Obth. Et. VIII
p. 16, t. 1, f. 8,9 (major).
- b) v. *Orbitulinus* Stgr. Iris V p. 318 (major, δ supra obscurior,
al. post. subtus maeul. alb. crassiss nigro-pupillatis).
- c) v. *Orbona* Gr. Gr. Hor. XXV (1891) p. 453; Rühl 312;
Tartarus Stgr. Iris VIII p. 300 (major, δ et φ supra
obsc. al. subt. albido-marginatis, post. vix nigro-pustul.).
- d) v. *Wosnesenskii* Mén. En. II p. 95, t. 4, f. 6; Alph. Mém.
Rom. IX p. 317, t. 14, f. 5; Diodorus Brem. Lep. O. S.
p. 29, t. 1, f. 10 [ab., teste Herz] (al. post. subtus maeul.
albis distinctius separatis).
- e) v. *Aquilina* Stgr.; *Aquilo* Auriv. Nord. Fjär. p. 11; ? HS.
24, 25 φ (δ supra dilutior caeruleo-nigrescens, marg.
ext. obscur. tenui, φ plus minusve caerulescens, al.
subtus signaturis obsoletior., var. praeced. affinis).
- f) v. *Franklinii* Curt. Descr. App. Narr. p. 68, t. A, f. 8, 9 (1831);
Aquilo B. Ic. I, t. 12, f. 7, 8 (1832) [p. 62 pro parte];
HS. 343-4 δ ; Dup. I, t. 47, 6, 7 φ ; Möschl. Wien. Mts.
- Syr;* *Kurd;* *Tura;*
Ferg. m. etc.
Ib; *Gal.* m. oc.
- Maur.*
- Eur.* c. et m. (exc.
Angl. et *Ib.* m.);
As. min; *Arm;* *Sib.*
m; *Amur.*
- Tarb;* *Saj.or;* *Amur;*
Hung. *Dalm.* *Mo-*
rav. (ab.).
- Amdo;* (*Sinin*).
- Ross.* m. or; *As.* min.
- Maur.* mont. (*Djebel*
Aurés); *Syr.* (*Liba-*
Kurd. oc. (*transit*.)).
- Amdo:* *China* m. oc.
- ? *Uss.* m; *Cor.*
Ural m; *Alt;* *Sib.* m.
- Alt.* m. or. (desert.,
2000 meter).
- Kirgh.* m; *Buch.* m.
or.
- Hyrc;* *Tura;* *Tarb;*
Ala Tau; *Ferg.*
- Alp;* *Pyr.* or; *Arm.*
(*Ararat*); *Tarb;* *Alt.*
(*trans*.).
- Pyr.* c.
- Daur;* *Mong.* (*Urga*).
- Amdo.*
- Kamt;* *Sib.s.or;* *Saj.*
or.
- Lap.*
- Labr;* *Am.* pol.

- 1860 p. 343; Auriv. l. c. (praec. var. minor, supra paullo, subtus in al. post. multo obscurior, magis signata).
- g) v. *Pyrenaica* B. Gen. p. 11; HS. 483-5; Obth. l. c. f. 10, 11; Elw. Tr. Ent. S. 1887 p. 385 (major, ♂ supra dilutior, griseo-caeruleus, limbo obscuro tenui, al. post. subtus mac. magnis albis, nigro non pustulatis, forma mont. calear.?).
- h) v. *Dardanus* Frr. 419, 2, 3, V, p. 59 (1843); HS. 240-3 (1844) (praec. var. minor, supra similis, subtus al. post. mac. alb. nigro-pustulatis). (*Sierra Nev.* 1 ♀) (var.?).
- i) v. *Aegagrus* Chr. Hor. X (1873) p. 24, t. 1, f. 3, 4; Rühl 259 (praec. var. similis, sed alis ant. etiam supra nigro-maculatis).
- k) v. *Leela* Nicév. Journ. A. S. B. 1883 p. 66, t. 1, f. 3, 3a; Butt. Ind. III, p. 87 (major, ♂ supra obscurior, extus serie macularum alb.).
- *l) ? v. *Ialoka* Moore Pr. Z. S. L. 1874, p. 573, t. 46, f. 3; ? Ellis Marshall Journ. As. S. B. 1882, p. 41, t. 4, f. 4; Nicév. l. c.
582. **Pheretiades** Ev. Bull. M. 1843, III, 536, t. 7, f. 3 a, b; HS. 650-1, VI, p. 28. (forma Darw. Orbituli.)
- a) v. *Phères* Stgr. Stett. e. Z. 1886, p. 210; Rühl 257; *Pheretulus* Gr. Gr. Mém. Rom. IV t. 8, f. 5; *Phereclus* Gr. Gr. l. c. p. 391 not. 192) nom. praeferendum? [Phères B. 1852 altera est Lycaena] (supra alis omn. magis conspicue nigro-punctatis, subtus al. post. albo-griseis, minus signatis).
- b) v. *Tekessana* Alph. Mém. Rom. IX p. 234, t. 12, f. 3 (praec. var. similis sed major, supra alarum margine ext. latius obscuro).
- c) v. *Pheretulus* Stgr. l. c. p. 209; Gr. Gr. l. c. p. 390 pro parte; Rühl 257 (♂ supra griseo-viridis, margine ext. lato obscuro, Orbitulo typico simillimus).
583. **Pheretes** Hb. Text. p. 45; O. I. 2, 25; God. II, 25, 5, 6; Atys Hb. 495-6, 548-9; Esp. 118, 4, 5; Baker Tr. Ent. Soc. 1892 p. 27, t. 2, f. 1 (genital.); Nicév. Butt. Ind. III p. 81; Alph. Mém. Rom. V, 107; Leech Butt. China II p. 305; Rühl 256; ab. *Maloyensis* Rühl Soc. Ent. VII p. 181 [subt. sine punctis]; v. *Sajana* Rühl 757 [♂ margine nigro latiore; Sib. m.].
- a) v. *Pheretimus* Stgr. Iris V (1892) p. 317 (major, al. limbo latiore nigro).
- b) v. *Lehanus* Moore Ann. & Mag. (5) I 1878 p. 230; Yark. Miss. p. 6, t. 1, f. 6; Gr. Gr. Mém. Rom. IV p. 389, t. 10, f. 4 a, b; Nicév. Butt. Ind. III, p. 81 (minor, ♂ al. post. margine exter. latius obscuro).
- *c) v. *Asiatica* Elw. Pr. Z. S. 1882 p. 402; Nicév. l. c. (minor, al. ant. acutioribus; al. post. subt. magis virescent, maculis albis minor.).
584. **Crysopis** Gr. Gr. Hor. XXII p. 306 (1888); Mém. Rom. IV p. 416, t. 10, f. 5 a, b; Rühl 302.
585. **Omphissa** Moore Pr. Z. Soc. Lond. 1874 p. 573, t. 66, f. 2; Nicév. Butt. Ind. III p. 84; ? *Metallica* Feld. Nov. II p. 283, t. 35, f. 9 (nec 7 et 8).
586. **Dis** Gr. Gr. Hor. XXV (1891) p. 453; Rühl 312 (inceptae sedis, uno ♂ condit.).
587. **Idas** Rbr. Fr. And. p. 266, t. 10, f. 5-7; Cat. And. p. 38; Rühl 262.
588. **Psylorita** Frr. 469, 3, 4, V p. 146; HS. 328-31; Lang Butt. p. 112, t. 24, f. 5; Rühl 256.
- Pyr. c; Asturia* (*Picos de Europa*).
As. min. et Arm.
(Cauc.) alp; *And.*
Nev. 1 ♀) (var.?).
Hyrc.
- Ladak.*
- Ind. s. oc.*
- Tarb;* *Thian.* oc.
- Ferg.*
- Thian.* c. (?) (*flumen Tekesse*).
Ferg. m. (?*Sum. Alai*).
Alp; *Scand. c. alp;*
Alt; *Saj;* *Amur* oc.
(I); *Ando* (var.);
China oc.
- Daur. m.* (*Kentei*).
Issyk K. m; *Pamir m. or;* *Ladak.*
- Sikkim.*
- Pamir m. or.* (*Kund-jut*).
Ladak; *Himal. s. oc.*
- Amdo.*
- And.* (*Sierra Nev.* 3000 m.).
Creta (*mont. Ida*).

589. **Astrarche** Bgstr. Nom. III, p. 4, t. 49, f. 7, 8 (1779); Medon Esp. 32, 1, 55, 7; Nicév. Butt. Ind. III p. 69; A gestis Hb. 303-5; O. I, 2, 44; God. I, 10, 4, 11 tert. 3; Frr. 235, 1; Gerh. t. 26, f. 1 a-e var.; Obth. Et. XX, t. 4, f. 51 ab; Idas Gerh. t. 26, f. 3 a, b; Rühl 260; Nazira Moore Proc. Z. Soc. 1865 p. 504, t. 31, f. 4; ab. Al bicans Auriv. Nord. Fjär. p. 13 [subtus albicans].
- a) ab. (et v.) *Allous* Hb. 990 [988, 9, 991, 2 ad Astrarch. ref.]; Alph. Hor. XVI, 386; Stgr. Mém. Rom. VI, 160; v. *Alpina* Stgr. Hor. VII p. 52 (minor, obscurior).
- b) gen. aest. (merid.) *Calida* Bell. Ann. S. Fr. 1862 p. 615, t. 14, f. 6; *Aestiva* Stgr. Cat. ed. II p. 11; *A gestis* Hb. 306; *Allous* Gerh. t. 26, f. 2 (macul. rufis magnis, subtus brunnea).
- c) v. *Cramera* Eschh. Kotzeb. Reise III p. 217, t. 10, f. 26, a, b (1821); v. *Canariensis* Blachier Ann. S. Fr. 1889 p. 258, t. 4, f. 7, 8 (macul. rufis permagnis; a var. praec. vix separanda).
- d) v. *Sarmatis* Gr. Gr. Mém. Rom. IV p. 393 nota (subtus multo dilutior, albido-grisea).
- e) v. (gén. vern. merid.) *Ornata* Stgr. Iris V (1892) p. 280 (macul. rufis permagnis, subtus dilutius grisea; an eadem forma cum *praeced.*?).
- f) v. (et ab.) *Salmacis* Sph. Ill. 235; Wd. t. 3, f. 73 et 12; Gerh. t. 25, f. 4 a-e; Barr. Brit. Lep. I t. 10, f. 3 g (transitus ad var. sequentem).
- g) v. *Artaxerxes* F. E. S. 297; Lewin. Ins. t. 39, f. 8, 9; Hw. Lep. Br. p. 47; HG. 951-4; Dup. I, 9, 3, 4; Frr. 235, 4; Barr. I. c. f. 3 e-f; ab. *Quadripunctata* Tutt. Brit. Butt. 1896 p. 180 [al. ant. et post. supr. puncto albo]; (al. subt. maeul. albis, al. ant. supra puncto albo).
590. **Chinensis** Murr. Tr. Ent. Soc. 1874 p. 523, t. 10, f. 5; Leech Butt. Chin. II p. 315; *Mandschurica* Stgr. Mém. Rom. VI p. 161; Rühl 262.
- a) v. *Myrmecias* Chr. Hor. XII p. 235, t. 5, f. 7 (1877); Rühl 248 (minor, alarum fasciis aurant pallidioribus).
591. **Kogistana** Gr. Gr. Hor. XXII (1888) p. 306; Mém. Rom. IV p. 406, t. 8, f. 6 a, b; Rühl 272.
592. **Eumedon** Esp. 52, 2 (3 ab.) (1780); Hb. 301-2, 700-1; O. I, 2, 48; God. II, 25, 1, 2; Frr. 235, 2, 3; Chiron Rott. Naturf. VI p. 27 (1775); *Antiqua* Rühl 761; ab. *Speveri* Husz. Ent. Nachr. 1881 p. 244 [subt. sine ocellis].
- a) ab. et v. *Fylgia* Spångb. Stett. e. Z. 1876 p. 91; Stgr. ibid. 235; Stgr. Iris V p. 319 (al. post. subt. plaga alba deficienti).
- b) v. *Antiqua* Stgr. Iris XII p. 334; *Eumedon* Gr. Gr. Mém. Rom. IV p. 405 (al. subt. dilutius griseis [non brunneo-griseis] signaturis omn. minoribus).
- c) v. *Privata* Stgr. Iris VIII (1895) p. 300 (a *Fylgia* differt al. subt. brunneis, punctis minoribus vel deficientibus).
593. **Donzelii** B. Ic. I p. 64. t. 15, f. 1-3; Dup. I, 8, 1-3; HG. 955-7; Tr. X, 1. 64; Frr. 145, 2, 3; HS. 351-2. Ross. or. m. Alt; Kent. mont; Chang.
594. **Hyacinthus** HS. 345-8, VI p. 29; Frr. 577, 2; Stgr. Hor. XIV, 256; Iris XII p. 151 (praec. forma Darwiniana?).
595. **Phyllides** Stgr. Stett. e. Z. 1886 p. 225; Iris XII p. 150; Gr. Gr. Mém. Rom. IV p. 407, t. 9, f. 6, a. b; Rühl 284 (bona sp. nec *Phyllis* [no. 623] var.).
- Territ. (exc. reg. bor.);
Ind. bor. oc.
- ubique ab; Amur
(var.).
- Can.
- Ross. m.
- Maur; Sard; Cors;
And; Can. etc.
- Angl. s.
- Scot.
- Mandsch; Chin. s.
- Tura s. oc.
- Pamirs. oc. (Darwas).
- Eur. c. et m. or. (exc.
Angl.); Scand. m;
Liv; Fen; As. min.
alp; Alt; Tarb; Ala
Tau; Thian. oc; Amur.
ab. ubique; Kamt. et
Chang. (var.).
- Ferg.
- Kuku N.
- Alp. m; Suec. c; Fen;
Alt; Kent. mont; Chang.
- Pont; As. min. c.
(Konia); ? Bith.
Ferg; Saraw; Buch.
or; Tura oc. (mont.).

596. **Anteros** Frr. 265, 1. III p. 101 Nov. 1838; ? HS. 16, 17 [♂ absque punct. nigr.] ? 26, 27 ♀; Lang p. 115, t. 25, f. 1; Rühl 263.
- a) v. *Crassipuncta* Chr. Iris VI (1893) p. 86 (griseo-virescens, macula discocell. incrassata).
597. **Eros** O. I. 2. 42; Dup. I, 12, 5. 6; B. Ic. 14, 4-6; HS. 212-3; Tithonus Hb. 555-6; Leech Butt. China II p. 308; ? Venus Herz Iris XI p. 237.
or; Kuku N. (var.); ? Witim (var.).
- a) ♀ ab. (et v?) *Caerulescens* Obth. Et. VIII p. 17, t. 1, f. 4; Alph. Mém. Rom. V p. 108.
- b) v. *Erotides* Stgr. Iris V (1892) p. 319; (major, ♂ dilutior viridi-caeruleus; trans. ad. Eroidem).
- c) v. *Eroides* Friy. Tarsas. Evkönnyv. II p. 270, t. 7, f. 3 (1835); HS. 12, 13; Stgr. Hor. XIV 241; Anteros Frr. 386, 3. 4; Boisduvalii HS. 7-9, I, p. 121; Myrrha v. Helena Gr. Gr. Hor. XXV p. 453; Rühl 265 [sec. spec. typ. ab. Eroide non distinguenda] (♂ minus viridescens. major).
- d) v. *Amor* Stgr. Stett. e. Z. 1886 p. 211; Rühl 265; Napaea Gr. Gr. Hor. XXV p. 458 (1891); Rühl 311 (♂ violaceo-caeruleus, limbo nigro tenuiore).
- e) v. *Erigone* Gr. Gr. Mém. Rom. IV p. 397; Rühl 759 (subt. al. post. striga alba longiore; fere eadem cum var. praec.).
- * f) v. *Pseuderros* Moore Proc. Z. Soc. Lond. 1879 p. 138; Nicév. Butt. Ind. III p. 77; ? Sutleja Moore l. c. 1882 p. 246; Nicév. l. c. p. 73 (♂ al. limbo nigro latiore in al. post. maculato, subtus ut in Eros).
598. **Venus** Stgr. Stett. e. Z. 1886 p. 211; Gr. Gr. Mém. Rom. IV p. 393, t. 8, f. 3 a, b; Rühl 266; Eros v. Lama Gr. Gr. Hor. XXV p. 453; Venus v. Sinina Gr. Gr. l. c. [ambo a Venus typicis non distinguenda] (an. praec. (Eros) var.? magnitudine var. Eroides, cui similis).
599. **Stoliczkana** Feld. Novara II p. 283, t. 35, f. 10. 11 [aberratio]; Nicév. Butt. Ind. III p. 73 (praec. var.?).
- a) v. *Hunza* Gr. Gr. Mém. Rom. IV (1890) p. 397, t. 15, f. 9; Rühl 266 (♂ supra linea limb. nigra tenui, subt. al. post. minus brunneis, maculis margin. obsoletis rufis).
- * b) v. *Ariana* Moore Proc. Z. S. Lond. 1865 p. 504, t. 31, f. 2; Nicév. Butt. Ind. III p. 27 (multo major).
600. **Superba** Stgr. Stett. e. Z. 1887 p. 51 (Febr. ed.); Iris XII, p. 153; *Magnifica* Gr. Gr. Mém. Rom. III, p. 399 (1887 Majo ed.); IV p. 404, t. 9, f. 1 a, b [*Magnifica* Gr. Gr. l. c. II p. 232, 1885, descriptione non sufficiente].
601. **Dagmara** Gr. Gr. Hor. XXII (1888) p. 306; Mém. Rom. IV p. 412, t. 9, f. 2 a, b; Rühl 280; Stgr. Iris XII p. 153.
602. **Actinides** Stgr. Stett. e. Z. 1886 p. 214; Iris XIII p. 147; Gr. Gr. Mém. Rom. IV p. 409, t. 9, f. 4 a, b (bona spec., nee *Actis* var.).
603. **Candalus** HS. 502-5 (1851) VI p. 26; Stgr. Hor. XIV p. 242; Rühl 265; *Cornelia* Frr. 572, 1; Gerh. t. 29, f. 1 a-e.
604. **Icarus** Rott. Naturf. VI p. 21 (1775); Esp. 32, 4 ♂; Hbst. t. 312, f. 10-12; Bkh. I, 161; Frr. 651, 2. 3; Leech Butt. China II p. 306; Rühl 267, 760; Alexis Hb. 292-4; O. I, 2. 38; God. I, 11 sec. 3; Frr. 616; *Thetis* Esp. 32, 2 ♀; ab. ♀ *Melanotoxa* Pincit. Marott Giorn. Se.
- Balc; Rumaen; Pont;
Arm; Taur.
- Arm. m. or; Syr.
- Alp; Pyr; It. c. mont;
Cauc; Pers. s. oc;
Tarb; AlaTau; Sajan
(var.); ? Witim (var.).
- Pyr. (ab.); China c.
oc. (var.).
- Alt; Daur; Chang;
Thian; ? Sib. or. s.
- Germ. s. or; Balec;
Ross. m; As. min;
Amdo.
- Saraw; Ferg. m.;
Thian. c.
- Pamir c.
- Ind. s. oc. (Kaschmir).
- Ferg. m. (Transalai
et Alai); Amdo.
- Ladak; Himal. s. oc.
(Lahoul).
- Pamir m.
- Ind. bor. oc.
- Ferg. m; Pamir.
- Pamir.
- Ferg. m.
- Pont; Taur; Kurd. oc;
Mesop. s. (Mardin).
- Territ. (exc. Am. s.).

Nat. Palerm. XIV (1879) p. 341, t. 3, f. 14, 15; Kash-gharensis Moore Ann. & Mag. (5) I (1878) p. 230; Nicév. Butt. III. p. 75; Gr. Gr. Mém. Rom. IV p. 399; Yarkandensis Moore l. c. 229 [♀ ab. caerulea].

- a) ab. *Icarinus* Scriba Journ. Ent. p. 216 (1795); Meig. t. 48, f. 2 a, b; *Iphis* Meig. II p. 25, t. 47, f. 5 [transit.]; *Icarus* var. Esp. 55, 5; *Alexis* var. HS. 246; Ther-sites Gerh. t. 28, f. 2; *Alexis* Frr. 676, 1. 2 (al. ant. subt. punctis bas. nullis).
- b) ♀ ab. (dimorph.) *Caerulea* Fuchs Stett. e. Z. 1877 p. 133; *Glauea* Maassen Stett. e. Z. 1880 p. 160; *Casanensis* Krul. Bull. Mosc. N. S. IV 1890 p. 223, t. 8, f. e (al. post. caeruleis).
- c) ♀ ab. *Rufina* Obth. Et. XIX p. 14, t. 6, f. 52 (al. ant. extus rufis).
- d) v. (et ab.) *Celina* Aust. Pet. Nouv. Ent. XI (1879) p. 293; Obth. Et. VI p. 50; Stgr. Iris V p. 280; Rühl 269; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 32 (♂ al. post. supra punctis nigr. limb.).
- e) v. (et ab.) *Persica* Bien. Diss. p. 29 (1870); Nicév. Butt. III p. 74; *Turanica* Rühl 761 (♂ subt. albido-cinereus, macul. marginal. obsoletis, fere non rufis; gen. aestiva).
- f) v.? (ab.) *Icadius* Gr. Gr. Mém. Rom. IV p. 402; Rühl 269 (al. post. angulatis, subt. sine macul. basal; spec. diversa?).

605. **Devanica** Moore Pr. Z. Soc. 1874 p. 573, t. 66, f. 4; Nicév. Butt. Ind. III p. 71.

Maur; Sard.

606. **Sarta** Alph. Hor. XVI p. 387, t. 16, f. 8; *Phryxis* Stgr. Stett. e. Z. 1886 p. 212; *Devanica* Gr. Gr. Mém. Rom. IV p. 384, t. 8, f. 4 a, b; Rühl 274; ab. *Caeruleata* Heyne-Rühl 762 [♀ supra paullum caeruleascens] (praec. forma *Darwiniana*? supra distinctissima, subtus simillima).

Maur; Can. or; Eur. m. or. (trans.).

607. **Amandus** (-da) Sehn. N. Mag. 4 p. 428 (1792); Hb. 283-5, 752-54; Hbst. t. 313, f. 10-12; *Icarius* Esp. 99, 4 (post. 1792 cf. O.); O. I. 2. 37; Dup. I, 11, 1. 2; B. Ic. 12, 1-3; ab. *Argentea* Lampa Tidskr. VI (1885) p. 14 [argenteo-caerulea].

Pers; Tura; Ferg. etc.

Pamir.

Ladak.

Thian; Iss. K; Saraw; Ferg.

Eur. c. et or. (exc. Angl.); Scand. m; Pyr; It. c; Graec; As. min; Sib. m. et Chang. (trans.).

Ross. c. (Prov. Kasan); ? Ural.

Pont; Arm; Hyrc; Tarb; Ala Tau.

Ferg; Iss. K. oc.

Amur.

Pont. (Amasia).

Pont. or. (Gümüschane).

Taur. (Karli Boghas).

Eur. c. et m. (exc. Ross. m. et Angl.); Liv; Suec. m; Petrop; As. min. mont.

608. **Myrrha** HS. 508-11, VI p. 26; Stgr. Hor. XIV p. 241; Rühl 265, 760.

a) v. *Myrrhina* Stgr. ♂ supra caeruleo-viridescens, al. ant. extus obscurioribus.

609. **Isaurica** Stgr. Berl. e. Z. 1870 p. 327; Rühl 262.

610. **Hylas** Esp. 45, 3 ♂ (1777) p. 375, t. 55, f. 1 ♀; *Dorylas* Hb. 289-91; O. I. 2. 31; Dup. I, 12, 1-4; B. Ic. 14, 1-3; HS. 363 ab. ♀; *Argester* Berg. Nóm. t. 58, f. 3-4., t. 61, f. 1-4, III p. 15 et 19; *Thetis* Esp. 33, 3 ♀; *Golgus* Hb. 688-9 [ab. parva].

- a) v. *Armena* Stgr. Cat. ed. II p. 12 (supra ciliis latiss. albis, al. post. subt. mac. subnullis).
- b) v. *Nivescens* Kef. Stett. e. Z. 1851, 309; *Dorylas* var. Rbr. Fn. And. t. 10, f. 8-10 (v. albicans).
611. **Meleager** Esp. 45, 2 ♀ (1777), t. 62, f. 1 ♂; Bgstr. Nom. F. 55, 3, 4 (1779); Bkh. I, 171; Hbst. t. 311, f. 1-3; God. II, 24, 1-4; *Daphnis* Bgstr. Nom. t. 58, f. 1, 2 ♂; Bkh. I, 171 ♂; Hb. 280-2; O. I, 2, 26; v. *Versicolor* Heyne Rühl 764 [subt. mac. marg. obsoletis].
- a) ab. (♀) *Steevenii* Tr. X, 1, 66; H. G. 994-5; Frr. 427, 2 ♀; HS. 244-5 ♂ (♀ fere tota obscura).
- b) v. *Ignorata* Stgr. (*Versicolor* Stgr. in l.) alis post. magis dentatis (in ♀ caudatis), subt. obscur. in ♂ signaturis (praesertim marg.) distinctissimis; supra ♂ limbo nigro latiore, ♀ argentea, obscuro-radiata et conspersa.
612. **Escheri** Hb. 799, 800 (1819), 867-8; Dup. I, 11, 3-6; B. Ic. 12, 4-6; Tr. X, 1, 68; Lang t. 26, f. 3; Rühl 273.
- a) v. *Dalmatica* Spr. Stett. e. Z. 1882 p. 381; 1885 p. 81 (♂ laete [non violaceo-] caeruleus, limbo nigro latiore).
613. **Bellargus** Rott. Naturf. VI, p. 25 ♂ (1775); Esp. 32, 3., 55, 2-6; Bkh. I, 157; *Adonis* Hb. 298-300; O. I, 2, 33; God. I, 11 sec. 2, tert. 2; Frr. 487; Barr. Brit. Lep. I, t. 13, f. 1; Tutt. Brit. Butt. p. 170 Obth. Et. XX p. 18. t. 3, f. 26-8.
- a) ab. *Cinnides* Stgr.; *Adonis* Hb. 645-6 (al. post. subt. non ocellatis).
- b) ab. *Ceronus* Esp. 90, 2 ♀ (1784); Hb. 295-7, ♂ et ♀; (♀ caerulea, ♂ supra al. post. mac. margin. nigris).
- c) v. *Polonus* Z. Stett. e. Z. 1845, 351; *Polona* HS. 432-3 (♂ argenteo-caeruleus, al. ant. marg. latiore, al. post. maculis marginal. nigris; Coryd. v. *Caucasica* valde similis).
- d) v. *Punctifera* Obth. Et. I (1876) p. 23 (♂ viridi-caeruleus, al. post. maculis margin. conspicuus).
614. **Coridon** (r. *Corydon*) Poda Mus. Graec. p. 77 (1761); Sc. Ent. Car. p. 179 (1763); Esp. 33, 4., 19, 1; *Corydon* Hb. 286-8; O. I, 2, 28. God. I, 11 sec., tert.; Frr. 223, 1 ab; South Entom. 1887 p. 1, 49, t. 1, f. 1-10; Barr. Brit. Lep. Ic. t. 12; Tutt. Brit. Butt. p. 166; Obth. Et. XX p. 19, t. 3, f. 29-33; *Tiphys* Esp. 51, 4 ab; ♀ ab. Semi-brunnea Mill. Ic. t. 8, f. 3; *Corydon* South. Ic. f. 11-12 [trans. ad *Syngrapha*.]; ab. *Sohni* Rühl Soc. Ent. VII p. 190 [subt. inoccultata].
- a) ab. *Cinnus* Hb. 830-1; HS. VI p. 27 (al. post. subt. non ocellatis).
- b) ab. (et v.) ♀ *Syngrapha* Kef. Stett. e. Z. 1851, 308; *Corydon* Hb. 742; *Mariscolore* Gerh. t. 32, f. 3 a, b (♀ caerulescens).
- c) v. *Apennina* Z. Is. 1847, p. 148 (pallidior).
- d) v. *Hispana* HS. 500-1; *Arragonensis* Gerh. t. 32, f. 1 a, b (pallidior, marg. post. maculato).
- e) v. *Albicans* HS. 494-5; Mill. Ic. 1859, t. 4, f. 2 (albicans).
- f) v. *Corydonius* HS. 595-6 (in 1852); *Olympica* Ld. z. b. V. 1852 p. 36; *Ossmar* Gerh. t. 31, f. 4 a-c (violaceo-caerulescens).
- g) v. *Caucasica* Ld. Ann. S. Belg. XIII p. 23 (caerulea).
615. **Marcida** Ld. Hor. VIII (1870) p. 10, t. 1, f. 8; Rühl 279.
616. **Glaucias** Ld. Hor. VIII (1870) p. 10, t. 1, f. 67; Rühl 298.
- Arm*; ? *Bucov.* (ab.).
And; *Cat*; *Arag.*
mont; *calc*.
Germ. m. et or; *Sax*.
(olim); *Helv*; *Gal.m*;
It; *Eur*. or. m.; *As*.
min; *Arm*; *Kurd*.
oc; *Syr*.
- Taur*. m. or. (*Akbes*).
Eur. m. (*Ib*; *Gal.m*;
Val; *It.s*; *Bale*).
Dalm; *Graec*.(*trans*).
Eur. c. et m; *Arm*;
Pont; *Taur*. (*val*.);
Kurd. *oc*.
- Pruss*. or; *Arag*,
Taur, *Syr*. *mont*.
Maur. (*Lambessa*);
Arag; *Lusit*. m. (*trans*).
Eur. c; *Pyr*; *Arag*.
(pro p.); *Bale*.
- Gall*; ? *Val*.
It; *Graec*. (*mont*).
Cat; *Arag*. (*pro p*.)
- And*; *Arag*. (*pro p*).
Pont; *Taur*.
- Arm*; *Pont*. or.
Hyrc.
Hyrc; *Tura* *oc*. *mont*.

617. **Aedon** Chr. Hor. XII (1877) p. 236, t. 5, f. 8; Stgr. Hor. XIV p. 256; Iris XII p. 152; Rühl 287. *Hyrc.*
618. **Erschoffii** Ld. Hor. VI (1869) p. 80, t. 4, f. 4, 5; Rühl 290; Stgr. Iris XII p. 152. *Hyrc.; ? Tura (v.).*
- a) v. *Tekkeana* Chr. Mém. Rom. III p. 52, t. 3, f. 1 (major, ciliis parte externa albis; uno ♂ condita!). *Tura oc. mont.*
619. **Admetus** Esp. 82, 2, 3; Hb. 307-9; O. I, 2, 50; Dup. I, 10, 5-7; B. Ic. 16, 1-3; HS. 488-9; Stgr. Hor. XIV p. 246; Lang t. 30, f. 4; Rühl 282. *Eur. or. m.; Arag.; Bith.; Pont.; Taur.; Mesop. s. (cum trans.).*
a) v. *Ripartii* Frr. B. 133, 3, III p. 128; Ripertii H. G. 958-60; Rippertii B. Ic. 16, 4-6; Tr. X. 1, 62; Dup. I, 10, 1, 2; Stgr. Hor. VII (1870). 54 (al. post. subt. vitta alba). *Alp. Gal.; Arag.; Bulg.; Graec.; As. min.; Arm.; Hyrc.; Kurd.; Tura; Alt.; Ala Tau; Iss. K. oc.; Ferg.*
620. **Mithridates** Stgr. Hor. XIV (1879) p. 247; XVI p. 66; Rühl 283. *Pont.*
621. **Dolus** Hb. 793-6; 828-9 ab; Frr. B. 97, 34; B. Ic. 15, 6-8; Dup. I, 10, 3-5, p. 63; Tr. X, 1, 61. *Gal. m. or.; It. s. et c.; Kurd. oc. (ab.).*
a) v. (et ab.) *Vittata* Obth. Bull. S. Fr. 1892 p. 8; Et. XX, t. 4, f. 48 (subt. vitta alba; vix a Menalcas distinguenda). *Gal. m. c. (Lozère).*
- b) v. *Menalcas* Frr. 223, 2, 3, III p. 46; Stgr. Hor. XIV p. 248; *Epidolus* B. Gen. p. 13; HS. 18, 19 ♂, 486-7 ♀ (♂ albicans, al. post. subt. vitta alba). *Bith.; Pont.; Taur.; Kurd. oc. (Malatia).*
622. **Hopfferi** HS. 512-14, VI p. 24; Stgr. Hor. XIV p. 249; Rühl 285. *Pont.; Kurd. oc. (Malatia).*
a) v. *Hadjina* Heyne-Rühl p. 764 (♂ supra plerumque marg. ext. obscuriore, subt. al. post. striga alba extincta, lunulis antemarg. obscur. perspicuis). *Taur. s. (Hadjin).*
623. **Phyllis** Chr. Hor. XII (1877) p. 237, t. 5, f. 9, 10; Stgr. Hor. XIV 255; Iris XII p. 149. *Hyrc. (nōnt.).*
- a) v. *Posthumus* Chr. Hor. XII (1877) p. 238, t. 9, f. 11; Stgr. Hor. XIV p. 256; Rühl 286 (paullo minor, ♂ caerulescens, extus minus obscuratus). *Hyrc. (sum. mont.).*
624. **Damon** Schiff. S. V. p. 182, 183 infra (1776); Hb. 275-7; O. I, 2 p. 19; God. II, 245, 6; Stgr. Hor. XIV p. 251; Iris XII p. 137; Biton Sulz. Abg. G. p. 146, t. 18, f. 7 (1776); Esp. t. 33, 5; t. 62, 4. *Eur. c. et m. (exc. Angl. et Bat.); Arm.; Alt.; Tarb.; Ala Tau; Thian. oc.; Chang.*
625. **Damone** Ev. Bull. M. 1841, I, 18; F. V. U. 46; Frr. 386, 2; ?Ld. Hor. VI p. 81; Stgr. Hor. XIV p. 251; Iris XII p. 138; *Damocles* HS. 214, 215 ♂ certe (?216, 217 ♀); ?Ld. I. c. *Uralm. (Ross. m. or.).*
a) v. *Damoides* Stgr. Iris XII p. 138 (subt. obscurior, al. post. striga longa alba perspicua). *Arm. m.; Hyrc.; ?Libanon var.?*
b) v. *Sibirica* Stgr. Iris l. c. p. 139; *Damone* var. Stgr. Hor. XIV p. 252; v. *Altaica* Elw. Tr. E. S. 1899 p. 327 (paullo minor, al. post. subt. parte basali magna caeruleo-viridi). *Alt.; Tarb.*
c) v. *Carmon* HS. 506-7 (1851); VI p. 24 (1855); Stgr. Iris l. c. p. 139; *Kindermannii* Ld. z. b. V. 1852, p. 37; Stgr. Hor. l. c. *Alpestris* Frr. VI p. 161, t. 583, f. 3, 4 (Mart. 1852); *Euryptilos* Gerh. 25, 1, a-c; *Damocles* Ld. Hor. VI p. 82 (♂ saturatus caeruleus, al. post. subt. striga alba perspicua). *Pont.; Taur. s.; Arm.; Hyrc.*
d) v. (et ab.) *Transcasica* Stgr. Iris XII p. 141 (a var. *praeceps*. differt ♂ dilutius caeruleus, alis post. subt. multo obscurioribus, brunneis). *Tura or. (Nuchur); Hyrc. (ab.).*
e) v. *Cyanea* Stgr. Iris l. c. p. 142 (♂ cyaneus ut in L. *Actis* sed nigro-venatus). *Arm.*

- f) v. *Xerxes* Stgr. Iris l. c. p. 143 (praec. similis sed minor, subtus dilutior sine vestigio strigae albae). *Hyrc.* (*Schahrud*).
 g) v. *Iphigenia* HS. 354 (1847), VI p. 24; Ld. z. b. V. 1852, p. 38; Hor. VI p. 81 (pro p.?) ; Gerh. t. 20, f. 2, a. b.; Stgr. Hor. XIV p. 253; Iris l. c. (v. *Carmoni* similis sed minor, ♂ dilutior caeruleus, subt. dilutior ocellis minor.). *Pont.* (*Tokat*); *Taur.* *oc.*
 h) v. (et ab.) *Iphidamon* Stgr. Iris XII p. 144 (a praec. ♂ differt al. ant. margine lato nigro). *Hyrc;* *Kurd. oc;* *Taur.* (*ab.*).
 i) v. *Juldusa* Stgr. Stett. e. Z. 1886 p. 213; Iris l. c.; *Iphigenia* Alph. Hor. XVI, 390; Heyne-Rühl 764 (♂ supra obscure irroratus, al. omn. margine latiore nigro). *Thian.* *oc.*
 k) v. *Iphigenides* Stgr. Stett. e. Z. l. c., p. 214; Iris l. c. p. 145; *Melania* Gr. Gr. Mém. Rom. IV p. 408, t. 9, f. 3 (major, ♂ viridi-caeruleus, margine tenui nigro, subt. al. post. maculis antemarg. perspicuis rufis). *Ferg.*
 l) v. *Melania* Stgr. Stett. e. Z. l. c.; Iris l. c.; Rühl 289 (♂ caeruleo-viridis, margine exteriore latissime nigro, subt. ut in var. praece: spec. diversa esse videtur). *Ferg. m.*
626. **Actis** HS. 496-9 (1851) VI p. 24; Ld. Hor. VI p. 81; Stgr. Hor. XIV p. 254; Iris XII p. 146; Athys Gerh. t. 19, f. 3 a-d.
 a) v. (an ab?) *Athis* Frr. 573. 2 ♂ (3 ♀) (♂ plus minusve praesertim in al. post. nigro-mixtus). *Pont;* *Arm;* *Hyrc;* *Kurd. oc;* *Taur.*
627. **Poseidon** HS. VI p. 24 (1851); Ld. z. b. V. 1852 p. 37; Hor. VI (1869) p. 81; Stgr. Hor. XIV p. 253; Iris XII p. 147; ? *Damone* Gerh. t. 19, f. 4 a-e.
 a) v. *Mesopotamica* Stgr. Iris IV (1891) p. 233; XII p. 148 (al. post. subt. minus signatis, sine striga alba). *Kurd. oc. (*Malatia*); *Taur.*
 b) v. *Caerulea* Stgr. Cat. ed. II p. 13 no. 172 f; Hor. l. c. p. 255; Iris XII p. 148; *Damone* ♀ var. Ld. Hor. VI t. 4, f. 8 (minor, subt. obscurius grisea, ♀ supra caerulea). *Hyre;* *Arm. m. (*Kasi-koparan*)*.
 c) v. *Poseidonides* Stgr. Stett. e. Z. 1886 p. 225; Iris XII p. 149; Gr. Gr. Mém. Rom. IV p. 408, t. 9, f. 5 a. b.; ♀ ab. *Refulgens* Gr. Gr. l. c. [caerulea] (subt. obscurius grisea, magis signata, in al. post. macul. margin. rufis). *Ferg;* *Saraw;* *Buch.* *or.**
628. **Dama** Stgr. Iris IV (1891) p. 234; Rühl 287. *Kurd. oc. (*Malatia*); ? *Taur. s. (*Hadjin*)*.*
629. **Gigantea** Gr. Gr. Mém. Rom. II p. 215 not. 4 (1885); Mém. Rom. IV p. 418, t. 9, f. 8 a, b; *Iphicles* Stgr. Stett. e. Z. 1886 p. 227; Rühl 304. *Ferg;* *Saraw.*
630. **Jolas** O. IV, 144; Frr. B. 110, 2. 3; Frr. 97; B. Ic. 11, 1-3; Dup. I, 7, 4-6; Tr. X, 1. 59; Rühl 303, 768; *Jolaus* Hb. 879-82. *Austr. inf.;* *Ter. m.*; *Hung;* *Balc. s. Gal. m;* *Cat;* *And;* *Maur;* *Bith;* *Pont;* *Taur;* *Hyre;* *Tura* *oc.*
631. **Lycormas** Butl. Journ. Lin. Soc. Zool. IX (1868) p. 57; Leech Butt. China II p. 311; Stgr. Mém. Rom. VI p. 164; Rühl 296; *Scylla* Obth. Et. V p. 22; Stgr. Mém. Rom. III p. 139, t. 16, f. 7. *Alt;* *Saj;* *Kent;* *Chang;* *Vilui* (I); *Amur;* *Uss;* *Jap.*
632. **Coelestina** Ev. Bull. M. 1843, III, 535; HS. 335-8; Frr. 445, 1, 2; Rühl 300. *Ross. m. or. (*Srp.*)*
- a) v. *Alticola* Chr. Iris VI p. 86 (♂ al. margine fusco latiore, subt. al. post. fere tot. virescent.). *Arm. m. (*Kasikoparan*)*.
633. **Sebrus** B. Ic. t. 71, f. 1-3, p. 72 pro parte; Tr. X, 1, 65; Frr. 451, 1; Lang Butt. t. 31, f. 2; Rühl 293. *Eur. c. (praece. Alp.); Hisp. c. (mont.); Maced;* *Ural m;* *As. min;* *Alt;* *Thian;* *Iss. K. oc;* *Ferg.*

634. **Lorquinii** HS. 442-4, VI p. 25; Gerh. 14, 3 a-c; Lang. t. 31, f. 4; *Buddhista* Alph. Hor. XVI (1881) p. 393, t. 14, f. 9, 10 [sec. Stgr.]; Rühl 766 (praec. var. minor? ♂ limbo latio nigro).
635. **Minimus** Fueßl. Verz. p. 31 (1775); Esp. 34, 3; *Minima* Leech Butt. China II p. 323; Tutt. Brit. Butt. p. 160; Alsus F. Mant. 73; Hb. 278-9; O. I, 2, 22; God. II, 26, 5, 6; v. *Alsooides* Gerh. t. 13, f. 3 a-c; Meyer-Dür Tgf. p. 92 [major, al. basi valde viridescens].
- a) v. *Magna* Heyne-Rühl 766 (permagna, supra unicolor nigrescens, vix nominanda).
636. **Persephatta** Alph. Hor. XVI (1881) p. 395, t. 14, f. 11; Rühl 296, 767; *Minuta* Gr. Gr. Mém. Rom. IV p. 415, t. 10, f. 3 [eadem cum *Persephatta typica*].
637. **Semiaricus** Rott. Naturf. VI p. 20 (1775); Bkh. I, 172; Hbst. XI p. 177; Rühl 296, 767; *Acis* Schiff. S. V. p. 182 (1776); Hbst. t. 310, f. 1-3; O. I, 2, 14; God. I, 11 sec. 7, quart. 4; Frr. 451, 4; ab. *Actnaea* Z. Is. 1847 p. 148; *Argiolus* Esp. 21, 1, 2; ? *Saporta* Dup. I, 9, 5-7 [coloris ab.?]; Hb. 269-71; ab. *Caecla* Fuchs Stett. e. Z. 1883 p. 253 [al. subt. non ocellatis].
- a) v. *Montana* Meyer-Dür Tgf. p. 90 (minor, latius nigro-marginata).
- b) v. *Bellis* Frr. 398, 1, 2, V p. 26 (1843); HS. 232-4 (major, subt. punct. rufis).
- c) v. *Parnassia* Stgr. Hor. VI (1870) p. 55 (minor, subt. macul. obsolete rufis).
- d) v. *Helena* Stgr. Stett. e. Z. 1862, 265; Mill. Ic. t. 39, f. 1-3; Stgr. Hor. VI (1870) p. 55 (minor, subt. fascia marg. rufa).
- e) v. *Antiochena* Ld. Wien. Mts. 1861 p. 148, t. 1, f. 2, 3 (♀ supra al. omni. fascia rufa).
638. **Cylarus** Rott. Naturf. VI p. 20 (1775); Esp. 33, 1, 2; O. I, 2, 12; God. I, 11, 3., quart. 3; Frr. 271; Mill. Ic. t. 108, II; *Damoetas* Hb. 266-8; ? *Coelestina* Mill. Ic. III p. 440, t. 134, f. 3 [var.?]; ab. *Tristis* Gerh. 15, 4 a [subt. ocell. majoribus]; ♀ ab. *Andereggi* Rühl Soc. Ent. VI p. 51 [nigra, subt. ocell. majoribus].
- a) v. *Blachieri* Mill. Ann. S. Fr. 1887 p. 215, t. 5, f. 8, 9; *Cylarus* ab. Mill. Ic. 108, f. 5, 6 (minor, obscurior).
- b) v. (et ab.) *Lugens* Carad. Iris VI (1893) p. 177 not; VIII p. 41 (supra obscurior, ♀ nigrescens, subtus grisea, al. post. sine ocell.).
- c) v. (et ab.) *Aeruginosa* Stgr. Stett. e. Z. 1881 p. 285 (al. post. subt. fere tot. virescent.).
- d) v. *Laetifica* Püng. Soc. Ent. XIII p. 57; Iris XII p. 95 (supra colore caeruleo. in utroque sexu clariore et lucidior; subt. ut in v. praec.).
639. **Melanops** B. Ind. p. 13 (1829); Frr. B. 97, 1, 2 (Febr. 1830); B. Ic. 17, 4, 6; Tr. X, 1, 60; Dup. I, 8, 4, 5; Mill. Ic. 108, I; *Saportae* H. G. 922-5; *Marchandi* Gerh. 15, 1; v. *Algirica* Heyne-Rühl 768 [non diff.].
- a) ab. *Marchandii* B. Rev. ent. Silb. I, p. 121, t. 27; Dup. I, p. 335; H. G. 996-7 (subt. ocellis nullis).
640. **Astraea** Frr. VI p. 161; Rühl 303; *Astrea* Frr. I. c. t. 583, f. 1, 2.
641. **Argali** Elw. Tr. E. S. Lond. 1899 p. 328.
- And; Maur; Thian. oc; Ferg; Buch, or.*
- Eur. (exc. reg. pol. et Ib. m.); Bith; Pont; Arm; Sib. m; Amur; Kamt; Thian. or; Mong; China m. oc. Kuku N; Saj. or.*
- Thian. oc; Ala Tau; Iss. K. oc; Ferg.*
- Eur; Sib; Mongol; Amur; As; min.(v.); Ferg; Iss. K; Pamir.*
- Sum. Alp; Buc. etc.*
- As. min. mont; Hyrc.*
- Rumelia or. (Rbl.); Graec. s. mont. Graec. m. mont.*
- Ant; Syr; Taur. m.*
- Eur. (exc. reg. pol. Angl. ?And.); Maur. (I); As. oc; Sib. m; Amur; Ferg.*
- Gal. m; Helv.*
- Moes; Buc; Srp; Val; It. m; As. c.*
- Tarb; Ala Tau; Ferg; Taur; Mardin; Tura; Ross. m. et Sic. (ab.). Thian. oc. (Ili).*
- Gal. m; Ib; Maur; ? Val. (Sion sec. Elw.).*
- Cat.*
- Pont. (Tokat); Kurd. oc. (Malatia).*
- Alt.*

642. **Charybdis** Stgr. Stett. e. Z. 1886 p. 226; Gr. Gr. Mém. Rom. IV p. 419, t. 9, f. 7, a b; Rühl 302.
643. **Prosecusa** Ersch. Fedtsch. (1874) p. 13, t. 1, f. 9; Alph. Hor. XVI p. 392; Rühl 294.
- a) v. *Duplex* Alph. Mém. Rom. V p. 78, t. 4, f. 5 (major).
 - b) v. *Korlana* Stgr. magnitudine Prosecurae, subtus multo obscurior, brunneo-grisea, signaturis obsoletioribus (sec. 3 ♀ ♀ descripta).
644. **Alcon** F. Mant. 72; Hb. 263-5; O. I, 2. 7; God. II, 26, 1. 2; Dup. I, 50, 1-3; B. Ic. 13, 1-3: Arcas Esp. 34, 4 (5); Euphemus God. I, 11 sec. 6, quart. 2; ab. Cecinae Horm. Soc. Ent. VIII p. 18; z. b. V. 1897 p. 19 (sep.); Rühl 305 [subtus absque ocellis].
- a) v. *Monticola* Stgr. paullo minor, subt. dilutior grisea, al. post. basi magis caerulecenti.
645. **Euphemus** Hb. 257-9; O. I, 2. 9; Dup. I, 50, 4-6; B. Ic. 13, 4-8, Leech Butt. China II p. 313; Diomedes Rott. Naturf. VI p. 26.
- a) v. *Obscurata* Stgr. Iris V p. 320 (supra multo obscurior, subt. dilutius grisea). *Chang; Ala Taut*
 - b) v. *Euphenia* Stgr. Mém. Rom. III p. 142, 288, t. 13, f. 6 (1887); Graes. Berl. e. Z. 1888 p. 81; Rühl 306 (supra obscurior Arioni similis, subt. dilutior).
 - * c) v. *Kazamoto* Druce Cist. Ent. I, 361 (supra tota obscura, subt. obscurior).
646. **Arion** L. S. N. ed X, 483; Esp. 20, 2., 59, 2; Hb. 254-6; O. I, 2, 4; God. I, 11. 2 quart. 1; var. *Alconides* Auriv. Nord. Fjär. p. 15; ab. *Unicolor* Horm. Ent. Nachr. 1892 p. 1 [*supra non maculata*]; ab. *Arthurus* Melvill Monthl. Mag. IX p. 263; Stgr. ib. 290.
- a) v. altic. *Obscura* (Christ) Frey Lep. 1890 p. 22; *Arion* var. Z. Stett. e. Z. 1872 p. 295; Rühli Krul. Soc. Ent. VII (1892) p. 1; v. *Jasilkowskii* Horm. z. b. V. 1897 p. 20 (supra obscurior, plerumque minor).
 - b) v. *Cyanecula* Ev. Bull. M. 1848, III, 207; HS. 593-4; Graes. Berl. e. Z. 1888 p. 81; Stgr. Mém. Rom. VI p. 165 (al. post. subtus fere tot. virescentibus). *Alt.*
647. **Arionides** Stgr. Mém. Rom. III (1887) p. 141, t. 7, f. 1a-e; VI p. 166; Graes. Berl. e. Z. 1888 p. 81; Rühl 308.
648. **Areas** Rott. Naturf. VI p. 25 (1775); Bkh. I, 169, 281; II, 233; Lang Butt. t. 32, f. 6; Rühl 309; Erebus Knoch Btr. II, t. 6, f. 6, 7 (1782); Hb. 260-2; Esp. 101, 1; O. I, 2, 10; Dup. I, 13, 1, 2; B. Ic. 11, 4-6; ab. *Minor* Frey. Mittb. VI (1882) p. 332.
649. **Pryeri** Murray Monthl. Mag. X (1873) p. 126; Leech Butt. China II p. 313; Stgr. Mém. Rom. VI p. 166; Rühl 309.

61. *Cyaniris* Dalm. 1816

650. **Argiolus** L. S. N. ed. X, 483; Bkh. I, 173; O. I, 2. 17; God. I, 11 sec. 8, quart. 5; Frr. 445, 3. 4; Mill. Ic. 108, III; Leech Butt. China II p. 320; Tutt. Brit. Butt. p. 187; Acis F. Mant. 73; Hb. 272-4; Cleobis Sulz. Abg. G. t. 18, f. 13, 14; Esp. 40, 3., 54, 4 a, b.
- a) gen. aestiv. *Parcipuncta* Fuchs Stett. e. Z. 1880 p. 116 (subt. punct. minor., vix nominanda).
 - b) v. et ab. *Hypoleuca* Koll. Ins. Pers. p. 52 (subt. maculis nullis, gen. aest. mer.?).

Ferg.
? Tura (desert.);
Thian. oc. (Ib.).
Gobi (Lob Noor).
Thian. c. m. (Korla).

Germ; Bat; Gal;
? Cors; Ped; Suec.
m; Ross. c. et m. or;
Hung; Bale. s; Alt;
Daur. (trans.); Kuku N.
Cauc; Helv; ? Pont;
? Lyd. mont.

Eur. c. (exc. Angl.);
Amur.

Alt; Saj; Kentei;
Sib. s. or. (? trans.).
Uss; Cor; Amur(ab.);
China s.

Jap.

Eur. (exc. reg. pol. et
m. oc.); Bith. mont;
Arm; Sib. m.

Alp; Ural; Arm; Pont;
(mont.).

Mong. s; Ferg; Iss.
K; Kuku N; Arm;
et Tarb. (v. obscurior)
Amur.

Germ; Austr; Hung;
Alp. Helv. It. et Gal;
Arm; ? Alt.

Amur; Uss; Jap.

Territ. (exc. reg. pol.
et Canar.).

Pers; Cypr; Kurd. oc.
Mesop. s; Ferg. etc.

- c) v. *Levetti* Butl. Ann. & Mag. (5) XI p. 111 (1883); Argiolus var. *Hügelii* Fixs. Mém. Rom. III p. 285; ? *Ladonides* De l'Orza Lep. Jap. p. 20 (1867) (subt. signaturis praesertim marginalibus magis perspicuis).
- * d) v. *Coelestina* Koll. Högels Kaschmir IV p. 423; Nicév. Butt. Ind. III p. 106 (forma minor Indiae). *Himal. s. oc.*
- * e) v. *Huegellii* Moore Proc. Z. S. 1882 p. 244; Nicév. l. c. (forma major Indiae). *Himal. s. oc.*
-

VII. Hesperiidae.

62. *Heteropterus* Duméril 1806 (Steropes B.).

651. **Morpheus** Pall. Reis. I, p. 471 (1771); Wernb. Btr. I, p. 359; Lang t. 82, f. 4; Rühl 627; Steropes Schiff. S. V. p. 160 (1776); Esp. 41, 1., 80, 4; Hb. 473-4; O. I, 2, 217; Aracinthus F. Gen. p. 271 (1777); God. I, 12 sec., 1, tert. 1; Speculum Schrk. Fn. B. II, 1, p. 161 (1801); Hein. 115. *Eur. c. (exc. Dan. Belg. Angl.); Liv; Gal. m. oc; It. c; Ross. m; Arm; Alt; Daur; Amur; Uss; Cor; China s.*
652. **Unicolor** Brem. & Grey Motsch. Et. 1852 p. 61; Beitr. p. 10, t. 3, f. 3 (1853); Stgr. Mém. Rom. VI p. 209; Leech Butt. China II 584; Rühl 629. *China s. et c; Cor; Jap.*
- a) v. et ab. *Ornatus* Brem. Bull. Ac. Petr. III p. 473; L. O. S. p. 33, t. 2, f. 5 (al. post. subt. argenteo-strigatis). *Amur; Cor. etc. (ab.).*

63. *Pamphila* (F. 1807) Wats. (Carterocephalus Ld.).

653. **Palaemon** Pall. Reis. I, p. 471 (1771); Lang t. 82, f. 5; Tutt. Brit. Butt. p. 140; Rühl 632; Paniscus F. S. E. 531 (1775); Esp. 28, 2., 95, 5 ab; O. I, 2. 219; God. I, 12, 1. 2; Frr. 513, 1., 626, 1; Brontes Hb. 473-6; Mandan Edw. Pr. Ent. S. Phil. II p. 20 (1863); Scudd. Butt. N. Engl. II p. 1569, t. 10, f. 2; Holl. Butt. p. 342, t. 47, f. 1. *Eur. c. (exc. Germ. s. et Dan.); Fen; Ross. c. et m; Pyr; Ped; Dalm; ?Bith; ?Arm; Labr; Am. bor.*
- a) v. *Albiguttata* Chr. Iris VI p. 87 (supra maculis flavis minoribus, subt. maculis albis). *Ural. m; Sib. or; Kamt; Amur; Urga.*
654. **Silvius** Knoch Btr. t. 5, f. 1, 2 (1781); Esp. 80, 5, 6; Hb. 477-8, 641-4; God. II, 27, 1, 2; Lang t. 82, f. 6; Rühl 635; Sylvius O. I, 2. 221; Frr. 226, 2. 3., 691, 1. *Germ. s.; Sil; Hal; Liv; Nore. et Suec. m; Fen; Ross. c; Kamt; Amur; Uss. Ural; Sib. oc. et or;*
655. **Pulchra** Leech Ent. XXIV Suppl. (1891) p. 59; Butt. China p. 586, t. 40, f. 20; Ops Gr. Gr. Hor. XXV p. 460; Rühl 632. *Nan Schan or; China m. oc.*
656. **Argyrostigma** Ev. Bull. M. 1851, II, p. 624; Nordm. Bull. M. 1851, IV p. 442, t. 12, f. 1, 2; HS. 39. 40; Leech Butt. China II p. 585; Rühl 632. *s. oc; Nan Schan or; Kuku N. Alt; Daur; Mong. s; Amur s. oc; China*
657. **Christophi** Gr. Gr. Hor. XXV (1891) p. 460; Rühl 630; Dulcis Obth. Et. XX p. 40, t. 9, f. 162 (1896). *s. oc; Nan Schan or; Kuku N. Amdo (Sinin).*
658. **Dieckmanni** Graes. Berl. e. Z. 1888 p. 102; Rühl 631. *Uss. m.*
- a) v. *Gemmatus* Leech Ent. XXIV Suppl. (Junii 1891) p. 59; Butt. China II p. 588; Rühl 630; Demea Obth. Et. XV (1891) p. 19, t. 3, f. 24 (Julii 1891) (minor, subt. maculis [fasciis] argent. paullo divers., al. post. pallidis). *China m. oc; Nan Schan or; Amdo.*

659. **Niveomaculatus** Obth. Et. XI p. 27. t. 2, f. 8; Leech Butt. China II p. 588.
 660. **Flavomaculatus** Obth. Et. XI p. 27, t. 2, f. 9; Leech Butt. China II p. 587.

64. Adopaea (Billb. 1820) Wats. [Hesperia Stgr. Cat. ed. II pr. p.].

661. **Lineola** O. I. 2. 230; B. Ic. 47, 4. 5 ♀; Dup. I, 41, 1-3; Frr. 631, 2; Obth. Et. I t. 3, f. 3; Lang t. 81, f. 10; Rühl 636; Virgula Hb. 660-3; ab. *Ludoviciae* Mab. Ann. S. Ent. Belg. 1883 p. 118; Rühl 637 [margine nigro lato]; v. (Maur.) *Semicolon* Stgr. Iris V 282 [dilutior, androconii distinctioribus].
 662. **Thaumas** Hufn. Berl. M. II p. 62 (1766); Esp. 36, 2. 3., 98, 5-10; Lang t. 81, f. 9; Rühl 638; *Linea* F. Mant. II, 84 (1787); Hb. 485-7; O. I. 2. 228; God. I, 12, 3 tert. 2; Frr. 631, 1; *Venula* Hb. 666-9 ♀.
 663. **Hyrax** Ld. Wien. Mts. 1861, p. 149, t. 1, f. 6; Stgr. Hor. XIV p. 294; Rühl 638.
 664. **Acteon** (r. *Actaeon*) Rott. Naturf. VI p. 30 (1775); Esp. 36, 4; *Actaeon* Hb. 488-90; O. I. 2, 231; God. II, 27, 3. 4; Frr. 631, 3; Lang t. 81, f. 11; Rühl 639; Tutt. Brit. Butt. 132.
 665. **Christi** Rbl. Ann. Naturh. Hofmus. IX p. 41, t. 1, f. 2 (1894); ib. XI p. 104; *Actaeon* Brullé Webb.-Bert. p. 94 (praec. forma Darw.?).
 666. **Hamza** Obth. Et. I p. 28, t. 3, f. 2 a-c (1876); Stgr. Iris V p. 282; Rühl 639.
 667. **Stigma** Stgr. Stett. e. Z. 1886 p. 252; Rühl 640.
 668. **Leonina** Butl. Cist. Ent. II p. 286 (1878); Stgr. Mém. Rom. III p. 151, t. 8, f. 2; VI p. 210; Leech Butt. China II p. 592, t. 40, f. 1, 2, 4; Rühl 640.
 669. **Sylvatica** Brem. Bull. Ac. Petrop. III p. 474 (1861); Lep. O. S. p. 34, t. 3, f. 10; Leech Butt. China II p. 591, t. 40, f. 5. 8; Rühl 640.

65. Augiades (Hb. 1816) Wats. [Hesperia Stgr. Cat. ed. II pr. p.].

670. **Comma** L. S. N. ed. X, 484; Esp. 23, 1 a. b; Hb. 479-81; O. I. 2. 224; God. I, 12 tert. 4; Frr. 646, 1 a-d; Leech Butt. China II p. 593; Rühl 646 (et var.).
 a) v. *Alpina* Bath Entom. XXIX (1896) p. 21; *Cattena* (Meyer-Dür Tgf. p. 217) Wek. Jhrsb. Schles. Ges. 1880 p. 200 (v. *alpina*, major, obscurior, plerumque vix distinguenda).
 b) ab. (et v.) *Catena* Stgr. Stett. e. Z. 1861, p. 357 (al. post. subt. viridibus, macul. albidiioribus nigro-adumbratis).
 c) v. (et ab.) *Pallida* Stgr; *Comma* Stgr. Hor. XIV p. 275, pallidior, praecipue subtus; al. post. subt. saepius albo-venatus).
 d) v. *Mixta* Alph. Hor. XVI p. 432 (1881); Stgr. Iris V p. 340; ? v. *Lato* Gr. Gr. Hor. XXV, 459 (al. ant. supra extus obscurioribus, al. post. subt. viridibus, distinc-tissimo albo-maculatis).

Territ. (exc. reg. pol. et Canar.).

Eur. c. et m; Scand;
Maur; As. min; Syr;
Arm; Hyrc; Tura;
Buch. s. or; Ferg;
? Pamir; Uss.

Ant; Syr; Pont.

Eur. c. et m. (exc.
Ross.); As. min;
Syr; Maur. (var.).

Can.

Maur.

Saraw.

Uss; Cor; Jap. Chin.
c. et m. oc. (var.).

Amur; Uss; Cor; Jap.

Territ. (exc. Maur. et
Canar.).

Alp.

Lap; Saj. or; Sib. or.
s; Summ. Alp; Alt.
etc. trans.

Syr; Taur; Kurd. oc;
Pont. (trans.); Sic;
Graec. et Srp. (ab.?).
Thian; Ferg; Pamir
s. oc; ? Nan Schan
or; Kent. trans. et ab.

- * e) v. *Dimila* Moore Pr. Z. S. 1874 p. 576; Leech l. c. p. 595, t. 41, f. 12 (praec. similis, al. post. supra obscuriorib., subt. mac. albid. non bifurcat., nigro-cinctis).
- f) v. ? *Florinda* Butl. Cist. Ent. II p. 285; *Repugnans* Stgr. Mém. Rom. VI (1892) p. 211 (al. supra fasciis latis marginal. obscuriss., al. post. subt. macul. paucis [sub>null.] parvis subalbid.; sp. div. an *Sylvani* var.?).
671. **Sylvanus** Esp. 36, 4; Hb. 482-4; O. I, 2, 226; God. I. 12 sec. 2; Fr. 646, 2, 696, 2; Lang t. 82, f. 1; Rühl 643; Leech Butt. China II p. 601; Elw. & Edw. Tr. Z. S. XIV p. 247.
- a) v. (et ab.) *Anatolica* Plötz Stett. e. Z. 1883 p. 219 (al. post. subt. viridibus).
- b) v. *Hyrcana* Chr. Iris VI (1893) p. 87 (supra in ♂ et ♀ obscurius marginata et maculata).
- c) v. (et ab.) *Venata* Brem. Et. Motsch. 1852 p. 61; Brem. & Grey p. 11, t. 3, f. 5 (1853); Mén. En. I t. 5, f. 8; Fixs. Mém. Rom. III p. 315, t. 14, f. 5; Stgr. ib. VI p. 212; Rühl 643; *Herculea* Butl. Ann. & Mag. (5) VII 1881 p. 140 (supra al. ♂ non obscurio-marginatis, subt. fere immaculatis).
672. **Subhyalina** Brem. & Grey Mot. Et. 1852 p. 61; Beitr. p. 10, t. 3, f. 4 (1853); Mén. En. t. 5, f. 7; Stgr. Mém. Rom. VI, 213; Iris V, 340; Rühl 645; Leech Butt. China II p. 602, t. 41, f. 8.
- * a) v. *Thibetana* Obth. Et. XI p. 28, t. 6, f. 45 (minor (?), al. post. subt. obscur., maculis paucioribus).
673. **Ochracea** Brem. Bull. Ac. Petr. III p. 473 (1861); Lep. O. S. p. 33, t. 1, f. 11; Leech Butt. China II p. 605; Rühl 642; Rickuchina Butl. Cist. Ent. II p. 275 (1878).
674. **Dara** Koll. Hüg. Kaschm. IV p. 455 (1848); Leech Butt. China II p. 596, t. 40, f. 13, 14 [var.]; Rühl 642; Elw. & Edw. Tr. Z. S. XIV p. 254; *Flava* Murray Monthl. Mag. XII p. 4 (1875); Stgr. Mém. Rom. VI 213; Rühl 642.
- ### 66. **Parnara** Moore 1881.
675. **Mathias** F. Ent. S. Suppl. p. 433 (1798); Elw. & Edw. Tr. Z. S. XIV (1898) p. 275; *Thrax* Ld. z. b. V. 1855 p. 194, t. 1, f. 9, 10; Rühl 650; *Mencia* Moore Ann. & Mag. (4) XX 1877 p. 52; Leech Butt. China II p. 607, t. 42, f. 14.
676. **Zelleri** Ld. z. b. V. 1855, p. 194; Rühl 650; Elw. & Edw. Tr. Z. S. XIV p. 284.
677. **Alcides** HS. 41, 42, VI p. 38; Spr. Stett. e. Z. 1878 p. 185; Rühl 651.
- a) v. *Ahriman* (Ahriman) Chr. Mém. Rom. I (1884) p. 106, t. 6, f. 5 a, b (♂); ib. V. p. 10, t. 1, f. 4 (♀); Gr. Gr. Mém. Rom. IV p. 507; Rühl 648 (minor, al. ant. maculis majoribus).
678. **Guttatus** Brem. & Grey Mot. Et. 1852 p. 60; Beitr. p. 10, t. 3, f. 2 (1853); Mén. En. I t. 5, f. 4; Rühl 650; Elw. & Edw. Tr. Z. S. XIV p. 281, t. 26, f. 76 (genital); Fortunei Feld. Nov. 72, f. 11; Bada Moore Pr. Z. S. 1878 p. 688; Ormuzd Gr. Gr. Hor. XXII p. 307; Mém. Rom. IV p. 508, t. 18, f. 5 [sec. Elw. i. l. syn.].
679. **Pellucida** Murray Monthl. Mag. XI p. 172 (1875); Stgr. Mém. Rom. III p. 152, t. 8, f. 3; Leech Butt. China II p. 611; Rühl 651.
- Him. (s.) oc; China m. oc.*
- Uss; Cor; Jap; China s.*
- Territ. (exc. reg. pol. Can. Mad. Afr. s); Cor; China; Jap; Amdo (var.).*
- As. min; It. m. etc.*
- Hyre.*
- Amur; Cor; Alt. etc. (trans.).*
- Uss. m; Cor; China; Jap.*
- China m. oc.*
- Amur; Uss; Cor; Jap.*
- Ind. bor; China; Cor; Uss. m. (Sutchan); Jap.*
- Cypr; Cil; Taur; Syr; Tura; Jap; China; As. m; Ins. Malay.*
- Syr; ? Maur. oc.*
- Lyd; Pont; Arm.*
- Tura; Buch. s. or.*
- Uss; Cor; Jap; China; Buch. or; As. m; Ins. Malay.*
- Amur; Uss; Cor; Jap; China.*

680. **Nostrodamus¹⁾** F. E. S. 328 (1793); Rbr. Cat. S. And. p. 89; H. S. 35. 36; Dup. I, 41, 4-6; Rühl 650; Pumilio Hffsgg. Ill. Mag. III p. 202 (1804); O. I, 2. 216; Z. Isis 1847 p. 291; Frr. 513, 2, 3; Stgr. Hor. VII, 1870 p. 88; Pygmaeus Cyr. Ent. Nap. t. 51. f. 5; Hb. 458-60; Esp. 99, 3; Karsana Moore Pr. Z. S. 1874 p. 576, t. 67, f. 6.

Eur. m; Maur; As. min; Syr; Hyrc; Saraw; Buch; Ferg; Himal. s. oc.

67. **Ismene** Swains 1821-2.

681. **Aquilina** Spr. Stett. e. Z. 1879 p. 346; Stgr. Mém. Rom. VI p. 214; Leech Butt. China II p. 635; Rühl 687; Elw. & Edw. Tr. Z. S. XIV p. 296; Jankowskii Obth. Et. V p. 23, t. 1, f. 2.

Uss; Jap.

68. **Achalarus** Seud. 1872.

682. **Bifasciatus** Brem. & Grey Mot. Et. 1852 p. 60; Beitr. p. 10, t. 3, f. 1 (1853); Mén. En. I t. 5, f. 3; Obth. Et. XI t. 6, f. 47; Leech Butt. China II p. 560.

Uss. m. (*Sidemi*); Cor; China.

- * a) v. *Contractus* Leech l. c. t. 38, f. 9 (al. ant. maculis minor.).

China m. oc.

69. **Satarupa** Moore 1865.

683. **Nymphalis** Spr. Stett. e. Z. 1879 p. 448, 497; Stgr. Mém. Rom. III p. 153. t. 8, f. 4; Leech Butt. China II. 562; Rühl 685.

Uss. m; China.

70. **Daimio** Murr. 1875 (Catodaulis Spr.).

684. **Thetys** Mén. En. II, p. 126, t. 10, f. 8; Stgr. Mém. Rom. VI p. 215; Leech Butt. China II p. 564.

Amur; Uss; Cor; Jap.

- * a) v. *Chinensis* Stgr. l. c. (al. post. albo-fasciatis).

China s.

71. **Carcharodus** (Hb. 1816) Wats.

685. **Lavatherae** (r. Lavaterae) Esp. 82, 4 (1783); (-terae) Hb. 454-6; O. I, 2, 198; God. II, 28, 7; Lang t. 78, f. 3; Rühl 655.

Germ. m; Helv; Austro-Hung; Eur. min; Syr; Arm; Hyrc.

686. **Alceae** Esp. 51, 3 (1780), I, 2 p. 41; Lang t. 78, f. 1; Rühl 653; Elw. & Edw. Tr. Z. S. XIV p. 152; Malvarum Hffsgg. Ill. Mag. III, p. 198 (1804); O. I, 2, 195; Malvae Hb. 450-1; God. I, 12 sec., 5.

Eur. c. et m. (exc. Dan. Angl.); Maur; As. oc. et c; ? Sib. or.

- a) v. (gen. aest. mer.) *Australis* Z. Isis 1847, p. 285 (brunneofusca).

Eur. m. etc.

687. **Altheae** Hb. 452-3, Text p. 69; Lang t. 78, f. 2; Rühl 654; Malvarum var. O. I, 2, 197; God. II, 28, 5, 6; Spr. geogr. Verbr. I, 456; Gemina Ld. z. b. V. 1852, p. 50; ?Malva Hb. 450-1.

Eur. c. or. et m; Maur; As. min; Arm; Hyrc.

- a) v. *Baeticus* Rbr. En. And. t. 12, f. 3, 4 (1839); Rbr. Cat. S. And. p. 80; Marrubii [Rbr. l. c. p. 323 nunquam ed.]; HS. 14, 15; Floeifera Z. Isis 1847, p. 286 (palidior, flavo-grisescens).

Eur. m. oc. et c; Maur; Syr; Tura; Ferg.

72. **Hesperia** (F. 1793) Wats. [Pyrgus Hb; Syrichthus B.]

688. **Proto** Esp. 123, 5, 6; O. I, 2, 210; B. Ic. 46, 4, 5; H. G. 918-21; Dup. I, 42, 7, 8; Frr. 361, 5; Lang t. 78, f. 4; Rühl 656.

Eur. m; As. min. s; Syr; Arm; Tura.

¹⁾ *Pamphila* (*Hesperia*) *Aetna* B., Stgr. Cat. ed. II no. 447 spec. est americana.

- a) v. *Mohammedi* (Mohammed) Obth. Bull. S. Ent. Fr. 1887 p. 48; Et. XII p. 23, t. 5, f. 23 a, b (maculis alb. major., serie punctorum alb. antemarg. distineta; al. post. subt. diversis). *Maur; Pont. (trans.).*
689. **Leuzeae** Obth. Et. VI (1881) p. 60, t. 3, f. 10; Rühl 657; Elw. & Edw. Tr. Z. S. XIV, 159. *Maur.*
690. **Poggei** Ld. Wien. Mts. 1858, p. 141; Gr. Gr. Mém. Rom. IV p. 503; Rühl 662; v. *Lutulentus* Gr. Gr. Mém. Rom. III p. 401; IV p. 504, t. 21, f. 6 a, b; Rühl 662 [sec. specim. detrita descripta, ceterum ab Hesp. Poggei typ. vix distinguenda]. *Syr; Taur; Saraw; Buch. s. or; ? Pamir.*
691. **Staudingeri** Spr. Stett. e. Z. 1879 p. 344; Alph. Hor. XVI p. 431, t. 15, f. 27; Chr. Mém. Rom. I p. 106, t. 6, f. 7; Rühl 658. *Tarb; Ala Tau; Thian. oc.*
- a) v. *Plurimacula* Chr. Iris VI (1893) p. 87; Rühl 659 (al. post. macula rotund. prope marg. ant., subt. pallidioribus).
- b) v. *Proteus* Stgr. Stett. e. Z. 1886 p. 255; Gr. Gr. Mém. Rom. IV p. 498 (supra obscurior, maculis antemarg. albidis nullis, subt. al. post. rubrescentibus).
- c) ?v. (ab.) *Prometheus* Gr. Gr. l. c. p. 499, t. 18, f. 1 (praecl. var. paullo minor, minus obscurior, vix distinguenda). *Hyrc; Ant. s.; Mesop. Ferg. m.*
692. **Antonia** Spr. Stett. e. Z. 1879 p. 342; Rühl 666. *Tarb. (Saisan); ? Ferg. m.*
- a) v. *Gigantea* Stgr. Stett. e. Z. 1886 p. 255; Gr. Gr. Mém. Rom. IV p. 501, t. 18, f. 2; (multo major, al. post. subt. laetius ochraceo-fasciatiss.). *Ferg.*
693. **Sidae** Esp. 90, 3 (1784); Hb. 468; O. I, 2, 199; God. II, 27, 5, 6; Frr. 361, 1; Lang t. 78, f. 8; Rühl 669; Onopordii HS. 31, 32 [ab. subt. pallida]. *Hyrc; Tura; Ferg; Pamir s. oc.*
694. **Carthami** Hb. 720, 723; O. IV, 159; Rbr. Fn. And. t. 27, f. 5, 6; Frr. 349, 3; Rbr. Cat. S. And. p. 65; Lang t. 78, f. 9; Rühl 670; ?Hb. 721-2; Malvae Esp. 23, 2; Tessellum O. I, 2, 205 [exc. cit.]; God. I, 12, 4, 5.
- a) v. *Moeschleri* HS. 37, 38, VI p. 175 (subt. pallidior). *Eur. c. et m. (exc. Graec. et It. m.); Liv; Petrop; As. oc; Urga et Amur (var.).*
- b) v. *Valesiaca* (Streckf.) Rühl 671 (supra al. ant. maculis alb. paucis, al. post. immaculatis). *Ross. m; Hung; (Gal. m., Ib., As. min. etc. trans.).*
695. **Tessellum** Hb. 469, 470; O. IV, 157; Rbr. Fn. And. t. 8, f. 1, 2; Lang t. 78, f. 5; Rühl 659; Leech Butt. China II p. 660; *Gigas* v. Kuenlunus Gr. Gr. Hor. XXVII p. 129 [sec. Origin. certe synon.]. *Ferg; Ross. m; (? Turc. m.); Pont; Arm; Hyrc; Alt; AlaTau; Thian; Ando; Chin. oc. (v.).*
- a) v. *Nomas* Ld. z. b. V. 1855, p. 193, t. 1, f. 7 (al. post. subt. unicoloribus albicantibus).
- b) ?v. *Dilutior* Rühl 661 (obscurior, trans. ad v. sequ., vix nominanda?). *Syr; Taur; Kurd. oc; Pont. et Arm. pr. p. Ferg; Mong.*
- c) v. *Gigas* Brem. Lep. O. S. p. 96, t. 8, f. 3; Stgr. Mém. Rom. VI p. 216; Rühl 660 (major, multo obscurior; sp. div. esse videtur). *Uss.*
696. **Nobilis** Stgr. Berl. e. Z. 1882 p. 176; Stett. e. Z. 1886 p. 255; Gr. Gr. Mém. Rom. IV p. 500, t. 18, f. 3; Rühl 661. *Saraw; Buch. s. or.*
697. **Cribrellum** Ev. Bull. M. 1841, p. 25; Frr. 349, 1; HS. 12, 13; Stgr. Mém. Rom. VI 216.
- a) v. *Obscurior* Stgr. Iris V 1892, p. 341; Rühl 662 (obscurior, maculis margin. albis minoribus). *Ross. m; ? Bith. (Mn.); Alt; Tarb; Ala Tau; Daur; Amur s. oc.*
698. **Phlomidis** HS. 8, 9, I, p. 153; Frr. 661, 4; Lang 81, f. 3; Rühl 663. *Balec. m; As. min; Syr; Hyrc; Saraw; Ferg.*

- a) v. (ab.) *Geron* Watson Pr. Z. S. 1893 p. 66; Rühl 829; Elw. & Edw. Tr. Z. S. XIV 158 (minor obscuriorque, vix nomen conserv.).
699. **Orbifer** Hb. 803-6; B. Ie. 47, 1, 2; Frr. 362, 1; Stgr. Hor. VII, 1870, p. 84; (fera) Dup. I, 42, 5, 6; *Eucrate* Frr. 621, 1 ab; *Tessellooides* HS. 10, 11, VI p. 36 [capite adulterato] [ab. major, obscurior].
- a) v. et ab. *Hilaris* Stgr. al. maculis albis majoribus pluribusque.
- b) v. *Lugens* Stgr. Stett. e. Z. 1886 p. 256; Gr. Gr. Mém. Rom. IV 505 (major, obscurior, punctis margin. subnullis).
700. **Sao** Hb. 471-2 (1801); God. II, 28, 3, 4; Rühl 663; *Sertorius* Hffsgg. Ill. Mag. III, 203 (1804); O. I. 2, 211; Frr. 361, 4; Z. Is. 1847, 291.
- a) ab. (et v.?) *Eucrate* O. I, 2, 213; Esp. 124, 6; Rbr. Cat. S. And. p. 86; Stgr. Hor. VII, 1870, p. 84 (minor, subt. pallidior).
- b) v. *Ali* Obth. Et. VI p. 61, t. 2, f. 3; Rühl 664 (trans. ad v. sequ., al. post. subt. maculis diversis, in margine elongatis).
- c) v. (et ab.) *Therapne* Rbr. Ann. S. Fr. 1832, t. 7, f. 4; B. Ie. 46, 6, 7; Dup. I, 42, 9, 10; HS. 16, 17; Rbr. Cat. S. And. p. 86; Lang t. 81, f. 6; Rühl 665 (minor, alis supra et al. ant. subt. infuscatis).
701. **Serratulae** Rbr. Fn. And. t. 8, f. 9; Cat. S. And. p. 71; HS. 18-20; Frr. 621, 3; Schilde Berl. e. Z. 1886 p. 39, t. 2, f. 5, 6; Rühl 674; Elw. & Edw. Tr. Z. S. XIV 160, t. 23, f. 24 (genit.); ab. *Tarasooides* Höfn. Jahrb. Kärnt. XXIV p. 2 (sep.) [maculis albis confluentibus].
- a) v. *Caeclus* Frr. 493, 3, 4, VI p. 22; *Serratulae* var. HS. 21, 22; *Alveus* Hb. 506; Schilde l. c. f. 3; O. I, 2, 206 (var. minor, obscurior).
- b) v. *Major* Stgr. Hor. XIV (1879) p. 292; Stgr. Stett. e. Z. 1885 p. 81 (major, maeul. alb. majoribus).
- c) v. (gen. aest.?) *Alveoides* Stgr. minor, supra griseo-inspersa, al. ant. mac. alb. major., al. post. albo-maculatis, subt. pallidior (sec. 4 ♂ in coll. Led. inter *Alveus* var. positos descripta).
702. **Speyeri** Stgr. Mém. Rom. III (1887) p. 153, t. 8, f. 5 a, b; ib. VI p. 218; Iris V, 341; Rühl 675; Elw. & Edw. Tr. Z. S. XIV p. 160, t. 23, f. 26 (genital.) (praec. sp. forma Darw.?).
703. **Alveus** Hb. 461-3; Rbr. Fn. And. t. 8, f. 3; Rbr. Cat. S. And. p. 69; Schilde Berl. e. Z. 1886, t. 2, f. 1-3 p. 39; ?O. I, 2 p. 206; ?Dup. I p. 95; *Fritillum* Tr. X, 1 p. 94 (nec Hb.); Frr. 349, 4; ab. (v.?) *Funginus* Schilde Berl. e. Z. 1886 t. 2, f. 4, p. 48; v. *Sifanicus* Gr. Gr. Hor. XXV p. 450 [v. Leech Butt. China II p. 580].
- a) ?v. *Carlinae* Rbr. Fn. And. t. 8, f. 11; Cat. S. And. p. 72 (praec. formae affinis, forma alpina).
- b) v. (?) *Conyzae* Gn. Pet. Nouv. 1877 p. 145; Rühl 677 (supra maeul. albidiioribus, subt. pallidior).
- c) ?v. *Onopordi* Rbr. Fn. And. t. 8, f. 13; Rbr. Cat. S. And. p. 72; ?Rühl 674; ?Elw. & Edw. Tr. Z. S. XIV (1898) p. 161, t. 23, f. 25 b (genital.); *Cirsii* Rbl. z. b. V. 1892 p. 512; ?M. D. Mitt. I (1862) p. 15, 33 (forma difficilis [ut omnes Alvei formae], a sequ. differt al. post. subt. non rufescensibus).

*Pers; Beludsch.**Eur. m. or; As. min.; Syr; Arm; Hyrc; Alt; AlaTau; Thian. oc; Amur; Uss.**Mardin (v.); Syr. etc. ab.**Ferg; Saraw; Buch. s. or; Iss. K; Urga.**Germ. c. et m; Belg; Gal; Ib; It. c. et s; (Eur. m. or. false).**Ib. m; Eur. m.**Maur.**Cors; Sard; Maur. (ab.).**Eur. c. (exc. Angl.) et m; Dan; Suec; Pont; Arm; Syr. pro p; Hyrc; Alt; Tarb; Sib. or.**Alp; Hung. mont.**Taur; Kurd. oc; Pont. pro p.**Syr.**Uss; Amur; Daur; Saj. or. (var.).**Eur. c. et m. (exc. Bat. et Angl.); Pont; Arm; Alt; Daur; Amur; KukuN; China m. oc.**Alp; Arag. mont.**Gal. m. or; Maur. pro p.**Eur. m; Maur. pro p.*

- d) ? v. *Cirsii* Rbr. Fn. And. t. 8, f. 12; Rbr. Cat. S. And. p. 73; HS. 33, 34 (al. post. subt. rufescens vel brunneogriseis etc.).
- e) v. (et ab.) *Iberica* (*Cynarae* v.) Gr. Gr. Hor. XXVII p. 384 (al. post. supra maculis distinctior. infumatis, subt. [ut abdomen] saturatus ochraceo-rufescens; certissime non *Cynarae* var.).
704. **Cacaliae** Rbr. Fn. And. t. 8, f. 6, 7; Rbr. Cat. S. And. p. 77; HS. 23-5; Z. Stett. e. Z. 1877 p. 312; Lang t. 79, f. 6; Rühl 675; Schilde Berl. e. Z. 1886 p. 49; Alveus B. Ic. 46, 1-3; Dup. I, 50, 7, 8; ? Frr. 621, 2.
705. **Andromedae** Wallgr. Vet. Ak. Forh. 1853 p. 25; Wallgr. Dagf. p. 272; Spr. geogr. Verbr. II p. 276; Z. Stett. e. Z. 1877 p. 313; Lang t. 79, f. 7; Schilde Berl. e. Z. 1886 p. 51; Auriv. Nord. Fjär. (1888) p. 41, f. 12; Rühl 676.
706. **Centaureae** Rbr. Fn. And. t. 8, f. 10 (1842); Rbr. Cat. S. And. p. 78; HS. 1-3; Wallgr. Dagf. p. 265; Lang t. 79, f. 8; Schilde Berl. e. Z. 1886 p. 53; Auriv. Nord. Fjär. p. 41, f. 13; Rühl 677; Seudd. Butt. N. Engl. II p. 1542, t. 15, f. 5; Holl. Butt. p. 327, t. 47, f. 13.
707. **Cinarae** (r. *Cynarae*) Rbr. Fn. And. t. 8, f. 4, 5; *Cynarae* Frr. 349, 2; HS. 4-7; Rbr. Cat. S. And. p. 68 not. 2; Lang t. 78, f. 7; Rühl 669 (♂ e Cast. in coll. Stgr. quadrat cum Hesp. *Cinarae* typic.).
708. **Alpina** Ersch. Fedtsch. (1874) p. 24, t. 2, f. 18; Gr. Gr. Mém. Rom. IV p. 501; Rühl 671.
- a) v. (ab.?) *Darwazica* Gr. Gr. l. c. p. 502, t. 21, f. 5 (obscurior, maculis alb. minorib. in al. post. subnullis).
709. **Malvae** L. S. N. ed. X, 485; Schilde Berl. e. Z. 1886 p. 55, t. 2, f. 8, 10; Rühl 677; *Malvae minor* Esp. 36, 5; *Fritillum* Hb. 464-5 [♀ *permagna*]; Rbr. Faun. And. t. 8, f. 14; Cat. Syst. And. p. 74; *Alveolus* Hb. 466-7; O. I, 2, 208; God. I, 12, 3; Rbr. Fn. And. t. 8, f. 15; Rbr. Cat. S. And. p. 76; Frr. 361, 2.
- a) ♂ ab. *Taras* Bergstr. Nom. IV p. 40, t. 91, f. 5, 6; Meig. I t. 55, f. 3 a, b; Schilde l. c. t. 2, f. 7, 9; *Malvae* Esp. 51, 2; *Alveolus* Hb. 847-8 598 [transitus]; Frr. 361, 5; ab. *Intermedia* Schilde l. c. p. 55 [transit.]; Barr. Brit. Lep. I t. 37, f. 1 c (maculis albis magnis confluentibus).
- b) v. *Malvoidea* Elw. & Edw. Tr. Z. S. XIV (1898) p. 160, t. 23, f. 27, 27a (genital.) (al. post. subt. brunnescens minus albo-maculatis, genital. diversis; v. *aestiva* Eur. mer. oc.).
- c) v. *Melotis* Dup. I, 42, 1, 2, p. 257; Rbr. Cat. S. And. p. 76; Rühl 679; Z. Stett. e. Z. 1879 p. 462; Elw. & Edw. Tr. Z. S. XIV, 161, t. 23, f. 29 (genit.); *Hypoleucus* Ld. z. b. V. 1855, p. 193, t. 1, f. 7 [ab. *albidi*or] (plerumque major, al. post. albicantibus, signaturis confluentibus).
710. **Bieti** Obth. Et. XI (1886) p. 26, t. 6, f. 50; Leech Butt. China II p. 578; Rühl 830.
711. **Maculatus** Brem. & Grey Mot. Et. 1852 p. 61; Beitr. p. 11, t. 3, f. 6; Brem. Lep. O. S. p. 31; Mén. En. t. 5, f. 5; Leech Butt. China II p. 576, t. 41, f. 2; Rühl 667; v. *Amurensis* Stgr. Mém. Rom. VI p. 216.
- a) v. (?) *Thibetanus* Obth. Et. XV p. 20, t. 3, f. 27; Leech Butt. China II p. 578 (paullo minor, subt. pallidior, luteo-grisescens).
- Eur. m. oc.
- Arag. et Cast. var.; And. trans; Arm. ab.
- Alp; Pyr; It. c. mont; Alt. oc.
- Alp; Fen; Scand. c. mont; Lap.
- Fen; Scand. c. mont; Lap; Labr; Sib. or. s; Alt et Saj. or. (v. ? trans.).
- Ross. m; As. min; Bulg; Ture; Arm; Cast. (Cuenca).
- Ferg; Sib. s. or. (Witim.).
- Pamir s. oc.
- Eur; As. min; Arm; Alt; Ala Tau; Thian; Iss. K; Ferg; Mong; Sib. or; Amur.
- Gal. m; Ib.
- Syr; Ant. s; ? Graec. ins; Taur. (trans.).
- Amdo; China m. oc.
- Amur; Uss; China; Jap.
- China m. oc; ? Amdo (var.).

- *b) v. *Zona* Mab. Bull. S. Ent. Fr. 1875 p. 214; Leech Butt. China II p. 577, t. 41, f. 1, 3; Rühl 668; *Albistriga* Mab. l. c. 1876 p. 27; *Sinicus* Butl. Ann. & Mag. (4) XIX 1877 p. 96 (major, minus albo-signata, al. post. punctis [sive maculis] albis 1-4 mediis).

Cor; China; Jap.

73. **Aeromachus** Nicév. 1890.

712. **Inachus** Mén. Schrk. p. 46, t. 4, f. 2; Brem. Lep. O. S. p. 31; Rühl 653; Elw. & Edw. Tr. Z. S. XIV p. 190, t. 19, f. 7, t. 23, f. 36 (genit.).

Amur; Uss; Cor;
China s; Jap.74. **Thanaos** B. 1832-3

713. **Tages** L. S. N. ed. X, 485; Esp. 23, 3; Hb. 456-7; O. I., 2, 214; God. I, 12 sec. 4; Barr. Brit. Lep. I t. 40, f. 2; Rühl 681; ab. *Clarus* Carad. Iris VIII p. 61 [ab. dilutior].
- a) ab. (et v.) *Unicolor* Frr. 505, 1, VI p. 37; Stgr. Hor. VII, 1870 p. 86 (supra fere unicolor).

Eur. (exc. reg. pol.);
As. oc; Alt.

- b) v. (et ab.) *Cervantes* Grasl. Ann. S. Fr. 1836, 558, t. 17, B. 1, 2; Rbr. Cat. S. And. p. 83; Frr. 417, 3 (paullo ob- scurior, al. ant. nonnunquam griseo-inspersis).

Graec; As. min.

- c) v. *Popoviana* Nordm. Bull. Mosc. 1851, IV p. 443, t. 12, f. 3, 4; Alph. Iris VII, 303; v. *Sinina* Gr. Gr. Hor. XXV p. 461 (al. punctis antemarg. alb. distinctissimis, al. post. ciliis albicant.).

Hisp. c. et m. (var.);
Hung; Slav. (ab.).

714. * **Pelias** Leech Entom. XXIV Suppl. p. 60 (1891); Butt. China II p. 581, t. 43, f. 3; Rühl 682.

China m. oc.

- a) v. *Erebus* Gr. Gr. Hor. XXV p. 461; Rühl 682 (minor, pallidior).

Nan Schan or; Amdo.

715. **Marloyi** B. Ic. 47, 6, 7, I, p. 241; Lang t. 81, f. 8; Rühl 680; *Sericea* Frr. 265, 4 (1838); HS. 29. 30; Rustan Koll. Ins. Pers. p. 52.

Graec; Turc. m; As.
min; Syr; Arm;
Hyrc; Tura.

716. **Montanus** Brem. Bull. Ac. Petr. III p. 473 (1861); Lep. O. S. p. 31, t. 2, f. 4; Leech Butt. China II p. 580; Elw. & Edw. Tr. Z. S. XIV t. 23, f. 34 (genit.); *Rusticanus* Butl. J. L. S. Zool. IX (1866) p. 58.

Amur; Uss; Cor; Jap;
China s. et c.

- * a) v. *Nigrescens* Leech l. c. (obscurior).

China m. oc.

VIII. Sphingidae.75. **Acherontia** O. 1816.

717. **Atropos** L. S. N. ed. X, 490; Esp. 7, 1-3; Hb. 68; O. II, 231; God. III, 14; B. Spec. Gen. I p. 6; Barr. II, t. 44; Bart.-Rühl II p. 17.

Eur. (exc. reg. bor.);
Afr; Can; Azor; Bith;
Pal.

- * a) v. *Styx* Westw. Cab. Orient. Ent. p. 88, t. 42, f. 3; Hmps. Ind. Moths. I p. 67; *Medusa* Butl. Trans. Z. S. IX p. 597; Ill. Het. III p. 3, t. 41, f. 5 (abdomine subt. haud nigro-annellato, plerumque minor etc.).

Chin. s. et m; Cor;
Jap; As. mer; Ins.
Malay.76. **Smerinthus** Latr. 1802.

718. **Quercus** Schiff. S. V. p. 41, t. 1 a et b, f. 1; Esp. 19, 26, 1; Hb. 71, 118; O. II, 255; God. III, 17 tert., 3; B. Spec. Gen. I p. 18.

Eur. m; Austro-
Hung; Bav; Arm;
Pont; Taur; Mard. (var.).

719. **Sperchius** Mén. En. II p. 137, t. 13, f. 5 (1857); Stgr. Mém. Rom. IV p. 233; Piceipennis Butl. Ann. & Mag. (4) XX p. 393; Ill. Het. II p. 2, t. 21, f. 4; ?Michaelis Obth. Bull. S. Fr. 1886 p. 56; Dyras Leech Tr. E. S. 1899 p. 276 pr. p. (Sperchius Mén. forse est forma Darw. Dyradis Wlk, sed certe non synon.).
720. **Jankowskii** Obth. Et. V p. 26, t. 6, f. 1 (1881); Stgr. Mém. Rom. VI p. 233.
721. **Maackii** Brem. Lep. O. S. p. 34, t. 3, f. 11; Stgr. Mém. Rom. VI p. 233.
722. **Gaschkewitschii** Brem. & Grey Motsch. Et. I p. 62 (1852); Schm. nörd. Ch. p. 18, t. 5, f. 2.
- a) v. *Carstanjeni* Stgr. Mém. Rom. III p. 159, t. 9, f. 2 a, b; VI p. 235 (al. ant. magis dentatis, cervinis, distinctius lineatis, al. post. sine macul. anal. subalbidis; an sp. propria?).
- * b) v. *Roseipennis* Butl. Pr. Z. Soc. 1875 p. 257; Tr. Z. Soc. IX p. 588, t. 91, f. 6; Ill. Het. III p. 2, t. 41, f. 3; Heynei Aust. Natural. 1892 p. 68 (multo major, al. ant. multo obscurior, sordide griseis, al. post. margine lato obscuro etc; an sp. propria?).
723. **Dissimilis** Brem. Bull. Ac. Petr. III p. 475 (1861); Lep. O. S. p. 35, t. 3, f. 12; Stgr. Mém. Rom. VI p. 231; Leech Tr. E. S. 1894 p. 277; Perundulans Swinh. Ann. & Mag. (6) XIX p. 164.
724. **Tremulae** F. d. W. Oryctogr. Mosc. t. 10, f. 1, 2 (1830); Tr. X, 1. 140; Dup. II, 2, 2 a. b; HS. 14; B. Spec. Gen. I p. 24.
- a) v. *Amurensis* Stgr. Mém. Rom. VI p. 232; ab. *Rosacea* Stgr. l. c. (multo pallidior, violaceo-grisea vel flava, minus signata).
725. **Populi** L. S. N. ed. X, 489; Esp. 2, 22, 2 ab; Hb. 74; O. II, 252; God. III, 20, 3; B. Spec. Gen. I p. 23; Barr. II, t. 42; ab. *Rufescens* Fuchs Jhrb. Nass. XLII p. 204.
- a) v. *Populeti* Bien. Diss. p. 33 (pallide ferruginea vel albido-ochracea, al. ant. minus signat. [in ♂ fere unicolor.], non albido lunulatis.)
- b) v. *Populetorum* Stgr. Stett. e. Z. 1887 p. 65; *Populi* var. Alph. Hor. XVII p. 16 [trans.] (major, pallidior, griseo-ochracea, signaturis perspicuis ut in forma typica *Populi*).
- c) v. *Austautii* Stgr. Pet. Nouv. II p. 190 (1877); Aust. Natural. II p. 11, 68, 85; Obth. Et. VI p. 65, t. 5, f. 1; Pouillieri Bell. Pet. Nouv. II p. 193 (1878); v. *Staudingeri* Aust. l. c. p. 85; Obth. l. c. t. 1, f. 4 [ab. pallidior]; ab. *Incarnata* Aust. l. c. III p. 237 [ab. rubescens]; ab. *Mirabilis* Aust. l. c. p. 359 [ab. variegata] (maxima, sp. div. esse videtur).
726. **Ocellata** L. S. N. ed. X, 489; Esp. 1; O. II, 249; God. III, 20, 2; B. Spec. Gen. I p. 31; Barr. II t. 41, f. 1; Salicis Hb. 73.
- a) hybr. *Hybridus* Westw. Br. M. t. 1, f. 10 (1842); Barr. t. 41, f. 2; (hybrida Sm. *Ocellata* ♂ × Sm. *Populi* ♀).
- b) v. *Cinerascens* Stgr. Stett. e. Z. 1879 p. 316 (al. ant. multo pallidior, cinereis, lineis transv. subnull., v. desert. arenos.).
- c) v. *Atlanticus* Aust. Natural. 1890 p. 190; v. *Aestivalis* Aust. l. c. 191 [ab.] (major, al. ant. minus [in ♂ fere non] cervino-tinctis).
- Uss; Jap.
- Uss. m.
- Uss; Amur (ex errore?).
- Chin. s.
- Uss. m.
- Jap.
- Uss; Jap.
- Ross. c. et s; Fen; Liv; Urga; Uss.(ab.).
- Amur; Uss.
- Eur. (exc. reg. pol. et Graec.); Arm; Alt.
- Pers; Kurd.
- Ferg; Ili (trans.).
- Maur. oc.
- Eur. (exc. Bale. m.); Bith; Sib; Tarb. (var.).
- Ross. m. or. desert. aren. (Nariün).
- Maur. or.

- d) v. *Planus* Wlk. List. VIII p. 254 (1856); *Argus* Mén. En. p. 126, t. 13, f. 3 (1857); Stgr. Mém. Rom. VI p. 236 (praec. var. *pallidior*, al. ant. haud cervino-tinetis, al. post. ocello majore, basi non rosaceo).
727. *Caecus* Mén. En. II p. 135, t. 13, f. 2; Stgr. Mém. Rom. VI p. 236.
728. *Kindermannii* Ld. z. b. V. 1852 p. 92; Ersch. Fedtsch. t. 2, f. 19; Chr. Mém. Rom. V p. 11; Orbata Gr. Gr. Mém. Rom. IV p. 512 (sp. *paullum variabilis*; ♀ typica [de Argana Maden] a ♀ As. c. oc. haud distinguenda; ♂ As. c. saepius paullo dilutiores sed certe non nominandi).
- a) v. *Obsoleta* Stgr. multo dilutior, al. ant. brunnescente ochraceis, minus signatis, parte bas. subalbida, al. post. macula anali (ocellari) obsoleta (sec. tres ♂ descripta).
729. *Tatarinovii* Brem. & Grey Mot. Et. I 1852 p. 62; Schm. nörd. Chin. p. 13, t. 5, f. 1; Mén. En. t. 13, f. 1; Stgr. Mém. Rom. VI p. 237; Leech Tr. E. S. 1899 p. 279; Eversmanni Ev. Bull. M. 1854, III, p. 182, t. 1, f. 5.
- a) v. (ab.) *Brunnea* Stgr. l. c. 238.

Amur; Uss; Cor; Jap;
Chin. s. et c.

Amur; Uss; ?Daur.

Kurd. (Argana Ma-
den); Arm; Taur; Syr;
Tura; Saraw; Ferg;
Iss. K; Ili.

Korla (As. c. c.).

Amur; Uss; Chin. s;
Jap.

Daur. (Kiachta); Jap. (ab.).

77. **Dilina** Dalm. 1816.

730. *Tiliae* L. S. N. ed. X, 489; Esp. 3. 1-5., 22. 3; Hb. 72; O. II, 246; God. III, 20. 1; B. Spec. Gen. Het. I p. 44; Barr. II, t. 43; Clark Ent. Rec. I p. 327, t. A.
- a) ab. *Brunnescens* Stgr., brunnescens, nec viridescens.
- b) ab. *Maculata* Wllgr. Spr. p. 15; Lampa Tidskr. 1885 p. 27 (al. ant. fascia media latius interrupta, in duab. maculis dissoluta).
- c) ab. *Ulmi* Stgr. al. ant. macula unica, non fasciatis.
- d) ab. *Extincta* Stgr. al. ant. sine fasciis nec maculis, saepius fere unicoloribus.
- e) ab. *Pechmanni* Hartm. Mitth. Münch. Ent. Ver. III 1879 p. 35, t. 3, f. 1-3 (minor, al. ant. fere unicolorib. brunnescentibus, margine exterior. dilutiore, grisescente).
731. *Christophi* Stgr. Mém. Rom. III p. 162, t. 9, f. 3. a, b, t. 11, f. 1 (1887); Leech Tr. E. S. 1899 p. 278.

Eur. (exc. reg. pol., Ib.
et Balc. m.); Arm;
Sib.

Uss. m; Jap.

78. **Ampelophaga** Brem. & Grey 1852.

732. *Rubiginosa* Brem. & Grey Motsch. Et. I p. 61 (1852); Schm. nörd. Chin. p. 11; Mén. En. II p. 91, t. 12, f. 2; Stgr. Mém. Rom. III p. 158; ?Hmps. Ind. Moths. I p. 83, f. 52 [var.?]; Romanovi Stgr. l. c. t. 9, f. 1, a, b; ?Fasciosa Moore Pr. Z. S. 1888 p. 391; Butl. Ill. Het. VII, t. 121, f. 3 [var.?].

Uss; Cor; Jap; China;
Ind. (var.?).

79. **Daphnis** Hb. 1822.

733. *Nerii* L. S. N. ed. X, 490; Esp. 4, 1-3., 27, 1. 2; Hb. 63; O. II, 201; God. III, 13; B. Spec. Gen. I p. 224; Hmps. Ind. Moths. I p. 94, f. 54; Barr. II, t. 53.

Eur. m. (exc. Ib);
Eur. c., Scand. m.,
Liv. et Fen. (advena);

Azor; Afr. s. et c. oc; As. min. oc; Syr; Ind.

80. **Sphinx** (L) O. 1808.

734. *Ligustri* L. S. N. ed. X, 490; Esp. 6, 1-3.; Hb. 69; O. II, 240; var. Frr. 313, 1; God. III, 15; Barr. II, t. 47; Bart.-Rühl II, p. 43.

Eur. c. et m. (exc.
Graec.); Hisp. c.,

Suec. m; Fen; Bith; Arm; Sib; ? Azor.

- a) ab. *Spiraeae* Esp. 42, 1; Bart.-Rühl 47; *Ligustri* Hb. 143 (larv. ab., imago minor, pallidior, vix distinguenda).
 b) v. *Constricta* Butl. Cist. Ent. III p. 113 (1885); *Amurensis* Obth. Bull. S. Fr. 1886 p. 741; Stgr. Mém. Rom. VI p. 220; Bart.-Rühl II p. 48 (minor, obscurior).

Jap.; Chin. s.; Amur;
Uss.

81. **Protoparce** Burm. 1856.

735. **Convolvuli** L. S. N. ed. X, 490; Esp. 5, 1-3; Hb. 70; O. II, 236; God. III, 16; Kirb. Cat. Het. I p. 690; Hmps. Ind. Moths. I p. 103, f. 60; Barr. II, t. 45; Bart.-Rühl II p. 38; *Roseafasciata* Koch Indo-Austr. Lep. Fauna p. 54; *Pseudo-Convolvuli* Schauf. Nunqu. otios. I p. 15; *Orientalis* Butl. Tr. Z. Soc. IX p. 609, t. 91, f. 16, 17 (1877); v. *Batatae* Christ Mittb. VI p. 346 (Can.); Alph. Mém. Rom. V p. 223 (sp. valde variabilis).

Eur. (exc reg. bor.);
Afric.; Can.; Mad;
Azor; As. oc. c. etm;
Ins. Malay; Austral.

82. **Hyloicus** Hb. 1822.

736. **Pinastri** L. S. N. ed. X, 492; Esp. 12, 1-3; Hb. 67; O. II, 243; God. III, 17, 1; B. Spec. Gen. I p. 104; Barr. II, t. 46; Bart.-Rühl II p. 48; ab. *Fasciata* Lampa Tidskr. 1885 p. 26.

Eur. s. et c.; Hisp. s.
et c.; It. s. et c? Cauc;
Jap. (ab.).

- *a) v. *Caligineus* Butl. Ann. & Mag. (4) XX 1877 p. 393; Ill. Het. II p. 2, t. 21, f. 6 (abdomine fere non maculato).

Jap.

83. **Kentrochrysalis** Stgr. 1887.

737. **Streckeri** Stgr. Ent. Nachr. VI p. 252 (Nov. 1880); Mém. Rom. III p. 157; ib. VI p. 220; Bart.-Rühl II p. 32; Davidis Obth. Et. V p. 27, t. 7, f. 9 (Dec. 1880).

Uss. m.; Jap.

738. **Sieversi** Alph. Mém. Rom. IX p. 164, t. 10, f. 1 (1897); Bart.-Rühl II p. 33 (praec. sp. var. major?).

Uss. m.; Cor.

84. **Dolbina** Stgr. 1887.

739. **Tancrei** Stgr. Mém. Rom. III p. 155, t. 17, f. 8 (1887); VI p. 221; Bart.-Rühl II p. 28; *Inexacta* Leech Pr. Z. S. 1888, p. 588 (*Inexacta* Wlk. 1856 altera est sp.).

Amur; Uss; Jap.

740. **Exacta** Stgr. Mém. Rom. VI p. 222, t. 4, f. 1; Bart.-Rühl II p. 29; *Inexacta* Fixs. Mém. Rom. III p. 320; Graes. Berl. e. Z. 1888 p. 104.

Uss. m.; Cor.

85. **Sphingulus** Stgr. 1887.

741. **Mus** Stgr. Mém. Rom. III p. 156, t. 17, f. 9 (1887); VI p. 227; Bart.-Rühl II p. 35.

Uss. m.

86. **Deilephila** O. 1816.

742. **Vespertilio** Esp. 22, 4 (1779?); Hb. 62, 103-4; O. II, 228; God. III, 17 tert. 2; Frr. 39; B. Spec. Gen. I p. 174; Bart.-Rühl II p. 58.

Alp. val; Austr; Gal.
m. mont; It. c; Arm.

- a) hybr. *Vespertiliooides* B. Ann. S. Lin. Paris 1827 p. 110, t. 6, f. 4; B. Ic. 49, 3; Dup. II, 11, 2; HS. 10 (?13); B. l. c. 175; Bart.-Rühl 61 (hybrida D. *Vespertilio* ♀ × D. *Hippophaës* ♂).

Val; Gal.

- b) hybr. *Epilobii* B. Ic. 51, 3; Dup. II, 11, 1; HS. 9; B. l. c. 177; Bart.-Rühl 63 (hybrida D. *Vespertilio* ♀ × D. *Euphorbiae* ♂).

Alp. val; Gal; Austr.
inf; Alsat.

743. **Hippophaës** Esp. 38, 1, 2; Hb. 109; O. II, 221; Frr. B. 20; God. III, 17 bis; B. Spec. Gen. I p. 159; Bart.-Rühl II p. 65; Amelia Feisth. Bull. Sc. Nat. 1827 p. 162; Dup. II, 1, 3.
- a) v. *Bienereti* Stgr. Stett. e. Z. 1874 p. 91 (fin. Januar.); 1879 p. 316; Aust. Natural. 1886 p. 252; Bart.-Rühl II p. 67; *Insidiosa* Ersch. Fedtsch. p. 25 not. (1874); Kirb. Monthl. Mag. XXV p. 361; Gr. Gr. Mém. Rom. IV p. 510 (multo pallidior; al. ant. ochraceo-griseis sine macula media).
744. **Zygophylli** O. II, 226 (1808); Hb. 125 (post. 1808); B. Ic. 51, 2; Dup. II, 3, 1; B. Spec. Gen. I p. 168; Gr. Gr. Mém. Rom. IV p. 511; Alph. ib. V p. 83 [var.]; Bart.-Rühl II p. 69.
745. **Gallii** (r. Galii) Rott. Naturf. VII p. 107 (1775); Bart.-Rühl II p. 71: Galii Schiff. S. V. p. 42 (1776); Esp. 21; Hb. 64; O. II, 217; God. III, 17, 3; B. Spec. Gen. I p. 169; Barr. II t. 47; Hmps. Ind. Moths. I p. 98.
- a) hybr. *Phileuphorbia* Mützell Wiegm. Arch. 1840 p. 171, t. 8; Bart.-Rühl II p. 75 (hybr.? D. Gallii ♀ × D. Euphorbiae ♂).
 - b) v. *Intermedia* Kirby Faun. Bor.-Amer. IV p. 302 (1834); *Chamaenerii* Harr. J. Sci. XXXVI p. 305 (1839) (al. post. magis rubro-tinctis).
746. **Tithymali** B. Ic. 51, 1, II p. 30; Spec. Gen. Het. I p. 167; Dup. II, 10, 1 a. b., p. 117; Christ Mittth. VI p. 346; ib. VIII p. 100; Alph. Mém. Rom. V p. 223; Rbl. & Rghfr. Ann. Naturh. Hofmus. IX p. 43; Bart.-Rühl II p. 93; ? HS. I. 2 (forma Darw. Euphorbiae).
747. **Mauretanica** Stgr. Cat. ed. II p. 36; Bart.-Rühl II p. 77; Tithymali Bellier Bull. S. Fr. 1848 p. 45; ib. Ann. 1858 p. 488, t. 11, f. 3; Obth. VI p. 62 [pr. p.]; Euphorbiae Luc. Expl. Alg. t. 2, f. 8, p. 370 (forma Darw. Euphorbiae).
- a) v. (et ab.) *Deserticola* Bart.-Rühl II p. 79; Tithymali Obth. Et. I p. 32, t. 2, f. 1 a-c (minor, pallidior, al. ant. fascia exter. obscura venis albidis [saepius latius] intersecta).
748. **Dahlia** HG. 161-4 (1827); Frr. B. 69, 2; B. Ic. 50, 2. 3; Tr. X, 1. 132; Dup. II, 1, 1; B. Spec. Gen. I p. 165; Bart.-Rühl II p. 96 (Forma Darw. Euphorbiae).
749. **Euphorbiae** L. S. N. ed. X, 492; Esp. 9, 1-4; Hb. 66, 139-40; O. II, 223; God. III, 17, 2; HS. 7. 8 ab; B. Spec. Gen. I, 162; Hmps. Ind. Moths. I p. 98; Barr. II t. 48; Bart.-Rühl II p. 79; *Helioscopiae* Selys Lonch. Ann. S. Belg. I p. 40 [ab.]; *Esulae* HS. 3 (pieta); *Euphorbi. ab. Ribbe Iris* II p. 186, t. 4, f. 4 [multo obscurior]; ab. *Latifolii* Th.-Mieg. Natural. 1889 p. 181 [flavescens].
- a) ab. *Paralias* Nieck. B. Tgf. p. 22, f. 2 (1837); ab. *Rubescens* Garbowksi Sitzb. Ak. Wiss. Wien 1892 p. 917 [transit ab. rubescens].
 - b) v. *Grentzbergi* Stgr. Ent. Nachr. 1885 p. 10 (intensius rubescens).
 - c) v. *Esulae* B. Ic. II p. 26, t. 50; f. 1; Dup. II, 2, 1; ? Frr. 291, 1 (al. ant. multo obscuriorib., al. post. limbo exteriore griseo).
 - d) v. *Robertsi* Butl. Pr. Z. S. 1880, p. 412, t. 39, f. 9, 10; *Peplidis* Chr. Ent. Nachr. 1894 p. 333; Bart.-Rühl II p. 88; *Dahlia* Hmps. Ind. Moths. I p. 99 (scapus ubique albo-marginatis, al. ant. grisescensib.).

Alp. val. m. et m. oc.; It.c.; Moldavia(O.); Arm. (Rom.).

Ross. m. or. desert. (Narün); Hyrc; Tura; Ili; Iss. K; Saraw; Ferg. (pr. p. trans.).

Ross. or. m.; Kirgh; Arm.or; Hyrc; Buch; Iss. K; Ferg.m; Lob Noor (var.).

Eur. c. et s. (exc. reg. pol.); It; Eur. m. or. (exc. Graec.); Pont; Arm; Alt; Iss. K; Ili; Ala Tau; Daur; Amur; Jap.

Labr; Am. bor.

Canar.

Maur. (Algeria, Lam-bessa etc. mont.); Mad.

Maur. desert. arenos. (Biskra etc.); Tura (ab.).

Sard; Cors. [Ind. ex errore Hmps.].

Eur. c. et m; (Suec. et Liv. advena); As. min; Arm. (pr. p.).

Ins. Capri.

Aeoliae insul. (Lipari).

Hyrc; Ind. (Canda-har, Simla).

- e) v. *Centralasiae* Stgr. Stett. e. Z. 1887 p. 64; Bart.-Rühl p. 98 (scapulis ubique albo-marginatis, al. ant. pallidioribus, unicoloribus).
- f) v. *Lathyrus* Wlk. List. VIII 1 p. 172; Butl. Ill. Het. V, t. 80, f. 1; *Euphorbiae* Hmps. Ind. Moths. I p. 98; v. *Paralias* Stgr. Hor. XIV p. 297 (multo major, pallidior, imago nonnunquam a *Nicaea* haud distinguenda).
750. ***Nicaea*** Prun. Lep. Ped. p. 85; O. IV, 178; Hb. 149-50; Frr. B. 92, 93; God. III, 17 tert. 1; B. Spec. Gen. Het. I p. 164; Bart.-Rühl II p. 90; *Cyparissiae* Hb. 115.
- a) v. *Castissima* Aust. Natural. 1883 p. 360, 1886 p. 260, 1889 p. 231; *Nicaea* Obth. Et. VI p. 62, t. 3, f. 9 [9a larv. ab]; ab. *Carnea* Aust. Natural. 1889 p. 231 [ab. rubescens] (al. ant. paullo dilutiorib., praesertim in margine exter., vix nominanda, sed larva diversa).
751. ***Costata*** Nordm. Bull. M. 1851, IV p. 144, t. 11, f. 3. 4; Bart.-Rühl II p. 95.
752. ****Lineata*** F. S. E. p. 541 (1775); *Daucus* Cr. P. Ex. II p. 41, t. 125, f. D.
- a) v. *Livornica* Esp. II p. 196 (1779), 46, 3-7; Hb. 65, 112; Hmps. Ind. Moth. I p. 97; Barr. II t. 50; *Lineata* O. II, 214; God. III, 18, 1; B. Spec. Gen. I p. 172; *Celerio* var. Esp. 8, 4 (dnabus tantum maculis magn. lateral. nigris abdominis, etc.).
- Ferg; Saraw.
As. min; Arm. pr. p.; Himal. s. oc.
Gal. m; It. s. oc; Ross. m. (Crim.); ? Ili.
Maur. oc.
Sib. m. or. (Kiachta) (Amur false).
Am. (s. et m.).
Eur. m. (etc. advena); Mad; Afr. s. et m.; As. m. et c. oc; Arab; Tura; Saraw; Ferg; Himal; China oc.
87. **Chaerocampa** Dup. 1835.
753. ***Celerio*** L. S. N. ed. X, 491; Esp. 8, 1-3; Hb. 59, 146; O. II, 205; God. III, 18, 2; HG. 167-8; Frr. 518, 548; B. Spec. Gen. I p. 238; Hmps. Ind. Moths. I p. 87; Barr. II, t. 51. min; Ferg; Can; Afr.; As. m; Ins. Malay; Austral. And. m. oc. (advena); Afr. oc. c; Madagascar. China s. etc; Jap; Ind; ? Java.
754. ***Osyris*** Dalm. An. Ent. p. 48 no. 21; B. Ic. 49, 1; Dup. II, 10, 2; B. Spec. Gen. Het. I p. 237. ? Maur
755. ***Oldenlandiae*** F. S. E. p. 542; B. Spec. Gen. I p. 242; Kirb. Cat. Het. I p. 653; Hmps. Ind. Moths. I p. 87; Leech Tr. Ent. Soc. 1898 p. 283; Gortys Hb. Zutr. 513-14; *Proxima* Aust. Natural. 1892 p. 69.
756. ****Japonica*** B. in de l'Orza Lep. Jap. p. 36 (1869); B. Spec. Gen. I p. 241.
- a) v. *Suifuna* Stgr. Mém. Rom. VI p. 228, t. 4, f. 2 (paullo minor, pallidior, supra grisescens, subt. non ochraceo-brunneo- [rufo-] tincta).
757. ***Alecto*** L. S. N. ed. X, 494; Cr. P. Ex. 137; HS. 4. 5; B. Spec. Gen. Het. I p. 229; Hmps. Ind. Moths. I p. 85; *Cretica* B. Ann. S. Lin. Paris 1827 p. 118, t. 6; Dup. II, 1. 3; Frr. 404, 1; Bugnion Ann. S. Fr. 1839 p. 113; Freyeri Kirb. Cat. Het. I p. 650.
- ? Boisduvalii Bugnion Ann. S. Fr. 1839 p. 115; *Cretica* B. Ic. 49, 2; HS. 6 (= *Clotho* Dru. ab. sec. B. Spec. Gen. Het. I p. 230, 254) (spec. Stgr. valde dubia, an praec. ab.?).
759. ***Elpenor*** L. S. N. ed. X, 491; Esp. 9, 1-4., 27, 3; Hb. 61; O. II, 209; God. III, 18, 3; B. Spec. Gen. Het. I p. 279; Hmps. Ind. Moths. I p. 84; Barr. II, t. 52, f. 1. Ferg. s. oc; Sib. or; Amur; Uss; Cor; Jap; China; Ind. s.
760. ***Komarovi*** Chr. Mém. Rom. II p. 169, t. 15, f. 2. a, b (1885); *Stipularis* Swinh. Tr. Ent. Soc. 1885 p. 346, t. 9, f. 1 (hujus generis?).
- Eur. (exc. reg. pol. Graec., ? Hisp. m.); Arm; Hyrc; Alt; Ili; Tura; Taur; Arm; Tura; Afghanist.

88. **Metopsilus** Dunc. 1836.

761. **Porellus** L. S. N. ed. X, 492; Esp. 10, 1-3; Hb. 60; O. II, 211; God. III, 19, 1; Mill. Ic. 116, 7 ab; B. Spec. Gen. I p. 280; Barr. II, t. 52, f. 2. (*trans.?*); Alt; a) v. *Suellus* Stgr. Hor. XIV (1878) p. 298; Mém. Rom. I, t. 4, f. 1 (pallide olivacea, distinctius signata). b) hybr. *Elpenorella* Stgr. hybrida Metops. Porellus (♂?) × Chaer. Elpenor (♀?).
762. **Syriaca** Ld. z. b. V. 1855 p. 195, t. 2 (sibir.), f. 9-12. a) v. *Mardina* Stgr.; major, al. post. margine exter. (*supra*) non dentata, pallidior, griseo-sens, signaturis obsoletioribus.
763. **Mongoliana** Butl. Pr. Z. Soc. 1875 p. 622; Ill. Het. II p. 4, t. 21, f. 5; Stgr. Mém. Rom. VI p. 230.
- Eur. (exc. reg. pol. And. et It. m.)*; *Bith. Ili et Iss. K. (trans.)*; *Pont; Arm; Ferg. m.* *Sil. (in natura capt.)*; *Syr; Pal; Ant. Mesop. (Mardin)*; *Uss. m; Cor; Jap; China s. et c.*

89. **Cinogon** Butl. 1881.

764. **Askoldensis** Obth. Diagn. p. 5; Et. V p. 25, t. 1, f. 3; Stgr. Mém. Rom. VI p. 230; *Cingulatum* Butl. Tr. Ent. Soc. 1881 p. 2.

*Uss; Cor; Jap.*90. **Pterogon** B. 1829.

765. **Proserpina** Pall. Spic. 9. t. 2, f. 7, p. 26 (1772); *Oenotherae* Schiff. S. V. p. 43 cum fig. (1776); Esp. 20, 26, 2, 3; O. II, 196; Frr. B. 2; God. III, 19, 2; B. Spec. Gen. I p. 312.
a) v. *Japetus* Gr. Gr. Mém. Rom. IV p. 513 (v. maxima, paullo pallidior).
766. **Davidi** Obth. Bull. S. Fr. 1884 p. 13; Et. IX p. 29, t. 2, f. 6 (hujus generis?).
767. **Gorgoniades** Hb. Verz. p. 132 (1816); B. Ic. 48, 6; Spec. Gen. I p. 313; *Gorgon* Esp. 47, 5; Hb. 102, 104; O. II, 199; Dup. II, 3. 2 a, b; Mill. Ic. 117, f. 3-5.
a) v. *Kuldjaensis* Graes. Berl. e. Z. 1892 p. 299 (major, al. post. ochraceo-flavisi).

*Eur. m; Austro-Hung; Germ. et Gal. c; ? Tura.**Buch. or; Ferg. m.**Taur. m. or. (Akbes).**Ross. m. or; Pont; Taur. m; Arm; Tura, Alt.**Thian.oc; Iss. K.s. oc; ? Arm. trans.*91. **Macroglossa** Sc. 1776.

768. **Stellatarum** L. S. N. ed. X, 493; Esp. 13, 1-3., 28, 3., 36, 5, 6; Hb. 57, 155 ab; O. II, 193; God. III, 19, f. 3; Hmps. Ind. Moths. I p. 113; Barr. II, t. 54, f. 1, 1 a (ab.).
769. **Croatica** Esp. 45, 2; O. II, 191; B. Ic. 48, 5; Spec. Gen. I p. 363; Dup. II, 3, 3; Frr. 188; Mill. Ic. 143, f. 7-9; Sesia Hb. 89, 136.

*Territ. (exc. reg. bor.); Cor; Jap; China; India.**Eur. m. or; As. min; Kurd. oc; Arm.*92. **Hemaris** Dalm. 1816.

770. **Ducalis** Stgr. Stett. e. Z. 1887 p. 66; Gr. Gr. Mém. Rom. VI p. 514, t. 18, f. 6; Temiri Gr. Gr. Mém. Rom. III p. 401.
a) v. *Dentata* Stgr. l. c. (al. ant. fascia margin. intus dentata etc.).
771. **Fuciformis** L. S. N. ed. X, 493; Esp. 14, 1; Hb. 55, 117; God. III, 19, 4; Frr. B. 50; Wallgr. Skymn. p. 54; Kirby Cat. Het. I p. 625; Barr. II t. 54, f. 2; *Bombyliformis* O. II, 189 (1808); Stgr. Cat. ed. II p. 38, no. 495; Loniceræ Z. Stett. e. Z. 1869 p. 387; ab. (?) Heynei Bartel Ent. Nachr. 1898 p. 337 [abdomine nigro-cineto].

*Ferg; Buch. or; ? Saraw.**Taur. m. or.**Eur. (exc. reg. bor. et And.); Bith; Pont; Arm; Hyrc; Alt; Ala Taur; Kent.*

- a) ab. (v.) *Milesiformis* Tr. X, 1, 125 (minor dilutior, gen. aestiva?).
- b) v. *Robusta* Alph. Hor. XVII p. 17 (major, al. limbo latiore).
772. **Affinis** Brem. Bull. Ac. Petr. III p. 559 (1861); Lep. O. S. p. 35, t. 3, f. 13; B. Sp. Gen. I p. 368; Stgr. Mém. Rom. VI p. 240; Sieboldi B. in de l'Orza Lep. Jap. p. 35; Whitelyi Butl. Ann. & Mag. (4) XIV p. 367. (praeform. Darwiniana?).
- a) v. *Confinis* Stgr. Mém. Rom. VI p. 240; *Marginalis* Grote Bull. Buff. Soc. I p. 6, t. 2, f. 10 (1873) (al. ant. vitta marg. latiore, intus dentata).
- b) v. *Ganssuensis* Gr. Gr. Hor. XXV (1891) p. 461 (thorace abdomineque viridesc. griseis, abdomine subt. non obscure cingulato).
773. **Radians** Wlk. Cat. VIII p. 84 (1856); Butl. Ill. Het. II p. 1, t. 21, f. 2; Stgr. Mém. Rom. VI p. 242; ab. *Mandarina* Butl. Pr. Z. Soc. 1875 p. 239, t. 35, f. 2.
774. **Scabiosae** Z. Stett. e. Z. 1869 p. 387; *Bombyliformis* Esp. 23, 2; Hb. 56; God. III, 19, 5; Frr. 56; Wallgr. Skymn. p. 56; Z. Stett. e. Z. 1869, 387; Barr. II p. 54, f. 3; *Fuciformis* O. II, 185; Stgr. Cat. ed. II p. 38. no. 496; ?*Tityus* L. S. N. ed. X, 493; Kirb. Het. Cat. I p. 626 [cfr. Entomol. 1896 p. 39, 40, 80]; ?*Tenuis* Grote Bull. Buff. Soc. I p. 4, t. 1, f. 6 [forma Americana?].
- a) v. *Brunneobasalis* Stgr. Mém. Rom. VI p. 241 (al. post. margine intern. brunneo).
- Thian*; *Iss. K*; *Tura et Hyrc.* (*trans.*).
- Amur*; *Uss*; *Cor*; *Chin*; *s*; *Jap*.
- Uss*; ?*Am. s*.
- Amdo* (*Sinin*).
- Uss*; *Chinas. etc*; *Cor*; *Jap*.
- Eur.* (*exc. reg. pol. et Graec.*); *Maur*; *Bith*; *Pont*; *Arm*; *Hyrc*; *Alt*; *Tarb*; *Ala Tau*; *Ferg. m*; *Amur s*; ?*Am. s*.
- Uss. m*.

93. **Thyreus** Swains. 1821.

775. **Caudata** Brem. & Grey Motsch. Et. I p. 62 (1852); Schm. nörd. Chin. p. 13; Mén. En. II p. 95, t. 12, f. 4; Stgr. Mém. Rom. VI p. 238, t. 4, f. 4 (larv.).
- China s*; *Uss*.

IX. Notodontidae

94. **Cerura** Schrnk. 1802 (Harpyia O.).

776. **Verbasci** F. E. S. Suppl. 441; God. IV, 16, 1; Tr. X, 1, 158; Dup. III, 12, 1 a. b; B. Ic. 70, 4. 5; Frr. 224, 1., 254; HS. 61-63.
- Gal. m*; *Cat*.
777. **Aeruginosa** Chr. Hor. IX p. 4, t. 1, f. 1 (1872). *Srp*; *Iss. K*. (*v. an sp. aff?*).
778. **Bicuspidis** Bkh. III p. 380 (1790); Hb. 36; O. III, 26; F. d. W. Ent. I p. 63, t. 3, f. 2; Dup. III, 12, 3; Frr. 363; Barr. III p. 100, f. 3, 101, f. 1 [ab]; *Forficula* F. d. W. Ent. I, t. 3, f. 4.
- a) v. et ab. *Infumata* Stgr. Mém. Rom. VI p. 338; III p. 214 [pro p.]; Graes. Berl. e. Z. 1888 p. 137 (al. ant. infuscatis).
779. **Lanigera** Butl. Ann. & Mag. (4) XX p. 474 (1877); Ill. Het. III p. 10, t. 43, f. 11; Graes. Berl. e. Z. 1888 p. 137; Stgr. Mém. Rom. VI p. 339; Leech Tr. E. S. 1898 p. 307; *Bicuspidis* v.? *Infumata* Stgr. I. c. III p. 214 pr. p.
- a) v. ?*Pulvrigera* Stgr. alis ant. supra obscuriorib., nigro-inspersis, fascia [media] paullo latiore, extus excavata, subt. dilutiorib. [non nigrescentib.] (an sp. div.? sec. 3 ♀ et 1 ♂ descr.).
- Germ*; *Helv*; *Angl*; *Belg*; *Gal. or*; *Suec*; *m*; *Ross.c*; *Liv*; *Fen*; *Uss*.
- Amur* (*v*.); *Uss*. (*ab*.).
- Urga*; *Amur*; *Uss*; *Cor*; *Jap*.
- Arm. c*. (*Lagodechi*).

780. **Furcula** Cl. Ic. t. 9, f. 9; L. F. S. 298; Esp. 19, 3. 4; Hb. 39; O. III, 32; Frr. B. 51; Dup. III, 12, 4; F. d. W. Ent. I p. 66, t. 3, f. 4; Barr. III t. 101, f. 2; Bicuspidis B. Ic. 70, 1; Fuscinula Dup. III, 12, 5; ? Hb. 37; Forficula F. d. W. Ent. I p. 62, t. 3, f. 1 [ab]; HS. 147; Occidentalis Lintn. Proc. Ac. Nat. Sc. Philad. 1878 p. 194 [forma americana].

a) v. *Borealis* Boh. Förs. p. 161; Ajatar Schilde Stett. e. Z. 1874 p. 59 [fere tota nigra]; Schöyen Tidskr. 1881 p. 121, t. 1, f. 2 (multo obscurior, al. nigricante griseis).

* b) v. *Sangaica* Moore Ann. & Mag. (4) XX p. 90 (fascia media angustiore).

781. **Bifida** Hb. 38; O. III, 29; Frr. B. 57; Dup. III, 12, 2; F. d. W. Ent. I p. 65, t. 3. f. 3; B. Ic. 70, 3; Barr. III t. 101, f. 3; Furcula Esp. 19, 6. 7; B. Ic. 70, 2; Latifascia Curt. 193; Hermelina Kirb. Het. Cat. p. 586; ? Göze Btr. III (3) p. 227 (1781).

a) v. *Urocerata* B. Ben. p. 84; Furcula var. God. IV, 16, 3; Rbr. Cat. S. And. p. 394 (signaturis tenuioribus pro parte deficiente, praecipue al. ant. lin. transv. et al. post. punct. margin.).

b) v. *Saltensis* Schöyen Tidskr. 1881 p. 120, t. 1, f. 1 (obscurior, al. infumatis).

782. **Interrupta** Chr. Stett. e. Z. 1867 p. 233; Stgr. Iris V p. 285 (praec. forma Darw.?).

Hyrc.; Kirgh.; Ferg.; Lap. Norv. et Suec.

a) v. (et ab.) *Petri* Alph. Hor. XVII p. 37, t. 1, f. 36 (1882); Iris VII p. 304; Chr. Mém. Rom. V p. 17; Interrupta Rom. Mém. Rom. II p. 20, t. 2, f. 2. a, b (obscurior, al. ant. fascia med. non interrupta, cum trans.).

Srp.; Pont. (pr. p.); Kurd. oc.; Syr. (trans.);

Ferg.; Maur. oc. (trans.).

Ili.; Ferg. m.; Arm.,

Pont. et Taur. (trans.).

95. Dicranura B. 1829.

783. **Erminea** Esp. 19, 1. 2 (1783); Hb. 35; O. III, 24; God. IV, 15, 4; Frr. B. 14; Frr. 92.

? Dalm.; Ross. or.; Eur. c. (exc. Bat. Angl. et Dan.); Liv.; It;

Amur et Jap. (var.?).

Uss.

a) v. *Candida* Stgr. Mém. Rom. VI p. 340 (albidior, minus signata).

* b) v. *Menciana* Moore Ann. & Mag. (4) XX p. 89 (1877); Leech Tr. E. S. 1899 p. 308 (violaceo-grisescens, distinctius signata).

China c. oc.

784. **Przewalskii** Alph. Hor. XVII (1882) p. 38, t. 1. f. 37; Gr. Gr. Mém. Rom. IV p. 564 (praec. forma Darw.?).

Thian; Iss. K; Saraw.; Kaschg.

785. **Vinula** L. S. N. ed. X, 499; Esp. 18, 1-7; Hb. 34; O. III, 20; God. IV, 15, 2. 3; HG. 340; Barr. III t. 102; Minax Hb. 243 ab.

Eur.; Bith.; Arm.; Hyrc.; Tura; Sib.; ? Pamir.

Maur.

a) v. *Delavoiei* Gaschet Ann. S. Fr. 1876 p. 522 (al. ant. uniformius griseis, al. post. ♂ obscuris).

Lap.

b) v. (ab.) *Arctica* Zett. Ins. Lap. p. 922; Auriv. Nord. Fjär. p. 69; Phantoma HS. 13, 14; Frr. 442 (♂ et ♀ obscuriores, al. ant. nigresc. griseis, signaturis perspicuis).

Lap.

c) v. *Phantoma* Dalm. An. Ent. p. 92, no. 1; Frr. 418; HS. 15-16 (♂ et ♀ al. unicolor. nigrescentibus, abdomine supra toto nigro).

Lap.

d) ? v. *Intermedia* Teich. Stett. e. Z. 1896 p. 27 (major, signaturis aliquot diversis; sec. specim. unic. condita).

Arm. m. (Ararat); Kurd. oc. (v.?).

- e) v. *Felina* Butl. Ann. & Mag. (4) XX p. 474 (1877); Ill. Het. II p. 12, t. 24, f. 3; Stgr. Mém. Rom. VI p. 340; Askolda Obth. Et. V p. 59, t. 8, f. 8 (prothorace scapulisque nigro-marginatis, al. post. punct. marg. magnis etc.).

96. **Stauropus** Germ. 1812.

786. **Fagi** L. S. N. ed. X, 508; Esp. 20, 1-7; Hb. 31; O. III. 39; God. IV, 15, 1; Barr. III t. 103; *Persimilis* Butl. Ann. & Mag. (5) IV p. 353 (1879). *It; Cors; Buly; Ural; Arm; Uss; Jap. (v.).*
787. **Basalis** Moore Ann. & Mag. (4) XX p. 90 (1877); Tacza-nowskii Obth. Diagn. p. 11; Et. V p. 59, t. 2, f. 5. *Uss; Jap; Chin. or.*

97. **Cnethodonta** Stgr. 1887.

788. **Grisescens** Stgr. Mém. Rom. III p. 214, t. 12, f. 11 (♂); VI p. 242; *Aeronycta* Obth. Et. V p. 35, t. 5, f. 8 (♀) (f. 7 ♂ altera est sp. anterius nominata).

98. **Exaereta** Hb. 1822 (*Uropus* B. 1832).

789. **Ulmi** Schiff. S. V p. 66; Hb. Noct. 1. 554; O. III, 36; Dup. VII, 16, 5; *Cassinia* Esp. 49, 4. 5 (1785). *Eur.c.m.etm.or; Cors; It. s. et c; Bith; Pont; Arm; Uss.*

99. **Fentonia** Butl. 1881 (*Urocampa* Stgr. 1892).

790. **Ocypete** Brem. Bull. Ac. Petr. 1861 p. 481; Lep. O. S. p. 44, t. 5, f. 1; Obth. Et. V p. 60, t. 8, f. 6; Stgr. Mém. Rom. VI p. 343; *Hmps.* Ind. Moths. I p. 148; *Laevis* Butl. Tr. E. S. 1881 p. 20. *Uss; Jap; Chin. s.; Simla.*

100. **Hoplitis** Hb. 1822 (*Hybocampa* Ld. 1853).

791. **Milhauseri** F. S. E. 577 (1775); Esp. 21, 1-6; O. III, 41; God. IV, 16, 4; Frr. 296; *Terrifica* Schiff. S. V. p. 63 (1776); Hb. 32, 33. *Eur. c. (exc. Angl.); Dan. (1); Dalm; It. s. et c. (Gal. m.); Hisp; Pont.*
- a) v. *Umbrosa* Stgr. Mém. Rom. VI p. 343 (obseuriior). *Uss; Jap; Chin. oc.*

101. **Uropyia** Stgr. 1892.

792. **Meticulodina** Obth. Et. X p. 16, t. 1, f. 3; Stgr. Mém. Rom. VI p. 344, t. 4, f. 8 (larv.). *Uss; Jap.*

102. **Urodonta** Stgr. 1887.

793. **Albimacula** Stgr. Mém. Rom. III p. 217, t. 12, f. 7. a, b. *Uss. m.*
794. **Viridimixta** Brem. Lep. O. S. p. 52, t. 5, f. 12; Stgr. Mém. Rom. III p. 219; ib. VI p. 346; *Lichen* Obth. Et. V p. 64, t. 8, f. 5. *Amur; Uss.*
795. **Branicki** Obth. Et. V p. 60, t. 6, f. 6; Stgr. Mém. Rom. VI p. 346. *Uss. m.*
796. **Arctuata** Alph. Mém. Rom. IX p. 154, t. 9, f. 9. *Uss. m; Jap.*

103. **Lophocosma** Stgr. 1887.

797. **Atriplaga** Stgr. Mém. Rom. III p. 220, t. 12, f. 8; ib. VI p. 347. *Amur; Uss; Jap.*

104. **Nerice** Wlk. 1855.

798. **Davidi** Obth. Et. VI p. 17, t. 9, f. 2; Stgr. Mém. Rom. VI p. 347; Bidentata Leech Pr. Z S. 1888, p. 638.
799. **Bipartita** Butl. Cist. Ent. III p. 119 (1885); Leech Tr. E. S. 1899, p. 318; Upina Alph. Mém. Rom. VI p. 17, t. 1, f. 7.
800. **Leechi** Stgr. Mém. Rom. VI p. 348, t. 5, f. 2.

*Uss; Chin. s; Jap.**Chin. s. et c; Jap;*
*Amdo.**Uss.*105. **Gluphisia** B. 1829.

801. **Crenata** Esp. 47, 3. 4 (1785); O. III, 79; God. IV, 20, 4; HS. 124; Barr. III t. 112, f. 1; Crenosa Hb. 17. *Eur. c; It. s; Ross. s.*
oc; Norv. m; Amur; Uss.

106. **Drymonia** Hb. 1822.

802. **Vittata** Stgr. Iris IV p. 262 (med. Febr. 1892); Streckfussi Honr. Berl. e. Z. XXXVI p. 445, t. 15, f. 8 (Mart. 1892) (hujus generis?).
803. **Lineata** Obth. Et. V p. 61, t. 2, f. 7.
804. **Querna** (S.V.) F. Mant. 122; Hb. 9; O. III, 84; God. IV, 21, 4; Frr. 387.
805. **Nigoramosa** Chr. Iris VI p. 89; Alph. Mém. Rom. IX p. 203, t. 8, f. 1.
806. **Trimacula** Esp. 46, 1. 2 (1785); Dodonaea Frr. 314; HS. 84; Barr. III t. 109, f. 1 (al. ant. albidis, fascia med. obscura).
- a) v. et ab. *Dodonaea* Hb. 8; O. III, 80; God. IV, 20, 5; HS. 83; Barr. l. c. f. 1a, 1d-f; *Trimacula* Esp. 46, 3 (al. ant. griseis, albo-fasciatis).
- b) v. *Dodonides* Stgr. Mém. Rom. III p. 220 (al. ant. magis uniformib., strigis magis dentatis etc.; vix nominanda).
807. **Chaonia** Hb. 10, 11; O. III, 82; God. IV, 20, 6; Frr. 308; Barr. III t. 108, f. 2; Ruficornis Auriv. Nord. Fjär. p. 72; Kirby Het. Cat. 570; ? Hufn. Berl. Mag. II 424.

*Carn; Taur.**Uss, m; Jap.**Eur. c. (exc. Angl. et*
? Ross.); It. s; Dalm.
*Tura.**Eur.c.(oc.); Transylv;*
It. s. et c; ? Graec,
*Arm. or.**Uss; Jap.**Eur. c; Dan; Liv;*
It.s. et c; Srp; Dalm;
Bith; Pont; Arm;
*Jap. (sec. Leech).*107. **Pheosia** Hb. 1822.

808. **Tremula** Cl. Ic. t. 9, f. 13 (1759); L. F. S. 298; Snell. Vlind. 211; Dictaea Esp. 58, 5, 84, 2; Hb. 22; O. III, 63; God. IV, 19, 1; Frr. 579; Barr. III t. 104, f. 1; Rimosa Pack. Proc. E. S. Philad. 1864 p. 358.
809. **Dictaeoides** Esp. 84, 3 (1789); Hb. 23, 24; O. III, 66; God. IV, 19, 2; Frr. 580; Barr. III t. 104, f. 2; ? Gnomata F. Sp. Ins. II, 190 (1781).
- a) ? v. (ab.?) *Frigida* Zett. Ins. Lap. p. 923 (obscurior).
810. **Buddhista** Püng. Iris XII p. 289.
811. (Vacat)

Eur. c. et s.m; Hisp.;
Gal. m. or; It. s. et c;
Srp; Arm; Urga;
*Amur; Uss; Am. bor.**Eur. c. et s; (exc. reg.*
pol.); Gal. m. or; Ped;
*Amur.**Lap. s.**Amdo.*108. **Hupodonta** Butl. 1877.

812. * **Pulcherrima** Moore Pr. Z. S. 1865 p. 814, t. 43, f. 4; Hmps. Ind. Moths. I p. 161 pr. p.
- a) v. *Corticalis* Butl. Ann. & Mag. (4) XX p. 475 (1877); Ill. Het. II p. 13, t. 24, f. 7; Stgr. Mém. Rom. VI p. 346 (multo minor, al. ant. [fere] non brunnescens, al. post. subt. linea transv. dentata).

*Ind. s. or.**Japan; Uss. m*

109. **Microphalera** Butl. 1885.

813. **Atrovittatus** Brem. Bull. Ac. Petr. II p. 483 (1861); Lep. O. S. p. 46. t. 5, f. 4 (Asteroscopus); **Insignis** Butl. Tr. E. S. 1881 p. 19.
Uss. m. et s; Jap.
814. **Grisea** Butl. Cist. Ent. III p. 120 (1885).
Uss. m. (?); Jap.

110. **Notodonta** O. 1810.

815. **Ziczac** L. S. N. ed. X, 504; Esp. 59, 1-4; Hb. 26; O. III, 48; God. IV, 17, 3. 4; Barr. III t. 105. *Cors; Gal. m; Hisp; Arm; ?Amur.*
816. **Dromedarius** L. S. N. ed. XII, 827; Esp. 59, 5-9; Hb. 28; O. III, 53; God. IV, 18, 1. 2; Frr. 584; Barr. III, t. 107, f. 2. *Eur. c. et s. m; Cat; It. s; Arm; ?Amur.*
817. **Jankowskii** Obth. Diagn. p. 11; Et. V p. 61, t. 2, f. 8. *Uss; Amur.*
818. **Dembowskii** Obth. Diag. p. 12; Et. V p. 62, t. 2, f. 4. *Uss.*
819. **Graeseri** Stgr. Mém. Rom. VI p. 351, t. 5, f. 3 (hujus generis?). *Uss. m.*
820. **Aliena** Stgr. Mém. Rom. VI p. 352, t. 5, f. 4 (hujus generis?). *Uss. (?m.).*
821. **Oberthüri** Stgr. Mém. Rom. VI p. 354, t. 5, f. 5. *Uss. m.*
822. **Monetaria** Obth. Diagn. p. 12; Et. V p. 62, t. 2, f. 6; Stgr. Mém. Rom. VI p. 354. *Uss. m; Jap.*
823. **Phoebe** Siebert Ser. Btr. I p. 18, t. 2, f. 1, 2 (1770); Auriv. Nord. Fjär. p. 72; Kirb. Het. Cat. p. 599; **Tritophus** (S.V.) F. Mant. 116 bis (1787); var. Esp. 60, 3 (1786); O. III, 46; God. IV, 17, 1 (2); Barr. III t. 106, f. 1; Torva Hb. 27. *Eur. c; Suec. m; Ross. s. oc; It. s; Gal. m. or; Arm.*
824. **Tritophus** Esp. 60, 1. 2 (1786); Hb. 29; Auriv. Nord. Fjär. p. 71; Torva Hb. Text p. 108; O. III, 51; God. IV, 17, 5; Frr. B. 128; Barr. III t. 107, f. 1. *Eur. c; Ross. s. oc; Suec; It. s. et c; Amur; Uss.*
825. **Trepida** Esp. 57, 1-4 (1786); Bkh. III p. 400; O. IV, 49; God. IV, 21, 2; Barr. III t. 106, f. 2; Tremula Hb. 30; O. III, 86; Tr. X, 1. 155. *Eur. c. et s. m; Hisp. c. et s; Cors; It. s. et c; Srp; Arm; ?Uss.*
826. **Grummi** Chr. Mém. Rom. II p. 21, t. 1, f. 6 (hujus generis? [et familiae?]). *Arm. m.*

111. **Semidonta** Stgr. 1892.

827. **Biloba** Obth. Et. V p. 63, t. 8, f. 1; Stgr. Mém. Rom. VI p. 358 (Hyperaeeschrae Basali Moore ex India similis). *Uss. m.*

112. **Allodontia** Stgr. 1887.

828. **Plebeja** Obth. Et. V p. 65. t. 8, f. 7; Stgr. Mém. Rom. VI p. 356; **Tristis** Stgr. ib. III p. 223, t. 17, f. 7. *Amur; Uss.*
829. **Leucodera** Stgr. Mém. Rom. VI p. 357; **Tenebrosa** Moore var.? **Sibiricensis** Alph. Mém. Rom. IX p. 156 (**Tenebrosae** Moore similis sed certe sp. diversa). *Uss. m.*

113. **Spatalia** Hb. 1822.

830. **Argentina** Schiff. S.V. p. 62, 249, 250, t. 1 a, 2, 1 b, 2; Esp. 53, 1. 2; Hb. 17; O. III, 67; Frr. B. 38; Frr. 242. *Eur. c. or; Gal; Cat; It. s. etc; Dalm; Turc. s; Bith; Pont; Taur.*
831. **Doerriesi** Graes. Berl. e. Z. 1888 p. 141; **Plusiotis** Stgr. Mém. Rom. VI p. 359 pr. p. *Uss. s. et m.*
832. **Plusiotis** Obth. Et. V p. 65, t. 7, f. 3; Stgr. Mém. Rom. VI p. 359 pr. p. (praec. sp. valde similis). *Uss. m; Cor; Jap.*

833. **Dives** Obth. Et. X p. 15, t. 1, f. 1; Stgr. Mém. Rom. VI, p. 359. *Uss. m. et s.*
 834. **Ornata** Obth. Et. X p. 15, t. 2, f. 5; Stgr. Mém. Rom. VI p. 362 (gen. Rosama Wlk.). *Uss. m.; Jap.*

114. **Leucodonta** Stgr. 1892

(Mierodonta Dup. nom. praeoc., Hierophata Meyr. 1894).

835. **Bicoloria** Schiff. S.V. p. 49; Esp. 61, 7; Frr. 212; *Bicolora* Hb. 18; O. III, 71; God. IV, 20, 1; Frr. B. 33; HS. 85; Barr. III t. 108, f. 1.
 a) ab. *Albida* B. Ic. 70, 6, 7; Dup. III, 11, 3 a.b (al. ant. fere totis albis).
 b) v. et ab. *Unicolora* (Mén.) Motsch. Et. VI 1857 p. 24; 1858 t. 2, f. 2; Mén. En. III p. 155, t. 16, f. 4; Hueber Hor. IV p. 37, t. 1, f. 3 a-e (alis totis albis). *Eur. c. et s. m.; Ural; Amur et Uss. (ab.); Jap.*
Ross. c; Fen; Uss. *Ross. c. oc; Amur(v.); Uss.*

115. **Ochrostigma** Hb. 1822 (Drynobia Dup.).

836. **Velitaris** Rott. Naturf. IX p. 129 (1776); Kn. Btr. I, t. 4, f. 8; Esp. 58, 6; O. III, 75; God. IV, 20, 2; Frr. B. 39; *Austera* (S.V.) Hb. 15. *Eur. c. (ex. Angl.); It. s. et c; Bith; Arm.*
 837. **Melagona** Bkh. III p. 423 (1790); Scriba Btr. p. 71, t. 7, f. 2; Hb. 14; O. III. 77; God. IV, 20, 3; ?Obliterata Esp. 47, 1, 2 (1785) [nom. incert.]. *Germ. c. et m. or; Boh; Hung; Belg; Gal. or.*

116. **Odontosia** Hb. 1822.

838. **Carmelita** Esp. 91, 1 (1790?); O. III. 61; God. IV, 18, 6; Frr. 206; Barr. III t. 109, f. 2; *Capucina* Hb. Vög. & Schm. 81 (1793); Hb. 21; Frr. B. 32.
 839. **Sieversi** Mén. Motsch. Et. V 1856 p. 44; ib. VII 1858, t. 2, f. 1; En. III p. 153, t. 16, f. 3; Mill. Ic. 111, 10 ♂; Lang Hor. XII p. 151 (larv.); Kenn. Sitzb. Naturf. Ges. Dorpat XI p. 40 (larv.). *Eur. c. (exc. Bat.); Scand. m; Ross. s. oc; Cat; It. s. Sil; Hal; Ross. c. oc; Liv; Amur; Uss.*

117. **Lophontosia** Stgr. 1892.

840. **Cueulus** Stgr. Mém. Rom. III p. 226, t. 17, f. 5; ib. VI p. 361.

Uss. m.

118. **Lophopteryx** Sph. 1828.

841. **Camelina** L. S. N. ed. X, 507; Esp. 70, 1. 2. 4. 5; Hb. 19; O. III, 58; God. IV, 18, 4. 5; Barr. III t. 110, f. 1; ?*Capucina* L. l. c; Kirb. Het. Cat. 605.
 a) ab. *Giraffina* Hb. 277-8; Tr. X, 1, 151; Barr. l. c. f. 1 d; *Camelina* Esp. 70, 3 (ab. obscurior, nigricans).
 842. * **Saturata** Wlk. List. XXXII p. 415; Butl. Ill. Het. VI t. 107, f. 1; Hmps. Ind. Moths. I p. 166, f. 102.
 a) v. *Hoegei* Graes. Berl. e. Z. 1888 p. 143 (al. ant. linea extrabas. magis undulata; vix a *Saturata* distingueda).
 843. **Cuculla** Esp. 71, 1 (1786); Bkh. III. 414; *Cucullina* (S.V.) Hb. 20; O. III, 55; God. IV, 18, 3; Barr. III t. 110, f. 2.
 844. **Ladislai** Obth. Et. V p. 66, t. 2, f. 3 (1880); Stgr. Mém. Rom. VI p. 361.
 845. **Admirabilis** Stgr. Mém. Rom. III p. 224, t. 12, f. 9.
 846. **Velutina** Obth. Et. V p. 64, t. 8, f. 2; Stgr. Mém. Rom. VI p. 360 (hujus generis?).

Eur.s. et c; Bilb; It.s. et c; Dalm; Turc. m. or; Arm; Sib; Urga; Amur; Uss; Cor; Jap. (var.).

Ind. or.

Uss. m.

Eur. c. (exc. Bat.); It. s. et c; Sic; Uss. s. Uss; Jap.

Uss. m.

Uss; Amur.

119. **Rhegmatophila** Stndf. 1888.

847. **Alpina** Bell. Ann. S. Fr. 1880 p. 367, t. 11, f. 10; Stndf. Berl. e. Z. 1888 p. 239, t. 3, f. 5, 6; Poujade Ann. S. Fr. 1891 p. 593, t. 17, f. 1-16. *Gal. m. (Digne).*

120. **Pteroma** Stgr. 1899.

848. **Eugenia** Stgr. Iris VIII t. 5, f. 13; XII p. 352. *Mong; Amdo.*

121. **Pterostoma** Germ. 1812.

849. **Palpina** L. F. S. 305; Esp. 63, 1-4; Hb. 16; O. III, 69; God. IV, 19, 4; Barr. III t. 111, f. 1. *Eur. (exc. Graec.); Bith; Arm; Amur s; Maur.*

a) v. (ab.?) *Lapponica* Teich. Stett. e. Z. 1881 p. 188 (al. ant. infuscatis, fere unicolor., al. post. subalbidis sine fascia lunulaque).

b) v. *Pontica* Stgr. al. ant. violaceo-griseis, minus signatis, subt. griseis, al. post. supra grisescens, fere non fasciatis).

850. **Sinica** Moore Ann. & Mag. (4) XX p. 91; Gigantina Stgr. Mém. Rom. VI p. 363; Grisea Graes. Berl. e. Z. 1888 p. 145 pr. p. (praeoc. forma Darw.?). *Uss; ?Amur; Jap; China c. et or.*

851. **Grisea** Brem. Lep. O. S. p. 45, t. 5, f. 2; Stgr. Mém. Rom. VI p. 365; Grisea ab. Brunnea Graes. Berl. e. Z. 1888 p. 145. *Uss; ?Amur; China. oc. (?)*

122. **Ptilophora** Stph. 1828.

852. **Plumigera** (S. V.) Esp. 50, 6, 7 (1785); Hb. 13, 250; O. III, 71; God. IV, 19, 5, 6; Frr. 647; Barr. III t. 111, f. 2. *Eur. c. (exc. Bat.); It. s; Scand. m; Liv; Bulg; Srp; Jap.*

123. **Himeropteryx** Stgr. 1887.

853. **Miraculosa** Stgr. Mém. Rom. III p. 228, t. 12, f. 10. *Amur.*

124. **Phalerodonta** Stgr. 1892.

854. **Bombycina** Obth. Et. V p. 63, t. 6, f. 3; Graes. Berl. e. Z. 1888 p. 146; Stgr. Mém. Rom VI p. 367. *Uss.*

125. **Nadata** Wlk. 1855

855. **Cristata** Butl. Ann. & Mag. (4) XX p. 480 (1877); Ill. Het. II p. 18, t. 27, f. 1; Stgr. Mém. Rom. VI p. 367. *Uss; Jap; Chin. s.*

856. **Splendida** Obth. Et. V p. 65, t. 5, f. 6; Stgr. Mém. Rom. VI p. 366. *Uss. m. et s; Chin. c.*

126. **Phalera** Hb. 1822.

857. **Flavescens** Brem. & Grey Motsch. Et. 1853 p. 64; Schm. n. Chin. p. 14 (1853); Stgr. Mém. Rom. VI p. 368; Andraeas Obth. Et. V p. 38, t. 5, f. 4; Graes. Berl. e. Z. 1888 p. 147. *Uss. m; Cor; Jap; Chin.*

858. **Bucephala** L. S. N. ed. X, 508; Esp. 22, 1-4; Hb. 194-5; O. III, 235; God. IV, 22, 1; B. Ic. 63, 1; Dup. III, 11, 4; Barr. III t. 113. *Eur. (exc. reg. pol. et Graec.); Bith; Pont; Arm; Sib.*

a) v. *Infulgens* Graes. Berl. e. Z. 1888 p. 147; Stgr. Mém. Rom. VI p. 369 (gracilior, al. unicolorib. albido-griseis).

b) v. *Bucephalina* Stgr. alarum ant. dimidio costali multo obseuriore, macula med. distinctiore maculaque apicali majore, eadem magnitudine ut in Bucephaloide.

Amur; Uss; Ili (v.?).

Maur. oc. (Tanger).

859. **Bucephalooides** O. III, 238, IV, 203; Hb. 267-8; B. Ic. 63, 2. 3; Dup. III, 11, 1.
860. **Assimilis** Brem. & Grey Motsch. Et. I p. 64 (1852); Schm. n. Chin. 16 (t. 7, f. 2); Graes. Berl. e. Z. 1892 p. 214; Alph. Mém. Rom. IX p. 156 t. 11, f. 4; Ningpoana Feld. Wien. Mts. 1862 p. 37; Staudingeri Alph. Iris VIII p. 187; *Fuscescens* Butl. Tr. E. S. 1881 p. 597 (var.?).

127. Pygaera O. 1810.

861. **Timon** Hb. 86; O. III, 225; F. d. W. I p. 58, t. II; Tr. X, 1. 182; B. Ic. 63, 4; Dup. III, 11, 2; Frr. 442, 2; HS. 64, 65; Iven Hor. V p. 91; Ersch. ib. p. 117, t. 4, f. 1 a-c.
862. **Timonides** Brem. Lep. O. S. p. 45; Obth. Et. X p. 13, t. 2, f. 2; *Timoniorum* Brem. l. c. t. 5, f. 3; *Lati-pennis* Butl. Ann. & Mag. (4) XX p. 476 (1877); Ill. Het. II p. 13, t. 27, f. 2.
863. **Sieversi** Stgr. Mém. Rom. VI p. 370, t. 5, f. 6 a, b.
864. **Troglodyta** Graes. Berl. e. Z. 1890 p. 72; Stgr. Mém. Rom. VI p. 372, t. 5, f. 7.
865. **Anastomosis** L. S. N. ed. X, 506; Esp. 52, 1-4; Hb. 87; O. III, 226; God. IV, 21. 3.
- a) v. et ab. *Orientalis* Fixs. Mém. Rom. III p. 350 (pallidior, al. ant. parte interiore griseescens).
- b) v. et ab. *Tristis* Stgr. Stett. e. Z. 1887 p. 102; Mém. Rom. VI p. 373 (multo obscurior, fere nigricans).
866. **Curtula** L. S. N. ed. X, 503; Hb. 89; O. III, 232; God. IV, 21, 5; Barr. III, t. 114, f. 1 (et ab.); *Anachoreta* Esp. 51, 5, 86, 6-8.
- a) v. *Canescens* Graes. Berl. e. Z. 1892 p. 303 (dilutior, albescens).
867. **Curtuloides** Ersh. Trudy IV p. 193 (1870); Mém. Rom. II t. 16, f. 3; Stgr. ib. VI p. 373 (praec. var. ?); *Albo-sigma* Fitch II, Rep. Ins. New York p. 274, t. 2, f. 4 (1854) (nom. anterius).
868. **Modesta** Stgr. Stett. e. Z. 1889 p. 25; *Moderata* Graes. Berl. e. Z. 1892 p. 303.
869. **Anachoreta** F. Mant. 120; Bkh. III, 341; Hb. 88; O. III, 230; God. IV, 216; Hmps. Ind. Moths. I p. 172; Barr. III, t. 114, f. 2; *Curtula* Esp. 51, 1-4; *Fulgurita* Wlk. List. XXXII p. 433.
- a) v. *Pallida* Wlk. List. V p. 1077 (1855); Stgr. Stett. e. Z. 1887 p. 101 (pallidior).
870. **Pigra** Hfn. Berl. M. II p. 426 (1766); Rott. Naturf. VIII p. 109; Snell. Vlind. 225; Kirb. Het. Cat. p. 609; *Reclusa* F. Mant. 120 (1787); Esp. 51, 6-8; Hb. 90; O. III, 228; God. IV, 21, 4; Barr. III t. 115, f. 1.
- a) ab. (et v.?) *Obscurior* Stgr. Stett. e. Z. 1887 p. 102.
- b) v. *Ferruginea* Stgr. multo dilutior, al. ant. laete ferrugineo- et cinereo-mixtis.
871. **Warionis** Obth. Et. VI p. 75, t. 2, f. 6 (hujus generis?).

Gal. m.; Austr.; Hung.; Hal.; Srp.; Balk.; Syr.; Uss. m.; China s. et oc.; Cor.; Jap. (var.?).

Germ. c et s. or.; Morav.; Hung. s.; Ross. c.; Liv.; Fen.; Sib. or.; Urga; Amur; Uss. Amur; Uss.; Jap.; Chin. s.

Uss.
Uss. m.; Cor.

Eur. s. et c. (exc. reg. bor. Fen. et Angl.); Uss.; Cor.; Jap.; Chin. Cor.; Urga; Kent. etc. (ab.).
Uss. m. (var.); Germ. etc. (ab.).

Eur. c. et s. (exc. reg. bor.); Gal m. or.; Cors.; Bulg.; Bith.; Arm.; Urga; Ili; Iss. K.
Sib. or.; Urga; Amur; Uss.; ?Am. s.

Ferg. m.; Iss. K. s. oc.

Eur. c. et s. (exc. reg. pol.); Cat.; It.; Srp.; Bith.; Sib. or.; Amur; Uss.; Jap.; China.
Saraw.; Ferg.; Iss. K.; Ind.; ?Java.

Eur. s. et c.; Cat.; Bilb.; And.; It. s.; Bulg.; Srp.; Arm.; Ili.

*Ili.; Amdo.
Taur. c. (Hadjin).*

Maur. or.

128. Pygopteryx Stgr. 1887.

872. **Suava** Stgr. Mém. Rom. III p. 230, t. 17, f. 4; VI p. 374.

Uss. m.

X. Thaumetopoedae.

129. **Thaumetopoea** Hb. 1822 (Cnethocampa Stph.).

873. **Solitaria** Frr. 266, III p. 102 (Nov. 1838); Stgr. Hor. XIV, 363; Solitaris Dup. IV, 51, 3 a. b. p. 11 (1842); HS. 21, 22. *As. min; Cypr; Syr.*
874. **Processionea** L. S. N. ed. X, 500; Esp. 29, 1-5; Hb. 159-60; O. III, 280; God. IV, 12, 5. 6; Iud.-Nitsche II p. 907, t. 5, f. 4. *Eur. c. (exc. Angl.); Turc. s. or; It. s. et c.; Hisp. s.*
- a) ab. et v.? *Luctifica* Stgr. multo obscurior (plerumque minor), al. ant. nigrescente griseis, al. post. (etiam in ♂) sordide griseis. *Germ. etc. (ab.); Hung. m. (v.?).*
875. **Pityocampa** Schiff. S. V. p. 58; Esp. 29, 6. 7; Hb. 161; O. III, 283; God. IV, 12, 7. 8; Mill. Ann. S. Fr. 1886 p. 6, t. 1, f. 2 [ab]; Iud.-Nitsche II p. 916. *Helv. m.; Bith; Pont; Taur; Syr.*
- a) v. *Orana* Stgr. pallidior, al. ant. albido-griseis; ? *Maritima* HS. II p. 116. *Maur. oc.*
876. **Pinivora** Tr. X, 1. 194; Rtz. Forst. I p. 128, t. 8, f. 3 F ♂, t. 8 a 1., Stett. e. Z. 1840 p. 40; HS. 17-20; Iud.-Nitsche II p. 912 (praec. var. septir.?). *Germ. s. et c.;? Ross. c. oc; Suec. m. (olim).*
- a) ab. *Nigromaculata* Petersen Ins. Börse 1899 p. 245 (al. ant. fasciis latis, basali et marginali nigris). *Hisp. c. et m.*
877. **Herculeana** Rbr. Fn. And. t. 14, f. 5, 6, Cat. S. And. t. 4, f. 5, 6 p. 384; HS. 81, 82. *Hisp. c. et m.*
878. **Jordana** Stgr. Iris VII p. 269, t. 9, f. 10 ♂, 12 ♀ (genus *Thaumatocampa* Stgr.). *Pal.*

XI. Lymantriidae (Liparidae).

130. **Hypogymna** Hb. 1810 (Penthophera Germ. 1812).

879. **Morio** L. S. N. ed. XII, 828; Esp. 43, 6. 7; Hb. 37, 231-2; O. III, 127; God. IV, 26, 1. 2; Frr. 98, 1. *Germ. m. or; Austr; Hung; Balc. s.; It. c. Arm. or. s.*
- a) v. *Caucasica* Heyl. C. R. Soc. Belg. 1887 p. 88; Mém. Rom. V p. 201, t. 9, f. 4 (minor, ciliis alarum longioribus, calcare tibiar. ant. multo breviore).

131. **Orgyia** O. 1810.

880. **Aurolimbata** Gn. Ann. Soc. Fr. 1835 p. 635, t. 18, C. IV; Dup. III, 5, 4; HS. 93. *Pyr. or; Cat; Ili et Iss. K. (var.). Cast. (Sierra de Guadarrama). Tarb; Thian; Ferg. s.*
- a) v. *Guadarramensis* Stgr. Cat. ed. II p. 65 (minor, al. ant. obsolete flavo-limbatis, al. post. unicoloribus fuscis).
881. **Flavolimbata** Stgr. Stett. e. Z. 1881 p. 404; Alph. Hor. XVII p. 35, t. 1, f. 35 [ciliis nimis flavis]; Tristis Gr. Gr. Mém. Rom. IV p. 554, t. 20, f. 6 a, b (praec. forma Darw.?).
882. **Ochrolimbata** Stgr. Stett. e. Z. 1881 p. 405; *Aurolimbata* var? Rom. Mém. Rom. II p. 8; Christophi Alph. Mém. Rom. IX p. 202, t. 13, f. 1. *Arm. c. oc.*
883. **Panlacroixii** Obth. Et. I p. 41, t. 3, f. 5. *Maur.*
884. **Gonostigma** F. S. E. 585 (1775); Esp. 56, 6-10; Hb. 78, 253; O. III, 218; God. IV, 24, 3. 4; Barr. II t. 83, f. 1; *Approximans* Butl. Tr. E. S. 1881 p. 10. (Mnl!); *Sib*; *Amur*; *Uss*; *Cor*; *Jap.*

885. **Zimmermanni** Graes. Berl. e. Z. 1888 p. 122.
886. **Antiqua** L. S. N. ed. X, 503; Esp. 56, 1-5; Hb. 77, 235; O. III, 221; God. IV, 24, 1, 2; Barr. II t. 83, f. 2; v. Modesta Heyne Soc. Ent. XIV 98 [brunneo-grisescens]. ?*Lyc.* Sib; Amur; Uss; Am. s. Amdo; Chang.
- a) v. (ab.?) *Confinis* Gr. Gr. Hor. XXV p. 463 (obscarius brunnea, area bas. et media pallidioribus).
887. **Prisca** Stgr. Stett. e. Z. 1887 p. 95; Iris VIII 350; Gr. Gr. Mém. Rom. IV p. 556 (sequ. sp. [v. Siculae] forma Darw.?).
888. **Trigote phras** B. Ind. p. 46; B. Ic. 61, 3-5; Dup. III, 5, 1 a-c; Hb. 341-3; Frr. 224, 2; Ericae var. Lef. Mém. Soc. Lin. Paris 1826, t. 9, f. 4 (sequ. sp. forma Darw.?).
- a) v. *Anceps* Obth. Et. IX p. 37, t. 3, f. 5 (1884); *Trigote phras* Obth. l. c. VI p. 79 (sordide castanea [russea], al. ant. lineis transv. obsoletis sine mac. cost. cinereis, plerumque major).
- b) v. *Transiens* Stgr. praec. var. minor, saturatius castanea, macul. cost. cinereis (trans. ad var. sequ.).
- c) v. *Sicula* Stgr.; *Corsica* Stgr. Stett. e. Z. 1887 p. 95 (infra) et p. 96; al. ant. sordide castan., lineis obsc. subnullis, mac. cost. cinerea obsoleta, nonnunquam linea extrab. fascia que med. cinereis; al. post. plerumque laete castaneis (trans. ad. Org. Priscam?).
- d) v. *Corsica* B. Ic. 61, 6-8, II p. 142; HS. 96, 97; Ramburii Mab. Ann. Soc. Fr. 1866 p. 557, t. 6, f. 6; 1867 p. 636; Mill. Ic. 99, I (obscura ut *Trigote phras* macul. costal. ciner. subnullis; *Ericae* v. *Intermedia* valde similis).
- e) v. *Orientalis* Stgr. praec. v. similis sed multo obscurior, brunneo-nigricans.
889. **Ericae** Germ. Faun. I. E. Fasc. VIII t. 17, 18 (1818?); Tr. X, 1. 180; B. Ic. 62, 1, 2; Breyer Ann. S. Belg. VI p. 15, t. 1, f. 1, 2; *Antiquoides* Hb. 279-80 (1818?). Pers. s. oc.
- a) v. (et ab.) *Intermedia* Friv. Jell. 1866, t. 5, f. 1 (obscurior, transitus egreg. ad praec. spec. var. *Corsicam*).
890. **Rupestris** Rbr. Ann. Soc. Fr. 1832 p. 275, t. 8, f. 1-5; B. Ic. 61, 1, 2; Dup. III, 5, 2; HS. 94, 95.
891. **Dubia** Tauscher Mém. Soc. Mosc. 1806, t. 13, f. 3; Hb. 261; Frr. 297; Rbr. Cat. S. And. t. 2, f. 5 e; HS. 164 [ab.]; *Seleniaca* F. d. W. Ent. Imp. Ross. II p. 249, t. 10, f. 3 (1823?); v. *Interrupta* Gr. Gr. Mém. Rom. IV p. 555 [ab.? sec. unum ♂ deser.].
- a) v. (et ab.) *Judaea* Stgr. al. ant. area media latiore albido-flava; cum trans. ad *Dubiam*.
- b) v. *Splendida* Rbr. Fn. And. t. 15, f. 3-6; Cat. S. And. t. II, f. 4 a. b., p. 284; HS. 41; *Dubia* Dup. III, 5, 3 a. b.; Frr. 313, 3 (flavidior, plerumque major).
- c) v. *Turcica* Ld. z. b. V. 1852 p. 117; *Dubia* HS. 163 (praec. var. similis, sed al. ant. fasciis nigris tenuioribus).
- d) v. *Josephina* Aust. Natural. 1880 p. 212, 220; Obth. Et. VI p. 77, t. 2, f. 5; Mill. Ann. S. Lyon 1883 p. 171, t. 3, f. 12 (al. ant. multo magis nigris, fasciis subflavid. in maculis dissolutis).
132. **Dasorgyia** Stgr. 1881.
892. **Pumila** Stgr. Stett. e. Z. 1881 p. 405.
893. **Selenophora** Stgr. Stett. e. Z. 1887 p. 96; Gr. Gr. Mém. Rom. IV p. 556; *Pumila* Gr. Gr. l. c. t. 19, f. 4.
- Amur* oc.
Eur. (exc. *Balc.* et
And.); *Arm.*; *Pont.*
Sib.; *Amur*; *Uss*; *Am. s.*
Amdo; *Chang*.
- Ferg*; *Ulias*.
- Gal. m*; *Ib.*
- Maur.* oc. (*Marocco*,
Oran).
- Maur.* or.
- Sic.*
- Cors*; ? *Sic.* (sec. *Rbr.*)
- Taur.* or. m. (*Akbes*);
Ant; *Syr*; *Pal*.
Germ.s.oc; *Belg*; *Dan*;
Ross.c.cts.oc; *Arm*;
oc.(var); *Chang.(var)*.
Hung; *Pom.* (ab.).
- Cors.*
- Ross.* m. or.; *Saisan*;
Sib. or. (*Irkut* v.);
Arm. m. or.; *Tura*;
Kara Kum (v.?) ; *Illi*.
- Pal*; *Aegypt.*, *Maur.*
or. (ab.).
- And*; *Hisp. c*; *Sic*;
Maur. or.
- Pont*; *Arm*.
- Maur*; *Syr. s.* (*Haifa*)
trans.
- Tarb.* (*Saisan*).
Ferg. m; *Pamir*.

894. **Grumi** Stgr. magnitudine et colore praec. spec., sed antennis duplo longius bipectinatis (ut in spec. sequ.); al. ant. nigrescentibus, maculis tribus (2 in medio, 1 post-cellulam) fasciaque tenui exteriore luteo-albidis; al. post. supra totis nigris (sec. tres ♂ e larva descr; an sequ. spec. ab. stupenda?). *Kuku N.*
895. **Alpherakii** Gr. Gr. Hor. XXV p. 464 (1891). *Amdo; Kuku N.*
896. **Semenovi** Gr. Gr. Hor. XXV p. 464 (1891) (sec. unum ♂ descr.; an praec. ab.?). *Amdo.*
133. **Cifuna** Wlk. 1855.
897. ***Locuples** Wlk. List. V p. 1173 (1855); Hmps. Ind. Moths. p. 446.
a) v. *Confusa* Brem. Lep. O. S. p. 42, t. 4, f. 5; Stgr. Mém. Rom. VI p. 303; Locuples Butl. Ill. Het. II, t. 27, f. 6 (obseurior).
898. **Eurydice** Butl. Cist. Ent. III p. 118 (♂) (1885); Leech Tr. Ent. S. 1899 p. 123; Amata Stgr. Mém. Rom. III p. 206, t. 12, f. 2; VI p. 304; Graes. Berl. e. Z. 1888 p. 123. *Uss. m; Jap.*
899. **Jankowskii** Obth. Et. X p. 13, t. 1, f. 9 (1884); Graes. Berl. e. Z. 1888 p. 123; Stgr. Mém. Rom. VI p. 305. *Uss. m.*
134. **Dasychira** Stph. 1829.
900. **Selenitica** Esp. 82, 5 (1783), 88, 2; Hb. Btr. II, 3, 1 A; O. III, 216; God. IV, 24, 5, 6; Frr. 536; Lathyri Hb. 79, 80. *Germ. c.ets.or; Austr.; Hung; Hal; Ross.c. et s. oc.*
901. **Rossii** Curt. Deser. App. Narr. p. 70, t. A, f. 10 (♂); Möschl. Stett. e. Z. 1870 p. 252; Pack. Monthl. Mag. XIII p. 228; Auriv. Vega Exp. p. 78, t. 1, f. 2 (♀); Dyar Psyche VII p. 328 (larv.). *Labr; Am. pol.*
902. **Groenlandica** Wck. in II. Deutsch. Nordp. Fahrt. II p. 409 (1874); Auriv. Grön. p. 12; Dyar Psyche VIII p. 153 (larv.); Skinner Ent. News III p. 49, t. 2, f. 1-3. *Groenl.*
903. **Albodentata** Brem. Lep. O. S. p. 102, t. 8, f. 13; Olga Obth. Et. V p. 34, t. 2, f. 1, 2; Stgr. Mém. Rom. VI p. 305 [testibus Herz et Gr. Gr. certe = Albodentata Brem. sec. specim. typicum]. *Uss. m.; ?Daur.*
904. **Fascelina** L. S. N. ed. X, 503; Esp. 55, 1-5; O. III, 214; God. IV, 23, 1; HS. 88 ab. parva; Barr. II, t. 82. f. 1; Medicaginis Hb. 81.
a) ab. (v.) *Obscura* Zett. Ins. Lapp. p. 927; Boh. För. p. 130;
ab. Laricis Schille Soc. Ent. XIV p. 73 [trans.] (obseurior, fere unicolor). *Eur.c.ets; Bilb; Ped; Alt; Urga.*
905. **Nivalis** Stgr. (Fascelina v.) Stgr. Stett. e. Z. 1887 p. 97; Gr. Gr. Mém. Rom. IV p. 557; Stgr. Iris VIII p. 351; XII p. 337 (praece. forma Darw.?). *Ferg.m; Saraw; Iss. K.*
- a) v. *Obscurata* Stgr. Iris XII p. 337 (obseurior, al. ant. dense nigro-inspersis). *Thian. or; Ulias.*
906. **Fortunata** Rghfr. z. b. V. 1891 p. 566; Rbl. & Rghfr. Ann. Naturh. Hofm. IX p. 48, t. 1, f. 4 a-f; Holt-White p. 73, t. 4, f. 11. *Can.*
907. **Abietis** Schiff. S. V. p. 55; Esp. 82, 1; Hb. Btr. I, 3, 1 A; Hb. 82, 83; O. III, 212; God. IV, 23, 2, 3; B. Ic. 62, 3; Dup. III, 6, 2 a. b; Frr. B. 3; Frr. 8; HG. 318-4. *Germ. m., c. et s. or; Austr.-inf; Boh; Ross. c.ets.oc; Succ. m.*

908. **Pudibunda** L. S. N. ed. X, 503; Esp. 54, 1-7; O. III, 209; God. IV, 22, 2, 3; Juglandis Hb. 84, 85.
(1); It. s. et ?c; Turc. s. or; Ross. m.; ?Bith; Arm; Amur;
a) ab. *Concolor* Stgr. Cat. ed. I p. 29; Pudibunda var. HS.
155 (al. ant. *concoloribus griseis*). *Eur. c. et s. (exc. reg. pol.); Bilb; Arag.*
Uss; Jap; Chin. s. or.
Germ. s. (etc.).
909. **Modesta**¹⁾ Kirby Het. Cat. p. 483; Pudica Stgr. Mém. Rom. III p. 204; ib. IV p. 306 [nom. praeocc.]. *Amur; Uss; ?Cor.*
910. **Lunulata** Butl. Ann. & Mag. (4) XX p. 403 (1877); Ill. Het. II t. 24, f. 8; Leech Tr. Ent. S. 1899 p. 125; *Aeronycta* Obth. Et. V p. 35, t. 5, f. 7 (non 8); Stgr. Mém. Rom. VI p. 306; Solitaria Stgr. Mém. Rom. III p. 202, t. 12, f. 1. *Amur; Uss; Jap.*
911. **Virginea** Obth. Diag. p. 7; Et. V p. 33, t. 1, f. 9 (♀), t. 5, f. 5 (♂). *Uss.*

135. **Numenes** Wlk. 1855.

912. **Disparilis**²⁾ Stgr. Mém. Rom. III p. 200, t. 11, f. 2 a, b; Leech Pr. Z. S. 1888 p. 629. *Uss; ?Jap.*

136. **Euproctis** Hb. 1822 (Artaxa Wlk. 1855).

913. **Chrysorrhoea** L. S. N. ed. X, 502; Hb. 67, 248-9; O. III, 202; God. IV, 27, 3; Barr. II, t. 78, f. 2; *Aurifluva* Esp. 39, 3-6; ab. *Punctigera* Teich Nat. Ver. Riga XLII p. 87 [al. ant. nigro-punctatis]. *Eur. m. et c; Scand.*
m; Liv; Maur; As.
min; Arm; Saraw;
?Jap.
914. **Subflava** Brem. Lep. O. S. p. 41, t. 3, f. 19; Stgr. Mém. Rom. VI p. 310; *Flava* Brem. Bull. Ac. III p. 479; *Intensa* Butl. Ann. & Mag. (4) XX p. 402; Ill. Het. II, t. 23, f. 12. *Uss; Cor; Jap; Chin.*
s., c. et oc.
915. **Niphonis** Butl. Tr. Ent. S. 1881 p. 9 (♂); Leech Pr. Z. S. 1888 p. 624; *Squamosa* Butl. l. e. (♀); *Raddei* Stgr. Mém. Rom. III p. 207, t. 17, f. 3; ib. VI p. 311 [an *Niphonis* var.?]. *Amur; Uss; Cor; Jap;*
Chin. s.
916. **Piperita** (*Subflava* v.) Obth. Et. V p. 35 (1880); Stgr. Mém. Rom. VI p. 310; *Snelleni* Stgr. ib. III p. 207, t. 12, f. 3. *Uss. m. (s. 1); Jap;*
Chin. s., c. et oc.
917. **Susanna**³⁾ Stgr. Iris VII p. 258, t. 9, f. 9. *Pal; Arab.*
918. **Charmetanti** Vuillot Bull. S. Fr. 1890 p. 204; Nov. Lep. p. 66, t. 11, f. 2. *Maur. m.*

137. **Porthesia** Stph. 1828.

919. **Similis** Fuessl. Verz. 1775 p. 35 no. 662; Leech Tr. E. S. 1899 p. 140; *Aurifluva* F. Mant. 125 (1787); Hb. 68, 69; O. III, 205; God. IV, 27, 4; Barr. II, t. 78, f. 3; *Chrysorrhoea* Esp. 39, 1, 2, 7. *Amur; Cor; Jap; China c. et oc.*
a) ab. (et v.?) *Nyctea* Gr. Gr. Hor. XXV p. 464 (al. ant. *maculisi* [2] *fuscis*). *ubique ab; Amdo, Cor.*
et Jap. v.?
920. **Kargalika** Moore Ann. & Mag. (5) I p. 231 (1878); Yark. Miss. p. 7, t. 1, f. 18; Gr. Gr. Mém. Rom. IV p. 559; *Flavosulphurea* Gr. Gr. l. e. t. 20, f. 7 (larv.). *Ferg; Saraw; Ili;*
Iss. K; Tarb; Alt. oc.
921. **Melania** Stgr. Iris IV p. 255 (1891). *Mard; Kurd. oc; Pont.*

¹⁾ *Pseudabietis* Butl. Cist. Ent. III p. 118 sec. specim. e Jap. altera spec. affinis Stgr. esse videtur.

²⁾ *Albofascia* Leech Pr. Z. S. 1888 p. 629, t. 31, f. 8; Tr. E. S. 1899 p. 127 de Jap. et *Disparilis* v. *Separata* Leech Ent. XXIII p. 112 de Chin. oc. duae species diversae *Disparilis* Stgr. esse videntur.

³⁾ *Fasciata* Wlk. List. IV p. 809 de Afr. oc. sp. est affinis.

138. **Laelia** Stph. 1827.

922. **Coenosa** Hb. 218; HG. 323-5; Frr. 116; Tr. X. 1. 175; B. Ic. 62, 4.5; Dup. III, 6, 1 a b; Barr. II t. 81, f. 1; Sangaica Moore Ann. & Mag. (4) XX p. 92. *Germ.s; Angl; Hung; Bucov; Bulg; Gal.s; Cat; Amur; Uss; Cor; Jap; China s.*
 * a) v. *Candida* Leech Tr. E. S. 1899 p. 121 (δ albidus). *China c.*

139. **Arctornis** Germ. 1810 (Laria Schrk. nom. praeocc.).

923. **L. nigrum** Mueller Faun. Fr. p. 40 (1764); V. *nigrum* F. S. E. 577 (1775); Esp. 40, 1-6; O. III, 200; God. IV, 27, 1; Nivosa Hb. 71; Frr. B. 21. *Eur. c. (Angl. olim); Dan; Liv; Fen; Suec; Ross.m; It.s. et c; Arm; Uss; Jap; Cor.*
 924. **Alba** Brem. Lep. O. S. p. 41, t. 3, f. 18; Stgr. Mém. Rom. VI p. 308; Sinensis Moore Ann. & Mag. (4) XX p. 92 (1877). *Amur (Chab); Uss; Cor; Chin. c. et or.*

140. **Stilpnobia** Westw. & Humphr. 1841.

925. **Salicis** L. S. N. ed. X, 502; Esp. 41, 1-6; Hb. 70; O. III, 198; God. IV, 27, 2; Barr. II, t. 79, f. 1; ab. Sohesti Capronnier C. R. S. Belg. XXI p. 200 [grisescens]; v. *Nigripennata* Stgr. Iris XII p. 338 [antenn. nigricantioribus].
 a) v. *Candida* Stgr. Mém. Rom. VI p. 308 (al. densius squamatis, albidioribus, haud subdiaph.). *Eur.s. et c; Ib.c; Cors; It; Bale. s; Srp; Pont; Taur; Arm; Iss. K; Thian. or; Alt; Kent. Sib. or; Urga; Amur; Uss; Cor; Jap; China.*
 926. **Flavosulphurea** Ersch. Hor. VIII p. 316 (1872); Fedtsch. p. 35, t. 3, f. 34; Gr. Gr. Mém. Rom. IV p. 558.
 a) v. *Cretacea* Stgr. δ cretaceus vel cinereo-albidus, ♀ albida.
 927. **Ochropoda** Ev. Bull. M. 1847, III p. 76, t. 5, f. 1-3; Stgr. Mém. Rom. VI p. 309.
 928. **Sartus** Ersch. Fedtsch. p. 36, t. 2, f. 32 (1874). *Saraw; Ferg. s. oc; Iss. K; Ili.*

141. **Lymantria** Hb. 1822 (Psilura Stph.).

929. **Dispar** L. S. N. ed. X, 501; Esp. 38, 1-6; Hb. 75, 76, 263; O. III, 195; God. IV, 25, 1. 2; Stgr. Mém. Rom. VI p. 313; Barr. II, t. 79, f. 2; Iud.-Nitsche II p. 794, t. 5, f. 1; Leech Tr. E. S. 1899 p. 130; *Disparina* Muell. Fn. Sil. III, 1; Snell. Vlind. p. 175 ab; *Bordigalensis* Mab. Bull. S. Fr. 1876 p. 9; *Disparoides* Gasch. ib. Ann. p. 521 [φ nana].
 a) ab. *Erebus* Th. Mieg Natural. VIII p. 237 (1886); ab. *Semi-obscura* Th. Mieg l. c. [trans.] (fusco-nigricans). *Angl. s; Chin. s; etc.*
 930. * **Mathura** Moore Pr. Z. S. 1865 p. 806; Hmps. Ind. Moths. I p. 464 fig; Leech Tr. Ent. S. 1899 p. 128.
 a) v. *Aurora* Butl. Ann. & Mag. (4) XX p. 403; Ill. Het. II, t. 24, f. 5; Stgr. Mém. Rom. VI p. 312; v. *Fusca* Leech Pr. Z. S. 1888 p. 629, t. 31, f. 9 [δ ab. fusco-nigricans] (δ obscurior, al. infuscatus, ♀ minor, al. ant. magis fasciata). *Ind. Uss; Cor; Jap; China s. et oc.*
 931. **Monacha** L. S. N. ed. X, 501; Esp. 37, 1-6; Hb. 74; O. III, 192; God. IV, 25, 3. 4; Frr. 291, 2. 3; Barr. II, t. 80; Iud.-Nitsche II p. 803-868, t. 4, f. 1. *Eur. c. et s. (exc. reg. bor.); Cast; It.s; Grace; Arm; Uss; Jap.*
 a) ab. *Nigra* Frr. 98, 2 δ (3 ♀ trans.); *Transiens* Th. Mieg Natural. VIII p. 236; Barr. l. c f. 1 d-f (obscurior, trans. ad ab. *Eremitam*).
 b) ab. *Eremita* O. III, 194; ? Hb. 246 (alis corporeque fere totis nigricantibus).

932. **Atlantica** Rbr. Fn. And. t. 15, f. 7, Cat. S. And. t. 4, f. 4, p. 277; HS. II p. 137.
933. **Aboleta** Stgr. Iris VIII (1895) p. 295, t. 5, f. 6.
934. **Destituta** Stgr. Iris IV (1891) p. 256.
935. **Grisescens** (false Albescens) Stgr. Mém. Rom. III p. 209, t. 12, f. 4; ib. VI p. 313.
936. **Lapidicola** HS. 158-9, VI p. 52.
- v. *Urbicola* Stgr. Cat. ed. I p. 28; Hor. XIV p. 353; Iris IV p. 337; *Atlantica* HS. 144-6, VI p. 51; Ld. z. b.V. 1855 p. 199 (al. post. griseis, fascia media diluta).
 - v. (et ab.) *Phoenissa* Rghfr. z. b. V. 1891 Sitzb. p. 85; Stgr. Iris IV 337; ? ab. *Libanicola* Stgr. Iris XII p. 161 [al. ant. fere unicolor. linea exter. duplice] (al. post. unicoloribus griseis).
 - v. (ab.) *Mardina* Stgr. Iris IV 337 (al. post. obscuriorib., fere unicolor., subt. fasciis med. duabus obscuris, praesertim in ♂ [cum fascia ext.] conspicuis).
937. **Komarovi** Chr. Hor. XVII p. 109 (1882); Mém. Rom. II t. 1, f. 2 (al. ant. fasciis tenuib. 3 nigricantibus).

142. **Ocneria** Hb. 1822.

938. **Detrita** Esp. 44, 6 (1785); Hb. 58, 59; O. III, 188; God. IV, 26, 3. 4; Frr. 332, 3. 4. *Bulg.; Srp.; Gal. m. or. mont.*
939. **Terebynthi** (r. *Terebinthi*) Frr. III p. 110, t. 272, f. 1, t. 419, f. 1; HS. 37-40 (praec. sp. forma Darw. an var.; trans. in Tauro; larva non diversa).
- ab. (et v.?) *Unicolor* Stgr. Iris VII p. 260 (al. ant. fere unicolor., sine lineis transv.).
940. **Terebynthina** Stgr. Iris VII p. 259.
941. **Raddei** Chr. Mém. Rom. II p. 10, t. 1, f. 3, 4.
- v. *Vestalina* Stgr. Iris VII p. 260 (al. fere unicol. cretaceis, non punctatis).
942. **Flavipalpata** Stgr. Iris VIII (1895) p. 296, t. 5, f. 5.
943. **Signatoria** Chr. Iris VI p. 88 (1893); Alph. Mém. Rom. IX p. 203, t. 8, f. 5.
- v. *Poenitens* Stgr. Iris XII p. 162 (minor, dilutius grisescens, obsoletius signata).
944. **Rubea** (S.V.) F. Mant. 117; Hb. Btr. II, 2, 3; Esp. 89, 3; Hb. 60, 61, 240; O. III, 190; God. IV, 26, 5. 6; Frr. 152; HS. 89; Mill. Ic. 78, II.
945. **Ledereri** Mill. Ic. 97, 1. 2, II p. 451 (huj. gen.?).
946. **Samarita** Stgr. Iris VIII (1895) p. 294, t. 5, f. 4 (huj. gen.?).
947. **Amabilis** Chr. Mém. Rom. III p. 60, t. 3, f. 8 (huj. gen.?).

143. **Ocnerogyia** Stgr. 1891.

948. **Amanda** Stgr. Iris IV (1891) p. 254.

Mardin.

144. **Albarracina** Stgr. 1883.

949. **Korbi** Stgr. Stett. e. Z. 1883 p. 179.
- v. ? *Syriaca* Stndf. Iris II p. 166 (al. ant. angustioribus, margine exter. minus arcuato, striga obscura in apice exente, etc; sp. div. Stgr. esse videtur).
950. **Baui** Stndf. Iris II p. 266 (1889).

Arag.

Syr. (Jaffa).

Syr. (Jerusalem).

XII. Lasiocampidae.

145. Chondrostega Ld. 1858.

951. **Vandalicia** Mill. Ic. II p. 93, t. 62, f. 6, 7 (sec. larvam descripta); Stgr. Iris VII p. 261, t. 9, f. 5 ♂, 6 ♀ (genus *Eustaudingeria* Dyar).
952. **Pastrana** Ld. Wien. Mts. 1858 p. 144, t. 2, f. 6, 7; Stgr. Hor. XIV p. 355.
- a) v. *Hyrcana* Stgr. Cat. ed. II p. 67; *Pastrana* Chr. Mém. Rom. I, t. 7, f. 5 [larv.] (♂ alis omnibus obscure griseis).
 - b) v. *Palaestrana* Stgr. Iris IV p. 258 (minor, obscure murina, subt. unicolor).
953. **Subfasciata** Klug. Symb. Phys. t. 20, f. 4; Auriv. Iris VII p. 136.
954. **Fasciana** Stgr. Iris IV p. 258 (1891).
955. **Constantina** Auriv. Iris VII p. 137 (sec. larvam descripta); Obth. Bull. S. Fr. 1898 p. 230 ♂ ♀.

*Cast.**Pont; Syr. Cypr; Pal. (ab.).**Hyrc; Tura.**Pal.**Aegypt.**Pal.**Maur. (Constantine).*

146. Malacosoma (Hb. 1822) Auriv. (Clisiocampa Curt.).

956. **Neustria** L. S. N. ed. X, 500; Esp. 27, 1-7; Hb. 179, 180; O. III, 296; God. IV, 13, 3. 4; Stgr. Mém. Rom. VI, 314; Barr. III, t. 88.
- a) v. *Parallela* Stgr. Stett. e. Z. 1887 p. 98 (al. ant. lineis mediis parallelis).
957. **Castrensis** L. S. N. ed. X, 500; Esp. 28, 1-7; Hb. 177-8; O. III, 294; God. IV, 13, 5. 6; Frr. 50; Barr. III t. 89.
- a) ab. *Taraxacoides* Bell. Ann. Soc. Fr. 1851 p. 102, t. 4, f. 1 (al. concolorib. stramineis).
 - b) v. *Veneta* Stndf. Stett. e. Z. 1884 p. 193 (major, ♂ al. ant. fascia med. exterioreque brunneis).
 - c) ab. *Hilleri* Stndf. l. c. 194 (praec. v. ab. unicolor brunnea).
 - d) v. (et ab.) *Kirghisica* Stgr. Stett. e. Z. 1879 p. 318 (multo pallidior). *K; Ferg; Hyrc; Kurd. oc; Taur. m. or; Bith. etc. (ab.).*
958. **Franconica** Esp. 26, 1. 2 (1784) III p. 139; Bkh. III, 112; Hb. 175-6; O. III, 292; God. IV, 13, 7-8; ? Mill. Ic. III t. 134, f. 5 (larv.); *Doryenii* Mill. Ic. I p. 357, t. 43; ?*Intermedia* Mill. Cat. rais. p. 58 not.
- a) v. *Lutea* Obth. Et. XIII p. 29, t. 6, f. 35, 36; *Luteus* Obth. Et. III p. 44; VI p. 75. t. 1, f. 2 (♀ unicolor ochracea vel lutea, ♂ plerumque dilutior).
959. **Alpicola** Stgr. Hor. 1870 p. 117; *Franconica* Mill. Ic. I p. 363, t. 44, f. 1-6; ib. III p. 282, t. 134, f. 3, 4 (praec. forma Darw.?).
- a) ab. (v.?) *Othello* Blachier Ann. S. Fr. 1889 p. 256, t. 4, f. 6 (♂ unicolor fuscus).
 - b) v. *Prima* Stgr. Stett. e. Z. 1887 p. 97 (♂ al. ant. fascia exter. latiore, distinctius flava).

*Eur. (exc. reg. pol. et ?Graec.); As. oc; Sib; Amur; Cor; Jap; Chin. As. c; Tura; Hyrc.**Eur. (exc. reg. pol. And. et ?Graec.); As. oc. et c; Daur; Urga (trans.). Gal (etc.?).**Venetia.**Kirg; Saisan; Ili; Iss. m. or; Bith. etc. (ab.).**Eur. m; Gal. s. oc; Germ. c. oc. et s; As. min; Arm.**Maur.**Sum. Alp.**Ferg; Iss. K; Ili.*

147. Trichiura Stph. 1828.

960. **Crataegi** L. S. N. ed. X, 502; Esp. 45, 1-6; Hb. 162; O. III, 278; God. IV, 12, 3. 4; Frr. 500; Leeuwen Tijds. XXIII p. 195, t. 12 (larv. var.); Barr. III t. 87, f. 2; Kirb. Het. Cat. 837.
- a) v. *Ariae* Hb. 288-9; Frr. 488; *Arbusculae* Pfaffenz. Stett. e. Z. 1860 p. 126; Frr. 590, 2., VI p. 179 (major, obscurior).

*Eur. (exc. reg. pol. Sic. et Graec.); Arm; Pont; Lyd.**Alp; Sil. mont; Scand; Fen.*

961. **Ilicis** Rbr. Cat. S. And. 1858, t. 5, f. 4, t. 14, f. 1, p. 362;
Mill. Ic. 56, 5-8; II p. 49; Ib. III p. 281, t. 134, f. 2
[larv.] (gen. Achnocampa Rbr.).

And; Cat.

148. **Poecilocampa** Stph. 1828.

962. **Populi** L. S. N. ed. X, 502; Esp. 25, 1-8; Hb. 163; O. III,
276; God. IV, 10, 4; Frr. 477; HS. 87, 151 ab; Barr.
III, t. 87, f. 1.
- a) v. altic. *Alpina* Frey Lep. 95; Mitth. VII p. 18 (major, al.
ant. extus grisescentibus).
- b) v. *Canensis* Mill. Cat. rais. p. 393; Ann. S. Fr. 1877 p. 5,
t. 1, f. 9, 10; Bellier l. c. 367; Obth. ib. Bull. 1878 p. 81;
Calberlae Ragusa Nat. Sic. VIII p. 223, t. 3, f. 1, 2
(1889) (al. distinctius, in al. ant. extus duplum [bipartito]
albo-fasciatiss.).

Eur. c. et s; It.s; Cat.
(v.?) ; Amur(v. obsc.).

Helv. Alp.

Gal. m; Sic.

149. **Eriogaster** Germ. 1810.

963. **Rimicola** Hb. Text p. 142; Z. Stett. e. Z. 1847 p. 336;
Catax Esp. 16, 1-5; Hb. 168; O. III, 285; God. IV, 11,
5; B. Ic. 65, 3. 4; Frr. 602.
- a) v. *Inspersa* Stgr. Hor. XIV p. 356 (minor, obscurior, al.
ant. densius flavescens conspersis).
964. **Catax** L. S. N. ed. X, Append. p. 822 (certo); Hb. Text
p. 141; Z. Stett. e. Z. 1847 p. 334; Everia Knoch Btr.
I, t. 1, f. 2 (1781); Hb. 166-7; O. III, 287; God. IV, 11,
3. 4; Frr. 597; Lentipes Esp. 16, 6-9 (1783).
965. **Lanestris** L. S. N. ed. X, 499; Esp. 27, 2-8; Hb. 169, 170;
O. III, 289; God. IV, 11, 1. 2. *Turc. s. or;*
- a) v. altic. *Arbusculae* Frr. 590, f. 2; Bischof XII Ber. Naturh.
Ver. Augsburg p. 87, t. 1; Frr. Stett. e. Z. 1860 p. 93,
414; Mill. Ic. 134, f. 6, 7, III p. 283; Rühl Soc. Ent.
VII p. 182 (al. linea alba diversa, latioire magis dentata;
larva valde diversa).
- b) v. et ab. *Senecta* Graes. Berl. e. Z. 1888 p. 126; Stgr. Mém.
Rom. VI p. 314; ?*Aavasksae* Teich Stett. e. Z. 1881
p. 188 [larv. var.] (al. ant. fere omnino [in ♂] griseo-
inspersis).

Germ; Austr; Hung;
Helv; Gal. c. et s;
Dalm; ?Suec. c.

Cil. (Mersin); ?Lyd.

Germ; Helv; Austr.-
Hung; Gal. c.; It.s. et
c; ?Cat.Eur. c. et s; It. s. et c;
Ross. m; Uss. (pr. p.).
Sum. Alp.Sib. or; Amur; Uss.,
Ural., Hung., Fen.
etc. (ab.).

Hyrc; Tura (v.).

Ross. m. or. (Nariin); Tura.

Ross.m.or; Arm; Alt;
Saisan.

Iss. K. oc.

150. **Lasiocampa** Schrk. 1802.

970. **Quercus** L. S. N. ed. X, 498; Esp. 14, 1, 2 var; Hb. 172,
225; O. III, 266; God. IV, 9, 1. 2; HG. 349 [ab.]; Frr.
146, 1 [ab.]; 642, f. 5 [ab.]; Barr. III t. 91 [et ab.]; v.
Fenestratus Gerh. Berl. e. Z. 1882 p. 128 [ab. al. extus
subdiaphanis].
- a) v. (et ab.) *Callunaee* Palmer Zool. 1847 p. 1656; Gn. Ann.
Soc. Fr. 1858 p. 442, t. 10, f. 3; Barr. III t. 92; ?*Quercus*
HG. 350 [ab.] (♀ obscurior, larva div., forma transiens).
- b) v. *Alpina* Frey Lep. 97 (♂ et ♀ obscuriores, forma trans.).

Eur. (exc. Graec. ?);
As. min; Arm; Sib.Scot; Suec; Germ. s.
etc. (ab.).

Alp.

- c) v. (et ab.) ♂ *Roboris* Schrk. Fn. Boica p. 275 (1801); *Quercus* Esp. 13, 2. 3; Hb. 270 ab; *Guillemotii* Trémoulet Cat. Lép. Gironde p. 27 (1858); *Burdigalensis* Gerh. Berl. e. Z. 1882 p. 127 [trans.] (♂ al. ant. fascia lata flava, al. post. margine late flavo).
- d) ab. (v.?) *Tenuata* Fuchs Stett. e. Z. 1880 p. 122; ?v. *Dalmatica* Gerh. Berl. e. Z. 1882 p. 128 [an = v. *Spartii*?] (al. omnibus anguste flavo-fasciatis).
- e) v. (et ab?) *Catalaunica* Stgr. Cat. ed. II p. 69 (♂ obscurissimus, al. ant. fascia angustissima flava, al. post. unicolorib. [fascia subnulla]; ♀ maris colore; cum trans.).
- f) v. (et ab.) *Spartii* Hb. 173 ♂ (ante 1804), 224 ♀, Text p. 143; Dup. III, 8, 1 a. b; *Viburni* Gn. Ann. Soc. Fr. 1868 p. 405; *Scopariae* Mill. in l.? (obscurior, al. omnibus fascia angusta flava).
- g) v. *Sicula* Stgr. Cat. ed. I p. 30; *Spartii* Fr. 26, I p. 177 (Oct. 1831); Tr. X, 1, 191 (exc. cit. Hb.); B. Ic. 66, 1. 2 (al. ant. anguste flavo-fasciatis, al. post margine late flavo, saepius brunnescente).
971. **Grandis** Rghfr. z. b. V. 1891 Sitzb. p. 86; Stgr. Iris IV p. 348; Salomonis Stgr. Iris IV p. 259.
- a) ab. *Sapiens* Stgr. l. c. 260 (al. ant. lutescentibus).
972. **Serrula** Gn. Ann. S. Fr. 1858 p. 454, t. 10, f. 2; Obth. Et. VI p. 73, t. 3, f. 6; Aust. Natural. 1883 p. 206.
- a) v. *Maroccana* Stgr. Iris VII p. 263 (dilute brunnea, obsolete signata).
- b) v. *Undulata* Stgr. l. c. (al. ant. lutescent., margine undulata).
- c) v. *Palaestinensis* Stgr. l. c. (minor, al. ant. flavo-griseis linea externa tenuiore).
973. **Decolorata** Klug Symb. Phys. t. 20, f. 1.
974. **Datini** Mab. Bull. S. Fr. 1888 p. 42; Obth. Et. XIII p. 29, t. 6, f. 31, 32 (1890).
975. **Davidis** Stgr. Iris VII (1894) p. 265.
976. **Trifolii** (S.V.) Esp. 15, 1 ♂ (1783); Hb. 171; O. III, 262; God. IV, 9, 5; B. Ic. 65, 2; Dup. III, 7, 1 a; Frr. 434; HS. 86 [transitus ad v. sequ.]; Gn. Ann. S. Fr. 1850 p. 450.
- a) ab. *Iberica* Gn. Ann. Soc. Fr. 1858 p. 453, t. 10, f. 1; *Trifolii* Dup. III, 7, 1 b; var. Rbr. Cat. S. And. t. 5, f. 2 (al. omnibus brunneis, non fasciatis).
- b) ab. (et v.) *Medicaginis* Bkh. Rhein. Mag. I p. 363 (1793); O. III, 264; Curt. Br. E. IV 181; *Trifolii* Panz. Fn. Ins. XIX t. 23; God. IV, 9, 3. 4; Barr. III t. 90 [et ab.] (al. plus minusve flavidoo-irroratis).
- c) v. *Ratamae* (r. *Retamae*) HS. 152-3, VI p. 51; *Trifolii* Hb. 264; var. *Retamae* Rbr. Cat. S. And. 1858, t. 5, f. 1, p. 357 (al. ant. flavidis, brunneo-fasciatis; al. post. brunneis, saepius plus minusve flavo-fasciatis).
- d) v. (et ab.) *Cocles* HG. 332-5; Frr. 44; B. Ic. 66, 3. 4; Dup. III, 7, 2; v. *Mauritanica* Stgr. Iris IV, 262 [minor, dilutior] (major, al. crassius flavidoo-irroratis; v. transiens).
- e) v. *Maeulosa* Rghfr. z. b. V. 1891 Sitzb. p. 86; Stgr. Iris IV, 348; *Bathseba* Stgr. l. c. 260 (minor, inconstans, trans. ad. var. *Coelem*).
- f) v. (?) (ab.?) *Terreni* HS. 120-1 ♂, VI p. 51, ?fig. 122-3 ♀; Stgr. Iris IV p. 261 (al. omnibus, brunneo-fasciatis, in var. Pal. plus minusve brunnescensibus; an sp. div.?).
- Gal. m. oc; Lus. s.
(var.); It. (trans.);
Germ.m., Teriol. etc.
(ab.).
- Germ.s. (pr.p.); Scot.
(ab.); ?Dalm.
- Cat; It. c. (ab.).
- Gal. m. or; It. s. oc;
Cast; Teriol. m. et
?Germ. m. (ab.).
- Sic.
- Syr; Pal.
- Maur.
- Maur. oc.
- Maur. m. or.
Pal.
- Aegypt; Pal.
- Tun.
- Pal.
- Eur. c. et m. (var.);
Angl; Suec. m.; Liv.
(As. min. pr. p.).
And; etc.
- Eur. c. et m. etc; As.
min; Arm; Tura.
- And. (Gades).
- Sic; Maur; It. c. etc.
(trans.).
- Syr; Pal.
- ?Turc. m; As. min;
Syr; Pal.

977. **Josua** Stgr. Iris VIII p. 296, t. 5, f. 8.
 978. **Eversmanni** Ev. Bull. M. 1843, III p. 542, t. 10, f. 2 a-c; Frr. 428, 3. 4 (April 1844), 476; HS. 73, 74, 165; Gn. Ann. Soc. Frr. 1858 p. 456; Chr. Stett. e. Z. 1867 p. 240; Mill. Ic. 118, f. 9, 10.
 979. **Nana** Stgr. Stett. e. Z. 1887 p. 99; Herzi Chr. Hor. XXII p. 309.
 980. **Concolor** Chr. Iris VI p. 88 (1893) (praec. v. aestiva? al. non fasciatis; larva diversa).
 981. **Staudingeri** Baker Monthl. Mag. XXI p. 242 (1885); Obth. Et. XII p. 29, t. 5, f. 16; XIII p. 28, t. 6, f. 37 (♀) (genus Lambessa Stgr. i. l.).

Pal.
Ross. m. or; Arm;
Pont. or; Taur. m.
oc; Ant. s; Ferg. s;
Iss. K. s. oc.
Hyrc. (Schahrud,
mense Majo); Ferg. m.
Hyrc. (Schahrud,
mense Aug.).
Maur. (Lambessa).

151. **Macrothylacia** Rbr. 1866.

982. **Rubi** L. S. N. ed. X, 498; Esp. 9, 1-6; Hb. 174; O. III, 270; God. IV, 13, 1. 2; Mill. Ic. 94, f. 7 [ab.]; Spr. Stett. e. Z. 1888 p. 206 [ab.]; Barr. III t. 93.

Eur. (exc. Sic. et
Graec.); Alt; Amur
s. oc.

152. **Metanastria** Hb. 1822 (Amuria Auriv. 1894 nom. praecocc.).

983. **Subpurpurea** Butl. Tr. Ent. S. 1881 p. 18 (teste Hmps. = Dieckmanni); Dieckmanni Graes. Berl. e. Z. 1888 p. 128; Stgr. Mém. Rom. VI p. 321, t. 4, f. 5; Rubra Hmps. Ind. Moths. IV p. 486.

Amur; Uss; Jap.

153. **Diplura** Rbr. 1866.

984. **Loti** O. III, 291 (1810); Hb. 256-7 (post. 1810); Rbr. Fn. And. 15, 1. 2; Dup. III, 8, 2 a. b; Frr. 569, 1; Rbr. Cat. S. And. p. 352.
 a) v. *Algeriensis* Baker Monthl. Mag. XXI p. 242 (1885); ib. XXIII p. 254; Brunnea Obth. Et. XIII p. 29, t. 6, f. 39 (♂ al. ant. linea alba magis dentata, ♀ alis brunneis).

Ib; Gal. m. oc. (Mill.).

Maur. or.

154. **Nadiasa** Wlk. 1855.

985. **Undata** Klug Symb. Phys. t. 20, f. 3.
 986. **Obsoleta** Klug Symb. Phys. t. 20, f. 8 a-f (praec. forma minor?).

Aegypt; ?Pal. (Jaffa).
Aegypt.

155. **Chilena** Wlk. 1855.

987. **Obliquata** Klug. Symb. Phys. t. 20, f. 2; Stgr. Iris VII, p. 269.
 988. **Sordida** Ersch. Fedtsch. p. 36, t. 2, f. 33, t. 6, f. 95; Chr. Hor. XII p. 206; Stgr. Iris VII p. 269; Rbl. z. b.V. 1897 p. 347.
 989. **Proxima** Stgr. Iris VII p. 268, t. 9, f. 7, 8.

Aegypt.
Saraw; Tura; Maur.

Mardin.

156. **Cosmotriche** Hb. 1822.

990. **Potatoria** L. S. N. ed. XII, 813; Esp. 11, 1-5; Hb. 182-3; O. III, 256; God. IV, 8, 3. 4; Mill. Ic. 94, f. 8 [ab.]; Barr. III t. 94; v. *Berolinensis* Heyne Soc. Ent. XIV p. 3 [dilute flavescens].
 a) v. *Askoldensis* Obth. Et. V p. 28; Stgr. Mém. Rom. VI p. 316 (major, obscurior).

Eur.c; Scand.m; Ross.
(exc. reg. bor.); Bilb;
It.s. et c; Alt; Amur;
Jap.
Uss. m.

991. **Albomaculata** Brem. Lep. O. S. p. 42, t. 3, f. 20 ♀, t. 4, f. 6 ♂; Stgr. Mém. Rom. VI p. 317; Leech Tr. Ent. S. 1899 p. 113 (praec. valde similis, sed. sp. div.).
992. ***Laeta** Wlk. List. VI p. 1416 (1855); Graes. Berl. e. Z. 1888 p. 127 (lary.); Stgr. Mém. Rom. VI p. 315, t. 5, f. 1 ♂; Hmps. Ind. Moths. I p. 425 fig.
- a) v. ? *Sulphurea* Auriv. Iris VII p. 164; Laeta var. β Wlk. l. c. (al. ant. rufescens., extus violascent., macula magna basali sulphurea; an sp. diversa?).

157. **Selenephera** Rbr. 1866.

993. **Lunigera** Esp. 22, 6 (1784), 91, 2-6; Frr. 69; **Lobulina** Frr. B. 26 (forma grisea). *Germ. c. et m.; Morav.; Rum.; Suec. c. et s.; Lap.; Ross. c. et s.*
- a) ab. **Lobulina** Esp. 82, 3, 4 (1789); Hb. Btr. II, 1, 2 L (1790); Hb. 181; O. III, 258; God. IV, 12, 1, 2; Frr. 68; **Lunigera** Esp. 22, 5 (forma nigricans).

158. **Epicnaptera** Rbr. 1866.

994. **Ilicifolia** L. F. S. 293; O. III, 240; God. IV, 5-7; Barr. III, t. 96, f. 1; **Betulifolia** Esp. 7, 2-6; Hb. 190.
- a) v. (et ab.) *Japonica* Leech Pr. Z. S. 1888 p. 628 (pallidior, rufescens-brunnea, distinctius signata).
- b) v. *Sinina* Gr. Gr. Hor. XXV p. 465 (1891) (pallidior, rosaceo-fulvescens; a praec. var. vix distincta).
995. **Tremulifolia** Hb. Text. p. 148; Snell. Vlind. I p. 120; **Betulifolia** O. III, 242; God. IV, 7, 4; Frr. 15; **Ilicifolia** Esp. 8, 1-5; Hb. 191-2.
- a) v. et ab. *Ambigua* Stgr. multo pallidior, al. griseo-luteis vel griseo- et luteo-mixtis, plerumque minus signatis (trans. ad praec. sp.?).
996. ? **Glasunowi** Gr. Gr. Hor. XIX p. 293 (1895) (praec. sp. v. an ab.? sec. unum ♂ deser.).
997. **Suberifolia** Dup. IV, 57, 3 p. 79 (1842); Frr. 505, 3; HS. 128-30; Rbr. Cat. S. And. t. 5, f. 3 (1858) p. 346 (1866); Mill. Ic. t. 32, 1-5, I p. 273 (sp. varia, al. griseis, rufis vel griseis et rufis).

159. **Gastropacha** O. 1810.

998. **Quercifolia** L. S. N. ed. X, 497; Esp. 6 A. 1, 2, 6, 3-7; Hb. 187-8; O. III, 247; God. IV, 7, 1, 2; Barr. III t. 95.
- a) ab. *Alnifolia* O. III, 250 (obscurior).
- b) gen. aest. *Hoegei* Heuäcker Stett. e. Z. 1873 p. 244 (duplo minor).
- c) v. (et ab.) *Ulmifolia* Heuäcker Stett. e. Z. 1873 p. 244; *Dalmatinia* Gerh. Berl. e. Z. 1882 p. 128 (multo pallidior, flavescens). *etc. (ab.); Saisan, Sib. or. etc. (trans.).*
- d) v. *Salicifolia* Stgr. Iris V p. 352 (minor, dilutior, griseo-brunnea vel ochracea).
- e) v. *Cerridifolia* Feld. Wr. Mts. 1862 p. 35 (al. strigis obsoletioribus, al. post. marginie anter. late ochraceo-maculata).
999. **Populifolia** Esp. 6 A. 3, 4 (1781), 7, 1; Hb. 189; O. III, 245; God. IV, 7, 3. ? *Gal. oc.*; *Liv.*; *It. s.*; *Daur.*; *Amur.*; *Uss.*; *Cor.*; *Chin. s.*; *Jap.*
- a) gen. aest. *Obscura* Heuäcker Stett. e. Z. 1873 p. 244 (minor, obscurior).

Amur; Uss; Cor; Jap.

Ind; Sumatra; Java; Borneo.

Uss; Cor; Jap; China s. et c; Ind.

Eur. c. (exc. Bat.); Scand; Fen; It. s.; Arm; Alt; Amur s. Jap; Uss; Amurpr. p.

Amdo.

Eur. c. (exc. Angl.); It. s; Ross. c. et m.; Arm; Taur.

Iss. K. s. oc. (var.); Illy et Srp. (cum trans.); Hung. etc. (ab.).

Pers. s.

Gal. m; Hisp; Maur.

Eur. (exc. reg. bor., And. et Graec.) cum v; Bith; Arm; Alt; Amur etc. (v.).

Sic; Cast; Dalm; Iss. K; Amdo; Teriol m. Daur; Urga (trans.).

Jap; Cor; Chin. s. et Uss. (cum trans.).

Eur. c. (exc. Angl. et Uss; Cor; Chin. s; Jap.

160. **Odonestis** Germ. 1812.

1000. **Pruni** L. S. N. ed. X, 498; Esp. 10, 1-4; Hb. 186; O. III, 254; God. IV, 8, 1; Fr. 338. *Eur. c. (exc. Angl.); Gal. m; Cat; It. s. et c.; Eur. m. or. (exc. Graec.); Bith; Uss; Jap.*
 a) gen. aest. *Prunoides* Stgr. Cat. ed. II p. 69 (pallidior, duplo [ter] minor). *Cat; ? etc.*

161. **Dendrolimus** Germ. 1812.

1001. **Pini** L. S. N. ed. X, 498; Esp. 12, 1-6., 13, 1 ab; Hb. 184-5; O. III, 251; God. IV, 8, 2; Fr. B. 140; HS. 25 ab; Leech Tr. E. S. 1899 p. 109. *Alt; Urga; Amur et Uss. (v.); Jap. et China (ab.).*
 a) v. *Montana* Stgr. Cat. ed. II p. 70; Frey Lep. p. 99 (alis ant. magis variegatis, crassiusque squamatis). *Alp.*
 b) v. (et ab.) *Segregata* Butl. Ann. & Mag. (4) XX p. 482 (1877); Ill. Het. II p. 20, t. 26, f. 6, 7; Stgr. Mém. Rom. VI p. 318 (praec. v. similis, magis albo-variegata, al. ant. strigis dentatis albis). *Amur; Uss; Jap; Chin.s; Amur et Uss. (ab.?).*
1002. ***Undans** Wlk. List. VI p. 1458 (1855); Hmps. Ind. Moths. I p. 410. *Ind.*
 a) v. *Fasciatella* Mén. Bull. Petr. XVII p. 218 (1858); Schr. p. 55, t. 4, f. 8; Brem. Lep. O. S. p. 43; Fixs. Mém. Rom. III p. 344 ♀; Stgr. ib. VI p. 320; *Unicolor* Obth. Et. V p. 38 (minor; obscurior [griseo-brunnea] al. ant. diverse fasciatis; an sp. div.?). *Amur; Uss; Cor.*
 b) ab. *Excelsa* Stgr.; *Fasciatella* Fixs. l. c. ♂; *Excellens* Stgr. l. c. 320 (♂ al. saturatus brunneis, al. ant. fascia lata ochracea). *Jap.*
 * c) v. et ab. *Excellens* Butl. Ann. & Mag. (4) XX p. 481; Ill. Het. II p. 19. t. 26, f. 4, 5 (al. ant. in ♂ ochraceo- in ♀ testaceo-flavis, obscurius fasciatis). *Syr; Pal.*
1003. **Bufo** Ld. Wien. Mts. 1861 p. 153, t. 2, f. 1 (figura false colorata; spec. typ. est murina vel cinerea).
 a) ab. *Obscura* Stgr. ab. frequens, multo obscurior, fumata vel nigrante-grisea.

162. **Pachypasa** Wlk. 1855.

1004. **Otus** Drury Ins. I, t. 16, f. 3 (1770); B. Ic. 65, 1 II, p. 163; *Dryophaga* HG. 306-7 (1830?); Tr. X, 1. 185; HS. 23. 24.
 1005. **Limosa** Vill. Ann. Soc. Lin. Paris 1826 p. 478, t. 9, f. 2 e-g; *Lineosa* Fr. B. 134; HG. 328-31; Tr. X, 1. 186; B. Ic. 64, 1. 2; Dup. III, 9, 1 a. b; Fr. 236. *Cal; Sic; Dalm; Balc. m; As. min; Pal; Arm. Gal. m; Cat; Maur.*

163. **Paralebeda** Auriv. 1894.

1006. ***Plagifera** Wlk. List. VI p. 1459 (1855); Butl. Ill. Het. V p. 73, t. 99, f. 5; Hmps. Ind. Moths. I p. 427; ? *Crinodes* Feld. Nov., t. 84, f. 3.
 a) v. *Femorata* Mén. Bull. Ac. Petr. XVII p. 218 (1858); Schrk. p. 53, t. 4, f. 7; Graes. Berl. e. Z. 1888 p. 131; Stgr. Mém. Rom. VI p. 322 (al. ant. fascia obscure brunnea extus non effluente, al. post. bifasciatis). *Uss.*

164. **Taragama** Moore 1859 (*Megasoma* Feisth. nom. praeocc.).

1007. **Repanda** Hb. 274-5; Feisth. Ann. S. Fr. 1832 p. 340, t. 13; (-um) B. Ic. II p. 168, t. 64, f. 3, 4; HG. 346; Dup. III, t. 9, f. 2 a, b; Tr. X. 1. 195; Fr. 146, f. 2; 313 f. 2; Rbr. Cat. And. p. 343. *And. m; Maur.*

1008. **Alpherakyi** Chr. Mém. Rom. II p.202, t. 13, f. 3 (sec. ♂ descr.). *Hyrc.*
 1009. **Primigenum** Stgr. Stett. e. Z. 1887 p.100; Gr. Gr. Mém. Rom. IV p.563 (sec. ♀ unicam descr., an praec. sp. ♀?). *Ferg.*
 1010. **Stupidum** Stgr. Mém. Rom. III p. 210. t. 12, f. 5. *Uss.*
 1011. **Acaciae** Klug Symb. Phys. t. 6; Feisth. Ann. S. Fr. 1832 p. 347; Wlk. List. VI p. 1447. *Aegypt.*

165. **Pyrosis** Obth. 1881 (Bhima Moore 1888).

1012. **Eximia** Obth. Et. V p. 36, t. 6, f. 4, 5; Stgr. Mém. Rom. VI p. 324. *Amur; Uss.*
 1013. **Idiota** Graes. Berl. e. Z. 1888 p. 131; Stgr. Mém. Rom. VI p. 324, t. 4, f. 6 a, b. *Amur; Uss.*
-

XIII. Endromididae.

166. **Endromis** O. 1810.

1014. **Versicolora** L. S. N. ed. X, 499; Esp. 23, 1-5; Hb. 1. 2; O. III, 16; God. IV, 14, 1. 2; Frr. 224; Barr. II t. 96, f. 2. *Eur. c. et s; It. s;*
 a) v. *Lapponica* Bau Stett. e. Z. 1877 p. 152; Auriv. Nord. Fjär. p. 65 (obseurius, al. ant. infumatis). *? Ural.*
Lap.
-

XIV. Lemoniidae.

167. **Lemonia** Hb. 1822 (Crateronyx Dup.).

1015. **Taraxaci** Esp. 8, 6. 7 (1782); Hb. 165-6; O. III, 272; God. IV, 10, 2. 3; Frr. 248. *Austr; Hung; Ross. m; Helv; Gal. or; It. c. et s.*
 1016. **Vallantini** Obth. Et. XIII p. 28, t. 6, f. 33 (1890). *Maur.*
 1017. **Ballioni** Chr. Hor. XXII p. 310 (1888); Mém. Rom. V p. 200, t. 10, f. 2. *Pont; Arm; Pont. (ab. pr. p.).*
 a) v. *Ponticus* Auriv. Iris VII p. 188 (al. omn. striga fusca bene determinata). *Pont.*
 b) v. *Pauli* Stgr. Iris VII p. 267, t. 9, f. 11 (obseurius, costis dilutioribus). *Pal; Taur. m. or. (Akbes).*
 1018. **Philopalus** Donz. Ann. Soc. Fr. 1842 p. 198. t. 8, f. 2; Obth. Et. VI p. 73; ib. XIII p. 28, t. 6, f. 34. *Maur; And. m.*
 1019. **Balcanica** HS. 26-28 (1844), II p. 109; Bremeri Kol. Mel. Ent. t. 18, f. 2 (1846); Ld. Wien. Mts. 1863 p. 23, t. 1, f. 6. *Bulg; Arm.*
 1020. **Dumi** L. F. S. 293 (1761); Dumeti L. S. N. ed. XII, 815 (1767); Esp. 14, 3. 4; Hb. 164; O. III, 273; God. IV, 10, 1. *Eur. c. (exc. Angl.); Suec. m; Fen; Ped; Hung. m; Turec. s. or; Ross. m.*
 1021. **Sardanapalus** Stgr. Stett. e. Z. 1887 p. 99; Gr. Gr. Mém. Rom. IV p. 562, t. 20, f. 8. *Ferg; Saraw.*
-

XV. Saturniidae.

168. *Actias* Leach 1815.

1022. * *Selene* Hb. Exot. I t. 172, f. 3; Hmps. Ind. Moths I p. 18; Leech Tr. Ent. S. 1899 p. 262 pr. parte.
a) v. *Mandschurica* Stgr. Mém. Rom. VI p. 331 (minor, al. ocellis minor., caudis nunquam rosaceo-inspersis).
1023. *Artemis* Brem. Lep. O. S. p. 44, t. 2, f. 6, 7; Stgr. Mém. Rom. VI p. 330; ? Brem. Mot. Et. 1852 p. 64 (certe non praec. sp. var.).

169. *Graëllsia* Grote 1896.

1024. *Isabellae* Graëlls Rev. et Mag. Zool. 1849 p. 601; Ann. Soc. Fr. 1850 p. 241, t. 8 ♀; Mém. Com. Mapa Zool. Esp. 1858 p. 106, t. 6, f. 2 ♂; Mill. Ic. t. 101.

Hisp. c. (Cast; Arag.).

170. *Antheraea* Hb. 1822.

1025. *Pernyi* Guér. Rev. Zool. 1855 p. 6, t. 6, f. 1; Stgr. Mém. Rom. VI p. 328; Leech Tr. E. S. 1898 p. 265; Sonthonnax Compt. Rend. Trav. d. Labor. d'Etud. de la Soi de Lyon 1897-8 p. 62, t. 28.
* a) v. *Yamamai* Guér. l. c. 1861 p. 435, t. 11-13; Sonthonnax l. c. p. 70, t. 40 (al. obtusioribus, post. ocello exterius distinctius nigro-cincto; an spec. diversa?).

Amur; Uss; Chin.

Jap.

171. *Caligula* Moore 1862.

1026. *Japonica* Moore Tr. Ent. Soc. 1862 p. 322; Butl. Ann. & Mag. (4) XX p. 479; Ill. Het. II p. 16, t. 26, f. 2; Stgr. Mém. Rom VI 328; Leech Tr. Ent. S. 1898 264 (Regina Stgr. Liste).

Uss; Jap.

172. *Rhodinia* Stgr. 1892 (Rhodia Moore).

1027. * *Fugax* Butl. Ann. & Mag. (4) XX p. 480 (1877); Ill. Het. II t. 26, f. 1; Stgr. Mém. Rom. VI p. 327.
a) v. *Diana* Obth. Bull. S. Fr. 1886 p. 47; Stgr. l. c. (minor, ♂ obscurior, al. basi non flava).
1028. *Jankowskii* Obth. Et. V p. 39, t. 8, f. 4; Bull. S. Fr. 1888 p. 47 (lary.).

Jap.

Uss.

Uss.

173. *Perisomena* Wlk. 1855.

1029. *Caecigena* Kupido 1825; HG. 295, 299, 302-5; Frr. 2, 3; Tr. X, 1. 147; B. Ic. 67, 1. 2; Dup. III, 10, 1. 2.

Carn; Istr; Dalm;
Turc.s; Bulg; Rum;
As. min; Arm.

174. *Saturnia* Schrk. 1802.

1030. *Stolieczkana* Feld. Nov. t. 87, f. 3; Hmps. Ind. Moths I p. 24.
a) v. *Schenki* Stgr. Stett. e. Z. 1881 p. 406; Rothsch. Nov. Zool. II p. 49 (magis grisescens, al. ant. macula apicali diversa [supra albida, subt. carnea]).
* b) v. ? *Huttoni* Moore Tr. E. S. (3) I p. 321; Hmps. l. c. (ochraceo-brunnescens; spec. div. Stgr. esse videtur).

Ladak; Yarkand.
Saisan; Ferg. m.

Himal. s. oc.
(Mussoori).

1031. **Boisduvalii** Ev. Bull. M. 1846, III p. 83, t. 1, f. 1; 1847 p. 74, t. 4, f. 5; HS. 148-50; Stgr. Mém. Rom. VI p. 325.
a) v. *Jonasii* Butl. Ann. & Mag. (4) XX p. 479 (1877); Ill. Het, II t. 25, f. 2; Stgr. l. c. (obscurior, al. plus minusve rosaceo-inspersis).
1032. **Pyretorum** Westw. Cab. Or. p. 49, t. 24, f. 2; Stgr. Mém. Rom. VI p. 326; Hmps. Ind. Moths. I p. 23.
1033. **Atlantica** Luc. Expl. Alp. p. 379, t. 3, f. 4; Mill. Ic. 120; v. *Numida* Aust. Natural. 1883 p. 359 [obscurior]; v. *Marocana* Aust. Natural. 1894 p. 56 [distinctius signata]; v. *Matheri* Vallantin Bull. S. Fr. 1898 p. 220 [obscurior, magis rosea].
1034. **Pyri** Schiff. S. V. p. 49 (1776); Hb. 56; O. III, 2; God. IV, 4; *Pavonia major* (var. β) L. S. N. ed. X, 497; Esp. I, 1. 2.
a) hybr. *Hybrida major* O. IV, 192 (hybr. S. *Spini* ♂ \times S. *Pyri* ♀).
1035. **Spini** Schiff. S. V. p. 49; Hb. 55; O. III, 4; God. IV, 5, 1; Klein IV, Jhrsb. Wr. Ent. V. 1893 p. 3, t. 1, f. 1 [ab.]; *Pavonia media* Esp. 3, 1-7; F. E. S. 417.
a) hybr. *Hybrida* O. III p. 9; *Hybrida minor* O. IV p. 193; Stndf. Handb. t. 2, f. 1, 2 (hybr. S. *Spini* ♂ \times S. *Pavonia* ♀).
1036. ? **Cephalariae** Chr. Mém. Rom. II p. 14, t. 14 (praec. var. Darw.? larvae var.).
1037. **Pavonia** L. F. S. 291 (1761); Mueller Fn. Fr. 38; Fuessl. n. Mag. p. 149; Snell. Vlind. 196; Barr. III t. 97, t. 98, f. 1-1b; *Pavonia minor* L. S. N. ed. X p. 496; Esp. 4, 1-6; *Carpini* Schiff. S. V. p. 50 (1776); Hb. 53, 54, 255, 276; O. III, 6; God. IV, 5, 2, 3; *Alpina Favre* Mittb. X p. 36 [minor, al. subdiaphanis].
a) hybr. *Media* Stgr. Cat. ed. II p. 70 (hybr. S. *Pyri* ♂ \times S. *Pavonia* ♀).
b) v. *Meridionalis* Calb. Iris I p. 155-7 (major, dilutior, ♂ al. ant. aurantiaco-inspersis. al. post. saturatus aurantiacis).

175. **Mirina** Stgr. 1892 (Mira Stgr. 1887).

1038. **Christophi** Stgr. Mém. Rom. III p. 212, t. 12, f. 6; ib. VI p. 324; Graes. Berl. e. Z. 1888 p. 184. Uss. m.

176. **Aglia** O. 1810.

1039. **Tau** L. S. N. ed. X, 497; Esp. 5, 1-7; Hb. 51, 52; O. III, 12; God. IV, 6, 1-3; Frr. 607. Dan; Suec. m; Liv; Fen; Ped; Amur.
a) ab. *Ferenigra* (Fere nigra) Th.-Mieg Natural. 1884 p. 437; Stndf. Hndb. t. 8, f. 6, 7; Lugens Stndf. Stett. e. Z. 1886 p. 319; Berl. e. Z. 1888 p. 238, t. 3, f. 3, 4; Tau var. Esp. 5, f. 8; Bellier Ann. S. Fr. 1858 p. 707, t. 14, f. 8; *Nigerrima* Stndf. Handb. p. 311, t. 8, f. 4, 5 (al. plus minusve infuscatis).
b) ab. *Melaina* Gross Iris X p. 396 (al. totis nigris). Austr. sup.
* c) v. *Japonica* Leech Pr. Z. S. 1888 p. 632 (♂ al. ant. macula apicali diluta, ocello minore, al. post. ocello majore, ♀ obscurior). Jap.

XVI. Brahmaeidae.**177. Brahmaea Wlk. 1855.**

1040. *Certhia* F. E. S. III p. 412; Kirb. Het. Cat. I p. 723; Leech Tr. E. S. 1898 p. 269; Lunulata Brem. Mot. Et. 1852 p. 64; Mén. Schrk. p. 55; Stgr. Mém. Rom. VI p. 325; Undulata Brem. & Grey p. 16 (t. V, f. 3 inedita) (1853); Carpenteri Butl. Ann. & Mag. (5) XI p. 114 (1883).
1041. *Ledereri* Rghfr. z. b. V. 1873 p. 574; 1875 p. 801; Stgr. Hor. XIV p. 359 (prae. forma Darw.).
1042. *Christophi* Stgr. Hor. XIV p. 359; Rom. Mém. Rom. II p. 13, t. 1, f. 5; Korb Iris XII p. 168, t. 3, f. 1-4 (larv.) (*Certhiae* forma Darw.).

*Amur; Uss; Cor;
Chin. s. et c.**Taur. oc.**Arm. m. or.
(Lenkoran).***XVII. Bombycidae.****178. Dailalama Stgr. 1895.**

1043. *Bifurca* Stgr. Iris VIII, 1895 p. 303, t. 5, f. 9 ♂.

*Kuku N.***179. Oberthüria Stgr. 1892.**

1044. *Caeca* Obth. Et. V p. 40, t. 6, f. 2 (1880); Stgr. Mém. Rom. VI p. 337; ?Falcigera Butl. Ill. Het. II p. 45, t. 35, f. 4 (1878).

*Uss. m; ?Jap.***180. Rondotia Moore 1885.**

1045. *Lurida* Fixs. Mém. Rom. III p. 346, t. 15, f. 8 (Menciana Moore var?, ciliis unicoloribus).

*Uss. m; Cor; ?China.***XVIII. Drepanidae.****181. Oreta Wlk. 1855.**

1046. *Pulchripes* Butl. Ann. & Mag. (4) XX p. 477 (1877); Ill. Het. II p. 15, t. 25, f. 7; Stgr. Mém. Rom. VI p. 333 (unicolor rufo-brunnea).

*Amur; Uss; Jap;
Chin. or.*

- a) ab. *Calceolaria* Butl. l. c. 478; l. c. f. 4; Graes. Berl. e. Z. 1888 p. 136 (forma frequentior, flavo- et rufobrunneotincta).

182. Drepana Schrk. 1802.

1047. *Falcataria* L. F. S. 323; Hein. p. 193; Barr. III t. 98, f. 2; *Falcula* Schiff. S. V. p. 64; Esp. 73, 3-6; Hb. 44; Tr. V, 3. 408; Dup. VII, 140, 1.

*Eur. c. et s. (exc. reg.
bor.); It.s. et c.; Ross.
m; Bith; Daur.*

1048. *Curvatula* Bkh. III, 460; Lasp. Plat. p. 14; Tr. V, 3. 405; Dup. VII, 140, 2; Leech Tr. Ent. S. 1898 p. 367; *Harpagula* Hb. 42, 43, 351; *Acuta* Butl. Tr. Ent. S. 1881 p. 596.

*Eur. c. et s. (exc. reg.
bor. et Angl.); Amur;
Uss; Cor; Jap.*

1049. *Scabiosa* Butl. Ann. & Mag. (4) XX p. 478 (1877); Ill. Het. II t. 25, f. 9; Fixs. Mém. Rom. III p. 347; Stgr. ib. VI p. 334.

*Amur; Uss; Cor; Jap;
Chin. c.*

1050. *Harpagula* Esp. 73, 1, 2 (1786), III p. 373; Bkh. III p. 53; *Sicula* Hb. 41 (post. 1797); Lasp. Plat. p. 24; Tr. V, 3. 403; Dup. VII, 140, 6; Barr. III t. 99, f. 1.

*Eur. c; Liv; Suec. m.
(1); It. s; Amur (1).*

1051. **Lacertinaria** L. S. N. ed. X p. 519; F. S. 323; Hein. 193; Barr. III t. 100, f. 1; *Lacertula* Schiff. S. V. p. 64; Esp. 72, 3-6; Hb. 49; Tr. V. 3. 417; Dup. VII, 140, 5.
a) ab. (et v.) *Scincula* Hb. 50; *Dimidiata* Tgstr. Cat. p. 12 (al. ant. *grisescens*).
1052. **Binaria** Hufn. Berl. M. IV p. 516 (1769); Rott. Naturf. XI p. 68; Snell. Vlind. p. 201; Hamula Esp. 74, 1. 2; Hb. 46, 47; Tr. V. 3. 411; Dup. VII, 140, 3; Barr. III t. 99, f. 2.
- a) v. *Uncinula* Bhh. III p. 461 (1790); Mill. Ic. 124, f. 1-5; *Uncula* Hb. 45; Lasp. Plat. p. 21 (pallidior, violaceo-flavescens).
- b) v. (ab.?) *Umbratula* Stgr. multo obseurior, badia. *It. c. mont. (Vallombrosa)*.
1053. **Cultraria** F. S. E. 621 (1775); Thnb. Diss. Ent. I p. 6; Hein. 192; *Unguicula* Hb. 48 (post. 1797); Lasp. Plat. p. 22; Tr. V. 3. 414; Dup. VII, 140, 4; Barr. III t. 99, f. 3; Sicula Esp. 74, 4-7 (1787).
- a) gen. aest. *Aestiva* Spr. Stett. e. Z. 1869 p. 83; 1872 p. 169; Minor Fuchs Stett. e. Z. 1884 p. 259 (minor, obseurior, al. ant. punctis binis mediis fuscis; vix. nomin.).
1054. **Grisearia** Stgr. Mém. Rom. VI p. 335, t. 4, f. 7.
1055. **Parvula** Leech Ent. XXIII p. 112 (1890); *Muscula* Stgr. Mém. Rom. VI p. 335, t. 12, f. 7.

183. **Spica** Swinh. 1889.

1056. **Parallelangula** Alph. Iris VI p. 346; Mém. Rom. IX p. 2, t. 2, f. 3; Leech Tr. Ent. S. 1898 p. 369.

184. **Cilix** Leach 1815.

1057. **Glaucata** Sc. Ent. Carn. p. 221 (1763); Kirb. Het. Cat. p. 736; Barr. III t. 100, f. 2; Ruffa L. S. N. ed. XII, 1068 (1767); Hein. p. 191; *Spinula* Schiff. S. V. p. 64 (1776); Esp. 83, 6; Hb. 40; Tr. V. 3. 400; Dup. VII, 140, 7.

Amdo; Chin. oc.

Eur. c. et m.; Suec. m.; Maur; As. min; Syr; Arm; Uss; Chin; Am. s.

XIX. Callidulidae.

185. **Pterodecta** Butl. 1877.

1058. **Felderii** Brem. Lep. O. S. p. 38, t. 4, f. 3; Stgr. Mém. Rom. VI p. 275; *Gloriosa* Butl. Ann. & Mag. (4) XX p. 399; Ill. Het. II p. 8, t. 23, f. 4.

Amur; Uss; Chin. c. et oc; Jap.

XX. Thyrididae.

186. **Thyris** (Lasp.) O. 1808.

1059. **Fenestrella** Sc. Ent. Carn. p. 217 (1763); *Fenestrina* Schiff. S. V. p. 44 (1776); Esp. 23, 1; O. II, 115; God. III, 22, 1; Frr. 691, 2; *Pyralidiformis* Hb. 16.
a) v. (?) *Nevadae* Obth. Et. VIII p. 33; XII t. 7, f. 46 (dilutior, al. ant. macula vitrea una).
1060. **Diaphana** Stgr. Cat. ed. I p. 19; *Vitrina* HS. 11 (praec. forma Darw.?).

Eur. c. m. et m. (exc. Sic.); Bat; Liv; As. min; Alt; Amur; Uss; Cor; Chin. s.

Hisp. (Sierra Nevada).

Sic.

187. **Striglina** Gn. 1877.

1061. **Scitaria** Wlk. List. XXVI 1488 (1862); Moore Lep. Ceyl. III p. 206, t. 175, f. 1 a, b; Stgr. Mém. Rom. VI p. 636; Hmps. Ind. Moths I p. 354; Pr. Z. S. 1897 p. 613; Cancellata Chr. Bull. Mosc. 1880 II p. 55. *Uss. m; Jap; Ind. etc.*

188. **Rhodoneura** Gn. 1857 (Sericophora Chr. 1880).

1062. **Guttata** Chr. Bull. M. 1880 II p. 65; Stgr. Mém. Rom. VI p. 636, t. 14, f. 14; Leech Tr. Ent. Soc. 1898 p. 375. *Uss. m; Cor.*
 * a) v. *Lucidulina* Pouj. Bull. S. Fr. 1894 p. 186 (minor, obscurior). *Chin. oc.*

XXI. Noctuidae.**A. Acronyctinae.**189. **Panthauma** Stgr. 1892.

1063. **Egregia** Stgr. Mém. Rom. VI p. 404, t. 7, f. 2. *Uss.*

190. **Panthea** Hb. 1822.

1064. **Coenobita** Esp. III, 37, 7 (1785), 88, 2; Hb. Bomb. 72, 73, Noct. 508; Tr. V, 1. 48; Frr. B. 17; Dup. VII, 116, 4; Gn. I, 37. *Eur. c. (exc. c. oc.); It. s.; Eur. s. or. (exc. reg. pol.).*

191. **Trichosea** Grote 1874.

1065. **Ludifica** L. S. N. ed. X, 514; Esp. 120, 1. 2; Hb. 23, 524, 580-1; Tr. V, 1. 50; Dup. VI, 85, 6; Frr. B. 63; Gn. I, 36. *Germ. or; Helv; Austr. Hung; Gal. or; Suec. m; Liv; Ross. oc; It. s. Ind; Uss. m. (var.?).*
1066. **Champa** Moore Pr. Z. S. 1879 p. 403, t. 33, f. 2; Hmps. Ind. Moths II p. 435; Alph. Mém. Rom. IX p. 158, t. 13, f. 4 (praec. forma Darw.?).

192. **Diptera** Hb. 1806.

1067. **Malachitis** Obth. Et. V (1881) p. 80, t. 3, f. 9; Stgr. Mém. Rom. VI p. 531; Hmps. Ind. Moths. II p. 294; Splendens Moore Pr. Z. S. 1881 p. 412; Butl. Ill. Het. VII p. 59, t. 128, f. 4 (see Stgr. certe non huj. generis; sed cuius?). *Uss. m; Sikkim.*
1068. **Japyx** Stgr. Mém. Rom. VI (1892) p. 402; Virens Stgr. ibid. p. 401, t. 7, f. 1; ? Butl. Tr. Ent. S. 1881 p. 192 (Pandesma!); ? Niveola Motsch. *Uss; Cor; Jap.*
1069. **Alpium** Osbeck Götheb. Wet. Sam. Handl. Westensk. Afd. (1778) 1 p. 52, t. 1, f. 2 a, b; Lampa Tidskr. 1885 p. 50; Orion Esp. 118, 4-7; Tr. V, 1, 54; Dup. VI, 85, 5; Frr. B. 22; Gn. I, 36; Tutt Brit. Noct. I p. 11; Aprilina Hb. 22. *Eur. c. et s. (exc. reg. pol.); Bilb; It. s. et c; Arm; Uss. m. (pr. p.).*
- a) v. et ab. *Murrhina* Graes. Berl. e. Z. 1888 p. 314; Stgr. Mém. Rom. VI p. 400 (al. ant. fascia exter. obscura, brunnescente). *Uss. s. (Chab.); China s; Jap; Uss. m. (ab.).*

193. **Aplectoides** Butl. 1878.

1070. **Caliginea** Butl. Tr. Ent. S. 1881 p. 185; Stgr. Mém. Rom. VI p. 402, t. 6, f. 9; Nitida Graes. Berl. e. Z. 1888 p. 315.
Lichenodes Graes. Berl. e. Z. 1892 p. 216 (huj. generis?). *Amur; Uss; Cor; Jap.*
1071. *Lichenodes* Graes. Berl. e. Z. 1892 p. 216 (huj. generis?). *Amur.*

194. **Euromoia** Stgr. 1892.

1072. **Mixta** Stgr. Mém. Rom. VI p. 632, t. 12, f. 10. *Uss. m.*

195. **Demas** Stph. 1828 [Colocasia Hb. pr. p.].

1073. **Coryli** L.S.N.ed. X, 503; Esp. 58, 1-4; Hb. 17, 18; Dup. VI, 84, 6; Tr. X, 1. 178; Frr. 549. *Eur. c. et s. (exc. reg. pol.); It.s; Srp; Arm; Pont.*
 a) v. *Mus* Obth. Et. X (1884) p. 17, t. 2, f. 4; Stgr. Mém. Rom. VI p. 383; *Coryli* v. Graes. Berl. e. Z. 1888 p. 310 (al. anter. caeruleo-grisescensibus). *Amur; Uss.*

196. **Acronicta** (r. *Acronycta*) O. 1816 [*Apatela* (Hb.) Grote].

1074. **Leporina** L. S. N. ed. X, 511; Esp. 91, 1-5; Hb. 15, 16; Tr. V, 1. 5; Dup. II, 87, 3; Gn. I, 46; *Bradyoporina* Hb. 570-1; ab. *Bimaculosa* Maassen Stett. e. Z. 1871 p. 27 [*tota alba*, *punctis duobus nigris*].
 a) v. *Bradyoporina* Tr. V, 1. 9; HS. 636; Gn. I, 47; Barr. Brit. Lep. III, t. 120, f. 1b, 1c (al. ant. griseoscentibus, distincte signatis).
 b) ab. *Semivirga* Tutt Entom. 1888 p. 51; Brit. Noct. I p. 15; *Bradyoporina* Barr. l. e. f. 1a [trans.] (al. ant. marginē externo late griseo).
 c) v. *Leporella* Stgr. Stett. e. Z. 1888 p. 245; Mém. Rom. VI, 383; *Cineracea* Graes. Berl. e. Z. 1888 p. 310 (al. ant. cinereo-albidis, indistincte signatis). *Eur. c. et s. (exc. reg. pol.); Gal.m.oc; Bih.; Its.; Srp; Arm; Sib; Ili; Iss. K. Germ. s; Angl; Dan; Fen.*

1075. **Senica** Ev. Bull. M. 1856, II, t. 3, f. 7; 1857, I, 85. *Angl; ?etc.*

1076. **Aceris** L. S. N. ed. X, 514; Esp. 114, 4-7; Hb. 13, 14; Tr. V, 1, 11; Dup. VI, 88, 5; Gn. I, 48.
 a) ab. *Candelissequa* Esp. 191, 1 (1795); *Infuscata* Hw. Lep. Brit. p. 177; Tutt Brit. Noct. I p. 14; Barr. Brit. Lep. III t. 120, f. 2 a (obsceriorum). *Eur. (exc. reg. pol.); Bih.; Pont; Arm; Tura; Ili; Iss. K; Kashg.*

- b) v. *Judaea* Stgr. pallidior, al. ant. griseo-albicantibus. *Pal.*

1077. **Elaeagni** Alph. Stett. e. Z. 1887 p. 167; Mém. Rom. V p. 126, t. 6, f. 2; *?Asiatica* Pouj. Bull. S. Fr. 1888 p. 20. *Buch.or. (Schirabad).*

1078. **Hercules** Feld.-Rghfr. Nov. t. 109, f. 2; Stgr. Mém. Rom. VI p. 384; *Elongata* Obth. Et. X p. 20, t. 2, f. 3; Graes. Berl. e. Z. 1888 p. 311. *Amur; Uss; Jap.*

1079. **Major** Brem. Lep. O. S. p. 48, t. 5, f. 7; Obth. Et. V p. 69, t. 7, f. 5; Stgr. Mém. Rom. VI p. 384; *Anaedina* Butl. Tr. Ent. S. 1881 p. 19. *Amur; Uss; Jap; China.*

1080. **Centralis** Ersch. Fedtsch. (1874) p. 37, t. 3, f. 35. *Saraw; Ferg.*

1081. **Megacephala** F. Mant. 175; Esp. 144, 1-4; Hb. 10, 11; Tr. V, 1, 13; Dup. VI, 88, 6; Gn. I, 49; Tutt Brit. Noct. I p. 15; Barr. Brit. Lep. III t. 120, f. 3. *Eur. (exc. reg. pol. et ?Graec.); Bih.; As. Hyrc; Sib; Amur.*

- a) v. ? (ab.?) *Grumi* Alph. Mém. Rom. IX p. 3 (al. ant. angustioribus, spatio postbasal. albido, al. post. totis candidis; sec. 1 ♂ deser.). *Thian. s.*

1082. **Alni** L. S. N. ed. XII, 845; Esp. 116, 4-6; Hb. 3; Tr. V, 1, 16; Dup. VI, 87, 5; Frr. B. 16; Gn. I, 51; Tutt Brit. Noct. I p. 16.
 a) ab. *Steinerti* Caspari Soc. Ent. XIII p. 3 (1898); Jhrb. Nass. LII p. 178, t. 4, f. 8, 9; Steinert Iris XI p. 399; XII t. 2, f. 5; Carola Philipps Soc. Ent. XIII p. 50; Steinert Iris XI p. 399; Caspari Jhrb. Nass. LII, t. 4, f. 5-7; Alni var. Barr. Brit. Lep. III t. 121, f. 1a, 1b (al. ant. ubique nigricantibus).
1083. **Hemileuca** Püng. Iris XII p. 291, t. 8, f. 6.
1084. **Strigosa** F. Mant. 142 (1787); Tr. V, 1, 23; Frr. B. 11; Gn. I, 51; Favillacea Esp. 127, 4; Hb. 2.
 a) ab. (et var.) *Bryophiloides* Horn. Ent. Nachr. XVII (1891) p. 145; Casparii Steinert Iris X (1897) p. 398; XI 398; XII t. 2, f. 6; Caspari Jhrb. Nass. LII p. 179, t. 4, f. 2, 3 [trans.] (minor, al. ant. fere unicoloribus obscure cinereis).
1085. **Pontica** Stgr. Hor. XIV (1879) p. 364; Melioransky Hor. XXXI p. 239, t. 7, f. 6.
1086. **Jankowskii** Obth. Et. V (1880) p. 69, t. 7, f. 1; Stgr. Mém. Rom. VI p. 385.
1087. **Bellula** Alph. Iris VIII (1895) p. 189.
1088. **Terrigena** Graes. Berl. e. Z. 1892 p. 214 (see. una ♀ deser.).
1089. **Tridens** Schiff. S. V. p. 67; Esp. 115, 5-8; Tr. V. 1, 26; Dup. VI, 87, 2; Gn. I, 43; Tutt Brit. Noct. I p. 19; Barr. Brit. Lep. III t. 122, f. 1; Caland Tijds. XXXIX t. 8, f. 2.
 a) ab. *Virga* Tutt Entom. 1888 p. 50; Brit. Noct. I p. 20; Tridens var. Newman Brit. Moths p. 248, fig. 2 (al. ant. margine externo late fusco).
 b) v. *Increta* Butl. Ill. Het. III p. 12, t. 44, f. 3 (1879); Obth. Et. V p. 70 (major, al. ant. uniform. griseis, minus signat.).
1090. **Psi** L. S. N. ed. X, 514; Esp. 115, 1-4; Tr. V. 1, 30; Dup. VI, 87, 1; Frr. 58; Gn. I, 43; Tutt Brit. Noct. I p. 20; Barr. Brit. Lep. III t. 122, f. 2; Caland Tijds. XXXIX t. 8, f. 3; v. *Bivirgae* Tutt Entom. 1888 p. 50 [ab. al. ant. area bas. et marg. late fuscis].
 a) v. *Suffusa* Tutt l. c. (obseurior). *Angl. et Amur (pr. p.); Uss; ?Cor.*
 b) v. *Altaica* Stgr. multo pallidior, al. ant. cinereo-albis. *Alt.oc; Sib.or.(trans.).*
1091. **Cuspis** Hb. 504; Tr. V. 1, 32; Frr. 57; B. Ic. 71, 3; Dup. III, 15, 1; Gn. I, 43; Caland Tijds. XXXIX p. 163, t. 8, f. 4. Chr.; Sib; Amur; Uss; Cor; Jap. (sec. Leech.); Ili et Iss. K. (sec. Tancre.).
 a) v. ? *Taurica* Stgr. dilutior, al. ant. cinereo-albidis, striga basali nigra ramosa, macula rotunda a mac. renifera multo distante; an spec. propria? (sec. 5 ♂ et 1 ♀ deser.).
1092. **Orientalis** Mn. Wien. Mts. 1862, p. 370, t. 3, f. 4; Ld. Ann. S. Belg. IX (1865) p. 63, t. 3, f. 7; Megacephala Z. Is. 1847 p. 17.
1093. **Menyanthidis** View. Tab. Verz. p. 50, t. 2, f. 1, 2 (1789); Esp. 144, 5; Hb. 6, 7; Tr. V. 1, 34; Dup. VI, 88, 1; Frr. 668; Gn. I, 55; Tutt Brit. Noct. I p. 23; v. *Obsoleta* Tutt l. c. p. 24 [pallidior]; v. *Scotica* Tutt l. c. [major, dilutior].
- Eur. c; Liv; Fen; Petrop; Scand.m; It. s. et c; Arm; Amur; Uss; Jap.*
- Kuku N.*
- Eur. c; Petrop; Gal. m; Srp; Arm; Sib; Amur; Uss; Cor; Jap.*
- Buc; Rum; Germ. (ab.).*
- Crim; Arm; Pont; Taur; Egin; Cast.*
- Uss; Jap.*
- Uss. m. (Sidemi).*
- Amur.*
- Eur. c. et s. (exc. reg. pol.); Cat; It. s. etc.; Bulg; Ross.m; Arm; Syr. et Maur. (an Psi).*
- Angl.*
- Uss. m; Jap.*
- Eur. (exc. reg. pol.); Maur; Amur(pr. p.); Jap; Arm; Pont; Mardin et Ferg. (an Tridens pr. p.?).*
- Angl. et Amur (pr. p.); Uss; ?Cor. Alt.oc; Sib.or.(trans.).*
- Eur. c. et s. m. (exc. Angl.); Arm. (sec. Taur. c. et or. m. (Had-jin, Zeitun).*
- Bith; Lyd; Pont.*
- Eur. c. et s. (exc. Gal.); Sib. or. s. (1); ?Ural.*

- a) ab. et v. *Suffusa* Tutt l. c. 24; Barr. Brit. Lep. III t. 121, f. 3 b (multo obscurior). *Angl. etc. (ab.); Lap. (v.); Norv. c. et Amur (v.?).*
1094. **Consanguis** Butl. Ann. & Mag. (5) IV 1879 p.358; ?Stgr. Mém. Rom. VI, 390. *Jap; Uss. m. (alia sp.?).*
1095. **Raphaëlis** (Raphaël) Obth. Et. X (1884) p. 19, t. 2, f. 9; Stgr. Mém. Rom. VI p.388; Fixseni Graes. Berl. e. Z. 1888 p. 311; Stgr. l. c. p. 387. *Amur; Uss.*
1096. **Digna** Butl. Tr. Ent. Soc. 1891 p. 176; Stgr. Mém. Rom. VI p. 389; Michaël Obth. Et. X p. 18, t. 2, f. 13. *Uss; Cor; Jap.*
1097. **Auricoma** F. Mant. 174; Esp. 117, 4-6; Hb. 8; Tr. V, 1, 35; Dup. VI, 87, 6; Frr. 542; Gn. I, 55; Frr. 623; v. *Alpina* Tutt Brit. Noct. I p. 22; ?*Similis* Hw. Lep. Brit. p. 180; Tutt l. c. 23 [ab. dilutior. cinerea]. *Eur. c. et s.; It. s. et c.; Cat; Ross. m; Arm; Sib.*
- a) v. et ab. *Pepli* Hb. 615; Gn. I, 55; v. *Pyhaevaarae* Hoffm. Stett. e. Z. 1893 p. 126 (obscurior, magis unicolor; plerumque minor). *Lap., Fen. et Sib. s. (var.); Amur (v.); Helv. etc. (ab.).*
- *b) v. *Brumosa* Gn. I, 52; Smith Noct Cat. p. 43 (al. ant. laetius pietis). *Am. s.*
1098. **Euphorbiae** F. Mant. 174 (1787); Hb. 529; Tr. V, 1, 40; HS. 375, 377; ?Dup. VI, 88, 3; Frr. 177, 538; Gn. I, 56; *Cyparissiae* Hb. 615 ♀. *Eur. (exc. reg. pol.); As. min.; Arm; Sib.*
- a) v. *Montivaga* Gn. I, 57; *Euphrasiae* Frr. 537; ?*Euphorbiae* Hb. 12; ?*Obscura* Ström Dansk Vid. Selsk. Skr. 1783 p. 79 (nom. anter.); *Auriv. Nord.* Fjär. p.39 (major, obscurior). *Alp; Norv.*
- b) v. *Myricae* Gn. I, 59, t. 3, f. 10; Tutt Brit. Noct. I p. 25 (minor, obscurior, vix a var. praec. separanda).
- c) v. mer. et ab. *Euphrasiae* Brahm Ins. Kal. II, 143 (1791); Tr. V, 1, 45; Dup. VI, 88, 4; HS. 373-4; Gn. I, 58; *Abscondita* HS. 87-89 (dilutior, albido-(flavescens-) grisea et larvae var.). *Scot; Hib; Angl. (trans.); Tarb. (v.). Gal; Sic; Dalm; etc. ab.*
- d) ab. *Esulae* Hb. 613; Gn. I, 59 (praec. var. ab. obseurior, al. ant. infumatis). *Germ. s; Lap; Ross. c. et s.*
1099. **Abscondita** Tr. V, 2. 5; Frr. 178; HS. 378; Gn. I, 59; ?*Euphorbiae* HS. 376 (praec. sp. forma Darw.?). *Sib. m. or.*
1100. **Literata** Brem. Lep. O. S. p. 102, t. 8, f. 14. *Daur.*
1101. **X-signata** Stgr. Iris X (1897) p. 329, t. 9, f. 24. *Territ. (exc. reg. pol. et Can.); Jap; China.*
1102. **Rumicis** L. S. N. ed. X, 516; Esp. 117, 8. 9; Hb. 9; Tr. V, 1. 38; Frr. 543; Gn. I, 53.
- a) ab. *Salicis* Curt. Br. E. t. 136; Tutt Brit. Noct. I p. 27; Barr. Brit. Lep. III t. 123, f. 1 b (multo obscurior).
- b) v. *Turanica* Stgr. Stett. e. Z. 1888 p. 65; Mém. Rom. V t. 8, f. 5 (multo dilutior, al. post. albidis). *Angl; Germ. s. etc.*
1103. **Carbonaria** Graes. Berl. e. Z. 1889 p. 252; Stgr. Mém. Rom. VI 390; *Brumosa* Leech Pr. Z. S. 1889 p. 476. *Ferg; Saraw; Ili; Iss. K.*
1104. **Lutea** Brem. et Grey Et. Motsch. I 1852 p. 65; Beitr. p.17; Brem. Lep. O. S. t. 4, f. 7; Obth. Et. X p.18, t. 2, f. 6; Stgr. Mém. Rom. VI p. 391. *Amur; Uss; Cor; Jap.*
1105. **Catocaloida** Graes. Berl. e. Z. 1888 p.313; Stgr. Mém. Rom. VI p. 393. *Daur; Amur; Uss; Cor; China s; Jap.*
1106. **Cornelia** Stgr. Stett. e. Z. 1888 p. 246; Mém. Rom. VI p. 393, t. 6, f. 2; Honrathi Graes. Berl. e. Z. 1888 p.315 (hujus gen.? certe non Trichosea [Diptera]; probabiliter gen. proprium). *Amur; Uss.*
- Uss. m.*

197. **Craniophora** Snell 1872 [Bisulcia Chapm. 1893].

1107. **Ligustri** F. Mant. 172; Esp. 119, 2-4; Hb. 21; Tr. V, 1, 20; Dup. VI, 89, 1; Frr. B. 142; Gn. I, 51; Barr. Brit. Lep. III t. 123, f. 2; Tutt. Brit. Noct. I p. 12. *Eur. c. et s. (exc. reg. bor.); Gal. m.; Srp.; Jap.*
a) ab. (et v.?) *Sundevallii* Lampa Tidskr. 1885 p. 50; Auriv. Nord. Fjär. p. 100; Olivacea Tutt. Ent. 1888 p. 81; Brit. Noct. p. 13; Ter Haar Tijds. XLII p. 97, t. 5 A, f. 1; v. *Nigra* Tutt. Ent. Rec. I p. 34; Brit. Noct. l. c.; Barr. l. c. f. 2 b [ab. obscurior] (al. ant. olivaceis, extus non albidomixtis).
1108. **Praeclara** Graes. Berl. e. Z. 1890 p. 74; Stgr. Mém. Rom. VI p. 394. *Amur; Uss.*
1109. **Paupera** Stgr. Mém. Rom. VI (1892) p. 394. *Amur.*

198. **Oxycesta** Hb. 1818 (Clidia B. 1836).

1110. **Geographica** F. Mant. 167 (1787); Tr. X, 1. 198; B. Ic. 65, 5; Dup. VI, 84, 5; Gn. I, 39; Frr. 638; Austeria Esp. 191, 4-6; Sericina Hb. Btr. II, 1, t. 4, f. Y (1790).
1111. **Chamaesyces** Gn. I, 40; Chamaenices HS. 568; Sericina Hb. Bomb. 259. *Hung; Hal. (1); Ture. s. or; Ross. m.*
Gal. m.; Ped; Cat; Murcia; Arag.

199. **Eogena** Gn. 1852.

1112. **Contaminei** Ev. Bull. M. 1847, III, p. 77, t. 5, f. 6; Gn. I, 341, t. 5, f. 8; HS. 635; Eogene Frr. 514, VI, p. 53; Bombycina Mén. feu Leh. p. 285, t. 6, f. 7 ♀ (1848). *Ross.m.(Srp.); Tura.*

200. **Leiometopon** Stgr. 1888.

1113. **Simyrides** Stgr. Stett. e. Z. 1888 p. 37. *Thian.*

201. **Simyra** O. 1816.

1114. **Dentinosa** Frr. 263, 2, 3, III, p. 97; Dup. III, 41, 4; Gn. I, 61; Tendinosa HS. 393-4; Ev. Bull. M. 1855, III, p. 174; Leucaspis F. d.W. Bull. M. 1840 p. 84, t. 3, f. 2.
1115. **Nervosa** F. Mant. 139 (1787); Hb. t. 47, f. 326 (r. 226); Tr. V, 2. 283; Frr. 101; Dup. VII, 120, 8; Gn. I, 62.
- a) v. *Argentacea* HS. 387-8 (1849); Ev. Bull. M. 1855, III, p. 173; Torosa Gn. I, 62 (1852) (dilutior, al. ant. albidis). *Bulg; Ross. m.; Sib; Arm; Pont; Bith; Malat; Hyrc; Pal. Germ; Val; Austr; It. s; Hung; Ross. m.; Alt; ? Pont.*
Ross. m. (Srp.); Ili; Iss.K; Tarb; AlaTau; Korla et Urga (trans.).
1116. **Splendida** Stgr. Stett. e. Z. 1888 p. 245; Mém. Rom. VI p. 383, t. 6, f. 1; Niveonitens Graes. Berl. e. Z. 1888 p. 309.
1117. **Buettneri** Hering Stett. e. Z. 1858 p. 442, t. 3; 1881 p. 340; Bloomeri Hein. 408 (1859). *Uss. m.; Cor; Amdo; Ili.*
Germ.s.(Pomerania); Ross.m.(Taganrog).

202. **Arsilonche** Ld. 1857.

1118. **Albovenosa** (Albo-venosa) Goeze Btr. III, 3 p. 251 (1781); Auriv. Tidskr. 1880 p. 32; Venosa Bkh. IV p. 716; Tr. V, 2 p. 281; Frr. 410; Dup. IV, 120, 7; Gn. I, 62; Barr. Brit. Lep. III t. 123, f. 3; Degener Hb. 380; Auriv. l. c. p. 36; ab. Flavida et ab. Albida Auriv. l. c. p. 38; ab. Ochracea et Argentea Tutt. Entom. 1888 p. 99.

Eur. c. (exc. Belg.); Suec. et Fen. m.; Dalm; Ili.

- a) ab. (v.?) *Centripuncta* HS. n. Schm. 24, 25 p. 4 (al. ant. puncto nigro). *Srp. et Dalm. (ab.); Taganrog (v.?).*
- b) ab. *Murina* Auriv. l. c. p. 37, t. 1, f. 2 (al. ant. obscure murinis, albo-venatis, al. post. albidis margine infuscatis). *Suec. et Dalm. (ab.).*

B. Trifinae.

203. *Agrotis* O. 1816.

1119. **Strigula** Thnb. Mus. Nat. (Dom. IV) p. 72 cum fig. (1788); Alph. Iris VII, 304; Porphyrea Hb. 93 (post. 1800). 473; Tr. V, 2. 73; Frr. B. 34; Dup. VI, 100, 4; Gn. I, 295; Barr. Brit. Lep. t. 134, f. 1. *Eur. c. et s. (exc. reg. pol.); It. s.*
- a) ab. *Marmorea* Grasl. Ann. S. Fr. 1863 p. 312, t. 8, f. 9 (pallidior, antennis paullum differt). *Pyr; Jutia.*
- b) v. *Suffusa* Tutt Brit. Noct. II p. 90 (major, al. ant. obscurioribus sine rubidine). *Ins. Hethland.*
1120. **Molothina** Esp. 85, 1 (1789), Forts. p. 33; Gn. I, 294; Alph. Iris VII p. 305; Erica B. Gen. p. 104; Frr. 515, 3; Vulum Germ. Faun. I. E. 22, t. 13; HS. 30. *Germ. c; Austr. inf.; Mor; Hung; Gal. c; Liv.*
- a) v. *Occidentalis* Bell. Ann. S. Fr. 1860, p. 665, t. 12, f. 6, 7 (obscurior, nigricans). *Gal. m. oc.*
1121. **Polygona** F. Mant. 176 (1787); Hb. 125; Tr. V, 1. 226; God. V, 68, 1; Gn. I, 313; Nigrofulva Esp. 127, 7 (1789). *Eur. c. ets. (exc. Angl. et reg. pol.); It. c.; Pont; Tura; Saraw; Sib.*
1122. **Signum** F. Mant. 154 (1787); God. V, 64, 1; Sigma Hb. 122; Tr. V, 1. 212; Frr. 124; Gn. I, 325; Umbra Hb. Btr. I, 2, 3; Nubila Esp. 143, 2 (1789). *Eur. c. (exc. Angl.); Arm; Alt; Amur; Uss.*
1123. **Subrosea** Stph. Ill. p. 200, t. 19, f. 1; Gn. I, 332; Tutt Brit. Noct. II, 59; Barr. Brit. Lep. IV p. 81, t. 144, f. 3; Meyr. 97. *Angl. (olim).*
- a) v. *Subcaerulea* Stgr. Cat. ed. II p. 80; Subrosea HS. 516, 622, VI p. 59 (al. ant. caerulescentibus). *Ross. s. et c.s.; Pruss. or. (1); Suec; Amur; Uss.*
1124. **Perigrapha** Püng. Iris XII p. 290, t. 8, f. 10. *Kuku N; Amdo.*
1125. **Janthina** Esp. 104, 4, 5 (1787); Hb. 100; Tr. V, 1. 269; God. V, 59, 6; Frr. 262; Gn. I, 317; Barr. Brit. Lep. IV t. 138, f. 1. *Eur. c. et m. (cum v.); Liv; Arm. et Hyrc. (v.?).*
- a) v. et ab. *Rufa* Tutt Brit. Noct. II p. 92; Ter Haar Tijds. 1896 Ver. p. 98, t. 1, f. 3 (al. ant. pallidior., griseo-rufescensibus). *Sic; Graec; Maur; Bith; Taur.m.(var.); Eur. c. oc. (ab.).*
1126. **Linogrisea** Schiff. S. V. p. 79, 313; Esp. 108, 3; Hb. 101, 531; Tr. V, 1. 272; God. V, 57, 5; Frr. 249; Gn. I, 314. *Eur. c. et m. (exc. Bat., Angl. et ? Sic.); Scand. m; Arm. et Bith. (v.?).*
- a) v. *Lutosa* Stgr.; Linogrisea Stgr. Hor. VII p. 120; al. ant. magis unicoloribus, luteo-griseis, non albido-mixtis. *And.m; Graec; Pont; Syr.*
1127. **Fimbria** L. S. N. ed. XII, 842 (1767); Esp. 103, 1-3; Hb. 102, 551-2; Tr. V, 1. 266; God. V, 60, 1. 2; Gn. I, 318; Frr. 381; Tutt Brit. Noct. II p. 92. *Eur. c. et m. (exc. Graec.?); Scand. m; Maur; Bith; Pont; Arm.*
1128. **Interjecta** Hb. 107; Tr. V, 1. 253; God. V, 59, 1; Frr. 292; Gn. I, 318; Barr. Brit. Lep. IV t. 138, f. 2; Tutt Brit. Noct. II p. 91. *Eur. c. oc; Gal. m; Bib; Cors; It. s. et c; Dalm; ? Bith.*
1129. **Chardinyi** B. Ind. p. 94 (1829), Ic. 84, 1; Dup. III, 20, 3; HS. 149, 150; Gn. I, 317; Hetaera Ev. Bull. M. 1837 p. 32, F. V. U. p. 217; Frr. 279, 1. *Ross. c; Pruss. or. (rar.); Sib. oc. et or; Daur; Chang; Amur; Kuku N; Amdo.*

1130. **Gilvipennis** Grote VI. Rep. Peab. Ac. Sc. App. 24 (1874); Canad. Ent. VI, 71; Chardinyi Grote Stett. e. Z. 1876 p. 135 (praece. var.?). *Am. pol. or.*
1131. **Sobrina** Gn. Ann. S. Fr. 1841 p. 239; Dup. IV, 69, 5, a!; HS. 127-9; Gn. I, 335; Barr. Brit. Lep. IV t. 144, f. 2; Tutt Brit. Noct. II p. 106; Snell Tijds. XXXVI. p. 214; Mista Frr. 441-3. *Eur. c; Suec; Ross. s.*
- a) v. et ab. **Gruneri** Gn. I, 336; **Sobrina** Dup. IV, 69, 5, b!; **Lapponica** Frr. 455, 4 (al. ant. fere tot. griseo-inspersis). *Alp; Helv. et Gal; Pyr; Lap; Alt.*
1132. **Punicea** Hb. 115; Tr. VI, 1. 386; God. V, 63, 5; Frr. B. 15; B. Ic. 83, 4; Gn. I, 333; Graes. Berl. e. Z. 1888 p. 318; Reuter Act. Fen. IX, 36. *Ross. s. et c; Sib; Usga; Amur; Uss.*
1133. **Pachnobides** Stgr. Stett. e. Z. 1888 p. 246, Mém. Rom. VI p. 406, t. 6, f. 3 (sec. Herz = Descripta no. 1205). *Uss.*
1134. **Marcida** Chr. Iris VI p. 90 (1893). *Hyrc.*
1135. **Velata** Stgr. Stett. e. Z. 1888 p. 247, Mém. Rom. VI, t. 6, f. 4. *Uss. m.*
1136. **Augur** F. S. E. 604; Hb. 148; Tr. V, 1, 210; Dup. VI, 73, 6; Gn. I, 325; Tutt Brit. Noct. II p. 102; Hippophaes HG. 782-3. *Eur. c. et s. (exc. reg. pol.); It. s. et c; Sib; Amur; Jap.*
- *a) v. **Haruspica** Grote Bull. Buff. Soc. Nat. Sc. II, 212 (1875); Smith Noct. Cat. p. 74 (major, al. ant. minus signatis). *Am. s.*
1137. **Bipartita** Graes. Berl. e. Z. 1888 p. 318 (sec. un. ♂ deser.). *Uss.*
1138. **Nigrita** Graes. Berl. e. Z. 1892 p. 217 (sec. un. ♂ deser.). *Amur.*
1139. **Senna** HG. 771-2; Frr. B. 66, 1 (Febr. 1829); Tr. X, 2, 18; B. Ic. 77, 4; Dup. III, 18, 2; Gn. I, 300. *Helv. (Val); Germ. m. oc; Gal. or; Ped. s.*
1140. **Glis** Chr. Mém. Rom. III p. 64, t. 3, f. 10. *Hyrc; Turu.*
1141. **Erythrina** Rbr. Ann. S. Fr. 1849; Gn. I, 296; HS. 543. *Gal. c. et m. oc; Lusit. m; Val; Apen. c.*
1142. **Suecica** Auriv. Nord. Fjär. (1890) p. 121, f. 24, d-f (sequ. sp. valde similis). *Suec; Ross. m. or.*
1143. **Obscura** Brahm Ins. Kal. I p. 191 (1790), II, 412; Tutt Brit. Noct. II p. 81; Ravida Hb. 126 (post. 1800), 600; Tr. V, 1, 207; God. V, 66, 6; Frr. 206; Gn. I, 300; Barr. Brit. Lep. III, t. 136, f. 1; Caliginea Butl. Ann. & Mag. (5) I 1878 p. 165; Ill. Het. III t. 44, f. 10. *Amur; Uss.*
1144. **Clandestina** Harris Ins. of Mass. injur. ed. I 1842 p. 227; Speyer Stett. e. Z. 1875 p. 131, 347; Auriv. Grönl. Ins. p. 13; Smith Noct. Cat. p. 75 (praece. var.?). *Eur. c. et s. (exc. reg. pol.); Pyr; It. s. etc; Ross. m; Arm; Pont; Hyrc; Turu; Ili; Iss. K; Ferg; Ando; Sib; Cor; China s; Jap.*
1145. **Deplorata** Stgr. Iris IX (1896) p. 241 (Obscurea forma Darw.?). *Am. s; Groenl; Kamt; ? Amur; ? Cor.*
- a) ab. **Sennina** Stgr. l. c. (al. ant. obscurioribus, nigro-fuscis). *Ulias.*
1146. **Degenerata** Chr. Hor. XII (1877) p. 244, t. 6, f. 18; Mém. Rom. II, t. 12, f. 4; Defuncta v. Persica Stgr. Iris IX (1896) p. 243. *Hyrc; Ferg. m.*
- a) v. **Defuncta** Stgr. l. c. t. 4, f. 8 (al. ant. brunnescenti-griseis, distinctius signatis). *Iss. K. s. or; Ili.*
- b) v. **Aucta** Alph. Mém. Rom. VI p. 25, t. 2, f. 3 (multo major; an sequ. sp. var.? Confinis Stgr. certe non = Degeniata Chr.). *China c. oc.*
1147. **Squalida** Gn. I, 300 [sec. typ. e coll. B. = Confinis]; Confinis Stgr. Stett. e. Z. 1881 p. 422; Iris IX p. 249; Confusa Alph. Hor. XVII p. 61, t. 2, f. 47 (f. mala); Mém. Rom. V p. 141 [sec. typ. = Squalida] (sp. valde aberrans). *Cauc. s. or; ? Ural; Hyrc; Alt; Tarb; Ala Tau; Ili; Iss. K; Ferg; Kuku N; Ulias; Chang.*
1148. **Opisoleuca** Stgr. Stett. e. Z. 1881 p. 423. *Hyrc.*
1149. **Stabulorum** Bienert Diss. p. 34. *Hyrc. (Schahrud).*
1150. Vacat.

1151. Vacat.
1152. **Pronuba** L. S. N. ed. X, 512; Esp. 102, 1; Hb. 103; Tr. V, 1. 260; God. V, 58, 3 (4); Frr. 274; Gn. I, 320; Barr. Brit. Lep. IV t. 140; Tutt. Brit. Noct. II p. 99.
- a) ab. *Innuba* Tr. V, 1. 265; Frr. 275; Gn. I, 321; *Pronuba* Esp. 102, 2. 3; God. V, 58, 1. 2 (al. ant. thoraceque concoloribus).
 - b) ab. *Hoegei* HS. n. Schm. 117-8 (minor, al. post. mac. media nigra).
1153. **Orbona** Hufn. Berl. M. III p. 304 (1767); Rott. Naturf. IX p. 125; Hein. I, 492; Subsequa Hb. 106; Tr. V, 1. 258; Frr. 269; Gn. I, 319; Barr. Brit. Lep. IV, t. 138, f. 3; Tutt. Brit. Noct. II p. 93; Sarmata Rbr. Ann. S. Fr. 1871 p. 315.
- Kurd. s. oc; Arm; Mardin; Tura; Sarav. (var.).
 - a) ab. *Subsequa* Hb. Btr. I, 3, 4 Y (1788); *Consequa* Hb. 105; Tr. V, 1, 259; Gn. I. c. (al. ant. obscurioribus).
1154. **Comes** Hb. 521; Tr. V, 1. 254; Frr. 268; Clark Entom. XXII (1889) p. 145, t. 6; *Orbona* F. Mant. 150; God. V, 52, 2-4; Gn. I, 319; *Subsequa* Esp. 104, 2. 3 (al. ant. rufo-brunneis unicol.).
- a) ab. *Adsequa* Tr. V, 1. 256 (pallidior, unicolor.).
 - b) ab. *Prosequa* Tr. V, 1. 256; Gn. I, 320 (al. ant. distinctius signatis).
 - c) v. *Curtisi* Newm. Entom. V p. 224; Tutt. Brit. Noct. II p. 97; *Consequa* Curt. B. E. 348 (minor, al. ant. multo obscuriorib., distincte signatis, al. post. plus minusve nigro-inspersis).
1155. **Efflorescens** Butl. Ann. & Mag. (5), IV p. 361 (1879); Stgr. Mém. Rom. VI p. 407; Jankowskii Obth. Etud. X, p. 20, t. 2, f. 10.
1156. **Castanea** Esp. 178, 8-11 (1795), IV, 2 p. 27; Barr. Brit. Noct. IV t. 148, f. 2 a, b; Tutt. Brit. Noct. II p. 104; Cerasina Frr. 312 (1840); HS. 131-3; Gn. I, 336; Spr. Stett. e. Z. 1858 p. 105 (forma rufo-brunnea).
- a) v. (et ab.) *Neglecta* Hb. 160; Tr. V, 2. 199; Frr. 136, 2., 489; Dup. VI, 78, 4; Gn. I, 336; Barr. I. c. f. 2 (forma grisea, frequentior).
1157. **Oblongula** Stgr.; *Quadrangula* Ev. Bull. M. 1844, III p. 592, t. 14, f. 2, a, b, F.V. U. p. 201; Frr. 471, 2; HS. 496; Gn. I, 256 (*Quadrangula* Zett. 1840 alia est *Agrotis*).
1158. **Infantilis** Stgr. Iris VIII, 1895 p. 305, ♂.
1159. **Senescens** Stgr. Stett. e. Z. 1881 p. 416; Chr. Mém. Rom. V p. 17.
- a) v. *Senilis* Stgr. Stett. e. Z. 1888 p. 1 (dilutior, al. ant. cretaceis, plerumque fascia med. brunnea).
1160. **Kungessi** Alph. Hor. XVII p. 62, t. 1, f. 40 (1882).
1161. **Caelebs** Stgr. Iris VIII, 1895, p. 313, ♂.
1162. **Vittata** Stgr. Iris VIII, 1895, p. 314, t. 5, f. 15, ♂; ?*Agama* Stgr. I. c. 315, ♀.
1163. **Tibetana** Stgr. Iris VIII, 1895, p. 306.
1164. **Imperita** Hb. Zutr. 447-48 (1825); Smith Cat. Noct. p. 59; Comparata Möschl. Wien. Mts. 1862, p. 131, t. 1, f. 5, 1864, p. 196.
1165. **Hyperborea** Zett. Ins. Lap. 938; Gn. I, 342, t. 4, f. 10; Stgr. Stett. e. Z. 1861, p. 361; Mill. Ic. 60, 3. 4; Tutt. Brit. Noct. II p. 85; Barr. Brit. Lep. V t. 215; Aquilonaris Zett. I. c. 940; ?*Alpicola* Zett. I. c; Iveni Hüber Hor. VI p. 135, t. 3, f. 6 [subvar., major etc.].
- Territ. (exc. reg. pol. et As. s.).*
- Eur. c; Scand. c. et m; Liv; Hisp. c; Cors; Eur. or. m. (exc. Graec); As. min; Kurd. s. oc; Arm; Mardin; Tura; Sarav. (var.).*
- Eur. c. et m; Liv; Scand. m; Maur; Can; As. min; Arm; Pal.*
- Scot; Ins. Hethl.*
- Uss; Jap.*
- Germ. c. et m; Angl; Scand.m; Liv.*
- Austro-Hung; Helv; Eur. c. oc; Cat; It; Syr. (var.); etc. ab.*
- Ross. m. or. (Ural); Ala Tau; Urga; ?Arn.*
- Amdo.*
- Alt; Saisan; Ferg.*
- Ili; Iss. K. s. oc.*
- Ili.*
- Kuku N; Amdo.*
- Kuku N; Amdo.*
- Kuku N; Amdo.*
- Labr; Amur s. or.*
- Scand. c. et s; Ross. c. oc.s. et s; Sil. et Hung. mont. (trans.); Sum. Alp. (var.).*

- a) *Alpina* Humphr. & Westw. Brit. Moths I p. 118, t. 23, f. 13 (1843); Stgr. Monthl. Mag. XIII, 90; *Hyperborea* Weir Entom. 1880 t. 4, f. 14, 15 (al. ant. plerumque rufescens, obscurioribus, nigro-striatis; trans. ad. v. sequ.).
- b) v. *Carnica* Hering Stett. e. Z. 1846 p. 236; *Glacialis* HS. 421-5 (1849); Gn. I, 343 (al. ant. incarnatis, vel rufescens).
1166. **Tecta** Hb. 377; Auriv. Nord. Fjär. 115; *Carnea* Tr. (nec. Thnb.) V, 2, 226; God. V, 62, 61; HS. 401; Zett. Ins. Lap. p. 945; Gn. I, 342; Stgr. Stett. e. Z. 1861, 367; Wcl. ib. 1864 p. 184; *Ampla* Hb. 425; ? *Littoralis* Pack. Labr. 36; Möschl. Stett. e. Z. 1870 p. 265; Smith Noct. Cat. p. 62; *Okakensis* Pack. Labr. p. 38; Morr. Psyche I p. 42; Möschl. Stett. e. Z. 1883 p. 117 (genus *Pachnobia* olim).
- a) v. (ab.) *Cinerea* Stgr. Cat. ed. II p. 114; *Carnea* ab. Stgr. Stett. e. Z. 1861, 369; Mill. Ic. 45, f. 8 (al. ant. plus minusve cinerascentibus).
1167. **Collina** B. Gen. p. 105; HS. 142; Gn. I, 331; Stndf. Stett. e. Z. 1884, 203; *Montana* Frr. 698, ? 569, 3.
- Suec; Iss. K.
- a) v. *Kenteana* Stgr. Iris V, 353 (al. ant. obsoletioribus, minus signatis).
1168. **Agathina** Dup. VII, 1, p. 359, t. 122, 2; HS. 2; Gn. I, 294; Barr. Brit. Lep. III t. 133, f. 2; Tutt. Brit. Noct. II p. 58; *Lidia* B. Ic. 77, 1.
- a) v. (et ab.) *Scopariae* Mill. Ic. II p. 151, t. 67, f. 7-10 (al. multo obscur., fere nigricantibus).
- b) v. *Hebridicola* Stgr. al. ant. pallidioribus, griseoscentibus, fere non rufo-inspersis.
1169. **Triangulum** Hufn. Berl. M. III p. 306; Tr. V, 1. 240; Frr. B. 64; Gn. I, 329; Barr. Brit. Lep. IV t. 142, f. 2; Sigma Esp. 186, 1-4; Hb. 497; God. V, 60, 6.
- * a) var. ? *Normanniana* Grote Tr. Amer. Ent. Soc. V, 59; Smith Cat. Noct. p. 71; *Obtusa* Spr. Stett. e. Z. 1875 p. 124 (*Trianguli* var. Stgr. esse videtur).
1170. **Fuscostigma** Brem. Lep. O. S. p. 51, t. 5, f. 10; Stgr. Mém. Rom. VI, 408; *Hysgina* Obth. Et. V p. 76, t. 7, f. 8.
1171. **Exusta** Butl. Ann. & Mag. (5) 1878, I, p. 164; Ill. Het. II p. 28, t. 29, f. 11; Graes. Berl. e. Z. 1888 p. 320; Stgr. Mém. Rom. VI p. 413.
- a) ab. *Nigromaculata* Graes. l. c. (al. ant. nigro-maculatis).
1172. **Baja** F. Mant. 175; Hb. 119; Tr. V, 1. 215; God. V, 63, 4; Frr. B. 74; Gn. I, 335; v. *Punctata* Auriv. Nord. Fjär. p. 115 [ab.]
- Ural; Sib; *Ülias*; Amdo;
- a) v. (et ab.) *Bajula* Stgr. Stett. e. Z. 1881 p. 411; Iris V, 354 (minor, pallidior).
1173. **Subgrisea** Stgr. Iris X (1897) p. 330, t. 9, f. 25.
1174. **Gelida** Sparre-Schneider Tidskr. 1883 p. 88; Auriv. Nord. Fjär. p. 116; *Comparata* Sparre-Schneider l. c. p. 77 (sec. ♂ un. descr.).
- a) var. *Mevesi* Auriv. l. c. f. 22 (obscuor., mac. reniformi haud rufo-tincta; sec. duas ♀ descr.).
1175. **Sincera** HS. II p. 412 (1841); *Zelleri* HS. 512-3 (al. ant. cinereis, post. albidis).
- Suec; Fen;
- a) v.? *Rhaetica* Stgr. Cat. ed. II, p. 82 (alis omnibus fusco-griseis; sec. Auriv. sp. diversa).
- Scot; Hethl; Hib.
- Alp. Car.
- Scand. c. (mont.) et s.; ? Lap; Ross; Labr. (ab.).
- Labr. (forma princeps).
- Alp; Sil. mont; Hal; Bucov; Rum; Liv; K. et Kuku N. (trans.).
- Daur; Amur.
- Gal; Bilb; Angl; Belg; Germ. oc. c; Lusatia (1 Möschl.).
- Gal. m. (var.) s. (ab.).
- Ins. Hebrid.
- Eur. c; Scand. m; Ross. s. oc. et m. or; It. s. et c; Dalm; Arm.
- Am. s.
- Uss. m. et s.
- Uss. m. et s.; Jap; Cor; China c. et or.
- Eur. c. et s. (exc. reg. bor.); It. s.; Arm; Amur; Kamt; Am. s.
- AlaTau; Kent; Chang; Germ. s. (ab.); Iss. K.
- Daur.
- Lap. Norv. (Syd-varanger).
- Suec. c. (Jemtland).
- Germ. c. mont; Liv; Daur; Amur; Labr.
- Alp. Helv. or. (Rhaetia); Sax. (Chemnitz).

- b) v.? *Adducta* Herz Iris XI, 255 (al. ant. rufescenti-griseis, minus signatis; sp. diversa?).
1176. ? **Albuncula** Ev. Bull. M. 1851, II, 627 (sec. Herz hic pon.).
1177. **Speciosa** Hb. 491; Dup. III, 49, 5; HS. 471; Gn. II, 80; Mill. Ic. 116, 5 [ab. nigricans = Obscura Frey Lep. 117].
- a) v. *Arctica* Zett. Ins. Lap. p. 339; Stgr. Stett. e. Z. 1861 p. 363; Schoenherri Gn. II, 79, t. 7, f. 7 (minor, obscurior, alis post. fere unicoloribus).
- b) v. *Aegrota* Alph. Mém. Rom. IX, 211 (minor, debilior, cinerascens, indistinctius signata).
1178. **Candela** Stgr. Cat. ed. II p. 82; *Candela* sequa Hb. 377; Tr. V, 1, 217; Dup. VI, 77, 2; Gn. I, 323; Frr. 472, f. 3, 4, 688; v. *Jotunensis* Auriv. Nord. Fjär. p. 122 [ab. obscurior].
- a) v. *Signata* Stgr. Cat. ed. II p. 82; *Candela* sequae var. A. Gn. I, 324 (dilutior, strigis serratis nigris distinctissimis).
1179. **Ashworthii** Dbd. (Henry) Zool. 1855 p. 4749; Mill. Ic. 93, III; Barr. Brit. Lep. III t. 136, f. 2; Tutt Brit. Noct. II p. 78; *Vallesiaca* Stt. Ann. 1855 p. 41, f. 2 (praeec. sp. Darw.?).
1180. **Insignata** Ld. z. b. V. 1853 p. 366, t. 4. f. 2; *Intermedia* Ev. Bull. M. 1855, IV p. 421.
- a) v. *Pallescens* Chr. Iris VI, 90 (al. ant. minus signatis, fere unicolor.).
1181. **Eminens** Ld. z. b. V. 1855 p. 106, t. 1, f. 5; *Excellens* Stgr. Stett. e. Z. 1867 p. 107.
1182. **Chaldaica** B. Gen. p. 140; Dup. III, 41, 5; Germ. Fn. J. E. Fase. XXII t. 21; Frr. 304, 1; HS. 110; Gn. I, 324; Ev. Bull. M. 1855, IV, 421.
- a) v. et ab. *Spodia* Püng. Iris XII p. 289 (al. ant. cinereis, nec rufescens).
1183. **Trigonica** Alph. Hor. XVII p. 43, t. 1, f. 39.
- a) ab. (v.?) *Capnoptera* Püng. Soc. ent. XIII p. 58; Iris XII p. 101 (al. ant. obscurioribus, venis infuscatis; vix nominanda).
1184. **Costastriga** Stgr. Iris VIII, 1895 p. 305, t. 5, f. 14 ♂.
1185. **C. nigrum** L. S. N. ed. X, 516; Cl. Ic. I, 3; Hb. 111; Tr. V, 1. 237; God. V, 61, 1; Gn. I, 328; Frr. 608; Barr. Brit. Lep. IV, t. 142, f. 3; Tutt Brit. Noct. II, 110; Hamps. Ind. Moths II, 188.
1186. **Degenerata** Stgr. Stett. e. Z. 1889 p. 26.
1187. **Ditrapezium** Bkh. IV, 515 (1792); Hb. 472; Gn. I, 329; Barr. Brit. Lep. IV, 143; Hmps. Ind. Moths II, 188; *Tristigma* Tr. V, 1, 243; Frr. B. 99. Uss; ?Bith; Ili; Iss. K. oc.
1188. **Vidua** Stgr. Mém. Rom. VI p. 409, t. 7, f. 3.
1189. **Kollari** Ld. z. b. V. 1853 p. 366, t. 4, f. 1; Ev. Bull. M. 1855, IV, 420.
1190. **Sareptana** HS. 546, II, p. 359; Ev. Bull. M. 1855, IV, 424.
1191. **Maerens** Stgr. Iris IX p. 365, t. 4, f. 3.
1192. **Wockei** Möschl. Wien. Mts. 1862 p. 130, t. 1, f. 2; Stett. e. Z. 1870 p. 266; Smith Cat. Noct. 1893 p. 64.
1193. **Honesta** Stgr. Iris V p. 354, t. 3, f. 3.
1194. **Agalma** Püng. Iris XII p. 289, t. 8, f. 7.
- Sib. s. or. (Vilui).*
- Sib. or. m.*
- Germ. mont; Boh; Alp.*
- Scand. c. et s. mont;*
Ross. s. (v.); Sum.
Alp; Labr.
- Mongol. (Chang.).*
- Germ; Gal. oc; Scand.*
c. et m; Ross. s. oe;
Ural; Ando (var.)
? Tura.
- Hung; Balc. s; Styr.*
et Helv. (cum trans.),
? Bith.
- Angl. m. oc.*
- Srp; Alt; Ili; Iss. K;*
Tura (ab).
- Tura; Hyrc.*
- Alt; Saisan; Ili; Iss.*
K. or.
- Ross. m. or; Alt;*
Saisan; Ala Tau;
Ili; Iss. K.
- Tura et Ferg. (v.);*
Ross. m. (etc.?) ab.
- Ili; Iss. K.*
- Iss. K; Ili.*
- Amdo.*
- Territ. (exc. reg. pol.*
et ? Balc. m.); Cor;
Jap; India; Am. s.
- Kaschg.*
- Eur. c. (exc. Suec.?)*
Liv; It. s; Sib; Amur;
? Bith; Ili; Iss. K. oc.
- Uss. m.*
- Ural m; Alt; Sib. or;*
Kamt; Uss.
- Srp; Pont.*
- Mong. (Urga).*
- Labr; Ala Tau (v.).*
- Kentei; Urga.*
- Kuku N; Amdo.*

1195. **Stigmatica** Hb. 470-1; Tutt Brit. Noct. II p. 112; Rhomboidae Tr. V, 1, 231; God. V, 62, 5; Frr. 309; Gn. I, 330; Barr. Brit. Lep. IV t. 143, f. 2.
- Eur. c; Dan; Suec. m.; Liv; It. s.
1196. **Cissigma** Mén. Schrk. p. 58, t. 4, f. 9; Graes. Berl. e. Z. 1888 p. 351; Umbra Stgr. Mém. Rom. VI p. 411.
- Sib. s. or. (Vilui); Amur; Uss; Cor.
1197. **Xanthographa** F. Mant. 170; Hb. 138; Tr. V, 2, 196; Fr. 250; Gn. I, 337; Barr. Brit. Lep. IV t. 148, f. 1; Tutt Brit. Noct. II p. 124; Budensis Frr. 232, f. 1 ♀ (sp. ubique valde aberrans).
- Eur. c., s.m. et m.(exc. ? Ib. et ? Graec.); As. min. et Syr. (ab.).
- a) v. et ab. *Cohaesa* HS. 95-7, II, p. 209; Gn. 247; Ev. Bull. M. 1855, IV, 322; Calberla Iris I p. 225, t. 12, f. 12; Xanthographa HS. 130 (dilutior, grisescens).
- Sic; As. min; Syr. et Arm. (v.); etc. (ab.).
- b) ab. (v.?) *Palaestinensis* Kalchb. Iris X (1897) p. 168 (praeec. var. dilutior, al. ant. distinctius signatis).
- Pal; As. min. etc.(ab.).
- c) v. et ab. *Elutior* Alph. Stett. e. Z. 1887, 168; Mém. Rom. V, 129, t. 6, f. 3 (major, al. ant. cinnamomeis vel flavidogriseis).
- Ferg; As. min. (trans.).
1198. **Kermesina** Mab. Ann. S. Frr. 1869 p. 55, t. 2, f. 10 (praeec. forma Darw.?).
- Cors; And.
1199. **Umbrosa** Hb. 456-7; Tr. V, 2, 123; God. V, 63, 3; Gn. I, 334; Barr. Brit. Lep. IV t. 147, f. 3.
- Eur. c. (exc. ? Ross.); Scand. m.; It. s.
1200. **Sulcifera** Chr. Iris VI p. 91 (1893) (incertae sedis).
- Arm. m.
1201. **Rubi** View. Tab. Verz. p. 57, t. 3, f. 5 (1790); Hein 500; Barr. Brit. Lep. IV t. 147, f. 2; Bella Bkh. IV, 605 (1792); Tr. V, 2, 121; Frr. 100; HS. 81; Gn. I, 334; Quadratum Hb. 477 (ab.).
- Eur.c; Scand.m.; Liv; Ural. m.; Sib. s. or.; Kamt; Ferg. et Saraw. (v.).
1202. **Florida** Schmidt Stett. e. Z. 1859 p. 46; HS. n. Schm. 74; Spr. geogr. V. II p. 262; Stange Stett. e. Z. 1886 p. 279; Pabst Iris III, 112 (praeec. var. an forma Darw.?).
- Germ. s. c; Scand. m.; ?Vind; ?Gal. s. oc.
1203. **Dahlii** Hb. 465-6; Tr. V, 1, 222; God. V, 62, 1, 2; Gn. I, 332; Tutt Brit. Noct. II p. 113; Barr. Brit. Lep. IV t. 144, f. 1; Leech Tr. E. S. 1900 p. 39.
- Eur.c; Ross.m.or; Alt; Ili; Iss. K; Amdo; Amur; Uss; Jap.
- a) v. *Nana* Stgr. Iris V p. 355 (fere dimidio minor).
- Daur.
1204. **Descripta** Brem. Lep. O. S. p. 51, t. 4, f. 11; Stgr. Mém. Rom. VI p. 414; Leech Tr. E. S. 1900 p. 40 (sec. Herz = Pachnobides no. 1133).
- Amur; Jap.
1205. **Brunnea** F. Mant. 168; Hb. 121; Tr. V, 1, 219; God. V, 61, 4; Frr. B. 58; Frr. 531, 4, ab; Gn. I, 330; Barr. Brit. Lep. IV t. 143, f. 3; Lucifera Esp. 142. 6.
- Eur. c. et s. (exc reg. bor.); Ural; Alt; Amur; Uss; ?Jap. (v.?).
1206. **Dewitzii** Graes. Berl. e. Z. 1888 p. 316; Stgr. Mém. Rom. VI p. 405.
- Uss. s. (Chab.).
1207. **Primulae** Esp. 136, 5, 6 p. 428 (ante 1792); Bkh. IV p. 511; Snell. Tijdschr. 1873 p. 12 (Sep.); Festiva Hb. 114, 467-9; Tr. V, 1, 224; Frr. B. 41; God. V, 61, 5, 6; Gn. I, 331; Barr. Brit. Lep. IV t. 145; Tutt Brit. Noct. II p. 114; Turbida (Congener) Hb. 617.
- Eur. c. (exc. Suec.); Ped; Liv; Ural; Alt; Arm; Ili; Iss. K; Kuku N; Amdo.
- a) v. *Lamentanda* Alph. Mém. Rom. IX p. 330, t. 14, f. 6 (minor, pallidior, grisescens).
- Kamt; Urga.
- b) *Confusa* Tr. VI, 1, 405; Frr. B. 98, 1; Dup. VII, 109, 7; HS. 154; Gn. I, 331; Assm. Bresl. Ent. Z. 1855 p. 15, t. 1; Mill. Ic. 58, 1-3; Barr. Brit. Lep. IV t. 146; Tutt Brit. Noct. II p. 122; Ignicola HS. 455; Borealis Zett. Ins. Lap. 941; Diducta Z. l. c. 946 (minor, al. ant. angustioribus, obsoletioribus, minus pictis).
- Eur. bor; Sil. mont; Alp; Scot; Islandia; Alt. or.
- c) v. *Thulei* Stgr. Iris IV (1891) p. 266; *Conflua* Weir Entom. 1884 p. 2, t. 1, f. 8-10; Barr. l. e. (al. omn. multo obscurioribus).
- Ins. Hethland.

1208. **Herzi** Chr. Iris VI p. 90; Stgr. Iris IX p. 245; Alph. Mém. Rom. IX t. 14, f. 7.
1209. **Modesta** Stgr. Iris VIII, 1895, p. 309 ♂.
1210. **Argillacea** Alph. Hor. XXVI, 445; Mém. Rom. IX p. 11, t. 2, f. 1; Decolor Stgr. Iris VIII, 307 (non hujus generis, sed cuius? certe non Eicomorpha).
1211. **Sordescens** Stgr. Iris XII p. 360.
1212. **Depuncta** L. F. S. 321; Esp. 177, 3; Tr. V, 1, 229; Frr. 166; Gn. I, 324; Barr. Brit. Lep. IV t. 142, f. 1; Mendosa Hb. 120, 502
- a) v. *Pontica* Stgr. Iris IV, 226 (al. ant. rufescens, vel violaceo-griseis, al. post. albicanibus).
 - b) ab. *Consenescens* Stgr. I. c. (al. ant. lutescenti-cineris).
1213. **Glebosa** Stgr. Iris XIII p. 359, t. 6, f. 5.
1214. **Glareosa** Esp. 128, 3 (1789); Tr. X, 2, 79; Gn. I, 324; Mill. Ic. I p. 234, t. 26, f. 4-8; Barr. Brit. Lep. IV t. 141, f. 1, 1a; Tutt. Brit. Noct. II, 107; Hebraica Hb. 642-3; Frr. 201, 2, 3; I. geminum Dup. VI, 77, 6.
- a) v. *Edda* Stgr. Iris IV, 266; *Glareosa* Weir Entom. 1884 p. 2, t. 1, f. 1; Barr. I. c. f. 1b (minor, multo obscurior, al. ant. brunneo-nigris).
1215. **Margaritacea** Vill. L. Ent. II p. 272, t. 5, f. 16 (1789); Gn. I, 223; *Glareosa* Tr. V, 2, 247: Frr. 185; I. intactum Hb. 130; Dup. VI, 77, 3, 4.
1216. **Exacta** Stgr. Stett. e. Z. 1888 p. 9.
1217. **Glaucescens** Chr. Stett. e. Z. 1887 p. 163; Mém. Rom. V p. 23, t. 1, f. 9.
1218. **Elegans** Ev. Bull. M. 1837 p. 33, F.V.U. p. 187; Grammip-tera Rbr. Fn. And. t. 17, f. 4; Dup. III, 40, 1, p. 450; HS. 3, 4; Gn. I, 309; Cancellata Frr. 303, 5; Germ. Fn. J. E. fasc. 22, t. 17.
1219. **Larixia** Gn. I, 310; HS. n. Schm. 125. *Alp. Gal. et Ped;* Arm; *Hyrc;* Tura mont.
1220. **Decussa** Stgr. Iris IX p. 367, t. 4, f. 9.
1221. **Multangula** Hb. 116; Tr. V, 1, 127; B. Ic. 76, 2; Frr. 339; Gn. I, 311; ? Alph. Mém. Rom. V, 130.
- a) ab. *Subrectangula* Stgr. Cat. ed. II p. 83; *Rectangula* B. Ic. 76, 1 (obscurior, vix nom. conserv.).
 - b) v. *Dissoluta* Stgr. Iris XII p. 361 (dilutior, al. ant. fere cinereis).
1222. **Hahni** Chr. Mém. Rom. II (1885) p. 33, t. 2, f. 8 (praec. sp. v. *Dissolutae similis*, forse var.).
1223. **Capnistis** Ld. Hor. VIII (1871) p. 14, t. 2, f. 1; Stgr. Iris XII p. 361.
1224. **Juvenis** Stgr.; Caelebs Stgr. Iris XII p. 360, t. 6, f. 4 (nom. praeoccup.).
1225. **Deplanata** Ev. F. V. U. p. 185 (1884); Stgr. Mém. Rom. VI p. 415; Deplana Frr. 448, 3; HS. 79; Ev. Bull. M. 1856, II, 198; Autumnalis Obth. Et. V p. 74, t. 7, f. 10.
1226. **Melancholica** Ld. z. b. V. 1853, p. 367, t. 4, f. 3; Ev. Bull. M. 1856, II, 200.
1227. **Cicatricosa** Graes. Berl. e. Z. 1892 p. 218 (uno ♂ condita; praec. sp. ab?).
1228. **Bonza** Püng. Iris XII p. 290, t. 8, f. 13
1229. **Rectangula** F. Mant. 155; Hb. 110; Tr. V, 1, 126; Gn. I, 311.
- Sib. s. or; *Ulias;* Chang.
Kuku N; Amdo.
Amdo.
- Saraw.
Eur. c. (exc. Bat. et Belg.); Suec. m; Liv; Ross. m. or; Arm; Iss. K. Pont; Tura.
- Pont.
- Taur. m. or. (*Zeitung*).
Germ. oc; Helv; Ter; Val; Bat; Belg; Angl; Gal; Cat; Dan; Eur. c. oc; Jut; Suec. m; Bav; It. s; Ib.
- Ins. Hethland.
- Germ. m; Gal. m; Helv; It; Austr.; Bith; Pont; Arm; Alt. Ili; Iss. K.
- Tura.
- Gal. c. or; And. et Graec. mont; Ross. m. or; Arm; Hyrc; Taur. m. or; Alt; Iss. K.
- Iss. K. s. oc.
- Germ. c. et m; Arag. (1); Alp; Hung; Ural; Alt; Pont; Arm; Uss. (1); Hyrc.
- Val; Ili; Iss. K; Amdo et Kaschg. (v.?).
Arm. m. or; Hyrc; Saraw. (v.).
Hyrc; Pont; Syr; Tura et Ili (v.).
- Taur. m. or. (*Zeitung*); ? Hyrc.
- Ural; Alt; Daur; Amur; Uss; Kuku N; Amdo.
- Alt; Amur; Uss; Amdo; Kuku N.
- Amur.
- Amdo.
- Astro-Hung; Rum; Ross. c; Crim; Pont; Taur. m. or.

- a) v. *Andereggii* B. Ic. 76, 6 (1834); HS. 172; Gn. I, 312; Rectangula Dup. III, 40, 3. 4; var. Frr. 393, 1; Ev. F. V. U. p. 188; Exclamans Ev. Bull. M. 1841, I, 27, t. 3, f. 5, 6 (minor, obscurior).
- b) v. *Acutangula* Stgr. Iris V p. 355 (al. ant. distinctus signatis, minus brunnescensibus).
1230. ***Consignata** Wlk. List. XXXII p. 632; Hmps. Ind. Moths II p. 196.
- a) v. *Lunata* Moore Lep. Atk. p. 120; Stgr. Iris VIII p. 309 (al. ant. minus signatis).
1231. **Coturnicula** Graes. Berl. e. Z. 1892 p. 219 (huj. generis?).
1232. **Cuprea** Hb. 62; Tr. V, 2. 125; God. V, 63, 1; Frr. 75, 4., 555; Gn. I, 127. Ross. s. m.; Sil. et Hung. mont.
1233. **Erschoffi** Stgr. Iris IX p. 248 not.; Ledereri Stgr. Stett. e. Z. 1888 p. 2.
1234. **Luperinoides** Gn. II, 196, t. 4, f. 12; Chardinyi HS. 474.
1235. **Anachoreta** HS. 167-9; Gn. II, 196.
1236. **Staudingeri** Möschl. Wien. Mts. 1862 p. 132, t. 1, f. 4; Smith Cat. Noct. p. 110.
1237. **Ottonis** Alph. Iris VIII, 190 (Staudingeri var.); Mém. Rom. IX p. 205, t. 13, f. 6 (sp. div. Staudingeri sec. Stgr.).
1238. **Herrich-Schaefferi** Alph. Iris VIII p. 191; Stgr. Iris IX p. 245; Alph. Mém. Rom. IX p. 206, t. 13, f. 7.
1239. **Nomas** Ersch. Fedtsch. (1874) p. 38, t. 3, f. 36; Alph. Mém. Rom. V p. 131.
1240. **Ocellina** Hb. Btr. II, 2, 4, Y; Hb. 129, 439; Tr. V, 1. 128; B. Ic. 76, 3; Gn. I, 309. K; Alt. et Chang. (trans.); Ala Tau (ab.).
- a) v. *Transiens* Stgr. Iris IX, 246 (dilutior, transit. ad Alpestrem; an Alpestris var?). Amdo;
1241. **Alpestris** B. Ic. 76, 4. 5; HS. 5, 6; Gn. I, 309; ? Dup. III, 40, 2; Ocellina Hb. 599 (praec. forma Darw.).
1242. **Plecta** L. F. S. 321; Esp. 143, 4. 5; Hb. 117; Tr. V, 1. 248; God. V, 60, 3; Gn. I, 326; Frr. 678, 1; Barr. Brit. Lep. IV t. 141, f. 2; Hmps. Ind. Moths II p. 183. Ili; Iss. K; Amdo; Cor; Jap; Ind; Am. s.
- a) ab. *Anderssoni* Lampa Tidskr. 1885 p. 54 (al. ant. obscurioribus, fere violaceo-nigris). Suec. c.
- b) v. *Glaucimacula* Graes. Berl. e. Z. 1888 p. 321 (al. ant. et post. obscuriorib.; an eadem cum ab. praec.?).
- c) v. *Unimacula* Stgr. Stett. e. Z. 1859 p. 213; Rbr. Cat. Syst. And. t. 11, f. 3 (macula orbiculari nulla; sp. diversa esse videtur).
1243. **Leucogaster** Frr. 21, 1 (1831); Tr. X, 2, 37; B. Ic. 83, 6; Dup. III, 20, 5; HS. 1; Gn. I, 327; Mill. Ic. 74, III.
1244. **Dulcis** Alph. Hor. XXVI p. 444; Mém. Rom. IX p. 5, t. 2, f. 2.
1245. **Stentzi** Ld. z. b. V. 1853 p. 367, t. 4, f. 4; Ev. Bull. M. 1855, IV, 425.
1246. **Westermannii** Stgr. Stett. e. Z. 1857 p. 303; Auriv. Groenl. Ins. Fn. p. 14, t. 2, f. 8.
1247. **Stupenda** Butl. Ann. & Mag. (5) 1878, I, p. 166; Ill. Het. II p. 29, t. 30. f. 3; Stgr. Mém. Rom. IV p. 216; Stupens Obth. Etud. V p. 75, t. 7, f. 7.
- Val; Alp; It; Ural; Alt; Ala Tau; Thian; Iss. K; Daur; Kamt. Ferg; Saraw. Sikkim. Ind. bor; Kuku N; Amdo. Amur. Alp; Scand. c. et m; Ural; Arm; Kamt. Ferg; Saraw. Cauc; Arm. Cauc; Arm. Labr. Chang. Chang; Ulias. Ferg. (Kokand.). Alp; Pyr; Petrop; Iss. (trans.); Ala Tau (ab.). Ferg; Thian; Iss. K; Ulias; Ala Tau; Tarb. Alp; Pyr; And. mont; Ural; Arm; Hyre; Tura; Kamt. Eur. c. et s. (exc. reg. pol.); It; Cors; Arm; Ib. (And; Arag; Bilb.). Sib. or; Amur; Uss. Ib. (And; Arag; Bilb.). Eur.m.(exc.? Graec.); Pal. Kuku N. Alt; Tarb; Ferg; Uss. (v.); Ili; Amdo (v.). Groenl; Labr. Uss; Cor; Jap.

1248. **Musiva** Hb. 118; Tr. V, 1. 247; God. V, 64, 2; Gn. I, 327; *Alp. val; Austro-Hung; Ross. m. or; Pont; Arm; Alt; Ala Tau; Ferg; Ili; Iss. K; Amur; Kent. et Chang.* (v. al. post. obsc.).
Frr. 678, 2.
* a) v.? *Triangularis* Moore P. Z. S. 1867 p. 55; Hmps. Ind. Moths II p. 189 (al. post. nigrescenti-griseis, al. ant. fere non div.; an sp. div.?).
1249. **Musivula** Stgr. Iris VIII, 1895, p. 310 ♂.
1250. **Lasciva** Stgr. Stett. e. Z. 1888 p. 14; Alph. Mém. Rom. V, t. 8, f. 10.
1251. **Juldussi** Alph. Hor. XVII p. 49, t. 3, f. 59; Mém. Rom. V p. 131.
1252. **Flammatra** F. Mant. 155; Hb. 124; Tr. V, 1. 245; God. VI, 60, 5; Gn. I, 327; Hmps. Ind. Moths II, 189; Barr. Brit. Lep. IV, t. 142, f. 4; v. *Bimaculata* Mill. Cat. rais. 2. Suppl. p. 15 [ab.]; *Deletea* Koll. Ins. Pers. p. 53.
1253. **Candelinequa** Hb. Vög. & Schm. t. 55 (1793) (non Hb. 397); *Sagittifera* Hb. 532; Tr. V, 1. 172; HG. 848; B. Ic. 75, 4; Dup. III, 15, 2; Frr. 148, 2; Gn. I, 299.
- a) v. *Rana* Ld. z. b. V. 1853 p. 367; Ev. Bull. M. 1856, II, p. 205 (pallidior, alis ant. macul. strigisque transv. nullis).
1254. **Militaris** Stgr. Stett. e. Z. 1888 p. 247; Mém. Rom. VI, t. 6, f. 5.
1255. **Fennica** Tausch. Mém. Mosc. I, p. 177, t. 13, f. 4; Ev. Bull. M. 1837, X, 2 p. 30; F. V. U. p. 193; Dup. IV, 90, 10; HS. 146-7; Frr. 501, 1, 2; Gn. I, 270; Tutt. Brit. Noct. II, 83.
1256. **Simulans** Hufn. Berl. M. III, 396 (1767); Hein. 513; Barr. Brit. Lep. III t. 135, f. 2; *Pyrophila* F. Mant. 170; Hb. 43; Tr. V, 1. 202; Dup. VI, 74, 2; Gn. I, 310.
- a) v. et ab. *Obscurata* Stgr.; v.? *Sibirica* Stgr. (nec B.) Iris V p. 356 (obseuriōr; al. ant. nigricanti-griseis).
1257. **Lapidosa** Graes. Berl. e. Z. 1895 p. 220.
1258. **Defessa** Ld. Wien. Mts. 1858 p. 144, t. 2, f. 8.
1259. **Lucernea** L. S. N. ed. X, 510; Gn. I, 305; Auriv. Nord. Fjär. 122; Barr. Brit. Lep. III t. 136, f. 3; Tutt. Brit. Noct. II, 79; *Cataleuca* B. Ann. S. Fr. 1833 p. 377, t. 14, f. 2, Ie. 82, 5, 6; Dup. III, 19, 3; Frr. 399, 1; HS. 7, 8, 574-5.
- a) v. (et ab.) *Renigera* Stph. Ill. II p. 129; Tutt. Brit. Noct. II p. 79 (multo obseuriōr, nigro-grisea).
- b) v. ? *Dalmata* Stgr. multo pallidior, al. ant. flavescenti-cinereis, al. post. subt. plerumque extus non late obscurō-fasciatis; trans. ad sp. sequ. esse videtur; an sp. propria?
1260. **Nictymera** B. Ic. 78, 1; Stndf. Iris I p. 213, t. 10, f. 6; *Nycthemera* HG. 852; HS. 171; *Nyctymera* Dup. III, 503!; *Nyctymera* Gn. I, 305; ? *Cataleuca* Frr. 399, II; ? *Simulatrix* Hb. 712.
1261. **Nyctymerina** Stgr. Stett. e. Z. 1888 p. 6.
1262. **Umbrifera** Alph. Hor. XVII p. 53, t. 1, f. 38; Stgr. Iris IX p. 247.
1263. **Pudica** Stgr. Iris VIII p. 351, t. 6, f. 3, IX p. 247.
a) v. *Griseola* Stgr. Iris VIII p. 353 (al. ant. violaceo-cinereis).
- Kuku N; Amdo.*
Saraw; Ferg. m.
Ili; Ferg; Iss. K.
Angl.m; Gal.m; Hisp;
Cors; It.s; Eur. c. et m. or. (exc. Balc.);
As. oc. et c; Ind.
Alp. Helv., It. et Gal;
Cors; Austro-Hung;
? Srp; Arm; Pont. et Taur. s. (trans.).
Alt; Hyrc; Tura;
Ferg; Iss. K; Ili.
Uss. m.
Ross. et Eur. bor; Angl;
Helv; Thion. or;
Kent; Amur; Uss;
Cor; Am. s. bor.
Eur. (exc. reg. pol. et Balc. m.); Maur;
Arm; Kurd. oc; Alt;
Ili; Iss. K; Ferg.
Dan; Fen; ? Sib;
? Kent; ? etc.
Amur.
Syr; ? Tura.
Alp; Pyr; Angl;
Scand; Fen; ? Crim;
? Arm.
Scot. (v.); Angl. (ab.).
Dalm.
Gal. c. et m. or; Hisp.
c; Pont; Taur; ? Helv;
? Ter; ? It.s. et c; ? Sib;
? Austr.
Iss. K; Ili.
Ili; Iss. K; Ferg;
Tura; Ulia (v.).
Ulia.
Iss. K; Ili.

1264. **Similis** Stgr. Stett. e. Z. 1881 p. 412; Polita Alph. Hor. XVII p. 51, t. 2, f. 46.
1265. **Sollers** Stgr. Stett. e. Z. 1877 p. 179, 1889 p. 27; Chr. Hor. XII t. 6, f. 19 (Photophilae form. Darw.?).
- a) v. *Obscurior* Stgr. l. c. p. 28 (obseurior, praesertim al. post. et subtus).
 - b) v. ? *Candida* Stgr. l. c. 27 (minor, dilutior, al. ant. albido-vel flavidio-griseis, al. post. subalbidis; sp. div.?).
 - c) v. *Obumbrata* Stgr. l. c. p. 28 (multo obscurior, al. ant. plumbeo-griseis, al. post. nigrescenti-gris; sp. div.?).
1266. **Laetifica** Stgr. Stett. e. Z. 1889 p. 29; Iris IX p. 247; Alph. Mém. Rom. IX t. 13, f. 10.
1267. **Fugax** Tr. V, 1. 195; Frr. B. 45; B. Ic. 80, 3; Dup. VI, 73. 4!, HS. 170; Gn. I, 299.
1268. **Poecila** Alph. Stett. e. Z. 1888 p. 67; Mém. Rom. VI p. 27, t. 2, f. 4; *Superba* Stgr. Stett. e. Z. 1889 p. 32; Alph. Iris VII p. 307.
1269. **Ala** Stgr. Stett. e. Z. 1881 p. 413.
s. oc; Ferg; Saraw; ?Arm. (ex err.?).
1270. **Lucipeta** F. Mant. 169; Esp. 120, 3; Hb. 41; Tr. V, 1. 200; God. V, 70, 5; B. Ic. 80, 4; HS. 372; Gn. I. 301.
Eur.c.(exc.Angl., Bat. et Ross); It. s. et c.; Rum. m; Pont; Taur. c.
1271. **Photophila** Gn. I, 302; *Ignipeta* Obth. Etud. I p. 45, t. 4, f. 4 [f. nimis obscura].
Maur.
1272. Vacat.
1273. **Helvetina** B. Ann. S. Fr. 1833 p. 376, t. 14, f. 3; B. Ic. 82, 4; Dup. III, 19, 4; HS. 12-14; Gn. I, 302; Livia Frr. 201, 1 (1836); Birivia Hb. 42; God. V, 70, 6.
Alp. Germ., Austr., Helv., Ped. et Gal.; Arm.
1274. **Alaina** Stgr. Stett. e. Z. 1888 p. 5.
Iss. K. s. oc; Ferg. m; Korla.
1275. **Junonia** Stgr. Stett. e. Z. 1881 p. 415; Alph. Mém. Rom. V t. 8, f. 7.
Tarb. (Saisan).
1276. **Birivia** Hb. 631 (non 42); Dup. III, 40, 6. 7; HS. 9. 10; Gn. I, 303; Honoratina Donz. Ann. S. Fr. 1837 p. 474, t. 18, f. 3 [f. 4 ab. pallidior, minor]; Frr. 466, 1. 2; HG. 876 (875!); Gn. I. c.
Alp. val., Helv., Gal., It., Styr. et Austr.; Hal; Hung. alp.; Arm. (v.?) ; Ili et Iss. K. (v.).
Taur.
- a) v. ? *Taurica* Stgr. Hor. XIV, 370 (major, dilutior, flaves- cens; sp. div. Stgr. nunc esse videtur).
1277. **Plumbea** Alph. Stett. e. Z. 1887 p. 168; Mém. Rom. V, 136, t. 6, f. 4; Stgr. Iris IX, 247.
Ferg; Ulias; Ili; Iss. K.
1278. **Subplumbea** Stgr. Iris VIII, 1895, p. 310.
Kuku N; Amdo.
1279. **Cuprina** Stgr. Iris XII p. 365, t. 6, f. 11.
Thian. m. (Korla).
1280. **Violetta** Stgr. Stett. e. Z. 1888 p. 3.
Ferg. m.
1281. **Decora** Hb. 45; Tr. V, 1. 188; B. Ic. 81, 2 (3?); HS. 15, 16, 476-7; Gn. I, 304; *Nebulosa* Hb. 402.
Austr. inf; Alp. val. Austr., Germ., Helv., Gal. et It; ?Pyr.
Sum. Alp. Helv; Cauc. s.
- a) v. *Livida* Stgr. multo obscurior, al. ant. obscure plumbeo- griseis, al. post. nigrescenti-griseis.
1282. **Haverkampfi** Stndf. Berl. e. Z. 1893 p. 359.
Cors.
1283. **Decorans** Stgr. Iris IX p. 247; *Subdecora* Stgr. Iris VIII p. 353, t. 6. f. 1.
Ulias.
1284. **Decorata** Stgr. Stett. e. Z. 1881 p. 414.
Tarb.
1285. **Caucasica** Stgr. Stett. e. Z. 1877 p. 180.
Arm.
1286. **Parnassiphila** Stgr. Stett. e. Z. 1881 p. 414.
Ala Tau; Saraw (v.?).
1287. **Subdecora** Stgr. Stett. e. Z. 1888 p. 7.
Ferg. m; Saraw; Iss. K; Pont. (v.?).

1288. **Heringi** Stgr. Stett. e. Z. 1877 p. 181 (fin. Mart.); Chr. Hor. XII p. 248, t. 6, f. 21 (Junii 1877).
a) v. *Signata* Stgr. Iris XII p. 364 (al. ant. *distinetius signatis*).
1289. **Marcens** Chr. Iris VI p. 90.
1290. **Devota** Chr. Mém. Rom. I p. 116. t. 7, f. 6.
1291. **Ignara** Stgr. Iris IX p. 248; *Ignobilis* Stgr. Iris VIII p. 354, t. 6, f. 2.
1292. **Clara** Stgr. Stett. e. Z. 1888 p. 4.
1293. **Constanti** Mill. Ic. I p. 165, t. 19, f. 1, 2.
1294. **Amoena** Stgr. Iris IV (1891) p. 267.
1295. **Lutescens** Ev. Bull. M. 1844, III, 591, t. 14, f. 4 a. b.; 1856, II, 194; HS. 493; *Dilucida* Ev. F. V. U. p. 205; *Leonina* Stgr. Stett. e. Z. 1877 p. 182.
1296. **Culminicola** Stgr. Berl. e. Z. 1870 p. 107; Mill. Ic. 148, f. 2, 3; *Stndf. Iris I* p. 211, t. 10, f. 1, 2, t. 11, f. 1 [genit.]; Hofm. Gr. Schm. ed. II, t. 34, f. 6.
1297. **Wiskotti** Stndf. Iris I (1888) p. 212, t. 10, f. 3, 4, t. 11, f. 2 [genit.]; Rbl. z. b. V. 1899 p. 164, t. 4, f. 3.
1298. **Turatii** Stndf. Iris I (1888) p. 216, t. 10, f. 5.
1299. **Renigera** Hb. 384; Tr. V, 1. 197; HS. 413-4, II p. 349; Gn. I, 297; Dumosa Donz. Ann. S. Fr. 1837 p. 475, t. 18, f. 5; Dup. III, 39, 4; HG. 880. *Bosn. mont.*
a) v. (et ab.?) *Turana* Stgr. Iris IV, 268 (dilutior testaceo-grisea).
b) v. *Intermedia* Stgr. l. c. 269 (testaceo-violascens, indistincte signata).
c) v. *Erubescens* Stgr. l. c. (fulva vel rubescens, distinctius signata).
d) v. *Funebris* Stgr. l. c. (multo obscurior, plumbeo-grisea).
1300. **Forficula** Ev. Bull. M. 1851, II, 629; 1856, II, 215 t. 1 f. 6.
1301. **Hadjina** Stgr. Iris IV p. 270, t. 3, f. 8 (sequ. sp. forma Darw.?).
a) v. *Zeitunga* Stgr. Iris XII p. 361, t. 6, f. 6 (dilutior, al. ant. flavo- [neq. plumbeo-] griseis).
1302. **Simplicia** HG. 798-9; Frr. 136, 1. 423, 1; Tr. X, 2. 27; B. Ic. 82, 1-3; Dup. III, 19, 5; HS. 478-9; Gn. I, 282.
1303. **Grisescens** Tr. V, 1, 193; HS. 418 ♀; Gn. I, 303; Stgr. Stett. e. Z. 1869 p. 90; Corrosa HS. 141; Candelis sequa Hb. 493; Latens B. Ic. 80, 2; Gn. I, 307.
a) v. *Thianschanica* Stgr. Iris XII p. 339 (minor, al. ant. albido-griseis, minus signatis).
b) v. *Hyrcana* Stgr. l. c. (griseo-flavescens, al. subt. fere non signatis).
1304. **Electra** Stgr. Stett. e. Z. 1888 p. 6 (praec. var.?).
1305. **Musculus** Stgr. Stett. e. Z. 1889 p. 30; *Citillus* Alph. Mém. Rom. V p. 133, t. 7, f. 2.
1306. **Caradrinoides** Stgr. Iris IX (1896) p. 248, 368, t. 4, f. 4; *Hydrilloides* Alph. Mém. Rom. IX p. 203, t. 13, f. 11.
1307. **Ignobilis** Stgr. Stett. e. Z. 1888 p. 7.
1308. **Latens** Hb. 419; Tr. V, 1. 204; B. Ic. 80, 1; Frr. 219; HG. 806-7!; *Latitans* Gn. I, 308; *Murina* Frr. 364, 1.
Hyrc; *Pont. s. or.* (*trans.*).
Taur.m.or. (*Zeitung*).
Arm. m. (*Kasikoporam*).
Tura.
Ulias.
Iss. K; *Ili.*
Gal. m. or. (*Ardèche*).
Pont; *Saraw.* (v.?).
Ural. m; *Srp.*
Sum. Alp. (*Helv.*;
Ter.).
Sum. Alp. Helv. et Ter.
Gal. m. (*Digne*).
Pyr. or; *Arag;* *Alp;*
Ped. et Car; *Hung. et*
Pont; *Taur. c;* *Syr.*
Ferg; *Saraw;* *Ili;*
Tura; *Libanon* (ab.?).
Hyrc; *Arm. m. or;*
Pal.
Ant. s; *Kurd. oc;*
Mardin.
Arm. oc; *Taur. m. or.*
(*Zeitung*).
Arm.
Taur. c. (*Hadjin*).
Taur. m. or. (*Zeitung*).
Alp; *Pyr;* *It. c.* (*Gran*
Sasso).
Alp. Helv., *Ter. et Gal*;
Sil. et Hung. mont;
Scand. c. et m.? *Pyr*;
It. c. (v.).
Ili; *Thian. or.*
Hyrc.
Ferg.
Iss. K. m; *Agatal-Art*
(? *Ferg.*); *Amdo.*
Ulias; *Chang;* *Ural.*
m. (v.).
Iss. K.
Germ. c. et m; *Austro-*
Hung; *Helv;* *Gal. c.*
oc; *It. s.*

1309. **Rattus** Alph. Mém. Rom. V (1889) p. 86 (sec. unum ♂ detritum descr., sequ. var.?).
1310. **Quadrangula** Zett. Ins. Lap. p. 935 (1840); Auriv. Groenl. p. 14; Rava HS. 544, VI p. 59; Stgr. Stett. e. Z. 1857 p. 237; Smith Noct. Cat. p. 73; Umbrata Pack. Bost. Soc. N. H. XI, 38.
1311. **Ledereri** Ersch. Hor. IV p. 195 (1870); Mém. Rom. II p. 209, t. 16, f. 4; Alph. Mém. Rom. VI p. 29, IX p. 6; Stgr. Iris IX, 248 (praec. forma Darw.?).
a) ab. (et v.) *Mus* Alph. Hor. XVII p. 58, t. 2, f. 50; Stgr. Iris V, 356, IX, 249 (obscurior. al. ant. fere plumbeo-griseis).
1312. **Cognita** Stgr. Stett. e. Z. 1881 p. 417.
1313. **Cos** Hb. 720; B. Ic. 79, 1, 2; HG. 804-5; Dup. III, 17, 2; HS. 420; Gn. I, 278; Vacillans HS. 25; Tephra B. Gen. p. 109; HS. 536 [fere unicolor]; Nagyagensis Frr. V p. 110; (Nagyg-) Frr. 448, 1, 2 [signis distinct.].
a) v. *Cycladum* Stgr. Hor. VII p. 121, t. 1, f. 9 (minor, rufescenti-griseocens).
1314. **Verecunda** Püng. Soc. ent. XIII p. 58 (1898); Iris XII p. 102.
1315. **Eremicola** Stndf. Iris I p. 217, t. 10, f. 7, 8.
1316. **Kirghisa** Ev. Bull. M. 1856, II p. 219, t. 1, f. 7. a. b. (sec. Herz hic. ponend.)
1317. **Squalorum** Ev. Bull. M. 1856, II, 221; Stndf. Iris I, 218, t. 10, f. 9; Vallesiaca Frr. 351, 3. 4; Ev. Bull. M. 1856, II, 220.
a) v. *Squalidior* Stgr. dilutior, al. ant. brunneoscentibus (brunneogriseis), distinctius signatis.
1318. **Vallesiaca** B. Ic. t. 78, f. 3; Stndf. Iris I p. 217, t. 10, f. 10; Valesiaca HS. II p. 334, f. 80; Hein. 514.
1319. **Celebrata** Alph. Mém. Rom. IX p. 209, t. 8, f. 8.
1320. **Singularis** Stgr. Stett. e. Z. 1877 p. 187 (genus Orbifrons Stgr.); Chr. Mém. Rom. II p. 166, t. 6, f. 1; Alph. Iris VII, 308.
1321. **Melanura** Koll. Dalm. descr. del Carrara 1846 p. 99; HS. 137-8, VI p. 61; Stgr. Hor. XVI, 426; Alph. Iris VII, 307.
a) v. *Grisescens* Stgr. l. c. 427; Alph. l. c. (al. ant. sordide griseis).
b) v. (gen. aest.?) *Melanurina* Stgr. duplo minor, al. ant. lutescenti-albidis, al. post. albidis fascia exteriore nigrescenti tenuiore (mensibus Novembr. et Decembr. capta).
1322. **Fimbriola** Esp. 193, 3; Hb. 603; Tr. V, 1. 190; Dup. VI, 74, 1; Frr. 207; B. Ic. 81, 4; Gn. I, 308; Maravigna Dup. VI, 82, 2.
a) v. et ab. *Raddei* Chr. Hor. XII (1877) p. 246, t. 6, f. 20; Mém. Rom. II t. 2, f. 9; ib. III p. 66; Stgr. Hor. XIV p. 370 (dilutior, praesertim subtus).
1323. **Forcipula** Hb. 547 (128!); Tr. V, 1. 168; Frr. 160; Gn. I, 298.
a) v. et ab. *Bornicensis* Fuchs Stett. e. Z. 1884, 260 (magis unicolor).
b) v. et ab. *Nigrescens* Höfn. Soc. Ent. II p. 121 (major, obscurior).
1324. **Turbans** Stgr. Stett. e. Z. 1888 p. 10.

*Amdo.**Istl.; Labr.; Groenl.; ?Thian. or. (v.?).**Sib. or; Kent; Uljas; Thian; Iss. K. oc.**Ili (v.?) etc. ab.**Ala Tau.**Val; Istr; Gal. m. or; Arag; Sic; Pont; Arm; Ferg. et Iss. K. (var.).**Graec. (Naxos).**Iss. K.**Kirgh.**Ross. m. or; Kirgh.; Alt; Hyrc; Arm; Pi; Iss. K.**Taur. c. et m. or.**Val.**Tura.**Tura; Pal.**Dalm; Pont; Taur. c; Mardin; Tura (v.).**Hyrc; Taur. or. m. (Zeitun) (v. minor).
Pal. m.**Hung; Val; Pyr; Arag; Ped; ?Sic; Pont; Taur. m. or.**Hyrc; Tura; Arm; Pont. (pr. p.); Syr. mont.**Eur. c. et m. or; Alp; Pont; Taur; Hyrc; Tura; Germ. oc; Val; Sic. etc. ab.**Alp; Cauc. etc.**Saraw; Iss. K.*

1325. **Incognita** Stgr. Stett. e. Z. 1888 p. 11. *Saraw; Ferg.*
1326. **Junctimacula** Chr. Mém. Rom. III p. 67, t. 3, f. 11. *Tura; Hyrc; Saraw; Ferg.*
1327. ? **Armena** Ev. Bull. M. 1856, II, 222. *Arm.*
1328. **Improbæ** Stgr. Stett. e. Z. 1888 p. 8. *Saraw.*
1329. **Fallax** Ev. Bull. M. 1854, III, 185, 1856, II, 176, t. 3, f. 5; HS. n. Schm. 15. *Kirgh. m.*
1330. **Signifera** F. Mant. 157; Hb. 132; Tr. V, 1. 171; Frr. B. 70, 3; Frr. 161; Gn. I, 298; Alph. Mém. Rom. V, 135. *Eur.m.or.(exc.Balc.); Alp; Pont. et Taur. (trans.); Alt; Ili; Iss. K.*
- a) v. (et ab.) *Improcera* (Ersch.) Stgr. Stett. e. Z. 1888 p. 9; Alph. Mém. Rom. V p. 135 (pallidior, al. ant. minus [non lineis transv.] signatis). *Arm; Hyrc; Kurds.; Ferg; Iss. K.*
- b) v. *Orientis* Alph. Hor. XVII, 54 (fere unicolor; al. ant. griseo-cinereis, vitta basali nigra). *Ili; Hyrc. (ab.).*
1331. **Indigna** Chr. Stett. e. Z. 1887 p. 163, Mém. Rom. V p. 20, t. 1, f. 8. *Tura.*
1332. **Truculenta** Ld. z. b.V. 1853, p. 367, t. 3, f. 3; Ev. Bull. M. 1856, II, 202. *Alt; Ili; Iss. K.*
1333. **Celsicola** Bell. Ann. S. Fr. 1859 p. 190, t. 5, II, f. 5; HS. n. Schm. 126. *Alp Gal; Hyrc;*
Saraw.
1334. **Multicuspis** Ev. Bull. M. 1852, I, 152, 1856, III, 33; Alph. Mém. Rom. VI p. 27, t. 2, f. 5; *Spinoſa* Stgr. Stett. e. Z. 1877, 183; Chr. Mém. Rom. I p. 119; *Spinifera* Chr. l. c. I, t. 7, f. 7.
- a) v. *Isyykula* Stgr. Stett. e. Z. 1889 p. 29; Alph. Mém. Rom. V p. 141 not. 2 (al. ant. flavidio-griseis, paullum diversis). *Iss. K.*
1335. **Aequicuspis** Stgr. Iris XII p. 365, t. 6, f. 18 (præc. var.?). *Thian. m. (Korla).*
1336. **Haifae** Stgr. Iris X (1897) p. 168, t. 4, f. 8. *Pal. s.*
1337. **Endogaea** B. Ic. 75, 5; Gn. I, 264; Mab. Bull. S. Fr. 1888 p. 42; *Arenicola* Stgr. Berl. e. Z. 1870 p. 109; Mill. Ic. 146, 6. *Cors; Sard.*
1338. **Lanzarotensis** Rbl. Ann. Nat. Hofm. IX p. 52, t. 1, f. 5. *Can.(Ins.Lanzarote).*
1339. **Arenosa** Stgr. Stett. e. Z. 1859 p. 213; Rbr. Cat. S. And. t. 12, f. 1. *And. m. (lit.); Cat.*
1340. **Acuminifera** Ev. Bull. M. 1854, III, 188, 1856, III, 34; HS. n. Schm. 17, 18. *Kirgh. m; Tura;*
Bogdo (v.); ?As. c.
1341. **Spissilinea** Stgr. Iris IX 1896 p. 253; *Spissa* Stgr. Iris VIII 1895 p. 357, t. 6, f. 6 ♂. *Urias.*
1342. **Hodnae** Obth. Et. III p. 45, t. 5, f. 8. *Maur; Aegypt.*
1343. **Sabulosa** Rbr. Fn. And. 17, 3. *And.*
1344. **Spinifera** Hb. 389; HS. 24; Gn. I, 265; Rbr. Fn. And. t. 17, f. 2; Mill. Ic. 112, 1. 2; Rbl. Ann. Nat. Hofm. IX, 53; *Biconica* Koll. Hüg. Kaschm. IV, 480; *Hmps. Ind. Moths* II, 182 (IV. 508). *Sic; It.c; Gal.m; Cat;*
And; Maur; Can;
Aegypt; Syr; Ind.
(v.); ?Afr. m.
1345. **Puta** Hb. 255; Tr. V, 3, 32; God. V, 67, 7; B. Ic. 81, 5; Gn. I, 266; Mill. Ic. 112, 3. 4; *Tutt Brit. Noct.* II p. 72; *Erythroxylea* Tr. V, 3, 31; HS. 28; Gn. I, 276; *Renitens* Hb. 715-6; *Catalaunensis* (*Aporophyla*) Mill. Rev. Mag. Zool. 1873, 4; *Icon.* t. 146, f. 4, 5. *Germ. m; Angl. m;*
Gal; Bely; Eur. m.
(exc. Bale. m.?)
Maur; As.min; Syr;
Hyrc; Tura; Saraw;
Ili.
- a) ab. ♀ *Lignosa* God. V, 67, 5. 6; Calb. Iris I, 227; *Puta* B. Ic. 81, 6; HS. 541; Barr. Brit. Lep. III t. 125, f. 2; *Renitens* Hb. 717 (non 715); Gn. l. c. (forma frequens ♀, al. ant. obscuris). *10**

1346. **Putris** L. F. S. 315; Esp. 138, 4. 5; Tr. V, 3, 29; Dup. VII, 111, 3; Gn. I, 134; Fr. 557; Barr. Brit. Lep. IV, t. 137, f. 1; Lignosa Hb. 245. *Eur. c.; Scand. m.; Liv.; Gal. m.; Bill.; It. s. et e.; Arm.; Alt.; Amur; Uss; Cor; Jap.*
1347. **Cinerea** Hb. 155. 6; Tr. V, 1. 178; God. VI, 71, 5. 6; Dup. III, 17, 1; Gn. I, 282; Barr. Brit. Lep. III t. 126, f. 2; Tutt. Brit. Noct. II p. 75; Obscura Hb. 490 ♀ (?157); HS. 439 ♀. *Eur. c. et s. o. c. (exc. reg. bor.); It. s.; Turc. s. o. r.; Ural.*
- a) v. *Alpigena* Tur. Bull. Soc. Ent. Ital. XVI p. 76; Calb. Iris I, 226 t. 12, f. 7, 8 (dilutior, al. ant. violaceo-cinereis, minus signatis). *It. c.; Gal. c.; Pyr.; Arag.; Arm.; Pont.*
 - b) v. (et ab.) *Livonica* Teich. Stett. e. Z. 1886, 169 (multo obscurior). *Liv.; Helv. etc. (ab.).*
 - c) ?ab. ♀ *Fusca* B. Ic. 78, 4; Fr. 393, 2 (♀ magna, obscura). *? Helv.*
 - d) v. *Tephryna* Stgr., minor, al. ant. angustioribus, distinctius signatis, al. post. in ♂ albidiioribus. *Angl. m.*
1348. **Submolesta** Püng. Iris XII p. 291, t. 8, f. 14. *Kuku N.*
1349. **Exclamationis** L. S. N. ed. X, 515; Esp. 64, 1. 2; Hb. 149; Tr. V, 1. 160; God. V, 67, 3. 4; Gn. I, 280; Barr. Brit. Lep. III t. 127; Tutt. Brit. Noct. II p. 64. *Reg. pal. (exc. Maur. et Can.).*
- a) v. et ab. *Serena* Alph. Mém. Rom. V, 137 (dilutior, al. ant. albo-cinereis). *Ferg.; Saraw.; Buch. or. et Amdo (v. et ab.); And. etc. (ab.).*
1350. **Farinosa** Stgr. Stett. e. Z. 1888 p. 12. *Ili; Iss. K.*
1351. **Ochrina** Stgr. Iris X (1897) p. 274, t. 9, f. 13. *Pal.*
1352. **Flavina** HS. 593, VI p. 59. *Rum. or.; As. min.; Syr.; Kurd. oe.; Arm. Cast; Pal.*
- a) v. ?*Serraticornis* Stgr. Iris X, 274 (anten. ♂ longius pectinatis, al. ant. unicoloribus; an. sp. div.?). *Arm.*
1353. **Romanovi** Chr. Mém. Rom. II p. 37, t. 2, f. 7. *Ulias.*
1354. **Psammoda** Stgr. Iris VIII, 1895 p. 355, t. 6, f. 5. *Gal. s.; Angl.; Belg. et Bat. lit.; Germ. s. lit. (ab.).*
1355. **Ripae** Hb. 702-3; B. Ic. 75, 6; Gn. I, 284; ?Fr. B. 116, 4; Snell Tijds. VIII p. 70, t. 2, f. 5; Barr. Brit. Lep. III, t. 128, f. 2; Tutt. Brit. Noct. II, 67 (sp. valde aberrans). *Gal. s. et Angl. m. (pr. p. v.).*
- a) ab. (et v.) *Desillii* Pier. Ann. S. Fr. 1839 p. 95, t. 8, f. 2 et p. XLIII; Dup. III, 41, 3; Gn. I, 284 (rufescens).
 - b) v. *Weissenbornii* Fr. 466, 3, V p. 139; *Obotritica* Schmidt Stett. e. Z. 1858 p. 377; Fr. 697 (albicans).
 - c) v. *Desertorum* B. Gen. p. 111 (1840); Gn. I, 284; Ev. Bull. M. 1856, II, 193; Stgr. Iris IX, 249; *Deserticola* Ev. I. e. 1842, III, 544, t. 5, f. 2; HS. 492; Gn. I, 285 (major, griseascens).
1356. **Nili** Baker Tr. Ent. Soc. 1894 p. 38, t. 1, f. 6 (praec. var.?). *Aegypt.*
1357. **Alexandriensis** Baker Tr. Ent. Soc. 1894 p. 37, t. 1, f. 5. *Aegypt.*
1358. **Cursoria** Hufn. Berl. M. III, 416; Hb. 540; Tr. V, 1. 176, X, 2. 25; Fr. 99; B. Ic. 79, 3; HS. 531; Gn. I, 284; Barr. Brit. Lep. III t. 129; Tutt. Brit. Noct. II, 39; South Entom. 1890 p. 145, f. 2; Mixta Dup. VI, 72, 4. *Eur. c. s. et s. m.; Ross. c.*
- a) ab. *Obscura* Stgr. Cat. ed. II p. 86 (alis ant. fere totis rufo-brunneis). *Pomerania; Liv.; Ins. Hebrid.*
 - b) ab. *Sagittata* Stgr. Iris IX, 249; *Sagitta* HS. 26 [trans.]; Tutt. I. e. p. 43 (al. ant. magis variegatis, vitta costali maculisque albidis). *Ulias; Chang; Ili; Amdo.*
 - c) v. *Currenta* Stgr. I. e. 249 (obscurior, praesertim al. post. et al. subtus). *Ulias.*
 - d) ?ab. *Vaga* Stgr. I. e. 250 (al. ant. unicolorib., brunneo-grisescens. etc.). *Ulias.*

1359. **Humigena** Püng. Iris XII p. 291, t. 9, f. 1.
1360. **Deserta** Stgr. Berl. e. Z. 1870 p. 112.
a) ab. *Obscura* Stgr. l. c. p. 113 (fere unicolor obscure griseescens).
1361. **Subconspicua** Stgr. Stett. e. Z. 1888 p. 13; Alph. Mém. Rom. V p. 140; Stgr. Iris IX p. 251.
1362. **Fissa** Stgr. Iris VIII, 1895 p. 356, t. 6, f. 4 ♂.
1363. **Carthalina** Chr. Iris VI p. 91 (incertae sedis).
1364. **Hilaris** Frr. 255, 4, III p. 89; HS. 545; Stgr. Hor. XIV, 373; Alph. Mém. Rom. V, 139; Conifera Chr. Hor. XII (1877) p. 249, t. 6, f. 23.
1365. **Mustelina** Chr. Hor. XII (1876) p. 249, t. 6, f. 22; Mém. Rom. II p. 206, t. 12, f. 6; Stgr. Stett. e. Z. 1877 p. 184.
a) v. *Centralis* Stgr. Stett. e. Z. 1889 p. 34; Iris IX p. 368, t. 4, f. 10 (Mustela) (obscerior, distinctius signata).
1366. **Homicida** Stgr. Iris XII p. 363, t. 6, f. 7.
1367. **Drewseni** Stgr. Stett. e. Z. 1857, p. 302; Auri. Groenl. p. 14, t. 2, f. 7.
1368. **Dissona** Möschl. Wien. Mts. 1860 p. 365, t. 9, f. 4; Smith Cat. Noct. p. 101.
a) ab. (v.?) *Oripipara* Morr. Pr. Bost. Soc. N. H. XVII p. 165 (1874); Smith Cat. Noct. p. 100; *Labradoriensis* (*Islandica* v.) Stgr. Stett. e. Z. 1881 p. 419; *Islandica* Auri. Groenl. p. 15, t. 1, f. 5 (al. ant. plus minusve nigro-signatis [maculat. et strigat.] et inspersis).
1369. **Recussa** Hb. 630; Dup. III, 40, 4; HS. 21; Gn. I, 291; *Telifera* Donz. Ann. S. Fr. 1837, t. 18, f. 1; HG. 878; *Florigera* Ev. F. V. U. p. 129, Bull. M. 1856, II, 147; HS. 148; ?*Transylvanica* HS. 547, II p. 346.
Alp; Helv. et Gal; Sil. et ? Hung. mont; Scand. c. et s. mont; Ross. s; Ural; Alt.; Ala Tau; Ili; Iss. K; Kent; Amur.
1370. **Nigricans** L. F. S. 322; Esp. IV p. 175; Gn. I, 286; Tutt Brit. Noct. II p. 32-9; Barr. Brit. Lep. III t. 130; *Fumosa* Hb. 153; Tr. V, 1, 140; God. V, 70, 3, 4; *Rustica* HS. 526, ?495; *Ursina* God. V, 71, 3; *Fuliginea* Hb. 602; *Carbonea* Hb. 701-2.
a) ab. (et v.) *Rubricans* Esp. 130, 2; Gn. I, 286 (dilutior, rubricans).
1371. **Adumbrata** Ev. Bull. M. 1842, III, 543, 1856, II, 174, F. V. U. p. 191; HS. 121; Gn. I, 287; Frr. 429, 2; Alph. Mém. Rom. V p. 128; Stgr. Iris IX, 251; *Obscura* Stgr. Stett. e. Z. 1874 p. 94; Mém. Rom. II t. 2, f. 6.
a) v. (ab.?) *Polygonides* Stgr. Stett. e. Z. 1874 p. 94; Mém. Rom. II p. 30, t. 2, f. 5 (al. ant. brunnescentibus, dilutius [griseo-] variegatis).
1372. **Lidia** Cr. P. Ex 396, D; Hb. 690-1; Tr. V, 1 p. 131; HS. 27; Gn. I, 293; Frr. 526, 1; Snell Tijd. XXX p. 217.
a) v. *Inexpectata* Alph. Mém. Rom. IX, 158, t. 11, f. 8 (major, al. ant. costa maculisque griseis; sec. un. ♀ condita).
1373. **Islandica** Stgr. Stett. e. Z. 1857 p. 232; Teich Fn. Balt. p. 32; Smith Cat. Noct. p. 106 (sp. valde aberrans).
a) v. et ab. *Rossica* Stgr. Stett. e. Z. 1881 p. 419; Iris V, 357; IX, 252; Mém. Rom. VI, 419; Alph. Mém. Rom. V, 138, t. 7, f. 3; IX p. 6, 333 (major, distinctius signata, vix distinguenda).
- Kuku N; Amdo.
Sr. p.
- Ferg; Ulia; Korla; Ili; Iss. K.
- Ulia.
- Arm.
- Pont; Arm; Hyrc, Alt; Kent; ?Amur (v.?).
- Hyrc; Alt. or. (trans.); Pont. (v.?) an sp. div.).
- Iss. K; Ili; Saisan (trans.).
- Taur. m. or; Pont; As. min. c.
- Groenl.
- Labr; Groenl.
- Eur. (exc. reg. pol., Ib; et It.m.); Pont; Arm; ?Pal. (v.); Sib; Ala Tau; Ili; Iss. K; Amdo; Chang; Amur.
- Ural; Cauc. s; Tarb; Sib. or; Uss; Ili; Iss. K; Ferg; Amdo.
- Cauc.s; Iss.K; Ili (v.).
- Germ. s. oc; Bat; Jut
- Uss. m.
- Isl; ?Liv; As. c. et s. (cum var).
- Ural m; As. c. et s.

- b) ? ab. *Karschi* Graes. Berl. e. Z. 1889 p. 253; Stgr. Mém. Rom. VI p. 420; *Islandica* ab. *Nigra* Stgr. Iris IX p. 251 (multo obscurior; al. ant. nigrescentibus).
1374. **Norwegica** Stgr. Stett. e. Z. 1861 p. 383; ? Wck. Stett. e. Z. 1864 p. 181; Auriv. Nord. Fjär. 124.
1375. **Tritiei** L. F. S. 320; Tr. V, 1. 137; B. Ic. 77, 2; HS. t. 104, 529-30; God. V, 65, 4. 5; Gn. I, 288; Tutt. Brit. Noct. II p. 43; Barr. Brit. Lep. III t. 131, t. 132, f. 1; Vitta var. HS. t. 103, 527-8 (sp. maxime aberrans).
- a) v. *Eruta* Hb. 623; Tritiei B. Ic. 77, 3; ? *Siliginis* Gn. I, 287; ? Ev. Bull. M. 1856, II, 175 (obscurior, al. ant. non brunnescentibus).
- b) v. *Obscurior* Stgr. Mém. Rom. VI p. 420 (praec. v. obscurior, al. ant. trans. ad. v. sequ.).
- c) v. *Aquilina* Hb. 135, 535-6; Tr. V, 1. 134; HS. 533, 540; Ld. Noct. p. 221; Spr. Geogr. Verbr. II p. 263; Barr. Brit. Lep. III p. 347, t. 132, f. 3; *Fictilis* Hb. 479; Vitta Esp. 143, 6 (major, al. ant. brunnescent., variegatis).
- d) v. *Distincta* Stgr. Iris V, 358 (major, laetus picta, ♂ al. post. albis, antenn. incrassatis).
- e) ab. *Subgothica* Hw. 224; Stph. II, 126, t. 22, f. 3; Tutt. I. c. 51; Barr. I. c. p. 351, t. 133, f. 2 (griseo-fusca, costa maculisque pallidis) (*Jaculifera* Gn. alia species est americana).
- f) v. (et ab.) *Varia* Alph. Mém. Rom. V, 138, t. 7, f. 1; Stgr. Iris IX, 252 (al. ant. vitta costali, venis maculisque distinctius albidis; a v. praec. satis distincta?).
- g) ? v. (ab.) *Detorta* Ev. Bull. M. 1851, II, 628, 1856, II, 184, t. 1, f. 4; Stgr. Iris V p. 358 (sec. Ersch. ♀ laetus picta; an sp. div.?).
- h) v. (?) *Selignis* Dup. III p. 211, t. 19, f. 6; ? *Segnilis* B. Ind. p. 110 (al. ant. obscure brunneo-nigricant., paullum signatis, al. post. in ♂ fere totis albidis; sp. diversa esse videtur).
1376. **Tristis** Stgr. Iris X (1897) p. 333 (an praec., Tritici, forma Darw.?).
1377. **Anarmodia** Stgr. Iris X (1897) p. 170, t. 4, f. 9 (huj. generis?).
1378. **Distinguenda** Ld. Noct. p. 221; HS. n. Schm. 60, 61; ? *Aquila* B. Ic. 77, 6; ? *Hastifera* Donz. Ann. S. Fr. 1847, t. 8, f. 2 (non 1).
1379. **Vitta** Hb. 533-4; Tr. V, 1. 132; God. V, 64, 4. 5; Gn. I, 290 pro parte.
1380. **Christophi** Stgr. Berl. e. Z. 1870 p. 110.
- a) ab. *Lugens* Stgr. l. c. p. 111 (unicolor, obscura).
1381. **Mollis** Stgr. Iris IV 1891 p. 271 (praec. forma Darw.?).
1382. **Robiginosa** Stgr. Iris VII p. 271.
1383. ? **Solida** Ersch. Fedtsch. p. 40, t. 3, f. 41.
1384. **Sabuletorum** B. Gen. p. 109 (sec. specim. typ. = *Foeda*); HS. 19; Gn. I, 283; *Foeda* Ld. z. b. V. 1855 p. 107, t. 1, f. 6; Ersch. Fedtsch. t. 3, f. 38 ♀ (var.); *Nigrina* Stgr. Stett. e. Z. 1867 p. 106; ? *Squalida* Ev. Bull. M. 1842, III, 548, F. V. U. 258; ? HS. 494 [♀].
1385. Vacat.
1386. **Basigramma** Stgr. Berl. e. Z. 1870 p. 111; Alph. Hor. XVII, p. 60; Mém. Rom. VI p. 30.
- Amur; *Ulias*; *Chang*, etc.
- Norv. c. (Dovre)*.
- Eur. c. et s. (exc. reg. pol.); Ross. m.; Arm.; As. c.; Amur; Jap.*
- Val; Hung; Ross. m.*
- Uss.*
- Eur. c.; Ross. m.; Arm.; Alt.*
- Pont; Srp.*
- Angl.*
- As. c.; Mong. et Sib. or. (pr. p.).*
- Daur; Mong.*
- Hung; Srp; Alp.*
- Daur; Chang.*
- Pal. s.*
- Val; Gal. m; Hung; Alt.*
- Austr. inf.; Car; Hung; Val; ? Gal; ? Arm.*
- Srp; Ferg. m.*
- Ferg. m.*
- Pal.*
- Ferg.*
- Srp; Alt; Saraw; Tura; Ili; Iss. K.*
- Srp; Tarb; Thian; Iss. K; Ferg.*

1387. **Obelisca** Hb. 123; Tr. V, 1. 143; God. V, 64, 3; HS. t. 103, f. 529-30; Gn. I, 291; Tutt Brit. Noct. II p. 28; Barr. Brit. Lep. III t. 133, f. 1. *Eur.s.m., c. etm; Gal. m; Arag; Itc; Pont; Arm; Alt; Ala Tau; ?Amur.*
- a) ab. *Ruris* Hb. 416; Gn. I, 292 (al. ant. fere unicolorib.). *Germ. et Gal.m; And; Pont. etc.*
- b) v. (et ab.) *Villiersii* Gn. Ann. S. Fr. 1837 p. 173, t. 8, f. 1, 2; HG. 869-70; *Obelisca* HS. 532; *Fictilis* Hb. 710 ab. (major, dilutior). *Austr; Eur. m. oc; Maur; Pont. etc.*
1388. **Hastifera** Donz. Ann. S. Fr. 1847 p. 525, t. 8, f. 1, 1 (non 2); Gn. I, 291. *Ross. m. or; Pont; Arm; Hyrc; Alt; ?Transsyliv. et Austr.*
1389. **Multifida** Ld. Ann. S. Belg. 1870 p. 46, t. 1, f. 10; Rbl. z. b. V. 1899 p. 165, t. 4, f. 4. *Arm; Ter. (Brenner); Hung.*
1390. **Difficilis** Ersch. Hor. XII p. 337; Mém. Rom. II, t. 16, f. 5; *Albivenata* Stgr. Iris V p. 359, t. 3, f. 4; *Iris IX* p. 252; *Alpherakii* Chr. Iris VI p. 91. *Sib.or; Daur; Ulias; Chang; Amdo.*
1391. **Albifurca** Ersch. Hor. XII (1877) p. 337; Alph. Hor. XVII p. 44, t. 2, f. 34; *Costata* Stgr. Stett. e. Z. 1881 p. 420. *Alt.or.m.; Sib.or; Kent; Tarb; Ulias; Urga; Thian. or; Korla; Iss. K; Kuku N.*
1392. **Ononensis** Brem. Lep. O. S. p. 50, t. 4, f. 9; Stgr. Mém. Rom. VI, 409; Alph. Iris VII, 308; *Scaramangae* Alph. Hor. XVII p. 47, t. 2, f. 44. *Sib.or; Amur; Kamt; Ili; Ulias; Urga; Korla; Amdo.*
1393. **Praecipua** Stgr. Iris V p. 360, t. 3, f. 5; ? *Scaramangae* Graes. Berl. e. Z. 1888 p. 321. *Kent; Daur; Urga; ?Amur oc.*
1394. **Patricia** Stgr. Iris VIII, 1895 p. 312 ♂. *Amdo.*
1395. **Subcorticea** Stgr. Iris VIII, 1895 p. 311 ♂; *Parvula* Alph. Mém. Rom. IX p. 9, t. 3, f. 1. *Amdo; Kuku N.*
1396. **Corticea** Hb. 145; Tr. V, 1. 158; God. V, 88, 3, 4; Gn. I, 281; HS. 537-8 ab; Frr. 627, 628, 3, 4, 629, 1, 2; Tutt Brit. Noct. II p. 60; Barr. Brit. Lep. III t. 126, f. 1; *Sincerii* Frr. 544, 2; *Fratera* Moore Lep. Atkins. p. 16; *Vestigialis* Stgr. Iris V p. 362 [ex errore]; (sp. valde aberrans). *Eur. c. et s. (exc. reg. pol.); Gal. m; Bill; Eur. m. or; Bith; Arm; Alt; Sib. or; Ulias; Ili; Amdo.*
- a) v. (et ab.) *Obscura* Frr. 628, 1, 2; *Amurensis* Stgr. Mém. Rom. VI, 421; Alph. ib. IX, 10 (obscurior, saepius al. ant. area media nigricante). *Amur; Urga; Kent. (trans.); etc. ab.*
1397. **Nigricostata** Stgr. Stett. e. Z. 1888 p. 248; Mém. Rom. VI p. 421, t. 6, f. 6; ? *Tokionis* Butl. Tr. E. S. 1881 p. 178. *Uss; ?Jap.*
1398. **Ruta** Ev. Bull. M. 1851, II, 634, 1856, II, 213, t. 1, f. 5; Stgr. Iris V, 363. *Sib.or; Kent; Chang.*
1399. **Ypsilon** Rott. Naturf. XI p. 141 (1776); Tutt Brit. Noct. II p. 7; Smith Cat. Noct. p. 66; *Suffusa* Hb. 134; Tr. V, 1. 152; God. 69, 1, 2; Gn. I, 269; Barr. Brit. Lep. III t. 124, f. 2; *Spinula* Esp. 63, 6, 7. *Territ. (exc. reg. bor., And, Sic. et ?As. c.); As.or. et m; Austral; Am. s. et m.*
1400. **Segetum** Schiff. S. V. p. 81, t. 1 a, f. 3, t. 1 b, f. 3; Hb. 147; Tr. V, 1, 155; Gn. I, 274; Tutt Brit. Noct. II p. 9; Barr. Brit. Lep. t. 125, f. 1; *Segetis* Hb. 146; God. V, 68, 5, 6; *Hmps. Ind. Moths* II p. 181; *Fervida* Hb. 711 ab; *Praecox* Hb. 359 ab; *Dimidia* Z. Is. 1847 p. 439 [♂ antennarum ab]; *Sicula* B. Gen. p. 109; *Sicania* Gn. I, 275. *Territ. (exc. reg. bor.); Jap; Ind; Am. s.*
- a) v. (et ab.) *Pallida* Stgr. Stett. e. Z. 1881 p. 423 (multo pallidior, al. ant. albido- vel flavescente-cinereis). *Ferg; Saraw; Ala Tau; And. etc. (ab.).*
1401. **Trux** Hb. 723-5; HG. 770; Frr. B. 62; Tr. V, 2. 22; B. Ic. 79, 5; HS. 525 ab; Gn. I, 279; Calb. Iris I 229, t. 12, f. 10; *Terranea* Frr. 34, 1; *Lenticulosa* Dup. VI, 72, 5, 6. *Val; Ter; Gal. m; It; Cat; Dalm; Maur; Can.*

- a) ab. (et v.?) *Olivina* Stgr.; *Trux* HG. 768, 769; B. Ic. 79, 46, b; *Trux* var. A. Gn. l. c. (al. ant. viridescenti vel violaceo-griseis).
- b) ab. (et v.?) *Terranea* Frr. 34, 1; *Trux* v. C. Gn. l. c. (al. ant. testaceis vel griseo-rufescentibus).
- c) v. *Amasina* Stgr. al. ant. sordide griseis, in ♀ obscurioribus, linea transversa vel fascia media (umbra) nigricante.
- d) v. (et ab.) *Lunigera* Stph. Ill. p. 113, t. 20, f. 2; Gn. I, 280; Tutt. Brit. Noct. II p. 14; Barr. Brit. Lep. III t. 128, f. 1 (al. ant. macula sagitt. distincte nigra).
- 1402. *Saucia*** Hb. 378; Tr. V, 1. 149; God. V, 69, 4; Frr. 525; Gn. I, 271; Mill. Ic. 148, f. 4-6; Tutt. Brit. Noct. II p. 4; Barr. Brit. Lep. III t. 135, f. 1; Caspari Jhrb. Nass. LII p. 187; Aequa HG. 811-2; Frr. 112.
- a) ab. *Margaritosa* Hw. Lep. Br. 218 (1810?); Caspari l. c. t. 4, f. 10, 11; Aequa Hb. 564; Tr. V, 1. 150; God. V, 69, 3; Caspari l. c. f. 12; ab. *Philippesi* Caspari l. c. f. 14, 15 (ab. variegata, al. ant. plus minusve lutesc. griseo-mixtis).
- 1403. *Conspicua*** Hb. 718-9 (ante 1827); Alph. Hor. XVII p. 60; Agricola B. Ind. Add. p. 3; Dup. III, 17, 3; HS. 412; Gn. I, 271; ? *Lycarum* HS. 122-4, II p. 333 (1846); ? *Squalida* Ev. Bull. M. 1856, II, 181 [trans. ad ab. a].
- a) ab. *Abdita* Joan (L.) Bull. Soc. Fr. 1891 p. 81, Nov. Lep. p. 128, t. 18, f. 1 (al. ant. multo minus signatis, fere unicoloribus).
- 1404. *Sibirica*** B. Ic. 80, 6; Gn. I, 301 (sec. Herz hic ponenda).
- 1405. *Crassa*** Hb. 152, 560; Tr. V, 1. 166; God. V, 67, 1. 2; Gn. I, 260; Tritici Hb. 151; Segetum Esp. III, 60, 5; Huguenini Rühl Soc. ent. 1891 p. 92 [♀ ab.].
- a) v. *Lata* Tr. X, 2. 24; HG. 849; HS. 20, 29; Heeger Btr. I, 4. 5, p. 5; Gn. I, 260; Frr. 147, 4; Ld. Noct. p. 221 (major, ♂ antenn. crassioribus, al. ant. magis variegatis etc.).
- b) v. *Golickei* Ersch. Hor. VIII, 316; Fedtsch. p. 41, t. 3, f. 39-40; Chr. Mém. Rom. V p. 22; Alph. ib. 142 (dilutior, al. ant. lutescenti-cinereis).
- 1406. ?*Dirempta*** Stgr. Stett. e. Z. 1859 p. 212 (una ♀ misera condita; praeec. var. ab.?).
- 1407. *Septentrionalis*** Möschl. Wien. Mts. 1862 p. 133, t. 1, f. 3; Stett. e. Z. 1870 p. 268; Herz Iris XI, 254; *Fusca* Möschl. l. c. 1864 p. 197 ♀; Stgr. Iris V p. 364.
- 1408. *Obesa*** B. Ic. 75, 1. 2; Dup. III, 16, 3a, b; HS. 22; Gn. I, 259; Mill. Ic. 137, f. 1-3; ? *Lipara* Rbr. Ann. S. Fr. 1848 p. 60; Gn. I p. 260.
- a) v. *Scytha* Alph. Mém. Rom. V, 143 (multo dilutior, al. ant. fere albidis, obscure signatis).
- 1409. *Rugifrons*** Mab. Bull. Soc. Fr. 1888 p. 42 (praeec. var.?).
- 1410. *Graslinii*** Rbr. Ann. S. Fr. 1848 p. 70, t. 1, f. 1, 2; HS. 623; Gn. I, 264.
- 1411. *Vestigialis*** Rott. Naturf. VIII, 107 (1776); Tutt. Brit. Noct. II p. 16; Valligera Hb. 150, 478; Tr. V, 1. 163; God. V, 65, 2. 3; Frr. 81; Gn. I, 263; Barr. Brit. Lep. III, t. 124, f. 1; Clavis Esp. 63, 5; *Trigonalis* Esp. 75, 6.

*Val; Cast. etc. ab;
Dalm. (v.?).**Sic. (v.?) ; Gal. m. etc.
ab.**Pont.**Brit. (lit.) (v.); Gal. s.
et Sic. (ab. et trans.).**Germ. m; Austr.; Dan;
Eur. c. o. c. et m; Maur;
Can; Mad; As. min;
Arm; Syr; Am. s. et m.**Hisp; Gal. m; Graec;
Ross. m. or; As. min.
et oc; Ferg; Iss. K;
Thian; Utias; Jap;
Can.**As. c; Sib. or.**?Sib; Uss. m; Cor.**Germ; Gal; Hisp;
Helv; Hung; Balc. s;
Ross. m. (etc.); Alt;
Pont; Taur.**Sic; Sard; Maur;
Dalm; Graec. etc.
(trans.).**Ferg. s. et s. or; Ala
Taur; Tura; Arm.
(trans.).**Labr; Sib. s. or.**Gal. m; Lig.; Hisp;
Maur.**Ross. m; Arm; Pont;
Pal; Hyrc; Tura; Ferg.**Maur. or. (Gabes).**Gal. oc. lit.**Eur. c. et s. (exc. reg.
pol.); Gal. m; Bilb;
Cors; It. s. et c.*

1412. **Trifurca** Ev. Bull. M. 1837 p. 31, 1856, II, p. 206, F.V.U. p. 198; Stgr. Mém. Rom. VI p. 264.
1413. **Bifurca** Stgr. Stett. e. Z. 1881 p. 423.
1414. **Robusta** Ev. Bull. M. 1856, II p. 205; ?*Trifurca* HS. 120 [ab. al. ant. obscuris? an ad *Trifurculam* Stgr. referenda?]; ?Gn. I, 265 (an *Fatidicea* var.?).
1415. **Characteristic** Alph. Mém. Rom. VI p. 31, t. 1, f. 9 (praec. var.? una ♀ misera condita; an territ. nostri?).
1416. **Fatidica** Hb. 704-5; Frr. 393, 3, 4; HS. 456 [δ capite abdomineque falsis?]; Gn. I, 262; Mill. Ic. 112, 5-8 δ ♀; *Incurva* HS. 591-2 ♀; Bell. Ann. S. Fr. 1859, t. 5, f. 6 ♀;
- a) v. ?*Bombycia* Ev. Bull. 1851, II, 632, 1856, III, 110, II, t. 2, f. 9 (multo obscurior, al. ant. nigro-fuscis, al. post. griseo-nigricantibus; an sp. div.?).
1417. **Trifurcula** Stgr. Iris V, p. 362, t. 3, f. 6 (*Bombyciae* Ev. var. minor, dilutior?).
1418. **Praecox** L. S. N. ed. X, 517; Esp. 168, 4-7; Tr. V, 2, 69; Gn. I, 296; Frr. 614; Tutt. Brit. Noct. II, 90; Barr. Brit. Lep. III t. 134, f. 2; *Praeceps* Hb. 70; Dup. III, 73, 2.
- a) v. *Flavomaculata* Graes. Berl. e. Z. 1888 p. 323 (al. ant. caeruleo-viridescent, al. post. multo obscurioribus).
1419. **Praecurrents** Stgr. Stett. e. Z. 1888 p. 248; Mém. Rom. VI p. 422. t. 6, f. 7; *Bisagittata* Graes. Berl. e. Z. 1888 p. 324.
1420. **Prasina** F. Mant. 169 (1787); Tutt. Brit. Noct. III, 65; *Herbida* Hb. 76, 505; Tr. V, 2, 56; Dup. VI, 97, 3; Frr. B. 14; Gn. II, 75; Barr. Brit. Lep. IV t. 149, f. 1; *Egregia* Esp. 119, 7, 188, 1, 2; ab. *Albimacula* Hormuz. Ent. Nach. 1894 p. 53; Carad. Iris IX p. 19 (gen. *Eurois* Wlk.).
1421. **Vires** Butl. Ann. & Mag. (5) I 1878 p. 194; Ill. Het. III t. 45, f. 5; Obth. Et. X p. 22, t. 2, f. 12; Stgr. Mém. Rom. VI p. 423; Hmps. Ind. Moths II, 231 (gen. *Eurois* Wlk.).
1422. **Occulta** L. S. N. ed. X, 514; Cl. Ic. I, 6; Hb. 79; Tr. V, 2, 52; Dup. VI, 97, 2; Frr. B. 10; Gn. II, 76; Tutt. Brit. Noct. III, 66; Barr. Brit. Lep. IV, t. 150, 1; *Implicata* HS. 632; *Extricata* Zett. Ins. Lap. 940.
- a) v. (et ab.) *Passetii* Th.-Mieg Natural. 1886 p. 237 (multo obscurior, al. ant. fere nigricantibus).
- b) v. *Implicata* Lef. Ann. S. Fr. 1836 p. 394, t. 10, f. 4; Dup. III, 49, 4; Gn. II, 76, t. 7, f. 6; Stgr. Stett. e. Z. 1857 p. 304; Auriv. Groenl. p. 15 (minor, al. ant. sordide grisescens., minus [obsoletius] signatis).

204. **Pachnobia** Gn. 1852.

1423. **Rubricosa** F. Mant. 176; Hb. 430; Tr. V, 2, 396; Dup. VI, 79, 4!; Frr. 117; Gn. I, 349; Mill. Ic. 154, f. 4, 5; Tutt. Brit. Noct. II, 130; Barr. V t. 214, f. 2; *Mucida* Esp. 148, 4 (1790).
- a) v. et ab. *Rufa* Hw. Lep. Br. p. 232; *Mista* Hb. 509; Gn. I, 350; Barr. l. c. f. 2, a, b (*Rubricosa*) (al. ant. rufis).
1424. **Leucographa** Hb. 411, 572; Tr. V, 2, 118; Dup. III, 39, 1; Gn. I, 348; Tutt. Brit. Noct. II, 129; Barr. V t. 214, f. 1; *Lepititii* B. Ic. 83, 2; ?*Amicta* Donz. Ann. S. Fr. 1848, 527, t. 8, I, 3; Gn. I, 349 [ab. ♀ obscura?].

Ural m; Alt; Uss. m; Kuku N; Amdo.

*Tarb. (Saisan).
Alt; Ural (v.).*

China c. oc. (Ordos).

*Alp; Pyr; Norv; Ural;
Alt; Cauc. s.*

*Sib. or. (Irkutzk);
Chang; Urga.*

*Kent; Chang. et Urga
(cum trans.).*

*Eur. c; Gal. m. oc;
Scand. c. et m; Liv;
Sib. or. (v.?).*

*Amur; Uss; Chang;
Jap.*

Uss. m. et s; Jap.

*Eur. c; It. s; Scand.
m; Liv; Ural; ? Arm;
Sib; ? Thian; Amar;
Uss; Cor; Am. s.*

*Uss. m; Cor; Jap; Ind.
s. (v.).*

*Eur. c. et s; It. s; As. s;
Chang; Urga; Kuku
N; Amdo; Amar;
Uss; Cor; Am. s.*

Scot; etc. ab.

Groenl.

*Eur. c. et s. (exc. reg.
bor.); Ped; Gal. m;
Balc. s; Ross. m; Alt;
Ala Tau.*

Angl; etc. (ab.).

*Eur. c; It. s. et c; Dan;
Fen; Rum; Ross. m.
or; Uss.*

1425. **Faceta** Tr. X, 2. 35; HS. 98, 99; Gn. I, 349; Mill. Ann. Sc. Nat. Cannes 1879 t. 7, f. 1; Failla Ted. Nat. Sic. X (1890) p. 27; Variicollis Delahaye Bull. Soc. Fr. 1886 p. 63; Obth. Etud. XII p. 30, t. 7, f. (53) 53 a; Mab. Nov. Lep. 1892 p. 68, t. 11, f. 6.

*It.m; Cors; Gal.m.or;
Lusit; Maur.*

105. **Eicomorpha** Stgr. 1888.

1426. **Antiqua** Stgr. Stett. e. Z. 1888 p. 24; Alph. Mém. Rom. IX t. 7, f. 5. *Ferg; Saraw.*
1427. **Köppeni** Alph. Iris VI, 346; Mém. Rom. IX p. 211, t. 7, f. 6. *Saraw.*

206. **Phleboëis** Chr. 1887.

1428. **Petersi** Chr. Stett. e. Z. 1887 p. 164; Mém. Rom. V p. 27, t. 2, f. 3. *Tura.*
1429. **Rogneda** Stgr. Berl. e. Z. 1870 p. 113; Mill. Ic. 149, 14; ?Trifida F. d. W. Ent. I p. 200, t. 5, f. 6 (praeoc. sp. similis; huj. generis?). *Crim; Srp; Pont; Cast.
(Valladolid).*
1430. **Unctex** Chr. Stett. e. Z. 1887 p. 164; Mém. Rom. V p. 25, t. 2, f. 1; Alph. Iris VII p. 310. *Tura.*
1431. **Lasserrei** Obth. Et. VI (1881) p. 86, t. 11, f. 13, 14; Sabura Mab. Bull. S. Fr. 1888 p. 42 [see. Alph. Iris VII, 310 hic ponenda] (praeoc. var. an synon.?). *Maur; Pal.*

207. **Centropus** Chr. 1889.

1432. **Argillacea** Chr. Mém. Rom. III p. 81, t. 4, f. 6. *Tura.*
1433. **Scripturosa** Ev. Bull. M. 1854, III, 190, 1856, III, 77; HS. n. Schm. 16; Ersch. Fedtsch. p. 39, t. 3, f. 37; Alph. Hor. XVII p. 56; Chr. Mém. Rom. V p. 31, t. 2, f. 4 a, b. *Kirgh. m; Ili; Tura.*

208. **Lycophorus** Stgr. (Comophorus Alph. 1887 nom. praeoc.).

1434. **Villosus** Alph. Stett. e. Z. 1887 p. 169; Mém. Rom. V p. 148, t. 6, f. 6. *As. c.*

209. **Glottula** Gn. 1837 (Brithys (Hb.) Stgr. Cat. ed. II p. 89).

1435. **Paneratii** Cyr. Ent. Neap. t. 12, f. 4 (1787); Hb. 391; Tr. V, 1. 182; HG. 846; God. V, 70, 1. 2; Frr. 147, 1; Gn. I, 115; Mill. Ic. t. 54, f. 6-9; Ragusa Nat. Sic. IV p. 272, t. 4, f. 5, 6. *It; Gal.m; Cat; Lusit;
Afr. (lit.).*
1436. **Encausta** Hb. 392; B. Ic. 84, 3; Dup. VI, 78, 3, III, 20, 1; Tr. X, 2. 29; Gn. I, 116; Kalchb. Stett. e. Z. 1872 p. 409; Ragusa Nat. Sic. IV p. 272, t. 4, f. 3, 4 (praeoc. var.?). *It. c. oc. (La Spezia);
Sic; ?Coreyra.*

210. **Spinipalpa** Alph. 1892.

1437. **Maculata** Alph. Hor. XXVI (1892) p. 445; Mém. Rom. IX p. 12, t. 1, f. 1. *Amdo.*

211. **Charaeas** Stph. 1829.

1438. **Graminis** L. S. N. ed. X, 506; Esp. III, 68, 1; Hb. 480-1; Tr. V, 1. 120; B. Ic. 74, 5; Dup. VI, 85, 4; Gn. I, 176; Tutt. Brit. Noct. I p. 127; Barr. Brit. Lep. IV t. 151, f. 2. *Territ. s; Eur. c; Alp;
Pyr; Saj; Sib. or;
Daur.*

- a) ab. *Tricuspis* Esp. III, 68, 2, 3; Hb. 143; Gn. l. c. (al. ant. unicolor rufescens, mac. magna trifida alba).
 b) ab. *Albineura* B. Ic. 74, 4; Auriv. Nord. Fjär. p. 126 (al. ant. ubique albo-venatis).
 c) v. ? *Megala* Alph. Hor. XVII p. 64, t. 3, f. 55; Mém. Rom. V p. 143 (major, antennis ♂ magis pectinatis, al. ant. ut in ab. *Tricuspis*; an sp. div.?).

Ili; *Iss. K*; *Ferg*;
Korla; ? *Arm.*

212. Epineuronia Rbl. (Neuronia Hb. nom. praeoccup.).

1439. **Popularis** F. S. E. 577 (1775); Tr. V, 1, 316; Gn. I, 170; Barr. Brit. Lep. IV t. 152, f. 1; Lolii Esp. III, 48, 1-5 (1785); Dup. VI, 90, 5; Graminis Hb. 59 [ab.].
 a) v. (et ab.) *Hilaris* Stgr., dilutior, al. ant. albidius venatis, al. post. ♂ (fere) totis albidis (candidis).
1440. **Cespitis** (S. V.) F. Mant. 156; Hb. 428; Tr. V, 2, 115; Dup. VII, 102, 1; Frr. 111; Gn. I, 184; Barr. Brit. Lep. IV t. 152, f. 2; Chloris Mill. Ann. S. Lin. Lyon 1883 p. 172, t. 4, f. 1, 2 [sec. specim. typic.].
 a) ab. (? v.) *Ferruginea* Höfn. Soc. Ent. II p. 121; *Decolor* Sohn Soc. Ent. XI 1896 p. 115 (multo pallidior).
- Eur.c; It.s.etc; Scand.
m; Ross. s. m. et m;
Sib.*
*Pont. (v.); Srp. (ab.);
Arm. (v.?).*
*Eur.c; It.s.etc; Scand.
c. et m; Ross. s. oc. et
m. or; Dalm; Alt.*
Car; Teriol. m., etc.

213. Mamestrina Hb. 1822.

1441. **Leucophaea** View. Tab. V, II, 23 (1790); Hb. 80; Tr. V, 1, 319; HG. 817; Dup. VI, 90, 6; Frr. 382; Gn. I, 177; Tutt Brit. Noct. I p. 121; Barr. Brit. Lep. t. 153, f. 1; v. *In cana* Mill. Cat. rais. Suppl. II p. 17 [ab. dilutior].
 a) v. *Bombycina* Ev. Bull. M. 1847, III, 58, t. 6, f. 1, 2; 1856, II, t. 2, f. 5, III, 35; Stgr. Stett. e. Z. 1882 p. 35 (al. ant. distinctius signatis).
 b) v. *Pyraenaica* Obth. Et. VIII p. 50; IX t. 3, f. 10 (al. ant. plus minusve obscuratis).
1442. **Longicornis** Graes. Berl. e. Z. 1892 p. 307.
1443. **Lupa** Chr. Iris VI p. 91 (1893).
1444. **Serratilinea** Tr. V, 2, 38; Gn. I, 191; HS. 486; **Polyodon** Hb. 365; Alph. Mém. Rom. V p. 146.
1445. **Spalax** Alph. Stett. e. Z. 1887 p. 168; Mém. Rom. V p. 144, t. 6, f. 5 (praec. v. Stgr. esse videtur). *Iss. K*; *Ferg*; *Saraw*; *Mesop. s.*; ? *Hyrc.*
1446. **Advena** F. Mant. 183; Esp. 178, 4, 5; Hb. 81; Tr. V, 2, 39; Frr. B. 28; Gn. II, 81; Tutt Brit. Noct. III p. 70; Barr. Brit. Lep. IV t. 154, f. 1.
- Eur. c. et s. (exc. reg.
bor.); It.s; Arm; Ural;
Ala Tau; Ili; Iss. K.*
- a) ab. *Unicolor* Tutt l. c. 71 (unicolor rufescens).
 b) v. *Mongolica* Stgr. Iris IX p. 253 (obscerior, variabilis cum trans. ad v. c. et ad sp. sequ.?).
 *c) v. *Purpurissata* Grote Pr. Ent. Soc. Phil. III p. 82, t. 1, f. 5 (pallidior, al. ant. minus brunnescenti-tinctis).
1447. **Adjuncta** Stgr. Stett. e. Z. 1888 p. 249; Mém. Rom. VI p. 423, t. 6, f. 8; Graes. Berl. e. Z. 1888 p. 325 (praec. var.?).
1448. **Praecipua** Stgr. Iris VIII 1895 p. 316.
1449. **Tincta** Brahm Ins. Kal. II, 395 (1791); Tr. V, 2, 43; Dup. VI, 96, 3; Frr. 293; Gn. II, 80; Tutt Brit. Noct. III p. 69; Barr. Brit. Lep. IV t. 154, f. 2; *Hepatica* Hb. 77.
- a) v. *Obscurata* Stgr. Iris X p. 335 (minor, obscurior).
- Amur; Uss; Cor; China
s.; Jap; Amdo (v.).*
Kuku N; Amdo.
*Eur. c. et s. (exc. reg.
bor.); It.s; Ural; Alt;
Urga.*
Kent; Amur.

1450. **Goliathi** (Goliath) Obth. Et.V p. 68, t. 6, f. 7 (1880); Stgr. Mém. Rom. VI, 434; Alph. Iris VII, 310 (Mamestra sec. Alph.). *Uss; Jap; Cor; China c. et oc.*
1451. **Rogenhoferi** Möschl. Stett. e. Z. 1870 p. 269.
1452. **Nebulosa** Hufn. Berl. M. III, 418; Tr. V, 2, 48; Frr. B. 52; Gn. II, 77; Tutt Brit. Noct. III p. 68; Barr. Brit. Lep. IV t. 155, f. 1-1c; Plebeja Hb. 78; Bimaculosa Esp. 132, 1, 2.
- a) ab. *Robsoni* Collins Ent. Rec. II p. 264; Tutt l. e. 69; Barr. l. e. f. 1 d-g (al. ant. unicoloribus, nitide nigris).
 - b) v. *Asiatica* Stgr. Iris X p. 334; v. *Lama* Stgr. ib. IX, 254 [ab.?] (al. ant. sordide cinereis, plerumque minor.).
 - c) v. *Askolda* Obth. Et. V p. 79; Stgr. Mém. Rom. VI, 424 (praec. var. major, al. ant. obscurioribus).
 - *d) v. *Nimbosa* Gn. II. 77; Spr. Stett. e. Z. 1875 p. 144 (variabilis: forma dilutior Nebulosae simillima; forma obscurior fere ut v. b. etc.).
1453. **Altaica** Ld. z. b. V. 1853, t. 2, f. 6; Ev. Bull. M. 1856, III, 51.
1454. **Brassicae** L. S. N. ed. X, 516; Esp. 159, 1-6; Hb. 88; Tr. V, 2. 150; Dup. VII, 102, 5; Gn. I, 198; Tutt Brit. Noct. I p. 115; Barr. Brit. Lep. IV t. 160, f. 2; Scotochroma Röber Iris I p. 340, t. 12, f. 13 [ab. melanot.]. *Amur; Uss; Kent; Alt; Ulia;*
- a) v. *Andalusica* Stgr. Cat. ed. II p. 90; Straminea Failla Nat. Sic. X, 1890 p. 30, t. 1, f. 5 [ab.?] (dilutior, al. ant. ochraceo-vel flavescente-griseis, minus pictis).
 - b) v. *Decolorata* Stgr. Stett. e. Z. 1889 p. 34 (multo pallidior, al. ant. albido-griseis).
1455. **Mortua** Stgr. Stett. e. Z. 1888 p. 249; Mém. Rom. VI p. 426, t. 8, f. 1; Afra Graes. Berl. e. Z. 1888 p. 326.
1456. **Persicariae** L. F. S. 319; Esp. 129, 1-3; Hb. 64; Tr. V, 2. 156; Dup. VII, 102, 4; Gn. I, 199; Tutt Brit. Noct. I p. 117; Barr. Brit. Lep. IV t. 160, f. 3.
- a) ab. *Unicolor* Stgr. Cat. ed. II p. 91 (alis ant. absque macula alba).
1457. **Albicolon** Hb. 542-3; Tr. V, 2. 147; Dup. VII, 117, 3; Fr. 501, 4., 592; Gn. I, 196; Tutt Brit. Noct. I p. 114; Barr. Brit. Lep. IV t. 160, f. 1. *K; Ferg.*
- a) v. *Egena* Ld. z. b. V. 1853 p. 371; Stgr. Iris IX, 255; Arida Stgr. l. e. [ab. minor] (multo pallidior, al. ant. lutescenti-griseis).
 - b) ab. (v.?) *Arida* Ld. z. b. V. 1855 p. 108, t. 1, f. 7 [Hadena; uno ♂ condita] (praec. v. paullo obscurior, al. ant. rufescenti-griseis).
1458. **Odiosa** Stgr. Iris VIII (1895) p. 315 (praec. var.?). *Kuku N; Amdo.*
1459. **Sabulorum** Alph. Hor. XVII p. 69, t. 3, f. 58. *Ili; Iss. K; Kaschg; Tura.*
- a) v. *Distincta* Stgr. Stett. e. Z. 1889 p. 35 (major, al. ant. violaceo-griseis, subt. distinctius signatis).
 - b) v. (ab.) *Rhodina* Chr. Iris VI p. 91 [uno ♂ condita] (dilute rosaceo-brunnea).
1460. **Persa** Alph. Mém. Rom. IX p. 212 (praec. var. minor, obscurior?). *Arm.m.or.(Ordubad).*
- Labr. m.*
- Eur. c. et s. (exc. reg. pol.); It.s. et c; Turc. s; Ross. m; Arm.*
- Angl.*
- Kent; Alt; Ulia;*
- Tarb; Ala Tau; Ili;*
- Iss. K.*
- Uss; Jap; Amdo (v.?).*
- Am. s.*
- Alt; Kent; Mong; Ili;*
- Iss. K; Ferg.*
- Eur. (exc. Graec.);*
- Bith; Pont; Arm;*
- Hyrc.(v.?)Sib; Ferg;*
- Jap; Ind. s. oc; Am. s.*
- And; Sic; Ins. Capri*
- et Arag. (trans.).*
- Iss. K.*
- Uss. m.*
- Eur.c; It.s; Ross.(exc. reg. bor.); Scand. m;*
- Dalm; Turc. s; Arm;*
- Ili; Iss. K; Uss; Jap;*
- China oc.*
- Eur.c; It.s; Suec. m;*
- Ross. (ex reg. bor.);*
- Ulas; Urga; Ili; Iss.*
- et Korla (cum trans.).*
- Ross. m; Arm; Kirgh;*
- Tarb; Ili; Iss. K;*
- Ulia; Amdo.*
- Alt; Tarb; Iss. K. etc.*
- (ab.).*
- Kuku N; Amdo.*
- Iss. K.*
- Arm.m.or.(Ordubad).*
- Pers. s. oc. (Demavend).*

1461. **Insolita** Stgr. Stett. e. Z. 1889 p. 43 (Genus Hadula Stgr.); Alph. Iris VII p. 311 (oculis pilosis; sed Stgr. non Mamestra esse videtur). *Iss. K; Kaschg.*
1462. **Illoba** Butl. Ann. & Mag. (5) I p. 162 (1878); Ill. Het. III t. 44, f. 7; Pacifica Butl. l. c. 165; l. c. t. 30, f. 2 (!); Declinans Stgr. Stett. e. Z. 1888 p. 250; Mém. Rom. VI p. 427, t. 8, f. 2 (sec. Hmps. = Illoba). *Uss; Jap; Cor; China c.*
1463. **Splendens** Hb. 400; Tr. V, 2. 131; HS. 396; Gn. II, 103; Snell Tijds, XXXVI p. 207. *Eur. c. (exc. c. oc.); Liv; Rum; Amur; Uss; Cor.*
1464. **Oleracea** L. S. N. ed. X, 517; Esp. 165, 4-8; Hb. 87; Tr. V, 2. 132; Dup. VII, 101, 6; Gn. II, 101; Tutt Brit. Noct. III p. 88; Barr. Brit. Lep. IV t. 158, f. 1. *Eur. (exc. reg. pol. et Graec.); Maur. or; Bith; Pont; Arm; Pal; Tarb; Tura; Ili et Iss. K. (v.).*
- a) v. *Variegata* Aust. Natural. VII (1885) p. 142 (multo pallidior). *Maur. oc. (Marocco).*
1465. **Aliena** Hb. 441; Tr. V, 2, 139; Gn. II, 100. *Eur. c. or; Belg; Helv; Ped; Petrop; Arm; Alt; Ili; Iss. K.*
- a) v. *Amurensis* Stgr; Aliena var. Stgr. Mém. Rom. VI p. 427 (multo obscurior). *Amur; Uss; Jap.*
1466. **Genistae** Bkh. IV, 355; Hb. 611-2; Tr. V, 1. 349; Dup. VI, 91, 1!; Frr. 22; Tutt Brit. Noct. III p. 94; Barr. Brit. Lep. IV t. 158, f. 2; W. latinum Bkh. IV, 378; Gn. II, 104; Subjuncta Grote & Robins. Trans. Am. E. S. II p. 198, t. 3, f. 71. *Eur. c. et s. (exc. reg. pol.); Hisp. et It. s. et c; Ross. m; Arm; Hyrc; Alt; Tarb; Ili; Iss. K; Sib. or; Am. s.*
1467. **Dissimilis** Knoch Btr. I p. 57, t. 4, f. 1-4 (1781); Tutt Brit. Noct. III p. 86; Suasa Bkh. IV, 457; Hb. 426; Tr. V, 2. 136; Dup. III, 1. 7; Gn. II, 99; Barr. Brit. Lep. IV t. 157, f. 1; Aliena Dup. III, 30, 1 ab; Gn. II, 100; ab. Laeta Reuter Act. Fen. IX p. 42 [laetius picta]; Atlantica Grote Bull. Buff. Soc. Nat. Sc. 1874 p. 12; ? Permixta HG. 803 [ab]. *Eur. c. et s., As. c. et s. (exc. reg. pol.); It. s. et c; Turec. s.; Ross. m; Am. s.*
- a) ab. (et v.?) *Confluens* Ev. F.V.U. 245; Tutt l. c. 88; Barr. l. c. f. 1 c; ? Pavidia Gn. II, 101 (al. ant. obscurioribus, fere unicoloribus). *Ross. m. or. (v.?); etc. ab.*
- b) v. *Extincta* Stgr. Mém. Rom. VI, 425 (obscurior, al. ant. flavidio-signatis). *Uss; Amur (v.?).*
1468. **Thalassina** Rott. Naturf. IX, 119; Tr. V, 1. 343; Dup. VI, 91, 3; Frr. 27; Gn. II, 103; Tutt Brit. Noct. III p. 92; Barr. Brit. Lep. IV t. 156, f. 2; Geminia Hb. 483. *Eur. c; Cat; It. s. et c; Dalm; Scand. c. et m; Ross.s.m; Arm; Ural; Alt; Ili; Iss. K; Kent; Amur; Uss.*
- a) ab. *Achates* Hb. 498, 610; Frr. 11 (alis ant. magis unicoloribus, rufescitibus). *Ural; Arm; As. s.m. et c.s; Uss; Jap.*
1469. **Contigua** Vill. L. Ent. IV, 468 (1789); Hb. 85, 609; Tr. V, 1. 352; Frr. 16; Gn. II, 103; Tutt Brit. Noct. III p. 93; Barr. Brit. Lep. IV t. 156, f. 1. *Ural; Arm; As. s.m. et c.s; Uss; Jap.*
- a) var. *Subcontigua* Ev. Bull. M. 1852, I, 155, 1856 II, t. 2, f. 1, III p. 19 (obscurior). *Ural (Spask).*
1470. **Tetrica** Graes. Berl. e. Z. 1888 p. 325. *Amur c.*
1471. **Pisi** L. S. N. ed. X, 517; Esp. 167, 1-5; Hb. 429; Tr. V, 2. 128; Dup. VII, 101, 5; Gn. II, 101; Tutt Brit. Noct. III p. 89; Barr. Brit. Lep. IV t. 152, f. 2. *Eur. c. et s. (exc. reg. pol.); It. s. et c; Urga et Amur (cum trans.).*
- a) v. (et ab.) *Rukavaarae* Hoffm. Stett. e. Z. 1883 p. 127 (al. ant. obscurior, violaceo-griseis, non brunnescitibus). *Fen; Lap; Daur; Uss. etc. (ab.).*
- b) v. *Pallens* Stgr. Stett. e. Z. 1882 p. 35 (al. ant. pallide [flavicante] brunnescit. minus pictis). *Ala Tau; Iss. K; Isl. (trans.).*

- 1471 bis. **Magdalene** Obth. Et. XX p. 68, t. 9, f. 157.
1472. **Leineri** Frr. 184, 3 (1836); HS. 102; Gn. I, 196; Nolek. Stett. e. Z. 1869 p. 268; Renati Obth. Bull. S. Fr. 1890 p. 187 (gen. Phorocera sec. Snell.).
- a) v. *Cervina* Ev. Bull. M. 1842, III, p. 546; HS. 163-4; Gn. I, 197 (alis ant. obsolete rufescensibus, stria media alba).
 - b) v. *Bovina* Stgr. Stett. e. Z. 1888 p. 14 (praec. v. similis, sed al. ant. obscurior., saturate brunneis).
 - c) *Furcata* Ev. Bull. M. 1837, IV, 40 (Leucania); HS. 364; Gn. I, 94 (al. ant. rufescensib., albo-venosis; sec. Herz certe hic ponenda).
 - d) v. *Pomerana* Schulz Stett. e. Z. 1869 p. 51, 1880 p. 46; Hering ib. 1881 p. 347 (alis ant. magis variegatis, albido-venosis).
 - e) v. *Albina* Stgr. Iris IX p. 254 (praec. v. similis, sed al. ant. pallidioribus, testaceo-griseis).
1473. **Implexa** Hb. 414; Alph. Mém. Rom. V p. 233, t. 12, f. 1; Joan. Bull. S. Fr. 1899 p. 23; Fallovi Obth. Et. I p. 45, t. 4, f. 2.
1474. **Consanguinis** Gn. Noct. II p. 97; Hmps. Ind. Moths II p. 199; Zachii Bhtsch. z. b. V. 1879 p. 406; Cana Hmps. Ill. Het. VIII p. 79, t. 145, f. 8; Abbas Baker Tr. Ent. S. 1894 p. 40, t. 1, f. 8.
1475. ? **Alba** Vallantin Natural. 1893 p. 280 (uno specimine condita; praec. sp. ab.?).
1476. **Satanella** Alph. Hor. XXVI p. 445 (1892); Mém. Rom. IX p. 16, t. 2, f. 14.
1477. **Trifolii** Rott. Naturfr. IX, 131 (1776); Tutt Brit. Noct. III p. 82; Chenopodii F. Mant. 156 (1787); Esp. 181; Hb. 86; Tr. V, 2, 144; Dup. VII, 1, 102, 3; Gn. II, 97; Barr. Brit. Lep. IV t. 159, f. 2; Treitschkei Hb. 850 ab.
- a) ab. *Farkasii* Tr. X, 2, 74; Gn. I. c. (obscurior, magis variegata).
1478. **Sodae** Rbr. Ann. Sc. obs. 1829 p. 260, t. 6, f. 7; B. Ind. Add; Tr. X, 2, 68; Frr. 148, 4; HG. 851; Dup. III, 45, 4; HS. 60, 66, 67; Gn. I, 98. Maur. (v.); ? Arm. et ? Tura (ex err.?).
1479. **Stigmosa** Chr. Mém. Rom. III p. 70, t. 3, f. 12.
1480. ? **Afra** Baker Tr. Ent. Soc. 1894 p. 39, t. 1, f. 7.
1481. **Sociabilis** Grasl. Ann. S. Fr. 1850 p. 412, t. 10, f. 18; HS. 563; Gn. II, 98.
- a) v. *Irrisor* Ersch. Fedtsch. p. 42, t. 4, f. 53; Alph. Mém. Rom. IX p. 15; *Albipicta* Chr. Mém. Rom. I p. 119, t. 8, f. 1; ? *Inquinata* Mab. Bull. S. Fr. 1888 p. 43 (dilutior, al. ant. albido-griseis; praec. sp. var.?).
1482. **Ptochica** Püng. Iris XII p. 104 (1899).
1483. **Mista** Stgr. Stett. e. Z. 1889 p. 35.
1484. **Glauea** Hb. 410; Tr. V, 1, 322; Frr. 104, 1., 364, 2; Dup. VI, 92, 7; Gn. II, 94; Tutt Brit. Noct. III p. 78; Barr. Brit. Lep. t. 158, f. 3; *Aperta* HG. 800 [ab. obscura]; *Lappo* Dup. VII, 116, 3; Zett. Ins. Lap. 939; Gn. II, 94 [ab. obsc.]; *Quadriposita* Zett. l. c. [magis cinerascens]; *Taunensis* Fuchs Jhrb. Nass. LII p. 133 (1899) [al. ant. infuscatis]; ? *Farkasii* HS. 390 [ab. diluta?] (sp. aberrans sine var. const.).
- Pyr. or.
Hung; Austr.
- Ross.m; ? Sib.or.(v.?).
- Ferg; Iss. K.
- Ural m.
- Germ. s. (lit.) (Pomerania); ? Tura (v.?)
(Jura ex errore).
- Ulias.
- Hung; Ross.m; Arm;
Pal. s; Maur.
- Syr; Aegypt; Ind.
- Maur. (Bone).
- Kuku N; Amdo.
- Territ. (exc. reg. pol
Can., Hyrc. et
Graec.); Am. s.
- Gal.m., Hisp.c., And.,
It. c. et Graec. (lit.);
Mam. et ? Tura (ex err.?).
- Srps; Tura; Ferg; Iss.
K; Kaschg.
- Aegypt.
- Gal. m. oc; Maur.
(Chellala).
- Ross. m. or. (desert.);
Kirgh; Saraw; Ferg;
Ili; Iss. K; Korla;
Tura; Pal; Maur.
or. (v.); ? Uss.
- Iss. K.
- Iss. K. m; Kaschg; Ili.
- Eur. s. etc. (exc. Bat.);
Belg. et Gal. s. et oc.);
Ross. m. or; Anur;
Kamt; Ili; Iss. K.

1485. **Skraelingia** HS. 624, VI p. 57; Auriv. Nord. Fjär. p. 131, fig. 26. *Lap; Suec. c. int.*
1486. **Obvia** Ev. Bull. M. 1856, II, t. 2, f. 7; III p. 77. *Ross. c. or. (Kasan).*
1487. **Dentina** (S. V.) Esp. 127, 3 (1789); Hb. 408, Text 192; Tr. V, I. 328; Dup. VI, 89, 6; Gn. II, 95; Barr. Brit. Lep. IV t. 159, f. 1; Schultz Berl. e. Z. 1899 p. 159, fig. ab; Hilaris Zett. Ins. Lap. 938; Lamp. Tidskr. 1885 p. 938 [ab. dilutior]; Nana (?Hufn.) Tutt. Brit. Noct. III p. 80. *Eur. (exc. And. et It. m.); Bith; Arm; Alt; Ili; Iss. K.*
- a) ab. *Latenai* Pier. Ann. S. Fr. 1837, t. 8, f. 3, p. 177; HG. 874; ?Proxima Frr. 104, 2 (multo obscurior). *Alp. etc; Sib. or. s.*
1488. **Incommoda** Stgr. Stett. e. Z. 1888 p. 250; Mém. Rom. VI p. 428, t. 8, f. 3; Lacrimosa Graes. Berl. e. Z. 1888 p. 328 (huj. generis?). *Uss; Amur.*
1489. **Decreta** Püng. Iris XII p. 292, t. 9, f. 7. *Kuku N.*
1490. **Vidua** Stgr. Stett. e. Z. 1888 p. 17. *Ferg; Iss. K.*
1491. **Calberläi** Stgr. Stett. e. Z. 1883 p. 181 (Hadena); Calb. Iris I p. 182, t. 12, f. 9; Alph. Iris VII, 311 (huj. generis?). *It. c; Ter. m.*
1492. **Alpigena** B. Ic. 84, 5; Gn. II, 93; Mill. Ic. III p. 308, t. 139, f. 1; Meissonieri Gn. II, 92, t. 8, f. 9 [sec. typ. certe = Alpigena B.] (sec. oculus nudis Hadena, prope Timidam [no. 1668] ponenda). *Gal.m; Maur.(Stgr.).*
1493. **Peregrina** Tr. V, 1. 330 (1825); Frr. B. 70, 1., 101; Gn. II, 96; Tutt. Brit. Noct. III p. 82; Barr. Brit. Lep. IV t. 156, f. 3; Trimenda HG. 789-91 (post 1827); Sal-solae Rbr. Ann. Sc. obs. 1829 p. 258, t. 6, f. 1; Contribulus Dup. VII, 122, 1 (1827). *Gal. s. oc. et m; It. s. (lit.); Dalm; Ture. s. or; Ross. m; Bith; Pont; Arm.*
1494. **Softa** Stgr. Iris X (1897) p. 275, t. 4, f. 15 (praec. forma Darw.?). *Pal; Maur.oc.(var.?).*
1495. **Treitschkei** B. Ann. S. Linn. Paris 1827 p. 111, t. 6, f. 2; Tr. X, 2. 69; Dup. VII, 103, 1; HS. 68-9; Gn. II, 97; Ld. Noct. 222; Alph. Iris VII p. 311; Pugnax Hb. 726-7 (1827). *Gal. m.*
1496. **Marmorosa** Bkh. IV, 424; Tr. V, 1. 326; Frr. 4; Dup. Supl. III, 18, 5; HS. 65; Nana Gn. II, 95. *Germ. c. et m; Arag; Hung; Ross. m. oc;*
a) v. *Microdon* Gn. II, 96; Marmorosa Frr. 618, 1 (multo obscurior). *Kaschg. et Kuku N. (v.).*
1497. **Suavis** Stgr. Mém. Rom. VI p. 428, t. 7, f. 4. *Urga; Saraw; Kuku N.*
1498. **Texturata** Alph. Hor. XXVI (1892) p. 446; Mém. Rom. IX p. 14, t. 3, f. 2. *Kuku N; Amdo.*
1499. **Reticulata** Vill. L. Ent. II p. 254 (1789); Tutt. Brit. Noct. I p. 125; Saponariae Bkh. IV, 370 (1792); Esp. 198, 4; Tr. V, 1. 303; Dup. VI, 90, 2; Frr. 231; Gn. I. 167; Barr. Brit. Lep. IV t. 153, f. 2; Typica Hb. 58. *Eur. c. et s. (exc. reg. bor); It.s.etc; Ross. m.*
- a) v. *Unicolor* Alph. Mém. Rom. V p. 147; Tutt. Ent. 1889 p. 135; Stgr. Iris IX p. 256 (al. ant. non violaceo-inspersis, vix nominanda). *Arm;Alt;Ulias;Urga; Thian. or; Iss. K; Ferg; Saraw.*
- 1499bis. **Abrupta** Ev. Bull. M. 1854, III, 189, 1856, II, t. 2, f. 8 (sec. Herz certo Mamestra spec. distincta). *Kirgh. m.*
1500. **Peculiaris** Stgr. Stett. e. Z. 1888 p. 16. *Saraw.*
1501. **Bryoptera** Püng. Iris XII p. 292, t. 9, f. 6. *Kuku N.*
1502. **Cavernosa** Ev. Bull. M. 1842, III, 547, t. 5, f. 3, F.V. U. p. 257; HS. II p. 205; Gn. I, 345; Friv. Jell. t. 5, f. 4; Ornata HS. 46, 47. *Ross. m. or; Hung; Vind; Helv; It; Alt; Chang; Ili; Iss. K; Uss.*

1503. **Silenides** Stgr. Iris VII p. 273, t. 9, f. 14 (huj. generis?).
1504. **Praedita** Hb. 595; Ld. Ann. S. Belg. 1870, t. 1, f. 11;
- 1504 bis. **Digramme** F. d. W. Ent. I p. 201, t. 5, f. 5 (Agrotis?).
1505. **Armata** Stgr. Stett. e. Z. 1888 p. 15.
- a) v. *Hoplites* Püng. (i.l.) minor, al. ant. griseis, non brunnecenti-griseis.
1506. **Dianthi** Tausch. Mém. Mosc. 1809, t. 2, f. 2; Hb. 587; ? God. V, 65, 2; Friv. Jell. t. 5, f. 5; Dentigera Ev. Bull. M. 1837 p. 35, F.V. U. 218; Gn. I, 167; Frr. 516, 1; Actinobola Ev. Bull. M. 1837 p. 38, 1856 II t. 3, f. 6, p. 32.
1507. **Furca** Ev. Bull. M. 1852, I, 154, 1856, III, 27; Fusca HS. 628; Colleti Sparre-Schneider Enum. 1876 p. 56; Auriv. Nord. Fjär. p. 130.
1508. **Schneideri** Stgr. Iris XII p. 368.
1509. **Eversmanni** Stgr. Iris XII p. 367, t. 6, f. 14.
1510. **Furecula** Stgr. Stett. e. Z. 1889; Alph. Mém. Rom. IX p. 14.
1511. **Mendica** Stgr. Iris VII p. 272, t. 9, f. 13. Taur.
1512. **Mendax** Stgr. Hor. XIV (1878) p. 383; Alph. Iris VII p. 311.
1513. **Chrysozona** Bkh. IV, 264 (1792); Tutt Brit. Noct. III p. 40; Dysodea Hb. 47 (1800?); Tr. V, 2, 16; Dup. VI, 98, 2; Gn. II, 28; Barr. Brit. Lep. IV, 161, f. 1; Flavicincta minor Esp. 153, 6, 7; v. Koechlini Th.-Mieg Natural. XI, 1889 p. 181 et v. Turbida Höfn. Jhrb. Kärnt. XXIV p. 11 [ab. obscurior fere ut Dysodea Hb. 47].
- a) ab. *Caduca* HS. 484. II p. 266; Gn. II, 29; Spr. Stett. e. Z. 1887 p. 338; 1888 p. 207 (al. ant. albido-cinereis, haud flavo-inspersis).
- b) v. *Innocens* Stgr. Hor. VII (1870) p. 123, t. 1, f. 10; Chrysozona var. Stgr. Stett. e. Z. 1882 p. 36 [trans.] (al. ant. albido-cinereis, paullum flavo-inspersis, fascia med. lata obscura). K; Ferg. et Saraw. (trans.).
1514. **Serena** (S. V.) F. Mant. 171; Esp. 166, 4; Hb. 54; Tr. V, 2, 12; Dup. VI, 98, 3; Frr. 87; Gn. II, 29; Tutt Brit. Noct. III p. 4; Barr. Brit. Lep. IV t. 161, f. 2; Bicolorata Ld. Noct. p. 22, 91.
- a) v. (et ab.) *Leuconota* Ev. Bull. M. 1837 p. 39, F.V. U. 235; Gn. II, 29; ? Monticola Dup. VI, 92, 4 p. 315 ab; Gn. II, 31 (thorace aliquo ant. albidis, his fascia lata media obscura).
- b) v. (et ab.) *Obscura* Stgr. Cat. ed. I p. 40; Var. B. Gn. II, 30 (obscurior, magis unicolor).
- c) v. ? *Corsica* Rbr. Ann. S. Fr. 1832 p. 279, t. 9, f. 3; Dup. VI, 99, 5!; Gn. II, 28 (al. ant. Serenae obscurioribus sed sine fascia med. obscuriore).
1515. **Cappa** Hb. 447; Tr. V, 2, 7; Dup. VI, 99, 5; Gn. II, 31; Frr. 618, 2; Mill. Ic. t. 48, f. 3-6. m;
1516. **Maderae** Baker Tr. Ent. Soc. 1891 p. 205, t. 12, f. 3 (gen. Hecatera) (huj. generis?). Mad.
1517. **Siccanorum** Stgr. Berl. e. Z. 1870 p. 114; Mill. Ic. 152, f. 8 (hujus generis?). Srp; Iss. K. oc.
1518. **Seboldi** Stgr. Iris XIII p. 109 (genus Saragossa Stgr.). Arag.

214. **Haderonia** Stgr. 1895.

1519. **Arschanica** Alph. Hor. XVII p. 78, t. 2, f. 45; Mém. Rom. V p. 144.
Ili; Iss. K; Ferg.
1520. **Subarschanica** Stgr. Iris VIII, 1895 p. 320, t. 6, f. 12.
Kuku N; Amdo.
1521. **Khorgossi** Alph. Hor. XVII p. 65, t. 2, f. 49.
Ili; Thian. or.
1522. **Tancrei** Graes. Berl. e. Z. 1892 p. 305.
Iss. K. s. oc.
- a) v. *Graeseri* Püng. Soc. Ent. XIII p. 58; Iris XII p. 102
 (minor, al. ant. minus distincte signatis).
Ili.
1523. **Optima** Alph. Mém. IX p. 236, t. 12, f. 7.
Nan Chan; China oc.

215. **Thargelia** Püng. 1899.

1524. **Distincta** Chr. Mém. Rom. I (1884) p. 124, t. 8, f. 3; Püng.
 Iris XII p. 103.
Tura; Ili.
1525. **Fissilis** Chr. Mém. Rom. I p. 125 (1884); Alph. ib. IX
 p. 217, t. 8, f. 9.
Tura; Ili.

216. **Manobia** Stgr. 1895.

1526. **Xena** Stgr. Iris VIII, 1895 p. 317, t. 6, f. 8.
Kuku N; Amdo.

217. **Dianthoecia** B. 1834.

1527. **Luteago** (S. V.) Hb. t. 39, f. 184; Tr. V, 2. 338; Dup. III,
 23, 3; Grasl. Ann. S. Fr. 1842, t. 13, f. 8-10, p. 313; Gn.
 I, 181; Tutt Brit. Noct. I p. 134; Olbien HG. 829-30
 [ab. dilutior, unicolor.]; Brunneago Esp. 193, 3 (sp.
 aberrans).
 (v.); Alt; Arm; Mesop. s. et
*Eur. c. et m. or. (exc.
 Balc.); Germ. c. oc.
 (I); Gal. c. et m.; Cors;
 It. s. et c.; Maur. or.
 Ferg. (trans.); Iss. K.
 Ural; Hib; Pont; Arm.*
- a) v. (et ab.) *Argillacea* Hb. 590; Tr. X, 2. 101; Barretti
 Dbd. (H.) Ann. 1864 p. 124, f. 3; Birchall Monthl. Mag.
 III p. 106, t. 1, f. 7; Kane Entom. 1895 p. 328; Barr. Brit.
 Lep. IV t. 165, f. 2; Tutt l. c. (obscurior, brunnescens).
And.
1528. **Andalusica** Stgr. Stett. e. Z. 1859 p. 214; Rbr. Cat. S.
 And. t. 11, f. 4.
Srp.
1529. **Literata** F. d. W. Bull. M. 1840, I p. 86, t. 3, f. 4.
Alp; Sil; Boh; Sax.
1530. **Proxima** Hb. 409; Tr. V, 1. 324; Frr. 104, 2; HG. 810;
 Gn. II, 91; Ev. Bull. M. 1856, III, 22; v. Extensa Ev.
 F. V. U. 231; Bull. M. 1856, II, t. 2, f. 3 [ab. al. ant. late
 obscuro-fasciat].
 a) v. *Canaria* Ev. Bull. M. 1841, I p. 29, t. 3, f. 7, 8; ib. 1856,
 III, 24; F. V. U. 230; Frr. 448, 4; HS. 82; Gn. II, 91 (al.
 ant. dilutioribus, cinereis, minus signatis).
 b) ab. *Ochrostigma* Ev. Bull. M. 1842, III, 545; F. V. U. 230;
 HS. 165-6, 475; Gn. II, 92 (al. ant. macula obsolete
 ochracea, vix nominanda).
 c) v. *Uniformis* Stgr. Iris IX, 256 (al. ant. obscure griseis,
 minus signatis, fere unicoloribus).
Ulias.
1531. **Orientalis** Alph. Hor. XVII p. 71, t. 2, f. 52; Mém. Rom.
 V p. 148 (praecl. forma Darw.).
Ili; Iss. K; Ferg.
1532. **Picturata** Alph. Hor. XVII p. 73, t. 3, f. 53 (una ♀ condita)
 (hujus generis?).
Ili; Saraw.
1533. **Eximia** Stgr. Iris VIII, 1895 p. 319, t. 6, f. 7.
Kuku N; Amdo.
1534. **Subdita** Möschl Wien. Mts. 1860 p. 363, t. 9, f. 7.
Labr.
1535. **Dovrensis** Wck. Stett. e. Z. 1864 p. 182; Auriv. Nord. Fjär.
 p. 133.
*Norv. (Dovre et Salt-
 dalen).*

- a) v. *Altaica* Stgr. Iris V p.366 (major, al. ant. flavidomixtis).
 b) v. *Kenteana* Stgr. l. c. (al. post. albidis, late nigro-limbatis,
 subt. al. omn. late nigro-limbatis).
 c) v. (ab.?) *Mongolica* Stgr. Iris IX p. 257 (al. post. albidis,
 al. subtus non nigro-limbatis).
1536. **Phoca** Möschl. Wien. Mts. 1864 p. 197, t. 5, f. 15; Smith
 Noct. Cat. p. 129.
1537. vacat.
1538. **Deliciosa** Alph. Hor. XXVI p. 446 (1892); Mém. Rom.
 IX p. 18, t. 3, f. 3 (huj. generis?).
1539. **Caesia** Bkh. IV, 279 (1792); Hb. 60; Tr. V, 2. 21; Dup.
 VI, 98, 6; Gn. II, 22; Mill. Nat. Sic. VI p. 1, t. 1, f. 1-3;
Dichroma Esp. IV p. 519.
- a) v. *Manani* Gregson Entom. III p.104; Tutt Brit. Noct. III
 p.39; *Caesia* Barr. Brit. Lep. IV t. 165, f. 1; *Double-dayi*
 Mill. Nat. Sic. VI p. 2 (al. ant. fere unicoloribus,
 caeruleo-griseis, paullum flavidomixtis).
 b) v. (et ab.) *Nigrescens* Stgr.; *Caesia* Auriv. Nord. Fjär.
 133; multo obscurior, al. ant. nigro-griseis (nigrescentibus),
 caeruleo-griseo-inspersis.
 c) v. *Clara* Stgr.; *Caesia* var. Stgr. Hor. XIV p. 376, al.
 ant. cinerascentibus, fascia media subalbida, paullum
 rosaceo-inspersa.
1540. **Musculina** Stgr. Iris IV (1891) p. 272.
1541. **Lurida** Alph. Hor. XXVI p. 446 (1892); Mém. Rom. IX
 p. 18, t. 1, f. 4 (huj. generis?).
1542. **Filigrama** (r. *Filigrana*) Esp. IV p.396; Tr. V, 2. 19; HS.
 465; *Filograna* Esp. 130, 4; *Filigramma* Frr. B.
 137, 3; Gn. II, 23; *Polymita* Hb. 48 (forma obscure
 brunnea).
- a) v. *Xanthocyanæa* Hb. 640-1 (ab.); HS. 464; Frr. 531, 1. 2;
 Dup. IV, 90, 5; Gn. II, 23 (obscure grisescens, al. ant.
 leviter flavo-mixtis).
- Ural; Arm; Hyrc; Tura;
- b) v. *Luteocincta* Rbr. Ann. S. Fr. 1834 p. 382, t. 8, f. 1;
 Dup. III, 26, 1; HS. 384; Gn. II, 28; Mill. Ann. Sc.
 Cannes 1878 t. 3, f. 10 [var.] (dilutior, albido nigroque
 varia, valde luteo-mixta [fasciata]).
- c) v. *Melanochroa* Stgr. Iris IV p.273 (minor, obscurior, al.
 ant. paullum albo luteoque inspersis).
1543. **Tephroleuca** B. Ann. S. Fr. 1833, 374, t. 14, f. 4; Dup.
 III, 22, 5; HS. 140, 469; Gn. II, 24.
1544. **Magnolii** B. Ind. p. 73; Dup. III. 22. 4!; HS. 71; Gn.
 II, 24; *Nummosa* Ev. F. V. U. p. 232; *Numosa* Frr.
 351, 5. Srp; Arm; Pont;
1545. **Consparcata** (r. -spurcata) Frr. 430, 3, V p. 82 (1844);
Conspurcata HS. 463, 470; Gn. II, 24 (praeec. forma
 Darw.?).
1546. **Albimacula** Bkh. IV, 149; Tr. V, 1 p. 391; Gn. II, 25;
 Frr. 591; Tutt Brit. Noct. III p. 33; Barr. Brit. Lep.
 IV t. 163, f. 3; *Compta* Esp. 117A. f. 7; *Concinna*
 Hb. 51; Dup. VI, 95, f. 3.
1547. **Nana** Rott. Naturf. IX, 132 (1776); *Conspersa* (S. V.)
 Esp. 119, 5; Hb. 52; Tr. V, 1. 387; Dup. VI, 95, 1; Gn.
 II, 25; Tutt Brit. Noct. III p. 34; Barr. Brit. Lep. IV,
 t. 164. Arm; Alt; Urga; Amur; Uss; Iss. K; Amdo.
- Alt.
 Kent.
 Ulias.
 Labr.
 Amdo.
 Alp; Pyr; And.
 (Granada); It. c.
 Hung. m. mont.
 Ins. Man (Angl.).
- Scand. c. (Dovre etc.);
 Rhaetia (ab.).
- Pont; Taur. m. or;
 Arm. (v.?).
- Kurd. oc. (Malatia).
 Kuku N; Amdo.
- Hung. m. mont;
 ? Teriol; ? Dalm.
- Germ. s. or; Liv; Suec.
 m; Helv; Gal. m. oc;
 ? Cat; It. c; Hung;
 Alt; Ala Tau; Iss. K.
 Gal. m; Srp; Ilt; Iss.
 K. et Ferg. (v.).
- Pont; Taur; Saisan.
- Alp. Helv. et Ped;
 Pont; Ala Tau.
- Helv; Gal. m; It;
 Austr; Ter.m; Dalm;
 Ant; Mardin; Ferg. s.
- Ural; Ross. c. (Mos-
 qua); Alt; ? Sib. or.
- Eur. (exc. reg. bor.,
 And., It. et Balc.m.);
 Pont; Arm; Hyrc;
 Alt.
- Eur. (exc. reg. pol.,
 And. et Balc. m.);
 Maur; Bith; Pont;
 Arm; Alt; Urga; Amur; Uss; Iss. K; Amdo.

- a) ab. *Ochrea* Gregson Ent. Rec. II p. 306; Barr. l. c. f. 1c, 1d, 1g (al. ant. ochreo- (non albo-) signatis).
- b) v. *Hethandica* Stgr. Iris V (1892) p. 366; *Nana* var. Weir Entom. 1880 t. 4, f. 12, 13; Hoffm. Stett. e. Z. 1884 p. 363; Barr. l. c. t. 164, f. 1e, 1f. (multo obscurior, plerumque fere unicolor fusca).
- c) v. (et ab.) *Dealbata* Stgr. l. c. p. 365 (obscurior, al. ant. minus albo-pictis sine macula apicali alba).
- 1548. Compta** (S. V.) F. Mant. 169 (1787); Hb. 53; Dup. VI, 95, 2; Gn. I, 25; Meyr. Handb. 77; Comta Esp. 119, 6; Tr. V, 1, 389; Frr. 556; HS. 572 [ab. albida]; v. Armeriae Mill. Ann. Sc. Cannes 1878 p. 9, t. 3, f. 9.
Taur. m. or; ?Bith; Hyrc; Alt; Thian. or; Jap. (var.).
- a) ab. *Viscariae* Gn. II, 26 (al. ant. fascia med. alba flavescens vel brunnescens).
- b) v. *Humilis* Chr. Iris IV p. 92 [Chrysozona var.] (al. ant. sordide griseoscentibus, fascia med. obsolete [fere in macula reducta], sordide albida; an = *Viscariae* Gn.?).
- c) ab.? *Armeriae* Gn. II, 26 (al. ant. obsolete cinereo-nigricantibus, non lineatis, fascia med. lata alba).
- 1549. Gueneei** Stgr; Compta v. ?Armeriae Stgr. Hor. XIV p. 377 (praeceps sp. multo major; magnit. al. exp. 31-37 mm; al. ant. fascia alba lata, al. post. subt. fere unicolor. albidis; an Armeriae Gn. forma major?).
- 1550. Capsincola** (S. V.) Hb. Btr. I, 4, 3, P. (1790); Hb. 57; Tr. V, 1, 308; Dup. VI, 93, 6; Frr. B. 87; Gn. II, 21; Tutt Brit. Noct. III p. 33; Barr. Brit. Lep. IV t. 163, f. 2.
- 1551. Capsincoloides** Stndf. Berl. e. Z. 1893 p. 360 (una ♀ condita!).
- 1552. Cucubali** (S. V.) Fuessl. n. Mag. II, 2 p. 218 (1784); Esp. 173, 6; Hb. 56; Tr. V, 1 p. 311; Dup. VI, 93, f. 5; Frr. B. 87; Gn. II, 21; Tutt Brit. Noct. III p. 33; Barr. Brit. Lep. IV t. 163, f. 1; Behenius Frr. 467, 4, V p. 142 [ab.]; ?Rivosa Ström Dansk. Vid. Selsk. Skr. IV p. 77 (1783) (? nom. restituend.)
- 1553. Carpophaga** Bkh. IV, 422; Dup. VI, 42, 1; Gn. II, 19; Tutt Brit. Noct. III p. 28; Barr. Brit. Lep. IV t. 162; Perplexa Hb. 89; Tr. V, 1. 306; Frr. B. 86; Capospophila HS. 462 (saepe cum trans. ad. v. a et b.).
- a) v. (et ab.) *Capsophila* Dup. Supl. IV p. 100, ?t. 58, 8; Gn. II, 20; Birchall Monthl. Mag. III, 105, t. 1, f. 9; Blandford ib. XXVI p. 89; Kane Entom. 1896 p. 17; Barr. l. c. t. 162, f. 1 h-1j; ?Nisus HS. 461; ?Capospophoba Rbr. Cat. S. And. t. 9, f. 2 [ab.?] (obscurior, al. ant. obscure griseis, non brunnescens).
- b) v. *Ochracea* Hw. Lep. Br. p. 199; Gn. II, 19; Barr. l. c. f. 1b; v. *Pallida* Tutt l. c. p. 30 (multo pallidior, al. ant. ochraceis vel ochraceo-albidis).
- 1554. Nisus** Germ. Fn. I. E. 22, t. 18; HS. II p. 249 ♂ (nec. ♀).
- a) v. *Sancta* Stgr. Stett. e. Z. 1859 p. 213 (obscurior, al. ant. obscure-griseis).
- 1555. Christophi** Möschl. Wien. Mts. 1862 p. 235.
- a) v. *Corrupta* Herz Iris XI (1898) p. 256; Christophi var. Stgr Iris IX p. 258 [trans.]; *Sejuncta* Graes. Berl. e. Z. 1888 p. 399 (al. omn. obscurioribus).

*Ins. Hethland.**Daur; Ulias; Arm. et Uss. (ab.).**Eur. et m. (exc. Angl., And., It. et Balc. m.); Hib; Suec. m.; Ross. s. oc; Arm; Pont; Thian. or; Jap. (var.).**Arm; Taur. c. et m. or; Saraw. (v.).**Ross. m. (?).**Cypr; Taur. oc; Ant; Mardin; ?Bith.**Eur. (exc. reg. pol. et ?Balc. m.); Pont; Arm; Alt; Iss. K.**Cors.**Eur. (exc. reg. pol. et Balc. m.); Arm; Pont; Kurd. oc; Iss. K.; Amur; Uss; China s; Jap.**Eur. (exc. reg. bor., ?Bat. et ?Balc. m.); Bith; Pont; Arm; Alt; Pal. et Ferg. (v.).**Hib; Gal. m; Cors; Cat; And; Val; Pont. etc. (trans.).**Angl. m; Pal. et Mardin (v.).**Sic.**And; Cast.**Srp.**Sib. s. or; Amur; Uss; Alt; Panir; Ulias; Urga et Amdo (trans.).*

1556. **Silenes** Hb. 653; Tr. X, 2, 67; Dup. IV, 69, 2; Gn. II, 22; Sejuncta HS. 391, II p. 249; Friv. Jell. t. 5, f. 5.

Gal.m; Cat; And; Sic;
Hung; Maced; Arm;
Pal; Mardin (v.).

1557. **Incerta** Stgr. Iris IX p. 258.

Ulias.

1558. **Pumila** Stgr. Hor. XIV (1879) p. 378.

Pont; Taur; Mardin.

1559. **Irregularis** Hufn. Berl. M. III p. 394; Rott. Naturf. XI p. 130; Ld. Noct. p. 32, 92; Tutt. Brit. Noct. III p. 26; Barr. Brit. Lep. IV t. 161, f. 3; Echii Bkh. IV, 166; Hb. 90; Tr. V, 2, 343; Dup. VI, 92, 2; Frr. 173; Gn. II, 18.

Eur. c. (exc. Belg. et
Dan.); Gal. m; Ped;
Dalm; Ross.m; Pont;
Ili; Iss. K.

a) v. **Aberrans** Ev. Bull. M. 1856, III, 104; Admira *Obth.* Et. V p. 77, t. 7, f. 11; Graes. Berl. e. Z. 1888 p. 329; Stgr. Méém. Rom. VI p. 431 (thorace unicolore subalbido, al. ant. basi [marginaque exter.] subalbidis, in medio saturatus brunneofasciatis).

Sib. or. m; Uss.

218. **Bombycia** Stph. 1829 (Cleoceris B. 1830).

1560. **Viminalis** F. Gen. 284 (1777); Dup. VI, 84, 4; Gn. II, 48; Tutt. Brit. Noct. III p. 50; Barr. IV t. 171, f. 2; Saliceti Bkh. IV, 630; Tr. V, 1, 104; Stricta Esp. Cont. III, 94, 5 (1789); Scripta Hb. 50; Hw. 213.

Eur. c. et s. (exc. Bat.);
It. s; Ross. m; Arm;
Alt; Kent; Amur s.
or.

a) v. **Obscura** Stgr. Cat. ed. II p. 116 (*Viminalis* var.); Barr. l. c. f. 2 b-e; Scripta v. 3 Hw. l. c. (multo obscurior, al. ant. fere unicolor. obscure griseis vel nigricantibus).

Angl.

219. **Miana** Stph. 1829.

1561. **Ophiogramma** Esp. 182, 2 (1794); Hb. 355; Tr. V, 2, 91; Dup. VII, 109, 5; Frr. 75, 3; Gn. I, 209; Tutt. Brit. Noct. I p. 87; Barr. Brit. Lep. IV t. 184, f. 3; Snell Tijds. 1897 p. 301, t. 12, f. 3 [ab.].

Eur. c. (exc. ? Gal.);
Suec. m; Jut; Rum;
Alt; Uss; Ili.

a) ab. **Macrens** Stgr.; *Ophiogramma* ab. Snell l. c. p. 301, t. 12, f. 3; multo obscurior, al. ant. fere unicolor. nigricantibus (ab. frequens).

Germ. s. oc. (Hammonia); Pont; ? etc.

1562. **Segregata** Butl. Ann. & Mag. (5) I, 1878 p. 85; Ill. Het. II p. 25, t. 29, f. 5; Stgr. Méém. Rom. VI p. 443; Placens Stgr. Stett. e. Z. 1888 p. 259; Méém. Rom. VI, t. 10, f. 5. (huj. generis?).

Uss; Cor; China s;
Jap.

1563. **Variegata** Obth. Et. X p. 21, t. 2, f. 1; Stgr. Méém. Rom. VI p. 443 (huj. gen.?).

Amur; Uss.

1564. **Fodinae** Obth. Et. V (1880) p. 73, t. 3, f. 12; Stgr. Méém. Rom. VI p. 445.

Uss. m.

1565. vacat.

1566. **Literosa** Hw. Lep. Br. p. 213 (1810); Stph. Ill. III p. 12, t. 25, f. 1; Tutt. Brit. Noct. I p. 106; Barr. Brit. Lep. V t. 185, f. 2; Suffuruncula Tr. V, 2, 97 (1825); ? Frr. 171, 1; Erraticula Gn. I, 216; ? Hb. 537.

Eur. c; Suec. c. et m;
Ross.m; Dalm; Arm;
Alt; Iss. K.

a) v. **Subarcta** Stgr. Iris X (1897) p. 283, t. 9, f. 14 (major, al. ant. non rubescensibus).

Sic; Pal; Ala Tau.

b) v. **Onychina** HS. n. Schm. 20, 21 p. 4; Hoffm. Soc. Ent. VI p. 130 (multo pallidior, al. ant. fere unicolorib., violaceo-griseis).

Ins. Hertha; ? Bat.
ins. etc.

1567. **Strigilis** Cl. Ic. IX, 6; L. F. S. 318; Esp. 146, 1, 2; Tr. V, 2, 102; Dup. VII, 101, 2; Frr. 273 a-c; Gn. I, 214; Tutt. Brit. Noct. I p. 99; Barr. Brit. Lep. V t. 186, f. 1; Praeduncula Hb. 95; Olivacea Morris Pr. Bost. Soc. N. H. XVII, 143 [syn. sec. Stgr.] (alis ant. nigricantibus, exterius fascia lata alba).

Eur. c. et s. (exc. reg.
pol.); Bilb; It; Dalm;
Ross. m; Lyd; Arm;
Am. s.

- a) ab. et v. *Latruncula* Hb. 94; Tr. V, 2. 98; Dup. VII, 101, 1; Frr. 142, 1, 2, 273, 2; Gn. I, 215; *Aerata* Esp. 146, 4 [5 transitus] (dilutior, saepius rufescens, obsolete albo-fasciata).
- b) ab. *Aethiops* Hw. Lep. Br. p. 215; Gn. I, 215; *Latruncula* HG. 776; *Aerata* Esp. 146, 6 [transitus] (alis ant. unicoloribus nigris).
1568. **Fasciuncula** Hw. Lep. Br. p. 215; Gn. I, 215; Spr. Stett. e. Z. 1867, 126; Tutt. Brit. Noct. I p. 102; Barr. Brit. Lep. V t. 186, f. 2; *Rubeuncula* Donz. Ann. S. Fr. 1838, 429, t. 12; HS. 499-501; Frr. 468, 2 [ab.]; *Erraticula* Rbr. Cat. S. And. t. 16, f. 1, 2.
- a) ab. *Cana* Stgr. Cat. ed. II p. 102; *Fasciuncula* var. β Hw. l. c. p. 216 (multo dilutior, alis ant. fere canescentibus, fascia media rufa).
1569. **Bicoloria** Vill. L. E. II p. 288 (1789); Bkh. IV, 190; Tutt. Brit. Noct. I p. 103; *Furuncula* Tr. V, 2, 92; Gn. I. 216; Barr. Brit. Lep. V t. 187 (alis ant. usque ad medium fuscis, deinde albicantibus).
- a) ab. *Furuncula* Hb. 545 (post 1804); Dup. VII, 101, 3; *Terminalis* Hw. Lep. Br. p. 215; Gn. I, 217 (alis ant. postice rufis vel brunneis).
- b) v. et ab. *Rufuncula* Hw. Lep. Br. p. 216; Gn. I, 217; *Erraticula* Frr. 142, 3 (alis ant. fere unicoloribus rufescenti-griseis).
- c) ab. *Vinctuncula* Hb. 96; Gn. l. c. (ut *Rufuncula*, sed al. ant. fascia media tenui nigra; ab. rarissima).
- d) v. (et ab.) *Insulicola* Stgr. Cat. ed. II p. 103; *Furuncula* HS. n. Schm. 19, 22, 23, p. 4 (alis ant. griseis, albido-nigroque strigulosis).
- e) v. *Pallidior* Stgr. Stett. e. Z. 1882 p. 42; v. *Semicretacea* Alph. Mém. Rom. IX p. 29 (dilutior, al. ant. dimidio basali rufescens, dimid. exter. subalbido, al. post. sordide albidis).
1570. **Doerresi** Stgr. Mém. Rom. VI p. 446, t. 8, f. 4; *Christophi* Stgr. Stett. e. Z. 1888 p. 252.
1571. **Captiuncula** Tr. V, 2. 96; Dup. VII, 117, 7!; HS. 173-4; Gn. I, 218; Tutt. Brit. Noct. I p. 107; Barr. V t. 88, f. 1; *Unica* Frr. 640, 1; v. *Tincta* Kane Entom. 1885 p. 155.
- a) v. *Expolita* Stt. Ann. 1855 p. 41 (fere unicolor, grisescens).
1572. **Microglossa** Rbr. Cat. S. And. t. 7, f. 1, 2, t. 22, f. 1, 2 (huj. generis?).
1573. ? **Trilinea** Baker Tr. Ent. S. 1894 p. 41 (t. 1, f. 10 vacat) (huj. generis?).
- 220. Bryophila** Tr. 1825 [Metachrostis Hb. pr. p.]
1574. **Pineti** Stgr. Stett. e. Z. 1859 p. 212; Rbr. Cat. S. And. t. 11, f. 2.
1575. **Albonotata** Stgr. Mém. Rom. VI p. 396, t. 5, f. 9 (huj. generis?).
1576. **Petrea** Gn. I, 25, t. 3, f. 3 (1852); Rbr. Cat. S. And. t. 7, f. 3.
1577. **Contristans** Ld. Wien. Mts. 1857 p. 92 (praec. sp. var. an synonym.?).
- ubi *Strigilis* et *Sie-*
Bith; *Pont*; *Kurd*;
Syrc; *Ili*; *Iss. K.*
- Angl*; *Jut*; *Bat*; *Gal*;
Bilb; *And*.
- Dan*; *Scot*; *Gal. s.*
- Eur. c. et s. (exc. reg.*
bor.); *And*; *It.s*; *Hisp.*
s; *Ross.m*; *Arm*; *Alt*;
Uss.
- Dan*; *Angl*; *etc. (ab.)*.
- Ins. Hertha*; *Norder-*
ney; *Dan. (ab.)*.
- Ala Tau*; *Ili*; *Iss. K.*
Ferg; *Kuku N.*
- Amur*; *Uss*; *Jap*;
China s.
- Styr*; *Austr*; *Hal*; *Sil*;
Pyr; *Fen*; *Liv*; *Suec.*
m. et c; *Ural*; *Alt*;
Daur; *Uss*.
- Angl. s*; *Scot*; *Arm*.
- And. (Granada*
desert); *Pal. s.*
- Aegypt*.
- And*; *Cast*.
- Uss*.
- And*.
- Graec*; *Taur. or. m*;
Kurd. oc. (v.); *Syr*.

1578. **Raptricula** Hb. 29; Tr. V, 1, 71; Frr. 179, 1, 267, 2 d-f; Gn. I, 25; *Deceptricula* Dup. III, 45, 5 a; ?Dup. VIII, 115, 5 (sp. valde aberrans).
- a) ab. *Carbonis* Frr. 544, 4, VI p. 102 (obscurior).
- b) ab. *Deceptricula* Hb. 30; Tr. V. 1. 72; Frr. 179, 2; Dup. III, 45, 5 b; Gn. I, 25 (al. ant. plus minusve brunnescentibus).
- c) v. (et ab.) *Oxybiensis* Mill. Rev. d. Zool. 1874 p. 242; Ann. S. Fr. 1875 p. 13, t. 1, f. 10-12; Ann. Sc. Cannes 1879 t. 7, f. 9-10 [larva] (al. ant. cinerascent., minus signatis, interdum fere unicolorib.).
- d) ab. *Striata* Stgr. Hor. XIV p. 366 (1879); *Oxybiensis* Mill. Ann. Sc. Cannes l.c. f. 11 (a praec. v. differt al. ant. striga med. nigra).
- e) v. (ab.?) *Eretina* Calb. Iris I (1888) p. 221, t. 12, f. 3 (similis *Deceptriculae*, palpis porrectis, flavis etc.).
1579. **Protracta** Chr. Iris VI (1892) p. 90.
1580. **Fraudatricula** Hb. 28; Tr. V, 1. 70, f. 2. 3; Fr. 170; B. Ic. 71, 6; Gn. I, 26. m. or. (exc. *Balc.*); *Helv.*; It. s. (? *Uss.* et *Maur.* ex err.).
- a) v. *Simulatricula* Gn. I p. 26 (?t. 3, f. 4 ex err.?) (minor, al. ant. cinerascentibus, al. post. albidis, extus infuscatis; an sp. div.?).
1581. **Felina** Ev. Bull. M. 1852, I, 156, 1856, II, t. 2, f. 2, III, 20.
1582. **Praecana** Chr. Iris VI (1892) p. 89.
1583. **Plumbeola** Stgr. Stett. e. Z. 1881 p. 410.
1584. **Idonea** Chr. Iris VI (1892) p. 89.
1585. **Labecula** Ld. z. b. V 1855 p. 204, t. 2 (syr.), f. 10.
1586. **Glaucula** Stgr. Mém. Rom. VI p. 394, t. 5, f. 8.
1587. **Receptricula** Hb. 27 (1799); Tr. V, 1, 68; Frr. 179, 3; 267, 1; Gn. I, 27; *Strigula* Bkh. IV p. 181 (1792) [sed *Strigula* Thnb. 1788 alia erat *Noctua*].
1588. **Ravula** Hb. 461 (1804); Gn. I, 23; *Lupula* Hb. 573; Dup. VII, 122, 6!, IV, 69, 4; Frr. 170, 4. 5; HS. 86 (forma obscura; sp. valde aberrans cum omn. trans. ad v. a et b).
- a) v. (et ab.) *Ereptricula* Tr. V, 1. 66; Dup. VII, 115, 4; Frr. B. 84, 1. 2, 129; Frr. 522; H.G. 863; B. Ic. 71, 5; Gn. I, 24; *Troglodyta* Frr. 52, 1, I p. 102; Gn. I, 24 (al. ant. nigricant., basi maculisque extern. cinereis).
- b) v. (et ab.) *Vandalusiae* Dup. IV, 82. 9 p. 405; Gn. I, 24; Rbr. Cat. S. And. t. 6, f. 1, 2; *Vandalusica* HS. 569 (al. ant. viridescenti-cinereis, al. post. ♂ albis).
1589. **Petricolor** Ld. Ann. S. Belg. 1870 p. 32, t. 1, f. 9.
1590. **Galathea** Mill. Rev. Zool. 1878 p. 241; Ann. S. Fr. 1875 p. 13, t. 1, f. 8, 9; Ann. Sc. Cannes 1879 p. 28, t. 7, f. 14 (praec. forma *Darw.*?).
1591. **Tabora** Stgr. Iris IV (1891) p. 264, t. 3, f. 7. Ant. s. (*Aintab*); *Mardin*.
1592. **Algae** F. S. E. p. 614 (1775); Dup. VI, 86, 5; Gn. I, 27; *Spoliaticula* Hb. 26 (1799); Fr. V, 1. 64; Frr. 179, 4; *Degener* Bkh. IV p. 170; Esp. 158, 4.
- a) ab. *Degener* Esp. 158, 3; *Strigula* Dup. VI, 86, 6; Gn. I, 28 (al. ant. fere unicolor. dilutius viridibus).
- b) ab. (et v.) *Mendacula* Hb. 520; HS. 84, 85; Gn. l. c. (dilutior, al. ant. dilute et obscure-variegatis). Eur.m; As.min; Ferg. et Uss. (var.); etc. (ab.).
- Eur. c. et m. or. (exc. Græc.); Scand. m. et c.; Fen; Arag; Gal.or; It.s. et c.; Pont; Arm; Alt; Uss. (ab.).*
- Eur. m; Pont; Pal; Saisan; Ferg. etc.*
- Gal. m; It; Pont; Tura; Hyrc; Tura; Ili; Iss. K; Ferg.*
- Gal. m; Pont; Tura; Ferg.*
- It. c.*
- Tura.*
- Germ; Fen; Eur. c. et Uss. et ? Maur. ex err.). Arag; Cast; ? It. c.*
- Arm; Ferg.*
- Tura.*
- Tarb. (Saisan).*
- Tura.*
- Syr.*
- Uss.*
- Eur. c. et m. or. (exc. Balc.); Boh; It; Bith; Pont; Arm.*
- Germ. oc; Gal. et Helv. (forma princ.); Cast; Maur; It; Balc et As. min. (ab.). Germ. or; Cur. et Austro-Hung. (var.); Helv.s., Cast., As. min. et Mardin (ab. et trans.). And. et Arag. (v.); Cast. (pr. p.); Taur. et Mesop. (ab. et trans.).*
- Arm; Pont.*
- Gal. m. or; It. s; Val. m. oc.*

- c) ab. *Calligrapha* Bkh. IV p. 172; Hb. Vög. 35; Hb. 530; Gn. l. c. (ut b., sed al. ant. etiam flavo-variegatis).
- 1593. Simonyi** Rghfr. z. b. V. Sitzb. 1889 p. 36 (1889); Rbl. Ann. Naturh. Hofmus. IX, 1894 p. 50; Algae v. Canaria Alph. Mém. Rom. V p. 224, t. 11, f. 5 (1889); Made-rensia Baker Tr. Ent. S. 1891 p. 205.
- a) v. *Debilis* Rbl. l. c. p. 150 (minor, pallidior).
- 1594. Distincta** Chr. Mém. Rom. III p. 62, t. 3, f. 9.
- 1595. Roederi** Stndf. Mém. Rom. VI p. 665, t. 15, f. 4.
- 1596. Umovii** Ev. Bull. M. 1846, III p. 85, t. 2, f. 3, 1855, III p. 167; HS. 630; v. *Colorata* Krul. Ural. Gesell. Naturf. Fr. XII p. 71; Ent. Z. Gub. V. p. 80 [♀ ab. viridior].
- 1597. Duskei** Chr. Iris VI (1893) p. 89.
- 1598. Marginelota** Joæn. (L.) Ann. S. Fr. 1888 p. 271, t. 6, f. 10.
- 1599. Muralis** Forst. nr. 74 (1771); Tutt Brit. Noct. I p. 9; Lichenis Esp. 108, 8; Dup. VI, 86, 1; Glandifera Hb. 24; Tr. V, 1. 58; Frr. 70, 2; Gn. I, 29; v. *Liguris* Mill. Ann. Sc. Cannes 1878 p. 8, t. 3. f. 8 [major obseurior].
- a) ab. *Obscura* Tutt Entom. XXI p. 48 (obseurior).
- b) v. *Par* Hb. 516; Tr. V, 1. 60; Gn. l. c.; Frr. 70, 3; Lichenis Dup. VI, 86, 2. 3 (dilutior, al. ant. obsolete strigatis).
- c) v. *Impar* Warren Monthl. Mag. XXI p. 22; Par Warr. Entom. XIII p. 225; XIV t. 1, f. 18; Kane ibid. XXVII p. 209 (al. ant. signaturis confusis).
- *d) v.? *Perloides* Gn. I, 29; Rbr. S. And. t. 7, f. 4, t. 13, f. 1 (multo minor, al. ant. flavescenti-inspersis; an sp. div.?).
- 1600. Perla** F. Mant. 173; Esp. 177, 2; Hb. 25; Tr. V, 1, 61; Frr. 70, 1; Gn. I, 28; Tutt Brit. Noct. I p. 7; Mill. Ann. Cannes 1879 t. 7, f. 12, 13; ab. *Lutescens* Fuchs Jhrb. Nass. XXXXII p. 208; Pyrenaea Obth. Et. VIII p. 48, t. 1, f. 13 [flavo-mixta].
- a) v. (ab.) *Suffusa* Tutt Entom. XXI (1888) p. 49 (multo obseurior, al. ant. signaturis caeruleo-nigris, fere ubique suffusis).
- b) v. *Perlina* Stgr. minor, al. ant. saepius lutescenti-vel rufo-inspersis, nonnumquam multo pallidioribus.
- 1601. Maeonis** Ld. Ann. S. Belg. 1865 p. 63, 78, t. 3, f. 8; Stgr. Iris XII p. 358. *Arm.; Tura; Hyrc.*
- a) v. (ab.) *Sordida* Stgr. l. c. (plerumque major, al. ant. obseurioribus, saepius fere unicoll. plumbeo-griseis). *Kuku N;* *Pont. et Taur. (ab.).*
- b) v. (ab.) *Rubellina* Stgr. l. c. 359 (al. ant. dilute rufescens.).
- 1602. Paulina** Stgr. Iris IV (1891) p. 265 (praec. forma Darw.?).
- 1603. Conspersa** Chr. Iris VI (1892) p. 89.
- Can.; Mad.*
- Ins. Lanzarote.*
- Tura.*
- Mardin; Arm.*
- Ross. c. or; Ural.*
- Arm.*
- Syr.*
- Eur. c. et m. (exc. Dan. et? Ross. c. et m.); As. min. s; Arm; Maur.*
- Angl; Helv; Pont. etc.*
- Eur. m. oc; Dalm.*
- Angl. (Cambridge et Cork).*
- And.*
- Eur. c. et m. oc; Scand. m; It; Dalm; Bulg; Arm.*
- Angl. et Pyr. alt. (pr. p.).*
- Arag; Cast. (pr. p.).*
- As. min; Ins. Sira; (pr. p.); Iss. K. (v.?).*
- Ferg; Saraw; Iss. K; N; Pont. et Taur. (ab.).*
- Hyrc. (pr. p.); Iss. K. s. oc.*
- Syr.*
- Tura.*

221. Bryomima Stgr. 1899.

- 1604. Carducha** Stgr. Iris XII p. 357, t. 6, f. 9.

*Mardin.***222. Bryomoia** Stgr. 1892.

- 1605. Melachlora** Stgr. Mém. Rom. VI p. 397, t. 5, f. 10.

Uss.

223. **Bryophilina** Stgr. 1892.

1606. **Blandula** Stgr. Mém. Rom. VI p. 398, t. 5, f. 11. *Uss.*
1607. **Karsiana** Stgr. Hor. XIV (1878) p. 490, t. 3, f. 2; Mém. Rom. II p. 29. *Arm. (Kars).*

225. **Thaumasta** Stgr. 1871.

1608. **Expressa** Ld. z. b. V. 1855 p. 109, t. 1, f. 8; HS. n. Schm. 63; Stgr. Stett. e. Z. 1881 p. 410.
a) ab. *Ochracea* Stgr. l. e. (al. ant. *ochraceis*). *Saisan.*
b) v. *Nana* Stgr. Iris IX, 241 (minor, al. ant. *obscure griseis*). *Ulias.*
1609. **Siderigera** Chr. Iris VI p. 90 (praec. v. [ab.] *nigricans*?). *Saj. or.*

226. **Diloba** B. 1840.

1610. **Caeruleocephala** L. S. N. ed. X, 504; Esp. 58, 1-4; Hb. Bomb. 196; Tr. V, 1. 112; Dup. VI, 85, 1; Barr. Brit. Lep. III t. 115, f. 2.
a) v. *Armena* Stgr. Cat. ed. II p. 76 (pallidior, al. ant. *cinereis*). *Eur. (exc. reg. pol. et And.); As. min.*

227. **Valeria** Stph. 1832.

1611. **Jaspidea** Vill. L. Ent. II, 284, t. 5, f. 28; Donz. Ann. S. Fr. 1841, 211, t. 4, f. 1; Dup. IV, 58, 3; Frr. 465, 648; HS. 426; Gn. II, 51.
1612. ?**Spilogamma** Rbr. Ann. S. Fr. 1871 p. 321 (huj. generis? bona sp.?). *Ross. m. (?).*
1613. **Sauberi** Graes. Berl. e. Z. 1892 p. 223 (huj. generis?).
1614. **Oleagina** (S. V.) F. Mant. 117; Esp. III, 60, 4., 184, 5; Hb. 33; Tr. V, 1. 401; Dup. VI, 95, 6; Frr. 134; Gn. II, 50; Tutt. Brit. Noct. III p. 59; Barr. Brit. Lep. IV t. 174, f. 2. *Amur.*

228. **Oxytryopia** Stgr. 1871.

1615. **Orbiculosa** Esp. III, 93, 8; Tr. V, 1. 404; HS. 63, 64; Gn. II, 52; Friv. Jell. t. 5, f. 8 a, b; Aigner Rov. Lap. V, 135. *Hung; Saisan; Thian. s.*

229. **Apamea** O.-Tr. 1816.

1616. **Judaica** Stgr. Iris X (1897) p. 282, t. 4, f. 20.
1617. **Malitiosa** Alph. Hor. XXVI (1892) p. 448; Mém. Rom. IX p. 25, t. 2, f. 5 (huj. generis?).
1618. **Testacea** Hb. 139; Tr. V, 2. 107; Dup. VI, 81, 4; Gn. I, 182; Tutt. Brit. Noct. I p. 137; Barr. Brit. Lep. IV t. 173.
a) v. (et ab.) *Gueneei* Dbd. (H.) Ann. 1864 p. 123; *Testacea* var. A. Gn. I, 182 (alis ant. dilutioribus, nigro-alboque irroratis). *Eur. c; Suec. m; Pyr; It; Dalm; Pont; Arm. Angl. m. oc; Gal. s.*
1619. **Nickerlii** Fr. 466, 4, V p. 140; HS. 565; South Entom. 1889 p. 271 (praec. forma Darw.?). *Boh; ? Gal. m.*

1620. **Dumerilii** Dup. VI p. 277, t. 90, f. 4 (1826); Tr. X, 2, 66; HS. 101; Gn. I, 183; Tutt Brit. Noct. I p. 136; Barr. Brit. Lep. IV t. 174, f. 1; Amentata Germ. Fn. I. E. XXII, t. 16.
- a) ab. *Desyllesi* B. Gn. p. 113; Gn. I, 183 (al. ant. fere unicoloribus).
 - b) v. *Diversa* Stgr. Iris IV p. 284 (dilutior, indistincte signata).
 - c) v. *Sancta* Stgr. I. c. 285 (minor, obscurior, maculis niveis, al. post. subtus macula media nigra).

230. Celaena Stph. 1829.

1621. **Haworthii** Curt. B. E. 260 (1829); Stph. Ill. III, 16, t. 25, f. 3; Grasl. Ann. S. Fr. 1848, t. 1, f. 4-6; HS. 467-8; Gn. I, 220; Tutt Brit. Noct. I p. 107; Barr. Brit. Lep. V, t. 185, f. 1; Erupta Germ. Fn. I. E. XXII t. 15 (1842); Frr. 472, 1, 2; Morio Ev. Bull. M. 1842, III p. 550; Frr. 388, 1.
- a) ab. (et v.?) *Hibernica* Stph. Ill. III p. 17; Gn. I. c.; Lancea Stph. Ill. III p. 18; Barr. I. c. f. 1 d [trans.]; Haworthii Grasl. I. c. f. 3 (alis ant. ferrugineo-fuscescentibus, minus variegatis).

1622. **Vitalba** Frr. 124, 3, 4 (Apr. 1834); Vittalba Tr. X, 2, 40 (1835); B. Ic. 73, 4-6; HS. 34-6; Gn. I, 170; Amathusia Rbr. Ann. S. Fr. 1871 p. 319; Mab. ib. 1872 t. 15, f. 8.

1623. **Matura** Hufn. Berl. M. III p. 414 (1767); Tutt Brit. Noct. I p. 123; Texta Esp. 108, 5, 6 (1787); Tr. V, 2, 62; Frr. 257; Cytherea F. E. S. 57 (1794); God. V, 57, 4; Gn. I, 179; Barr. Brit. Lep. IV t. 174, f. 3; Connexa Hb. 109, 548.

231. Luperina B. 1829.

1624. **Rubella** Dup. III, 23, 1! p. 249; HS. 100, 431-2; Gn. I, 182; Frr. 520, 2; Mill. Ic. 77, I.
- a) ab. (v.?) *Dayensis* Obth. Et. VI p. 86, t. 11, f. 9 (al. ant. non rubescens, grisescentibus etc.).
 - b) v. *Rhusia* Flüng. Iris XII p. 293, t. 9, f. 11 (major, obscurior, al. ant. griseo-brunneis, ferruginéo-mixtis).

1625. **Zollikoferi** Frr. 184, 1, 2; HS. 103-4; Tutt Brit. Noct. I p. 71; Barr. Brit. Lep. IV p. 367; Zollikofferi Dup. IV, 68, 1 a, b; Gn. I, 137; Friv. Jell. t. 5, f. 9.

1626. **Dumetorum** HG. 839; B. Ic. 78, 3; Gn. I, 303.

1627. **Mutica** Chr. Mém. Rom. II (1885) p. 47, t. 3, f. 2 (praeoc. sp. var.? alis magis signatis).

1628. **Inops** Ld. z. b. V. 1853 p. 371, t. 4, f. 2; Ev. Bull. M. 1856, III, 87; Stgr. Stett. e. Z. 1882 p. 40 [ab.]

1629. ? **Bischoffii** HS. 440, 449, II p. 265; Gn. I, 191 (sp. Stgr. valde dubia).

1630. **Standfussi** Wisk. Stett. e. Z. 1894 p. 90.

Austr. sup. et inf.; Rum. oc. mont.

232. Namangana Stgr. 1888.

1631. **Cretacea** Stgr. Stett. e. Z. 1888 p. 28; Alph. Mém. Rom. IX p. 216, t. 8, f. 10.

1632. **Accurata** Chr. Hor. XVII p. 110; Mém. Rom. II t. 2, f. 11; Alph. Iris VII p. 311.

Tergeste; Gal; Ant; Angl; Dalm; It.

Gal. s. (lit.); Angl.

Pont; Mesop.

Pal.

Germ. et Gal. s; Angl; Scand; Ross. s; Ural.

Hib. (v.?) etc. ab.

Sic; Maur; Gal. m. oc; Cat; Bilb.

Eur. c; Scand. m; Liv; Gal. m; It. s. et c; Dalm; Ross. m; Arm; Pont.

Gal. m. or; Val; Istr; Dalm; Croat; Pont. (ab.?).

Maur; Pont. (v.?).

Tura.

Berolinum (2); Helv. (1); Angl. (2); Hal. (1); Hung; Ural; Tura oc; Korla; Kaschg.

Gal. m. oc. (Digne).

Arm; Tur.

Alt; Ala Tau; Ulias.

Lyd; ? Ture. m. or.

Helv; Ter; Bav;

Austr. sup. et inf; Rum. oc. mont.

Ferg. s; Iss. K. s. oc; Tura.

Arm; Tura; Ferg. m.

233. **Perigea** Gn. 1852.

1633. **Circuita** Gn. Noct. I p. 227; Rbl. Ann. Naturh. Hofmus. IX p. 56.

Gran. Can; Am. c. et m. s.

234. **Segetia** (Stph. 1829) B.

1634. **Viscosa** Frr. 21, 3 (Aug. 1831), 34, 3; **Implexa** Tr. X, 2. 73; Dup. IV, 58, 7!; Gn. I, 229.
 1635. **Mandarina** Stgr. Mém. Rom. VI p. 482, t. 9, f. 4; **Sareptae** Graes. Berl. e. Z. 1888 p. 350.
 1636. **Albopicta** Graes. Berl. e. Z. 1892' p. 226 (huj. generis?).
 1637. **Palaestinensis** Stgr. Iris VII p. 277, X p. 285, t. 9, f. 16 (huj. generis?).

Sic; And; Can; Creta; Syr.
Amur; Uss; Cor; China s.
Amur; Uss.
Pal.

235. **Hadjina** Stgr. 1891.

1638. **Lutosa** Stgr. Iris IV (1891) p. 286, t. 4, f. 1.

Taur. c; Mardin.

236. **Heterographa** Stgr. 1877.

1639. **Zelleri** Chr. Hor. XII (1876) p. 250, t. 6, f. 24; Alph. Iris VII p. 312; **Mira** Stgr. Stett. e. Z. 1877 p. 185.
 1640. **Sibirica** Stgr. Iris IX p. 261 (Jan. 1897); Alph. Mém. Rom. IX p. 215, t. 13, f. 12 (Sept. 1897).

Tura; Hyrc; Ili; Iss. K; Kaschg.
Ulias; ? Chang.

237. **Pseudohadena** Alph. 1889.

1641. **Armata** Alph. Stett. e. Z. 1887 p. 170; Mém. Rom. V p. 163, t. 7, f. 5; VI p. 35, t. 2, f. 6 a, b.

As. c. (ubi?); China oc.

1642. **Umbrifera** Koll. Ins. Pers. p. 12 [Spintherops] (non huj. generis, sed cuius?).

Reg. Pers.

1643. **Coluteae** Bienert. Diss. p. 35.

Pers; Kaschg.

1644. **Arvicola** Chr. Mém. Rom. V p. 18, t. 1, f. 7 (praec. sp. var.?).

Tura.

1645. **Pugnax** Alph. Hor. XXVI (1892) p. 449; Mém. Rom. IX p. 26, t. 2, f. 10.

Song.

1646. **Siri** Ersch. Fedtsch. p. 41, t. 3, f. 42; Chr. Mém. Rom. V p. 31, t. 2, f. 5.

Ferg. s. oc; Ulias; Ili; Iss. K; Saraw; Kaschg.

1647. **Immunda** Ev. Bull. M. 1842, III p. 544, t. 5, f. 1; F. V. U. p. 195; HS. 161-2; Gn. I, 190; Frr. 429, f. 1.

Ural; Alt; Iss. K; Ferg. (Hercyn. ex errore).

- a) v. **? Halimi** Mill. Ann. S. Belg. 1877 p. 58, t. 1, f. 17-19 (al. ant. luteo-griseis, minus et aliquid diverse signatis; an sp. diversa?).

Gal. m. or.

- b) v. **Roseonitens** Obth. Bull. S. Fr. 1887 p. 49; Et. XII t. 5, f. 20 (al. ant. rubescensibus).

Maur. m. desert. (Biskra).

1648. **Impedita** Chr. Mém. Rom. III p. 74, t. 4, f. 2 (uno ♂ condita; huj. generis?).

Tura.

1649. **Chenopodiphaga** Rbr. Ann. S. Fr. 1832 p. 283, t. 9, f. 7; Frr. 209, 1; HG. 831-2; Dup. III, 23, 5; Gn. I, 190; Mill. Ic. 13, f. 2-6; Calb. Iris IV p. 44.

Gal. m; Cat; Cors; It. c; Maur; Syr; Arm; Mardin; Tura; Saraw; Ili.

- a) v. **Erubescens** Stgr. al. ant. rubescensibus.

Maur. m. desert. (Biskra).

1650. **Immunis** Stgr. Stett. e. Z. 1889 p. 40.

Kaschg; Iss. K. m; Thian. or.

1651. **Pexa** Stgr. Stett. e. Z. 1889 p. 41.

Ili; Iss. K.m; Kaschg.

1652. **Deceptrix** Stgr. Iris XII p. 369, t. 5, f. 15.

Pal.

1653. **Minuta** Püng. Iris XII p. 293, t. 9, f. 10.

Ili; Tura.

238. **Sidemia** Stgr. 1892.

1654. **Speciosa** Brem. Lep. O. S. p. 50, t. 4, f. 10; Alph. Mém. Rom. IX p. 160; Bremeri Ersch. Hor. IV, 152, 194; Snelleni Stgr. Mém. Rom. VI p. 459, t. 7, f. 8.

Uss.

239. **Hadena** Schrk. 1802.

1655. **Amica** Tr. V, 1. 332; Frr. 279, 4; Dup. III, 21, 1; HS. 56; Gn. II, 83; Ersch. Hor. VI p. 72, t. 3, f. 3 [ab.].

Ross.c.s.ets.oc; Germ.
s.or; Hal; Buc; Ural;
Sib; Daur; Amur; Uss.

1656. **Amicina** Stgr. Iris VIII (1895) p. 322.

Kuku N; Amdo.

1657. **Christophi** Alph. Stett. e. Z. 1888 p. 68; Mém. Rom. V p. 236, t. 12, f. 2 a, b; Stgr. ib. VI p. 437.

Ross. m. or; Sib; Uss.
m.

1658. **Magnirena** Alph. Mém. Rom. VI (1892) p. 36.

Kuku N; China c. oc.

1659. **Leuconota** HS. 389, II p. 279 (1849); **Stigmatica** Gn. II, 83; Ld. Noct. 34. 105 (sequ. forma Darw?).

Lyd; Arm; Pal; ?Rum.
(ex err?).

1660. **Trisignata** Mén. fan Lehm. p. 286 (1848) t. 6, f. 9.

Turcomania; Pont;

Taur; Ferg.

1661. **Porphyrea** Esp. 145, 5 (1789); Bkh. IV, 471; Tutt Brit. Noct. III p. 72; Satura Hb. 75 (1800); Tr. V, 1. 333; Dup. VI, 92, 5!, III, 22, 2!; Frr. 244; Gn. II, 84; Barr. Brit. Lep. IV t. 149, f. 2.

Eur. c. et s. (exc. reg.
pol. et ?Gal. oc.); It.
s; Dalm; Ural; Alt;
Amur; Uss; Jap. (var.).

1662. **Remota** Püng. Iris XII p. 294, t. 9, f. 19.

Kuku N; Amdo.

1663. **Funerea** Hein. 828; Stgr. Mém. Rom. VI p. 435; Hofm. Gr. Schm. ed. II. t. 39, f. 27; Snell Tijds. XL p. 299, t. 12, f. 1.

Germ. s. oc; Bat; Uss;
Cor; Jap.

1664. **Solieri** B. Ind. Errat. p. 4; Dup. III, 22, 3 a, b!; HS. 152; Gn. II, 86; Mill. Ic. p. 213, t. 24, f. 3-5.

Eur. m; Maur; Syr;
?Bith.

1665. **Adusta** Esp. 149, 1. 2; Tr. V, 1. 339; Dup. VI, 92, 6. ?III, 22, 1!; Frr. 63, 2, 561; Gn. II, 85; Tutt Brit. Noct. III p. 73; Barr. Brit. Lep. IV t. 150, f. 2; Valida Hb. 606-8; Vulturina HS. 403; Vultarina Frr. 63, 1; v. **Septentrionalis** Hoffm. Stett. e. Z. 1893 p. 128 [minor].

Eur.s. c. et m. or. (exc.
Balc. m.); Isl. (v.
minor); It. s; Arm;
Alt; Saisan; Amur.s.
or; Kamt; Iss. K;
Amdo.

- a) v. (et ab.) **Baltica** Hering Stett. e. Z. 1846, 237; Frr. 509, 4 (al. ant. multo minus signatis).

Germ.s. (or.) et c; Liv;
Fen.

- b) v. (ab.?) **Pavida** B. Gen. p. 120; HS. 497, II p. 280; Chardinyi Dup. III, 21, 4 (al. ant. multo obscurioribus,
albo-variegatis).

Ross. m.; ?It. c. (al.
sp.?).

- c) v. **Sylvatica** Bell. Ann. Soc. Fr. 1861 p. 29, t. 2, f. 11;
v. **Grisescens** Stndf. Berl. e. Z. 1893 p. 361 (al. ant.
haud brunnescentibus, obscure griseis, minus pictis).

Cors.

- d) v. **Vicina** Alph. Hor. XVII p. 67; Mém. Rom. V p. 162
(al. ant. dilutioribus, violaceo-brunneis, distinete signatis).

Ili; Iss. K; Ferg;
Amdo.

- e) v. **Moesta** Stgr. Iris X p. 335 (minor, multo obscurior, al.
ant. nigricantibus).

Daur.

1666. **Sommeri** Lef. Ann. S. Fr. 1836 p. 391, t. 10, f. 1?; ?Dup. III, 49, 1!; ?Gn. I, 187; Stgr. Stett. e. Z. 1857, 246 (pr. p.); Auriv. Groenl. p. 15, t. 1, f. 9, 10; Surtur HS. 638, VI p. 178; **Groenlandica** Zett. Ins. Lap. 939; **Picticollis** Zett. Ins. Lap. 939 [al. ant. griseis vel nigricantibus, nunquam brunnescentibus, figurae de Lef. non quadrat; Adustae forma Darw.?].

Groenl.

- a) v. **Islandiae** Mill. Ic. III p. 459; Sommeri Mill. Ic. 58,
4-6; Stgr. l. c. [pro maxima parte] (al. ant. magis
variegatis, plus minusve brunnescentibus).

Isl; ?Ins. Faroe
(trans.).

1667. **Atlanticum** Baker Tr. Ent. S. 1891 p. 207; Rbl. Ann. Naturh. Hofmus. XIII p. 365.
1668. **Albostigmata** Baker l. c. p. 206 [Epunda] (praec. ab.?).
1669. **Timida** Stgr. Stett. e. Z. 1888 p. 26.
1670. **Ochroleuca** Esp. 126, 1-4; Hb. 92 (ex err. Flammea); Tr. V, 2. 345; Dup. VI, 92, 3; Gn. II, 16; Frr. 657; Barr. Brit. Lep. V t. 188, f. 2. s. m.; Arag; It; Bale. s; Ross. m; Pont; Arm. Ferg. m.
1671. **Montana** HS. 625, VI p. 55. Pont. alp; Arm; Taur. c; Tura et Ferg. (v.?).
1672. ? **Anilis** B. Gen. p. 127; Dup. IV, 69, 1!; HS. 385, II p. 264; Gn. II, 42; ?Püng. Stett. e. Z. 1896 p. 227; Albescens Gn. III, 399; Ld. Noct. 106 [sequ. ab. Stgr. esse videtur].
1673. **Platinea** Tr. V, 2. 34; Dup. III, 39, 3; HS. 40, 487; Gn. II, 36; Frr. 618, 3. 4. inf; Sax; Helv; Ped; Gal. m. or. (Dinia); Germ. m. or; Austr. oc; Pyr. or.
1674. **Zeta** Tr. V, 2. 35 (1825); HS. 416, VI, 56; Gn. I, 191; Ld. Noct. 224.
- a) v. **Pernix** HG. 801! (post 1827); Dup. III, 18, 3!; Frr. 232. 2. 3; HS. 54; Gn. I, 192 (multo obscurior).
 - b) v. **Curoi** Calb. Iris I (1888) p. 241, t. 12, f. 1, 2 (multo dilutior, albescens).
 - c) v. ? **Zetina** Stgr. Iris XII p. 342 (minor, al. ant. viridescenti-griseis, distinctius signatis).
1675. **Farinulenta** Chr. Iris VI (1893) p. 92 (praec. var.).
1676. **Vesperugo** Ev. Bull. M. 1856, II, t. 2, f. 6, III p. 48 (huj. generis?).
1677. **Maillardi** HG. 833; Dup. III, 18, 4!; HS. 55; Gn. I, 192; Barr. Brit. Lep. IV t. 151, f. 1 b; Exulis Wck. Stett. e. Z. 1864 p. 183. Tarb. et ? Kaschg. (trans. ad Exulis). Alp; Pyr; Hung. m. mont; Norv. c; Heth. Fen. s. (Kuusamo).
- a) v. **Schildei** Stgr. magnitudine Maillardi al. ant. rufescents-brunneis.
 - b) v. **Diffusa** Hb. Zutr. p. 9, f. 821-2 (1823); Exulis Lef. Ann. S. Fr. 1836, 392, t. 10, f. 2 ♂; Dup. III, 49, 2; Gn. I, 185; Stgr. Stett. e. Z. 1857, 238. 1882, 40; Mill. Ic. 65, f. 9-11; Weir Ent. 1884 p. 2, t. 1, f. 4-7; Hoffm. Stett. e. Z. 1884, 364; Smith Cat. Noct. 137; Tutt Brit. Noct. I p. 118; Barr. Brit. Lep. IV t. 151, f. 1, 1 a; Gelata Lef. l. c. 393, f. 3 ♀; Dup. l. c. f. 3; Gn. I, 186; HS. 452-3; Groenlandica Dup. III, 21, 3 a, b, p. 228; Frr. 411, 3; HS. 151; Gn. I, 185; Cervina Germ. Fn. I. E. XXII, t. 19; HS. II p. 291; Mamorata HS. 451; Assimilis Dbd. (H.) Zool. 1914; Mill. Ic. 84, 8; Gelida Gn. I, 186, t. 4, f. 7; Poli Gn. I, 187; Oleracea Mohr Isl. Naturg. p. 90; Borea HS. 566-7 (minor, incredibiliter aberrans).
1678. **Furva** (S. V.) Hb. 407; Tr. V, 2. 154; Dup. III, 25, 5!; HS. 290; Gn. I, 197; Tutt Brit. Noct. I p. 113; Barr. Brit. Lep. IV t. 176, f. 1; Freyeri Frr. 159, II p. 107 (1835); Infernalis Ev. Bull. M. 1842, III, 547; Gn. I, 198. Ala Tau; Ili; Iss. K; Ferg; Saraw. Eur. c; Scand. m. etc; Ross. s. et m; Pyr; It. s. etc; Alt; Sib. or; Amur; Arm; Hyrc; Ala Tau; Ili; Iss. K; Ferg; Saraw.
1679. **Sordida** Bkh. IV, 578 (1792); Tutt Brit. Noct. I p. 111; Anceps Hb. 484; Gn. I, 195; Barr. Brit. Lep. IV t. 175, f. 2; Infesta Tr. V, 2, 112 (1825); Dup. Cat. p. 127; Aliena Dup. VII, 102, 2. 6; Renardii B. Ind. Add. p. 5; Gn. I, 195 [ab. pallida].
- a) v. **Engelhartii** Duurloo Ent. Medd. II (1889) p. 85; Auriv. Nord. Fjär. p. 141 (multo dilutior, al. ant. minus signatis).
- Mad; Can. (v. an sp. div.). Mad. Ferg. m. Eur. c. (exc. Germ. m. oc); Suec. m; Ross. s; Ross. m; Pont; Arm. Gal. m. or. (Dinia); Helv. (Val; Zürich). Alp. Austr. et It; Pyr. c; Arm. Alp; Pyr; Arm. It. c. (Gran-Sasso). Thian. or. Arm. Sib. m. or. Labr; Groenl; Isl; Scot; Ins. Faroe et Hethland. Eur. c; Scand. m. etc; Ross. s. et m; Pyr; It. s. etc; Alt; Sib. or; Amur; Arm; Hyrc; Eur. c; Suec. m; Gal. m. oc; Arag; It. s. et c; Rum; Ural; Arm; Taur; Hyrc; Sib. or. s. Jut. oc.

1680. **Leucodon** Ev. Bull. M. 1837 p. 37; Frr. 359, 1; Dup. V, 30, 2!; HS. 51; Gn. II, 96; Bidens Ev. Bull. M. 1852, I, 153, 1856, II, t. 2, f. 4, III, 32. *Ross. m; Alt; Sib;*
Daur; Urga; Iss. K.
s. oc; Ferg; Kurd. oc. (Malatia).
1681. **Decipiens** Alph. Iris VIII p. 193; Mém. Rom. IX p. 214, t. 13, f. 13. *Chang; Korla.*
1682. **Gemmæa** Tr. V, 1. 393; Dup. III, 24, 1; HS. 70; Frr. 411, 1. 2!; Gn. II, 58. *Eur. s; Dan. (1); Sil;*
Sax; Boh; Styr. et Helv. mont.
1683. **Viridula** Stgr. Iris VIII, 1895, p. 324, 360, 387, t. 6, f. 10. *Amdo.*
1684. **Viridimacula** Graes. Berl. e. Z. 1888 p. 331; Stgr. Mém. Rom. VI p. 437; Japonica Leech Pr. Z. S. 1889 p. 507, t. 50, f. 11. *Uss; Jap.*
1685. **Dianthoecina** Stgr. Iris VIII, 1895 p. 323. *Kuku N; Amdo.*
1686. **Rubririrena** Tr. V, 2. 159; Frr. B. 98, 2; Frr. 423, 3; HG. 826; HS. 57; Gn. I, 193; Feisthamelii B. Ann. S. Fr. 1833, 375, t. 14, f. 1; B. Ic. 84, 6; Dup. III, 21, 2!
a) v. *Hercyniae* Stgr. Cat. ed. II p. 100 (alis ant. fere nigris, distinctissime albido-maculatis fasciatisque). *Alp. (exc. Gal. ?); Sil;*
Boh. et Hung. mont;
Fen. et Norv. c. (v.).
Germ. s. oc. mont.
1687. **Sylvicola** Ev. Bull. M. 1843, III, 547; **Silvicola** Ev. F. V. U. 247; Bull. M. 1856, III, 103; (Furva var. B.) Gn. I, 198. *Ural m; Kirgh.*
1688. **Arctica** (B.) Frr. V p. 19, t. 394, f. 1 (1842); HS. 155; Gn. I, 193, t. 5, f. 9; Smith Noct. Cat. p. 137. *Labr. m; Am.s.*
1689. **Exornata** Möschl. Wien. Mts. 1860 p. 364, t. 9, f. 5. *Mong; Labr.*
1690. **Monoglypha** Hufn. Berl. M. III, 308 (1767); Tutt Brit. Noct. I p. 72; Polyodon L. F. S. 322; Tr. V, 3. 41; Dup. VII, 111, 4; Gn. I, 144; Barr. Brit. Lep. IV t. 177, 178; Radicea Hb. 82; v. Pallida Fuchs Jhrb. Nass. 1891 p. 94.
a) ab. *Infuscata* Buchanan-White Fauna Perthensis I; Tutt l. c. 74; *Obscura* Th. Mieg. Natural. 1886 p. 237; *Polyod. var. Barr. l. c. t. 178*, f. 1 d; v. *Aethiops* Tutt l. c.; v. *Uniformata* Weym. Jhrb. Nat. Ver. Elberfeld 1878 p. 18; (multo obscurior, al. ant. fere unicolor. nigricantibus). *Eur.s. c. etm. or. (exc.*
reg. pol. et Bale. m.);
Gal. m. oc; Hisp; It.
s. et c; Lyd; Arm;
Taur; Sib; Tura (v.?).
Angl. s; Scot. s. etc.
1691. **Polyglypha** Stgr. Iris IV (1891) p. 286 [Monoglypha var.?] (sp. div. nunc Stgr. esse videtur). *Pal.*
1692. **Arabs** Obth. Et. VI p. 88, t. 11, f. 8 (Solieri var., an praec. forma Darw.?). *Maur.*
1693. **Abiecta** Hb. 539; Fr. 311, 1; Gn. I, 193; Tutt Brit. Noct. I p. 109; Barr. Brit. Lep. IV t. 175, f. 1 [forma al. ant. fere unicolor. nigris]; *Nigricans* Tr. V, 2. 141; Frr. 149, 1; *Fribolus* B. Ic. 84, 4; Gn. I, 194; *Devastatrix* Brace Am. Journ. Sci. I, 154 (1819). *Ala Tau; Ili; Iss. K;*
a) v. (et ab.) *Variegata* Stgr. Cat. ed. II p. 101; *Abiecta* HS. 631 (al. ant. thoraceque albido-nigroque variis). *Arm. et Tura (v. ?);*
etc. (ab.).
1694. **Lateritia** Hufn. Berl. M. III, 306; Esp. 131, 3. 4; Tr. V, 3. 45; Dup. VII, 113, 5; Frr. 65; Gn. I, 137; *Molochina* Hb. 74. *Balc. s; Ross. m; Arm; Sib. or; Urga; Amur;*
a) v. *Expallescents* Stgr. Stett. e. Z. 1882 p. 41; Alph. Mém. Rom. V p. 162 (multo pallidior; al. ant. lutescenti-vel brunneo-flavescensibus). *Eur. s. et c. (exc. Angl.*
et reg. pol.); It. s. et c;
Ala Tau; Ili; Iss. K;
Ferg; Saraw; Amdo.
1695. **Ferrago** Ev. Bull. M. 1837 p. 41; F. V. U. p. 276; Fr. 364, 3. 4; HS. 41; Gn. I, 181. *Ural; Pont; Arm;*
a) v. *? Terrago* Alph. Mém. Rom. IX p. 334, t. 14, f. 9 (obscurior, alis brevioribus; an sp. diversa?). *Taur. c; Alt; Thian; Iss. K;*
Kamt.

1696. **Subornata** Stgr. Iris IX p. 262; ib. XII p. 342, t. 7, f. 11. *Alt; Ulia; Urga; Thian. or.*
1697. **Subaquila** Graes. Berl. e. Z. 1892 p. 224. *Amur'oc.*
1698. **Hedeni** Graes. Berl. e. Z. 1888 p. 333; Stgr. Mém. Rom. VI p. 438. *Amur.*
1699. **Radicosa** Graes. Berl. e. Z. 1892 p. 225 (praec. spec. ab.?). *Amur.*
1700. **Lithoxylea** F. Mant. 182; Tr. V, 3. 47; Dup. VII, 111, 5; Wd. Ind. 225; Gn. I, 139; Snell. Vlind. 368; Tutt Brit. Noct. I p. 74; Barr. Brit. Lep. IV t. 176, f. 2; *Sublustris* Esp. 133, 2; HS. II p. 288. *Dalm;* *Bith; Pont; Arm; Alt.*
1701. **Sublustris** Esp. 133, 1 (non 2); Wd. Ind. 227; Gn. I, 139; Snell. Vlind. 369; Tutt Brit. Noct. I p. 75; Barr. Brit. Lep. IV t. 176, f. 3; *Lithoxylea* Hb. 240; HS. II p. 288; *Musicalis* Dup. VII, 113. 1. *Eur. c. (exc. c. or.); Scand. m.*
1702. **Veterina** Ld. z. b. V. 1853 p. 370, t. 2, f. 4; Ev. Bull. M. 1855, IV, 375 (praec. forma Darw.?). *Alt; ?Sib. or.*
- a) v. *Mandschurica* Stgr. Mém. Rom. VI p. 438 (major, obscurior, distinctius signata). *Uss. m.*
1703. **Icterias** Ev. Bull. M. 1843, III, 548, F.V.U. 289; HS. 626. *Ural m; Amur; Uss.*
1704. **Jankowskii** Obth. Diag. (1879) p. 14; Et. V p. 79, t. 3, f. 11; Stgr. Mém. Rom. VI p. 441. *Uss. m. et s; Cor.*
1705. **Dörriesi** Stgr. Iris X (1897) p. 336, t. 9, f. 26. *Daur.*
1706. **Rurea** F. S. E. 618; Tr. V, 3. 35; Dup. VII, 113, 2; Frr. B. 4, 2; Gn. I, 137; Tutt Brit. Noct. I, 76; Barr. Brit. Lep. IV t. 179; *Putris* Hb. 241; *Luculentia* Esp. 133, 4. 5., 188, 6-8; v. *Argentea* Tutt Ent. Rec. I p. 12; Brit. Noct. p. 78 [ab. al. fere albidis]. *Eur. c. et s; It.s; Ross. m. or; Arm; Alt; Sib. or; Amur; Uss; Korla; Amdo et Kuku N. (v.).*
- a) ab. *Alopecurus* Esp. IV p. 473, t. 147, f. 3; Gn. I, 138; *Combusta* Dup. VII, 113, 6; Barr. Brit. Lep. IV t. 180, f. 1-1c; *Aquila* Donz. Ann. S. Fr. 1837, t. 18, f. 6; Dup. III, 39, 5; HS. 498; Gn. I, 138 (al. ant. unicoloribus brunneis).
- b) v. *Exstincta* Stgr. Stett. e. Z. 1889 p. 43 (multo dilutior, al. ant. unicolor. rufesceni-griseis). *Kaschg; Iss. K. m.*
1707. **Hepatica** Hb. Text. p. 182; Tr. V, 3. 39; Dup. VII, 113, 4; Frr. 310; Gn. I, 144; Tutt Brit. Noct. I p. 80; Barr. Brit. Lep. IV t. 180, f. 2; *Characterea* Hb. 133, 638; Nux Frr. 370, 3; ? *Temera* Hb. 393; ? *Implexa* Hb. 639. *Eur. c. (exc. Bat. et Liv.);?Suec.m.;?Ped; Coreyra; Ural; Alt; Amur.*
- a) v. *Discrepans* Stgr. Mém. Rom. VI p. 440 (multo obscurior, al. ant. fere ut in *Gemina* tinctis). *Uss.*
1708. **Haelsseni** Graes. Berl. e. Z. 1889 p. 254; Stgr. Mém. Rom. VI, 440. *Amur.*
1709. **Scolopacina** Esp. 130, 1; Hb. 460; Tr. V, 3. 33; Dup. VII, 113, 3; Frr. 64; Gn. I, 145; Tutt Brit. Noct. I p. 81; Barr. Brit. Lep. IV t. 181, f. 1; ab. *Hammonioides* Sauber Ver. Naturw. Hamb. X p. 69 [ab. infuscata]. *Eur. c; Suec.m; Liv; It. s; Alt; Uss; Jap.*
1710. **Baselinea** F. Mant. 183; Esp. 166, 1; Hb. 427; Tr. V, 2. 110; Dup. VII, 101, 4; Frr. B. 29; Gn. I, 206; Tutt Brit. Noct. I p. 84; Barr. Brit. Lep. IV t. 181, f. 2.
- a) v. *Fictima* Gn. I, 206 (1852); *Basistriga* Stgr. Mém. Rom. VI p. 439; *Cinefacta* Graesl. Berl. e. Z. 1888 p. 334 (al. ant. caeruleo-griseis, fascia med. obscuriore lineaque bas. nigra distinctiore). *Eur. c. et s. (exc. reg. pol.); It. s; Dalm; Ross. m. or; Arm; Alt. Am.s; Uss; Jap; Norv. et Tarb. (trans.).*
- b) v. *Grisescens* Stgr. Stett. e. Z. 1889 p. 42 (multo dilutior, pallide grisea). *Iss. K; Kaschg; Ferg; Korla et Amdo (v.).*
1711. **Lama** Stgr. Iris XII p. 370, t. 6, f. 16. *Korla.*

1712. **Gemina** Hb. 482; Tr. V, 1. 345; Frr. 28; Gn. I, 208; Tutt Brit. Noct. I p. 87; Barr. Brit. Lep. IV t. 182; Anceps Dup. VII, 107, 5! (forma unicolor obseura). *Eur. c; Suec m; It. c; Liv; Fen; Ross.m.or; Arm; Alt; Uss; Jap; ?As.c.*
- a) ab. *Remissa* Tr. V, 1. 346; Fr. 29; HS. 584; Barr. l. c. f. 1f, 1g; *Gemina* var. A. Gn. I, 208; *Submissa* Tr. l. c. transitus (dilutior, variegata).
1713. **Unanimis** Tr. X 2. 62; Frr. 371; Gn. I, 209; HS. 581; ? Hb. 556; Tutt Brit. Noct. I p. 90; Barr. Brit. Lep. IV t. 184, f. 2; *Scorteia* HS. 583. *Eur. c. (exc. Belg.); Scand.m; Liv; Årag; It. s; Ural; Amur s. or.*
1714. **Illyria** (r. Illyrica) Frr. 483, 2; Auriv. Nord. Fjär. p. 142; *Scorteia* HS. 582 (1852); Ld. Noct. 225. *Alp. Austr., Helv. et Ped; Vind; Hung; Scand. c.*
1715. **Secalis** (L. S. N. ed. X, 519) Bjerckander Vet. Ak. Hand. Vol. 39 (1778) p. 290; Schöyen Stett. e. Z. 1879 p. 389; Auriv. Nord. Fjär. 143; *Didyma* Esp. 126, 7 (1788); Tr. V, 2. 86; Frr. 75, 1. 2; 443, 1; Tutt Brit. Noct. I p. 91; Hmps. Ind. Moths. II p. 210; *Secalina* Hb. 420; *Oculea* Gn. I, 210; Barr. Brit. Lep. IV t. 183; Bell. Ann. S. Fr. 1858 p. 704, t. 14, f. 3 [ab. *albina*]. *Eur. (exc. reg. pol. et And.); Bith; Taur; Pont; Arm. (cum ab.); China oc; ? Ind.*
- a) ab. *Nictitans* Esp. 126, 6; Hb. 619 [620 transitus]; Gn. I, 211; *Didyma* Dup. VI, 100, 5 (alis ant. *unicolor brunneis*, plerumque albo-maculatis).
- b) ab. *Leucostigma* Esp. 159, 7; *Lugens* Hw. Lep. Br. p. 212; *Didyma* Frr. 443, 2 (alis ant. *nigricantibus*, albo-maculatis).
- c) ab. *Struvei* Ragusa Nat. Sic. IV (1885) p. 274, t. 4, f. 7 (major; al. ant. *area basali et marginali albicant*).
- d) v. ? *Moderata* Ev. Bull. M. 1843, III, 547, 1856, III, 56, F. V. U. 240; HS. 370 p. 274, II (multo pallidior, al. ant. *brunnesc cinerasc.*; sp. diversa esse videtur).
1716. **Askoldis** Obth. Et. V (1880) p. 72, t. 3, f. 13; Stgr. Mém. Rom. VI p. 445; *Nivalis* Butl. Tr. E. S. 1881 p. 177 (gen. *Miana*?). *Uss. m; Jap; China*
1717. **Pabulatricula** Brahm Ins. Kal. II, 1, p. 395 (1791); Tutt Brit. Noct. I p. 86; Connexa Bkh. IV, 360 (1792); Tr. V, 2. 105; Dup. IV, 68, 4; Gn. I, 206; Barr. Brit. Lep. IV t. 184, f. 1; *Elota* Hb. 462. *Germ. s. et c. (m. oc?); Morav; Hal; Hung. s; Angl; Suec. m; Ross. c. et s. oc; Ural. Amur.*
1718. **Fraudulenta** Stgr. Stett. e. Z. 1888 p. 252; Mém. Rom. VI p. 445, t. 8, f. 5.
1719. **Arcta** Ld. z. b. V. 1853 p. 370, t. 2, f. 5; Stgr. Mém. Rom. VI p. 442; *Fasciata* Butl. Ann. & Mag. (5) I, 1878 p. 193; Ill. Het. II p. 33, t. 31, f. 5; *Parietum* Obth. Et. V p. 73, t. 3, f. 15 (1880). *Alt; Uss; Cor; Jap.*
1720. **Arctides** Stgr. Stett. e. Z. 1888 p. 251; Mém. Rom. VI p. 442; *Arcta* Obth. Et. V p. 72, t. 3, f. 14. *Uss. m; China s.*
1721. **Succincta** Graes. Berl. e. Z. 1889 p. 255; Stgr. Mém. Rom. VI p. 447. *Uss. m; Amur.*
240. **Metopoceras** Gn. 1850.
1722. **Beata** Stgr. Iris IV (1891) p. 274, t. 3, f. 9. *Taur. c. (Hadjin).*
1723. **Khalildja** Obth. Et. IX p. 38, t. 3, f. 1; Stgr. Iris V p. 286. *Maur.*
1724. **Canteneri** Dup. Rev. ent. Silb. I, 1, p. 37, t. 3; Dup. III, 25, p. 267; HG. 824; Gn. II, 32; Rbr. Cat. S. And. t. 6, f. 5; ? *Insueta* HS. 491. *Gal. m; Hisp; Maur.*
1725. **Felicina** Donz. Ann. S. Fr. 1844 p. 199, t. 6, f. 2; Gn. II, 23; ? HS. 485. *Gal. m; Cast; And; Maur.*

1726. **Hilaris** Stgr. Iris VII, 275.
1727. **Omar** Obth. Bull. S. Fr. 1887 p. 57; Et. XII p. 31, t. 5, f. 15; Alph. Iris VIII p. 172; Maritima Failla-Ted. Nat. Sic. X (1890) p. 31, t. 1, f. 8; Püng. ib. XI p. 22.
- a) v. *Caspica* Alph. Iris VIII p. 171 (al. ant. cinereis, al. subt. lineis transvers. magis perspicuis; v. paullum div.).
 - b) v. *Felix* Stndfs. Berl. e. Z. 1893 p. 361; Sacra Stgr. Iris VII p. 281, t. 9, f. 16 (1894) (multo obscurior, al. ant. obscure plumbeo-griseis).
1728. **Codeti** Obth. Et. VI p. 88, t. 11, f. 10 (1881) (huj. generis? an ad gen. sequ. referenda?).

Murcia.
Maur.; Sic.

Tura.

Syr.; Pal.

Maur.

241. Oncocnemis Ld. 1854.

1729. **Confusa** Frr. 303, 1 (1839); Ev. F. V. U. 206; Gn. I, 306; Ev. Bull. M. 1856, II, 223 (cum var.); Diffusa Gn. III, 420; Ld. Noct. 32, 94.
- a) v. *Rufescens* Stgr. Cat. ed. II p. 94; Confusa HS. 44, 45 (pallidior, rufescens).
1730. **Nigricula** Ev. Bull. M. 1847, III, 79; HS. 627.
1731. **Strioligera** Ld. z. b. V. 1853 p. 368, t. 5, f. 1; Ev. Bull. M. 1856, II, 218; Stgr. Iris IX p. 261.
1732. **Campicola** Ld. z. b. V. 1853 p. 369, t. 4, f. 5; Ev. Bull. M. 1856, III, 18.
1733. **Exacta** Chr. Mém. Rom. III p. 72, t. 4, f. 1.
- a) v. *Mongolica* Stgr. Iris IX, 260 (obscurior).

Srp; Arm. et Tura
(v.?).

Ross. or. m. (Ural).

Srp; Alt; Saisan; Kamt.

Alt; Ulias; Ili; Iss. K.

Alt; Saisan; Kent;
Urga; Amur; Ili; Iss. K.

Tura; Ili; Iss. K.
Ulias.

242. Cladocera Rbr. 1858 (nom. praeoc.?).

1734. **Optabilis** B. Ic. 74, 2, 3; Dup. III, 16, 2; HS. 31-3; Gn. I, 171; Mill. Ic. 137, f. 4, 5; Fictilis Frr. 394, 3, 4.
1735. **Baetica** B. Ic. 74, 6; Rbr. Fn. And. 17, 1; Dup. III, 20, 2 a, b; HS. 23 (huj. generis? Agrotis?).

Gal. m; Cat; Sic;
Maur.

And. m. oc. (lit.).

243. Episema Hb. 1818.

1736. **Korsakovi** Chr. Mém. Rom. II p. 35, t. 2, f. 10 ♂ (Agrotis); Paenulata Chr. l. c. p. 45, t. 2, f. 12 ♀.
1737. **Glaucina** Esp. 81, 4, 5 (1789) Tersa Hb. 140; Tr. V, 1, 118; Dup. III, 15, 6; Gn. I, 174; Trimacula Frr. 401, 6 (forma rubescens, fere unicolor).
- a) ab. *Tersina* Stgr. Cat. ed. II p. 95; Tersa B. Ic. 72, 2, 3; Trimacula HS. 107; Frr. 401, 7 (cinerascens, plerumque mac. duabus nigris).
 - b) v. (et ab.) *Dentimacula* Hb. Btr. II, 1, 2, G. p. 13 (1790); Trimacula Hb. 141-2; Tr. V, 1, 117; B. Ic. 72, 1; Dup. VI, 85, 3; Frr. 401, 5; HS. 106; Gn. I, 174 (grisescens, obscure maculata).
 - c) v. et ab. *Hispana* B. Ic. 72, 4, 5; Dup. III, 16, 1 a, b; Gn. l. c.; Rbr. Ann. S. Fr. 1848 p. 66 note, Cat. S. And. t. 6, f. 4, t. 8, f. 1; Obth. Et. XIII t. 6, f. 42; Trimacula HS. 105; Frr. 401, 5; v. *Meridionalis* Calb. Iris I p. 235 [subvar.] (caeruleo-fuscata, distincte maculata et albo-venata).
 - d) ab. (et v.) *Unicolor* Dup. Ann. S. Fr. 1835, 193, t. 4, A, 1; Dup. III, 15, 7; Gn. l. c. (flavescens, omnino unicolor).

Arm; Pont.

Hung; Austr; Gal.m;
Pont; Arm.

Hung; Pont; And.(v.);
Iss. K.

Germ. c. et m; Austr;
Ross. m; Pont. et
Arm. (v.); Iss. K.

Val.(v.);?Gal.m; It.c;
And; Maur.

Gal.c.oc;Arag; Maur;
Pont; Arm.

- e) ab. *Gruneri* B. Ic. 73, 1. 2; Mill. Ann. Sc. Cannes 1878 p. 16, t. 4, f. 8-10; ab. *Albida* Obth. l. c. f. 43 (albicans, macul. duabus nigris). *Sic; Maur.*
1738. **Lederi** Chr. Mém. Rom. II p. 44, t. 3, f. 1 a, b (1885). *Arm; Pont. et Tura (ab. et v.).*
- a) v. *Discors* Stgr. Iris IV p. 274; ab. *Declinans* Stgr. l. c. (dilutior, rubescens, indistincte signata). *Pont; Pal.*
- b) ab. *Rubellina* Stgr. l. c. (al. ant. unicol. rubescent.). *Pal.*
- c) ab. *Concors* Stgr. l. c. (al. ant. fere unicol. albescent.). *Pal.*
1739. **Antherici** Chr. Mém. Rom. I (1884) p. 121; t. 8, f. 2 a, b [larv.]. *Tura; Hyrc.*
1740. **Sareptana** Alph. Mém. Rom. IX p. 212.
1741. **Scoriacea** Esp. III, 83, 4. 5; Tr. V, 1. 108; Frr. B. 141, 3; B. Ic. 71, 1; Dup. III, 15, 3; HS. 371; Gn. II, 47; Capreae Hb. 19. *Austr.-Hung; Gal. m; It. s. et c; Lyd. m; Pont.*
244. **Heliophobus** B. 1829.
1742. **Hispidia** (-dus) HG. 784-6 (1827); Tr. X, 2, 39; B. Ic. 72, 6, 7; Gn. I, 172; Mill. Ic. 22, 1-3; Tutt. Brit. Noct. I p. 125; Barr. Brit. Lep. IV t. 165, f. 3; Hirta Dup. VI, 90, 3. *Gal. m; Cat; And; Sic; Maur; Angl. m; Pal.*
1743. **Orana** Luc. Expl. Alg. p. 384, t. 3, f. 7. *Maur.*
1744. **Messaouda** Obth. Et. IX (1884) p. 39, t. 3, f. 3 (antennis ♂ valde pectinatis). *Maur.*
1745. **Scillae** Chrét. Natural. 1888 p. 92, ib. 1892 p. 7; Datini Obth. Et. XIII p. 30, t. 6, f. 38 (1890). *Maur.*
1746. **Fallax** Stgr. Berl. e. Z. 1870 p. 116; Mill. Ic. 151, 12. 13. *Srp.*
1747. **Hirsutus** Stgr. Iris IV (1891) p. 277. *Taur. m. or.*
1748. **Pierretii** Bugnion Ann. S. Fr. 1837 p. 441, t. 16, f. 3; ? Marsdeni Baker Tr. Ent. Soc. 1894 p. 40, t. 1, f. 9. *Aegypt.*
1749. **Grumi** Alph. Hor. XXVI (1892) p. 447, Mém. Rom. IX p. 22, t. 1, f. 5 (huj. generis?). *Kuku N; Amdo.*
1750. **Anachoretoides** Alph. Hor. XXVI (1892) p. 447; Mém. Rom. IX p. 23, t. 1, f. 6 (huj. generis?). *Kuku N.*
1751. **Lama** Püng. Iris XII p. 293, t. 9, f. 8 (huj. generis?). *Kuku N.*
245. **Heptapotamia** Alph. 1883.
1752. **Eustratii** Alph. Hor. XVII (1883) p. 75, t. 3, f. 57. *As. c. (Arganaty?).*
246. **Catasema** Stgr. 1888.
1753. **Vulpina** Stgr. Stett. e. Z. 1888 p. 18. *Ferg. m.*
247. **Margelana** Stgr. 1888.
1754. **Versicolor** Stgr. Stett. e. Z. 1888 p. 20; Chr. Mém. Rom. V p. 27, t. 2, f. 2. *Ferg. m; Tura.*
248. **Phoebophilus** Stgr. 1888.
1755. **Amoenus** Stgr. Stett. e. Z. 1888 p. 21. *Ferg; Iss. K.*
1756. **Lenis** Stgr. Iris IV (1891) p. 279. *Pal.*
1757. **Discrepans** Stgr. Iris IV p. 278 (1891), VI t. 1, f. 10. *Pal.*
1758. **Turpis** Stgr. Iris XII p. 341, t. 7, f. 8 (huj. generis?). *Thian. or.*

249. **Ulochlaena** Ld. 1857.

1759. **Hirta** Hb. 591; B. Ic. 74, 1; Dup. III, 16, 4; Gn. I, 171; Gal. m; Sic; Maur; Frr. 515, 4; Mill. Ic. I p. 276, t. 32, f. 6-9. Dalm; Rum; Bulg;
1760. **Superba** Alph. Hor. XXVI (1892) p. 447; Mém. Rom. IX Ross. m; Arm; Pont; Ant. s.
p. 24, t. 1, f. 7. Nan Schan.

150. **Aporophyla** Gn. 1841.

1761. **Lutulenta** Bkh. IV, 576; Hb. 159; Tr. V, 1. 187; God. Eur. c. (exc. ? Ross.);
V, 71, 1. 2; HS. 83, 405; Gn. II, 46; Tutt. Brit. Noct. Suec. m; Liv; Cast;
III p. 53; Barr. Brit. Lep. IV t. 166, f. 1; Burrows Ent. It. s. et c; Dalm.
Rec. XI p. 155; Tripuncta Frr. 501, 3 ab.
- a) ab. (v.?) *Luneburgensis* Frr. 526, 2 (Sept. 1848); HS. Germ. s. oc; Bat; Scot;
428-30 (1850); Gn. II, 45 (al. ant. distincte albo-lineatis). ? etc.
- b) ab. (v.?) *Sedi* Gn. II, 46; *Lutulenta* Dup. III, 18, 1; Gal. m; Cast; It. c;
ab. *Pallida* Calb. Iris I p. 237 (omnino cinerascens, al. Angl; ? etc.
ant. distincte nigro-fasciatis).
1762. **Mioleuca** Tr. X, 2. 43 (non Hb.); Gn. II, 90 Nr. 793; Sic; And; Maur;
Rbr. Cat. t. 12, f. 2; *Chioleuca* HS. 76-78, II, p. 255; ? It. c.
Gn. II, 47; *Corticosa* Ld. Noct. p. 224.
1763. **Australis** B. Ind. Add. p. 6; Rbr. Ann. S. Fr. 1832, t. 9, Eur. m. (ex Ib.); Angl.
f. 8; Frr. 209, 4; Dup. III, 35, 4, 5; HS. 159-60, 406; (ab.).
Gn. I, 151; Mill. Ic. t. 22, f. 4-8; Tutt. Brit. Noct. I p. 131.
- a) v. *Pascuea* (Curt.) Gn. I p. 152; Newm. Brit. Moths p. 289; Angl. m.
Australis Barr. Brit. Lep. IV t. 167, f. 1 (al. ant. magis
variegatis, distinctius nigro-signatis).
- b) v. et ab. *Scriptura* Frr. 255, 2; HS. 404, 504-5; Gn. I, Graec., Pont. et Syr.
152; Stgr. Hor. VII (1870) p. 124 (al. ant. obscurius
griseis).
- c) ab. (et v.?) *Ingenua* Frr. 508 (1847); *Orientalis* HS. (var); etc. (ab.).
502-3 (1850); Gn. I, 153; *Morosa* Bell. Ann. S. Fr.
162, 616, t. 14, f. 7 (alis ant. [fere] unicoloribus obscure
griseis).
- d) v. *Cinerea* Stgr. al. ant. (fere) unicoloribus cinereis. Maur.
1764. **Haasi** Stgr. Iris IV p. 280 (1891). Cast.
1765. **Nigra** Hw. Lep. Br. p. 192 (1810); Stph. Ill. II, t. 20, f. 2; Germ. c. et m; Angl.;
Gn. II, 47; Barr. Brit. Lep. IV t. 166, f. 2; *Aethiops* Gal; Helv; Hung;
O. IV, 67; Tr. V, 1. 185; HG. 861; Frr. 147, 2. 3, 221; Eur. m. (exc. Ross.
Nigricans Hb. 538; HG. 859-60. m); Pont; Pal; Norv. m. (1 advena?).

251. **Ammogrotis** Stgr. 1895.

1766. **Suavis** Stgr. Iris VIII (1895) p. 358. t. 6. f. 11 ♂. Ulia; Korla.
252. **Ammoconia** Ld. 1857.
1767. **Caecimacula** (S. V.) F. Mant. 158; Hb. 137; Tr. V, 2. Eur. c. (exc. Belg. et
202; Gn. II, 43. Angl.); Suec. m; Ross. s. oc. et m; It. s; Dalm; Sic; Pont.
a) v. *Sibirica* Stgr. Stett. e. Z. 1882 p. 37 (dilutior, al. ant. Alt; Tarb.
testaceis vel lutescentibus).
1768. **Senex** HG. 749-5 (1834); Rghfr. z. b. V. 1887 p. 201; Teriol, Helv. et Gal.
Vetula Dup. IV, 58, 4, p. 93 (1842); HS. 108; Gn. II, m; It. s. etc; Sic; Istr;
43; Mill. Ic. III, t. 146, f. 7-9; Fuchs Jhrb. Nass. 1892 p. 91. Dalm; Maced; Pont.
a) v. *Mediorhenana* Fuchs l. c. 92 (al. ant. fere unicoloribus, Germ. c. oc.
cinereis).

253. **Raphia** Hb. 1822.

1769. **Hybris** Hb. Noct. 518; B. Ic. 71, 2!; Rbr. Cat. S. And. t. 5, f. 5; HS. n. Schm. 62; Mill. Ic. t. 3, f. I, 1-4. *Gal. m; And; Maur.*
1770. **Approximata** Alph. Stett. e. Z. 1887 p. 167; Mém. Rom. V p. 124, t. 6, f. 1. *Ferg. s. (Taschk.).*

254. **Epunda** Gn. 1852.

1771. **Lichenea** Hb. 562-3; Tr. X, 2, 51; Dup. VI, 99, 2!; Gn. II, 48; Obth. Et. XIX, t. 6, f. 42; Barr. Brit. Lep. IV, t. 167, f. 2; Tutt. Brit. Noct. III p. 52. *Gal. m. et oc; Angl. m; Arag; Cast; And; Dalm; Maur. (trans.).*
- a) v. **Viridicincta** Frr. 21, 2 (1831); Tr. X, 2, 55 (1835); Dup. III, 24, 2!; HS. 415!; Gn. II, 49; ? Tephra HG. 797; Gn. II, 48 (pallidior). *Sic; Dalm; Maur. (trans.).*
1772. **Muscosa** Stgr. Iris IV (1891) p. 281. *Pont; Taur. or. m.*
1773. vacat.

255. **Polia** O. Tr. 1816.

1774. **Serpentina** Tr. V, 1, 399; Frr. 220; Dup. III, 26, 5; HS. 72, 73; Gn. III, 395. *Carn. m; It. c; Dalm; Corcyra; Graec; Pont; Syr.*
1775. **Polymita** L. F. S. 321; Esp. 170, 4; Tr. V, 2, 24; Frr. 261; Gn. II, 38; Ridens Hb. 20. *Scand. c. et m; Ross. s. oc; Germ; Austr.-Hung; Balc. s; Sic.*
1776. **Manisadjiani** Stgr. Hor. XVI (1881) p. 73. *Pont.*
1777. **Flavicincta** (S. V.) F. Mant. 178; Hb. 46; Tr. V, 2, 27; Gn. II, 39; Tutt. Brit. Noct. III p. 47; Barr. Brit. Lep. IV t. 169; **Flavicineta major** Esp. 153, 1; Dysodea Esp. 153, 4. *Eur. c. et m. (exc. or.); Suec. m.*
- a) ab. (v.) **Meridionalis** B. l. e.; Gn. II, 39 (multo obscurior). *Cors. etc. (ab.); Cast. et And. (v.).*
- b) ab. (v.?) **Calvescens** B. Gen. p. 127; Gn. II, 40 (multo dilutior, al. ant. cinerascenti-albidis). *Sic; Gal. m.*
1778. **Rufocincta** HG. 747-8; Dup. III, 24, 3 bis; HS. 37; Gn. II, 41; Mill. Ic. 80, II; **Ruficineta** HS. 483. *Vind; Teriol. m; Alp. val; It. c; Sic; Hung. or; Balc; Rhodus; Syr; Pont.*
- a) ab. (et v.?) **Mucida** Gn. II, 41; **Farinosa** Frr. 509, 3 (dilutior, al. ant. fere non rufo-inspersis). *Balc. m. et c. (ab.) (ubi v.?).*
1779. **Juditha** Stgr. Iris X (1897) p. 276, t. 4, f. 16. *Pal.*
1780. **Apora** Stgr. Iris X (1897) p. 280. *Syr; Pal.*
1781. **Anceps** Stgr. Iris X (1897) p. 277, t. 4, f. 17. *Pal.*
1782. **Dubia** Dup. III, 26, 4 ♀, p. 286 (1836) (certo); ? Frr. 411, 4; **Caerulescens** B. Gen. p. 127 (1840); Dup. IV, 58, 5 ♂; HS. 38, 39, 402; Gn. II, 40; Mill. Ic. 40, 5-7, I, p. 338. *Gal. m; Hisp.*
- a) ab. **Typhonia** Mill. Ann. Soc. Linn. Lyon 1883 p. 178, t. 4, f. 10, 11 (al. ant. plumbeo-griseis). *Gal. m.*
1783. **Lea** Stgr. Iris X (1897) p. 280, t. 4, f. 18. *Pal.*
1784. **Rebecca** Stgr. Iris IV (1891) p. 282. *Pal.*
1785. **Venusta** B. Ind. Add. p. 4; Dup. III, 26, 3; HS. 58, 59; **Argillaceaago** Gn. II, 37; Mill. Ic. I p. 297, t. 35, f. 6-8; ? Hb. 682-3 (♂ al. post. nusquam cinerasc.). *Gal. m. (et c. rar.); And. (Granada).*
1786. **Xanthomista** Hb. 647 (1818); Gn. II, 37; Barr. Brit. Lep. IV t. 168, f. 2; Tutt. Brit. Noct. III p. 44; **Nigrocineta** Dup. III, 24, 4 (al. ant. valde flavo-conspersis). *Germ. c. et m; Austr.-Hung; Helv; Gal. c. et m; Angl; Cast; It. s. et c.*

- a) v. (et ab.) *Nigrocincta* Tr. V, 2, 31 (1825), X, 2, 59; Frr. B. 137, 1, 2; Frr. 243; Gn. II, 37; Carrington Ent. 1879 p. 161, fig. [ab.] (forma frequentior, dilutior, al. ant. paullum flavo-conspersis).
- b) v. *Nivescens* Stgr. Cat. ed. I p. 42; *Nigrocincta* HS. 482 (multo pallidior, al. ant. albicant. nigro-flavoque irroratis, forma terrae calae).
- 1787. *Canescens*** Dup. VI, 99, 3 p. 422 (1826); B. Ann. S. Lin. Paris 1827 p. 113, t. 6, f. 3; Tr. X, 2, 58; Frr. 516, 3; HS. 466; Gn. II, 35; Mill. Ic. 98, IV; Pumicosa HG. 787-8; Tr. X, 2, 57; Dup. III, 26, 2; Gn. II, 36.
- a) v.? (ab.?) *Asphodeli* Rbr. Ann. S. Fr. 1832, t. 9, f. 4; Dup. III, 24, 5; HG. 844-5; HS. 488-90; Gn. II, 36 (obscurior).
- 1788. *Plumbaea*** Stgr. Iris VII p. 276 (1894). *Pal.*
- 1789. *Suda*** HG. 802; Dup. III, 24, 3; HS. 480; Gn. II, 35. *Val.; Jura m.*
- a) v. *Amasina* Stgr. al. ant. obscurioribus, caeruleo-griseis, albido-nigroque signatis. *Pont.*
- 1790. *Jonis*** Ld. Ann. S. Belg. 1865 p. 63, 78, t. 3, f. 9 (praec. var. *obscura*?). *Lyd.*
- 1791. *Johanna*** Stgr. Iris X (1897) p. 281, t. 4, f. 19 (huj. generis?). *Pal.*
- 1792. *Centralasiae*** Stgr. Stett. e. Z. 1882 p. 37 (fin. Nov. 1881); Alph. Hor. XVII p. 77, t. 3, f. 54 (1882); *Modesta* Moore Lep. Atk. p. 125 (1882). *Tarb.; Ili; Iss. K.; Ind. or.*
- a) ab. *Asiatica* Alph. Stett. e. Z. 1887 p. 169; Mém. Rom. V p. 156, t. 6, f. 7; *Transversa* Moore l. c.; Hmps. Ind. Moths II, 232 (al. ant. cinereis, fascia med. lata obscura).
- 1793. *Extrita*** Stgr. Stett. e. Z. 1888 p. 23 (Centralasiae var.?; nunc Stgr. spec. diversa esse videtur). *Saraw.; Ferg.*
- 1794. *Tenuicornis*** Alph. Stett. e. Z. 1887 p. 169; Mém. Rom. V p. 155, t. 6, f. 9. *Ferg. m.*
- 1795. *Simplex*** Stgr. Stett. e. Z. 1889 p. 39. *Iss. K. m.; Kaschg.*
- 1796. *Chamaeleon*** Alph. Stett. e. Z. 1887 p. 169; Mém. Rom. V p. 153, t. 6, f. 8 a, b. *Ferg.; Saraw.; Iss. K.; Ili.*
- 1797. *Chi*** L. S. N. ed. X, 514; Esp. 114, 1-3; Hb. 49; Dup. VI, 99, 4; Gn. II, 35; Tutt. Brit. Noct. III p. 41; Barr. Brit. Lep. IV t. 170. *or; Cast; It. s. et c; Sic; Ross. m.; Arm.; Alt. Scot.*
- a) v. *Olivacea* Stph. Ill. III, 325; Barr. l. c. f. 1 h (al. ant. olivaceo-grisescensibus).
- b) v. *Subcaerulea* Graes. Berl. e. Z. 1888 p. 329 (al. ant. obscure caeruleo-griseis). *Amur s. or.*
- 1798. *Acuta*** Frr. 255, 3, III p. 88; HS. 542, VI p. 54, 56; *Producta* Ld. W. Mts. 1857 p. 97; *Pygmaea* Stgr. Hor. VII (1870) p. 124, t. 1, f. 11. *Turc. m. or; Bith.; Pont; Lyd; Syr.*
- 1799. *Kalchbergi*** Stgr. Iris X (1897) p. 172, t. 4, f. 10. *Syr. (Pal. s.).*

256. *Dasythorax* Stgr. 1889.

- 1800. *Polianus*** Stgr. Stett. e. Z. 1889 p. 38.

Iss. K. m.; Kaschg.

257. *Dasysternum* Stgr. 1895.

- 1801. *Tibetanum*** Stgr. Iris VIII (1895) p. 327, t. 6, f. 9.

Kuku N; Amdo.

258. **Dasypolia** Gn. 1852.

1802. **Templi** Thnb. Diss. Ent. IV p. 56, f. 3 (1792); Hb. 373!; Tr. V, 2, 23; Dup. VI, 75, 1!; HS. 454; Gn. II, 44; Frr. 544, 3!; Mill. Ic. 87, 3-7; Tutt. Brit. Noct. III p. 49; Barr. Brit. Lep. IV t. 168, f. 1.
a) v. *Alpina* Rghfr. z. b. V. 1866 p. 999; Rbl. ib. 1899 p. 166; Caflischi Rühl Soc. Ent. VI p. 170 [grisescens]; Ferdinandi Rühl l. c. 169 (ab. diluta, al. post. unicolor.).
1803. **Fani** Stgr. Mém. Rom. VI p. 522, t. 9, f. 10.
a) (?) v. *Lama* Stgr. Iris IX (1896) p. 266; v. *Asiatica* (*Templi* var.) Alph. Mém. Rom. IX p. 19 (1897) (al. ant. minus signatis, flavescenti-cinereis; certe non *Templi* v. Stgr. esse videtur).
1804. **Exprimata** Stgr. Iris IX (1896) p. 190, 371, t. 4, f. 15.
1805. **Pagodae** Alph. Hor. XXVI (1892) p. 451; Alph. Mém. Rom. IX p. 20, t. 1, f. 9 (huj. generis?).
1806. **Gerbillus** Alph. Hor. XXVI (1892) p. 451; Mém. Rom. IX p. 21, t. 3, f. 6 (huj. generis?).
- Eur. s. (exc. reg. pol.); Angl; Sil. mont; Boh; Austr. sup. alp; Val. (trans.); Arm. Ter; Val.*
- Uss.*
- Ulias; Ili; Iss. K; Kuku N; Amdo.*
- Iss. K.*
- Kuku N; Amdo.*
- Nan Schan.*

259. **Cteipolia** Stgr. 1896.

1807. **Sacelli** Stgr. Iris IX (1896) p. 191, 371, t. 4, f. 13.
- Iss. K; Ili.*

260. **Brachionycha** Hb. 1822 [Asteroscopus B.]

1808. **Nubeculosa** Esp. III, 48, 6 (1785); Tr. V, 3. 55; Dup. VII, 114, 1; Frr. B. 27; Barr. Brit. Lep. III, t. 112, f. 3; Sphinx Hb. Bomb. 3. 4.
Eur. c. et s. (exc. reg. pol.); Ural; Amur; Uss.
1809. **Sphinx** Hufn. Berl. M. III, 400 (1767); Esp. III, 49, 1-3; Barr. III, t. 112, f. 2; Cassinea Hb. Bomb. 5. 6; Tr. V, 3. 53; Dup. VII, 114, 2.
Eur. c.; Scand. m; Liv; It. s; Arm.

261. **Miselia** O. 1816.

1810. **Bimaculosa** L. S. N. ed. XII, 856; Esp. 194, 3. 4; Hb. 32; Tr. V, 1. 408; Dup. VI, 96, 2; Gn. II, 55.
m.); Gal. m; And; It. s. et c; Pont.
1811. **Sabulosa** Graes. Berl. e. Z. 1892 p. 222 (una ♀ condita).
1812. **Tancrei** Graes. Berl. e. Z. 1888 p. 329 (una ♀ condita; huj. generis?).
Uss. m.
1813. **Oxyacanthae** L. S. N. ed. X, 516; Esp. 160, 1-7; Hb. 31; Tr. V, 1. 405; Dup. VI, 96, 1; Gn. II, 54; Tutt. Brit. Noct. III p. 60; Barr. Brit. Lep. IV t. 172, f. 2.
Eur. (exc. reg. pol. et Sic.); Arm.
- a) ab. *Capucina* Mill. Ic. III p. 165, t. 116, f. 6; Barr. l. c. f. 26 (al. ant. obscure brunneis, minus signatis).
Angl.
- b) v. *Benedictina* Stgr. Iris IV p. 283 (al. ant. obscure griseocentibus, al. post. dilutioribus).
Syr. (Beirut).
- c) v. *Asiatica* Stgr. Iris IV p. 283 (dilutior, al. ant. griseocentibus).
Pont; Pal; Uss.
1814. **Cortex** Alph. Stett. e. Z. 1887 p. 169; Mém. Rom. V p. 159, t. 7, f. 4.
As. c. (Aram Kungei?).

262. **Chariptera** Gn. 1837.

1815. **Viridana** Walch. Naturf. XIII p. 28, t. 3, f. 5a, b (1779); Culta Hb. Btr. I, 2, 3, R. S; Esp. 120, 4; Hb. 34; Tr. V, 1, 395; Dup. VI, 95, 4; Frr. 93; Gn. II, 56.
Germ. c. et m; Austr.- Hung; Rum; Bulg; Helv; Gal. c. oc; It. s; Ross. c.

263. **Dichonia** Hb. 1818.

1816. **Aprilina** L. S. N. ed. X, 514; Esp. 118, 1-3; Tr. V, 1, 411; Gn. I, 59; Tutt Brit. Noct. III p. 62; Barr. Brit. Lep. IV t. 172, f. 1; Runica Schiff. S. V. p. 70; Hb. 71, 721-2; Dup. VI, 95, 5.
1817. **Aeruginea** Hb. 374; Tr. V, 1, 355; Dup. VI, 91, 6; Frr. 237; Gn. II, 90. *Hung; Hal; Bulg; It. c; Gal. m. oc;*
- a) v. (et ab.) *Mioleuca* HG. 745-6; HS. II p. 281; Gn. II, 90; *Chioleuca* Tr. X, 2, 46; Frr. 279, 2, 3 (al. ant. thoraceque unicoloribus griseis).
1818. **Convergens** (S. V.) F. Mant. 170; Hb. 84; Tr. V, 1, 357; Frr. B. 75; Gn. II, 90; Spicula Esp. 156, 2 (1792).

264. **Thecophora** Ld. 1857.

1819. **Fovea** Tr. V, 1, 308; Dup. VII, 103, 4, 5!; HG. 753-6; Frr. B. 46; Gn. II, 86; Friv. Jell. t. 5, f. 7 a-e. *Hung; Carn; Dalm.*

265. **Dryobota** Ld. 1857.

1820. **Furva** Esp. 158, 1, 2, IV p. 530 (1791); HS. 62; *Occlusa* Hb. 732 (1826); Tr. X, 2, 65; Gn. II, 87; Mill. Ic. t. 17, f. 4-7.
1821. **Roboris** B. Ind. p. 72 (1829); HG. 847!; Dup. III, 15, 4; Frr. 292, 2, 643; Gn. II, 88. *Teriol m; And; Cat; Sard; Sic;*
- a) v. (et ab.) *Cerris* B. Gen. p. 121; HS. 153; Gn. II, 88 (grisescens, non virescens). *Dalm; Maced; Taur; Pont.*
1822. **Contermina** Graes. Berl. e. Z. 1892 p. 308.
1823. **Saportae** Dup. VI, 98, 4; B. Ind. p. 72; HG. 836-7; HS. 53; Gn. II, 88; *Ilicis* Frr. 292, 3.
1824. **Monochroma** Esp. 155, 3-6 (1791); Gn. II, 88; *Distans* Hb. 522-3 (post 1804); Tr. V, 1, 359; Dup. VI, 89, 4.
- a) v. et ab. *Suberis* B. Ind. p. 72; Dup. VII, 117, 1, 2; *Distans* Frr. 124, 1, 2 (al. ant. fascia externa lata albida distincta).
1825. **Protea** (S. V.) Bkh. IV, 386; Esp. 150, 6; Hb. 406; Tr. V, 1, 362; Dup. VI, 89, 2, 3; Gn. II, 89; Tutt Brit. Noct. III p. 77; Barr. Brit. Lep. IV t. 171, f. 1.
1826. **Amurensis** Stgr. Mém. Rom. VI p. 432, t. 7, f. 5 (hujus generis?).

266. **Dipterygia** Stph. 1829.

1827. **Scabriuscula** L. S. N. ed. X, 516 (1758); Cl. Ic. t. 1, f. 8; *Pinastri* L. F. S. 315 (1761); Hb. 246; Tr. V, 3, 58; Dup. VII, 110, 5; Gn. I, 146; Barr. Brit. Lep. V t. 188, f. 3; *Tripterygia* Esp. 107, 4. *Pont; Amur; Uss. m; Jap; China; Am. s.*

267. **Hyppa** Dup. 1844.

1828. **Rectilinea** Esp. 127, 1; Hb. 248; Tr. V, 3, 61; Frr. B. 4, 1; Frr. 51; Gn. II, 105; Tutt Brit. Noct. III p. 95; Barr. Brit. Lep. V t. 189, f. 1. *Eur. s. et c. (exc. Bat. et Belg.); It. s; Ural. Alt; Sib. or; Amur s. or.*
- * a) v. *Xylinoides* Gn. II, 106; *Xyliniformis* Gn. III, 400; Smith Cat. 45 (al. ant. longioribus, paullum aliter signatis). *Am. s.*

268. **Rhiza** Stgr. 1889.

1829. **Commoda** Stgr. Stett. e. Z. 1889 p. 44. *Iss. K. m; Kaschg.*
 1830. **Manifesta** Chr. Iris VI, 92 (Indigna Chr. v.?) (praec. v. obscurior?). *Arm. m. or.*
 1831. **Curva** Stgr. Stett. e. Z. 1889 p. 46. *Iss. K. m; Kaschg.*

269. **Rhizogramma** Ld. 1857.

1832. **Saga** Butl. Ann. & Mag. (5) 1878 I p. 198; Ill. Het. III p. 18, t. 45, f. 9; Stgr. Mém. Rom. VI p. 448; Auri-legula Obth. Et. V p. 71, t. 3, f. 16. *Uss. m; Cor; Jap.*
 1833. **Detersa** Esp. IV p. 260 (ante 1790); Tanaceti Esp. 116, 7 (1788?); Petrorhiza Tr. V, 3. 49; Frr. B. 113; Dup. VII, 114, 3; Gn. I, 143; Comma Hb. 251. *Germ. m; Sax. (1); Helv; Gal; Hung; Ross. m. oc; Hyrc. Arm; Taur. m; Kurd. oc; Kuku N; Amdo.*
 1834. **Subdetersa** Stgr. Iris VIII (1895) p. 325.
 1835. **Detersina** Stgr. Iris IX p. 369, t. 4, f. 11. *Tarb; Ili; Iss. K; Ferg; Kaschg.*
 1836. **Mongolica** Stgr. Iris IX (1896) p. 263. *Ulias; Alt. or.*
 1837. **Peterseni** Chr. Mém. Rom. III p. 76, t. 4, f. 3 (non huji. gen. sec. Snell). *Tura; Ili; Iss. K.*

270. **Antha** Stgr. 1892.

1838. **Grata** Butl. Tr. E. S. 1881 p. 172; Hmps. Ind. Moths II, 237; **Pretiosa** Stgr. Mém. Rom. VI (1892) p. 448, t. 7, f. 6. *Uss; Cor; Jap; China oc.*

271. **Chloantha** Gn. 1839.

1839. **Radiosa** Esp. 195, 3; Tr. V, 3. 73; Dup. VII, 115, 1; Frr. 238; Gn. II, 112; **Lyncea** Hb. 434. *Germ. m; Austro-Hung; Balc. s; Gal. c. et m; Arag; It. s. et c; Ural; Arm; Pont.*
 1840. **Polyodon** Cl. Ic. t. 2, f. 2 (1759); Tutt. Brit. Noct. III p. 98; **Perspicillaris** L. F. S. 317 (1761); Esp. 134, 3; Hb. 249; Tr. V, 3. 69; Dup. VII, 110, 2; Frr. 5; Gn. II, 113; Barr. Brit. Lep. V t. 189, f. 2. *Eur. c. et s. (exc. reg. pol.); It.s; Arm; Ural; Alt; Tarb; Ala Tau; Ferg; Urga; Uss; Jap.*
 1841. **Intermedia** Brem. Lep. O. S. p. 53, t. 5, f. 13; Stgr. Mém. Rom. VI p. 451; Hmps. Ind. Moths. II p. 283; **Sikkimensis** Moore Pr. Z. S. 1867 p. 49, t. 6, f. 15. *Amur; Uss; Jap; Cor; China; Ind.*
 1842. **Laciniosa** Chr. Mém. Rom. III p. 77, t. 4, f. 4; ib. V p. 32. *Tura; Tarb; Ulias; Ili; Iss. K.*
 1843. **Hyperici** F. Mant. 167; Hb. 250; Tr. V, 3. 67; Dup. VII, 112, 5!; Frr. 154; Gn. II, 113. *Eur. c. (exc. c. oc.); !Suec. c. (1); Gal. m; Cat; Cast; It; Balc; As. min; Arm; Mardin.*
 1844. **Conjuncta** Püng. Iris XII p. 294, t. 9, f. 15 (hujus generis?). *Kuku N; Amdo.*

272. **Xylomoia** Stgr. 1892.

1845. **Separata** Stgr. Mém. Rom. VI (1892) p. 451, t. 12, f. 8. *Uss. m.*

273. **Callopistria** Hb. 1818 (Eriopus Tr.).

1846. **Purpureofasciata** Piller t. 6, f. 2 (1783); Wernb. Btr. II, 138; **Lagopus** Esp. 125, 7 (1788); **Pteridis** F. E. S. 90 (1794); Hb. 65; Tr. V, 1. 366; Dup. VI, 93, 1. 2; Frr. 76, 305; Gn. II, 293; **Formosissimalis** Hb. Pyr. 111 (1798?); **Iuventina** Cr. P. Ex. 400, f. N. (1782) (? nom. restit.). *Eur. c. (exc. Bat. et Engl.); Bilb; It; Dalm; Ural; Arm; Pont; Hyrc; Amur; Uss; Cor; Jap.*

1847. **Albolineola** Graes. Berl. e. Z. 1888 p. 337; Stgr. Mém. Rom. VI p. 453.
1848. **Latreillei** Dup. VII, 120, 2. p. 327 (1827); HG. 818-20; Gn. II, 296; Mill. Ic. 47, 4-5; Hmps. Ind. Moths II p. 253; Quieta Tr. V, 3. 259 (1826), X, 2. 49.
1849. **Argyrosticta** Butl. Tr. E. S. 1881 p. 177; Venus Stgr. Stett. e. Z. 1888 p. 253; Mém. Rom. VI p. 453, t. 8, f. 6; Argentata Graes. Berl. e. Z. 1888 p. 336.

274. Polyphaenis B. 1840.

1850. **Sericata** Esp. 108, 4 (1787); Sericina Esp. IV p. 183 (1790); Bkh. IV, 119 (1792); Gn. II, 71; Mill. Ic. 104, II; Prospicea Hb. 108; Tr. V, 2. 59; Dup. VI, 97, 4; Frr. 213; Gn. II, 72.
- a) v. *Propinqua* Stgr. Iris VIII p. 298 (minor, obseurior, nigrescens).
1851. **Subsericata** HS. n. Schm. 124 p. 26.
1852. **Xanthochloris** B. Gen. p. 128 (1840); HS. 74, 75; Alliacea Germ. Fn. I. E. XXII t. 20 (1842); HS. II p. 257; Gn. I, 73.
1853. **Oberthüri** Stgr. Mém. Rom. VI p. 454 (1892); Pulcher-rima Obth. (non Moore) Et. X p. 22, t. 2, f. 11.

275. Trachea Hb. 1818.

1854. **Atriplicis** L. S. N. ed. X, 517; Esp. 163, 1-3; Hb. 83; Tr. V, 2. 66; Dup. VI, 100, 1; Gn. II, 99; Tutt. Brit. Noct. III p. 86; Barr. Brit. Lep. V t. 189, f. 3.
- a) ab. *Similis* Stgr. Mém. Rom. VI p. 456, t. 9, f. 1 (al. ant. olivaceo-inspersis, ochraceo-maculatis).
- b) v. *Gnoma* Butl. Ann. & Mag. (5) 1878 I p. 195; Ill. Het. II, t. 31, f. 7 (major, al. ant. obseurior., vix differt).
1855. * **Melanospila** Koll. Hüg. Kasch. IV p. 480; Hmps. Ind. Moths II p. 214; Leech Tr. E. S. 1900 p. 86; Auriplena Wlk. List XI p. 557.
- a) v. *Lucia* Butl. Ann. & Mag. (5) I 1878 p. 195; Ill. Het. III p. 17, t. 45, f. 2; Stgr. Mém. Rom. VI p. 456 (al. ant. laetius viridi-pictis, alarum post. parte bas. obseuriata).
1856. **Kosakka** Obth. Et. V (1880) p. 80, t. 7, f. 4; Stgr. Mém. Rom. VI p. 457.

276. Prodenia Gn. 1852.

1857. **Littoralis** B. Fn. Madag. p. 91, t. 13, f. 8 (1834); Rbl. Ann. Nat. Hofmus. IX p. 57; Hmps. Ind. Moths II p. 247; Retina Frr. 478, 2. 3 (Jan. 1846); HS. 144-5; Gn. I, 163.

277. Trigonophora Hb. 1818.

1858. **Flammea** Esp. III, 53, 3 (1785); Bkh. IV, 460; Tutt. Brit. Noct. III p. 63; Empyrea Hb. 63, 646; Tr. V, 1. 383; Dup. VI, 94, 4; Gn. II, 66; Barr. Brit. Lep. V t. 190, f. 1.
1859. **Jodea** (Gn. Ann. S. Fr. 1838 p. 220 nom. cat.) HS. 457; Gn. II, 66, t. 8, f. 10.
1860. **Grumi** Alph. Hor. XXVI (1892) p. 449; Mém. Rom. IX p. 29, t. 1, f. 8.

Amur oc.
Eur. m.; Hung; Rum;
Teriol. m.; Carn;
Maur; Mad; Can;
Aegypt; Syr; Bith; Arm.
Amur; Uss; Cor; Jap.

Austro-Hung; Balc.
s; Germ. m. et c. oc.
(rar.); Gal. c. et m;
Bilb; It. c; Crim; Arm;
As. min, Pal. s.
Taur. or. m. (Akbes).

Rhodus; Taur. m. or; Pont.
Sic; Hisp. (sec.
Grasl.).
Uss. m; Cor.

Eur. c; Scand. m;
Ross. s. o. o; Gal. m. o. c;
Bilb; It; Balc. s; Bith;
Uss; Cor; Jap; ? Tura.
Uss; Germ. c; ? etc.

Jap; Cor. (trans.).
Ind.

Uss. m; Cor; Amdo;
Jap; China c. et oc.
Uss. m.

Creta; Syr; Aegypt;
Canar; Mad; Afr; As;
m; Ins. Malay; Am. c.

Eur. m. (exc. Balc. et
Ross. m.); Angl. et
Teriol. m; Dalm.

Gal. m. et c. oc; Cast.
Kuku N; Amdo.

278. **Euplexia** Stph. 1829.

1861. **Lucipara** L. S. N. ed. X, 518; Esp. 174, 1-4; Hb. 55; Tr. V, 1. 377; Dup. VI, 94, 5; Frr. 82; Gn. II, 68; Barr. Brit. Lep. V t. 190, f. 2. *Eur. c. et s. (exc. reg. bor.); Bilb.; ? Maur; It. s.; Ross. m.; Arm; Pont. mont; Sib; Amur; Uss; Jap; Am. s.*
1862. **Bella** Butl. Tr. E. S. 1881 p. 183; Graeseri Stgr. Mém. Rom. VI p. 462, t. 7, f. 7. *Uss. m.; Jap.*
1863. **Illustrata** Graes. Berl. e. Z. 1888 p. 339; Stgr. Mém. Rom. VI p. 461. *Uss. m. et s.*
1864. **Gemmifera** Wlk. Cat. XII p. 934; Hmps. Ind. Moths. II p. 217; Decorata Moore Lep. Atk. p. 107; Stgr. Mém. Rom. VI p. 402; Laetevirens Obth. Et. X p. 17, t. 2, f. 6 [Diphтера] (huj. generis?). *Uss. m.; Jap; Ind. s.*

279. **Phlogophora** Tr. 1829 (Habryntis Led.).

1865. **Seita** Hb. Btr. II, 2, 1 A p. 35; Hb. 68, 475; Tr. V, 1, 371; Dup. VI, 94, 1; Frr. 105; Gn. II, 63. *Germ. c. et m. oc; Boh; Carn; Helv; Gal. c. et m. or; Ped; Hung; Rum; Hal; Arm; Lyd.*
1866. **Dubiosa** Baker Tr. Ent. S. 1891 p. 209 (certe non Nyssocnemis, potius hic ponenda). *Mad.*

280. **Brotolomia** Ld. 1867.

1867. **Meticulosa** L. S. N. ed. X, 513; Esp. 112, 5-7; Hb. 67; Tr. V, 1. 373; Dup. VI, 94, 2; Gn. II, 65; Barr. Brit. Lep. V t. 190, f. 3; Tutt. Brit. Noct. III p. 63. *Eur. m. etc; Hethland, Scand. m.; Maur; Bith; Pont; Arm; Syr.*
1868. **Iris** Gn. II, 64; Smith Cat. Noct. 171; Beatrix Butl. Ann. & Mag. (5) I 1878 p. 193; Ill. Het. III p. 16, t. 44, f. 12; Stgr. Mém. Rom. VI p. 463; Pallens Obth. Diagn. p. 14; Et. V p. 78, t. 3, f. 3. *Am. s.; Jap; Uss.*
1869. **Periculosa** Gn. Noct. II p. 65; Baker Tr. Ent. S. 1891 p. 208; Smith Noct. Cat. p. 171. *Am. s.; Mad.*
- 1869 bis. **Wollastoni** Baker Tr. Ent. S. 1891 p. 208 (bona sp.). *Mad.*

281. **Mania** Tr. 1825.

1870. **Maura** L. S. N. ed. X, 512; Esp. 107, 1; Hb. 326; Tr. V. 1. 295; Frr. B. 53; God. V, 54, 1. 2; Gn. II, 418; Tutt. Brit. Noct. IV p. 40; Barr. Brit. Lep. V t. 216, f. 2-2c. *Eur. m. etc. (exc. Dan. et Ural?); Arm; Pont; Pal. s; Tura.*

282. **Naenia** Stph. 1829.

1871. **Typica** L. S. N. ed. X, 518; Esp. 173, 1-4; Tr. V, 1, 298; Dup. VI, 90, 1; Gn. II, 417; Tutt. Brit. Noct. IV p. 40; Barr. Brit. Lep. V t. 217, f. 1-1d; Venosa Hb. 61, 566 ab. *Eur. c. et s. (exc. reg. bor.); It. s.; And; Ross. m.; Arm; Bith; Alt; Sib. or.*
1872. **Contaminata** Walk. Cat. Het. Suppl. III p. 710 (1865). *Amur; Uss; Cor; Jap; China.*

283. **Nyssocnemis** Ld. 1857.

1873. **Obesa** Ev. Bull. M. 1846, III, 86, t. 2, f. 2; HS. 629; Eversmanni Ld. z. b. V. 1853 t. 4, f. 1; Ev. Bull. M. 1856, III, 8; Lederer HS. Text. *Alt; Sib. or; Amur; Uss.*

284. **Jaspidea** B. 1840.

1874. **Celsia** L. F. S. 303; Esp. III, 69, 2, 3; Hb. Btr. II, 1, 1B; Germ. or; Alp; Hung;
Hb. 72, 73; Tr. V, 3, 147; Dup. VII, 103, 6; Gn. II, 60. Scand. m; Liv; Ross.
c. et m; Alt; Tarb; Sib. or; Amur; Uss; Iss. K; Amdo.
1875. **Jankowskii** Alph. Mém. Rom. IX (1897) p. 160, t. 11, f. 6. Uss. m.

285. **Helotropha** Ld. 1857.

1876. **Leucostigma** Hb. 375; Tr. V, 2, 331; Gn. I, 210; Tutt Eur. c. (pal.); Heth-
Brit. Noct. I p. 67; **Fibrosa** Barr. Brit. Lep. V t. 191,
f. 1-1 b (alis ant. unicolor. nigricant., flavo- vel albo- land; Suec. m; Liv;
maculatus). Ural; Alt; Sib. or;
Iss. K; Uss; Cor; Jap; Am. s.
- a) ab. (et var.) *Fibrosa* Hb. 385; Dup. VII, 109, f. 4; Barr. l. c. f. 1c; *Reniformis* Grote Can. Ent. 1874 p. 14;
Smith Cat. Noct. 173 (al. ant. dilutioribus, exterius fascia griseo-flava).

286. **Hydroecia** Gn. 1841.

1877. **Nictitans** Bkh. IV, 463; Tr. V, 2, 82; Gn. I, 126; ? L. S. N. Eur. c. et s. (exc. reg. pol.); It. s; Ural; Arm;
ed. XII, 847; Tutt Ent. XXI p. 307, t. 1, f. 7-12; Brit. Sib. or; Kamt; Amur;
Noct. I p. 58; Barr. Brit. Lep. V t. 192; **Paludis** Tutt Uss; Cor; Jap; Am.
Ent. XXI t. 1, f. 1-6; Brit. Noct. I, 63; Acton Ent. Rec. s. (v.).
VII p. 79; **Chrysographa** Hb. 221; **Auricula** Don.
Br. I, 397; Hw. Lep. Br. p. 240; v. *Americana* Spr.
Stett. e. Z. 1875 p. 152 (spec. valde variabilis).
- a) ab. *Erythrostigma* Hw. Lep. Br. p. 240; Gn. l. c.; *Nictitans* Dup. VII, 104, 2; *Fucosa* Frr. B. 141, 2; Tr. X, 2. 61 (al. ant. macula reniformi rufa).
- b) ab. (v.?) *Lucens* Frr. 468, 3, 4, V, p. 143 (1845); HS. t. 57, Germ. s; Alt; Uss;
f. 85-8 (285-8) (1847); Gn. I, 126; Tutt Brit. Noct. I Korla; Sib. or; Amdo
p. 61 (major, mac. reniform. alba aut rufa). etc.
- c) v. *Pallescens* Stgr. Iris XII p. 342 (multo dilutior, al. ant. Thian; Ferg. s.
sordide flavo-griseis). (trans.).
1878. **Ochreola** Stgr. Stett. e. Z. 1882 p. 42; Alph. Mém. Rom. Saisan; Ala Tau;
V p. 164, t. 7, f. 6; *Renalis* Alph. Stett. e. Z. 1887 ? Ferg.
1879. **Micacea** Esp. 145, 6 (1789); Xr. V, 2, 333; Dup. VII, 115; Eur. c. et s. (exc. reg. bor.); Gal. m; It. s;
6!; Frr. 117; Gn. I, 128; Tutt Brit. Noct. I p. 64; Barr. Ross. m; Sib; Amur;
Brit. Lep. V t. 193. f. 1; *Cypriaca* Hb. 224. Uss; Ala Tau; Ili.
1880. **Petasitis** Dbd. (H.) Zool. 1915 (1847); Gn. I, 128; Tutt Angl; Scot; Germ. m.
Brit. Noct. I p. 66; Barr. Brit. Lep. V. t. 191, f. 2; (or.); Austr; Styri;
Vindelicia Frr. 531, 3 (Maj 1849) 562; HS. 521-3; Helv; Transsylb;
Gn. I, 127 (prae. forma Darw.?). Rum.; Alt.
- a) v. *Amurensis* Stgr. Mém. Rom. VI. p. 465 (al. ant. ut in Amur; Uss; Jap.
Micacea signatis).
1881. **Xanthenes** Germ. Fn. I, E. 22; HS. 119; Gn. I, 121; Mill. Sic; And.
- Ic. 69, 10-11, II, p. 172; Rbr. Cat. 3. And. t 12, f. 3.
1882. **Moesiaca** HS. 50, II p. 218; Mém. Rom. II p. 53. Ture. m; Arm.
1883. **Leucographa** Bkh. IV, 470 (1792); Brahm. Scrib. Btr. Germ. oc; Sax. Gal.
p. 252, t. 18, f. 1 (1793); Borellii Pier. Ann. S. Fr. 1837, c; Hung. or; Hal;
p. 749. t. 16, f. 5, 1839 p. XLIII; Gn. I, 121; *Lunata* Frr. ? Cors. (sec. Mab.).
263, 1 (Jul. 1838), 327. 3; Dup. III, 41, 1; HS. 114, 117-8;
Gn. I, 121; *Illunata* Gn. III, 405; Ld. Noct. 225.

1884. **Cervago** Ev. Bull. M. 1844, III, 594, t. 15, f. 1a-c, 1855, IV, 376, F. V. U. 612.
1885. **Osseola** Stgr. Stett. e. Z. 1882 p. 43; Alph. Mém. Rom. IX. p. 31, t. 3, f. 4; Burkhan Alph. Hor. XXVI. p. 450.
1886. **Songariae** Alph. Hor. XVII. (1883) p. 80 t. 2. f. 48.
- Uralm; Arm. et Tura
(v.?).*
1887. **Ochracea** Hb. Btr. I, 1, 2, M. (1786); Tutt Brit. Noct. I p. 57; Flavago Esp. 112, 2-4 (1788); Hb. Btr. II p. 106; Hb. 186-7; Tr. V, 2, 335; Dup. VII, 116, 2; Frr. 484; Gn. I, 122; Barr. Brit. Lep. V. t. 193, f. 2. Gooss. Ann. S. Fr. 1880 p. 155 [ab. Cinarea].
1888. **Fortis** Butl. Ann. & Mag. (5) I, 1878 p. 83; Ill. Het. III p. 23, t. 28, f. 9; Stgr. Mém. Rom. VI p. 466.
1889. **Basalipunctata** Graes. Berl. e. Z. 1888 p. 341; Stgr. Mém. Rom. VI. p. 466; ?Hmps. Ind. Moths. II p. 171; Snell. Tijds. 1898 p. 110 (praec. forma minor, al. ant. ochraceis?).
- Eur. c; Suec. m; Liv;
It.s. et.c.;?Cors; Ross.
s. et. m; Arm; Pont;
Alt.*
1890. **Amoena** Stgr. Stett. e. Z. 1888 p. 254; Mém. Rom. VI p. 467, t. 8, f. 7.
- Uss; m; Jap.*
1891. **Nexa** Hb. 395; Tr. V, 2, 195, X, 2, 97; Frr. 136, 3. 4.; HS. 342-3; Gn. I, 107.
1892. **Cannae** O. IV. 82 (1816); Tr. V, 2, 325; Dup. VII, 106, 3. III, 33, 2 a. b; HS. 354-5; Gn. I, 107; Tutt Brit. Noct. I p. 52; Barr. Brit. Lep. V. t. 194, f. 1. Algae Esp. 140, 1. 2; Arundinis HB. 386-7.
1893. **Sparganii** Esp. 148, 2. 3 (1790); Hb. 549-50; Tr. V, 2, 323, X, 2, 98; Frr. 88; Dup. III, 106, 6. 7; HS. 352-3; Gn. I, 108; Tutt Brit. Noct. I p. 53; Barr. Brit. Lep. V. t. 194, f. 2.
- a) v. **Strigosa** Stgr. Mém. Rom. VI p. 468 (al. ant. luteis, striga med. distinete nigrescente).
1894. **Typhae** Thnbg. Ins. Suec. I p. 3 (1784) (sec. sp. typ.); Esp. 140, 3. 4 (1789); Hb. 415; Tr. V, 2, 327; Frr. 89; HS. 349; Gn. I 108; Lampa Tidskr. 1885 p. 66; Auriv. Nord. Fjär. p. 149; Arundinis F. Mant. 141 (1787); Tutt. Brit. Noct. I p. 54; Barr. Brit. Lep. V t. 195, f. 1; Fraterna HS. 351.
- a) ab **Fraterna** Tr. X, 2, 99; Typhae var. Esp. 140, 5; Dup. VII, 106, 8 ♂; HS. 350 ♀; Barr. l. c. f. 1b, 1c; **Nervosa** Esp. 148, 1 [transitus]; Gn. I, 109 (alis ant. fere unicoloribus nigricantibus).
1895. **Geminipuncta** Hatchett Trns. E. S. Lond. 1812 p. 327, t. 9, f. 2; Ld. Noct. 36, 121; Tutt Brit. Noct. I, 50; Barr. Brit. Lep. V t. 195, f. 2; **Paludicola** Hb. 637; Tr. V, 2, 321; Dup. III, 33, 1a-c; Gn. Ann. S. Fr. 1833, 447, t. 17, f. A; Gn. I. 106; **Guttans** Hb. 628-9; Tr. 1. c.; Gn. I, 107.
- a) ab **Nigricans** Stgr. Cat. ed. I, p. 46; **Paludicola** Hb. 624 (al. ant. totis nigricant., macula reniforme subnulla).
- Tarb; Amdo.*
- Ili.*

287. **Gortyna** Hb. 1822.

1887. **Ochracea** Hb. Btr. I, 1, 2, M. (1786); Tutt Brit. Noct. I p. 57; Flavago Esp. 112, 2-4 (1788); Hb. Btr. II p. 106; Hb. 186-7; Tr. V, 2, 335; Dup. VII, 116, 2; Frr. 484; Gn. I, 122; Barr. Brit. Lep. V. t. 193, f. 2. Gooss. Ann. S. Fr. 1880 p. 155 [ab. Cinarea].
1888. **Fortis** Butl. Ann. & Mag. (5) I, 1878 p. 83; Ill. Het. III p. 23, t. 28, f. 9; Stgr. Mém. Rom. VI p. 466.
1889. **Basalipunctata** Graes. Berl. e. Z. 1888 p. 341; Stgr. Mém. Rom. VI. p. 466; ?Hmps. Ind. Moths. II p. 171; Snell. Tijds. 1898 p. 110 (praec. forma minor, al. ant. ochraceis?).
- Eur. c; Suec. m; Liv;
It.s. et.c.;?Cors; Ross.
s. et. m; Arm; Pont;
Alt.*
1890. **Amoena** Stgr. Stett. e. Z. 1888 p. 254; Mém. Rom. VI p. 467, t. 8, f. 7.
- Uss; m.*

288. **Virgo** Stgr. 1892.

1891. **Nexa** Hb. 395; Tr. V, 2, 195, X, 2, 97; Frr. 136, 3. 4.; HS. 342-3; Gn. I, 107.
1892. **Cannae** O. IV. 82 (1816); Tr. V, 2, 325; Dup. VII, 106, 3. III, 33, 2 a. b; HS. 354-5; Gn. I, 107; Tutt Brit. Noct. I p. 52; Barr. Brit. Lep. V. t. 194, f. 1. Algae Esp. 140, 1. 2; Arundinis HB. 386-7.
1893. **Sparganii** Esp. 148, 2. 3 (1790); Hb. 549-50; Tr. V, 2, 323, X, 2, 98; Frr. 88; Dup. III, 106, 6. 7; HS. 352-3; Gn. I, 108; Tutt Brit. Noct. I p. 53; Barr. Brit. Lep. V. t. 194, f. 2.
- a) v. **Strigosa** Stgr. Mém. Rom. VI p. 468 (al. ant. luteis, striga med. distinete nigrescente).
1894. **Typhae** Thnbg. Ins. Suec. I p. 3 (1784) (sec. sp. typ.); Esp. 140, 3. 4 (1789); Hb. 415; Tr. V, 2, 327; Frr. 89; HS. 349; Gn. I 108; Lampa Tidskr. 1885 p. 66; Auriv. Nord. Fjär. p. 149; Arundinis F. Mant. 141 (1787); Tutt. Brit. Noct. I p. 54; Barr. Brit. Lep. V t. 195, f. 1; Fraterna HS. 351.
- a) ab **Fraterna** Tr. X, 2, 99; Typhae var. Esp. 140, 5; Dup. VII, 106, 8 ♂; HS. 350 ♀; Barr. l. c. f. 1b, 1c; **Nervosa** Esp. 148, 1 [transitus]; Gn. I, 109 (alis ant. fere unicoloribus nigricantibus).
1895. **Geminipuncta** Hatchett Trns. E. S. Lond. 1812 p. 327, t. 9, f. 2; Ld. Noct. 36, 121; Tutt Brit. Noct. I, 50; Barr. Brit. Lep. V t. 195, f. 2; **Paludicola** Hb. 637; Tr. V, 2, 321; Dup. III, 33, 1a-c; Gn. Ann. S. Fr. 1833, 447, t. 17, f. A; Gn. I. 106; **Guttans** Hb. 628-9; Tr. 1. c.; Gn. I, 107.
- a) ab **Nigricans** Stgr. Cat. ed. I, p. 46; **Paludicola** Hb. 624 (al. ant. totis nigricant., macula reniforme subnulla).
- Eur. c; Suec. m; Liv;
It.s; Suec. m; Ross.
s. et. m. or.*
1890. **Amoena** Stgr. Stett. e. Z. 1888 p. 254; Mém. Rom. VI p. 467, t. 8, f. 7.
- Uss; m.*

289. **Nonagria** (Hb. 1818) O.

1891. **Nexa** Hb. 395; Tr. V, 2, 195, X, 2, 97; Frr. 136, 3. 4.; HS. 342-3; Gn. I, 107.
1892. **Cannae** O. IV. 82 (1816); Tr. V, 2, 325; Dup. VII, 106, 3. III, 33, 2 a. b; HS. 354-5; Gn. I, 107; Tutt Brit. Noct. I p. 52; Barr. Brit. Lep. V. t. 194, f. 1. Algae Esp. 140, 1. 2; Arundinis HB. 386-7.
1893. **Sparganii** Esp. 148, 2. 3 (1790); Hb. 549-50; Tr. V, 2, 323, X, 2, 98; Frr. 88; Dup. III, 106, 6. 7; HS. 352-3; Gn. I, 108; Tutt Brit. Noct. I p. 53; Barr. Brit. Lep. V. t. 194, f. 2.
- a) v. **Strigosa** Stgr. Mém. Rom. VI p. 468 (al. ant. luteis, striga med. distinete nigrescente).
1894. **Typhae** Thnbg. Ins. Suec. I p. 3 (1784) (sec. sp. typ.); Esp. 140, 3. 4 (1789); Hb. 415; Tr. V, 2, 327; Frr. 89; HS. 349; Gn. I 108; Lampa Tidskr. 1885 p. 66; Auriv. Nord. Fjär. p. 149; Arundinis F. Mant. 141 (1787); Tutt. Brit. Noct. I p. 54; Barr. Brit. Lep. V t. 195, f. 1; Fraterna HS. 351.
- a) ab **Fraterna** Tr. X, 2, 99; Typhae var. Esp. 140, 5; Dup. VII, 106, 8 ♂; HS. 350 ♀; Barr. l. c. f. 1b, 1c; **Nervosa** Esp. 148, 1 [transitus]; Gn. I, 109 (alis ant. fere unicoloribus nigricantibus).
1895. **Geminipuncta** Hatchett Trns. E. S. Lond. 1812 p. 327, t. 9, f. 2; Ld. Noct. 36, 121; Tutt Brit. Noct. I, 50; Barr. Brit. Lep. V t. 195, f. 2; **Paludicola** Hb. 637; Tr. V, 2, 321; Dup. III, 33, 1a-c; Gn. Ann. S. Fr. 1833, 447, t. 17, f. A; Gn. I. 106; **Guttans** Hb. 628-9; Tr. 1. c.; Gn. I, 107.
- a) ab **Nigricans** Stgr. Cat. ed. I, p. 46; **Paludicola** Hb. 624 (al. ant. totis nigricant., macula reniforme subnulla).
- Eur. c. (exc. Belg.);
It. s; Suec. m; Liv;
Ross. m. or.*

*Eur. c; Suec. m; It.s;
Ross. m. (or.).*

Amur; Uss; Jap.

*Eur. c. (pal.); Suec.
m; Ross. s. oc. et. m;
It. s; Cat; ?Pal; Ili;
Iss. K.*

*Eur. c; Suec. m; Liv;
It. s; Ross. m; And.
(Murcia).*

1896. **Neurica** Hb. 381; Schmidt Stett. e. Z. 1858, 367; ?Tr. V, 2. 319 pro parte; Tutt Brit. Noct. I p. 49; Barr. Brit. Lep. V t. 196, f. 1; (sp. gracilior, subtus immaculata).
1897. **Dissoluta** Tr. V, 2. 319 (1825); Gn. I, 106; Stgr. Stett. e. Z. 1869, 88; Neurica Hb. 659-61 (non 381); Hessii B. Gen. p. 134 (1840), (al. ant. obscuris; ab).
- a) v. *Arundineta* Schmidt Stett. e. Z. 1858. 369; Knaggs Ann. f. 1865 p. 99; Neurica Dup. VII, 106, 2; HS. 347-8; Gn. I, 106; Tr. V, 2. 319 [pro parte] (alis ant. palidis, stramineo-griseis).
1898. **Phragmiticola** Stgr. Mém. Rom. VI. p. 469, t. 9, f. 2.
1899. **Brevilinea** Fenn Monthl. Mag. I, 107 (1864); Knaggs Ann. 1865, Ann. 1865 p. 105, f. 3; Fletcher Monthl. Mag. XXII. p. 272; Barr. Brit. Lep. V, t. 200, f. 1, 1a, 1c; Meyr. p. 120.
- a) ab. *Sinelinea* Farn Entom. XI p. 103; Tutt ib. XXI p. 155; Barr. l. c. f. 1 b. (sine striga basali, vix nominanda).
1900. **Impudica** Stgr. Mém. Rom. VI. p. 470, t. 9, f. 3.
1901. **Graminea** Graes. Berl. e. Z. 1888 p. 343.

*Germ. s. et c. oc; Angl;
Suec. m.; ? Austr;
Transsvly.*

Germ. m. oc. (olim);

*Germ.s. et m. oc; Helv;
Bat; Angl; Dan;
Ross. m. or; Hyrc;
Tura.*

Uss. m.

Angl.

Uss.

Uss. s.

290. **Coenobia** Stph. 1834 (?).

1902. **Rufa** Hw. Lep. Br. p. 260 (1810); Ld. Noct. 36. 122; Tutt Brit. Noct. I p. 48; Barr. Brit. Lep. V t. 196, f. 2; Despecta Tr. V, 2. 311 (1825); HG. 751-2; Dup. III, 32, 5; HS. 365; Gn. I, 102.
1903. **Stigmatica** Ev. Bull. U. 1855, III, 191; Stgr. Mém. Rom. VI. p. 477; Iris IX, 264; Lagunica Graes. Berl. e. Z. 1888 p. 344.

*Germ. s; Dan; Angl;
Gal.s.oc; Sax; Austr.*

*Ural m; Sib. or;
Amur oc; Kent;
Ulrias.*

291. **Coenagria** Stgr. 1892.

1904. **Nana** Stgr. Mem. Rom. VI (1892) p. 473.

Amur; Uss.

292. **Doerriesa** Stgr. 1899.

1905. **Striata** Stgr. Iris XII p. 372, t. 6, f. 15.

Uss.

293. **Senta** Stph. 1829.

1906. **Maritima** Tausch. Mém. Mosc. 1806, I p. 178, t. 13, f. 5; Ld. Noct. 36, 122; Ulvae Hb. 635-6 (1816?), 666-8; Tr. V, 2. 310; HS. 397; Gn. I, 98; Schmidt Stett. e. Z. 1858 p. 353; Barr. Brit. Lep. V t. 196, f. 3.
- a) ab. *Bipunctata* Hw. Tr. E. S. Lond. 1812 p. 337; Gn. I, 99; HS. n. Schm. 71, 72; Barr. l. c. f. 3 b; *Nigromaculata* Schmidt Stett. e. Z. 1858 p. 361 (al. ant. macul. duabus nigris).
- b) ab. *Wismariensis* Schmidt l. c.; HS. n. Schm. 73; var. A. Gn. I, 99; Barr. l. c. f. 3 c (al. ant. stria lata media nigra).
- c) ab. *Nigrocostata* Stgr. Cat. ed. II p. 107 (al. ant. costa lata nigra).
- d) ab. *Nigristriata* Stgr. l. c. (al. ant. strigis multis nigro-alboque variis).

*Germ. s. et oc; Bat;
Angl; Dan; Ross. s.
oc,c.etm.or; Austro-
Hung.*

Pomerania.

1907. **Distracta** Ev. Bull. M. 1848, III, 217, IV, 230, 1856, II, t. 1, f. 1; Gn. I, 239; Stgr. Iris IX p. 265.
1908. **Nigrosignata** Graes. Berl. e. Z. 1888 p. 344.
- Ural; Sib. or. m. et s;
Daur; Amur.*
1909. **Flammea** Curt. B. E.V, 201; Gn. I, 97, t. 3, f. 12; Barr. Brit. Lep. V t. 200, f. 2; Dubiosa Tr. X, 2. 86; HS. 356; Schmidt Stett. e. Z. 1858, 350.
- a) v. **Stenoptera** Stgr. Mém. Rom. VI p. 474 (minor., al. ant. angustioribus, vitta media distinctiore).
- Germ. s; Austro-Hung; Gal; Dan; Bat; Angl.*
- Uss. m.*

294. **Meliana** Curt. 1836.

1910. **Succinea** Esp. IV, 2 p. 37, t. 190, f. 3 (fig. mala); Wernb. Btr. II, 52; Maculata Ev. Bull. M. 1842, III, 549, t. 5, f. 4., F. V. U. 267; Frr. 449, 4; HS. 219-20; Gn. I, 67.
1911. **Striata** Stgr. Iris X (1897) p. 265, t. 4, f. 4.
1912. **Formosa** Graes. Berl. e. Z. 1888 p. 345 (non huj. generis, sed cuius?).
- Uralm; Arm.m; Tura;
Ili; Iss. K.*
- Maur. (Chellala).*
- Amur s. or.*

296. **Tapinostola** Ld. 1857.

1913. **Musculosa** Hb. 363; Tr. V, 2. 286; Dup. VII, 120, 6!; HS. 392; Gn. I, 67; Barr. Brit. Lep. V t. 197, f. 1; Flava Frr. 370, 2: Frumentalis Lindemann Bull. M. 1883, I p. 145; Ent. Nachr. 1884 p. 173; Mokrzecky Simferopol. (Ross.) 1896.
- a) v. et ab. **Laeta** Alph. Mém. Rom. V p. 165 (minor, dilutior, flavescent; vix nominanda).
- Eur. m. (exc. Balc.?)
Angl. m; Dan. (1);
Germ.c.etm; Austro-Hung; Maur; Can;
As. min; Syr; Arm; Hyrc.
As. c. (Baldjuan) etc.
(ab.).*
1914. **Myodea** Rbr. Cat. S. And. t. 6, f. 3.
1915. **Elymi** Tr. V, 2. 294; Dup. III, 31, 1; HS. 346; Gn. I, 105; Barr. Brit. Lep. V t. 198, f. 3.
- a) v. (et ab.) **Saturatior** Stgr. Stett. e. Z. 1889 p. 47, Mém. Rom. VI p. 473; Alph. ib. IX, 32; Elymi Obth. Et. V p. 71, t. 9, f. 2 (al. ant. obscurioribus, vel obscure striatis).
1916. **Procerata** Stgr. Stett. e. Z. 1889 p. 47; Iris IX p. 265; XII p. 343.
1917. **Improba** Stgr. Iris XII p. 343.
1918. **Gracilis** Rbl. Ann. Naturh. Hofm. XIII (1898) p. 365.
1919. **Taurica** Stgr. Iris XII p. 374.
1920. **Bondii** Knaggs Trns. E. S. Lond. 1861, 133; Stt. Ann. 1861, 84; Mill. Ic. 87, I; Newm. Brit. Moths p. 276; Barr. Brit. Lep. V p. 110, t. 198, f. 2; Morrisii Tutt (non Dale-Morris) Ent. Rec. IV p. 72, t. C, f. 1; Entom. XXX (1897) p. 284; Meyr. p. 121.
1921. **Extrema** Hb. 412 (ab.); HS. 337; Stgr. Stett. e. Z. 1869, 85; Gn. I, 103 pro parte; Concolor Gn. I, 103 (certo); Tutt Ent. Rec. IV p. 72, t. C, f. 3; Brit. Noct. IV p. 96; Meyr. p. 121; Barr. Brit. Lep. V p. 105, t. 197, f. 3.
- Ili; Iss. K; Ulia;
Thian. or.*
- Thian. or.*
- Ten.*
- Taur. m. or. (Akbes).
Angl.m; Graec. c; Ins.
Rugia; ? Il. c. (Aquila,
sec. Caflisch).*
1922. **Hellmanni** Ev. Bull. M. 1843, III, 548; Frr. 429, 3 (Apr. 1844); HS. 338; Gn. I, 104; Tutt Brit. Noct. I p. 43; Barr. Brit. Lep. V t. 198, f. 1 (forma pallida, griseo-vellufo-straminea).
- Germ.c.etm.oc.(olim);
Angl; Austro-Hung;
Ural. m; Ili.*
- Germ. s; Bat; Angl;
Suec.m; Ross. s. oc;
Boh; Vindob; Ural;
Alt; Iss. K; Amdo.*

- a) ab. *Saturata* Stgr. Cat. ed. II p. 107; Hellmanni HS. 42; Extrema HS. 336 (obscurior, al. ant. saepius totis rufis).

1923. **Fulva** Hb. 496; Tr. X, 2. 95; Dup. VII, 106, 4; Gn. I, 102; Tutt Brit. Noct. I p. 44; Barr. Brit. Lep. V t. 197, f. 2; Fluxa ♀ HS. 335 (forma al. ant. totis fulvis).

- a) ab. *Fluxa* Tr. V, 2. 313; ?Hb. 413!; Fulva Frr. 501, 1; Extrema HS. 332-3; ?Hellmanni HS. 339 ♀ (pallidior, rufo-vel griseo-straminea).

- b) ab. *Concolor* Tutt (non Gn.) Monthl. Mag. XXV p. 52; Ent. Rec. IV t. C, f. 2, p. 72 (sordide albicans).

- c) v. (ab.) *Transversa* Stgr. al. ant. obscure rufo-griseis, vel rufescentibus, lineis duabus transversis distinctissimis nigricantibus (sec. 4 ♂ condita).

Germ. s.; Angl.; Suec. c. et m.; Fen; Liv; Helv.; Sic. (v. ?); Hung.; Amur (pr. p.).

Eur. c.; Gal. m.; Bill.; Liv.; Alt.; Ili; Amur (pr. p.).

Angl.; Germ. s.

Estonia.

297. **Epipsammia** Stgr. 1879.

1924. **Deserticola** Stgr. Stett. e. Z. 1879 p. 320.

Ross. m. or. (*Nariün*).

298. **Sesamia** Gn. 1852.

1925. **Nonagrioides** Lef. Ann. S. Lin. Paris 1827 p. 98, t. 5; Gn. I, 96; Rbl. Ann. Nat. Hofm. IX p. 57; Hesperica Rbr. Fn. And. t. 18, f. 1-3 (1839); Dup. III, 41, 2 a, b; HS. 344-5, II p. 237; Sacchari Woll. Ann. & Mag. (3) I 1858 p. 117; Bak. Tr. Ent. S. 1891 p. 209, t. 12, f. 4.

Ib; Gal. m. or; It. c.; Maur; Mad; Can; Aegypt; Afr. oc.

1926. **Cretica** Ld. Noct. 225; Hesperica Frr. 501, 2; Cyraea Mab. Ann. S. Fr. 1866, 559, t. 8, f. 7; 1867, 640, t. 14, f. 1.

Creta; It. c.; Dalm.; Cors; Syr; Tura; Ferg. m. (ab.?).

- a) ab. (et v.?) *Striata* Stgr. Stett. e. Z. 1888 p. 27 (al. ant. vitta [e basi exeunte] venisque exter. fuscis).

Ferg. m.; Tura; Syr. et Taur. m. (*trans.*).

299. **Luceria** Hein. 1859.

1927. **Virens** L. S. N. ed. XII, 847; Knoch Btr. II, t. 1, f. 1; Hb. 368; Esp. 122, 1; Tr. V, 2. 276; Dup. VII, 104, 6; Gn. I, 184.

Eur. c. (exc. Angl.); Suec. m.; Ross. s. oc.; Gal. m. or; Arag; It. s.

- a) v. (et ab.) *Immaculata* Stgr. Cat. ed. II p. 99; Virens Hb. 235; var. A. Gn. I. c. (al. ant. absque maculis albis).

Hung; Ross. m; Arm; Taur. m; Alt; Tarb; Hyrc; Iss. K.

300. **Calamia** Hb. 1818.

1928. **Lutosa** Hb. 232 (ante 1804); Gn. I, 110; Grube Tijds. XVIII p. 118, t. 7, f. a-e; Tutt Brit. Noct. I p. 55; Van Pelt-Lechn. Tijds. XLI p. 93, t. 2, f. 1-3; Barr. Brit. Lep. V t. 199, f. 1; Bathyerga Frr. 170, 1 (Nov. 1835); Dup. III, 32, 1; HS. 107, 312-3; Schmidt Stett. e. Z. 1858 p. 363.

Eur. c. (exc. ? Gal.); Suec. m.; Ross. s. (oc.); Rum; Saisan; Uss; Iss. K.

1929. **Phragmitidis** Hb. 230; Tr. V, 2. 317; Dup. VII, 106, 5; Frr. 515, 1; Gn. I, 94; Ev. Bull. M. 1855, III, 192; Tutt Brit. Noct. I p. 42; Barr. Brit. Lep. V t. 199, f. 2; Morawitzii Mén. En. III, t. 16, f. 8.

Germ. s., c. et m. oc.; Helv. oc.; Angl.; Bat; Dan; Ross. s. oc. et c. or; Tura; Iss. K; Amdo;

1930. **Deserticola** Stgr. Iris XII p. 371, t. 5, f. 10.

Maur. (*Biskra*).

1931. **Modesta** Stgr. Iris XII p. 372 (praec. forma Darw.).

Pal. m.

301. **Leucania** Hb. 1818.

1932. **Impudens** Hb. t. 47, f. 309, subtus 329 (r. 229) ♀ ab. pallida (certo); Tutt Brit. Noct. I p.35; Pudorina Hb. 401 ♂, 495 ♀; Tr. V. 2. 299; Dup. VII, 105, 4!; HS. 329-31; Gn. I, 86; Frr. 585; Barr. Brit. Lep.V.t.201, f. 1.
a) v. *Obscurata* Stgr. Mém. Rom. VI. p. 475 (obseurior, al. ant. magis et distinctius obscure striatis).
1933. **Impura** Hb. 396; Tr. V, 2. 294; HS. 319-20; Gn. I, 92; ?Dup. VII, 105, 3! Tutt Brit. Noct. I p. 39; Barr. Brit. Lep. V t. 201, f. 2. *Bith; Syr. (v.); Daur., Amur et As.* c. (ab. et trans.); Jap..
a) v. (et ab.) *Transbaikalensis* Stgr. Iris V. (1892) p. 367 (al ant. rufo-brunneo-inspersis, vix obscure vittatis).
b) v. (et ab.) *Dungana* Alph. Hor. XVII p. 83 t. 3, f. 56 (1883) (al. ant. brunnescent. vel fuscescentibus, paullum vel haud obscure vittatis; cum trans. ad v. a et c).
c) v. (et ab.) *Amurensis* Stgr. l. c. et Mém. Rom. VI, 475 (al. ant. obseurioribus, distinctius albo-venatis et fusco-vittatis).
1934. **Impuncta** Stgr. Mém. Rom. VI p. 475.
1935. **Pallens** L. S. N. ed. X, 511; Esp. 90, 1; Hb. 234; Dup. VII, 105, 1; Gn. I, 92; Tutt Brit. Noct. I p. 40; Barr. Brit. Lep.V.t.202, f. 1; *Rufostriga* Pack. Labr. p. 36 (?ab.); ab. *Favicolor* Barr. Monthl. Mag. 1896 p. 100; Brit. Lep. V p. 141, t. 201, f. 3.
- a) ab. *Ectyta* Hb. 231; Gn. I, 93, 94; Barr. l. c. f. 1c (al. ant. rufescentibus).
b) v. *Melania* Stgr. Stett. e. Z. 1889 p. 48; Iris IX. 265; *Infumata* Alph. Mém. Rom. V. p. 166. (al. ant. subt. fuscis, al. post supra griseis).
1936. **Obsoleta** Hb. 233; Tr. V. 2. 301; Dup. VII, 105, 5; HS. 203-6; Gn. I, 81; Tutt Brit. Noct. I p.38; Barr. Brit. Lep. V t. 203, f. 1. *Balc. s.; Ross.*
1937. **Languida** Stgr. Iris X. (1897) p. 284, t. 9, f. 15.
1938. **Straminea** Tr. V, 2. 297, X, 2. 89; Frr. 123; Dup. III, 32, 2; HS. 321-3; Gn. I, 91; Tutt Brit. Noct. I 38; Barr. Brit. Lep. V t. 202, f. 2; *Pallens* Frr. 603, 1 c. (a. b.?).
1939. **Hispanica** Bell. Ann. S. Fr. 1863, 421, t. 9, f. 5; Mill. Ic. 93, II.
1940. **Sicula** Tr. X, 2. 90 (1835); HS. 340; Gn. I, 91; Calb. Iris I p. 246;
a) v. *Fuscilinea* Grasl. Ann. S. Fr. 1852, 411, t. 8, I, f. 1; *Albivena* Grasl. Ann. S. Fr. 1852 p. 409 [ab] (al. ant. serie transversa punctorum nigr.).
b) ab *Cyperi* B. Gen. p. 133; Calb. Iris I p. 247 (al. ant. non fusco-striatis).
1941. **Alopecuri** B. Gen. p. 132 (1840); Ev. Bull. M. 1855, III, 190; HS. 369; Gn. I, 87; *Alopecura* Frr. 359, 4 (1841). (praeec. var.?).
1942. **Scirpi** Dup. III, 32, 3 a. b. p. 349 (ante 1840); B. Gen. p. 133; Gn. I, 76; Stgr. Stett. e. Z. 1869, 89; Caricis HS. 324-5 (non Tr.); *Dactylidis* HS. 318 [ab. alis post. niveis] (al. ant. grisescens, al. post. albican. infuseatis).
- Eur. c.; Suec. m; Liv;*
It. s; Dalm; Ross;
m. or; Arm; ?Bith;
Sib. s. or; Amur.
Uss.
- Eur. c; Dan; Suec.*
m; It. s. et c; Ural;
c. (ab. et trans.); Jap..
Daur.
- Ili; Iss. K; Kaschg;*
Kuku N.
- Amur.*
- Uss. m.*
- Eur. c. et s. (exc. reg.*
bor.); Gal. m; Bibl;
It; Rum.m.or; Ross.
m; Arm; Sib; Amur;
Uss; Am. s.
- Ili; Iss. K; Ferg;*
Buch. or; Kuku N;
Ulias.
- Eur.c; Scand.m; Ross.*
s. (oc.); It. s; Cors;
m; Iss. K; Kuku N.
- Pal.*
- Eur.c.s.ets.m; Ural;*
? Cors.
- Cat; And; Maur.*
- Sic; Sard; Maur; It.*
c; Gal. oc. s.
Gal. oc.s; Belg; It. c.
- It. m. et c.*
- Ross. m; ? Sib. or.*
- Eur. m. oc; Germ. oc.*
(Nassau); Teriol. m;
Dalm.(Obrovazzo);
It; Taur. m., Pal. et
Mardin (v.).

- a) v. et ab. *Dactyliidis* B. Gen. p. 133 (1840); Dup. IV, 69, 6!; Rbr. Cat. S. And. t. 8, f. 3 [ab. al. ant. impunctatis] (1858); Gn. I, 76; Stgr. l. c. (al. ant. rufescens, al. post. niveis). *Hisp. (v.); Sard; (trans.); Gal. m. (ab.).*
- b) v. (et ab.) *Montium* B. Gen. p. 133; HS. 317; Frr. 395, 2!; Gn. I, 76; Stgr. l. c. (al. ant. griseis, atomis obsec. adspersis; al. post. infuscatis). *Val. (v.); Teriol. m. (ab.).*
- 1943. Mesotrosta** Püng. Iris XII p. 295, t. 9, f. 9. *Kuku N; Amdo.*
- 1944. Opaca** Stgr. Iris XII p. 374, t. 6, f. 18. *Korla.*
- 1945. Zeae** Dup. VII, 1, p. 363, t. 122, f. 4!; Frr. 406, 1; HS. 311, 315; Gn. I, 77. *Gal. m; And; It. c.; Dalm; Graec; Aegypt; Iss. K; Tura; Ferg.*
- a) v. (et ab.) *Indistincta* Chr. Mém. Rom. III p. 79 t. 4, f. 5 (al. ant. paullo obscurioribus, al. post. venis fuscescentibus).
- 1946. Punctosa** Tr. V, 2. 287; HS. 310; Frr. 406, 4; Gn. I, 80; Mill. Ic. 77, 10 larva; Caricis Frr. 406, 3 (non Tr.). *Gal. m; Hisp; Sic; Maur; Pont; Syr; Tura; ?Val.*
- 1947. Putrescens** Hb. 730-1 (ante 1827); HS. 301, 327-8; Gn. I, 80; Stt. Ann. 1862 t. 1, f. 2; Barr. Brit. Lep. V t. 203, f. 2; Boisduvalii Dup. VII, 105, 6 (1827). *Gal. oc. et m; Angl; Bilb; Cat; Arag; It.c; Sic; Maur; Istr; Tura et Iss. K. (v.?).*
- a) v. *?Canariensis* Rbl. Ann. Naturh. Hofm. IX. (1894) p. 58 (minor, al. post. obscurioribus, subtus puncto medio nigro distincto, an sp. diversa?). *Fuerteventura(Can.).*
- 1948. Putrida** Stgr. Stett. e. Z. 1889 p. 48. *Ili; Iss. K; Ferg.*
- a) v. *Palaestinae* Stgr. Iris X (1897) p. 174, t. 4, f. 11, 12 (major, dilute lutea, al. post. grisescens). *Pal.*
- 1949. Herrichii** HS. 341, II p. 238. *?Bith. (Bosporus); Pont; Taur. m. or.*
- 1950. Velutina** Ev. Bull. M. 1846, III, 87, t. 2, f. 5; HS. 362-3; Gn. I, 85. *Ural; Alt; Thian; Iss. K; Chang; Urga; Amur; Uss.*
- 1951. Comma** L. F. S. 316; Tr. V, 2. 302; Frr. 406, 2; Gn. I, 86; Tutt. Brit. Noct. I p. 37; Barr. Brit. Lep. V t. 203, f. 3; Turbida Hb. t. 47, f. 328 (228); Congener Hb. 618. *Eur.c.s. etm.or. (exc. reg. pol. et Balc.); It. s.(etc. ?); Pont; Arm; Sib; Urga; Amur; Uss; Iss. K; Ferg; Amdo.*
- 1952. Andereggii** B. Gen. p. 132; Frr. 395, 3, 4; HS. 326; Gn. I, 87; Valesicola Gn. III, 393; Ld. Noct. 37, 128; Rupicapra Ld. Wien. Mts. 1860, t. 7, f. 1, p. 284; 1861, 393. *Alp; Pyr; Bosnia (Rbl.).*
- a) ab. (et v.?) *Cinis* Frr. 629, 3; Andereggii HS. 302 (multo obscurior, al. ant. nigrescenti-brunneis, albo-venosis). *Alp; Iss. K. s. oc.*
- b) ab. (et v.?) *Engadinensis* Mill. Rev. & Mag. 1873 p. 3; Ic. III p. 308, 466, t. 139, f. 2; Andereggi var. Steinert Iris II p. 270 (al. ant. dilute luridis [semel vel bis] nigro-striatis). *Alp; Iss. K. s. oc.*
- 1953. Lineata** Ev. Bull. M. 1842, III, 550, F. V. U. 266; HS. 368; Frr. 478, 1; Gn. I, 87. *Ural m.*
- 1954. L. album** L. S. N. ed. XII, 850; Esp. 90, 3, 4; Hb. 227; Tr. V, 2. 306; Gn. I, 89; Hmps. Ind. Moths II p. 270. *Eur. m. et c. (exc. Angl.); Maur; As. oc. et c; Ind.*
- 1955. Riparia** Rbr. Ann. Sc. obs. 1829, 261, t. 6, f. 6; Ann. S. Fr. 1832, 288, t. 9, f. 1; Dup. III, 31, 3 a, b; HS. 308, 316; Gn. I, 91. *Gal.m; Cors; It.c; Pal. m; Uss. m.*
- 1956. Congrua** Hb. 616 (ante 1818); Tr. X, 2. 92; Gn. I, 91; HS. 357-60; Frr. 176; Nolck. Stett. e. Z. 1882 p. 175; Amnicola Rbr. Ann. Sc. obs. 1829, t. 6, f. 5; Ann. S. Fr. 1832, t. 9, f. 2; Dup. III, 31, 2 a, b; Ld. Noct. 226; HS. 334 ♀. *Gal.m; And; It.c. et m; Cors; Sic; ?Hung; Dalm; Arm; Pal.*

1957. **Loreyi** Dup. VII, 1 p. 81, t. 105, f. 7 (1827); Frr. 413, 2!; HS. 309, 314; Gn. I, 84; Hmps. Ind. Moths II, 274; Barr. Brit. Lep. V t. 204, f. 2; Caricis Tr. X, 2. 91 (1835); Stgr. Stett. e. Z. 1869, 88.
1958. **Littoralis** Curt. B. E. 1827, IV, 157; Stph. Ill. III, 74; Gn. I, 85; Frr. 603, 2; Snell. Vlind. I p. 420, II p. 1158; Tutt. Brit. Noct. I p. 43; Barr. Brit. Lep. V t. 204, f. 1.
1959. **Alboradiosa** Ev. Bull. M. 1852, I, 118; 1855, III, 189; Albiradiosa HS. n. Schm. 14.
1960. **Radiata** Brem. Lep. O. S. p. 48, t. 5, f. 8; Obth. Et. V p. 70, t. 3, f. 5; Stgr. Mém. Rom. VI p. 478.
1961. **Vitellina** Hb. 379, 589; Tr. V. 2. 356, X, 2. 88; Dup. VII, 130, 4; Gn. I, 73; Barr. Brit. Lep. V t. 204, f. 3. As. oc. (exc. s. et m.)
1962. **Unipuncta** Hw. Lep. Brit. p. 174 (1803); Tutt. Brit. Noct. I p. 35, IV p. 94; Rbl. Ann. Naturh. Hofm. IX p. 58, XI p. 106; Hmps. Ind. Moths II, 275; Barr. Brit. Lep. V t. 204, f. 3; Extranea Gn. I p. 77; Stt. Ann. 1860 p. 129, t. 1, f. 2.
1963. **Evidens** Hb. 369; Tr. V, 2, 351; Dup. VII, 128, 6!; III, 39, 2; Gn. I, 399. (1); ?Helv.
1964. **Conigera** F. Mant. 177; Hb. Btr. I, 4, 4, Z; Hb. 222; Tr. V, 2. 190; Dup. VII, 104, 3; Gn. I, 72; Tutt. Brit. Noct. I p. 30; Barr. Brit. Lep. V t. 205, f. 1; Angulifera Moore Pr. Z. S. 1881 p. 33; Hmps. Ind. Moths II, 276. (exc. reg. bor.)
1965. **Flavostigma** Brem. Lep. O. S. p. 52, t. 5, f. 11; Graes. Berl. e. Z. 1888 p. 348; Stgr. Mém. Rom. VI. 478; Singularis Butl. Ann. & Mag. (5) I, 80; Ill. Nat. II, t. 28, f. 11.
1966. **Albipuncta** F. Mant. 178; Brahm Scriba Btr. t. 12, f. 8-10; Hb. 223; Tr. V, 2. 187; Gn. I, 75; Tutt. Brit. Noct. I p. 30; Barr. Brit. Lep. V t. 205, f. 2; ab. Italo-Gallica Mill. Cat. Alp. Mar. II, Supp. p. 21 [ab. obscurior].
- a) ab. **Flecki** Carad. Iris IX p. 31 (al. ant. obscure griseo-brunneis, al. post. fuscis).
1967. **Lythargyria** Esp. 124, 6 (1788); Tutt. Brit. Noct. I p. 31; Barr. Brit. Lep. V t. 205, f. 3; Lythargyrea Hb. 225; Tr. V, 2. 183; Dup. VII, 107, 1!; Gn. I, 75; Anargyria B. Gn. p. 132 ♀; Dup. III, 41, 6.
- a) ab. (et v.) **Argyritis** Rbr. Cat. S. And. t. 8, f. 2 (al. ant. pallidioribus, al. post. linea exteriore punctorum).
1968. ?**Vulpecula** Ev. Bull. M. 1852, I, 150, 1855, IV, 391 (Cosmia) (sec. Ersch. hic ponenda).
1969. **Turca** L. F. S. 322; Esp. 122, 5. 6; Hb. 218; Tr. V, 2. 181; Dup. VII, 104, 1; Frr. B. 122; Gn. I, 73; Tutt. Brit. Noct. I p. 33; Stgr. Mém. Rom. VI, 479; Barr. Brit. Lep. V t. 206, f. 1; Limbata Butl. Tr. E. S. 1881, 173.
- a) v. **Turcella** Stgr. Iris X (1897) p. 338 (minor, pallidior).
1970. **Divergens** Butl. Ann. & Mag. (5) I, 1878 p. 79; Ill. Het. II p. 22, t. 28, f. 8; Graes. Berl. e. Z. 1888 p. 348 (praec. forma Darw. an v.?).
1971. **Biundulata** Motsch. Et. Ent. 1860 p. 33; ?Grandis Butl. Ann. & Mag. (5) I, 1878 p. 79; Ill. Het. II, t. 28, f. 7; Graes. Berl. e. Z. 1888 p. 349 (praec. ab. an forma Darw.?).
1972. ?**Inanis** Obth. Et. V (1880) p. 70, t. 3, f. 4; Stgr. Mém. Rom. VI p. 481.
- Eur. m; Engl.; ?Helv.; Maur; Can; Aegypt; Pont; Taur. c. et m. or; Syr; Ind; Jap.*
- Angl; Bat; Belg; Germ. s; Dan; Gal; Bilb; And. (ubique lit.).*
- Ural m; Illy; Iss. K.*
- Uss; Jap.*
- Eur. m. etc. oc; Austro-Hung; Maur; Can; s. et m.); Ferg; Iss. K.*
- Angl; Lusit; Bilb; Gal; Mad; Can; Uss; Jap; Ind; Austral.m; Am. s. et m. m.*
- Austro-Hung; Boh. ?Helv; Ural; Crim; Alt.*
- Eur. c. et s. (exc. reg. bor.); Gal. m. oc; It. s; Dalm; Ross. m; Lyd; Arm; As. s. et c. (exc. reg. bor.); Jap; Ind. s.*
- Amur; Uss.*
- Eur. c. et m. (exc. ?Graec.); Bith; Pont; Arm; Hyrc.*
- Rum. etc.*
- Eur. (cf. var.) (exc. reg. bor. et Graec.); Lyd; Pont; Arm; Syr; Ferg; Iss. K; Kuku N.*
- And; It; Sic; Dalm; Taur. m; Hyrc; Tura etc.*
- Ural (Spask).*
- Eur. c; Suec. m; Liv; It. s; ?Cors; Arm; Urga; Amur; Uss; Cor; Jap; China s.*
- Daur.*
- Uss; Cor; Jap.*
- Uss; Cor; Jap.*
- Uss. m. (Askold).*

- a) v. *Gigas* Stgr.; *Grandis* Stgr. l. c. p. 480 (duplo major, al. ant. rufesc. vel olivaceo-griseis, albo-nervatis).
1973. **Rufipennis** Butl. Ann. & Mag. (5) I 1878 p. 79; Ill. Het. II p. 21, t. 28, f. 6; Stgr. Mém. Rom. VI p. 481; Semi-circula Graes. Berl. e. Z. 1888 p. 349.
1974. **Lacteola** Chr. Iris VI p. 92 (una misera ♀ condital) (certissime non Leucania).
- Uss. m. (exc. Askold).*
- Uss; Jap.*
- Arm. m. (Kasikoporan).*

302. **Monostola** Alph. 1892.

1975. **Asiatica** Alph. Mém. Rom. VI p. 37, t. 2, f. 7 a, b.
1976. **Infans** Alph. Mém. Rom. VI p. 39; **Pectinata** Alph. Hor. XXVI p. 450; Mém. Rom. IX p. 32, t. 2, f. 4.
- China c. oc; Amdo.*
- China c. oc; Kuku N; Amdo.*

303. **Mythimna** (Hb. 1818) O.

1977. **Imbecilla** F. E. S. III, 2. 113; Hb. 555 ♂; Tr. V, 2. 193; Frr. 153; Dup. III, 33, 3 a, b; Gn. I, 69; *Aliena* Hb. 394 ♂; *Alpina* Hb. 728-9 ♀; Frr. B. 36, 2; *Nexa* Dup. VII, 104, 4.
Germ. s. or; Ural; Arm; Sib; Tarb; Ala Tau; Urg. Saraw.
1978. **Imbellis** Stgr. Stett. e. Z. 1888 p. 28.
1979. **Impar** Stgr. Berl. e. Z. 1870 p. 117; Mill. Ic. III, t. 149, f. 6. 7.
- Sil. mont; Austro-Hung; Rum; Balc. s. et Gal. c. mont; Scand. c. et m; Ross. s. (oc.); Srp; Saisan.*

304. **Praestilbia** Stgr. 1891.

1980. **Armeniaca** Stgr. Iris IV (1891) p. 288, t. 3, f. 10; Rbl. z. b. V. 1895 p. 22.
- Pont; Graec; Hung. lit.*

305. **Stilbia** Stph. 1829.

1981. **Anomala** Hw. Trns. E. S. Lond. 1812, 336; Ld. Noct. 37, 131; Tutt. Brit. Noct. IV p. 43; Barr. Brit. Lep. V t. 220, f. 2; *Hybridata* Hb. Geom. 497-8; Gn. II, 434; *Stagnicola* Tr. V, 2, 258 (1825); Dup. VII, 48, 5; Grasl. Ann. S. Fr. 1842, 303, t. 13, f. 1-7; *Anomalata* Curt B. E. XIV, 631.
- a) v. *Philopolis* Grasl. Ann. S. Fr. 1852, 413, t. 8, I, f. 3 (minor, pallidior, distinctius signata).
- b) v. *Andalusiaca* Stgr. Iris VI. 290 (minor, indistincte signata).
- c) v. *Syriaca* Stgr. l. c. (al. latioribus, al. post. obscurioribus).
1982. **Faillae** Püng. Nat. Sic. XI (1891) p. 18; *Anomala* var. *Failla-Ted.* ib. X. 29, t. 1, f. 3; *Sicula* Stgr. Iris IV p. 289 (Febr. 1892).
- Angl. m; Gal. oc. et m. s. (Ardèche); Germ. c. oc;*
- Gal. m. or.*
- And.*
- Syr.*
- Sic.*

306. **Stilbina** Stgr. 1891.

1983. **Hypaenides** Stgr. Iris IV (1891) p. 290, t. 3, f. 12.
- Syr.*

307. **Fergana** Stgr. 1892.

1984. **Oreophila** Stgr. Iris V (1892) p. 166, t. 2, f. 9.
- Ferg. m; Saraw.*

308. **Anomogyna** Stgr. 1871.

1985. **Laetabilis** Zett. Ins. Lap. p. 940; Stgr. Stett. e. Z. 1861 p. 364; Wck. Stett. e. Z. 1864, 180; Auriv. Nord. Fjär. p. 154; Obliterata Zett. l. c. p. 941; Gn. I. 238, t. 5, f. 1; Mill. Ic. 66, 3, 4; Schönherri HS. 598, VI p. 60; Distensa Év. Bull. M. 1851, II, 633, 1855, IV, 331, 1856, II, t. 1, f. 2 (sec. Auriv. Nord. Fjär. p. 154 potius ad gen. *Agrotis* ponenda).

309. **Grammesia** Stph. 1829.

1986. **Trigrammica** Hufn. Berl. M. III, 408 (1767); Esp. 123, 6; Tutt. Brit. Noct. I p. 140; Barr. Brit. Lep. V t. 222, f. 1; Trilinea Hb. 216; Tr. V, 2, 272; Dup. VII, 107, 2; Frr. 226; Gn. I, 235; ab. Fringsii Schultz Soc. Ent. XIII p. 153 (1898) [ab. ant. semel strigatis].

- a) ab *Bilinea* Hb. 217; Stph. Ill. II, 152; HS. 398; Gn. I, 236; ab. Obscurata Tutt. l. c. 142; Barr. l. c. f. 1 b (al. ant. tantum bistrigatis).

1987. **Bifasciata** Stgr. Stett. e. Z. 1888 p. 254; Mém. Rom. VI p. 482, t. 8, f. 8; Pteryi Leech Pr. Z. S. 1889 p. 516, t. 51, f. 11 (*Calymnia*).

310. **Amphidrina** Stgr. 1891.

1988. **Agrotina** Stgr. Iris IV (1891) p. 293, t. 3, f. 11.

- a) v. *Jordana* Stgr. Iris VII p. 278 (al. ant. immaculatis, strigis distinctis nigris).

311. **Caradrina** (Hb. 1822) O.

1989. ***Pecten** Gn. Noct. I (1852) p. 155; Capicola HS. Ex. 131 (post 1852?).

- a) v. *Latebrosa* Ld. z. b. V. 1855 p. 205, t. 2 (syr.), f. 11 (multo obscurior, al. ant. fusco-griseis).

- *b) v. *Ciliiana* Gn. l. c. p. 156; Snell. Tijds. XXX p. 88; ?Hmps. Ind. Moths II, 260 [*Exiguua* var.?] (al. ant. testaceo-cinereis).

1990. **Exiguua** Hb. 362; Fr. V, 2, 254; Dup. VI, 75, 2!; Gn. I, 158; Mill. Ic. 75, 2; Tutt. Brit. Noct. I, 144; Barr. Brit. Lep. V, t. 220, f. 1; ?Hmps. Ind. Moths II, 259; Fulgens HG. 796 [al. magis unicolor]; Junceti Z. Is. 1847, 445; Sebghana Aust. Natural. 1880, 212.

- a) ab. *Pygmaea* Rbr. Ann. S. Fr. 1834, 384, t. 8, f. 2; Dup. III, 29, 5; Gn. I, 158 (minima, al. ant. fere unicol., macula nigro-punctata).

1991. ?**Calberlae** Failla-Ted. Nat. Sic. X (1890) p. 29, t. 1, f. 4; Püng. ib. XI p. 20 (uno ♂ miserrimo condita! praece. ab. al. ant. indistincte signatis?).

1992. **Morosa** Ld. z. b. V. 1853 p. 373, t. 5, f. 3!; ?Alph. Mém. Rom. IX p. 33.

1993. **Pertinax** Stgr. Hor. XIV p. 387; Vicina Rom. Mém. Rom. II p. 55, t. 3, f. 3.

- a) v. *Inumbrata* Stgr. Iris XII, 363 (*Agrotis!*) (al. ant. lutescenti-griseis margine exter. lato nigricante, al. post. extus etiam in ♂ infuscatis).

Scand. s. (pol.) et c. (mont.); Fen. s.; Sib. or; Labr.

Eur. c; Scand. m; Liv; Gal. m. oc; It. s. et c; ?Sic; Dalm; Bale. s; Ross. m. oc; Arm; Pont.

Angl; Germ. m; Austr; Hung; etc.

Uss. m; Jap.

Pont.

Pal.

Ind. m; Java.

Syr; Pal; Aegypt; Taur. m. or.

Java; Ind. m.

Eur. m; Angl. et ins. Borkum (advena); Maur; Mad; Can; Africa; As. min; Syr; Arm; Mardin; Tura; Ferg; Uss. m; Jap; China s.; ?Ind.

Sic.

Alt; Amur; Uss; Ulia. (v.).

Pont; Ferg.

Taur. m. or. (Zeitung).

- b) v. *Melanura* Alph. Mém. Rom. IX p. 34 (al. ant. albicantibus, margine exter. lato nigro).
- c) v. (et ab.) *Expansa* Alph. I. c.; *Morosa* Alph. I. c. (al. ant. supra distinctius signatis, subt. extus [fere] non obscure fasciatis).
1994. **Flava** Obth. Et. I p. 45, t. 4, f. 3 (prae. forma Darw.?).
1995. **Vicina** Stgr. Berl. e. Z. 1870 p. 118; Iris IV, 294; Alph. Mém. Rom. IX, 33 (prae. sp. forma Darw.?).
- a) v. *Fergana* Stgr. Iris IV, 295 (al. ant. distinctius fusco-signatis, sed extus non fusco-fasciatis).
- b) v. *Syriaca* Stgr. Iris IV, 294 (obseuriior, praesertim al. post. totis infuscatis).
- *c) v.? *Belucha* Swinh. Tr. E. S. 1885 p. 348, t. 9, f. 2.
1996. **Fixseni** Chr. Hor. XVII (1883) p. 113 (Pseudophial!); Mém. Rom. II t. 4, f. 6; Alph. Iris VIII p. 171 (huj. generis?).
1997. **Selinooides** Bell. Ann. S. Fr. 1862, 379, t. 9, f. 1.
1998. **Ingrata** Stgr. Iris X (1897) p. 175, 286, t. 4, f. 13.
1999. **Mediterranea** Baker Tr. Ent. S. 1894 p. 42, t. 1, f. 11.
2000. **Quadrripunctata** F. S. E. 594 (1775); Tutt. Brit. Noct. I, 152; Barr. Brit. Lep. V, 221, f. 4; ?Hmps. Ind. Moths II, 260 pr.p.; Cubicularia (S.V.) Bkh. IV, 212; Hb. 417; Tr. V. 2.251; Dup. VI, 76, 1; Gn. I, 251; Segetum Esp. 150, 4, 5; Laciniosa Donz. Ann. S. Fr. 1847, 529, t. 8, f. 4 [ab.].
- a) v. (et ab.) *Leucoptera* Thnbg. Diss. II p. 41; Spångb. Tidskr. 1880 p. 92, t. 1, f. 3; Schöyen ib. 1881 p. 216 (obseuriior, al. ant. fusco-griseis).
2001. **Albina** Ev. Bull. M. 1848, III, 215, 1855, IV, 325; Gn. I, 250; Cubicularia var. HS. 425; Stgr. Iris IX, 265 (al. ant. flavescenti-albidis, prae. forma Darw.).
- a) v. (et ab.) *Congesta* Ld. z. b. V. 1853 p. 372, t. 5, f. 2 (al. ant. dilute cinereis).
2002. **Casearia** Stgr. Iris XII p. 375, t. 5, f. 1.
2003. **Distincta** Stgr. Iris X (1897) p. 286, t. 4, f. 21.
2004. **Jurassica** Riggenbach Mitth. IV (1877) p. 607; Mill. Ann. S. Lin. Lyon. 1878 t. 155 (Ic.), f. 9; Frey Lep. 152 (sequ. var.?).
2005. **Selini** B. Gen. p. 137; Dup. III, 48, 3; HS. 91; Gn. I, 251; Flavirena Gn. I, 250 (? ab. certe).
p.); It. s. et c; Cors; Srp; Germ. s. (Pomerania).
- a) v. *Milleri* Schulz Stett. e. Z. 1862 p. 367, t. 1, f. 6-b-c. (major, dilutior, al. post. ♂ fere tot. albicantibus; cum trans., vix nominanda).
- b) v. et ab. *Noctivaga* Bell. Ann. S. Fr. 1863, 420, t. 9, f. 4; Stgr. Hor. VI (1870), 128; Infusca Const. Ann. S. Fr. 1865, 194, t. 7, f. 10 a, b; Rbr. Cat. S. And. t. 11, f. 5 (al. ant. infuscatis, al. post. ♂ fere albidis).
- c) v. (et ab.) *Minor* Kalchb. Iris X, 176 (minor). Sic; Dalm; Graec; Syr. etc.
- d) v.? *Rebeli* Stgr.; Flavirena Rbl. Ann. Naturh. Hofmus. IX p. 59, XIII p. 366 (multo obseuriior, al. ant. griseo-nigrescentibus, al. post. fere totis infuscatis; an sp. div.?).
2006. **Fuscicornis** Rbr. Ann. S. Fr. 1832, 286, t. 9, f. 5; Dup. III, 29, 4; Gn. I, 249 (prae. var. an ab.?). Gal. m; Cors.

2007. **Menetriesii** Kretschmar Berl. e. Z. 1863 p. 432, t. 2, f. 7; Lampa Tidskr. 1885 p. 69; Auriv. Nord. Fjär. p. 155; Cinerascens Tgstr. Cat. p. 19. *Ross.s.(Fen.); Scand. c. et m.; Alt. m. or.; Ulias; Chang; Amur; Uss.*
2008. **Grisea** Ev. Bull. M. 1848, III, 215, 1855, IV, 324; Keferst. Stett. e. Z. 1872 p. 362; Schöyen Tidskr. 1881 p. 216; Stgr. Mém. Rom. VI, 485; Montana Brem. Lep. O. S. p. 49, t. 4, f. 6; Petraea Tgstr. Cat. p. 66. *Fen; Liv; Suec; Ural; Sib.or; Daur; Amur; Iss. K; ?Helv. oe. (v.).*
2009. **Kadenii** Frr. 186 (exc. larv.), II p. 147 (1836); F. R. t. 36, f. 2 a, b; Dup. III, 29, 2 a, b; HS. 408; Gn. I, 250; Hmps. Ind. Moths II, 260. *Hung; Rum; Ross. m; Carn; It; Dalm; Pont; Taur; Jap; Cor; Himal. s. oc.*
- a) v. (et ab.) *Proxima* Rbr. Fn. And. t. 18, f. 7 [figura nimis obscura] (dilutior, al. ant. albido-cinereis). *Eur. m. oc; Ross. m. (Odessa) et Taur. (ab.).*
- b) v. *Variabilis* Bell. Ann. S. Fr. 1865, 104, t. 2, f. 1 (al. ant. albido-cinereis, minime roseo- vel flavescenti-inspersis, vix a var. praec. distinguenda). *Cors. m.*
2010. **Terra** Frr. 303, 3, 4, IV p. 26; HS. 90; Ev. F. V. U. 262; Gn. I, 249. *Hung; Dalm; Austr. inf; Ter. m; Helv; Ross. m; Taur. m. Hyrc; Iss. K; Ferg; Urga et Amur (v.).*
- a) ab. *Dubiosa* Stgr. Cat. ed. II p. 111; *Terra* HS. 409 (al. ant. absque maculis nigr. antemarginalibus).
- b) v. *Ustirena* B. Gen. p. 137; Dup. IV, 69, 3 p. 221; Gn. I, 249 (dilutior, al. ant. minus signatis). *Gal. m. or. (Dinia).*
2011. **Germainii** Dup. Ann. S. Fr. 1835, 194, t. 4, A, 1; Dup. III, 28, 5; Rbr. Fn. And. t. 18, f. 8; Frr. 467, 3; HS. 143; Gn. I, 248. *Gal. m; Cat; Sic; Maur.*
2012. **Gilva** Donz. Ann. S. Fr. 1837, 473. t. 18, f. 2; HG. 877!; Dup. III, 40, 5, 6; HS. 410-1; Gn. I, 304; Wck. Bresl. e. Z. 1877 p. 42 (huj. generis?). *Alp.Gal.,Ter.etAustr; And. (Granada).*
2013. **Aspersa** Rbr. Ann. S. Fr. 1834, 385, t. 8, f. 3; Dup. III, 29, 3; HS. 458; Gn. I, 249; Frr. 467, f. 1, 2; ?Anceps HS. 417, II p. 209 [ab. obscurior?]. *Gal. m; Ter. m; Val; Liguria; ?Sic; Pont; Taur; Arm; Syr.*
2014. **Respersa** (S. V.) Hb. 164; Tr. V, 2, 269; Dup. VI, 77, 5; Frr. 94; Gn. I, 248. *Eur. c. (exc. Angl.); Liv; It. s; Balc; Bith; Arm.*
2015. **Superstes** Tr. V, 2, 260; Frr. 190; HS. 382; ?Gen. I, 246; Blanda Hb. 162. *Hung; Val; It; Cast. (v.); Srp; Arm; Pont.*
2016. **Morpheus** Hufn. Berl. M. III, 302; Tr. V, 2; 249; Gn. I, 244; Tutt. Brit. Noct. I p. 146; Barr. Brit. Lep. V t. 220, f. 3; Sepii Hb. 161; Dup. VI, 75, 5! *Arm; Ibi; Amur; Uss; Cor.*
2017. **Alsines** Brahm. Ins. Kal. II p. 114, 298; Tr. V, 2, 266; Hb. t. 125, f. 177 (577); HS. 379; Gn. I, 244; Ld. Noct. 226; Tutt. Brit. Noct. I, 147; Barr. Brit. Lep. V, t. 221, f. 2. *Eur. c. et s. (exc. reg. bor.); Cat; Bibl; Cast; It. s. et c; Ross. m; Alt; Sib. or; Iss. K; Ferg. s. Bat; Germ. c; ?etc.*
- a) ab. *Sericea* Spr. Stett. e. Z. 1867 p. 73, Snell. Vlind. I p. 447 (al. ant. angustioribus, sericeo-griseis).
- b) v. *Levis* Stgr. Stett. e. Z. 1888 p. 29 (multo dilutior, al. ant. lutescentibus).
- c) v. *Amurensis* Stgr. Mém. Rom. VI p. 486 (minor, obscurior).
2018. **Taraxaci** Hb. t. 125, f. 175 (575); Dup. VI, 75, 4; HS. 380; Tutt. Brit. Noct. I p. 149; Blanda Tr. V, 2, 264; Gn. II, 245; Barr. Brit. Lep. V t. 221, f. 3. *Eur. c. et s. (exc. reg. bor.); Gal.m.oc; ?Cat; Ural; ?Bith; Arm.*
2019. **Ambigua** F. Mant. 148 (1787); Tr. V, 2, 265; Gn. II, 247; Tutt. Brit. Noct. I, 148; Barr. Brit. Lep. V t. 221, f. 1; Plantaginis Hb. t. 125, f. 176 (576); Dup. VI, 76, 2; HS. 381; Ld. Noct. 226. *Eur. c. et m. (exc. ?c. or.); Maur; Liv; Pont; Lyd; Arm.*
- a) v. *Hilaris* Stgr. multo dilutior; al. ant. flavescenti-griseis. *Ferg; Saraw; Iss. K; Syr. et Tura (trans.).*

2020. **Pulmonaris** Esp. 151, 5; Tr. V, 2. 342; Frr. 215; Gn. I, 398; Pulmonariae Hb. 98. *Austr.-Hung; Hal; Gal. m.; It. s. et c; Graec.*
2021. **Albisignata** Obth. Diagn. (1879) p. 14; *Albosignata* Obth. Et. V p. 73, t. 4, f. 1; Mill. Ann. Soc. Lin. Lyon. 1883 p. 154, t. 1, f. 2; Stgr. Mém. Rom. VI p. 487; Lineosa Moore P.Z. S. 1881 p. 349; *Stellata* Moore Lep. Atk. p. 119; ?*Palpalis* Butl. Ann. & Mag. (5) 1878 p. 161; Ill. Het. II, t. 29, f. 7 (huj. generis? *Hydrilla?*).
a) ab. *Caeca* Obth. l. c. 14 (al. ant. sine macula alba).
2022. **Lenta** Tr. V, 2. 257; Frr. B. 47; HG. 825!; Gn. I, 243. *Hung; Austr.inf; Ter. m; Srp.; ?Arm; Alt; Ili.*
a) v. *Lentina* Stgr. Stett. e. Z. 1888 p. 255; Mém. Rom. VI p. 487 (minor, obscurior). *Amur; Uss; Jap; Cor; Ulias; Thian. or. et Iss. K. (trans.).*

312. **Hydrilla** B. 1840.

2023. **Gluteosa** Tr. X, 2. 80 (1835); Ld. Noct. 37, 133; Hofm. Gr. Schm. Eur. ed. II t. 44, f. 18; *Uliginosa* B. Gen. p. 138 (1840); HS. 293, ?294 ♀; Gn. I, 243. *Hung; Austr.inf; Car; Ter. m; Val; Germ. oc; Belg; Ross. m; Arm; Daur; Urga; Uss; Ferg; Ili; Kuku N; Amdo.*
2024. **Pallustris** (r. *Palustris*) Hb. 367; Auriv. Nord. Fjär. p. 156; Tutt. Brit. Noct. I, 143; Barr. Brit. Lep. V t. 219, f. 3; Farren. Ent. Rec. XI p. 113; *Palustris* Tr. V, 2. 255; Dup. III, 48, 4 a, b; HS. 292 ♀; Gn. I, 237; Frr. 683; *Luteola* Frr. 455, 3.
a) ab. (v.?) *Aboleta* Gn. I, 238 (pallidior, al. ant. ochraceo-cinereis, signaturis oblitteratis, al. post. subalbidis; sec. sp. typ. certissime). *Ross. m; Lap; Norv. c.*
b) v. *Melanochroa* Stgr. Mém. Rom. VI, 488 (multo obscurior, al. ant. ♂ et ♀ nigrescenti-griseis). *Amur; Uss.*
2025. **Maurella** Stgr. Stett. e. Z. 1888 p. 255; Mém. Rom. VI p. 489, t. 8, f. 9. *Amur; Uss.*
2026. **Funesta** Stgr. Stett. e. Z. 1888 p. 256 (Oct. 1888); Mém. Rom. VI p. 489, t. 8, f. 10; *Lugubris* Graes. Berl. e. Z. 1888 p. 351 (Febr. 1889). *Uss. m.*
2027. **Illustrata** Stgr. Stett. e. Z. 1888 p. 256; Mém. Rom. VI p. 489, t. 8, f. 11. *Amur; Uss.*
2028. **Hospes** Frr. 21, 4 (1831); Tr. X, 2. 96 (1835); HS. 366, II p. 240; Gn. 246; Rbr. Cat. t. 15, f. 4; Mill. Ic. 135, f. 9, 10; Ann. Sc. Cannes 1879 p. 20, t. 7, f. 4, 5; *Uliginosa* HS. 367; *Lepigone* Rössl. Stett. e. Z. 1877 p. 364. *Hisp; Gal. m. oc; It. c; Sic; Dalm.*
2029. **Lepigone** Möschl. Wien. Mts. 1860 p. 273; HS. n. Schm. 123; Spr. Stett. e. Z. 1875 p. 114; *Miranda* Grote Bull. Buff. Soc. Nat. Sc. I, 11, 169; Spr. l. c. [syn. sec. Stgr.]. *Srp; Hung; Arm; Urga; Am. s.*
2030. **Tristis** Brem. Lep. O. S. p. 49, t. 5, f. 9 (1864) (praecon. forma Darw.). *Amur; Uss.*
a) ab. *Lugens* Stgr. Mém. Rom. VI, 490 (obscurior). *Amur.*
2031. **Cinerea** Alph. Mém. Rom. V (1889) p. 168, t. 8, f. 3. *Ferg. s. oc; Kudara; Ili.*
2032. **Ornata** Stgr. Iris IV (1891) p. 296 (huj. generis?). *Ferg. m.*
2033. **Maculifera** Stgr. Iris X (1897) p. 287, t. 4, f. 22 (huj. generis?). *Pal. (Jaffa).*

313. **Petilampa** Auriv. 1890.

2034. **Arcuosa** Hw. Lep. Br. p. 260 (1810); Stph. Ill. 1830, 245, t. 54, f. 7; Gn. I, 218; Tutt Brit. Noct. I p. 47; Barr. Brit. Lep. V t. 219, f. 4; Duponchelii B. Ind. p. 84 (1829); Dup. III, 28, 4; Aiae Frr. 162, 1-3, II p. 109; HS. 178-9 [nimis variegata]; ?Minima Hw. 216; Auriv. Nord. Fjär. 156.
 a) ab. *Morrisii* Morris Natural. II (1837) p. 88; Humphr. & Westw. Brit. Moths I p. 244, t. 54, f. 12; Knaggs Entom. XXX (1897) p. 256, 303 (ab. albicans).

Eur. c. et s. m. (exc. Hung.).

Angl.

314. **Acosmetia** Stph. 1829.

2035. **Caliginosa** Hb. 474; Tr. V, 3. 286; Dup. III, 31, 4; HS. 435; Gn. I, 240; Tutt Brit. Noct. I, 143; Barr. V t. 219, f. 2; Litorea Frr. 479, 1, 2; Stagnicola Dup. VII, 107, 6. *?Suec. m.; Balc. s.; Ross. m.*
 a) v. *Aquatalis* Gn. I, 240, t. 5, f. 2; Caliginosa Ev. F.V.U. 339; Tristis Teich Stett. e. Z. 1896 p. 29 (dilutior, al. ant. flavescenti-cinereis).

Germ. c. et m.; Austro-Hung; Val; It. s.; Gal; ?Cat; Angl; Ural; Arm. m. or; Alt; Ala Tau.

315. **Rusidrina** Stgr. 1892.

2036. **Rasdolina** Stgr. Mém. Rom. VI p. 491, t. 7, f. 9 (1892). *Uss. m.*

316. **Rusina** Stph. 1829.

2037. **Umbratica** Goeze Btr. III, 3 p. 67 (1781); Auriv. Nord. Fjär. p. 157; **Tenebrosa** Hb. 158, 503; Tr. V, 1. 180; Frr. 40; Gn. I, 256; Tutt Brit. Noct. II p. 2; Barr. V, t. 216, f. 1. *Eur. c. et s. (exc. reg. bor.); It. s. et c.; Bulg; Ross. m.; Arm.*
 2038. **Coraxa** Püng. Soc. Ent. XIII (1898) p. 58; Iris XII p. 105 (sec. unam ♀ descripta; non huj. generis esse videtur; an Agrotis sp. ♀?). *Iss. K.*

317. **Gracilipalpus** Calb. 1888 (*Micromania Alph.* 1894).

2039. **Ephialtes** Hb. 652; Rbr. Cat. S. And. t. 7, f. 7; Calb. Iris I p. 269; Nubilaris Grasl. Ann. S. Fr. 1836, 568, t. 17, f. 8. *And. (Granada); It. c; Sic.*
 2040. **Turecomanica** Chr. Iris VI (1893) p. 93; Alph. Mém. Rom. IX p. 223, t. 8, f. 11. *Tura.*
 2041. **Sublimbatus** Püng. Iris XII p. 294, t. 9, f. 13 (huj. generis?). *Kuku N.*

318. **Amphipyra** O. 1816.

2042. **Eriopoda** HS. II p. 413 (1851), f. 596 (1852); Alph. Iris VII p. 312; Sareptae Gn. I, 230 (1852) [sec. specim. typ. certissime]. *Bith; Taur. m.; Syr; Bulg. (Srp. ex errore).*
 2043. **Micans** Ld. Wien. Mts. 1857 p. 94; Mocsáry Term. Füz. XIX (1896) p. 125 (225) t. 4. *Syr; Taur; Pont; Bulg; Hung. m.*
 2044. **Styx** HS. 473 (Stix) II p. 324; Gn. II, 416. *Balc. m.; Bith; Arm; Pal.*
 2045. **Alpherakii** Stgr. Stett. e. Z. 1888 p. 30. *Ili.*
 a) v.? (ab.) *Sergei* Stgr. l. c. p. 31 (multo major, al. ant. distinctius albo-signatis, al. post. subalbidis; sp. diversa?). *Ili.*

2046. ?**Molybdea** Chr.-Stett. e. Z. 1867 p. 235 (sec. unam ♀ descripta; huj. generis?). *Srp.*
2047. **Tragopoginis** (r.-onis) L. F. S. 316; Esp. 170, 1, 2; Hb. 40; Tr. V, 1. 277; God. V, 57, 3; Gn. II, 415; Tutt Brit. Noct. IV, 39; Barr. V, t. 217, f. 2; Repressus Grote Can. Entom. III p. 192 (1871). *Arm. (pr. p.); Alt; Hyre. (v.?)*
- a) v. et ab. *Turcomana* Stgr. Stett. e. Z. 1888 p. 32 (pallidior, al. ant. plumbeo-[lutescente] grisescentibus). *Ili; Iss. K; Arm. m. (pr. p.)*
2048. **Tetra** F. Mant. 138; Hb. 39; Tr. V, 1. 279; God. V, 57, 2; Gn. II, 415. *Eur. m. (exc. Ib.); Maur; Lyd; Arm.; Alt; ?As. c. infuscatis, haud brunnescentibus.*
2049. **Livida** F. Mant. 138 (1787); Hb. 38; Tr. V, 1. 281; God. V, 57, 1; Hmps. Ind. Moths. II p. 191; *Scotophilus* Hb. Btr. I, 3, 4, Z. p. 32 (1788); Esp. 170, 3. *Pont; Germ; Austro-Hung; Gal. c. et m; It. s. et m; Cors; Rum. m; Arm; Alt; Amur; Uss; Cor; Jap; China c. et oc; Ind.*
- a) v. *Corvina* Motsch. Bull. M. 1866, I p. 194; Leech Tr. E. S. 1900 p. 46 (major, al. ant. thoraceque atris, al. post. laetus pictis).
2050. **Schrenckii** Mén. Schrk. p. 61, t. 5, f. 4.
2051. **Jankowskii** Obth. Et. X (1884) p. 27, t. 2, f. 8; Stgr. Mém. Rom. VI p. 493. *Amur; Uss; Cor.*
2052. **Erebina** Butl. Ann. & Mag. (5) 1878 p. 287; Ill. Het. III p. 23, t. 46, f. 12; Stgr. Mém. Rom. VI p. 494; Snell. Tijds. 1898 p. 110; Leech Tr. E. S. 1900 p. 45. *Uss; Cor; Jap.*
2053. **Perflua** F. Mant. 179; Hb. 35; Tr. V, 1. 289; God. V, 56, 3; Frr. B. 23; Gn. II, 414; F. d. W. Ent. I, 198, t. 5, f. 3. *Liv; Ural; Arm; Alt; Daur; Amur; Tura.*
2054. **Pyramidea** L. S. N. ed. X. 518; Esp. 171, 1-3; Hb. 36; Tr. V, 1. 285; God. V, 56, 4; Gn. II, 413; Tutt Brit. Noct. IV p. 37; Barr. V, t. 218, f. 1. *Eur. c. (exc. Bat. et Angl.); Scand. m; Uss; Cor; China c. Eur. (exc. reg. bor.); Bith; Pont; Arm; Hyre; Tura. Uss.*
- a) v. *Obscura* Obth. Et. V p. 85; *Obliquilimbata* Graes. Berl. e. Z. 1888 p. 352; *Monolitha* Stgr. Mém. Rom. VI p. 495 (obsecurior, al. ant. angustioribus, minus signatis).
- *b) v. *Monolitha* Gn. II, 414; Hmps. Ind. Moths. II, 191; *Surnia* Feld. & Rghf. Nov. t. 112, f. 17 (multo major; al. ant. obsecurioribus).
2055. **Cinnamomea** Göze Btr. III, 3 p. 205 (1781); Tr. V, 1. 282; Gn. II, 411; *Conica* Esp. 171, 4-6; God. V, 56, 5; *Perfusa* Hb. 37. *Helv. m; Gal. c. or; It. s.; ?Cors; Hung; Pont. Germ. c. et m. oc; Austr. inf; Styg; Gal. m; Cat; Cors; Graec; Dalm. (ab.); Sic. (trans.).*
2056. **Effusa** B. Ind. p. 68; HG. 820-1; Tr. X, 2. 31; Frr. 148, 3; Gn. II, 414; Mill. Ic. I, p. 136, t. 15, f. 5-8. *It. c. et m; Maur; Dalm; Syr.*
- a) v. et ab. *Sciaphila* Stgr. Hor. VII, 1870 p. 129, t. 1, f. 12 (pallidior, minus signata).

319. *Hypernaenia* Hmps. 1894.

2057. **Violacea** Butl. Ill. Het. VII p. 54, t. 127, f. 5; Hmps. Ind. Moths. II p. 196. *?Kuku N. (an sp. div.?)*; *Ind. s.*

320. *Perigrapha* Ld. 1857.

2058. **Cincta** F. Mant. 155 (1787); Esp. 192, 5; Dup. VI, 85, 2; *I cinctum* Hb. Btr. II, 2, 1, B (1791); Hb. 144; Tr. V, 1. 115; Frr. 225; Gn. I, 348. *Austr; Moravia; Hung; Ural; Alt.*
2059. **Circumducta** Ld. z. b. V. 1855 p. 111, t. 1, f. 9. *Srp; Alt; Tarb; Ili.*

321. **Clavipalpula** Stgr. 1892.2060. **Aurariae** Obth. Et. V p. 76, t. 3, f. 6.*Uss. m; Jap.*322. **Taeniocampa** Gn. 1839.

2061. **Porosa** Ev. Bull. M. 1854, III, 187; HS. n. Schm. 13. *Srp; Ural m; Kirgh; Iss. K.*
2062. **Gothica** L. S. N. ed. X, 515; Esp. 76, 1, 2; Tr. V, 1, 233; God. V, 61, 2; Frr. 17; Gn. I, 347; Tutt Brit. Noct. II p. 148; Barr. V, t. 207, 208, f. 1; Nun atrum Hb. 112.
- a) v. *Gothicina* HS. 125-6, II p. 196 (minor, al. ant. minus signatis, fere unicoloribus). *Scand. s.*
 - b) v. *Askoldensis* Stgr. Mém. Röm. VI, 496 (al. ant. violaceo-grisescensibus).
2063. **Pallescens** Butl. Ann. & Mag. (5) I p. 166; Ill. Het. II p. 29, t. 30, f. 4; Lata Stgr. Mém. Rom. VI p. 496, t. 9, f. 5.
2064. **Stenoptera** Stgr. Mém. Rom. VI p. 497, t. 9, f. 6.
2065. **Miniosa** F. Mant. 145 (1787); Hb. 174; Tr. V, 2, 228; Dup. VI, 81, 6; Frr. 340; Gn. I, 356; HS. 637 ab; Tutt Brit. Noct. II p. 155; Barr. V, t. 208, f. 2. *Dalm; Bulg; Ross. m. or; Lyd; Pont.*
2066. **Pulverulenta** Esp. III, 76, 5, 6 (1787); Bkh. IV, 611; Tutt Brit. Noct. II, 153; Ambigua Hb. 173; Cruda (S. V.) Tr. V, 2, 230; Frr. 341; Gn. I, 357; Barr. V, t. 209, f. 1.
2067. **Populeti** Tr. V, 2, 221; Dup. III, 29, 1a, b; HS. 109; Gn. I, 353; Tutt Brit. Noct. I, 146; Bairr. V, t. 210, f. 1; Ocularis Frr. 95, 2; Populi Auriv. Nord. Fjär. 159; ?Ström. Skrifter Kjöbh. Selsk. 1783 p. 76, f. 24.
2068. **Stabilis** View. Tab. Verz. II p. 14 (1789); Hb. 171; Tr. V, 2, 223; Dup. VI, 81, 2; Frr. 316; Gn. I, 354; Tutt Brit. Noct. II, 151; Barr. V, t. 209, f. 2; Junctus Hw. Lep. Br. p. 123; Gn. I. c. [ab.].
2069. **Rorida** HS. 48. II p. 206; Gn. I, 355; ?Friv. Tarsas. Ev-gönyv. II p. 272, t. 7, f. 7! (1835). *Dalm; Bith; Lyd; Taur; Pont.*
- a) v.? (ab.) *Sieversi* Rom. (Chr.) Mém. Rom. II p. 58, t. 3, f. 5 (1885) (al. ant. magis rufescente-inspersis, distinctius signatis; uno ♂ condita).
2070. **Incerta** Hufn. Berl. M. III, 298, 424 (1767); Instabilis Esp. 151, 3 (1790); Hb. 165; Tr. V, 2, 204; Dup. VI, 81, 3; Frr. 315; Gn. I, 350; Tutt Brit. Noct. II, 136; Barr. V, t. 211, 212, f. 1; Contacta Esp. 151, 2; Trigutta Esp. 147, 4. *Iss. K. oc.; ?Ferg; Sib. or; Am. s.*
- a) ab. *Fuscata* (-tus) Hw. Lep. Br. p. 122 (al. ant. fere unicoloribus fuscis).
 - b) ab. *Pallida* Lampa Tidskr. 1885 p. 72 (al. ant. pallidioribus, cinerascentius).
 - c) v. *Pallidior* Stgr.; *Pallida* Stgr. Stett. e. Z. 1888 p. 32 (multo pallidior, al. ant. albido-cinereis, al. post. albicanibus).
2071. **Opima** Hb. 424; Tr. V, 2, 219; Gn. I, 352; Tutt Brit. Noct. II, 142; Barr. V, t. 210, f. 2; Firma Hb. 676-7. *Eur. c; Scand. m; Ross. s. m; Ural; Alt; Ala Tau.*

2072. **Gracilis** F. Mant. 148; Hb. 168; Tr. V, 2, 217; Dup. VI, 82, 1; Frr. 317, 423, f. 2; HS. 383; Gn. I, 355; Tutt II, 144; Barr. V, t. 213; Ella Butl. Ann. & Mag. (5) I, 167; Ill. Het. II p. 30, t. 30, f. 7; ab. *Rufescens* Cockerel Entom. XXII p. 4.
- a) v. (et ab.) *Pallidior* Stgr. Stett. e. Z. 1888 p. 32 (multo pallidior, cinerea).
2073. **Munda** Esp. III, 52, 5, 6 (1785); Tr. V, 2, 208; Frr. 328; Gn. I, 356; Tutt Brit. Noct. II p. 134; Barr. V, t. 212, f. 2; Lota Hb. 166; Dup. VI, 80, 3.
- a) ab. *Immaculata* Stgr. Cat. ed. II p. 114 (al. ant. macul. nigris antemarginalibus nullis).

*Eur. c.; Scand. m.;
Liv; Gal. m.; Cat;
It. s.; Ross. s. et m.;
Arm; Uss. m.; Jap.*

*Ili; Iss. K; Ferg;
Daur. (etc.) (ab.).
Eur. c.; Ross. s. m. et
m. or? Alt. m.; Uss.
m. (1); Jap.*

323. **Panolis** Hb. 1822.

2074. **Griseovariegata** Goeze Bt. III, 250 (1781); Auriv. Nord. Fjär. p. 160; Piniperda Panz. Kob. t. 1, f. 11, 12 (1786); Bkh. IV, 443; Esp. 125, 1-6; Tr. V, 2, 76; Dup. VI, 100, 2, 3; Gn. I, 340; Tutt Brit. Noct. II, 128; Barr. V, t. 200, f. 2; Flammæa Hb. 91, 476.

*Eur. c. et s. (exc. reg.
bor.); Gal. m.; Cat;
It. s. et c.; Ross. m.
oc; Jap. (Leech).*

324. **Raddea** Alph. 1892.

2075. **Digna** Alph. Hor. XXVI (1892) p. 450; Mém. Rom. IX p. 35, t. 3, f. 5.

Kuku N; Amdo.

325. **Heraema** Stgr. 1892.

2076. **Mandschurica** Graes. Berl. e. Z. 1889 p. 256.

Amur. s. oc.

326. **Mesogona** B. 1840.

2077. **Oxalina** Hb. 219; Tr. V, 2, 178; Dup. VII, 109, 3; Frr. B. 112; Gn. I, 405. *Germ; Austro-Hung.;
Helv; It. s; Liv; Petrop; Hal; Ural. m.*
2078. **Acetosellæ** F. Mant. 177; Hb. Btr. II, 2, 1, D; Hb. 220; Tr. V, 2, 179; Dup. VII, 109, 2; HG. 881-2; Frr. 202; Gn. I, 405; Adkin Ent. 1895 p. 317, fig. (1); *Gal. m.; It. s.; Arm.; Pont.; Taur. or. m.*
- a) v. *Eremicola* Stgr. Cat. ed. II, p. 114 (obsoletior, al. ant. strigis transversis totis nigris).

*Eur. c. et m. or. (exc.
Balc. m.); Liv; Angl.*

Alt.

327. **Hiptelia** Gn. 1852.

2079. **Ochreago** Hb. 431; Dup. VII, 117, 8; Gn. I, 400; Rubeula Tr. V, 2, 353; Frr. 389, 2, 3; HS. 203, 437-8. *Alp; Gal. c. mont; It.
s. et c. s; Arm. s.*
2080. **Brunneago** Stgr. Iris VIII (1895) p. 326. *Kuku N; Amdo.*
2081. **Lorezi** Stgr. Soc. Ent. VI (1891) p. 137; Höfn. ib. 1895 p. 177; Hofm. Gr. Schm. Eur. ed. II t. 45, f. 19. *Helv. or; Alp. Austr.*
2082. **Minago** Frr. 304, 4 (1839); B. Gen. p. 145; HS. 113; Gn. I, 401; Ev. Bull. M. 1855, IV, 373. *Ross. m. or; Pont. (1);
Alt; Tarb; Ili; Iss. K; ?Sib. or.*
2083. **Variago** Stgr. Stett. e. Z. 1882 p. 44 (praec. var. an ab. Stgr. nunc esse videtur). *Tarb; Ferg. m.*
2084. **Bogdanovi** Ersch. Fedtsch. p. 45, t. 4, f. 54; Alph. Iris VIII p. 171; Grumi Alph. Stett. e. Z. 1887 p. 170; Mém. Rom. V p. 170, t. 7, f. 7. *Ferg; Iss. K.*

328. **Dicycla** Gu. 1852.

2085. **Oo** L. S. N. ed. X, 507; Esp. 71, 2-5; Tr. V, 1, 84; Dup. VI, 84, 2, 3; HG. 867; Frr. 454; Gn. II, 7; Tutt. Brit. Noct. III p. 17; Barr. V, t. 223, f. 3; Ferruginago Hb. 195; Hw. Lep. Br. p. 238.
 a) ab. *Renago* Hw. Lep. Br. p. 238; Barr. l. c. f. 3b; Oo var. Frr. 149, 3 (al. ant. fuscis, maculis marginaque exteriore flavis).
 b) ab. *Sulphurea* Stgr. al. ant. unicoloribus sulphureis, saepius ciliis brunneo-variegatis.
- Eur. c. et m. or; Scand. m; Sib; Hisp; It. s. et c; Pont; Taur; Mardin; Arm; Hyre.*

329. **Eccopteroma** Stgr. 1892.

2086. **Falcata** Graes. Berl. e. Z. 1889 p. 257 ♀; Stgr. Mém. Rom. VI p. 506, t. 7, f. 10; Pyrausta Graes. l. c. p. 258 ♂; Stgr. l. c. p. 509.
Uss; ?Amur; Jap.

330. **Calymnia** Hb. 1822.

2087. **Pyralina** View. Tab. Verz. II p. 87 (1789); Hb. 203; Tr. V, 2, 392; Dup. VII, 108, 6; Frr. 129; Gn. II, 10; Barr. V, t. 224, f. 2.
Eur. c; Scand. m; Ross. s. m; Gal. m; It. s. et c; Arm; Uss. s; Jap.
2088. **Affinis** L. S. N. ed. XII, 848; Esp. 134, 1; Hb. 201; Tr. V, 2, 389; Dup. VII, 108, 5; Gn. II, 11; Tutt. Brit. Noct. III p. 21; Barr. V, t. 225, f. 2.
 a) v. *Unicolor* Stgr. Mém. Rom. VI p. 502 (al. ant. fere unicoloribus, non albo-maculatis).
Eur. c. et m; Scand. m; Maur; Arm; Tura; Jap. (v. magna). Amur; Uss; Jap. (v. pr. p.).
2089. **Diffinis** L. S. N. ed. XII, 848; Esp. 134, 2; Hb. 202; Tr. V, 2, 386; Dup. VII, 108, 4; Frr. 130; Gn. II, 10; Tutt. Brit. Noct. III, 20; Barr. V, t. 225, f. 1; *Affinis* Hb. Btr. I, 1, 1 E.
 a) v. *Confinis* HS. 450, II p. 224; Gn. II, 11 (multo pallidior).
Eur. c. et m. or; Hisp; It. s. et c; Bith. et Pont. (trans. et v.).
2090. **Penicillata** Graes. Berl. e. Z. 1890 p. 75; Stgr. Mém. Rom. VI p. 502.
Turc. m; Srp. et Pont. (pr. p); Lyd; Syr. Amur.
2091. ***Restituta** Wlk. List. X p. 490 (1856); Hmps. Ind. Moths. II p. 321, f. 172.
Ind.
- a) v. *Picta* Stgr. Stett. e. Z. 1888 p. 257; Mém. Rom. VI p. 503, t. 10, f. 2; Graes. Berl. e. Z. 1888 p. 353 (obsevior, praesertim subtus al. post. nigris, ochraceo-limbatis).
Uss; Jap.
2092. **Flavomaculata** Obth. Diagn. p. 16 (1879) (Acontia); Et. V (1880) p. 82, t. 3, f. 8; Stgr. Mém. Rom. VI p. 504.
Amur; Uss.
2093. **Variegata** Obth. Diagn. p. 15 (1879) (Acontia); Et. V (1880) p. 81, t. 3, f. 7; Stgr. Mem. Rom. VI p. 505.
Uss.
2094. **Jankowskii** Obth. Et. X p. 25, t. 3, f. 8 (Eugraphia); Stgr. Mém. Rom. VI p. 506.
Uss. m.
2095. **Camptostigma** Mén. Bull. Ac. XVII p. 219; Schrk. p. 59, t. 5, f. 1, 2; *Campostigma* Stgr. Mém. Rom. VI, 503; Distineta Butl. Ann. & Mag. (5) I, 1878 p. 192; Ill. Het. II p. 32, t. 31, f. 2; Obth. Et. VI, t. 9, f. 7.
Amur; Uss; Jap; China.
2096. **Spurcopyga** Alph. Iris VIII (1895) p. 194.
Chang.
2097. **Moderata** Stgr. Stett. e. Z. 1888 p. 257; Mém. Rom. VI p. 504, t. 10, f. 1; *Grandifica* Graes. Berl. e. Z. 1888 p. 356.
Uss.

2098. **Trapezina** L. S. N. ed. X. 510; Esp. 87, 2. 3; Hb. 200; Tr. V. 2. 383; Dup. VII, 108, 1-3; Gn. II, 9; Frr. 624; Tutt. Brit. Noct. III p. 22; Barr. V. t. 224, f. 1.
- a) ab. **Badiofasciata** Teich Stett. e. Z. 1883 p. 173; **Trapezina** var. Frr. 232, f. 4; Barr. I. c. f. 1 f; ab. **Obscura** Aur. Nord. Fjär. p. 161 (al. ant. area media badio-fusca vel nigrescenti).
- b) v. **Saturata** Stgr. Mem. Rom. VI p. 504 (obseurior, al. ant. brunnescensibus, al. post. nigricantibus).
- Eur. (exc. reg. bor. et ? Ib.); ?Maur.; Bith.; Pont.; Arm. Germ.; Liv.; Angl. etc.
- Amur.; Uss.; Jap.

331. **Cosmia** O. 1816.

2099. **Paleacea** Esp. 122, 3. 4 (1788); Ld. Noct. 38, 143; Tutt. Brit. Noct. III, 19; **Fulvago** Hb. 198-9; Tr. V. 2. 280; Dup. VII, 109, 1; Gn. II, 6; Barr. V. t. 223, f. 2; **Infumata** Grote Bull. Buf. Soc. Nat. Sci. II p. 160 (1874).
- a) ab. **Teichi** Krul. Bull. M. 1893 p. 71; **Fusca** Schultz Soc. Ent. XIV p. 139, 165 (al. ant. area media [et exteriore] fuscescenti).
2100. **Staudingeri** Alph. Hor. XVII p. 86, t. 3, f. 60; Iris VII, 313.
2101. **Abluta** Hb. 351; Tr. V. 2. 381 (Obelisca ex errore); Dup. III, 30, 4; Gn. II. 5.
- a) ab. **Glaucula** Gn. II, 5 (obseurior, al. ant. glaucescentibus).
2102. **Imbuta** B. Gn. p. 143; Frr. 359, 2. 3; HS. 112, 115-6; Gn. II, 5.
- a) ab. **Rufula** Stgr. Cat. ed. II, p. 115 (al. ant. totis rufescensibus, flavo-strigatis).
2103. **Ulicis** Stgr. Stett. e. Z. 1859, 214; HS. n. Schm. 121-2 (1861); Rbr. Cat. S. And. t. 11, f. 6 (gen. *Cirrhoedia*?).
2104. **Borjomensis** Rom. (Chr.) Mém. Rom. II (1885) p. 61, t. 3, f. 6 (praeoc. var.?).
2105. **Regina** Stgr. Iris IV (1891) p. 297, t. 4, f. 2 (huj. generis?).
2106. **Trapezoides** Stgr. Stett. e. Z. 1882 p. 45; Mém. Rom. VI p. 509, t. 9, f. 7.
2107. **Subtilis** Stgr. Stett. e. Z. 1888 p. 33; Alph. Mém. Rom. V p. 172, t. 7, f. 8.
2108. **Contusa** Frr. 534, 2 (1849), 550; HS. 517-8; Gn. II, 5, t. 7, f. 4.
- Ili; Iss. K. s. oc.
- Austro-Hung.; ?Ural; ?Ped.
- Srp.
- And; Cat.
- Arm. m. oc.
- Pont; Taur. m. or.
- Ala Tau; Amur.
- Ferg; Tura.
- Sax; Germ. s. or;
- Daur; Uss.

332. **Dyschorista** Ld. 1857.

2109. **Suspecta** Hb. 633 (ante 1818); Gn. I, 360; Tutt. Brit. Noct. II, 156; Barr. V t. 222, f. 2; Congener Frr. 209, 2. 3 (non Hb.); Gn. I. c. ab.
- a) ab. et v. **Iners** Tr. V, 2. 71; Germ. Fn. I. E. XVI t. 24; Dup. III, 27, 2 a, b; Congener HG. 862 (pallidior, grisescens).
2110. **Paupera** Chr. Mém. Rom. II (1885) p. 56, t. 3, f. 4 [Caradrina] (huj. generis?).
2111. **Fissipuncta** Hw. Lep. Br. p. 197 (1810); Snell. Vlind. p. 277; Tutt. Brit. Noct. II, 159; **Ypsilon** Bkh. IV, 503; Hb. 136; Tr. V. 2. 210; Dup. VI, 81, 5; Frr. 329; Gn. I, 361; **Upsilon** Barr. Brit. Lep. V p. 299, t. 223, f. 1.
- Eur. c. et s. (exc. reg. bor. et Belg.); Ped. (c); Ural m.; Arm.; Alt; Sib. or; Daur; Mong; Amur; Kamt; Iss. K; Amdo.
- Arm; Ili; Ferg.
- Eur. c. et s. (exc. reg. bor.); It. s.; Ross. m.; Arm; Pont; Hyrc; Alt; Amur; Uss.

2112. **Plebeja** Stgr. Stett. e. Z. 1888 p. 34; Alph. Mém. Rom. V t. 7, f. 9 (praec. var.?). *Saraw; Ferg; Tura.*
 2113. **Contecta** Graes. Berl. e. Z. 1892 p. 310 (huj. generis?). *Iss. K. s. oc.*

333. **Plastenis** B. 1840.

2114. **Retusa** L. F. S. 321; Esp. 178, 1; Hb. 214; Tr. V. 1. 80; Dup. VI. 82, 3; Frr. B. 143; Gn. II, 3; Barr. V t. 226, f. 1. *Eur. c. et s. (exc. reg. bor.); It. s.; Ross. m.; Alt.; Amur.; Uss.; Jap.*
 2115. **Subtusa** F. Mant. 152; Hb. 213; Tr. V. 1. 82; Dup. VI, 82, 4; Frr. 10; Gn. II, 3; Tutt III, 20; Barr. V t. 225, f. 3. *Eur. c. et s. (exc. reg. bor.); Gal. m.; It. s.; Srp.; Arm.; Alt.; Sib. or.; Uss.*

334. **Cirrhoedia** Gn. 1839.

2116. **Ambusta** F. Mant. 153 (1787); Hb. 215; Tr. V. 1. 78; Dup. VII, 120, 1!; Frr. 189; Gn. I, 403. *Austro-Hung; Germ.; Gal.; Val.; It. s. et c.; Pont. (ab.); Pal. (v. pr. p.).*
 a) v. *Rubens* Stgr. multo pallidior, plerumque rubescens. *Pont. (forma frequentior).*
 2117. **Xerampelina** Hb. 421 (ante 1804); Tr. V, 2. 354, X, 2. 106; Dup. VII, 116, 1; Frr. 149, 2; HG. 858; Gn. I, 402; Mill. Ic. 33, 4-7; Tutt Brit. Noct. III p. 15; Barr. V t. 229, f. 3; Centrago Hw. Lep. Br. p. 236 (1810); HS. 580; Ld. Noct. 39, 145.
 a) ab. (et v.?) *Unicolor* Stgr. Cat. ed. II p. 116; var. A. Gn. I. c. (al. ant. fere unicoloribus rufescens, flavobistrigatis). *Gal. (ab.); Cast. (v.?).*
 b) v. *Pallida* Stgr. Iris IV, 299 (pallidior, al. ant. rufescens vel griseo-flavescentibus, al. post. subalbidis). *Pont; Taur.*
 c) v. (et ab.) *Maculifera* Stgr. I. c. (a praec. v. differt al. ant. macula magna [reniforme] infuscata). *Pal; Syr; Bith. (ab.).*

335. **Anchoscelis** (r. Anchocelis) Gn. 1839.

2118. **Lunosa** Hw. Lep. Br. p. 230 (1810); Gn. I, 367; Tutt Brit. Noct. II, 169; Barr. V t. 228, f. 2; Subjecta Dup. III, 27, 3 a, b (1836); Neurodes HS. 94, 289 (spec. valde aberrans). *Angl; Gal; Cast; Arag; Maur.*

336. **Crasia** Auriv. 1891.

2119. **Iris** Zett. Ins. Lap. p. 941; Auriv. Nord. Fjär. p. 163; Stgr. Mém. Rom. VI p. 510; Crasis HS. 139, II p. 361; Smith Noct. Cat. p. 147; Erdmanni Möschl. Stett. e. Z. 1874 p. 158 [ab. al. ant. rufescens.].
 a) ab. (et v.?) *Crasis* HS. 134; Crasis var. Schilde Stett. e. Z. 1874 p. 68; ab. Schildei Stgr. I. c. (multo obscurior, al. ant. violaceo-nigrescentibus).

337. **Orthosia** O. 1816.

2120. **Ruticilla** Esp. 157, 1; Tr. VI, 1. 409; HS. 407; Gn. I, 359; Serpylli Hb. 488-9; Dup. VI, 76, 6, 7; Ilicis Dup. III, 28, 2 a, 8; Saportae Frr. 292, 4. *Germ. s. oc; Austro-Hung; Bat; Val; Gal. m. et oc; Hisp; Cors; It. s. et c.; Dalm; Pont; Syr. Pal.*
 2121. **Jordana** Stgr. Iris XII p. 376, t. 5, f. 12.

2122. **Lota** Cl. Ic. t. 8, f. 1 (1759); Esp. III, 67, 1; Tr. V, 2. 212; Frr. B. 131; Dup. III, 27, 4; Gn. I, 362; Tutt Brit. Noct. II, 160; Barr. Brit. Lep. V t. 229, f. 1; Munda Hb. 167.
- Macilenta** Hb. 418; Tr. V, 2. 215; Dup. VII, 104, 5; Frr. B. 141, 1; Frr. 251; Gn. I, 362; Tutt Brit. Noct. II, 161; Barr. V t. 229, f. 2; ab. *Nigrodentata* Fuchs Jhrb. Nass. LII p. 135.
2124. **Circellaris** Hufn. Berl. M. III, 404; Ld. Noct. 39, 147; *Ferruginea* Esp. III, 47, 6 (1785); Hb. 181; Tr. V, 2. 349; Dup. VII, 130, 2; Frr. B. 123; Gn. I, 397; Tutt Brit. Noct. III, 15; Barr. V t. 226, f. 3; *Macilenta* Hb. 688-9; ab. *Nigridens* Fuchs Stett. e. Z. 1883 p. 263.
- a) *v. *Ferrugineoides* Gn. I, 398 (dilutior, al. ant. ochraceo-flavescensibus).
2125. **Helvola** L. S. N. ed. X, 507; Cl. Ic. t. 4, f. 8; Hw. Lep. Br. p. 229; Tutt Brit. Noct. II, 162; *Rufina* Hb. 184; Tr. V, 2. 347; Dup. VII, 130, 3; Gn. I, 364; Barr. V, t. 226, f. 2.
- a) v. *Sibirica* Stgr. Stett. e. Z. 1882 p. 46 (dilutior; al. ant. flavescensibus).
2126. **Witzenmanni** Stndf. Mitth. VIII p. 233 (1890); Hofm. Gr. Schm. Eur. ed. II, t. 55, f. 1a, b (oculis nudis, sed Stgr. potius *Taeniocampa* esse videtur).
- a) ab. *Subcastanea* Stgr. al. ant. castaneis (brunneoscentibus); forma frequens.
2127. **Pistacina** F. Mant. 175; Hb. 131; Tr. V, 2. 239; Gn. I, 364; Tutt Brit. Noct. II p. 164; Barr. V, t. 227; *Lychnidis* Hb. 464; Dup. VI, 80, 5.
- a) ab. *Canaria* Esp. 156, 5, 6; Gn. I, 365 (obscurior, al. ant. plus minusve nigriscantibus).
- b) ab. *Serina* Esp. 156, 2 (1); Gn. I. c. (al. ant. pallidissimis, fere unicoloribus).
- c) ab. *Rubetra* Esp. 156, 3. 4; Gn. I. c.; *Rufina* Hb. 707-8 (al. ant. fere unicoloribus rufis).
- d) ab. *Caerulescens* Calb. Iris I p. 254 (al. ant. caerulescente-griseis).
2128. **Rupicapra** Stgr. Hor. XIV p. 391.
2129. **Haematidea** Dup. VII, 122, 5 p. 365; Frr. 95, 4; Tr. X, 2. 76; HS. 49; Gn. I, 363.
2130. **Nitida** F. Mant. 141; Hb. 180; Tr. V, 2. 234, X, 2. 78; Frr. B. 118; Dup. VII, 117, 5; Gn. I, 366; ?*Insueta* Frr. 256, 3, III p. 90. m.); Dan; Suec. m. et c; Gal. m.; It. s.; Sic; Arm; Pont.
2131. **Deleta** Stgr. Hor. XVI (1881) p. 75.
- a) ab. *Decolorata* Stgr. pallidior; al. ant. rufescens-griseis.
2132. **Humilis** F. Mant. 146; Hb. 170; Tr. V, 2. 237; Dup. VII, 117, 4; Gn. I, 366. *Austro-Hung; Helv;*
2133. **Laevis** Hb. 163; Tr. V, 2. 232; Gn. I, 359. *Helv. et Gal. (pr. p.); It. s. et c;*
2134. **Gratiosa** Stgr. Hor. XVI (1881) p. 76.
2135. **Mansueta** HS. 472, II p. 322 (*Cerastis*); Gn. I, 378 (huj. generis?).
- a) *Pontica* Stgr. al. ant. caeruleo-cinereis, non rufo-mixtis.
- Eur. c. et s. (exc. reg. bor.); Gal. m.; It. s. et c.; Hisp.; Pont; Arm; Alt.
- Eur. c. (exc. Ross.); Scand.m.; It.s.;?Sic; Pont.
- Eur. c. et s. (exc. reg. bor.); Gal. m. oc; It. s. et c.; Ross. m.; Arm; Pont.
- Am. s.
- Eur. c., s. et m. (exc. reg. bor. et Graec.); Gal. m.; Cors; Arm; Pont.
- Alt; Tarb.
- Gal. m. or.
- Eur. c. et m. (exc. Ross.); Dan; Lyd; Pont; Syr; Arm.
- Taur; Pont.
- Gal. c. oc; It. s. et c.; And; Maur.
- Eur. c. et m. or. (exc. Angl., Belg. et?Balc.); It. s.; Sic; Arm; Pont.
- Pont; ?Taur.
- Germ. m. et c. oc; Belg; Gal. c. or. et m.
- Germ; Austro-Hung; Cil; Pal; Sic.
- Pont.
- Bith; Lyd; Cil; Pal; Sic.
- Pont; ?Arm.

2136. **Kindermannii** F. R. p. 77, t. 36, f. 1 a-c (1834); Frr. 327. 1. 2; Gn. I, 361; Ballotae Dup. III, 50, 1 (1836); ?Consueta HS. 564, VI p. 54.
a) v. *Pauli* Stgr. Iris IV (1891) p. 301 (dilutior, al. ant. griseo-lutescentibus).
2137. **Scabra** Stgr. Iris IV (1891) p. 301.
2138. **Litura** L. F. S. 320; Esp. 177, 4. 5; Hb. 127; Tr. V, 2. 224; Dup. VII, 79, 6; Frr. 335; Gn. I, 368; Tutt Brit. Noct. II p. 170; Barr. V, t. 228, f. 1; Polluta Esp. 127, 5; Gn. I, 369 [ab. major, obscurior]; Ornatrix HG. 813 [ab. minor, obscurior]; Frr. 95, 1; Borealis Sparre-Schneider Vid. Forh. 1882 no. 1, p. 69.
a) v. *Meridionalis* Stgr. Cat. ed. II p. 117 (dilutior, al. ant. caeruleo-cinereis, fascia med. rufescente vel fuscescente).
2139. **Ragusae** Failla-Ted. Nat. Sic. X p. 30, t. 1, f. 6, 7 (Genus Heteromorpha, nom. praeoccupatum); Püng. ib. XI p. 21 (huj. generis?).
2140. ?**Rhadama** Mill. Ann. S. Lyon. 1883 p. 153, t. 1, f. 1 (uno ♂ [?] condita; Stgr. non huj. generis esse videtur; an Agrotis?)
- Dalm; ?Sic; Arm; Pont; Cil; Taur.*
- Pal.*
- Eur. s. et c. (exc. reg. bor.); Cast; It. s. et c.; Ross. m; Arm; Pont. (v.).*
- And; Gal. m. or; It. m; Maur.*
- Sic.*
- Gal. m.*

338. **Xanthia** O. 1816.

2141. **Zelotypa** Ld. z. b. V. 1855 p. 373, t. 3, f. 4; Ev. Bull. M. 1855, IV, 363; Graes. Berl. e. Z. 1890 p. 74; Stgr. Mém. Rom. VI p. 511; Peculiaris Butl. Ann. & Mag. (5) I, 1878 p. 169; Ill. Het. II p. 31, t. 30, f. 11 (gen. Brachyanthia).
2142. **Ledereri** Stgr. Iris IX p. 370, t. 4, f. 12.
2143. **Citrago** L. S. N. ed. X, 508; Esp. 175, 5. 6; Hb. 188; Tr. V, 2. 357; Dup. VII, 128, 2. 3; Frr. 376; Gn. I, 392; Tutt Brit. Noct. III p. 9; Barr. V, t. 230, f. 1; Oehrago Esp. 177, 1.
a) ab. (et v.) *Subflava* Ev. Bull. M. 1848, III, 219, 1855, IV, 371, 1856, II, t. 1, f. 3 (al. ant. fascia basali limboque lato infuscatis).
(Fladö) (v.); Pont. (1) (v.?).
2144. **Sulphurago** F. Mant. 159 (1787); Hb. 194; Tr. V, 2. 365; Frr. 495; Gn. I, 392; ?Innotata Failla-Ted. Nat. Sic. X p. 29, t. 1, f. 2; Püng. ib. XI p. 18.
?Helv; It. s; Arm; Pont; ?Sic.
2145. **Aurago** F. Mant. 159; Hb. 197; Tr. V, 2. 363; Gn. I, 394; Tutt Brit. Noct. III p. 12; Barr. V, t. 232; Praexta Esp. 124, 2.
a) ab. *Fucata* Esp. 124, 3. 4 (1788); Gn. I, 394; Aurago Hb. 196 (magis unicolor, al. ant. fascia media aurantiaca).
2146. **Lutea** Ström Danske Vid. Selsk. Skrift. p. 78, no. 99, f. 26 (1783); Auriv. Nord. Fjär. p. 165; Flavago F. Mant. 160 (1787); Bkh. Seriba Btr. 2, p. 142, t. 10, f. 2 (1791); Tutt Brit. Noct. III p. 12; Togata Esp. 124, 1 (1788); Ld. Noct. 39, 148; Silago Hb. 191; Tr. V, 2. 367; Dup. VII, 129, 3; Frr. 135; Gn. I, 394; Barr. V, t. 231, f. 1.
Eur. c; Scand. m; Ross. s.m. et m; Gal. m. oc; It. s. et c; Alt; Tarb; Sib. or; Amur; Uss; Jap; Kamt; Am. s.
2147. **Tunicata** Graes. Berl. e. Z. 1889 p. 259; Stgr. Mém. Rom. VI p. 512 [Glycago var.] (spec. diversa nunc Stgr. esse videtur).
- Uss; Amur; Chang.*

2148. **Fulvago** L. F. S. 312; Bkh. Skriba Btr. 2 p. 144, t. 10, f. 3; Z. Stett. e. Z. 1853 p. 409; Tutt Brit. Noct. III, 9; Cerago F. Mant. 159; Hb. 190, 444; Tr. V, 2. 370; Dup. VII, 129, 1. 2; Gn. I, 393; Frr. 673, 1; Barr. V t. 230, f. 2.
a) ab. *Flavescens* Esp. 122, 2; Gn. I, 393; Frr. 673, 2; Cerago Hb. 445; Barr. I. c. f. 2c (al. ant. fere unicol. flavis).
2149. **Pallidago** Stgr. Iris XII p. 377.
2150. **Palleago** Hb. 442; Tr. V, 2. 377; Dup. VII, 130, 1; Gn. I, 395 [Palleago ab.] (sequ. sp. ab.? Stgr. sp. div. [al. ant. latioribus etc.] nunc esse videtur).
- a) v. *Austauti* Obth. Et. VI (1881) p. 87, t. 1, f. 3 (multo pallidior, al. art. lutescenti-cinereis).
2151. **Gilvago** Esp. 176, 2 (1794?); Hb. 443; Dup. VII, 129, 4. 5; Gn. I, 395; Tutt Brit. Noct. III p. 14; Barr. V, t. 231, f. 2.
Arm; Pont,
2152. **Ocellaris** Bkh. IV, 647; Gn. I, 396; Spr. geogr. Verbr. II, 262; Barr. Brit. Lep. V, t. 231, f. 3 (praec. forma Darw.).
a) ab. *Lineago* Gn. I, 396; Gilvago Hb. 193; Dup. VII, 129, 6 (al. ant. grisescentibus).
b) ab. *Intermedia* Habich VI Jhrsb. Wr. E. V. 1895 p. 49, t. 1, f. 5 (trans. ad Gilvag.).
2153. **Vulpecula** Ld. z. b. V. 1855 p. 374, t. 3, f. 5; *Vulpina* Ev. Bull. M. 1855, IV, 374 (huj. generis?).
2154. **Divergens** Butl. Ann. & Mag. (5) IV, 1879 p. 364; Stgr. Mém. Rom. VI p. 514, t. 9, f. 8; Coriacea Graes. Berl. e. Z. 1888 p. 357 (huj. generis?).

Eur. c. et s. (exc. reg. pol.); Arag; Cat; Gal. m. oc; It. s. et c; Ross. m; Arm; Alt; Ala Tau; Ili; Iss. K; Amur; Uss; Jap.

Taur.
Gal. m.; ?It.; Hung; Pont.

Maur.
Eur. c; Scand. m; ?Liv; Gal. m; It; Ala Tau et Ferg. (v.).

Eur. c; And; Gal. m; Maur; ?It; Ross.
Alt; Ala Tau; Ferg; Saraw.

Alt; Saj. or; Amur; Uss.

Uss; Jap.

339. **Hoporina** Blanch. 1840.

2155. **Croceago** F. Mant. 159 (1787); Hb. Btr. Nachtr. p. 104; Hb. 189; Tr. V, 2. 360; Dup. VII, 128, 1; Frr. 586; Gn. I, 389; Tutt Brit. Noct. III p. 8; Barr. VI, t. 233, f. 1; Sericea Butl. Ann. & Mag. (5) I, 1878 p. 169; Ill. Het. II p. 31, t. 30, f. 10.
a) ab. *Corsica* Mab. Ann. S. Fr. 1867 p. 641 (pallidior, al. ant. rufescens-stramineis).

Eur. c. (exc. Ural); Suec. m; It. s. et c; Hisp; Balc. s; Pont; Arm; Maur; Uss; Jap.

Cast; And; Cors; Teriol. m; etc.

340. **Orrhodia** Hb. 1822.

2156. **Fragariae** Esp. III, t. 86, f. 3 Cont. (1789) p. 40; *Orbona* Hb. 104, 604; Btr. II, 4 t. 1, f. d; *Serotina* O. IV, 85 (1816); Tr. V, 2. 418; Frr. 435; Gn. I, 385.
m. or; Sib; Amur; Uss; Jap.
2157. **Erythrocephala** F. Mant. 176; Hb. 176; Tr. V, 2. 405; Dup. VI, 79, 3; Gn. I, 383; Tutt Brit. Noct. III p. 6; Barr. VI t. 233, f. 3.
a) ab. *Glabra* Hb. 438; Tr. V, 2. 410; Dup. VI, 79, 2; Frr. 436; Gn. I, 383 (al. ant. obscurioribus, costa, maculis duabus fasciaque antemarginali griseis).
2158. **Veronicae** Hb. 541 ab; Gn. I, 382; Ld. Noct. 150; *Dolosa* Hb. 632; Tr. V, 2. 407; *Intricata* B. Ind. Add. p. 6 [sec. sp. typ. certe]; Gn. I, 379, t. 8, f. 3; ?Dup. Sup. IV p. 89, t. 58, 2 (praec. sp. forma Darw.?).

Germ. m; Helv. s. oc; It. s. et c; Austro-Hung; Rum; Ross. Eur. c; Dan.(1); Gal. m; It. s. et c; ?Sic; Ross. m; Pont.

Astro-Hung; ?Germ. m. oc; Helv; Gal. m; It. c; Maced; Pont.

2159. **Vau punetatum** Esp. III. 76, 4 (1786) p. 385; Silene Hb. 175; Tr. V, 2. 412; Dup. VI p. 102, t. 79, f. 5!; Gn. I, 384.
- a) ab. *Inmaculata* Stgr. Cat. ed. II p. 118; Silene var. A. Gn. I, 384 (al. ant. maculis nigris nullis).
2160. **Gallica** Ld. Noct. p. 227; Silene (var.) HS. 571; Grasl. Ann. S. Fr. 1863 p. 346 (praec. forma Darw.).
2161. **Daubei** Dup. III p. 331. t. 30, f. 5 (ca. 1838); Buxi B. Gen. p. 147 (1840); HS. 92, 93; Gn. I, 378; Mill. Ic. 52, 5-8.
2162. **Canicostata** Graes. Berl. e. Z. 1888 p. 358; Stgr. Mém. Rom. VI, 515 (uno specimine, ♂ [an ♀?] deser.).
2163. **Ciliata** Stgr. Mém. Rom. VI p. 516 (an eadem sp. cum praec.?).
2164. **Vaccinii** L. F. S. 320; Esp. I. 4. 6; Dup. VI, 79, 1; Frr. 46, 2 (1?); Gn. I, 379; Tutt Brit. Noct. III p. 1; Barr. VI t. 234, f. 1; ab. *Signata* Klem. Spraw. Kom. Fizyog. XXXIII p. 141 [maculis punctisque submarginal. nigris] (forma fere unicolor.).
- a) ab. *Spadicea* Hb. 179; Vos Tijds. XLII p. 39, t. 2, f. 5; Vaccinii Esp. 2 (3) (al. ant. plus minusve nigro-fasciatis).
- b) ab. *Mixta* Stgr. Cat. ed. II p. 118; Vaccinii Esp. 5; Hb. 117 (al. ant. exterius [et in medio] dilutius fasciatis).
- c) v.? (ab.?) *Sebdouensis* Aust. Natural. 1880 p. 221; Obth. Et. VI p. 87 (una ♀ condita; al. ant. haud lineatis, punctis marginal. et antemarginal. nigricantibus).
2165. **Ligula** Esp. 166, 3 (1794); Gn. I, 381; Rössl. Schuppfl. 1881 p. 112; Tutt Brit. Noct. III p. 4; Barr. VI t. 234, f. 2; *Subnigra* Hw. Lep. B. p. 234 (al. ant. obscure brunnescensibus, exterius albido-fasciatis, praec. sp. forma Darw.; valde variabilis).
- a) ab. *Subspadicea* Stgr. Cat. ed. II p. 119; *Polita* Dup. VI, 81, 1; *Spadicea* Hw. Lep. Br. p. 233; Gn. I, 380; Spr. geogr. Verb. II, 262 (al. ant. rufis sive brunneis, paullum [obsolete] signatis et albido-reticulatis).
- b) ab. *Scortina* Stgr. al. ant. fulvo-griseis vel ligneis, plus minusve fusco-signatis; praec. ab. pallidior.
- c) ab. *Uniformis* Stgr; *Staudingeri* Grasl. Ann. S. Fr. 1863 p. 318, 319 [cerne sec. specim. typ.] (al. ant. [fere] unicoloribus, dilute brunneis vel ligneis).
- d) ab. *Livina* Stgr. al. ant. caerulescenti-cinereis, paullum obscure signatis).
- e) ab. *Polita* Hb. 178; *Ligula* Esp. ab. Vos Tijds. XLII p. 39, t. 2, f. 6; ??Cruda Hb. 172; *Brigensis* B. Gen. p. 148; HS. 459 (al. ant. nigrescenti-griseis vel nigrescentibus, plus minusve cinereo-inspersis).
- f) v. *Subspadiceana* Stgr. Stett. e. Z. 1888 p. 35 (pallidior, al. ant. griseo-rufescensibus, al. post. grisescentibus).
- g) ab. (v.) *Politina* Stgr. l. c. (praec. v. ab. dilutior, al. ant. cinerascentibus, saepius paullum rufo-inspersis).
2166. **Acutula** Stgr. Iris IV (1891) p. 302.
- a) ab. *Scorteia* Stgr. Iris X p. 288, t. 9, f. 17 (al. ant. scorteis, paullum fusco-mixtis).
- Eur. c. (exc. Ross. et Angl.); Suec. m.; Arag.; ?And; Gal. m.; It. s.; ?Sic; Ross. m. oc.
- Gal. c; Pyr.
- Gal. m.
- Uss. s.
- Uss.
- Eur. c. et s. (exc. reg. bor.); Gal. m.; It. s.; Ross. m; Arm; Pont; Alt; Jap. (Leech).
- Maur.
- Eur. c. (?Ross.); Gal. m; Hisp; ?Sic; Arm; Pont; Ala Tau; Uss.
- Diniae.
- Diniae; Pyr. or.
- Diniae; Val.
- Ferg.
- Ferg.
- Pal.

2167. **Rubiginea** F. Mant. 142; Hb. 183; Tr. V, 1. 398; Dup. VII, 109, 6; Frr. 45; Gn. I, 387; Barr. VI t. 238, f. 2; Tigerina Esp. 123, 3, 4; Fornax Butl. Ann. & Mag. (5) I p. 168 (1878); Ill. Het. III t. 44, f. 11; ?Neurodes Hb. 568; ?Pulverea Hb. 169; ?Rubigo Rbr. Ann. S. Fr. 1871 p. 317; ?Vaccinii var. D. Gn. I p. 380 (spec. valde variabilis).

Eur. c. et s. (exc. reg. bor.); Gal. m.; Cors.; It. s. et c.; Arm.; Pont.; Jap.

a) ab. *Unicolor* Tutt Brit. Noct. III p. 7; Barr. I. c. f. 2 b (al. ant. unicolor. rufo-brunneis, non nigro-punctatis).

And. (Granada) (I); Pyr. or.

b) v. (?) (ab?) *Staudingeri* Grasl. Ann. S. Fr. 1863, 314, t. 8, f. 4, 5; Rbr. Cat. S. And. t. 18, f. 7 (1866); Obth. Bull. S. Fr. 1885 p. 213 (al. ant. obscurioribus, nigrescenti-brunneis, caeruleo-griseo-pictis).

c) ab. (v.?) *Graslini* Stgr. praec. var. multo dilutior, al. ant. brunneis vel castaneis, albido-vel flavescenti-pictis.

Val. (v.); Diniae. (ab.).

2168. **Torrida** Ld. Wien. Mts. 1857 p. 81; HS. n. Schm. 119, 120. Gal. m. or; Val; Carn; Bulg.

Sic; It. c. (Aquila); Val; Carn; Bulg.

341. **Scopelosoma** Curt. 1836.

2169. **Satellitia** L. S. N. ed. XII, 855; Esp. 169, f. 6, 8-10; Hb. 182; Tr. V, 2. 414; Gn. I, 386; Tutt Brit. Noct. III p. 7; Barr. VI t. 234, f. 3, 3 b.

Eur. c. et s. (exc. reg. bor.); It. s. et c.; Ross.; Pont.; Alt; Ala Tau.

a) ab. (et v.) *Brunnea* Lampa Tidskr. 1885 p. 76; *Satellitia* Esp. I. c. f. 7; Dup. VI, 80, f. 4; Barr. f. 3 a (al. ant. sine macula alba).

Suec. (v.); etc. ab.

b) v. *Tripecta* Butl. Ann. & Mag. (5) I p. 168; Ill. Het. II p. 30, t. 30, f. 9; Leech Tr. E. S. 1900 p. 76; *Satellitia* Stgr. Mém. Rom. VI, 518 (al. ant. obscure griseis, maculis majoribus).

Uss; Jap.

342. **Xylina** Tr. 1826.

2170. **Semibrunnea** Hw. Lep. Br. p. 171 (1810); Stph. Ill. II, 170, t. 21, f. 3; Gn. II, 121; Mill. Ic. 33, 1-3; Tutt Brit. Noct. III p. 104; Barr. VI t. 235, f. 1; Oculata Germ. Fn. I. E. IX, t. 18 (1836); Tr. X, 2. 112; Dup. III, 34, 4; HS. 460; Frr. 316, 2.

Eur. c. oc; Pom; Gal. m; It. s. et c; Austro-Hung; Bulg.

2171. **Ledereri** Stgr. Iris IV (1891) p. 304.

Pont; Rhod.

2172. **Socia** Rott. Naturf. IX, 142 (1776); Ld. Noct. 40, 153; Tutt Brit. Noct. III p. 105; Petrificata Tr. V, 3. 23; Dup. III, 34, 3; Gn. II, 121; Barr. VI t. 235, f. 2; Petrif. f. c. o. Hb. 239.

Eur. c. et s. (exc. reg. bor.); It. s. et c.; Pyr. or; Ross. m; Alt; Sib. or; Amuret Uss. (v.).

2173. **Furcifera** Hufn. Berl. M. III, 402 (1767); Ld. Noct. 40, 153; Tutt Brit. Noct. III p. 103; Conformis Hb. 243; Tr. V, 3. 12; Dup. VII, 112, 2; Gn. II, 118; Stt. Ann. 1862 p. 108, f. 3; Barr. VI t. 235, f. 3; Bifurca Esp. 125 B, 6-8, 131, 1.

Eur. c. et s. (exc. reg. bor.); It. s. et c; Ural; Alt.

a) v. *Suffusa* Tutt l. c. p. 104 (multo obscurior, al. ant. violaceo-nigrescentibus).

Angl. oc.

b) *v. *Ustulata* Butl. Ann. & Mag. Nat. Hist. (5) I p. 162; Ill. Het. II p. 27, t. 29, f. 10 (v. praec. minus obscurior, al. ant. magis brunnescensibus).

Jap.

2174. **Ingrica** HS. 507 (1850), 573, II p. 305, VI p. 58; Gn. I, 118; Nolek. Fn. I p. 198; Cinerosa Gn. II, 118 (1852); ?Conformis Frr. 41.

Eur. s. et c. (exc. reg. pol., c. oc. et Germ. c.); Alp; Rum; Sib. s. or; Kamt.

- a) v. *Pexata* Grote Peab. Ac. Sci. 1874 p. 35; *Grisea* Graes. Berl. e. Z. 1888 p. 360; Stgr. Mém. Rom. VI p. 519; v. *Obscura* Carad. Iris IX p. 41 (obscurior).
2175. **Brachyptera** Stgr. Mém. Rom. VI p. 520, t. 9, f. 9.
2176. **Lamda** F. Mant. 174 (1787); Tr. V, 3. 18; Stgr. Stett. e. Z. 1869, 91; Tutt Brit. Noct. III p. 99; Barr. VI t. 235, f. 4; *Rufescens* Mén. Mot. Et. 1857 p. 23; ib. 1858, t. 2, f. 4; Sievers ib. 1859 p. 145 [transitus ad. var. sequ.].
- a) v. (et ab.) *Somniculosa* Hering Stett. e. Z. 1841, 165; Frr. 462; HS. 136; Gn. II, 119 (al. ant. minus signatis; v. levis).
- b) v. (et ab.) *Zinckenii* Tr. V, 3. 16 (1826); Frr. 63, 3, 359; Dup. III, 34, 2; HS. 135; Gn. II, 119; *Thaxteri* Grote Bull. Buff. Soc. Nat. Sc. 1874 p. 196 (al. ant. magis variegatis, albo-pictis).
2177. **Ornitopus** (r. *Ornithopus*) Rott. Naturf. IX, 124 (1776); Tutt Brit. Noct. III p. 99; *Ornithopus* Hein. I, 381; *Rhizolitha* Tr. V, 3. 21; Dup. VII, 112, 3; Gn. II, 119; Barr. VI t. 236, f. 1; *Rizolitha* Esp. 121, 6; Hb. 242; *Pruinosa* Butl. Ann. & Mag. Nat. Hist. (5) I p. 197; Ill. Het. II p. 34, t. 31, f. 6 [var.].
2178. **Lapidea** Hb. 382; Gn. II, 19; Mill. Ic. III t. 9, f. 3-5; *Leautieri* B. Ind. Add. p. 6; Tr. X, 2. 110; Frr. 526. 3; Gn. II, 120; ?*Sabinae* HG. 794-5.
- a) v. *Sabinae* HG. 766-7; Tr. X, 2. 109; Dup. III, 34, 1 p. 381; Gn. II, 120 (al. ant. cinereis, non brunneo-inspersis).
- b) v. (et ab.) *Cupressivora* Stgr. Cat. ed. II p. 120; *Lapidea* Tr. V, 3. 19; Frr. 526, 4 (al. ant. minus signatis, fere unicoloribus).
2179. **Merckii** Rbr. Ann. S. Fr. 1832, 293, t. 9, f. 6; Dup. III, 37, 4; Gn. II, 117; *Ripagina* HG. 840; *Simplex* Frr. 255, 1.
- 343. Calocampa** Stph. 1829.
2180. **Vetusta** Hb. 459; Tr. V, 3. 4; Dup. VII, 111, 1; Gn. II, 115; Tutt Brit. Noct. III p. 107; Barr. VI t. 237, f. 2. ?*And*; *It. s. et c.*; *Corsica*; *Ross. m.*; *Pont.* (1); *Alt*; *Tarb*; *Ili*; *Iss. K*; *Sib*; *Am. s.*
- *a) v. *Nupera* Lintner Bull. Buff. Soc. Nat. Sc. II p. 188; Smith Cat. Noct. 235 (al. ant. saturatus brunneis, linea basali strigata media nigris distinctioribus).
2181. **Exoleta** L. S. N. ed. X, 515; Esp. 138, 1. 2; Hb. 244; Tr. V, 3. 7; Dup. VII, 111, 2; Gn. II, 116; Tutt Brit. Noct. III p. 108; Barr. VI t. 237, f. 1. ?*Maur*; *Ten*; *Lyd*; *Pont*; *Arm*; *Jap.* (v.).
- a) v. *Impudica* Stgr. Stett. e. Z. 1888 p. 35 (dilutior, al. ant. minus signatis, magis cinereis). *Iss. K*; *Tarb*; *Ala Tau*; *Ili*; *Ferg*; *Saraw*; *Amdo*.
2182. **Solidaginis** Hb. 256; Tr. V, 3. 11, VI, 411; Dup. VII, 112, 1; Gn. II, 115; Frr. 634; Tutt Brit. Noct. III p. 108; Barr. VI t. 236, f. 3; *Germana* Morr. Bull. Buff. Soc. Nat. Sc. II, 192 [sec. Stgr.].
- a) ab. (et v.) *Cinerascens* Stgr. Cat. ed. II p. 120; *Pallida* Tutt l.c. p. 110 (pallidior, al. ant. minus signatis, cinerascentibus).
- Eur. c. et s. (exc. reg. pol.)*; *Gal. m. oc.*; *And*; *It. s. et c.*; *Corsica*; *Ross. m.*; *Pont.* (1); *Alt*; *Tarb*; *Ili*; *Iss. K*; *Sib*; *Am. s.*
- Eur. (exc. reg. bor., And, et c.?)*; *Ural*; *Alt*; *Pont*; *Arm*; *Jap.* (v.).
- Eur. s. et c. (exc. Belg. et Gal. c.)*; *Ural*; *Alt*; *Amur*; *Am. s.*
- Angl. (pr. p.v.)*; *Germ. s. (ab.)*.

344. **Xylomyges** Gn. 1852.

2183. **Conspicillaris** L. S. N. ed. X, 515; Esp. 134, 5; Hb. 237; Tr. V, 3. 26; Tutt Brit. Noct. I p. 69; Barr. IV t. 152, f. 3; Musicalis Esp. 147, 5 (al. ant. brunneo-griseis).
 a) ab. *Melaleuca* View. Tab. Verz. p. 68, t. 1, f. 5; Dup. VII, 112, 6 transitus; *Conspicillaris* Esp. 134, 4, 6; Hb. 236; Dup. VII, 110, 3. 4; Gn. I, 149; Barr. I. c. f. 3 b (al. ant. nigricant., dorso et marg. post. albidis).

Eur. c.; Suec. m.; Liv.; It. s. et c.; Ross. m.

Arm.; Pont.; Taur.; Kurd. s. oc.; Alt.; Saraw.

345. **Scotochrosta** Ld. 1857.

2184. **Pulla** Hb. 238, 692-3; Tr. V, 3. 51; Dup. VII, 114, 4; HS. 506; Gn. I, 142; Felixii Frr. 311, 4. *Ross. m. oc.; Gal. m.; It. s.; ?Sic.; ?Creta.*

346. **Scotocampa** Stgr. 1888.

2185. **Indigesta** Stgr. Stett. e. Z. 1888 p. 36.

Ili; Iss. K.

347. **Xylocampa** Gn. 1837.

2186. **Areola** Esp. 141, 4 (1789) p. 448; Tutt Brit. Noct. III p. 97; Operosa Hb. 398; HG. 764-5; Lithorhiza Tr. V, 3. 66; Dup. VII, 112, 4; Frr. B. 70, f. 2; Frr. 460; Gn. II, 110; Mill. Ic. 104, 1; Barr. VI t. 236, f. 2. *?Ross. c.; Bith.; ?Pont.; Pal.*

Eur. c. oc.; Cat.; Lus.; Dan.; It. s. et c.; Sic.; Austr.; Hung. s.; ?Ross. c.; Bith.; ?Pont.; Pal.

348. **Lithocampa** Gn. 1852.

2187. **Ramosa** Esp. III, 78, 3 (1787); Hb. 247; Tr. V, 3. 64; Dup. VII, 114, 5; Fr. 245; Gn. II, 109.

Germ. c. et m.; Austr.; Helv.; Gal. m. or.; Cat.; It. s.; Hung. or.; Uss. (ab.).

Uss. m.

- a) v. *Ramosula* Stgr. Stett. e. Z. 1888 p. 258; Mém. Rom. VI p. 524, t. 10, f. 3 (obscurior, al. ant. maculis duabus distinctis).

2188. **Millierei** Stgr. Berl. e. Z. 1870, 119, 330; Mill. Ic. 123, III p. 219.

Cat.

- a) v.? *Centralasiae* Stgr. multo major (exp. al. 37 mm), al. ant. non brunnescensibus, maculis duabus separatis, al. post. ♀ fere totis obscuratis; an sp. div.?

Ferg. s.; Iss. K.

349. **Pulcheria** Alph. 1887.

2189. **Catomelas** Alph. Stett. e. Z. 1887 p. 170; Mém. Rom. V p. 173, t. 7, f. 10 a, b. *Kaschg.*

350. **Lithophasia** Stgr. 1891.

2190. **Venosula** Stgr. Iris IV (1891) p. 305, t. 4, f. 3.

Syr.

351. **Epimecia** Gn. 1839.

2191. **Ustula** Frr. 148, 1, II p. 90 (Febr. 1835); *Lurida* Tr. X, 281; HS. 442; *Ustulata* HG. 857; B. Rbr. et Grasl. Coll. ic. t. 22; Dup. III, 35, 7; Gn. II. 154.

Gal. m.; Cat.; Teriol. m.; Dalm.; Hung.; Bulg.; Srp.; ?Alt.

352. **Catamecia** Stgr. 1897.2192. **Jordana** Stgr. Iris X (1897) p. 288, t. 4, f. 23.*Pal.*a) v. (ab.) *Bacheri* Stgr. al. ant. sordide brunnescentibus (sec. pluribus speciminibus sine transit. condita).*Pal. m. (circa mare mortuum).*b) v. *Mauretanica* Stgr. al. ant. multo minus signatis, fere unicoloribus grisescensibus.*Maur. or. (Prov. Biskra).*353. **Hypomecia** Stgr. 1897.2193. **Quadrivirgula** Mab. Bull. S. Fr. 1888 p. 51; Nov. Lep. p. 67, t. 11, f. 5.*Maur.; Pal.*354. **Calophasia** Stph. 1829.2194. **Casta** Bkh. Scriba Btr. III p. 212, t. 17, f. 7 (1793); *Opalina* Esp. 182, 3; Hb. 376; Tr. V, 3. 80; Dup. VII, 115, 3; Frr. B. 79; HG. 808-9; Gn. II, 165.*Arm.; Tura; Tarb.; Ili; Iss. K.; Ferg.*2195. **Platyptera** Esp. 130, 5 (1788); Tr. V, 3. 71; Dup. VII, 120, 5; Frr. 412, 2; HS. 158; Gn. II, 164; Grasl. Ann. S. Tr. 1863, t. 8, f. 7; *Tenera* Hb. 254; Olbienna HS. 386; Dup. IV, 70, 3, p. 230; Gn. II, 164 [ab. nigricans].*Taur.; Syr.; Mardin; Angl. (1).**Sic; Maur.*a) v. *Subalbida* Stgr. multo dilutior, al. ant. subalbidis, minus signatis, al. post. ♂ fere totis albis (gen. aest. merid.?).2196. **Hamifera** Stgr. Stett. e. Z. 1863 p. 268 (praeec. forma Darw.?).*Cast.*2197. **Almoravida** Grasl. Ann. S. Fr. 1863, 319, t. 8, f. 6.*And; Cast.*2198. **Kraussi** Rbl. z. b. V. 1895 p. 348 (huj. gen. Stgr. non esse videtur).*Maur. m. (Oas. Ouargla).*2199. **Lunula** Hufn. Berl. M. III, 394 (1767); Ld. Noct. 40. 161; *Linariae* Esp. 121, 4. 5; Hb. 252; Tr. V, 3. 77; Dup. VII, 110, 6; Frr. 171; Gn. II, 163.*Eur. (exc. reg. bor., ? Angl., Ib. et Balc. m.); Pont; Arm.; Alt; Iss. K; Saraw; Amur. (1).*2200. **Freyeri** Friv. Imr. Tarsas Evgöñv. II, p. 273, t. 7, f. 9 (1835); *Lintea* Frr. 370, 1, IV p. 141; *Orontii* HS. 180-1; Gn. II, 164; *Senescens* Ev. Bull. M. 1856, II, t. 3, f. 1, 1857, I, 94.*? Taur. m. (an Bith.); Arm; Pont; Taur; Syr; Mardin.*355. **Cleophana** B. 1840.2201. **Antirrhinii** (r. *Antirrhini*) Hb. t. 52, f. 53 (r. 253); *Antirrhini* Tr. V, 3. 75, X, 2. 120; Dup. VII, 116, 6; Frr. 172; Gn. II, 161.*(1); Balc. s.; As. min; Syr; Mardin; Arm.*2202. **Anatolica** Ld. Noct. 227; Calb. Iris I p. 256, t. 12, f. 11; *Serrata* Frr. 256, 1; Gn. II, 160.*Bith; Lyd; Rhodus; Pal; Tura.*2203. **Pauli** Stgr. Iris IV (1891) p. 306, t. 4, f. 4.*It. c; ? Turc. m. or;*2204. **Serrata** Tr. X, 2. 121 (1835); HG. 871; Feisth. Ann. S. Fr. 1837, 299, t. 12, f. 2; Dup. III, 37, 5; Rbr. Fn. And. 18, 6; Mill. Ic. 66, 1, 2; *Arctata* Gn. II, 161.*Pal; Maur. (1). Sic; Sard; And; Maur.*2205. **Serratula** Stgr. Stett. e. Z. 1888 p. 38.*Ili; Iss. K; Ferg.*2206. **Olivina** HS. 578 (1871), VI p. 57; Ferrieri Bell. Ann. S. Fr. 1857 p. 13, t. 1, f. 1.*Pont; Taur; Bulg; Dalm; It. s. et c.*2207. **Oliva** Stgr. Iris VII (1894) p. 279, t. 9, f. 15.*As. min. s. (Paphlagonia).*

2208. **Anarrhini** Dup. III, 35, 2 p. 387; HS. 157; Gn. II, 158. *Gal. m. or; Hisp. (Murcia).*
2209. **Warionis** Obth. Et. I p. 48, t. 2, f. 3. *Maur.*
2210. **Baetica** Rbr. Fn. And. t. 18, f. 4 (1839); ?*Choenorrhini* Dup. III, 34, 6 p. 379; *Penicillata* Gn. II, 159 (1852). *And; Cast; Maur; Gal. m. or. (1); Taur. m. or; Pal; Mardin.*
2211. **Dejeanii** Dup. VII, 115, 2 p. 237, III, 35, 1; HS. 156; Gn. II, 159; Frr. 520, 1. *It. c. et m; Graec; Pont; Taur. c. et m. or.*
2212. **Jubata** Obth. Et. XIII p. 31, t. 6, f. 40. *Maur.*
2213. **Chabordis** Obth. Et. I p. 47, t. 2, f. 2; Rbl. z. b. V. 1895 p. 349. *Maur; Pal.*
- a) ab. (v. aest.?) *Albicans* Stgr. thorace, capite alisque albidis, his dilute ochraceo-pictis). *Maur. (Prov. Biskra pr. p.).*
2214. **Yvanii** Dup. Ann. S. Fr. 1833, 257, t. 9, f. c; HG. 838; Dup. III, 35, 1; Gn. II, 158. *Gal. m. or; Arag; Cast; Murcia (ab.). Hisp. m. or. (Murcia).*
- a) v.? (ab.?) *Korbi* Stgr. Iris VII, 280 (dilutior, al. ant. sine striga extrabasali; an sp. div.?).
2215. **Vaulogeri** Stgr. Iris XII p. 378, t. 5, f. 9 (una ♀ condita; praec. var.?). *Maur. (Biskra).*
2216. **Diffluens** Stgr. Berl. e. Z. 1870 p. 121; *Yvanii* Rbr. Cat. And. t. 14, f. 4 [larv.] (*Yvanii* forma Darw.?). *And. m; Maur.*
- a) ab. *Versicolor* Stgr. minor, al. ant. post basin et extus ochraceo-brunneotinctis. *Maur.*
- b) v. *Marocana* Stgr. thorace, capite alisque sordide brunnescentibus (spec. diversa esse videtur). *Maur. or. (Marocco).*
2217. **Opposita** Ld. Ann. S. Belg. 1870 p. 34, 47, t. 1, f. 12; Stgr. Hor. XIV, 394. *Ant. s; Mardin; Maced; Bulg.*
2218. **Pectinicornis** Stgr. Stett. e. Z. 1859 p. 215; Rbr. Cat. S. And. t. 12, f. 4. *And; Murcia; Maur.*

356. **Cucullia** Schrk. 1801.

2219. **Celsiae** HS. 182, II p. 311; Gn. I, 132. *Turc. m; Bulg; Hung. m. or; Pal.*
2220. **Prenanthis** B. Gen. p. 154 (1840); Gn. II, 132; *Ceramanthea* Frr. 432; *Ceramanthae* HS. 185-6; *Blattariae* Dup. VII, 124, 5. *Sax.or; Austr.-Hung; Hal; Rum; Ross. c. m. oc; Pont.*
2221. **Verbasci** L. S. N. ed. X, 515; Esp. 139, 1-4; Hb. 266; Tr. V, 3. 127; Dup. VII, 124, 1. 2; Frr. B. 82; Gn. II, 126; Tutt Brit. Noct. III p. 111; Barr. VI, t. 238, f. 1. *Eur. c. et m; ?Maur; Scand. m; Liv; Bith; Lyd; Pont; Arm; Syr; Uss. m. (1).*
2222. **Scrophulariae** Capieux Naturf. XXIV p. 91, t. 3, f. 1-4 (1789); Esp. 180, 4; Hb. 267; Tr. V, 3. 130; Rbr. Ann. S. Fr. 1833 p. 14, t. 1, f. 1; Dup. VII, 124, 3, III, 37, 1; Frr. B. 83; Gn. II, 127; Tutt Brit. Noct. III p. 112; Barr. VI, t. 238, f. 2. *Eur. c; Scand. m; Liv; Gal. m. oc; It. s. et f?c.; ?Cors; Rum; Ross. m. (?); Arm; Pont. (?); Syr. (?).*
2223. **Scrophulariphila** Stgr. Stett. e. Z. 1859 p. 215. *And. (Chiclana); ?Maur. (larva).*
2224. **Lychnitis** Rbr. Ann. S. Fr. 1833 p. 17, t. 1, f. 3; B. Rbr. et Grasl. Coll. ic. t. 15, 1-2; Dup. III, 36, 3; HS. 204; Gn. II, 128; Ld. Noct. 228; Tutt Brit. Noct. III p. 114; Barr. VI, t. 238, f. 3; v. *Rivulorum* Gn. II, 129 [larvae v. an ab.]. *Eur. c. (exc. ?Ross.); Gal. m. oc; Bib; Cast; It.s. et c.; Cors; Sard; Ross. m.; Lyd; Pont; Arm.*
2225. **Thapsiphaga** Tr. V, 3. 120; Rbr. Ann. S. Ent. Fr. 1833 p. 22, t. 1, f. 2; Frr. B. 80; Gn. II, 130; ?HG. 816 (*Blattariae* var. al. ant. brunnescensibus, Stgr. esse videatur; larva diversa sed *Blattariae* larva valde variabilis). *Germ; Austro-Hung; Hal; Helv. s. oc; Gal. (pr. p.); ?Cat. (?); Cors. (?); It; Ross. m; Arm.*

2226. **Serophulariphaga** Rbr. Ann. S. Fr. 1833 p. 20, t. 1, f. 4; Dup. III, 36, 5; Gn. II, 131; Ld. Noct. 228 (Blattariae forma obscurior? larva fere eadem cum larva typica Blattariae).
2227. **Blattariae** Esp. 154, 4, IV p. 518; Tr. V, 3. 125; Frr. B. 81; Gn. II, 129; HS. 202-3; ?HG. 815; Caninae Rbr. Ann. S. Ent. Fr. 1833 p. 19, f. 5; Dup. III, 37, 2; Ld. Noct. 228 (larva valde variabilis).
2228. **Anceps** Stgr. Hor. XVI p. 78 (praece. forma Darw., an var.? [ab.?], al. ant. albicantibus, haud brunneo-mixtis).
2229. **Asteris** Schiff. S. V. p. 312; Esp. 154, 2, 3; Hb. 260, 506; Tr. V, 3. 118; Dup. VII, 125, 1; Gn. II, 133; Tutt. Brit. Noct. III p. 115; Barr. VI, t. 239, f. 1.
2230. **Albescens** Moore Pr. Z. S. 1881 p. 357; Hmps. Ind. Moths II p. 238; Elongata Butl. Ill. Het. VI t. 103, f. 7; Atkinson Moore Lep. Atk. p. 131; Postera Stgr. Mém. Rom. VI p. 524.
2231. **Ledereri** Stgr. Mém. Rom. VI p. 525.
2232. **Distinguenda** Stgr. Iris V (1892) p. 368, t. 3, f. 7.
2233. **Dracunculi** Hb. 586; Tr. V, 3. 104; Dup. VII, 125, 3!; Gn. II, 149; Frr. 388, f. 2; Incana Ev. Bull. M. 1842, III, 551, F. V. U. 303; HS. 184.
- a) v. *Amota* Alph. Stett. e. Z. 1877 p. 171; Mém. Rom. V p. 177, t. 7, f. 11 (al. ant. cinereis, minus brunneo-inspersis; signaturis valde aberrantibus non differt., vix nomin.).
2234. **Anthemidis** Gn. II, 140; Berce Lep. Fr. IV p. 115; Mill. Ic. 145, f. 6-8.
2235. **Praecana** Ev. F. V. U. 304, Bull. M. 1857, III, 62; HS. 509; Gn. II, 146; Rosenberger Corr. nat. Ver. Riga XX p. 45 (larv.).
2236. **Mixta** Frr. 352, IV, p. 111 (1841); ?Consors Ev. Bull. M. 1846, III, 88, t. 2, f. 4, 1857, I, 64.
2237. **Virgaureae** B. Gen. p. 154 (1840); Gn. II, 148; Ev. Bull. M. 1857, I, 66; Dracunculi Ev. F. V. U. 304; HS. 194.
2238. **Cineracea** Frr. 352, 2. IV, p. 110 (1841); HS. 196; Gn. II, 138; Mill. Ann. S. Fr. 1885 p. 119, t. 2, f. 11; Mixta Ev. F. V. U. 307; HS. II p. 309.
- a) v. ? *Defecta* Stgr. Iris X p. 338, t. 9, f. 27 (al. ant. obscurius griseis, minus signatis; an. sp. div.?).
2239. **Maracandica** Stgr. Stett. e. Z. 1888 p. 39; Herzi Alph. Iris VI p. 347 (1893); Mém. Rom. IX p. 217, t. 7, f. 7.
2240. **Lactea** F. Mant. II p. 182 no. 297 (1787); Esp. 190, 1; Hb. 448; Tr. V, 3. 99; Dup. III, 36, 2; Ev. F. V. U. 229; Gn. II, 149.
2241. **Sabulosa** Stgr. Stett. e. Z. 1879 p. 322.
2242. **Biornata** F. d. W. Bull. M. 1840, 88, t. 3, f. 1; Frr. 352; HS. 197; Gn. II, 147.
2243. **Balsamitae** B. Gen. p. 154 (1840); Frr. 358 (1841); Dup. IV, 57, 1; Ev. F. V. U. 303, Bull. M. 1857, I, 60; HS. 199; Gn. II, 147.
2244. **Tanaceti** Schiff. S. V. p. 73; Knoch Btr. II, 29, t. 2, f. 1-9; Hb. 265; Tr. V, 3. 100; Dup. VII, 126, 4; Gn. II, 141.
- Graec.); Suec. m.; Liv.; Bith.; Pont.; Arm.; Saraw.; Ferg.; Ili.*
- Cors.
- Eur. m; Gal. c; oc;
Carn; Lyd; Taur;
Pont; Syr; Mardin;
Arm.
- Pont; Taur. c; Mar-
din; Ili; Hyrc. et
Saraw. (v. an sp. div.?).
- Eur. c; Scand. m;
Ross. s. m. et m; It.
s; Alt; Daur; Urga;
Uss; Ili; Iss. K; Korla; Jap.
Amur; Uss; Alt. m.
or; Amdo; Ind.
- Kamt.
- Daur; Amur; Ili;
Iss. K; Amdo.
- Ross. m. or; Alt.
- Ili; Iss. K; Ferg;
Tura (trans.).
- Gal. m.
- Ural; Liv; Cur;
Germ. s. or; Dan.
- Srp; Ural m; ?Hung;
Ili; Iss. K.
- Ural; Alt; Ili et Iss.
K. (v. dilutior).
- Ural; Alp. mar;
Ulias; Ili; Iss. K.
- Daur.
- Saraw.
- Ross. m; Arm; Alt.
- Ross. m. or. (Narün).
- Ross. m. or; Alt; Ili;
Iss. K; Ferg.
- Ross. m; Hung; Hal;
Vindob; Germ. s. or;
Iss. K.
- Eur. c. et m. (exc. Dan.,
Angl., Bat., Belg. et

2245. **Umbratica** L. S. N. ed. X, 515; Esp. 137, 1 ♂ (non 2); Hb. 263 ♂; Frr. 447; Gn. II, 146; Spr. Stett. e. Z. 1858 p. 83 ff; Frr. Stett. e. Z. 1859 p. 418; Tutt. Brit. Noct. III p. 119; Barr. VI t. 240, f. 2; *Lucifuga* Esp. 178, 6 ♀; ?Frr. 431 imago; *Latucae* Hb. 264 ♀; Sonchi Hein. 400. *Ili*; *Iss.* *Eur.c., s. et m. or. (exc. reg. bor. et Balc. m.); Gal. m.; Bilib.; It. s. et ?c.; Bith.; Pont.; Arm.; Hyrc.; Tura; Alt. oc.; K.; Kaschg.; Chang.*
2246. **Campanulae** Frr. 35; Stett. e. Z. 1859, 423; HS. n. Schm. 127. *Austr.; Helv.; ?Gal. m. or.; ?Liv. (larva); ?Ural; Arm.*
2247. **Lucifuga** Hb. 262; Hb. Larv. Lep. IV, Noct. II, Gen. V, b, f. 1a; Tr. V, 3 p. 116 imago; Rbr. Ann. S. Fr. 1834, 179; Frr. Stett. e. Z. 1859, 420. *Eur. c. (exc. oc.); Gal. c.; Scand. m.; Liv.; Ross. m.; Arm.; Alt.; Urga; Amur; Uss.; Kuku N. (v.).*
2248. **Lactucae** Esp. 137, 4-6 (1788); Hb. Larv. Lep. IV, Noct. II, Gen. V, b, c, f. 1a, b, c; Dup. VII, 126, 2; Frr. 502; Spr. et Frr. Stett. e. Z. 1859 p. 418; *Campanulae* HS. 188, II p. 316, VI p. 58; ?*Pustulata* Ev. Bull. M. 1842, III, 551, t. 5, f. 3, F. V. U. 302; Frr. 508, 3; HS. 189 [an. sp. sequ. ?]. *Eur. c. (exc. Angl., Belg. et Dan.); Scand. m.; Liv.; ?It. s. et c.; Ross. m.; ?Bith.; Arm.; Alt.; Urga et Amur (v.?).*
2249. **Santolinae** Rbr. Ann. S. Fr. 1834, 387, t. 8, f. 4; Dup. III, 37, 3; HS. 198; Gn. II, 144. *Maur.; ?Helv.; ?Tura; ?Urias (v.?).*
2250. **Chamomillae** Schiff. S. V. p. 73; Esp. 193, 1, 2; Tr. V, 3. 111; Gn. II, 142; Ev. Bull. M. 1857, I, 62; Tutt. Brit. Noct. III p. 116; Barr. VI t. 240, f. 1; *Lucifuga* Dup. VII, 127, 1. *Egypt.; Bith.; Lyd.; Maur.; Can.; Mad.; Pal.; Tura; Saraw.* *Eur. c. et m. (exc. ?Balc. m.); Scand. m.; Liv.; Maur.; Can.; Mad.; Pal.; Tura; Saraw.*
- a) ab. (et v.?) *Chrysanthemi* Hb. 686-7; Tr. V, 3. 114, X, 2. 127; Frr. 370, f. 4; Gn. II, 142 (obsecurior, al. ant. pr. p. nigrescentibus). *Germ. s.; Hung. etc.*
- b) ab. (et v.?) *Calendulae* Tr. X, 2. 127; B. Gen. p. 154; Gn. II, 143 (dilutior, al. ant. cinerascent., minus signatis). *Sic.; Cors.; Dalm.; Pal. etc. (ab.).*
- c) v. *Leucanthemi* Rbr. Cat. S. And. t. 9, f. 3 (al. ant. flavo-mixtis, vix nominanda). *And.*
2251. **Inderiensis** HS. 634 (1852), VI p. 178; Ev. Bull. M. 1857, I, 64; Chr. Stett. e. Z. 1893 p. 33 (larv.). *Ural m.; Kirgh.; Iss. K.*
2252. **Syrtana** Mab. Bull. S. Fr. 1888 p. 51; Nov. Lep. p. 65. t. 11, f. 3; Rbl. Ann. Nat. Hofmus. XIII p. 367. *Maur. or; Ten. (v. al. ant. magis signatis).*
2253. **Hemidiaphana** Graes. Berl. e. Z. 1892 p. 313. *Iss. K. s. or; Tura.*
2254. **Boryphora** F. d. W. Bull. M. 1840 p. 88 (t. 3, f. 2?); Ev. F. V. U. 305, Bull. M. 1857, I, 63; HS. 508; Gn. II, 140; Rimula Frr. 352, 1 (1840); *Improba* Chr. Mém. Rom. II (1885) p. 65, t. 3, f. 7 [f. mala]. *Srp.; As. min. c. (Konia); Arm. m. or.; Hyrc.; Tura; Ferg.; Ili; Iss. K.*
2255. **Achilleae** Gn. II, 139; Rbr. Cat. S. And. t. 10, f. 1. *And.*
2256. **Naruuenensis** Stgr. Stett. e. Z. 1879 p. 322. *Ross. m. or. (Nariün); Ili; Iss. K.*
- a) v. (ab?) *Dimorpha* Stgr. Iris IX p. 268 (al. ant. distinctius obscure signatis; uno ♂ condita; ab?). *Urias.*
- b) v. *Eumorpha* Alph. Iris VI (1893) p. 347; Mém. Rom. IX p. 218, t. 7, f. 8 (al. lutescenti-cinereis). *Kaschg.*
2257. **Sublutea** Graes. Berl. e. Z. 1892 p. 312. *Kaschg.*
2258. **Santonici** Hb. 584-5; Frr. 357; Dup. III, 36, 1; Ev. F. V. U. 306; Gn. II, 138. *Ross. m.; Arm.; ?Pont.; Iss. K.*
- a) v. *Odorata* Gn. II, 138 (major, dilutior, al. ant. minus signatis). *Val; Alp. mar.*
2259. **Umbristriga** Alph. Hor. XXVI (1892) p. 452; Mém. Rom. IX p. 37, t. 3, f. 7. *Kaschg.; China c. oc.*
2260. **Generosa** Stgr. Stett. e. Z. 1889 p. 51. *Kaschg.*
2261. **Duplicata** Stgr. Stett. e. Z. 1882 p. 47. *Ala Tau; Kaschg.; Kuku N.*

- a) v. *Amoena* Stgr. Iris XII p. 379. t. 6, f. 17 (obseurior, al. ant. unicolor. brunnesceni-griseis; minus signatis).
2262. **Maculosa** Stgr. Stett. e. Z. 1888 p. 259; Mém. Rom. VI p. 526, t. 10, f. 4.
2263. **Alpherakyi** Stgr. Iris IX (1896) p. 371, t. 4, f. 5.
2264. **Gnaphalii** Hb. 582-3; Tr. V, 3. 87, VI, 1. 412, X, 2, 124; Dup. VII, 125, 4; Frr. 5; Ev. F. V. U. 309; HS. 200-1; Gn. II, 134; Tutt. Brit. Noct. III p. 115; Barr. VI t. 239, f. 2.
2265. **Xeranthemei** B. Gen. p. 153; HS. 195, 481; Frr. 412, 3. 4; Gn. II, 135; Mill. Ic. 89, VII. *Hung; Balc. s; Ross. m; Alt; Iss. K; ?Ferg. Uss; China s; Cor; Jap.*
2266. **Perforata** Brem. Lep. O. S. p. 54, t. 5, f. 14; Obth. Et. X p. 24. t. 3, f. 1; Stgr. Mém. Rom. VI p. 527.
2267. **Propinqua** Ev. Bull. M. 1842, 553, t. 5, f. 7, F. V. U. 303; Frr. 508, 2; HS. 187; Gn. II, 136.
2268. **Spectabilis** Hb. 557; Tr. V, 3, 86; Dup. VII, 125, 5; Ev. F. V. U. 310; HS. 193; Gn. II, 137.
2269. **Fuchsiana** Ev. Bull. M. 1842, III, 552, t. 5, f. 6, F. V. U. 306; Dup. IV, 70, 2; HS. 192; Gn. II, 137; Fuchsii Frr. 388, 4.
2270. **Mandschuriae** Obth. Et. X p. 23, t. 3, f. 4.
2271. **Fraudatrix** Ev. Bull. M. 1837 p. 37, F. V. U. 305; Frr. 383, 3; HS. II p. 310; Gn. II, 137; Pyrethri HS. 183. *Hung; Hal; Rum; Alt; Ili; Ural; Amur; Uss. K; Ala Tau; Iss. K; Ural; Alt; Uss; Kuku N.*
2272. **Scopariae** Dorfmeister z. b. V. 1853 p. 413; HS. n. Schm. 75. *Uss. m.*
2273. **Artemisiae** Hufn. Berl. M. III, 492 (r. 292) (1767); Knoch Btr. II, t. 2, f. 10; Esp. 128, 1. 2; Abrotani Hb. 257; Tr. V, 3. 88; Dup. VII, 125, 6; Frr. 320; Gn. II, 135; Barr. VI t. 239, f. 4. *Ross. m; Arm; Alt; Amur; Uss. (v.).*
- a) v. *Lindei* Heyne Soc. Ent. XIV (1899) p. 105 (multo obseurior; var. constans? nominanda?). *Ross. c. (Mosqua).*
2274. **Absinthii** L. F. S. 314; Esp. 116, 1-3; Hb. 258; Tr. V, 3. 92; Dup. VII, 125, 7; Frr. 321; Tutt. Brit. Noct. III, 116; Absynthii Gn. II, 136; Barr. VI t. 239, f. 3. *Eur. c; Suec. m; Liv; It. s. et s. or; Ross. m; Alt; Ili; Iss. K.*
2275. **Formosa** Rghfr. z. b. V. 1860 p. 775 (1861), t. 2, f. C; 1875 p. 802; Friv. Jell. t. 7, f. 4; Mill. Ic. 98, II. *Hung; Gal.m.or. (Ardèche); Kuku N; Amdo.*
2276. **Jankowskii** Obth. Et. X p. 23, t. 3, f. 2. *Uss; Amur.*
2277. **Magnifica** Frr. 304, 3 (Dec. 1839); B. Gen. p. 153; Germ. Fn. Eur. XXII, 24; Ev. F. V. U. 297; Dup. III, 38, 2; HS. 191; Gn. II, 151; Scopula F. d. W. Bull. M. 1839 p. 115, t. 4, f. 1. *Ross. m. or. (Srp., Ural); Austr. (2); Tarb; Iss. K.*
2278. **Argentea** Hufn. Berl. M. III, 286 (1767); Knoch Btr. I, 45. t. 3, f. 1. 2; Esp. 109, 6-7; Artemisiae Schiff. S. V. p. 312 (1776); Hb. 259; Tr. V, 3. 95; Dup. VII, 127, 4; Frr. 322, 413, 1; Gn. II, 151. *Dalm; Ross. c. et m; Amur (v.?).*
- a) v. *Subcaerulea* Stgr. pallidior, al. ant. caeruleo-viridescentibus. *Germ. s., c. et m. oc; Scand. m; Liv; Hal; Austr. inf; Hung; Alt; Tarb; Ferg. m.*
2279. **Argentina** F. Mant. 162; Hb. 553; Tr. V, 3. 98; Dup. VII, 127, 5; Frr. 298; Ev. F. V. U. 298; Gn. II, 150. *Ross. m; Hung. (I); Maur; Pont; Hyrc; Iss. K; Ferg; Saraw.*
- a) v. (et ab.) *Achalina* Püngl. Iris XIII p. 120 (al. ant. parte brunnea obscuriore; vix nominanda). *Tura; Alt; Tarb; Ili; Tura; Saraw; Srp. (ab.).*
2280. **Splendida** Cr. P. Ex. 400, F; Dup. III, 38, 1; HS. 190; Ev. Bull. M. 1857, I, 55; Gn. II, 150; *Argyrea* Frr. 304, 2; Germ. Fn. Eur. XXII, 25; Ev. F. V. U. 298. *Srp; Ural; Alt; Uljas; Ili; Iss. K; Ferg; Amdo.*

357. **Eutelia** Hb. 1822 [Eurhipia B.]

2281. **Adulatrix** Hb. 517, 649, 650; Tr. V, 1, 370; Dup. VI, 94, 61, 120, 3, 4; Frr. 195; Gn. II, 306; Mill. Ic. 78, III. *Teriol. m.; Carn.; Hung.; Crim.; Arm.; Bith.; Pont.; Taur.; Syr.; Ferg. m.*
2282. **Adoratrix** Stgr. Iris IV (1891) p. 308; Melioransky Hor. XXXI t. 7, f. 7. *Eur. m. (exc. Srp.); Maur.; Ten. (1); Val.*

358. **Anarta** Hb. 1822.

2283. **Myrtilli** L. F. S. 311; Esp. 165, 1-3; Hb. t. 21, f. 98; Tr. V. 3. 201; Dup. VII, 118, 1; Gn. II, 194; Tutt Brit. Noct. III p. 128; Barr. VI t. 251, f. 1. *Eur. c. et s. (exc. reg. pol.); Hisp.; Gal. m.; It. s. et c.*
- a) v.? (et ab.) *Alpina* Raetzer Mitth. VIII p. 224 (1890) (obscurior. al. ant. obscure brunneis). *Helv. c.; Germ. et And. etc. (?) ab.*
2284. **Cordigera** Thnbg. Mus. Nat. p. 72, f. 4 (1788); Esp. 189, 2; Tr. V, 3. 203; Dup. VII, 118, 2; Hb. 674-5; Gn. II, 194; Tutt Brit. Noct. III p. 129; Smith Noct. Cat. p. 292; Barr. VI t. 250, f. 3; Albirena Hb. 99. *Eur. s. et c. (pal.); Arag.; Ural; Amur; Labr.*
- a) ab. *Aethiops* Hoffm. Stett. e. Z. 1893 p. 128; *Suffusa* Tutt Brit. Noct. III p. 130 [trans.] (al. ant. fere totis nigris, macula reniforme alba). *Fen. s; Sax. etc.*
- b) v. *Carbonaria* Chr. Iris VI (1893) p. 92; Alph. Mém. Rom. IX p. 219, t. 14, f. 10; Herz Iris XI p. 258 (al. ant. supra ut in ab. praec., subt. flavis, nigro-marginatis). *Sib. s. or.*
2285. **Bohemanni** Stgr. Stett. e. Z. 1861, 370; Mill. Ic. 39, 6; Spångb. Tidskr. 1880 p. 7; Auriv. Nord. Fjär. p. 175. *Lap., pol., Scand. et Ross; Sib. s. or. (Witim).*
2286. **Melaleuca** Thnbg. Diss. Ent. II p. 42, f. 12 (1791); Tr. V, 3. 205; Zett. Ins. Lap. 949; Gn. II, 193; Smith Noct. Cat. p. 292; Leucoptera Esp. 189, 3; Moesta Hb. 357; Dup. VII, 118, 3; Bicyclla Pack. Labr. 41 (gen. Sympistis Ld.). *Lap. Scand. et Ross; Scand. c. mont.; Sib. s. or.; Labr.*
2287. **Melanopa** Thnbg. Diss. Ent. II p. 42 (1791); HS. 433-4; Möschl. Stett. e. Z. 1870 p. 364; Z. ib. 1877 p. 448; Auriv. Nord. Fjär. p. 175; Smith Noct. Cat. p. 292; Tutt Brit. Noct. III p. 130; Barr. VI t. 250, f. 2; *Alpicola Quens. Acerbi* II p. 253, t. 1, f. 5. 6 (1802); *Vidua* Hb. 403; Tr. V, 3 p. 207; Frr. 311, 2; Gn. II, 190; *Nigrolunata* Pack. Labr. p. 40. *Lap; Scand. c. et Scot. mont.; Labr; Alp. (pr. p. trans.).*
- a) ab. (et v.) *Wiströmi* Lampa Tidskr. 1885 p. 81; Auriv. l. c.; Tutt l. c. (al. ant. obscuris, non griseo-inspersis, subt. extus nigro-fasciatis). *Suec. c. et Labr. (ab.); Hethl. (var.).*
- b) v. *Rupestralis* Hb. Pyr. 138 (1803); *Tristis* Hb. 446; Dup. VII, 118, 6; *Rupestris* Hb. 644-5 (al. post. totis infuscatis). *Alp; It. c. mont. (Gran Sasso).*
2288. **Fumida** Graes. Berl. e. Z. 1888 p. 365; Stgr. Mém. Rom. VI, 551 (huj. generis?). *Amur s.*
2289. **Richardsoni** Curt. Descr. App. Narr. p. 72, t. A, f. 11 (1834); Auriv. Groenl. Ind. Fn. p. 18, t. 1, f. 12, t. 3, f. 4; Vega Exp. p. 79; Smith Noct. Cat. p. 293; Algida Lef. Ann. S. Fr. 1836, 395, t. 10, f. 5; Dup. III, 49, 6; HS. 400; Gn. II, 192; Stgr. Stett. e. Z. 1857 p. 297. *Am. s. pol. (Labr., Groenl.); Nov. Semlja (v.?).*
- a) v. *Dovrensis* Stgr. obscurior, al. ant. minus cinereo-variegatis, al. post. fere totis infumatis. *Norv. c. mont. (Dovre).*
- b) v. *Asiatica* Stgr. major, al. ant. sordide brunnescentibus vel griseo-brunneis, paullum cinereo-mixtis, interdum fere unicoloribus. *Sib. or. (Kultusch).*

2290. **Leucocyccla** Stgr. Stett. e. Z. 1857 p. 296; 1861 p. 373 (pr. p.); Möschl. Wien. Mts. 1860 p. 367, t. 9, f. 6; Auriv. Groenl. Ins. Fn. p. 19, t. 1, f. 11, t. 3, f. 3 (al. post. lutescentibus, fuscocmarginatis).
- a) v. *Moeschleri* Stgr. al. ant. magis cinereo-pictis, al. post. albidis, fuscocmarginatis.
 - b) v. *Staudingeri* Auriv. Nord. Fjär. (1891) p. 176; Schoenherri Stgr. (non Zett.) Stett. e. Z. 1861 p. 373 (ab. v. praec. differt al. post. obscurioribus, fascia media albida, linea transv. lunulaque fuscis includente).
2291. **Zetterstedtii** Stgr. Stett. e. Z. 1857 p. 294; HS. n. Schm. 166; Möschl. Stett. e. Z. 1870 p. 365; Spångb. Tidskr. 1880 p. 14; ?Amissa Lef. Ann. S. Fr. 1836, t. 10, f. 7 ♀; Dup. III, 49, 7 b (gen. Sympistis).
- a) v. *Labradoris* Stgr. al. post. macula magna media albida.
 - b) v. *Kolthoffi* Auriv. Groenl. Ins. Fn. p. 20, t. 2, f. 1, t. 3, f. 2 (major, al. latioribus, al. ant. magis cinereo-inspersis, fascia media obscuriore).
 - c) v. *Sibirica* Alph. Iris VIII (1895) p. 195; Mém. Rom. IX p. 220, t. 10, f. 11 (statura var. praec.; al. post. subt. atris, niveo-ciliatis, al. ant. subt. nigricantibus, linea antemarg. subalbida ciliisque albo-variegatis).
2292. **Funebris** Hb. 433 (1804); Tr. V. 3. 209; Dup. VII, 188, 5; HS. 209-10; Gn. II, 191; Spångb. Tidskr. 1880 p. 14; Funesta Payk. Beskr. 1793 p. 100, t. 2, f. 3; Zett. Ins. Lap. 950; Möschl. Wien. Mts. 1860 p. 370; Nigrita Dup. IV, 58, 6 (gen. Sympistis).
2293. **Nigrita** B. Gen. p. 161; HS. 296; Hofm. Eur. Gr. Schm. ed. II t. 50, f. 23; Vidua Frr. 311, 3 (gen. Sympistis).
2294. **Laponica** Thnbg. Diss. Ent. II p. 42, f. 10 (1792); Stgr. Stett. e. Z. 1857 p. 293, 1861 p. 381; Auriv. Groenl. Ins. Fn. p. 19, t. 2, f. 2; Nord. Fjär. p. 176; Amissa Lef. Ann. S. Fr. 1836 p. 42, t. 10, f. 6; Dup. III, 49, 7 a; HS. 211-2; Gn. II, 192.
- a) v. (et ab.) *Tenebricosa* Möschl. Stett. e. Z. 1877 p. 498 (obscurior, al. ant. fere non cinereo-inspersis).
2295. **Quieta** Hb. 485; Gn. II, 193, t. 7, f. 11; Stgr. Stett. e. Z. 1861, 378; Smith Noct. Cat. p. 295; Schoenherri Zett. Ins. Lap. 950.
- a) ab. *Nigricans* Auriv. Nord. Fjär. p. 177 (ab. multo obscurior, al. nigricantibus, al. ant. lineis maculisque duabus cinereis).

359. **Schöyenia** Auriv. 1883.

2296. **Arctica** Auriv. Tidskr. IV (1883) p. 193, t. 8, f. 45; ?*Unifasciata* Mén. Midd. R. p. 59, t. 3. f. 12 (1851). *Nov. Semlja.*

360. **Hypsophila** Stgr. 1888.

2297. **Jugorum** Ersch. Fedtsch. (1874) p. 48, t. 3, f. 46; Stgr. Stett. e. Z. 1888 p. 41.
- a) v. *Haberhaueri* Stgr. Stett. e. Z. 1882 p. 50, 1888 p. 41 (al. ant. brunnescenscentibus, distinctius signatis).
 - b) v. *Pamira* Stgr. l. c. 1888 p. 42 (major, al. ant. violaceo-griseis).

Ferg. s.

*Ala Tau; Iss. K. s. oc;
Kaschq. (v.).*

Ferg. m; ?Pamir.

- c) v. *Tamerlana* Stgr. paullo minor speciei typici (Jugorum), al. ant. dilutioribus, cinerascentibus, al. post. albis (niveis) lunula med. tenui fasciaque exteriore multo angustiore nigris.
2298. **Grumi** Alph. Hor. XXVI p. 454; Mém. Rom. IX p. 39, t. 3, f. 9.
- Korla; Kaschg;**
Thian. or. (trans.).
- 361. Ala** Stgr. 1882.
2299. **Picteti** Stgr. Stett. e. Z. 1882 p. 49; Alph. Hor. XVII p. 89, t. 3, f. 61.
- Ala Tau; Ili; Iss. K;**
Korla.
2300. **Pretiosa** Alph. Hor. XXVI (1892) p. 453; Mém. Rom. IX p. 38, t. 3, f. 8.
- Nan Schan.**

362. Omorphina Alph. 1892.

2301. **Aurantiaca** Alph. Hor. XXVI (1892) p. 452; Mém. Rom. IX p. 41, t. 1, f. 2.
- Amdo (Sum. alp.);**
Kuku N.

363. Heliaca HS. 1852.

2302. **Tenebrata** Sc. Ent. Carn. p. 230 (1763); Ld. Noct. 42, 176; Tutt Brit. Noct. III p. 131; Arbuti F. S. E. 616 (1775); Esp. IV, 1 p. 555; Gn. II, 197; Barr. VI t. 246, f. 1; Heliaca Hb. 316; Tr. V, 3. 212; Dup. VII, 118, 4; Frr. B. 119.
- a) v. *Jocosa* Z. Is. 1847 p. 450; HS. 445-5; Stgr. Hor. 1870, 131; Arbutoides Bell. Ann. S. Fr. 1860, 694 (laetius picta, al. ant. brunnescentibus, al. post. aurantiacis).
- Eur. (exc. reg. bor. et**
Ib. c. et m.).
2303. **Callicore** Stgr. Cat. ed. II p. 128; Hor. XIV p. 398.
- Sic. et Balc. m. (plan.).**
- Pont; Lyd. m; Taur.**

364. Heliodes Gn. 1841.

2304. **Rupicola** Hb. Btr. I, 4, 2, F (1789); Esp. 192, 1; Tr. V, 3. 210; Dup. VII, 118, 7!; Frr. 330, 1; HS. 213-4; Gn. II, 155; Heliofila Hb. 317.
- Austr. inf; Hung;**
Bulg; Srp; Pont;
Kurd. s. oc; Ala Tau.
2305. **Theophila** Stgr. Stett. e. Z. 1866 p. 56, Hor. VII (1870) p. 131, t. 2, f. 1; Mill. Ic. 71, 7!, II p. 193 (prae. forma Darw.).
- Graec; Lyd.**

365. Omia Gn. 1850.

2306. **Cymbalariae** Hb. 432; Tr. X, 2. 119; Dup. VII. 116, 5; Gn. II, 156.
- Cast. et And. mont; It. c; Hung. m. et Bosn. mont. (Rbl.).**
2307. **Oberthürii** Allard Ann. S. Fr. 1867, 320, t. 6, f. 3 a, b.
- Maur. c. m. (Lam-**
bessa).
2308. **Cyclopea** Grasl. Ann. S. Fr. 1836, 570, t. 17, f. 7; Dup. III, 34, 5; Gn. II, 156.
- Cors; Cast; Cat. et**
And. mont; Maur; Gal. m. or. et Ped. mont.

366. Stemmaphora Stgr. 1888.

2309. **Viola** Stgr. Stett. e. Z. 1888 p. 43; Chr. Mém. Rom. V t. 2, f. 8.
- Saraw; Iss. K. s. oc;**
Tura (1).

367. *Janthinea* Gn. 1852.

2310. **Dos** Frr. 263, 4 (1838); HS. 274-5; Gn. II, 187. *Lyd.* (*Smyrna*); *Pont*; *As. min. c.*
 2311. **Frivaldszkyi** Dup. Ann. S. Fr. 1835, 633, t. 18, B, f. 2. 3 *Pont*; *As. min. c.*; *Arm*;
 (1836); Friv. Tarsag Evkönyv III p. 173, t. 7, f. 3 (1838);
 Dup. III, 38, 3; HS. 215-6; Gn. II, 188; Viola Frr. 201,
 f. 4 (1836); H.-G. 866.
 2312. **Divalis** Stgr. Iris IV (1891) p. 312, t. 4, f. 6.
 2313. **Decorata** Friv. Rovid. 1845 p. 186, t. 3, f. 2; *Violacea*
 HS. 276-7, II p. 364 (1847); Gn. II, 195; Mill. Ic. 113, 15.

Kurd.s.oc. (*Malatia*).
Bith; *Lyd*; *Taur*;
Pont.

368. *Heliothis* O. 1816.

2314. **Cognata** Fr. B. 135, 3 (1830); HG. 828; Frr. 110, 1;
 Tr. X, 2. 142; Dup. III, 48, 4; HS. 550-1; Gn. II, 187.
 2315. **Cardui** Hb. Btr. II, 4, 1, B; Esp. 191, 2. 3; Hb. 313;
 Tr. V, 3. 216; Frr. 110, 2; Gn. II, 187.
 oc. et m. or; *Arag. (v.)*; *It*; *Eur. m. or*.
 a) v. *Purpurata* Stgr. al. ant. plus minusve violaceo-purpurascenibus).
2316. **Chanzyi** Obth. Et. I p. 51, t. 2, f. 4 a, b (1876).
2317. **Purpurascens** Tausch. Mém. Mosc. 1809 p. 319, t. 2, f. 4;
 Ld. Noct. 42, 179; Stgr. Hor. XIV p. 400; Mill. Ic. 128,
 f. 5-7; Pulchra Ev. Bull. M. 1842, III, 554, t. 5, f. 8;
 F. V. U. 326; HS. 217-8; Gn. II, 186; Frr. 430, f. 1.
2318. **Imperialis** Stgr. Cat. ed. II p. 128; Rom. Mém. Rom. II
 p. 69, t. 4, f. 4 a-e; *Purpurascens* Ld. Wien. Mts. 1864
 p. 169 (praece. sp. forma Darw.).
2319. **Cora** Ev. Bull. M. 1837, 47, F. V. U. 324; Frr. 389, 1; Dup.
 IV, 70, 1; HS. 246-7; Gn. II, 185; Coreta Gn. III, 399.
2320. **Ononis** (r. Ononidis) F. Mant. 143; Hb. Btr. I, 2, 4, W;
 Esp. 172, 4-6; Hb. 312; Tr. V, 3. 217; Dup. VII, 119,
 3; Frr. 490; Obth. Et. XVIII, t. 3, f. 41; Ononidis
 Gn. II, 182. *?Bith*; *Arm*; *Alt*; *Tarb*; *Ala Tau*; *Iss. K*;
 Ferg; *Saraw*; *Amdo*; *Chang*; *Sib. or. s*; *Amur*;
2321. **Dipsacea** L. S. N. ed. XII, 856; Esp. 172, 1-3; Hb. 311;
 Tr. V, 3. 220; Dup. VII, 119, 2; Frr. 491; Gn. II, 181;
 Tutt. Brit. Noct. III p. 123; Barr. VI, t. 245, f. 3; *Ad-aucta* Butl. Ill. Het. III p. 19, t. 45, f. 4.
- a) v. (et ab.) *Maritima* Gras. Ann. S. Frr. 1855 p. 68, t. 7.
 V, 1-7; 1863 t. 8, f. 14; HS. n. Schm. 59; *Spergulariae*
 Ld. Noct. 230 [pr. p.] (al. ant. aliquid diverse fasciatis,
 plerumque rufesceni-brunneo-inspersis; an sp. Darw.?).
- *b) v. *Phlogophagus* Grote & Rbs. Trans. Am. Ent. Soc. I,
 180 (1868) (plerumque dilutior, valde aberrans).
2322. **Olivaria** Graes. Berl. e. Z. 1888 p. 365.
2323. **Scutosa** Schiff. S. V. p. 89; Esp. 108, 1, 2; Hb. Btr. II,
 3, 4, Y; Hb. 309; Tr. V, 3. 224; Frr. 191; Gn. II, 182;
 Hmps. Ind. Moths II p. 175; Barr. VI, t. 245, f. 4.
 Gal. m; *Cat*; *Cast*; *Maur*; *It. s*; *Arm*; *Tura*;
 Tarb; *Ala Tau*; *Ili*; *Iss. K*; *Ferg*; *Uss*; *Cor*; *China s*; *Ind. s.*
2324. **Scutatus** Stgr. Iris VIII p. 361, t. 6, f. 13.
2325. **Peltigera** Schiff. S. V. p. 89; Hb. 310; Tr. V, 3. 227;
 Frr. 167; Gn. II, 180; Hmps. Ind. Moths II p. 175; Tutt
 Brit. Noct. III p. 127; Barr. VI, t. 245, f. 2; *Florentina*
 Esp. 135, 2 (1788). *Helv*; *Hung*; *Rum*; *As. min*; *Syr*; *Aegypt*;
 Arm; *Tarb*; *Ili*; *Iss. K*; *Buch. s. or*; *Ind. s. oc*.

2326. **Nubigera** HS. II p. 366; Möschl. Stett. e. Z. 1855, 211; Ev. Bull. M. 1857, 133; Rbr. Cat. S. And. t. 12, f. 5; Mill. Ic. 104, III; Hmps. Ind. Moths II p. 175. *And. m; Can; Maur;*
Ross.m; Arm; Lyd;
Syr; Aegypt; Ili;
Iss. K; Ferg. s.; ? Afr. or. s.; ? Ind.
2327. **Armigera** Hb. 370; Tr. V. 3. 230; Dup. VII, 119, 6. 7; Frr. 203; Gn. II, 181; Smith. Noct. Cat. p. 270; Rbl. Ann. Nat. Hofmus. IX p. 62; Hmps. Ind. Moths II p. 174; Tutt. Brit. Noct. III p. 140; Barr. VI t. 245, f. 1. *Eur.m. et c; Dan. (I);*
Ross. s. m; Afr. s. et
m; Can; Mad; As;
m; Syr; Arm; Hyrc;
Tura; As. c; Jap; Ind; Am. s. c. et m; Ins. Malay; Austral.
2328. **Feildi** Ersch. Fedtsch. (1874) p. 49, t. 3, f. 45. *Thian; Saraw; Buch. s.*
2329. **Incarinata** Frr. 256, 4 (1838), 383; Ev. F. V. U. 329; Gn. II, 179; Boisduvalii B. Gen. p. 163; Dup. III, 38, 5; HS. 260-2; Gn. II, 180. *Bal. (exc. Graec);*
Cast; And; Maur;
Hung. m. (var.);
Ross. m; Arm; Pont; Lyd; Syr; Tura (v.); Saraw; Ferg.

369. **Heliocheilus** Grote 1865.

2330. **Foveolatus** Stgr. Stett. e. Z. 1888 p. 263; Mém. Rom. VI p. 552, t. 10, f. 9. *Uss.*

370. **Nudifrons** Stgr. 1897.

2331. **Delicata** Stgr. Iris X (1897) p. 291, t. 4, f. 24. *Pal.*

371. **Mycteroplus** HS. 1849.

2332. **Puniceago** B. Gen. p. 146; Dup. IV, 70, 5!; HS. 43, 436; Frr. 516, 4; Gn. II, 173, t. 9, f. 8!; Ev. Bull. M. 1855, IV, 372; Christoph Stett. e. Z. 1867, 242; Mill. Ic. 139, f. 6, 7; Alph. Iris VIII p. 175 (fig.). *Ross. m; Rum. m. or.*
(1); Arm; Tura.
2333. **Contrita** Chr. Mém. Rom. I p. 118; Contrix t. 7, f. 8 [Agrotis]; Alph. Iris VIII p. 179 (non huj. generis sed cuius?). *Tura; Ili.*

372. **Metopoplus** Alph. 1892.

2334. **Didymogramma** Ersch. Fedtsch. (1874) p. 44, t. 3, f. 43; Alph. Iris VIII p. 175 (fig.). *Tura or; Ferg. s.*
2335. **Excelsa** Chr. Mém. Rom. II (1885) p. 205, t. 13, f. 4; Alph. Iris VIII p. 176. *Hyrc; Arm.*
2336. **Fixseni** Chr. Iris VI (1893) p. 92; Alph. Mém. Rom. IX p. 221, t. 8, f. 6. *Tura.*

373. **Chamyla** Stgr. 1899.

2337. **Arctomys** Alph. Mém. Rom. IX p. 43, t. 2, f. 11, 12; Idia Stgr. Iris XII p. 343, t. 7, f. 9. *Thian. c. s., or. et c.*
m. (Korla).
2338. **Intricans** Alph. Hor. XVII (1883) p. 41, t. 2, f. 42 ♀ (Nephelodes?); Mém. Rom. IX p. 44. *Ili (Julduss.); Thian.*
oc. et c. m. (Korla).

374. **Isochlora** Stgr. 1882.

2339. **Viridis** Stgr. Stett. e. Z. 1882 p. 39.
 a) v. **Viridissima** Stgr. l. c. p. 40 (al. ant. viridioribus sine macula alba, al. post. ♀ dilutioribus). *Tarb; Kuku N. (v.?).*
Ala Tau; Saj. or.
(Irkut.).

2340. **Maxima** Stgr. Stett. e. Z. 1888 p. 24 [Viridis var.]; Alph. Mém. Rom. V p. 161, t. 8, f. 9, 9a; Viridis v. Viridissima Alph. Hor. XVII p. 78, t. 2, f. 51; Fusco-virens Hmps. Ind. Moths II p. 285 (sp. [in magnitudine variabilis] a Viridi diversa nunc Stgr. esse videtur, antennis ♀ pectinatis nec. serratis). *Ferg; Iss. K; Thian; Korla; Chang. (v. minor); Ind. s. oc.*
2341. **Albivitta** Alph. Hor. XXVI (1892) p. 448; Mém. Rom. IX p. 42, t. 1, f. 3 (praecl. sp. var.?). *m; Kaschy. et Iss. K. (v.? non vittata).*
2342. **Herbacea** Alph. Iris VIII p. 195; Mém. Rom. IX p. 220, t. 13, f. 8.
2343. **Xanthiana** Stgr. Iris VIII, 1895 p. 320.
2344. **Grumi** Alph. Hor. XXVI (1892) p. 448; Mém. Rom. IX p. 42, t. 1, f. 2.
- Kuku N; Amdo; Ferg. Mong. (Chang.).*
- Amdo.*
- Kuku N; Amdo.*

375. **Grumia** Alph. 1892.

2345. **Flora** Alph. Hor. XXVI (1892) p. 453; Mém. Rom. IX p. 44, t. 1, f. 10.
- Kuku N; Amdo.*

376. **Aedophron** Ld. 1857.

2346. **Rhodites** Ev. Bull. M. 1851, II, 635; **Aurorina** HS. 579 (Heft 52, fin. 1851). *Ross. m. or; Pont; As. min. c; Taur. c; Arm; Hyrc.*
2347. **Phlebophora** Ld. Wien. Mts. 1858 p. 144, t. 2, f. 9; Stgr. Hor. XIV, 402. *As. min; Syr; Mardin; Arm; Hyrc.*
2348. **Venosa** Chr. Stett. e. Z. 1887 p. 165; Mém. Rom. V p. 38, t. 2, f. 9. *Tura; Arm.*

377. **Hepdomochondra** Stgr. 1879.

2349. **Syrticola** Stgr. Stett. e. Z. 1879 p. 321. *Ross. m. or. (Narin); Tura; Ili.*

378. **Metalopha** Stgr. 1891.

2350. **Liturata** Chr. Mém. Rom. III (1887) p. 89, t. 4, f. 10; Plusina Stgr. Iris IV (1891) p. 313, t. 4, f. 8. *Tura; Hyrc; Mesop; Ant. s.*
2351. **Gloriosa** Stgr. Iris IV (1891) p. 314, t. 4, f. 7. *Taur. c; Pal; Mardin.*

379. **Chariclea** Curt. 1825.

2352. **Delphinii** L. S. N. ed. X, 518; Esp. 175, 1-4; Hb. 204, 622; Tr. V, 3, 82; Dup. VII, 110, 1; Gn. II, 168; Tutt. Brit. Noct. III p. 121; Barr. VI t. 244, f. 3. *m. (olim); It. s; Eur. c. et m. or. (exc. Balc. m.); Liv; Suec. Arm. et Pont. (trans.).*
- a) v. **Darollesi** Obth. Et. I p. 49, t. 4, f. 5 (multo pallidior, al. post. albidus fascia violaceo-rosea). *Maur; Arm. (pr. p.); Tura et Ferg. (v.).*
2353. **Victorina** Sodof. Stett. e. Z. 1849, 130; HS. 552; Fr. 576, 2; Prazanoffzkyi Gn. II, 169 (1852); Ev. Bull. M. 1857, I, 137. *Serb; Bulg; Cauc; Arm; Pont; Taur; Kurd. s. oc.*
2354. **Treitschkei** Friv. Tarsas Ekvönyv. II p. 273, t. 7, f. 8 (1835); Taurica HS. 263-4 (1846); Gn. II, 169; Ev. Bull. M. 1857, I, 137. *Bulg; ?Balc.m.; ?Cauc; ?Bith; Pont; Taur; Syr; Tura.*
2355. **Hedemannii** Stgr. Mém. Rom. VI p. 552 (Juli 1892); Erubescens Graes. Berl. e. Z. 1892 p. 229 (fin. Octobr.). *Amur.*
2356. **Vexilliger** Chr. Iris VI (1893) p. 92. *Sib. or. m.*

380. **Pyrrhia** Hb. 1822.

2357. **Purpurites** Tr. V, 3, 234 (1826); HG. 759-763; Frr. B. 136; Gn. II, 178; **Purpurina** Esp. 195; **Rutilago** Hb. 519. *Hung; Rum. m. or. (1); Alt.*
2358. **Umbra** Hufn. Berl. M. III, 294 (1767); Bkh. IV, 672; Tutt Brit. Noct. III p.122; Hmps. Ind. Moths II p.172; **Marginata** F. S. E. 610 (1775); Tr. V, 3, 232; Dup. VII, 119, 8!; Gn. II, 178; Barr. VI t. 244, f. 4; **Rutilago** (S. V.) Hb. 185. *Eur. c. et m. or. (exc. Balc. m.); Scand. m.; Ross. s. m.; It; Bith; Hyrc; Alt; Ili; Iss. K; Amur; Uss; Cor; Jap; China c; Am. s. (var.).*

381. **Erythrophaia** (r. -phaea) Stgr. 1891.

2359. **Eudoxia** Stgr. Iris IV (1891) p. 316, t. 4, f. 9. *Kaschg.*
2360. **Suavis** Stgr. Stett. e. Z. 1888 p. 44. *Ferg. m; Ili.*

382. **Xanthodes** Gn. 1852.

2361. **Malvae** Esp. 195, 4, IV, 2 p. 63; Hb. 358; Tr. V, 3, 238; Dup. VII, 45, 2; Frr. 149, 4; HS. 221; Gn. II, 210; Mill. Ie. 84, f. 3-7; Hmps. Ind. Moths II p.322; **Stramen** Gn. l. c.; **Imparata** Wlk. List. X p.467. *Sic; It. c; Cat; Cast; And; Maur; Dalm; Syr; Ind; Afr. m.*
2362. **Graëllsii** Feist. Ann. S. Fr. 1837, 300, t.12, f.3; HG. 879; Dup. III, 45, 3; Gn. II, 211; Mill. Ie. 59, 6. 7; Hmps. Ind. Moths II p. 324. *Gal. m; Cast; Cat; And; Afr. m; ?Arab. m; ?Ind. (v.).*

383. **Euterzia** Gn. 1850.

2363. **Laudeti** B. Gen. p. 152; Dup. IV, 82, 1; HS. 228-9; Frr. 395, 1; Gn. II, 172; Chr. Stett. e. Z. 1867, 243; Mill. Ie. 128, f. 1-4; **Cretacea** Ev. Bull. M. 1847, III, 80, t. 6, f. 2. *Val; Bulg; Maced; Ross. m. or; Arm; Pont; Mardin.*
- a) v. (et ab.) **Roseomarginata** Calb. Iris IV p. 44 (1891) (al. ant. plus minusve rosaceo-inspersis). *Syr; Ant.s; Mardin; Tura.*

384. **Armada** Stgr. 1884.

2364. **Panaceorum** Mén, feu Lehm. p. 75 (291), t. 6, f. 6; Ev. Bull. M. 1857, IV, 396; Calb. Iris IV, 45; Beckeri Stndf. Stett. e. Z. 1884 p. 272. *Kirgh.m; Srp; Taur. m. or; Árm; Tura; Saraw; Ferg; Iss. K; Ili; Aegypt; Maur. m. (Biskra).*
2365. **Hueberi** Ersch. Fedtsch. (1874) p. 49, t. 3, f. 47. *Tura s. or; Ferg. et Saraw. (desert.).*
2366. **Clio** Stgr. Mém. Rom. I p. 145, t. 9, f. 4 (1884). *Tura; Ferg.*
2367. **Dentata** Stgr. Mém. Rom. I p. 142, t. 9, f. 3 (1884). *Tura.*
2368. **Eylandti** Chr. Mém. Rom. I (1884) p. 128, t. 8, f. 5. *Tura; ?Ferg.*
2369. **Limata** Chr. Mém. Rom. I p. 135, t. 8, f. 7. *Tura.*
2370. **Eremophila** Rbl. z. b. V. 1895 p. 350. *Maur; Syr.*
2371. **Kisilkumensis** Ersch. Fedtsch. (1874) p. 51, t. 3, f. 48; Chr. Mém. Rom. III p. 86, t. 4, f. 9. *Tura.*
2372. **Secunda** Ersch. Fedtsch. (1874) p. 52, t. 3, f. 49; Chr. Mém. Rom. I p. 133, t. 8, f. 10. *Tura.*

385. **Metoponrhis** Stgr. 1888.

2373. **Erschoffii** Chr. Mém. Rom. I (1884) p. 133, t. 8, f. 8.
 2374. **Albirena** Chr. Mém. Rom. III (1887) p. 87; Stgr. Stett. e. Z. 1888 p. 54; *Kisilkumensis* Chr. (nec Ersch.) Mém. Rom. I t. 8, f. 9.
- Tura.*
Tura; Saraw; Pont.
(1).

386. **Teinoptera** Calb. 1891.

2375. **Culminifera** Calb. Iris IV (1891) p. 46.
- Syr.*

387. **Acontia** [O. 1816] Ld.

2376. **Urania** Friv. Tarsas. Evkönyv. II p. 274, t. 7, f. 10 (1835); Frr. 413, 3. 4; HS. 227; Gn. II, 223; Ev. Bull. M. 1857, IV, 359; Eversmanni Kol. Mel. Ent. t. 18, f. 3. *Kurd;*
 2377. **Titania** Esp. 190, 2; Tr. V, 3. 243; Dup. III, 38, 6; HS. 230-1; Gn. II, 222; Ev. Bull. M. 1857, IV, 359; Friv. Jell. 1866 t. 7, f. 10.
- Bulg; Bith; Pont;*
Taur; Ant; Syr;
Mardin; Arm; ?Sic.
2378. **Lucida** Hufn. Berl. M. III, 302, 424 (1767); Ld. Noct. 43. 184; Tutt Brit. Noct. IV p. 2; Hmps. Ind. Moths II p. 310; Solaris Esp. 88, 2 (1786); Hb. Btr. I, 4, 4 W.; Hb. 307-8; Tr. V. 3. 244; Frr. 345; Gn. II, 121; Barr. VI t. 246, f. 3; ?Triangulum Costa Atti Acad. Napoli 1882 p. 336 (Sard.).
- a) v. et ab. (aestiv.) *Albicollis* F. Sp. 218; Gn. II, 220; Solaris Esp. 88, 3; Dup. VII, 121, 1. 2; Titania Frr. 533 (al. ant. basi thoraceque totis albis).
 b) ab. *Insolatrix* Hb. 684-5; Gn. II, 220 (al. ant. fascia media subnulla, flavescente).
 c) v. et ab. *Lugens* Alph. Mém. Rom. V p. 182 (al. post. multo obscurioribus).
2379. **Biskrensis** Obth. Bull. S. Fr. 1887 p. 58; Et. XII p. 31, t. 5, f. 17.
2380. **Luctuosa** Esp. 88, 4 (5?) (1786); Hb. 305-6; Tr. V, 3. 247; Dup. VII, 121, 3. 4; Frr. 346; Gn. II, 223; Tutt Brit. Noct. IV p. 1; Barr. VI t. 246, f. 2. *As. min.,* As. min.
2381. **Viridisquama** Gn. II, 219, t. 10, f. 3! (huj. generis?).
- Eur.m.etc.(exc.Bat.);*
Liv; Suec.m; Maur;
oc. et c; Alt; ?Sib. or.
Gal. m. oc. (Pyr. or.);
Arag; Cast.

388. **Acontiola** Stgr. 1899.

2382. **Sancta** Stgr. Iris XII p. 382, t. 5, f. 4.
2383. **Lascivalis** Ld. z. b. V. 1855 p. 233, t. 5, f. 7; Stgr. Hor. VII p. 271; Rag. Bull. S. Fr. 1875 p. 42.
2384. **Moldavicola** HS. 224-5, II p. 419; Snell. Tijdskr. XXVIII p. 111.
- a) v. (ab.) *Euboica* Mill. Ic. III p. 437, t. 154, f. 1 (obscurior, al. ant. multo minus signatis).
- Pal.*
Graec; Pont; Taur.
c. et or. m; Syr; Mardin.
Balc. m; ?Moldav;
Taur. c. et m. or; Meseopot. (Mardin) etc.
Euboea; Calabria
(trans.); Taur. c. (ab.).

389. **Leocyma** Gn. 1852.

2385. **Albonitens** Brem. Bull. Ac. III p. 581 (1861); Lep. O. S. p. 55, t. 5, f. 15; Stgr. Mém. Rom. VI p. 556.
2386. **Cilia** Stgr. Stett. e. Z. 1888 p. 263; Mém. Rom. VI p. 557, t. 10, f. 10.
- Uss; Cor; Jap.*
Uss.

2387. **Attrata** Butl. Ann. & Mag. (5) XIII p. 274; Leech Tr. E.S. 1900 p. 139; Borussica Stgr. Stett. e. Z. 1888 p. 264; Mémo. Rom. VI p. 557, t. 10, f. 11.

Amur; Uss; Jap.

390. **Sphragifera** Stgr. 1892.

2388. **Sigillata** Mén. Bull. Ac. XVII p. 219 (1859); Schrk. p. 60, t. 5, f. 3; Stgr. Mémo. Rom. VI p. 554.

Uss; Jap.

391. **Eublemma** Hb. 1822.

2389. **Arcuinna** Hb. Btr. II, 4, 2, O. p. 93 (1793); Inamoena Hb. 301-2!; Tr. V, 3. 285; Frr. 365, 1, 2; Dup. III, 43, 3; Gn. II, 259. *et c.; Bith. et Pont. (pr. p. trans.); China's; Cor.*
- a) v. (et ab.) *Argillacea* Tausch. Mémo. Mosc. 1809 p. 325, t. 2, f. 8; Inamoena Frr. 365, 3 (al. ant. ochraceo-griseis, al. post. albicantibus, al. omn. magis signatis).
- b) v. (et ab.) *Ingrata* (var. Inamoenae) HS. t. 55, f. 278-9; Stgr. Hor. XIV p. 405 (pallidior, al. ant. sordide cinereis, minus signatis). *Ili; Iss. K. et Ferg. (ab.). And; Murcia; Arag.; Maur; Graec; Bith. et Pont. (ab.); Alt. et Iss. K. (v. diversa).*
- c) v. (et ab.) *Blandula* Rbr. Cat. S. And. t. 10, f. 2 [♂]; Pergrata Rbr. l. c. f. 3 [♀]; Ingrata Gn. II, 259; Suava Stgr. Hor. VII p. 133 (al. ant. pallide ochraceis vel carnosis, linea transv. med. maculisque marginal. obseuris).
2390. **Kuelekana** Stgr. Cat. ed. II p. 131; Hor. XIV p. 407. *Taur. oc. c. et m. or; Pont. Hung; Croat; Balc.*
2391. **Suava** (r.-vis) Hb. 578; Tr. X, 2. 157; Frr. 365, 4. 5; Gn. II, 260; HS. 519, 520 ♀; Stgr. Hor. XIV p. 406. *It; Gal. m; Cat.*
2392. **Jucunda** Hb. 486, 492 ♂; Tr. V, 3, 314; Dup. VII, 117, 6, ♂, III, 43, 5a, b ♀; Gn. II, 260; Sepulralis Tr. VII, 199 ♀; Frr. B. 84, 4. *Gal. m; Hisp. s. (exc. ?s. oc.); It. c. s.*
2393. **Keyserlingi** Bien. Diss. p. 36 (huj. generis Stgr. non esse videtur). *Reg. Pers.*

392. **Thalpochares** Ld. 1854.

2394. **Velox** Hb. 515 (507!); Dup. IV, 57, 5; Gn. II, 237; Mendaculalis Tr. VII, 185 (certo); Caliginata Tr. VI, 2, 137; Anomala Rbr. Ann. Sc. obs. 1829, 257, t. 6, f. 9; B. Ic. 71, 4. *Cyprus; Syr; Taur. (?trans. ad sp. sequ.); Arm. (v.). Sic; Syr; Taur.*
- a) v.? *Velocior* Stgr. Iris V p. 286 (multo major, dilutior, al. ant. violascenti vel ochraceo-cinereis; sp. div. esse videtur).
2395. **Dardouini** B. Gen. p. 96; HS. 258; Gn. II, 237; Mendacula Frr. 330, 2; Velox Tr. X, 2 p. 150 (prae. forma Darw.?). *Balc. s.; Bith. et Taur. m. (trans.?). Gal. m; It. s. et ?c; Helv; Austro-Hung; And; Murcia; Arag; It. c; Dalm; Graec; Lyd; Pont; Arm.*
2396. **Lacernaria** Hb. Geom. 422 (ante 1818); Glarea Tr. V, 3. 282; HG. 822-3; Frr. B. 135, 2; HS. 259, 279; Gn. II, 256; Stgr. Hor. VII, 134; Phlomidis Gn. II, 257; HS. II, 231. *Gal. m; And; Murcia; Arag; It. c; Dalm; Graec; Lyd; Pont; Pal. (v.); Mardin.*
- a) v. aest. *Cretula* Frr. 360, 3. 4; Gn. II, 256; HS. 278; Rbr. Cat. S. And. t. 7, f. 5 [major]; Glareosa Dup. III, 47, 9 (plerumque minor, multo pallidior, al. ant. flavicant. vel. sulphureis, al. post. [♂ fere] albidis). *Gal. m; And; Dalm; Lyd; Pont; Pal. (v.); Mardin.*
2397. **Hansa** HS. 557, II p. 436; Ev. Bull. M. 1857, IV, 416. *Arm; Cauc. s.*
2398. **Fugitiva** Chr. Hor. XII (1877) p. 253, t. 6, f. 25. *Hyrc.*
2399. **Grata** Gn. II, 251; Albicans Rbr. Cat. S. And. t. 10, f. 4. *And.*
- a) ab.? (♂) *Albicans* Gn. II, 251 (al. ant. fere unicolor. albidis). *And.*

2400. **Albida** Dup. IV, 81, 1 p. 382; Gn. II, 250; Obth. Et. VI p. 91, t. 11, f. 15.
 a) v. *Gratissima* Stgr. Iris IV (1891) p. 317 (minor, al. ant. albis plus minusve flaveantibus).
 b) ab. (v.?) *Transmittens* Chr. Iris VI (1893) p. 93 (uno ♂ descripta; al. ant. extus late albo-griseo- [nec glauco-] fasciatis).
 c) ab. (v.?) *Infuscata* Stgr. l. c. 319 (al. ant. brunnescens in post. medium fasciatis).
2401. **Munda** Chr. Mém. Rom. I p. 131, t. 8, f. 6 (praeec. sp. var. minor?).
2402. **Candicans** Rbr. Cat. S. And. t. 10, f. 5 ♂; Extranea Rbr. l. c. t. 13, f. 2 ♂ [ab]; Extraria Rbr. l. c. t. 15, f. 1 ♀.
2403. **Respersa** Hb. Btr. II, 1, 2, H. p. 14 (1790); Bkh. IV, 628; Amoena Hb. 300; Tr. V, 3. 238; Dup. III, 48, 6; Gn. II, 250.
 a) gen. aest. *Grata* Tr. V. 3. 283; HS. II p. 438; Carthami HS. 558 (minor, pallidior, albicans).
 b) ab. (et v.?) *Bythinica* Baker Tr. Ent. S. London 1888, p. 121 (al. ant. violaceo-roseeo-inspersis; uno ♂ condita).
2404. **Suppuneta** Stgr. Iris IV (1891) p. 319.
2405. **Siticulosa** Ld. Wien. Mts. 1858, 145, t. 3, f. 2.
 a) v.? *Albina* Stgr. Iris X (1897) p. 293, t. 4, f. 25 (albicans, minus signata; gen. aest. an sp. div.?).
2406. **Compuncta** Ld. Hor. VIII (1871) t. 2, f. 2, p. 15 (praeec. forma Darw.?).
2407. **Permixta** Stgr. Iris X (1897) p. 266, t. 4, f. 7.
2408. **Sordescens** Stgr. Iris VII (1894) p. 282.
2409. **Jocularis** Chr. Hor. XII (1877) p. 254, t. 6, f. 26; Rom. Mém. Rom. II p. 72, t. 3, f. 8.
2410. **Caduca** Chr. Iris VI (1893) p. 93.
2411. **Chlorotica** Ld. Wien. Mts. 1858 p. 144, t. 3, f. 1.
2412. **Viridis** Stgr. Stett. e. Z. 1888 p. 45; Alph. Mém. Rom. V p. 184, t. 8, f. 11 [Chlorotica var.] (♂ praeec. var. Stgr. certe non esse videtur).
2413. **Parallela** Frr. 360, 2 (Maj. 1841); HS. 299; Gn. II, 252; Concinnula HS. 256.
 Taur. c. et or. m.; Kurd. s. oc.; Saraw; Ferg. m.
2414. **Concinnula** B. Gen. p. 174 (1840); Frr. 360, 1; HS. 252; Pusilla Ev. Bull. M. 1837, 50; Gn. II, 253.
 Ross. m. or; Alt; Tarb.
2415. **Ragusana** Frr. V p. 92 (1844); Ragusa Frr. 437, 1; Psilogramma Ld. z. b. V. 1855, 207, t. 2 (syr.), f. 14; Virginea Gn. II p. 248; Hmps. Ind. Moths II p. 339; Snell. Tijds. 1898 p. 110.
 Dalm; Syr; Ant; China s. (v.?), Afr. m.; Ind; Java; Australia.
2416. ?**Cinerina** Ghil. Elenco p. 86 (alterius sp. synonym?).
 Sard.
2417. **Polygramma** Dup. III, 44, 3 a, b p. 519; HS. 257; Frr. 437, 2; Gn. II, 238; Rbr. Cat. S. And. 15, 5; Hmps. Ind. Moths II p. 339; Argillacea Ev. F. V. U. p. 339; Bull. M. 1857, IV, 414; Nuda Chr. Stett. e. Z. 1862, 221.
 Pont; Syr; Mard; Arm; Tura; Saraw; Ferg.
- a) v. (gen. aest.) *Pudorina* Stgr. Stett. e. Z. 1889 p. 53 (dilutior, al. roseis, non cinereis).
 b) ?ab. *Violetta* Stgr. l. c. (al. ant. linea transv. minus dentata etc.; sp. div.?).
 Ferg; Tura; Srp. etc; Ant. s.

2418. **Epigrama** Stgr. Stett. e. Z. 1889 p. 53. *Iss. K.*
2419. **Gratiosa** Ev. Bull. M. 1854, III, 192, 1856, II, t. 2, f. 10, 1857, IV 415; Alph. Hor. XVII p. 91, t. 3, f. 62. *Kirgh. m.; Thian.*
2420. **Marginula** HS. 560, II p. 439; Stgr. Hor. XV p. 415 (huj. generis?). *? Cyprus; As. min.*
2421. **Beata** Stgr. Iris VIII, (1895), p. 342 (huj. generis?). *Kaschgar; Tura.*
2422. **Communimacula** (S. V.) Hb. Btr. I, 1, 3, O. (1786); Bkh. III, 463; Esp. III, 93, 11; Hb. 349; Tr. V. 3. 278; Dup. VII, 123, 6; Mill. Ic. 139, f. 4. 5. *Austr.-Hung; Dalm; Graec; ?It. c.; Pont; Taur. c. et m. or; Mardin; Arm.*
2423. **Pannonica** Frr. 330, 4 (1840); Gn. II, 249; Kindermannii HS. 253-4; Lenis HS. II p. 440. *Pont; Taur. et Hyrc. (trans.).*
- a) v. *Lenis* Ev. F. V. U. p. 338; Bull. M. 1857, IV, 411; *?Pannonica* Frr. 330, 3 (multo pallidior). *Hung; Alt; Arm; Ross. m. or; Taur. m; Mardin.*
2424. **Amasina** Ev. Bull. M. 1842, III, 555, 1857, IV, 410; HS. 280; Frr. 437, 4; Gn. II, 249; Stgr. Mém. Rom. VI p. 558; Paradisea Butl. Ill. Het. II p. 34, t. 31, f. 4. *Ross. m; Kirgh; Ferg. m; Buch. s. or; Uss. m; Cor; Jap.*
2425. **Rosea** Hb. Btr. II, 2, 3, R., p. 50 (1791); Rosina Hb. 299 (post 1800); Ev. F. V. U. 337; Dup. IV, 70, 7; Z. Stett. e. Z. 1845, 354; HS. 443; Gn. II, 250. *Lyd; Taur; Austr. inf; Dalm; Ross. m. or; Bith; Stett. e. Z. 1845; Pont; Arm; ?Sib. oc.*
- a) ab. (et v.) *Schernhammeri* Rühl Soc. Ent. V p. 34 (al. ant. sine rubidine). *Ferg. m. (v.); Ili et Iss. K. (v. an ab.?).*
2426. **Purpurina** Hb. Btr. I, 2, 2, G. (1787); Esp. 163, 4; Hb. 298; Tr. V, 3. 276; Dup. VII, 123, 7; Ev. F. V. U. 336; Gn. II, 247. *Eur. m. et c. or; ?Germ. m. oc; Maur; Pont; Taur; Arm; Saraw; Ferg. Buch. s. or; Srp. etc.*
- a) v. (gen. aest.?) *Secunda* Stgr. al. ant. pallidioribus, minus purpuratis, al. post. etiam in ♀ albicantibus. *Syr; Aegypt.*
2427. **Phoenissa** Ld. z. b. V. 1855 p. 207, t. 2 (syr.), f. 13. *Can; Syr.*
- a) v. *Calida* Rbl. Ann. Nat. Hofmus. IX p. 63; Stgr. Iris VII p. 283 (al. ant. multo pallid., fere unicolor. stramentac.). *Eur. m. (cum. var.); Germ. m. oc.(1); Gal. c. et Engl. (var.).*
2428. **Ostrina** Hb. 399, 648; Tr. V, 3. 270; Dup. III, 44, 1; ?Frr. 473, 4; Gn. II, 246; Stgr. Hor. VII, 135; Tutt. Brit. Noct. IV p. 8; Barr. VI, t. 247, f. 3; Purpurata Ld. Noct. 43. 187 [generatio I]. *Carn; Rum; Maur; Can; Mad; Aegypt; As. min; Syr; Mardin; Arm; Tura; Saraw; Ferg; Iss. K; Ulias.*
- a) v. (?gen. aest. I) *Aestivalis* Gn. II, 247; Stgr. l. c., (pallidior absque colore roseo). *Ross. m. or; Alt; Tarb.*
- b) v. (?gen. aest. II) *Carthami* HS. II p. 438, 559; Stgr. l. c.; *Ostrina* var. Rbr. Cat. S. And. t. 13, f. 3-5; Numida Luc. Expl. Alg. p. 388, t. III, f. 8 (al. ant. fere unicolor. stramineis, apice infuscato). *Eur. m. (exc. Ross.); Angl. (var.); Maur; Aegypt; Carn; Croat; Hal; Rum; Bith; Taur; Syr; Pont; Arm; Mardin; Hyrc; Tura; Ind. c. m.*
- c) v. *Porphyrina* Frr. 437, 3; V p. 93; Stgr. l. c. p. 136; *Ostrina* var. HS. 281; var. B. Gn. II, 247 (al. ant. albicantibus, fasciis media et postica obscuris). *Cors; Sic; etc.*
2429. **Parva** Hb. 356; Tr. V, 3. 269; Frr. 545, 4; Z. Is. 1847, 453; Gn. II, 246; Stt. Ann. f. 1859 p. 147, f. 1; Tutt. Brit. Noct. IV p. 11; Barr. VI, t. 247, f. 4; Minuta Dup. III, 47, 1. *Tura; Arm; Cauc. s. (Derbent).*
- a) ab. *Rubefacta* Mab. Ann. S. Fr. 1869 p. 56 (obscurior, rubescens). *Maur. m. (Prov. Biskra).*
2430. **Debilis** Chr. Mém. Rom. I p. 129 (1884); Rom. ib. II p. 73, t. 3, f. 9. *Tura; Arm; Cauc. s. (Derbent).*
- a) v.? *Deleta* Stgr. alis totis niveis, al. ant. fascia media angusta, obsoleta, brunnescente (una ♀ condita, an sp. div.?). *Maur. m. (Prov. Biskra).*

2431. **Paula** Hb. 452; Tr. V, 3, 268; Dup. III, 44, 7, 47, 2; Frr. 545, 2, 658, 1; Gn. II, 244; Stgr. Stett. e. Z. 1879 p. 284; Tutt. Brit. Noct. IV, 12; Bnks. Entom. 1897 p. 47; Barr. VI, t. 247, f. 5; Noctualis Hb. Pyr. 38. *Germ; Austr. inf;*
Helv; Gal. m; Ped;
Angl; Scand. m; Liv;
Hung; Ross. m;
Taur. c; Kurd. oc; *Mardin; Arm; Uss.*
2432. **Wagneri** HS. 555-6 (1851); Gn. II, 244, t. 10, f. 13; Ev. Bull. M. 1857, IV 412; Frr. 576, 1! (sequ. spec. forma Darw.?). *Arm; Pont; Taur;*
Mardin.
- a) v. (?gen. aest.) *Ochreola* Stgr. Iris XII p. 385 (al. ant. magis unicoloribus, infuscatis).
2433. **Candidana** F. E. S. III, 2, 245 (1784); Gn. II, 242 (pro parte); Minuta Hb. 451; Ld. Noct. 233; Stgr. Hor. VII, 136; Perlana HG. Tort. 316; Parva Dup. III, 44, 6. *Gal. m; Cat; Cast;*
And; Murcia; Arm. (1); *Fery. m. (v.).*
 a) v. *Impura* Stgr. Cat. ed. II p. 133 (1871); *Candidana* Ld. Noct. 232; Cantabrica Rössl. Stett. e. Z. 1877 p. 364 (al. ant. infuscatis, colore albo et rufo inquinato; trans. ad Elychrysin).
- b) v. (gen. aest.?) *Skafiota* HS. 282, II p. 441; Gn. II, 243 (pallidior, al. ant. niveis ochraceo- vel brunneo-fasciatis, al. post. fere totis niveis).
2434. **Viridula** Gn. Ann. S. Fr. 1845 p. 225; Gn. II, 244 (1852); Ld. Noct. 232; Minuta Frr. 545, 3; Dalmatina HS. II p. 440; Elychrysi HS. 250 (praec. forma Darw. [var.]). *Carn; Croat; Dalm;*
?It. (trans.?) ; Graec;
Bith; Arm.
2435. **Elychrysi** Rbr. Ann. S. Fr. 1832 p. 24, t. 2, f. 15; Dup. III, 44, 8; HS. 595; Gn. II, 243; Ld. Noct. 232; Calb. Iris I p. 264 [trans. ad Viridulam]; (*Candidanae* forma Darw. [var.]). *Cors; Sard; It. c. (v.).*
2436. **Himmighoffeni** Mill. Ic. II p. 292, t. 82, I. *Cat.*
2437. **Pura** Hb. t. 125, f. 179 (r. 579); Dup. III, 47, 6; Gn. II, 253; Rbr. Cat. S. And. t. 13, f. 6. *Gal.m; It.s. (Liguria); Hisp.*
2438. **Pallidula** HS. 641, VI p. 178; Stgr. Hor. XIV p. 411. *Pont; Taur; Mardin; Tura.*
- a) v. (et ab.) *Cypriaca* Stgr. l. c. p. 413 (obscurior, al. ant. luteis, al. post. [luteo-] infuscatis).
- b) v. (gen. aest.?) *Mardina* Stgr. dimidio minor, al. ant. fere unicoloribus, pallide ochraceis vel stramineis, punctis nigris nullis vel subnullis, linea marginali ochracea tenui, obsoleta.
- c) v. *Virginalis* Obth. Et. VI (1881) p. 90, t. 11, f. 1 (♂); Stgr. Iris IV p. 321; Caid Obth. l. c. f. 2 [♂ ab. sec. typ.], (♀ al. ant. vitta brevi fusca).
2439. **Suppura** Stgr. Iris IV (1891) p. 320. *Cil; Taur; Ant; Syr; Malatia.*
2440. **Lutosa** Stgr. Iris IV p. 320 (sec. uno ♂ aberrante ut Suppurae v. descripta). *Syr. (Libanon).*
- a) ab. (v.) *Substrigula* Stgr. l. c. p. 321 (al. ant. strigula obsoleta fusca in et post cellulam, forma frequentior).
2441. **Straminea** Stgr. Iris IV (1891) p. 322. *Taur; Malatia; ?Mesop.*
2442. **Uniformis** Stgr. Hor. XIV (1878) p. 414. *Hyrc; Arm. m. or; Saraw; Ili; Iss. K.*
2443. **Griseola** Ersch. Fedtsch. (1874) p. 51, t. 4, f. 55; *Pallidula* Ev. Bull. M. 1857, IV p. 416; *Squalida* Stgr. Hor. XIV (1878) p. 413. *Hyrc; Arm; Tura;*
Saraw; Ferg; Iss. K; Ili.
2444. **Illota** Chr. Mém. Rom. III p. 83, t. 4, f. 7 (fig. non bene quadrat). *Tura.*
2445. **Leucanides** Stgr. Stett. e. Z. 1889 p. 55. *Kaschg. (Iss. K. ex errore).*
2446. **Deserta** Stgr. Iris XII p. 383. *Maur. (Biskra).*
2447. **Subvenata** Stgr. Iris V p. 288, t. 3, f. 13. *Maur. or; Pal. (desert.).*

2448. **Vestalis** Stgr. Iris XII p. 385.
2449. **Scitula** Rbr. Ann. S. Fr. 1833 p. 26, t. 2, f. 16; Dup. III, 47, 4; HS. 251; Gn. II, 228; Mill. Rev. d'Ent. 1884 t. I, f. 1-4; Exasperata Ld. z. b. V. 1855 p. 183. (-alis) t. 5, f. 13; Gibbosa Snell. Tijds. XV p. 50, t. 4, f. 9, 10, XXX p. 89 (huj. generis? genus prop. Stgr. melius videtur).
- Pal.
Gal. m.; Cat.; Cors;
Sic; Maur; Dalm;
Cyprus; Syr;
Aegypt; Afr. oc;
Ind. m.*

393. **Eumegethes** Stgr. 1897.

2450. **Tenuis** Stgr. Iris X (1897) p. 268, t. 4, f. 6. *Maur.*

394. **Thalerastria** Stgr. 1897.

2451. **Diaphora** Stgr. Hor. XIV (1878) p. 415; Rom. Mém. Rom. II p. 74, t. 3, f. 11; Stgr. Iris X, 294.
- a) v. *Laticincta* Stgr. Iris X, 294 (al. ant. margine exter. nigra latioire, al. post. obscurioribus).
2452. **Bipartita** HS. 175, II p. 285; Gn. I, 218.
- a) v. *Mediana* Stgr. Iris X p. 295, t. 4, f. 26 (al. ant. fascia media distincta latioire, area marginali dilutiore).
- Pont; Arm; Pal.
Mardin.
Sic.
Pal.*

395. **Erastria** O. 1816.

2453. **Argentula** Hb. Btr. I, 2, 2, F. (1787); Esp. 163, 4 (1793); Tr. V, 3, 255; Dup. VII, 123, 2; Gn. II, 231; Frr. 599; Tutt. Brit. Noct. IV p. 7; Barr. VI t. 247, f. 1; Olivea Hb. 292; Bankiana F. Sp. 275 (1781); Stph. Ill. 1830, 242, t. 53, f. 17.
- a) v. *Amurula* Stgr. Mém. Rom. VI p. 562 (al. ant. brunnescentibus; vix nominanda).
2454. **Uncula** Cl. Ic. t. 3, f. 7 (1759); Snell. Vlind. 477; Uncula Schiff. S. V. p. 91; Esp. 164, 7; Hb. 293; Tr. V, 3, 253; Dup. VII, 123, 4; Gn. II, 235; Frr. 598; Barr. VI t. 247, f. 2.
2455. **Obliterata** Rbr. Ann. S. Fr. 1833 p. 27, t. 2, f. 17; Mill. Ic. 103, VI; Stgr. Mém. Rom. VI p. 562; Wimmeri Tr. X. 2. 148 (1835); Frr. 162, 4, 5; F. R. p. 79, t. 36, f. 3a-c; Dup. III, 44, 2; HS. 255; Gn. II, 254; Recta F. V. U. 338; Cretacea Butl. Ill. Het. III p. 28, t. 47, f. 11.
2456. **Melacheila** Stgr. Iris VIII (1895) p. 299.
2457. **Wiskotti** Stgr. Stett. e. Z. 1888 p. 266; Mém. Rom. VI p. 563, t. 11, f. 4.
2458. **Venustula** Hb. Btr. II, 3, 4, Z; Hb. 294; Tr. V, 3, 264; Dup. III, 47, 5; Gn. II, 227; Butl. Entom. 1891 p. 113; Tutt. Brit. Noct. IV p. 5; Barr. VI t. 246, f. 4. *m; Arm; Hyrc; Alt; Amur; Uss; Cor; Jap.*
2459. **Bella** Stgr. Stett. e. Z. 1888 p. 264; Mém. Rom. VI p. 559, t. 11, f. 1 (sec. Stgr. nunc melius hic ponenda videtur).
2460. **Pusilla** View. Tab. Verz. II p. 84, t. 1, f. 8 (1789); Candula Hb. 295; Tr. V, 3, 263; Dup. IV, 57, 2; Gn. II, 228; Frr. 693, 1.
- Eur. c; Gal. m; Bilb;
Rum.m.or.(1); Ross.
Hyrc; Alt; Amur; Uss.
Uss.m; China s; Jap.*
2461. **Delicatula** Chr. Hor. XVII (1882) p. 112; Rom. Mém. Rom. II p. 74, t. 3, f. 10 (huj. generis?). *Bith; Taur; Pont; Arm; Hyrc; Alt; Ala Tau; Kent; Urga; Amur; Uss; Cor; Jap.*
- Eur. c. (exc. oc.) et m.
or. (exc. Balc. m.);
Scand. m; Ross.s.m;*
- Arm. m. oc.*

- | | | |
|-------|---|---|
| 2462. | Deceptoria Sc Ent. Carn. p. 214 (1763); Ld. Noct. 44, 188; Atratula Hb. 296; Tr. V, 3. 261; Dup. III, 47, 8; Gn. II, 228; Frr. 693, 2. | Eur. c. (exc. Angl. et Bat.); It.s.et c; Ural; Alt; Amur; China s. Amur; Uss; Cor; Jap. |
| 2463. | Nemorum Obth. Et. V p. 82, t. 4, f. 2 (1880); Stgr. Mém. Rom. VI p. 566; Africana Leech Pr. Z. S. 1889 p. 525. | Eur. c. et m. or. (exc. Graec.); Dan; Ross. s.m; Cat; Bilb; Lusit. s; Cors; It; Bith; Hyrc; Alt; Uss; Cor. Gal. m. oc; Parisii; It. m. (trans.); Uss; Cor. Jap. |
| 2464. | Fasciana L. F. S. 342 (1761); Wernb. Btr. I, 263; Stgr. Mém. Rom. VI p. 565; Tutt. Brit. Noct. IV p. 5; Leech Tr. E. S. 1900 p. 140; Fuscula Hb. 297; Tr. V, 3. 257; Gn. II, 229; Barr. VI t. 248, f. 2. | Arm. (v.); It. ab. <i>Guenei</i> Fallou Ann. S. Fr. 1864 p. 27, 688, t. 1, f. 3 (al. ant. brunnescentibus, non albo-signatis). |
| * b) | v. <i>Stygia</i> Butl. Ann. & Mag. N. H. (5) I, 1878 p. 199; Ill. Het. III t. 46, f. 2; Stgr. Mém. Rom. VI p. 565 (al. ant. sine fascia exter. alba). | Uss; Jap. |
| 2465. | Atrata Butl. Tr. Ent. Soc. 1881; Stgr. Mém. Rom. VI p. 565; Sidemiata Obth. Et. X p. 25, t. 3, f. 6 (1884). | Uss; Jap. |
| 2466. | Distinguenda Stgr. Stett. e. Z. 1888 p. 265, Mém. Rom. VI p. 564, t. 11, f. 2. | Uss; Jap. |
| 2467. | Numisma Stgr. Stett. e. Z. 1888 p. 265; Mém. Rom. VI p. 564, t. 11, f. 3; Olivacea Leech Pr. Z. Soc. 1889 p. 526, t. 53, f. 1. | Uss; Cor; Jap; China. |
| 2468. | Numerica B. Gen. p. 175; Gn. II, 235, t. 10, f. 9; Rbr. Cat. S. And. t. 7, f. 8. | Cors; Gal. m; Arag; Cast; And. |
| a) | v. <i>Ornatula</i> Chr. Mém. Rom. III p. 84, t. 4, f. 8 [f. mala] (al. ant. aliquid diverse strigatis; sed strigae in Numerica etiam aberrant). | Tura; Maur. (1) (trans.). |
| 2469. | Mollicula Graes. Berl. e. Z. 1888 p. 368; Stgr. Mém. Rom. VI p. 567 (huj. generis?). | Uss. s. |
| 2470. | Bicyclica Stgr. Stett. e. Z. 1888 p. 46 (huj. generis?). | Ili. |
| 2471. | Staudingeri Stndf. Mém. Rom. VI p. 667, t. 15, f. 7 (hujus generis?). | Mardin. |
| 2472. | Versicolor Obth. Et. X p. 25, t. 3, f. 7 (1884); Stgr. Mém. Rom. VI p. 567 (non huj. generis, sed cuius?). | Uss. m. |
| 2473. | Costimacula Obth. Et. V p. 83, t. 4, f. 4 (1889); Stgr. Mém. Rom. VI p. 567 (non huj. generis, sed cuius? generi Rivula affinis esse Stgr. videtur).: | Uss. m; Jap; China c. |

396. *Hyptioxesta* Rbl.

2474. *Penthima* Ersch. Hor. (Trudy) IV p. 196; Mém. Rom. *Sib. or; Amur.*
II t. 16, f. 6; Herz Iris XI p. 253.

397. Rivula Gn. 1854.

2475. *Sericrealis* Sc. Ent. Carn. p. 242 (1763); Hb. Pyr. 56; Tr. VII, 125; Dup. VIII, 219, 4. 5; Gn. Delt. 48; Tutt. Brit. Noct. IV p. 73; Meyr. 169; Barr. VI t. 264, f. 2. Eur. (exc. reg. bor. et ? Græc.); Maur; Pont; Syr; Arm; Hyrc; Amur; Uss; Cor; Jap.

2476. *Unctatalis* Stgr. Mém. Rom. VI p. 631. Uss.

398. Troctoptera Hmps. 1893.

2477. *Ussuriensis* Rbl.; capite niveo, alis dilute griseis ad margin. exter. obscurioribus, fasciis duabus undulatis albidis, al. post. macula media fusca; subtus al. ant. obscure griseis, fascia externa albida, al. post. albis ad marg. exter. obscure griseis; exp. 13 mm ♀ (spec. typ. in coll. Stgr.).

399. **Milichia** Snell. 1899 [Phalakra Stgr. 1892 (praeocc.)].

2478. **Gemella** Leech Pr. Z. Soc. 1889 p. 492, t. 53, f. 12; Stgr. Kent. (1); Uss; Cor; Jap.
Mém. Rom. VI p. 568.

400. **Chara** Stgr. 1892.

2479. **Albosignata** Stgr. Mém. Rom. VI (1892) p. 559, t. 14, f. 2. Uss. m.

2480. **Bimaculata** Stgr. Mém. Rom. VI (1892) p. 561. Uss. m.

401. **Paragona** Stgr. 1892.

2481. **Multisignata** Chr. Bull. M. 1880, II p. 50; Stgr. Mém. Rom. VI p. 557, t. 12, f. 9. Amur.

402. **Prothymnia** Hb. 1822.

2482. **Viridaria** Cl. Ic. t. 9, f. 12 (certo) (1759); Wernb. Btr. I, 212; Tutt Brit. Noct. IV p. 59; Laccata Sc. Ent. Carn. p. 226 (1763); Z. Stett. e. Z. 1855, 244; Ld. Noct. 44, 190; Aenea Hb. Btr. I, 3, 1, D. (1788); Hb. 350 (?654); Tr. V, 3. 274; Dup. VII, 123, 5; Gn. III, 298; Barr. VI t. 248, f. 3.

Eur. (exc. reg. bor.);
Maur; Bith; Pont;
Arm; Alt; Tarb; Ili;
Iss. K; Ferg; Kent;
Sib. or.

a) ab. **Modesta** Carad. Iris IX p. 50 (obscerior, al. ant. haud purpureo-fasciatis).

Rum. etc.

2483. **Sanctiflorentis** B. Rev. Ent. Silb. II p. 122, t. 28; Gn. III, 297; HS. 283-4; Rbr. Cat. S. And. t. 15, f. 3; ?HG. 872-3 (praec. forma Darw.?).

And; Murcia; Cast;
Cat.

2484. **Leda** HS. 553, 594, II p. 441; Ev. Bull. M. 1857, IV, 418.

Pont; Taur; Ant;
Kurd. oc; Arm.

2485. **Conicephala** Stgr. Berl. e. Z. 1870 p. 121; Led. Hor. VIII (1871) t. 2, f. 3; Barcinonensis Mill. Ic. 113, 10. 11, III p. 136 (1871).

Cat; And; Murcia;
Balc.m; Arm; Hyrc.

a) ab. (?) **Fumicollis** Rghfr. z. b. V. 1873 p. 571; Stgr. Iris IV p. 323 (una ♀ capite al. sp. ♂ adulterato condita; al. pro maxima parte obsolete violaceo-roseo-inspersis).

Taur.

403. **Galgula** Gn. 1852.

2486. **Partita** Gn. II p. 239 (1852), III p. 399; Rbl. Ann. Naturh. Hofmus. IX p. 64; Hepara Gn. II p. 239, t. 10, f. 11; Smith Noct. Cat. p. 314; Ferruginea Wlk. List. XII p. 814.

Am. s; Can; Mad.

a) ab. (?) **Baueri** Stgr. Berl. e. Z. 1870 p. 122; Mill. Ic. 154, f. 6 (uno ♂ condita; multo pallidior, al. ant. flavescenti-cinereis).

? And. (? Can.).

404. **Amyna** Gn. 1852.

2487. **Oeto** Gn. I p. 233 (1852); Hmps. Ind. Moths. II p. 251; Snell. Tijds. XLI (1898) p. 194; Cephalalis Wlk. List. XVI p. 209; Stgr. Mém. Rom. VI p. 570.

Uss; Cor; Jap; China;
Ind; Ins. Malay. et
Pacific; Afr; Am. c. et m.

405. **Mesotrosta** Ld. 1857.

2488. **Signalis** Tr. VII, 70, X, 2, 149; Frr. 360, 5; Dup. IV, 90, 7!; HS. 176-7; Gn. I, 218. *Austr; Hung; Ural. m.*
 2489. **Incorta** Stgr. Mém. Rom. VI p. 572 (1892). *Uss.*

406. **Emmelia** Hb. 1822 (Agrophila B.).

2490. **Trabealis** Sc. Ent. Carn. p. 40 (1763); Tutt Brit. Noct. IV p. 1; **Sulphuralis** L. S. N. ed. XII, 881 (1766); Gn. II, 206; Hmps. Ind. Moths. II p. 315; Barr. VI t. 248, f. 1; **Sulphurea** Esp. 164, 6; Hb. 291; Tr. V, 3. 251; Dup. VII, 123, 3; Gn. II, 206; Frr. 552. *Eur. c. et m; Dan; Suec. m; Liv; As. min; Syr; Mesop; Arm; Hyrc; Alt; Ili; Iss. K; Ferg; Saraw; Afghan; Amur; Uss; Cor; Jap.*
 a) ab. (v.) **Nigra** Ersch. Fedtsch. 1874 p. 52, t. 3, f. 50; Alph. Mém. Rom. V p. 185 (al. ant. fere unicoloribus, saepe totis nigricantibus). *Ferg. (forma frequentior).*
 b) v. (et ab.) **Algira** Obth. Et. VI (1881) p. 90, t. 2, f. 2 (al. ant. multo minus nigro-signatis). *Maur.*
 c) ab. **Flavonitens** Aust. Natural. 1880 p. 156; Obth. Et. VI p. 89, t. 3, f. 4 (al. ant. fere totis flavescentibus, al. post. pallidioribus, subt. unicolor. stramineis). *Maur. (forma frequent. in Maur. esse videtur).*
 2491. **Deleta** Stgr. Stett. e. Z. 1877 p. 190; Obth. Et. III p. 45, V p. 89, t. 3, f. 5. *Maur.*

407. **Haemerosia** B. 1840.

2492. **Renalis** Hb. Pyr. 157 (ante 1803); HG. 864-5; Gn. II, 201; **Renifera** Frr. 545, 1; **Renigera** Dup. III, 47, 7. *Gal. m; Bith; Pont; Mardin; Tura.*

408. **Metoponia** Gn. 1852.

2493. **Koekeritziana** Hb. Tortr. 163 (ante 1803 certissime); **Flava** Hb. 453 (post 1804); Ld. Noct. 14, 193; **Flavida** O. IV, 93 (1816); Tr. V, 3. 279; Dup. III, 45, 4; Frr. 227; Gn. II, 207. *Austr. inf; Hung; Bulc. s; Ross m; Bith; Pont; Arm.*
 a) v. **Subfumata** Stgr. Iris IV (1891) p. 324 {**Pallida** var. (al. ant. sine puncto nigro, al. post. pallide fuscis). *Dalm; Taur.*
 2494. **Pallida** Stgr. Iris IV (1891) p. 323 (praec. spec. forma Darw.). *Mardin.*
 2495. **Ochracea** Ersch. Fedtsch. (1874) p. 53, t. 3, f. 52. *Tura; Saraw; Ferg. Mardin.*
 a) v. **Subochracea** Stgr. Iris IV p. 324 (minor, al. ant. minus, saepius haud signatis, al. post. saepe dilutioribus). *Sic; And; Maur; Carn. et Rum. m. or. (2); Graec; Bith; Pont; Taur; Syr; Mardin (1); Arm.*
 2496. **Vespertalis** Hb. Pyr. 159 (1803); Z. Is. 1847 p. 483; Ld. Noct. 44. 193; **Vespertina** Tr. V, 3. 280; HS. 260; Gn. II, 208; **Vespertinalis** Rbr. Cat. S. And. t. 8, f. 4, t. 15, f. 4; **Matutinalis** Rbr. l. c. t. 8, f. 5; Bell. Ann. S. Fr. 1860, 695. *Mardin.*
 2497. **Gratiosa** Stgr. Iris IV (1891) p. 325, VI t. 1, f. 11. *Graec.*
 2498. **Agatha** Stgr. Stett. e. Z. 1861, 289; Mill. Ic. 38, 1. 2. *Tura; Saraw; Iss. K.*
 2499. **Subflava** Ersch. Fedtsch. (1874) p. 52, t. 3, f. 51. *Mesop. (Mardin etc.).*
 2500. **Nubila** Stgr. Iris IV (1891) p. 326.

409. **Gyrohypsoma** Stgr. 1888.

2501. **Sterrha** Stgr. Stett. e. Z. 1888 p. 47. *Ili; Ferg.*

C. Gonopterinae.

410. **Scoliopteryx** Germ. 1811 (Gonoptera Latr. 1825).

2502. **Libatrix** L. S. N. ed. X, 507; Esp. III, 69, 4; Hb. 436; Tr. V, 2, 172; Dup. VII, 131, 1; Gn. II, 405; Tutt. Brit. Noct. III p. 96; Barr. VI t. 252, f. 1.
Eur. (exc. reg. pol., Ib. c. et m. et Bale. m.); Maur; Bith; Pont; Taur; Arm; Alt; Tarb; Ala Tau; Ferg. s; Sib. or; Amur; Uss; Cor; Jap; Am. s.

411. **Cosmophila** B. 1833.

2503. **Erosa** Hb. Zutr. 287-88; Gn. II, 395; Stgr. Mém. Rom. VI p. 518; Rbl. Ann. Nat. Hofmus. IX, 59, XIII, 367; Hmps. Ind. Moths II, 411; Xanthindyma B. Fn. Mad. 94, t. 13, f. 7; India Gn. II, 396; Auragoides Gn. II, 397.
 2504. **Sabulifera** Gn. II p. 404; Hmps. Ind. Moths II p. 409; Involuta Walk. Cat. XIII p. 1003; Klchbg. Iris X p. 176.
Can; Syr; Uss. m.; Jap; Am. s. et c; Afr. et As. m.; Ins. Malay; Austral. Syr. (Haifa); Africa or; Arab; Ind.

412. **Hepatica** Stgr. 1892.

2505. **Anceps** Stgr. Mém. Rom. VI p. 634, t. 12, f. 11.
Uss. m.

413. **Capotena** Wlk. 1857.

2506. **Curvilinea** Stgr. Mém. Rom. VI p. 553, t. 9, f. 12 (1892); Snell. Tijds. 1898 p. 112.
Amur.

D. Quadrifinae.

414. **Calpe** Tr. 1825.

2507. **Capucina** Esp. III (Cont. Bomb.), 81, 1-3 (1789); Stgr. Mém. Rom. VI, 529; Thalictri Bkh. III, 425 (1790); Hb. Bomb. 25; Tr. V, 2, 169; Dup. VII, 131, 2, 3; Frr. 165, 519; Gn. II, 374; Sodalis Butl. Ann. & Mag. (5) I p. 203 (1878); Ill. Het. II t. 32, f. 2.
K; Carn; Teriol. m. (Sax. olim); Cat; And; Pyr; Hung; Turc. s. or; Ross. m. (or.); Arm; Sib; Ili; Iss. Amur; Uss; Cor; Jap. ? Amur; Ind; Java.
2508. ? **Minuticornis** Gn. II p. 374; Moore Lep. Ceyl. III t. 153; f. 3; Hmps. Ind. Moths II p. 565; ? Stgr. Mém. Rom. VI p. 529.
2509. **Aureola** Graes. Berl. e. Z. 1889 p. 260; Stgr. Mém. Rom. VI p. 529.
Uss. s.

415. **Euxestis** Ld. 1869 (Pseudocalpe Hmps. 1894).

2510. **Dentula** Ld. Hor. VI (1869) p. 89, t. 5, f. 8.
 * a) v.? **Angulifera** Moore P. Z. S. 1881 p. 373; Hmps. Ind. Moths II p. 566, f. 319; Icterica Swinh. P. Z. S. 1886 p. 439, t. 40, f. 8; Innubila Swinh. l. e. 447 (al. ant. strigis multis obscuris; an sp. div.?).
Hyrc; Mardin; Ferg. s. Ind. ? Amur; Uss; Cor; Jap.

416. **Plusiodonta** Gn. 1852.

2511. **Casta** Butl. Ill. Het. II p. 54, t. 38, f. 1 (1878); Stgr. Mém. Rom. VI p. 530.
Amur; Uss; Cor; Jap.

417. **Telesilla** HS. 1855.

2512. **Amethystina** Hb. 69, 597-8; Tr. V, 3, 136; Dup. VI, 93, 3, 4; Gn. II, 316; Frr. 639; Stgr. Mém. Rom. VI, 532. s; *Vindob.; Hung.; Balc. s.; Ross.* *m. or; Uss; Cor; Jap.*
2513. **Virgo** Tr. X, 2, 130; Frr. 430, 2; HS. 248-9; Gn. II, 317; Friv. Jell. 1866, t. 7, f. 5; Stgr. Mém. Rom. VI, 532; ?Spencei B. Gen. p. 129; Gn. II, 316. *Ural; Hung.; ? It. s. or; Amur; Uss; Cor; Jap.*

418. **Plusilla** Stgr. 1892.

2514. **Rosalia** Stgr. Mém. Rom. VI p. 533, t. 9, f. 11. *Uss. m.*

419. **Abrostola** O. 1816.

2515. **Triplasia** L. S. N. ed. X, 517; Esp. 169, 1-3; Hb. 626; Tr. V, 3, 138; Dup. VII, 132, 1; Frr. 285; Gn. II, 323; Ld. Wien. Mts. 1861, t. 2, f. 2 [var.]; Barr. VI, t. 244, f. 2. a) v. *Clarissa* Stgr. Iris XII p. 381 (multo dilutior, grisescens). *Eur. (exc. reg. bor.); Maur; Arm; Sib; Amur; Uss.*
2516. **Asclepiadis** Schiff. S. V. p. 91; Bkh. IV, 758; Hb. 627; Tr. V, 3, 142; Frr. 286; Gn. II, 322. *Pont; Taur; Ant; Syr; Mardin; Bith.*
2517. **Tripartita** Hufn. Berl. M. III, 419 (1767); Spr. geogr. Verbr. II, 265; Tutt. Brit. Noct. IV, 16; Urticae Hb. 625; Tr. V, 3, 145; Fr. 287; Gn. II, 321; Barr. VI, t. 244, f. 1; Asclepiadis Esp. 169, 4, 5; Dup. VII, 132, 3; Triplasia Hb. 269. *Eur. c. (exc. Angl., Bat.); Gotlandia (1); Ross. m. or; Uss; Jap.*
- It. s.; Dalm;* *Eur. c. s. et m. or.*
- (exc. reg. bor. et Balc. m.); Can; Cast; Bibl; Gal. m; It. s. et c.; Pont; Arm; Alt; Tarb; Sib. or; Amur. s. or.*

420. **Plusia** O. 1816.

2518. **C** *aureum* Knoch Btr. I p. 7, t. 1, f. 2 (1781); Esp. 110, 5; Concha F. Mant. 161 (1787); Hb. t. 59, f. 187 (r. 287), 458; Tr. V, 3, 161; Dup. VII, 139, 3; Frr. B. 76; Gn. II, 332; Mikadina Butl. Ann. & Mag. (5) I, 1878 p. 202; Ill. Het. III, t. 46, f. 7. *Germ; Helv; Austro-Hung; It. s.; Belg; Suec. m; Ross. s. m., c. et m. or; Arm; Alt; Uss; Jap.*
2519. **Deaurata** Esp. 110, 6 (1788); Tr. V, 3, 157; Dup. VII, 139, 1; Frr. 196; HS. 207; Gn. II, 332; *Aurea* Hb. 288. And; Hung; Sil. (1); Ross. m. or; Alt. *Austr. inf; Ter. m; Carn; Helv. m; It; Buch. s. or.*
- a) v. *Semiargentea* Alph. Mém. Rom. V p. 179 (al. ant. pallidius aureis, al. post. obscurioribus, vix nom. conserv., sec. specim. typic.).
2520. **Aurata** Stgr. Stett. e. Z. 1888 p. 260; Mém. Rom. VI p. 536, t. 10, f. 6. *Amur; Uss.*
2521. **Moneta** F. Mant. 162 (1787); Hb. Btr. I, 3, 3, T; Hb. 289; Tr. V, 3, 158; Dup. VII, 139, 2; Frr. B. 71; HG. 773-5; Gn. II, 332; Spr. Stett. e. Z. 1885 p. 87; South Ent. 1890 p. 287, t. 3, f. 6; Schröder Ill. Ztschr. Ent. II p. 609; Barr. VI, t. 241, f. 2. *Eur. c. et s. (exc. reg. bor.); Gal. m. or; And. mont; Ross. m. or; Arm; Ala Tau.*
- a) v. *Esmeralda* Obth. Et. V p. 85 (1880); Stgr. Mém. Rom. VI, 537 (multo pallidior, al. ant. pr. p. argenteis). *Ili; Iss. K; Alt; Daur; Chang; Uss; China s.*
2522. **Splendida** Butl. Ann. & Mag. (5) I, 1878 p. 203; Ill. Het. III p. 23, t. 46, f. 8; Stgr. Mém. Rom. VI p. 537, t. 10, f. 8; Intractata Stgr. Stett. e. Z. 1888 p. 262. *Uss. m; Jap.*
2523. **Sica** Graes. Berl. e. Z. 1890 p. 77; Stgr. Mém. Rom. VI p. 537. *Amur. c.*

2524. **Cheiranti** Tausch. Mém. Mosc. 1809 p. 322, t. 2, f. 6; Ld. Noct. 41, 171; Friy. Jell. 1866 t. 7, f. 6; Mill. Ic. 136, f. 1-3; Eugenia Ev. Bull. M. 1841, I, 32, t. 3, f. 3. 4: HS. 267; Frr. 449, 2, 532; Gn. II, 329; Abrostoloides Butl. Ill. Het. III p. 28, t. 47, f. 5.
2525. **Generosa** Stgr. Iris XII p. 380, t. 6, f. 8.
2526. **Inconspicua** Graes. Berl. e. Z. 1892 p. 315.
2527. **Renardi** Ev. Bull. M. 1844, III, 595, t. 15, f. 2 a, b, 1857, I, 107 [specimine aberrante descripta?]; Stgr. Stett. e. Z. 1861 p. 287.
2528. **Herrichi** Stgr. Stett. e. Z. 1861 p. 288; Stgr. Iris IX, 372, X, 339; Renardi Ld. z. b. V. 1855 p. 112; HS. n. Schm. 128 p. 26 (praeec. sp. forma principalis? et sequ. spec. var.?).
- a) v. (et ab.) *Eversmanni* Stgr. Iris IX, 372, t. 4, f. 6; X, 339; Uralensis Bell. Ann. S. Fr. 1859 p. 192, t. 5, f. 7, 8 (pallidior, al. ant. minime vel haud brunneo et roseo-mixtis).
- *b) v.? *Kashmirensis* Moore Pr. Z. S. 1881 p. 376 (al. ant. viridioribus, aliquod diverse signatis, an sp. div.? certe non Modesta sec. Hmps. Ind. M. II, 575).
2529. **Uralensis** Ev. Bull. M. 1842, III, 553, 1857, I p. 106; Dup. Sup. IV p. 522, t. 90, f. 3!; Gn. II, 330; HS. 268 (?), II p. 400; Illustris v. Uralensis Ev. F.V. U. 317; Uralensis Frr. 389, 4, V p. 11.
2530. **Variabilis** Piller p. 70, t. 6, f. 3 (1783); Illustris F. Mant. II, 164 (1787); Hb. 274; Tr. V, 3. 154; Frr. B. 65; Dup. VII, 133, 1; Ev. F. V. U. 317; Gn. II, 330; Tutt. Brit. Noct. IV, 23; Barr. VI, t. 240, f. 3; Uralensis Stgr. Mém. Rom. VI p. 538; Iris IX p. 373; ?Brem. Lep. O. S. p. 56.
- a) v. *Sergia* Obth. Et. X p. 27, t. 3, f. 9; Stgr. Mém. Rom. VI p. 538 (al. ant. parte basali fascia antemarginali roseis).
- b) v. *Mongolica* Stgr. minor, pallidior, al. ant. haud roseotinctis.
2531. **Modesta** Hb. Btr. I, 1, 1, A (1786); Hb. 354; Tr. V, 3. 152; Dup. VII, 133, 2; Frr. 424; Gn. II, 331; Friy. Jell. 1866, t. 7, f. 7. *oc; Parisii; Hal; Ural; Arm;*
- a) v. *Viridis* Stgr. pallidior, al. ant. multo minus aureo-tinctis, viridioribus.
2532. **Consona** F. Mant. 163; Hb. Btr. II, 1, 2, K; Hb. 273; Tr. V, 3. 150; Dup. VII, 133, 3; Frr. 214; Gn. II, 331.
2533. **Beckeri** Stgr. Stett. e. Z. 1861, 288; Mill. Ic. 70, 1, II p. 175; Stndf. Stett. e. Z. 1884 p. 200 (larv.); ?Siderifera (Nordm.) Ev. Bull. M. 1856, II t. 3, f. 4, 1857, I p. 104; Stgr. I. c. p. 287.
- a) v. *Italica* Stgr. Ent. Nachr. 1882 p. 292; Stett. e. Z. 1884 p. 300; Calb. Iris I p. 259, t. 12, f. 4, 5; Calberlae Stndf. Stett. e. Z. 1884 p. 199 (al. ant. paullo pallidiorib., minime viridescentibus, vix distinguendis; certissime Beckeri var. imaginis larvaueque).
2534. **Maria** Stgr. Iris IV (1891) p. 311.
2535. **Augusta** Stgr. Iris IV (1891) p. 309, t. 4, f. 5.
2536. **Emichi** Rghfr. z. b. V. 1873 p. 569; Stndf. Mém. Rom. VI t. 15, f. 5.
- a) v. *Paulina* Stgr. Iris IV p. 310; V t. 2, f. 3 (minor, al. ant. brunneis, strigis duabus albis).
- Ural; Sil; Germ. s. or; Ross. s. m; Hal; Hung. s.; Arm; Alt; Daur; Mong; Amur; Uss; Jap.
Taur. m. or. (Zeitun).
Iss. K.
Sib. or; Daur. (ab.?).
- Alt; Ala Tau; Ili; Iss. K; Daur; Urga (ab.); Arm. (v.).
- Urga et Gal. m. or. alp. (v.); Daur. (ab.); Saraw. (v.).
- Ind. s. oc.
- Ural m.
- Germ. m; Austr.-Hung. mont; Alp. Helv. It.; Gal; Pyr; Hib; Fen; Petrop; Rum; Ural; Arm. (v.).
Uss. et Amur. (cum trans.).
Urga.
- Germ. m., c. et s. or; Austr.-Hung; Helv. Ala Tau; Daur; Uss. Taur. c. (Hadjin.); As. min. c. (Konia).
Sax; Austr.inf; Hung; Bulg; Ross. m. or; Arm; Pont; Taur. m. or. Srp; Pont; Ala Tau.
- It. c. (Gran Sasso); Taur. m. or. (Zeitun) (I).
- Pal; Mardin.
Kurd. s. oc; Ant. s.
Taur; Arm.
- Pal.

2537. **Dorsiflava** Stndf. Mém. Rom. VI p. 666, t. 15, f. 6.
2538. **Leonina** Obth. Et. X (1884) p. 26, t. 3, f. 11; Stgr. Mém. Rom. VI, 541.
2539. **Chrysitis** L. S. N. ed. X, 513; Esp. 109, 1-5; Hb. 272, 662-3; Tr. V, 3. 169; Dup. VII, 135, 3, 4; Gn. II, 335; Tutt Brit. Noct. IV p. 24; Barr. VI t. 241, f. 1.
As. oc. et c. et or; Uss., Cor. et Jap. (cum trans.).
Uss.(forma princip.).
- a) v. **Nadeja** Obth. Et. V (1880) p. 84, t. 3, f. 10; Stgr. Mém. Rom. VI p. 539; Butl. Ent. 1896 p. 282 (minor, al. ant. fasciis aureis confluent, et dilatatis, maculis antemarginal. fuscescent; cum trans.).
2540. **Zosimi** Hb. 651; Dup. IV, 70, 4; Frr. 499, 1; Ev. F. V. U. 320; HS. 208; Gn. II, 334; Stgr. Mém. Rom. VI p. 540.
2541. **Aurifera** Hb. 463; Tr. V, 3. 168; Dup. VII, 134, 2; Frr. 509, 1, 2; Gn. II, 335; Tutt Brit. Noct. IV p. 19; Chrysitina Martyn Psyche t. 21 (1797) [publicatio privata in decem exemplar.]; Stgr. Mém. Rom. VI p. 540; Rbl. Ann. Naturh. Hofmus. IX p. 60, XI p. 107; Orichalcea Hmps. Ind. Moths II p. 573; ?F. E. S. 607 (1775).
2542. **Chryson** Esp. 141, 2 (1789), IV p. 446; Stgr. Mém. Rom. VI, 541; Tutt Brit. Noct. IV, 25, 128; Barr. VI; t. 240, f. 4; Orichalcea Hb. Btr. II, 1, 4, W (1790); Hb. 278; Tr. V, 3. 173; Dup. VII, 135, 1; Frr. B. 59; Gn. II, 334.
2543. **Bractea** (S. V.) F. Mant. 161; Esp. 110, 1; Hb. 279; Tr. V, 3. 176; Dup. VII, 134, 1; Frr. 47, 3; Gn. II, 336; Barr. VI t. 241, f. 3.
s. m. et c; Hung. et Rum. (mont.); Ural; Arm; Alt; Thian. oc.; Iss. K.
2544. **Excelsa** Kretschmar Berl. e. Z. 1862 p. 135, t. 1, f. 5; Stgr. Mém. Rom. VI p. 542; Butl. Entom. 1896 p. 283 (prae. forma Darw.?).
2545. **Aemula** (S. V.) Hb. Btr. II, 2, 3, T (1791); Hb. 280; Tr. V, 3. 177; Dup. VII, 135, 2; Gn. II, 336. Alp; Helv. c; Arm. c. (Lagodechi).
2546. **Festucae** L. S. N. ed. X, 513; Esp. 113, 6; Hb. 277; Tr. V, 3. 165; Dup. VII, 135, 4; Frr. B. 100; Gn. II, 337; Stgr. Mém. Rom. VI, 543; Barr. VI t. 242, f. 1.
Arm; Alt; Tarb; Ili; Iss. K; Daur; Sib. or; Amur; Uss; Jap.
2547. **Putnami** Grote Bull. Buff. Soc. Nat. Sc. I, 146, 192, t. 4, f. 2; Stgr. Mém. Rom. VI p. 543; Iris X, 340; Festata Graes. Berl. e. Z. 1889 p. 262 (prae. sp. Darw.).
2548. **Dives** Ev. Bull. M. 1844, III, 596, 1857, I, 125; HS. 511; Gn. II, 355.
2549. **V. argentum** Esp. 188, 3 (1795), IV, 2 p. 29; Mya Hb. 275; Dup. VII, 135, 3; Frr. B. 107, 1, III p. 40; Tr. X, 2. 139; HS. 205; Gn. II, 338.
2550. **Ornata** Brem. Lep. O. S. p. 103, t. 8, f. 15; Stgr. Mém. Rom. VI p. 544; Iris V p. 370.
2551. **Gutta** Gn. II, 346; Ld. Noct. 42. 171; Hmps. Ind. Moths II p. 571; Circumflexa Esp. 111, 5, 6 (1788); Hb. 285; Tr. V, 3. 179; Dup. VII, 137, 4; Frr. 118; Ev. F. V. U. 321.
Tarb; Iss. K; Ferg; Saraw; Sib. or; Daur; Amur; Urga; Alt; Amdo.
- a) ab. **Bigutta** Stgr. Mém. Rom. VI p. 545 (macula argentea in maculis duabus dissoluta).
2552. **Circumscripta** Frr. 23, 2, I p. 42 (1831); Tr. X, 2. 137; HG. 855; Dup. III, 42, 2; Gn. II, 343.
Creta; Sic; Syr.

2553. **Adscripta** Stgr. Stett. e. Z. 1888 p. 261; Mém. Rom. VI p. 545, t. 10, f. 7.
2554. **Signata** F. S. E. III, 2 p. 81; Gn. II p. 345; Hmps. Ind. Moths II p. 568; Rbl. Ann. Naturh. Hofmus. XIII p. 368.
2555. **Agnata** Stgr. Mém. Rom. VI p. 547; Signata Leech (nec F.) Pr. Z. S. 1889 p. 531.
2556. **Ornatissima** Wlk. List. XV p. 1786 (1858); Stgr. Mém. Rom. VI, 546; Hmps. Ind. Moths II p. 572; Locuples Obth. Et. V p. 85, t. 9, f. 3.
2557. **Chalcytes** (r. Chalcitis) Esp. 141, 3 (1789); Gn. II, 343; Mill. Ic. t. 5, f. 1-4; Chalsytis Hb. 276; Tr. V, 3, 163; Frr. 47, 2; Eriosoma Dbld. Dieffenb. New. Zeal. II p. 285 (1843); Hmps. Ind. Moths II p. 569 [pr. p.]; Verticillata Gn. II, 344; Rogationis Gn. l. c.; Bimaculata Stph. Ill III p. 102; Tutt Brit. Noct. IV p. 30.
2558. **Mandarina** Frr. 479, 4, V p. 164 (Jan. 1846); Stgr. Iris V p. 371; Alph. Mém. Rom. IX, 337; Intersecalaris HS. 510; Gn. II, 346; Ev. Bull. M. 1857, I, 119.
- a) ab. *Obscura* Obth. Et. X p. 27, t. 3, f. 13; Stgr. Mém. Rom. VI, 548 (al. ant. multo obscurioribus; una ♀ condita).
2559. **Pulehrina** Hw. Lep. Br. p. 256 (1810); Spr. Stett. e. Z. 1875 p. 103, 1883 p. 354; Tutt Brit. Noct. IV p. 28; Barr. VI t. 242, f. 2; *V aureum* Gn. II, 339; Jota Frr. B. 94; Dup. VII, 136, II; ?Hb. 282.
- a) ab. *Percontatrix* Auriv. Nord. Fjär. p. 181 (signo argent. confluente in litteram γ).
- b) v. et ab. *Gammoides* Spr. Stett. e. Z. 1875 p. 103 (obscurior, al. ant. violaceo-griseis).
- c) v. *Buraetica* Stgr. Iris V (1892) p. 370 (obscurior, al. ant. brunneo-griseis, magis aureonitentibus; a v. praeced. paullum differt).
2560. **Jota** L. S. N. ed. X, 513; Esp. 113, 3; Dup. VII, 136, 3; Gn. II, 338; Spr. Stett. e. Z. 1883 p. 354; Tutt Brit. Noct. IV p. 27; Barr. VI t. 242, f. 3; ?Ancora Frr. 47, 1 ab. pallidior.
- a) ab. *Percontationis* Tr. V, 3, 184; Jota var. HS. 265; Bartholomaeii Mén. Bull. Phys. Math. 1859 p. 135; En. III p. 156, t. 16, f. 9 [cerne sec. typ.] (signo argenteo confluente in litteram γ).
- b) ab. *Inscripta* Esp. 113, 5; Tr. l. c.; Gn. II, 339 (signo argenteo nullo vel subnullo).
- c) v. *Baltica* Spr. Stett. e. Z. 1875 p. 103 (obscurior).
- d) v. (ab.?) *Amurica* Stgr. Mém. Rom. VI p. 549 [Pulchrinae var.] (multo obscurior; an a v. Baltica separanda?).
- e) v. *Monogramma* Alph. Stett. e. Z. 1887 p. 171; Mém. Rom. V p. 180 (al. ant. ut in ab. a sed obscurioribus).
2561. **Macrogamma** Ev. Bull. M. 1842, III, 554, 1857, I, 120; HS. 266; Gn. II, 340; Sevastina Frr. 455, 5.
2562. **Gamma** L. S. N. ed. X, 513; Esp. 111, 1; Hb. 283; Tr. V, 3, 185; Dup. VII, 136, 4; Frr. B. 106; Frr. 544 ab. nigricans; Gn. II, 348; Smith Noct. Cat. p. 251; Tutt Brit. Noct. IV p. 31; Barr. VI t. 243, f. 1.
- a) v. (ab.?) *Gammmina* Stgr. duplo minor, al. ant. magis signatis.

*Uss. m; Jap.**Ten; Afr. oc; Ceylon; Java; Sumatra.**Uss. m; Cor; China s.; Jap; Ind.**Amur; Uss; Jap; China; Himalay. s. oc; Sikkim.**Eur. m. (exc. Ross.); Angl. (advena); Carn; Austr. inf; Bith; Taur; Pont; Syr; Afr. s., c. et m.; Can; Mad; Ind; China; Ins. Malay; Austral.**Ural; Alt; Sib. or; Kamt; Uss.**Uss. m.**Eur. c. et s. (exc. reg. bor.); Alt; Tarb; Amur s.**Liv. (v.); Germ. s. et c. (ab.).**Kent; Sib. or.**Eur. c. et s. (exc. reg. pol.); It.s.etc; ?And. mont; Ross. m. or; Arm; Amur (v.); ?Iss. K.**Cur.**Liv. etc.**Uss.**Ferg.**Lap. or; Fen; Ural; Alt; Amur; Sib. or; Daur; Urga.**Territ; China c. et m. oc; ?Jap; ?Ind. s. oc; Am. s.**Syr. (5); Pont. (1).*

2563. **V Minus** Obth. Et. X (1884) p. 27, t. 3, f. 12; Stgr. Mém. Rom. VI, 549 (una ♀ descripta; sec. spec. typ. Stgr. praec. sp. ab. [signo τ in v parva reducta] esse videtur).
2564. **Circumflexa** L. S. N. ed. XII, 884; Gn. II, 352, t. 11, f. 9; Hmps. Ind. Moths II p. 571; Graphica HS. 548; Frr. 576, 3; Daubii Frr. 256, 2.
- a) v. *Fumifera* Graes. Berl. e. Z. 1889 p. 263; Stgr. Mém. Rom. VI p. 542 (distinctius signata).
2565. * **Agramma** Gn. II, 327; Hmps. Ind. Moths II, 574. Java; Jap; Ind; ? Austral.
2566. **Accentifera** Lef. Ann. S. Lin. Paris 1827 p. 94, t. 5, f. 1, 2; Tr. X, 2, 134; Gn. II, 351; Mill. Ic. 70, 2-4; Laureum Frr. 23, 3 (1831).
2567. **Daubei** B. Gen. p. 159; Dup. III, 42, 1; HS. 206; Gn. II, 351; Rbr. Cat. S. And. t. 6, f. 6; Mill. Ic. 70, 5-7; Hmps. Ind. Moths II p. 572.
2568. **Oxygramma** Hb. Zutr. p. 37, f. 69-70; Alph. Iris VII p. 313; Hmps. Ind. Moths II p. 575; Albostriata Brem. & Gray N. Chin. p. 18; Mén. En. t. 16, f. 10; Transfixa Wlk. List. XII p. 884.
2569. **Bella** Chr. Stett. e. Z. 1887 p. 164; Mém. Rom. V p. 36, t. 2, f. 7.
2570. **Tancrei** Stgr. Iris VIII, 1895 p. 328, t. 6, f. 14 ♂.
2571. **Ni** Hb. 284; Tr. V, 3. 189; Frr. 23, 1; Gn. II, 349; Knaggs Ann. 1869 p. 124, 1870. f. 3; Mill. Ic. 149, f. 11-13; Tutt Brit. Noct. IV p. 33; Hmps. Ind. Moths II p. 570; Barr. VI t. 243, f. 2 [pr. p.].
- a) v. *Transbaicalensis* Stgr. Iris V p. 371 (al. ant. magis griseescensibus, al. post. dilutioribus; vix nominanda).
2572. **U aureum** Gn. II, 354; Möschl. Wien. Mts. 1860, 371; Auriv. Groenl. p. 16, t. 1, f. 7, t. 3, f. 6; Interrogationis var. Groenlandica Stgr. Stett. e. Z. 1857, 306; Aretica Möschl. z. b. V. 1884 p. 285.
2573. **Interrogationis** L. S. N. ed. X, 513; Hb. 281; Tr. V, 3. 190; Dup. VII, 137, 2; Frr. B. 130, 1; HG. 854; Gn. II, 353; Tutt Brit. Noct. IV p. 36; Barr. VI, t. 243, f. 3; Stgr. Iris V, 371; Borealis Reuter Act. Fen. IX (1893) p. 57 [ab. detrita].
- a) v. *Transbaicalensis* Stgr. Iris V p. 371 (al. ant. magis griseescensibus, al. post. dilutioribus; vix nominanda).
2574. **Ain** Hochenw. Btr. 1785, 337, t. 7, f. 8; Esp. 179, 3 (1794); Hb. t. 59, f. 190 (r. 290); Tr. V, 3. 193; Dup. VII, 138, 1; Gn. II, 354.
2575. **Diasema** B. Ind. p. 93; Gn. II, 355; HS..597; Schilde Stett. e. Z. 1874 p. 70; Auriv. Nord. Fjär. 182.
- a) v. *Borea* Auriv. Groenl. Ins. Fn. p. 17, t. 1, f. 8 (multo minor, al. post. laetius luteis, margine fusco angustiore).
2576. **Micromerista** Hb. 698-9; Tr. V, 3. 198; Dup. VII, 138, 2; Gn. II, 356; ab. Incompleta Reuter Act. Fen. IX p. 59 (1893) [signo argenteo punctiforme].
- a) v. *Tibetana* Stgr. Iris VIII, 329 (major).
- Uss. m.
- Can; Mad; Dalm; Ross. m; As. min; Syr; Arm; Hyrc; Alt; Ala Tau; Ili; Iss. K; Sarav.
- Uss. m.
- Ib; Sic; ? Cors; ? Creta; Syr.
- Gal. m; Hisp; Cors; Sic; Pal; Ind; ? Afr. c. oc.
- Uss. m; Jap; Chinas; Ind; Java; Austral; Madagasc; Afr. m.
- Tura.
- Kuku N; Amdo.
- Eur. m. et c. m. or; Angl; Vind; Helv; Maur; Can; As. min. oc; Syr; Pont; Arm; ? Ind; ? China; ? Jap.
- Groenl; Labr; Am. s.
- Eur. c. et s. (exc. Bat. et Bely); Pyr; It. s. et ? c; Ural m.
- Daur; Sib. or.
- Alp; Germ. c. or. mont; Hung. s; Alt; Tarb; Sib. or; Daur; Amur.
- Scand. pol. et c. mont; Fen. s; Daur; Amur; Thian. oc. (v.).
- Groenl.
- Scand. et Ross. s. (exc. reg. pol.); Germ. s. or. et ? c. oc; ? Alp.
- Ter; ? Ross. m. oc; ? Bale.
- Alp; Lap; Scand. mont; Labr; Arm; Alt; Tarb; Ala Tau; Ando; Sib. or; Kamt.
- Kuku N.

2578. **Devergens** Hb. 500-1; Tr. V, 3. 197; Dup. VII, 42, 3; *Sum. Alp; As. c; Ala*
Gn. II, 356; Alph. Mém. Rom. V p. 181. *Tau; Kisil Art; Pamir; Labr.*
2579. **Parilis** Hb. 422; Dup. Sup. IV, 90, 6; Gn. II, 355; HS. *Labr; Groenl; Lap.*
II p. 393; Auriv. Groenl. p. 17, t. 1, f. 6; Smith Noct. *s; Suec. c. mont;*
Cat. p. 256. *Fen.*

421. **Megalodes** Gn. 1852.

2580. **Eximia** Frr. 442, 3 (1844); HS. 399 (1849); Gn. II, 261, t. 10, f. 16; Ev. Bull. M. 1857, IV, 423. *Pont; Lyd; Taur. m. or; Syr; Kurd. s. oc; Mardin; Arm.*

422. **Protomeceras** Rbl.

2581. **Mimicaria** Obth. Bull. S. Fr. 1887 p. 58; Et. XII p. 31, t. 5, f. 14 (Cimelia!). *Maur.*

423. **Thermesia** Hb. 1818 (Rhabdophera Stgr. 1897).

2582. ***Arefacta** Swinh. Pr. Z. S. 1884 p. 521, t. 48, f. 2; Hmps. *Ind.*
Ind. Moths II p. 535.
- a) v. *Messrae* Stgr. Iris X (1897) p. 296, t. 9, f. 18 (al. griseo-luteis, magis signatis). *Pal. m.*
- b) ab. (v.?) *Elegans* Stgr. dilutior, al. lutescentibus, minus signatis, lineis transv. obsoletis.

424. **Metoptria** Gn. 1852.

2583. **Monogramma** Hb. 353; Tr. V, 3. 389; God. V, 51, 4. 5; Gn. II, 262; Mill. Ic. 144. f. 12-14; ?*Fixa* F. E. S. III, 2 p. 46 (1794; nomen anter.?). *Gal. m; Ib; Maur; Sic; Liguria; ?Dalm.*

425. **Remigia** Gn. 1852.

2584. **Ussuriensis** Brem. Lep. O. S. p. 61, t. 5, f. 19; Stgr. Mém. Rom. VI p. 575; *Unduligera* Butl. Ann. & Mag. (5) I, 1878 p. 293; Ill. Het. II p. 43, t. 34, f. 8. *Uss; Jap.*
2585. **Annetta** Butl. Ann. & Mag. (5) 1878, I p. 293; Ill. Het. II p. 43, t. 34, f. 7; Stgr. Mém. Rom. VI p. 574. *Uss; Cor; Jap; China s.*

426. **Euclidia** O. 1816.

2586. **Mi** Cl. Ic. t. 9, f. 5 (1759); Esp. 89, 3. 4; Hb. 346; Tr. V, 3. 395; God. V, 52, 5; Gn. III, 291; Tutt. Brit. Noct. IV p. 57; Barr. VI, t. 255, f. 2. *Eur. (exc. reg. bor., Ib. m. et Balc. m.); Bith; Arm; ?Pont; Alt; Ala Tau; Ili; Iss. K; Ferg; Amur. (v.?).*
- a) v. (et ab.) *Litterata* Cyr. Ent. Nap. I, t. 1, f. 9; Mi God. V, 52, f. 3, 4 (alias albo-, non flavo-pictis). *Sib. s. or. et Uss. (v.); It. c. et m. (v. et ab.); etc. ab.*
2587. **Futilis** Stgr. Iris X (1897) p. 341, t. 9, f. 28. *Daur.*
2588. **Regia** Stgr. Stett. e. Z. 1888 p. 48; Alph. Mém. Rom. V t. 8, f. 1. *Ferg. m; ?Pamir.*
2589. **Glyphica** L. S. N. ed. X, 510, Esp. 89, 1. 2; Hb. 347; Tr. V, 3. 390; God. V, 52, 2; Gn. III, 293; Barr. VI, t. 255, f. 3. *Eur. (exc. reg. pol.); Bith; Pont; Arm; Alt; Tarb; ?Ferg; Sib. or; Amur; Uss. (pr. p.).*
- a) v. *Dentata* Stgr. Cat. ed. II p. 135; Mém. Rom. VI, 574; *Cuspidea* Ev. (nec Hb.) Bull. M. 1857, IV, 436; Consors Butl. Ann. & Mag. (5) I, 1878 p. 293; Ill. Het. II, t. 34, f. 6 (multo pallidior, major). *Alt; Uss. (pr. p.); Japan (v.).*

2590. **Munita** Hb. 593; Ev. F. V. U. 352; Gn. III, 293; Angu-
losa Ev. Nouv. Mém. Mosc. II, 353, t. 19, f. 7 (1832).
a) ab. *Immunita* Mill. Ic. 92, 11 (al. ant. fere unicolor.
ochraceis).
2591. **Triquetra** F. Mant. 143 (1787); Hb. Btr. I, 3, 2. J. (1788);
Esp. 145, 4 (1789); Hb. 348; Tr. V, 3. 393; God. V,
52, 1; Gn. III, 293.
- a) v. *Aurantiaca* Stgr. Hor. XVI (1881) p. 79 (al. post.
aurantiacis).
2592. **Fortalitium** Tausch. Mém. Mosc. 1809 p. 323, t. 2, f. 7;
Ev. F. V. U. 352; Fortatilium Hb. 592 (post 1810);
Dup. Sup. III, 44. 5; Frr. 399, 3. 4; Gn. III, 292.
- Srp; Arm; Buch. or;
Ferg; Ili.*
- Austr; Hung; Bale.
s; Ross. m; Sib. or;
Arm; Alt; Ala Tau.*
- Pont.*
- Ural m; Alt; Thian.
or.*

427. **Pelamia** Gn. 1852.

2593. **Electaria** Brem. Lep. O. S. p. 84, t. 7, f. 12.
- Amur; Uss; ?Jap.*

428. **Cerocala** B. 1829.

2594. **Scapulosa** Hb. 360, 561; Tr. V, 3. 317; Dup. VII, 121,
5. 6; Gn. III, 287; Mill. Ic. 89, f. 3-4.
- a) v. *Sana* Stgr.; *Insana* Stgr. Cat. ed. II p. 135, paullo minor,
al. post. sordide albidis, fascia lata antemarginali fusca,
macula (vel maculis duabus) marginale nigrescenti.
- b) v. *Algiriae* Obth. Et I p. 55, t. 4, f. 7; Rbl. z. b. V. 1895
p. 349; *Scapulosa* Luc. Ann. S. Fr. 1850 p. 102, t. 2,
f. 3 (paullo minor, al. post. obsolete fuscescenti-signatis
vel insignatis).
- And. m. oc.*
- Ant; Syr. (gen. I?).*
- Maur; Syr. (gen. II?
cum trans.).*

429. **Pericyma** HS. 1845.

2595. **Albidentaria** Frr. 354, 1 (1841); *Albidens* HS. 295
(1847); Gn. III, 5; Mill. Ic. 98, V, larva.
- a) v.? *Squalens* Ld. z. b. V. 1855 p. 184, t. 5, f. 11; Stgr. Hor.
XIV p. 418 (pallidior, al. lineis trans. pr. p. obsoletioribus,
pr. p. aliquid divers; an sp. propria?).
2596. **Profesta** Chr. Stett. e. Z. 1887 p. 165; Mém. Rom. V p. 39,
t. 2, f. 10 a, b.
- a) v. *Sacra* Stgr. Iris X (1897) p. 298, t. 9, f. 20 (al. distinctius
signatis).
- Srp; Cauc. s; Syr;
Aegypt; Mardin;
Tura; Ili; Iss. K; Ferg; Kaschg.*
- Cyprus; Pal; Mar-
din; Arm.*
- Tura; Ferg. m; Pal.
(ab.).*
- Pal; Mardin.*

430. **Pandesma** Gn. 1852.

2597. * **Anysa** Gn. II p. 439 (1852); Stgr. Iris X p. 178 (not.);
Fugitiva Wlk. Cat. XIV, 1365 (1858).
- a) v. *Terrigena* Chr. Hor. XII (1876) p. 254, t. 6, f. 27; Mém.
Rom. V p. 41, t. 2, f. 11; *Grandis* Stgr. Stett. e. Z.
1877 p. 191 (al. ant. cinereis [minus vel non flavicant.],
sine fascia [umbra] antemarg. fuscescenti).
- *b) v. *Sennaarensis* Feld. & Rghfr. Nov. 111, f. 26 (obseuriar,
al. ant. obscure brunneo-griseis).
- Ind. or.*
- Pal; Hyrc; Pers;
Tura; ?Aegypt.*
- Afr. c. oc. et m.*

431. **Zethes** Rbr. 1833.

2598. **Insularis** Rbr. Ann. S. Fr. 1833 p. 29, t. 2, 1; Dup. Sup. III, 47, 3; HS. 614-6; Gn. III, 330; Natlyi Frr. 222, 2! (1837). *Cors; Sic; Murcia;*
Maur; Croat;
Dalm; Graec; As. min; Pal.
2599. **Propinquus** Chr. Mém. Rom. II (1885) p. 75, t. 3, f. 12. *Arm. (Lagodeki);*
Mardin.
2600. **Musculus** Mén. Schrk. p. 62, t. 5, f. 6. *Amur; Uss; Cor; Jap.*
2601. **Subfalcata** Mén. Schrk. p. 63, t. 5, f. 5. *Amur; Uss.*

432. **Acantholipes** Ld. 1857.

2602. **Regularis** Hb. 588; Tr. V, 3. 315; Ev. F. V. U. 344; Dup. Sup. III, 44, 4; Gn. II, 259. *Pont; Syr; Hyrc; Tura; Ferg; Iss. K; Kaschg.*

433. **Sartha** Stgr. 1891 [= Namangana Stgr. (duplo) 1888].

2603. **Mirabilis** Stgr. Stett. e. Z. 1888 p. 53. *Ferg. s.*

434. **Agnomonia** Hb. 1822.

2604. **Juvenilis** Brem. Lep. O. S. p. 61, t. 5, f. 18 (hujus generis?). *Amur; Uss.*

435. **Rhabinopteryx** Chr. 1889.

2605. **Turanica** Ersch. Fedtsch. (1874) p. 67, t. 4, f. 69; Alph. Hor. XVII p. 188; Chr. Mém. Rom. V p. 32, t. 2, f. 6; Stgr. Stett. e. Z. 1889 p. 49, 60. *Tura; Ili; Iss. K. s.*
~~oc; Ferg. s.~~
2606. **Subtilis** Mab. Bull. S. Fr. 1888 p. 51; Nov. Lep. p. 66, t. 11, f. 4 (hujus generis?). *Maur.*

436. **Pseudoligia** Stgr.

2607. **Similiaria** Mén. feu Lehm. p. 296, t. 6, f. 12 [Ligia] (spec. typ. certe est ♂, nec ♀; a Ciliaria Mén. [spec. sequ.] valde differt palpis multo brevioribus, antennis breviter [vix] ciliatis, alisque ant. apice rotundatis aliter [paullum] signatis; nov. gen. Pseudoligia Stgr.). *Buch.*

437. **Imitator** Alph. 1883.

2608. **Ciliaria** Mén. feu Lehm. p. 296. t. 6, f. 11 [Ligia] (spec. typ. est ♂, nec ♀); Dentistrigatae Alph. Hor. XVII (1883) p. 171, t. 9, f. 95, 96 [sec. specim. typ. certe = Ciliaria Mén.]. *Tura; Buch; Ili.*

438. **Palpangula** Stgr. 1877 (Meliopotis [Hb.] Hmps.).

2609. **Dentistrigata** Stgr. Stett. e. Z. 1877 p. 199; Alph. Hor. XVII p. 95, t. 3, f. 63. *Tura; Arm. (1); Ili;*
~~Iss. K.~~
2610. **Stuebeli** Calb. Iris IV (1891) p. 49. *Pal. m. oc. (El Arisch).*
2611. **Henkei** Stgr. Stett. e. Z. 1877 p. 196; Mém. Rom. I p. 150, t. 9, f. 9. *Ross. m. or. (Nariün);*
Tura.

2612. * **Atrosignata** Wlk. List. XV p. 1770 (1858); Hmps. Ind. Moths II p. 477, f. 265.
a) v. *Spilota* Ersch. Fedtsch. (1874) p. 56, t. 4, f. 58; Stgr. Mém. Rom. I p. 150, t. 9, f. 8 (major, obscurior, al. ant. distinctius signatis).
2613. **Cestis** Mén. feu Lehm. p. 74 (290), t. 6, f. 10 ♂; Ev. Bull. M. 1857, IV, 395; Stgr. Stett. e. Z. 1877 p. 200; Alph. Hor. XVII p. 94; Punctata Mén. feu Lehm. p. 76 (292), t. 6, f. 4 ♀.
2614. **Cestina** Stgr. Mém. Rom. I (1884) p. 149, t. 9, f. 7.
2615. **Fricta** Chr. Iris VI (1893) p. 93; Alph. Mém. Rom. IX p. 223, t. 8, f. 7.
2616. **Fractistrigata** Alph. Hor. XVII (1883) p. 96, t. 3, f. 64.
2617. **Nana** Stgr. Mém. Rom. I (1884) p. 147, t. 9, f. 6 (huj. generis?).
2618. **Imitatix** Chr. Stett. e. Z. 1887 p. 165; Mém. Rom. V p. 42, t. 3, f. 1 (huj. generis?) (haec sp. et duae sequ. generis propr. esse videntur).
2619. **Mirifica** Ersch. Fedtsch. (1874) p. 54, t. 4, f. 56; Chr. Mém. Rom. V p. 42 (huj. generis?).
2620. **Simiola** Püng. Iris XII p. 295, t. 9, f. 12 (praec. sp. forma Darw.?).
2621. **Christophi** Ersch. Fedtsch. (1874) p. 46, t. 3, f. 44 (Calophasia); Chr. Mém. Rom. I p. 137, t. 8, f. 4 (Palpangula) (certe non huj. generis sed cuius? gen. propr. Stgr. esse videtur).

439. **Leucanitis** Gn. 1852.

2622. **Rada** B. Bull. S. Fr. 1848 p. 30; Frr. 576, 4 (1852); Gn. III, 58, t. 13, f. 12; Ev. Bull. M. 1857, IV, 401 β; Roda HS. 561-2.
a) v.? (ab.) *Christophi* Alph. Iris VIII (1895) p. 200 (una ♀ condita; al. ant. dilutioribus, al. post. angustius nigro-signatis).
2623. **Altivaga** Alph. Iris VI p. 347; Mém. Rom. IX p. 222, t. 7, f. 9 (uno ♂ condita).
2624. **Picta** (Cailino var.) Chr. Hor. XII p. 257, t. 7, f. 28 (med. Jan. 1877); ?ab. Mém. Rom. V p. 42; Alph. Hor. XVII p. 94; var. Mém. Rom. VI p. 46.
a) v. *Radapicta* Stgr.; Rada Ev. Bull. M. 1857, 401 (pr. max. parte, exc. β); *Picta* Stgr. Stett. e. Z. 1877 (fin. Mart.) (pr. max. parte exc. specim. e Tura) (paullo major, plerumque al. obscurioribus).
2625. **Chinensis** Alph. Mém. Rom. VI p. 45 (1892) (praec. sp. var.? differt tantum antennis ♂ longius ciliatis).
2626. **Herzi** Alph. Iris VIII (1895) p. 198 (Pictae forma Darw. magna? tibiae Stgr. non diversae esse videntur).
2627. **Cailino** Lef. Ann. Sc. Lin. Paris 1827 p. 94, t. 5, f. 1; Rbr. Ann. Sc. obs. 1829 p. 10, t. 5, f. 4; Dup. Sup. III, 43, 4; Frr. 449, f. 3; Ev. F. V. U. 343; Gn. III, 62; Mill. Ic. 92, I; Caylino HG. 834-5; HS. 245. *Syr.; Mardin; Tura; Ili et Iss. K. (v.).*
a) v.? (ab.?) *Philippina* Aust. Natural. 1880 p. 237 (al. ant. multo obscurioribus, al. post. fascia marg. nigra latiore magisque excavata; una ♀ condita).
b) v. *Obscura* Stgr. alis omnib. obscurioribus, al. post. margine exterior. nigro duplo latiore.

Ind. oc. (Sind.).

Tura.

Ross. m. or. (Nariin); Tura; Ferg. m; Iss. K; Ili; Maur. m. (prov. Biskra).

Tura.

Tura.

Ili; Tura; Korla.

Tura.

Tura; Ili.

Ili; Tura.

Tura; Ili; Ferg. m.

Arm; ?Crim; Tura; Saisan; Ili; Iss. K; Korla.

Kirgh. m. (Indersk).

Kaschg. alp.

Tura; Ili; Iss. K; Syr. (I v. e coll. Led., ex err.?).

Ross. m. or. (Nariün et Kirgh.).

Mong. c; Kaschg; China c. oc.

Tura; Arm.

Gal. m; And; Maur; Graec; ?Crim; Arm; Pont; Lyd; Taur; Tura; Ili et Iss. K. (v.).

Maur.

Ross. m. or. (Nariin); Tarb. et Ala Tau (trans.).

2628. **Obscurata** Stgr. Stett. e. Z. 1882 p. 55; Alph. Mém. Rom. V p. 188, t. 8, f. 6.
2629. **Langi** Ersch. Fedtsch. (1874) p. 54, t. 4, f. 57.
2630. **Catocalis** Stgr. Stett. e. Z. 1882 p. 52; Alph. Mém. Rom. V p. 185, t. 8, f. 2.
- a) ab.? (v. altid.?) *Grumi* Alph. l. c. (al. ant. haud brunneovel flavo-inspersis, al. post. albescensibus; uno ♂ condita).
2631. **Scolopax** Alph. Hor. XXVI (1892) p. 454; Mém. Rom. IX p. 47, t. 3, f. 10.
2632. **Sesquilina** Stgr. Stett. e. Z. 1888 p. 51.
- a) v.? *Sequax* Stgr. aliae anf. differunt tantum subtus margine lato saturatius planeque nigro; al. post. niveis, marg. lato nigro (albo-ciliato) sine lunula med. nigricante (fere ut in Leuc. Saisani); an sp. propria? uno ♂ alis integris condita).
2633. **Flexuosa** Mén. feu Lehm. p. 76 (292), t. 6, f. 5 (1848); Ev. Bull. M. 1857, IV, 394; *Singularis* Koll. Ins. Pers. p. 12 (1849) [al. ant. flavescenti-griseis].
- a) v. (ab.?) *Mongolica* Stgr. Iris IX p. 269 (1896) (al. post. extus latius albis; una ♀ condita).
- b) v. *Caspica* Stgr. multo obscurior, al. ant. fusco-vel brunneogriseis, al. post. parte basali magis obscurata.
2634. **Saisani** Stgr. Stett. e. Z. 1882 p. 53; *Saissani* Rom. Mém. Rom. II t. 3, f. 13.
- a) v. *Clara* Stgr. Iris VII p. 283 (al. ant. fascia med. maculaque exteriore fere albidis).
2635. **Sinuosa** Stgr. Mém. Rom. I p. 146, t. 9, f. 5.
2636. **Sequistria** Ev. Bull. M. 1854, III, 191, t. 1, f. 6, 1857, IV, 400.
2637. **Caucasica** Kol. Mel. Ent. V p. 104. t. 18, f. 4 (1846); Alph. Hor. XVII p. 93, t. 3, f. 65; *Astrida* Ev. Bull. M. 1857, IV, 399, 1856, II, t. 3, f. 2.
2638. **Hyblaeoides** Moore Ann. & Mag. (5) I p. 234 (1878); See. Yark. Miss. p. 12, t. 1, f. 20; Alph. Mém. Rom. VI p. 47 not; *Caucasica* Alph. Mém. Rom. V p. 187 (sequ. sp. forma Darw.?).
2639. **Tenera** Stgr. Stett. e. Z. 1877 p. 194.
- a) v. *Antiqua* Stgr. Stett. e. Z. 1889 p. 56 (major, pallidior, al. ant. griseo-luteis).
2640. **Aberrans** Stgr. Stett. e. Z. 1888 p. 49.
- a) v. *Palaestinensis* Stgr. Iris X p. 299, t. 9, f. 19 (pallidior [albidior], al. latius albo-fasciatiss.).
2642. **Stolida** F. E. S. 599 (1775); God. V, 53, 5; Gn. III, 276; Hmps. Ind. Moths II p. 532; *Cingularis* Hb. 352, 512; Tr. V, 3, 312.
- a) ab.? *Stupida* HS. 297-8, II p. 423; Gn. III, 277 (prae. ab. Stgr. esse videtur).
2643. **Hedemanni** Stgr. Stett. e. Z. 1888 p. 267; Mém. Rom. VI p. 578, t. 11, f. 5 (huj. generis?).
- Tarb; Ala Tau; Ili; Iss. K; Ferg; Saraw.
- Saraw; Ferg. m.
- Tarb; Ili; Iss. K; Ferg. m; Saraw.
- Pamir s.
- Nan Schan; Kuku N; Amdo.
- Saraw; Ferg; Thian. or.
- Kurd. s. oc. (Egin).
- Buch; Tura; Saraw;
- Ferg; Ili; Iss. K;
- Korla; Kaschg;
- Arm. m; Mesop; Syr.
- Ulias.
- Lac. Casp. lit. (Ross. m. or. et Pers. s.).
- Tarb; Ili; Iss. K;
- Malatia; Arm. m. (v.).
- Mesop. (Mardin).
- Tura; Buch. (s. or.).
- Kirgh. m; Arm. m;
- Tura; Korla.
- Arm; Kurd. s. oc;
- Saraw; Ferg; Iss. K; Ili.
- Kaschg; Pamir.
- Ili; Iss. K. s. oc;
- Kaschg. (v.); ?Reg. Pers.
- Maur; Aegypt.
- Pal.
- Eur. m. (exc. Ross. et
- ? Ib. c. et m.); Carn.
- m; Bith; Taur; Pal; Arm; Hyrc; Tura;
- Ferg. m; Ind; Arab; Aegypt; Afr. m. et sc.
- ? Maced. (Saloniki).
- Amur; Uss; Cor;
- China s.

440. **Grammodes** Gn. 1852.

2644. **Algira** L. S. N. ed. XII, 836; Esp. 87, 1; Tr. V, 3. 308; God. V, 53, 3; Gn. III, 270; Mill. Ic. 92, III; Hmps. Ind. Moths II p. 500; Triangularis Hb. 323. *Eur. m. et c. m. or. (exc. ? Ross.); Parisii; Helv. et Ter. m.; Vindob; Crim; Arm; As. min; Syr; Hyrc; Tura; Ferg; Ind; Afr.*
2645. * **Arcuata** Moore P. Z. S. 1877 p. 609; Lep. Ceyl. III, t. 171, f. 3; Hmps. Ind. Moths II p. 490. a) v. *? Mandschuriana* Stgr. Mém. Rom. VI p. 578 (Algira var.). (minor, al. minus variegatis; sp. div.?). *Ind; China; Ins. Malay. Uss. m; Cor.*
2646. **Geometrica** F. S. E. 599 (1775); Rossi Fn. Etr. II p. 179 (1790); Tr. V, 3. 310; God. V, 53, 4; Gn. III, 277; Mill. Ic. 75, III; Butl. Entom. 1894 p. 241; Hmps. Ind. Moths II p. 531; Parallelaris Hb. 324; Bifasciata Petag. Sp. Ins. p. 38, f. 36 (1787). *Gal. m; Ib; It; Dalm; Carn. m. (1); Bith; Syr; Arm; Hyrc; Afr; Ind; Ins. Malay; Austral. Syr; Arm; Ind. oc.*
2647. **Rogenhoferi** Bhtsch. z. b. V. 1879 p. 407; Mirabilis Rom. Mém. Rom. II p. 78, t. 4, f. 5 (1885); Hmps. Ind. Moths II p. 501.

441. **Sypna** Gn. 1852.

2648. **Picta** Butl. Cist. Ent. II p. 244 (1877); Ill. Het. II p. 40, t. 33, f. 2; Graes. Berl. e. Z. 1888 p. 369; Stgr. Mém. Rom. VI, 576; Achatina Butl. l. e. 245; Ill. Het. III p. 26, t. 47, f. 7; Fumosa Butl. l. e.; Ill. Het. II, t. 33, f. 3; Fuliginosa Butl. l. e.; Ill. Het. III, t. 47, f. 8. *Amur; Uss; Cor; Jap.*
2649. **Rectifasciata** Graes. Berl. e. Z. 1888 p. 370; Stgr. Mém. VI p. 577; *? Albilinea* Wlk. List. XIV p. 1261; Butl. Ill. Het. IV, t. 112, f. 1. *Amur; Uss; ? Ind.*

442. **Hypoglaucitis** Stgr. 1894.

2650. **Benenotata** Warr. Pr. Z. S. 1888 p. 313; Baker Tr. E. S. 1894 p. 43; Hmps. Ind. Moths II p. 480; Moses Stgr. Iris VII (1894) p. 284, t. 9, f. 17; Klehbg. ib. X p. 177. *Aegypt; Pal; Arab; Ind.*

443. **Pseudophia** Gn. 1852.

2651. **Illunaris** Hb. 565, 574; Tr. V, 3. 305; God. V, 55, 3. 4; HG. 868; Gn. III, 235; Mill. Ie. 68, f. 9 ab., 126, f. 8. 9. a) v. *Sancta* Stgr. Iris X p. 301 (al. post. ♂ albicantibus). b) v. *Syriaca* Bugnion Ann. Soc. Fr. 1837 p. 442, t. 16, f. 2; Gentilitia HS. 273; Frr. 505, f. 4 (paullo major, al. ant. latioribus, plerumque extus non nigro-signatis). *Kaschg; And; Sic. et Dalm. (pr. p. trans.); Gal. m; Cat; It. s; It. c. (v.). Pal; Syr; Maur. et Aegypt. (trans.). Syr; Arm; Lyd; Pont; Ross. m. or. (v.); Tura; Ferg. m; Ili; Arab. et Ind. oc. (v.?). Iss. K.*
2652. **Sublunaris** Stgr. Stett. e. Z. 1889 p. 56. a) v. *Delunaris* Stgr. l. e. (minor, trans. ad Illunar.).
2653. **Terrulenta** Chr. Iris VI p. 93.
2654. **Gentilis** Stgr. Iris X (1897) p. 300, t. 9, f. 21. *Pal. m; Arm. (Lagodechi, Eldar).*
2655. **Lunaris** Schiff. S. V. p. 94; Hb. 322; Tr. V, 3. 302; God. V, 55, 2; Gn. III, 321; Tutt. Brit. Noct. IV p. 56; Barr. VI, t. 252, f. 2; Augur Esp. 87, 4-6, 88, 1; ab. Rufa Obth. Et. IX p. 39, t. 3, f. 11; ab. Murina Obth. l. e. f. 12; ab. Maura Obth. l. e. f. 13. *Eur. c. et m. (exc. ? Angl. et Ross. c.); Maur; Bith; Lyd; Pont; Arm.*

2656. **Profana** Ev. Bull. M. 1856, II, t. 3, f. 3, 1857, IV, 385 (sp. figura tantum conditale).
2657. **Tirhaca** Cr. P. Ex. II p. 116, t. 172, E. (1780?); *Tirrhaca* Hmps. Ind. Moths II p. 503; (-aea) Tr. V, 3, 300; God. V, 55, 1; Gn. III, 229; *Auricularis* Hb. 321; HG. 777-81.
2658. **Amata** Brem. & Grey Motsch. Et. 1852 p. 66; Beitr. N. China p. 19; Brem. Lep. O. S. p. 60; Stgr. Mém. Rom. VI p. 579; *Fuscum* Butl. Tr. Ent. Soc. 1881 p. 198; *Rufescens* Butl. I. c.
2659. **Flavomaculata** Brem. Bull. Acad. III p. 492 (1861); Stgr. Mém. Rom. VI p. 580; *Maximowiczi* Brem. Lep. O. S. p. 58, t. 4, f. 12; *Sericum* Butl. Ann. & Mag. (5) I, 1878 p. 292; Ill. Het. II, t. 34, f. 4.
- Cauc. s.*
*Eur. m.; Ter. m.;
Bith; Pont; Cyprus;
Syr; Maur; Can;
Afr. m.; Ind; Austral.
Uss; Cor; China s;
Jap.*
- Amur; Uss; Daur.
(1); Jap.*

444. **Anophia** Gn. 1841.

2660. **Leucomelas** L. S. N. ed. X, 518; Cl. Ic. I, 2; Z. Stett. e. Z. 1853, 202; *Ramburii* Rbr. Ann. Sc. obs. 1829 p. 263, t. 5, f. 3; Tr. X, 2, 159; Dup. III, 46, 5; Gn. III, 49; Mill. Ic. t. 30, f. 4-7; *Adepta* HG. 792-3. *m*; *Bith*; *Pont*; *Arm*; *Hyrc.* (v.).

445. **Aedia** Hb. 1822.

2661. **Funesta** Esp. 88, 6 (1786), IV p. 72; *Alchymista* Esp. 135, 3; *Leucomelas* Hb. 304; Tr. V, 3, 321; God. V, 53, 2; Frr. 347; Gn. III, 47.
- Eur. c. et m. or. (exc.
Angl., Bat., Balc.
m.); Gal. m.; It. s. et
c; Bith; Pont; Syr; Mardin; Arm; ? Hyrc.*

446. **Catephia** O. 1816.

2662. **Alchymista** Schiff. S. V. p. 89, 150; Hb. 303; Tr. V, 3, 323; God. V, 53, 1; Frr. 239; Gn. III, 45; Tutt. Brit. Noct. IV p. 44; (Alchem.-) Barr. VI, t. 251, f. 2; *Leucomelas* Esp. 107, 2.
- a) ab. *Varia* Chr. Iris VI p. 94 (al. ant. virescenti-griseis lineis transversis nigris distinctissimis).
- Eur. c. et m. (exc.
Bat.); Liv; Maur;
Pont; Taur; Kurd.
s. oc; Pal; Arm; Hyrc.
Sr. (cum. trans.).*

447. **Hypocala** Gn. 1852.

2663. **Deflorata** F. E. S. III p. 472; Stgr. Mém. Rom. VI p. 583; Hmps. Ind. Moths II p. 453; *Tungusa* Graes. Berl. e. Z. 1890 p. 78.
- Amur; Uss; China;
Ind; Borneo; Afr.
c. et m. (v.?).*

448. **Arcte** Koll. 1844 [*Coeytodes* Gn. 1852].

2664. **Caerulea** Gn. III p. 41, t. 13, f. 10; Stgr. Mém. Rom. VI p. 583; Hmps. Ind. Moths II p. 486.
- Uss; Jap; Ind; Ins.
Malay. et Papuan.*

449. **Lagoptera** Gn. 1852.

2665. **Juno** Dalm. Anal. Ent. p. 52 (1823); Hmps. Ind. Moths II p. 505, f. 281; *Elegans* Van der Hoev. Tijd. Nat. Gesch. VII p. 280, t. 5, f. 6a, b; Stgr. Mém. Rom. VI p. 582.
- Amur; Uss; Cor;
Jap; Java; Borneo.*

450. **Ophideres** B. 1833.

2666. ***Tyrannus** Gn. III p. 110; Hmps. Ind. Moths II p. 562.
 a) v. *Amurensis* Stgr. Mém. Rom. VI p. 581; *Fullonica* Obth. Et. V p. 86 (al. ant. obsecurioribus fusco-brunneis; vix nomin.).

451. **Catocala** Schr. 1802.

2667. **Fraxini** L. S. N. ed. X, 512; Esp. 101; Hb. 327; Tr. V, 3, 329; God. V, 45, 1; Gn. III, 83; Frr. 619; Barr. VI, t. 252, f. 3.
 a) ab. (et v.?) *Moerens* Fuchs Jhrb. Nass. XLII, 210 (1889) (multo obsecurior, al. ant. nigricante-griseis).
 b) v. (et ab.?) *Gaudens* Stgr.; *Fraxini* Stgr. Stett. e. Z. 1882 p. 56 (multo dilutior, al. ant. albido-cinereis).
2668. **Lara** Brem. Lep. O. S. p. 59, t. 4, f. 13 (Cerogamae Gn. III, 96 e Am. s. forma Darw.?).
2669. **Electa** Bkh. IV, 26 (1792); Hb. 331; Tr. V, 3, 355; God. V, 46, 1; Frr. 407; Gn. III, 87; Mill. Ann. S. Fr. 1855, t. 11, I ab. flava; Barr. VI, t. 253, f. 1; Paeta (S.V.) Esp. 98, 1.
 a) v. *Zalmunna* Butl. Cist. Ent. III p. 241; Ill. Het. II p. 25, t. 47, f. 3 (major, al. ant. dilutior., cinereis).
2670. **Elocata** Esp. 99 (A), 1, 2 (1786); Tr. V, 3, 334; God. V, 46, 2; Gn. III, 83; Mill. Ic. 129, f. 4-6; Uxor Hb. 328; Marita Hb. 494 ab; Nurus Hb. 655-6 ab; Prolifica Wlk. List. XIII p. 1211; Butl. Ill. Het. VI, t. 110, f. 9; Hmps. Ind. Moths II p. 441.
 a) v. *Locata* Stgr. Iris IV (1891) p. 327 (al. post. angustius nigro-fasciatis, fascia med. marginem int. non attingente).
2671. **Oberthürii** Aust. Natural 1879 p. 85; Obth. Et. VI p. 92, t. 1, f. 1; Gitana Mab. Bull. Soc. Philom. Paris (7) IX p. 64 (1885) (Elocatae forma Darw.).
2672. **Lesbia** Chr. Stett. e. Z. 1887 p. 165; Mém. Rom. V p. 44, t. 3, f. 2a, b.
2673. **Puerpera** Giorna Cat. Ent. Torino 1791 p. 142; Tr. V, 3, 358; Gn. III, 86; Mill. Ic. t. 30, f. 1-3!; Pellec Hb. 435 (post 1800), 594, 605; God. V, 3, 358; Amasia Esp. 194, 1, 2.
 a) *Orientalis* Stgr. Stett. e. Z. 1877 p. 202 (minor, al. ant. multo obsecurioribus).
 b) v. *Pallida* Alph. Mém. Rom. III p. 406, V p. 88 (major, pallidior al. post. flavidio-rubis).
 c) v. *Rosea* Aust. Natural. 1884 p. 391 (al. ant. rosaceo-griseis, minus signatis).
2674. **Remissa** Stgr. Iris IV (1891) p. 328, t. 4, f. 10.
2675. **Repudiata** Stgr. Stett. e. Z. 1888 p. 55.
2676. **Neglecta** Stgr. Stett. e. Z. 1888 p. 56.
2677. **Deducta** Ev. Bull. M. 1843, III, 550, t. 10, f. 3; HS. 633; Gn. III, 84 (Elocatae forma Darw.?).
2678. **Nupta** L. S. N. ed. XIII, 841; Esp. 97, 1, 2; Hb. 330; Tr. V, 3, 337; God. V, 45, 2, 3; Frr. 425; Gn. III, 85; Caland Tijd. 1896 p. 163, t. 8, f. 1 [ab.]; Tutt. Brit. Noct. IV p. 51; Barr. VI, t. 253, f. 2; Coneubina Hb. 329; Frr. 461.

Ind; China; Jap.
Uss; Jap. (trans.).

Eur. c; It. s; Scand.
m; Ross. s. m. et m;
Rum; Arm; Alt; Amur.
Germ. s. (ab.); Uss.
(v.?).
Ala Tau; ? Tarb;
? etc. (ab.).
Amur; Uss; Cor;
Jap.
Eur. c. (exc. ? Angl.);
? Suec. m; Gal. m. oc;
Cat; Bilb; It. s;
Ross. m; Arm; Amur; Uss. et Cor. (v. obsecurior).

Jap.
Eur. m. et c. (exc. Ib.
c. et m., Angl., Bat.,
Belg., Dan.); Suec.
m. (var.); Bith;
Taur; Syr; Kurd.
s; Pont; Arm; ? Hyrc;
Tura; Alt; Ind. s. (v.?).
Ili; Iss. K; Ferg.

Maur; And.

Tura.

Val; Vindob; Ter. m;
Gal. m; Pyr; And;
It. s. et c; Dalm;
Hung; Bith; Pont; Syr; Arm;
Hyrc; Tura; Saraw; Ferg; Ili; Iss. K.
Ross. m. or; Alt;
Tarb. (trans.).
Ili; Iss. K; Korla;
Lob. Noor.
Maur. m. oc.

Tura; Kaschg.
Ili; Iss. K. s. oc.
Ferg. s; Iss. K. s. oc; Ili.
Alt. m; ? Ural.

Eur. c; Scand. m;
Liv; Bilb; Cors; It.
s. et c; Eur. m. or.
(exc. ? Balc. m.);
? Bith.

- a) v. *Unicuba* Wlk. List. XIII p. 1210; Butl. Ill. Het. VI, t. 10, f. 11; *Nupta* Hmps. Ind. Moths II p. 441 (major, al. aliquid diverse signatis et tinctis; vix nomin.). *Ind. s.*
- b) v. *Nuptialis* Stgr.; *Nupta* Stgr. Stett. e. Z. 1882 p. 56 (al. ant. dilutius griseis, magis (obscuro-)variegatis; trans. ad sp. sequ.). *Alt; Ala Tau; Ili; Iss. K.*
- c) v. *Obscurata* Obth. Et. V p. 86; Stgr. Mém. Rom. VI, 585 (al. ant. obscurioribus). *Amur; Uss.*
2679. **Adultera** Mén. Motsch. Et. V, 1856 p. 47; ib. 1858, t. 2, f. 3; En. III p. 157, t. 17, f. 1; Auriv. Nord. Fjär. 186 (praec. forma Darw.). *Ross. s. et c; Alt; Sib; Chang; Uss.*
- *a) v. *Unijaga* Wlk. List. XI p. 1194 (1857); Obth. Et. X p. 9; (al. post. fascia med. nigra minus curvata). *Am. s.*
2680. **Aspasia** Stgr. Iris IX (1896) p. 400; *Hetaera* Stgr. Iris VII, 285. *Mardin.*
2681. **Dilecta** Hb. 388; Tr. V, 3. 341; Gn. III, 91; **Sponsa** var. God. V, 48, 3 (Sponsae forma Darw.?). *It. s. et c; Ter. m; Helv. et Germ. m. oc; Vindob; Hung; Rum; Graec; Taur. m. or; Arm. Eur.c. et m. or; Scand. m; Ross. s. m; It. s. et c; Sard. (I); Sic; Dalm. et Pont. (trans. ad Dilecta); (Hyrc. ex err.?).*
2682. **Sponsa** L. S. N. ed. XII, 841; Esp. 95; Hb. 383; Tr. V, 3. 343; God. V, 48, 2; F. d. W. Ent. I p. 196, t. 5, f. 1; Gn. III, 90; Tutt. Brit. Noct. IV p. 52; Barr. VI, t. 254, f. 1; Rejecta F. d. W. Ent. I p. 197, t. 5, f. 2 [ab. al. post. nigrlicant.]. *Gal. m; Cors; Sard; Eur.c. et m. or; Scand. m; Ross. s. m; It. s. et c; Sard. (I); Sic; Dalm. et Pont. Amur; Uss; Jap.*
2683. **Dula** Brem. Lep. O. S. p. 59, t. 4, f. 14; Stgr. Mém. Rom. VI p. 585 (Sponsae forma Darw.). *Eur. c. et m. or. (exc. ?Balc. m.); Scand. m; Liv; Cast; Maur. (v.); It; ?Bith; Arm.*
2684. **Promissa** Esp. 96 (1786); Hb. 334, 657-8; Tr. V, 3. 349; Dup. Sup. III, 46, 1; Gn. III, 90; Frr. 633; Tutt. Brit. Noct. IV p. 54; Barr. VI, t. 255, f. 1; **Sponsa** God. V, 48, 1; Mneste Hb. 569. *Gal. m; And; Maur; It; Dalm; Balc. m; Lyd; Taur. m. or; Syr.*
2685. **Conjuneta** Esp. 99 (B), 3. 4 (1786), 100, 1. 2; Tr. V, 3. 347; God. V, 47, 1; Gn. III, 89; **Conjuga** Hb. 335; ab. **Digressa** Th.-Mieg. Natural. 1889 p. 181 [al. post. pallidioribus]. *Ili.*
2686. **Juncta** Stgr. Stett. e. Z. 1889 p. 59. *Kaschg.*
2687. **Contemnenda** Stgr. Iris IV (1891) p. 329, t. 4, f. 11. *Ili.*
2688. **Optima** Stgr. Stett. e. Z. 1888 p. 57. *Istria; Ural.m; Arm; Alt; Tarb; Ala Tau.*
2689. **Lupina** HS. 234-5, II p. 409; Gn. III, 88; Ev. Bull. M. 1857, IV, 373. *Gal. m; Bilb; And.*
2690. **Optata** God. V, 47, 3 p. 63 (1825); Tr. X, 2. 162; Gn. III, 87; Hb. 733-6 (1827); Mill. Ic. t. 31, f. 2-5; **Amanda** B. Gen. p. 167 [ab. obscurior]; Gn. III, 88; Selecta B. l. c. [ab. abdom. rubro]; Gn. l. c. *Ferg; Ili.*
2691. **Desiderata** Stgr. Stett. e. Z. 1888 p. 59. *Germ. s; Suec. m; Ross. s. m; Ural; Alt; Ili; Iss. K; Chang; Amur.*
2692. **Pacta** L. S. N. ed. X, 512; Hb. 332; Tr. V, 2. 352; Ev. F. V. U. 348; Frr. 496, 503; HS. 232-3; Gn. III, 88; **Pacta** Suecica Esp. 99 (B), 1. 2. *Kaschg; ?Iss. K.*
2693. **Aestimobilis** Stgr. Iris IV (1891) p. 330, t. 4. f. 12. *Eur. c. et m. or. (non Germ. m. or); ?Ped; Bith; Lyd; Syr; Pont; Arm; Uss. s. (1) (v.); ?Cor.*
- a) ab. (et v.?) **Posthuma** Hb. 526-7; Gn. l. c; **Hymenaea** God. V, 50, 3 (al. post. fascia media in fine acuté angulata). *Pont. et Graec. (v.); etc. ab.*
2695. **Proxeneta** Alph. Iris VIII (1895) p. 197; Mém. Rom. IX p. 223, t. 10, f. 3. *Mong; (Chang.?).*

2696. **Fulminea** Scop. Ent. Carn. p. 206 no. 510 (1763); *Paranymphpha* L. S. N. ed. XII, 842 (1767); Esp. 105, 1-3; Hb. 336, 601; Tr. V, 3. 368; God. V, 49, 3; Gn. III, 100; Frr. 527; ?*Omphale* Butl. Tr. E. S. 1881 p. 195.
- a) ab. *Protonymphpha* B. Gen. p. 168; Gn. III, 103, t. 15, f. 2 [fig. non quadrat bene] (sec. specim. typ. Stgr. ab. *nana* esse videtur; al. ant. parte basali dilutiore et nigro-signata, lineaque nigra exter. aberrante; al. post. fascia med. breviora strigata nigricante interiore fere extincta).
- b) ab. (v.) *Xarippe* Butl. Cist. Ent. II p. 243; Ill. Het. II p. 39, t. 33, f. 8 (al. post. fascia exter. nigra non interrupta).
- *c) v.? (ab.?) *Koreana* Stgr. Mém. Rom. VI p. 587 (minor, al. ant. linea extrab. curvata, al. post. sine fascia nigra interiore, etc., an sp. div.?).
2697. **Nymphaea** Esp. 105, 4 (1787); Hb. 339; Tr. V, 3. 361; Dup. III, 46, 2; Gn. III, 101; HS. 589-90; Hmps. Ind. Moths II p. 440; *Vestalis* HG. 841-3; *Conjux* Frr. 569, 2.
2698. **Neonympha** Esp. 198, 1. 2 (1796); Hb. 450; Tr. V, 3. 360; Frr. 299; Dup. III, 48, 1; Gn. III, 99.
2699. **Scortum** Chr. Iris VI p. 94; Alph. Mém. Rom. IX p. 162, t. 11, f. 4.
2700. **Agitatrix** Graes. Berl. e. Z. 1888 p. 372; Stgr. Mém. Rom. VI p. 588, t. 12, f. 3.
2701. **Nymphaeoides** HS. 599, 600, VI p. 60; Ev. Bull. M. 1857, IV, 379; Stgr. Mém. Rom. VI p. 588; *Nymphula* Stgr. l. c. p. 589 [ab.].
2702. ***Bella** Butl. Cist. Ent. II p. 242 (1877); Ill. Het. III p. 25, t. 46, f. 10.
- a) v. *Serenides* Stgr. Stett. e. Z. 1888 p. 268; Mém. Rom. VI p. 589, t. 11, f. 6 (al. ant. fere non cinereo-inspersis, al. post. fasciis nigr. paullum divers., macula apicali flava).
2703. **Deuteronympha** Stgr. Stett. e. Z. 1861 p. 290; Mém. Rom. VI p. 586, t. 12, f. 2; Graes. Berl. e. Z. 1892 p. 230.
2704. **Helena** Ev. Bull. M. 1856, II, t. 1, f. 8, 1857, IV, 378 (pro parte); Stgr. Mém. Rom. VI p. 590.
2705. **Doerriesi** Stgr. Stett. e. Z. 1888 p. 271; Mém. Rom. VI p. 590, t. 11, f. 8; Honrathii Graes. Berl. e. Z. 1888 p. 376.
2706. **Eminens** Stgr. Mém. Rom. VI p. 594, t. 12, f. 5 (1892).
2707. **Obliterata** Mén. En. p. 159, t. 17, f. 3 (1863); *Esther* Butl. Cist. Ent. II p. 243; Ill. Het. II p. 40, t. 33, f. 9; Stgr. Mém. Rom. VI p. 591.
2708. **Greyi** Stgr. Stett. e. Z. 1888 p. 270; Mém. Rom. VI p. 593, t. 11, f. 7.
2709. **Hetaera** Stgr. Mém. Rom. VI p. 592 (1892) t. 12, f. 4.
2710. **Streckeri** Stgr. Stett. e. Z. 1888 p. 273; Mém. Rom. VI p. 597, t. 11, f. 9.
2711. **Ella** Butl. Cist. Ent. II p. 242 (1877); Ill. Het. II p. 39, t. 33, f. 5; Stgr. Mém. Rom. VI, 595; *Nutrix* Graes. Berl. e. Z. 1888 p. 374.
2712. **Abacta** Stgr. Iris XIII p. 113.
- Eur. c. (exc. Bat. et Engl.); Ross. s. m.; ?Cat; It. s. et ?c.; Ural; Alt; Uss. Parisius.*
- Jap. (forma princ.); Uss., Germ. etc. (ab.).*
- Cor.*
- Eur. m; Maur; Bith; Lyd; Taur. (Arm. ex err.).*
- Ross. m. or; Arm; Kurd.s.oc; Mardin; Tura; Alt; Ili; Iss. K; Ferg; Saraw. Uss. m.*
- Amur; Uss.*
- Sib. or. m; Amur.*
- Jap.*
- Amur; Uss.*
- Sib. or. m; Amur.*
- Sib. or. m; Chang; Amur.*
- Amur; Uss.*
- Uss. m.*
- Amur; Uss; Cor; Jap.*
- Uss. m.*
- Uss. m; Jap. (v.? an sp. div.?).*
- Uss.*
- Amur; Uss; Jap.*
- Taur. m. or.*

2713. **Conversa** Esp. 105 (B), 1. 2 (1787); Tr. V, 3. 363; God. V, 49, 1. 2, 50, 1 ab; Gn. III, 100; Uxor Hb. Btr. II, 3, 1. C; Pasythea Hb. 455, 713-4.
- a) ab. *Carbonaria* Stgr. Hor. VII (1870) p. 139; *Conversa* var. HS. 448 (al. ant. fere totis nigris).
 - b) v. *Agamos* Hb. 525; Tr. V, 3. 366; Gn. III, 100; *Conversa* var. Esp. 105 (B), 3 (obscurior, praecipue al. subtus multo obscurioribus).
2714. **Eutychea** Tr. X, 2. 165 (1835); HS. 447 [ab. obscura]; Stgr. Hor. VII, 139; *Languida* HS. 238-9; Gn. III, 104; Dotata HS. 585-6 (1852) [trans.].
- a) ab. (v.?) *Mariana* Rbr. Cat. S. And. t. 9, f. 4 (1858); *Eutychea* ab. Stgr. Hor. XIV p. 422 (al. post. fascia media sinuata, non angulata).
2715. **Nymphagoga** Esp. 105, 5, 105 (B), 5 (1787); Hb. 337; Tr. V, 3. 371; Frr. 155, 2; Gn. III, 102; Uxor Hb. Btr. I, 3. 4, X p. 118 (1788). *Bith; Lyd; Taur;*
- a) ab. *Anthracita* Th.-Mieg Natural. 1889 p. 181 (al. ant. supra fere unicolor. nigricantibus).
 - b) ab. *Tmolia* Ld. Ann. S. Belg. 1865 p. 67, 79, t. 3, f. 10; Stgr. Hor. XIV p. 422 (al. post. fascia med. curvata, etc.).
2716. **Vallantini** Obth. Et. XIX p. 36, t. 6, f. 53 (uno ♂ condita; sec. specim. typ. praec. ab. an var. potius Stgr. esse videtur; al. ant. signaturis pr. parte extinctis, al. post. fascia med. nigra extincta).
2717. **Disjuncta** HG. 741; Dup. III, 46, 3; HS. 236-7; Gn. III, 101. *Pont; Taur; Kurd. s. oc; Pal.*
- a) v. *Separata* Frr. 508, 4, VI p. 43 (al. post. obscurioribus).
 - b) v. *Luctuosa* Stgr. al. post. totis obscuratis.
2718. **Diversa** HG. 737-40 (1827); Tr. X, 2. 163; Frr. 155, 1a, b; Gn. III, 101; *Callinympha* Dup. III, 46, 5 p. 546.
2719. **Dissimilis** Brem. Lep. O. S. p. 60, t. 4, f. 15; Stgr. Mém. Rom. VI, 597.

452. **Apopestes** Hb. 1822 [Spintherops B.]

2720. **Spectrum** Esp. 100, 3. 4 (1786); Hb. 325; Tr. V, 1. 291; God. V, 54, 3; Frr. 230; Gn. II, 422; Ev. Bull. M. 1856, II, 226; Hmps. Ind. Moths II p. 192. *Heb. m; Maur; Bith; Lyd; Pal; Pont.*
- a) v. *Phantasma* Ev. Bull. M. 1843 p. 546; Gn. II, 422; Ld. Noct. 233 (al. ant. fasciis transversis dissolutis, al. post. subt. medio nigro punctatis). *Thian; Ferg; Sib. or; Uss; Ind. s. oc.*
2721. **Cataphanes** Hb. 559; Tr. VI, 1. 385; Dup. VI. 74, 5!, III, 19, 1; HS. 514-5; Gn. II, 423; Mill. Ic. 146, f. 1-3.
- a) v. *Ligaminosa* Ev. Bull. M. 1851 p. 630, 1856, II, 228; Ld. Noct. 233; Stgr. Stett. e. Z. 1888 p. 61 (obscurior, al. ant. virescenti-griseis, al. subt. fascia exter. lata nigra).
 - b) v. *Subligaminosa* Stgr. l. c. 61 (al. ant. luteo-griseis, macula anteapicali majore nigra, subt. ut in var. a). *Ferg; Saraw; Tura.*
 - c) v. *Praeligaminosa* Stgr. l. c. ? *Inconspicua* Butl. Tr. Ent. Soc. 1889 p. 191 (obscurior, al. ant. nigro-inspersis). *Uss; Alt; Ulis; ?Jap.*

- d) v. *Maculifera* Stgr. l. c. 62; Alph. Mém. Rom. VI p. 190, t. 8, f. 8 (al. ant. cinereo-griseis, maculis distinctioribus).
e) v. *Maura* Stgr. l. c. 63 (al. ant. rufo-griseis).
- 2722. Limbata** Stgr. Cat. Ed. II p. 139; Hor. XIV p. 424 (sequ. spec. forma Darw.?). (*pr. p.*); *Taur*; *Graec.* (*v.*); *Gal.* (*m. or.* (*1*)); *Murcia* (*v.?*).
a) v. (et ab.) *Obscurata* Stgr.; *Limbata* var. Stgr. Stett. e. Z. 1888 p. 64 (al. ant. supra multo obscurioribus, obsoletius signatis).
- 2723. Dilucida** Hb. 383, 558; Tr. V, 1. 198; Dup. VI, 74, 3. 4!; B. Ic. 80, 5; HS. 11; Gn. II, 423.
a) v. *Rosea* Stgr. l. c. (al. ant. roseo-griseis).
b) v. *Asiatica* Stgr. Stett. e. Z. 1888 p. 63 (al. ant. fascia exter. distinctius fusca, al. subt. albidioribus; vix nominanda).
c) v.? (ab.?) *Laetifica* Stgr. al. ant. flavescente-griseis, distinctius signatis, extus non fasciatis; al. post. dilutioribus, extus late nigricante-fasciatis (sec. 5 specim. descripta).
d) v.? *Subfusca* Chr. Iris VI (1893) p. 94 (multo obscurior, al. ant. strigis incrassatis fasciaque exter. latissima fusca; an sp. div.?).
e) v.? *Libanotica* Stgr. al. ant. cervinis (dilute ferrugineis). lineis transv. obsoletis (subnullis), fascia antemarginali fusca; (una ♀ integerrima condita; sp. div.?).
- 2724. Glebicolor** Ersch. Fedtsch. p. 58, t. 4, f. 59; Stgr. Iris IX p. 269.
- 2725. Hirsutula** Alph. Iris VI (1893) p. 347 (una ♀ condita; an praec. sp. ab. *nana*?).
- 2726. Hirsuta** Stgr. Berl. e. Z. 1870 p. 123; Rbl. z. b. V. 1899 p. 167, t. 4, f. 5.
- 2727. Rasilis** Püngl. Iris XIII p. 120, t. 4, f. 7.
- 2728. Vespertalis** Stgr. Iris IX (1896) p. 270.
- 2729. Simplex** Stgr. Stett. e. Z. 1888 p. 64 (huj. generis?). *Ili*; *Kaschg*; *Korla*; *Amdo*.
- 2730. Cerealis** Stgr. Cat. ed. II p. 139 (1871).
- 2731. Gracilis** Stgr. Stett. e. Z. 1874 p. 95; Chr. Mém. Rom. I p. 138, t. 8, f. 11 (f. mala).
- 2732. Exsiccata** Ld. z. b. V. 1855 p. 204, t. 2, f. 12 (syr.); Calb. Iris 1888 p. 207, t. 12, f. 6.
- Ferg; Saraw; Ili; Iss. K; Tura; Kaschg.* (*v.*).
Maur.
Pont; Arm; Hyrc. (*m. or.* (*1*)); *Murcia* (*v.?*).
Ferg; Tura; Hyrc. (*pr. p.*); *Taur. m. or.* (*ab?*).
Eur. m; Carn; Ter. (*m.*); *Maur.* (*pr. p.*).
Maur. (*desert.*).
Pont; Arm; Hyrc; (*Tura* (*pr. p.*)); *Saraw*; *Ferg; Ili*.
Tura (*pr. p.*).
Tura (*pr. p.*); *Cauc.* (*m. or.*).
Syr. (*Libanon*).
Ili; Iss. K; Ulias.
Kaschg.
Val; Ter; Hyrc; Iss. (*K*).
Iss. K. s. oc.
Ulias.
Tura; Kaschg.
Syr; Mardin; Arm; (*Hyrc; Tura; Thian*).
Syr; Aegypt; It. c; (*Can*).

453. *Exophyla* Gn. 1841.

- 2733. Rectangularis** HG. 743-4; Tr. X, 2. 156; Dup. III, 50, 2; Frr. 485; Gn. II, 420. *Ter. m; Istr; Dalm; Maced; Taur; Syr; Pont; Arm; Ferg. m.*

454. *Eccrita* Ld. 1857.

- 2734. Ludicra** Hb. Btr. II, 4, 3, R.; Hb. 319; Tr. V, 3. 292; God. V, 26, 2; Frr. 483, 3; HS. 241; Gn. II, 427. *Austr; Morav; Hung;* (*Ural; Alt; Daur;*) *Uss; Ili; Iss. K; ?Pont.*
a) ab. *Cervina* Stgr. Iris V p. 372 (al. ant. brunnescensibus).
b) v. *Gracilis* Stgr. Iris IX p. 270 (gracilior, minor; vix nominanda). *Daur; Ulias.*
Ulias.

455. **Toxocampa** Gn. 1841.

2735. **Lusoria** L. S. N. ed. X, 506; Tr. V, 3. 289; Frr. B. 135, f. 1; Frr. 197; Gn. II, 426; Orobii Dup. III, 43, 1; HS. 240. *Austr. inf; Helv. oc; Hung; Rum. et Ross. m. or; Alt; Pont. (pr. p.); ? Ped.*
- a) v. *Amasina* Stgr. Hor. XIV p. 428 (major, obscurior, al. ant. fascia exter. obsoleta). *Pont; Taur; Kurd. s. oc.*
2736. **Glycyrrhizae** Rbr. Cat. S. And. t. 7, f. 6 (praec. sp. v.?). *And.*
2737. **Lupina** Graes. Berl. e. Z. 1890 p. 79; Stgr. Mém. Rom. VI p. 599 (una ♀ [sec. typ., nec ♂] misera condita, sed bon. sp. Stgr. esse videtur). *Amur.*
2738. **Maxima** Brem. Lep. O. S. p. 57, t. 5, f. 17; Stgr. Mém. Rom. VI p. 598. *Amur; Uss; Cor.*
- *a) v. *Enormis* Butl. Ann. & Mag. (5) I p. 290 (1878); Ill. Het. II p. 38, t. 32, f. 9 (major, al. ant. brunnescens). *Jap.*
2739. **Emaculata** Graes. Berl. e. Z. 1892 p. 231 (una ♀ condita; praec. sp. ab.?). *Uss.*
2740. **Lubrica** Frr. 483, 4* VI p. 7; Alph. Mém. IX p. 48.
- a) v. (et ab.) *Sublubrica* Stgr. Iris IX p. 271 (obscurior, al. ant. plus minus nigrescentibus).
- b) v. *Lubrosa* Stgr. al. ant. cinereo-griseis. extus fere non obscuratis; al. post. lutescentibus, fascia marg. lata, distincta nigrescenti. *Ili; Iss. K.*
2741. **Pastinum** Tr. V, 3. 297; Frr. B. 95; HS. 242-3; Gn. II, 426; Tutt Brit. Noct. IV p. 42; Lusoria Hb. 318; Hw. Lep. Br. p. 259; God. V, 26, 1; Astragali HS. 269; Gn. II, 427 [ab. crebrius strigulata]. *Eur.c; Scand.m; Liv; Gal. m. oc; Crim; Daur; Amur; Uss.*
- a) v. *Dilutior* Stgr. Iris V p. 372 (dilutior, al. ant. cinerascent., minus signatis). *Kent.*
2742. **Viciae** Hb. 671-3, 664-5!; Tr. V, 3. 293; Frr. 166; Dup. III, 43, 2; Gn. II, 425; Coronillae HS. 271 (?272). *Germ; Austro-Hung; Helv; Gal. c; Hal; Rum; Suec. m; Ross. s. m; Ural; Alt; Tarb; Amur; Uss.*
- a) ab. *Caecula* Stgr. Iris IX p. 375 (macula reniforme non nigro-maculata). *Eur. c. et m. (exc. Bat. et ?Graec.); Suec. m; Ross. s. m; Kirgh; Bith; Pont; Taur; Arm; Tura; Hyrc; Alt; Ala Tau; Ferg; Sib. or; Kent; Amur; Uss.*
- a) ab. *Immaculata* (Spr. in coll.) al. ant. macula reniforme subnulla (non nigro-maculata). *Eur. c. et m. (exc. Bat. et ?Graec.); Suec. m; Ross. s. m; Kirgh; Bith; Pont; Taur; Arm; Tura; Hyrc; Alt; Ala Tau; Ferg; Sib. or; Kent; Amur; Uss.*
2744. **Caeca** Stgr. Iris IX (1896) p. 374, t. 4, f. 7 (uno ♂ condita, an praec. sp. ab.?). *Urga.*
2745. **Recta** Brem. Lep. O. S. p. 98, t. 8, f. 9; Stgr. Mém. Rom. VI p. 600; Lilacina Butl. Ann. & Mag. (5) I p. 289 (1878); Ill. Het. II p. 37, t. 32, f. 8. *Amur; Cor; Jap.*
2746. **Limosa** Tr. V, 3. 298; Frr. B. 98, 3; Frr. 233; Gn. II, 428; ?HS. 244!; ?Procax Hb. 510. *Hung; Istr; Dalm; Bulg; Tura (v.); Ter. m.; ?Helv.*
- a) v.? *Nigricostata* Graes. Berl. e. Z. 1890 p. 80; Stgr. Mém. Rom. VI p. 600 (al. ant. angustioribus, costa fasciaque lata exter. nigrescentibus, macula renif. nigro-punctata; sp. diversa esse videtur). *Uss; Ferg; Jap. (Leech).*

E. Hypeninae.

456. **Laspeyria** Germ. 1814 (Aventia Dup.).

2747. **Flexula** Schiff. S. V. p. 64; Hb. Btr. I, 1, 4 Z; Esp. III, Cont. 84, 4; Ld. Noct. 210; Mill. Am. Sc. Cannes 1878 p. 2, t. 3, f. 1-3; Barr. VI, t. 261, f. 1; Flexularia Hb. Geom. 19; Tr. VI, 1, 4; Frr. B. 35, 1a-c; Dup. VII, 149, 1. *Eur. c.; Scand. m.; Ross. s. m.; It. c.; Arm.; Uss. s.*

457. **Curvatula** Stgr. 1892.

2748. **Pallicostata** Stgr. Mém. Rom. VI p. 601, t. 12, f. 6 (1892). *Amur; Uss.*

458. **Aventina** Stgr. 1892.

2749. **Costimacula** Stgr. Mém. Rom. VI p. 604, t. 14, f. 4. *Uss.*
2750. **Solitaria** Stgr. Mém. Rom. VI p. 605, t. 14, f. 5 (1892) (hujus generis?). *Uss.*

459. **Aventiola** Stgr. 1892.

2751. **Maculifera** Stgr. Mém. Rom. VI p. 602, t. 14, f. 3 (1892); ?Pusilla Graes. Berl. e. Z. 1888 p. 383; ?Butl. Ill. Het. III p. 67, t. 57, f. 9 (Egnasia). *Uss.; ?Jap.*

460. **Parascotia** Hb. 1822 (Boletobia B.).

2752. **Fuliginaria** L. F. S. 327; Gn. Phal. I, 330; Ld. Berl. e. Z. 1858, 360; Barr. VI, t. 261, f. 2; Carbonaria Esp. V, 32, 3-6; Hb. Geom. 151, 548-9; Tr. VI, 1. 184; Dup. VIII, 186, 4; HS. III, p. 36. *Eur. c. et s. (exc. reg. bor.); It. s. et c.; Rum; Ural; Bith; Arm.*
2753. **Cognata** Stgr. Mém. Rom. VI p. 606. *Uss.*
2754. **Detersa** Stgr. Iris IV (1891) p. 333, t. 4, f. 14. *Ant; Taur.*
2755. **Robiginosa** Stgr. Iris IV (1891) p. 332, t. 4, f. 13. *Pont; Taur.*

461. **Epizeuxis** Hb. 1822 [Helia Gn.].

2756. **Calvaria** F. Mant. 179; View. Tab. Verz. t. 3, f. 7; Esp. 178, 2, 3: Calvarialis Hb. Pyr. 23; Tr. VII, 41; Dup. VIII, 212, 1; Frr. B. 12, 1; Gn. Delt. 77. *Eur. c. m.; It. s. et c.; Sard; Graec; Ross.*
2757. **Curvipalpis** Butl. Ann. & Mag. (5), IV p. 369 (1879); Stgr. Mém. Rom. VI, 608; Quadra Graes. Berl. e. Z. 1888 p. 378. *Amur; Uss; Cor; Jap.*

462. **Capnodes** Gn. 1852.

2758. **Jankowskii** Obth. Et. V p. 87, t. 9, f. 1; Stgr. Mém. Rom. VI p. 608. *Uss. m.*
2759. **Lignea** Butl. Ill. Het. III p. 64, t. 56, f. 15 (1779); Stgr. Mém. Rom. VI p. 608 (huj. generis?). *Uss. m; Cor; Jap.*
2760. **Cremata** Butl. Ann. & Mag. (5) I, 1878 p. 295; Ill. Het. II p. 44, t. 34, f. 10; Stgr. Mém. Rom. VI p. 607. *Uss; Cor; Jap.*
2761. **Cinerea** Butl. Ann. & Mag. (5) I, 1878 p. 294; Ill. Het. II p. 44, t. 34, f. 9; Stgr. Mém. Rom. VI p. 608 (huj. generis?). *Uss. s; Jap.*

463. **Simplicia** Gn. 1854.

2762. **Rectalis** Ev. Bull. M. 1842, III, 558, F. V. U. 447; HS. 606; Gn. Delt. 52; Fuchs Stett. e. Z. 1883 p. 264; Sicca Butl. Ill. Het. III. t. 56, f. 7.
*Germ. c. oc; Liv. (1);
 Austro-Hung; Ter.
 m; Bulg; Rum; Ross.
 m; Bith; Arm; Alt; Amur; Uss; Cor; Jap.*

464. **Nodaria** Gn. 1854.

2763. **Nodosalis** HS. 605 [δ pallidus], II p. 385; Gn. Delt. 65; Aethiopalnis HS. 612 ♀, II p. 386; Gn. Delt. 65; Hispanalis Gn. Delt. 64; Mill. Ic. t. 95, f. 8, t. 151, f. 10, 11.
*Sic; Maur; And;
 Murcia; Cat; It. c.*
2764. **Amurensis** Stgr. Stett. e. Z. 1888 p. 274; Mém. Rom. VI p. 609, t. 13, f. 1 (huj. generis?).
Uss.

465. **Zanclognatha** Ld. 1857.

2765. **Tarsiplumalis** Hb. Pyr. 125; Tr. VII, 19; Frr. 30, 4; Dup. VIII, 211, 6; Gn. Delt. 60.
*Eur. c. et m. or. (exc.
 Angl. et ?Balc. m.); Suec. m; Liv; It.
 s. et ?c; Bith; Arm; Alt; Sib; or; Amur; Uss; Jap.*
2766. **Tarsipennalis** Tr. X, 3. 5; HS. 604, 610, II p. 384; Gn. Delt. 58; Fuchs Stett. e. Z. 1875 p. 53, 225, 1877 p. 138; Tutt Brit. Noct. IV p. 79; Barr. VI, t. 262, f. 2; **Tarsicerinalis** Hb. Pyr. 5; **Denticornalis** Wck. Bresl. e. Z. 1850, t. 4, f. 15; Kuwerti Fuchs Stett. e. Z. 1875 p. 59; **Varialis** Fuchs 1. c.
 a) ab. **Bidentalis** Hein. 609; Fuchs Stett. e. Z. 1875 p. 53 (striga diluta alar. post. minus fracta; vix nominanda).
 2767. **Tarsicerinalis** Knoch Btr. II p. 75, t. 4, f. 1-12; Tr. VII, 13; Frr. 12, 1; HS. 611, II p. 384; Gn. Delt. 57; Stgr. Mém. Rom. VI p. 614.
*Eur. c; Scand. m. et c;
 Liv; Bibl; It. c;
 Dalm; Arm; Uss;
 Cor; Jap.*
 *a) v.? **Arenosa** Butl. Ill. Typ. II p. 56, t. 38, f. 8 (obscurior, al. ant. brunnescensibus; spec. div.?).
 2768. **Grisealis** Hb. Pyr. 4; Tr. VII, 9; Frr. B. 126; Dup. VIII, 211, 4; Gn. Delt. 59; Tutt Brit. Noct. IV p. 78; Barr. VI, t. 262, f. 3; **Nemoralis** F. S. E. 642; Stph. Ill. IV p. 16; Ld. Noct. 46, 212.
 2769. **Griselda** Butl. Ill. Het. III p. 63, t. 56, f. 9; Stgr. Mém. Rom. VI p. 614.
 2770. **Fumosa** Butl. Ill. Het. III p. 62, t. 56, f. 8; Stgr. Mém. Rom. VI p. 611, t. 13, f. 2; **Assimilis** Stgr. Stett. e. Z. 1888 p. 275.
 2771. **Tarsiceristalis** HS. 603, II p. 384; Gn. Delt. 61; **Zelleralis** Wck. Bresl. e. Z. 1850, t. 4, f. 14; Frr. 570, f. 4.
 2772. **Cristulalis** Stgr. Mém. Rom. VI (1892) p. 610, t. 14, f. 7.
 2773. **Robiginosa** Stgr. Stett. e. Z. 1888 p. 275; Mém. Rom. VI p. 618, t. 13, f. 3.
 2774. **Stramentacealis** Brem. Lep. O. S. p. 64 (*Stramentalis*), t. 5, f. 22; Stgr. Mém. Rom. VI p. 611.
 2775. **Tenuialis** Rbl. z. b. V. 1899 p. 168, t. 4, f. 6.
 2776. **Violacealis** Stgr. Mém. Rom. VI p. 612, t. 14, f. 6; ?*Extinctalis* Fuchs Jhrb. Nass. LII p. 137.
 2777. **Umbrosalis** Stgr. Mém. Rom. VI p. 613, t. 14, f. 8.
 2778. **Helialis** Stgr. Mém. Rom. VI p. 615, t. 14, f. 9 (huj. generis?).
*Eur. c. et m. s. or;
 Scand. m; Ross. s.
 m. et m; Lusit; Bibl;
 Lig; ?Uss; ?Jap.*
Uss; Jap.
*Croat; Dalm; Hung;
 Sil; Ter. m; Gal. m.
 oc; Sic; Bulg; Bith.*
Uss. m.
Amur; Uss.
*Amur; Uss; Hung;
 ?Ped; ?Jap.*
Ter. m; Ped; Slav.
Uss; Cor.
Uss.
Amur.

2779. **Trilinealis** Brem. Lep. O. S. p. 64, t. 5, f. 23 (huj. generis?).
 2780. **Bistrigata** Stgr. Stett. e. Z. 1888 p. 276; Mém. Rom. VI p. 618, t. 13, f. 4 (non huj. gen., sed cuius?).
 2781. **Emortualis** Schiff. S. V. p. 120; Hb. Pyr. 1; Tr. VII, 5; Frr. 30, 1; Dup. VIII, 211, 1; Gn. Delt. 50; South Ent. 1890 p. 269, t. 3, f. 1; Tutt Brit. Noct. IV p. 73; Barr. VI, t. 261, f. 4 (genus Sophronia Gn.).

Uss; Jap.
Uss.
Eur. c; Scand. m;
Liv; It. s; Dalm;
Ural; Bith; Arm;
Amur; Uss.

466. **Pangrapta** Hb. 1822.

2782. **Marmorata** Stgr. Stett. e. Z. 1888 p. 277; Mém. Rom. VI p. 618, t. 13, f. 5.
 2783. **Incisa** Stgr. Stett. e. Z. 1888 p. 278; Mém. Rom. VI p. 619, t. 13, f. 6.
 2784. **Flavomacula** Stgr. Stett. e. Z. 1888 p. 279; Mém. Rom. VI p. 619, t. 13, f. 7.
 2785. **Griseola** Stgr. Mém. Rom. VI p. 620, t. 14, f. 11.
 2786. **Suaveola** Stgr. Stett. e. Z. 1888 p. 281; Mém. Rom. VI p. 619, t. 13, f. 8; Sudentalis Leech Pr. Z. S. 1889 p. 567, t. 52, f. 4.
 2787. **Costaemacula** Stgr. Stett. e. Z. 1888 p. 282; Mém. Rom. VI p. 620, t. 13, f. 9.

Uss; Amur.
Amur; Uss.
Uss; Jap; China s.
Uss.
Amur; Uss; Jap.
Uss.

467. **Hydrillodes** Gn. 1864.

2788. **Morosa** Butl. Ill. Het. III p. 64, t. 56, f. 15; Hmps. Ind. Moths III p. 54; Lentalis Leech (non Gn.) Pr. Z. S. 1889 p. 565; Stgr. Mém. Rom. VI p. 623.

Uss; Cor; Jap; China;
? Ceylon.

468. **Gynaephila** Stgr. 1892.

2789. **Maculifera** Stgr. Mém. Rom. VI p. 629, t. 14, f. 13.

Uss; China s.

469. **Madopa** Stph. 1829.

2790. **Salicalis** Schiff. S. V. p. 122, 285, t. 1, a. et 1, b., f. 6; Hb. Pyr. 3; Tr. VII, 34; Dup. VIII, 213, 4; Frr. 72, 3; Gn. Delt. 22; Tutt Brit. Noct. IV p. 62; Barr. VI, t. 261, f. 3; Cinereola Butl. Ill. Het. III p. 69, t. 58, f. 1.
 a) v. **Laetalis** Stgr. Mém. Rom. VI p. 621 (multo dilutior, al. ant. cinereola).
 2791. **Rectilinealis** Graes. Berl. e. Z. 1888 p. 380.
 2792. **Flavomacula** Obth. Et. V p. 87, t. 4, f. 5; Stgr. Mém. Rom. VI p. 622.
 2793. **Platyzona** Ld. Ann. S. Belg. 1870 p. 37, 47, t. 1, f. 13 (huj. generis?).
 2794. **Inquinata** Ld. Wien. Mts. 1857 p. 98; Rom. Mém. Rom. II, t. 4, f. 7; Pyrami Rghf. z. b. V. 1873 p. 570 [Thalpochares] (huj. generis?).

Eur. c; Ross. s. m. et m; Bilb; Gal. m; It. s. et c; Dalm; Arm; Hyrc; Jap.
Uss; Amur; Cor. (v.?).

Uss. s; Jap; China s.
Amur; Uss; Cor; China s.
Arm.

Syr; Taur; Kurd. s. oc; Mardin; Arm.

470. **Herminia** Latr. 1802.

2795. **Cibrumalis** Hb. Vög. t. 15, p. 7 (1793); Tutt Brit. Noct. IV p. 76; Cibrinalis Hb. Pyr. 2 (1796); Tr. VII, 4; Dup. VIII, 230, 1; Gn. Delt. 62; Barr. VI, t. 262, f. 4.

Eur. c. (exc. Belg.); Scand. m; Ross. s. m. et m.

2796. **Obliqua** Stgr. Mém. Rom. VI p. 616, t. 14, f. 10 (huj. generis?). *Uss.*
2797. **Crinalis** Tr. VII, 17; Dup. VIII, 211, 7; Gn. Delt. 61; Mill. Ic. 86, 1; **Barbalis** (S. V.) Hb. Pyr. 18. *Eur. m. et c. m. (exc. ? Ross.); Belg.; Maur; Bith; Taur; Syr; Pont; Arm.*
2798. **Proxima** Chr. Iris VI (1893) p. 94. *Arm. m. (Ordubad); Mardin.*
2799. **Gryphalis** HS. 601-2, II p. 385; Gn. Delt. 62. *Ter. m; Slav; Hung. or; Arm; Amur; Uss; Cor.*
2800. **Derivalis** Hb. Pyr. 19; Tr. VII, 7; Dup. VIII, 211, 2; Frr. 30, 2, 3; HS. 609; Gn. Delt. 55; Tutt. Brit. Noct. IV p. 76; Barr. VI, t. 261, f. 5. *Pont; Arm; Kent; Amur; Uss. Eur. c; Suec. c; Ross. s.m. et m; Bilb; Gal. m. oc; It; Rum; Bith;*
2801. **Tentacularia** L. S. N. ed. X, 522 (1758); Nolck. Fn. 820; **Tentaculalis** (S. V.) Hb. Pyr. 6; Tr. VII, 10; Dup. VIII, 211, 3; Frr. 42, 1; HS. 607-8; Gn. Delt. 62. *Eur. c. et s. (exc. reg. pol. Angl., Bat., Belg.); It. s. et ? c; Mong. et Amur s. (v.). Alp. Rhæt. etc; Norv. mont; Kamt.*
- a) v. alt. *Modestalis* Heyd. Jahrsb. Graubündt. Ges. V (1860) p. 93; Stett. e. Z. 1865, 375; Z. ib. 1872 p. 54; Schöyen Tidskr. 1884 p. 54 (al. griseo-cinereis, non flavicantibus).
- b) v. (et ab.) *Carpatica* Horm. Ent. Nachr. 1894 p. 55; z. b. V. 1895 p. 253; Carad. Iris IX p. 56 (minor, al. lutescenti-albidis, fere non griseo-inspersis). *Buc. et Rum. mont; Kent. (ab.)*
2802. **Albomaculalis** Brem. Lep. O. S. p. 65, t. 5, f. 24 (huj. generis?). *Amur; Uss.*

471. **Pechipogon** Hb. 1822.

2803. **Barbalis** Cl. Ic. t. 5, f. 3 (1759); Knoch Btr. II, p. 79, t. 5, f. 1-7; Tr. VII, 15; Dup. VIII, 211, 5; Frr. 12, 2; Gn. Delt. 56; Barr. VI, t. 262, f. 1; **Pectitalis** Hb. Pyr. 122. *Eur. c. et s. (exc. reg. bor.); Bilb; Gal. m. oc; It. s. et c; Rum. or; Ross. m; ? Bith; Amur; Uss.*

472. **Bomolocha** Hb. 1822.

2804. **Fontis** Thnb. Mus. Nat. p. 72, f. 5 (1788); Wernb. Btr. II, 139; Tutt. Brit. Noct. IV p. 68; **Achatalis** Hb. Btr. II, 1, 2, J. (1790); Hb. Pyr. 12, 172; **Crassalis** Tr. VII, 24; Dup. VIII, 212, 3, 4; Frr. 42, 2, 563; Gn. I. e.; Barr. VI, t. 263, f. 3.
- a) ab. ♂ *Terricularis* Hb. Pyr. 163 (al. ant. fere totis nigris, exterius albo-lineolatis) (forma ♂ frequentior).
2805. **Zilla** Butl. Ill. Het. III p. 60, t. 56, f. 1; Stgr. Mém. Rom. VI p. 625. *Eur. c. et s. (exc. reg. bor.); It. s. et c; Arm. Amur; Uss; Cor; Jap.*
2806. **Stygiana** Butl. Ill. Het. II p. 55, t. 38, f. 6; Stgr. Mém. Rom. VI p. 625. *Uss; Cor; Jap.*
2807. **Bicoloralis** Graes. Berl. e. Z. 1888 p. 381; Stgr. Mém. Rom. VI p. 624. *Uss.*
2808. **Bipartita** Stgr. Mém. Rom. VI p. 625, t. 14, f. 12. *Amur; Uss.*

473. **Dichromia** Gn. 1854.

2809. **Trigonalis** Gn. Delt. 19; Hmps. Ind. Moths III p. 73 (pr. p.); **Opulenta** Chr. Hor. XII (1877) p. 258, t. 7, f. 29; Rom. Mém. Rom. II p. 83, t. 4, f. 8. *Arm; Hyrc; Tura; Ind. c.*
2810. **Amica** Butl. Ill. Het. II p. 55, t. 38, f. 3. *Uss; Cor; Jap.*

474. **Hypena** Schr. 1802.

2811. **Munitalis** Mn. Wien. Mts. 1861 p. 158, t. 2, f. 7. *Bulg; Lyd; Taur;*
Mardin; Pont; Arm.
2812. **Conspersalis** Stgr. Stett. e. Z. 1888 p. 282; Mé. Rom. VI p. 628, t. 13, f. 10; Passerinalis Graes. Berl. e. Z. 1888 p. 383. *Amur; Uss.*
2813. **Kengkalis** Brem. Lep. O. S. p. 63, t. 5, f. 21; Stgr. Mé. Rom. VI p. 427. *Amur; Uss; China s.; Jap.*
2814. **Proboscidalis** L. S. N. ed. X, 533; Hb. Pyr. 7; Tr. VII, 22; Dup. VIII, 212, 2; Gn. Delt. 30; Hmps. Ind. Moths III p. 77; Tutt Brit. Noct. IV p. 63; Barr. VI, t. 264, f. 1. *Eur. (exc. reg. bor. et Ib. m.); Bith.*
- a) v. *Deleta* Stgr. Mé. Rom. VI p. 627 (dilutior, al. ant. flavescentibus, brunneo-inspersis, minus signatis). *Alt; Amur; Uss; Kamt.*
2815. **Palpalis** Hb. Pyr. 9; Tr. VII, 26; Dup. VIII, 230, 2; HS. 617; Extensalis Gn. Delt. 29; Ld. Noct. 46, 215. *Gal. m.; Cors; It; Carn; Dalm; Balc.*
 m; Bith; Lyd; Taur; Syr; Mardin: Pont. (trans.).
- a) v. *Armenialis* Stgr. al. ant. haud brunnescensibus, umbra (striga) apicali nulla vel subnulla. *Arm; Cauc. s.; Pont. (pr. p. et trans.).*
2816. **Obesalis** Tr. VII, 27; Dup. VIII, 235, 1; Frr. 42, 3, 4; Gn. Delt. 28; Crassalis Hb. Pyr. 8. *Eur. c. (exc. oc.); Scand. m. (var.); Gal. m.; Cast; It; Dalm; Ross. m. or; Arm; Alt; Tarb; Thian; ?Uss.*
2817. **Tristalis** Ld. z. b. V. 1853 p. 376, t. 5, f. 4; Stgr. Mé. Rom. VI p. 628; Tripunctalis Brem. Lep. O. S. p. 62, t. 5, f. 20. *Alt; Uss; Cor; Jap; China s.*
2818. **Obsitalis** Hb. Pyr. 164-5, 179; Tr. VII, 32; Dup. VIII, 213, 1, 2; Gn. Delt. 29; South Ent. 1890 p. 270, t. 4, f. 9; Tutt Brit. Noct. IV p. 66; Barr. VI p. 322. *Eur. m. (exc. Ross.); Angl. (1); Carn; Bith; Cyprus; Syr; Arm; Maur; Mad; Can; Aegypt.*
2819. **Rostralis** L. S. N. ed. X, 533; Hb. Pyr. 10, 193-4; Tr. VII, 29; Dup. VIII, 212, 5, 6; Frr. 72, 1; Gn. Delt. 31; Tutt Brit. Noct. IV p. 64; Barr. VI t. 263, f. 4. *Eur. (exc. reg. bor., Ib. m., ?Balc. m.); Bith; Pont; Arm; Alt; Tarb; Ala Tau; Iss. K; Sib. or.*
- a) ab. *Radiatalis* Hb. Pyr. 134; Tr. VII, 31 (al. ant. nigricantibus, costa strigisque antemarg. lutescentibus).
 b) ab. *Unicolor* Tutt l. c. 66 (al. ant. fere unicolor. griseofuscis).
2820. **Lividalis** Hb. Btr. II, 4, 1, E.; Hb. Pyr. 11, 186; Tr. VII, 33; Dup. VIII, 213, 3; Frr. 72, 2; Gn. Delt. 38; Hmps. Ind. Moths III p. 80. *Eur. m. (exc. Ross.); Afr. s.; Can; Mad; Lyd; Pont; Syr; Ind.*
2821. **Mardinalis** Stgr. Iris IV (1891) p. 336. *Mesop.*
2822. **Ravulalis** Stgr. Hor. XIV (1878) p. 430; Iris IV p. 335. *Srp.*
2823. **Diagonalis** Alph. Hor. XVII (1883) p. 101, t. 3, f. 66; Stgr. Iris IV p. 336 (praec. var.?). *Ili; Ferg.*
2824. **Ravalis** HS. 613, II p. 425; Gn. Delt. 39; Stgr. Hor. XIV, 429. *Pont; Taur; Mardin; Pal. et Tura (pr. p.).*
- a) v. *Centralis* Stgr. Iris IV (1891) p. 334 (al. ant. brunneoscenti-griseis, distinctius signatis). *Ferg; Kaschg; Tura et Hyrc. (pr. p.).*
- b) v. *Syriacalis* Stgr. l. c.; Revolutalis Ld. (non Z.) z. b. V. 1855 p. 218, t. 3, f. 1 (dilutior, al. ant. lutescentibus). *Syr; Hyrc. (pr. p.).*
2825. **Antiqualis** Hb. Pyr. 152; Tr. VII, 28; Dup. IV, 80, 6; Gn. Delt. 38. *Eur. m. or; Ter. m.; Carn; As. min.; Mardin; Arm; Tura.*

475. **Orectis** Ld. 1857.

2826. **Proboscidata** HS. 618, II p. 430; Massiliensis Mill. Ic. I p. 350, t. 42, f. 1-3; III p. 333, t. 142, f. 8. *Hung. or; Dalm; Istr; Carn; Ter. m.; Gal. m; Sic; Pont. (1).*

476. **Hypenodes** Gn. 1854.

2827. **Taenialis** Hb. Pyr. 151; Snell. Tijds. XXXIII (1890) p. 167, t. 7, f. 3-8, 12; Reutti Stett. e. Z. 1895 p. 211; Albistrigatis Hw. Lep. Br. 368; Tutt Brit. Noct. IV p. 71; Albistrigatus Stph. Ill. IV p. 20; Wd. 771; Acuminalis HS. Deutsch. Ins. 163. 2; Wek. Bresl. e. Z. 1850, t. 5, f. 16; Albistrigalis Gn. Delt. 42; Hein. 620; Barr. VI t. 263, f. 1.
2828. **Costaestrigalis** Stph. Ill. IV p. 20; Wd. 772; Gn. Delt. 42; Snell. Vlind. 494; Tijds. XXXIII (1890) p. 165, t. 7, f. 1, 2; Tutt Brit. Noct. IV p. 70; Barr. VI t. 263, f. 2; Acuminalis HS. 619 (sp. valde aberrans).
2829. **Balneorum** Alph. Hor. XV (1880) p. 137; Mém. Rom. V p. 239, t. 12, f. 3 (uno ♂ descripta; an praec. sp. ab.?).
2830. **Kalchbergi** Stgr. Stett. e. Z. 1876 p. 139.
- a) v.? *Orientalis* Stgr. minor, multo pallidior, cinerea, al. ant. puneto med. lineisque duabus obsoletis fuscis; an sp. div.?

Germ; Austr. inf;
Angl; Bat; Belg;
? Suec. m. (Liv. ex
err.); Arm; Can;
? Cor.

Eur. c; Dan; Liv;
Gal. m; And; Can;
Mad; Syr; Arm.

Cauc. s; ? Tura.

Sic.

Taur; Ant; Syr;
Pont; Arm; Crim;
Maced. (v.).

477. **Tholomiges** Ld. 1857.

2831. **Turfosalis** Wek. Bresl. e. Z. 1850, t. 5, f. 17; HS. 620, II p. 448; Gn. Delt. 44, t. 8, f. 1; Snell. Vlind. 496; Tutt Brit. Noct. IV p. 71; Barr. VI t. 262, f. 5.

Germ. s; Sil; Bat;
Angl; Helv; Jut;
Hal; Ross. s. m; Sib.
or; Amur; Uss.

XXII. Agaristidae.478. **Mimeusemia** Butl. 1875.

2832. **Persimilis** Butl. Ann. & Mag. (4) XV p. 397 (1875); Ill. Het. II t. 22, f. 2; Stgr. Mém. Rom. VI p. 275.

Uss; Cor; Jap; China
oc.

479. **Zalissa** Wlk. 1865.

2833. **Subflava** Moore Ann. & Mag. (4) XX p. 85 (1877); Leech Tr. E. S. 1899 p. 213; Jankowskii Alph. Mém. Rom. IX p. 151, t. 11, f. 2.

Uss; Cor; Jap; China.

XXIII. Cymatophoridae.480. **Habrosyne** Hb. 1822 (Gonophora Brd.).

2834. **Derasa** L. S. N. ed. XII, 851; Esp. IV, 142, 1; Hb. Noct. 66; Tr. V, 2. 165; Dup. VII, 103, 2; Frr. 281; Hmps. Ind. Moths I p. 178; Barr. III, t. 116, f. 1.

Uss; Cor. et Ind. s. (pr. p.).

- a) v. (et ab.) *Scripta* Gosse Canad. Natural. 1840 p. 249; Stgr. Mém. Rom. VI, 374; Smith Noct. Cat. p. 27; Intermedia Brem. Lep. O. S. p. 46; Derasoides Butl. Ann. & Mag. (5) I p. 77 (1878); Ill. Het. III p. 12, t. 44, f. 1 (al. ant. non ochraceo-tinctis).

Amur; Uss; Cor; Jap;
et Ind. s. (pr. p.);
Am. s.

- *b) v.? *Pterographa* Pouj. Bull. S. Fr. 1887 p. 135 (major, obsecurior, praesertim al. post; an sp. div.?).
2835. **Dieckmanni** Graes. Berl. e. Z. 1888 p. 148. *China oc.*
Amur.

481. **Thyatira** Hb. 1822.

2836. **Batis** L. S. N. ed. X, 509; Esp. IV, 86, 6-8, 193, 7-9; Hb. Noct. 65; Tr. V, 2, 162; Dup. VII, 103, 3; Frr. 280; Tutt Brit. Noct. I p. 2; Barr. III, t. 116, f. 2 [ab.]; Hmps. Ind. Moths I p. 180; ab. *Confluens* Reuter Tidskr. 1890 p. 201, f. 1. *Eur. c. et s. (exc. reg. bor.); Bill; Gal. m. oc; It. s. et c.; Cors; Ross.m; Arm; Amur; Uss; Cor; Jap; China oc; Ind. s.*
2837. **Hedemannii** Chr. Mém. Rom. II p. 24, t. 2, f. 3. *Arm.*
2838. **Trimaculata** Brem. Lep. O. S. p. 47, t. 5, f. 5. *Uss; Cor; China oc.*

482. **Cymatophora** Tr. 1825 (Palimpsestis [Hb.] Meyr.).

2839. **Albicostata** Brem. Lep. O. S. p. 47, t. 5, f. 6. *Amur; Uss; Cor; Jap; China oc.*
2840. **Angustata** Stgr. Mém. Rom. III p. 231, t. 17, f. 6; ib. VI p. 376; Octogesima Butl. (nec Hb.) Ann. & Mag. (5) I p. 78 (1878); Ill. Het. II p. 21, t. 28, f. 2. *Uss; China s.; Jap.*
2841. **Ampliata** Butl. Ann. & Mag. (5) I p. 78 (1878); Ill. Het. II p. 21, t. 28, f. 1; Obth. Et. V p. 67. t. 3, f. 2; Stgr. Mém. Rom. VI p. 377. *Uss; Cor; Jap; China c. et oc.*
2842. **Tancrei** Graes. Berl. e. Z. 1888 p. 151. *Amur.*
2843. **Or** (S. V.) F. Mant. 165; Hb. Noct. 210; Tr. V, 1, 98; Dup. VI, 83, 3; Frr. 333; Gn. Noct. I, 18; Barr. III, t. 117, f. 2; *Flavicornis* Auriv. Nord. Fjär. p. 77; ? Cl. Ic. t. 6, f. 9; ab. *Unimaculata* Auriv. l. c.; ? *Ypsilon-Graecum* Goeze Btrg. III, 3 p. 253 (1781). *Eur. c. et s. (exc. reg. bor.); Gal. m. oc; It. s.; Srp; Arm.*
- a) v. *Scotica* Tutt Ent. 1888 p. 46; Brit. Noct. I p. 4; ab. *Flavistigmata* Tutt l. c.; ab. *Gaëlica* Kané Ent. 1894 p. 125 [albescens] (pallidior; an satis distincta?). *Scot; Hib.*
- b) v. *Terrosa* Graes. Berl. e. Z. 1888 p. 150; Stgr. Mém. Rom. VI p. 378 (al. ant. cinereis, maculis extinctis). *Daur; Amur; Uss; Ili.*
2844. **Octogesima** Hb. Btr I, 1, 1 G. (1786); Hb. Noct. 209; Tr. V, 1, 95; Frr. 334; *Octogenia* Esp. 128, 4; Dup. VI, 83, 2!; *Ocularis* Gn. Noct. I, 19; Hein. 288; Tutt Brit. Noct. I p. 3; Barr. III t. 117, f. 3. *Taur; Arm; Ferg. s.; Daur; Urga; Sib. or. s.; Amur; Uss; Cor.*
2845. **Trifolium** Alph. Iris VIII p. 188 (uno ♂ [nec ♀] condita; an praec. sp. ab. stupenda?). *Uss. m.*
2846. **Fluctuosa** Hb. 212; Tr. V, 1, 94; Dup. III, 15, 5; Gn. Noct. I, 17; Barr. III, t. 117, f. 1. *Eur.c; Scand.m. (exc. Dan.); Ross. s. m. et m. or.*
2847. **Argenteopicta** Obth. Diag. p. 13 (Aug. 1879); Et. V p. 67, t. 3, f. 1; Stgr. Mém. Rom. VI p. 279; *Plumbea* Butl. Ann. & Mag. (5) IV p. 357 (Novbr. 1879). *Amur; Uss; Cor; Jap; China c. et oc.*
2848. **Duplaris** L. F. S. 352; Gn. Noct. I, 17; Hein. 288; Barr. III t. 116, f. 3; *Bipuncta* Bkh. IV p. 627 (1792); Tr. V, 1, 92; Dup. VI, 84, 1; *Bicolor* Esp. 197, 4; *Undosa* Hb. 211; v. *Argentea* Tutt Ent. 1888 p. 47; Brit. Noct. I p. 4 [ab.]; v. *Obscura* Tutt l. c. p. 5 [ab.]. *Eur.c.ets; It.s; Ross. m. or; Alt; ?Jap. (Leech).*

483. **Polyploca** Hb. 1822 (Asphalia Ld.).

2849. **Diluta** F. Mant. 155; Hb. Btr. II, 3, 1, E; Hb. Noct. 206; Tr. V, 1, 90; Dup. VI, 83, 4; Gn. Noct. I, 18; Barr. III, t. 118, f. 1; Bipuncta Dup. VI, 83, 6; v. Nubilata Tutt Brit. Noct. I p. 5 [ab.]. *Eur. c. m; Belg; Angl. m; Dan. (1); Germ. s; It. s. et c; Pont.*
2850. **Ruficollis** F. Mant. 165; Hb. Noct. 207; Tr. V, 1, 89; Dup. VI, 83, 5!; Gn. Noct. I, 18. *Austro-Hung; Carn; Helv; Gal. c. et or; It. s; Bulg; Graec. (Tinos).*
2851. **Nigrofascicula** Graes. Berl. e. Z. 1888 p. 152; Stgr. Mém. Rom. VI p. 379. *Uss.*
2852. **Flavicornis** L. S. N. ed. X, 518 [sec. Auriv. = or. F.]; Esp. 184, 1-3; Hb. 208; Tr. V, 1, 100; Dup. VI, 83, 1!; Frr. 373; Gn. Noct. I, 19; Tutt Brit. Noct. I p. 5; Barr. III, t. 118, f. 2; Cinerea Auriv. Nord. Fjär. p. 77; Goeze Btr. III, 201. *Eur. s. et c; It.s; Ross. m. or.*
- a) v. *Finmarchica* Schöyen Tidskr. 1881 p. 121, t. 1, f. 3, 4; Auriv. Nord. Fjär. p. 78; v. *Scotica* Tutt Ent. 1888 p. 47; Brit. Noct. I p. 6; IV p. 82 (multo obscurior). *Norv. pol. et c. mont; Lap; Scot. et Sib. or. (trans.).*
2853. **Ridens** F. Mant. 180 (1787), E. S. 360; Dup. VI, 82, 5, 6; Gn. Noct. I, 20; Xanthoceros Hb. Noct. 205; Tr. V, 1, 86; Frr. 613; Tutt Brit. Noct. I p. 6; Barr. III, t. 119, f. 1. *Eur. c; Dan; Liv; Gal. m; Cast; And.*

XXIV. Brephidae.

484. **Brephos** O. 1816.

2854. **Parthenias** L. F. S. 308; Esp. 85, 5-8; Hb. 341-2; Tr. V, 3, 379; God. V, 51, 2; Frr. 497; Gn. II, 264; Bell. Ann. S. Fr. 1858 p. 705, t. 14, f. 6 (♀ ab.); Barr. VI t. 264, f. 3; Alph. Mém. Rom. IX p. 339 (v. Kamt.); ab. Passetii Th.-Mieg. Natural. 1884 p. 437 [al. post. grisescens]. *Eur. c. et s; It. s; Ross. m. or; Alt; Sib. or; Amur; Uss; Kamt. (v.).*
2855. **Infans** Möschl. Wien. Mts. 1862, 134. t. 1, f. 6; Spr. Stett. e. Z. 1875 p. 171, 351; Snell. Tijds. XXX p. 137; Smith Noct. Cat. p. 396. *Labr; Am. bor.*
2856. **Nothum** (-a) Hb. 343-4; Tr. V, 3, 383; Frr. 551; Gn. II, 265; Barr. VI, t. 264, f. 4; Parthenias Esp. 85, 4; God. V, 51, 1. *Eur. c. (exc. reg. pol. et Bat.); It. s; Ross. Ala Tau; Daur; Uss. Sib. s. or; Labr. m; Canada.*
2857. **Middendorffii** Mén. Bull. Ac. XVII p. 221 (1858); Schrk. p. 66, t. 5, f. 9. *Germ. m; Austro-Hung; Helv. s. oc; Ross. m. oc.*
2858. **Puella** Esp. 106, 2, 3 (1787); Tr. V, 3, 85; Gn. II, 265; Caelebs Hb. Btr. I, 4, 3, Q (1789); Spuria Hb. 345; Parthenias var. God. V, 51, 3. *Eur. c. et m; As. min; Syr; Arm.*

XXV. Geometridae.

A. Geometrinae.

485. **Aplasta** Hb. 1822.

2859. **Ononaria** Fuesl. Arch. III p. 1, t. 17, f. 1-6 (1783); Hb. 93; Tr. VI, 1, 351; Dup. VII, 167, 6; Gn. II, 106; Rubi-capraaria Hb. Vög. 62; Sudataria Hb. 492 [ab. minor]. *Eur. c. et m; As. min; Syr; Arm.*

- a) v. (gen. aest.) *Faecataria* Hb. 503 (minor, pallidior, al. ant. griseo-stramineis, rubro signatis).
 b) ab.? (v.?) *Berytaria* Stgr. al. omn. (fere) unicoloribus, viridescenti-griseis (sec. 4 ♂ et una ♀ condita).

Syr; Cyprus; Taur;
And. etc.
Syr. (Berytus); Taur.
m. (trans.).

486. *Pseudoterpnna* Hb. 1822.

2860. **Pruinata** Hufn. Berl. M. IV, 520, 625 (1767); Rott. Naturf. XI, 72; Cythisaria Schiff. S. V. p. 97 (1776); Esp. 44, 1-4; Hb. 2; Tr. VI, 1, 120; Gn. I, 339; Mill. Ic. 91, f. 8, 9 (larv.); Genistarria Vill. L. Ent. II, 319; Dup. VII, 152, 2.

Eur. c. et m. or; Dan;
Suec. m; Gal. m;
Hisp. s; It. c. et s;
Bith; Arm; Taur.
(v.).

- a) ab. (et v.?) *Agrestaria* Dup. VII, 152, 4 p. 257; Gn. I, 340 (al. ant. unicolor. viridibus, tantum antice albo-strigatis).
 b) v. *Simplex* Alph. Mém. Rom. VI p. 54 (al. unicoloribus albedo-virescentibus).

Gal. m. et Pont. (v.?)
etc. ab.

2861. **Coronillaria** Hb. 479-82; Tr. VI, 1, 170; Dup. VII, 152, 3; Frr. 377, 4; Z. Is. 1847 p. 487; Gn. I, 338, II, 451; Mill. Ic. 91, f. 13 (larv.), f. 10 ♀ [ex errore Cytisaria].

Saraw; Ferg; China
c. oc.

- a) ab. *Armoraciaria* Obth. Et. XX p. 71, t. 6, f. 92 (multo obscurior; al. ant. fere unicolor. obscure griseis, extus albo-lineatis).
 b) ab. (et v.?) *Axillaria* Gn. I, 339 (al. strigis obscuris obsoletis, subnullis).

Eur. m. oc; Gal. oc;
It; Taur; Syr.

2862. **Corsicaria** Rbr. Ann. Soc. Fr. 1833 p. 32, t. 2, f. 6; Dup. IV, 59, 1; HS. 60, 61; Gn. I, 339; Mill. Ic. 91, f. 11, 12 (praec. forma Darw.).

Gal; Cast.

2863. **Lahayezi** Obth. Bull. S. Fr. 1887 p. 59; Et. XII p. 31, t. 7, f. 50 (genus Hypochroma Gn.).

Syr; Lyd.

487. *Holoterpnna* Püng. 1899.

2864. **Diagrapharia** Püng. Iris XII p. 296, t. 9, f. 14.

Tura.

2865. **Pruinosata** Stgr. Iris X (1897) p. 303.

Pal.

488. *Geometra* L. 1767.

2866. **Papilionaria** L. S. N. ed. X, 522; Esp. 6, 1-4; Hb. 6; Tr. VI, 1, 103; Dup. VII, 151, 1; Gn. I, 343; Stgr. Iris X p. 4; ?Herbacearia Mén. Bull. Ac. XVII, p. 112; Schrk. p. 66, t. 5, f. 77 [ab. al. non albo-signatis].

Eur. c. et s. (exc. reg.
bor.); It. s. etc; Pont;
Arm; Alt; Sib;
Amur; Uss; Jap.

2867. **Vernaria** Hb. Btr. I, 4, 1, D p. 6 (1789); Hb, 7; Tr. VI, 1, 101; Dup. VII, 152, 1; Gn. I, 354; Calb. Iris III, 48; Stgr. ib. X, 6; Chrysoprasaria Esp. 5, 1-4 (1794).
Arm; Alt; Iss. K; Kent; Amur; Uss; Ili (v.);

Eur. c. et m. or; Liv;
Gal. m. oc; Cors; It;
Bith; Taur; Pont;
Jap. (v.?) an sp. div.?).

2868. **Zimmermanni** Hedem. Hor. XIV p. 509, t. 3, f. 6; Stgr. Iris X p. 6 (praec. forma Darw.?).

Amur; Uss.

2869. **Impararia** [Jodis] Gn. I, 354; Mill. Ic. 84, I; (-ata) HS. n. Schm. 136 p. 27 (sec. Ld. ad gen. Thaleram, sec. Stgr. melius hic ponenda; gen. propri.?).

Ross. m. (Ural); Sai-
san; Ala Taur; Ulius.

489. *Megalochlora* Meyr. 1892.

2870. **Sponsaria** Brem. Lep. O. S. p. 77. t. 7, f. 25; Stgr. Iris X p. 5.

Amur; Uss; Jap.

2871. **Dieckmanni** Graes. Berl. e. Z. 1888 p. 384; Stgr. Iris X p. 5.

Uss; Jap.

2872. **Glaucaria** Mén. Bull. Acad. XVII p. 111; Schrk. p. 65, t. 5, f. 8!; Stgr. Iris X p. 5; Uositata Butl. Ill. Het. II p. 49, t. 36, f. 3. *Amur; Uss; Jap.*
2873. **Albovenaria** Brem. Lep. O. S. p. 75, t. 6, f. 21. *Amur; Uss; Cor; Jap.*
2874. **Valida** Feld. & Rghfr. Nov. t. 127, f. 37; Stgr. Iris X p. 5; Dioptasaria Chr. Bull. M. 1880, II p. 41 (praec. var.?). *Uss; Jap.*
490. **Aracima** Butl. 1878.
2875. **Muscosa** Butl. Ill. Het. II p. 51, t. 36, f. 8; Stgr. Iris X p. 7; Vestita Hedem. Hor. XIV p. 508. t. 3, f. 3. *Amur; Uss; Jap.*

491. **Agathia** Gn. 1857.

2876. **Carissima** Butl. Ill. Het. II p. 50, t. 36, f. 7; Stgr. Iris X p. 7; Virenda Butl. l. c. VI, t. 118, f. 3; Lacunaria Hedem. Hor. XIV p. 512, t. 3, f. 4; Laetata Hmps. Ind. Moths III p. 487 [pr. p.]. *Amur; Uss; Cor; Jap; China oc; Ind.*

492. **Euchloris** Hb. 1822 (Phorodesma B.).

2877. **Gratiosaria** Brem. Lep. O. S. p. 77, t. 7, f. 1. *Amur; Uss; Cor.*
2878. **Pulchra** Stgr. Iris X (1897) p. 302, t. 4, f. 27. *Pal.*
2879. **Pustulata** Hufn. Berl. M. IV, 520 (1767); Rott. Naturf. XI, 72; Bajularia Schiff. S. V. p. 97 (1776); Esp. 44, 5; Hb. 3; Tr. VI, 1. 122; Dup. VII, 151, 2; Frr. B. 30, 1 a-d; Gn. I, 369. *Eur. c; Dan; Suec. m; Lit; Bill; And. (trans.); It; Bale. s; Ross. m; Taur. c; Pont; ? Arm. Graec; Syr; Taur. m. (et c. pr. p.); Arm.*
- a) v. ? **Neriaria** HS. 429, VI p. 62; Gn. I, 369; Stgr. Hor. VII p. 142, XIV, 431 (maculis testaceis antemarginal. deficientibus; an sp. diversa?).
2880. **Tenuisaria** Graes. Berl. e. Z. 1888 p. 385; Stgr. Iris X p. 7, t. 1, f. 1. *Uss. m.*
2881. **Amoenaria** Obth. Et. V p. 48, t. 9, f. 4. *Uss. m.*
2882. **Tancrei** Graes. Berl. e. Z. 1889 p. 264; Stgr. Iris X p. 8, t. 1, f. 2. *Uss.*
2883. **Albocostaria** Brem. Lep. O. S. p. 76, t. 6, f. 22; Stgr. Iris X p. 8. *Amur; Uss; Jap.*
2884. **Subtiliaria** Brem. Lep. O. S. p. 76, t. 6, f. 23; Hmps. Ind. Moths III p. 500; ?Nympha Butl. Tr. E. S. 1881 p. 411. *Uss; Jap; Ind; ? Austral.*
2885. **Smaragdaria** F. Mant. 192; Hb. Btr. II, 2, 2, M; Esp. 5, 5-7; Hb. 1; Tr. VI, 1. 124; Dup. VII, 152, 5; Frr. 174; Gn. I, 343; Burrows Ent. Rec. XII p. 114, 152. *Eur. c. et m. or. (exc. Bat. et Belg.); Dan; Norv. m; Fen; Gal. m. oc; It; Bith; Tarb; Ala Tau; Iss. K; Ferg; Sib; Amur; Uss. Cast; And. (trans.).*
- a) v. (et ab.) **Gigantea** Mill. Ic. III, t. 152, f. 16-18, p. 423 (pr. p.); **Castiliaria** Stgr. Iris V p. 141 (major, al. strigis albis obsoletis vel subnullis).
- b) v. **Prasinaria** Ev. Bull. M. 1837 p. 52; F. V. U. 369; Mill. Ic. 152, f. 19; Alph. Hor. XVII p. 156; Rom. Mém. Rom. II p. 85, t. 5, f. 1; **Volgaria** Gn. I, 344; Mill. Ic. 96, 1 (minor, al. ant. strigis albis multo crassioribus, al. post. albidiioribus).
- c) v. **Mongolica** Stgr. Iris IX p. 271 (al. strigis punctisque albis multo latioribus). *Srp; Arm. m; Hyrc; Tura; Saraw; Ili; Iss. K; Uljas.*
- Uljas.*

2886. ?**Immaculata** Thnbg. Ins. suec. I p. 8 (1784); Lampa Tidskr. 1885 p. 87; Auriv. Nord. Fjär. 198 (Smaragdariae ab. an sp. exotica?). *?Suec. c.*
2887. **Chlorophyllaria** Hedem. Hor. XIV p. 510, t. 3, f. 7; Stgr. Iris X p. 9. *Uss; China s; Amdo.*
2888. **Jankowskia** Mill. in Obth. Diag. p. 8; Obth. Et. V p. 47, t. 4, f. 7; Stgr. Iris X p. 9. *Uss.*
2889. **Smaragdularia** Stgr. Iris V p. 142 (1892) (praec. var.?). *Ferg. m.*
2890. **Serraria** Stgr. Iris V p. 141 (uno ♂ condita; sequ. var. an ab.?). *Ferg. m.*
2891. **Plusiaria** B. Gen. p. 189; HS. 441-2; Gn. I, 378; Rbr. Cat. S. And. t. 17, f. 2. *And; Murcia; Cast. m; Maur.*
2892. **Fulminaria** Ld. Hor. VIII (1871) p. 17, t. 2, f. 4. *Hyrc; Tura; Ferg.*
2893. **Correspondens** Alph. Hor. XVII p. 157, t. 9, f. 85 [Fulminaria v.] (bon. sp. Stgr. esse videtur). *Ili; Iss. K; Sarav.*
2894. **Mabilie** Th.-Mieg. Natural. XV, 1893 p. 162. *?Amur (an As. c.?).*
2895. **Crucigerata** Chr. Mém. Rom. III p. 93, t. 4, f. 11. *Tura; Hyrc.*
2896. **Nemoriata** Stgr. Iris X p. 9 (uno ♂ condit.) (hujus generis?). *Uss.*

493. **Eucrostes** Hb. 1822.

2897. **Indigenata** Vill. L. Ent. II. 383, t. 6, f. 19 (1789); Bkh. V, 485; (-aria) Tr. VI, 1. 269; Dup. VII, 168, 5; Frr. 78, 4; HS. 538; Gn. I, 367; Mill. Ic. 82, f. 8-11; Fim-briolaria Hb. 468 (post. 1810).
- a) v. (?) (ab.?) *Nudilimbaria* Mab. Bull. S. Fr. 1879 p. 155 (linea flava marginali deficiente). *Gal. m; Cat; And; Maur; Hung. m. or; Dalm; Graec; Bith; Syr.*
2898. **Herbaria** Hb. 407; HS. 363; Gn. I, 350; Calb. Iris III p. 49; Graminaria Z. Stett. e. Z. 1849, 204; Bruandaria Mill. Ic. I p. 163, t. 18, f. 10-12.
- a) v. (et ab.) *Advolata* Ev. Bull. M. 1837, 51; F. V. U. 365; HS. 414, VI p. 64; Gn. I, 350; Mill. Ann. S. Cannes 1875 p. 7, t. 2, f. 1-3 (al. strigis albis latioribus). *Cors; Dalm. (trans.).*
2899. **Simonyi** Rbl. Ann. Naturh. Hofmus. IX p. 67 (April. 1894), XI p. 107, XIII p. 369; Divineta Holt-White (nee Wlk.) p. 86, t. 4, f. 7. *Eur. m; Bulg; Bith; Cyprus; Syr; Pont; Arm; Tura; Saisan. Srp; Gal. m. et Pont. (ab.); Syr; Tura; Sarav; Ferg; Ili Can; Maur. (v.).*
2900. **Olympiaria** HS. 539, VI p. 63; Gn. I, 350.
- a) v. *Cremonaria* Stgr. Iris X p. 179 (multo pallidior, fere albicans). *Bith; Syr.*
2901. **Beryllaria** Mn. z. b. V. 1853 p. 76; Aureliaria Mill. Ic. 55, 1. 2 (1864), 81, f. 1-5, III p. 462 (praec. sp. forma Darw.). *Dalm; Graec; It; Gal. m. or; Murcia; Maur; Syr; Taur. c. (v.).*
2902. **Menadaria** Th.-Mieg. Natural. 1893 p. 40 (uno ♂ condita, huj. generis? certe non Phorodesma). *Maur.*
2903. **Petitaria** Chr. Stett. e. Z. 1887 p. 165; Mém. Rom. V p. 47, t. 3, f. 3 (huj. generis?). *Tura; Ferg.*

494. **Nemoria** Hb. 1822.

2904. **Viridata** L. F. S. 330 (certo); Z. Stett. e. Z. 1848, 274; Spr. Stett. e. Z. 1867, 71; ib. 1885 p. 91; Mill. Ic. 96, 13-15; (-aria) Hb. 11; Dup. VII, 151, 4; HS. 567; Cloraria Hb. 352; Gn. I, 347; Stgr. Hor. VII, 143.
- a) v. *Insignata* Stgr. alarum lineis albis obsoletis vel sub-nullis. *Eur. (exc. reg. bor.); Bith; Syr; Mardan; Arm; Hyrc; Tura; Alt; AlaTau; Amur; Uss; Cor; China s. et oc. Ferg; Iss. K. s. oc; Ili..*

2905. ?**Melinaria** HS. 413, VI, 63; Gn. I, 347 (uno ♂ condita praec. ab.?).
2906. **Porrinata** Z. Stett. e. Z. 1848, 273; ib. 1872 p. 56; Spr. ib. 1867, 71; (-aria) HS. 566!, VI p. 63 (praec. forma Darw.; in coll. saepe confusa).
2907. **Pulmentaria** Gn. I, 349; Mill. Ic. 96, III; Cloraria Dup. VIII, 210, 1 (1830); Tr. X, 2. 177; Z. Is. 1847 p. 486; Stett. e. Z. 1849, 203; HS. 362 (non Hb.); Etruscaria Z. Stett. e. Z. 1849 p. 203; ib. 1872 p. 57 (pr. p. ♂).
2908. **Faustinata** Mill. Ic. II p. 436, t. 96, f. 2-8.
2909. **Amphitritaria** Obth. Diagn. p. 8; Et. V p. 49, t. 4, f. 8; Stgr. Iris X p. 10; Püng. ib. 362.
2910. **Confusaria** Stgr. Iris V p. 144, X p. 10.
2911. **Pretiosaria** Stgr. Stett. e. Z. 1877 p. 202; Iris V p. 143.
- a) v. *Gigantaria* Stgr. Iris V p. 143 (multo major, al. ant. linea extrabas. distinctiore).
- Ural.
Eur. c. m. et m. (pr. p.)
(Bilb.; Lusit.);
Arm?; Ili (?).
Eur. m. et c. or; Maur;
Bith; Lyd; Syr;
Pont; Arm; Hyrc;
Tura; Sarac; Ferg;
Ili; Kaschg; Saisan.
Cat; And; ?Syr. et
Aegypt. (an sp. praec.?).
Uss; Jap.
- Uss.
Arm; Tura; Ferg. m.
(Margelan).
Ferg. m. (Alai); Pont.
(1).

495. **Neromia** Stgr. 1897.

2912. **Jodisata** Stgr. Iris X (1897) p. 304, t. 4, f. 28.
- Pal.

496. **Thalera** Hb. 1822.

2913. **Grandificaria** Graes. Berl. e. Z. 1889 p. 266; Stgr. Iris X p. 11, t. 1, f. 3; ?*Illiturata* Wlk. List. XXVI p. 1563 (nom. vet. sec. Hmps.).
2914. **Fimbalialis** Sc. Ent. Carn. p. 216 (1763); *Thymiaria* L. S. N. ed. XII, 859; Esp. 4, 3-9; Z. Stett. e. Z. 1847, 332; *Bupleuraria* Schiff. S. V. p. 97 (1776); Esp. 45, 5; Hb. 8; Tr. VI, 1. 114; Dup. VII, 151, 5; Gn. I, 383; *Albaria* Esp. 47, 3 (4) [ab. pallida].
- a) v. *Chlorosaria* Graes. Berl. e. Z. 1890 p. 81; Stgr. Iris X p. 11 (pallidior, al. albido-aeruginosis strigis albis latioribus).
2915. **Rufolimbaria** Hedem. Hor. XIV (1878) p. 512, t. 3, f. 5; Leech Ann. & Mag. (6) XX p. 243; *Crenulata* Butl. Ann. & Mag. (5) I p. 399 (1878); Ill. Het. III p. 37, t. 1, f. 2.
2916. **Lacerataria** Graes. Berl. e. Z. 1888 p. 387; Stgr. Iris X p. 11, t. 1, f. 4 (huj. generis?).
2917. **Putata** L. S. N. ed. X, 523; Cl. Ic. 3, 9; *Putataria* L. S. N. ed. XII, 859; Hb. 10; Tr. VI, 1. 112; Gn. I, 357; *Alliata* Höfn. Jhrb. Kärnt. XIV p. 266; Wien. e. Z. 1883 p. 248.
2918. **Lactearia** L. S. N. ed. X, 519; Cl. Ic. 3, 12; Sc. Ent. Carn. 215; Gn. I, 355; ?Esp. 1, 1-4; Spr. Stett. e. Z. 1883 p. 354; Snell. Tijds. XL p. 310; *Aeruginaria* Hb. 46 (post. 1797); Tr. VI, 1. 109; Frr. B. 30, 2e-g; *Putataria* Esp. 2, 4-6; Dup. VII, 151, 3.
- a) v. *Norbertaria* Rössl. Stett. e. Z. 1877 p. 365; Seeb. Ann. S. Esp. 1879 p. 107, t. 1, f. 4 (densius squamata, viridior.).
- Uss; Jap; China s.
Eur. c. (exc. Angl. et
Ib. m.); Scand. m;
Liv; Bith; Pont;
Arm; Tura; Alt; Ala
Iss. K; Ferg; Daur.
Antur; Uss; Cor.
- Amur; Uss; Jap;
China s. et c.
- Uss.
- Eur. c. ets. (exc. Angl.);
It. s; Ross. m; Arm.
- Eur. c., s. et m. or. (exc.
reg. bor., Ib. m.,
Balc. m.); Gal. m. oc;
It. s. etc; Bith; Arm;
- Uss; Cor; Jap; China.
Bilb.

497. **Hemithea** Dup. 1829.

2919. **Strigata** Müll. Fn. Fr. p. 51 (1764); Göze Naturf. IX p. 83; Aestivaria Hb. Btr. I, 4, 3, R (1789); Esp. 2, 1-3; Hb. 9; Tr. VI, 1. 117; Dup. VII, 151, 6; Vernaria Esp. 1, 6-9; Thymiaria Gn. I, 384; ?Alboundulata Hedem. Hor. XIV p. 511, t. 3, f. 8 [ab.?). *Eur. c; Scand. m; Liv; Gal. m. oc; Bill; Cat; Cors; It; Dalm; Ross. m; ?Bith; ?Pont; Arm; Amur; Uss; Cor; Jap.*
2920. **Nubigena** Woll. Ann. & Mag. (3) I p. 118 (1858); Baker Tr. E. S. 1891 p. 212. *Mad.*
2921. **Ussuriaria** Brem. Lep. O. S. p. 77, t. 6, f. 24 (1864); Obliterata Wlk. List. XXVI p. 1558 (1862). *Amur; Uss; ?Jap; ?China or.*

B. Acidaliinae.

498. **Cinglis** Gn. 1858.

2922. **Humifusaria** Ev. Bull. M. 1837 p. 57; HS. 378; Gn. II, 114; Humifusearia Ev. F. V. U. p. 443. *Srp; Arm; Murcia; ?And; Maur; Tura; Saraw; Ferg; Ili; Iss. K.*

499. **Acidalia** Tr. 1825.

2923. **Nexata** Hb. 401, 421; Gn. I, 486; Mill. Ic. II p. 56, t. 57, 5-9; (-aria) HS. III p. 32. *And. et Lusit. m; Maur.*
2924. **Cirtanaria** Luc. Expl. Alg. p. 395, t. 4, f. 3; Gn. I, 443 (praec. sp. ab.?). *Maur.*
2925. **Pygmaearia** Hb. 335-6; Tr. VI, 2. 10; Dup. VIII, 175, 7; Z. Is. 1847 p. 499; Gn. I, 443; Mill. Ann. S. Lyon. 1882 p. 175, t. 4, f. 6, 7; Parvularia B. Gen. 223; Lah. Geom. 40. *Carn. Ter. et Helv. m; It. s. et c; Dalm.*
2926. **Perpusillaria** Ev. Bull. M. 1847, III, 82, t. 6, f. 7; HS. 462; Frr. 516, 5; Gn. I, 442. *Srp; Arm. (Eriwan); Tura; Saisan.*
2927. **Vittaria** Hb. 429; Tr. VI, 2. 11; Dup. VIII, 175, 8; Gn. I, 442. *And; Cast; Arag; Bill; Maur; Sard. (?).*
2928. **Filacearia** HS. 392-3, III p. 27; Ld. Geom. p. 91; Gn. I, 447; Bhtsch. Wr. e. Z. 1885 p. 143; Flaveolaria Tr. X. 2. 221. *Gal. c. m; Ib. et It. c; Eur. m. or; Pont; Kurd; Arm; Alt; Tarb; Ili; Iss. K.*
2929. **Trilineata** Sc. Ann. Hist. Nat. V p. 115 (1772); (-aria) Hb. Btr. I, 2, 3, T; Aureolaria F. Mant. 195 (1787); Hb. 62; Tr. VI, 2. 266; Dup. VIII, 176, 2; Gn. I, 446. *m; Arm; Alt; Tarb; Ili; Iss. K. s. oc; Kent; Urga.*
2930. **Luteolaria** Const. Ann. Soc. Fr. 1863 p. 73, t. 2, f. 1 a-c; Mill. ib. 1885 p. 114, t. 2, f. 6, 7. *Pyr. or; Cast. s. et Arag. (mont.).*
2931. **Falckii** Hedem. Hor. XIV p. 515, t. 3, f. 10, 10 a. *Amur.*
2932. **Flaveolaria** Hb. 341; Dup. VIII, 176, 1; Ld. Geom. p. 91; Gn. I, 447; Mill. Ic. 100, III; Z. Stett. e. Z. 1872 p. 57. *Alp. (m.); Sax. (1Stgr.); Hung. s. et It. c. (mont.); ?Arm.*
2933. **Similata** Thnbg. Diss. Ent. II, 10 (1791); Auriv. Nord. Fjär. p. 201; Perochrraria F. R. p. 46. 125, t. 49, f. a-g (1838); HS. III p. 19; Lah. Geom. p. 25; Gn. I, 448; Meyr. 236; Ochrearia var. Frr. 66, 3; Ochrearia Dup. VIII, 175, 3; Dohlmanni Hedem. Hor. XVI p. 257 [vix differt.]. *Hyrc; Alt; Tarb; Saj; Kent; Chang; Sib. or. s; Amur; Uss.*

2934. **Ochrata** Sc. Ent. Carn. p. 227; Gn. I, 449; Mill. Ic. 76, I; Ochrearia Hb. 110; Tr. VI, 2, 6; Frr. 66, 1, 2; Lah. Geom. p. 26; Ochraria F. R. p. 45, 127, t. 50, f. 1 a-c; ?Pallidaria Hb. 96; Dup. VIII, 175, 1. *Eur. c. et m.; ?Suec. m; Maw; Bith; Taur; Syr; Mesop; Pont; Arm; Hyrc; Tura.*
2935. **Subochraria** Stgr. Iris V (1892) p. 144. *Ferg. s.*
2936. **Numidaria** Luc. Expl. Alg. p. 395, t. 4, f. 2; Gn. I, 449; Bhtsch. Wr. e. Z. 1885 p. 144. *Maur.*
2937. **Macilentaria** HS. 230-1 ♀, III p. 20, VI p. 67; Antiquaria HS. 340-1 ♂, III p. 20; Lah. Geom. Suppl. III p. 7; Sylvestraria Dup. VIII, t. 177, f. 8 (non 7); Gn. I, 452. *Germ. c. oc; Car. alp; Helv. m; Gal. c. et m; Cast; And.*
2938. **Rufaria** Hb. 112; Tr. VI, 2, 7; Dup. VIII, 175, 2; Frr. 66, f. 4, 5; F. R. p. 129, t. 50, f. 2 a-c; Gn. I, 451. *As. min; Syr; Arm; Tura; Saraw; Ferg; Iss. K; Ala Tan. Mad.*
- a) v. *Maderae* Baker Tr. E. S. 1891 p. 213 (al. linea extra-basali subnulla).
2939. **Consanguinaria** Ld. Geom. p. 92; Gn. I, 451; ?Rubellata Rbr. Cat. S. And. t. 21, f. 3. *It. c. et m.; ?Bibl; Eur. m. or; Hung. m; ?And; As. min. et oc.*
2940. **Consecrata** Stgr. Iris X (1897) p. 305, t. 4, f. 29. *Pal.*
2941. **Determinata** Stgr. Stett. e. Z. 1876 p. 141. *Sic; Cal; Taur. m. or.*
2942. **Fasciata** Stgr. Iris V (1892) p. 145. *Taur. c. et m. or.*
2943. **Litigiosaria** B. Gen. p. 226; Dup. Sup. IV, 54, 5; HS. 303-4, III p. 16, VI p. 65, 68; Gn. I, 498; Dissidiata Gn. I, 497 ab. (certo); ?Morosaria HS. VI p. 68. *Gal. m; And; Murcia; Maur; Cors; It; ?Dalm.*
2944. **Lambessata** Obth. Bull. S. Fr. 1887 p. 67; (Granadaria Stgr. i. l.). *And; Maur.*
2945. **Mutilata** Stgr. Stett. e. Z. 1876 p. 140. *Sic.*
2946. **Ossiculata** Ld. Hor. VIII (1871) p. 18, t. 2, f. 5. *Pont; Taur; Syr; Arm; Hyrc; Tura; Ferg; Iss. K; Saisan.*
2947. **Mediaria** Hb. 502; HS. III p. 21; Gn. I, 496; Mill. Ic. 82, III. *Gal. m; Cat; And; It. s; Dalm; Bith.*
2948. **Renataria** Obth. Et. III p. 46; Mediaria Obth. (nec. Hb.) Et. I p. 59, t. 3, f. 6. *Maur.*
2949. **Sericetata** Hb. 404; Tr. VI, 2, 37; Dup. VIII, 201, 4; Gn. I, 446. *Eur. m; Val; Ter. m; Hung; Rum; Lyd; Arm; Illy; Iss. K.*
2950. **Allardiata** Mab. Ann. Soc. Fr. 1869 p. 59, t. 2, f. 7. *Maur.*
2951. **Moniliata** F. Mant. 209; Hb. Btr. II, 3, 3, N; Tr. VI, 2, 290; Gn. I, 453; Mill. Ic. 76, 4; (-aria) Hb. 59; Dup. VIII, 154, 5. *ex err.); It. s; Bith; Lyd; Taur; Pont; Arm; Hyrc; Tura.* *Eur. c. m., m. s. et m. or; Germ. c. (Suec. m.); Mad; Bith.*
2952. **Muricata** Hufn. Berl. M. IV, 606, 625 (1769); Rott. Naturf. XI, 81; Sanguinaria Hb. Btr. I, 2, 3 S; Auroraria Bkh. V, 477 (1794); Hb. 63; Tr. VI, 1, 267; Dup. VIII, 166, 8; Gn. I, 430. *s; Arm; Amur; Uss; Cor; Jap; China.* *Eur. c; Scand. m; Ross. s. m; Gal. m; Bibl; It. s. et c; Bale. m.); Mad; Bith; Lyd; Taur; Syr; Pont; Arm; Hyrc; Tura.*
2953. **Dimidiata** Hufn. Berl. M. IV, 602 (1769); Rott. Naturf. XI, 78 (1777); Scutulata Bkh. IV, 266 (1794); Tr. VI, 2, 288; Gn. I, 460; (-aria) Hb. 72; Dup. VIII, 210, 4; Frr. 658, 2. *Eur. (exc. reg. bor., Ib. c. et m., Bale. m.); Mad; Bith; Lyd; Taur; Syr; Pont; Arm; Hyrc; Tura.*
2954. **Subsaturata** Gn. II, 542; Stgr. Iris X p. 306; Miserata Stgr. Stett. e. Z. 1859, 217; Rbr. Cat. S. And. 18, 3; Bhtsch. Wien. e. Z. 1885 p. 144; Subherbariata Rössl. Stett. e. Z. 1877 p. 366; Seeb. Ann. S. Esp. 1879 p. 109, t. 1, f. 3. *Gal. m. (Cette); Hisp; Maur.*
2955. **Spissilimbaria** Mab. Bull. S. Fr. 1888 p. 59 (al. sordide ochraceis, extus latissime violaceo-nigrescente fasciatis). *Maur.*

2956. **Foedata** Butl. Ann. & Mag. (5) IV p. 439 (1879); *Salutaria* Chr. Bull. M. 1881, 2 p. 51; Stgr. Iris X p. 13 [sec. Leech == Foedata].
 Amur; Uss; Jap; Cor; China.
2957. **Salubraria** Stgr. Iris X p. 13, t. 1, f. 5 (praecl. var.?).
 Uss.
2958. **Jakima** Butl. Ann. & Mag. (5) I p. 401 (1878); Ill. Het. III p. 40, t. 50, f. 10.
 Uss; Jap; Cor; China.
- *a) v. *Oblitteraria* Leech Ann. & Mag. (6) XX p. 105 (lineis transversis obsoletis).
 Jap; Cor; China c.
2959. **Nielseni** Hedem. Hor. XIV p. 514, t. 3, f. 9; Stgr. Iris X p. 13.
 Amur; Uss.
2960. **Manicaria** HS. 471, VI p. 67; Gn. I, 461; *Volitaria* Joan. (L.) Bull. S. Fr. 1891 p. 79; Nov. Lep. XI p. 131, t. 18, f. 5.
 And; Maur; Bilb.
2961. **Subrufaria** Stgr. Iris XII p. 386.
 Maur.
2962. **Fractilineata** Z. Is. 1847 p. 518; HS. 405-6; Gn. I, 482; *Inclinata* Ld. z. b. V. 1855 p. 209, t. 3, f. 2; Gn. I, 456.
 Sic; And. m; Maur; Syr; Pal.
2963. **Subpurpurata** Stgr. Iris XII p. 387, t. 6, f. 19. Mardin; Taur. m: Libanon. Pal.
2964. **Sanctaria** Stgr. Iris XII p. 387, t. 5, f. 6.
 Gal. m; Ib. m; Cast. m; Maur; Syr.
2965. **Exilaria** Gn. I, 449 (1857) [sec. sp. typ. certe = *Transmutata* Rbr.]; *Transmutata* Rbr. Cat. S. And. t. 22, f. 9, 10 (1858); *Esterelata* Mill. Natural. 1879 p. 138; Mém. Soc. Cannes 1880 p. 9, t. 9, f. 1-5; *Purpureo-marginata* Bhtsch. z. b. V. 1879 p. 409 [ab.].
 And; Murcia; Maur.
2966. **Fatimata** Stgr. Iris VII p. 288, t. 9, f. 18.
 Maur.
2967. **Merklaria** Obth. Bull. S. Fr. 1884 p. 133; Et. XII p. 32, t. 5, f. 13; *Terentius* Baker Monthl. Mag. XXI (1885) p. 244 [specimine calore depravato descripta].
 Eur. c. (exc or. et Bat.); Liv; Cast; ?Cor. et ?China (Leech).
2968. **Contiguaria** Hb. 105; Tr. X, 2, 224; HS. III p. 25; Gn. I, 464; Mill. Ic. 143, 3-4; *Eburnata* Wck. Bresl. e. Z. 1850 t. 4, f. 13; Stt. Ann. 1856 p. 31, f. 4. Gal. m; Cors; It. s. etc; ?Cor. et ?China (Leech).
 a) v. (et ab.) *Obscura* Fuchs Stett. e. Z. 1875 p. 227; *Contiguaria* var. Fryer Entom. XII p. 65, fig.; ab. *Fuscalata* Fuchs l. e. 1884 p. 264 [al. infuscatis, forma domestica] (obscurior, densius fusco-conspersa).
2969. **Consolidata** Ld. Geom. p. 93; Gn. I, 465; May Jhrs. Wien. E. V. 1891 p. 24 (larv.). Car. m; ?Sic. (v. ?); Ant; Mardin; Hyrc.
2970. **Vesubiata** Mill. Rev. & Mag. Zool. 1873 p. 6; Ic. 143, f. 10-11 (nec 9); Püng. Stett. e. Z. 1892 p. 364. Gal. m. or; Ped.
2971. **Asellaria** HS. 342-3, III p. 18; Gn. I, 453; v. *Ruminata* Mill. Ann. S. Fr. 1885 p. 115, t. 2, f. 4, 5; *Typicata* Gn. I, 464 [certe sec. sp. typ.]; *Reynaldiata* Rouast. Pet. Nouv. 1876 p. 1; Stgr. ib. p. 13.
 Ter. m; Val; Gal. m; ?Cors; ?Bith; ?Mardin.
- a) v. *Hornigaria* Stgr. multo obscurior, al. obscure violaceo-griseis, interdum fere unicoloribus (de Celeb. Hornig in numero educata).
 Ter. m. (Bozen).
- b) v.? *Alyssumata* Mill. Ic. III p. 197, t. 121, f. 6-11 (minor, dilutior, al. flavescenti-griseis, an sp. div.?).
 Cat; Gal. m.
2972. **Nocturna** Stgr. Iris V p. 148.
 Ferg. s.
2973. **Striolata** Stgr. Iris V p. 146; t. 2, f. 5.
 Syr.
2974. **Incisaria** Stgr. Iris V p. 147, t. 2, f. 6.
 Lusit. m.
2975. **Consociata** Stgr. Iris XII p. 390 t. 6, f. 10.
 Mardin.
2976. **Mauritanica** Baker Monthl. Mag. XXI p. 243.
 Maur.
2977. **Metohiensis** Rbl. z. b. V. 1900 p. 451.
 Herceg.
2978. **Cervantaria** Mill. Ic. III p. 21, 195, t. 103, f. 1-3, t. 121, f. 1-5 (lutescens).
 Cat; Gal. m. (Collionre).
- a) v. *Depressaria* Stgr. Iris V p. 289 (grisescens). Maur; And; Murcia.

2979. **Isabellaria** Mill. Ic. t. 97, 3, 4, t. 121, 16-18, II p. 453, III p. 202. *Cat.*
2980. **Camparia** HS. 465, VI p. 65; Gn. I, 479; (-ata) Rbr. Cat. S. And. 21, 4. *As. min. et oc; Balc.; Hung. m. or; Sic; ?Cors; ?Gal. m.; Ib. m.; Maur.*
2981. **Sodaliaria** HS. 466, VI p. 65; Gn. I, 479; May Jhrs. Wien. E. V. 1891 p. 23 [larv.]. *Balc.; Hung. m. or; Carn.; ?It.; ?Cors; ?Cat.; ?Syr.*
2982. **Textaria** Ld. Wien. Mts. 1861 p. 153, t. 2, f. 3. *Taur; Syr; Hyrc; Arm; Tura; Ant.*
2983. **Virgularia** Hb. 104 (ante 1800); **Seriata** Schrk. Fn. B. II, 2 p. 57 (1802); Z. z. b. V. 1868 p. 583; **Incanaria** Hb. 106 (ante 1800); Dup. VIII, 73, 7; Lah. Geom. p. 19; Gn. I, 476; Mill. Ic. 76, 13, 14.
- a) ab. (et v.?) **Bischoffaria** Lah. Geom. 20; Suppl. II p. 3; Suppl. III p. 4; Gn. I, 463; Habich Stett. e. Z. 1894 p. 131, t. 5, f. 1; Frey Lep. p. 192; Cossurata Mill. Bull. S. It. 1875 p. 254; Ann. S. Fr. 1877 p. 8, t. 1, f. 5 (sec. spec. typ., Rbl.); Obscura Mill. Ann. S. Lyon 1883 p. 168, t. 3, f. 3; ?Afra Baker Monthl. Mag. XXI p. 243 (multo obscurior, al. obscure violaceo-griseis).
- b) v. (gen. aest.) **Australis** Z. Is. 1847 p. 511 a et c; **Calcearia** Z. Stett. e. Z. 1849, 217 [v. Cretacea]; HS. 437, VI p. 65; Paleaceaata Gn. I, 478; Dilutaria HG. 589; Canteneraria Mill. Ic. 76, f. 13, 14; ?Calvaria Lah. Contr. p. 29 no. 98 (multo pallidior, al. lutescentiecinereis vel cretaceis).
- c) v. (et ab.?) **Canteneraria** B. Gen. p. 222; Gn. I, 477; v. **Australis** b) Z. I. e. (praec. v. similis sed multo minor, al. minus signatis, strigis subnullis).
2984. **Atlantica** Stt. Ann. & Mag. (3) III p. 210 (1859); Baker Tr. E. S. 1891 p. 213. *Mad.*
2985. **Sartharia** Stgr. Iris V p. 149.
- a) ab. (?) **Sarthularia** Stgr. l. e. (dilutior, distinctius signata; an spec. divers.?). *Ferg. m. et s.*
2986. **Fathmaria** Obth. Et. I p. 63, t. 4, f. 9 [Eupithecia]; ib. III p. 46. *Ferg. m.*
2987. **Longaria** HS. VI p. 66; Stgr. Iris XII p. 388; Prolongata Rbr. Cat. S. And. 21, 5 (1866). *Maur.*
2988. **Sublongaria** Stgr. Iris XII p. 388. *And; Murcia; Sard; Sic; Maur; Ten.*
2989. **Allongata** Stgr. Iris X (1897) p. 308, t. 4, f. 32; Allongaria Stgr. ib. XII p. 390. *Pal; Syr.*
2990. **Pallidata** (S. V.) Bkh. V, 325; Ld. Geom. p. 9; (-aria) Tr. VI, 2, 34 ♂; HS. 110-3, III p. 19; n. Schm. 30 ♀; Frr. 605, 3; Byssinata Tr. VI, 2, 36 ♀; Frr. B. 60, 2; Gn. I, 494. *Arm; Alt; Ala Tau; Ili; Sib. or. s; Amur s.*
2991. **Argilata** Gn. I, 469 (una ♀ condita; sec. sp. typ. bona sp.). *Gal. c.*
2992. **Nudaria** Chr. Bull. M. 1880, II p. 44; Stgr. Iris X p. 15, t. 1, f. 6. *Amur; Jap.*
2993. **Uniformis** Stgr. Iris X (1897) p. 308, t. 4, f. 33. *Pal.*
2994. **Squalidaria** Stgr. Stett. e. Z. 1882 p. 405. *Pyr.*
2995. **Subsericeata** Hw. Lep. Br. p. 352 (1810); Stph. Ill. III p. 310; Wd. Ind. 726; Pinguedinata Z. Is. 1847 p. 521; (-aria) HS. 409, 410; Gn. I, 481; Asbestaria Z. Stett. e. Z. 1849, 216 [forma major]; HS. VI p. 66; Mill. Ann. Soc. L. Lyon III; Gn. I, 495; Oloraria Rössl. Jhrb. Nassau XII p. 393; Veterata Gregson Entom. III p. 160; Mancuniata Knaggs Monthl. Mag. II p. 130; Ann. 1866, 144, f. 1; ib. 1867, 134, larvae var.; ib. 1870, 134. *Eur. c. m. et m; Angl; Maur; Bith; Syr; Pont; Arm; Hyrc; Tura.*

2996. **Agraria** Joan. (L.) Bull. S. Fr. 1891 p. 79; Nov. Lep. p. 132, t. 18, f. 6.
2997. **Straminata** Tr. X, 2. 205; Frr. 605, 2; Gn. I, 493; Mill. Ic. 100, V; (-aria) HS. 82, 83; Marginepunctata Stph. Ill. III p. 310; Wd. Ind. 724; ?Sylvestraria Hb. 94.
- a) v. (ab.?) *Circellata* Gn. I, 482; Mill. Ic. 106, I; Obsoletaria Wd. 1738; Hellins Ann. 1866 p. 164; Folognearia Stgr. Stett. e. Z. 1863 p. 264; Mill. Ic. 57, 10-12 (viridior, distinctius nigro-punctata).
2998. **Graciliata** Mn. z. b. V. 1867 p. 841 (uno ♂ descripta!).
2999. **Mancipiata** Stgr. Cat. ed. II p. 147, no. 2128.
3000. **Tristriata** Stgr. Iris V p. 150.
3001. **Detritaria** Stgr. Iris X p. 180, t. 4, f. 14.
3002. **Laevigata** Sc. Ent. Carn. 230; (-ata) Tr. VI, 2. 291; Gn. I, 460; Mill. Ic. 64, 1-3; Snell. Tijds. XXX p. 222; (-aria) Hb. 74; HS. III p. 15; Renularia Hb. 331; (-ata) Rbr. Cat. S. And. 22, 8; ?Bellata Frr. 323, 4; Lividellaria Peyer. Cat. Lep. Alsace I, 1863 p. 109.
3003. **Extarsaria** HS. 435 (fasc. 36, fin. 1848), VI p. 67; Calb. Iris III p. 53; Efflorata Z. Stett. e. Z. 1849 p. 218; Gn. I, 478.
- a) v. (et ab.) *Eriopodata* Grasl. Ann. S. Fr. 1863, 324, t. 8, f. 12; Obth. Bull. S. Fr. 1886 p. 167; Inesata Mill. Ic. 100, 3-5, II p. 482; Atromarginata Mab. Ann. S. Fr. 1869 p. 61, t. 2, f. 3 (al. omn. margine exter. lato violaceo).
3004. **Disjunctaria** Stgr. Berl. e. Z. 1870 p. 124 (uno ♂ condita, praec. sp. ab.?).
3005. **Attenuaria** Rbr. Ann. Soc. Fr. 1833 p. 37, t. 2, f. 19; Z. Is. 1847 p. 516; Gn. I, 472; HS. n. Schm. 29.
3006. **Infirmaria** Rbr. Ann. Soc. Fr. 1833 p. 36, t. 2, f. 18; Gn. I, 478; (-ata) HS. n. Schm. 140; Bhtsch. Wien. e. Z. 1885 p. 144; Nigrobarbata Stgr. Stett. e. Z. 1859 p. 216; Attenuata Rbr. Cat. S. And. 18, 5; Carnearia Mn. z. b. V. 1855 p. 544; Ledererata Gn. I, 475; HS. n. Schm. 139.
- a) v. (et ab.) *Aquitanaria* Const. Ann. Soc. Fr. 1865 p. 195, t. 7, f. 11 (obscurior, al. saturate incarnatis vel flavo-ant griseo-rubris).
3007. **Inustata** HS. 15; Gn. I, 459; (-aria) HS. III p. 24 (certe non sequ. sp. var. sec. Stgr.).
3008. **Ochroleucata** HS. 19-21; Gn. I, 458; (-aria) HS. III p. 24; Ld. Geom. p. 93; Bhtsch. z. b. V. 1895 p. 108; Rbl. Ann. Naturh. Hofmus. XI p. 108; ?Colonaria HS. 534, VI p. 67; ?Accessaria HS. 533, VI p. 64; ?Recessaria Gn. I, 476; Corcularia Rbl. l. e. IX p. 70.
3009. **Remotata** Gn. II, 458; Obth. Bull. S. Fr. 1887 p. 67; Hmps. Ind. Moths III p. 433, f. 200 (praec. spec. forma Darw.?).
3010. **Obsoletaria** Rbr. Ann. Soc. Fr. 1833 p. 39, t. 2, f. 21; Dup. IV, 54, 10; HS. 190-1; Gn. I, 481; ?Mill. Ic. 76, II; Rufillaria HS. 84, 85 (1845); Z. Is. 1847 p. 519; Rufularia HS. III p. 17. Arm.; Hyrc.; Tura.; Ferg. s. (v.); Uss. m. (v.?).
- a) ab. (et v.?) *Violaceaaria* Stgr.; ?Distinctaria Stgr. Cat. ed. II p. 148, no. 2143a (nec Gn.) (al. violaceo-griseis).
- Maur.*
- Eur. c. et s. (exc. reg. bor.); Gal. m.; Bibl.; Dalm.; Arm.; Hyrc.*
- Belg.; Gal. m. oc.; Angl.*
- Ter. m. (Bozen); ?It. s. (Bormio).*
- And.; Cast.; Srp.; Ferg. m. Ferg. m.*
- Syr.*
- Eur. c. m. et m. (exc. Ross.); Bat.; Syr.; Arm.; Hyrc.*
- It. c.; Sic. (trans.).*
- Gal. m.; Cors.; Sic.; Cat.; Maur.*
- Cat.*
- Cors.; Sard.; Sic.; Maur.*
- Cors.; Sard.; Sic.; Gal. m. or.; And.; ?Cast.; Maur.; Dalm.; ?Bith.; ?Syr.*
- Gal. m. oc. (Landes); Sic. et Maur. (ab.).*
- It. c.*
- Cyprus; Aegypt.; Sic.; And.; Can.*
- Maur.; Sic.; As. or. et m.; Afr. or. m.*
- Eur. m.; Austro-Hung.; Helv. m.; Bith.; Lyd.; Taur.; Syr.; Pont.; Ferg. s. (v.); Uss. m. (v.?).*
- Mallorca (v.); Cat.; Graec.; ?etc.*

- b) v. (ab.) *Algieriensis* Baker Tr. E. S. 1888 p. 118 (uno ♂ condita; a praec. ab. differt al. fere non signatis, punctis nigris margin. subnullis).
- c) v.? (gen. aest.? et ab.?) *Distinctaria* Gn. I, 496 (Canuisata Mill. in litt.) (al. fere unicoloribus, extus obsolete dilutius strigatis, punctis nigr. margin. nullis vel subnullis).
- d) v.? (ab.?) ? *Troglodytaria* HS. 434. VI p. 66; Gn. I, 479; Stgr. Hor. VII, 148; Iris X p. 15 (minima, pallidior, albicans).
3011. **Incarnaria** HS. 436 (1848), VI p. 66; Gn. I, 513; Stgr. Hor. VII, 149; Mill. Ann. S. Fr. 1886 p. 8, t. 1, f. 8, 9 (al. rufescensibus, al. ant. costa flavieante).
- a) ab. (et v.?) *Ruficostata* Z. Stett. e. Z. 1849 p. 215 (Is. 1847 p. 507 sine descriptione); ab. *Grisea* Th.-Mieg. Natural. 1889 p. 197 (al. violaceo-cinerascentibus, al. ant. costa rufescenti).
3012. **Palmata** Stgr.; *Unostrigata* Rbl. Ann. Naturh. Hofmus. IX p. 71 (una ♀ condita) (sec. spec. typ. certe non *Unostrigata* Baker).
3013. **Eugeniatia** Mill. Ic. 111, 4-6, III p. 118; Seeboldiata Rössl. Stett. e. Z. 1877 p. 367; Seeb. Ann. S. Esp. 1879 p. 108, t. 1, f. 5; Btsch. Wien. e. Z. 1885 p. 144.
3014. **Helianthemata** Mill. Ic. III p. 134, 200, t. 113, 6-9, t. 121, 12-15 (certe non *Obsoletariae* var.).
3015. **Unostrigata** Baker Tr. E. S. 1891 p. 214 (uno ♂ condita).
3016. **Ostrinaria** Hb. 430; Dup. IV, 54, 7; HS. 234-5; Z. Is. 1847 p. 21; Gn. I, 467, II, 542; Mill. Ic. 100, 1. 2.
Bale; *Bith*; *Taur*; *Pont*; *Arm.*
3017. **Circuitaria** Hb. 499; Dup. IV, 54, 13; HS. 232-3; Gn. I, 456; Mill. Ic. 105, III p. 465.
- a) v. (et ab.) *Mimosaria* HS. VI p. 66; Gn. I, 456 (albidior, al. ant. latius albo-fasciatis).
3018. **Effusaria** Chr. Bull. M. 1880, II p. 13; Stgr. Iris X p. 16, t. 1, f. 10.
3019. **Auriceruda** Butl. Ann. & Mag. (5) IV p. 438 (1879); *Plumboscriptaria* Chr. Bull. M. 1880, II p. 44; Stgr. Iris X p. 16, t. 1, f. 8.
3020. **Herbariata** F. Sup. E. S. 457 (1798); Gn. I, 465; Snell. Tijds. XXX p. 221; *Pusillaria* Hb. 99 (1799?); Tr. VI, 2. 11; Dup. VIII, 173, 5; F.R. p. 163, t. 61; *Microsaria* B. Gen. p. 222; HS. III p. 14.
- a) v.? (et ab.) *Adherbariata* Stgr. Iris X p. 306; *Subherbariata* Stgr. l. c. t. 4, f. 31 (multo pallidior, alis multo minus signatis).
3021. **Improbata** Stgr. Iris X (1897) p. 307, t. 4, f. 30.
3022. **Calunetaria** Stgr. Stett. e. Z. 1859 p. 217; *Callunata* Rbr. Cat. And. t. 18, f. 6; *Dorycnata* Bell. Ann. Soc. Fr. 1862, 128, t. 1, f. 4.
- a) v. (et ab.) *Valesiaria* Püng. Stett. e. Z. 1888 p. 350; 1896 p. 230 (al. brunnescenti-albidis, multo minus signatis).
3023. **Elongaria** Rbr. Ann. S. Fr. 1833 p. 38, t. 2, f. 20; Gn. I, 480; Calb. Iris III p. 54; *Aridata* Z. Is. 1847 p. 513; (-aria) HS. 407-8, VI p. 65; *Infermata* Rbr. Cat. S. And. 18, 4; *Zephyrata* Mill. Ic. III p. 268, t. 132, f. 1-8; *Monadarria* Gn. I. 475 [ab. *nana* Stgr. sec. sp. typ. esse videtur].
- Maur.*
- Gal. m.; Sic; Dalm. (v.); Taur. m.; Syr.*
- Creta; Gracc; Lyd.; Syr; Uss. m. (?) etc.*
- Gal. m.; Cors; It; Carn. m.; Dalm; Graec; Bith; Lyd; Syr.*
- It. c.; Graec; Syr; Taur. m. et Maur. or. (v.?).*
- Can. (Palma).*
- Gal.m.or.(Massilia); Bill.*
- Gal. m.; Cat.*
- Mad.*
- Gal. m.; Cat; And; Maur; It. c. et m.; Bith; Taur; Pont; Arm.*
- Eur. m. oc; It; Dalm; Cors; Syr.*
- Pont.(v.); And; Sard. etc. ab.*
- Uss.*
- Uss; Cor; Jap.*
- Eur.c.et m; Liv; Can; Bith; Taur. m; Kurd. s. oc; Pont; Arm.*
- Pal. et Syr.(v.); Pont. et Arm. (ab.).*
- Pal.*
- And; Cat; Gal. m. (Mill.).*
- Val. m; And. (ab.); Sic. (1); Maur. or. (1).*
- Eur. m; Maur; Bith; Taur; Syr; Mardin; Arm; Hyrc.*

- a) v. *Pecharia* Stgr. Stett. e. Z. 1863 p. 266; Mill. Ic. 57, 3.4; Friv. Jell. t. 8, f. 8; Alph. Hor. XVII p. 159; Bhtsch. Wien. e. Z. 1885 p. 145; Descitaria Chr. Iris VI p. 94 (multo obscurior, al. interdum unicolor. griseis).
3024. **Effeminate** Stgr. Iris V (1892) p. 151.
3025. **Bisetata** Hufn. Berl. M. IV, 618, 626; Bkh. V, 524; Tr. VI, 2, 287; Gn. I, 462; (-aria) HS. 116; Reversaria Dup. VIII, 173, 3. m. oe; Bilb; It. s. et c; Dalm;
- a) v. (et ab.) *Extincta* Stgr. Iris X p. 15 (al. fascia anti-marginali plus minusve deleta).
3026. **Trigeminata** Hw. Lep. Br. p. 354 (1810); *Scutularia* Hb. 73; ?Audouin Ann. S. Fr. 1834 p. 417, t. 9, f. 1-5; Reversata Tr. VI, 2, 286; Gn. I, 463; Stgr. Hor. VII, 145, t. 2, f. 15; (-aria) HS. III p. 15; Bisetaria Dup. VIII, 173, 4; Wd. Ind. 716.
3027. **Roseofasciata** Chr. Hor. XVII (1882) p. 114; Mém. Rom. II p. 88, t. 5, f. 2.
3028. **Amoenaria** Stgr. Iris X p. 14, t. 1, f. 9.
3029. **Aequifasciata** Chr. Bull. M. 1880, II p. 42; Stgr. Iris X p. 15, t. 1, f. 7.
3030. **Belemiata** Mill. Ic. 100, 8.9, II p. 486, 113, 12-14, III p. 137.
3031. **Politata** Hb. Vög. 1 (1793); Politaria Hb. 61; Tr. X, 2, 225; Dup. VIII, 174, 3; HS. 337; Gn. I, 461; Mill. Ic. 76, f. 7-8. Taur; Syr; Pont; Arm; Hyrc; Tura.
- a) v. (et ab.) *Abmarginata* Bhtsch. Wien. e. Z. 1885 p. 145 (fascia marginali fusca subnulla). (v.?)
3032. **Filicata** Hb. 238; Tr. VI, 2, 45; Gn. I, 466; (-aria) Dup. VIII, 174, 4; HS. III p. 14. Ross.; Austro-Hung. m; As. min; Syr.
3033. **Intermedia** Stgr. Hor. XIV p. 426.
3034. **Rusticata** (S.V.) F. Mant. 206; Hb. 241; Tr. VI, 2, 45; Wd. Ind. 703; Gn. I, 466; Spr. Stett. e. Z. 1863, 156; Mill. Ic. 64, 4-6; (-aria) Dup. VIII, 174, 4; Mustelata Rbr. Cat. And. 21, 6 [ab.].
- a) v. (gen. aest. ? et ab.) *Vulpinaria* HS. 473-4, VI p. 65; Stgr. Hor. VII, 147 (pallidior, al. ant. fascia media rufescente).
3035. **Completa** Stgr. Iris V (1892) p. 152. Maur; Arag. et And. mont. (v. an sp. aff.?).
3036. **Robiginata** Stgr. Stett. e. Z. 1863, 267; Mill. Ic. 57, 1, 2; Ann. S. Fr. 1885 p. 115, t. 2, f. 2, 3.
3037. **Lutulentaria** Stgr. Iris V (1892) p. 153.
3038. **Dilutaria** Hb. 100; Prout Ent. Rec. VII p. 124; Griffiths ib. 193; Holosericata Dup. IV, 59, 7 p. 109 [absque puncto medio]; Gn. I, 468, II, 543; Holosericearia HS. 80, 81, III p. 19; Stramentata Ev. Bull. M. 1842, III, 556; F.V. U. 401.
- a) v. et ab. *Praestaria* Mn. Wien. Mts. 1857, 155; H. S. n. Schm. 141; Bhtsch. Wien. e. Z. 1885 p. 145 (al. extus late fusco-marginatis).
3039. **Interjectaria** B. Gen. p. 224 (pr. p.); HS. 78, 79; Gn. I, 468, II, 543; Mill. Ic. 64, 11-14; Dilutaria Hein. 725; Snell. Vlind. 559. Petrop; Maur; Bith; Taur; Pont; Arm.
3040. **Humiliata** Hufn. Berl. M. IV, 614 (1769); Prout Ent. Rec. VI p. 131; Osseata F. Mant. 211; Tr. VI, 2, 32; Gn. I, 467; Mill. Ic. 64, 7-10; Snell. Vlind. 558; (-aria) Hb. 102; Dup. VIII, 174, 4. e.m; Maur; As. min; Arm.
3041. **Nitidata** HS. n. Schm. 142 p. 28; Carad. Iris IV p. 63. Run; Austr; Styr; Carn; It. s; ?Arm; Amur; Uss.
- Hung; Ross. m. or; Tura; Buchara; Ili; Bith. et Taur. (trans.).*
- Ferg. m.*
- Eur. c; Scand. m; Ross. s.m. et m; Gal. Bith; Arm; Sib. or. Amur; Cor; Uss; Pruss., Srp. etc. (ab.).*
- Eur. c. et m. (exc. Ib. c. et m.); Bith; Taur; Syr; Pont; Arm.*
- Arm; Taur. c; Mesop.*
- Uss.*
- Amur.*
- Cat.*
- Eur. m. (exc. Ib. c. et m.); ?Maur; Bith; Taur; Syr; Pont; Arm; Hyrc; Tura.*
- Hung. m. et Hyrc. (v.?)*
- Eur. m. (exc. And. et Ross.); Austro-Hung. m; As. min; Syr. Pont; Taur; Syr; Mardin.*
- Eur. c. et m. (cf. var.); Maur; Bith; Taur; Ant; Pont; Arm; Hyrc; Tura; Ferg; Iss. K. Sard; Sic. et Graec. (v.?)*
- etc. ab.*
- Ib. m.*
- Eur. c. et m. (exc. Bat., Bely, Ib., ?Graec., Ross. or.); Bith; Lyd; Pont; Arm.*
- Dalm; Hung. m. or.*
- Eur. c. et m. (exc. Angl. et ?Ib. m.); Bith; Taur; Pont; Arm.*
- Eur. c. et m. (exc. Cors., Sard., Graec.); Dan; Suec. m; Ross. e.m; Maur; As. min; Arm.*
- Hung. m. or; Hal. m; Run; Austr; Styr; Carn; It. s; ?Arm; Amur; Uss.*

3042. **Bicerataria** Stgr. Iris V p. 290.
3043. **Degeneraria** Hb. 57; Dup. VIII, 175, 4; (-ata) Tr. VI, 2. 267; var. *Meridiaria* Mill. Ic. 100, 12-15. *Angl.* *Maur.* *Bith.* *Cyprus.* *Taur.* *Syr.* *Pont.* *Arm.* *Tura.* *Saraw.* *Ferg.* *m.* *Gal. m.* *Sic.*
- a) ab. (et v.?) *Depravata* Stgr. alis haud obscure fasciatis, obsolete lineatis, fere unicoloribus.
3044. **Rubraria** Stgr. Cat. ed. II p. 149, no. 2170a (♀); *Degeneraria* HS. 339; Gn. I, 513 [pr. p.]: *Bilinearia* Fuchs Stett. e. Z. 1878 p. 331, 1880 p. 93, 1886 p. 46 not; Jhrb. Nass. XLII p. 211; May III. Jhrsb. Wien. E. V. 1892 p. 41 (praec. forma Darwin).
3045. **Erschoffii** Chr. Hor. IX (1872) p. 5, t. 1, f. 2 (praec. spec. [an *Degenerariae*] forma Darwin?).
3046. **Inornata** Hw. Lep. Br. p. 349 (1810); Gn. I, 511; Rössl. Stett. e. Z. 1872 p. 309; Auriv. Nord. Fjär. 203; Suffusata Tr. VI, 2. 272 (1828); HS. 309, III p. 17.
- a) ab. *Agrostemma* Gn. I, 512 (paullo minor [♀] al. fere insignatis; vix nominanda).
3047. **Deversaria** HS. 305-8, III p. 17; Stgr. Hor. VII, 150; Rössl. Schppfl. 173; Auriv. Nord. Fjär 203; (-ata) Z. z. b. V. 1868 p. 23; *Maritimata* Gn. I, 511 ab; Suffusata Gn. I, 512 ab; *Subversaria* Lah. Gm. Suppl. III p. 5 (praec. forma Darwin).
- a) v. et ab. *Diffusa* HS. n. Schm. 138 p. 28; Püng. Stett. e. Z. 1896 p. 232; *Deversaria* HS. 314 (al. extus fusco-marginatis).
- b) ab. (v.?) *Hyalinata* Chr. Mém. Rom. II p. 89, t. 5, f. 3 (al. post. striga extrabas. a puncto med. nigro magis remota; vix nominanda).
3048. **Aversata** L. S. N. ed. X, 526; Cl. Ic. 5, 7; Wd. Ind. 728; (-aria) Hb. 56; Dup. VIII, 175, 5; *Lividata* Gn. I, 510; Stgr. Cat. ed. I p. 65; ab. *Aurata* Fuchs Jhrb. Nass. LIII p. 48 (al. fascia media lata nigricante).
- a) ab. *Spoliata* Stgr. Hor. VII (1870) 150; *Aversata* Tr. VI, 2. 268; Frr. 36, 1; Gn. I, 510; (-aria) Hb. 389; Dup. VIII, 175, 6 (forma vulgaris, non fasciata).
3049. **Crinitaria** Stgr. Iris X p. 17, t. 1, f. 11.
3050. **Emarginata** L. S. N. ed. X, 524; Cl. Ic. 4, 12; Gn. I, 513; (-aria) Hb. 107; Tr. VI, 1. 28; Dup. VII, 150, 4; *Demandataria* Esp. 20, 4-6; ab. *Mosquensis* Heyne Soc. Ent. XIV, 105 [obscurior].
3051. **Immorata** L. S. N. ed. X, 528; Tr. VI, 1. 295; Gn. II, 111; (-aria) Esp. 50, 3. 4., 51, 1; Hb. 133; Dup. VII, 166, 6; Frr. B. 90.
- a) v. *Tessellaria* B. Gen. p. 228; Dup. IV, 52, 5; Gn. II, 112; Spr. Stett. e. Z. 1865, 265; *Immoraria* var. HS. 227 (al. distinctius albo-signatis) (forma Darw. sec. Rbl.). (*trans.*); *Ili*; Taur.; Arm.; Alt.; ?Bale. m.; Gall. m. oe.; Bith.; Tarb.; Sib. or.; Urga.
3052. **Sentinaria** Hb. Zutr. (Exot.) 823-4; Gn. II, 171; Pack. Geom. 342, t. 10, f. 61; *Spuriaria* Chr. Stett. e. Z. 1858, 312; Möschl. Wien. Mts. 1860, 372, t. 10, f. 6, 7.
- a) v. *Rufociliaria* Brem. Lep. O. S. p. 78, t. 7, f. 2; Stgr. Iris X p. 18; *Rufularia* Ev. Bull. M. 1851, II p. 641; Gn. I, 450; *Rufinaria* Stgr. Cat. ed. I p. 64 (major, al. dilutius rufis distinctius signatis).
- b) v. *Rufinularia* Stgr. minor, al. rufis nigrescenti-venatis et distinctius lineatis (fere clathratis).
- Maur. or.*
Germ. c. oc. *Gal. c.*
Austro-Hung. *Eur. m.*
Sic; *Dalm;* *Graec.*
- Germ. c. oc.* *Austr.*
inf. *Ter. m.* *Hung.*
Sic; *Dalm;* *Graec.*
- Hyrc;* *Arm;* *Tura.*
- Eur. c. s. et m. or.*
(exc. reg. bor.) *It. c.*
et m. (?) *Uss. (?)*
- Eur. c. et m.* *Suec. m.*
Liv; *Bith;* *Taur.*
?Syr; *Pont;* *As.*
min; *Arm;* *Tura;*
Alt.
- Hung. or.* *(Mehadia)*
(v.) *Boh., As. min.*
etc. (ab.).
- Arm;* *Ter;* *etc.*
- Eur. (exc. reg. bor. et*
Ib. c. et m.) *Bith;*
Taur; *Syr;* *Pont;*
Arm.
- Uss. m.*
- Eur. c. s. et m. or.*
(exc. reg. bor., Norv.,
Balc. m.) *Gal. m.*
Bib; *And;* *Alt;* *?Sib. or.*
- Eur. c. s. et m. or.*
(exc. Bely., reg. bor.,
etc. m.) *Gall. m. oe;* *Bith;*
Tarb; *Sib. or;* *Urga.*
- Germ. s. or;* *Gal. c.*
It. s; *Balc. s;* *Ross.*
m. or; *Ala Tau*
- Iss. K;* *Ferg;* *Amur. s.*
Labr.
- Daur;* *Alt. or;* *Saj;*
Sib. or. s. (v. minor);
?Amur.
- Saj. oc. sum. mont.*

3053. **Rubiginata** Hufn. Berl. M. III, 610 (1769); Wernb. I, 265; Snell. Vlind. p. 561; Rubricata F. Mant. 210; Gn. I, 454; Mill. Ic. 100, 16, 17; (-aria) Hb. 111, 487; Tr. VI, 2, 8; Dup. VIII, 176, 5, 6. *Eur. (exc. reg. bor.); Bith; Pont; Arm; Alt; Tarb; Ala Tau; Daur; Amur; Cor. (v.?).*
- a) v. (et ab.) *Ochraceata* Stgr. alis ochraceis vel ochraceo-griseis, nusquam rubro-tinctis.
 - b) v. *Halimodendrata* Ersch. Fedtsch. p. 60, t. 4, f. 62 (paullo major, al. saturatus vel pallide roseo-ochraceis).
3054. **Turbidaria** HS. 472, VI p. 69; Gn. I, 455; ?Hb. 50 [ab. ?]; Rubricata var. Dup. VIII, 176, 7; Macraria Gn. I, 455; Lutosata Rbr. Cat. S. And. 15, 7 (1866). *Eur. m. (exc. ? Ib. c. et s.); Maur. or; Dalm; Bith; Lyd; Taur; Syr; Pont; Arm; Hyrc.*
- a) v. (gen. aest. ? et ab.) *Turbulentaria* Stgr. Hor. VII p. 151, t. 2, f. 3 (multo pallidior, al. lutescenti-griseis). *Taur. m; Syr. (cum trans.).*
3055. **Adelpharia** Püng. Stett. e. Z. 1894 p. 76. *Pal.*
3056. **Accurataria** Chr. Bull. M. 1880, II p. 47; Stgr. Iris X p. 18, t. 1, f. 12 (huj. generis?). *Amur.*
3057. **Muscularia** Stgr. Iris X (1897) p. 18, t. 1, f. 13 (huj. generis?). *Uss.*
3058. **Arenosaria** Stgr. Stett. e. Z. 1879, 325. *Ross. m. or.*
3059. **Albiceraria** HS. 17, 18 (1844), III p. 23, VI p. 86; Gn. I. 458; Sulphuraria Frr. 516, 6, VI p. 59 (Oct. 1847); Ld. Geom. p. 93; Ochroleucaria HS. 464, 470 (1851) [forma nimis obscura]. *Srp; Arm.*
- a) v. *Vitellinaria* Ev. Bull. M. 1851. II p. 641; Hedem. Hor. XVI, t. 13, f. 1 (major, al. distinctius signatis, in medio distincte nigro-punctatis). *Sib. or; Amur; Ulias; Alt; Hyrc.*
3060. **Immistaria** HS. 467-8, VI p. 68; Gn. I, 457. *Arm; Hyrc; Mardin; Taur. c.*
3061. **Latelineata** Graes. Berl. e. Z. 1892 p. 316; Divisaria Chr. Iris VI p. 94; Alph. Mém. Rom. IX p. 225, t. 7, f. 10, a, b. *Ural. m; Iss. K. oc; Ili.*
3062. **Beckeraria** Ld. Geom. p. 94; Gn. I, 492; Ersch. Fedtsch. t. 5, f. 76. *Dalm; Maced; As. min. oc. et c; Saisan; China or. Ili; Iss. K. s. oc; Ferg.*
- a) v. *Cumidata* Alph. Hor. XVII p. 160, t. 8, f. 69; Stgr. Iris V p. 154; Cretaria Stgr. l. c. (major, al. latius strigatis).
 - b) ab.? *Assimilaria* Stgr. l. c. (al. diverse signatis, extus obsolete fasciatis, al. post. punto med. ante strigam positio; an sp. div.?). *Ferg. (Alai).*
3063. **Guancharia** Alph. Mém. Rom. V p. 227, t. 11, f. 6; Rbl. Ann. Naturh. Hofmus. IX p. 68. *Can.*
3064. **Marginepunctata** Göze Btr. III, 3, 385 (1781); Bkh. V 250; Mill. Ann. Sc. Cannes 1879 p. 22, t. 7, f. 6; Immunitata Tr. VI, 2, 278; Frr. 54, 4, 5, 180, 1a-e; Z. Is. 1847 p. 510; (-aria) Hb. 108; Dup. VIII, 173, 8; HS. 101; Promutata Gn. I, 491; Snell. Vlind. 557; Pastoraria Joan. Bull. S. Fr. 1891 p. 80; Nov. Lep. p. 132, t. 18, f. 7 [ab. albidiior]. *Eur. c. et m; Ross. s. m; Maur; As. min. et oc; Alt; Ili; Iss. K; Ferg; Chang. (v.?).*
3065. **Permutata** Stgr. Iris IX p. 272. *Ulias.*
3066. **Luridata** Z. Is. 1847 p. 20; Luridaria HS. VI p. 69, f. 419 [fig. see. spec. typ. facta sed non bene] (al. ochraceo-cinereis). *Rhodus; Taur; Syr; Pont; Ter.m. (pr.p.).*
- a) v. (et ab.) *Falsaria* HS. 463, VI p. 68; Falsaria v. A. Gn. I, 490; Luridata Rbl. z. b. V. 1892 p. 518 (multo obscurior, al. brunnescenti-griseis). *Ter. m. (pr.p.); Arm; Helv. et Srp. (trans.); It. m. (La Cava) (v.); Arm.*

- b) v. *Confinaria* HS. 315-7, III p. 21; Gn. I, 489 (multo pallidior, al. caerulescenti- vel albido-cinereis). *Graec; Bith. (v.?)*; *It. c.* *Dalm; Hung. lit;*
Carn. m; Val; Bosn; *Sic. (trans. ad var. c.)*.
- c) v. (gen. aest.) *Romanaria* Mill. Ic. 106, 4-11, III p. 52 (al. rosaceo-subalbidus [vel albido-cinereis], distinctius strigatis; sec. Rbl. spec. distincta).
- d) v. *Rufomixtata* Rbr. Cat. S. And. 16, 6 [φ magna ab.]; *Dentatolineata* Rbr. I. c. 16, 7 [φ ab.]; *Falsaria* HS. 464 certo [φ typica]; Gn. I, 489 (al. cinereis densius nigro-inspersis, plus minusve [nonnumquam praeponder.] aurantiaco- [rufo- vel ochraceo-] tinctis; forma valde aberrans cum trans. ad Luridatam).
3067. **Coenosaria** Ld. z. b. V. 1855 p. 209, t. 3, f. 3; Gn. I, 490; Püng. Stett. e. Z. 1892 p. 367 (lary.). *Aegypt; Pont*; *Syr; Cyprus; Graec;*
Taur; Mardin; *Hyre; Saraw; Ferg.*
3068. **Submutata** Tr. VI. 2. 277; HS. 97; Gn. I, 488; Mill. Ic. 85, f. 8-10; ?*Contiguaria* Dup. VIII, 174, 1. *Eur. m; Helv; Ter;*
Carn. et Hung. m; *As. min. et oc. m.*
3069. **Incanata** L. S. N. ed. X. 528; ed. XII. 871; Cl. Ie. 3, 3; Wernb. Stett. e. Z. 1858, 51. 284; *Mutata* Tr. VI. 2. 275; Frr. 54. 3!; Gn. I, 492; (-aria) Dup. VIII, 177, 4; HS. 98-100; Lah. Geom. p. 31. *Pont; Taur. (?)*; *Arm; Alt.*
 a) ab.? (v.?) *Adjunctaria* B. Gen. p. 225; Gn. I, 492; Mill. Cat. rais. p. 406 (obscurior, al. sordide griseis).
3070. **Grisescens** Stgr. Iris V (1892) p. 155.
3071. **Praecanata** Stgr. Iris VIII (1895) p. 330 ♂.
3072. **Fumata** Stph. Ill. III. 312 (1831); Wd. Ind. 730; Mill. Nat. Sic. VI p. 5, t. 1, f. 10-13; *Commutata* Frr. 77, 4 (Jan. 1833); Tr. X, 2. 222; Gn. I, 502; (-aria) HS. 91-3; *Saltuata* Spr. Is. 1839 p. 125. *Carp; Ural; Alt; Amur; Jap. (?)*.
 a) ab. *Simplaria* Frr. 594, 1, 2, VI p. 183; *Commutaria* HS. 96 (al. distinctius strigatis). *Bav; It. s; etc.*
 b) v. *Perfumata* Reuter Act. Fen. IX p. 62 (obscurior, al. fusco-grisescensibus). *Fen. (Ross.) pol;*
? Lap; Suec.
3073. **Frigidaria** Möschl. Wien. Mts. 1860 p. 373, t. 10, f. 1; Okakaria Pack. Labr. p. 43 (*Inductatae* Gn. I, 494 var. obscura sec. Pack. Geom. 340) (*praec. spec. forma Darw.*). *Labr; Kamt. (trans. ad sp. praec. var. b.)*.
- a) v. *Schöneni* Sparre-Schneider Tijds. 1883 p. 80; Sandberg ib. 1885 p. 198; Auriv. Nord. Fjär. p. 205, f. 33 (paullo minor, vix distinguenda). *Norv. pol. or; Fen. pol. (trans.?)*.
3074. **Remutaria** Hb. 98; Dup. VIII, 177, 2; HS. 86, 87, 89, 90 (88?); (-ata) Tr. VI, 2. 273; Frr. 77, 1, 699, 1; Gn. I, 501; ?*Commutaria* HS. 94, 95 ♀. *s. et ?c; Ural; Amur; Uss; Jap.*
3075. **Disclusaria** Chr. Bull. M. 1880, II p. 52; Stgr. Iris X p. 19, t. 1, f. 15. *Uss. m.*
3076. **Pudicaria** (Motsch. Bull. M. 1866 p. 197) Stgr. Iris X p. 19, t. 1, f. 14. *Amur; Uss; Cor; Jap; China oc.*
3077. **Nemoraria** Hb. 89; HS. 102, III p. 22; Gn. I, 500; Aliata Hein. 716. *(pr. p.); Liv; Alt; Germ; Helv. et Hung. Amur; Uss; China oc.*
3078. **Punctata** Sc. Ent. Carn. 218; Tr. VI, 2. 305, X, 2. 201; Ld. Geom. 10; (-aria) Dup. VIII, 177, 3; Bhtsch. IV. Jhrb. Wien. E.V. 1893 p. 50; *Subpunctaria* HS. 311-3; Cerusaria Lah. Geom. p. 30; Depunctata Gn. I, 500; Mill. Ic. 72, 12-15; *Nemoraria* Frr. 605, 4.
 a) v. (et ab.) *Dignata* Gn. I. 499 (flavescens. al. punctis mediis magnis). *Austr. inf; Alp. (pr. p.); Gal. m. oc; Bibl; It. s. et ?c; Ural; ?Bith; Arm; Amur; Uss; Cor.*
Alt; Amur et Uss. (ab.).

3079. **Caricaria** Reutti Fn. p. 113 (1853); HS. 553-4 (1854), VI p. 134; ?Gn. I, 499; Mill. Ic. 72, 4-7. *Ter. m; Helv; Germ. n. et s; Austro-Hung; Gal. m. oc; Bilb; ?It. c; Rumi; Ross. oc; Amur; China s.*
3080. **Apicipunctata** Chr. Bull. M. 1880, II p. 54; Püng. Iris X p. 362. *Uss; Jap.*
3081. **Immutata** L. S. N. ed. X, 528; Cl. Ic. 6, 12; Wd. Ind. 721; Gn. I, 498; Mill. Ic. 72, 1-3; *Sylvestraria* Hb. 97; Frr. 77, 2, 3; HS. 103-5; Lah. Geom. p. 29; (-ata) Tr. VI, 2, 306. *Eur. c. et s. (exc. reg. bor); Hisp. s; It. s. et c; Croat; Ross. m. oc; Arm; Anur; ?Bith; ?Pont.*
3082. **Corrivalaria** Kretschmar Berl. e. Z. 1862 p. 136, t. 1, f. 6a, b; Spr. Stett. e. Z. 1863 p. 163; Z. ib. 1868 p. 409; ?*Sylvestraria* HS. 106-7. *Germ.s; Bat; Petrop; Amur; Uss; Cor; Jap. (v?).*
3083. **Strigaria** Hb. 95; Tr. VI, 2, 35; Dup. VIII, 177, 6; HS. 114-5; Gn. I, 497; Frr. 605, 1; ?*Sylvestraria* Hb. 94. (?*Pont.*); Kent; Urga; Anur; Uss; Cor. *Eur. c. et m. or. (exc. Balk. m.); Liv; Fen. Alt. m; Sib. s. or.*
3084. **Substrigaria** Stgr. Iris XII p. 391. *Eur. c. et s. (exc. Belg. et Angl.); Gal. m. oc; Rum. m. or; Alt; Tarb; Amur; Uss; Jap. (v.).*
3085. **Umbelaria** (r. Umbellaria) Hb. 437-8; Gn. I, 502; Ld. Geom. 94; *Compararia* HS. 299-302; Lah. Geom. p. 34; Fr. 699, 2; ?*Sylvestrata* Bkh. V, 516; Wernb. Btr. II, 198. *Eur.c; Liv; Bilb; Gal. m.oc; It.s.e.c; Dalm; Ross.m; Bith; Arm; Hyre; Ando; Amur; Uss; Cor; Jap; China. Sib. or.*
3086. **Strigilaria** Hb. 109; Dup. VIII, 177, 1; Mill. Ic. 143, 1, 2; (-ata) Tr. VI, 1, 25, X, 2, 170; Frr. 114, 1; Gn. I, 507; *Prataria* B.Gen. 227; HS. 108-9; Lah. Geom. p. 35; *Nigropunctata* Ld. Geom. 10; *Incanata* Z. Stett. e. Z. 1853, 210. *Eur.c; Liv; Bilb; Gal. m.oc; It.s.e.c; Dalm; Ross.m; Bith; Arm; Hyre; Ando; Amur; Uss; Cor; Jap; China. Hyre.*
3087. **Rectistrigaria** Ev. Bull. M. 1851, II, 637 [Ennomos]; Gn. I, 507. *Ili; Iss. K; Ferg; Saraw; Hyre. (ab.).*
3088. **Ansulata** Ld. Hor. VIII (1871) p. 19, t. 2, f. 6. *Tura; Saraw; Ferg.*
- a) v. (et ab.) *Characteristica* Alph. Hor. XVII p. 162, t. 9, f. 87; Stgr. Iris V p. 157 (albidior, al. [fere] non fusco-inspersis, extus non fuseo-fasciatis).
- b) v. *Adulteraria* Ersch. Fedtsch. p. 60. t. 4, f. 61; Chr. Mém. Rom. V, 48; Stgr. I. c. (al. pallide roseo-ochraceis, vel roseis aut ochraceis).
3089. **Annubiata** Stgr. Iris V p. 156 (praeac. forma Darw.). *Saraw.*
3090. **Emutaria** Hb. 323; Tr. VI, 1, 27; Dup. VII, 150, 3; Z. Stett. e. Z. 1852, 184; Gn. I, 508; Stgr. Hor. VII, 153; Mill. Ic. 143, 7-8; Snell. Tijds. XL, 312; ib. XLII, t. 2, f. 7 a, b; *Subroseata* Hw. 351. *Eur. m. (exc. ?Balc. m.); Maur; Angl; ?Bat; Austr. inf. (v.); Hung.*
3091. **Flaccidaria** Z. Stett. e. Z. 1852, 184; HS. 550-1; Gn. I, 508; Carad. Iris XI, 325 [larv.] (praeac. forma Darw.; var. orient.). *Eur. c.m. or. et m. or; Austr. inf; Bith; Hyre; Tura; Ferg. (ab.).*
- a) v. (gen. aest.? ab.?) *Albidaria* Stgr. alis albidis, nec flavo-nec roseo-inspersis. *Ferg; Iss. K; Ili; Tura.*
3092. **Flaccata** Stgr. Iris X (1897) p. 309, t. 9, f. 22. *Pal. m. or; Maur. m. (Prov. Biskra).*
3093. **Imitaria** Hb. 51; Tr. VI, 1, 24; Dup. VII, 148, 4; Wd. 738; Gn. I, 508; Mill. Ic. 72, 8-11. *Eur. m. etc. oc; Germ. m. et Helv. m. oc; Maur; As. min; Syr; Arm. (?Alt.).*
3094. **Concinnaria** Dup. Sup. IV, 52, 2 p. 19 (1842); (-ata) Gn. I, 486; HS. n. Schm. 137; *Hesperidata* Rbr. Cat. S. And. 21, 2 (1866). *And.(Granada); Cast; Arag.*
3095. **Ornata** Sc. Ent. Carn. p. 219 (1763); Tr. VI, 2, 283; Wd. 717; Gn. I, 485; *Ornataria* Hb. 70; Dup. VIII, 173, 1; Frr. 645, 2; *Paludata* L. S. N. ed. XII, 873 (1767); Z. Is. 1844 p. 42; Ld. Geom. p. 10. *Eur. c. et m; Scand.m; Ross. s. m; Maur; As. min. et oc; Ala Tau; Ili; Iss. K; Ferg; Amur.*

3096. **Congruata** Z. Is. 1847 p. 508; (-aria) HS. 404, VI p. 69; Gn. I, 485 (sequ. an praec. forma Darw., an var.?). *Sic. m. or. (Syracusae).*
3097. **Violata** Thnbg. Ins. suec. I p. 14, f. 11 (1784); Auriv. Nord. Fjär. 205. *Suec. m.; Ross. s. m. (cum trans.); ?etc. (ab.).*
- a) v. *Decorata* Bkh. V, 460 (1794); Tr. VI, 2. 285; Gn. I, 485; Mill. Ic. 85, 5-7; (-aria) Hb. 71; Dup. VIII, 173, 2 (alis extus angustius obsoletiusque caeruleo-griseo-fasciatis). *Eur. c. et m. (exc. Angl.); Petrop.; Maur; As. min. et Cors; Sard.*
- b) v. *Honestata* Mab. Ann. Soc. Fr. 1869 p. 62, t. 2, f. 8 (flavescens, al. pallide ravis). *Pont; Taur; Kent; Germ. s; Hisp. etc.*
- c) ab. *Aequata* Stgr. Hor. XIV p. 440; Iris V p. 374 (al. extus brunnecenti- [non caeruleo-] griseo-fasciatis). *Sip; Arm.*
3098. **Subtilata** Chr. Stett. e. Z. 1867 p. 236; Mill. Ic. 132, 9. *Mad.*
3099. **Zargi** Baker Tr. E. S. 1891 p. 214. *Mad.*
3100. **Wollastoni** Baker Tr. E. S. 1891 p. 215 (huj. generis?). *Mad.*
3101. **Irrorata** Baker Tr. E. S. 1891 p. 215 [huj. generis?]. *Mad.*

500. **Longula** Stgr. 1892.

3102. **Extraordinaria** Stgr. Iris V (1892) p. 158, t. 2, f. 7. *Syr.*

501. **Acidalina** Stgr. 1897.

3103. **Decolor** Stgr. Iris X (1897) p. 269, t. 4, f. 5. *Maur.*

502. **Dithalama** Meyr. 1887.

3104. **Indicataria** Wlk. List. XXIII p. 809 (1861); Butl. Ill. Het. III p. 43, t. 51, f. 8. *Amur; Uss; Cor; Jap; China oc.*

503. **Problepsis** Ld. 1852.

3105. **Ocellata** Friv. Magy. Tud. Ters. Evk. p. 185, t. 3, f. 1 (1845); HS. Bomb. 125-6, II p. 97; Ommatophoraria Gn. II, 18 (1857); Mill. Ic. 98, 1. *Graec; Creta; Lyd; Taur. m; Syr.*
3106. **Phoebearia** Ersch. Hor. (Trudy) IV p. 164, 197; Stgr. Iris X p. 21; Deliaria Brem. Lep. O. S. p. 79, t. 7, f. 3 [nom. praecoccup.]. *Amur; Uss; Cor.*
3107. **Discophora** Fixs. Mém. Rom. III p. 348, t. 15, f. 4 [♀]; ?Superans Butl. Cist. Ent. III p. 122. *Cor; Uss. m. (1 ♀); Jap.*

504. **Ephyra** Dup. 1829 (Zonosoma Ld.).

3108. **Pendularia** Cl. Ic. 7, 5; L. F. S. 327; Esp. 26, 3. 4; Hb. 66; Tr. VI, I. 361; Frr. B. 54, 2; Dup. VIII, 172, 5; Wd. 527; HS. 357, [ab.]; Gn. I, 413. *Eur. c. et s. (exc. reg. pol.); It. s. et c; Ross. Sib. or; Thian. oc. (v.).*
- a) v. (et ab.) *Griseolata* Stgr. Iris X p. 23 (al. dense griseo-inspersis, minus signatis). *Fen; Amur; Germ. s. (ab.).*
3109. **Orbicularia** Hb. 60; Tr. VI, I. 364; Dup. VIII, 172, 6; Wd. 529; Gn. I, 413; Snell. Tijds. XXXVIII p. 53, t. 4 b, f. 4 [ab.]. *Eur. c; Suec. m.; Ross. s. m. et m; Gal. m; Bilb; It. s; Ter. m..*
3110. **Albiocellaria** Hb. Btr. I, 4, 1, A (1789); Bkh. V, 265; Esp. 43, 7; Gn. I, 412; HS. n. Schm. 32; Ocellaria Hb. 64; Tr. VI, I. 360; Dup. VIII, 172, 4; HS. III, p. 30. *Eur. c. or. m. et m. or. (exc. Bale. m.); Gal. c; Cors; It. s; Bith; Pont; Tura (v.).*

- a) gen. aest. *Therinata* Bastelberger Jhrb. Nass. LIII (1900) p. 208 (minor, minus nigro-signata, magis rufescens).
- b) v. *Lennigiaaria* Fuchs Stett. e. Z. 1883 p. 268; Bastelberger Jhrb. Nass. LIII, (1900) p. 201; gen. aest. *Aestiva* Fuchs Jhrb. Nass. XLVI p. 98 [minor, dilutior] (ocellis minoribus, oblongis).
3111. **Annulata** Schulze Naturf. VI p. 92, t. 4 (initio 1775); *Omicronaria* (S. V.); Hb. Btr. I, 4, 4, U (1789); Esp. 26, 1, 2; Hb. 65; Tr. VI, 1. 358; Dup. VIII, 172, 7; Wd. 527; Gn. I, 412.
3112. **Pupillaria** Hb. 69; Tr. VI, 2. 364; Dup. VIII, 172, 2; Gn. I, 408; Stgr. Hor. VII, 154; Calb. Iris III p. 58 (et ab.).
- a) ab. *Badiaria* Stgr. Cat. ed. II p. 153; *Pupillaria* Mill. Ic. 81, 12 (saturate badia, al. in medio albo-ocellatis, vix obscurius fasciatis).
- b) ab. *Gyrata* Hb. 434; Stgr. Hor. l. c.; (-aria) Hb. 543; Dup. 172, 3; *Pupillaria* Mill. Ic. 81, 11 (9, 10 larva) (alis medio ocellatis fasciatisque, saepius striga punctata basali et exteriore).
- c) ab. *Nolaria* Hb. 327; Gn. I, 412; Stgr. l. c. 155 (alis medio ocellatis, non fasciatis, striga punctata basali et exteriore).
3113. **Porata** F. S. E. 631 (1775); Wd. 530; (-aria) Tr. VI, 1. 356; Dup. VIII, 172, 1; Gn. I, 410; *Punctaria* (S. V.) Hb. 67.
- a) gen. aest. *Visperaria* Fuchs Stett. e. Z. 1884 p. 266; Jhrb. Nassau XLVI p. 93 (minor, vix nominanda).
3114. **Quercimontaria** Bastelberger Stett. e. Z. 1897 p. 120, 220; Iris XIII p. 81, t. 2, f. 5, t. 3, f. 15 (genit.); Rbl. z. b. V. 1898 p. 97.
3115. **Punctaria** L. S. N. ed. 522; Cl. Ic. 5, 11; Esp. 6, 5-9; Tr. VI, 1. 352; HG. 574; Wd. 531; Frr. B. 54, 1; Dup. VIII, 171, 8; Z. Is. 1847. 495; Gn. I, 411; Bastelberger Iris XIII p. 83, t. 3, f. 10, 13 (genit.); ab. *Infuscata* Reuter Tidskr. 1890 p. 202; ab. *Arcufera* Reuter l. c. fig. 2; ab. *Cingulata*, *Pulcherrimata*, *Foliata*, *Demptaria* Fuchs Jhrb. Nass. LIII p. 48, 49.
3116. **Ruficiliaria** HS. VI p. 135 (1854); Bastelberger Ill. Ztschft. Ent. III p. 257, 273; *Gyraria* Tr. VI, 1. 366 (nec Hb.); Z. Stett. e. Z. 1849 p. 209; Lah. Geom. p. 39; *Pupillaria* Z. Is. 1847, 498; Schaefferaria Lah. Geom. Sup. II (1855) p. 24, Sup. III (1863) p. 11, f. 1; ?*Hybridaria* Selys Longch. Mém. Sc. Liéges II p. 34 (1844) (spec. distinct. sec. Bastelberger; praec. forma Darw. sec. Stgr.).
- a) v. *Mattiacata* Bastelberger Ill. Ztschft. Ent. III p. 274; Iris XIII p. 82, t. 2, f. 7 (genit.) (gen. vern., major, fascia media obscura lata).
- b) ab. *Privataria* Bastelberger l. c. (gen. aest., minor, magis unicol., fascia med. obsoleta).
3117. **Linearia** Hb. 68; Hw. Lep. Br. p. 314; *Trilinearia* Bkh. V, 502; Tr. VI, 1. 367; Dup. VIII, 171, 6, 7; Wd. 532; Gn. I, 411; HS. n. Schm. 31.
- a) gen. aest. *Strabonaria* Z. Bresl. e. Z. 1851 p. 68, t. 1, f. 4; Gn. I, 411 (minor, rufescens).

*Germ. c. oc.**Eur. c; Scand. m;
Ross. s. m. et m;
Gal. m; It. s. et c;
Dalm; Bith; Arm.**Eur. m. (exc. Ross.);
Maur; Mad; Ter.
m; Helv; Bith; Lyd;
Taur; Syr; Arm.
Cat; It. c. ?etc.**Eur. c. et m. (exc.
And.); Dan; Bith;
Pont; Arm.**Germ. oc; Austr.**Eur. c. et m; Scand.
m; Fen; Liv; Bith;
Taur; Pont; Arm;
Hyre.**Eur. c.(pr.p.); Crim;
As. min. (pr.p.).**Eur. c; Scand. m;
Liv; Bilb; It. s;
Ross. m; Arm.*

3118. **Suppunctaria** Z. Is. 1847 p. 496; Ld. Geom. p. 95; Spr. Stett. e. Z. 1867 p. 73; Calb. Iris III p. 60; ?Fuchs Jhrb. Nass. XLVI p. 99; Bastelberger Iris XIII p. 85, t. 3, f. 12 (genit., b. sp.); Subpunctaria HS. 415; Gn. I, 411.
3119. **Albilineata** Stgr. Iris V (1892) p. 159.
3120. **Maderensis** Baker Tr. E. S. 1891 p. 216, t. 12, f. 5; Rbl. Ann. Naturh. Hofmus. IX p. 72.

*It. c; Car; Hung;
Croat; Dalm.*

*Ferg; Ili.
Mad; Can. (v.).*

505. **Stigma** Alph. 1882.

3121. **Kuldschaensis** Alph. Hor. XVII (1882) p. 164, t. 8, f. 83, t. 9, f. 98. *Thian. oc.*

506. **Rhodostrophia** Hb. 1822 (Pellonia Dup. + Eusarca aut.).

3122. **Vibicaria** Cl. Ic. 3, 2 (1759); L. F. S. 323 (1761); Esp. 3, 3-7; Hb. 50 [ab.]; Tr. VI, 2, 263; Dup. VIII, 179, 6, 7; Wd. 538; Gn. II, 7; ab. Roseata Ersch. Hor. XXII p. 201, t. 11, f. 2 [fascia purp. marginem versus late effusa]; ab. Intermedia Kempny VI. Jhrb. Wien. E. V. p. 63 [trans. ad ab. Roseatam Ersch.].
- a) v. (et ab.) *Strigata* Stgr. Cat. ed. II p. 154 (major, al. [ant. 3, post. 2] tantum tenueri strigatis, non fasciatis).
- b) ab.? (v.?) *Unicolorata* Stgr. Cat. ed. II p. 154; Iris V, 207; Vibicaria var. b. Gn. II, 8 (al. unicolor., lutesc., roseo-ciliatis).

*Eur. (exc. reg. bor. et
Angl.); Pont; Arm.
Sib; Saisan (cf. var.);*

3123. **Sicanaria** Z. Stett. e. Z. 1852, 180; HS. 548-9 (1854); Gn. II, 10; Stgr. Hor. VII, 156; Calabria Hb. 547 (546?); ab. Perezaria Obth. Ann. S. Esp. IV, 1875 p. 372, t. 17, f. 5, 6 [al. ant. supra unicolorib. roseis] (sequ. forma Darw.; pedum postic. tibiis bicarcarat.).

*And; Sic; Hyrc; Ala
Tau etc.*

*Alt; Sib. or. m; Ala
Tau.*

3124. **Calabria** Z. Is. 1847 p. 506; Stett. e. Z. 1852, 180; Gn. II, 8; ?Esp. 4, 1, 2; ?Hb. 49, 365; ?Dup. VIII, 179, 4, 5; ?Tr. VI, 2, 262; Calabria Ld. Geom. p. 95 (1853); ?Petag. Sp. Ins. p. 38, f. 32 (1787); ab. Taeniaria Fr. 131, 3 [ab. flava]; ab. Separata Th.-Mieg. Natural. 1889 p. 197; ab. *Sanguinea* Th.-Mieg. l. c. (pedum postic. tibiis penicillatis).

*Sie; Ib. m. et ?c;
Maur; It. m.*

- a) v. (et ab.) *Tabidaria* Z. Is. 1847 p. 506; Stett. e. Z. 1852, 180; Ld. Geom. p. 95; HS. 345-7; Gn. II, 9; Stgr. Hor. VII, 156 (al. puncto medio magno purpureo).

*Germ. oc; Helv; Ter.
m; Carn. m; Hung;
Eur. m; Arm.*

3125. **Sieversi** Chr. Hor. XVII (1882) p. 115 [Aspilates]; Mém. Rom. II p. 93, t. 5, f. 5; Stett. e. Z. 1892, 245 (praeform. forma Darw.).

*Hung. m; Bale; As.
min; Arm; Syr;
Cyprus; Hisp. s. (ab.).*

*Arm. m. or. (Ordu-
bad).*

3126. **Auctata** Stgr. Hor. XIV (1878) p. 442; Mém. Rom. II, 1885, t. 5, f. 4.

*Pont, Konia; Mala-
tia; Arm.*

3127. **Adauctata** Stgr. Iris V, 1892 p. 160.

Saraw; Ferg; Iss. K; Ili.

3128. **Grumaria** Alph. Hor. XXVI (1892) p. 454; Mém. Rom. IX p. 50, t. 4, f. 1.

Amdo.

3129. **Dispar** Stgr. Iris V, 205 [Eusarca].

Saraw.

3130. **Terrestraria** Ld. Hor. VI (1869) p. 90, t. 5, f. 9 [Eusarca].

Hyrc.

- a) v. *Pellonaria* (Stgr.) Chr. Mém. Rom. II p. 126, t. 6, f. 6 a, b (al. ant. lutescenti-griseis, obsoletius pectis, al. post. luteis vel ochraceis).

Tura.

3131. **Staudingeri** Alph. Hor. XVII p. 186, t. 8, f. 82 [Eusarca].

Ili; Iss. K; Ferg.

3132. **Acidaria** Stgr. Iris V p. 204 [Eusarca].
 a) v. (ab.) *Griscaria* Stgr. l. c. (al. obscurius griseis, distinctius signatis).
 b) v. *Alexandria* Stgr. l. c. 205 (al. rufesceni-luteis, indistincte signatis).
3133. **Badiaria** Frr. 354, 2, IV p. 115 (1841); HS. 30; Gn. II, 144; *Emucidaria* Ev. F. V. U. p. 388; *Telaria* HS. III p. 34 (1847); Ld. Geom. p. 16; *Praecanaria* Ev. Bull. M. 1847, III p. 81, t. 6, f. 4, 5.
 a) v. *Praccisaria* Stgr. Iris V, 205 (al. ant. magis acutis, vix nominanda).
3134. * **Philolaches** Obth. Et. XV p. 22, t. 3, f. 26 [Gnophos] (al. cinereis).
 a) v. *Tibetaria* Stgr. Iris VIII p. 331 (al. cinereo-lutescentibus).
3135. **Vastaria** Chr. Hor. XII p. 261, t. 7, f. 31, 32 [Eusarca]; Mém. Rom. II p. 126, t. 6, f. 7.
3136. **Cuprinaria** Chr. Hor. XII (1876) p. 261, t. 7. f. 33 [Eusarca]; Mém. Rom. II p. 126, t. 6, f. 8 a, b.
3137. **Jacularia** Hb. 431; Dup. Sup. IV, 71, 2; Ev. F. V. U. p. 373; HS. 365, III p. 35; Gn. II, 144.
 a) ab. (v.?) *Carnosaria* Stgr. Iris XII p. 345 (al. ant. rufescens., al. post. subalbidis, extus rufescens., non strigatis).
 *b) v. *Minor* Alph. Mém. Rom. VI, p. 71 (v. minor, al. post. striga postica subnula).
3138. **Solitaria** Chr. Mém. Rom. III p. 101, t. 5, f. 4 [?Fidonia] (una ♀ cond., hujus generis?).

507. **Timandra** Dup. 1829.

3139. **Amata** L. S. N. ed. X, 524 (1758); *Amataria* L. F. S. 322 (1761); Esp. 7, 3-6; Hb. 52; Tr. VI, 1. 20; Dup. VII, 148, 3; Frr. B. 60, 1; Gn. II, 2; Hb. 524-5 [ab.]; Hmps. Ind. Moths III p. 458; Comptaria Wlk. List. XXVI, 1615 (1862); Butl. Ill. Het. III, t. 51, f. 2; ab. *Effusaria* Klem. z. b. V. 1894 p. 184 [grisescens, fasc. purp. marginem versus effusa].
3140. **Sympathica** Alph. Hor. XVII (1882) p. 166, t. 8, f. 76.
3141. **Rectistrigaria** Ev. Bull. M. 1851, II, 637 (♀); Gn. I, 507; Hedem. Hor. XVI p. 259, t. 13, f. 2 a, b; Putziloi Ersch. Trudy IV p. 197 (1870) ♂; Alph. Mém. Rom. IX p. 340.

508. **Ochodontia** Ld. 1853.

3142. **Adustaria** F. d. W. Bull. M. 1840 p. 88; *Sareptanaria* Frr. 353, 2; *Sareptaria* Ev. F. V. U. p. 358; HS. 31; Gn. II, 4.

C. Larentiinae.

509. **Sterrha** HS. 1847 (nec Hb.).

3143. **Sacaria** L. S. N. ed. XII, 863; Hb. Btr. II, 3. 2, L; Esp. 30, 8. 9; Hb. 200; Tr. VI, 1. 130; Dup. VIII, 178, 7; Frr. 131, 1. 2; Gn. II, 175; Mill. Ic. t. 20, f. 3-5; M' Lachlan Tr. E. S. Lond. 1866 p. 453, t. 23, 1. 4-6; Stgr. Hor. VII p. 167; Hmps. Ind. Moths III p. 424, f. 199; ?*Philaearia* Brabant Bull. S. Fr. 1896 p. 384.

Ferg; Iss. K.
Translai.

Iss. K. s. oc.

Ross. m.; Pont; Taur;
Kurd; Mesop; Arm;
?Hyrc; As. c.
(trans.).

Saraw; Ferg; Iss.
K; Tura.

China m. oc.

Amdo; Kuku N.

Tura oc. (Krasno-
wodsk).

Hyrc; Tura; Arm. m.
or.

Srp; ?Bith; ?Pont;
Thian. or; Chang.

Thian. or. (v.?)
Chang. (ab.).

China c. oc.

Tura; Ili.

Eur. (exc. reg. bor.);
Maur; Bith; Pont;
Arm; Hyrc; Tura;
Ferg; Alt; Sib;
Amur; Uss; Jap.

Thian.

Sib. or; Amur; Kamt.

Srp; Arm; Tarb; Ili;
Iss. K; Ferg; Korla.

Eur. m. (et c. advena)
(exc. ?Ross.); Angl;
Maur; Can; Mad;
Aegypt; As. min. et
oc; Iss. K; Ferg. et
Ind. (v.).

- a) ab. *Sanguinaria* Esp. 30, 10, 11; Gn. II, 175; *Sacaria* var. HS. 264; M' Lachlan l. c. f. 2, 3, 7; *Lividaria* Costa II p. 51, t. 5, f. 2; ab. *Rosea* Obth. Et. XX t. 6, f. 101 (al. ant. plus minusve sanguineis).
- b) ab. *Atrifasciaria* Stefan. Bull. Soc. It. II, 1870 p. 191; Calb. Iris III p. 78 (obscurior, al. ant. fusco-aut nigro-striatis; ♀ et ♂).
3144. **Anthophilaria** Hb. 433 ♂; Ev. F. V. U. p. 371; Gn. II, 176; Stgr. Hor. VII p. 169 (al. ant. flavis, rubro-fasciatis, post. nigricant. flavo-fasciatis).
- a) ab. (gen. aest.?) (♂) *Subsacaria* Stgr. Cat. ed. II p. 176, no. 2505a; *Sacaria* Ev. F. V. U. p. 372; *Gegenaria* Alph. Hor. XVII p. 143 (al. ant. flavis, fusco-strigatis, al. post. albidis, nonnunquam obscure strigatis; trans. ad *Sacrar.*?).
- b) v.? (et ab.) *Consecraria* Rbr. Cat. S. And. 20, 5, 6; *Albida* Ersch. Fedtsch. p. 69 [fere non diversa] (al. ant. plus minusve rubro-inspersis, al. post. fere albidis).
- c) ab. *Subrosearia* Stgr. l. c. no. 2505b; *Sacaria* var. β Ev. l. c.; *Anthophilaria* ♀ HS. 29; *Rosearia* HS. III p. 108 pro parte (al. ant. rubris, flavido-strigatis punctatisque, al. post. nigricantib. flavido-strigatis).
- d) ab. *Allipunctaria* Alph. Hor. XVII p. 143 (al. ant. brunneoscentibus, flavido-strigatis punctatisque, al. post. albidis).
- e) v.? *Rosearia* Tr. VI, 2, 298; Dup. VIII, 178, 8 ♀; Gn. II, 176; Stgr. Hor. VII p. 168 (major, alis magis rotundatis, colore valde aberrans; sp. propria?).

510. *Lythria* Hb. 1822.

3145. **Plumularia** Frr. 36, 3, I p. 68 (Nov. 1831); HS. 475-7; Gn. II, 173; Z. Stett. e. Z. 1872 p. 58; *Rheticaria* Lah. Geom. p. 87.
3146. **Venustata** Stgr. Stett. e. Z. 1882 p. 64.
3147. **Purpuraria** L. S. N. ed. X, 522; Esp. 31, 1-5; Hb. 198, 199 [ab.]; Tr. VI, 1, 127, X, 2, 179; Dup. VIII, 179, 1-3; Wd. t. 54, 64; ab. Mevesi Lampa Tidskr. 1885 p. 103 [ab. al. ant. griseo-fasciatis].
- a) gen. vern. *Rotaria* F. Sup. E. S. 453; *Sordidaria* Zett. Ins. Lap. 954; *Purpuraria* Esp. 31, 6; Frr. 60, 1; var. HS. 484 (minor, obscurior, al. ant. fere unicolor. viridi-griseis).
- b) ab. (gen. aest. mer.) *Lutearia* Stgr. al. ant. fere unicoloribus luteis, fasciis purpureis subnullis.
- c) ab.? *Porphyra* HS. 485-6, VI p. 75; Gn. II, 174 (al. ant. purpureis, al. post. ochraceis, subtus purpureis; an sp. div.?).
3148. **Sanguinaria** Dup. Sup. IV, 53, 3 p. 36; HS. 478-83; Ld. Geom. p. 100; Gn. II, 173; Rbr. Cat. S. And. 20, 4; Mill. Nat. Sic. IV p. 7, t. 1, f. 1, 2; *Numantaria* HS. VI p. 75; ab. *Confluens* Obth. Et. XX, t. 6, f. 100 (praec. forma Darw.).
- a) gen. vern. *Vernalis* Stgr. Cat. ed. II p. 176, no. 2508a (multo minor, obscurior, al. ant. nonnunquam fere totis olivaceis, nonnunquam totis rubris).

Ross. m. or; Bith;
Pal; Arm; Tura;
Maur. (v.).

Srp; Ili; ?etc.

And; Cors; Maur.
(trans.); Srp. (ab.);
Tura (v.).

Ross. et Balc. m; Pal.
(ab.).

Ili; Tura; Maur.

Coryra; Graec.

Alp. Rhact. et Val.

Tarb.

Eur. (exc. reg. pol. et
Ib.); Lap. m; As.
min., oc. et c.

Ross. m; As. min. et c.

Ross. m.

Ib; Gal. m; Pyr.

511. **Kyrtolitha** Stgr. 1892 (r. Cyrtolitha).

3149. **Obstinata** Stgr. Iris V p. 213, t. 2, f. 18. *Turb; Ferg; Iss.K.m.*
 a) v. *Cinerata* Stgr. l. c. (cineraceens). *?Kaschg.*

512. **Ortholitha** Hb. 1822.

3150. **Coarctata** F. E. S. 200 (1794); Hb. 219; Tr. VI, 1. 143; Germ; Austro-Hung;
 Dup. VIII, 195, 4; (-aria) (S.V.) HS. 288 [ab.]; Gn. II, Bat; Gal. m. et ?e;?
 492. ?Helv. s; It. s. et e;?
Dalm; Ross. m. or; Bith; Taur; Malatia; Pont.
- a) v. et ab. *Infuscata* Stgr. Cat. ed. II p. 177, no. 2510a Germ. s. oc; Jut. m.;
 (multo obscurior, al. ant. fuscis, griseo-strigatis). *Petropol; Maced. (trans.).*
- b) ab. *Tenebraria* Hb. 330; Gn. II, 492 (al. ant. unicolorib.
 fuscis).
3151. **Plumbaria** F. S. E. 628 (1775); Esp. 46, 5. 6; Dup. VIII, Dalm; Ross. m. or; Bith; Taur; Malatia; Pont.
 181, 1; Ld. Geom. p. 17; Palumbaria (S.V.) Tr. VI, 1. 146; Gn. II, 487; (-ata) Hb. 221. Eur.c; Scand.m; Gal.
m; Bibb; Cors; It. s. et c; Balc.s; Ross.m;
3152. **Cervinata** Schiff. S. V. p. 111; Hb. 318; Wd. 544; (-aria) Maur. (v.); Ross. m.; Bith; Syr. (v.);
 Tr. VI, 2. 76; Dup. VIII, 182, 1; Gn. II, 485. Eur. c. et s. (exc. reg.
bor.); Gal. m.; Cat; It; Pont. (pr. p.); Arm; Alt.
- a) v. *Pallidata* Stgr. multo pallidior; al. ant. ochraceo-
 brunneis vel brunnescenti-griseis. Syr; Pal; Pont;
Saisan; Ferg.
3153. **Datinaria** Obth. Et. XIII p. 32, t. 6, f. 44 (uno ♂ condita;
 prae. sp. v. an ab. grisescens?). Maur.
3154. **Langi** Chr. Mém. Rom. II p. 108, t. 5, f. 9 a, b. Arm. m; Pont. s. or.
3155. **Limitata** Sc. Ent. Carn. p. 228 (1763); Z. Stett. e. Z. 1855,
 245; Mensuraria Schiff. S. V. p. 111; Tr. VI, 2. 78; Eur. (exc. ?Cat., ?It.
 Dup. VIII, 182, 2; Gn. II, 487; (-ata) Hb. 193; Chenopodiaria Esp. 44, 6-8 (1795?); Wd. 545; (-ata) Hein.
 746; Snell. Vlind. 645; ab. Unicolor Th.-Mieg Natural.
 1884 p. 437; ab. Monodii Th.-Mieg ib. 1886 p. 237. m. et Graec.); Pont;
Arm; Alt; Iss. K; Ala Taur; Daur; Chang; Amur; Uss.
3156. **Moeniata** Sc. Ent. Carn. 226 (1763); Hb. 298; (-aria) Eur. c; Jut; Gal. m;
 Esp. 46, 2. 3; Tr. VI, 2. 173; Dup. VIII, 182, 6; Gn. Cat; Rum. m. or;
 II, 486. Arm.
3157. **Obvallaria** Mab. Ann. S. Fr. 1866 p. 561, t. 8, f. 8. Cors.
3158. **Proximaria** Rbr. Ann. S. Fr. 1833 p. 40, t. 2, f. 7; Dup. Sup. IV, 52, 6; Gn. II, 489; Mill. Ic. 99, 5. 6. Cors.
3159. **Peribolata** Hb. 471; Gn. II, 488; (-aria) Tr. X, 2. 216; Gal. m. et oc; Val;
 Dup. VIII, 182, 3; HS. 52; Mill. Ic. 38, 3-7; Sororiata ?Angl. m; Ib; Maur.
 Dup. VIII, 194, 7 [ab. ♀]; Gn. II, 494 [ab.]. *[v. magna].*
3160. **Coelinaria** Grasl. Ann. S. Fr. 1863 p. 322, t. 8, f. 11; Pyr. or. et oc.
- a) v. *Jugicola* Stgr. Berl. e. Z 1870 p. 126. Cast. mont.
3161. **Kashghara** Moore Ann. & Mag. (5) I p. 236; See. Yark. Kaschg; Ferg; Iss.K;
 Miss. p. 15, t. 1, f. 23. Thian. or.
3162. **Erschoffi** Alph. Mém. Rom. IX p. 65. Amdo; Kuku N.
3163. **Integraria** Stgr. Iris V p. 209. Saraw.
3164. **Sartata** Alph. Hor. XVII (1882) p. 198, t. 9, f. 99. Thian. oc; Iss. K; Ferg.
3165. **Supproximaria** Stgr. Iris V p. 210. Ferg; Iss. K. s. oc.
3166. **Sinensis** Alph. Hor. XVII (1882) p. 196, t. 8, f. 74. Thian; Iss. K. s. oc; Ferg; Korla; Amdo.
3167. **Appropinquaria** Stgr. Iris V p. 208. Ferg. m; Amdo.

3168. **Subvicinaria** Stgr. Iris V p. 211.
3169. **Vicinaria** Dup. VIII, 1 p. 188, t. 182, f. 4; HS. 384!; Gn. II, 491; Ld. Ann. S. Belg. 1870 p. 39, t. 2, f. 5; Zumsteinaria Lah. Mittb. I (1865) p. 20; Geom. Supl. III p. 19; Mill. Ic. 42, 10, 11; Burgaria Ld. Wien. Mts. 1864 p. 170.
- a) v. **Hyrcanaria** Stgr. Iris V p. 212 (major, dilutior).
3170. **Burgaria** Ev. Bull. M. 1843, III, 551; Frr. 438, 4 (1844); Gn. II, 491; Stgr. Stett. e. Z. 1882 p. 65; Bungaria HS. 51 (praevar.?).
3171. **Pinnaria** Chr. Hor. XXII (1888) p. 310.
3172. **Junctata** Stgr. Stett. e. Z. 1882 p. 65; Alph. Hor. XVII p. 196, t. 8, f. 84. *Korla*;
3173. **Perplexaria** Stgr. Iris V p. 212, t. 2, f. 17.
3174. **Bipunctaria** Schiff. S. V. p. 111 (1776); Bkh. V, 348; Esp. 48, 1, 2!; Tr. VI, 2, 87; Dup. VIII, 182, 5; Wd. 547; Gn. II, 490; (-ata) Hb. 276; Gachtaria Frr. 594, 5, VI p. 185; Gn. l. c. [ab. paullo obscurior].
- a) v. et ab. **Maritima** Seeb. Ann. Soc. Esp. VIII p. 112, t. 1, f. 6 (al. ant. fere totis infuscatis, vel 3-4 fasciis fuscis).
3175. **Alpherakii** Ersch. Hor. XII (1877) p. 338.
- Arm.*
Gal. m. or.; Val.; Taur.; Pont.; Arm.; Hyrc.; Ala Tau.
- Hyrc.*
Ross. m. or. (Ural); Cauc. s. or.; Chang. (v. an sp. div.?).
- Arm.*
Ala Tau; Thian. oc.; Iss. K; Ferg.; Kaschg.
- Arm.*
Eur. c. et m. (exc. ?Sie.); Liv.; Bith.; Taur.; Pont.; Arm.; Hyrc.
- Bilb. (v.); Ter., Arm. etc. (ab.).*
- Cauc. s. or.*

513. **Kuldscha** Alph. 1882.

3176. **Staudingeri** Alph. Hor. XVII p. 207, t. 9, f. 94.
3177. **Oberthüri** Alph. Hor. XXVI, 458; Mém. Rom. IX p. 66, t. 4, f. 8.

Thian. oc.; Iss. K.
Amdo.

514. **Atomorpha** Alph. 1892.

3178. **Hedemanni** Chr. Mém. Rom. II p. 121, t. 6, f. 3; Alph. Mém. Rom. VI p. 68.
3179. **Punetistrigaria** Chr. Iris VI p. 95.

Tura.

Tura.

515. **Mesotype** (Hb. 1822) HS.

3180. **Virgata** Rott. Naturf. XI, 83 (1777); Ld. Geom. p. 17; Lineolata (S. V.) Hb. Btr. I, 2, 4, V (1787); Hb. 311; Tr. VI, 1, 144; Dup. Sup. IV, 80, 7!; Gn. II, 493.
- Ross. m.; Bith.; Pont.; Arm.; Tarb.; Ala Tau; Iss. K.; Daur.; Sib. or.; Amur.; Uss.*
3181. **Undata** Stgr. Iris X p. 70, t. 3, f. 44. *Uss.*

Eur. c. (exc. Helv. et ?Gal.); Scand. m.; Liv.; It.; Rum. et Ala Tau; Iss. K.; Daur.; Sib. or.; Amur.; Uss.

516. **Hastina** Moore 1888.

3182. **Subfalcaria** Chr. Bull. M. 1880, II p. 46; Stgr. Iris X p. 37, t. 1, f. 25; Caeruleolineata Moore Lep. Atk. III, 260; Hmps. Ind. Moths. III p. 422, f. 197 [sec. Stgr. sp. affinis sed diversa].

Amur.; Ind.

517. **Minoa** Tr. 1825.

3183. **Murinata** Sc. Ent. Carn. p. 229 (1763); Rossi Fn. Etr. II p. 196; Fuscata Hufn. Berl. M. IV, 524 (1769); Ld. Geom. p. 17; Euphorbiata (S. V.) Tr. VI, 2, 249; Wd. 687; Gn. II, 165; (-aria) Hb. 78; Unicolorata Hb. Btr. I, 2, 3, L. (fuscocinerea).

Eur. c. (exc. Bat.); Bilb.; Cat.; Cors.; It.; Arm. (cf. var.).

- a) ab. *Italicata* Mill. Ann. S. Fr. 1885 p. 113, t. 2, f. 1 (Aci-dalia) (al. ochreo-cinereis, strigis duabus exterioribus obsoletis, fuscescentibus) [sec. spec. typ., Rbl.]. *It. s.*
 b) ab. (et v.) *Cinerearia* Stgr. Cat. ed. II p. 178, no. 2523 a; *Euphorbiata* var. B. Gn. II, 166 (albido-cinerea). *Alp. (v. pr. p.); Sax;*
It. c. mont. etc.
 c) v. *Monochroaria* HS. 391, III p. 109; Gn. II, 166 (ochracea, gen. aest.?). *Taur; Pont; Arm; Alt; Sib. or; Ili; Iss. K; Ferg.*
 d) v. (et ab.) *Cyparissaria* Mn. z. b. V. 1854 p. 568 (plumbeo-nigricans). *It; Carn. m; Croat; Srp; ?Jap.*

518. Amygdaloptera Gmppbg. 1888 (Heteropsis Gn. nom. praeoc.).

3184. *Testaria* F. E. S. 143 (1794); Gn. II, 510; Duponchelaria Lue. Expl. Alg. p. 390, t. 3, f. 10. *Maur.*

519. Stamnodes Gn. 1857.

3185. *Pauperaria* Ev. Bull. M. 1848, III, 224; Gn. II, 516; *Passerinaria* HS. 562-2 (1855), VI p. 136. *Alt; Tarb; Ala Tau (pr. p.); Thian; Iss. K; Ferg; Saraw.*
 a) v. (et ab.) *Divitriaria* Stgr. Stett. e. Z. 1882 p. 66; Alph. Mém. Rom. IX p. 71 (al. ant. macula ante-apicali fusca, al. post. subt. obscurioribus). *Ala Tau (v. princ.); Buch. s. or; ?etc.*
 3186. *Danilovi* Ersch. Hor. XII (1877) p. 388; Alph. Mém. Rom. IX p. 72; *Davidaria* Obth. Et. VI p. 17, t. 9, f. 4. *Alt; Saj; Daur; Chang; Ili; Iss. K; Ando; China s.*
 3187. *Depeculata* Ld. Ann. S. Belg. 1870 p. 40, 50, t. 2, f. 6. *Arm.*
 a) v. (et ab.) *Narzaueia* Alph. Trudy X p. 23; Mém. Rom. VI p. 74; *Thibetaria* Obth. Et. XI p. 35, t. 6, f. 44 (dilutior, fascia antemarg. in macula costali reducta). *Cauc. s; Kuku N; China oc; Arm. (ab.).*

520. Polythrena Gn. 1857.

3188. *Coloraria* HS. 561 (April. 1855), VI p. 136; *Melanicterata* Ld. z. b. V. 1855 p. 115, t. 2 (sibir.) f. 4; Gn. II, 517. *Alt; Sib. or.*
 3189. *Haberhaueri* Ld. Wien. Mts. 1864 p. 170, t. 3, f. 9, 10 (Maji 1864); Leech Ann. & Mag. (6) XIX p. 568. *Arm. (Abbastuman).*
 a) v. *Ledereri* Stgr. multo obscurior, signaturis albis tenuioribus pro parte obsoletis. *Arm. m. oc. (Borschom.).*
 3190. *Kindermannii* Brem. Lep. O. S. p. 89, t. 7, f. 9 (1864); Stgr. Iris X p. 71 (praeoc. forma Darw.). *Amur; Uss; Jap; China oc.*
 *a) ab. *Leechi* Stgr. multo obscurior, signaturis alb. tenuioribus, al. post. supra fere totis nigris. *Jap.*

521. Odezia B. 1840.

3191. *Atrata* L. S. N. ed. X, 524; Muell. Fn. Fr. p. 50; *Chaerophyllata* L. S. N. ed. XII, 866; Hb. 196; Tr. VI, 2. 251; Dup. VIII, 207, 4; Wd. 686; Gn. II, 518. *Eur. c. et s. (exc. reg. bor, Bat. et Gal. plan.); Gal m. oc; Cast. et And. (mont.); It. s. et c; Srp; Taur; Pont; Arm; Alt; Ala Tau; Iss. K; Daur; Chang; Amur; Uss.*
 a) v. (et ab.) *Pyrenaica* (Grasl.) Gmppbg. Geom. I p. 364 (1887); *Costai Calb. Iris* III p. 82 (Sept. 1890) (flavescenti-brunnescens). *It. c. (Majella v.); Pyr. (ab.?).*

3192. **Tibiale** Esp. IV, 164, 2 p. 568 (1790); Ernst & Engr. VII p. 123, t. 292, f. 493 a, b (1790); Stgr. Iris X p. 71; **Tibialata** Hb. 210-1; Tr. VI, 2. 302; Dup. VIII, 207, 5-6; Gn. II, 519; **Aethiopata** Hein. I p. 823 (non Sc.); **Dimidiata** Hb. Btr. II, 2, 4, V p. 53.

*Germ; Austro-Hung.
et Alp. (pr. p. et var.);
Sib; Amur; Uss;
Cor; Jap.*

a) v. *Moeroraria* Frr. 486, 1, VI p. 9; Gn. II. 520 (al. ant. fascia alba angusta).

Ural; Alt; Iss. K.

b) v. (et ab.) *Eversmannaria* HS. 443, VI p. 76; Gn. II, 520; *Auriv. Nord. Fjär.* 227 (al. omnibus late albo-fasciatis).

*Norv. s; Fen; Saj.
or; Carn., Rum. et
Amur (ab.).*

522. **Siona** Dup. 1829.

3193. **Decussata** (S. V.) Bkh. V, 274; Tr. VI, 2. 260; Frr. B. 107, 3; Frr. 282, 3; Dup. IV, 53, 4; Gn. II, 511. (pr. p. ab.)

*Carn; Austro-Hung.
Hung. (Buda v.) etc.
ab.*

a) ab. (et v.) *Fortificata* Tr. VI, 2, 261; Gn. II, 512; *Decussaria* Hb. 213; (-ata) Dup. VIII, 209, 3 (infumata aut fusca, saepius al. unicoloribus).

3194. **Nubilaria** Hb. 215; Gn. II, 512. *Rum; Ural; Arm; Tarb; Ala Tau; Chang.*

a) v. (et ab.) *Exalbata* Hb. 474-6; Ev. F. V. U. 436; Frr. 282, 1. 2; Gn. II. 512 (alis fere unicolor. subalbidis).

*Srp; Ural. et Rum.
(ab.).*

523. **Lithostege** Hb. 1822.

3195. **Farinata** Hufn. Berl. M. IV, 610 (1769); Bkh. V, 486; Ld. Geom. p.17; *Nivearia* Schiff. S. V. p. 116; Hb. Btr. I, 3, 3, R; F. E. S. 150 (non 129); Hb. 217; Gn. II, 503; (-ata) Tr. VI, 2. 254; Dup. VIII, 209, 4.

*Eur. c. et m. (exc.
Belg., Ib., It. m.);
Suec. m; Maur. (1);
Bith; Taur; Pal;*

Pont; Arm; Ferg; Iss. K; Ili.

3196. **Flavicornata** Z. Is. 1847 p. 20; HS. 445 (capite nimis flavo); Gn. II, 504.

*Lyd; Pont; As. min.
c; ?Tura; Ib; Ferg. s.*

a) v.? (ab.?) *Odessaria* B. Bull. S. Fr. 1848 p.30; Gn. II, 504 (sec. sp. typ. al. omnibus obscurioribus, ochraceo-griseis).
b) v. *Subfuscata* Stgr. minor, obscurior, al. ant. fuscescenti-griseis, al. post. pallidioribus.

Ross. m. (Odessa?).

Arm.

3197. **Griseata** Schiff. S. V. p. 116; Tr. VI, 2. 253; Dup. VIII, 209, 5; Gn. II, 502; Mill. Ie. 127, 6-9; (-aria) Hb. 216; *Duplicaria* Hb. 208 [ab.]; ab. A bafii Uhrik Rov. Lap. V p. 7; *Infuscata* Ev. Bull. M. 1837 p. 63; F. V. U. 435; Gn. II, 505 [non separanda]. *Malatia; Pont; Arm.*

*Eur. c. et m. (exc. It.
c., m. et ?Graec.);*

a) ab. *Obscurata* Stgr.; *Odessaria* HS. 512 (multo obsecurior, al. unicolor. obscure griseis).

*Suec. m; ?Maur;
Bith; As. min. c:*

*Tura; Sarav; Ferg.
Ross. m; Arm; Pont.
s. etc.*

Maur. oc.

3198. **Fissurata** Mab. Bull. S. Fr. 1888 p. 58.

*Ross. m; Arm; Hyrc;
Tura; Sarav; Iss.
K; Ili.*

3199. **Duplicata** Hb. 491; *Coassaria* B. Gen. p. 202; HS. 43, III p. 182; *Asinata* Gn. II. p. 503 pro parte; *Stepparia* B. Bull. S. Fr. 1848 p. 30 [certe sec. sp. typ.]; *Multiplicata* Stgr. Stett. e. Z. 1869 p. 92.

a) ab. *Asinata* Frr. (non F.) B. 132, 2! (1830); HG. 572!; Tr. X, 2. 220; Stgr. l. c. p. 91; Gn. l. c. pro parte; *Duplicaria* Ev. F. V. p. 437; Gn. II, 503 (minor, al. ant. minus strigatis).

b) v. *Ochraceata* Stgr. Iris X p.72 (minor, al. pallide ochraceo-inspersis).

Amur.

3200. **Pallescens** Stgr. Iris IX, 276 (uno ♂ condita).

Urias.

3201. **Castiliaria** Stgr. Stett. e. Z. 1877 p. 204; *Duroata* Th. Mieg Bull. S. Fr. 1894 p. 91.

Cast.

3202. **Witzenmanni** Stndf. Mém. Rom. VI p. 668, t. 15, f. 8.
 3203. **Bosporaria** HS. 327 (1847) III p. 182; Gn. II, 502.
 3204. **Usgentaria** Chr. Mém. Rom. II p. 131, t. 6, f. 11; ib. V p. 51.
 a) v. *Ignorata* Stgr. (Usgentaria Stgr. i. l.) fere duplo major, multo obscurior, al. ant. distinctius obscuriusque signatis, al. post. fusco-griseis.
 3205. **Amoenata** Chr. Mém. Rom. II p. 128, t. 6, f. 10.
 3206. **Excelsata** Ersch. Fedtsch. 1874 p. 70, t. 4, f. 71 [Anaitis]; Chr. Mém. Rom. II p. 127, t. 6, f. 12.
 3207. **Staudingeri** Ersch. Hor. VIII (1871) p. 317; Fedtsch. p. 69, t. 4, f. 70.
 3208. **Lenata** Chr. Mém. Rom. V p. 50, t. 3, f. 5; **Senata** (ex errore) Chr. Stett. e. Z. 1887 p. 166 (una ♀ condita).
 3209. **Mesoleucata** Püng. Iris XII p. 105 (1899).
 3210. **Distinctata** Chr. Mém. Rom. III p. 104, t. 5, f. 5.
 3211. **Luminosata** Chr. Mém. Rom. II p. 127, t. 6, f. 9.
- Mardin.*
Arm.
Tura oc; Tura c. (v.).
Ferg. (Usgent.).
Tura.
Tura.
Saraw; Ferg. m; Ili.
Tura.
Ili.
Tura.
Tura; Saraw; Buch.

524. **Anaitis** Dup. 1844.

3212. **Lythoxylata** (r. Lithox.) Hb. 218; Tr. VI, 2. 299; **Lithoxylata** Gn. II, 497; Bell. Ann. S. Fr. 1859, p. 186, t. 5, f. 4.
 3213. **Mundata** Stgr. Iris V p. 216.
 a) ab. *Erubescens* Stgr. l. c. (major, al. ant. violaceo-rufescens).
 3214. **Mundulata** Gn. II, 496 (al. ant. dilute brunneis).
 a) v. (et ab.) *Submundulata* Stgr. Iris V p. 217 (al. ant. griseis).
 3215. **Musculata** Stgr. Iris V p. 218, t. 2, f. 19. *As. min. c;*
 3216. **Columbata** Metzner Stett. e. Z. 1845 p. 188; Gn. II, 497; (-aria) Frr. 521, 2 (1848); **Normadaria** HS. 395, III p. 182.
 3217. **Boisduvaliata** Dup. VIII, 1 p. 560, t. 210, f. 6 (1830); Gn. II, 501; (-aria) HS. 41; **Annexata** Frr. B. 132, 1 (Dec. 1830); Tr. X, 2. 209.
 3218. **Praeformata** Hb. 532-3 (1827); Dup. VIII, 195, 1; Gn. II, 499; **Cassata** Tr. VI, 2 p. 85.
 3219. **Poneformata** Stgr. Iris VIII, 1895 p. 331.
 3220. **Plagiata** L. S. N. ed. X, 526; Cl. Ic. 6, 1; Hb. 220; Tr. VI, 2. 82; Dup. VIII, 195, 2. 3; Wd. 596; Gn. II, 499; Hmps. Ind. Moths III p. 342; **Duplicata** F. S. E. 636; Mant. 206; ?**Fraudulentata** Bhtsch. Wien. e. Z. 1886 p. 200 [ab.?].
 a) ab. (et v.) *Pallidata* Stgr. Hor. VII (1870) p. 171; Calb. Iris III p. 83 [trans.]; ?**Efformata** Gn. II, 500 [trans.?] (minor, al. pallidioribus, minus signatis).
 3221. **Fraudulentata** HS. n. Schm. 129, 130 p. 26; Bhtsch. Wien. e. Z. 1886 p. 200 (praec. sp. aff., sed forma Darw. sec. Stgr.).
 3222. **Simpliciata** Tr. X, 2. 210 (1835); HS. 6, 7; Gn. II, 501; Mill. Ic. 145, 1-5; **Magdalena** Bell. Ann. S. Fr. 1856 p. 23, t. 1, f. 1; **Pierretaria** Guill. 25 Jours p. 41 (1856).
 a) v. *Graeciata* Stgr. al. ant. luteo-griseis (non cinereis).
- Alp. Gal; Pyr. or;*
Balc.s; Hung.m.or;
Graec. (ab.).
And; Graec; Lyd. etc.
(trans.).
Bith.
Eur. (exc. reg. bor.);
Maur; As. min., oc.
et c.; Ind. oc; Jap.
Kuku Noor.
Eur. (exc. reg. bor.);
Maur; As. min., oc.
et c.; Ind. oc; Jap.
And; Graec; Lyd. etc.
(trans.).
Alp. Gal; Pyr. or;
Balc.s; Hung.m.or;
Graec. (ab.).
Graec.

3223. **Fraternata** HS. n. Sehm. 131 p. 27. *Bith; Lyd; Taur.*
 3224. **Obsitaria** Ld. Geom. p. 100; Gn. II, 499. *Mesop. (Diarbek., Mardin); Kurd. s. oe; Taur. m.; Pont. (1).*
 3225. **Opificata** Ld. Ann. S. Belg. 1870 p. 40, 49. t. 2, f. 3; Kawrigini Chr. Mém. Rom. II p. 110, t. 5, f. 10 [certe sec. spec. typ.] (praec. forma Darw.?). *Arm; Mardin; Taur. m.*
 3226. **Numidaria** HS. 514, VI p. 80; (-ata) Gn. II, 498. *Pont; Arm; Hyrc.*
 3227. **Perpetuata** Ld. Ann. S. Belg. 1870 p. 40, 50, t. 2. f. 4. *Arm.*
 3228. **Paludata** Thnb. Mus. Nat. p. 76, f. 12; HS. III p. 164; Gn. II, 494; Sommer Iris X, 256, XI, 323; Sororiata Hb. 355 ab; (-aria) HS. n. Schm. 53; Pruinaria Ev. Bull. M. 1851, II p. 639; Gn. II, 112; ab. Obscurata Schöyen Tidskr. 1881 p. 122, t. 1, f. 5 [multo obscurior] (forma dilutior, cinerascens, magis unicolor). *Scand. et Ross. pol; Sib. or. et Amur s; Kent.*
 a) v. *Labradoriensis* Sommer l. c. 256 (al. ant. angustioribus, griseis, non albo-lineatis). *Labr.*
 b) v. *Imbutata* Hb. 403; Curt. B. E. t. 324; Wd. 595; Gn. II, 494; Sororiata Tr. VI, 2. 86; Frr. 528, 1. 2; (-aria) Frr. 659, 1; HS. n. Schm. 52 (magis variegata). *Germ. s; Alp; Scot; Scand; Ross. s. et c.*

525. **Chesias** Tr. 1825.

3229. **Spartiata** Fuesl. Arch. II t. 11, f. 1-6 (1781); Hb. 187; Tr. VI, 1. 331; Dup. VIII, 206, 1; Wd. 632; Gn. II, 506. *Eur. c. (exc. ? Ross.); Scand. m; Scot; Gal. m; Cat; Cast; Lusit. s; It.*
 3230. **Rufata** F. S. E. 633 (1775); Hw. p. 322; Obliquaria (S. V.) Bkh. V, 58; Hb. 225, 423; Wd. 633; Gn. II, 506; (-ata) Tr. VI, 1. 340; Dup. VIII, 296, 2; Bombycata Hb. Btr. I, 2, 2, K.
 a) v. *Cinereata* Stgr. al. ant. cinereis, multo minus et fere non rufo-signatis (trans. ad var. sequ.). *Arag; Cast. m. or. (Cuenca).*
 b) v. *Plumbeata* Stgr. al. ant. obsecrea plumbeo-griseis et fere non vel haud rufo-signatis. *Maur.*
 c) v. *Linogrisearia* Const. Ann. S. Fr. 1888 p. 161, t. 4, f. 2; Obliquaria var. Gn. II, 507 (al. ant. non rufo-tinctis, multo distinctius signatis, linea extrabas. magis dentata). *Cors.*

526. **Episauris** Rbl. 1898.

3231. **Kiliani** Rbl. Ann. Naturh. Hofmus. XIII p. 373. *Ten.*

527. **Lobophora** Curt. 1825.
3232. **Internata** Püng. Stett. e. Z. 1888 p. 348; Macedonica Stgr. Iris V p. 219, t. 2, f. 19 (1892). *Maced.*
 3233. **Externata** HS. 1. 2; Ld. Geom. p. 18; (-aria) HS. III p. 180; Gn. II, 366. *Bulg; Graec. (Ins. Tinos); As. min; Syr. Anur; Uss; Jap.*
 3234. **Ustata** Chr. Bull. 1880, II p. 91; Stgr. Iris X p. 72; Püng. ib. 368; Choaspitis Obth. Et. X p. 33, t. 1, f. 10.
 3235. **Sabinata** HG. 550-1; Tr. X, 2. 193; Dup. III, 50, 5; Gn. II, 369. *Alp. Helv., Bav., Ter., Bith.*
 3236. **Polycommata** (S. V.) Hb. 190; Tr. VI, 1. 333, X, 2. 206; Frr. 522; Dup. VIII, 206, 7!; Wd. 642; Gn. II, 370; ab. Albinea Tngstr. Cat. 319 [tota cretacea, vix fusco-signata]. *Eur. c; Suec. m; Ross. s. m. et m. or; Ped; Alt.*

3237. **Coartata** Püng. Iris XII p. 298, t. 9, f. 17.
3238. ***Volitans** Butl. Ann. & Mag. (5) I p. 446; Ill. Het. III p. 53, t. 54, f. 5; Püng. Iris X p. 368.
- a) v. *Expressata* Chr. Bull. M. 1880, II p. 88; Stgr. Iris X p. 73, t. 3, f. 45 (obseurior, al. ant. fascia med. lata nigricante)
3239. **Exportata** Stgr. Iris X p. 73, t. 4, f. 2.
3240. **Sertata** Hb. 489, 490 (1818?); Tr. VI, 2. 90; Dup. VIII, 205, 5. 6; Gn. II, 369; Auriv. Nord. Fjär. 229; Appendicularia B. Gen. p. 207; HS. 368-9.
3241. **Carpinata** Bkh. V, 295 (1794); Z. Stett. e. Z. 1853 p. 414; Lobulata Hb. 362 (1803); Tr. VI, 2. 29; Dup. VIII, 205, 4; Gn. II, 369; Rupestrata Stph. Ill. III, 277; Wd. 645.
3242. **Insontata** Chr. Bull. M. 1880, II p. 90; Stgr. Iris X p. 74, t. 3, f. 46.
3243. **Halterata** Hufn. Berl. M. IV, 608, 626 (1769); Ld. Geom. p. 18; Hexapterata Schiff. S. V. p. 109 (1776); Hb. 232; Tr. VI, 2. 38; Dup. VIII, 205, 1. 2; Wd. 647; Gn. II, 367; (-aria) HS. 245; ab. Rudolphii Lampa Tidskr. 1885, 105.
- a) ab. *Zonata* Thnbg. Diss. Ent. IV p. 60, f. 7 (1792); Bkh. V, 306; Gn. II, 369 (al. ant. luteo-albidis, basi fasciaque exteriore nigricantibus).
3244. **Sexalisata** Hb. Btr. I, 3, 2, L. p. 17 (1788); Hw. p. 356; Wd. 648; Sexalata Vill. L. Ent. II p. 378 (1789); Tr. VI, 2. 40; Dup. VIII, 205, 3, Sup. IV, 81, 3; Frr. 6; Gn. II, 367; Sezalata Hb. 228.
3245. **Appensata** Ev. Bull. M. 1842, III, 356; F. V. U. 404; Gn. II, 368; Walderdorff Corr. 1869 p. 87; (-aria) HS. 386, III p. 179; Viretata Hofm. Wien. Mts. 1864 p. 26.
3246. **Viretata** Hb. 230 (ante 1803); Tr. VI, 2. 51; Dup. VIII, 200, 4; Wd. 646; Gn. II, 368; Hmps. Ind. Moths III, 405; Trinotata Don. Nat. Hist. XIV, t. 499, f. 1 (1810).

528. *Lygranoa* Butl. 1878.

3247. **Fusea** Butl. Ann. & Mag. (5) I, 447; Ill. Het. III p. 54, t. 54, f. 7; Stgr. Iris X p. 75

Uss; Cor; Jap; China.

529. *Sparta* Stgr. 1862.

3248. **Paradoxaria** Stgr. Stett. e. Z. 1862 p. 267 (Maj.); Mill. Ic. 37, 1-3; Stgr. Hor. VII (1870) p. 171; Mirificaria Ld. Berl. e. Z. 1862 p. 59, t. 1, f. 1-4 (Jun.).

Graec; Sic.

530. *Leptostegna* Chr. 1880.

3249. **Tenerata** Chr. Bull. M. 1880, II p. 88; Hmps. Ind. Moths III p. 333, f. 162; Stgr. Iris X p. 75, t. 3, f. 47.

Amur; Uss; Jap; Cor; Chin. oc; Ind. s.

531. *Bessophora* Meyr. 1892 (Ptychoptera Chr. nom. praeoc.).

3250. **Staudingeri** Chr. Bull. M. 1880, II p. 85; Stgr. Iris X p. 76, t. 3, f. 48.

Amur; Cor.

532. ***Microloba*** Hmps. 1895 (Tyloptera Chr. nom. praeoc.).

3251. ***Bella*** Butl. Ann. & Mag. (5) I p. 448; Ill. Het. III p. 55, t. 54, f. 10; Obth. Et. V p. 53, t. 4, f. 11; Hmps. Ind. Moths III p. 405; Stgr. Iris X, 76; Eburneata Chr. Bull. M. 1880, II p. 116.
- Amur; Uss; Cor; Jap; China.*

533. ***Brabira*** Moore 1888.

3252. ***Artemidora*** Obth. Et. X p. 33, t. 1, f. 6; Hmps. Ind. Moths III p. 406, f. 189; Stgr. Iris X p. 76; Pallida Moore Lep. Atk. III p. 271, t. 8, f. 12.
- Uss; Jap; Ind. s.*

534. ?***Phryssogonus*** Butl. 1882 (Thysanodes Rbr. nom. praeoc.).

3253. ?***Phryganea*** Rbr. Ann. S. Fr. 1871 p. 325 (uno ♂ miserr. condit.; an spec. importata?).
- ?Gal. (Touraine).

535. ***Malacodea*** Tngstr. 1869.

3254. ***Regelaria*** Tngstr. Cat. p. 29, 67; Auri. Nord. Fjär. 230. *Lap. Ross. et Suec; Petrop.*

536. ***Cheimatobia*** Stph. 1829.

3255. ***Boreata*** Hb. 413-4; Tr. X, 2. 204; Dup. IV, 53, 3; Gn. II, 260; Frr. 674, 2; Peyron Tidskr. XVIII p. 81, t. 2, B; (-aria) HS. 353 ♀; ab. (?v.) Myricaria Cooke Entom. 1882 p. 57 [♂, minor, obscurior].
3256. ***Brumata*** L. S. N. ed. X, 529; Hb. 191, 415, 509 ♀; Tr. VI, 2. 23; Dup. VIII, 200, 6, 7; Wd. 640; Gn. II, 259; Z. Stett. e. Z. 1873 p. 121; Peyron Tidskr. XVIII (1897) p. 81, t. 2, A; (-aria) Esp. 37, 7-14; HS. 352 ♀.
3257. ***Tenerata*** Stgr. Iris VIII (1895) p. 332 ♂.
- Eur. c. et s. (exc. reg. bor. et Bat.); Ross. m. or.*
- Eur. c. et s.; Gal. m. oc; Cast. (v.); It. s.; Ross. m. oc; Arm; Amur. s. or; ?Groenl. Kuku Noor.*

537. ***Triphosa*** Stph. 1829.

3258. ***Sabaudiata*** Dup. VIII, 1 p. 370, t. 196, f. 1; HG. 584; Gn. II, 446; (-aria) Frr. 390, 2, 679.
- Alp; Arag; Gal. c. et m. or. et oc; Hung. m. or; Bosnia; Pont; Hyrc; Saraw; Ferg; Iss. K.*

- a) ab. *Millierata* Brd. Bull. S. Fr. 1855 p. 59; ib. Ann. 1858, 473, t. 11, f. 9 (ab. minor, basi fasciaque media nigritantibus).
- b) v. *Taochata* Ld. Ann. S. Belg. 1870 p. 40, 50, t. 2, f. 5; *Dubitata* var. b. Gn. II, 445 (al. paullo obscurioribus, distinctius signatis).

3259. ***Dubitata*** L. S. N. ed. X, 524; Cl. Ic. 6, 2!; Hb. 263; Tr. VI, 2. 69; Dup. VIII, 195, 5; Wd. 622; Gn. II, 445; (-aria) Frr. 402, 426, 1 a, b.
- Arm; Uss; Jap. et China oc. (v.).*

- a) ab. (et v.) *Cinereata* Stph. Haust. III, 263; Wd. 623; Gn. I. c. (minor, al. minus signatis minusque rubescentibus).

3260. ***Sericata*** Butl. Ann. & Mag. (5) IV, 444; Stgr. Iris X, 77, t. 3, f. 49; Püng. ib. 369; *Subsericata* Stgr. l. c. p. 78.

- a) v. *Oberthüri* Hedem. Hor. XVI p. 264, t. 13, f. 5 (♂); Stgr. Iris X p. 77 (multo obscurior, al. plumbeo-griseis, non rubescentibus).

3261. ***Albiplaga*** Obth. Et. XI p. 34, t. 6, f. 42.

Angl; Gotlandia; Germ. s; Arag. (trans.); Croat; etc.

Uss; Jap; China oc.

Amur; Uss.

Kuku N; China m. oc.

3262. **Incertata** Stgr. Stett. e. Z. 1882 p. 67; Alph. Hor. XVII p. 201, t. 9, f. 93.
a) ab. *Fasciata* Stgr. l. c. p. 68 (al. ant. ochraceo-brunneoscentibus, basi fasciaque lata med. obscure-griseis).
3263. **Ravulata** Stgr. Iris V p. 221 (praeoc. var. *cinernea*?).
- Turb; Ili; Iss. K;*
Ferg.
Ferg. m.
- ? Iss. K; Kaschg.*

538. **Eucosmia** Stph. 1829.

3264. **Certata** Hb. Verz. p. 330; Tr. VI, 2. 72; Dup. VIII, 185, 6; HG. 573; Gn. II, 488; (-aria) Fr. 396; *Cervinata* Hb. 266 (non Schiff.); Hw. p. 318; Wd. 621.
a) v. (et ab.) *Simplonica* Wackerzapp Stett. e. Z. 1890 p. 143 (al. griseis [fere] non brunneo-inspersis, minus signatis).
3265. **Veterata** Chr. Bull. M. 1880, II p. 94; *Veterenata* Stgr. Iris X p. 79; *Veterinata* Stgr. ib. t. 3, f. 50.
3266. **Excultata** Chr. Bull. M. 1880, II p. 92; Stgr. Iris X p. 78; *Varia* Hedem. Hor. XVI p. 55, t. 10, f. 7; var. *Hedemannaria* Obth. Et. V p. 55, t. 4, f. 10.
3267. **Montivagata** Dup. VIII, 1 p. 368, t. 196, f. 2; Gn. II, 448; (-aria) HS. 203-4, III p. 142; Lah. Geom. p. 103.
a) v. *Hyrcana* Stgr. Cat. ed. II p. 181, no. 2573 a (major, al. ant. magis variegatis, distinctius in medio fasciatis, exterius strigatis).
3268. **Alternata** Stgr. Iris VIII, 1895 p. 332; *Amdoenensis* Alph. Mém. Rom. IX p. 67¹⁾.
a) ab. *Fasciata* Stgr. l. c. (al. ant. fasciis extrabasali et antemarginali ochraceis).
3269. **Vashti** Butl. Ann. & Mag. (5) 1 p. 445; Ill. Het. III p. 52, t. 54, f. 3; Leech Ann. & Mag. (6) XIX p. 555; *Christophi* Hedem. Hor. XVI p. 265, t. 13, f. 4; Stgr. Iris X p. 80.
3270. **Undulata** L. S. N. ed. X, 524; Cl. Ic. 6, 3; Hb. 262, 436; Tr. VI, 2. 53; Dup. VIII, 196, 5; Wd. 625; Gn. II, 449; ab. *Subfasciata* Reuter Act. Fen. IX, 68.
3271. **Inanata** Chr. Bull. M. 1880, II p. 106; Stgr. Iris X p. 80, t. 3, f. 51.
3272. **Flavipes** Mén. Bull. Acad. Petersb. XVII p. 112 (1858); Stgr. Iris X p. 79; *Flavipedaria* Mén. Schrk. p. 70, t. 5, f. 11 (1859).
- Eur. c; Suec. m; Liv;*
Gal. m; It. s. et c;
Rum. or; Arm;
Hyrc; Tura; Uss.
Val. (Simplon) (v);
etc. (ab.).
Uss.
- Uss; Jap; China c.*
- Alp; And. (Sierra*
Nevada); Arm.m. et
Pont. et Konia (trans.).
Hyrc; Arm; Tura.
- Kuku Noor; Amdo.*
- Uss; Jap.*
- Eur. c. et s. (exc. reg.*
bor); Bibl; It. s. et
c; Ural; Arm; Alt;
Amur; Uss.
- Amur; Kuku Noor.*
- Amur.*

539. **Photoscotosia** Warr. 1888 (*Trichopleura* Stgr. nom. praeoc.).

3273. **Atrostrigata** Brem. Lep. O. S. p. 87, t. 7, f. 16; Stgr. Iris X p. 76; *Lucicolens* Butl. Ill. Het. II p. 54, t. 37, f. 10.
3274. **Palaearectica** Stgr. Stett. e. Z. 1882 p. 68. *Tarb; Thian; Korla; Ferg; Saraw.*
a) v. *Fusca* Stgr. al. ant. multo obscurioribus, distinctius signatis, al. post. extus fuscis.
3275. **Leechi** Alph. Hor. XXVI p. 458; Mém. Rom. IX p. 70, t. 4, f. 7.
- Uss; Jap; China c.*
- Kaschg.*
- Amdo.*

¹⁾ *Sideritaria* Obth. Et. X p. 34, t. 1, f. 13 (sec. sp. typ. certe non syn. *Alternata*; sec. Obth. non syn. *Dubiosata* Wlk.).

3276. **Undulosa** Alph. Stett. e. Z. 1888 p. 69; Mém. Rom. VI p. 78, t. 3, f. 9; Obth. Et. XVIII p. 40, t. 4, f. 56; Hmps. Ind. Moths III p. 382; Multilinea Warr. Pr. Z. S. 1893 p. 369, t. 30, f. 10.
3277. **Achrolopha** Püng. Iris XII p. 299, t. 9, f. 20.

*Kuku Noor; Chinam.
oc; Ind. s.*
Kuku Noor.

540. **Scotosia** Stph. 1829.

3278. **Vetulata** Schiff. S. V. p. 109; Hb. 263; Tr. VI, 2. 54; Dup. VIII, 196, 4; Wd. 619; Gn. II, 446; Affectata Ev. Bull. M. 1842, III, 557; F. V. U. 405; Gn. II, 447.
- a) v. *Vetustata* Stgr. Iris X p. 81 (al. post. minus dentatis, al. omn. puncto medio subnullo).
3279. **Neglectata** Stgr. Iris V p. 225.
3280. **Senescenta** Stgr. Iris V p. 223.
3281. **Rhamnata** Schiff. S. V. p. 109 (1776); Hb. 271, 400; Tr. VI, 2. 67; Dup. VIII, 196, 3; Wd. 618; Gn. II, 447; Transversata Rott. Naturf. XI, 76 (1777); Ld. Geom. p. 18.
3282. **Pulchrata** Alph. Hor. XVII p. 204, t. 9, f. 97; Mém. Rom. IX p. 71.
3283. **Adornata** Stgr. Iris VIII, 1895 p. 334, t. 6, f. 18.
3284. **Instabilis** Alph. Hor. XVII p. 201, t. 9, f. 92.

*Eur. c. et s. (exc. reg.
bor.); Gal. m. oc; It.
s. et c; Ural; Arm;
Alt; Sib. or.*
Uss.

Tura.
Hyrc; Arm; Kurd. s. oc.
*Eur. c. et s. (exc. Bat.
et reg. bor.); Cast;
Arag; It.s.etc; Bale.
Ross. m; Bith; Taur; Pont; Arm; Hyrc.*
*Thian; Korla; Iss.
K; Kaschg.*
Kuku Noor.
Thian. oc; Iss. K.

541. **Gandaritis** Moore 1867 (*Christophia* Stgr. 1897).

3285. ***Agnes** Butl. Ann. & Mag. (5) I, 1878 p. 441; Ill. Het. III p. 47, t. 52, f. 10.
- a) v. *Festinaria* Chr. Bull. M. 1880, II p. 57; Stgr. Iris X p. 25, t. 1, f. 17 (al. fasciis margin. in maculis dissolutis).

Jap.
Uss.

542. **Eulygris** Stgr. 1897.

3286. **Declinans** Stgr. Iris X p. 81, t. 3, f. 52 (1897); ?*Cervinaria* Moore Pr. Z. S. 1867 p. 664; Hmps. Ind. Moths III p. 361.

Uss. m.

543. **Lygris** Hb. 1822.

3287. **Reticulata** (S. V.) Thmbg. Ins. Suec. p. 12 (1784); F. Mant. 204; Hb. 308; Tr. VI, 2. 199; Dup. IV, 71, 4; Gn. II, 470; Frr. 694, 1; Auriv. Nord. Fjär. p. 252; Leech Ann. & Mag. (6) XIX, 565; *Aerosa* Butl. Ann. & Mag. (5) I p. 451; Ill. Het. III p. 58, t. 55, f. 7 [v. major]; ab. *Ovulata* Borgmann Ent. Nachr. 1880 p. 278.
3288. **Venulata** Obth. Et. V p. 55, t. 9, f. 10; *Chlorovenosata* Chr. Bull. M. 1880, II p. 109; ?*Melancholica* Butl. Ill. Lep. III p. 68, t. 55, f. 6.
3289. **Mardinata** Stgr. Iris VII p. 293, t. 9, f. 19.
3290. **Ludovicaria** Obth. Diagn. 10 (1879); Et. V p. 57, t. 4, f. 3; Stgr. Iris X p. 93; *Tigrinata* Chr. Bull. M. 1880, II p. 96 (genus propr. Stgr. esse videtur).
3291. **Prunata** L. S. N. ed. X, 526; Cl. Ic. 7, 3; Hb. 304; Tr. VI, 2. 194; Dup. VIII, 193, 1; Wd. 581; Gn. II, 472; Pack. Geom. 116; *Ribesiaria* B. Gen. p. 214; HS. III p. 169.

*Eur. c. et s. m. (exc.
Bat, Belg., Gal. s.);
? Pyr; Ural; Sib. or;
Amur; Uss; Cor;
Jap; China oc.*

Uss; ? Jap.

Mardin.
*Uss; Cor; China c. et
oc.*

*Eur. c. et s.; It. s. et c;
Dalm; Ural; Arm;
Alt; Sib. s. or; Daur;
Amur; Am. s.*

3292. **Testata** L. F. S. 331 (1761); Hw. p. 342; Wd. 592!; Gn. II, 473; Pack. Geom. 122; Achatinata Hb. 301, 408 [ab.]; Tr. VI, 2. 170; Stph. III, 241; Dup. VIII, 192, 6!; Frr. 198, 1.
- a) v. *Insulicola* Stgr.; *Testata* var. Hoffm. Stett. e. Z. 1884 p.366 (al. ant. angustioribus, obscurioribus, rubro-brunneoscentibus).
- b) v. *Achatinellaria* Obth. Et. V p. 57, t. 4, f. 16; Stgr. Iris X p. 84 (al. ant. striga media magis acute fracta etc.).
3293. **Populata** L. S. N. ed. X, 525 (1758); Hb. 300; Tr. VI, 2. 165; Dup. VIII, 192, 1; Wd. 590; Gn. II, 473; Pack. Geom. 124; Dotata Cl. Ie. 5, 15; ab. Rufescens Gmppbg. Geom. III p. 322.
- a) ab. (et v.?) *Musauaria* Frr. 664, 3, VII p. 112; *Populata* var. a. Gn. 474; Frr. 570, 3 (alis infuscatis, ant. fere unicoloribus fuscis).
3294. **Associata** Bkh. V, 372 (1794); Z. Stett. e. Z. 1853 p.414; Snell. Vlind. I, 651; Marmorata Hb. 279 (1800?); Tr. VI, 2. 172; Dup. VIII, 192, 3. Ross. s. m; Ural; ?Arm; Labr.
3295. **Destinata** Möschl. Wien. Mts. 1860 p. 375, t. 10, f. 2; Nubilata Pack. Labr. p.48 (praeec. forma Darw.? see. Pack. Geom. 116 var.).
- a) ab. (et v.?) *Lugubrata* Möschl. I. c. 1862 p.136, t. 1, f. 7 (obscurior, al. infuscatis, minus obsoletiusque signatis).
3296. **Ledereri** Brem. Lep. O. S. p. 88, t. 7, f. 17.
3297. **Roessleraria** Stgr. Berl. e. Z. 1870, 329.
3298. **Convergenata** Brem. Lep. O. S. p. 88, t. 8, f. 18.
3299. **Pyropata** Hb. 328; Tr. VI, 2. 178; Dup. Sup. IV, 54, 2; Frr. 582, 2; Gn. II, 473.
- Eur. c.ets; Ural; Alt; Am. s.
- Ins. Hethland. et Hebrid.
- Amur; Uss; Daur. et Chang. (trans.).
- Eur. c. et s; It. s. et c; Ural; Alt; Sib. or; Kamt; Amur; Am. s; Labr.
- Sil.mont. et Scot. (v.?) ; Bav.; Hung., etc. (ab.).
- Eur. c. (pr. max. p.); Scand.m; It. s. et c; Alt; Chang; ?Amur.
- Labr.
- Labr. (pr. p.).
- Uss; Jap.
- Taur; ?Pont.
- Amur; Uss; Jap.
- Ross. s. m. et c; Germ. s. or. (rar.); Uss.
- 544. Larentia** Tr. 1828 (Cidaria Tr.).
3300. **Dotata** L. S. N. ed. X, 526; *Populata* Cl. Ie. 5, 13, 14; Hw. 341; Pyraliata (S. V.) Hb. 302; Tr. VI, 2. 182; Dup. VIII, 192, 4; Wd. 594; Frr. 444; Gn. II, 474; ab. Johanssoni Lampa Tidskr. 1885 p.107 [ab. al. ant. fusco-griseis].
- Eur. c. s. et m. or. (exc. reg. pol.); Gal. m. oc; Bith; Arm; Alt; Iss. K; Sib. or. s; Daur; Urga; Amur; Uss.
3301. **Fixseni** Brem. Lep. O. S. p.100, t.8, f.12; Stgr. Iris X, 85.
- Uss; Cor; Jap.
3302. **Fulvata** Forst. p. 76 (1771); Hb. Btr. I, 4, 4, V; Hb. 297; Tr. VI, 2. 177; Dup. VIII, 192, 5; Wd. 561; Gn. II, 474; Cuspidata Thnbg. Diss. Ent. I p.11, f.8.
- Taur; Pont; Arm; Hyrc; Ross. m; Alt; Kent.
- a) v. *Distinctata* Stgr. Iris V p. 225 (al. ant. minus aurantiaco-tinctis, area basali unicol. brunnescenti).
- Saraw; Ferg; Iss. K.
3303. **Ochreata** Stgr. Iris VIII (1895) p. 335.
- Kuku Noor.
3304. **Ocellata** L. S. N. ed. X, 527; Hb. 252; Tr. VI, 2. 153; Dup. VIII, 189, 1; Wd. 562; Gn. II, 382.
- Eur. (exc. reg. pol. et And.); Bith; Pont; Arm; Alt; Tarb; Ala Tau; Ibh.
3305. **Bicolorata** Hufn. Berl. M. IV, 608 (1769); Ld. Geom. p.18; Prout Ent. Rec. IX p. 201; Rubiginata (S. V.) Hb. 250; Tr. VI, 2. 223; Dup. VIII, 188, 5; Wd. 606; Frr. 102, f. 1; Gn. II, 381.
- Eur. c. et s. (exc. reg. pol.); It.s.etc; Bith; Alt; Sib. or; Amur; Uss; Jap.
- a) ab. *Plumbata* Curt. B. E. t. 643; Wd. 607; Gn. I. c.; Virgata Tutt Ent. Rec. I, 321; Fumosa Prout ib. IX, 201 (al. ant., plerumque etiam al. post., totis infuseatis).
- Angl.

- b) v. *Dahurica* Stgr. Iris V p. 381 (al. ant. flavescenti-albis, basi maculaque costali dilutius brunneis).
3306. **Variata** Schiff. S. V. p. 110; Hb. 293; Hw. p. 327; Tr. VI, 1, 334; Dup. VIII, 206, 4; Gn. II, 327; Coniferauta Curt. B. E. t. 519 (forma griseescens).
Alt; Sib. or; Thian; Korla; Cor; China; Jap.
- a) ab. *Stragulata* Hb. 387; Tr. X, 2, 198; (-aria) Lah. Geom. p. 139, 154; Vitiosata Fr. 60, 3; Gn. II, 374; Variata Hb. 380; (-aria) var. HS. 296-8 (al. ant. sordide albidis, basi, macula costali et mae. exteriore nigricantibus).
- b) v. (et ab.) *Scotica* Stgr. multo obscurior, al. ant. fere unicoloribus sordide (nigricant-) brunneis.
- c) v. (et ab.) *Obeliscata* Hb. Btr. I, 2, 1, C (1787); Hb. 296; Tr. VI, 1, 338, X, 2, 196; Dup. VIII, 206, 7; Gn. II, 373; (-aria) HS. 240-2; ?Ulicata Dup. III, 50, 4; Simularia Gn. II, 374; Mediolucens Rössl. Schppfl. 154 [ab.] (forma brunnea vel fulva).
3307. **Variolata** Stgr. Iris XII p. 399, t. 6, f. 2 (praec. sp. forma Darw.?).
3308. **Cognata** Thnbg. Diss. IV p. 60 (1792); Lampa Tidskr. 1884 p. 108; Auriv. Nord. Fjär. 241; Simulata Hb. 345 (post 1796); Gn. II, 372; Mill. Ann. S. Lyon 1883 p. 165, t. 2, f. 11; Variata Hatchett Tr. Ent. Soc. Lond. 1812, 245, t. 7, f. 1; Geneearia HS. 396.
- a) v. *Geneata* Feisth. Ann. S. Fr. 1835 p. 131, t. 1, A. 1; Gn. II, 372 (major, pallidior; vix nominanda).
3309. **Callidaria** Joan. (L.) Bull. S. Fr. 1891 p. 82; Nov. Lep. p. 130, t. 18, f. 4.
3310. **Juniperata** L. S. N. ed. X, 527; Cl. Ic. 2, 8; Hb. 294; Tr. VI, 1, 336; Frr. B. 108, 1; Dup. VIII, 206, 4; Stph. Ill. III, 272, t. 31, 2; ?Wd. 638; Gn. II, 371.
3311. **Cupressata** HG. 563 (ante 1830); Dup. VIII, 206, 5; Tr. X, 2, 194; Gn. II, 371; Mill. Ic. 19, f. 6-9; Cupestrata Frr. B. 108, 2, III p. 49 (Mart. 1830).
3312. ?**Fedtschenkoi** Ersch. Fedtsch. p. 70, t. 4, f. 72 (una ♀ condita; huj. generis?).
3313. **Siterata** Hufn. Berl. M. IV, 522 (1769); Rott. Naturf. XI, 73; Ld. Geom. p. 18; Psittacata Schiff. S. V. p. 112 (1776); Hb. 227; Tr. VI, 2, 94; Dup. VIII, 199, 5; Wd. 609; Gn. II, 459; Frr. 684, 1. (nada); It. s. et c; Taur; Pont; Arm.
3314. **Miata** L. S. N. ed. X, 526 (certo); Cl. Ic. 8, 2; Hw. p. 328; Wd. 608; Gn. II, 460, t. 13, f. 2; (-aria) Bkh. V, 413; Coarciata Hb. 278!; Tr. VI, 2, 48; Dup. VIII, 199, 6; Frr. 684, 2; Viridulata Zett. Ins. Lap. 962.
3315. **Guriata** Emich Hor. IX p. 43, t. 2B, f. 2.
3316. **Niphonica** Butl. Ann. & Mag. (5) I p. 452 (1878); Ill. Het. III p. 59, t. 55, f. 11; Hmps. Ind. Moths III p. 357; Stgr. Iris X p. 85; Suavata Chr. Bull. M. 1880, II p. 101; Naemata Hedem. Hor. XVI p. 268, t. 13, f. 11 (nec Feld. & Rghfr.).
3317. **Ignotata** Stgr. Iris IX p. 400; Ignorata Stgr. Iris VIII, 1895 p. 336 [nom. praecoc.]; ?Latifusata Wlk. List. XXV p. 1298; ?Hmps. Ind. Moths III p. 370; ?Naemata Feld. & Rghfr. Nov. 132, 32 (praec. forma Darw.?).
3318. **Corussaria** Obth. Et. V p. 55, t. 9, f. 7; Stgr. Iris X p. 85.

*Daur; ?Rum.
(?trans.).**Eur. c. et s. (exc. reg.
bor.); Gal. m. oc; It.
s. et c; Graec; Arm;
Alt; Sib. or; Thian; Korla; Cor; China; Jap.**Scot. (v.); It. c. mont.
(ab.).**Eur. c. et s; Cast;
Arm.**Maur. oc.**Eur. s; Angl; Scot;
Bely; Alp. (pro
parte); Pyr. (trans.).**Alp. (pr. p.); Arm.
(v.).**Syr.**Eur. c. et s. (exc. reg.
pol.); It. s. et c.**Gal. m.; ?Helv. s. oc;
It. s. et c; Istr;
Dalm; Bith.**Ferg.**Eur. c. et s. (exc. reg.
pol.); Gal. m. oc;
Cast; And. (Gra-
cias); Taur; Pont; Arm.**Eur. c. et s. (exc. reg.
pol.); Gal. m. oc;
Cors; It. s.; Rum;
Ross. m.; Arm; Ala Taur.**Arm.**Uss; Jap; Himal.**Kuku N; ?Himal;
?Jap.**Amur; Uss; Jap.*

3319. **Truncata** Hufn. Berl. M. IV, 602, 625 (1769); Rott. Naturf. XI, 78; Ld. Geom. 18; Hmps. Ind. Moths III p. 378 (pr. p.); Leech Ann. & Mag. (6) XIX p. 668; Russata (S. V.) Hb. 305; Frr. B. 18, 1; Tr. VI, 2. 189; Dup. VIII, 193, 4; Gn. II, 464; Hellins Monthl. Mag. I, 165; Fenn Ent. Rec. I p. 276, f. 1; Commanotata Hw. p. 325; Wd. 577; Saturata Stph. III, 231; Wd. 579; Russaria Lah. Geom. p. 137; v. Infuscata Tngstr. Cat. p. 30 [ab.]; ab. Mediorufaria Fuchs Jhrb. Nass. LIII, 155; ab. Nigerrimata Fuchs ib. LIII p. 57 (sp. major, al. ant. amplis, fascia med. mag. undulata; valde aberrans).
- a) ab. *Perfusata* Hw. 325; Wd. 580; Gn. II, 467; Russata Hb. 445; (var.) Gn. I. c. t. 17, f. 2; *Concinnata* Stph. Ill. III, 229; Wd. 576; Immanata Mill. Ic. 111, 7 (al. ant. fere totis infuscatis).
 - b) ab. (et v.) *Schneideri* Sandberg Tidskr. 1885 p. 199 (al. ant. caeruleo-griseis [fere] non brunneo-tinctis).
 - c) ab. (v.?) *Latefasciata* Stgr. Iris V, 382; Immanata Mill. Ic. 111, 8 (al. ant. fascia media lata diluta [albicante vel brunnescens], nec strigata).
 - d) v. *Suspectata* Möschl. Stett. e. Z. 1874 p. 160; ?*Brunneata* Pack. Pr. Bost. Soc. Nat. H. XI p. 47 (1867) (multo minor, al. ant. fascia med. fusca infra angustiore, fascia extrabas. antemarginalique brunneis).
3320. **Immanata** Hw. Lep. Br. p. 323, var. α , β (γ , δ transit.) (1810); Stph. Ill. III, 228; Wd. 573; Hellins Monthl. Mag. I, 165; Fenn Ent. Rec. I p. 276, f. 2; Alph. Mém. Rom. IX, 342; *Perfusaria* Lah. Geom. p. 137, f. 9; Russata Stgr. Stett. e. Z. 1857 p. 252 var. d, g; Mill. Ic. t. 9, f. 11 (al. ant. magis acutis, fascia med. magis acutangulata; praec. sp. forma Darw. an var.? maxime aberrans).
- a) ab. *Thingeallata* Stgr. Cat. ed. II p. 183, no. 2602a; Russata var. c. Stgr. Stett. e. Z. 1857 p. 252; Mill. Ic. t. 9, f. 12 (al. ant. albid., basi fasciaque media atra vel fusca).
 - b) ab. *Marmorata* Hw. p. 324, Wd. 575; Amoenata Stph. Ill. III, 228; Wd. 574; Passeraria Frr. 486, 3; Russata var. b. f. i. k. Stgr. I. c; Immanata (v. *Pytho-nissata*) Mill. Ic. 111, 9 (al. ant. cinereo-, nigro-, fusco-, albo-, ochraceo- plus minusve marmoratis, in medio undulatis).
 - c) ab. *Unicolorata* Stgr. Cat. ed. II p. 184, no. 2602c; Russata var. a. e. h. l. Stgr. Stett. e. Z. 1857 p. 252; Mill. Ic. t. 9, f. 10 transitus (al. ant. fere unicoloribus, albidis, griseis, fusca vel nigris).
3321. **Firmata** Hb. 515; Gn. II, 275; (-aria) Tr. X, 2. 198; HS. 237-9, III p. 171; Simulata Stph. Ill. III, 271; Wd. 634.
- a) v. (et ab.) *Ulicata* Rbr. Ann. S. Fr. 1834, 394, t. 8, f. 7; Dup. Sup. IV, 71, 3; HS. 49; Gn. II, 375; Mill. Ann. S. Lyon 1883 p. 155, t. 1, f. 3-6 (al. ant. caeruleo-cinerascentibus, fascia media fusca).
3322. **Serraria** Z. Is. 1846 p. 200 (non Gn.); HS. 417 a, b; Schilde Stett. e. Z. 1874 p. 74; Lienigiaria Ld. Geom. p. 19; Gn. II, 398.
3323. **Phaiosata** Stgr. Iris VIII, 1895 p. 337.
- Eur. c. et s. (exc. Isl.); Bill; It. c. et s.; Arm; Alt; Sib. or; Mong. s; Kamt; Amur; Uss; Jap; China oc.*
- Norv. pol. (pr. p. v.); Fen. etc. (ab.).*
- Daur. (v. princ.?) ; Amur; Lap. ?etc. (ab.).*
- Labr.*
- Eur. c. et s. (exc. Hung. et Ross. s. or.); Isl; Kamt; Ins. Behring; Jap. (?); Amdo et China c. et oc. (v. ? an sp. div.?).*
- Isl; Kamt.*
- Isl.*
- Germ; Bat; Angl; Scand. c. et m; Liv; Helv; Austro-Hung. Gal. m. et Cast. (v); Belg.(ab.); Austr.inf.*
- Scand. c. et s; Ross. s; Sib. s. or.*
- Kuku Noor.*

3324. **Taeniata** Stph. Ill. III, 299, t. 32, f. 2 (1831); Wd. 700!; Gn. II, 293; Alph. Mém. Rom. IX p. 342; Leech Ann. & Mag. (6) XIX, 664; Arctata Z. Is. 1846, 199; (-aria) HS. 416, III p. 149; Albimacularia Frr. 534, 5, VI p. 87; Fulvida Butl. Tr. E. S. 1881, 422 (sp. valde aberrans). *Uss*; *Angl. s*; *Scand. c. et s*; *Ross. s. et c*; *Alp. (pr. p.)*; *Sil. et Hung. et Transsylv. mont*; *Kamt. (v.)*; *Amur*; *Jap*; *Amdo*; *China oc.*
3325. **Vinculata** Stgr. Iris VIII p. 340 (praecl. forma Darw.?).
3326. **Minimata** Stgr. Iris X p. 86, t. 3, f. 53.
3327. **Munitata** Hb. 346 (1803?); Gn. II, 409; Stgr. Stett. e. Z. 1857, 255; (-aria) HS. 53; Decoloraria Esp. 50, 5; Arcticaria Germ. Fn. I. E. XVI, 25; Zett. Ins. Lap. 964; Collinaria Metzner Stett. e. Z. 1846, 238; Frr. 521, 1; Labradoriensis Pack. Labr. p. 46; Geom. p. 136.
- a) v. (ab.?) *Algidata* Möschl. Stett. e. Z. 1874 p. 162 (dilutior, al. ant. fascia med. plus minusve dissoluta [deficiente]).
- b) v. *Pauperrimata* Chr. Hor. XXII (1888) p. 310 (al. dilute ochraceis, ant. fascia media rufo-fusca, nec nigro-cincta).
3328. **Hortensiaria** Graes. Berl. e. Z. 1889 p. 251; Stgr. Iris X p. 88, t. 3, f. 54; Hortulanaria Graes. l. c. 1888 p. 408; ?Dimidiata Motsch. Bull. M. 1866, I p. 197.
3329. **Albigirata** Koll. Hüg. Kaschm. p. 489; Hmps. Ind. Moths III p. 367; Serpentinata Ld. z. b. V. 1853 p. 381, t. 6, f. 6; Gn. II, 469; Jameza Butl. Ann. & Mag. (5) I p. 452; Ill. Het. III p. 58, t. 55, f. 9; Askoldaria Obth. Et. V p. 57, t. 9, f. 9.
- a) v. *Viperata* Alph. Mém. Rom. IX p. 72 (al. ant. cupreo-[brunneo-] tinctis, antennis ♂ brevius pectinatis).
3330. **Excentricata** Alph. Hor. XXVI p. 459; Mém. Rom. IX p. 77, t. 4, f. 10.
- a) ab.? *Virginea* Alph. Hor. l. c.; Mém. l. c. f. 11 (al. post. albis, nec aurantiacis; sp. diversa Stgr. esse videtur!).
3331. **Aptata** Hb. 349; Tr. VI, 2. 142; Gn. II, 287; (-aria) Frr. 594, 3. 4. *c. (mont.)*; *Pyr*; *It. s. et c*; *Boh*; *Hal*; *Hung*; *Ural*; *Alt.*
- a) ab. *Suplata* Frr. 323, 3; Z. Stett. e. Z. 1877, 462; Pontis-salaria Brd. Ann. S. Fr. 1846, 204, t. 8, I, 3; Gn. II, 288 (al. ant. non virescentibus fascia med. unicolore fusca).
3332. **Olivata** (S. V.) Bkh. V, 361; Hb. 307; Dup. IV, 52, 3; Wd. 557; Gn. II, 287; (-aria) Tr. VI, 2. 157; Aptata Dup. VIII p. 331, t. 191, f. 5! (*bor.*); *Pyr*; *It. s. et c*; *Sic*; *Eur. c. (mont.) et s.* (*exc. Bat. et reg.*)
3333. **Viridaria** F. S. E. 626 (1775); Bkh. V, 416; Hw. p. 304; Deleataria Thnbg. Diss. Ent. I p. 6 (1784); Pectinataria Knoch Btr. I p. 55, t. 3, f. 10 (1781); Don. Nat. Hist. XIV, t. 479, f. 1; Ld. Geom. p. 19; Gn. II, 288; Miaria Bkh. V, 413; Tr. VI, 2. 159; Dup. VIII, 194, 4; Wd. 556; Miata Hb. 292. *Ural*; *Arm*; *Pont*; *Alt.*
3334. **Turbata** Hb. 255; Dup. VIII, 191, 1; Gn. II, 286; (-aria) Tr. VI, 2. 215; Frr. 655, 2.
- a) v. *Fuscolimbata* Tngstr. Act. Fen. I p. 31 (1875); Arctica Schöyen Tidskr. 1881 p. 123, t. 1, f. 6 (minor, pallidior).
- b) v. (et ab.?) *Pyrenaearia* Obth. Et. VIII p. 45, t. 1, f. 5, 6 (al. ant. fascia med. dilutata, al. post. linea postmedia fusca).
3335. **Kollarriaria** HS. 243-4 (1846), III p. 149; Lah. Geom. p. 110; Kollararia Frr. 610, 2 (1853); Gn. II, 285; Larentaria Brd. Ann. S. Fr. 1854 p. 26, 1858 p. 475, t. 11, f. 8 [transitus]. *Alp. (pr. p.)*; *? Sib. or.*
- Eur. s*; *Sil. Sax.*, *Bohem.*, *Hung. s.*, *? Rum. mont*; *Alp*; *Isl*; *Labr. (pr. p.)*; *Ala Tau*; *Sib. or. s.*, *Amur. s*; *Am. s.* *Labr. (v. princ.?)*.
- Cauc. s. or*; *Ili*; *Iss. K.* *Uss*; *Jap*.
- Alt*; *Uss*; *Jap*; *Himal.*
- Amdo*.
- Amdo*.
- Eur. c. (mont.) et s.* (*exc. Bat. et reg.*)
- Eur. c. et s.* (*exc. reg. pol.*) *Cast*; *Gal. m. oc*; *It*; *Dalm*; *Arm*; *Alt.*
- Alp*: *Pyr. (pr. p.)*; *Scand. c*; *Fen*; *Alt.* *Scand. et Ross. (oc. pol.)* *Pyr. (pr. max. parte)*.

- a) ab. (et v.) *Laetaria* Lah. Geom. Sup. p. 153; HS. 555; Gn. II, 286; Rätzer Mitth. VIII, 226; *Kollararia* Lah. Geom. f. 6; *Viridicinctaria* Peyer. Cat. Lep. Alsace I, 1863 p. 121 (al. ant. laete et dilute viridis, fascia media obscuriore).
3336. **Austriacaria** HS. 450-2, VI p. 78; Gn. II, 270; Gmppbg. III, 386.
3337. **Tempestaria** HS. 516; Gn. II, 275; Rbl. Jhrsb. Wien. E. V. II p. 51; ib. III p. 49; ib. VI t. 1, f. 1, 2.
3338. **Aqueata** Hb. 353; Tr. VI, 2. 163; Gn. II, 279; (-aria) HS. 455, III p. 158; *Lotaria* B. Gen. p. 203; HS. 50, 121-2; Lah. Geom. p. 121.
3339. **Schneideraria** Id. z. b. V. 1855 p. 214, t. 3, f. 8; Gn. II, 278.
- a) v. *Taurica* Stgr. alis haud ochraceo-inspersis, plumbeo-cinereo-fasciatis.
3340. **Salicata** Hb. 273; Stgr. Hor. VII p. 172; (-aria) Dup. VIII, 188, 8; *Latentaria* Curt. B. E. t. 296; Wd. 554; *Podevinaria* HS. 250, III p. 159; Gn. II, 283; *Ablutaria* HS. 382-3, III p. 159; Mill. Ic. t. 7, f. 8-14 (12 ab.); *Ferraria* HS. 398, III p. 162, VI, 138 (forma virescenti-vel obscure grisea, non vel vix flavo-mixta).
- a) v. *Probaria* HS. VI p. 78; Stgr. l. c. p. 173; *Salicaria* HS. 529 (dilutior, al. cinerascentibus).
- b) v. *Ablutaria* B. Gen. 203; Gn. II, 277; *Olivaria* Dup. VIII, 183, 3; *Salicata* Gn. II, 282 pro parte; (-aria) HS. 207-8, III p. 159 [transitus]; Frr. 615, 2; *Ruficinctaria* Stgr. Cat. ed. II no. 2616a; Calb. Iris III p. 86 (dilutior, al. ant. plus minusve flavo-conpersis).
- c) ab. (et v.?) *Ochrearia* Stgr. al. ant. pallide ochraceis, plerumque fascia med. obscurata.
3341. ?**Ectypata** Mab. Bull. S. Fr. 1888 p. 58 (uno specim., nunc non investigando, descripta).
3342. **Flavolineata** Stgr. Stett. e. Z. 1883 p. 182.
3343. **Inconsiderata** Stgr. Iris V (1892) p. 226.
3344. **Fluctuata** L. S. N. ed. X, 527; Hb. 249; Hw. p. 333; Tr. VI, 2, 219; Dup. VIII, 189, 3; Wd. 559; Gn. II, 402; HS. 292-3 [ab.]; Pack. Geom. p. 155, t. 8, f. 71, 72; Prout Ent. Rec. VIII p. 54, 101, 131, 162 (cfr. ab.)
- a) ab. *Costovata* Hw. 334; *Fluctuaria* v. HS. 294-5; *Rimata* Now. z. b. V. 1865 p. 182; *Sempionaria* Rätzer Mitth. VI, 181 (al. ant. fascia media abbreviata multo angustiore vel deficiente, interdum fere totis albidis).
- b) ab. (v.) *Neapolisata* Mill. Ic. 131, 7; Ann. S. Fr. 1887 p. 218, t. 5, f. 7; *Incanata* Reuter Act. Fen. IX, 1893 p. 72 [trans.] (al. ant. plus minusve infuscatis).
- c) ab. *Thules* Prout l. c. 163; *Fluctuata* v. Weir Entom. 1880, t. 4, f. 6 (multo obscurior al. totis infuscatis).
- d) v. (et ab.) *Acutangulata* Chr. Méém. Rom. III p. 3, t. 1, f. 1a, b; ?*Putridaria* HS. 535 (nec 536); Prout l. c. 163 (al. ant. fascia media completa).
3345. **Disjunctaria** Lah. Contr. p. 24, no. 78 (1860) (sequ. sp. forma Darw.?).
- a) v. *Iberaria* Rbr. Cat. S. And. 22, 5 ♂ (1866); *Griphodeata* Rbr. l. c. f. 6 ♀ (obscurior, al. magis grisescentibus).
3346. **Apiciata** Stgr. Iris V p. 227.
- Alp. (pr. p.).
- Alp. or. (Austr.); Pyr. (v.).
- Alp. Teriol. m. et Carn.
- Alp.; Sax.; Boh.; Gal. et It. c. (mont.).
- Syr. (Beryt.).
- Taur. c. et m. or.
- Alp.; Angl.; Belg.; Hal. et Hung. mont.; ? Arm.
- Croat; Dalm; Carn; Graec. (trans.).
- Gal. m. or; Helv. (pr. p.); Cat. (v.); Cors; It; Dalm; Graec; Bith; Lyd; Taur; Syr; Mardin; Pont. (1)
- Syr. (Beryt.).
- Maur. or.
- And.
- Pont.
- Eur; Maur; As. min. et oc. (cfr. v.); Alt.; Tarb; Ala Tau; Iss. K; Am. s.
- It. m. (v.); And; Germ; Norv. pol; Fen; etc.
- Ins. Hethland (var.?).
- Arm; Hyrc; Tura (pr. p. v.); Maur. (v.); etc. (ab.).
- Sic; ? It. c.
- And; Murcia.
- Tura.

3347. **Frigidaria** Gn. II, 269; Stgr. Stett. e. Z. 1861 p. 392 (Genus Psychophora). *Scand. et Ross. pol. (mont.); Alt. m. or. (v.?).*
a) v. *Sabinii* Curt. App. Narr. p. 73, t. A, f. 12; Pack. Geom. p. 75, t. 8, f. 20 (minor pallidior, al. subt. unicolorib. cinerascentibus).
3348. **Tauaria** Stgr. Stett. e. Z. 1882 p. 70; Alph. Mém. Rom. IX p. 75.
a) v. *Altitudinum* Alph. Hor. XVII p. 210, t. 8, f. 78, 79 (minor, al. omnib. unicoloribus brunneo-fuscis, insignatis).
3349. **Alexandraria** Stgr. Iris V p. 230.
3350. **Fidonaria** Stgr. Iris V p. 229.
3351. **Praepositaria** Stgr. Iris V p. 233.
3352. **Tianschanica** Alph. Hor. XVII p. 213, t. 8, f. 70, 71; Mém. Rom. IX p. 74; *Interpositaria trans.* Stgr. Iris V p. 233 [var.].
3353. **Interpositaria** Stgr. Iris V p. 231.
a) v.? (ab.?) *Postpositaria* Stgr. l. c. 234 (al. acutioribus, fere unicoloribus).
3354. **Phocata** Möschl. Wien. Mts. 1862 p. 137, t. 1, f. 8; Pack. Geom. p. 76.
3355. **Alfacaria** Stgr. Stett. e. Z. 1859, 219; *Nevadaria* Rbr. Cat. S. And. 19, 7 (1866); Gmppbg. IV, 452! (huj. generis?).
3356. **Multistrigaria** Hw. Lep. Br. p. 306; Wd. 548; HS. 196-7, 329, III p. 160; Gn. II, 270; *Nebulata* Dup. IV, 82, 2.
a) v.? *Obiaria* Mill. Ie. II p. 157, t. 68, 5-8; ab.? *Punctatissima* Stgr. Iris X p. 317 (multo pallidior, al. ant. cinereo-albidis, nigro-punctatis, [fere] non strigatis vel fasciatis; an sp. div.?).
3357. **Multipunctata** Stgr. Iris X (1897) p. 316.
3358. **Didymata** L. S. N. ed. X, 528; Hw. p. 306; Wd. 549; Gn. II, 268; *Scabrata* Hb. 229 ♂; (-aria) Tr. VI, 2. 18; Dup. VIII, 183, 1. 2; Frr. 137, 1. 2; HS. 359, 360; *Alpestrata* Hb. 320 ♀; Tr. VI, 2. 17.
a) ab. *Ochroleucata* Auriv. Nord. Fjär. p. 244 (al. ant. fere unicolor griseo-brunneis, linea anteimarg. alba, al. post. unicolor. brunneo-griseis).
3359. **Cambrica** Curt. B. E. XVI, t. 759 (1839); Wd. Sup. 1724; Ld. Geom. p. 19, 101; Pack. Geom. p. 85; Auriv. Nord. Fjär. 244; (-aria) Gn. I, 440; *Erutaria* B. Gen. p. 203 (1840); Dup. IV, 54, 4; HS. 258-9, III p. 111; *Nebulosaria* Frr. 546, 2. 3 (528, 5!). (pr. p.); Eur. c. et s. (exc. reg. pol. s. et ?Gal. oc.); Pyr; Alp; Illyr; Ural. Suec. c; Fen.
3360. **Vespertaria** (S. V.) Bkh. V, 54 (1794); Tr. VI, 1. 137; Frr. B. 107, 2; HS. III p. 167; (-ata) Hb. 226; *Brunnearia* Ld. Geom. p. 19 (non Vill.); *Parallelaria* Vill. L. Ent. II, 322 (1789); Gn. II, 268; *?Subduplicaria* Costa. Fn. Nap. p. 88, t. 12, f. 2.
3361. **Incursata** Hb. 351 (♂ magnus, ab. albicans); Gn. II, 282; Stgr. Stett. e. Z. 1861 p. 399; (-aria) HS. 256-7 ♀, III p. 159; *Disceptaria* F. R. p. 93; Gn. II, 400; *Decrepitata* Zett. Ins. Lap. 962; (-aria) HS. 255; Gn. II, 282; *Polygrapharia* B. Gen. p. 203; Gn. l. e.; ab. *Fusco-limbata* Tngstr. Act. Fen. I p. 31.
a) ab. *Monticolaria* HS. 526-7, VI p. 79; Gn. II, 400 (minor, alarum ant. fascia med. differt; vix nominanda).
3362. **Abraxina** Butl. Ann. & Mag. (5) IV p. 443; *Pudicata* Chr. Bull. M. 1880, II p. 105; Stgr. Iris X p. 88, t. 3, f. 55.
- Angl; Bat; Gal. c. et m. oc; Cat; ?And. Gal. m. or; Cat. (pr. p.).*
- Pal.*
Eur. c. et s. (exc. reg. pol. s. et ?Gal. oc.); Pyr; Alp; Illyr; Ural.
Eur. c. et s. (exc. Angl., Bat., reg. pol. s.); Arag; It. s. et c.; Ural; Alt.
- Germ. et Hung. mont; Alp; Scand. c. et s; Ross. s; Sib. or. s; Labr.*
- Alp. Austr. inf. (Alp.) et Car.*
Amur; Uss; Jap.

3363. **Montanata** Schiff. S. V. p. 113; Bkk. V. 397; Hb. 248; Wd. 558; Gn. II, 399; (-aria) Tr. VI, 2. 201; Dup. VIII, 189, 6; Frr. B. 72, 1; Carrington Entom. XIV, t. 1, f. 20 [ab.]; South ib. XXV p. 113; Implicata Vill. L. Ent. II, 386, t. 6, f. 21 (1789).
- a) v. (et ab.) *Fuscomarginata* Stgr. Cat. ed. II p. 186, no. 2629 a; var. a. Gn. II, 399, 545 (alarum margin'e fusco, albo-strigato, al. ant. fascia med. obsoletiore, strigaque apicale fusca).
 - b) v. *Iberica* Stgr. al. ant. albido-lutescentibus minus obsoletiusque signatis, fascia med. angustiore fuscescente).
 - c) v. (ab.) *Lapponica* Stgr. I. c. no. 2629 b (minor, dilutior, al. ant. fascia media dissoluta subnulla).
 - d) v. (ab.) *Shetlandica* Weir Entom. XIII p. 290, t. 4, f. 10, 11; Hoffm. Stett. e. Z. 1884, 369; South l. c. (minor, obseurior, al. ant. ochraceo-infumatis).
3364. **Deflorata** Ersch. Hor. XII, 338 (1876); Hedem. ib. XVI, 268, t. 13, f. 6; Lepidaria Chr. Bull. M. 1880, II p. 100; Stgr. Iris X p. 89, t. 3, f. 56.
3365. **Rectifasciaria** Ld. Geom. p. 101; HS. n. Schm. 70; Orthogrammaria Gn. II, 417.
3366. **Conspectaria** Mn. Wien. Mts. 1859 p. 104, t. 1, f. 2. 3; Rupicola Woll. Ann. & Mag. (3) I p. 118; ib. III p. 209; Baker Tr. E. S. 1891 p. 218, t. 12, f. 8 [certo syn. sec. Stgr.]; ?Insulariata Wallgr. Wien. Mts. 1860 p. 176.
3367. **Suffumata** (S. V.) Hb. 306; Tr. VI, 2. 192; Dup. VIII, 193, 2, IV, 54, 3; Wd. 582; Gn. II, 468; Carrington Entom. XI, 97, f. [ab.]. Ross. m. or; Arm; Alt; Thian. et Ferg. (trans.).
- a) ab. *Piceata* Stph. III p. 234; Wd. 583 (al. ant. infuscatis [fere] non albo-lineatis). et Tarb.)
 - b) v. *Minna* Butl. Tr. E. S. 1881 p. 424; Minor Stgr. Iris X, 90 (minor etc.).
3368. **Quadrifasciaria** Cl. Ic. 6, 4; L. F. S. 329; Bkh. V, 376; Hw. p. 307; Dup. VIII, 183, 7 ♀; Wd. 552; Gn. II, 417; Ligustrata (S. V.) Hb. 282; Frr. B. 114, 1; (-aria) Tr. VI, 2. 151; Dup. VIII, 183, 4 ♀; Ignobilis Butl. Tr. E. S. 1881 p. 423; ab. Thedenii Lampa Tidskr. 1885 p. 110.
3369. **Ferrugata** Cl. Ic. 6, 14; Hb. 460; Wd. 553; Gn. II, 413; Auriv. Nord. Fjär. 250; Prout Ent. Rec. V, 111 (genit.); Stett. e. Z. 1894 p. 161; Alchemillaria Esp. 40, 5, 6; Spadicearia (S. V.) Frr. 650, 2; Livinaria Lah. Geom. Sup. II p. 14, t. 1, f. 3 [ab.]; Confixaria HS. 334, III p. 152; Gn. II, 393; Bhtsch. Wien. E. Z. 1885 p. 177 [ab.]; ab. Deletata Fuchs Jhrb. Nass. LIII p. 58.
- a) ab. *Spadicearia* Bkh. V, 389 (al. ant fascia med. in strigis dissoluta).
 - b) v. *Asiatica* Stgr. Stett. e. Z. 1882 p. 70; Alph. Hor. XVII t. 8, f. 77 (al. ant. coriaceis, fascia med. obscuriore).
3370. **Unidentaria** Hw. 308; Wd. 551; Gn. II, 414; Auriv. Nord. Fjär. 251; Prout Ent. Rec. V, 111 (genit.); Ferrugata Hb. 285; ?L. F. S. 338; ?(-aria) Fr. 650, 1; ?Tr. VI, 2. 148 (pr. p.); Corculata Prout Stett. e. Z. 1894 p. 161; ?Hufn. Berl. M. IV, 616; ?Linariata Bkh. V, 381 (sec. Prout et Auriv. differt a sp. praece. genitalibus; sec. Spr. et Snell. praece. sp. var; sec. Stgr. certe saepe cum sp. praece. confusa, forma Darw.).
- Eur. c. et s.; It. s. et c.; Cors. (v?); Ross. m.; Arm; Alt.*
- Pyr; Alp; Dan; Fen; Arm; Alt; etc.*
- Cast. et And. (mont. alt.).*
- Scand. s. et c.; Sib. or. s; Labr.*
- Ins. Hethland.*
- Sib. or; Kent; Chang; Amur.*
- Arm.*
- Sic; Mad.*
- Eur. s. et c. (exc. Bat.; Belg., Germ. s. oc.); Angl; Norv. c; Helv. et Tarb.); Ferg. m. (trans.).*
- Amur; Uss; Jap; Kent; Kamt. (trans.).*
- Eur. c. et s. (exc. reg. bor.); It. s. et ?c.; Balc. s; Ural; Arm; Sib. or; Amur; Uss; Cor; Jap.*
- Eur. (exc. And. Sard. Graec.); ?Bith; Alt; Amur; Kamt.*
- Tarb; Ili; Iss. K.*
- Angl; Scand. m. et c.; Ross. s. m; Germ. s.; ?Amur.*

- a) v. *Stupida* Alph. Mém. Rom. IX p. 73 (dilutior, al. ant. multo minus brunneo-tinctis, al. post. griseo-albidis).
3371. **Lamata** Stgr. Iris IX p. 277.
3372. **Muscicapata** Chr. Bull. M. 1880, II p. 102; Stgr. Iris X p. 90, t. 3, f. 57; ?*Nigrozonaria* Leech Ann. & Mag. (6) XIX p. 654.
3373. **Pomoeraria** Ev. F. V. U. p. 417; Gn. II, 415; Snell. Vlind. I p. 670; Quadrifasciaria Tr. VI, 2. 146; HS. III p. 184; Frr. 581; gen. aest. Aestiva Fuchs Stett. e. Z. 1884 p. 269 [obscurior, vix nominand.]; ?*Abditaria* HS. n. Schm. 51, VI p. 138 [ab.]. *Alt.; Sib. or;*
3374. **Designata** Rott. Naturf. XI, 85 (1777); Bkh. V, 385; Snell. Vlind. 671; Pack. Geom. 144, t. 8, 63; Propugnata (S.V.) F. Mant. 205; Hb. 286; Wd. 560; Gn. II, 412; (-aria) Tr. VI, 2. 141; Dup. VIII, 183, 5. *Sib. or; Uss.; Jap.; Labr.*
- a) v. *Islandicaria* Stgr. Cat. ed. II p. 186, no. 2637a; Propugnata var. b. Gn. II, 413 (al. ant. aequaliter cinereis, fascia media obsoleta rufescente).
3375. **Bigeminata** Chr. Mém. Rom. II p. 131, t. 7, f. 1.
3376. **Modestaria** Ersch. Trudy IV p. 169, 198; Hedem. Hor. XVI p. 268, t. 13, f. 7.
3377. **Abrasaria** HS. n. Schm. 27 (Maj. 1856), VI p. 137; Stgr. Stett. e. Z. 1861 p. 395; Pack. Geom. 139, t. 8, f. 57-8; Auriv. Nord. Fjär. 251; Ligularia Gn. II, 417 (1857); Baicalata Brem. Lep. O. S. p. 86, t. 7, f. 15; Nigrofasciata Pack. Labr. p. 49.
3378. **Fluviata** Hb. 280-1 ♂; Tr. VI, 2. 55; Gn. II, 429; Mill. Ic. 90, 4-10; (-aria) HS. III p. 175; Pack. Geom. 78, t. 8, f. 23, 24; Hmps. Ind. Moths III p. 363; Gemmata Hb. 283 ♀; Tr. X, 2. 207; Dup. IV, 81, 6!; Gn. II, 430; (-aria) HS. 345.
3379. **Vittata** Bkh. V. 63 (1794); Wernb. Btr. II p. 185; Auriv. Nord. Fjär. 255; Lignata Hb. 270 (1799); Hw. p. 340; Tr. VI, 2. 61; Dup. VIII, 197, 6; Wd. 614; Gn. II, 436.
3380. **Dilutata** (S.V.) Bkh. V, 293; Hb. 188; Tr. VI, 2. 26; Wd. 693; Gn. II, 262; Auriv. Nord. Fjär. 245; Prout Entom. XXXIII p. 55, t. 2, f. 7-14 [ab.]; Püng. Ent. Z. Gub. XIV p. 45; (-aria) Frr. 408, 426, 2. 3; ab. Inscriptata Don. Nat. Hist. XV t. 517; ab. Christyi Prout Ent. Rec. XI p. 122; Entom. l. c. f. 7. 8; ab. Lati-fasciata Prout Entom. l. c. p. 60, f. 12; ab. Sandbergi Lampa Tidskr. VI p. 111; ab. Bicinctata Fuchs Jhrb. Nass. LIII p. 58.
- a) ab. *Obscurata* Stgr. Cat. ed. II p. 187, no. 2642a; Prout Entom. l. c. f. 11; Dilutata Dup. VIII, 200, f. 5; (-aria) Frr. 426, 4; ab. Melana Prout Ent. Rec. XI p. 122; Entom. l. c. f. 14; ab. Schneideri Lampa l. c. [al. ant. totis infuscatis]; ab. Tectata Fuchs Jhrb. Nass. LIII p. 58 (al. ant. fere unicolorib. nigro-fusca, al. post. saepius infuscatis).
3381. **Autumnata** Bkh. V p. 293, 565; Gn. II p. 264, t. 18, f. 7; Prout Entom. XXXIII (1900) p. 53, t. 1, t. 2, f. 1, 2; Püng. Ent. Z. Gub. XIV p. 45; ?Ersch. Hor. VI p. 72, t. 3. f. 4 [ab.]; Filigrammaria v. Autumnaria et Approximaria Gn. l. c. 265; Autumnaria Wd. Suppl. 1727; Filigrammaria Clark Ent. Rec. VII p. 289, t. 3; Gueneata Prout ib. X, 95; ab. Virgata Clark l. c. f. 9, 10 (praecl. spec. Darw.).
- Iss. K.; ?Ambo; China c. oc.*
- Ulias.*
- Amur; Uss; Jap.*
- Eur. c. (exc. Belg. et Angl.); Scand. c.; Ross. s. m. et m.; It. s. et c. (mont.); Arm; Amur; Uss; Jap; Eur. (v.).*
- Eur. c. et s; Gal.m.oc; It. s; Rum. m. or; Ross. m; Arm; Alt; Uss; Jap; Labr; Am. s. Isl.*
- Tura.*
- Sib. or.*
- Scand. et Ross. pol; Sib. s. or; Labr.*
- Territ. (exc. reg. s. et c. s.); Mad; Can; Cor; Jap; China; Ind; Am. s.*
- Eur. s. et c. s. (exc. reg. pol.); Vind. (1); ?Helv. (1?); ?Ross. m. or.*
- Eur. s. et c.; Ped; Ural; Arm; Ulias; Amur; Labr. (an sp. sequ.).*
- Norv. pol. etc; Angls; etc.*
- Eur. c. (pr. p.) et ?s.*

- a) v.? *Filigrammaria* HS. 194-5, III p. 160; Weawer Zool. 1852 p. 3495; Wd. Suppl. 1728; Gn. II, 265; Spr. Stett. e. Z. 1867 p. 126; Prout Ent. Rec. IX, 247, 282; Entom. XXXIII p. 55, t. 2, f. 3-6; *Approximaria* Weawer l. c. ab; *Precursaria* Weawer l. c. ab; ?*Affiniata* Bkh. V, 294, 564; *Polata* Westw. Br. M. II, 56, t. 68, f. 9 (non Hb.) (minor, multo obscurior, magis brunneosens, al. ant. angustioribus, praesertim in ♀).
3382. **Polata** Dup. VIII, 199, 4; HG. Zutr. 805-6; Gn. II, 271; Stgr. Stett. e. Z. 1861, 395; Pack. Geom. 73 (pr. p.); Auriv. Groenl. 22 (pr. p.); Nord. Fjär. 245; (-aria) HS. 427, III p. 162; *Cineraria* Schöyen Arch. f. Math. V (1880) p. 19, f. 4.
- a) v. *Brullei* Lef. Ann. S. Fr. 1836, 399, t. 10, f. 8; Stgr. Stett. e. Z. 1857, 306; B.-Haas Vid. Meddel. 1896 p. 188; *Brulleata* Dup. IV, 52, 7; Gn. II, 391 (multo obscurior, al. ant. fere nigricantibus, obsolete signatis).
3383. **Byssata** Auriv. Nord. Fjär. 245; Sparre-Schneider Tröms. Mus. Aars. XV, 80 (praece. sp. forma Darw.).
3384. **Ignorata** Stgr. Iris V p. 235.
3385. **Caesiata** (S. V.) Lang. Verz. p. 189; Bkh. V, 351; Hb. 275; Tr. VI, 2. 89; Wd. 690; Gn. II, 271; Stgr. Stett. e. Z. 1857 p. 257; (-aria) Frr. 390, 3; *Gelata* Gn. II, 271.
- a) ab. *Annosata* Zett. Ins. Lap. p. 962 (al. ant. fascia media obscura).
- b) ab. *Glaciata* Germ. Fn. I. E. XV, f. 18; Zett. Ins. Lap. p. 959; *Caesiata* var. a. Gn. II, 272; Stgr. l. c. (multo obscurior).
- c) ab. *Gelata* Stgr. Cat. ed. II p. 187, no. 2646c; var. a. Gn. II, 271, t. 14, f. 6; var. b. Stgr. Stett. e. Z. 1857 p. 257 (al. ant. albis, basi fasciaque media nigricantibus).
- d) v. *Impallescens* Chr. Iris VI p. 95 (al. minus dense squamatis, semidiaphanis; vix nominanda).
3386. **Ravaria** Ld. z. b. V. 1853 p. 381, t. 6, f. 4; Gn. II, 274.
3387. **Flavicinctata** Hb. 354; Tr. VI, 2. 91, X, 2. 211; Stph. III, 296, t. 30, f. 3; Gn. II, 273, 275; Wek. Stett. e. Z. 1864 p. 189; (-aria) Frr. 504; *Flavicincta* Wd. 691; *Ruficinctata* Gn. II, 544 (non *Ruficinctaria* Gn. II, 278).
- a) v. *Obscurata* Stgr. multo obscurior, al. ant. obscure griseis, fascia med. fere non distinguenda.
- b) v.? *Relegata* Püng. Iris XII p. 299 (al. ant. macula flava post fasciam med., ceterum fere non flavescensibus, al. post. supra minus signatis; an sp. div.?).
3388. **Infidaria** Lah. Geom. p. 126 (1852); Z. Stett. e. Z. 1877 p. 465; *Flavicinctata* Dup. VIII, 199, 3; *Caesiariae* var. Frr. 390, 4.
- a) v. (ab.?) *Flavocingulata* Stgr. multo dilutior, al. ant. cretaceis, minus signatis, fascia med. fere tota dilute ochracea.
- b) v. *Caeruleata* Gn. II, 273; Obth. Et. VIII p. 43, t. 1, f. 1-3 [*Flavicinctata* v.] (multo obscurior, al. ant. obscure caeruleo-griseis, fascia med. obscure ochraceo-cincta).
- c) ab. (et v.?) *Primordiata* Rätzer Mitt. VI, 181; Frey Lep. p. 231 (praece. var. similis, sed al. ant. haud ochraceo-tinctis).
- Angl. s; Scot.*
- Labr; Norv. pol. or.*
- Groenl.*
- Norv. pol. oe; Lap;*
Suec; Sib. or. (Kultusch).
- Arm.*
- Eur. s. et Angl. mont;*
Alp; Germ. et Hung.
mont; Arm; Alt.
- Lap; Isl; Alp. etc.*
- Isl; Ins. Hethland;*
Lap; Alp.
- Isl.*
- Cauc. s. or; Labr. (v.).*
- Alt; Ala Tau.*
- Alp; Sil. et Hal. mont;*
Norv. c. et s; It. c.
mont. (v.).
- Scot.*
- Kuku Noor.*
- Alp; Sil. mont.*
- Germ. m. oc. mont.*
(Baden. et Wurtemb.).
- Pyr.*
- Helv. m. or; Styr.*

3389. **Desperata** Stgr. Iris V p. 236.
3390. **Cyanata** Hb. 319; Tr. VI, 2. 96; Dup. VIII, 199, 1; Gn. II, 274; (-aria) Frr. 593, 4., 609, 2; Calb. Iris III, 88.
a) ab. (et v.?) *Flavomixta* Hirschke z. b. V. 1899 p. 357; Jhrsb. Wien. E. V. X t. 1, f. 1 (al. ant. flavo-mixtis).
3391. **Antelataria** Stgr. Iris V p. 237, t. 2, f. 21.
3392. **Uncinata** Püng. Iris XIII p. 121, t. 4, f. 3, 3a (hic ponenda sec. Stgr.).
3393. **Tophaceata** (S. V.) Hb. 309!; Tr. VI, 2. 169; Gn. II, 276; Mill. Ic. 68, 1-4; (-aria) HS. 198-9, III p. 161; v. *Molliculata* Gn. I. c. [ab. minor]; *Potentillaria* Fir. 609, 1 a-e.
3394. **Nobiliaria** HS. 449, 453-4, VI p. 79; Lah. Geom. p. 124; Gn. II, 274.
a) v. *Intermediaria* Alph. Hor. XVII p. 211 (al. ant. minus viridescent, ceterum vix distinguenda [sec. sp. typ.]).
3395. **Muscosaria** Chr. Iris VI p. 96 [*Intermediariae* Alph. var.] (praecl. spec. var. major? al. ant. multo obscurioribus, plumbeo-griseis).
3396. **Sintenisi** Stgr. Iris V p. 242.
3397. **Adumbraria** HS. 530-1, VI p. 79; Gn. II, 281. *Croat; Taur. m. or. (v.); ?Arm.*
3398. **Verberata** Sc. Ent. Carn. p. 223 (1763); Z. Stett. e. Z. 1855 p. 244; *Rupestrata* (S. V.) Bkh. V, 310 (1794); Hb. 192; Tr. VI, 2. 30; Dup. VIII, 201, 1, IV, 53, 5; Frr. 137, 3. 4; Gn. II, 267; (-aria) HS. 192 ab; *Bassaria* Feisth. Ann. S. Fr. 1835 p. 133, t. 1A, 2 [Ω ab. minor].
3399. **Nebulata** Tr. VI, 2. 164; Frr. B. 66, 2!; HG. 571!; Gn. II, 279; (-aria) HS. 370-1, III p. 161; ?*Scripturaria* Frr. 615, 4.
a) v. *Mixtata* Stgr. Hor. XIV p. 467; Püng. Stett. e. Z. 1896 p. 239 (obscurior, al. ant. fusco-griseescentibus).
3400. **Approximata** Stgr. Hor. XIV p. 466 (praecl. sp. var.?).
3401. **Impunctata** Stgr. Hor. XIV p. 469 (una Ω condita; praecl. sp. ab.? [sine punctis limbali]).
3402. **Propagata** Chr. Iris VI p. 95 (Approximatae var.? paullo major obscuriorque).
3403. **Achromaria** Lah. Geom. p. 128, f. 8 (1852); *Saxicolata* Ld. Geom. p. 102 (1853); Gn. II, 280; Z. Stett. e. Z. 1877, 466; May Jhrsb. Wien. E. V. III p. 43; *Vallesaria* Lah. Geom. p. 123, f. 7; Mittb. I, 181; Frey Lep. p. 232 (nota); *Hispalata* Rbr. Cat. S. And. 22, 7 [sec. sp. typ. syn.].
3404. **Incultaria** HS. 372, 456, III p. 162; Lah. Geom. p. 127; Gn. II, 278; Mill. Ic. 153, 16-19 (v. *Latifoliata*).
3405. **Numidiata** Stgr. Iris V p. 239, t. 2, f. 22.
3406. **Ibericata** Stgr. Cat. ed. II p. 187, no. 2657; Stgr. Iris V p. 240; *Alfaeariata* Rbr. Cat. S. And. 18, 1 (non Stgr.).
3407. **Mongoliata** Stgr. Iris IX p. 278 (praecl. forma Darw.?).
3408. **Senectaria** HS. 528, VI p. 79; Gn. II, 280.
3409. **Ludificata** Stgr. Hor. VII (1870) p. 174, t. 2, f. 4; Iris VIII p. 239 (praecl. sp. forma Darw.?).
a) v. *Decipiata* Stgr. al. ant. virescenti-griseis, fere non luteo-conpersis.
- Ferg.*
Alp; Apen; Hung. m. or.
Rhaetia (v. princ.?) etc. ab.
Saraw.; Ferg.
Kuku Noor.
Alp; Germ.m; Austro-Hung; Pyr; Bilb.
Alp; Norv. c. mont; Hung. s; Transsylv. mont.
Thian oc.
Cauc. (Kasbek).
*Kurd.*s. oc; Arm.*
Alp; Germ. mont;
?Suec. m; Pyr;
Apen; Carpath;
Cauc. s. or; Arm.
Alg; Pyr; It.c.(Gran Sasso); Istr; Dalm.
Alp. Val. et Ter. etc.
(pr. p.).
Pont; Arm.
Pont.
Arm; Tura.
Alp. val; Austr. inf;
Croat; Hung. s. or;
Dalm; Pyr; ?And;
Grac. et Pont. (v.);
Tarb. (v.?).
Alp; Hung. m. or;
Hal; Bosnia mont.
Maur; Murcia (1 v.).
Cat; And; Murcia;
Maur; Pal.
Ulias.
Croat; Teriol. m.
Grac.
Mardin; Taur. c;
Pont. (1).

3410. **Frustata** Tr. VI, 2. 50; Frr. 54, 2; Dup. IV, 71, 5; Gn. II, 285; (-aria) HS. 205, 206, III p. 161; *Muscosata* Donz. Ann. S. Fr. 1837 p. 478, t. 18, f. 8!; HG. 595!
Carn; *Taur*; *Pont*; *Arm. et Hyrc.* (v.).
 a) v. (et ab.) *Fulvocinctata* Rbr. Cat. S. And. t. 22, f. 3; Calb. Iris III p. 89; v. *Muscosata* Gn. l. c. (al. ant. dense flavo- vel aurantiaco-mixtis).
3411. **Sandosaria** HS. 517, VI p. 79; Gn. II, 284; Rbr. Cat. S. And. 22, 4.
 3412. **Dissimulata** Rbr. Ann. S. Fr. 1833 p. 46. t. 2, f. 11; *Uniformata* Bell. ib. 1862 p. 128, t. 1, f. 3; Mill. Ic. 117, 6-8.
 3413. **Intersecta** Stgr. Stett. e. Z. 1882 p. 71; Iris IX, 280; *Milvaria* Chr. Iris VI p. 95. (?)
 a) v. *Desiderata* Stgr. Iris IX p. 376, t. 4. f. 16 (al. rubescente-brunneis).
 3414. **Kalischata** Stgr. Berl. e. Z. 1870 p. 127.
 3415. **Scripturata** Hb. 274; Tr. VI, 2. 47; Dup. VIII, 198, 6!; Gn. II, 428; *Placidaria* Frr. 600, 3.
 3416. ?**Filaria** Ev. Bull. M. 1848, III p. 228 (bona sp.?).
 3417. **Riguata** Hb. 358; Tr. VI, 2. 52; Dup. VIII, 198, 3; Gn. II, 429; Mill. Ic. t. 7, f. 1-3; Dönnit Sitzb. Berl. e. Ges. 1897 p. 15 (gen. propr. ?); ab. *Millierata* Gmppbg. Geom. II p. 139.
 a) v. *Festivata* Stgr. Iris V p. 243; *Riguata* ab.? Alph. Hor. XVII p. 215 (major, brunnescens, strigis albidis distinctioribus).
3418. **Adlata** Stgr. Iris VII p. 294.
 3419. **Cupreata** HS. Deutsch. Ins. 163, 8 p. 151; (-aria) HS. 373, III p. 174; Gn. II, 407; ?*Bistrigaria* HS. 3-5, III p. 148; *Confusaria* Stgr. Hor. VII (1870) p. 176; *Hortulanaria* Stgr. Hor. XIV, 470; *Indecora* Warr. Novit. Zool. VII p. 110 (sp. valde aberrans).
 a) v. (et ab.) *Palaestinensis* Stgr. Iris VII p. 296 (al. ant. griseis, fere non brunneo-inspersis).
3420. **Vallantinaria** Obth. Et. XIII p. 31, t. 7, f. 49 (uno ♂ condita; bona sp. Stgr. esse videtur).
 3421. **Neurbouaria** Obth. Et. XVIII p. 36, t. 5, f. 77.
 3422. **Viduata** Stgr. Iris V p. 241.
 3423. **Obvallata** Ld. Hor. VIII (1871) p. 20, t. 2, f. 7.
 3424. **Malvata** Rbr. Ann. S. Fr. 1832 p. 43, t. 2, f. 5; Dup. IV, 52, 4; Gn. II, 485; Mill. Ic. t. 27, f. 9-17; Obth. Et. XIII, 32, t. 7, f. 45-6 (var.); (-aria) HS. 200-2, 397 ab.
 3425. **Basochesiata** Dup. VIII, 1 p. 558, t. 210, f. 5; Gn. II, 485; Mill. Ic. t. 16, f. 4-6, t. 86, f. 7-9.
 3426. **Alpicolaria** HS. III p. 153; Gn. II, 403; *Absternaria* HS. 119, 120; *Gentianata* Mill. Ic. III, 411, t. 151, f. 1-8.
 3427. **Casearia** Const. Ann. S. Fr. 1884 p. 202, t. 9, f. 2.
 3428. **Timozzaria** Const. Ann. S. Fr. 1884 p. 201, t. 9, f. 1.
 3429. **Putridaria** HS. 536 (nec 535), VI p. 78; Gn. II, 404; Stgr. Hor. XIV p. 471; Calb. Iris III p. 89; Stgr. ib. V p. 243.
 a) v. ? (ab.?) *Bulgariata* Mill. Ic. 95, 17, 18, II p. 433; Stgr. Hor. XIV, 296; Iris V, 244 (minor, al. ant. albidis nec grisescentibus; sec. Rbl. vix a Putrid. distinguend.).
Astro-Hung; *Germ.* c. et m.; *Helv*; *Gal. m*; *And.(v.)*; *It*; *Sic*; *Carn*; *Taur*; *Pont*; *Arm. et Hyrc.* (v.).
And, *Alp.*, *It. c.*, *Hung.* (pr. p.).
And; *Murcia*; *Maur.* or.
Cors; *Cat*; *Cast*.
Tarb; *Ulias*; *Chang*. (?)
Arm. m. or; *Hyrc.* (v.).
Iss. K.
And. (Malaga); *Murcia*.
Alp; *Germ. m. oc.*
mont; *It. c*; *Hung*; *Croat*.
Tarb. (*Saisan*).
Eur. m. et c. m. (exc. *Ib.*)
Bely; *Bith*; *Taur*; *Pont*; *Arm*; *Alt*; *Tarb*; *Ala Taur*.
Saraw; *Ferg*; *Iss. K*; *Ili*; ?*Amur* (ex err.?).
Syr; *Pal*.
Sic; *And*; *Murcia*; ?*Maur*; *Pont*; *Taur*. m.; *Syn*.
Pal. (v.); *Syr.* (ab.).
Maur.
Kuku Noor; *China c. oc.*
Iss. K; *Ili*.
Hyrc.
Gal. m; *And*; *Sic*; *Maur*; *Dalm.* (*Lissa* v.).
Gal. m; *Cat*; *And*; *Sic*.
Alp. *Austr.*, *Ter.*, *Helv*, *Gal. m*.
Cors.
Cors.
Arm; *Hyrc*; *Tura*; *It. c. mont*; *Konia* (v.); ?*Bith*.
Bulg; *Pont.* (trans.); *Diniae* (1).

3430. **Permixtaria** HS. 515; Gn. II, 404; Mill. Ic. 95, 15, 16; Stgr. Iris V, 244 (praec. sp. forma Darw.?).
(v.) ? Tura;
3431. **Unicata** Gn. II, 393; Stgr. Hor. VII (1870) p. 173, t. 2, f. 5; Iris V p. 245; ? Corollaria HS. 335, III p. 152; Gn. II, 394.
a) v. *Centralisata* Stgr. Iris V p. 245 (al. ant. dilute brunneoinpersis area basali et media fusco-impletis).
3432. **Cuculata** (r. Cucullata) Hufn. Berl. M. IV, 602; Rott. Naturf. XI, 79 (1777); Cucullata Bkh. V, 447; Sinuata (S. V.) Hb. 288 (1802?); Frr. B. 6, 1; Tr. VI, 2. 227; Dup. VIII, 194, 6; Wd. 587; Gn. II, 406.
3433. **Yokohamae** Butl. Tr. E. S. 1881 p. 422; Rogenhoferi Graes. Berl. e. Z. 1888 p. 409; Stgr. Iris X p. 91, t. 3, f. 58.
3434. **Galiata** (S. V.) Hb. 272; Tr. VI, 2. 155; Dup. VIII, 189, 2; F. R. p. 94; Wd. 563; Gn. II, 401; Chalybeata Hb. 350 (ab.); Quadriannulata Hw. 331; Wd. 565; Unilobata Hw. 331; Wd. 564 [obscurior].
Bith. et Lyd. (ab. et trans.).
a) v. *Orientata* Stgr.; Galiata Stgr. Hor. XIV p. 473 (al. ant. cinerascentibus (cinereo-albidis), fascia med. plerumque dilutio (in med. cinerascenti), al. post. obscurioribus).
3435. **Oxybiata** Mill. Rev. & Mag. Zool. 1871-2 p. 161; Ic. III p. 264, t. 131, f. 1-3; (-aria) III p. 414, t. 151, f. 9.
a) v. *Pseudogaliata* Stgr. Iris X, 317, t. 4, f. 38 (paullo major, al. ant. fascia med. plus minusve (tota) brunnescenti).
3436. **Rivata** Hb. 409; Tr. VI, 2. 212; F. R. p. 96; (-aria) Frr. 654, 1; Limbaria Hb. 522-3 [ab.]; Comptaria HS. VI, 139; Gn. II, 257; Sylvaticata Hw. p. 332; Wd. 568 (sequ. sp. forma Darw.?).
Cors.; It. s. et c.; Sard.
3437. **Sociata** Bkh. V, 432 (1794); Stgr. Iris X p. 91; Brown Bull. S. Fr. 1898 p. 33 [ab.]; Stichel Berl. e. Z. 1900 p. 145, t. 2, f. 14 [ab.]; Subtristata Hw. 332; Wd. 567; Degenerata Hw. 333 ab; Alchemillata (S. V.) Hb. 261!, 370; Tr. VI, 2. 203; F. R. p. 100; Gn. II, 397; (-aria) Frr. 654, 2; ?Dup. VIII, 191, 2!; Rivata Dup. VIII, 191, 3!; ?Gn. II, 396 pr. p.; Biriviata Stt. Man. II, 101; Cingulata Tngstr. Ac. Fen. I (1875) p. 32 [abdom. toto nigro].
a) v. (et ab.) *Obscurata* South Entom. XXI, 1888 p. 27, f; ib. 1892 p. 111 (multo obscurior, al. fasciis lineisque fere totis infumatis nec albidis).
b) v. *Supergressa* Butl. Ill. Het. III p. 55, t. 54, f. 11 (al. fascia exter. alba latiore [linea med. fusca subnulla], etc; trans. ad spec. praec. esse videtur).
c) v. *Dubiosata* Alph. Hor. XVII p. 216; Mém. Rom. IX p. 76 (praec. var. similis sed major; al. griseo-brunnescentibus, obsoletius albo-strigatis).
3438. **Unangulata** Hw. Lep. Br. p. 332; Stph. Ill. III, 225; Wd. 569; Gn. II, 394; Auri. Nord. Fjär. 249; (-aria) HS. 338, III p. 150; Bicolorata F. R. p. 98; ?Amniculata Hb. 386.
a) v. *Subangulata* Stgr. Iris IX p. 279 (al. ant. usque ad fasciam exter. albam fere totis infuscatis. al. post. sordide albidis, minus signatis).
b) v. (et ab.) *Luctuosaria* Obth. Diag. p. 10; Et. V p. 53, t. 4, f. 13; Stgr. Iris X p. 91 (al. ant. usque ad fasciam exter. albam fere totis nigricant., al. omn. fascia margin. obscuriore).
- Graec; Syr; Taur;
Kurd; Pont; Arm.
Balc. m.; ?Bulg; Lyd;
Taur; Syr; Pont;
Arm.
Ferg; Iss. K; Tura;
Mardin (trans.).
Eur. c. et s. m.; It. s. et
c; Dalm; Ross. m.
or; Arm; As. c; Sib.
or; s; Amur.
Amur; Uss; Cor; Jap.

Eur. (exc. reg. bor.);
As. min; Arm; Sib.
or; Maur; Pont;
et Lyd. (ab. et trans.).
Pont; Arm; Taur;
Ant.

Gal. m; Sic.

Pal.

Eur. c; Scand. m;
Ross. s. m; Gal. m.
oc; Bibl; ?Arag;
(v.?) Dalm; ?Bith.
Eur. (exc. reg. pol.,
Ib. m., It. m., Balc.
m.); Isl. (valde
aberrans); Arm.
(?Bith. et Pont. ex
err.); Alt; Sib. or;
Chang; Urga; Kamt;
Amur et Uss. (v.).

Ins. Hebrid. (v.); Scot.
et Isl. (ab.).

Jap; Uss. et Amur
(cum trans.).

Thian; Iss. K; Ferg.

Eur. c. et s. (exc. reg.
bor.); Ross. m. oc;
Amur s; Kamt. (v.).

Ulias; Chang.

Uss; Amur (ab.);
Urga (I); Cor; Jap.

3439. **Picata** Hb. 435 (1809?); Tr. VI, 2. 193; Dup. VIII, 191, 4; Gn. II, 461; Biangulata Hw. p. 326 (1810); Wd. 570; ab. Albofasciata Gauckler Ent. Nachr. 1900 p. 371.
3440. **Alaudaria** Frr. 486, 4, VI p. 11 (Nov. 1846); Gn. II, 392; Z. Stett. e.Z. 1877 p. 467; Culmaria HS. 317-8 (1847), III p. 155; Bicuspidaria Ghil. Elenco p. 189.
3441. **Mandschuricata** Brem. Lep. O. S. 86 t. 7, f. 14. *Sib. s. or; Amur; Uss; China.*
3442. **Albicillata** L. S. N. ed. X, 527; Cl. Ic. 1, 12; Hb. 76; Tr. VI, 2. 228; Frr. B. 96; Dup. VIII, 188, 4; Wd. 603; Gn. II, 382; ab. Suffusa Carrington Entom. XIV p. 73, fig. [al. ant. totis infuscatis]; Casta Butl. Ill. Het. III t. 54, f. 8 [var.]
3443. **Procellata** (S. V.) F. Mant. 185; Hb. 251; Tr. VI, 2. 218; Dup. VIII, 188, 3; Wd. 604; Gn. II, 393.
- *a) v. *Inquinata* Butl. Ill. Het. III p. 54; t. 54, f. 9 (al. ant. area apicali obscurata, nonnunquam totis obscuratis, al. post. infuscatis).
3444. **Lugubrata** Stgr. Cat. ed. II p. 189, no. 2686; Pack. Geom. 161; Luctuata (S. V.) Hb. Btr. II, 4, 3, T. (1792); Hb. 253; Tr. VI, 2. 214; Dup. VIII, 190, 4!; Gn. II, 392; Frr. 690; (-aria) HS. 321; Transversata Thnb. Mus. Nat. p. 75, f. 8 (1788); ab. Wendlandti Fuchs Jhrb. Nass. LIII p. 60 [?monstr.].
- a) v. *Obductata* Möschl. Wien. Mts. 1860 p. 374, t. 10, f. 3 (al. post. unicoloribus fusco-nigris).
- b) v. *Albidior* Alph. Mém. Rom. IX, 344 (al. ant. fascia alba latiore, subtus al. omn. albidioribus).
3445. **Semenovi** Alph. Hor. XXVI p. 458 (1892); Mém. Rom. IX p. 78, t. 4, f. 9; Ouanguemetaria Obth. Et. XVIII p. 38, t. 4, f. 52 (fin. 1893); Lugubris Stgr. Iris VIII p. 338 (1895).
3446. **Lugens** Obth. Et. XI p. 34, t. 2, f. 4; ib. XVIII p. 38, t. 3, f. 38.
3447. **Hastata** L. S. N. ed. X, 527; Cl. Ic. 1, 9; Hb. 256; Tr. VI, 2. 207; Dup. VIII, 190, 3; Wd. 602; Gn. II, 389; Pack. Geom. 164, t. 9, f. 10, 11; Alph. Mém. Rom. IX, 345 [var.]; ab. Taunicata Fuchs Jhrb. Nass. LIII p. 61.
- a) v. *Subhastata* Nolck. z. b. V. 1870 p. 68; Sparre-Schneider Tröms. Mus. Aars. XV, 83, t. 1, f. 4, a-c; Gauckler Ent. Nachr. XXV, 17; Hastulata Hb. 356 (non Hb. Btr.); Gn. II, 389; Stgr. Stett. e. Z. 1861, 397; ?Sagittifera Gmppbg. III, 292 (minor, al. magis nigro-fasciatis punctatisque).
- b) ab. (et v.?) *Moestata* Nolek. l. c.; ab. *Hofgreni* Lampa Tidskr. 1885 p. 113 (minor, multo obscurior, al. prae-ponderantius nigris).
- c) v. *Gothicata* Gn. II, 388; Möschl. Wien. Mts. 1860, 374, t. 10, f. 4, 5 (al. ant. fere usque ad medium nigris; al. post. plerumque tot. nigris).
- *d) v. *Chinensis* Leech Ann. & Mag. (6) XIX, 570 (Maj. 1897); v. *Moerens* Alph. Mém. Rom. IX p. 147 (Sept. 1897) (al. parte bas. nigra, strigulis minut. albis variegata, al. ant. fascia exter. sine macula sagittata).
3448. **Thulearia** HS. 387, III p. 156; Gn. II, 389; Stgr. Stett. e. Z. 1857 p. 259; Mill. Ic. 131, 4-6 (praec. forma Darw.).
- Eur.c; Scand.m; Liv; Gal.m; It.s; Ural; Arm; ?China.*
- Alp; Hal; Hung. mont; Ross. m. oc.*
- Eur.c; Scand.m. etc; Liv; Gal. m. oc; It.s; Ross. m. oc; Alt; Iss. K; Amur; Uss; Jap.*
- Eur.c; Bilb; It.s. et c; Ross.m.oc; Pont; Arm; Alt; Amur; Uss. Jap; Cor; China.*
- Eur.c (exc. Angl. et Bat.); Scand.c. et s; Ross.s; Ural; Arm; Alt; Tarb; Ili; Urga; Sib.or; Amur; Am.s.*
- Labr.*
- Kamt.*
- Amdo; Kuku N; China m. oc. (v.).*
- Kuku N; China m. oc.*
- Eur.c. et s. (exc. reg. pol.); Gal. m. oc; It.s; Ural; Arm; Alt; Ala Tau; Iss. K; China oc; Labr. (ab.).*
- Sil. et Boh. (mont.); Scand. c. (pr. p.) et pol; Ross s; Hebrid; Alp. (pr. p.); Kamt. et Amur (trans.).*
- Labr; Am. s.*
- China m. oc.*
- Isl.*

3449. **Tristata** L. S. N. ed. X, 526; Cl. Ic. 1, 13; Bkh. V, 430; Tr. VI, 2, 210; Dup. VIII, 190, 5; Wd. 566; Gn. II, 390 pr. p.; Hein. I, 771 ♀; Snell. Vlind. 666 ♀ (exc. diagn.); Nolck. z. b. V. 1870 p. 59; Stichel Berl. e. Z. 1900 p. 144, t. 2, f. 15 [ab.]; Funeraria Lah. Geom. 119; Limbosignata Nolck. Fn. I, 270 (ab.).
3450. **Luctuata** Hb. Btr. I, 1, 4, Y p. 31 (1786) (non Btr. II, 4, 3, T); Lang Verz. p. 193; Stgr. Iris X p. 93 (pr. p.); Hastulata Hb. Btr. II p. 110 (1792); Nolck. z. b. V. 1870 p. 61; Tristata Hb. 254; Lah. Geom. p. 118; Nolck. Fn. p. 270; Hein. I, 771 ♂ (praec. forma Darw.; saepe confusa).
3451. **Pupillata** Thnbg. Diss. IV p. 62, f. 13 (1792); Lampa Tidskr. 1885 p. 114; Auriv. Nord. Fjär. 248; Funerata Hb. 260; HS. 542, VI p. 78; Gn. II, 391; Nolck. z. b. V. 1870 p. 61; Bhtsch. Wien. e. Z. 1885 p. 177.
- Iss. K; Kuku N; Mong; Sib. or; Amur.
3452. **Fulminata** Alph. Hor. XVII p. 218, t. 8, f. 68.
3453. **Corydalaria** Graes. Berl. e. Z. 1888 p. 411; Stgr. Iris X p. 94, t. 3, f. 59.
3454. **Molluginata** Hb. 371; Tr. VI, 2, 92; Dup. VIII, 198, 5; F. R. p. 101; Gn. II, 397.
- a) ab. (v.?) *Inusitata* Gn. II, 398 (una ♀ descripta, al. ant. obscurioribus, minus signatis, striga exter. dupl. alba minus sinuata, non dentata).
3455. **Affinitata** Stph. Ill. III p. 297 (1831); Wd. 693; Gn. II, 290; (-aria) HS. 271-2, III p. 157; n. Schm. 28. VI p. 138 var.; Inciliata Zett. Ins. Lap. p. 960; Rivinata Z. Is. 1846, 202; ?Turbulata Stndf. Bresl. e. Z. 1851 p. 81 [an v. sequens?].
- a) v. (et ab.) *Turbaria* Stph. III p. 298; Wd. 694!; Gn. II, 290; Affinitaria HS. 319, 320; Frr. VII p. 95, t. 655, f. 1 (major, al. latius albo-fasciatiss, al. post. interdum fere totis albidis).
3456. **Alchemillata** L. S. N. ed. X, 526; Gn. 290; Rivulata (S. V.) Hb. 259; Tr. VI, 2, 42!, VII, 216; Dup. VIII, 190, 6; Wd. 695; (-aria) HS. 289; Frr. 630, 2.
- Bith; Pont; Ross. s. m.; Ped; Arm; ?Amur.
3457. **Hydrata** Tr. VII, 217 (1729); Frr. 54, 1; Gn. II, 291; (-aria) HS. 400, III p. 157.
- a) ab. *Flexuosaria* Boh. Act. Holm. 1852 p. 135; Lampa Tidskr. 1885 p. 115; Auriv. Nord. Fjär. p. 247; ?Fennica Reuter Act. Fen. IX (1893) p. 75 [an spec. propr.?] (uno ♂ condita; sec. sp. type minor, multo dilutior, al. ant. albo-fasciatiss, al. post. albidis).
3458. **Lugdunaria** HS. 565, VI p. 139; Bhtsch. Wien. e. Z. 1885, 178.
- inf; Gal. m. et oc; Austr. Car; Hung; Buc; Srp.
3459. **Unifasciata** Hw. Lep. Br. p. 335 (1810); Wd. 701!; Gn. II, 293; Mill. Ic. 114, 10-13; Scitularia Rbr. Ann. S. Fr. 1832 p. 42, t. 2, f. 8; Aquilaria HS. 336, III p. 163 [ab. obscurior]; Linulata Gn. II, 294 [sec. sp. typ. certe syn.].
3460. **Ablegata** Stgr. Iris X p. 96, t. 3, f. 60.
3461. **Haasi** Hedem. Hor. XVI p. 268, t. 13, f. 9; Stgr. Iris X p. 95.
3462. **Parvulata** Stgr. Iris X p. 100, t. 3, f. 62.
- Uss. Amur. Uss.
- Eur. c. et s. (exc. reg. pol.); It.s.e.t c; ?Cors; ?Dalm; Rum; ?Ural; ?Bith; Arm; Alt; Tarb; Chang; ?Amur; Kamt.*
- Germ; Austro-Hung; Rum; ?Helv; Suec. c; Liv; Arm; Sibor; Amur; Uss; Ili; Iss. K; Kuku N.*
- Alp. Austr., Gal., Ped; Scand. c; Petrop; Ural; Arm; Alt; Tarb; Ala Tau; Ili; Mong; Sib. or; Amur. Thian. oc; Ferg. Amur; Uss.*
- Eur. c. m; Scand. m; It. s. et ?c; Arm. Gal. m. (Olbia).*
- Eur. c. et s; Rum.*
- Angl; Norv. c. et pol; Germ. m. or; Styr; Alp. (pr. p.); Hal; etc.*
- Eur. c. et s; Bilb; Gal. m. or; It; ?Cors; Dalm; Ross. m; Arm. (v.); Alt; ?Amur.*
- Eur. c. (exc. Bat. et Angl.); Scand. m; Ross. s. m.; Ped; Arm; ?Amur. Suec. m; Carn.*

3463. **Minorata** Tr. VI, 2. 143 (1828); Dup. IV, 59, 8; Gn. II, 295; (-aria) HS. 118; Frr. 615, 1; Auriv. Nord. Fjär. 247; Ericetata (Curt.) Stph. III. 298 (1831); Gn. II, 295 [v. obseurior]. *Scand; Liv; Angl; Gal. m. oc; It. c. (mont. I).* *Alp; Germ. c. (mont.) et s. or; Hung. et Rum. (mont.);*
3464. **Adaequata** Bkh. V, 444 (certo) (1794); Wernb. Btr. II p.196; Blandiata (S. V.) Hb.258; Tr. VI, 2. 43; Dup. VII, 189, 5!; Wd. 697!; Gn. II, 296; (-aria) HS. 290-1; Frr. 604, 1; Albidata Ev. Bull. M 1842 p. 557, t. 6, f. 10; F. V. U. 431; Dilacerata Zett. Ins. Lap. 967; Trigonata Wd.699; Jucundaria B. Gen. p.217, not 2 [sec. sp. typ. certe]. *Eur.c.ets.(exc.Bat.); It.s; Croat; Bith; Arm; Chang.*
3465. **Albulata** Schiff. S. V. p. 109; F. Mant. 212; Hb. 257; Tr. VI, 2. 13; Dup. VIII, 201, 2; Gn. II, 292; (-aria) Frr. 645, 1; Niveata Stph. III, 291; Wd. 684 *Eur.c.ets; Pyr; It.s. et c; Cors; Rum; Ross. m; Arm.*
- a) v. et ab. *Subfasciaria* Boh. Act. Holm. 1852 p.133; Lampa Tidskr. 1885 p.115; Griseata Stgr. Cat. ed. II p.190, no. 2700a; Albulata Hw. p.336; Wd. 698; Gn. II, 292; Thules Weir Entom. XIII p. 293, t. 4. f. 4, 5; Hoffm. Stett. e. Z. 1884 p. 370 [ab. al. ant. infuseatis] (al. ant. fere unicol. flavescenti-griseis, al. post. griseis). *Scand. m. et c; Lap. m; Angl; Ins. Hethland. (v.).*
- b) ab. *Hebodium* Weir Entom. XIV p. 221, t. 1, f. 17 (al. unicoloribus albidis). *Ins. Hebrid.*
3466. **Maerens** Stgr. Iris V p. 245 (1892). *Saraw.*
3467. **Nisaria** Chr. Bull. M. 1880, II p. 49; Stgr. Iris X p. 100. *Amur; Uss; Cor; Jap.*
3468. **Tenera** Stgr. Iris X p. 102, t. 3, f. 64 (hujus generis?). *Amur.*
3469. **Musculata** Stgr. Iris X p. 100, t. 4, f. 3. *Uss.*
3470. **Phasma** Butl. Ann. & Mag. (5) IV p. 441; Hmps. Ind. Moths III p. 412; Latsaria Obth. Et. XVIII p. 32, t. 3, f. 35. *Kuku N; Cor; Jap; Ind.*
3471. **Testaceata** Don. Nat. Hist. XIV, 51. t. 487, f. 1 (1810); Auriv. Nord. Fjär. 253; Sylvata (S. V.) Hb. 231; Tr. VI, 2. 15; Dup. VIII, 198, 4!; Wd. 704!; Gn. I, 437; (-aria) Frr. 630, 1. *Eur.c; Dan; Norv.m; Liv; Fen; It.s; Amur; Uss; Jap.*
3472. **Blomeri** Curt. B. E. IX, t. 416 (1832); Wd. 705; Mill. Ann. S. Fr. 1875 p.11, t. 1, f. 1, 2; Blomeraria Gn. I, 437; Pulchraaria Ev. Bull. M. 1842. III, 557, t. 6, f. 9; F. V. U. 424; Frr. 390; HS. 117, III p. 111. *Angl; Norv. m; Liv; Germ. s. or. (1); Germ. c., Boh. et Hung. s. (mont.); Alp. (pr. p.); Ural; Amur; Jap.*
3473. **Semistrigata** Chr. Bull. M. 1880, II p. 99; Stgr. Iris X p. 102, t. 3, f. 63. *Amur; Uss; Jap.*
3474. **Obliterata** Hufn. Berl. M. IV, 608, 626 (1767); Bkh. V, 271; Ld. Geom. p.20; Strigata Thnbg. Mus. Nat. p. 75, f. 10; Heparata (S. V.) Hw. 343; Wd. 708; Gn. I, 439; (-aria) Hb. 58; Tr. VI, 1. 264; Dup. VII, 166, 7. m; Arm; Amur; Uss; Jap. *Eur. c. et s. (exc. reg. bor.); Gal. m. oc; It. s. et c; Rum; Ross. s.; Amur; Uss; Jap.*
3475. **Luteata** Schiff. S. V. p. 110 (1776); F. Mant. 210; Tr. VI, 2. 16; Frr. 83, 3; Wd. 707!; Gn. I, 435; (-aria) Hb. 103; Dup. VIII, 176, 3; Flavicata Thnbg. Diss. IV p. 62, f. 11; Auriv. Nord. Fjär. p. 254. *Eur. c. et s. (exc. reg. pol.); Gal. m. oc; It. s; Ross. m; Arm; Sib. or; Amur; Uss; Jap.*
3476. **Flavofasciata** Thnbg. Diss. IV p. 62, f. 12 (1792); Auriv. Nord. Fjär. 247; Decolorata Hb. 243; Hw. p. 328; Tr. VI, 2. 13; Dup. VIII, 201, 3!; Wd. 692; Gn. II, 292; (-aria) Frr. 600, 1. *Eur.c; Scand.m; Liv; Gal.m; And; Maur; Cors; It; Ross.s.or; ? Bith; ? Alt.*
3477. **Albostrigaria** Brem. Lep. O. S. p. 85, t. 7, f. 13; Stgr. Iris X p. 103; Eliela Butl. Ann. & Mag. (5) I p. 403; Ill. Het. III p. 43, t. 51, f. 9. *Amur; Uss; Jap; Cor; China oc.*

3478. **Plurilinearia** Moore Pr. Z. S. 1867 p. 645; Hmps. Ind. Moths III p. 417, f. 194; Unistirpis Butl. Ill. Het. II p. 51, t. 37, f. 7.
3479. **Defectata** Chr. Bull. M. 1880, II p. 108; Stgr. Iris X p. 103, t. 3, f. 65; Chrysidice Butl. Tr. E. S. 1881 p. 416.
3480. **Evanescens** Stgr. Iris X p. 104, t. 3, f. 66 (una ♀ condita).
3481. **Bilineata** L. S. N. ed. X. 525; Cl. Ic. 6, 13; Hb. 264; Tr. VI, 2. 56; Dup. VIII, 198, 1, 2; Frr. 83, 1, 2; Wd. 624; Gn. II, 426; Calb. Iris III, 91; ab. Infuscata a Gmppbg. III p. 288 [al. ant. area media infuscata].
- a) ab. (et v.?) *Testaceolata* Stgr. Cat. ed. II p. 191, no. 2714a; Iris V p. 246; Bilineata var. a. Gn. II, 427 (al. ant. testaceis, non flavis).
 - b) v. (et ab.) *Subriseata* Stgr. Iris V, 246 (al. ant. testaceo-griseis vel fuscis).
 - c) v. *Atlantica* Stgr. l. c. 247; Bilineata var. Weir Ent. XIII t. 4, f. 8; Hoffm. Stett. e. Z. 1887 p. 267 (minor, al. ant. plus minusve infumatis).
3482. **Grisescens** Stgr. Iris V p. 247 [Bilineata v.?] (nunc Stgr. praec. form. Darw. esse videtur).
3483. **Bistrigata** Tr. VI, 2. 59; Stgr. Hor. VII (1870) p. 176; (-aria) HS. 62, 63, III p. 143; Gn. II, 427 (Bilineatae form. Darw. sec. Stgr.).
3484. **Fluidata** Ld. z. b. V. 1853 p. 382, t. 6 (sib.), f. 5; Gn. II, 397; Ld. Wien. Mts. 1860, 186; Russariaria HS. 564 (1855), VI p. 137; ?Consentaria Frr. 486, 2, VI p. 10.
3485. **Sordidata** F. E. S. 185 (1794); Wernb. Btr. 435, 526; Pack. Geom. 96, t. 8, f. 31, 34-5; Elutata Hb. 224 (post 1797), 382 ab., 384, 385 ab; Tr. VI, 2. 20; Dup. VIII, 200, 1, 2; Wd. 611; Gn. II, 378; Furcata Prout Ent. Rec. IX p. 84, 110; ?Thnbg. Diss. I, 13 (1784) (al. ant. virescentib., nigro-fasciatis).
- a) ab. (et v.?) *Fusco-undata* Don. Nat. Hist. XII, 73, t. 386, f. 3; Elutata Hb. 381, 383; Stgr. Stett. e. Z. 1857 p. 263 pr. p.; var. c. Gn. II, 379 (al. ant. testaceis [rubris], nigro-fasciatis).
 - b) ab. (et v.?) *Infuscata* Stgr. Cat. ed. II p. 191, no. 2716b; Stgr. Iris V p. 383; ?Tacetaria Frr. 604, 2 [ab. an sequ. ab.?] (al. ant. fere unicolorib. infuscatis vel grisescentibus, indistincte nigro-strigatis).
3486. **Autumnalis** Ström det kgl. danske Vid. Skrift-Selsk. p. 85 (1783); Schöyen Stett. e. Z. 1880 p. 134; Auriv. Nord. Fjär. 243; Trifasciata Bkh. V, 308 (1794); Impulviata (S. V.) Hb. 223 (post. 1797); Tr. VI, 2. 21; Dup. VIII, 200, 3; Wd. 610!; Gn. II, 377; (-aria) HS. 193; Literata Don. Nat. Hist. XIV p. 80, t. 499, f. 2 (1810); Gn. II, 377 [ab. obscurior, rufo-fusa]; ab. Constricta Strand Ent. Ztschr. (Gub.) XIV p. 61 [al. ant. area media constricta] (sp. valde aberrans).
3487. **Ruberata** Frr. 36, 2, I p. 67 (1831); (-aria) HS. 209-10, III p. 168; n. Schm. 26; Literata Spr. (nec. Don.) Stett. e. Z. 1872 p. 171; Z. ib. 1877 p. 472; Auriv. 243 [Autumnalis var.] (praec. sp. forma Darw. an var.?).
3488. **Capitata** HS. Deutsch. I, 165, f. 3 (1839); Ld. Geom. p. 103; Gn. II, 471; (-aria) HS. 460, III p. 169, VI p. 80; Balsaminata Frr. 588, VI p. 166 (1852); Mariesii Butl. Tr. E. S. 1881 p. 424; Pryeri Butl. l. c.
- Uss; Cor; Jap; China; Ind. s.
- Uss; Jap.
- Uss.
- Eur. (exc. reg. bor. et Sard.); Maur; As. min; Syr; Arm; Sib. or.
- Ib; Maur; Sic; Graec; Pont; Taur. etc.
- Hyrc. (v.); Graec; Taur; Pont.
- Ins. Hethland. et Hebrid.
- Pont; Graec. (1).
- Sard; Cors.
- Alt; Tarb; Amur; ?Ural.
- Eur. c. et s; It. s. et c. (1); Ural; Arm; Alt; Ibi; Iss. K; KukuN; Sib. or; Chang; Amur; Uss; Jap; China oc; Am. s.
- Angl; Germ. s; Helv; Isl; Ulia; etc.
- Isl; Angl. s; Kent; Iss. K; etc.
- Eur. c. et s. (exc. Isl); It. s. et c; Ural; Sib. or; Amur; Ulia; ?Thian.
- Alp; Germ. (pr. p.); Angl; Scand. c. et s; Ross. s. m; Hung. s. mont.
- Germ; Bat; Dan; Norv. m; Ross. s. m; Helv. s; Austro-Hung; Rum; Uss. (1); Jap. (v.?).

- a) v. *Capitulata* Stgr. Iris X p. 104 (minor, al. ant. fascia exter. obscuriore, sordide grisea, haud brunnescenti).
3489. **Silaceaeta** (S. V.) Hb. Vög. 100; Tr. VI, 2, 197; Dup. VIII, 193, 3; Wd. 571 ab; Frr. 587; Ld. Geom. p. 103; Gn. II, 470; Hmps. Ind. Moths III, 357; Cuneata Don. Nat. Hist. XIV, t. 487, f. 2.
- a) ab. (v.?) *Insulata* Hw. Lep. Br. p. 330; Silaceaeta Hb. 477-8 transitus (al. ant. fascia med. nigra flavidointerrupta insulam nigram includente).
- b) v. (et ab.) *Deflavata* Stgr. Cat. ed. II p. 191, no. 2721 b; Silaceaeta Hb. 303; var. b. Gn. II, 471; ?Umbrósaria Motsch. Et. 1864 p. 36; Butl. Ill. Het. VII, 24 (al. ant. non brunnescenti- vel flavidio-inspersis).
3490. **Mactata** Feld. & Rghfr. Nov. 132, f. 40 (an territor. nostri?).
3491. **Corylata** Thnbg. Diss. Ent. IV p. 61, f. 11 (1792); Bkh. V, 402; Sph. III p. 227; Gn. II, 463; ?Wd. 572; Rup-tata Hb. 295 (1799?); Hw. p. 327; Tr. VI, 2, 200; Dup. VIII, 191, 6; Frr. 24, 1; Albocrenata Curt. B. E. 603 [ab.].
- a) v. (?) *Effusaria* Stgr. al. ant. cinereo-albidis fascia extrabas. tenui marginalique latiore obscurioribus (sine area fasciaque media obscuris) (sec. 6 specim. condita).
- b) v. *Fabrefactaria* Obth. Et. V p. 56, t. 4, f. 15; Stgr. Iris X p. 105 (al. ant. fasciis dilutis extrabas. antemarginalique obscuras).
3492. **Aurata** Moore Pr. Z. S. 1867 p. 664; Hmps. Ind. Moths III p. 355; Corylata v. Tsermosaria Obth. Et. XVIII p. 39, t. 3, f. 43.
3493. **Ambustaria** Leech Ann. & Mag. (6) XIX p. 653. ?Kuku N; China c. et oc.
3494. **Badiaria** (S. V.) Hb. 291; Tr. VI, 2, 80; Dup. VIII, 194, 3; Wd. 584; Gn. II, 407; Frr. 635; Spr. Stett. e. Z. 1888 p. 211. Dalm.; Ross. m. or; Pont. (1); Alt; Tarb.; ?Jap. (v.?).
3495. **Taczanowskia** Obth. Et. V p. 54, t. 9, f. 8 (Dec. 1880); Stgr. Iris X p. 105; Pervagata Chr. Bull. M. 1880, II p. 110 [an nom. anterius?].
3496. **Rogata** Stgr. Iris V (1892) p. 248. Ferg.
3497. **Rejectaria** Stgr. Iris V (1892) p. 249; Interrogata Alph. Mém. Rom. IX p. 80 [sec. spec. typ. certe] (sequ. forma Darw.?). Iss. K; Thian. s.; Amdo.
3498. **Berberata** Schiff. S. V. p. 113; Hb. 287; Tr. VI, 2, 185; Dup. VIII, 194, 2; Wd. 585; Gn. II, 408; Frr. 689, 2. It. s. et c; Rum. m.; Bith.; Pont.; Arm; Alt; Thian. (v.).
3499. **Directaria** Graes. Berl. e. Z. 1889 p. 268; Stgr. Iris X p. 106. t. 3, f. 67 (praeec. sp. forma Darw.?). Amur.
3500. **Nigrofasciaria** Goeze Btr. III, 3 p. 438 (1781); Auri. Nord. Fjär. 243; Separata Thnbg. Mus. Nat. p. 75, f. 9 (1788); Derivata (S. V.) Bkh. V, 421; Hb. 289; Tr. VI, 2, 183; Dup. VIII, 194, 1; Wd. 588; Gn. II, 408; Frr. 689, 1; Ludovicata Mill. Ann. S. Fr. 1887 p. 218. t. 5, f. 14 [ab.]. Eur. c; Scand. m.; Ross. s. m.; Gal. m. oc; And. (mont. 1); Arm; Alt; Thian. (v.).
3501. **Alhambrata** Stgr. Stett. e. Z. 1859 p. 219; Rbr. Cat. S. And. 16, 4 (una ♀ condita). And. (Granada); Murcia.
3502. **Rubidata** (S. V.) F. Mant. 202; Hb. 290; Frr. B. 18, 2; Tr. VI, 2, 188; Dup. VIII, 194, 5; Wd. 586; Gn. II, 406. ?Cat; It. s. et c; Bith. (v.); Iss. K.

*Amur; Uss.**Eur. c. et s. (exc. reg. pol.); It. c; Uss. (ab.).**Angl; etc.**Alp; Lap. m; Alt; Thian; Amdo; Uss; Ferg; Labr; Helv. ?etc. (ab.).**Uss (Leech.); Jap; China.**Eur. c. et s. (exc. reg. pol.); It. s; Ural; Amur; Jap. (v.?).**Scot; Dan.**Uss.**Kuku N; Jap; China oc; Ind. s. or.**Eur. c; Scand. m; Fen; It. s. et c; Dalm; Ross. m. or; Pont. (1); Alt; Tarb; ?Jap. (v.?).**Amur; Uss; Jap.**Ferg.**Iss. K; Thian. s.; Amdo.**Eur. c; Liv; Gal. m. oc; And. (mont. 1); Arm; Alt; Thian. (v.).**Eur. c; Scand. m.; Ross. s. m.; Gal. m. oc; Bilb. (1); Arm; Alt; Ili.**And. (Granada); Murcia.**Eur. c. et s. (exc. reg. bor.); Gal. m.; Bilb; ?Cat; It. s. et c; Bith. (v.); Iss. K.*

- a) v. (et ab.) *Fumata* Ev. F. V. U. 424; Gn. II, 406; *Fumosaria* HS. 385; *Fumaria* HS. III p. 424 (al. ant. colore rubro infumato vel subnullo).
3503. **Comitata** L. S. N. ed. X, 526; Bkh. V. 368; Hw. p. 342; Wd. 589; Gn. II, 477; *Chenopodiata* L. F. S. 332 no. 1263; Hb. 299; Tr. VI, 2. 167; Dup. VIII, 192, 1; Z. Tijds. XI, 1868 p. 92 (genus *Pelurga* Hb.).
Ili; *Iss. K*; *Amur*; *Uss*; *China s.*
Rum; *Germ. s.*, *Ural*,
Uss. etc. (ab.); *Buc. (v.?)*.
- a) ab. *Moldavinata* Carad. Iris IX p. 97 (multo obscurior, al. ant. griseo-brunnecentibus)
3504. **Sagittata** F. Mant. 210; Bkh. V. 376; Tr. VI, 2. 179; Dup. VIII, 193, 51; Wd. Supl. 1725; Gn. II, 464; *Auriv. Nord.* Fjär. 243; *Bidentata* Rott. Naturf. XI, 75; Hein. I. 752; *Comitata* Hb. 310.
Eur. c. et s. (exc. reg. bor.); *It. s.*; *Balc. s.*
Ross. m.; *Arm.*
Taur; *Alt*; *Sib. or.*
Uss.
Eur. c. (exc. Belg., Helv. s. etc.); *Suec. c.*; *Ross. s. m.*; *Amur*; *Uss*.
3505. **Candidata** Schiff. S. V. p. 110 (1776); Bkh. V. 327; Hb. 101; Tr. VI, 2. 31; Dup. VIII, 176, 4; Wd. 706; Gn. I. 435.
Bilb.? *Cors*; *It. s. et c.*; *Rum. m. or.*; *Crim.*; *Ant. s. (I)*; *Tura.*
Eur. c. et s. (exc. reg. bor.); *Gal. m. oc.*
- a) v. *Amurensis* Stgr. Iris X p. 97 (minor, punctis mediis distinctis, punctis margin. nullis).
- b) v. *Percandidata* Chr. Iris VI p. 96; *Candidissima* Stgr. Iris X p. 98 (strigis flavidis punctisque nigris oblitteratis vel subnullis).
3506. **Chionata** Ld. Hor. VIII (1870) p. 20, t. 2, f. 8; *Quadrupunctata* Bienert Diss. 1871 p. 39 (praecl. var.?).
3507. **Anseraria** HS. 560, VI p. 134; Gn. I, 436; Chré. Natural. 1894 p. 101 (Cornea); Püng. Soc. Ent. X, 177; Stgr. Iris X, 190; *Soldaria* Tur. Bull. Ent. It. XI (1879) p. 186, t. 8, f. 11, 12; Rätzer Mitth. VIII, 225; Höfn. Soc. Ent. IX p. 185.
3508. **Nymphaeata** Stgr. Iris X p. 99, t. 3, f. 61.
3509. **Nymphulata** Gn. I, 436; *Albeolata* Rbr. Cat. S. And. 16, 3; ?*Lactularia* HS. VI p. 136.
- Hyrc*; *Arm. m.*
Eur. c. m. (pr. p.); *It. s.*; *Buc*; *Rum*; *Amur*; *Uss*; *Jap*.
- Uss*; *Amur*.
And; *Gal. m.*

546. *Tephroclystia* Hb. 1822 [Eupithecia Curt. 1825 pr. p.]

3510. **Gratiosata** HS. n. Schm. 135, p. 27; Carad. Soc. Ent. X p. 89; Iris IX p. 98 (larv.); *Gueneata* ab. *Subseparata* Chr. Mém. Rom. II p. 134, t. 7, f. 3.
Taur; *Syr*; *Arm*; *Tura*; *Saisan*; *Iss. K. s. oc.*; *Ferg. s.*
Sic; *Sard*; *Murcia*; *Maur*; *Transsyl*; *Rum*; *Bith*; *Lyd*; *Eur. c. et s.*; *Scand. m*; *Ross. s. m*; *Maur*; *Bith*; *Taur*; *Syr*; *Pont*; *Arm*; *Tura*; *Saisan*; *Iss. K. et Ferg. (ab.)*; *Saraw*; *Ferg*; *Iss. K.*
3511. **Oblongata** Thnbg. Diss. Ent. I p. 14, f. 12 (11. Dec. 1784); *Centaureata* (S.V.) F. Mant. 205 (1787); Hb. 452 (240!); Tr. VI, 2. 126; Frr. B. 6, 2; Dup. VIII, 202, 7; Wd. 679; Gn. II, 306; Crewe Ann. 1861 p. 129; Snell. Tijds. 1866 p. 113, t. 4, f. 2; Mab. Ann. S. Fr. 1869 p. 65.
a) v. *Centralisata* Stgr. Iris V p. 250 (minor, al. ant. macula costali pallidiore, al. marginibus infuscatis).
3512. **Breviculata** Donz. Ann. S. Fr. 1837 p. 478, t. 18, f. 7; HG. 596; Dup. IV, 59, 9; Z. Is. 1847 p. 505; Gn. II, 303.
Eur. m. (exc. ? Ib. oc., c. et s.); *Maur*; *As. min*; *Syr*; *Arm*.
3513. **Extremata** F. Mant. 211; Bkh. V, 449; Hb. 239; Rössl. Verz. p. 150; Gn. II, 305; *Glaucomictata* Mn. z. b. V. 1855 p. 547; Rom. (Chr.) Mém. Rom. III t. 1, f. 2.
Eur. c. m. et m. oc. (exc. ? *Ross*); *Germ. c. oc.*; *Cors*; *As. min*; *Syr*; *Arm*.

3514. **Subpulchrata** Alph. Hor. XVII p. 221, t. 8, f. 75 (1882). *Ili; Ferg; Tura.*
 3515. **Accurata** Stgr. Iris V p. 251. *Ferg. s.*
 3516. **Scalptata** Chr. Mém. Rom. II p. 134, t. 7, f. 4. *Arm; Tura.*
 3517. **Saisanaria** Stgr. Stett. e. Z. 1882 p. 75; Bhtsch. Iris VI p. 25. *Saisan; Hyrc.*
 3518. **Gueneata** Mill. Ic. 29, 1. 2 p. 258; Ann. Sc. Cannes 1880, t. 9, f. 9; Vierl. Rov. Lap. V p. 79 (larv.); Ill. Ztschr. Ent. IV, 381; Separata Stgr. Hor. XIV p. 476, XVI p. 80; Chr. Mém. Rom. II p. 133, t. 7, f. 2; Stgr. Iris V, 253; Busambraria Ragusa Nat. Sic. VIII, 1889 p. 229, t. 3, f. 3, 4. *Gal. m. or; Sic; Hung; Pont; Arm; Tura.*
 a) v. **Syriacata** Stgr. Hor. XIV p. 477; Iris V p. 253; Semicaesia Warr. Nov. Zool. VI, 341 (al. ant. fascia med. non interrupta). *Syr; Taur. m; Arm. (ab.).*
 3519. **Bicoloria** Baker Tr. E. S. 1891 p. 220 (Stgr. vix huj. generis esse videtur; certo hujus gen. sec. Rbl.). *Mad.*
 3520. **Linariata** (S.V.) F. Mant. 207; Hb. 242; Tr. VI, 2. 122; Dup. VIII, 203, 2; Wd. 649; Gn. II, 304; Crewe Ann. 1861 p. 129; Breyer Ann. S. Belg. 1864, t. 5, f. 6 (larva); Snell. Tijds. 1866 p. 109, t. 4, f. 1. *Eur. c. et s. (exc. reg. bor.); Gal. m; Cast; Cors; It. s. et c; Ross. m. or; Taur; Pont; Arm; Ferg. (1 v.?).*
 3521. **Pyreneata** Mab. Pet. Nouv. III p. 168 (1871); Ann. S. Fr. 1872 p. 492, t. 15, f. 5; ib. 1871 p. 287, t. 4, f. 1 (larv.); Digitaliata Dietze Stett. e. Z. 1872 p. 194; ib. 1875 p. 244, t. 1, f. 22-26, 28 (praeec. forma Darw.). *Germ; Austr. (alp.); Gal.*
 3522. **Pulchellata** Stph. Ill. III p. 279; Wd. 650; Gn. II, 305, t. 12, f. 6; Breyer Ann. S. Belg. 1864, t. 5, f. 7 (larva); Goossens Ann. S. Fr. 1871 p. 288, t. 4, f. 2 (larv.); Spr. Stett. e. Z. 1867 p. 127; Dietze ib. 1875 p. 242, t. 1, f. 15-21, 27 (larv.). *Angl; Cast; Germ. c. oc; Helv; Gal. c. et m. oc.*
 3523. **Laquearia** (r. Laquearia) HS. 181-2, III p. 124, 139; Laquearia Gn. II, 351; Dietze Stett. e. Z. 1875 p. 75; Bhtsch. Iris VI, 18; Snell. Tijds. XL p. 325; ib. XLII t. 2, f. 8 a, b; Subumbrata Tr. VI, 2. 112 (non Hb.); Ld. Geom. 22; Hein. p. 818; Perfidata Mn. z. b. V. 1855 p. 547; Rbr. Cat. S. And. 18, 2!; Merinata Gn. II, 326; Mill. Ic. 114, 8, 9, III p. 145; ?Inturbata Hein. 818. *Eur. c. (exc. Angl.); Gal. m; Arag; And; ?Maur; It. c; Cors; Pont. (1).*
 3524. **Limbata** Stgr. Hor. XIV p. 476.
 3525. **Roederaria** Stndf. Berl. e. Z. 1888 p. 243, t. 3, f. 7, 8; Illuminata Joan. (L.) Bull. S. Fr. 1891 p. 180; Nov. Lep. 129, t. 18, f. 3. *Pont; Arm.*
 3526. **Luteostrigata** Stgr. Stett. e. Z. 1876 p. 142. *Sic; Gal. m.*
 3527. **Brunneata** Stgr. Iris XII p. 400, t. 5, f. 11. *Mardin.*
 3528. **Albidulata** Stgr. Iris V, 254. *Arm.*
 3529. **Irritaria** Stgr. Iris V p. 253. *Arm. oc.*
 3530. **Eriguata** Rbr. Cat. S. And. t. 21, f. 7. *And. (Granada).*
 3531. **Irriguata** Hb. 397; Tr. VI, 2. 124; Dup. VIII, 202, 8; F. R. p. 71; Gn. II, 329; Snell. Tijds. 1866 p. 112, t. 4, f. 8; Dietze Stett. e. Z. 1870 p. 336; ib. 1872 t. 1, f. 16 (larv.); Fuchs ib. 1873 p. 342; Variegata Hw. p. 362; Wd. 681. *Eur. c; Dan; And. m. (v.); Cors; It; Dalm; Ross. m. or.*
 3532. **Despectaria** Ld. z. b. V. 1853 p. 382, t. 6, f. 7; Gn. II, 304. *Alt; Ili.*
 3533. **Minusculata** Alph. Hor. XVII p. 225, t. 9, f. 91; Bhtsch. Iris VI, 12. *Ili; Arm. (Eldor); Syr. (v.? sp. div.?).*
 3534. **Staudingeri** Bhtsch. Iris VI p. 11. *Syr.*

3535. **Pusillata** (S. V.) F. Mant. 212; Bkh. V, 335; Hb. 378!; Tr. VI, 2, 119; F. R. p. 72; Frr. 119, 3 [exc. larva]; Wd. Supl. 1730; Gn. II, 328; Crewe Ann. 1862 p. 42; Snell. Tijds. 1866 p. 155, t. 5, f. 5; Fuchs Stett. e. Z. 1873 p. 344; Dietze ib. 1874 p. 212, 1875, t. 1, f. 29 (larv.); (-aria) HS. 158-9 ab; ?Subumbrata Hb. 233; (-aria) B. Gen. p. 210.
- a) v. et ab. *Tantillaria* B. Gen. p. 210 [certe sec. sp. typ.]; Gn. II, 329; Laricis Spr. Stett. e. Z. 1873 p. 361; Dietze ib. 1874 p. 212; Fuchs ib. 1876 p. 99, 1880 p. 124 (al. infumatis, strigis obsoletioribus).
3536. **Conterminata** Z. Is. 1846 p. 197; Gn. II, 333: Mannaria HS. 156, III p. 122, 136. ?s; Germ. s. or; Germ. s.
3537. **Indigata** Hb. 399; Z. Is. 1846 p. 197; Wd. Supl. 1735; Gn. II, 332; Crewe Ann. 1863, 124; Snell. Tijds. 1866 p. 134, t. 5, f. 8; (-aria) HS. 183-6, III p. 121, 133; Fuchs Stett. e. Z. 1876 p. 101, 1880 p. 127.
3538. **Abietaria** Göze Btr. III, 3 p. 439 (1781); Spr. Stett. e. Z. 1882 p. 382 (larv.); Strobilata Bkh. V, 352; Hb. 449, 450; Tr. VI, 2, 110; Dup. VIII, 204, 3; Gn. II, 350; Snell. Tijds. 1866 p. 157, t. 5, f. 3; Spr. Stett. e. Z. 1883 p. 35, 351, 1885 p. 93 (larv.); (-aria) HS. III p. 124, 139; ?Residuata Nolek. (nec Hb.) Fn. I p. 290 [ab. grisea].
3539. **Togata** Hb. 464; Wd. Supl. 1729; Gn. II, 350; Snell. Tijds. 1866 p. 158, t. 5, f. 4; Hellins & Crewe Monthl. Mag. IX p. 113 (larv.); Spr. Stett. e. Z. 1882 p. 384 (larv.), 1883 p. 25; (-aria) HS. III p. 124, 140; Bilunata Zett. Ins. Lap. p. 960; Abietaria Dietze Stett. e. Z. 1875 p. 236, t. 1, f. 30-33 (larv.); ib. 1877 p. 99.
- a) v. *Debrunneata* Stgr. Iris X, 109 (al. ant. obscurior. fere non rufo-brunneo-tinctis).
3540. **Gigantea** Stgr. Iris X, 109, t. 3, f. 70 (una ♀ condita); ?Rufeseens Butl. Ann. & Mag. (5) I, 445 (1878); Ill. Het. III p. 52, t. 53, f. 12 (an praec. sp. var.? ab.?).
3541. **Insigniata** Hb. Btr. II, 4, 3, U p. 97 (1792); Consignata Bkh. V, 315 (1794); Hb. 245; Tr. VI, 2, 117; Dup. VIII, 201, 6; Frr. 204, 2a-c; Wd. 682; Gn. II, 303; Crewe Monthl. Mag. V p. 72 (larv.); Rössl. Schppfl. 183.
3542. **Silenicolata** Mab. Ann. S. Fr. 1866 p. 562, t. 8, f. 9 a, b; ib. 1867 p. 645; Bhtsch. Iris VI p. 30.
3543. **Venosata** F. Mant. 209 (1787); Bkh. V, 542; Hb. 244; Tr. VI, 2, 137; Dup. VIII, 201, 5; Frr. 204, 1a-d; Wd. 683; Gn. II, 303; Crewe Ann. 1861 p. 129; Breyer Ann. S. Belg. 1864 t. 5, f. 8 (larva); Mab. Ann. S. Fr. 1867, 644; Insignata Hb. Btr. I, 4, 2, G p. 9 (1789); Bkh. V, 314.
- a) v. *Nubilata* Bhtsch. Iris VI p. 33; Venosata var. Weir Entom. XIII, t. 4, f. 7; Hoffm. Stett. e. Z. 1884 p. 370 (al. brunneo-griseis, multo minus signatis, ciliis unicoloribus).
- b) ?v. *Schiefereri* Bhtsch. Iris VI p. 31 (obscurior, larva valde diversa).
3544. **Demetata** Chr. Mém. Rom. II p. 136, t. 7, f. 5 (praec. sp. var.?).
3545. **Stigmaticata** Chr. Mém. Rom. II p. 137, t. 7, f. 6; Cingulata Chr. l. c. p. 139, f. 7 [uno ♂ ab. condita] (praec. var. rufescente-grisea?).

Eur. c. et s. (exc. reg. pol.); It. c.; Bale. m.; Arm.

Germ; Austr; It. c.

Ross. s; Scand. c. et or; Sax; Austr; Boh. Eur. c. et s; Cast. (mont.); Ped; Syr. (mont.); ?Kamt. (v.?) Uss. m. (v.).

Eur. c. et s. (exc. Angl.); It. s.

Eur. c. et s.

Uss.

Uss; ?Jap.

Eur. c. (var.); ?Suec. m; Cors; It. s. et c; Dalm; Pont. (1); Kaschy.

Cors; Styr; Val; Bulg; Bith; Pont. Eur. (exc. Bat. et ?reg. pol.); Bith; Taur; Syr; Mardin; Pont; Arm; Iss. K. (v.?).

Angl; Hib; Ins. Hethland.

Styr.

Tura; Ferg; Arm. (v.).

Tura; Ili.

3546. ?**Carpophagata** Rbr. Cat. S. And. Errata; **Consignata** Rbr. I. c. t. 21, f. 8 (sequ. spec. ab.? Stgr. non bon. sp. esse videtur). *? And.*
3547. **Cassandrata** Mill. Ic. III p. 382, t. 148, f. 1; Bhtsch. Iris VI p. 7; **Carpophagata** Dietze Iris XIII p. 95, t. 1 (? praec. var.). *Alp. m. Gal. et Ter.*
3548. **Carpophilata** Stgr. Iris X p. 108, t. 3, f. 69 (sequ. var.?).
3549. **Alliaria** Stgr. Berl. e. Z. 1870, 129; Mill. Ic. 114, 14, III p. 148. *Arag; Uss.*
3550. **Tribunaria** HS. 522-3, VI p. 76; Gn. II, 314. *Austr. inf; Hung; Pont.*
3551. **Egenaria** HS. 279, 280, III p. 132; ?Gn. II, 323; Bhtsch. Iris VI p. 13; Undosata Dietze Stett. e. Z. 1875 p. 250, t. 2, f. 2. *Cauc; Arm; Hyrc.*
3552. **Euphrasiata** HS. Corr. Ins. 1861 p. 130; ib. 1863 p. 23; Dietze Stett. e. Z. 1871 p. 211, 1872 p. 201; Rössl. Schppfl. 197; Constrictata Mill. Ic. 114, 5-7, III p. 143. *Germ; Austr. inf;*
Styr; Hung. m. or;
Gal. c. et m; Liv; Ross. m. or.
Germ. c. oc; Gal. c. et
m; Bilb; Cors; It. s.
et c; Val; Austro-
Hung; Dalm; Ross. c.
Eir. c. et s. (exc. reg.
bor.); Gal. m; It. s. et
c; Ross. m.
3553. **Pimpinellata** Hb. 443, 444!; Tr. VI, 2, 115; Z. Is. 1846 p. 195; Frr. 685, 1; (-aria) HS. 153, III p. 123, 129; Denotata Gn. II, 330; Lantoscata Mill. Cat. rais. II p. 201; Ic. 150, f. 12 [griseescens, vix nomin.]. *Alt; Fen. (trans.);*
Kuku N. (v.? an sp.
div.?).
- a) v. **Altaicata** Gn. II, 330; Dietze Stett. e. Z. 1875 p. 253, t. 2, f. 5; Cinerascens Tngstr. Not. Faun. & Flor. Fen. 1875 p. 32 (cinerascens). *Helv; Ter. m; Illyr;*
Hung. m; Dalm; It.
c. et m; Cors; Gal. m;
And; Arag; Syr; Pont.
3554. **Gemellata** HS. Corr. Ins. 1861 p. 131; Bhtsch. Wien. e. Z. 1887 p. 123; Püng. Stett. e. Z. 1889 p. 150; Schmidii Dietze Stett. e. Z. 1872 p. 190, t. 1, f. 1, 2 (3 larv.). *Pont.*
3555. **Amasina** Bhtsch. Iris VI p. 1. *Germ; Angl; Dan;*
Gal. m; Cast; Helv
Austro-Hung;
Rum; Taur; Pont;
Malatia; Arm.
3556. **Distinctaria** HS. 162-3, III p. 121, 131; Hein. 800; HS. Corr. 131; Crewe Ann. 1865 p. 126; Dietze Stett. e. Z. 1875 p. 245, t. 1, f. 1-3 (larv.), 1877 p. 98; Bhtsch. ib. 1887 p. 121; Constrictata Gn. II, 334; Meyr. 193; Albifronsata Grasl. Ann. S. Fr. 1863 p. 328, t. 8, f. 13 [sec. sp. typ.]; Sextiata Mill. Ic. t. 89, f. 5, II p. 370, t. 110, f. 14-17, III p. 96; Dietze Stett. e. Z. 1875 p. 71; Heydenaria Stgr. Berl. e. Z. 1870 p. 128. *Germ; Austr; Hung;*
Balc. s; Ross. m. or;
Arm; ? Pont. (1).
3557. **Extraversaria** HS. 543, VI p. 77; Gn. II, 314; Rössl. Verz. p. 152; Dietze Stett. e. Z. 1871 p. 211; ib. 1872 p. 200, t. 1, f. 10, 11 (larv.); ib. 1877 p. 98; Libanotida (Schläg.) Gn. II, 333; Hein. 801. *Angl; Germ. c. oc;*
Sil; Helv; Austr.inf;
Styr; Rum.
3558. **Expallidata** Gn. II, 340; Crewe Ann. 1861 p. 149; HS. Corr. Ins. 1861 p. 125; Rössl. Schppfl. 191; Meyr. 186. *Eur. c; Dan; Suec;*
Fen; Ross; It. c;
Arm.
3559. **Assimilata** Gn. II, 342, t. 2, f. 9 larva; Crewe Ann. 1861, 141; HS. Corr. Ins. 1861 p. 129; Snell. Tijds. 1866 p. 141, t. 6, f. 1; Goossens Ann. S. Fr. 1869 p. 519, t. 11, f. 7; Meyr. 187; Minutata Hb. 454 (nec 237); Dietze Stett. e. Z. 1875 p. 255 et not. 2. *Eur. c. et s. (exc. reg.*
bor.); Ped; ? Dalm;
Arm; Alt; Ala Tau;
Amur.
3560. **Absinthiata** Cl. Ic. 6, 9; L. F. S. 339; Hb. 453; Hw. p. 359; Frr. 685, f. 2; HS. Corr. Ins. p. 121, 129; Absynthiata Gn. II, 340; Crewe Ann. 1861 p. 140; Snell. Tijds. 1866 p. 137, t. 5, f. 10; Pack. Geom. 49; Minutata Tr. VI, 2, 105 (pr. p.); Dup. VIII, 203. 8; ?Incinerata Lah. Mitth. I p. 174. *Uss.*
- a) v. ? **Mandschurica** Stgr. Iris X p. 118 (al. ant. obscure griseis, (fere) non brunnescensibus, sp. div. [an Actaea var.?] nunc Stgr. esse videtur).

3561. **Goossensiata** Mab. Ann. S. Fr. 1869 p. 78; Goossens Ann. S. Fr. 1869 p. 517, t. 11, f. 4 (larva); Minutata Gn. II, 341; Crewe Ann. 1861 p. 141; HS. Corr. Ins. p. 125; Snell. Tijds. 1866 p. 140, t. 5, f. 11; Callunae Spr. Verh. naturh. Ver. preuss. Rheinl. XXIV p. 173 (1867); Knautiata Gregson Entom. VII, 1874 p. 255; Porritt Monthl. Mag. XIII p. 185 (praec. forma Darw. sec. Stgr.).
3562. **Luteata** Pack. Labr. p. 46; Geom. p. 57, t. 8, f. 7; Palpata Pack. V. Rep. Peab. Ac. Sc. p. 58 (1873).
3563. **Denotata** Hb. 455; HS. Corr. 1863 p. 22; Auriv. Nord. Fjär. 263; Campanulata HS. Corr. Ins. 1861 p. 130; Breyer Ann. S. Belg. 1864 t. 5, f. 5 (larv.); Knaggs Ann. 1865 p. 107, f. 6; Rössl. Wien. Mts. 1863 p. 132; Dietze Stett. e. Z. 1872 p. 199, t. 1, f. 6 (larv.); Meyr. 187.
- a) v. (ab.) *Atraria* HS. 154-5, III p. 121, 132; Wck. Jhrs. Schles. Ges. 1880 p. 201; Bhtsch. Wien. e. Z. V p. 292; Iris VI p. 2; Primulata Mill. Rev. & Mag. 1874 p. 244; Ann. S. Fr. 1877 p. 7, t. 1, f. 1-4.
3564. ?**Jasiconeata** Crewe Entom. XIV, 198, t. 1, f. 4, 5 (1881); Monthl. Mag. XVIII p. 80; Buckl. Larv. VIII p. 26, t. 131, f. 6 (larv.) (praec. var.?).
3565. **Actaeaata** Walderdorff Corr. z. m. V. 1869 p. 82 (Jun.); Spr. Stett. e. Z. 1869 p. 395 (Oct.); ib. 1872 p. 173; Auriv. Nord. Fjär. 263; Bhtsch. Iris VI p. 6.
3566. ?**Bergunensis** Dietze Stett. e. Z. 1875 p. 248, t. 2, f. 1; Z. ib. 1877 p. 475; Stgr. Iris X p. 118 (praec. v. major?).
3567. **Albipunctata** Hw. Lep. Br. p. 360 (1810); Wd. 663; Crewe Ann. 1863 p. 127; Tripunctaria HS. 461, VI p. 77, 137; Snell. Tijds. 1866 p. 144, t. 6, f. 3; Goossens Ann. S. Fr. 1869 p. 517, t. 11, f. 3 (larva); (-ata) Crewe Ann. 1862 p. 38; Pimpinellata var. a. Gn. II, 326; ab. Angelicata Barr. Monthl. Mag. XIII p. 278 [ab. melanot.].
3568. **Lepsaria** Stgr. Stett. e. Z. 1882 p. 74.
3569. **Vulgata** Hw. Lep. Br. p. 359; Wd. 666!; Gn. II, 338, t. 11, f. 6; Crewe Ann. 1861 p. 138; Snell. Tijds. 1866 p. 135, t. 5, f. 9!; Dietze Stett. e. Z. 1872 t. 1, f. 13 (larv.); Rössl. Schppfl. 192 (larv.); Minutata Hb. 237; Subfuscata Hw. p. 360; Wd. 667!; Austeraria HS. 138-40, III p. 119, 129; (-ata) Hb. 457; Tr. VI, 2. 107.
3570. **Detritata** Stgr. Iris X, 119, t. 3, f. 77.
3571. **Virgaureata** Dbd. (H.) in Newman Br. Moths p. 127 (1867); Dietze Stett. e. Z. 1872 t. 1, f. 5 (larv.); Meyr. 191; Offirmata Grrentzb. N. & G. p. 120; Pimpinellata Gn. II, 325 (non Hb.); Crewe Ann. 1861 p. 135; HS. Corr. Ins. 1861 p. 129.
- a) v. *Altenaria* Stgr. Stett. e. Z. 1861 p. 401; HS. Corr. Ins. 1861 p. 132; Auriv. Groenl. p. 23, t. 2, f. 3; Nord. Fjär. 264; Bhtsch. Iris VI, 3; Stgr. ib. X, 120 (gracilior, al. strigis obsoletis, fere unicol.).
3572. **Selinata** HS. Corr. Ins. 1861 p. 131; Dietze Stett. e. Z. 1871 p. 139, 1872 p. 201, t. 1, f. 15 (larv.).
3573. **Trisignaria** HS. 175-6, III p. 120, 131; Gn. II, 327; Frr. 659, 2; Crewe Ann. f. 1862, 40; Snell. Tijds. 1866 p. 143, t. 6, f. 2!; Rössl. Verz. p. 151; Dietze Stett. e. Z. 1871 p. 139, 1872 p. 199, t. 1, f. 12 (larv.); (-ata) HS. Corr. Ins. 1861 p. 131.
- Eur. c. (oc.) (pr. p.); Fen; Ross. s. oc.; ?Ural.*
- Labr; Am. s.*
- Eur. c. (exc. Bat., ?Belg.); Fen; Ross. m; Arm; Bith.*
- Alp; Cauc.*
- Angl.*
- Bav; Germ. s. or; Austr.-Hung; Dan; Fen; Uss. et Jap. (v.?).*
- Alp; Uss.*
- Eur. c. (exc. ?Bat. et Belg.); Scand. m; Liv; Balc. s; Arm. (1).*
- Ala Tau (Lepsa).*
- Eur. c. et s. (exc. reg. pol.); Cast; ?Bilb; It. s. et c; Ross. m; Arm; Ili; Ferg; Mong; Sib. or. s; Uss. (?)*
- Uss.*
- Eur. c. (exc. Bat. et Belg.); Arm; Sib. s. or; Jap. (1).*
- Scand. pol; Ross. s; Mong. (?); Groenl.*
- Germ.c.oc. et s; Helv; Austro-Hung; Dalm.*
- Eur. c. (exc. Belg.); Scand.m; Ross.s.m; Arm. (?)*

3574. **Lariciata** Fr. 366, IV p. 135; Gn. II, 327; Crewe Monthl. Mag. I p. 141; (-aria) HS. 170-4 (ab.), III p. 119, 127; Spr. Stett. e. Z. 1873 p. 364 (larv.); ib. 1882 p. 386; ?Residuata Hb. 467.
3575. **Castigata** Hb. 456; F. R. p. 70; Dup. IV, 53, 6; Gn. II, 324; Crewe Ann. 1861 p. 134; Snell. Tijds. 1866 p. 147, t. 6, f. 4; Dietze Stett. e. Z. 1872 p. 200, 1875 p. 242; (-aria) HS. 164, 166-7, III p. 121, 123; Singulariata Hw. p. 360; Nebulata (Hw.?) Stph. Ill. III, 284; Wd. 662!; ?Pimpinellata Fr. 300, 2; Compressata Gn. II, 324 [see. sp. typ.]; ?Blancheata Cook Entom. XIV, 20, 43.
3576. **Biornata** Chr. Stett. e. Z. 1867 p. 238; Alph. Hor. XVII p. 223.
3577. **Kuldschaënsis** Stgr. Iris V p. 255.
3578. **Aequata** Stgr. Iris V p. 256.
3579. **Ochrovittata** Chr. Mém. Rom. III p. 5, t. 1, f. 3.
3580. **Subnotata** Hb. 458!; Tr. VI, 2. 109; Dup. VIII, 204, 2!; Gn. II, 337, t. 13, f. 6!; Crewe Ann. 1861 p. 138; Snell. Tijds. 1866 p. 111, t. 6, f. 11; Goossens Ann. S. Fr. 1869 p. 520, t. 11, f. 8 (larva); (-aria) HS. 177; Scabiosata Dup. VIII, 202, 3.
3581. **Marginata** Stgr. Iris V p. 257; Bhtsch. ib. VI p. 19.
3582. **Bella** Stgr. Iris X, 115, t. 3, f. 75.
3583. **Subsequaria** HS. 520-1, VI p. 76; Gn. II, 314.
3584. **Sutiliata** Chr. Hor. XII p. 262, t. 7, f. 34.
3585. **Extensaria** Fr. 438, 3! (male), V p. 96 (1844); HS. 124-5 (1846), III p. 122, 136; Barr. Monthl. Mag. XXV p. 258 (larv.); Porritt ib. 1892 p. 122; Meyr. 197; Prolongata Z. Is. 1846 p. 198; Gn. II, 336; Obth. Et. V t. 4, f. 9.
a) v. *Sydyi* Stgr. Stett. e. Z. 1885 p. 351; Bhtsch. Iris VI, 14 (al. ant. distinctius albo-griseoque signatis).
3586. **Rebeli** Bhtsch. Iris VI p. 23.
3587. **Furcata** Stgr. Hor. XIV p. 479.
3588. **Cerussaria** Ld. z. b. V. 1855 p. 215, t. 3, f. 9; Gn. II, 302; Bhtsch. Iris V p. 9.
3589. **Fenestrata** Mill. Rev. & Mag. 1874 p. 243; Ic. 153 f. 14, 15, III p. 431; Ann. Sc. Nat. Cannes 1880 p. 9, t. 10, f. 11; Rbl. z. b. V. 1895 p. 22; Cretaceaata Paek. VI. Rep. Peab. Ac. Sc. 1874 p. 40; Proc. Bost. XVI t. 1, f. 3; Geom. p. 63, 562, t. 8, f. 15.
3590. **Subfenestrata** Stgr. Iris V p. 259 (praece. forma Darw.?).
3591. **Veratraria** HS. 152, III p. 120, 130; Gn. II, 323; Dietze Stett. e. Z. 1874 p. 211; ib. 1875 t. 1, f. 4; Mill. Ann. Sc. Cannes 1880 p. 6, t. 10, f. 8-10; Stgr. Iris X p. 117.
a) v. *Eynucata* Grasl. Ann. S. Fr. 1863 p. 326. t. 8, f. 3; Obth. Bull. Fr. 1886 p. 166; Magnata Mill. Rev. & Mag. 1873 p. 2; Ic. 139, f. 3 (major, pallidior; certe Veratr. v. sec. sp. typ., Stgr.; sp. distincta esse videtur Rbl.).
3592. **Helveticaria** B. Gen. p. 208 (1840); HS. 130-3, III p. 120, 131; Gn. II, 320; Crewe Ann. 1861 p. 133, 1863 p. 123; (-ata) Dup. Sup. IV, 53, 7.
a) v. (et ab.) *Anglicata* Mill. Ic. 110, 20, 21, III p. 102; Bhtsch. Iris VI p. 16 (minor, rufo-brunnescens).
- Eur. c. et s. (exc. Bat., Belg., reg. bor.); It. s. et c; Arm.*
- Eur. c. et s. (exc. reg. bor.); Bilb; Cast; Gal. m. oc; It. s. et c; Bith; Pont; Arm; Alt; Ala Tau; Sib. s. or; Amur; Uss; Jap. (?)*
- Ross. m. or; Ili (v.?).*
- Ili.*
- Ferg.*
- Arm.*
- Eur. c. (exc. Belg.); Scand. m; Cast; Ross. s. m; Srp; Pont; Arm; Ferg; Iss. K.*
- Ili; Arm; Taur.m.or; Syr. mont. (Libanon).*
- Uss.*
- Pont; Taur. m. or.*
- Hyrc; Arm.*
- Ross. m. or; Liv; Angl; Alt; Ala Tau; Ili (pr. p.); Iss. K; Uss.*
- Ili; Alt. (pr. p.); etc. (trans.).*
- Saraw; Ferg; Iss. K; Ili.*
- Pont; Konia.*
- Syr; Taur; Lyd.*
- Alp. marit; Croat; Am. s. (v.).*
- Arm.*
- Alp; Sil; Boh; Vind; Hung; Rum; Uss.*
- Pyr. or; Transsylv; etc.*
- Eur.c.ets; Ped; Cast; Pyr; Dalm; Arm; Hyrc; Ala Tau.*
- Scot; Fen. (etc. ab.).*

- b) ab. *Areenthata* Frr. 372, IV p. 145 (1841); Gn. II, 321; Crewe Ann. 1863 p. 121; (-aria) HS. 134-7, III p. 120, 131; Intricata Zett. Ins. Lap. p. 962 (al. ant. rufescens-griseis, magis strigatis).
3593. **Aggregata** Gn. II, 315; Stgr. Iris X p. 117 [sec. ♀ al. ant. testaceis, albo-undulatis descripta].
- a) v. (ab.?) *Fuscicostata* Chr. Mém. Rom. III p. 11, t. 1, f. 6 [sec. sp. typ. ♀, nec ♂]; *Fuscostigma* Alph. ib. VI p. 80 (al. sordide albidis extus et al. ant. in costa testaceo-undulatis).
3594. **Cauchyata** Dup. VIII, 1 p. 440, t. 202, f. 1; Gn. II, 314; HS. Corr. 1863 p. 24; Dietze Stett. e. Z. 1878, 278, 1874, 220; Meyr. 191; Austerata Frr. 300, 1.
3595. **Satyrata** Hb. 439; Tr. VI, 2. 108; Frr. 294, 1; Gn. II, 321; Crewe Ann. 1861 p. 133; (-aria) HS. 147-151, III p. 120, 130; Grammaria B. Gen. p. 208; Gn. II, 322 ab.; Callunaria Dbld. (H.) Zool. 1850, App. 105; Wd. Supl. 1732; Gn. II, 322 [ab. obscurior]; Italicata Gn. II, 316 [sp. typ. Stgr. certe ab. nana esse videtur] (sp. valde aberrans).
- a) ab. (v.?) *Subatrata* Stgr. Cat. ed. II p. 197, no. 2805 a; *Pernotata* Gn. II, 316 [sp. typ. Stgr. certe Satyrata, al. obsoletius signatis esse videtur]; ?*Attraria* Gn. II, 322 (al. fere unicolorib. griseis).
- b) v. *Rivosalata* Dietze Stett. e. Z. 1875 p. 254, t. 2, f. 6; *Serenata* Stgr. Iris VIII p. 340 (major, albo-griseens, distincte signata).
- c) v. *Curzoni* Gregson Entom. XVII p. 200 (1884); Mc. Arthur ib. p. 276; Weir ib. XIV t. 1, f. 2, 3 (sine nomine); Gregson ib. XVIII p. 53; Tutt ib. p. 75; Hodgk. ib. 76; Hoffm. Stett. e. Z. 1887 p. 267 (minor, al. angustioribus, al. ant. distincte albo-rivulosus).
3596. **Silenata** Stndf. (sen.) Bresl. e. Zeit. 1849 p. 15, t. 1, f. 3; Frr. 546, 1; Gn. II, 313; (-aria) HS. 428, 544, VI p. 77; ?ab. *Geroldiata* Fuchs Jhrb. Nass. LIII p. 63.
- a) v. *Pseudolariciata* Stgr. Cat. ed. II p. 199, no 2834 a (major, dilutior, pallidior; sec. Bhtsch. tantum syn.).
3597. **Scopariata** Rbr. Ann. S. Fr. 1832 p. 49, t. 2, f. 13; Gn. II, 349; Mab. Ann. S. Fr. 1867 p. 652, t. 14, f. 4 (larv.), 1869 p. 71; *Guinardaria* B. Gen. p. 211 [certa sec. sp. typ.]; Gn. II, 319 (non HS.); Mab. l. c.; Mill. Ic. III p. 108; *Tenebrosaria* HS. 157, III p. 120, 130; Gn. II, 336.
- a) v. *Multiflorata* Mill. Ic. 71, 8-13, II p. 194 (al. laetius pictis, magis conspicue nigro- et albido-strigatis).
- b) v. *Graslinaria* Stgr. Cat. ed. II p. 195, no. 2772 b; ?*Ligusticata* Dup. IV, 80, 3 [ex errore]; *Scopariata* Mab. Ann. S. Fr. 1869 p. 71 pro parte (major, dilutior. al. ochraceo-brunneis).
- c) v.? *Orientata* Stgr. al. ant. griseis, fere non brunnescentibus, obsoletius signatis, non albido-strigatis; an sp. div.? (duobus ♂ et una ♀ var. descripta).
3598. **Variostrigata** Alph. Trudy X p. 40 (1876); Mém. Rom. III t. 1, f. 3; Bhtsch. Iris VI, 33.
- a) v. *Artemisiata* Const. Ann. S. Fr. 1884 p. 203, t. 9, f. 3 (♀); *Littorata* Const. l. c. f. 4 (♂) (minor, al. ant. brunnescent, minus signatis).

Germ; *Angl*; *Lap*; etc.

Alt. (ab.?) ; *Uss.*

Arm; *Ural*; *Petrop*; *Alt*; *China c. oc.*

Eur. c. (pr. max. p.); *It. s.*

Eur. c. et s; *It. s. et c*; *Dalm*; *Arm*; *Hyrc*; (v.?) *Tarb*; *AlaTau*; *Ferg*; ?*Amur*.

Helv; *Fen*; *Ala Tau*; etc.?

Alt; *Amdo*.

Ins. Hethland.

Sil; *Hal*; *Alp. (pr. p.)*; ?*Germ. c. oc.*

Austr. alp.

Cors; *Gal. m. (pr. p.)*; *It.c*; *Pyr*; *Cat*; *Bilb*; *And*; *Maur*.

Gal. m. or. (Cannes).

Gal. c. oc; *Gal. m. oc*. (*trans.*); *Cast. (I)*.

Arm; *Tura* (v.?).

Ross. m. or; *Arm*; *As. min. c*; *Tura*.

Gal. m.

- b) v. (et ab.) *Constantina* Baker Monthl. Mag. XXI p. 244; Albosparsata Joan. Bull. S. Fr. 1891 p. 81; Nov. Lep. p. 128, t. 18, f. 2 (al. ant. saturatus brunnescensibus).
- 3599.** **Bohatschi** Stgr. Iris X, 111, t. 3, f. 73.
- 3600.** **Succenturiata** L.S.N. ed. X, 528; Cl. Ic. 8, 8; Hb. 459; Tr. VI, 2, 130; Dup. VIII, 202, 5; F. R. p. 72; Gn. II, 307; Crewe Ann. 1862 p. 43; Snell. Tijds. 1866 t. 4, f. 3, 4 (non 5, 6), p. 113 pro parte; Spr. Stett. e. Z. 1883 p. 350; Bhtsch. Iris VI p. 30; (-aria) HS. III p. 119, 127 pro parte (forma al. albidis).
- a) v. (et ab.) *Exalbidata* Stgr. al. omn. multo albidiорibus, al. ant. margine tenui anter. et exterior. fusco-griseo.
- b) ab. *Disparata* Hb. 246 (trans. ad Subfulvatam).
- c) v.? *Subfulvata* Hw. Lep. Br. p. 357; Wd. 675; Crewe Ann. 1862 p. 42 larva; Gn. II, 308; Crewe Ann. 1861, 130; Snell. Tijds. 1866 t. 4, f. 5; (-aria) var. 1 HS. III p. 127; *Disparata* Hb. 247 [ab.] (forma fusca, al. ant. disco toto fulvo; sp. div. Stgr. esse videtur).
- d) ab. (et v.) *Oxydata* Tr. VI, 2, 114 (1828); Goossens Ann. S. Fr. 1869 p. 518, t. 11, f. 5 larva; Gn. II, 308; Snell. l.c. f. 6; *Succenturiata* ♀ Dup. VIII, 202, 6; Ligusticata Donz. Ann. S. Fr. 1838 p. 431, t. 12, f. 5 ab. (sec. Mill.); Dup. IV p. 371; Guinardaria Dup. IV, 80, 5 (ex errore); Ferruginata Dup. IV p. 50, 554; *Oxycedraria* Dup. IV, 54, 8 ab; Cognata Stph. III. III, 288 (1831); Wd. 676 (al. fuscis, ant. ubique strigatis).
- 3601.** **Suboxydata** Stgr. Iris X, 112 (forma grisescens).
- a) ab. *Subbrunneata* Stgr. l. c. t. 3, f. 74 (al. ant. saturatus brunneo-tinctis).
- 3602.** **Santolinata** Mab. Pet. Nouv. 1871 p. 168; Ann. S. Fr. 1872 p. 494, t. 15, f. 4; Bhtsch. Iris VI p. 26.
- 3603.** **Millefoliata** Rössl. Verz. p. 153 (1866); Schppff. 186; Fuchs Stett. e. Z. 1875 p. 234; Achilleata Mab. Ann. S. Fr. 1869 p. 79; Goossens Ann. S. Fr. 1869 p. 518, t. 11, f. 6 (larva).
- a) v. et ab. *Maeoticaria* Bhtsch. Iris VI p. 19 (al. paullo dilutioribus; vix distinguenda; sec. Stgr. synon.).
- 3604.** **Scabiosata** Bkh. V. 336 (1794); Z. Stett. e. Z. 1853 p. 414; Frr. 640, 31; Bhtsch. Iris VI p. 27; Piperata Stph. III. III, 288 (1831); Wd. 678!; Snell. Tijds. 1866 p. 128, t. 5, f. 2; *Subumbrata* (S. V. p. 110 n. Cat.) Gn. II, 309; Crewe Ann. 1861 p. 131; ?Majoraria Lah. Geom. Supl. II p. 11, no. 198b, f. 2 (sec. Spr.); Obrutaria HS. 145-6, III p. 119, 126.
- a) ab. *Aequistrigata* Stgr. Cat. ed. II p. 194, no. 2765b (al. albicantibus ubique aequaliter fusco-strigatis).
- b) ab. *Orpnata* Bhtsch. Wien. e. Z. 1883 p. 188 (al. ant. fuscis nec albis).
- 3605.** **Amplexata** Chr. Bull. M. 1880, II p. 119; Stgr. Iris X p. 111, t. 3, f. 72.
- 3606.** **Denticulata** Tr. VI, 2, 132; Dup. VIII, 202, 2; Gn. II, 311; (-aria) HS. 126, III p. 123, 138; Dietze Stett. e. Z. 1871 p. 210, t. 1, f. 7 (larv.); Rössl. Schppfl. 185 (larv.).
- Maur; Arm. (ab.); Ten.*
- Amur; Uss.*
- Eur. c. et s. (exc. reg. bor.); It. s; Dalm.; Ross. m; Bith. (v.?).*
- Alt; Ala Tau; Ili et Iss. K. (v.); Germ. etc. (ab.).*
- Eur. c. et s. (exc. reg. bor.); It. s; Dalm.; Ross. m. or; Alt; Sib.*
- Eur. c. et s. (ab.); Pont. et Taur. (v. sec. Stgr.); It. s. (v.?).*
- Uss.*
- Gal. m; Cast.*
- Germ; Austr; Hung; Helv; Gal. c; Hisp; Balc; Pont.*
- Ross. m. or; Arm; Taur. c. et m. or.*
- Eur. c. (exc. Belg.) et s. m; Ped; ?Dalm; ?Bith; Arm; Alt; AlaTau; Thian; Iss. K; Ferg; Chang.*
- Austr.-Hung; Cors. etc.*
- Amur; Uss.*
- Hung; Germ. c. oc; ?Austr; Taur. m. or. (1).*

3607. **Impurata** Hb. 347!; Dup. VIII, 202, 4!, Sup. IV p. 52; Gn. II, 310 pro parte; Dietze Stett. e. Z. 1875 p. 72, t. 1, f. 9-4 (larv.); Z. ib. 1877 p. 473; Minoraria Dup. IV, 54, 9! (ex errore); Modicata Hb. 361; ?Gn. II, 310; (-aria) Lah. Geom. p. 94; Proluaria Frr. 593, 1; Spr. Stett. e. Z. 1865 p. 259.
3608. **Semigraphata** Brd. Cat. Doubs p. 98 (1847); Spr. Stett. e. Z. 1882 p. 386; Semigrapharia HS. 537, VI p. 76; Gn. II, 311; Mill. Ic. 110, 10-13, III p. 98; Dietze Stett. e. Z. 1872 p. 184, t. 1, f. 14 (larv.); ib. 1875 p. 74; Neptata Mab. Ann. S. Fr. 1869 p. 68, t. 2, f. 4 [obseurior]; Goossens ib. 1869 p. 516, t. 11, f. 1 (larva); Mab. ib. 1872 p. 498; ?Modicaria HS. 178, III p. 119, 128 (sp. valde aberrans).
3609. **Nephelata** Stgr. Iris IX p. 282.
3610. **Lithographata** Chr. Méém. Rom. III p. 9, t. 1, f. 5 [una ♀ condita].
3611. **Poecilata** Püng. Stett. e. Z. 1888 p. 349; Bhtsch. Iris VI, 18 (praec. sp. similis, sed sec. sp. typ. certe sp. div. Stgr. esse videtur).
3612. **Unitaria** HS. 524-5, VI p. 77; Gn. II, 311 (una ♀ condita!).
3613. **Pantellaria** Mill. Bull. Soc. It. 1875 p. 250; Ann. S. Fr. 1877 p. 9, t. 1, f. 6.
3614. **Graphata** Tr. VI, 2, 144; F. R. p. 72; Dup. IV, 54, 12!; Gn. II, 312; (-aria) HS. 179, 180, 189; Corticulata Frr. 323, 1.
3615. **Mayeri** Mn. z. b. V. 1852 p. 134; Schedl ib. 1856 p. 163 (larv.); Mayerata Gn. II, 312 (1857) (praec. var.?).
3616. **Scriptaria** HS. 123, III p. 121, 132; Gn. II, 312; Habich Wien. e. Z. 1883 p. 244 (larv.); Auriv. Nord. Fjär. 262; ?Undata Frr. 323, 2, IV p. 54; Dietze Iris XIII p. 101 [nom. vetust. sed incert.].
3617. **Leptogrammata** Stgr. Stett. e. Z. 1882 p. 77.
3618. **Riparia** HS. 518-9, VI p. 76; Gn. II, 313. Dalm;
3619. **Inconspicuata** Bhtsch. Iris VI p. 12.
3620. **Spissilineata** Metzner Stett. e. Z. 1846 p. 241; Frr. 520, 4; (Gn. II, 338; Stgr. Hor. VII (1870) p. 178; Bhtsch. Iris VI p. 28; (-aria) HS. 448, VI p. 77; Multilineata Mn. z. b. V. 1866 p. 339, t. 1, f. 1.
3621. **Cuculliaria** (Mn. i. l.) Rbl.; Undata Bhtsch. Iris VI p. 28.
3622. **Lutosaria** Bhtsch. Iris VI p. 29 [Plumbeolata var.] (sec. Stgr. bon. sp. prope Spissilineatam, an Spissil. var.?).
3623. **Plumbeolata** Hw. Lep. Br. p. 360; Wd. 674!; Snell. Tijds. 1866 p. 122, t. 6, f. 7; Gn. II, 317 (pr. p.); Isogrammata Tr. VI, 2, 100; Begrandaria B. Gen. p. 211; Dup. IV, 59, 4, 90, 8; HS 128-9; Frr. 669, 2; Singularia HS. 141-2, III p. 121, 132 ab; Gn. II, 318; ?Valerianata F. R. p. 54; Z. Is. 1846 p. 192.
3624. **Immundata** Z. Is. 1846 p. 194; Gn. II, 319; Argillacearia HS. 143-4, III p. 122, 136; Hofm. Wien. Mts. 1864 p. 27 (larv.). c. et m. oc;
- a) v. **Reikjavikaria** Stgr. Cat. ed. II p. 197, no. 2801 a; Valerianata Stgr. Stett. e. Z. 1857 p. 267 (cinerascens, al. fere unicoloribus). Isl.

*Alp; Germ. m. etc. oc;
Belg; Taur. m. oc.*

*Gal. m; Cat; Cast;
Murcia; Cors; Sard;
It; Sic; Germ. c. et
m. oc; Austr. inf;
Styr; Ter; Hung;
Taur; Kurd. s. oc;
Pont; Arm.*

*Ulias; Korla.
Arm. m. (Ordubad).*

Cors; Sard.

*And; Murcia.
It. m. (*Insula Pantellaria*).
Austr.-Hung; Arm.*

*Austr.inf.(olim); Val;
?It. s.
Alp; Norv. s; It. c;
Pont. (1); Arm. (1);
Uss. (v.?).*

*Saisan; Iss. K.
And. (1); Saisan (1).
Pont; Taur; Arm. m.
Bale. m; Rum. m. or;
Taur; Konia; Pont;
Arm; ?It. c.*

*Carn; Croat; Dalm;
Herceg; ?Bith; Konia.
Arm. oc. (Achalzich).*

*Eur. s. et c. (exc. reg.
pol.); Gal. m. oc;
It. s. et c; Dalm;
Pont; Arm; Amur.*

*Germ. c. et s. or; Norv.
m; Ross. s. m; Gal.
Helv; Austro-Hung.
Isl.*

3625. **Isogrammaria** HS. 188, III p. 122, 135; (-ata) Breyer Ann. S. Belg. 1864, t. 5, f. 1; Valerianata Tr. VI, 2, 103, X, 2, 212; Haworthiata Stt. Man. II p. 85 (1859); Crewe Ann. 1871 p. 132.
3626. **Valerianata** Hb. Larv. Lep. V, Geom. II, Aequiv. H. b. f. 1 a-c; Hb. 395; Breyer Ann. S. Belg. 1863 p. 31, t. 1, f. 4 (larv.); (-aria) HS. III p. 122, 134; Snell. Tijds. 1866 p. 148, t. 6, f. 5; Viminata Dbld. Zool. 1858, 6113; Crewe Ann. 1863 p. 123.
3627. **Pygmaeata** Hb. 234; Tr. VI, 2, 135; Dup. VIII, 204, 6; Gn. II, 318; Snell. Tijds. 1866 p. 150, t. 6, f. 6; Hellins Monthl. Mag. IX, 42, 65 (larv.); Dietze Stett. e. Z. 1874 p. 217, 276, 1875, t. 1, f. 37-8 (larv.); Palustraria Dbld. (H.) Zool. 1850, App. 15; Wd. Supl. 1731; HS. Corr. Ins. p. 132, no. 16 (?).
- a) v. (ab.) **Zibellinata** Chr. Bull. M. 1880, II p. 117; Bhtsch. Iris VI, 22; Stgr. ib. X, 116 t. 3, f. 76 (major, al. strigis albidis distinctioribus).
3628. **Ultimaria** B. Gen. p. 210; Dup. IV, 59, 5!; HS. 281-3, III p. 121, 133; Gn. II, 335; Mill. Ic. 126, f. 1-4. It. c. ? Bith. (Angl. ex err.).
3629. **Massiliata** Mill. Ic. 67 f. 1, 2, II p. 145; ib. 124, f. 6, 7; Mab. Ann. S. Fr. 1871 p. 501; Peyerimhoffata Mill. Pet. Nouv. 1870 p. 88.
3630. **Tenuiata** Hb. 394; Crewe Ann. 1861 p. 142; Breyer Ann. S. Belg. 1863 p. 25, t. 1, f. 2. 1864, t. 5, f. 2 (larva); Snell. Tijds. 1866 p. 153, t. 6, f. 8!; Gn. II, 343 pro parte; (-aria) HS. 168-9, III p. 119, 129; Inturbaria Fr. 669, 1; Tr. VI, 2, 102, X, 2, 212; ?Singularia Nolck. Fn. I p. 283.
3631. **Inturbata** Hb. 461; (-aria) HS. III p. 137; Spr. Stett. e. Z. 1881 p. 473; Subciliata Gn. II, 343; Crewe Monthl. Mag. IX, 17 (larv.); Porritt ib. XIV p. 68; Mill. Ic. 150, f. 13, 14; Dietze Stett. e. Z. 1875 p. 59, 256; Meyr. 193.
3632. **Nigritaria** Stgr. Hor. XIV p. 480; Bhtsch. Iris VI p. 20 (uno ♂ condita).
3633. **Albofasciata** Stgr. Hor. XIV p. 479.
3634. **Nanata** Hb. 387; Tr. VI, 2, 136; Dup. VIII, 204, 7; Fr. 306, 1; Gn. II, 335; Crewe Ann. 1861 p. 137; Snell. Tijds. 1866 p. 132, t. 5, f. 7; (-aria) HS. 160-1, III p. 119, 128; Angustata Hw. p. 362; Wd. 680!; Gn. II, 336.
- a) v. (et ab.) **Pauxillaria** B. Gen. p. 210 [sec. sp. typ. certa]; Obscurata Stgr. Cat. ed. II p. 195 no. 2773 a (obscurior, alis fere non albo-strigatis).
- b) v. **Gelidata** Möschl. Wien. Mts. 1860 p. 376; Bhtsch. Iris VI p. 15 (al. ant. obscuriorib. distinctius cinereo-fasciatus).
3635. **Hyperboreata** Stgr. Stett. e. Z. 1861 p. 400; HS. Corr. Ins. p. 132, no. 15; Nolck. Fn. I, 286; Auriv. Groenl. 22; Nord. Fjär. 262; Sandberg Tidskr. 1883 p. 27 (larv.); Thurau Ent. Nachr. XXIII p. 145 (biol.) (praeec. sp. forma Darw., sec. Stgr.).
3636. **Innotata** Hufn. Berl. M. IV p. 616 (1769); Kn. Btr. I p. 22, t. 1, f. 7-9; Hb. 441-2; Tr. VI, 2, 124; Dup. VIII, 204, 8; Gn. II, 331; Crewe Ann. 1863 p. 117; Snell. Tijds. 1866 p. 129, t. 5, f. 6; Bhtsch. Wien. e. Z. 1882 p. 163, 1884 p. 296; (-aria) HS. 274 ab.?, III p. 119, 128.
- Eur. c; Gal. m. oc.; Bilb; Cat; It. s. et c; Bale. m; Pont; Arm; Amur; Uss; China.
- Eur. c; Dan; Fen; Liv; ?Ped; ?Ross. m. or.
- Eur. c. et s. (c. m. rarr.).
- Amur et Uss. (v.); Petrop; Germ. s. oc; ?etc. (ab.).
- Gal. m; Bilb; Cat; ?Bith. (Angl. ex err.).
- Gal. m; Cat; And; Ten.
- Eur. c. et s. (exc. reg. pol.); ?Ped; Arm.
- Angl; Germ; Petrop; Norv. m; Austro-Hung; ?Dalm.
- Taur.
- Pont.
- Eur. c. et s. (exc. reg. pol.); Bilb. (v.?) ; It. s; Dalm.
- Gal. m; It. c. et Cast. (v.); Germ.; Fen. etc. (ab.).
- Labr; Groenl; Ins. Hethland.
- Norv. pol. et c. mont; Germ. s; Ross. s. m; Groenl.
- Eur. c. et m. (exc. Cat. et It. c.); Scand. m; Fen; Pont; Arm; Hyrc; Alt; Ili (v.?) ; Amur.

- a) v. *Tamarisciata* Frr. 192, 1a-e, II p. 153; Gn. II, 332; Mill. Ic. 110; Dietze Stett. e. Z. 1874 p. 209, 1875 p. 241 (minor, plerumque obscurior magis unicolor plumbeo-grisea).
- b) v. *Fraxinata* Crewe Ann. 1863, 116-7; Dietze Stett. e. Z. 1870 p. 337; ib. 1872, 198, t. 1, f. 18; ib. 1875, 69, 239; Mill. Ic. III p. 111; Innotata Crewe Ann. 1861, 136; Suspectata Dietze Stett. e. Z. 1871 p. 210 (a v. praec. tantum larvae alimento distinguenda sec. Stgr.).
3637. ?**Uliata** Stgr. Iris IX p. 281 (duabus ♀ condita, an praec. sp. var.?).
3638. **Unedonata** Mab. Ann. S. Fr. 1867 p. 649, t. 14, f. 3a-c; Stgr. Hor. VII (1870) p. 179. Cat; Murcia; Dalm; Graec;
- a) v.? *Parallelaria* Bhtsch. Iris VI p. 22 (major, dilutior, distinctius signata).
3639. ?**Praesignata** Bhtsch. Iris VI p. 21 (praec. sp. „var. a“ valde affinis; an eadem? Stgr.).
3640. **Rosmarinata** Mill. Ic. 63, 4-8, II p. 104.
3641. **Phoeniceata** Rbr. Ann. S. Fr. 1834 p. 392, t. 9, f. 6; Gn. II, 349; Mill. Ic. 110, 6-9, III p. 95.
3642. **Mnemosynata** Mill. Cat. rais. p. 409; Ann. S. Fr. 1877 p. 9, t. 1, f. 7; Ann. S. Belg. 1877 p. 65, t. 1, f. 1-3; Nolck. Stett. e. Z. 1882 p. 178 (sec. Stgr. praec. v. major, al. magis signatis).
3643. **Oxycedrata** Rbr. Ann. S. Fr. 1833 p. 47, t. 2, f. 12; Dup. IV, 90, 9!; Gn. II, 349; Mab. Ann. S. Fr. 1867 p. 655, 1869 p. 75; Mill. Ic. 110, 1-3, III p. 94.
- a) v. *Euxinata* Bhtsch. Iris VI p. 4 (multo obscurior, fuscescens; sec. Stgr. ab Adscriptaria vix distinguenda).
3644. **Adscriptaria** (Ld. in coll.) Stgr. Cat. ed. II p. 200, no. 2842a; Hor. XIV p. 482; Bhtsch. Iris VI p. 4.
3645. ?**Provinciata** Mill. Rev. & Mag. 1871-2 p. 61; Ic. III, t. 150, f. 5-8; Bhtsch. Iris VI p. 6 (Oxycedrat. var.?; sec. Stgr. tantum syn.).
3646. **Abbreviata** Stph. Ill. III p. 283; Wd. 660; Gn. II, 345, t. 12, f. 7; Crewe Ann. 1861 p. 143; Snell. Tijds. 1866 p. 119, t. 4, f. 9, 10; Dietze Stett. e. Z. 1875 t. 1, f. 34-6; Rössl. Schppfl. 197; Auriv. Nord. Fjär. 265; Meyr. 194; Guinardaria HS. 273, III p. 119, 126; Hein. I p. 798; Cocciferata Mill. Ic. II p. 45 (♂).
3647. **Semitinctaria** Mab. Ann. S. Fr. 1867 p. 651, t. 14, f. 2; Bhtsch. Iris VI p. 8; Cocciferata Mill. Ic. 56, 1-4 (♀), II p. 45 (pr. p.) (sec. Stgr. praec. sp. var. obscurior).
3648. **Dodoneata** (r. Dodonaeta) Gn. II, 344, t. 11, f. 7; Crewe Ann. 1862 p. 40; Snell. Tijds. 1866 p. 122, t. 4, f. 11; Goossens Ann. S. Fr. 1871 t. 4, f. 3 (larv.); Rössl. Schppfl. 198; Meyr. 194.
- a) v. *Quercifoliata* B.-Haas Nat. Tids. XI p. 514 (1875); Auriv. Nord. Fjär. 265 (major, multo dilutior, al. flavidocinereis).
3649. **Subbreviata** Stgr. Iris X, 120, t. 3, f. 78.
3650. **Exiguata** Hb. 379; Tr. VI, 2. 116; Dup. VIII, 203, 4; Frr. 119, 1; Gn. II, 345; Crewe Ann. 1861 p. 143; (-aria) HS. III p. 123, 137; Lanceolaria (Stph. Cat. p. 204) Wd. Supl. 1733; Gn. II, 346.
3651. **Exactata** Stgr. Stett. e. Z. 1882 p. 78.
- Germ. m. (oc.); Ter; Helv; Ped; Gal; Maur; Tarb; Iss. K.*
- Angl; Germ. c. oc.; Austro-Hung; etc.*
- Ulias.*
- Cors; Gal. m. (?); Syr. et Tura (trans.); Saraw; Korla.*
- Tura; Ferg; Iss. K; Thian or; Tarb.*
- Gal. m. (Massilia); And; Murcia; Maur. (?).*
- Gal. m. (Olbia et Massilia).*
- Gal. m. (Cannes, Mespel.); Cat; Sic; Istr; Dalm.*
- Gal. m; Cors; It. s. et c; Maur.*
- Pont; Crim.*
- Bith; Pont; Arm.*
- Gal. m; Maur.*
- Eur. c. (exc. ?Helv.); And; Cat; Gal. m.; Ib; Cors; It. c; Dan; Scand. m; Arm.*
- Cors; Gal. m; Cat; And; Pont. (ab.?).*
- Angl; Bat; Belg; Gal. s. oc. et m; Cat; And; Cors; It. s. et c; Taur. m; Syr.*
- Dan; Suec. m; Germ. s.*
- Uss.*
- Eur. c. et s. (exc. reg. bor.); Gal. m. oc; Ped.*
- Saisan.*

3652. **Sinuosaria** Ev. Bull. M. 1848, III p.230; Hedem. Hor. XVI t. 13, f. 10; Hoffstein Tidskr. XVII p.270. *Sib. or; Urga; Thian. or; Ferg; Korla.*
3653. **Lanceata** Hb. Verz. p.324 (1822); Id. Geom. p.21; Dietze Stett. e. Z. 1874 p.270; 1875 t. 1, f. 7-8 (lary.); Succenturiata Hb.236 (non L); Hospitata Tr. VI, 2. 120 (1828); Frr. 119, 2; Gn. II, 346; (-aria) HS. III p. 118, 125.
3654. **Nobilitata** Stgr. Stett. e. Z. 1882 p.76; Bhtsch. Iris VI p.20.
3655. **Lentisecata** Mab. Ann. S. Fr. 1869 p.75; ib. 1872 t. 15, f. 6.
3656. **Sobrinata** Hb.465!; Tr. VI, 2. 112; Frr. 90; Gn. II, 346; Crewe Ann. 1861 p.144; Snell. Tijds. 1866 p.124, t. 5, f. 1!; Mill. Ic. 110 f. 23 (lary.); (-aria) HS. III p.118, 126; Laevigata Hw. p.362; Wd. 658; Stevensata Webb South. Lond. Ent. Soc. 1892; ?Ultimaria Webb Entom. XIV p.300, t. 1, f. 6, 7.
- a) ab. *Expressaria* HS. 284-5, III p.121, 134 (distinctius signata, vix nomin.).
- b) v. *Graeseriata* Rätzer Mitt. 1882 p.361; Bhtsch. Iris VI, 15; Latoniata Mill. Ann. Soc. Lyon 1883 p.165, t. 2, f. 10 (major, grisescens, inconstans).
- c) v.? *Scoriata* Stgr. Stett. e. Z. 1857 p.265; Bhtsch. Iris VI, 15 (multo obscurior, al. ant. obscure brunneo-griseis, minus signatis; forma Darw. Stgr. esse videtur).
3657. **Ericeata** Rbr. Ann. S. Fr. 1833 p.50, t. 2, f. 14; Mab. Ann. S. Fr. 1868 p.77; 1869 p.75; (-aria) Gn. II, 348; Mill. Ic. 110, 4, 5, III p.100; Bastelberger III. Ztschf. Ent. V, 146; ?Pauxillata Mab. Ann. S. Fr. 1872 p.497, t. 15, f. 3; Expressaria Mill. Ic. 110, f. 18, 19, III p.101; Millierata Stgr. Cat. ed. II p.200, no. 2847.
3658. **Pumilata** Hb. 388; Dup. IV p.105; Z. Stett. e. Z. 1849 p.220; Gn. II, 351; Crewe Ann. 1861 p.144; Snell. Tijds. 1866 p.126, t. 4, f. 7; Auriv. Nord. Fjär. 265; (-aria) HS. 127, III p.124, 140; Recictaria B. Gn. p.209 [sec. sp. typ. certe]; Bistrigata Hw. p.361; Strobilata Stph. III p.282; Wd. 656; ?Rufofasciata Hw. p.361; Improbata (F. R. p. 71 n. Cat.) Z. Is. 1846 p.196; Pauxillaria HS. 278; Bucovinata Horm. Soc. Ent. VIII p.41.
- a) v. (ab.?) *Tempestivata* Z. Is. 1847 p.502; ?Pumilaria Dup. IV, 59, 3; Globulariata Mill. Ic. t. 23, f. 1-7, I p.206; Mab. Ann. S. Fr. 1869 p.77; ?Rufifasciata Wd. 657!; Incertata Mill. Cat. rais. III, 410; Ann. S. Fr. 1877 p.11, t. 1, f. 8 (al. magis grisescensibus, minus rufo-signatis).
- b) v. (ab.) *Parvularia* HS. 187, III p.114, 140; Gn. II, 353; Pauxillaria HS. III p.124, 141; Gn. II, 352; (-ata) Mab. Ann. S. Fr. 1869 p.77; Mill. Ic. III p.115 (minima, al. strigis magis rectis; gen. aest. sec. Mab.).
- c) v. *Insulariata* Stt. Ann. & Mag. (3) I p.118; ib. III p.209; Baker Tr. E. S. 1891 p.220; Bhtsch. Iris VI p.18 (fasciis magis dentatis, inconstans).

547. **Chloroclystis** Hb. 1822 (Eupithecia Curt. 1825 pr. p.).

3659. **Coronata** Hb. 372-3; Frr. 306, 2; Dup. IV, 59, 2; Gn. II, 353; Crewe Ann. 1861, 145; Breyer Ann. S. Belg. 1864 t. 5, f. 4 (lary.); (-aria) HS. III p.117, 125; Vata Hw. p.364; Wd. 655.

Ross. s. m. et m.; Alt;

Eur. c. et s. (exc. reg. bor.); Ped.

Ala Tau; Kuku N. Cors.

Eur. c. et s. (exc. reg. pol.); Bilb; Cast; Ped; Rum. or; Ural.

Alp. m; Arm.

Isl.

Cors; Gal. m; It. s. et c; Bilb; Maur. (Rbr.).

Eur. m. et c. oc. (exc. Ross.); Germ. c. et m. oc; Helv; Hung; Maur; As. min; Syr; Mardin; Arm; Hyrc; Tura; Saraw; Ferg; Iss. K.

Gal. m; And; Sic; Maur. etc.

Gal. m; And; Sic; Maur. etc.

Mad; Can.

Eur. c. (exc. Bat. et Germ. s.); Gal. m. oc; Bilb; Cors; Sard; It. s. et c; Ross. m. or; Arm; Hyrc; Uss.

3660. **Rectangulata** L. S. N. ed. X, 528; Cl. Ic. 8, 6; Hb. 235; Tr. VI, 2, 97; Dup. VIII, 203, 3; Wd. 651; Gn. II, 354; Frr. 695, 1; Crewe Ann. 1861 p. 146; Breyer Ann. S. Belg. 1864 t. 5, f. 3 (larva); Snell. Tijds. 1866 p. 160, t. 6, f. 9; (-aria) HS. 275-6, III p. 123, 138.

- a) ab. *Subaerata* Hb. 463; Gn. II, 355 (fere omnino viridis).
- b) ab. *Cydoniata* Bkh. V, 354; Tr. VI, 2, 101; Gn. II, 355; *Colligata* Tngstr. Cat. p. 23, 68 ab. (al. griseo-fuscis, al. ant. saepius fascia media obseuriore).
- c) ab. *Nigrosericeata* Hw. p. 363; Wd. 654; Gn. II, 355; ?Bischoffaria HG. 586-8; Bhtsch. Iris VI p. 25 (multo obseurior, al. nigricantibus, exterius striga dentata viridi).

3661. **Debilitata** Hb. 466; Tr. X, 2, 211; Gn. II, 356; Frr. 695, 2 [larva]; Breyer Ann. S. Belg. 1863 p. 27, t. 1, f. 3 (larva); Goossens Ann. S. Fr. 1869 p. 516, t. 11, f. 2 (larva).

- a) ab. *Nigropunctata* Chant Entom. Mag. I p. 184, not.; Wd. 653; Gn. II, 356 (al. albido-virescentibus puncto med. strigisque 3 punctatis nigris).
- b) ?v. *Griseata* Stgr. Iris X, 110 (grisescens, nec viridis; an spec. sequ. syn.? Stgr.).

3662. **Chloerata** Mab. Pet. Nouv. p. 96 (1870); Goossens Ann. S. Fr. 1871 p. 290, t. 4, f. 4 (larv.); Mab. ib. 1872 p. 493, t. 15, f. 7; Dietze Stett. e. Z. 1872 p. 329; ib. 1881 p. 115; Spr. ib. 1883 p. 348; Rössl. Schppf. 189; Bhtsch. Wien. e. Z. 1884 p. 297; Horticolaria Fuchs Jhrb. Nass. XLV (1892) p. 102; ab. *Hadenata* Fuchs ib. LIII (1900) p. 65; ?*Debilitata* Hb. 462.

3663. **Agilata** Chr. Bull. M. 1880, II p. 118; Stgr. Iris X p. 110, t. 3, f. 71.

Eur. c; Scand. m; Gal. m. oc; Bilb; Cors; It.s. et c; Ross. m; Arm; ?Uss.

Germ. s; Dan. etc.
Germ. s; Dan. etc.

Eur. c; Scand. m;
Ross. s. m; Ural;
Uss.

Uss.

Germ; Gal. c. et s;
Austro-Hung; Hal;
Petrop.

Amur; Uss.

548. **Cithecia** Stgr. 1897.

3664. **Excisa** Butl. Ann. & Mag. (5) I, 445 (1878); Ill. Het. III, 52, t. 53, f. 11; Püng. Iris X, 370; *Macrocheila* Stgr. ib. 121, t. 3, f. 79 (genus *Cithecia*).

Uss; Jap.

549. **Collix** Gn. 1857.

3665. **Sparsata** Tr. VI, 2, 133 (1828); Dup. VIII, 203, 1; Ld. Geom. p. 22; Gn. II, 358; Snell. Tijds. 1866 p. 66, t. 6, f. 10; *Sparsaria* Hb. 398 (1807); Wd. 620; *Melano-*
paria Grasl. Ann. S. Fr. 1848 p. 62, t. 1, f. 7, 8.

Eur. c; Scand. m;
Ross. s. m. et m. or;
Dalm; Uss; Jap.

550. **Phibalapteryx** Sph. 1829.

3666. **Polygrammata** Bkh. V, 560; Hb. 277; Tr. VI, 2, 60; Dup. VIII, 193, 5!; Wd. 1676!; Gn. II, 436 pro parte. *Gal. m. oc; Bilb; Cat; Ross. m. or; Taur; Pont; Ferg; Iss. K; Ill.*

- a) v. (et ab.) *Conjunctaria* Ld. Geom. p. 21; *Polygrammata* Z. Is. 1847 p. 501 (dilutior, al. ant. fascia med. obseura nulla; inconstans, vix nomin.).

3667. **Caespitaria** Chr. Bull. M. 1880, II p. 112 (1881); Stgr. Iris X p. 106; *Pacuviaaria* Obth. Et. X p. 34, t. 1, f. 7 (1885).

Eur. c. (exc. Bat. et
?Ross.); Scand. m;
Pont; Ferg; Iss. K; Ill.
Sic; Sard; Maur. et
Tura (v.?). Hung;
Angl. etc. (ab.).

Amur; Uss.

3668. **Centrostrigaria** Woll. Ann. & Mag. (3) I p. 119 (1858); Baker Tr. E. S. 1891 p. 219, t. 12, f. 9 (♀); Rbl. Ann. Naturh. Hofmus. IX p. 76; Latirupta Wlk. List. XXXV p. 1684; Pack. Mon. p. 169, t. 8, f. 64; Luscinata Z. z. b. V. 1873 p. 205; Interruptata Rbl. l. c. p. 76, t. 1, f. 8 (♂).
3669. **Lapidata** Hb. 324; Gn. II, 435; (-aria) HS. 286-7, III p. 144; Auriv. Nord. Fjär. 233; Subrufata Hw. p. 347; Wd. 744; Curata Ev. Bull. M. 1844, III, 597 t. 15, f. 4.
- a) v. *Millierata* Stgr.; *Lapidata* Mill. Ann. Sc. Cannes 1878 p. 4, t. 3, f. 4-6 (al. ant. hepaticoloribus, obsoletius strigatis, al. post. extus magis obscuratis).
3670. **Aquata** Hb. 410; Tr. VI, 2. 64; Dup. VIII, 197, 4; Gn. II, 437; Auriv. Nord. Fjär. p. 255.
- a) v. *Conspicuata* Hirschke z. b. V. 1899 p. 357; Jhrs. Wien. e. V. X t. 1, f. 2 (major, al. albido-mixtis; sequ. var. valde similis).
- b) v. *Variegata* Stgr. Iris X, 107 (1897) (al. partibus dilutior. fere non brunnescensibus, al. ant. fascia obliqua saturatus obseura latioreque).
- c) v. *Detersata* Püng. Iris XII, 299 (al. ant. partibus dilutior. brunneo-tinctis).
3672. **Scorteata** Stgr. praec. spec. aliquid similis, eadem magnitudine; al. ant. obscure fuscis, parte basali margineque anter. latius scorteis, puncto parvo med. punctisque duplicebus marginal. nigris; al. post. margine exter. undulato obscure fuscis, obsolete strigatis, puncto med. majore strigulisque margin. nigris (duabus ♀ condita).
3673. **Corticata** Tr. X, 2. 208 (1835); Ld. Geom. p. 21; Gn. II, 434; Alutacearia B. Gn. p. 205 (1840); HS. 42, III p. 144.
3674. **Tersata** (S. V.) Hb. 268!; Hw. p. 339; Tr. VI, 3. 62; Dup. VIII, 197, 1. 2!; Gn. II, 432; Stgr. Hor. VII (1870), 177; Z. Stett. e. Z. 1877, 472 (var.); ?Testaceaata Hb. 338; HS. III p. 174, VI p. 139; ?Gn. II, 433; Radiocaria Lah. Geom. Supl. II p. 20, no. 314c.
- a) ab.? (gen. aest.?) *Tersulata* Stgr. Cat. ed. II p. 192, no. 2734 a (minor, al. minus strigatis, magis unicol., gen. aest.?).
- b) v. *Tetricata* Gn. II, 433; Stgr. Iris X p. 107 (cinereo-grisea, plane non lutescens).
3675. **Intricata** Stgr. Stett. e. Z. 1882 p. 73 (praec. ab.?).
3676. **Exoletata** HS. Deutsch. I, 163, 7 (1839?); (-aria) HS. 399, III p. 174; Gn. II, 435.
3677. **Lucillata** Gn. II, 435 (sec. unum ♂ descripta).
3678. **Seotosiata** Gn. II, 434; Stgr. Iris V, 383; ib. IX, 280.
3679. **Aemulata** Hb. 448; Gn. II, 434; (-aria) HS. III p. 174, VI p. 139; n. Schm. 49, 50 ab.
3680. **Incurvaria** Ersch. Hor. XII p. 339; Hedem. ib. XVI, t. 13, f. 8.
- Mad; Can; Am. s.
- Ross. s.m. et? c; Suec. c. et s; Scot; Gal. s; Helv. s.(1); Germ. c. oc; Boh. (1); Hung; Alt; Chang; Sib. or; Kamt. Gal. m. or.
- Eur. c. oc; Suec. m. (?) Gal. m. oc; Lugdun; Helv. (?) Hung; Hal; Ural; Alt; Kaschg. (v.); Kent; Chang; Sib. or; Amur.
- Eur. m. et c. (exc. Ib. m., Germ. s., Ross. m. oc.); Suec. m; Liv; Bith; Pont; Tarb. Alp. Styr. s.
- Dalm; Chang; Urga; Amur; Uss; Jap.
- Ili; Iss. K. et Ferg. (trans.).
- And. m. (Chiclaua); Maur. or. (Bône).
- Austro-Hung; It. c; Balc. s; Bith; Taur; Pont; Arm.
- Eur. c. et m. (exc. Ib.); Scand. m.; Ross. s. m.; Bith; Pont; Arm; Nan Schan et Amdo (v.?). Germ. c; Gal. m; etc.
- Alt; Tarb; Amur; Uss; Jap; Hisp. s. oc. (Asturia) (v.).
- Tarb.
- Sic.
- Alt; Chang.
- Alt; Kent; Ulias; Chang; Thian. or. (?); ?Amur.
- Alp. Austr., Styr., Car., Ter., ?Helv; Carp; Urga (v.?).
- Sib. (Irkutsk).

3681. **Calligraphata** HS. Deutsch. I, 163, 6 (1839); (-aria) HS. 38, 39, III p. 174; Gn. II, 438; Taeniolata Ev. Bull. M. 1843, III, 550; Ligaminata Ev. F. V. U. 415.
3682. **Semiorbiculata** Chr. Bull. M. 1880, II p. 103; Stgr. Iris X p. 107, t. 3, f. 68.

*Carn; Ter. m; Helv;
Croat; Istr; Ural.
m; Arm.
Amur; Uss; Jap.*

D. Orthostixinae.

551. **Orthostixis** Hb. 1822.

3683. **Cibraria** Hb. 83 (1798?); Tr. VI, 2, 244; Dup. VIII, 187, 4; Laetata F. E. S. Suppl. 456 (1798); Gn. II, 220.
3684. **Calcularia** Ld. Geom. p. 96; Gn. II, 221.
3685. ***Textilis** Wlk. List. VII, 1743; Hmps. Ind. Moths III p. 324 (Genus Naxa Wlk.).
- a) v. *Serriaria* Motsch. Bull. M. 1866, I p. 196; Hmps. l. c. 325; Laetata Brem. Lep. O. S. p. 84; Bremeraria Stgr. Cat. ed. II p. 155, no. 2241; Textilis Stgr. Iris X p. 28, t. 1, f. 19 (al. maculis nigris non albo-pupillatis).

*Balc. (exc. Dalm.);
Hung. m; Sic; Ross.
m; Bith; Taur; Pont;
Arm; Hyrc; Syr. (v.).
Arm; Pont; Taur.
Ind; Borneo.
Uss; Jap.*

552. **Gypsochroa** (Hb. 1822) HS.

3686. **Renitidata** Hb. 485-6; Ev. F. V. U. p. 435; Gn. II, 513; (-aria) HS. 236.

*Srp; Cauc. s; Arm;
Taur; Bith; Gal. m. (Ardèche).*

553. **Eusarca** HS. 1847 (Myinodes Meyr., Pseudotagma Stgr.).

3687. **Interpunctaria** HS. 390, III p. 34; Gn. II, 146.

*Sic; Murcia; Maur;
Syr; Mardin.*

554. **Jotaphora** Warr. 1894 (Grammicheila Stgr. 1897).

3688. **Admirabilis** Obth. Bull. S. Fr. 1883 p. 84; Et. X p. 29; t. 1, f. 8; Graes. Berl. e. Z. 1888 p. 392; Stgr. Iris X p. 3, t. 2, f. 81.¹⁾

Uss; China m. oc.

*Scand; Ross.s. et? m.
or; Germ., Helv. et
Austro-Hung. (pr.
p.); ? Sib. or.*

555. **Epipranthis** Hb. 1822 (Ploseria B.).

3689. **Pulverata** Thnbg. Diss. Ent. I p. 9, f. 7 (1784); Zett. Ins. Lap. p. 954; Diversata (S.V.) Vill. L. Ent. II p. 387 (1789); Tr. VI, 1, 278; Gn. II, 134; (-aria) Hb. 202; Dup. VII, 170. 3.

*Scand; Ross.s. et? m.
or; Germ., Helv. et
Austro-Hung. (pr.
p.); ? Sib. or.*

556. **Chemerina** B. 1840.

3690. **Caliginearia** Rbr. Ann. Soc. Fr. 1832 p. 35, t. 2, f. 3, 4; HG. 581; Gn. II, 243; Mill. Ic. t. 6, f. 1-6; Ramburaria B. Gen. p. 193 (1840); Dup. Sup. III, 50, 7a, b; HS. 48.

*Cors; Gal. m; Cat;
And; Maur; Can;
Dalm.*

¹⁾ *Iridicolor* Butl. Ann. & Mag. (5) VI p. 227 (1880); Ill. Het. VI, t. 113, f. 3; Hmps. Ind. Moths III p. 322 ex Ind. sp. affinis sed diversa sec. Stgr.

E. Boarmiinae.

557. *Arichanna* Moore 1867 (Hemipyrrha Grote 1897).

3691. **Melanaria** L. S. N. ed. X. 521; Cl. Ic. 4, 2; Esp. 23. 1: Hb. 86; Tr. VI. 2. 236; Dup. VII. 164, 3; Wd. Ind. t. 54, 62; Gn. II. 199; Leech Ann. & Mag. (6) XIX p. 436; Stgr. Iris X. 23; Fraterna Butl. Ill. Het. II. p. 53, t. 37, f. 9 [dilutior]; ab. *Hansenii* Hedem. Hor. XVI p. 259, t. 13, f. 12 [al. infuscatis].
 a) v. et ab. *Askoldinaria* Obth. Et. V p. 52. t. 9, f. 11; *Sordida* Butl. Ann. & Mag. (5) XI. 116 (al. ant. olivaceo-griseis, plerumque maculis nigris pr. p. confluentibus).
 b) v. *Decolorata* Stgr. Iris V p. 374 (al. luteo-albidis vel pallide griseis, decoloratis).
3692. **Flavomarginaria** Brem. Lep. O. S. p. 83. t. 7. f. 11; Leech Ann. & Mag. (6) XIX p. 440.
- Scand. et Ross. s. (exc. reg. pol.); Germ. s.; Boh; Morav. et Alp. (pr. p.); Alt; Sib; or; Amur. s; Jap; Uss. et Cor. (v.).*
Uss. (v.); Cor. et Lap. m. (ab. et trans.).
Kent.
Amur; Uss; Cor; China.

558. *Cistidia* Hb. 1822 (Vithora Wlk.).

3693. **Stratonice** Cr. Pap. Ex. IV, t. 398. f. K; Stgr. Iris X p. 27; *Agrionides* Butl. Ann. & Mag. (4) XV p. 137; Ill. Het. II p. 3. t. 32. f. 3.
 3694. **Couaggaria** Gn. II. 202 (1857); Leech Ann. & Mag. (6) XIX. 459; *Eurypile* Mén. Bull. Ac. XVII. 217; Schrk. t. 4. f. 3 (*Eurypile*) p. 47; Stgr. Iris X. 27; *Eurymede* Motsch. Et. 1860 p. 30; *Interruptaria* Feld. Wien. Mts. 1862 p. 39; Nov. 129. 29.
- Amur; Uss; Cor; Jap; China c.*
Amur; Uss; Cor; Jap; China.

559. *Taeniophila* Stgr. 1897.

3695. **Unio** Obth. Et. V p. 15. t. 9. f. 12; Stgr. Iris X p. 21; *Askoldaria* Chr. Bull. M. 1880, II p. 59; *Magna* Butl. Tr. E. S. 1881 p. 416 [sec. Leech syn.].
- Uss; Jap.*

560. *Abraixas* Leach 1815.

3696. **Whitleyi** Butl. Ill. Het. II p. 52. t. 37. f. 4; Leech Ann. & Mag. (6) XIX p. 444.
 3697. **Grossularia** L. S. N. ed. X. 525; Hb. 81, 82 (ab.); Tr. VI. 2. 237; Dup. VIII. 187, 1; Frr. t. 84. 3, t. 125, 2 (ab.); 3, t. 674, 1 (ab.); Gn. II. 204; Mill. Ic. t. 1. f. 6, 7. t. 90, f. 11 (ab.); Obth. Et. XX. t. 19-24 (ab.); Stgr. Iris X. 24; Leech Ann. & Mag. (6) XIX. 445.
 a) v. *Ribesata* Stgr. Iris V p. 161 (al. signaturis nigris obsoletioribus, maculis in fascia confluentibus).
 *b) v. *Conspurcata* Butl. Ill. Het. III p. 48. t. 52, f. 11 (maculis nigris confluentibus. al. post. area basali nigra).
 3698. **Sylvata** Sc. Ent. Carn. p. 220 (1763); Z. Stett. e. Z. 1855. 243; Leech Ann. & Mag. (6) XIX p. 445; *Ulmata* F. S. E. 632 (1775); Gn. II. 206; (-aria) Hb. 85. 391-2; Tr. VI. 240; Dup. VIII. 187. 2; Frr. 125. 1; *Pantherata* Hb. Btr. II. 2, 2, N (1791).
 a) v. *Orientalis* Stgr. Iris X p. 24, t. 1, f. 18 (minor, obscurius maculata).
 *b) ab. (v.) *Miranda* Butl. Ann. & Mag. (5) I. 442; Ill. Het. III p. 48, t. 52, f. 12 (al. maculis in fasciis confluentibus).
- Eur. c. et s. (exc. reg. pol.); Gal. m. or; Bilb; It; Dalm; Ross. m; Arm; Alt; Sib; Amur; Uss; China. Ferg; Ulias.*
Jap.
Eur. c.; Scand. m; Ross. s. m. et m; It. s; Arm; Alt; Ala Tau; Iss. K; Uss. (ab.); China (v.?).
Amur; Uss; Cor; Jap.
Jap.

3699. **Pantaria** L. S. N. ed. X, 863; Esp. 47, 5; Hb. 84; Tr. VI, 2. 242; Dup. VIII, 187, 3; Wd. 600; Gn. II, 206; Mill. Ic. t. 16, f. 1-3. (*rar.*) *Dalm; Taur. m.; Malatia; Arm.; Pers. And; Gal. m. ?etc.*
- a) ab.? (gen. aest.?) *Cataria* Gn. II, 207 (minor, alis minus maculatis).
3700. **Marginata** L. S. N. ed. X, 527; Cl. Ic. 2, 5; Tr. VI, 2. 231; Dup. VIII, 190, 1. 2; Wd. 733; Gn. II, 211; (-aria) Hb. 80; Maculata Hb. Btr. I, 1, 3, P; Naevaria Hb. 79; Demarginata Fuchs Jhrb. Nass. LII p. 141 (ab.).
- a) ab. *Pollutaria* Hb. 77; Gn. II, 212; Marginaria Bond Entom. XIII p. 169, f. 1-3; Wendlandtiata Fuchs l. c. 142 not.; Mediofasciata Höfn. Jhrb. Kärnt. XXIV, 4 (alis magis albidis, maculis paucis nigris).
- b) ab.? (v.?) *Nigrofasciata* Schöyen Tröms. Mus. Aars. 1882 p. 29; Marginaria Hb. 544 (maculis mediis in fascia conjunctis).
- c) v. (et ab.) *Opis* Butl. Ann. & Mag. (5) I p. 442; Ill. Het. III p. 49, t. 53, f. 3; Amurensis Hedem. Hor. XVI p. 44, 260 (al. omn. maculis tribus mediis magnis).
3701. **Adustata** Schiff. S. V. p. 114; Hb. 75; Tr. VI, 2. 225; Frr. 102, 2; Dup. VIII, 190, 1. 2; Wd. 605; Gn. II, 209 (gen. Ligdia Gn.). et c; *Bith. (v.?)*; *Pont. (pr. p.); Arm. (v.).*
- a) v. *Lassulata* Rghfr. z. b. V. 1873 p. 571; Inspersata Stgr. Hor. XIV p. 443; ib. XVI p. 79 (al. plus. minusve fusco-inspersis).
- *b) v. *Japoniata* Stgr. al. omnibus macula media nigricanti, al. post. fascia antemargin. distincta nigricanti). *Jap.*
- 561. Bapta** Stph. 1829.
3702. **Pictaria** Curt. B. E. X. t. 447 (1883); Wd. 503; HS. 40; Gn. II, 60, t. 15, f. 3; Barr. VI t. 275. f. 1. *Angl; Belg; Gal. c; Cast; Helv.m; Germ. oc. et c. m; Hung; Hung; Pont. et Pal. (ab.).*
- a) v. *Orientalis* Stgr. Iris V p. 170 (dilutior, grisescens). *Pont; Taur. m; Pal; Mardin.*
3703. **Bimaculata** F. S. E. 635 (1775); Hw. p. 356; Wd. 688; Ld. Geom. p. 11; Taminata (S. V.) Hb. Btr. I, 4, 4 Y (1789); Tr. VI, 2. 245; Dup. VIII, 188, 2; Frr. 84, 2; Gn. II, 59; Barr. VI t. 274, f. 3; (-aria) Hb. 90; Subnotata Warr. Nov. Zool. II, 127; ab. Bipunctata Fuchs Jhrb. Nassau LIII p. 51 [macul. costal parvis].
3704. **Temerata** (S. V.) Hb. Btr. II p. 109 (1794); Tr. VI, 2. 246; Dup. VIII, 188, 1; Frr. 84, 1; Gn. II, 59; Barr. VI t. 274, f. 2; (-aria) Hb. 91, 376-7; Punctata F. S. E. III, 2, 197 (1775) (nom. praeoc.); Sylvestrata Hb. Btr. I, 1, 4, S; Sancta Butl. Tr. E. S. 1881 p. 413.
3705. **Clarissa** Butl. Ill. Het. II p. 49, t. 36, f. 4; Stgr. Iris X p. 28 (huj. generis?). *Amur; Uss; Jap.*
3706. **Aetheriata** Graes. Berl. e. Z. 1888 p. 391; Stgr. Iris X, 29 (huj. generis?). *Uss.*

562. Stegania Dup. 1844.

3707. **Trimaculata** Vill. L. Ent. II p. 384 (1789); Permutaria Hb. Btr. II, 4, 1, F (1793); Hb. 92; Ld. Geom. p. 97; Gn. II, 48; Mill. Ic. t. 6, f. 7-9, 11, 12. *Eur. m. oc; Maur; It; Gal. c; Helv. et Ter. m; Carn; Dalm; Bith. (?)*.

- a) ab. (et v.?) *Cognataria* Ld. Geom. p. 97 (1853); *Permutaria* Hb. 504; Dup. VIII, 171, 5; HS. III p. 70; Mill. l. c. f. 10; *Commutaria* Gn. II, 48 (1857) (al. plus minusve fusco-irroratis).
3708. **Dilectaria** Hb. Btr. II, 3, 4, W; Hb. 39; Tr. VI, 1. 293; Dup. VII, 167, 8; HS. 59; Gn. II, 47; ?*Commutaria* Hb. 505 [fig. inepta]; Ld. Geom. p. 97.
3709. **Cararia** Hb. Btr. II, 3, 4, X; Hb. 38; Tr. VI, 1. 295; Dup. VII, 167, 7; HS. 70; Gn. II, 47.
3710. **Dalmataria** Gn. II, 47; *Cararia* HS. 556-7.
- a) v. (et ab.) *Arenaria* Stgr. Iris V p. 162; *Dalmataria* var. Alph. Hor. XVII p. 168 (pr. p.) (al. lividis. extus brunnescensibus, minus signatis, non griseo-inspersis).
3711. **Griseolimbata** Obth. Diagn. 9 (Aug. 1879); Et. V p. 50, t. 4, f. 14; Stgr. Iris X p. 29; *Straminea* Butl. Ann. & Mag. (5) IV, 1879, 370; Hedem. Hor. XVI p. 49, 261, t. 10, f. 2; *Ustulataria* Chr. Bull. M. 1880, II p. 31.
- Gal. m.; And; etc.*
- Austr. inf; Hal. (1); Hung; Arm; Taur. m. or.*
- Sax; Austr; Hung; Hal; Gal.s; Helv.oc; Ped; Srp; Amur; Uss.*
- Ross. m. or; Arm; Saraw; Ferg; Iss. K; Ili. Kaschg. (Iss. K ex err.); Tura (ab.).*
- Uss; Jap.*

563. **Pogonitis** Chr. 1880.

3712. **Cumulata** Chr. Bull. M. 1880, II p. 60; Stgr. Iris X p. 29, t. 1, f. 20.
- Amur; Uss; Jap.*

564. **Deilinia** (recte Dilinia) (Hb. 1822) Hmps. (Cabera Tr.).

3713. **Pusaria** L. S. N. ed. X, 522; Cl. Ic. 3, 6; Esp. 31, 12, 13; Hb. 87; Tr. VI, 1. 344; Dup. VIII, 171, 2; Frr. B. 144; Wd. 524; Gn. II, 53; Barr. VI t. 273; ab. *Striaria* Hb. 506; *Ablataria* Fuchs Jhrb. Nass. LIII p. 144 [fere insignata].
- a) ab. *Heyeraria* HS. 251-2, III p. 85; Gn. II, 54 a et b; *Pusaria* Barr. l. c. f. 1 e (alis totis infuscatis, basi dilutiore).
- b) ab. (et v.?) *Rotundaria* Hw. Lep. Br. 289; Wd. 525; Gn. II, 54; De Roo Tijds. II p. 123, t. 7, f. b (a); *Confinaria* Frr. 60, 2; De Roo l. c. f. e (alis ant. rotundatis, strig. anterioribus valde approximatis).
3714. **Exanthemata** Sc. Ent. Carn. p. 218; Wd. Ind. 526; (-aria) Esp. 33, 3, 4; Tr. VI, 1. 346; Dup. VIII, 171, 3; Gn. II, 55; Barr. VI t. 274, f. 1; *Striaria* Hb. 88; ab. *Pellagraria* Gn. II, 55 [sec. sp. typ. ab. levissima]; ab. (v.) *Unicolorata* Teich Stett. e. Z. 1892 p. 356 [fere unicol. alba].
- a) v. (ab.) *Schaefferi* Brem. Lep. O. S. p. 80, t. 7, f. 4; Stgr. Iris X p. 30 (albidior, al. minus luteo-inspersis).
- Eur. c. et s. (exc. reg. pol.); Gal. m. oc; Bilb; It.s. etc; Cors; Ross.m; Arm; Hyrc; Sib. or; Amur; Uss. Germ; Austria etc.?*
- Germ. etc.(ab.); Angl. (pr. p.) et Jut. (v.?).*
- Eur. c. et s. (exc. reg. pol.); Gal. m. oc; Bilb; Cast; Cors; It. s. et c; Ross. m. or; Bith; Arm; Iss. K; Ili; Chang; Sib. or; Amur et Uss. (pr. p.).*
- Amur; Uss; Cor; Jap.*

565. **Numeria** Dup. 1829.

3715. **Pulveraria** L. S. N. ed. X, 521; Cl. Ic. 5, 6, 9; Esp. 25, 1, 2; Hb. 203; Tr. VI, 1. 309; Dup. VII, 170, 1, 2; Wd. 523; Gn. II, 137; ab. *Passetii* Th.-Mieg Natural. 1884 p. 437 [violaceo-grisea]; *Japonica* Butl. Tr. E. S. 1881 p. 418; v. *Gadmensis* Rätzer Mitt. VIII p. 224 [minor, magis unicol. brunnesc.].
- Eur. c. et s. (exc. reg. pol.); Gal. m. oc; It. et Bale.s; Ural; Alt; Kent; Sib. or; Amur; Uss. (pr. p.); Cor. et Jap. (v.?).*

- a) ab. (et v.?) *Violacearia* Graes. Berl. e. Z. 1888 p. 392; Stgr. Iris X p. 30; Bastelberger Stett. e. Z. 1897 p. 216 (al. violaceo-brunnescentibus, strigis crassioribus obscuris, non fasciatis).
3716. *Capreolaria* (S. V.) F. Mant. 190; Hb. 204-5; Tr. VI, I. 305; Dup. VII, 170, 4. 5; Gn. II, 136. (*pr. p.*); *Gal. c.*; *It. s et c.*; *Balc. m. (mont.)*.
- a) ab. *Donzelaria* Dup. VII, 2 p. 478. t. 170, f. 6; HG. 575-6; Gn. II, 137 (al. flavescenti-albidis, al. ant. strigis duabus mediis punctoque medio nigris).
3717. *Castiliaria* Stgr. Iris XII p. 392.

Uss. et Jap. (ab. et v.?); *Germ. oc.*; *Helv. c.*; *Croat.*; *Transsylv. (ab.)*.
Germ. c. oc. et m.; *Sil. Austro-Hung.; Alp. et c.*; *Balc. m. (mont.)*.
Gal. c. (mont.); *It. s et c.*

Cast.

566. *Ephoria* Meyr. 1892.

3718. *Arenosa* Butl. Ill. Het. II p. 46, t. 35, f. 1; Stgr. Iris X p. 66.

Amur; *Uss*; *Jap.*

567. *Scardamia* Gn. 1857.

3719. *Aurantiacaria*¹⁾ Brem. Lep. O. S. p. 72, t. 6, f. 15; Stgr. Iris X p. 38; Taprobanes Feld. & Rghfr. Nov. 123 f. 2.

Amur; *Uss*; *Jap.*
Cor; *China*.

568. *Ellopia* Tr. 1825.

3720. *Prosapiaria* L. S. N. ed. X, 522; Cl. Ic. 3, 1; *Fasciaria* Schiff. S. V. p. 96; Hb. 5; Tr. VI, 1. 97; Dup. VII, 141, 5; Wd. 493; Gn. I, 130; Mill. Ic. 36, 4; Esp. III, 90, 4. 5; Barr. VII t. 299, f. 2 a-c; *Rufofasciola* Esp. III (Cont.), 90, 4. 5; ab. *Cinereostrigaria* Klem. z. b. V. 1892, Sitzb. p. 67; ib. 1893 p. 31, 42; *Manitiaria* HS. 355; Gn. I, 131 [ab. al. violaceo-ferrugineis].

Eur.c.ets; *It.s*; *Ural*; *Arm*; *Alt*; *Sib. or.*

- a) ab. *Grisearia* Fuchs Stett. e. Z. 1877 p. 143 (al. supra grisescentibus).
 b) v. (et ab.) *Prasinaria* Hb. Btr. I, 4, 3, S (1789); Hb. 4; Tr. VI, 1. 95, X, 2. 175; Dup. VIII, 141, 4; Gn. I, 131; Barr. I. e. f. 2 d; *Viridifasciola* Esp. III (Cont.), 90, 6. 7 (1790?); *Fasciaria* Mill. Ic. 36, 1-3. 5. 6 (al. viridibus, albo-strigatis).

Germ. c. oc; *Austr. etc.*

Germ; *Austr*; *Helv. etc*; *Graec. mont.* (v. ? 1); *? Taur.* (v.).

3721. *Pinicolaria* Bell. Ann. Soc. Fr. 1861 p. 29. t. 2, f. 13 (false 12) (praeec. sp. forma Darw.?).

Cors; *Taur.* (1 ♀).

3722. *Compararia* Stgr. Iris VII p. 289.

Maur.

569. *Metrocampa* Latr. 1825.

3723. *Margaritata* L. S. N. ed. XIII, 865; Wd. 492; Gn. I, 128; Spr. Stett. e. Z. 1888 p. 209; Barr. VII, t. 299, f. 1; (-aria) (S. V.) Hb. 13; Tr. VI, 1. 92; Dup. VII, 141, 2; *Sesquistriataria* Knoch Btr. I t. 1, f. 1; Esp. III, 72, 1. 2.

Eur.c; *Scand.c. et m*; *Ross. s. m*; *Gal. m. oc*; *Bilb*; *Rum*; *Pont*; *Arm*.

3724. *Honoraria* Schiff. S. V. p. 315; Hb. 16, 17; Tr. VI, 1. 90; Dup. VII, 141, 3; Gn. I, 127; Mill. Ic. 124, 8-11; *Excisaria* Esp. 19, 2; *Honorifica* Esp. 33, 1. 2.

Eur.c.m. et m. oc. (exc. Ross.); *Belg*; *Bat*; *Maur*; *It. s. et c*; *Dalm.*

¹⁾ *Metallaria* Gn. I p. 89; Hmps. Ind. Moths III p. 163, f. 90 ex India sec. sp. typ. sp. valde affinis sed certe non *Aurantiacaria* Brem.

570. **Ennomos** Tr. 1825 (Eugonia Hb. nom. praeoc.).

3725. **Autumnaria** Wernb. Stett. e. Z. 1859 p. 361; **Alniaria** (S.V.) Esp. 9, 1-6; Hb. 26; Tr. VI, 1. 79; Dup. VII, 142, 1. 2; Wd. t. 54, f. 58; Gn. I, 175; Paek. Geom. 529 (exc. cit.) t. 12, f. 28; Barr. VII t. 290, f. 1. *Eur. c. et s. (exc. reg. bor.); Gal. m. oc.; It. s. et c.; Ross. m.; Sib. or; Uss; Jap; Am. s.*
3726. **Quercinaria** Hufn. Berl. M. IV, 520, 624 (1769); Rott. Naturf. XI, 70; Sepp. IV, 23, 1-5; Wd. 477; Gn. I, 180; Wernb. Stett. e. Z. 1859, 356; **Angularia** (S.V.) Hb. Btr. II, 4, 4, W; Hb. 22; Tr. VI, 1. 69; Curt. B. E. XIV, 667; HS. 76. 77; Gn. I, 179; Barr. VII, t. 292. *Eur. c; Scand. m.; Liv; It. s. et ?c; Cors. (?); Taur. m.; Arm.*
- a) ab. *Infuscata* Stgr. Cat. ed. II p. 156; *Angularia* Esp. 10, 2 (1); Barr. l. e. f. 1 c-f (al. plus minusve infuscatis).
- b) ab. *Carpinaria* Hb. 27; Gn. I, 180 (al. rufesceni-ochraceis).
- c) ab. *Equestraria* F. Gen. 285; Bkh. V, 95; Spr. Stett. e. Z. 1885 p. 92 (al. ant. rufo-brunneis, fascia media lata ochracea vel straminea).
3727. **Alniaria** L. S. N. ed. X, 519; Don. Nat. Hist. VIII p. 68, t. 275; Wernb. Stett. e. Z. 1859 p. 354; Barr. VII, t. 290, f. 2; **Canaria** Hb. Btr. II, 4, 4, Y; Esp. 19, 2. 3; Wd. 474; **Tiliaria** Bkh. V, 87; Hb. 23; Tr. VI, 2. 295; Dup. VII, 143, 1. 2; Gn. I, 175. *Eur. c; Scand. m.; Ross. s. m; Gal. m.; It. s.*
3728. **Fuscantaria** Hw. Prodr. Lep. Br. 22, 45 (1802); Stph. III p. 167; Wd. 485; Gn. I, 176, t. 2, f. 4, t. 8, f. 5; HS. n. Schm. 160; Barr. VII, t. 291, f. 1. *Eur. c; Dan; Scand. m; Liv.*
- a) ab. *Effuscaria* Rbl. al. area marginali multo pallidiore, fere unicolor. flavidis.
3729. ?**Effractaria** Frr. 353, 1, IV p. 112; HS. 25, 26, III p. 43; Gn. I, 178 (sequ. sp. ab.?). *Srp.*
3730. **Erosaria** (S.V.) Hb. Btr. IV, 4, 4, Z; Esp. 11, 1. 2; Hb. 25; Tr. VI, 1. 73; Wd. 476; Dup. VII, 143, 3; Frr. 216; HS. 72, 73; Ld. Geom. p. 97; Gn. 177; Barr. VII, t. 291, f. 2. *Eur. c; Scand. m.; Ross. s. m; Gal. m. oc; And; It. s. et c; Ross. m.; Arm.; ?Sib.*
- a) ab. *Tiliaria* Hb. Btr. II, 4, 4, X; Esp. 10, 3-7; Wernb. Stett. e. Z. 1859 p. 357; *Quercinaria* Bkh. V, 94 (1794); Hb. 24; Tr. X, 2. 172; HS. 74, 75; Ld. l. e.; Gn. l. c; *Erosaria* Dup. VII, 143, 4 (dilutior, al. ant. stramineis).
- b) ab. *Unicoloria* Esp. 19, 4; *Erosaria* Hb. 440 (al. ant. non strigatis).
3731. **Quercaria** Hb. 411-2; Tr. X, 2. 174; HS. 248-9; Gn. I, 177; Wernb. Stett. e. Z. 1859 p. 359; *Dryadaria* Rbr. Cat. S. And. 17, 1. *Austro-Hung; Balc. s; Dalm; Cat; And; Taur; Pont; Arm.*

571. **Eumera** Stgr. 1892.

3732. **Regina** Stgr. Iris V p. 162, t. 2, f. 8. *Dalm; Pont; Pal.*

572. **Selenia** Hb. 1822.

3733. **Bilunaria** Esp. 13, 1-10, V p. 73 (1794); Snell. Vlind. p. 530; *Illunaria* Hb. 36, 37; Tr. VI, 1. 61; Wd. 481; Dup. VII, 145, 1, 2; Frr. 228; Gn. I, 152; Barr. VII, t. 296, f. 2. *Eur. c. et s; Gal. m. oc; Hisp. s; It. s. c. et ?m; Ross. m. or; Arm; Sib. s. or; Kamt.*

a) gen. aest. *Julianaria* Hw. Lep. Br. p. 293; Wd. 482; Gn. I, 153; *Illunaria* Esp. 14, 1 (2-5); Dup. VII, 144, 3; v. *Aestivalis* Gn. Ann. Soc. Fr. 1842 p. 243 (multo minor, pallidior).

3734. **Lunaria** Schiff. S. V. p. 103, 276, t. 1 a et 1 b, f. 4; Esp. 12, 1-4; Hb. 33, 451; Tr. VI, 1, 56; Wd. 483; Dup. VII, 144, 1, 2; Frr. 234; Gn. I, 153; Barr. VII t. 296, f. 1; *Lunularia* Hb. Btr. I, 3, 3, T; *Sublunaria* Stph. III p. 170, 28, f. 1; Wd. 486; Gn. I, 154 [ab.].

a) gen. aest. (et ab.) *Delunaria* Hb. 34; Gn. I, 154 (plerumque minor, dilutior; vix separanda).

Eur. (exc. reg. bor., Ib., Grace.); Pont.; Arm; Iss. K.

3735. **Tetralunaria** Hufn. Berl. M. IV p. 506 (1769); Hein. 643; *Illustraria* Hb. 35; Tr. VI, 1, 63; Stph. III, 170 t. 28, f. 2; Dup. VII, 144, 4, 145, 2; Wd. 487; Frr. 222; Gn. I, 154; Mill. Ic. 116, 3 ab; Barr. VII t. 295; *Quadrilunaria* Esp. 12, 5, 6; *Lunaria* Hb. Btr. I, 4, 1, C.

a) gen. aest. *Aestiva* Stgr. Cat. ed. II p. 157; var. a. Gn. I, 155; Barr. I. c. f. 1 b, c (minor, plerumque dilutior).

Eur. c. et s. (exc. reg. bor.); Gal. m. oc.; It. s. et c.; Dalm.; Ross. m. or.; Arm.; Sib. or.; Amur.; Uss.; Jap.

573. **Hygrochroa** Hb. 1822 (*Pericallia* Stph.).

3736. **Syringaria** L. S. N. ed. X, 520; Esp. 11, 3-7; Hb. 29; Tr. VI, 1, 52; Dup. VII, 144, f. 5; Wd. 488; Frr. 480; Gn. I, 148; Barr. VII t. 297, f. 1; ab. *Parva* Hedem. Hor. XVI, 45; Stgr. Iris X p. 31.

Eur. c.; Scand. m.; Ross. s. m. et m. or.; It.; Arm.; Alt.; Daur.; Amur.; Uss.; Jap.

574. **Artemidora** Meyr. 1892.

3737. **Maracandaria** Ersch. Fedtsch. 62, t. 4, f. 66; Alph. Hor. XVII p. 169, t. 8, f. 67 (hujus generis?).

Saraw.; Iss. K.; Ili.

575. **Therapis** Hb. 1822.

3738. **Evonymaria** Schiff. S. V. p. 103; Hb. 31, 426-8; Tr. VI, 1, 67; Dup. VII, 145, 3; Frr. 480; Gn. I, 92.

Austro-Hung.; Germ. m. et c.; Hannovera.

576. **Zethenia** Motsch. 1860.

3739. **Albonotaria** Brem. Lep. O. S. p. 73, t. 6, f. 16; Stgr. Iris X p. 32, t. 1, f. 21.

Amur.; Uss.; Cor.; Jap.; China s.

3740. **Consociaria** Chr. Bull. M. 1880, II p. 68; Stgr. Iris X p. 32, t. 1, f. 22; *Albonotaria* var. c. Brem. Lep. O. S. p. 73 [certe]; ?*Rufescentaria* Motsch. Et. 1860 p. 35 [nom. vet.] (praecl. form. Darw.?).

Amur.; Uss.; Jap.

3741. **Indictinaria** Brem. Lep. O. S. p. 81, t. 7, f. 8; Stgr. Iris X p. 32; *Versicoloraria* Chr. Bull. M. 1880, II p. 66; *Snelleni* Hedem. Hor. XVI p. 46, 261, t. 10, f. 1; ?*Abjecta* Butl. Ann. & Mag. (5) IV p. 371 (1879); Leech ib. (6) XIX p. 201.

Amur.; Uss.; Jap.

3742. **Hedemanni** Stgr. Iris X p. 33, t. 1, f. 23 (hujus generis?).

Uss.

577. **Gonodontis** Hb. 1822 (*Odontoptera* Stph.).

3743. **Bidentata** Cl. Ic. 7, 2; L. F. S. 329; Wd. 472; Gn. I, 165; Barr. VII t. 289; *Dentaria* Hb. Btr. I, 4, 1, E; Esp. 20, 1-3; Hb. 12; Tr. VI, 1, 76; Dup. VII, 143, 5, 6; Frr. 156.

Eur. c. et s. (exc. reg. bor.); ?Cat.; It. s. et c.; Ross. m.; Alt.; Tarb.; Ulias.; Sib. or.; Amur.; Uss.; Jap.

3744. **Muscularia** Stgr. Iris V p. 164 (praec. sp. forma Darw.?). Saraw; Ferg; Iss. K.;
Ili; Korla (v.); Kuku N.
a) v. (et ab.) **Alienata** Stgr. l. c. (al. lutescentibus vel brun-
nescentib.). Kaschg. (v.); Kuku
N. et Ferg. (ab.).
3745. **Obliquaria** Moore Pr. Z. S. 1867 p. 622; Hmps. Ind.
Moths III p. 232, f. 125; Arida Butl. Ann. & Mag. (5) I
p. 394. Uss. m; Jap; Ind.

578. **Himera** Dup. 1829.

3746. **Pennaria** L. F. S. 324; Esp. 18. 4-6. 19, 1; Hb. 14; Tr. VI, 1. 156; Frr. B. 78; Dup. VII, 146, 1. 2; Wd. 470; Gn. I, 182; Barr. VII t. 294. Eur. c; Scand. m;
Liv; Gal. m; Cast; And; It. s; Lyd; Taur; Pont; Arm; ?Amur et ?Jap. (ex err.?).

579. **Dasycephala** Stgr. 1878.

3747. **Modesta** Stgr. Hor. XIV p. 445. Taur; Syr; Mardin; Pont; Dalm.

580. **Crocallis** Tr. 1826.

3748. **Tusciaria** Bkh. Scriba Btr. p. 217, t. 17, f. 10-11 (1793); Germ. c. oc; Gal. m;
Gn. I, 169; Mill. Ic. I t. 3. f. II; Extimaria Hb. 21 Cast; Hung; Bulg;
(post 1797); Tr. VI, 1. 152; Dup. VII, 146. 4!; HS. 22-24. Crim; Pont; Arm.
a) v. (et ab.) **Gaigeri** Stgr. Stett. e. Z. 1885 p. 349 (obscurior, Dalm; Ter. m; It. c;
grisescens). Germ. oc. (ab.).
3749. **Elinguaria** L. S. N. ed. X, 520; Esp. 22, 1-5; Hb. 20; Eur. c. et s. (exc. reg.
Tr. VI, 1. 153; Dup. VII, 146, 3; Wd. 471; Gn. I, 168, pol.); Gal. m; Bill;
var. aII, 540; Barr. VII t. 293. It; Dalm; Pont; Arm; Alt; Sib. or.
a) ab. (et v.) **Trapezaria** B. Gen. p. 184; HS. 411, III p. 44; Cast. (v.); Pont. et
Gn. I, 169 (pallidior, al. ant. fascia med. latiore, al. Dalm. (v. princ.);
punct. marginalibus nullis). etc. (ab.).
3750. **Auberti** Obth. Bull. S. Fr. 1883 p. 48; Et. IX p. 40, t. 3, Maur; Sic. (1).
f. 2 (praec. forma Darw.?).
3751. **Dardoinaria** Donz. Ann. Soc. Fr. 1840 p. 59, t. 4, f. 2 a, b; Gal. m. et c. oc; Cat.
Dup. III, 50 f. 8 a, b; HS. 45, 46; Frr. 510, 3. 4; Gn. I, 167; Mill. Ic. t. 12, f. 3-5.
3752. **Boisduvaliaria** Lue. Expl. Alg. p. 391, t. 4, f. 1; Gn. Sic; Maur.
I, 227.
3753. **Jordanaria** Stgr. Iris X (1897) p. 310, t. 4, f. 37. Pal.

581. **Angerona** Dup. 1844.

3754. **Prunaria** L. S. N. ed. X, 520; Knoch Btr. II t. 7, f. 1-10 Eur. c. et s. (exc. reg.
(larv.); Esp. 17; Hb. 123; Tr. VI, 1. 45; Dup. VII, 147, bor.); Gal. m. oc;
1. 2; Wd. 489 a; Gn. I, 115; Barr. VI t. 269, f. 2, t. 270. Bill; It. s. et c; Bale.
s; Ross. m. or; Bith. (?); Arm; Alt; Iss. K; Amur; Uss; Cor; Jap.
a) ab. **Sordiata** Fuessl. Verz. p. 41 (1775); Göze Btr. III, 3, 342; Ld. Geom. p. 12; **Sordidata** Gn. I, 116; **Cory-
laria** Thnbg. Diss. I p. 4 (1784); Esp. 18, 1-3; Dup. VII, 147, 3. 4; **Prunaria** Knoch Btr. II t. 1, f. 3; Hb. 122; Wd. 489 b; Mill. Ic. 48, 1 ab. (al. infuscatis, fascia [ab-
breviata] media in ♂ ochracea, in ♀ flava).
b) ab. **Spangbergi** Lampa Tidskr. 1885 p. 95 (al. unicol., in- Suec; Alt; Kent. etc.
signatis).

- c) v. (et ab.) *Kentearia* Stgr. Iris V, 375; *Unicoloraria* Horm. Ent. Nachr. XX, 56; *Sibirica* Fuchs Jhrb. Nass. LII p. 145; ab. *Constipataria* Fuchs l. c. (minor, pallidior, al. ♂ pallide ochraceis, ♀ albidis, densius fusco-irroratis).
3755. **Serrata** Brem. Lep. O. S. p. 100, t. 8, f. 11; Hedem. Hor. XVI p. 47 (Orientalis p. 48); Stgr. Iris X p. 34.
3756. **Ochraceata** Stgr. Iris X p. 34, t. 4, f. 1.
- Kent; Saj. or; Sib. or. s; Buc. (trans.).*
- Amur; Uss; Cor; Jap.*
- Uss; Cor.*

582. **Ourapteryx** (r. Urapt.) Leach 1815.

3757. **Sambucaria** L. S. N. ed. X, 519; Esp. 8, 1-8; Hb. 28; Tr. VI, 1. 85; Wd. 491; Barr. VI, t. 269, f. 1; *Sambucata* Dup. VIII, 184, 1; Gn. I. 31.
- Eur. c; Suec. m; Liv; It. c. et s; Cors; Dalm; Ross. m; Bith; Lyd; Malatia; Pont; Alt.*
- a) v. *Persica* Mén. Cat. rais. p. 267 (1832) (minor, albida). *Amur; Uss; Jap; Ferg; Iss. K; Ili; Kent.*
3758. **Luteiceps** Feld. & Rghfr. Nov. 122, 2; Stgr. Iris X, p. 36; ?*Maculicaudaria* Motsch. Bull. M. 1866, I p. 196.
3759. **Veneris** Butl. Ann. & Mag. (5) I p. 392 (1878); Ill. Het. III p. 29, t. 48, f. 1.
- Uss; Jap; China or.*
- Uss; Jap.*

583. **Eurytome** Dup. 1844.

3760. **Dolabria** L. S. N. ed. XII, 861; Esp. 15, 1, 2; Hb. 42; Tr. VI, 1. 38; Dup. VII, 148, 5; Wd. 537; Frr. 414; Gn. I, 145.
- Eur. c; Scand. m; Ross. s. m; Gal. m. oc; Bilb; It; Balc. s; Ross. m; Arm; Amur; Uss; Jap.*

584. **Opisthograptis** Hb. 1822 (Rumia Dup.).

3761. **Luteolata** L. S. N. ed. X, 525 (1758); Hufn. Berl. M. IV, 522; *Crataegata* L. F. S. 336 (1761); Tr. VI, 1. 41; Wd. 490; Gn. I, 109; (-aria) Hb. 32; Dup. VII, 141, 1; Barr. VI, t. 271. *Lyd; Pont; Arm; Tarb; Ala Tau; Ili; Iss. K; Ferg; ?Sib. or.*
- a) ab. *Niko Chr.* Iris VI p. 95 (sec. sp. typ. ab. *stupenda*, al. *flavis late fusco-marginatis*, al. ant. parte bas. *brunnecente*).
- b) ab. (v.?) *Emaculata* Graes. Berl. e. Z. 1892 p. 317 (al. ant. *plaga ferruginea antea apicali nulla*). *Tarb; Ili; Iss. K; Ferg.*

585. **Heterolocha** Ld. 1853.

3762. **Laminaria** HS. 489-90, VI p. 71; Gn. I, 107; Stgr. Iris X p. 36; *Niphonica* Butl. Ill. Het. II p. 46, t. 35, f. 11; *Aristonaria* Leech Ann. & Mag. (6) XIX p. 230; ?Wlk. List. XX, 130.
- Pont; Arm; Hyrc; Uss; Jap.*

586. **Epione** Dup. 1844.

3763. **Apiciaria** Schiff. S. V. p. 104; Hb. Btr. I, 3, 2, O (1788); Esp. 15, 3; Hb. 47; Tr. VI, 1. 34; Dup. VII, 148, 1; Fr. B. 102; Wd. 534; Frr. 198, 2 ab.; Gn. I, 96; Barr. VII, t. 297, f. 2.
- Eur. c. et s. (exc. reg. pol.); Lap. m; Gal. m. oc; It. s; Dalm; Ross. m; Arm; Alt; Iss. K; Daur; Amur.*

3764. **Paralellaria** (r. *Parallelaria*) Schiff. S. V. p. 104 (1776); Hb. Btr. II, 4, 3, Q (1792); Esp. 15, 4, 6; Hb. 43, 44; Tr. VI, 1, 31; Dup. VII, 148, 2; Frr. B. 42, 1; Vespertaria Thnbg. Ins. Suec. I p. 5, f. 4 (1784); Stph. Ill. III, 204, t. 28, f. 3 (1831); Wd. 535; Ld. Geom. p. 12; Gn. I, 96; Barr. VII, t. 298, f. 2. *Eur. c.; Scand. m.; Liv.; Bilb.; It. s.; Ross. m. or; Arm.; Alt.; Daur.; Amur.; Uss.*
3765. **Advenaria** Hb. Btr. II, 3, 3, Q (1792); Esp. 16, 1-3; Hb. 45; Tr. VI, 36; Dup. VII, 150, 5; Frr. B. 120; Wd. 536; Gn. I, 97; Barr. VII, t. 298, f. 1. *Eur. c. et s. m.; Pyr.; Bilb.; It. s.; Arm.; Alt.; Amur.; Uss.; Cor.; Jap.*
3766. **Exaridaria** Graes. Berl. e. Z. 1890 p. 82 (una ♀ condita; huj. generis?). *Amur.*
3767. **Limaria** Chr. Mém. Rom. II p. 97, t. 5, f. 6 (huj. generis?). *Arm.*
3768. **Emundata** Chr. Bull. M. 1880, II p. 72; Stgr. Iris X p. 38, t. 1, f. 26 (huj. generis?). *Amur.*

587. Hypoplectis Hb. 1822.

3769. **Adspersaria** Hb. Btr. II, 3, 3, R (1792); Esp. 45, 4; Hb. 206; Tr. VI, 1, 8; Dup. VIII, 178, 6!; Frr. B. 48; Gn. II, 179. *Eur. c. (exc. Angl., Bat., Bely.); Lap; Ross. s. et m.; Gal. m. oc; Balc. s; Bith; Arm; Alt; Daur; Sib. or; Amdo.*
a) ab. (et v.) *Sylvanaria* HS. 431; Gn. II, 179 (minor, obscurior distinctius signata). *Hung. or; Rum; Fen; etc.*
3770. **Henricaria** Obth. Et. VI p. 82, t. 11, f. 16, 17 (1881); [Stegania]; Macronata Stgr. Iris VII p. 290 (1894) (hujus generis?). *Maur.*

588. Caustoloma Ld. 1853.

3771. **Flavicaria** (S. V.) Hb. Btr. II, 2, 3, P; Hb. 40; Esp. 50, 2; Tr. VI, 1, 30; Dup. VII, 150, 1; Gn. I, 111. *Austr. inf; Hal; Hung; Balc. s; Ross. m; Arm; Hyrc.*

589. Venilia Dup. 1844.

3772. **Syriacata** Gn. I, 113, t. 21, f. 2. *Syr; Taur; Malatia; Mardin.*
3773. **Macularia** L. S. N. ed. X, 521; Esp. 23, 2, 3; Hb. 135; Maculata Schiff. S. V. p. 115; Tr. VI, 2, 234; Dup. VIII, 187, 5; Wd. 710; Frr. 558; Gn. I, 112; Barr. VI, t. 272. *Eur. (exc. reg. bor., Ib. m., ? It. m.); Bith; Pont; Arm; Tarb; Ili; Iss. K; Daur.*
a) ab. *Quadrifasciata* Hatchett Tr. Ent. Soc. Lond. I, 245, t. 7, f. 3 (1812); Hw. p. 343; Wd. 711; Gn. I, 113; Curtis B. E. 647; Barr. I. c. f. 1 h (al. totis flavis, macul. quatuor costalibus).
b) ab. *Fuscaria* Stgr. Cat. ed. II p. 159; Obth. Et. XX, t. 6, f. 91; Maculata Dup. VIII, 187, 6; var. b. Gn. I. c. (alis totis fuscis).
3774. **Disparata** Stgr. Iris X p. 39, t. 2, f. 27 (hujus generis?). *Uss; China s.*

590. Calcaritis Hedem. 1881.

3775. **Pallida** Hedem. Hor. XVI p. 50, t. 10, f. 3. *Amur.*

591. **Eilicrinia** (recte Ilicrinia) Hb. 1822.

3776. **Cauteriata** Stgr. Stett. e. Z. 1859 p. 217; Rbr. Cat. S. And. 20, 1. *And; Maur.*
3777. **Cordiaria** Hb. Btr. II, 1, 4, Z p. 31; Hb. 41; Frr. I p. 145, t. 78. f. 3; Animata F. R. p. 45; Ld. Geom. p. 12; Gn. II, 65; Animaria HS. 364 (forma flava; gen. aest.).
a) gen. vern. (et v.) *Roeslerstammaria* Stgr. Cat. ed. II p. 160; *Cordiaria* Hb. 342; Dup. VII, 149, 4; Gn. II, 64 (cinereo-albida). *Austro-Hung; Dalm.; Bith; Lyd. (v.?); Arm.*
3778. **Subcordaria** HS. 446 (1850), VI p. 71; Ld. Geom. p. 98; Gn. II, 65; Alph. Hor. XVII, 170 (forma flava; gen. aest.?).
a) v. (gen. vern.?) *Anicularia* Ev. Bull. M. 1852, I, 159; Gn. II, 66; *Subcordaria* var. a. Gn. II, 65; *Freitagaria* Möschl. Stett. e. Z. 1854 p. 143; HS. 558-9; ?*Tritomata* F. d. W. Bull. M. 1840 p. 88 (forma grisea). *Austro-Hung; Taur. m; Malatia; Pont; Arm.*
3779. **Nuptaria** Brem. Lep. O. S. p. 80, t. 7, f. 5. *Srp; Kirgh; Ili; Iss. K.*
3780. **Trinotata** Metzner Stett. e. Z. 1845 p. 184; Stgr. Hor. VII (1870) 158; (-aria) HS. 310, III p. 28; Gn. II, 64 (forma grisea et flavescens). *Cauc. s; Tarb; Ferg; Saraw; Kaschg.*
Amur; Uss.
Balc. m; Bulg. (Rbl.); Bith; Lyd; Taur; Pont; Arm.

592. **Carige** Wlk. 1862 (Epimacaria Stgr.).

3781. **Nigronotaria** Brem. Lep. O. S. p. 80, t. 7, f. 6; Stgr. Iris X p. 42; Extremaria Leech Ann. & Mag. (6) XIX p. 552.¹⁾ *Amur; Uss; Jap; China.*

593. **Semiothisa** Hb. 1822 (Macaria Curt 1823).

3782. **Notata** L. S. N. ed. X, 523; Cl. Ic. 6, 11; Wd. 742; Gn. II, 69; Barr. VI, t. 275, f. 3; Notataria (S. V.) Esp. 16, 4-6; Hb. 53, 316; Tr. VI, 1, 10; Dup. VII, 149, 2; Frr. 53, 1. *m; Arm; Hyre; Iss. K; Alt; Sib. or; Amur. (Graec. ex err.); Fen.*
- a) ab. *Luteolaria* Tgstr. Cat. p. 27 (lutescens, etc.). *Eur. c. et s. (exc. reg. pol.); Gal. m. oc; Bilb; It. s. et c; Ross.*
3783. **Alternaria** Hb. 315 (false Lituraria); Tr. VI, 1, 17; Dup. VII, 149, 3; Frr. B. 138; Alternata (S. V.) Stph. III, 320 (1831); Wd. 743; Gn. II, 68; Pfützner Berl. e. Z. 1867 p. 206, 208 (Notatae var.); Barr. VI t. 275, f. 2. *s. et c; Dalm.; ?Bith; Arm; Ibi; Iss. K; Amur.*
3784. **Shangaisaria** Wlk. List. XXIII p. 926; Leech Ann. & Mag. (6) XIX p. 309; Graphata Hedem. Hor. XVI p. 51, t. 10, f. 4; Stgr. Iris X p. 40. *Amur; Uss; Cor; Jap; China s.*
3785. **Signaria** Hb. 313; Tr. VI, 1, 15; Dup. VII, 149, 6; Frr. B. 42, 2; Gn. II, 77. *Eur. c. et s. m. (exc. oc.); Alp. marit. (?); Ural; Arm; Taur. m. or. (v.); Alt; Amur. s. or.*
3786. **Labradoriorata** Möschl. Stett. e. Z. 1883 p. 118 (praecc. forma Darw.). *Labr.*
3787. ***Granitata** Gn. II, 85; Pack. Geom. 285. *Am. s.*
a) v. *Sexmaculata* Pack. Labr. p. 44; Möschl. Stett. e. Z. 1870 p. 368 (minor obscurior). *Labr.*
3788. ?**Continuaria** Ev. Bull. M. 1852, I, 160; Gn. II, 78 (bona sp.?). *Sib. or. (Irkutsk).*

¹⁾ *Cruciplaga* Wlk. et *Lunalineata* Moore sunt duae sp. diversae.

3789. **Normata** Alph. Hor. XXVI p. 455; Mém. Rom. IX p. 52, t. 4, f. 2. *Amdo.*
3790. **Liturata** Cl. Ic. 6, 6; L. F. S. 334; Hb. Btr. I, 4, 4, X; Wd. 745!; Gn. II, 77; Barr. VI, t. 276, f. 1; Litararia Hb. 54, 314 (false *Alternaria*); Tr. VI, 1, 12; Dup. VII, 149, 5; Frr. 53, 2; Litarataria Esp. 16, 7-9.
- a) v. *Pressaria* Chr. Iris VI p. 95; Herz ib. XI p. 261 (minor, al. ant. cinereis, distinctius strigatis, tantum ante apicem obsolete fulvo-tinetis).
 - b) v. *Deceptans* Stgr.; *Notata* (var.) Stgr. Hor. VII p. 158, al. cinereo- vel albido- (nec caeruleo-) griseis, fascia antemarg. distinctius brunnescente (in al. ant. haud flavescente), al. ant. maculis 2 vel 3 parvis antemarg. obscuris (fere ut in *Notata*) (♀ e Graec., ♂ et ♀ ex It. c. mont.).
3791. **Hebesata** Wlk. List. XXIII p. 931 (1862); Butl. Ill. Het. III t. 52, f. 1; Leech Ann. & Mag. (6) XIX p. 306; Sinicaria Wlk. List. XXVI p. 1650; Proditaria Brem. Lep. O. S. p. 81, t. 7, f. 7 (1864); Stgr. Iris X p. 42; Maligna Butl. l. c. f. 3. *Amur; Uss; Cor; Jap; China; ? Ind. s.*
3792. **Aestimaria** Hb. 333; Tr. VI, 1, 18; Dup. VII, 150, 2; Gn. II, 86; Frr. 528, 4; Mill. Ic. t. 21, f. 7-11. *Eur. m; Maur; Bith; Pont; Syr; Aegypt; Arm; Tura; Hyrc; Ili et Iss. K. (trans. ad var. a). Srp; Syr; Ili; Iss. K.*
- a) v. *Sareptanaria* Stgr. Cat. ed. II p. 160 (multo magis nigro-variegata).
 - b) v. (et ab.) *Syriacaria* Stgr. Cat. ed. II p. 160; Venerata Chr. Mém. Rom. III p. 94 (pr. p.), t. 4, f. 12 (flavescenti-grisea, minus variegata vel fere unicolor).
 - c) v. (et ab.) *Tenuiata* Stgr.; *Venerata* Chr. l. c. p. 95 (pr. p.) praece. var. minus signata, al. lutescenti-griseis (testaceis) striga tenui distinctissima obscura, in al. ant. marginem ànt. non attingente (sp. div. esse videtur).

594. Lignyoptera Ld. 1853.

3793. **Fumidaria** Hb. 520-1; Tr. VI, 1, 319; Dup. VI, 80, 1!; HS. 366; Gn. II, 249; Friv. Jell. t. 8, f. 9, 9a. *Hung; Austr. inf; Ross. m. or.*

595. Hybernia (recte Hibernia) Latr. 1825.

3794. **Rupicaprarria** (S. V.) Hb. 222 (non 512); Tr. VI, 1, 327; Dup. VII, 156, 7!; Wd. 641; Gn. II, 250; Frr. 620, 3; Brumata Hb. 509 ♀ ; ab. *Illataria* Fuchs Jhrb. Nass. LIII p. 52 [al. ant. strigis obsolete]. *Eur. c. (exc. ?Ross.); Scand.m; It.s; Pont. (I); Arm.*
- a) ab. *Ibicaria* HS. 511, VI p. 71; Ld. Geom. p. 98; Gn. l. c. (al. ant. obsoerioribus, signaturis obsolete).
3795. **Buraetica** Stgr. Iris V p. 376, t. 3, f. 8. *Kent.*
3796. **Bajaria** Schiff. S. V. p. 315; Hb. 194; Tr. VI, 1, 321; Dup. VII, 156, 8!; HS. 354 ♀ ; Gn. II, 251; Frr. 610, 1a-c; Sericearia Bkh. V, 212; Esp. 37, 3-6. *Eur. c. (exc. Bat. et Angl.); It. et Balc. s.; Maced; Ross. m.; Lyd; Pont; Arm; ?Syr.*
3797. **Leucophaearia** Schiff. S. V. p. 101; Hb. 195; Tr. VI, 1, 323; Dup. VII, 156, 4; HS. 350 ♀ ; Wd. 459; Gn. II, 251; ab. *Ebenica* Delahaye Bull. S. Fr. 1896 p. 156.
- a) ab. *Marmorinaria* Esp. 37, 1, 2 (1795?); Gn. II, 252; *Nigricaria* Hb. 181; Hw. p. 279; *Leucophaearia* var. Dup. VII, 156, 5; Frr. 258, 2; ?*Sorditaria* Hb. 334 (al. ant. basi fasciaque lata postica nigricantibus). *Eur.c; Scand.m; Gal. m. oc; Cast; It. s. et c; Syr; Uss; Jap.*

- b) ab. *Merularia* Weymer Jhrsb. Elberfeld VI, 1884 p. 72, t. 1, f. 4; *Funebraria* Th.-Mieg Natural. 1884 p. 437 (tota nigra).
3798. **Aurantiaria** Esp. 42, 9; Hb. 184; Tr. VI, 1, 311; Dup. VII, 155, 7; Wd. 463; HS. 351 ♀; Gn. II, 252; *Quadruplicata* Esp. 36, 11 ♀. *s*; Ross. m. or; Arm; Taur. (1 ♀?).
3799. **Marginaria** Bkh. V, 215 (1794); *Progemmaaria* Hb. 183; Tr. VI, 1, 313 ♂; HS. 346-7 ♀; Gn. II, 252; *Capreolaria* Esp. 36, 8, 9; *Leucophaearia* ♀ Wd. 459; ab. *Rufipennaria* Fuchs Jhrb. Nass. LII, 146.
- a) ab. (et v.?) *Fuseata* Harrison Entom. XVII p. 111 (multo obscurior, al. ant. sordide brunneis, al. post. infuscatis).
3800. **Ankeraria** Stgr. Stett. e. Z. 1861, 292; ib. 1874, 96, ♀; Mill. Ic. 74, 1; Friv. Jell. t. 8, f. 7.
3801. **Bela** Butl. Ann. & Mag. (5) 1 p. 406 (1878); Ill. Het. III p. 46, t. 52, f. 5 [f. nimis obscura]; *Bistriata* Hedem. Hor. XVI p. 53, t. 10, f. 5 (1881); Stgr. Iris X p. 43.
3802. **Defolaria** Cl. Ic. 7, 4; L. F. S. 326; Esp. 36, 1-7; Hb. 182, 510; Tr. VI, 1, 315; Dup. VII, 155, 3-5; Wd. 464; Gn. II, 253; ab. *Holmgreni* Lampa Tidskr. 1885 p. 97 [ab.].
- a) ab. *Obscurata* Stgr. multo obscurior, al. ant. sordide brunneis plerumque fere insignatis.
3803. **Declinans** Stgr. Hor. XIV p. 448.
3804. **Occataria** Ersch. Fedtsch. p. 63, t. 6, f. 96 (una ♀ condita; praec. sp. ♀ similis, sed differt ab domine cinereo obscure bilineato).

596. **Pterotocera** Stgr. 1882.

3805. **Declinata** Stgr. Stett. e. Z. 1882 p. 59 (fin. Nov. 1881); *Suidunaria* Alph. Hor. XVII p. 174, t. 9, f. 89.

Tarb; Ili.

Pont; Taur.
Saraw.

597. **Dasypteronoma** Stgr. 1892.

3806. **Thaumasia** Stgr. Iris V p. 168. t. 2, f. 10 (♂ ignot., ♀ semaptera).

Cast.

598. **Anisopteryx** Stph. 1829.

3807. **Aceraria** Schiff. S. V. p. 102; Hb. 185, 514; Tr. VI, 1, 318; Dup. VII, 156, 1; HS. 348-9 ♀; Gn. II, 256; Frr. 620, 1.
3808. **Membranaria** Chr. Bull. M. 1880, II p. 73; Stgr. Iris X p. 43, t. 2, f. 29.
3809. **Aescularia** Schiff. S. V. p. 102; Hb. 189; Tr. VI, 1, 325; Dup. VII, 156, 3; Gn. II, 255; *Murinaria* Bkh. V, 210; Esp. 35, 5, 6; Frr. 620, 2; *Progemmaaria* Tr. VI, 1, 314 ♀.
- a) v. *Japonensis* Warr. Nov. Zool. I p. 374 (al. ant. paullo dilutioribus, minus signatis, al. post. lunula med. fusca subnula).
3810. **Primigena** (Stgr.) Meyr. Tr. E. S. 1892 p. 80; Stgr. Iris VII p. 291 (1894); Leech Ann. & Mag. (6) XX p. 90; Alph. Mém. Rom. IX p. 55, t. 2, f. 9.
3811. **Chaoticaria** Alph. Mém. Rom. IX p. 55, t. 2, f. 8.

Eur. c. (exc. Angl.); Gal. m. oc; Cast; It. s; Balc. s; Arm.

Uss; Jap.

Eur.c; Scand.m; Liv; Gal. m. oc; Cast; It. s. et c; Arm.

Uss; Jap.

Saraw; ?Tura; Jap.

Nan Schan.

599. **Phigalia** Dup. 1829.

3812. **Pedaria** F. Mant. 191; Brahm. Ins. Kal. II, 1. 254; Bkh. V, 195; Stgr. Iris X p. 43 (φ == ?*Sinuosaria* Leech Ann. & Mag. (6) XIX, 321 ex Jap.); *Pilosaria* (S.V.) Hb. 176; Tr. VI, 1. 240; Dup. VII, 155, 1. 2; Wd. 465; HG. 594 φ ; HS. 13; Gn. I, 196; Barr. VII, t. 302; *Plumaria* Esp. 35, 1. 2; ?*Rupicaprarria* Hb. 512 φ .
- a) ab. *Extinctaria* Stndf. (sen.) Stett. e. Z. 1847, 62; HS. 457-8; Ld. Geom. p. 98; Gn. I, 196 (dilutior, al. fere unicolor, maculis paucis).
- b) ab. *Monacharia* Stgr.; *Pilosaria* var. Barr. l. c. f. 1f, g; al. omnibus unicoloribus nigricantibus.
- Eur.c; Scand.m; Liv;*
Gal.m.oc; It.s; Ural;
Uss. (1 φ).
- Sil.mont; Petrop; Sib.*
- Angl.*

600. **Chondrosoma** Anker 1854.

3813. **Fiduciaria** Anker z. b. V. 1854 Sitzb. p. 111; Gn. I, 198 t. 21, f. 7; Friv. Jell. t. 8, f. 6, a-b.
- Hung; Austr. inf.(1);*
Tarb.

601. **Biston** Leach 1815 (Apocheima Hb.).

3814. **Hispidaria** (S. V.) F. Mant. 191; Esp. 35, 3. 4; Hb. 177; Tr. VI, 1. 247; Dup. VII, 154, 3; Wd. 466; HS. 14 φ ; Gn. I, 202; Barr. VII, t. 303, f. 1.
- Eur.c; It.s.etc; Balc.*
s; Daur.
3815. ?**Lanaria** Ev. Bull. M. 1852, I, 163; Gn. I, 201.
- Ural. m; Sib. or.*
3816. **Pomonia** Hb. Btr. II, 3, 4, U; Esp. 34, 6. 7; Tr. VI, 1. 249; HS. 11, 439; Gn. I, 201; (-rius) Mill. Ic. 141, 6 [φ monstr.]; *Vertumnaria* Lef. Ann. Soc. Fr. 1835 p. 102.
- Eur.s.etc.(exc. Angl.*
et Bat.); Ped; ?Pont.
- a) hybr. *Pilzii* Stndf. Ent. Z. Gab. IV (1891) p. 142 (φ); ib. V p. 109 (δ); Obth. Bull. S. Fr. 1897 p. 256, t. 1 (hybr. B. Pomon. φ \times B. Hirtar. δ).
- Sil; Germ. s.*
3817. **Lapponia** (-rius) B. Gen. p. 195; HS. 440; Gn. I, 201; Heyden Jhrsb. Graub. 1864 p. 138; Knaggs Ann. 1872 p. 116, 1874 f. 2; Wk. Bresl. e. Z. 1879 p. 70; Frohawk Entom. XXVIII p. 237, t. 1; Barr. VII t. 303, f. 2; *Pomona* Lef. Ann. Soc. Fr. 1835 p. 102, t. 1, D, 6. 7 (praeform. *Darw.?*).
- Lap; Ross. s; Ins;*
Hethland; Scot; Sil.
mont; Alp. (Austr.,
Helv. pr. p.).
3818. ?**Liquidaria** Ev. Bull. M. 1848, III, 222; Gn. I, 202 (φ ignota).
- Kirgh.*
3819. **Zonaria** Schiff. S. V. p. 100; Esp. 34, 1-5; Hb. 179, 511; Tr. VI, 1. 251; Dup. VII, 154, 6. 7; Wd. 1674; Gn. I, 199; Barr. VII t. 304, f. 1.
- Eur. c. (exc. Bat. et*
Belg.); Scand. m;
Ross.m; Arm; Taur.
3820. **Incisarius** Ld. Ann. Soc. Belg. 1870 p. 39, 48, t. 1, f. 14 φ (una φ condita).
- Arm.*
3821. **Alpina** Sulz. Abg. Gesch. t. 21, f. 5, 6, p. 159 (1776); *Bombycaria* B. Gen. p. 195; Lah. Geom. p. 82, f. 5; Gn. I, 200; *Alpinaria* HS. 12, 438; Mill. Ic. 88, III; ?Hb. 513 φ .
- Alp.*
3822. **Graecarius** Stgr. Cat. ed. I p. 70; Hor. VII (1870), 159; Calb. Iris III p. 66; (*Graecaria* B. Gen. 195 et Gn. I, 200 n. Cat.); *Alpinaria* Hb. 178; Esp. 42, 2-6; Dup. VII, 154, 4. 5; v. *Florentina* Stefan. Bull. S. It. 1882 p. 221 [a specim. typ. vix diversa] (praeform. *Darw.?*).
- Corc; Graec.(Attica);*
Maced; Buly; It. c;
Dalm. (trans.);
Carn. (ab.).
- a) v. (et ab.) *Istrianus* Stgr. multo pallidior, al. albicantibus, minus signatis.
- Istria; Carn. m.*
(ab.).

3823. **Cinerarius** Ersch. Fedtsch. p. 64, t. 4, f. 65. *Saraw; Ferg; Iss. K; Ili.*
3824. **Necessaria** Z. Stett. e. Z. 1849, 206; Gn. I, 206; (-rius) *Lyd; Pont; Arm;*
Ld. Geom. p. 99; Ld. Ann. Soc. Belg. 1865 p. 69, 79, *Bulg. (Rbl.).*
t. 3, f. 11, 12.
3825. **Hirtaria** Cl. Ic. 7, 1; L. F. S. 325; Esp. 29, 1-7; Hb.
175 ab; Tr. VI, 1. 236; Dup. VII, 153, 5, 6; Wd. 469;
Gn. I, 204; Barr. VII t. 300, f. 1; Congeneraria Hb.
174; Fumaria Hw. p. 273 [ab. nigra]. *Eur. (exc. reg. pol.,*
Ib. m. et ?Balc. m.);
Bith.; Pont; Sib. or.
s. (1); Iss. K. et Ili (v.).
a) v. (et ab.) *Hanoviensis* Heymons Berl. e. Z. 1891 p. 446,
t. 15, f. 9, 9 a; Limpert & Röttelberg Ber. Wetter. Ges.
1889-93 p. 90, t. 1 (minor, obscurior; cum trans.).
b) v.? (et ab.) *Duplicaria* Stgr. al. ant. strigis extrabasali
exterioreque distinctissime duplicibus. *Germ. s. oc. (v.?) ;*
Sil. etc. ab.
3826. **Strataria** Hufn. Berl. M. IV, 514, 622 (1769); Prodromia Schiff. S. V. p. 99 (1776); Hb. 172; Tr. VI, 1. 234;
Dup. VII, 153, 3, 4; Wd. 467; Gn. I, 208; Barr. VII,
t. 300, f. 2; Marmorata Sulz. Abg. Gesch. t. 23, f. 1;
(-aria) Esp. 28, 1-5, 7, 8; ab. Octodurensis Favre
Mitth. X p. 36; ab. Robiniaria Frings Soc. Ent. XIII
p. 81 [ab. nigr.]. *Maur. (1) (v.?) ;*
Germ. (ab.).
Eur. c; Scand. m;
Liv; Gal. m; Cat;
Cast. m; Lusit. s;
Maur. (1); It. s. et
c; Dalm; Ross. m;
Arm; Pont; Taur.
- a) ab. *Terrarius* Weymer Jhrs. Elberfeld VI, 1884 p. 73, t. 1,
f. 3 [al. ant. fere unicol. obscure brunneo-griseis, fasciis
albis subnullis].

602. **Nyssiodes** Obth. 1880.

3827. **Lefuarius** Ersch. Hor. VIII p. 317 (1872); Hedem. ib.
XVI p. 246, t. 13, f. 13; Stgr. Iris X, 44; Olgaria Obth.
Et. V p. 44, t. 4, f. 12; Maturaria Chr. Bull. M. 1880, II
p. 81; Stett. E. Z. 1893 p. 35. *Amur; Uss; Jap;*
China oc.

603. **Microbiston** Stgr. 1882.

3828. **Tartaricus** Stgr. Stett. e. Z. 1882 p. 60; Iris XII p. 393,
t. 7, f. 12. *Ala Tau; Korla.*
3829. **Turanicus** Stgr. Iris XII p. 393 (praec. forma Darw.?). *Tura.*

604. **Zamacra** Meyr. 1892 (Apocheima HS.).

3830. **Flabellaria** Heeger Btr. p. 6, f. 6-11 (1838); HS. 8-10,
III p. 98; Gn. I, 203; Bell. Ann. Soc. Fr. 1860, t. 12,
f. 8, 9. *Sic; Sard; Maur;*
Graec; Lyd; Syr;
Mardin; Arm.
Uss.
3831. **Iugansiaria** Graes. Berl. e. Z. 1888 p. 396; Stgr. Iris X
p. 44, t. 2, f. 30.

605. **Amphidasis** Tr. 1825.

3832. **Betularia** L. S. N. ed. X, 521; Esp. 27, 1-9; Hb. 173;
Tr. VI, 1. 230; Dup. VII, 153, 1, 2; Wd. 468; Gn. I,
209; Mill. Ic. 111, 2, 3 ab; Barr. VII t. 301; ab. Insularia Th.-Mieg Natural. 1886 p. 237 [trans. ad sequ.
ab.]. *Eur. (exc. reg. pol.,*
Ib., It. m. et Balc.);
?Cat; Arm; Alt;
Iss. K; Sib. or;
Amur; Uss; Jap.
Angl; Bat; Germ.
oc. s. (et oc. c.).
- a) ab. *Doubledayaria* Mill. Ic. 111, 1; Betularia ab. Mill.
Ic. 75, 5; Barr. I. c. f. 1 f, g; ab. *Nigra* Heyl. Tjds.
XIII (1870) p. 155, t. 6, f. 3 (fere tota nigra).

- b) v. (et ab.?) *Cognataria* Gn. I, 208; Pack. Geom. 413; Stgr. Iris X p.45; *Fumosaria* Alph. Mém. Rom. IX p. 140 (minor, al. sordide griseis, dense nigrescente-
conpersis, strigis extrabasali exterioreque distinctissimis
nigris).
- c) v. (et ab.?) *Concinna* Warr. Nov. Zool. VI p. 50 [sp. typ.
ab. stupenda] (al. albidis paullum [vel haud] nigro-con-
spersis, strigis extrab. exterioreque distinctis nigris, in
sp. typ. striga med. maculisque antemarginal. nigres-
centibus).
3833. ?**Hüberaria** Ballion Hor. IV (1866) p. 29, t. 1, f. 1
(praec. sp. var.? an ab.?).
3834. **Thoraciaria** Obth. Et. IX p. 26, t. 2, f. 8 [Jankowskia];
Stgr. Iris X p. 47 (Betulariae v. Cognatariae similis, huj.
gen. Stgr. esse videtur).

606. **Jankowskia** Obth. 1884.

3835. **Athleta** Obth. Et. IX p. 25, t. 2, f. 7; Stgr. Iris X p. 45.
3836. **Phantomaria** Graes. Berl. e. Z. 1890 p. 83; Stgr. Iris X p. 47, t. 1, f. 31.

Uss; Amur (I); Cor.
Amur; Uss.

607. **Amraica** Moore 1888.

3837. **Tendinosaria** Brem. Lep. O. S. p. 73, t. 6, f. 17 (1864);
Stgr. Iris X p. 46 (pr. p.); Leech Ann. & Mag. (6) XIX
p. 323; Snell. Tijds. XLI p. 112 (pr. p.); Superans
Graes. Berl. e. Z. 1892 p. 232; Confusa Stgr. l. c. p. 47.
- *a) v. *Superans* Butl. Ill. Het. II p. 48, t. 35, f. 3 (1878) (al.
ant.area basali maculaque anteapicali saturatius brunneis;
vix nominanda).
3838. ***Regalis** Moore Lep. Atk. p. 234 (1887); Hmps. Ind.
Moths. III p. 245.
- a) v. *Comita* Warr. Nov. Zool. VI p. 50 (minor, al. albidis,
paullum [vel haud] fusco-inspersis, extus plus minusve
brunnescentibus, al. ant. fascia extrabasali brunnescente).

Uss; Cor.
Jap.

Ind.
*Uss. (Sidemi et Cha-
barofka); Jap. (v.?).*

608. **Nychiodes** Ld. 1853.

3839. **Lividaria** Hb. 141; Tr. VI, 1. 207; Dup. IV, 55, 1; HS.
37; Gn. I, 221; Mill. Ic. 60, 1 [ab. unicolor]; Stgr. Hor.
VII (1870) p. 160; *Obscuraria* Vill. L. Ent. II, 225.
Arm.; Hyrc;
- a) v. (et ab.) *Divergaria* Stgr. Iris V p. 171 (minor, al. supra
cinereo-mixtis, obsoletius strigatis, subtus dilutioribus).
- b) v. *Andalusaria* Mill. Ic. 60, 2; Stgr. l. c. 161 (al. albido-
cinereis, nigro-inspersis strigatisque).
- c) v. (?) (ab.?) *Ragusaria* Mill. Nat. Sic. III p. 196, t. 3, f. 1!;
Bell. ib. 297; *Bellieraria* Ragusa ib. p. 352, t. 3, f. 2
(al. fuscis obsoleti vel haud strigatis extus et in disco
plus minusve luteo- vel brunnescenti-mixtis).
- d) ab. (?) (v.?) *Phasidaria* Rghfr. z. b. V. 1873 p. 572 (uno ♂
condita; al. sordide cinereis, fascia antemargin. obsole-
tissima brunnescente).
- e) v. *Antiquaria* Stgr. Iris V p. 172 (al. fere unicoloribus
griseis, luteo-mixtis, striga exter. pallida, al. ant. sine
striga extrabas.).

Gal. m. et c. m.; Cast;
And; Maur; It.s.m;
Bale; As. min; Syr;
Arm; Hyrc; Tura; Mardin (ab.).
Mardin; Kurd. s. oc;
Taur. m. (ab.).
Cast. (mont.).

Sic.

Cauc. (? Arm.).

Saraw; Ferg; Iss. K;
Ili.

3840. **Amygdalaria** HS. 432-3, III p. 82; Gn. I, 226; Stgr. Hor. VII (1870), 161. *Creta; Macec; Bulg.; Lyd; Taur; Pal; Mardin; Diabekr; Pont.*
3841. **Gigantaria** Stgr. Iris X p. 48, t. 1, f. 32 (genus *Anticyphella* Meyr.). *Uss.*

609. **Erebomorpha** Wlk. 1860.

3842. **Consors** Butl. Ill. Het. II p. 52, t. 37, f. 3; Stgr. Iris X p. 35, t. 2, f. 82; Leech Ann. & Mag. (6) XIX p. 440. *Uss. (Alph.); Cor; Jap; China c. et oc.*

610. **Hemerophila** Stph. 1829.

3843. **Japygiaria** Costa Fn. Nap. p. 70, t. 9, f. 5 (1851); Calb. Iris III p. 67; Fractaria Stgr. Stett. e. Z. 1859, 218; Rhizolitharia Rbr. Cat. S. And. 17, 6 (1866).
- a) ab. **Barcinonaria** Bell. Ann. S. Fr. 1862 p. 127, t. 1, f. 2 (multo obscurior, al. fere unicolor. sordide brunneis).
3844. **Lederi** Chr. Stett. e. Z. 1887 p. 166; Mém. Rom. V p. 48 t. 3, f. 4.
3845. **Abruptaria** Thnbg. Diss. Ent. IV (1792) p. 59, t. 4, f. 8; Wd. 514; Gn. I, 218; Mill. Ic. 51, 3-5; Auriv. Nord. Fjär. p. 217; Petrificata Hb. 267; (-aria) Tr. VI. 2. 65; Dup. VII, 161, 3.
3846. **Emaria** Brein. Lep. O. S. p. 74, t. 6, f. 18.
3847. **Nycthemeraria** (r. Nychthem.) HG. 564-6; Nyctemera Dup. VIII, 210, 2; Frr. 78, 1; Gn. I, 219; Mill. Ic. 51, 6-8.
3848. ?**Serraria** Costa Atti Ac. Nap. IX p. 41, f. 13 (1881).
3849. **Grummi** Alph. Stett. e. Z. 1888 p. 69; Mém. Rom. IX p. 226, t. 8, f. 4.
3850. **Maderaea** Baker Tr. E. S. 1891 p. 216, t. 12, f. 6 (huj. generis?).
3851. **Amphidasyaria** Obth. Et. V p. 46, t. 9, f. 6; Stgr. Iris X p. 48 (huj. generis?).
3852. **Scalaria** Chr. Iris VI p. 95 (huj. generis?).

611. **Synopsis** (Hb. 1822) Ld.

3853. **Sociaria** Hb. 424 (?155); Tr. VI, 1. 215; Dup. VII, 157, 1; Fr. 348; Gn. I, 227; Stgr. Hor. VII (1870), 162; Calb. Iris III p. 68; Fagaria Snell. Vlind. p. 587; Staudingeraria Martorell Cat. 1874 p. 140 [ab. obscurior]. *Astro-Hung; Germ. s. oc; Bat; Gal. m.; Cat; Cast; Arag; Cors; It; Ter. m.; Balc; Srp; Bith; Taur; Pont; Arm; Iss. K; Alt. Srp; Alt.*
- a) ab. (v.) **Unitaria** Stgr. l. e. p. 163 (unicolor. fusca, minus signata).
- b) v. (et ab.) **Luridaria** Frr. 474, 4 (3 ab.) (1851); HS. 509-10; Gn. I, 227; Stgr. l. e. 163; Propinquaria (B.) Gn. I, 227 (1857); Mill. Ic. 91, 2-5; Stgr. l. e.; **Sociaria** Dup. VII, 159, 6 (multo dilutior, al. albicantibus, minus fuscocirratis, nigro-strigatis). *Ib. s. et c. (v. princ.); Ross. m; Graec. et As. min. etc. (ab.).*
3854. **Kindermannaria** Stgr. Cat. ed. II p. 163; **Serrularia** Ld. (non Ev.) z. b. V. 1855 p. 113, t. 2 (sib.), f. 1; Gn. II, 122, t. 21, f. 6 ♀ (aptera). *Alt; Tarb; Ala Tau; Iss. K; Ulias; Kuku N.*

3855. **Strictaria** Ld. z. b. V. 1853 p. 378, t. 6, f. 2; Gn. I, 219. *Ural; Alt; Tarb; Kent; Ulia; Amur; Uss; Amdo.*
a) ab. *Confluens* Stgr. Iris IX p. 273 (al. ant. fasciis con-
fluentibus). *Ulia.*
3856. **Serrularia** Ev. Bull. M. 1847, III, 81 t. 4, f. 6 (non Ld.);
Stgr. Hor. XIV p. 451; *Phaeoleucaria* Ld. z. b. V.
1855 p. 114, t. 2 (sib.), f. 3; Gn. I, 228. *Srp; Pont; Arm;*
Hyrc; Tura; Alt; Ili; Iss. K; Ferg; Kuku N.
3857. **Deliciosaria** Ld. z. b. V. 1855 p. 211, t. 3 (syr.). f. 4; Gn.
I, 229. *Syr; Pal.*

612. **Boarmia** Tr. 1825.

3858. **Solieraria** Rbr. Ann. Soc. Fr. 1834 p. 30, t. 8, f. 5; Dup.
IV, 80, 2; Gn. I, 129. *Gal. m; Cat; Arag;*
Cast. m.
3859. **Atlanticaria** Stgr. Stett. e. Z. 1859, 218; HS. n. Schm.
132; Rbr. Cat. S. And. 14, 5. *And.m.oc.(Chiclana);*
Maur. (v.).
3860. **Tenuisaria** Stgr. Iris XII p. 394, t. 5, f. 3. *Pal.*
3861. **Occitanaria** Dup. VII, 2 p. 360, t. 159, f. 5; Frr. 210,
1. 2; HS. 32; Gn. I, 230; Mill. Ic. t. 25, f. 7-11. *Gal. m. et c. oc; Cast;*
And. (Granada).
3862. **Nobilitaria** Stgr. Iris V p. 173. *Ferg. m; Iss. K. s. oc.*
3863. **Castigataria** Brem. Lep. O. S. p. 82, t. 7, f. 9; Stgr. Iris
X p. 49, t. 2, f. 33; *Suifunaria* Chr. Bull. M. 1880, II
p. 74; Obth. Et. V p. 51. *Uss.*
3864. **Perversaria** B. Gen. 197; Dup. IV, 55, 3; HS. 35. 36;
Gn. I, 242. *Val; Carn; It.s; Cast.*
m; Crim. (v.?).
- a) v. *Correptaria* Z. Is. 1847 p. 18; *Perversaria* HS. 425-6;
Frr. 664, 2 (al. rufo-cinereis, distinctius strigatis). *Dalm; Bith; Lyd;*
Cyprus; Pont. (v.).
3865. **Buxicolaria** Mab. Ann. S. Fr. 1872 p. 490, t. 15, f. 1, 2. *Gal. m.*
3866. **Bastelicaria** Bell. Ann. S. Fr. 1862, 380, t. 9, f. 3. *Cors; ? And. (v.? sp. div.?).*
3867. **Tenietaria** Stgr. Iris XII p. 394, t. 6, f. 1. *Maur.*
3868. **Fascinataria** Stgr. Iris XII p. 395, t. 6, f. 3. *Maur.*
3869. **Bituminaria** Ld. z. b. V. 1853 p. 378, t. 6 (sib.), f. 1; Gn.
I, 226. *Alt; Ulia; Amur;*
Uss.
3870. **Crassestrigata** Chr. Bull. M. 1880, II p. 75; Stgr. Iris
X p. 50, t. 2, f. 34; *Discreparata* Graes. Berl. e. Z. 1890,
82 [forma princ. grisea]. *Uss; Jap; Cor.*
3871. **Büttneri** Hedem. Hor. XVI p. 54, t. 10, f. 6; Leech Ann. &
Mag. (6) XIX p. 415. *Amur; Cor.*
3872. **Sidemiata** Stgr. Iris X p. 51, t. 2, f. 35. *Uss; Cor.*
3873. **Conjungens** Alph. Hor. XXVI p. 456; Mém. Rom. IX
p. 56, t. 4, f. 4 (huj. generis?). *Amdo.*
3874. **Cinctaria** Schiff. S. V. p. 101; Hb. 166; Tr. VI, 1. 188;
Dup. VII, 159, 2, 3; Wd. 502!; Frr. 498; Gn. I, 248;
Pascuaria Brahm. Ins. Kal. II, 1. 120; Esp. 43, 1-4;
Insolita Butl. Ann. & Mag. (5) I p. 396; Ill. Het. III
p. 34, t. 49, f. 5 [pallidior]; ab. *Submarmoraria*
Fuchs Stett. e. Z. 1882 p. 267 [magis variegata]; *Macula-*
lata Reuter Act. Fen. IX p. 64 [ab. minor, obscurior
etc.] (sp. valde aberrans). *Eur.c; Scand.m; Ross.*
s. m; Gal.m.oc; Cat;
It. s. et c; Balc. s;
? Bith; Alt; Tarb;
Ala Tau; Ili; Sib.
or; Amur; Uss; Jap.
- a) ab. *Consimiliaria* Dup. VII, 2 p. 386, t. 162, f. 1; Gn. I,
248; *Lucialata* Fuchs Stett. e. Z. 1884 p. 267 (al. in
medio non lunulatis, anteriorum strigis magis distantibus). *Germ; Alt; Uss. etc.*
3875. **Viertlia** Bhtsch. Wien. e. Z. 1883 p. 111, f.; ib. 1885 p. 146.
Hung.

3876. **Gemmaria** Brahm Ins. Kal. II, 1. 255 (1791); Bkh. V, 156; Rhomboidaria (S. V.) Hb. 154 (post 1797), 170, 488 ab.; Tr. VI, 1. 211; Dup. VII, 158, 4. 5; Frr. 288; Gn. I, 240; Mill. Ic. 20. f. 7 [ab.]; Consimilaria Mill. Ic. 130, f. 9 (7, 8); Psoraliata Mill. Nat. Sic. IV, 278.
- a) v. (ab.) *Perfumaria* (Newman?) Knaggs Ann. 1866 p. 143; Rhomboidaria var. a. Gn. I, 241 (al. obscure violaceo-griseis, fere non fusco-inspersis).
 - b) v. *Abstersaria* B. Gen. p. 197; Gn. I, 242; Subflavaria Mill. Cat. rais. 404; Ann. S. Belg. 1877 p. 60, t. 1, f. 14-16 (multo dilutior, al. flavescenti-albicanibus).
3877. **Nooraria** Brem. Lep. O. S. p. 75, t. 6. f. 20; Stgr. Iris X, 53.
3878. **Dissimilis** Stgr. Iris X p. 52, t. 2, f. 36.
3879. **Ilicaria** HG. 582-3 [♀ ab. obse.]; Dup. IV, 55, 2 a, b p. 59; HS. 265; Gn. I, 236; Spr. Stett. e. Z. 1872 p. 169; ?Rhomboidaria Dup. VII, 158, 6.
- a) ab. *Manuelaria* HS. 541, VI p. 73; Gn. I, 237 (dilutior, virescens).
3880. **Angulifera** Butl. Ann. & Mag. (5) I p. 396; Ill. Het. III p. 33, t. 49, f. 1; Stgr. Iris X p. 53; Leech Ann. & Mag. (6) XIX p. 414.
3881. **Fortunata** Blachier Feuille Jeun. Nat. XVII p. 103; Ann. S. Fr. 1889 p. 255, t. 4, f. 1; Rbl. Ann. Naturh. Hofmus. XI p. 109; ib. XIII p. 370; Wollastoni v. Obscura Baker Tr. E. S. 1891 p. 218; Büchlein Kilian Soc. Ent. XII p. 41 (forma magis variegata).
- a) v. et ab. *Wollastoni* Baker Tr. E. S. 1891 p. 217, t. 12, f. 7; Fortunata Rbl. Ann. Naturh. Hofmus. IX p. 73, t. 1, f. 6. 6 a (forma magis unicolor, grisea).
3882. **Secundaria** (S. V.) Esp. 39, 7-9, 40, 1. 2; Hb. 156; Tr. VI, 1. 218; Dup. VII, 162, 2; Frr. 276; HS. 247; Gn. I, 237.
- a) v. *Fallentaria* Stgr. Hor. XIII, 452 [Gemmaria v.?] (al. albido-cinereis vel griseis, non brunnescensibus).¹⁾
3883. **Ribeata** Cl. Ic. t. 6, f. 5; Z. Stett. e. Z. 1853 p. 249; Auriv. Nord. Fjär. p. 220; (-aria) L. F. S. p. 326; Abietaria (S. V.) Hb. 160; Tr. VI, 1. 204; Dup. VII, 160, 2. 3; Frr. 264; Gn. I, 243; Gemmaria abietis Esp. 52, 5.
- a) ab. *Sericearia* Curt. B. E. III t. 113; Wd. 508; Gn. I, 244 (obscurior).
3884. **Variolaria** Stgr. Iris V p. 174 (sequ. sp. var.?).
3885. **Songarica** Alph. Hor. XVII p. 176, t. 8, f. 73; Variolaria v. Subfuscaria Stgr. Iris V p. 174.
3886. **Umbraria** Hb. 340; Dup. VII, 159, 1; Gn. I, 237; ?Ev. F. V. U. 379; Mill. Ic. 130, 4. 5. *Cors.; It. s. et c.; ?Hung.; Istr.; Dalm.; Graec.; Srp.; Lyd.; Pal.; Pont.; Arm.; Hyrc.; Tura.*
3887. **Mandschuriaria** Brem. Lep. O. S. p. 74, t. 6, f. 19; Stgr. Iris X p. 54; Dembowskia Obth. Et. V p. 46, t. 9, f. 5; ib. X p. 32, t. 2, f. 11.
3888. **Irrorataria** Brem. & Grey n. China p. 20 (1853); Senex Butl. Ann. & Mag. (5), I, 396 (1878); Ill. Het. III p. 34, t. 49, f. 3 (al. albidis, vix viridescentib.).
- a) v. (et ab.) *Hedemannii* Chr. Bull. M. 1880, II p. 79 (alis viridibus).

Eur. c. et m.; Dan.; As.; min.; Syr.; Arm.; Hyrc.; Alt.

Angl. (pr. p.).

Pyr.; Gal. m. or.

Uss.

Uss.
Germ. c. oc.; ?Dalm.; ?Bith.; ?Pont.; ?Arm.; Maur.

Gal. m.; Murcia; Maur.

Uss.; Jap.; Cor.; China oc.

Can.; Mad.

Eur. c. (exc. oc.); Cors.; It. s. et ?c.; Rum.; Graec.

Taur. oc. et m. or.

Eur. c.; Scand. m.; Rum.; Ross. s. m.; ?Ural.; Jap.

Angl.

Ferg.; Ili; Iss. K.; ?Saraw.

Gal. m.; And. (?); Cors.; It. s. et c.; ?Hung.; Istr.; Dalm.; Graec.; Srp.; Lyd.; Pal.; Pont.; Arm.; Hyrc.; Tura.

Amur; Uss.

China s.; Jap. et Cor. (pr. p.).

Amur et Uss. (v.); Jap. (ab.).

¹⁾ Simpliciaria Leech Ann. & Mag. (6) XIX p. 348 e Jap. al. sp. Stgr. esse videtur.

3889. **Leucophaea** Butl. Ann. & Mag. (5) I, 395 (1878); Ill. Het. III p. 33, t. 48, f. 12; Leech Ann. & Mag. (6) XIX p. 414; Püng. Iris X p. 366; Elegans Obth. Et. X p. 31, t. 1, f. 4 (1884); Stgr. Iris X, 58.
- Uss; Jap.
3890. **Albosignaria** Brem. & Grey Schm. n. Ch. p. 21; Saturnaria Graes. Berl. e. Z. 1888 p. 398; Stgr. Iris X, 54, t. 2, f. 37; Ocellata Leech Tr. E. S. 1889 p. 143, t. 9, f. 11.
- Uss; Jap; China.
3891. **Repandata** L. S. N. ed. X, 524; Cl. Ie. 6, 8; Wd. 504; (-aria) Esp. 41, 1-8, 42, 1; Hb. 161; Tr. VI, 1. 208; Dup. VII, 158, 1; Gn. I, 238; Frr. 252 [eum ab.]; Leech Ann. & Mag. (6) XIX p. 347; Distrigaria Wd. 505 ab; Consobrinaria Bkh. Scriba Btr. I t. 3, f. 2a (non 2b).
- a) ab. (et v.) *Destrigaria* Hw. p. 276; Gn. I, 239; Muraria Curt. B. E. III, 113 ab; Gn. I. c. (al. obscurioribus, obsoletis signatis, nonnusquam fere unicolorib. obscure griseis).
- b) ab. *Nigricata* Fuchs Stett. e. Z. 1875 p. 331 (multo obscurior, al. saepius fere totis nigris).
- c) ab. (et v.?) *Conversaria* Hb. 321, 393; Dup. VII, 159, 4; Wd. 507; Gn. I, 238; Weir Entom. XIV t. 1, f. 14; Deversata Stgr. Iris V p. 377 (fascia media al. ant. late et area bas. al. post. magna nigris).
- d) v. (et ab.) *Maculata* Stgr. l. c.; ?Obsoletaria Leech l. c. (al. cinereo-griseis, fere non fusco-inspersis, al. ant. strigis tribus maculaque nigricantibus).
- e) v. *Sodorensium* Weir Entom. XIV p. 220, t. 1, f. 12, 13 (minor, al. magis unicol. griseis vel nigricantibus).
- f) v. *Depravata* Stgr. Iris V, 177; v. *Subrepandata* Alph. Mém. Rom. IX p. 57 (minor, al. cinereo-griseis, minus signatis).
- *g) v. *Nobilis* Alph. Mém. Rom. VI, 61 (magis variegata, magisque brunneo-saturata etc.).
- Daur; Amur; Uss. et Helv. (ab.); Alt; Sib.
3892. **Extinctaria** Ev. Bull. M. 1851, II, 638; Gn. I, 239; Ersch. Trudy IV p. 197; Exustaria Stgr. Iris V p. 378, t. 3, f. 9.
- Ins. Hebrid.
3893. **Subrepandata** Stgr. Iris V p. 175 (neq. Alph.).
- Ferg; Iss. K; Ili; Ala Tau; Alt. (ab.); Amdo (v.?).
3894. **Roboraria** Schiff. S. V. p. 101; Bkh. Scriba Btr. I p. 23, t. 3, f. 1a, b; Esp. 38, 1-3; Hb. 169; Tr. VI, 1. 198; Dup. VII, 157, 2. 3; Wd. 510; Frr. 270: Gn. I, 252; Consobrinaria Hb. 152; Menetriesi Stgr. Cat. ed. II p. 165 [ab. al. subt. non strigatis]; Roboraria var. Mén. Schrk. p. 67, t. 5, f. 10; Kidsicola Gmppbg. V p. 350.
- a) ab. et v. *Infuscata* Stgr. Cat. ed. II p. 165; Lunifera Butl. Ann. & Mag. (5) I, 395; Ill. Het. III t. 48, f. 10 (sec. Leech) (multo obscurior, al. totis infuscatis).
- b) v. *Arguta* Butl. Ann. & Mag. (5) IV p. 372; Amurensis Stgr. Iris V p. 379 ♂; ib. X p. 55 (obscurior, al. distinctius signatis).
- c) ab. (et v.?) *Isabellaria* Stgr.; v. *Amurensis* Stgr. l. c. ♀, al. cinereo-albidis, haud fusco-inspersis, distinctissime nigro-strigatis ♂ et ♀.
- Sax. etc. ab; Jap. (?var.).
3895. **Consortaria** F. Mant. 187; Esp. 38, 4. 5; Hb. 168; Tr. VI, 1. 200; Dup. VII, 157, 4; Wd. 509; Frr. 240; Gn. I, 253. *Lusit. s.; Cors.; It.; Bale. s.; Ross. m.*
- Urga (1 ♂); Kent. (1 ♀).
- Eur. c; Dan; Liv; Gal. m. oc; Cat; Bibl; Bith; Arm. (cfr. v.).
- a) ab. *Consobrinaria* Bkh. Scriba Btr. I t. 3, f. 2b (non 2a); Bkh. V, 153 ♀ (non ♂) (alis unicolor. griseis, fascia obscura postica).

- b) ab. *Humperti* Humpert Ent. Z. Gab. XII, 1898 p. 59 (ab. nigra).
- c) v. *Conferenda* Butl. Ann. & Mag. (5) I p. 395; Ill. Het. III p. 32, t. 48, f. 8; Stgr. Iris X p. 56 (obscurior. al. post. fascia postmed. brunnescenti).
3896. **Angularia** Thnbg. Diss. Ent. IV p. 59, f. 9 (1792); F. E. S. 144; Auriv. Nord. Fjär. 220; Viduaria (S. V.) Bkh. V, 172 (1794); Hb. 165!, 364; Tr. VI, 1. 223; Dup. VII, 161, 1; Wd. 500; Gn. I, 231.
3897. **Lichenaria** Hufn. Berl. M. IV, 512; Knoch Btr. I t. 3, f. 5-9; Esp. 26, 6-9; Hb. 164!; Tr. VI, 1. 220; Dup. VII, 161, 5; Wd. 499; Frr. 71, 1; Gn. I, 233; Pictaria Thnbg. Diss. Ent. I p. 6, f. 5; Cineraria Bkh. V, 165 (ab.).
3898. **Amoenaria** Stgr. Iris X p. 56, t. 3, f. 38.
3899. **Maeoticaria** Alph. Trudy X (1876) p. 36; Stgr. Hor. XIV p. 453; Alph. Mém. Rom. V p. 239, t. 12, f. 4 a, b; v. *Decoloraria* Alph. l. c. 36.
3900. **Jubata** Thnbg. Mus. Nat. p. 75, f. 7 (1788); Auriv. Nord. Fjär. 221; Glabrarria Hb. 162!, 339; Tr. VI, 1. 225; Dup. VII, 163, 2!; Gn. I, 233; Teneraria Hb. 348; ab. *Nigrocineta* Fuchs Stett. e. Z. 1875 p. 232; ab. *Obseura* Fuchs l. c. 233.
3901. **Selenaria** (S. V. p. 101 n. Cat.) Hb. 163; Tr. VI, 1. 194; Frr. 71, 2; Ev. F. V. U. 379; ?Gn. I, 254; Leech Ann. & Mag. (6) XIX, 346. *Bith.* (v.?) ; *Arm.*; *Alt.*; *Amur.* *Germ.* m. or; *Sil.*; *Austr.-Hung.*; *Balc.* *Dalm.*; *Sic.*; *Gal. m.*; *Bith.*; *Lyd.*; *Cil.*; *Taur.*; *Pal.*; *Arm.*
- a) v. (et ab.?) *Dianaria* Hb. 483; ?Gn. I, 254; *Selenaria* HS. 374-6; ?*Consimilaria* Mill. Ic. III p. 260, t. 130, f. 7-9; *Psoraliliaria* Mill. Cat. rais. Suppl. II p. 30 (obscurior, al. griseis).
- b) v. *Artemis* Stgr. Iris X p. 58; Püng. ib. 367 (minor, al. cretaceis, fere non fusco-inspersis).
3902. **Stipitaria** Obth. Et. V p. 45, t. 4, f. 6 (Dec. 1880); Stgr. Iris X p. 58; ab. *Piperitaria* Obth. l. c. 46, t. 9, f. 13; *Doerriesaria* Chr. Bull. M 1880, II p. 77 (nom. anterioris?).
3903. **Crepularia** (S. V.) Hb. 158; Tr. VI, 1. 190; Frr. 246; Wd. 517; HS. 389 ab; Gn. I, 264; Hmps. Ind. Moths III p. 260; *Biundularia* Esp. 40 f. 3 (nec 4); Leech Ann. & Mag. (6) XIX, 337.
- a) ab. *Defessaria* Frr. 510, 1; ab. *Delamerensis* White Entom. X, 128; ab. *Nigra* Th.-Mieg. Natural. VIII, 237; ab. *Schillei* Klem. Soc. Ent. VIII p. 18 (multo obscurior, fusco-grisea, linea antemarg. undul. alba).
- b) v. *Lutamentaria* Graes. Berl. e. Z. 1888 p. 401; Stgr. Iris X, 59 (minor, dilutior).
3904. **Bistortata** Goeze Btr. III p. 438 (1781); Prout Ent. Rec. VIII p. 81; ib. XII p. 9; Tutt ib. VIII, 281, IX, 6, 28, 55, 215; *Biundularia* Bkh. V, 162; Esp. 40, 4 (nec 3)!; Robson Monthl. Mag. 1896 p. 266, 1897 p. 77; *Crepularia* Dup. VII, 158, 3; Gn. I, 264; ab. *Consonaria* Stph. (nec Hb.) III. III, 192; Wd. 518; ab. *Strigularia* Stph. l. c.; Wd. 519; ab. *Passetii* Th.-Mieg. Natural. VIII, 236 [*nigra*] (praeec. form. Darw.).
- a) v. *Lariciaria* Dbld. List. 15 (1848); *Abietaria* Hw. 276 (nec Hb.) (saturior, magis ochrea [gen. vern.]) (hujus et praeec. sp. synonymia etc. sec. Rbl.).
- Uss; Jap; Cor; China
oc.
- Eur. c. (exc. ? Ross.); Dan; Suec. m; It. s., c. et ? m; Istr.
- Eur. c. (exc. ? Ross.); Dan; Suec. m; Liv; Cors; It. s. et c; Maced; Taur; Arm.
- Uss.
- Ross. m. or; Pont; Lyd.
- Eur. c. (exc. Belg. et ? Ross.); Scand. m. et c; Ross. s. m. et m. or; It. s.
- Germ. m. or; Sil; Austr.-Hung; Balc. Amur; Uss.
- Dalm; Sic; Gal. m.; Bith; Lyd; Cil; Taur; Pal; Arm.
- Amur; Uss.
- Uss; Jap; Cor.
- Eur. c. et s. (exc. reg. pol.); Ped; Cors; Ross.m; Bith; Arm; Amur; Uss; Jap.
- Amur; Uss.
- Eur. c.

3905. **Excellens** Butl. Ann. & Mag. (5) XIII p. 275 (1884); Incertaria Stgr. Iris X p. 59, t. 2, f. 80.
3906. **Consonaria** Hb. 157; Dup. VII, 161, 4; HS. 246; Gn. I, 264; Tetragonaria Curt. B. E. 280; Wd. 515.
3907. **Praeclarata** Püng. Iris XII p. 297, t. 9, f. 18.
3908. **Luridata** Bkh. V, 235 (1794); Z. Stett. e. Z. 1853, 414; Extersaria Hb. 159 (post 1797); Tr. VI, 1. 216; Dup. VII, 161, 2; Wd. 520; Gn. I, 268; Frr. 664, 1.
- a) v. *Obscurior* Stgr. Iris X p. 60.
3909. **Noctivolens** Butl. Tr. E. S. 1881 p. 598; Glareosaria Graes. Berl. e. Z. 1889 p. 266.
3910. **Punctularia** Hb. Btr. I, 2, 1, D (1787); Hb. 317; Dup. VII, 163, 5; Wd. 521; Stgr. Iris X p. 61; ?var. HS. 228-9 ab!; (-ata) (S. V.) Tr. VI, 1. 180; Gn. I, 269; Ignobilis Butl. Ann. & Mag. (5) I p. 397; Ill. Het. III p. 35, t. 49, f. 6; Scopularia Auriv. Nord. Fjär. 221; ?Thnbg. Ins. Suec. I, 7 (1784).

613. **Tephronia** Hb. 1822.

3911. **Sepiaria** Hufn. Berl. M. IV, 516, 624 (1769); Rott. Naturf. XI, 69; Ld. Geom. p. 14; Cineraria (S. V.) Hb. 171; Tr. VI, 1. 227; Dup. VII, 162, 5; Carieraria HS. 214, III p. 93 [ab. nigricans]; Gn. I, 326; ?Cebennaria Chréb. Bull. S. Fr. 1898 p. 20; ?Destituta Wlk. Entom. V p. 153.
- a) v. *Fingalaria* Mill. Cat. rais. 159; Ic. III p. 389, t. 149, 1; Stgr. Iris V, 179 (obscurior, tibiis post. sine calcar.).
3912. ?**Cremiaria** Frr. 258, 1-a-e, III p. 92; Stgr. Iris V, 179; Corticaria Dup. VII, 162, (3) 4; Hb. 211-13; Cineraria Gn. I, 325 (praeec. var?).
3913. **Oppositaria** Mn. Wien. Mts. 1864 p. 178, t. 4, f. 4; Mill. Ic. 149, 2; Stgr. Iris V p. 178 (Sepiariae forma Darw.).
- a) v. *Obscuraria* Stgr. l. c. (multo obscurior).
3914. **Codetaria** Obth. Et. VI p. 80, t. 11, f. 3; Stgr. Iris V p. 178 (praeec. var?).
3915. **Oranaria** Stgr. Iris V p. 179.
- a) v.? *Castiliaria* Stgr. l. c. 180, t. 2, f. 11 ♀ (minor, dilutior, al. ant. cinereis, strigis in punctis dissolutis; an sp. div?).
3916. **Oxygonaria** Püng. Iris XII p. 297, t. 9, f. 16 (cerne huj. generis sec. ♂ Püng. i. l.).

614. **Pachycnemia** Stph. 1829.

3917. **Hippocastanaria** Hb. 186; HS. 330; Wd. 631; Gn. II, 242; Mill. Ic. 8, 5-8; (-nata) Tr. VI, 1, 341; Dup. VIII, 206, 8; Degenerata Hb. 405.

Eur. c. et m. (exc. or. et It. m.); Dan; Maur; ?Bith; ?Pont.

3918. **Colchidaria** Ld. Ann. S. Belg. 1870, 39, 48, t. 2, f. 1; Stgr. Iris V p. 181 (al. supra obscure fuscis).
- a) v. *Cocandaria* Ersch. Fedsch. p. 65, t. 4, f. 63; Stgr. l. c. p. 182 (pr. p.); Degeneraria Stgr. l. c. p. 183 (dilutior, al. supra fusco- vel flavescente-griseis, subt. sordide albidis late fusco-marginatis).

Arm. (ab?); Ili et Iss. K. (v.).
Tura; Saraw. (pr. p. et trans.); Mardin (v.).

615. **Gnopharmia** Stgr. 1892.

- b) v. *Objectaria* Stgr. l. c. p. 183; *Cocandaria* Chr. Mém. Rom. II p. 121, t. 6, f. 2 a, b (al. supra griseo- plus minusve ochraceo- vel rubro-tinctis, extus obscurius marginatis, subt. albis, extus latissime nigro-marginatis).
3919. **Maculifera** Stgr. Iris V p. 187, t. 2, f. 13 (praec. forma Darw.?).
3920. **Rubraria** Stgr. Iris V p. 184, t. 2, f. 12.
- a) v. *Subrubraria* Stgr. l. c. (al. magis griseo-tingentibus).

Mardin; *Tura* (ab.?)
Saraw. (*forma*
princ.).

Saraw.

Pal; *Ant*; *Taur. m. or.*
Ferg.

616. **Pseudognophos** Stgr. 1899.

3921. **Mardinata** Stgr. Iris XII p. 395. t. 6, f. 12.

Mesop.

617. **Gnophos** Tr. 1827.

3922. **Stevenaria** B. Gen. p. 187 (1840); HS. 326; Gn. II, 94; *Lapidisaria* Frr. 353, 3 (1841); *Lapidosaria* Frr. Stett. e. Z. 1845 p. 289.
- a) v. *Cataleucaria* Stgr. alis subitus dilutioribus, fascia marginali latissima fusca punctisque med. nigris distinctioribus (3 ♂, 2 ♀).
3923. **Dumetata** Tr. VI, 1. 163; Gn. I, 295; (-aria) HS. 388 ♀ ab., 412 ♂; *Temperata* Ev. Bull. M. 1846, III, 89, t. 2, f. 1; Gn. l. c.
- a) v. *Daubearia* B. Gen. p. 183; Dup. IV, 71, 1; HS. 260; Gn. I, 296; Mill. Ic. 36, 7-9, III p. 457; v. *Scopulata* Fuchs Jhrb. Nass. 1889 p. 221 [sec. sp. typ. certe] (multo dilutior, albido-cinerascens).

Balc; *Carn. m*; *Ross.*
m; *Bith*; *Taur*; *Syr*;
Malatia; *Pont*; *Arm.*
Mardin (*pr. p.*).

3924. **Zacharia** Stgr. Hor. XIV p. 454.

Austro-Hung; *Germ.*
c. oc; *Ross. m. or*;
Arm; *Dalm.* (*trans.*).
Gal. m; *Germ. c. oc*.

3925. **Furvata** (S. V.) F. Mant. 199; Hb. Btr. I, 4, 2, I; Tr. VI, 1, 161; Dup. VIII, 184, 2; Gn. I, 301; (-aria) Hb. 144.

Gal. m. oc; *Cast*; *Bulg*; *Ross. m. oc*.

3926. **Nimbata** Alph. Stett. e. Z. 1888 p. 68.

Pont.

3927. **Respersaria** Hb. 406; HS. 505-6; Gn. I, 296; Hein. 684; Mill. Ic. 90, IV; *Perspersata* Tr. VI, 1. 166 (non Dup.).

Eur. c (*exc. Germ. s.*,
Bat, *Angl.*?, *Ross.*);
Ib; *Dalm*; *Helv*;
? Ter. m.

3928. **Burmesteri** Graes. Berl. e. Z. 1888 p. 402; Stgr. Iris X p. 61, t. 2, f. 39.

Ferg; *Iss. K*; *Ili*; *Kaschg*.

3929. **Sartata** Tr. VI, 1. 175; HG. 569-70; Frr. B. 72, 2; Dup. VIII, 185, 1. 2; HS. 324-5; Gn. I, 301.

Uss.

3930. **Snelleni** Chr. Mém. Rom. III p. 96, t. 4, f. 13.

Eur. m. or; *Carn*;
Transsylv; *Cors*;
Sic; *As. min*; *Syr*; *Arm.*

3931. **Obscuraria** Hb. 146; (-ata) (S. V.) Tr. VI, 1. 168; Dup. VIII, 185, 7; Gn. I, 302; ab. *Bivinetata* Fuchs Jhrb. Nass. LIII, 1900 p. 53.

Hyre; *Tura*.

- a) v. (et ab.) *Calceata* Stgr. Cat. ed. I p. 72; *Obscuraria* var. Mill. Ann. S. Fr. 1853, 329, t. 13, f. 1 (al. cinereis).

Eur. c; *Scand. m*;

- b) v. (et ab.) *Argillacea* Stgr. Cat. ed. II p. 166, no. 2387a; *Pullata* Dup. VIII, 185, 6; var. c. Gn. I, 303; *Dilucidaria* Stph. III p. 267; Wd. 627; var. b. Gn. l. c. (dilutior; al. argillacea-griseis).

Liv; *Gal. m. oc*;

- c) v. *Zeitunaria* Stgr. praec. var. major, alis obscure griseis, ochraceo-inspersis.

Bibl; *Cat*; *Arag*; *It. c*; *? Cors*;
Dalm. (v.?); *Bith*; *Pont. et Arm. (trans.)*.

Angl. m. (v.); *Gal. m. or. (v.?)*; *Dalm. et Arm. (ab.?)*.

Gal. m; *Sic*; *? It. c*.
? etc. (v.); *Germ. etc. (ab.)*.

Taur. m. or.

- d) v.? *Mardinaria* Stgr. alis var. b supra similiter pictis, subtus flavescenti-cinereis, extus plus minusve late et distincte fusco-[fere nigricanti]-fasciatis; al. post. margine exter. magis inciso (3 ♂, 2 ♀ multo major.) (an sp. div.?).
3932. **Onustaria** HS. 496, 497 (1851), VI p. 73; *Oneraria* Gn. I, 310; *Serraria* Calb. Iris III p. 70; *Catenulata* Rbr. Cat. S. And. 19, 5 (1866). *Can.; And.*
- a) ab. (v.?) *Serraria* Gn. I, 304 (1857) (minor, obscurior).
3933. **Ambiguata** Dup. VIII, 1 p. 223, t. 186, f. 2; (-aria) HS. 379-81; ?Gn. I, 307; *Meyeraria* Lah. Geom. p. 65, f. 2 (1852); Gn. I, 305; Stgr. Stett. e. Z. 1868, 35; *Ophthalmicata* Ld. z. b. V. 1853 p. 29, t. 5, f. 5; Gn. I, 306; Mill. Ic. 90. 1-3; Spr. Stett. e. Z. 1867 p. 349.
- a) v. (et ab.?) *Vepretaria* Spr. Stett. e. Z. 1867, 352-3; ?*Pullularia* HS. 498-9, VI p. 72; ?Gn. I, 309; ?Hein. I, 682 (obscurior, al. densius fusco-inspersis).
- b) v. *Graecaria* Stgr. Cat. ed. II p. 167, no. 2389 b; *Ambiguata* Stgr. Hor. VII (1870) 164 (dilutior, al. albido-cinereis, minus signatis).
3934. ?**Stemmataria** Ev. Bull. M. 1848, III, 227.
3935. **Pullata** (S. V.) Tr. VI, 1, 179; Gn. I, 308, II, 540; Mill. Ic. 5, f. 12-14; Spr. Stett. e. Z. 1867 p. 354; (-aria) HS. 70, 500-1, III p. 74, VI p. 72 (forma cinerea).
- a) v. (ab.?) *Confertata* Stgr. Cat. ed. II p. 167, no. 2391 a; var. a. Gn. I, 308; ?*Pullaria* Hb. 145 (al. obscure griseis, cinereo-inspersis, distinctius albido-strigatis).
- b) v. *Nubilata* Fuchs Stett. e. Z. 1872, 429; ib. 1874, 79 (al. obscurius plumbeo-griseis, striga albida plus minusve interrupta [obsoleta]).
- c) ab. (v.) *Impectinata* Gn. I, 309; *Canitiaria* Gn. I. c. [sec. sp. typ. capite ♂ adulterato]; *Pullata* Mill. Ic. I. c. f. 15 ab. (dilutior, fere albicans).
3936. **Perdita** (Butl.?) Stgr. Iris X p. 61.
3937. **Difficilis** Alph. Hor. XVII p. 178, t. 9, f. 86; Mém. Rom. IX p. 58 var.; *Desperataria* Fuchs Jhrb. Nass. LIII, 1900 p. 54 [certo sec. sp. typ.].
- a) v.? *Uniformis* Stgr. Iris V p. 188, XII, 345 (obscurior, al. plumbeo-griseis, minus signatis; sp. div.?).
3938. **Farinosata** Chr. Mém. Rom. III p. 98, t. 5, f. 1.
3939. **Vastaria** Stgr. Iris V p. 189.
3940. **Glaucinaria** Hb. 150; Frr. 593, 2, 3, 604, 2; HS. 68, 69; (-ata) Tr. VI, 1. 177; Frr. B. 125, 1; Dup. VIII, 185, 3, 4; Gn. I, 299; Mill. Ic. t. 5. f. 7-11; var. b. Gn. I. c. ab. (forma variegata, plerumque flavescens).
- a) v. (et ab.) *Plumbearia* Stgr. Cat. ed. II p. 167, no. 2392 c; Fuchs Stett. e. Z. 1873 p. 107; Calb. Iris III p. 71; ?*Panessacaria* Trimoulet Cat. Lép. Girondep. 58 (1858); *Milvinaria* Fuchs Jhrb. Nass. LI p. 148 [ab.] (minor, obscurior, al. plumbeo-griseis, flavidio-conspersis, vix strigatis).
- b) v. (et ab.) *Falconaria* Frr. 377, 3 (1842); Spr. Stett. e. Z. 1865 p. 253; *Sartaria* HS. 66, 67; Gn. I. c.; *Supinaria* Mn. z. b. V. 1854 p. 566 [exc. larv.]; (-ata) Gn. I. c. (al. violaceo-cinereis, non obscure conspersis, obsoletius strigatis, fere unicoloribus).
- Mardin.
- Bith; Taur; Syr;
Pont; Arm; Hyre;
Cors; It. c; Sic; Dalm.
And; Cast.
Alp. et mont. Bar.,
Austr.; Helv., Gal.
It. s; Alt; Ala Tau;
?Sib. or; (?Pont.).
- Germ. c. et s. or; Alt.
(ab.).
- Graec.
- Song. (Noor-Saisan).
Germ. m; Austr;
Hung; Styr. et Car.
(v.?) ; Helv; It. s;
Belg. (v.?) ; Gal. c.
Ter. m; Styr; Car.
- Germ. c. oc.
- Gal. m. or; Helv.
(pr. p.); Carn. m.
- Uss; ?Jap.
Thian; Ferg; Kaschg;
Korla; Iss. K.
- Ala Tau; Thian. or.
- Tura.
Iss. K; Kaschg.
- Alp. Germ., Austr.
Helv., Gal., It; Pyr;
Hung. m. (v.?) ;
Taur., Pont. et Arm.
(v.) (cfr. var.).
- Germ. c. oc. et? Gal.
m. oc. (v.); It. c.,
Styr., ?etc. (ab.).
- Alp., Austr. Ter. etc.
(pr. p.); Croat;
Dalm; It. c; Gal. c.
et m. or; Pont. et
Taur. (trans.).

- c) v. **Pollinaria** Chr. Mém. Rom. III p. 100, t. 5, f. 2 (al. griseis luteo-vel flavescenti-plus minusve inspersis, subt. fascia exteriore strigaque postmedia obscuris multo distinctioribus).
- d) v. **Sibiria** Gn. I, 300; Stgr. Iris VIII p. 363, IX p. 274 (major, obscurior, al. ochreo-mixtis).
3941. **Crenulata** Rbr. Cat. S. And. 19, 3. 4 [f. 3 sec. sp. typ. nimis variegata]; ?**Etruscaria** Stgr. Iris V, 189 [Glaucinaria var.] (praec. sp. var. obscurior? al. sordide griseis, obsoletius signatis).
3942. **Ochrofasciata** Stgr. Iris VIII p. 362, t. 6, f. 15. **Ulias**; **Iss. K**; **Kuku N.** (v.).
3943. **Finitimaria** Fuchs Jhrb. Nass. LII (1899) p. 149; ib. LIII p. 55 not. (uno ♂ condita; praec. sp. var. minus signata Stgr. esse videtur).
3944. **Creperaria** Ersch. Hor. XII p. 337; Hedem. ib. XVI p. 263, t. 13, f. 3; ?Alph. Mém. Rom. VI. 63; Stgr. Iris X, 62.
3945. **Agnitaria** Stgr. Iris X p. 62, t. 3, f. 40.
3946. **Mutilata** Stgr. Hor. XIV p. 457; Iris V, 193.
3947. **Lutipennaria** (ex err. -pemaria) Fuchs Jhrb. Nass. LIII, 1900 p. 56.
3948. **Variegata** Dup. VIII, 184, 4; Gn. I, 298; Spr. Stett. e. Z. 1865 p. 260; (-aria) HS. 503-4; Mucidata Tr. VI, 1 p. 182; HS. 266-8, III p. 75 (♂ antennis serratis, non pectinatis). **Taur**; **Syr**; **Pont**; **Carn**; **Ter. m**; **Hebr. s**; **Gal. m**; **Cors**; **It**; **Hung**; **Balc. m**; **Bith**; **Arm. (v.)**; **Tura** (v.).
- a) ab. (et v.?) **Cymbalariata** Mill. Ic. 106, 12-15, III p. 57; Mucidata Frr. B. 125, 3 var.; Corneliaria Mill. Cat. rais. 156 (al. caerulescentibus, fere non ochreo-inspersis).
3949. **Luticiliata** Chr. Mém. Rom. III p. 100, t. 5, f. 3.
- a) v. **Subvariegata** Stgr. Iris X (1897) p. 311, t. 4, f. 34 (dilutior, al. supra minus caesio-tinctis, subt. signaturis multo obsoletioribus).
3950. **Annubilata** Chr. Mém. Rom. II p. 103, t. 5, f. 7.
3951. **Mucidaria** Hb. 148!; Gn. I, 297; Mill. Ic. t. 5, f. 1-6; Spr. Stett. e. Z. 1865, 260; Stgr. Iris V, 190; (-ata) Tr. VI, 1. 182; Dup. VIII, 186, 5!; Brd. Ann. S. Fr. 1843, 249 t. 10, f. 2 (♂ antennis fere pectinatis).
- a) ab. (v.) **Grisearia** Stgr. Cat. ed. II p. 167, no. 2396 a; Iris V p. 191; Variegata Dup. 185, 8; Mucidaria var. a. Gn. I, 298; HS. 502 (al. colore griseo praevalente).
- b) v.? (ab.?) **Subsignaria** Stgr. Iris V p. 191 (al. supra ut in ab. praec. coloratis sed minus signat. [magis unicolor.], subtus immaculatis).
- c) v. (et ab.?) **Ochracearia** Stgr.; ab var. praec. differt alis supra obsoleta vel saturate ochraceis, haud grisescentibus.
3952. **Dubitaria** Stgr. Iris V p. 192 (?Mucidariae var. orient.).
- a) v. **Graecaria** Stgr. l. c. (al. magis griseo-inspersis).
3953. **Sacaria** Stgr. Iris VII p. 292.
3954. **Adjectaria** Stgr. Iris X (1897) p. 312, t. 4, f. 35.
3955. **Dolosaria** HS. 430, III p. 74; Gn. I, 307; Stgr. Hor. VII (1870) p. 165.
3956. **Asperaria** Hb. 484; Ld. Geom. p. 99; Gn. II, 115; Mill. Ic. t. 27, f. 3-6, 8; Collata Hb. 542; Tr. VII, 210; Dup. VIII, 196, 6. **Carn**; **Dalm**; **Graec**; **Bith**.
- Tura**; **Pont**; **Taur. m**; **Iss. K.** (v.).
- Alt**; **Ulias**; **Amdo** (v.).
- And**; ?**It. c.**
- Uss. m.**
- Pont**; **Taur. m**; **Konia**; **Syr**; **Malatia**; **Mardin**. **Kuku N**; **Amdo**.
- Carn**; **Ter. m**; **Hebr. s**; **Gal. m**; **Cors**; **It**; **Hung**; **Balc. m**; **Bith**; **Arm. (v.)**; **Tura** (v.).
- Gal. m**; **Ter. m**; **Balc. m**; **Taur. etc.**
- Tura**.
- Pal**.
- Arm**.
- Gal. c et m**; **Ib**; **Maur**; **It. s. et c**; ?**Cors**; (**Arm. ex errore**).
- Gal. c**; **And**.
- Sic.(v.?)**; **Gal. m.(ab.)**.
- Murcia**(3♂); ?**Ronda** (1♂); **Maur.** (2♂).
- Hyre**; **Mardin**.
- Graec**.
- Pal**.
- Pal**.
- Creta**; **Athenae**; **Maced**; **Lyd**.
- Gal. m**; **Ib**; **Maur**; **Cors**; **Sard**; **Sic**; **It**.
- Carn**; **Dalm**; ?**Graec**; **Bith**.

- a) ab. *Pityata* Rbr. Ann. Sc. Obs. 1829 t. 6, f. 6; Collata Dup. IV, 81, 7 ab; (-aria) HS. 253, 254 ab.; *Asperaria* Mill. l. c. f. 7; *Dolosaria* Nolek. Stett. e. Z. 1882 p. 176 (al. [fere] unicolor. nigricantibus).
3957. *Tibiaria* Rbr. Ann. Sc. Obs. 1829 t. 6, f. 2; Dup. VIII, 180, 1; Gn. II, 120; HS. n. Schm. 133-4; Mill. Ann. S. Fr. 1885 p. 117, t. 2, f. 12-13.
3958. *Benesignata* Bell. Ann. S. Fr. 1861 p. 30, t. 2, f. 13; Gmppbg. Geom. VIII, 239 (see sp. typ. praec. var. [al. magis signatis] Stgr. esse videtur).
3959. *Poggearia* Ld. z. b. V. 1855 p. 212, t. 3, f. 5; Gn. II, 116.
3960. *Palaestinensis* Calb. Iris IV p. 51.
3961. *Gruneraria* Stgr. Stett. e. Z. 1862 p. 266; Mill. Ic. 47, 1-3.
3962. *Serotinaria* (S. V.) Hb. 147; Tr. VI, 1. 171; Dup. VIII, 184, 3; Frr. 353, 4, 600, 2; HS. 328; Gn. I, 304; Spr. Stett. e. Z. 1867, 416; Mill. Ann. Sc. Cannes 1880 t. 10, f. 12 [larva].
3963. *Sordaria* Thnbg. Diss. Ent. IV p. 60, f. 5 (1792); Auri. Nord. Fjär. p. 218.
- a) v. *Mendicaria* HS. 491-3 (1851), VI p. 72; Gn. I, 306; *Dilueularia* Frr. 570, 1, 2, VI p. 139 (Sept. 1851) (májor, obseurior, al. distinctius strigatis).
3964. *Dilucidaria* (S. V.) Hb. 143; Tr. VI, 1. 173; Dup. VIII, 186, 1; Frr. B. 125, 2; HS. 71, 494-5; Lah. Geom. p. 63; Gn. I, 305; Frr. 625.
- Hung; Hal. et Rum. (mont.); Iss. K. s. oc. (v.).*
3965. *Myrtillata* Thnbg. Ins. Suec. III p. 50 (1792); Auri. Nord. Fjär. 218; Canaria Hb. 344; Frr. 377, 1, 2; *Limosaria* Esp. 52, 3 (4); Hb. 360; *Obfuscata* Dup. VIII, 185, 5; Gn. I. c. pro parte (al. griseo-fuscis).
- a) v. (et ab.) *Obfuscaria* Hb. 142; ?Esp. 49, 4; (-ata) (S. V. p. 108 n. Cat.) Tr. VI, 1. 164, VI, 2. 301; Mill. Ic. t. 2, f. 4-6; Gn. I, 311 pr. p.; Barr. VII, t. 304, f. 2; *Operaria* Curt. B. E. III, t. 105; Stph. III, 267; Wd. 630 (al. cinereis).
- b) v.? *Lutescentaria* Stgr. Cat. ed. II p. 168, no. 2408 b (al. lutescentibus; uno ♂ condita; an sp. div.?).
3966. *Sericaria* Alph. Hor. XVII p. 180, t. 8, f. 80 (praec. sp. forma Darw.?).
3967. *Iveni* Ersch. Fedtsch. p. 66, t. 4, f. 67 (♀ aptera).
- a) v. *Clarior* Stgr. Iris V p. 194 (dilutior, al. flavescenti-cinereis).
- b) v.? *Gilvaria* Stgr. l. c. (straminea, fusco-conspersa).
3968. *Zelleraria* Frr. 192, 2, 3, II p. 154 (1836); HS. 57, 58; Lah. Geom. p. 64; Gn. I, 314.
3969. *Anderegaria* Lah. Geom. p. 67, f. 3, 4; Gn. I, 313 (praec. forma Darw. obseurior).
3970. *Caelibaria* HS. 421 ♀; Gn. I, 314; *Caelebaria* HS. 507 ♂, VI p. 72.
- a) v. *Spurcaria* Lah. Geom. p. 63, f. 1; Gn. I, 212; Ann. S. Fr. 1865 p. 95; *Scalettaria* Mill. Ic. 50, 3-7, 1 p. 404 (obseurior, al. cinereo-griseis, multo magis signatis).
- Gal. c. oc. (Dalm. ex err.).
- Cors.
- Syr; Taur.
- Pal.
- Graec. (*Taygetos, Veluchi*).
- Alp. Austr., Styr., Car., Ter., Helv., Ped., Gal., It.; It. c. (mont.) (v.); ?Pyr. or; ?Ural.
- Scand. mont. et pol.; Fen.
- Alp.; Sil; Hung. et Velebit. (mont.); Alt. (v.?).
- Alp.; Germ. c. et m. (mont.); Scand. c. et m. (mont.); Fen; Ural; Iss. K. s. oc. (v.).
- Scand. c. et m.; Ross. s. m; Alp. (pr. p.); Cast. (mont.) (I); Arm.; Alt.; Thian. et Iss. K. (v.?).
- Alp. (pr. p.); Scot.; Pyr.; It. c. et ?m. (mont.); Rum. (mont.).
- Cauc. (?Arm.).
- Thian.
- Ferg; Ili. (v.).
- Saraw.
- As. c.
- Alp. Austr., Carn., Rhaet. Gal.; ?Pyr. Ter. m.,
- Alp. oc. (Val., Ped.); Styr.; Gal. m.
- Alp. Austr., Styr., Car., Ter., Ped.
- Alp. Bav., Ter., Rhaet., Val., Ped.; Ala Tau.

3971. **Operaria** Hb. 359; Tr. X, 2. 181; Dup. VIII, 186, 3!; Wck. Bresl. e. Z. 1850 p. 48, t. 4, f. 12 ♀; Gn. I, 312.
3972. **Crassipunctata** Alph. Stett. e. Z. 1888 p. 68; Mém. Rom. IX p. 226, t. 8, f. 3 (non huj. generis, sed cuius?).

618. **Dasydia** Gn. 1857.

3973. **Tenebraria** Esp. 51, 6; **Torvaria** Hb. 366-9; Tr. VI, 1. 256; Dup. VIII, 208, 4. 5; Gn. I, 315; **Horridaria** Hb. 149; **Septaria** Gn. I, 316 [uno ♂ condita; ab. sec. sp. typ.] (al. subtus albo-fasciatis).
- a) v. **Wockearia** Stgr. Cat. ed. II p. 169, no. 2413 d; Mill. Ic. 153, 1-5 (al. supra ut in Tenebraria, subt. fascia antemargin. distinctissima alba, al. ant. strigula (fascia) apicali alba).
- b) v. (et ab.?) **Innuptaria** HS. 508, VI p. 73; Gn. I, 315 (al. subtus concol. nigris, non fasciatis).

619. **Psodos** Tr. 1828.

3974. **Alticolaria** Mn. z. b. V. 1853 p. 75; Gn. I, 320; HS. n. Schm. 64-67 p. 10; Mill. Ic. 153, 6-9. Sum. Alp., Car., Ter.,
Schm. Helv., Ped.; Pyr. c. (Brown).
3975. **Alpinata** Sc. Ent. Carn. p. 228 (1763); Z. Stett. e. Z. 1855, 245; Carbonata Schrk. Fn. B. II, 2 p. 52; **Horridaria** Schiff. S. V. p. 100 (1776); Hb. 312; HG. 590-1; Tr. VI, 1. 258; Gn. I, 318; (-ata) Dup. VIII, 208, 2. Alp.; Sil., Hung., Hal-
mont; Pyr.; Saj. or.
(v.).
3976. **Noricana** Wagner z. b. V. 1898 p. 715; Fleischmann X. Jhrsb. Wien. E. V. 1899 p. 83, t. 1, f. 9 (larv.), t. 2, f. 1, 2 (genit.). Alp. Austr. et Styr.
3977. **Coracina** Esp. IV, 197, 7, IV, 2 p. 74 (1796?); May X. Jhrsb. Wien. E. V. p. 87, t. 1, f. 10 (larv.), t. 2, f. 3, 4 (genit.); Chaonaria Frr. B. 36, 3 (1828); Gn. I, 319; Stgr. Stett. e. Z. 1861 p. 385; **Trepidata** Dup. VIII, 208, 1; (-aria) Gn. I, 319; Wd. 449; ab. Wahlbergi Lampa Tidskr. 1885 p. 100; Auriv. Nord.-Fjär. 215 [ab.]. Sum. Alp.; Scot.; Norv.
et Lap. mont; Pyr.;
Carp.; Alt.mor.; Nov.
Semlia (v.?).
3978. **Trepidaria** Hb. 343; Gn. I, 318; ?Tr. VI, 1 p. 261 pr. p.; ?Canaliculata Hochenw. Naturf. Freund. Berlin VI, 336 (1785) (sp. virescens, flavo-conpersa). Sum. Alp.; Carp.; Pyr.
3979. ?**Bentelii** Rätzer Mittb. VIII p. 224 (praec. var.?). Helv. (Rhaet.).
3980. **Quadrifaria** Sulz. Abg. G. t. 23, 4 (1776); **Alpinata** (S. V.) Hb. 197; Tr. VI, 1. 255; Wd. 450; Gn. I, 317; Mill. Ic. t. 4, f. 1-3; **Equestrata** Bkh. V, 480 (1794); Dup. VIII, 208, 8; (-aria) Esp. 50, 1. Alp.; Sil.; Hung. et
Hal. mont.
- a) v. **Pyrenaea** Obth. Et. VIII p. 42 (major, magis nigricans, minus brunnescens). Pyr.

620. **Songarica** Stgr. 1871.

3981. **Mollicularia** Ev. Bull. M. 1848, III, 229. Song. (Noor-Saisan).

621. **Pygmaena** B. 1840.

3982. **Fusca** Thnbg. Diss. Ent. IV p. 53, f. 2 (1792); Ld. Geom. p. 15; Auriv. Nord. Fjär. 215; **Venetaria** Hb. 329 (post 1800); Tr. VI, 1. 259; Dup. VIII, 208, 6!; Gn. I, 322; Mill. Ic. 109, 5-8; **Canitaria** Frr. B. 125, 4; **Fusearia** Zett. Ins. Lap. p. 946 (non Thnbg.). Scand. (exc. m.); Fen;
Sum. Alp.

622. **Anthometra** B. 1840.

3983. **Plumularia** B. Gen. p. 231 (non Frr.); *Concoloraria* And. Geom. p. 15; Gn. II, 164; Rbr. Cat. S. And. 16, 5; *Psychinaria* Rosenh. And. p. 397 (1856). *And; Cast; Lusit. m; Gal. oc. (Pyr.).*

623. **Acalia** Gn. 1844.

3984. **Pravata** Hb. 432; Gn. II, 248; (-aria) Ev. F. V. U. p. 438; HS. III p. 56; Möschl. Wien. Mts. 1863 p. 64 (♀). *Srp.*

3985. **Macraria** Stgr. Iris V (1892) p. 195, t. 2, f. 14. *Srp; Ural.*

624. **Limeria** Stgr. 1892.

3986. **Culminaria** Ev. Bull. M. 1843, III, 552; F. V. U. 437; HS. III p. 35; Gn. II, 123; *Desertaria* Frr. 438, 2 (Julii 1844); HS. 215. *Ross. m. or; Kirgh; Tura oc.*
3987. **Teneraria** Stgr. Iris V (Jan. 1892) p. 196; Alph. Mém. Rom. IX, t. 4, f. 5; *Coelestinaria* Alph. Hor. XXVI, 456 (fin. 1892). *Thian. oc; Iss. K.*
3988. **Pellucida** Stgr. Iris XII p. 396. *Altai m. or.*
3989. **Cacuminaria** Rbr. Cat. S. And. 19, 2. *And; Cast. m; Arag.*

626. **Eucaterva** Gmpbg. 1896.

3990. **Homochromata** Mab. Ann. S. Fr. 1869 p. 57, t. 2, f. 9 (uno ♂ condita; an aberr. melanot.? cuius spec.?). *Cors.*

627. **Fidonia** Tr. 1825.

3991. **Fasciolaria** Rott. Naturf. XI, 70 (1777); Ld. Geom. p. 15; Alph. Mém. Rom. VI p. 64; *Cebraria* Hb. 129!; Esp. 42, 7. 8; Tr. VI, 1. 263; Gn. II, 153; *Zebraria* Dup. VII, 166, 1!, Sup. III, 50, 6. *Maur; Bith; Pont; Arm; Alt; Ala Tau; Ili; Iss. K; Amur; China s.*
- a) v. (et ab.) *Tessularia* Metzner Stett. e. Z. 1845, 186 (Junii); *Baltearia* Frr. 474, 1. 2 (Dec. 1845); Ld. Geom. p. 99; Gn. II, 153; *Atromacularia* HS. 216-20, 367 (1846) (alis albido-fasciatis). *Ural(v.); Hung. m. et Arm. (ab.?) trans.?*
3992. **Carbonaria** Cl. Ic. 1, 11; L. F. S. 327; Wd. Suppl. 1722; Ld. Geom. p. 15; Gn. II, 153; *Auriv. Nord.* Fjär. 223; Barr. Brit. Lep. VI, t. 284, f. 3; *Picearia* HG. 552-5 (1827); Frr. B. 66, 3; Tr. X, 2. 188; Dup. IV, 54, 6. *Scand. c. et s. (pol.); Ross. s; Scot; Aby. Val. et Rhaet; Sil. mont; Germ. s. or. (1); Sib. s. or.*
- a) ab. (v.) *Roscidaria* Hb. (128), 332; Gn. II, 154 (dilutior, alis magis albidis, flavo-conpersis). *Lap. etc.*
3993. **Cretacea** Stgr. Iris V p. 197. *Tura.*
3994. **Pratana** F. E. S. III, 2 p. 161 (1793); Rghfr. z. b. V. 1875 p. 801; *Reaumuraria* Mill. Ic. 51, 1, 2; *Megearia* Obth. Et. VI p. 84, t. 3, f. 8 (huj. generis?). *Maur; Murcia; And.*
- a) v. (et ab.) *Obscuraria* Baker Tr. E. S. 1894 p. 45. t. 1, f. 12 (obseuriar.). *Aegypt. (v.?) Murcia (ab.).*

- b) v. *Mortuaria* Stgr. Iris X p. 314 (minor, al. cinereis vel griseis, non brunnescent.).
3995. **Famula** Esp. IV, 106, 4 (1787) p. 164; Z. Stett. e. Z. 1853, 414; *Concordaria* Hb. 126 (post. 1797), 518-9; Tr. VI, 1, 282; Dup. VII, 166, 2, 3; Gn. II, 156; Frr. 620, 4; Mill. Ic. t. 26, f. 1-3.
3996. **Limbaria** F. S. E. 624 (1775); Dup. VII, 165, 3, 4; Wd. 452; *Auroraria* Hb. Btr. I, 2, 4 Y; *Conspicuata* Schiff. S. V. p. 316 (1776); Gn. II, 158; Barr. Brit. Lep. VI, t. 284, f. 2; (-aria) Bkh. V, 465; Hb. 117-8; Esp. V p. 124; Tr. VI, 1, 272; Frr. 59, 2; *Roraria* Esp. 24, 5-7; *Circumdataria* Vill. L. Ent. II, 330, t. 6, f. 10.
- a) ab. *Quadripunctaria* Fuchs Jhrb. Nass. LII p. 150 (al. omnib. in medio nigro-punctatis; an *Limbaria typica*?).
- b) v. *Delimbaria* Stgr. Iris V p. 198 (minor, al. ant. margine nigro angustiore, al. post. non marginatis subtusque dilutioribus).
- c) v. *Pedemontaria* Stgr. l. c. 199 (a var. praec. differt al. post. subt. fere unicolor. flavis).
- d) v. *Anzascaria* Stgr. l. c. 199 (major, dilutior margine, al. ochraceo-flavis, margine nigro nullo, vel in al. ant. subnullo).
- e) v. *Rablensis* Z. z. b. V. 1868 p. 25 (al. supra flavis nigro-irroratis non fasciatis, al. post. subt. vix albo-striatis).
3997. **Roraria** F. Gen. 285 (1777), Sp. 247; Esp. V p. 122; Gn. II, 159; *Auroraria* Hb. Vög. 52 ♀; *Spartariaria* Hb. 116; *Conspicuaria* Esp. 24, 2-4; *Spartaria* Tr. VI, 1, 270; Dup. VII, 165, 5; Frr. 59, 1; ?*Limbara* Rbr. Ann. Sc. Obs. 1829, t. 6, f. 8.

628. **Eurranthis** Hb. 1822 (Athroolopha Ld.).

3998. **Pennigeraria** Hb. 363; Tr. VI, 1, 280; Dup. VII, 164, 2; Gn. II, 160; Mill. Ic. 98, 3, 4 (al. ant. strigis albis magis dentatis plerumque in maculis dissolutis; cum trans.).
- v. (et ab.) *Chrysitaria* HG. 557-8; Dup. IV, 71, 7; Luc. Expl. Alg. t. 3, f. 9-9c; Gn. II, 159 (plerumque obscurior, al. ant. distincte albo-strigatis).
- b) v. *Kabyllaria* Obth. Natural. 1880 p. 156; Et. III p. 47, t. 5, f. 6 a, b (al. ant. obscurioribus, minus signatis, striga extrabas. strigaque antennam. albis nullis vel subnullis).
3999. **Plumistaria** Vill. L. Ent. II, 326, t. 6, f. 7 (1789); Bkh. V, 174; Esp. 22, 6-8; Hb. 127, 417-20; Tr. VI, 1, 281; Dup. VII, 164, 1; Gn. II, 160; Mill. Ic. 11, f. 1-3; *Auritaria* Hb. 416 ab.

629. **Ematurga** Ld. 1853.

4000. **Atomaria** L. S. N. ed. X, 521; Esp. 23, 4-8; Hb. 136, 526-7; Tr. VI, 1, 286; Dup. VII, 164, 4-6; Wd. 454-5; Gn. II, 154; Barr. Brit. Lep. VI, t. 283. *Ala Tau; Ilü; Iss. K; Daur; Mong; Sib. or; Amur. s. (cf. var.).*
- a) ab. *Obsoletearia* Zett. Ins. Lap. 957; Auriv. Nord. Fjär. 223 (minor, obscurior strigis fuscis multo latioribus, confluentibus).

*Pal.**Germ. oc; Berol; Belg; Gal. c. et m; Cast; And; Lusit; It. c.**Germ. oc. et m; Helv; Carn; Belg; Bat; Angl; Gal. s. et c; ?Suec. m. (olim.).**Germ. s.**Gal. m. (Diniae).**Ped; Alp. marit.**Ped. s. (Val. d'Anzasca).**Carn.**Eur. c. (exc. Germ. s., Bat., Angl.); Gal. m. oc; It. s.; Rum. et Ross. m. or; Arm.**Sic; And. m; Maur. c. et m.**Maur. s. (Collo).**Gal. m; Ped; Hisp. (Cast., And. ?etc.); Maur; It. s.; ?Val. (ex err.?).**Eur. (exc. And. et Sic.); Arm; Alt; Ala Tau; Ilü; Iss. K; Daur; Mong; Sib. or; Amur. s. (cf. var.).**Lap; Fen.*

- b) ab. ♂ *Unicoloraria* Stgr. Cat. ed. II p. 171, no. 2435 a; Barr. l. c. f. 1 e (al. totis fuscis, ciliis flavido interruptis).
 c) v. (et ab.) *Orientaria* Stgr. Cat. ed. I p. 74; *Atomaria* var. HS. 322-3; ?*Iberarius* (*Bupalus*) Kol. Mel. Ent. p. 106 (major, al. ♂ ochraceo-flavis, extus brunneofasciatis).
 d) v. *Iliaria* Alph. Hor. XVII p. 181 (al. ♂ unicol. flavis, nec atomatis; al. sp. esse videtur).

*Germ; Bith. etc.**Graec; Bith; Pont;*
*Taur.**Ili.*630. **Bupalus** Leach 1819.

4001. **Piniarius** (-aria) L. S. N. ed. X, 520; Cl. Ic. 1, 10 ♂; Esp. 21, 1-8; Hb. 119, 120, 469, 470; Tr. VI, 1. 274; Dup. VII, 165, 1. 2; Wd. 453; Gn. II, 156; Jud.-Nitsche II, 960, t. 4, f. 4; Barr. Brit. Lep. VI, t. 282, f. 2 a-g; ab. *Flavesens* Buch.-White (?).
 a) ab. ♂ *Nigrarius* Backhaus Ent. Nachr. 1881 p. 277; ab. *Tristis* Th.-Mieg Natural. 1884 p. 437 (alis fere totis infuscatis).
 b) v. ♂ *Mughusaria* Gmppbg. Geom. I p. 385 (minor, dilutior, fusco- [nec badio-] irrorata).
4002. **Vestalis** Stgr. Iris X p. 63, t. 2, f. 41 (praec. var.? ♂ al. albidis, fusco-limbatis).

Eur. c. et s. (exc. ? reg. pol.); Ped; Cast;
*Alt; Sib. or; Arm.**Bav; Val; Cast. etc.**Alp; Scot.**Amur; Jap.*631. **Selidosema** Hb. 1822.

4003. **Ericetaria** Vill. L. Ent. II, 329, t. 6, f. 9 (1789); Wd. 457; **Vespertaria** Esp. 32, 1. 2; **Plumaria** (S. V.) Hb. 124; Tr. VI, 1. 306; Dup. VII, 169, 3; Frr. 354, 3. 4; Gn. II, 148.
 a) v. (ab.?) *Pyrenaearia* B. Gen. p. 191; Dup. IV, 53, 1; Gn. II, 148 (violaceo-grisea, al. ant. fascia med. nigricante, fascia margin. subnulla).
 b) v. (et ab.) *Pallidaria* Stgr. al. cinereo-albidis, signaturis obsoletis vel subnullis.
 c) v. *Syriacaria* Stgr. a praec. var. differt signaturis distinctis; al. ant. striga media, al. omn. fascis antemarginalibus punctisque med. magnis.
 d) v. *Scandinaviaaria* Stgr.; *Ericetaria* Auriv. Nord. Fjär. 221, multo obscurior, al. obscure violaceo-griseis, extus late fusco-fasciatis, al. ant. in medio fusco-strigatis.
 e) v. *Olivirata* Mab. Bull. S. Fr. 1876 p. 109; Gmppbg. Geom. V p. 357 (praec. var. similis, sed al. ant. etiam in medio late fusco-fasciatis).

Austro-Hung; Germ.
c. oc. et s. oc; Bav;
Helv; Gal.m.etc; It.
s. et c; ?Srp; Arm;
*Tura (cf. var.).**Pyr; Hisp.**Sic; Dalm; It. c. (pr.*
*p.); Pont. (trans.); Hyrc. (1).**Syr; Pont. (trans.).**Scand. m; Dan; Got-*
*landia.**Lusit.**And.**Gal. m; Cat; Cast;*
*And.**Maur. (Sebdou).**Sic; ?It. m; Maur.*

4004. ?**Granataria** Rbr. Cat. S. And. 17, 5 (sec. sp. typ. praec. ab. Stgr. esse videtur).
 4005. **Taeniolaria** Hb. 357; Dup. VII, 168, 3; HS. 33, 34; Gn. II, 149; Mill. Ic. t. 7, f. 4-7.
 4006. **Erebaria** Obth. Bull. S. Fr. 1883 p. 49; Et. IX p. 40, t. 3, f. 15.
 4007. **Ambustaria** HG. 567-8 (1828?); Frr. 24, 2. 3; Tr. X, 2. 183; Heeger Btr. f. 1, 2; Gn. II, 149; Mill. Ann. S. Fr. 1875 p. 12, t. 1, f. 3-7; *Duponcheliaria* Lef. Guér. Mag. I p. 32, t. 32; Dup. VIII, 210, 3; HG. 577-8.

632. **Thamnonoma** Ld. 1853 (Halia Dup. nom. praeoc.).

4008. **Vincularia** Hb. 402; Tr. VI, 2. 265; Dup. VIII, 180, 7; Gn. II, 98; Mill. Ic. t. 17, f. 1-3. *Gal. m.; And.; Lusit. m.; Maur.*
4009. **Semicanaria** Frr. 78, 2, I p. 145 (Jan. 1833); Tr. X, 2. 190; HS. 358!; Gn. II, 147; Spodiaria Lef. Guér. Mag. I, 1831, class. 9, t. 8; Cerataria Gn. II, 146. *Sic; It. m.; And. m.; Maur.*
4010. **Berytaria** Stgr. Iris V p. 200. *Syr; Pal.*
4011. ?**Buffonaria** Mill. Ic. 89, 2, II p. 368 (uno ♂ condita, sec. Stgr. certe non Semicanariae ab.). *Gal. m. (Olbia).*
4012. **Loricaria** Ev. Bull. M. 1837 p. 59; F. V. U. p. 387; HS. 377 ♂, 422 ♀; Gn. II, 92; Mill. Ann. Sc. Nat. Cannes 1880 p. 12, t. 9, f. 6-8; Auriv. Nord. Fjär. 221; Vinctaria Z. Is. 1846 p. 203. *Ross. et Scand. c. et s. (exc. reg. pol.); Ural; Kent; Sib. s. or.*
4013. **Wauaria** L. S. N. ed. X, 522, ed. XII, 863; Hb. 55; Stgr. Iris X, p. 64; Wavarria Esp. 30, 1-7; Tr. VI, 1. 302; Dup. VII, 163, 3. 4; Gn. II, 93; Barr. VI, t. 276, f. 2; V. nigraria Hw. Lep. Br. p. 282; Gn. II, 94 [ab. obscurior.]. *Graec; Ross. m.; Arm; Alt; Iss. K; Kent; Lap; Suec; etc.*
- a) ab. *Fuscaria* Thnbg. Ins. Suec. IV p. 58, t. 6, f. 6 (1792); Hb. 396; HS. 394, III p. 88; (Gn. II, 121; Lampa Tidskr. 1885 p. 101; Barr. I. c. f. 2 d (al. totis infuseatis)).
- b) v. *Halituaria* Gn. II, 94; Z. Stett. e. Z. 1877, 458 (al. violaceo-cinereis, extus non obscuratis, al. ant. striga extrabas., al. post. non albido-irroratis).
- c) v. *Packardaria* Möschl. Stett. e. Z. 1883 p. 119 (al. ant. violaceo-cinereis maculis costal. crassior., macula med. in fasciam elongata).
4014. **Costimaculata** Graes. Berl. e. Z. 1888 p. 403; Stgr. Iris X p. 64 (praeec. sp. forma Darw.). *Amur.*
4015. **Sparsaria** Hb. 326, 325 [ex err. Nolaria]; Calb. Iris VI p. 133; Tephraria B. Gen. p. 201; Gn. II, 102; Aequilaria Mill. Bull. S. Fr. 1875 p. 166; Ann. Sc. Cannes 1875 p. 6, t. 1, f. 14, 15; Nat. Sie. III, 1883 p. 36; Ann. S. Fr. 1885 p. 116, t. 2, f. 8. *It. s. et c.*
4016. **Gesticularia** Hb. 472-3; HS. 513, III p. 85, VI p. 73; Gn. II, 51; Graellsiaaria Feisth. Ann. S. Fr. 1834 p. 134, t. 1, f. 3; Gn. I. c.; Inquinataria B. Gen. p. 219; Gn. I. c. [v. minor]. *Cat; Cast; And.; Lusit. m.; Maur.; ?Gal. m. or.*
4017. **Contaminaria** Hb. 356; Dup. VIII, 171, 4; Gn. II, 52; ?Numerata F. Supl. E. S. p. 455 (1788). *Gal. c. et m.; It. s. et c.*
4018. **Brunneata** Thnbg. Diss. Ent. I p. 9 (1784); Stph. III p. 145; Wd. 451; Auriv. Nord. Fjär. 222; Sylvaria Curt. B. E. t. 225; Pinetaria Hb. 130 ♀ (post 1797); Tr. VI, 1. 265; Gn. II, 157; Barr. VI, t. 184, f. 1; Quinquaria Hb. 516-7 ♂; Dup. VII, 166, 4. 5. *Eur. c. et s.; Pyr; It. s.; Ross. m.; Alt.; Daur; Amur; Uss.; Jap.*

633. **Diastictis** Hb. 1822.

4019. **Artesiaria** (S. V.) F. Mant. 195; Hb. 15; Tr. VI, 1. 141; Frr. B. 35, 2; Dup. VIII, 181, 3. 4; Gn. II, 101; Festucaria Hb. Btr. II, 2, 4, X p. 55. *Eur. c. (exc. oc.); Ross. s. m. et m. or.; It. s. et c.; Arm.; Taur. m. (v.); Kent; Amur.*
4020. **Serenaria** Stgr. Iris VIII, 364. t. 6, f. 16; ib. IX p. 275 (praeec. forma Darw.?). *Ulias.*

4021. **Latofasciata** Stgr. Iris IX, 275 (hujus generis?). *Ulias.*
4022. **Anomalata** Alph. Hor. XXVI p. 455 (1892); Mém. Rom. IX p. 54, t. 4, f. 3; Adzearia Obth. Et. XVIII p. 33, t. 4, f. 62 (1893). *Amdo; Kuku N; China m. oc.*
- 634. Phasiane** (Dup. 1844) HS.
4023. **Petraria** Hb. 113; Esp. 49, 1; Tr. VI, 1. 149; Dup. VIII, 181, 2; Wd. 617; Gn. II, 132; Barr. Brit. Lep. VI, t. 282, f. 1. *Eur. c; Scand. m; Ross. s. n. et m. or; Gal. m. oc; Bilb; It. s. et c; Pont; Arm; Hyre; Alt; Amdo; Amur; Uss; Jap.*
4024. **Rippertaria** Dup. VIII, 1 p. 159, t. 180, f. 5; HG. 579; HS. 221-2; Gn. II, 99; Mill. Ic. 92, 5-7. *Gal. m; It. s; Ross. m.or.(Nariün); Tura; ?Alt; Ili; Iss. K; Kent.*
- a) ab. *Pallidaria* Stgr. Cat. ed. II p. 172, no. 2456a; Rippertaria var. a. Gn. l. c.; Mill. l. c. f. 8 (alis absque fasciis nigris).
- b) ab. (v.?) *Irrorata* Chr. Iris VI p. 95; Herz ib. XI p. 262 (una ♀ condita; al. fusco-irroratis, al. ant. strigis obsolete fascis nec nigris; trans. ad ab. a). *Sib. s. or; Ili (1).*
4025. **Tancrearia** Stgr. Iris V p. 201; Rippertaria Ersch. Fedtsch. 66, t. 5, f. 75; Alph. Hor. XVII p. 182. *Tura; Iss. K; Thian. oc. et c.*
4026. **Scutularia** Dup. VIII, 1 p. 161, t. 181, f. 6 (1830); Permutataria Frr. 210, 3 (1837); Peltaria B. Gen. p. 201 (1840); HS. 64, 65; Gn. II, 99; Mill. Ic. 39, 4-5. *Gal. m; Hisp; Ped.*
4027. **Jordanaria** Stgr. praec. sp. similis, fere eodem colore; al. ant. latius aliasque flavo-strigatis, striga extrabasali leviter extus curvata (segmentiformi), striga exteriore paullum ante apicem in margine anter. exente. *Pal. or.*
4028. **Partitaria** Hb. 374; Dup. VIII, 180, 6; HS. 262-3 ab; Gn. II, 100; Mill. Ic. 99, 11-13; Bipartita Rbr. Cat. S. And. 20, 7; ab. Faeculenta Th.-Mieg Natural. 1893, 162. *Gal. m; Cat; And; Murcia; Maur.*
- a) v. (et ab.) *Obliterata* Stgr. al. ant. non flavo-strigatis fere unicoloribus. *Maur. m. (Lambessa) (v.); Maur. s. et Murcia (ab.).*
4029. **Binaevata** Mab. Ann. S. Fr. 1869 p. 56, t. 2, f. 1, 2 (praec. sp. forma Darw.). *Cors.*
- a) v. (ab.?) *Austautaria* Obth. Et. VI p. 83. t. 3, f. 11 (uno ♂ condita; al. ant. minus fusco-inspersis, strigis flavis latoribus, al. post. pallidioribus). *Maur.*
- b) ab. *Unicoloraria* Obth. l. c. (uno ♂ condita; al. ant. fere unicolor, griseis, distinete flavo-strigatis). *Alt; Ulias; Ili; Iss.K.*
4030. **Biparata** Id. z. b. V. 1853 p. 380, t. 5, f. 6; Gn. II, 97; Kenteata Stgr. Iris IX p. 273 [pr. p.]. *Amur; Uss.*
4031. **Zimmermanni** Graes. Berl. e. Z. 1888 p. 395; Intermaculata Stgr. Iris X p. 41, t. 1, f. 28 (praec. var. sec. Rbl.). *Kent; Ulias.*
- a) v. *Kenteata* Stgr. ib. V p. 375 (al. post. non fusco-maculatis). *Eur. (exc. ?Cat. et Cast.); Bith; Taur; Pont; Arm; Alt; Tarb; Ala Tau; Ili;*
4032. **Clathrata** L. S. N. ed. X, 524; Cl. Ic. 2, 11; Tr. VI, 1. 290; Dup. VIII, 207, 1; Wd. 709; Gn. II, 112; Barr. Brit. Lep. VI t. 281; (-aria) Hb. 132; HS. 356 [ab. fascia fusca lata media]. *Iss. K; Mong; Sib. or. s; Kamt; Amur; Uss; Jap.*
- a) ab. *Nocturnata* Fuchs Jhrb. Nass. LI p. 207; Clathrata ab. Rattet Ann. S. Fr. 1859 p. 539, t. 14, f. 3; Barr. l. c. f. 1i; Nigricans Obth. Et. XX t. 6, f. 98 (al. totis infuscatis, maculis albis antemargin.). *23*

- b) ab. *Cingulata* Hb. 209; ab. *Albicans* Obth. Et. XX t. 6, f. 97 (al. *albidis*, *innotatis*, *tantum striga media fusca*).
 c) ab. *Cancellaria* Hb. 322; *Radiata* Hw. p. 348; *Clathrata* var. Dup. I. c. f. 3 (alis *flavis*, *tenuiter nigro-strigatis*, *non reticulatis*).
 4033. **Glarearia** (S. V.) Brahm Ins. Kal. II, 1 p. 320; Bkh. V, 229; Hb. 131; Tr. VI, 1. 289; Dup. VII, 164, 7; Gn. II, 111; Calb. Iris III p. 74; *Clathrata* var. Dup. VIII, 207, 2.
 4034. **Saburaria** Ev. Bull. M. 1851, II, 640 (*Halia*); Gn. II, 157; Stgr. Iris X, 65 (*praec. sp. affinis*).
 4035. **Legataria** HS. 486; Stgr. Hor. XIV, 458.

635. **Oncodocnemis** Rbl.

4036. **Boarmiata** Graes. Berl. e. Z. 1892 p. 232 (sec. sp. typ. gen. prop. Rbl.). *Amur.*

636. **Eubolia** (Dup. 1829) Ld.

4037. **Arenacearia** (S. V.) Hb. 114; Esp. 48, 5. 6; Tr. VI, 1. 134; Dup. VIII, 181, 7; Gn. II, 105. *Austro-Hung*; *Hal*; *Rum*; *Dalm*; *Ross. m. or*; *Hyrc*; *Tura*; *Saraw*; *Ferg*; *Iss. K*; *Ili*; *Amur*; *Uss*; *Cor*; *China s*; *Jap*.
 a) gen. aest. *Flavidaria* Ev. Bull. M. 1852, I, 162; Gn. II, 104; Ersch. Fedtsch. p. 67. t. 4, f. 68 (al. *flavescenti-ochraceis*).
 4038. **Murinaria** (S. V.) F. Mant. 190; Hb. 115, 134; Tr. VI, 1. 284; Dup. VII, 167, 3-4; Gn. II, 103; *Myosaria* Bith; Arm; Alt; Tarb; Ili; Iss. K. *Eur. c. m*; *Gal. m*; *It. s. et c*; *Bale. s*; *Srp*; *Pont*; *Arm*; *Alt*; *Tarb*; *Ili*; *Iss. K*.
 a) ab. *Cineraria* Dup. VII, 2 p. 440, t. 167, f. 1, 2; *Murinaria* Dup. I. c. f. 5 (al. *minus signatis*, *fere unicoloribus*).
 4039. **Griseolaria** Ev. Bull. M. 1848, III, 225; Gn. II, 104; HS. 459, VI p. 74. *Ross. m. or. (deserta)*.
 4040. **Cinigeraria** Alph. Mém. Rom. IX p. 59, t. 2, f. 15, 16. *Amdo*; *Kuku N*.
 4041. **Assimilaria** Rbr. Ann. S. Fr. 1832 p. 34, t. 2, f. 9, 10; Gn. II, 102; HS. n. Schm. 68, 69; Mill. Ic. 99, 7-10. *Cors*; ?*Sard*.
 4042. **Hopfferaria** Stgr. Hor. XIV p. 458. *Pont*; *Taur. c. et m. or*; *Konia*; *Arm. m. or.(v.)*.
 4043. **Catalaunaria** Gn. II, 108; Mill. Ic. 79, 1-4; ?Hmps. Ind. Moths III p. 210 (pr. p.?). *Cat*; *Murcia*.
 4044. **Pumicaria** Ld. z. b. V. 1855 p. 213, t. 3, f. 6; Gn. II, 108 (non var. a.); HS. n. Schm. 143; Rbr. Cat. S. And. 17, 3; *Osyrraria* Gn. II, 148 (1857); ?*Ineonspicuaria* Hb. 500. *Syr*; *Taur. m*; *Arm*; *And*.
 4045. **Pervaria** Ld. z. b. V. 1855 p. 213, t. 3. f. 6; Gn. II, 109; Hmps. Ind. Moths III p. 210. *Syr*; *Pal. m*; *Ind. oc*.
 4046. **Disputaria** Gn. II p. 489; Hmps. Ind. Moths III p. 209; Rbl. Ann. Naturh. Hofmus. XIII p. 370; *Gazella* Blackmore Monthl. Mag. VIII, 231; *Martiniaria* Obth. Et. I p. 61, t. 4, f. 8; Demaison Bull. S. Fr. 1895 p. 61. *Aegypt*; *Maur*; *Can*; *Pers*; *Ind. oc*.
 4047. **Semilutata** Ld. z. b. V. 1853 p. 379, t. 6, f. 3; Gn. II, 104; Stgr. Iris X p. 67¹); Leech Ann. & Mag. (6) XIX p. 311; *Pruinosaria* Brem. Lep. O. S. p. 82, t. 7, f. 10 (f. mala) [certe sec. sp. typ.]; *Diptynna* Butl. Ill. Het. II p. 45, t. 35, f. 7. *Alt*; *Aneur*; *Uss*; *Cor*; *Jap*; *China oc*.

¹) *Anisodes Hadassa* Butl. Ann. & Mag. (5) I p. 400; Ill. Het. III p. 38, t. 50, f. 5 de Jap. spec. diversa Rbl. esse videtur; sec. Stgr. certe sp. div.

4048. **Biskraria** Obth. Bull. S. Fr. 1884 p. 134; Et. XII p. 32, t. 5, f. 18 (una ♀ condita; huj. generis?). *Maur. (Biskra).*
4049. **Gastonaria** Obth. Et. I p. 60, t. 3, f. 7 (non huj. gener. Stgr. esse videtur). *Maur.*

637. **Enconista** Ld. 1853.

4050. **Miniosaria** Dup. VII, 2 p. 368, t. 160, f. 4; Gn. II, 149, 543; Joan. (J.) Bull. S. Fr. 1900 p. 189-190, f. 1-4 (forma al. ant. fasciis obscurioribus 3 vel 4; larva in Genista Purgantea). *Gal. m. (Pyr. or. et Ardéche); Cast; Lusit.*
- a) v. (ab.) *Perspersaria* Dup. VII, 2 p. 458, t. 169, f. 1, 2; Tr. X, 2, 192; HS. 54-56; Gn. II, 143; Mill. Ic. 35, 1-5; *Miniosaria* var. Mill. Ic. I p. 296 (al. ant. unicolorib. vel maculatis, valde aberrantibus; larva in Ulice Europaea). *Gal. m.; Cat; And; Maur; It.s; Ter. m; Dalm.*
4051. **Unicoloraria** Rbr. Cat. S. And. 19, 6 [f. non bene quadrat] (uno ♂ condita, praec. sp. ab. stupenda? al. subdiaphanis). *And. (?).*
4052. **Exustaria** Stgr. Iris X (1897) p. 315, t. 4, f. 36. *Pal.*
4053. **Agaritharia** Dardoin Ann. S. Fr. 1842 p. 201, t. 8, f. 3, 4; HS. 44, 261; Gn. II, 143; Mill. Ic. 91, 6. 7 *Gal. m.; And.*
- a) v. *Mauretanicaria* Stgr. obscurior, al. ant. brunnescens inbus vel obscure griseis, distinctius nigro-strigatis punctatisque. *Maur.*

638. **Scodiomima** Stgr. 1892.

4054. **Crocallaria** Stgr. Iris V (1892) p. 202, t. 2, f. 15. *Tura.*

639. **Scodionyx** Stgr. 1899.

4055. **Mysticus** Stgr. Iris XII (1899) p. 397. t. 5, f. 2. *Pal.*

640. **Scodiuma** B. 1840.

4056. **Emucidaria** Dup. VII, 2 p. 450, t. 168, 2; HS. 223-5, III p. 65; Gn. II, 141; Mill. Ic. t. 10, f. 1-4 (non 5); ?Hb. 425. *Gal. m.*
4057. **Penulataria** Hb. 507 (?508 ab. obscura); Gn. II, 142; Favillacearia Dup. IV, 81, 4 p. 386; Rubentaria Rbr. Cat. S. And. 17, 4 (Aug. 1866); Hispanaria Mill. Ic. 79, 5-9, II p. 265 (initio 1867). *Gal. m. oc. (Pyr. or.); Cat: Murcia; And. et Lusit. m.; Maur.*
4058. **Fagaria** Thnbg. Ins. Suec. 1 p. 7; Auriv. Nord. Fjär. 223; Belgaria Hb. Btr. II, 4, 2 N. p. 92 (1793?); F. Supl. E. S. 451; Meyr. Handb. 272; Belgiaria Bkh. V, 196; Hb. 140; Gn. II, 142 [pr. p.]. *Scand. m.; Angl; Bat; Bely; Germ. s. oc; Ross. m. or; Arm; ?China m. oc.*
- a) ab. (v.?) *Psoricularia* Ev. Bull. M. 1848, III, 221; Gn. I, 232 (multo obscurior, al. cinereis, dense fusco-inspersis). *Srp; Arm; Tura.*
- b) v. (et ab.) *Favillacearia* Hb. 139 ♂; Tr. VI, 1. 297; Wd. 458; HS. 47 ♀ (al. cretaceis vel cinereis minus fusco-inspersis, al. post. striga dissoluta vel subnulla). *Austro-Hung. et Hal. (v.); Germ. s. (ab. ?); Ili et Iss. K. (v.).*
- c) v. (et ab.) *Albidaria* Stgr. Cat. ed. II p. 173, no. 2473b; Favillacearia Dup. VII, 168, 1; Emucidaria Mill. Ic. 10 f. 5 ♂, I p. 104 var. a. (al. ♂ albis, minus fusco-inspersis). *Gal. e.oc. (Vendée); Belg. (ab. ?); Angl. (trans.pr.p.); Iss. K. s. oc. (v.).*

4059. **Conspersaria** (S. V.) F. Mant. 188; Bkh. V, 243; Tr. VI, 1. 299 (pr. p.); *Cunicularia* Esp. 43, 5. 6 (al. lutescenti-albidis, dense fuso-conspersis; forma valde aberrans cum trans. ad. ab. sequ.).
- a) ab. (et v.) *Turturaria* B. Gen. p. 185 (non HS.); Gn. II, 140; *Conspersaria* Hb. 138; Dup. VII, 168, 4 (albidior, al. multo minus fuso-inspersis, al. ant. [in sp. typ.] macula fusca dorsali; forma frequens).
- b) ab. et v. *Cuniculina* Hb. Btr. II, 2, 1 E. p. 38 (al. fere totis albis, non conspersis, tantum fuso-strigatis vel punctatis).
- c) v.? (ab.?) *Rauaria* Frr. 582, 3. 4, VII p. 160; Spr. Stett. e. Z. 1865 p. 254 (minor, al. cretaceis, minus fuso-inspersis, extus serie punctor. fusc., palp. lab. brevior.).
4060. **Tekkearia** Chr. Mém. Rom. II p. 123, t. 6, f. 4.
4061. **Lentiscaria** Donz. Ann. S. Fr. 1837 p. 13, t. 1, f. 1, 2; HG. 592-3; Dup. IV, 52, 1 a, b; Gn. II, 141; Mill. Ic. t. 9, f. 4-9; ?*Turturaria* HS. 269, 270, III p. 66.
4062. **Aspersaria** Stgr. Iris IX p. 401; *Inspersaria* Stgr. ib. p. 375, t. 4, f. 14 (praec. forma Darw.?).
4063. **Leucogrammaria** Püng. Iris XIII p. 121, t. 4. f. 6.

*Eur. c. et m. or; It;
Maur; As. min. et oc;
Ferg; Iss. K. (cum ab.
et v.).*

*Gal. m; Carn; Lyd.
etc.*

*Ross. m; It. c. et m;
Bith; Pyr. (var.);
Austr. etc. (ab.).*

Carn; Istr.

Tura.

*Gal. m; And; ?Cat;
Arm. m. or. (v.).*

Iss. K.

Tura.

641. Cleogene B. 1840.

4064. **Lutearia** F. E. S. 143 (1794); Esp. 24, 1; Tr. VI, 2. 250; Gn. II, 163; Mill. Ic. t. 2, f. 1-3; *Tinctaria* Hb. 121 (post 1797); Dup. VIII, 180, 3; HS. 361; Wd. t. 54, 63.
4065. **Niveata** Sc. Ent. Carn. 217; Z. Stett. e. Z. 1855 p. 242; Auri. Nord. Fjär. 224; *Illibaria* Hb. 207; Tr. VI, 2. 256; HS. 331-2; ?Dup. VIII, 180, 4; (-ata) Gn. II, 163.
4066. **Peletieraria** Dup. VIII, 1 p. 140, t. 180, f. 2; HG. 580; Gn. II, 163 (praec. var. ♂ nigricans?; ♀ nec distingui potest.).

*Alp; Gal. c. m. (Al-
vernia) et It. c.
(mont); Carp; Ural.
Alp. Styr.; Car., Carn.,
? Helv. m: Petrop;
Fen.*

Pyr. c.

642. Scoria Stph. 1829.

4067. **Lineata** Sc. Ent. Carn. p. 218 (1763); Z. Stett. e. Z. 1855 p. 242; *Dealbata* L. S. N. ed. XII, 870 (1767); Tr. VI, 2. 259; Hb. 528-31; Dup. VIII, 209, 1. 2; Frr. 282, 4; Gn. II, 168; (-aria) Hb. 214.

It; Bith; Pont; Arm; Alt;

Tarb; Ala Tau; Ili; Iss. K; Mong. s; Amur; Uss.

*Eur. c. (exc. Bat. et
Ib.); Scand. c. et m;
Ross. s.m; Gal. m. oc;*

Ib.; Pont; Arm; Alt;

Tarb; Ala Tau; Ili; Iss. K; Mong. s; Amur; Uss.

643. Loxospilates Warr. 1893.

4068. **Fixseni** Alph. Hor. XXVI p. 456; Mém. Rom. IX p. 62, t. 4, f. 6 (b. sp. sec. Stgr., nec syn. *Obliquaria* Moore).

Amdo.

4069. **Romanovi** Alph. Hor. XXVI (1892) p. 457; Mém. Rom. IX p. 63, t. 3, f. 11 a, b.

Amdo.

644. Astrapophora Alph. 1892.

4070. **Mundataria** Cr. P. Ex. 400 H; Esp. 45, 1; Tr. VI, 1. 129; Dup. VIII, 178, 1; Gn. II, 186; *Mundata* Hb. 375, 538-9.

*Ross. m. or; Alt; Tarb;
Ala Tau; Ili; Iss. K;
Mong. s; Amur; Uss; Cor; China s. et c; Jap.*

645. Aspilates Tr. 1825.

4071. **Formosaria** Ev. Bull. M. 1837, 54; ib. 1844, III, 599 t. 15, f. 3a, b; F. V. U. p. 371; HS. 27, 28; Frr. 438, 1; Gn. II, 185; Snell. Vlind. II, 2 p. 1176; Gloriosaria B. Gen. p. 188.
4072. **Smirnovi** Rom. Mém. Rom. II p. 106, t. 5, f. 8.
4073. **Acuminaria** Ev. Bull. M. 1851, 636; Gn. I, 97; Calb. Iris III p. 75 (pr. p.); Stschurovskyi Ersch. Fedtsch. p. 63, t. 4, f. 64; Glessaria Chr. Hor. XII p. 259, t. 7, f. 30; Opulentaria Stgr. Stett. e. Z. 1877 p. 203.
4074. **Curvaria** Ev. Bull. M. 1852, I, 161; Gn. II, 185; Alph. Mém. Rom. VI p. 70, t. 3, f. 5a-c; Sterrharia Stgr. Iris VIII, 365 t. 6, f. 17; ib. IX, 276.
4075. **Gilvaria** (S. V.) F. Mant. 196; Esp. 85, 8; Hb. 201, 534-5; Tr. VI, 1. 132; Dup. VIII, 178, 2. 3; Wd. 541; HS. 487 [ab. unicolor.]; Gn. II, 185; ab. Sublataria Fuchs Jhrb. Nass. LIII p. 56 [al. supra fere insignatis].
And. s.; It. s. et c.; Arm.; Hyrc.; Alt.; Tarb.; Mong. s.; Daur; Sib. or. s.; Amur. Cane; Thian; Amdo.
- a) v. *Orientaria* Alph. Hor. XVII p. 184 (alis subdiaphanis; vix nominanda).
 - b) v. (et ab.) *Conspersaria* Stgr. al. plus minusve dense fusco-conspersis; trans. adv. c.
 - c) v. (et ab.) *Insignis* Alph. l. c. 185, t. 8, f. 72; Mém. Rom. IX p. 61 (alis fere [nonnusquam totis] unicoloribus, lutescenti- vel obscure griseis).
4076. **Collinaria** Holt-White p. 87, t. 4, f. 10; Rbl. Ann. Naturh. Hofmus. XI p. 109; Canariaria Rghfr. ib. IX p. 74, t. 1, f. 7¹⁾.
4077. **Ochrearia** Rossi Mant. II p. 53. t. 7, N. (1794); Wernb. Stett. e. Z. 1858 p. 55; Calb. Iris III p. 77; Citraria Hb. 212 (post 1797) 536-7; Tr. VI, 1. 139; Dup. VIII, 178, 4. 5; Frr. 131, 4. 5; Wd. 540; Gn. II, 184; Mill. Ic. 74, 2-5.
- a) ab. *Unicolorata* Seeb. An. Soc. Esp. 1898 p. 140 (alis omn. supra insignatis).
4078. **Revocaria** Stgr. Iris V p. 203, t. 2, f. 16 (huj. generis?).
646. **Perconia** Hb. 1822.
4079. **Strigillaria** Hb. Btr. I, 2, 2, I; Bkh. V, 223; Tr. VI, 1, 348; Dup. VIII, 171, 1; Frr. 113; Wd. 542; Gn. II, 181; Calb. Iris III, 78; Respiraria Hb. 125; Herpeticaria Rbr. Cat. S. And. 21, 1 ♀ [ab.].
Eur. c. et m. or.; Scand. m.; Ross. m.; Run.; Bith.; Taur. m.; Pont.; Arm.; Alt.; Tarb.
- a) ab. (v.?) *Grisearia* Stgr. Cat. ed. II p. 175, no. 2489 a; Strigillaria Esp. 32, 7. 8; Hb. 540-41 (alis griseis, vix albido-irroratis, obscure strigatis, vel fere unicoloribus).
Sax; Germ. s.; Scand. m. (v.?) ; Liv. (?) .
 - b) v. *Cretaria* Ev. F. V. U. p. 395; HS. 423-4, III p. 85; Gn. II, 182 (al. albis, fere non fusco-conspersis, strigis subnullis).
Ross. m. or.
4080. **Baeticaria** Rbr. Cat. S. And. 19, 1 (al. obscure sordideque brunneis).
. a) v. *Castiliaria* Stgr. dilutior, al. flavescentibus plus minusve dense fusco-inspersis, distinctius fusco-strigatis (duobus ♂ et tribus ♀ a Stgr. prope San Ildefonso captis descripta).
And.
- Cast.
4081. **Innocentaria** Chr. Mém. Rom. II p. 125, t. 6, f. 5.
Tura.

¹⁾ A. *Rectaria* Frr. 534, 4, VI p. 87 spec. Am. s. (= Confusaria Hb.) esse videtur.

647. **Prosopolopha** Ld. 1853 (Ligia Dup., nom. praeoc.).

4082. **Opacaria** Hb. 493-6; Dup. VII, 169, 5; Tr. X, 2, 180; Frr. 180, 2; Gn. II, 236 (δ pallide lateritia et grisea). *Gal. m. et c; Ligur; Cors; Cat; And. s.*
a) ab. δ **Rubra** Stgr. Cat. ed. II p. 175, no. 2495 a; **Opacaria** var. a Gn. l. c.; Dup. l. c. f. 4 (δ al. ant. saturate lateritiis, albo-strigatis).
4083. **Argentaria** HS. 403, III p. 98; Gn. II, 235; **Yaminaria** Obth. Et. VI p. 84, t. 11, f. 4 [certe syn. sec. sp. typ.]. *Sic; Maur.*
4084. **Jourdanaria** Vill. Ann. S. Lin. Paris V, 480 t. 11, h-n, 1-3 (1827); Tr. VI, 2, 303; HG. 559-62; Dup. VII, 169, 6; Frr. 210, 4, 5; Gn. II, 235. *Gal. m; Cast; And.s; Maur.*
- a) ab. **Obscura** Baker Monthl. Mag. XXI p. 244 (multo obserior, al. ant. fuscescenti-brunneis puncto medio lineaque exter. dentata nigris, al. post. infuscatis).
4085. **Simplex** Butl. Ann. & Mag. (5) I p. 394; Ill. Het. III p. 30, t. 48, f. 4; Püng. Iris X, 368; **Violentaria** Chr. Bull. M. 1880, II p. 82; Stgr. Iris X p. 68, t. 2, f. 42 (huj. generis?). *Maur. (Lambessa); Amur; Uss; Jap.*
- a) ab. (et v.?) **Punctaria** Leech Ann. & Mag. (6) XIX p. 319; **Violentaria** ab. Stgr. l. c. p. 69, t. 2, f. 43 (al. ant. striga in punctis dissoluta).

648. **Heliothea** B. 1840.

4086. **Discoidaria** B. Gen. p. 178; Dup. Sup. IV, 54, 1; HS. 226; Gn. II, 161; Mill. Ic. 37, 4-7, I p. 315; Rbr. Cat. S. And. 20, 2, 3. *And; Cast.*
4087. **Iliensis** Alph. Hor. XVII p. 189, t. 9, f. 88. *Ili; Iss. K; Ferg; Saraw. (ab.); Buch. m. or.*
- a) ab. (et v.?) **Alpherakii** Stgr. Iris V p. 207 (al. omnibus flavis, al. ant. costa, puncto med. ciliisque griseis). *Saraw. (v.?) Ferg. (ab.).*
- b) v.? (ab.?) **Herzi** Stgr. minor, al. ant. totis griseis, al. post. aurantiacis, griseo-limbatis (sec. 6 δ condita, a Herz in Saraw. captis). *Saraw. (pr. p.).*
- c) ab.?**Christophi** Alph. Hor. XVII p. 191, t. 9, f. 90 (uno δ condita; sec. sp. typ. **Iliensis** ab. stupenda Stgr. esse videtur: al. ant. supra et al. post. subt. albido-cinereis, al. post. supra et al. ant. subt. griseis). *Ili; Buch. s. or. (1 trans.).*

649. **Cimelia** Ld. 1853.

4088. **Margarita** Hb. Noct. 514; Dup. III, 42, 4; HS. III p. 37; Gn. II, 230; Mill. Ic. t. 31, f. 1, I p. 267, 409. *Gal. m; Cat; Cast. s; And. m; Ped; It. s. or; Istr; Carn. m.*
4089. **Olga** Stgr. Iris XII p. 398. *Arm. qc.*
4090. **Vaulogeri** Stgr. Iris V p. 291, t. 3, f. 11. *Maur. oc.*

650. **Epicimelia** Korb 1899.

4091. **Theresiae** Korb Iris XII p. 300, t. 7, f. 5, 6. *As. min. c. (Konia).*

XXVI. Uraniidae.

651. **Acropteris** Hb. 1832 (Micromia aut.).

4092. **Iphiata** Gn. Phal. II, 29; Hmps. Ind. Moths III p. 116 Uss; Jap; China;
(pr. p.); Pontiata Gn. I. e. [sec. sp. typ. ab. minus ?Ind.
signata]; Stgr. Iris X p. 21, t. I, f. 16.

XXVII. Epiplemidae.

652. **Nossa** Kirb. 1892 (Atossa Moore).

4093. **Palaearctica** Stgr. Mém. Rom. III, t. 11, f. 3; ib. VI Uss.
p. 276; Elw. Pr. Z. S. 1890 p. 381; Neleymna Stgr.
(nec Moore) I. c. III p. 192; Graes. Berl. e. Z. 1888
p. 115.

653. **Epiplema** HS. 1850 (Eversmannia Stgr. 1871; Erosia aut.).

4094. **Exornata** Ev. Bull. M. 1837 p. 65; Gn. II, 38; Stgr. Iris Sib. or. m. (Kiachta);
X p. 36; Exornataria HS. 418; ?Rapha Butl. Ann. & Amur; Uss; ?Jap.
Mag. (5) I, 403; Ill. Het. III p. 42, t. 51, f. 5. (var.).
4095. **Erasaria** Chr. Bull. M. 1880, II p. 70; Stgr. Iris X p. 87, Amur; Uss;
t. 1, f. 24.
4096. **Illoata** Chr. Bull. M. 1880, II p. 69. Amur,

XXVIII. Nolidae.

654. **Mimerastria** Butl. 1881.

4097. **Mandschuriana** Obth. Et. V. p. 83, t. 2, f. 9 (1881); Butl. Uss; Cor; Jap.
Ann. & Mag. (5) VII p. 236; Stgr. Mém. Rom. VI p. 257;
Hmps. Nol. & Lith. p. 74, f. 19.

655. **Nola** Leach 1815.

4098. **Togatulalis** Hb. Pyr. 130, context. p. 7; Tr. VII, 191; Germ. c. et m; Austr.
Dup. VIII. 228. 1; Hmps. Nol. & Lith. p. 72. inf; Val; Gal; Hisp;
Hung; Hal; Dalm; Rum. or; Bith.
4099. **Maculata** Stgr. Mém. Rom. III p. 180; Hmps. Nol. & Lith. Uss.
4100. **Costalis** Stgr. Mém. Rom. III p. 178, t. 10, f. 3; Hmps. Nol. & Lith. p. 68. Amur; Uss.
4101. **Bryophilalis** Stgr. Mém. Rom. III p. 181, t. 10, f. 5; Amur; Uss.
4102. **Fumosa** Butl. Ill. Het. III p. 9, t. 43, f. 2 (1879); Hmps. Nol. & Lith. p. 72; Strigulosa Stgr. Mém. Rom. III p. 180, t. 10, f. 4. Amur; Uss; Jap; Cor.

4103. **Cucullatella** L. S. N. ed. X, 537; Esp. 77, 4-9; Barr. II t. 65, f. 1; Hmps. Nol. & Lith. p. 39; Palliolalis Hb. Pyr. 149 (13!); Tr. VII, 188; Dup. VIII, 228, 3.
a) ab. *Fuliginalis* Stph. Ill. IV p. 63; Barr. l. c. f. 1a (al. ant. infumatis).
4104. **Cicatricalis** Tr. X, 3. 39; HS. 134-6, II p. 164; Hein. 275; Hmps. Nol. & Lith. p. 22. *Gal. m. or; It. c.; Srp.; Taur.; Syr.; Amur.*
4105. **Strigula** Schiff. S. V. p. 69; Hein. 274; Barr. II, t. 65, f. 2; Hmps. Nol. & Lith. p. 65; Strigulalis Hb. Pyr. 16; Tr. VII, 187; Frr. B. 12, 2; Dup. VIII, 227, 4. 5; HS. 137; Zelleriana F. d. W. Ent. II p. 246, t. 9.
a) ab. *Monachalis* Hw. Br. Lep. p. 386; Stph. Ill. IV p. 63 (al. ant. infumatis). *Eur. c.; Liv.; Suec. m.; It.; Dalm.; Rum.; Bith.*
4106. **Confusalis** HS. II p. 164; Hein. p. 275; Spr. Stett. e. Z. 1873 p. 357; Barr. II, t. 65, f. 3; Hmps. Ind. Moths II p. 140; Nol. & Lith. p. 24, f. 7; Cristulalis Dup. VIII. 227, 6. 7. *Germ. oc.; Austr.; Hung.; Gal.; Belg.; Angl.; Ped.; Helv.; Succ.; Petrop.; Fen.; Amur.; Jap.-Pont.; Jap. (?)*
4107. **Gigantula** Stgr. Hor. XIV p. 328; Hmps. Nol. & Lith. p. 71, t. 20, f. 29; Gigas Butl. Ann. & Mag. (5) XIII p. 274 [syn. sec. Hmps.]. *Gal. m.; Hisp. s. or.*
4108. **Thymula** Mill. Ic. II p. 337, t. 85, f. 11-16; Hmps. Nol. Lith. p. 23. *Croat.; Dalm.*
4109. **Ancipitalis** HS. 132-3, II p. 165; Hein. 275; Hmps. Nol. & Lith. p. 28; Tuberculalis Mn. Wien. Mts. 1857 p. 148. *Eur. m.; Ter. m.; Bulg.; Bith.; ?Pont.; Syr.*
4110. **Chlamitulus** (r. Chlamydulus) Hb. Pyr. 181 (160); Dup. VIII, 228, 6; Hmps. Nol. & Lith. p. 9, f. 5; Chlamydulus Tr. X, 3. 41; HS. II p. 165; Stgr. Hor. VII, 107; Mill. Ic. 114, 1-4. *Hisp. c. et s.; Graec.; ?Dalm.; Pont.*
4111. **Subchlamydula** Stgr. Hor. VII (1870) p. 107, t. 1, f. 6, 7; ib. XIV p. 328 (sequ. var.?). *Germ. m.; Helv.; Austr.; Hung.; Dalm.; It. c.; Ross. m. et s. oc.; Hisp. m.*
4112. **Cristatula** Hb. Vög. 34 (1793); Cristulalis Hb. Pyr. 17!; Tr. VII, 192; HS. 138-9; Hmps. Nol. & Lith. p. 9. *Fen.; Thian. oc.*
4113. **Albula** Schiff. S. V. p. 69; Hb. Vög. 93; Hein. p. 276; Barr. II t. 65, f. 5; Hmps. Nol. & Lith. p. 60; Albulalis Hb. Pyr. 14; Tr. VII, 191; Dup. VIII, 228, 2; HS. 140. *Uss.*
4114. **Karelica** Tgstr. Cat. p. 8; Reuter Act. Fen. IX p. 22; Auriv. Nord. Fjär. 82 f. 21; Hmps. Nol. & Lith. p. 27; Arctica Schöyen Arch. f. Math. V p. 172, t. 1, f. 1. 2 (1880); Obsoleta Reuter Medd. Soc. Fen. XIX p. 122. *Eur. c.; Petrop.; Liv.; Fen.; It. c. et s.; Cors.; Hisp.; Kirgh.; Arm.*
4115. **Inconspicua** Alph. Hor. XVII p. 24, t. 1, f. 30 (1882); Hmps. Nol. & Lith. p. 28 (praec. form. Darw.). *Amur.; Cor.; Jap.*
4116. **Lactaria** Graes. Berl. e. Z. 1892 p. 211 (una ♀ condit.). *Ferg. m.; Syr.*
4117. **Centonalis** Hb. Pyr. 15; Tr. VII, 193; Dup. IX, 228, 5; HS. 141-2; Barr. II t. 65, f. 4; Hmps. Nol. & Lith. p. 22; ?Aerugula Hb. Vög. 61 [si certum, nom. praefere].
a) v. *Atomosa* Brem. Bull. Ac. Petr. III, 49; Lep. O. S. p. 55, t. 5, f. 16; Stgr. Mém. Rom. VI p. 259 (pallidior). *Uss.*
4118. ?**Candidalis** Stgr. Mém. Rom. VI p. 258 (praec. syn. sec. Hmps.). *Ferg. m.; Syr.*
4119. **Turanica** Stgr. Stett. e. Z. 1887 p. 77; Gr. Gr. Mém. Rom. IV p. 527 (Centonalis subspec. sec. Hmps.). *Arm.*
4120. ?**Impudica** Chr. Iris VI p. 88 (1893). *Arm.*

4121. **Innocua** Butl. Pr. Z. S. 1880 p. 671; Hmps. Nol. & Lith. p. 21, t. 18, f. 25 (var.); Costimacula Stgr. Mém. Rom. III p. 182, t. 10, f. 6. *Amur; Jap; Formosa.*
4122. **Impura** Mn. Wien. Mts. 1862 p. 368, t. 3, f. 3; Bltsch. z. b. V. 1879 p. 405; Hmps. Nol. & Lith. p. 34. *Bith; Syr.*
4123. **Squalida** Stgr. Berl. e. Z. 1870 p. 102; Mill. Ic. 150 f. 15, 16; Hmps. Nol. & Lith. p. 24. *And. (Malaya); Syr; Aegypt; ?China; ?Ind; ?Austral.*
4124. **Aegyptiaca** Snell. Tijds. XVIII p. 67, t. 6, f. 3 (1874); Hmps. Nol. & Lith. p. 25. *Aegypt.*

XXIX. Cymbidae.

656. **Stenoloba** Stgr. 1892.

4125. **Jankowskii** Obth. Et. X p. 28, t. 3, f. 5 (1884); Stgr. Mém. Rom. VI p. 381; Nivilinea Leech Pr. Z. S. 1888 p. 638, t. 32, f. 1. *Uss; Jap.*

657. **Sarrothripus** Curt. 1824.

4126. **Revayana** Sc. Annus Nat. Hist. V (1772) p. 116; Tr. VIII, 22 (pr. p.); Auriv. Nord. Fjär. p. 80; Barr. VI t. 251, f. 3, 3a, 3f (3e); Undulana Hb. Tort. 7 (1776) (al. ant. griseis, plus minusve unicoloribus). *Eur. c. et m. (exc. Graec.); Scand. m.; Liv; Fen; As. min.; Syr; Alt; Amur; Daur; Jap.*
- a) ab. *Fusculana* Schmid Corr. XXXIX p. 46 (1886) (al. ant. macula media ferruginea, striga basali nigra). *Germ; Liv; Thian.*
- b) ab. *Dilutana* Hb. Tort. 6; Tr. I. c. pr. p.; Revayana var. Dup. IX, 237, 7, 265, 3a [ab.]; Wilk. Brit. Tortr. p. 12, t. 1, f. 1; Barr. I. c. f. 3b (al. ant. griseis, macula costali vel fascia media obscuriore). *Eur. c; etc.*
- c) ab. *Glaucana* Lampa Tidskr. VI p. 31 (al. ant. obscure glaucesc., macula costali triangulari fusca).
- d) v. (et ab.) *Degenerana* Hb. Tort. 8; Tr. I. c.; Revayana Dup. I. c. 6 (al. ant. cinereo- [vel viridi-] nigroque variegatis).
- e) ab. *Ilicana* F. Sp. II p. 283; Auriv. I. c.: *Punctana* Hb. Tort. 9; Tr. I. c.; Revayana var. Dup. I. c. 8 (al. ant. punctis [tribus] distinctissimis nigris).
- f) ab. *Ramosana* Hb. Vög. 75 (1793); Hb. Tort. 10; Dup. IV, 60, 5; Oudemans Tijds. XXXIX p. 171, t. 8, f. 5; Barr. VI t. 251, f. 3c, 3d (Revayan. var.); Ramulanus Curt. B. E. I. 29 (al. ant. vitta ramosa media nigra sive obscuriore). *Eur. c.*
- g) ab. *Russiana* Dup. Cat. p. 284; Revayana Dup. IX. 265, 3b (al. ant. viridibus macula media magna obscura).

4127. **Museulana** Ersch. Fedtsch. p. 31, t. 2, f. 27. *Saraw.*

4128. **Nilotica** Rghfr. z. b. V. 1881 p. 26. *Aegypt.*

658. **Clettharra** Wlk. 1863.

4129. **Littora** Baker Tr. Ent. Soc. 1894 p. 35, t. 1. f. 2 (an. syn. praec. no. 4128?). *Aegypt.*

658bis. **Balsa** Wlk. 1860.

4130. **Malana** Fitch Rep. I et II Ins. N. Y. 1856 p. 244, t. 3, f. 5; Z. z. b. V. 1872 p. 454; Smith Noct. Cat. p. 193; Leodura Stgr. Mém. Rom. III p. 178, t. 10, f. 2.

*Uss; Jap; Am. s.*659. **Sinna** Wlk. 1865.

4131. **Extrema** Wlk. List. II p. 573 (1854); Stgr. Mém. Rom. VI p. 255; Reticularis Feld. Nov. t. 106, f. 18; Fentonii Butl. Tr. Ent. Soc. 1881 p. 8; Cist. Ent. III p. 129; Clara Butl. l. c. (1881); Ornatisima Alph. Mém. Rom. IX p. 131, t. 9, f. 9.

*Uss; Jap; China s. et c. et or.*660. **Nycteola** HS. 1853 (Zebeeba Kirb.).

4132. **Falsalis** HS. Deutsch. I. t. 166, 1; HS. Nyct. 4. 5, II p. 444; Dardoinula Mill. Ic. III p. 172, 466, t. 117, f. 1, 2.

*Hisp; Gal. m.; Cors; Sard; Sic; Istr; Dalm; Syr.*661. **Earias** Hb. 1822.

4133. **Vernana** Hb. Vög. 8 (1793); F. E. S. p. 245 (1794); Hb. Tort. 161; Tr. VIII, 9; Dup. IX. 237, 5.

Austr; Pom; Sil; Hung; Hal; Ped. Ib. m; Sic; Creta; Syr; Aegypt; Can; Afr. trop; Ind. or. et c.

4134. **Insulana** B. Fn. Madagasc. p. 121, t. 16, f. 9 (1833); Rghf. z. b. V. 1870 p. 869; Hmps. Ind. Moths II p. 133; Smaragdinana Z. Lep. Caffr. p. 79 (1852); Siliquana HS. Nyct. 1-3 (1853), II p. 448; Frondosana Wlk. List. XXVII p. 204 (1863); Chlorion Rbr. Cat. S. And. t. 15, f. 6 (1866); Gossypii Frauenfeld z. b. V. 1867 p. 791.

a) (?) ab. *Dorsivitta* Stgr. Iris X p. 165 (al. ant. vitta media grisea).

Syr.

4135. **Chlorophyllana** Stgr. Iris IV p. 249 (1891); ?Turanana Gr. Gr. Ann. Mus. Petersb. IV p. 46 [uno spec. condit.].

Kurd; Ant; ?Tura.

4136. **Clorana** (r. Chlorana) L. F. S. 343; Hb. 160; Zk. Charp. p. 27; Tr. VIII, 10; Dup. IX, 237, 4; Barr. II t. 64, f. 4.

Eur. c. et s. (exc. reg. bor.); Eur. m. s.; Pont; Sib.

4137. **Pudicana** Stgr. Mém. Rom. III p. 174, t. 8, f. 10 (1887). *Amur; Uss; Jap; China s.*

4138. **Pupillana** Stgr. Mém. Rom. III p. 176; ib. VI p. 253.

Amur; Uss.

4139. **Erubescens** Stgr. Mém. Rom. III p. 175; ib. VI p. 254.

Uss.

4140. **Ochroleucana** Stgr. Mém. Rom. III p. 176, t. 8, f. 11 (1887); ib. VI p. 254; Fixs. ib. III p. 326; Graes. Berl. e. Z. 1888 p. 110 (cfr. Leech Tr. E. S. 1899 p. 316!).

*Amur; Uss; Cor.*662. **Hylophila** Hb. 1822.

4141. **Prasinana** L. F. S. 342; Hb. Tort. 158; Tr. VIII, 4; Dup. IX, 237, 2, 3; Mill. Ic. 116, 1. 2 [ab.]; Stgr. Mém. Rom. VI p. 255; Barr. II t. 64, f. 5; Sylpha Butl. Ill. Het. III p. 10, t. 43, f. 10.

Eur. c. et s. (exc. reg. pol.); Gal. m. or; It. c. et s.; Srp; Sib; Amur; Jap.

4142. **Bicolorana** Fuessl. Verz. p. 41 (1775); Hein. 598; Quercana Schiff. S. V. p. 145 (1776); Hb. Tort. 159; Tr. VIII, 7; Dup. IX, 237 f. 1; Barr. II t. 64, f. 6.

Eur. c. et m. (exc. And. et Graec.); Dan; Suec. m; As. min; Arm.

4143. **Celsiana** Stgr. Mém. Rom. III p. 177, t. 10, f. 1.

Amur.

4144. **Kraeffti** Graes. Berl. e. Z. 1888 p. 110.

Amur.

XXX. Syntomidae.**663. Syntomis O. 1808.**

4145. **Ganssuensis** Gr. Gr. Hor. XXV (1891) p. 461; Hmps. Synt. p. 110. *Kuku N.*
4146. **Phegea** L. S. N. ed. X, 494; Esp. 17, 1. 2; Hb. 99, 100; O. III, 105; God. III, 22, 4; Hmps. Synt. p. 110; Pflueumeri Wacquant Stett. e. Z. 1876 p. 370 [ab. al. ant. macul. 5]. *Germ; Austr.-Hung; Bat; Belg; Gal. c. et m; Eur.m.(exc.Ib.); Bith; Pont; Arm; Alt.*
- a) ab. *Phegeus* Esp. 47. 3; *Phegea* Hb. 30 (al. ant. mac. 4, post. 1 albis).
 - b) ab. *Cloelia* Bkh. II p. 117; Esp. Sup. p. 46; *Phegea* var. Esp. 34, 1 (al. ant. mac. 1 [2], post. 1 albis).
 - c) ab. *Iphimedia* Esp. 47, 4; *Phegea* Hb. 145 (alis omnibus immaculatis).
 - d) ab. *Nigricornis* Alph. Rev. Mens. Ent. I p. 18 (1883) (antennis totis nigris).
4147. **Mestralii** Bugnion Ann. S. Fr. 1837 p. 439, t. 16, f. 1; Ld. Wien. Mts. 1861 p. 101, t. 1, f. 11, 12; Hmps. Synt. p. 109; Kindermann Ld. l. c. 1858 p. 142. *Syr.*
- a) ab. *Palaestinae* (Stgr.) Hmps. l. c. 110 (antennis totis nigris).
4148. **Antiochena** Ld. Wien. Mts. 1861 p. 151, t. 1, f. 13, 14; Hmps. Synt. p. 109. *Pal.*
- a) v. *Taurica* (Stgr.) Hmps. l. c. (antennis totis nigris, maculis minoribus).
4149. **Bactriana** Ersch. Fedtsch. p. 29, t. 2, f. 24; Hmps. Synt. p. 109. *Saraw.*
4150. **Maracandica** Ersch. Fedtsch. p. 30, t. 2, f. 25; Hmps. Synt. p. 108. *Tura; Saraw.*
- a) ab. *Cocandica* Ersch. l. c. p. 31, f. 26 (maculis minoribus).
4151. **Caspia** Stgr. Stett. e. Z. 1877 p. 176; Mém. Rom. I t. 4, f. 7; Alph. ib. VI p. 4; Hmps. Synt. p. 108. *Ross. m. or; Arm; Tarb.*
4152. **Sintenisi** Stndf. Mém. Rom. VI p. 664, t. 15, f. 4 (1892); Hmps. Synt. p. 108. *Kurd; Saraw.*
4153. **Persica** Koll. Ins. Pers. p. 12; Hmps. Synt. p. 101, t. 4, f. 5. *Pers.*
4154. **Germana** Feld. Wien. Mts. VI p. 37 (1862); Hmps. Synt. p. 93; Fenestrata HS. Aussereur. Schm. 270 (nec Dru.); Thelebus Mén. (nec F.) Schrk. p. 48; Stgr. Mém. Rom. VI p. 252; Leech Tr. Ent. Soc. 1898 p. 320; Mandarina Butl. Journ. Linn. Soc. Zool. XII p. 349. *Amur; Uss; Cor; China s. et oc; Jap.*

664. Dysauxes Hb. 1822 (Naelia B. 1840).

4155. **Ancilla** L. S. N. ed. XIII, 835; Esp. IV, 85. 1. 2; Hb. Bomb. 114 ♂, 245 ♀; O. III, 157; God. IV, 39, 2. 3; Frr. 32, 2; Hmps. Synt. p. 134. *Germ; Austr.-Hung; Hal; Belg; Gal; It; Eur. or. m. (exc. Graec.).*
4156. **Punctata** F. Sp. 207 (1781); Bkh. III, 217; O. III, 159; Frr. 32, 3; Mill. Ic. 28 f. 10, 11; Hmps. Synt. p. 133, f. 53; Serva Hb. Bomb. 115 (post 1800), 226-7; Famula God. IV, 39, 4; *Ancilla* var. Esp. IV, 85. 3; Ochrea Mill. Cat. rais. p. 391; Mém. Sc. Cannes 1880 t. 8, f. 2.
- a) ab. *Modesta* Krulik. Soc. Ent. IX p. 161 (1895) (al. ant. macul. diaphanis flavescentib.). *Ross. c.*
 - b) ab. *Servula* Berce Ann. S. Fr. 1862 p. 386, t. 9, f. 9 a, b; Stgr. Hor. VII, 107 (al. ant. immaculatis). *Gal. m; Cat; Maur.*

- c) v. (et ab.) *Famula* Frr. 183, 2, 3, II p. 143; Stgr. l. c. p. 106 (al. ant. macul. obsoletis, al. post. pallidis).
- d) v. (et ab.) *Hyalina* Frr. 473, 2, V p. 152 (Dec. 1845); HS. Bomb. 127 (1848); *Punctata* Z. Is. 1847 p. 16 (alis ant. macul. 4 [3, 2] albis; al. post. subhyalinis).
- e) v. *Parvigutta* Chr. Verh. Brünn. XXVII p. 11 (1889); Mém. Rom. V p. 13, t. 1, f. 5 (al. ant. maeulis tribus parvis).
4157. **Syntomida** Stgr. Iris IV p. 248, VI t. 1, f. 9; Hmps. Synt. p. 134.

Dalm.; Balc. m.; It. m.; As. min.
Hung. m.; Balc.; As. min.; Syr.

Tura.

Mesop. s. (Mardin).

XXXI. Arctiidae.

A. Arctiinae.

665. **Spilosoma** Sph. 1828.

4158. **Mendica** Cl. Ic. 3, 5; L. F. S. 299; Esp. 42, 1-9; Kn. Btr. III t. 2, f. 5-12; Marsh. Tr. Lin. Soc. 1791 t. 1, f. 3; Hb. 148-9; O. III, 351; God. IV, 37, 1, 2; Porritt Tr. E. S. 1889 p. 441, t. 14; Barr. II t. 75, f. 2a-i.
- a) ab. ♂ *Rustica* Hb. Btr. II, 3, 2, H p. 64; Hb. 150 (colore albido).
4159. **Lubricipeda** L. S. N. ed. X. 506 var. β; Esp. 66, 1-5 (1786); Marsh. Tr. Lin. Soc. 1791 t. 1, f. 2; Hb. 155-6; O. III, 358; God. IV, 37, 3; Barr. II t. 76; Obth. Et. XX t. 11, f. 181-188, t. 12, f. 205-218 (ab.); ab. *Fasciata* Tugwell Entom. 1894 p. 96, 205, f. 4; Barr. l. c. f. 1b.
- a) ab. *Intermedia* Stndf. Hndb. 306 t. 8, f. 11, 12; *Lubricipeda* var. Barr. l. c. f. 1c-1f; Obth. Et. XX t. 11, f. 189-193; ab. *Eboraci* Tugwell Entom. 1894 p. 205, f. 2 (trans. ad ab. *Zatimam*).
- b) ab. *Zatima* Cr. P. Ex. IV p. 182, t. 381, F; Mill. Ic. 49, 5-7, I p. 398; Tugwell Entom. 1894 p. 204, f. 3; Barr. l. c. f. 1g-j; Obth. Et. XX t. 11, f. 194-8; *Radiata* Hw. Tr. E. S. I p. 336 (1812); Sph. II p. 77; Wd. fig. 1657a (al. infuscatis, exceptis venia et disco alar. ant.).
- c) ab. *Deschangei* Depuiset Ann. S. Fr. 1886 p. 283, t. 4, f. 4; South Entom. 1893 p. 257, f. 2; Stndf. Hndb. t. 8, f. 14; Obth. Et. XX t. 11, f. 202-204 (199-201 trans.) (al. omnibus totis infuscatis, exceptis venis).
- d) v. *Punctaria* Cr. P. Ex. IV p. 233, t. 398, D. (1782); Stgr. Mém. Rom. VI p. 285; Leech Tr. E. S. 1899 p. 150; Roseventer Snell. v. Voll. Tijds. XI p. 143 (1863); Dornesii Obth. Diagn. p. 6; Doerriesi Obth. Et. V p. 31, t. 1, f. 7; *Sangaicum* Hmps. Ind. Moths II p. 3 (abdomine rubro).
4160. **Seriatopunctata** Motsch. Et. IX p. 32 (1860); Stgr. Mém. Rom. VI p. 286; Jone Butl. Cist. Ent. II p. 41; III. Het. III p. 6, t. 42, f. 6; Rosacea Butl. Ann. & Mag. (5) IV p. 342 (1879); *Basilimbata* Butl. Tr. E. S. 1881 p. 6; *Seriatopunctata* Obth. Diag. p. 6; Et. V p. 32, t. 1, f. 8.
4161. **Jankowskii** Obth. Et. V p. 31, t. 8, f. 3; Stgr. Mém. Rom. VI p. 288.

Eur. (exc. reg. pol., Ib. m., ? Balc. m.); Bith.; Alt.

Hung. or.; Buc.; Rum.; Arm.

Eur. c. et s. (exc. reg. pol.); It.; Cors.; Srp.; Alt.; Amur.; Cor.; China oc.

Angl. etc.

Ins. Hertha; Bot. et Angl. or. lit.

Ins. Hertha.

Amur.; Uss.; Cor.; Jap.; China.

Amur.; Uss.; Cor.; Jap.

Amur.; Uss.

4162. **Melanostigma** Ersch. Hor. VIII (1872) p. 316; Fedtsch. p. 32, t. 2, f. 30.
4163. **Menthastris** Esp. 66, 6-10 (1786); Hb. 152-3; O. III, 354; God. IV, 37, 5; Barr. II t. 77; Obth. Et. XX t. 12, f. 221-26 (ab.); Erminea Marsh. Tr. Lin. Soc. 1791 t. 1, f. 1; ?Luxerii God. IV, 37 f. 4, p. 360.
a) *Walkeri* Curt. B. E. II t. 92; Tugwell Entom. 1894 p. 205, f. 1; Barr. II t. 77, f. 1g; Obth. Et. XX t. 12, f. 219, 220; *Menthastris* var. God. IV, 37, 6 (al. ant. punet. nigris in radiis confluentibus).
4164. **Urticae** Esp. 83, 2 (1789), Sup. p. 20; Hb. 154; O. III, 357; Stph. II p. 76; Wd. Ind. 74; Barr. II t. 78, f. 1; Papyratia Marsh. Tr. Lin. Soc. 1791 t. 1, f. 4, p. 72.
4165. **Niveus** Mén. Bull. Ac. Petr. XVII p. 218 (1859); Schrk. p. 52, t. 4, f. 6; Butl. Cist. Ent. II p. 32; Stgr. Mém. Rom. VI p. 289 (gen. *Dionychopus* HS.).
4166. **Gracilis** Stgr. Iris XII p. 354, t. 5, f. 13.
- Saraw.
- Eur. (exc. reg. pol. And., It. m. et Balc. m.); Maur; Bith; Arm; Tura; Alt; Amur.
- Angl; Gal. etc.
- Eur. c. et s. (exc. reg. bor.); Gal. oc; Ped; Bulg; Srp; Thian; Amur.
- Amur; Uss; Cor; Jap; China oc. et c.
- Pal.

666. **Thyrgorina** Wlk. 1864.

4167. **Guttata** Ersch. Fedtsch. p. 32, t. 2, f. 28.

Saraw.

667. **Phragmatobia** Stph. 1828.

4168. **Fuliginosa** L. S. N. ed. X, 509; Esp. IV, 86, 1-5; Hb. 143; O. III, 346; God. IV, 46, 4; Barr. II t. 75, f. 1 (1c ab.); Subnigra Mill. Mém. S. Cannes 1880 t. 8, f. 7.
a) v. *Borealis* Stgr. Cat. ed. II p. 59 (minor, obscurior, al. post. nigris, exc. marg. inter.).
b) v. *Fervida* Stgr. l. e.; Mill. l. e. f. 6; *Placida* Mill. l. e. f. 5 (major, dilutior, al. ant. rufescens, al. post. miniacis macul. paucis nigris).
c) v. *Pulverulenta* Alph. Mém. Rom. V p. 84; ib. VI p. 14 (pallidior, al. ant. subdiaphanis, thorace abdomineque grisecentibus).
4169. **Placida** Friv. Mag. Tud. Ters. Evk. II p. 271, t. 7, f. 5 (1835); HS. 31, 32, II p. 142; Stgr. Hor. XIV p. 339.
4170. **Sordida** Hb. 151; B. Ic. 60, 2-4; Dup. III, 4, 5a, b; HS. 34-36; Frr. 332, 1, 2, 677; Mill. Ic. 66 f. 5-8; ib. 134, f. 1 [ab.].
a) ab. ♂ *Carbonis* Frr. 642, 4, VII p. 74 (♂ unicolor nigricans).
4171. **Luctuosa** HG. 338-9; Tr. X, 1. 209; Dup. IV, 51, 1a, b; Frr. 260; *Lugubris* HS. 29, 30.
4172. **Turensis** Ersch. Fedtsch. p. 33, t. 2, f. 29; Stgr. Stett. e. Z. 1881 p. 403; Alph. Hor. XVII p. 32.
4173. **Puella** Stgr. Stett. e. Z. 1887 p. 85.
4174. **Pudens** Luc. Ann. S. Fr. 1853 p. 410, t. 13, II, f. 1; Rbr. Cat. S. And. 1858 t. 4, f. 2, p. 239; Obth. Bull. S. Fr. 1898 p. 231 (larv.).
4175. **Breveti** Obth. Bull. S. Fr. 1882 p. 174; Et. IX p. 36, t. 3, f. 14; ?Leprieuri Obth. Et. III p. 43, t. 5, f. 2 [ab.?].
4176. ?**Vallantini** Aust. Natural. 1894 p. 55.
- Eur; As. oc. et c; Maur; Amur; Jap.
- Lap; Scot; Fen; Liv. (trans.).
- Eur. m; Tura.
- Tura; Thian; Gobi.
- Bosn; Bulg; Turc. m; Pont; Lyd; Arm; Tura.
- Alp; Pyr; It. c. mont.
- Styr; Hung; Dalm; Grace. s.
- Saraw; Ferg; Tarb; Thian.
- Ferg. m.
- Maur; ?And.
- Maur.
- Maur.

668. **Parasemia** Hb. 1822 (Nemeophila Stph.).

4177. **Plantaginis** L. S. N. ed. X, 501 ♀; Esp. 36, 1. 2. 5; Hb. 127-8; O. III, 312; God. III, 33, 2. 4; Frr. 612; Barr. II t. 74. f. 2 (et ab.); Tutt Ent. Rec. IX p. 187, t. 5; Leech Tr. E. S. 1899 p. 157.
- a) v. et ab. ♂ *Hospita* Schiff. S. V. p. 310; O. III, 314; God. IV, 33, 3; *Plantaginis* Esp. 36, 3. 4; Hb. 126 (al. post. albis, nigro-maculatis).
 - b) v. (et ab.) *Floccosa* Graes. Berl. e. Z. 1888 p. 115; Stgr. Iris V p. 348; Horm. z. b. V. 1895 p. 250; Alph. Mém. Rom. IX p. 328 (al. ant. fasciis albis dilatatis. al. post. ♂ albis, maculis nigris minoribus, ♀ flavis).
 - c) ab. *Matronalis* Frr. 405; *Plantaginis* Hb. 238 (al. post. fere totis nigris).
 - d) ab. *Melas* Chr. Iris VI p. 88; Herz ib. XI p. 251 (al. omnibus nigris, ant. fasciis attenuatis maculisque minoribus).
 - e) v. et ab. *Caucasica* Mén. Cat. rais. p. 262; HS. 42-44, II p. 147 (al. post. subangulatis, al. ant. costa in ♀ et ♂ rufa).
 - f) v. *Sifanica* Gr. Gr. Hor. XXV (1891) p. 462; Alph. l. c. 329 (al. post. flavis ♂ ♀).
4178. ?**Nycticans** Mén. Bull. Ac. Petr. XVII p. 217 (1859); Schrk. p. 50, t. 4, f. 4.

669. **Rhyparia** Hb. 1822.

4179. **Purpurata** L. S. N. ed. X, 505 (1758); Stgr. Mém. Rom. VI p. 279; *Purpurea* L. S. N. ed. XII. 828; Esp. 65, 1-5; Hb. 142; O. III, 322; God. IV, 35, 2. 3; Obth. Et. XX t. 18, f. 287-293 (ab.).
- a) ab. *Flava* Stgr. Cat. ed. I p. 24; *Purpurea* var. Hb. 229; O. IV, 209; Frr. 272, 3 (al. post. flavis, nigro-maculatis).
4180. **Leopardina** Mén. Bull. Ac. XVII p. 218 (1859); Schrk. p. 51, t. 4, f. 5.
4181. **Rufescens** Brullé Webb-Berth. p. 95; Rbl. & Rghfr. Ann. Naturh. Hofm. IX p. 46; Holt-With p. 71, t. 4, f. 5 (♀); Fortunata Stgr. Iris IV p. 159. 250, t. 3. f. 3 (♂).

670. **Rhypariooides** Butl. 1877.

4182. **Metelkana** Ld. Wien. Mts. 1861 p. 162, t. 3, f. 12 (ed. 1. Maji 1861); Friv. Jell. t. 4, f. 6-8; Mill. Ic. 49, 1-4, I p. 395; Stgr. Mém. Rom. VI p. 281; *Flavida* Brem. Bull. Ac. Petr. III, 1861 p. 477; Lep. O. S. p. 39, t. 4, f. 4.
4183. **Amurensis** Brem. Lep. O. S. p. 39, t. 3, f. 16; Stgr. Mém. Rom. VI p. 280; Leech Tr. E. S. 1899 p. 155.
4184. **Nebulosa** Butl. Ann. & Mag. (4) XX p. 396 (1877); Ill. Het. II p. 5. t. 23, f. 2; Stgr. Mém. Rom. VI p. 280; *Simplicior* Butl. Tr. E. S. 1881 p. 6.

671. **Omochroa** Rbr. 1866.

4185. **Spurca** Rbr. Cat. S. And. t. 4, f. 3, p. 254.

And.

672. **Diacrisia** Hb. 1822.

4186. **Sanio** L. S. N. ed. X, 506 ♂; Russula L. S. N. ed. X, 510 ♀; Esp. 67, 2-7; Hb. 124-5; O. III, 309; God. IV, 34, 4, 5; Frr. 622; Barr. II t. 74, f. 1.
 a) v. *Pallida* Stgr. Iris V p. 347; Horm. z. b. V. 1895 p. 249 (pallidior, minus nigro-signata).
 b) v. *Amuri* Stgr. Mém. Rom. VI p. 277 (al. post. rubescensibus, distinctius nigro-signatis).
 c) v. *Mortua* Stgr. Stett. e. Z. 1887 p. 78 (al. ant. marg. intern. non rubr., ♀ obscurior).
- Eur. (exc. reg. pol.); Isl.; Pont; Tura; Alt.*
Daur; Tarb.
Amur; Uss; Cor; Jap.
Ferg. m; Iss. K;
Daur. (ab.).

673. **Arctinia** Eichwald 1831.

4187. **Caesarea** Goeze Btr. III p. 63 (1781); Luctifera Esp. 43, 1-5 (1784); Hb. 147; O. III. 349; God. IV, 36, 5; Japonica Wlk. List. Suppl. I p. 223; Moerens Butl. Cist. Ent. III p. 114.
- Eur. c. m; Gal. m. or;*
It. c; Ped; Dalm;
Rum; Ross. m; Bith;
Arm; Uss; Jap; China s. or.

674. **Ocnogyna** Ld. 1852.

4188. **Corsicum** Rbr. Ann. S. Fr. 1832 p. 272, t. 8, f. 6-9; Luc. ib. 1853 p. 397; B. Ic. 60, 7-9; Tr. X, 1. 207; Dup. III, 4, 6a, b; HG. 347-8 ♂, 352 ♀; Frr. 146 f. 3; ab. *Albifascia* Const. Ann. S. Fr. 1888 p. 161, t. 4, f. 1 [ab.] (al. post. intus striatis, ♀ pallida, subaptera).
 a) v. *Sardoa* Stgr. Berl. e. Z. 1870 p. 105; Mill. Ic. 149 f. 3-5 (al. post. maculatis, ♀ major, obscurior, alis majoribus).
- Cors.*
Sard.
4189. **Baeticum** Rbr. Ann. S. Fr. 1836 p. 587, t. 17 A, f. 1-4; Dup. III, 4, 7 a, b; Rbr. Fn. And. t. 14, f. 1-4; Frr. 313, 4; HS. 11; Rbr. Cat. S. And. p. 243; Obth. Et. VI p. 71.
- And; ?Hisp. c; Maur.*
4190. **Mauretanicum** Luc. Expl. Alg. p. 376, t. 3, f. 5.
4191. **Atlanticum** Luc. Ann. S. Fr. 1853 p. 412, t. 13, f. II, 2.
4192. **Huegenini** Obth. Et. III p. 42; Mill. Ic. 155, f. 10.
4193. **Pierreti** Rbr. Bull. S. Fr. 1841 p. 27; Cat. S. And. p. 245; Careño Ann. S. Fr. 1841 p. 205, t. 5, f. 1; Z. Stett. e. Z. 1846 p. 8; Fallou Bull. S. Fr. 1874 p. 232; Obth. Et. VI p. 72, t. 2, f. 8, 9; Gadolphei Obth. I. c. p. 71, t. 2, f. 7 [♂ ab. minor].
- Maur.*
Maur.
Maur.
Maur.
4194. **Parasita** Hb. Btr. II, 2, 2. J; Hb. 146, 228; Esp. 92, 1. 2; O. III, 345; God. IV, 36, 1. 2; Frr. 194; Friv. Jell. t. 4, f. 7-a-c; Mill. Ic. 151 f. 14-16; (-tum) B. Ic. 60, 5. 6.
 a) v. *Intermedia* Stgr. Hor. XIV p. 335 (maculis al. ant. minoribus; trans. ad sequ. var.).
 b) v. *Nogelli* Ld. Ann. S. Belg. 1865 p. 62, 77, t. 3, f. 3-6 (al. ant. vel unicoloribus griseis vel in medio nigro-maculatis).
- Val; Gal. m; Hung; Bulg.*
Pont.
Lyd.
Pyr. or.
4195. **Hemigena** Grasl. Ann. S. Fr. 1850 p. 402, t. 10, f. 9-11; HS. 156-7, VI p. 52 (sequ. var. sec. Stndf. Handb. p. 65).
- And. mont; Arag.*
4196. **Zoraida** Grasl. Ann. S. Fr. 1836 p. 561, t. 17, f. 3; Dup. III, 4, 4; HS. 92; Rbr. Cat. S. And. t. 4, f. 1, p. 257.
- As. min; Ins. Rhodus;*
Syr; Aegypt.
4197. **Loewii** Z. Stett. e. Z. 1846 p. 9 ♀; HS. n. Schm. 165 ♀ (nec 164 ♂); Clathrata Ld. z. b. V. 1855 p. 202, t. 2, f. 7 ♂.
 a) v. *Pallidior* Chr. Mém. Rom. I p. 109, t. 7, f. 1 a, b.
 b) v. *Armena* Stgr. Cat. ed. II p. 59; Loewii var. Ld. Ann. Soc. Belg. 1870 p. 32, t. 1, f. 8 (obscurior, al. ant. striis albis angustior, al. post. subfasciatis; antenn. ♂ longioribus).
- Tura.*
Arm.

4198. **Herrichi** Stgr. Hor. XIV (1879) p. 337; Loewii var. HS. n. Schm. 164. *Taur.*
4199. **Diva** Stgr. Stett. e. Z. 1887 p. 84; Gr. Gr. Mém. Rom. IV p. 536, t. 20, f. 2; Haberhaueri Alph. Stett. e. Z. 1888 p. 67. *Saraw.; Thian.*
675. **Tancrea** Püng. 1898.
4200. **Pardalina** Püng. Soc. Ent. XIII p. 57 (1898); Iris XII p. 95. *Iss. K.*
676. **Arctia** Schrk. 1801.
4201. **Caja** L. S. N. ed. X, 500; Esp. 30, 31. 32 [ab.]; Hb. 131, 301, 130. 262 [ab.]; O. III, 335; God. IV, 30, 1-3; HS. 115 ab; Mill. Ic. 53, 6. 7 [ab.]; Mén. En. III t. 15, f. 2, 3 [ab. alba]; Barr. II t. 71. 72 (ab.); Obth. Et. XX t. 13-15, f. 227-262 (ab.); Phaeosoma Butl. Ann. & Mag. (4) XX p. 395 (1877); Ill. Het. III p. 7, t. 42, f. 10; ab. Auripectus Butl. Tr. E. S. 1881 p. 7.
- a) v. *Wiskotti* Stgr. Hor. XIV p. 333 (major, al. ant. fasciis albis latioribus, al. post. ♂ fere totis albescensibus).
 - b) v. *Americana* Harris Rep. Ins. Mass. p. 246 (1841); Stretch Zyg. & Bomb. p. 95, 239, t. 4, f. 4 (scapulis albis).
4202. **Flavia** Fuessl. Mag. II, 1 t. 1, f. 11 (1778); Esp. 78, 1; O. III, 338; God. IV, 30, 4; B. Ic. 59, 4; HG. 315-8; Frr. 672; Pfaffenzeller Stett. e. Z. 1857 p. 84, t. 1; Virgo Hb. 132; v. *Uralensis* Heyne Soc. Ent. XIV p. 97 [al. post. obscurioribus]; v. *Sibirica* Heyne l. c. [al. post. dilut.].
- a) v. *Campestris* Graes. Berl. e. Z. 1892 p. 212 (al. post. abdome paleaceo pallide lutescentibus, minus nigro-signatis).
4203. **Villica** L. S. N. ed. X, 501; Esp. 35, 1-6; Hb. 136; O. III, 330; God. IV, 35, 1; Frr. 33, 3, 652; Barr. II t. 73 (ab.); Obth. Et. XX t. 16 et 17, f. 263-286 (ab.).
- a) ab. (et v.) *Angelica* B. Ind. p. 42 (1829) (al. ant. macul. flavis, nec albis).
 - b) v. *Konevkai* Frr. 33, 1. 2 (1831); Tr. X, 1, 205; HS. 7. 8; Domidaea Meig. III p. 267, t. 123, f. 12 (1832); Angelica HG. 326-7; Villica var. Bell. Ann. S. Fr. 1860 p. 687, t. 12, f. 5; ab. Bellieri Failla Fn. Sic. p. 52; Chavignier Failla Nat. Sic. X p. 28 [ab. brunneocens] (al. ant. flavido-subfasciata nec maculata).
 - c) v. *Fulminans* Stgr. Cat. ed. II p. 57 (al. post. rubris).
 - d) v. *Confluens* Rom. Mém. Rom. I p. 87, t. 4, f. 9 (al. ant. macula tertia et quarta confluentibus).
4204. **Fasciata** Esp. 33, 3 (1784), 87, 1; Vill. L. Ent. II t. 5, f. 4; O. III, 333; God. IV, 31, 3. 4; Mill. Ic. 86 f. 11 [ab.]; Gratiosa Hb. 133.
- a) ab. *Tigrina* Vill. L. Ent. II t. 5, f. 5, p. 159 (al. ant. fasciis alb. confluentibus).
 - b) v. *Esperi* Stgr. Berl. e. Z. 1870 p. 103 (al. ant. fascia media una, nec duabus).
 - c) v. *Oberthüri* (Stgr.) Obth. Et. XIII p. 27, t. 7, f. 47, 48 (al. post. totis rufescensibus).
4205. **Dido** Wagner Reisen Algier III p. 209, t. 9 (1841); Luc. Expl. Alg. p. 375 (praec. var.?). *Maur.*
- Eur. (exc. And., Sic., Balc.m.); Alt.; Pamir (1); Amur; Uss.; Cor.; Jap.*
- Pont; Arm.*
- Am. s.; Labr.*
- Sum. Alp. (pr. p.); Ural; Alt.; Tarb.; Mong. (Uliass.).*
- Amur.*
- Eur. (exc. reg. bor.); As. min.; Arm.*
- Gal. m.; Hisp. s.; It. c.; Graec.; Maur.*
- It. m.; And.; ? Maur.*
- Syr.*
- Arm.; Tura.*
- Gal. m.; It. s. oc.*
- Hisp. c.; Lus.*
- Maur.*

4206. **Intercalaris** Ev. Bull. M. 1843, III p. 544, t. 10, f. 1 a, b; Gr. Gr. Mém. Rom. IV p. 532, t. 19, f. 3; Alpherakii Stgr. Monthl. Mag. XXII p. 258.
- *a) v. *Suttadra* Moore Pr. Z. S. 1879 p. 395; Hmps. Ind. Moths II p. 16; Cajula Stgr. l. c. 258 (major, fasciis al. ant. angustioribus).
4207. **Aulica** L. S. N. ed. X. 505; Esp. 65, 6. 7; Hb. 139; O. III, 324; God. IV, 34, 4; Frr. 158; Prittitz Stett. e. Z. 1868, 247 t. 5, f. 8 (ab.).
4208. **Testudinaria** Fourc. Ent. Par. II p. 260 (1785); Maculania Lang Verz. p. 91 (1789); Curialis Esp. Sup. Bomb. p. 4 (1790); O. III, 326; Frr. 482; Civica Hb. Btr. II, 1, 1, E ♀ (1790), 3, 2. F. ♂; Hb. 140-1; God. IV, 34; Aulica var. Esp. 80, 1-3 (praece. spec. form. Darw.).
4209. **Dejeanii** God. IV, 34, 2 p. 326; B. Ic. 59, 3; HS. 90; Rbr. Cat. And. p. 259.
4210. **Festiva** Bkh. III p. 191 (1790); Auriv. Nord. Fjär. p. 89; Alph. Mém. Rom. IX p. 198, t. 14, f. 8; Lapponica Thnbg. Diss. Ent. II p. 40, f. 7 (Dec. 1791); O. III, 315; God. IV, 34, 1; B. Ic. 59, 2; Avia Hb. 230, 247 (1804).
4211. **Ornata** Stgr. Iris IX p. 188, t. 4, f. 1, 2.
4212. **Hyperboreus** Curt. Deser. App. Narr. p. 71; Wlk. List. VII p. 1692.
4213. **Parthenos** Harris in Agassiz Lake Superior p. 390, t. 7, f. 4 (1850); Wlk. List. III, 609; Pack. Proc. Phil. III p. 110; Borealis Möschl. Wien. Mts. 1860 p. 360, t. 9, f. 3; Pack. l. c. p. 111.
4214. **Alpina** Quens. Acerbi II p. 253, t. 1, f. 4; Spångberg Tidskr. 1880 p. 91, t. 1, f. 1; Auriv. Nord. Fjär. p. 89; Thulea Dalm. An. Ent. 1823 p. 92; Zett. Ins. Lap. p. 929; Alph. Mém. Rom. IX p. 197, t. 2, f. 6, 7.
4215. **Hebe** L. S. N. ed. XII, 820; Esp. 34, 1-4; Hb. 129; O. III, 339; God. IV, 31, 1. 2; Frr. 458, 3 ab., 632; HG. 296 [ab. flava]; HS. 68 ab; Mill. Ic. 53, 1-3 ab; Honr. Berl. e. Z. 1888 p. 498, t. 7, f. 6, 7 ab; Obth. Et. XX t. 18, f. 294-299; Festiva Kirb. Cat. Het. p. 264; ab. Bivittata Schultz Soc. Ent. XV p. 18.
- a) v. *Interrogationis* Mén. En. III p. 147, t. 15, f. 1; Alero (Ev.) Luc. Bull. S. Fr. 1858 p. 116; v. Collaris Gr. Gr. Ann. Mus. Petersb. IV p. 462 [collari rubro] (al. ant. fasciis 5 maculaque albis).
- b) v. *Sartha* Stgr. Stett. e. Z. 1887 p. 82; Iris VIII, 350; Honr. Berl. e. Z. 1888 p. 497, t. 7, f. 5 [♀ ab.] (minor, al. angustioribus, fasciis albis in ♀ plerumque deficienibus).
4216. **Gruneri** Stgr. Stett. e. Z. 1867 p. 104.
4217. **Maculosa** (S. V.) Gerning Frankf. Btr. 1780 p. 862, t. 2, f. 1-3; Esp. 33, 4. 5 (1784); Hb. 144-5; O. III, 343; God. IV, 36, 3; Frr. 344, 1; HS. 119 [ab. flava].
- a) v. *Arragonensis* Stgr. Iris VII, 256 (al. maculis nigris paucioribus).
- b) v. *Simplonica* B. Gen. p. 64; Dup. IV, 51, 2; HS. 4-6; Z. Stett. e. Z. 1878 p. 432; Simplonia Frr. 392, 3-5 (al. post. fascia externa lata fusca, antennis ♂ brevius pectinatis).
- c) v. *Mannerheimii* Dup. III p. 49, t. 4, f. 2 (1836); Honesta Frr. 344, 2 (1841); HS. 1. 2 (1843), II p. 145 (major, dilutior, antenn. ♂ crassioribus).
- *
- Alt. m; Ferg; Saraw.
- Himal; Ferg. m. [trans.].
- Eur. c. or; Ross; Suec.; Pont. alp; Arm; Alt; Daur; Amur.
- Alp. val. m. (Ter., Ped., Helv.); Gal; It. c.
- Hisp. c. et s. mont; Pyr. or.
- Lap. s; Fen. s; Sib. s. or; ? Ural.
- Mong. (Urga).
- Am. pol.
- Labr; Am. s.
- Lap; Fen; Sib. s. or.
- Eur. c. m. et m; Pom; Belg; ? Liv; Pont; Syr; Arm; Alt.
- Sib; Mandsch.
- Tarb; Iss. K; Ferg.
- Alt.
- Germ. c. et m. or; Austr; Boh; Ped; Hung; Rum.
- Arag.
- Alp. (oc.); ? Pyr.
- Ross. m; Arm; Hyrc.

- d) v. *Dahurica* B. Ic. 60, 1, II p. 126; HS. 91, II p. 145; Obth. Et. VIII p. 36; *Reticulata* Chr. Stett. e. Z. 1887 p. 163; Mém. Rom. V p. 13 (major, differt a var. praeced. al. ant. maculis duabus ven. transvers., maculisque antelimb. venis (bis) divisis).
- e) v. *Caeccilia* Stgr. Stett. e. Z. 1867 p. 105 (minor, al. ant. saturate nigro-alboque variis).
4218. **Casta** Esp. 33, 2 (1784); F. Mant. 129 (1787); Hb. 137, 219; O. III, 341; God. IV, 32, 3, 4; Frr. 141.
4219. **Kindermannii** Stgr. Stett. e. Z. 1867 p. 102.
- a) v. (?ab.) *Pomona* Stgr. Iris X p. 326, t. 9, f. 23 (1897) (al. ant. basi late alba, al. post. basi nigra restricta).
4220. **Lattreillei** God. IV p. 318, t. 33, f. 1 (1822); B. Ic. 59, 5; Frr. 418, 2; HS. 66, 67, 118; Rbr. Cat. And. p. 247; Mill. Ic. 41 f. 1-8, I p. 345.
- *a) ?v. *Chinensis* Gr. Gr. Ann. Mus. Petersb. IV p. 462 (capite aurantiaco, al. post. maculis duab. antemarg. confluentibus, area basalis nigra; an sp. distinct?).
4221. **Pretiosa** Stgr. Mém. Rom. III p. 192, t. 11, f. 4 (1887).
4222. **Erschoffii** Alph. Hor. XVII (1882) p. 29, t. 1, f. 33.
- a) v. *Ferghana* Stgr. Stett. e. Z. 1887 p. 82 (minor, fasciis et vitta al. ant. albis abbreviatis).
- b) v. *Issyka* Stgr. I. e. 1889 p. 25 (fasciis al. ant. ochraceis, maculis nigris al. post. majoribus).
4223. **Mongolica** Alph. Stett. e. Z. 1888 p. 67; Mém. Rom. VI p. 13, t. 1, f. 6.
4224. **Serarum** Gr. Gr. Ann. Mus. Petersb. IV p. 463 (1899).
4225. **Bellieri** Ld. z. b. V. 1855 p. 203.
4226. **Banghaasi** Stgr. Iris VIII p. 291, t. 5, f. 10 (praec. var.?).
- a) v. *Berytta* Stgr. I. e. (dilutior, fasciis obsoletis).
4227. **Romanovi** Gr. Gr. Hor. XXV (1891) p. 462.
4228. **Sieversi** Gr. Gr. Hor. XXV (1891) p. 462.
4229. **Glaphyra** Ev. Bull. M. 1843. III p. 544, t. 10, f. 4; HS. 169 ♂, VI p. 52; Stgr. Stett. e. Z. 1881 p. 402, 1887 p. 83.
- a) v. *Manni* Alph. Hor. XVII p. 29, t. 1, f. 32 (major, al. post. rubris vel ochraceis).
- b) v. *Gratiosa* Gr. Gr. Mém. Rom. IV p. 533, t. 19, f. 5; Stgr. Iris IV, 253 (al. post. macul. media nigra deficiente).
4230. **Rupicola** Gr. Gr. Mém. Rom. IV p. 535, t. 19, f. 6 (1890); *Glauca* Stgr. Iris IV p. 251 (1891) t. 3, f. 5.
4231. **Cervini** Fallou Ann. S. Fr. 1864 p. 23, t. 1, f. 2; ib. p. 679, t. 10, f. 1-3; Christ Mittb. VII p. 44, t. 1.
- a) ab. *Hnateckii* Frey Mittb. III (1872) p. 479 (dilutior, al. omnib. flavesc. ♂ ♀).
4232. **Quenselii** Payk. Act. Hist. Nat. Haf. II p. 99, t. 2, f. 2 (1791); O. III, 316; HG. 353-5; Dup. III, 4, 3; Mill. Ic. 86 f. 10 [ab.]; *Strigosa* F. E. S. 454 (1793); v. *Fal-loui* Jourdheuil Ann. S. Fr. 1866 p. 127, t. 2, f. 14 [ab.]; ab. *Gelida* Schöyen Arch. f. Math. V p. 175, f. 3.
- a) v. *Gelida* Möschl. Stett. e. Z. 1848 p. 173; z. b. V. 1884 p. 285; Stgr. Iris V p. 351; *Quenselii* Hb. Zutr. 847-8; Stretch Zyg. & Bomb. t. 9, f. 8 (al. post. dilutioribus, stria albescenti ad marg. intern.).
- b) v. *Liturata* Mén. Bull. Acad. 1859 p. 500; En. III p. 149, t. 15, f. 4; Stgr. Mém. Rom. VI p. 283; Iris V p. 350 (al. ant. striis albid., al. post. flavis nigro-maculatis).

*Tura; Thian; Sib. or.**Alt; Arm; Bulg.
[trans.]**Germ. m. oc; Austr.
inf; Boh; Hung; Srp;**Val; Gal. c. et in. or; Pyr. or.**Ural.**Daur.**Hispan. mont.**China s. (Chingan
mont.).**Amur.**Thian.**Ferg. m.**Iss. K.**Mong. m. oc.**Mong. m.**Taur.**Taur. m.**Syr.**Amdo.**Amdo.**Ala Tau; Ferg. m.**Thian; Iss. K; Saraw.**Ferg. m.**Ferg. m.**Val. m. sum. alp.
(Gornergrat).**Lap; Sum. Alp.**Labr.**Sib. or. (Jakutsk);
Tarb; Amur oc.*

4233. **Turbans** Chr. Hor. XXVI (1892) p. 460; Stgr. Iris V. 349, X, 327; Alph. Mém. Rom. IX p. 199, t. 10 a, b; Quenseli var. Mill. Ic. 53, 5 (praecl. var.?); *Sib. or. (Tunga mont.); Daur.*
4234. **Speciosa** Möschl. Wien. Mts. 1864 p. 195, t. 5, f. 13, 14; Stgr. Iris V p. 350; Quenseli var. Mill. Ic. 53, 4. *Labr.*
4235. **Spectabilis** Tausch. Mém. Mosc. 1806 p. 212, t. 13, f. 6; Mén. En. III t. 18, f. 3 a, b (larva); Mill. Ic. 118 f. 7, 8; Intercisa Dup. IV, 57, 4 a, b p. 81; HS. 9. 10; Incisa Frr. 356. *Ross. m. or; Alt.; Saraw; Thian.*
- a) v. *Annellata* Chr. Mém. Rom. III p. 55, t. 3, f. 2 (al. dilute ochraceis, nec albis). *Tura.*
4236. **Semiramis** Stgr. Iris IV (1891) p. 161, 251, t. 3, f. 4. *Kurd. oc.*

677. **Hyperborea** Gr. Gr. 1899.

4237. **Czekanowskii** Gr. Gr. Ann. Mus. Petersb. IV. 1899 p. 464. *Sib. or. (flum. Tunguska).*

678. **Euprepia** O. 1810.

4238. **Pudica** Esp. 33, 1 (1784), 84, 1, 87, 4; Hb. 134. 269; O. III, 334; God. IV, 32, 1, 2; HS. 116-7. *Gal. m.; Hisp.; It.; Dalm.; Graec.; Maur.*
4239. **Oertzeni** Ld. z. b. V. 1855 p. 201, t. 2 (syr.), f. 8, 9. *Syr.*
4240. **Rivularis** Mén. Cat. rais. p. 263; B. Gen. p. 65; HS. 160, VI p. 52; Mill. Ic. 97 f. 10-13. *Arm.*

679. **Pericallia** Hb. 1822 (Pleretes Ld.).

4241. **Matronula** L. S. N. ed. X, 509; Esp. IV, 84, 1. 2; O. III, 328; God. IV, 34, 5; Frr. B. 44; Graes. Berl. e. Z. 1888 p. 115 (ab.); Matrona Hb. 138, 239; ab. Haliciaca Schille Soc. Ent. XV p. 113. *Germ.; Austr.; Styr.; Helv.; Ped.; Gal. or.; Liv.; Hung.; Hal.; Ross. c.; Amur.; Uss.*
4242. **Tancrei** Stgr. Stett. e. Z. 1887 p. 81. *Iss. K.*

680. **Euarczia** Stgr. 1887.

4243. **Proserpina** Stgr. Stett. e. Z. 1887 p. 79; Gr. Gr. Mém. Rom. IV p. 530, t. 19, f. 7 a-e. *Saraw.; Ferg. m.*

681. **Axiopoena** Mén. 1841.

4244. **Maura** Eichwald Zool. spec. II p. 196 (1832); Mén. Bull. Acad. IX, 1842 p. 42; Chr. Mém. Rom. I p. 86, t. 5, f. 5; ib. II p. 171, t. 15, f. 3; Hmps. Ind. Moths II p. 37; Karelini Mén. En. III p. 160, t. 17, f. 5; Fluvialis Swinh. Tr. E. S. 1885 p. 351, t. 9, f. 7. *Tura.; Arm.; Beludschist.*

682. **Callimorpha** Latr. 1809.

4245. **Dominula** L. S. N. ed. X, 509; Esp. IV, 83, 1-3; O. III, 316; God. IV, 38, 2, 4 [ab.]; Mill. Ic. 116, 4 ab; Barr. II t. 70, f. 1-1e [ab.]; Domina Hb. 117-8; ab. Hamelensis Pflümer Stett. e. Z. 1879 p. 158 [al. ant. mac. omnibus albis]; ab. Paucimacula Schultz Soc. Ent. XV p. 17. *Eur. c. et s. (exc. reg. pol.); Hisp. c.; Bale. s.; Ross. m.; Pont.*
- a) v. (et ab.) *Bithynica* Stgr. Cat. ed. II p. 56; *Dominula* Mn. Wien. Mts. 1862 p. 369 (al. ant. mac. omnibus totis luteis vel brunnescens). *Bith.; Eur. c. (ab.).*

- b) v. (et ab.) *Rossica* Kol. Mel. Ent. p. 95; Stndf. Iris I p. 26, t. 1, f. 8; Donna Esp. IV, 184, 4; Dominula var. God. IV, 38, 3; B. Gen. p. 61; Frr. 369, 1; Lutea Stgr. Cat. ed. I p. 24 (al. ant. mac. majoribus, al. post. abdomine luteis).
- c) v. *Lusitanica* Stgr. Iris VII p. 256 et ab. Bieli Stgr. l. c. (al. ant. macul. luteis, al. post. luteis vel luteo-aurantiacis).
- d) v. (et ab.) *Italica* Stndf. Iris I p. 26, t. 1, f. 9; Hndb. t. 5, f. 2, 9; Hofm. Gr. Schm. p. 47, t. 21, f. 20a; Donna Costa Ann. S. Fr. 1842 p. 239, t. 9, f. 7; v. *Insubrica* Wackerzapp Stett. e. Z. 1890, 216 [trans.] (al. ant. maculis minoribus, basilibus flavis, al. post. obscure luteis).
- e) v. *Persona* Hb. Btr. II, 4, 4, V (1790); Tr. X, 1, 202; HG. 319-22; Frr. 272, f. 2; Stndf. Iris I p. 26, t. 1, f. 10; Hndb. t. 5, f. 3-5, 10; Hofm. Gr. Schm. t. 21, f. 20b, 20f, ab; Donna Esp. IV, 180, 1 (1794); B. Ic. 59, 1; Dup. III, 4, 1; Costa l. c. f. 8; Domina Hb. 223 (al. post. nigris, basi maculisque luteis, abdomen nigro).
4246. **Kolpakofskii** Alph. Hor. XVII (1882) p. 26, t. 1, f. 31.
4247. **Menetriesii** Ev. Bull. M. 1846, III p. 84, t. 1, 2; HS. 170, VI p. 53.
4248. **Quadripunctaria** Poda Ins. p. 89 (1761); Kirb. Cat. Het. p. 261; Hera L. S. N. ed. XII, 834; Esp. IV, 83, 4-7; Hb. 116; O. III, 319; God. IV, 38, 1; Frr. 284; Barr. II t. 70, f. 2.
- a) ab. *Lutescens* Stgr. Cat. ed. I p. 24; Barr. l. c. f. 2a; Obth. Et. XX t. 10, f. 168, 169; Hera O. IV, 208; var. a. b. B. Gen. p. 61; *Saturnina* Obth. l. c. f. 170-173 (al. post. luteis vel aurantiaci nigro-maculatis).
- b) v. *Fulgida* Obth. Et. XX p. 56, t. 10, f. 174 (intensius picta).
- Arm. (var.); Pont. (var.); ubique (ab.).*
- Lusit.*
- Ped; Helv. m. val. (trans.); It. c. (ab.).*
- It. c. et m.*
- Thian.*
- Song. (? Tarb.).*
- Eur. c. m. et m.; Angl. m; Bat; Belg; Liv. (1); As. oc.*
- Gal. s. oc; etc.*
- Syr; Eur. m. (trans.).*

683. **Coscinia** Hb. 1822 (Emydia B. 1829).

4249. **Striata** L. S. N. ed. X, 520; Grammica L. S. N. ed. X App. p. 822; Esp. 68, 5-8; Hb. 122-3; O. III, 306; God. V, 42, 1; Barr. II t. 69, f. 1; ab. *Pallida* Butl. Tr. E. S. 1877 p. 360; v. *Xanthoptera* Obth. Et. VIII p. 35.
- a) ab. (et v.) *Melanoptera* Brahm Ins. Kal. II p. 435; Grammica Hb. 241-2; *Striata* Bkh. III, 471; *Scriba* Btr. III p. 214, t. 17, f. 8, 9; Grammica var. Esp. 83, 3; God. V, 42, 2 (al. post. totis nigris).
- b) ab. *Funerea* Ev. Bull. M. 1847, III p. 77, t. 5, f. 5; HS. 167; Stgr. Iris V, 345; ib. VIII, 350 (al. omnibus totis nigris).
- c) v. *Bipunctata* Stgr. Iris V p. 345 (minor, pallidior. al. ant. punctis duobus nigris disci separatis).
4250. **Bifasciata** Rbr. Ann. S. Fr. 1832 p. 270, t. 8, f. 2; B. Ic. 57, 3; Dup. III, 1, 1a, b; Rbr. Cat. S. And. p. 221.
4251. **Cribrum** L. F. S. 302; Esp. 69, 1; Hb. 120-1; O. III, 302; Curt. B. E. 56; Frr. 94, 128; God. V, 43, 1, 2; Rbr. Cat. S. And. p. 222 var; Barr. II t. 69, f. 2; South Entom. 1900 p. 67, f. 1-7 [ab.].
- a) v. *Rippertii* B. Ic. 57, 4, II p. 94; Dup. III, 1, 3; HS. 47 (al. ant. nigricantibus).
- b) v. (et ab.) *Punctigera* Frr. 140, 1c, II p. 76 (al. ant. punct. nigris paucis).
- c) v. *Sibirica* Stgr. Iris V p. 346 (al. ant. punctis nigris obsoletis).
- Eur. (exc. reg. pol.); As. min; Syr; Arm; Amur.*
- Eur. m. or; etc.*
- Daur.*
- Daur.*
- Cors.*
- Eur. c. s. et s. (exc. reg. pol.); Ural; ? And. mont.*
- Pyr.*
- Gul; Germ. m; Alp. val.*
- Sib; Daur.*

- d) v. (et ab.) *Candida* Cyr. Ent. Nap. t. 6, f. 5 (1787); O. III, 301; God. V, 43, 3. 4; Colon Hb. 119; Frr. 9, 3, 140, 2; Cribrellum Esp. 87, 2. 3 (al. ant. albis, puncto medio duplo punctisque margin. nonnullis nigris).
 e) v. *Chrysocephala* Hb. 251 (ante 1810); Rbr. Cat. S. And. p. 222; Coceinia O. III, 300 (1810); B. Ic. 57, 1. 2!; Dup. III, 1. 2; Frr. 140, 3; Candida HS. 75-8; Mill. Ic. t. 4, II; Albeola HG. 337; Inquinata Rbr. Cat. S. And. p. 223 (trans.) (capite ochraceo, al. ant. albis, punct. margin. nullis).

684. **Epimydia** Stgr. 1892.4252. **Dialampa** Stgr. Iris V (1892) p. 346, t. 3, f. 2.*Daur.*685. **Hypeuthina** Ld. 1855.4253. **Fulgurita** Ld. z. b. V. 1855 p. 199, t. 4, f. 1.*Syr.*4254. **Numida** Obth. Et. XIII p. 27, t. 6, f. 41.*Maur.*686. **Hipocrita** Hb. 1806? (Euchelia B. 1829).4255. **Jacobaeae** L. S. N. ed. X, 511; Esp. IV, 91, 6-8; Hb. 112; O. III, 154; God. V, 42, 4; Barr. II t. 69, f. 4; ab. *Flavesceens* Th.-Mieg Natural. 1889 p. 181.*Eur. (exc. reg. bor.); As. min.; Arm; Alt; Ala Taut; Pamir.*4256. **Diaphana** Ev. Bull. M. 1848, III p. 212; HS. 168, IV p. 176.*Sib. or. (Irkutsk); Amur.*687. **Deiopeia** Stph. 1829.4257. **Pulchella** L. S. N. ed. X, 534; Sulz. Abg. G. t. 23, f. 11; Barr. II t. 69, f. 3; Hmps. Ind. Moths II p. 55; *Pulchra* Schiff. S. V. p. 65; Esp. IV, 164, 3-5; Hb. 113; O. III, 304; God. V, 42, 4.*Eur. m., c. advena; Mad; Can; Afr; As. min; Arm; As.c.; Ind; Austral.*688. **Kerala** Moore 1881.4258. **Macroptera** Obth. Et. V. (1880) p. 68, t. 7, f. 2; Stgr. Mém. Rom. VI. p. 379.*Amur; Uss. m.; Mong; China oc.*689. **Pseudosterrha** Rbl.4259. **Oranaria** Lue. Expl. Alg. p. 393, t. 4, f. 4; Z. Stett. e. Z. 1854 p. 302; Obth. Et. XIX, p. 38, t. 6, f. 40(♀), 41(♂).*Maur.***B. Lithosiinae.**690. **Stigmatophora** Stgr. 1881.4260. **Rhodophila** Wlk. List. Sup. I p. 254 (1864); Butl. Ill. Het. III p. 5, t. 42, f. 12; Stgr. Mém. Rom. VI, 266; Hmps. Nol. & Lith. p. 551.*Uss; Cor; Jap.*4261. **Flava** Brem. & Grey Motsch. Et. I p. 63 (1852); Schm. n. Chin. p. 14 (1853); Brem. Lep. O. S. t. 8, f. 6; Z. Stett. e. Z. 1867 p. 33; Leech Tr. E. S. 1899 p. 199; Hmps. Nol. & Lith. p. 552; Ochracea Ld. z. b. V. 1855 p. 105, t. 1 (sib.), f. 4.*Alt; Amur; Uss; Cor; Jap; China c. et oc.*

4262. **Micans** Brem. & Grey Motsch. Et. I p. 63 (1852); Schm. n. Chin. p. 15; Stgr. Stett. e. Z. 1881 p. 399; Mém. Rom. VI p. 268; Hmps. Nol. & Lith. p. 552, f. 404; Albo-sericea Moore Ann. & Mag. (4) XX p. 87.

Amur; Cor; China s.; Tarb; Ala Tau.

691. **Eugoa** Wlk. 1857.

4263. **Taeniata** Fixs. Mém. Rom. III p. 327, t. 15, f. 6; Stgr. ib. VI p. 262; Hmps. Nol. & Lith. p. 544.

Amur; Cor.

692. **Nudaria** Hw. 1803.

4264. **Mundana** L. F. S. 349; Esp. 6, 1, 2; O. III, 160; Frr. 369, 3, 524; God. IV, 40, 7; Barr. II, t. 66, f. 2; Hmps. Nol. & Lith. p. 533, f. 389; Nuda Hb. 63, 64; Hemerobia Hb. 65.

Eur. s. et c. (exc. reg. pol.); Ped; Dalm; Bith.

693. **Miltochrista** Hb. 1822 (Caligenia Dup.).

4265. **Aberrans** Butl. Ann. & Mag. (4) XX p. 397 (1877); Ill. Het. II p. 5, t. 22, f. 7; Stgr. Mém. Rom. VI p. 265; Hmps. Nol. & Lith. p. 471; Askoldensis Obth. Et. V p. 30 (1880).

Uss; Jap.

4266. **Miniatia** Forst. Nov. Spec. Ins. p. 75 (1771); Stph. Ill. II, 90; Barr. II, t. 66, f. 3; Hmps. Nol. & Lith. p. 472, f. 351; Rosea Esp. 77, 1-3; O. III, 145; God. IV, 39, 6; Fologne Ann. S. Belg. 1863, t. 3, f. 5 ab; Rubicunda Hb. 111; ab. Crocea Bignault Bull. S. Fr. 1880 p. 105; ab. Virginica Delahaye ib. 1896 p. 156.

Eur. c. et s. (exc. reg. pol.); Dalm; Srp; Alt; Sib. or. Amur; Cor; Jap. (cum trans. ad. v. a.).

- a) v. **Rosaria** Butl. Ann. & Mag. (4) XX p. 397; Ill. Het. II t. 22, f. 8; Hmps. Nol. & Lith. p. 471 (magis flavescens, cum trans., vix nomin.).

Jap.

4267. **Rosacea** Brem. Bull. Ac. III p. 475 (1861); Lep. O. S. p. 37, t. 3, f. 14; Stgr. Mém. Rom. VI p. 265; Hmps. Nol. & Lith. p. 473.

Amur; Uss; China c.

4268. **Calamina** Butl. Ann. & Mag. (4) XX p. 396 (1877); Ill. Het. II t. 22, f. 10; Stgr. Mém. Rom. VI p. 265; Hmps. Nol. & Lith. p. 479; Lutea Stgr. Mém. Rom. III p. 188.

Amur; Uss; Jap.

4269. (*) **Delineata** Wlk. List. II p. 487 (1854); Hmps. Nol. & Lith. p. 485; Rhodina HS. Ausseureur. Schm. f. 438; Figuratus Wlk. List. III p. 759; Chinensis Feld. Wien. Mts. 1862 p. 36; Fuscescens Butl. Tr. E. S. 1877 p. 343.

China; ? Mong.

4270. * **Gratiosa** Guér. Deless. Souv. Ind. II p. 90, t. 26, f. 1 (1843); Hmps. Ind. Moths. II p. 118; Nol. & Lith. p. 488, f. 355; Pulchra Butl. Ann. & Mag. (4) XX p. 396 (1877); Ill. Het. II t. 21, f. 6 (♀); Mactans Butl. Tr. E. S. 1877 p. 340; Ill. Het. V t. 85, f. 13 (♂).

China c; Cor; Jap; Ind.

- a) v. **Pulcherrima** Stgr. Mém. Rom. III p. 187 (magis rubescens).

Uss. m.

4271. **Pallida** Brem. Lep. O. S. p. 97, t. 8, f. 7; Leech Tr. E. S. 1899 p. 191; Hmps. Nol. & Lith. p. 494.

Uss; Cor; China s. or.

694. **Nudina** Stgr. 1887.

4272. **Artaxidia** Butl. Tr. E. S. 1881 p. 8; Stgr. Mém. Rom. VI p. 264; Hmps. Nol. & Lith. p. 468; Nubilosa Stgr. l. c. III p. 186, t. 10, f. 10.

Uss; Cor; Jap.

695. **Apaidia** Hmps. 1900 (Paidia HS.).

4273. **Mesogona** God. IV p. 396, t. 40, f. 6; HS. 60, II p. 156; Gal. c; And. (Stgr.).
Hmps. Nol. & Lith. p. 467, f. 348; Dentula Mill. Mém. Sc. Nat. Cannes 1878 p. 7, t. 3, f. 7.
4274. **Rufeola** Rbr. Ann. S. Fr. 1832 p. 271, t. 8, f. 12; B. Ic. 58, 6, II, p. 109; Dup. III, 3, 2; Hmps. Nol. & Lith. p. 467; Mesogona HS. 162. Cors; It. s. (et c.?)

696. **Paidia** Hb. 1822.

4275. **Murina** Hb. Btr. II, 3, 2; K. (1792); Esp. 88, 1; O. III. 162; God. IV, 40, 8; Hmps. Nol. & Lith. p. 466, f. 347; Vestita Hb. 62; ? Rica Frr. 642. 3.
- a) v. *Cinerascens* HS. 143, II p. 162 (obscure cinerea, punctis al. ant. in lineis conjunctis).
- b) v. *Conjuncta* Stgr. Iris IV p. 249 (minor, obscurior, al. ant. punctis confluentibus, costis fusis).
- c) v. *Albescens* Stgr. l. c. (major, albescens). Eur. c. m. et m.; Pont; ? Bith. Mesop. s. Ant; Taur; Syr; Pal.

697. **Nudaridia** Hmps. 1900.

4276. **Ochracea** Brem. Lep. O. S. p. 38, t. 3, f. 15; Stgr. Mém. Rom. VI p. 263; Hmps. Nol. & Lith. p. 420. Amur; Uss.
4277. **Muscula** Stgr. Mém. Rom. III p. 185, t. 10, f. 9a, b (1887); Hmps. Nol. & Lith. p. 420, f. 331. Uss; Jap.

698. **Endrosa** Hb. 1822 (Setina aut.).

4278. **Irrorella** Cl. Ic. 4, 5 (1759); L. S. N. ed. XII, 885; Z. Stett. e. Z. 1867 p. 34, 1868 p. 131; Barr. II t. 66, f. 4; Hmps. Nol. & Lith. p. 418, f. 330; Irrorea Schiff. S. V. p. 68; Esp. IV, 94, 3, 4; Hb. 105; O. III, 148; Frr. 662, 1; Irrorata God. IV, 40, 3, 4.
- a) ab. *Signata* Bkh. III, 258 (non Signata Z. l. c. p. 39): Irrorea var. Esp. IV, 94, 5 (al. ant. punctis mediis confluentibus).
- b) v. *Flavieans* B. Ic. 58, 7; HG. 344-5; Dup. III, 5, 3; HS. 48, 49; Z. l. c. p. 48; Rom. Mém. Rom. I t. 4, f. 8 (abdomine flavo).
- c) v. *Freyeri* Nick. Stett. e. Z. 1845 p. 105; Frr. 459, 3; Z. l. c. 36; Signata Z. l. c. ab. (al. ant. pallidioribus, puncto basali nigro).
- d) v. (et ab.) *Andereggii* HS. 45, 46, II p. 156; Frr. 642, 1, 2; Z. l. c. 39 (al. ant. [punct. confluent.] venis nigris).
- e) v. *Riffelensis* Fallou Ann. S. Fr. 1865 p. 99, t. 2, f. 2 (al. ant. ven. nigr. latioribus, al. post. nigricantib.)
- f) v. *Insignata* Stgr. Stett. e. Z. 1881 p. 399; Alph. Mém. Rom. IX p. 328 (al. angustioribus, ant. punctis paucis minoribus, post. nullis).
- g) v. *Lata* Chr. Iris VI p. 88; Herz ib. XI p. 250 (al. latioribus punctis paucis, post. nullis).
4279. **Roscida** (S. V.) Esp. IV, 94, 6, 7 (1786); Hb. 106-7; O. III. 147; God. IV, 40, 2; Frr. 530, 1, 2; HS. 51; Z. Stett. e. Z. 1867 p. 49; Hmps. Nol. & Lith. p. 417, f. 328. m; Bith; Arm; Alt; Tarb. Germ. m; Austr.; Hung; Bulg; Ross. Sib. s. or.
- a) v. *Melanomos* Nick. Stett. e. Z. 1845 p. 104; Frr. 459, 2; HS. 69, 70; Z. l. c. p. 49 (obscurior, al. ant. lineis basalibus nigris, al. post. plus minusve nigricantibus). Germ. m; Austr.; Hung; Bulg; Ross. Bith; Arm; Alt; Tarb. Sum. Alp; Suec.m.(1).

4280. **Kuhlweini** Hb. 290-1; Tr. X, 1. 167; B. Ic. 58, 8. 9; Dup. III, 3. 4; F. R. p. 107, t. 42, f. 3a-c; Frr. 459, 1; Z. Stett. e. Z. 1865 p. 30, 1867 p. 46; Hmps. Nol. & Lith. p. 417.
 a) ab. *Compluta* Hb. 292-3; Frr. 530, 3. 4 (abdomine nigro).
 b) v. *Alpestris* Z. Stett. e. Z. 1865 p. 34, 1867 p. 45 (major, antennis crassioribus).
4281. **Aurita** Esp. IV, 94, 1 (1786); O. III, 150; Frr. 374, 4. 5; HS. 50; Spr. Stett. e. Z. 1870 p. 63; Hmps. Nol. & Lith. p. 416; *Compluta* Hb. 108.
 a) ab. *Transiens* Stgr. Cat. ed. II p. 53; *Aurita et Ramosa* ♀ et var. Frr. 392, 1. 2 (punct. med. confluentibus).
 b) v. *Ramosa* F. E. S. 463; O. III, 151; Frr. 374, 1-3; God. IV, 39, 7; Spr. l. c. ab. Pallens Mill. Ic. 109 f. 9-11; *Imbuta* Hb. 109-10; *Aurita* var. Esp. 94, 2; (al. ant. [punct. confluentib.] venis nigris).

699. *Cybosia* Hb. 1822.

4282. **Mesomella** L. S. N. ed. X, 535; Cl. Ic. 4, 14; Barr. II t. 66, f. 5; Hmps. Nol. & Lith. p. 418, f. 329; *Eborina* Hb. 104, 266; O. III, 152; Frr. 692; God. V, 41, 1; *Eborea* Esp. IV, 93, 4. 5.

Eur. c. et s. (exc. reg. pol.); Ped; Eur. m. or; Bith; Sib.

700. *Melanaema* Butl. 1877.

4283. **Venata** Butl. Ann. & Mag. (4) XX p. 397 (1877); Ill. Het. II p. 6, t. 22, f. 5; Hmps. Nol. & Lith. p. 413, f. 325.

Amur; Uss; Jap.

701. *Asuridia* Hmps. 1900.

4284. **Carnipicta** Butl. Tr. E. S. 1877 p. 342; Hmps. Nol. & Lith. p. 412, f. 324.

Mong. (Leech.); China oc.

702. *Parasiccia* Hmps. 1900.

4285. **Altaica** Ld. z. b. V. 1855 p. 104, t. 1 (sib.). f. 3; Stgr. Mém. Rom. VI p. 263; Hmps. Nol. & Lith. p. 409, f. 319; *Fasciata* Butl. Ann. & Mag. (4) XX p. 399; Ill. Het. II p. 7, t. 22, f. 9.

Alt; Uss; Jap.

703. *Comacla* Wlk. 1864.

4286. **Senex** Hb. 236-7; O. III. 163; B. Ic. 58. 10; Frr. 369, 2; Barr. II t. 66, f. 1; Hmps. Nol. & Lith. p. 339, t. 241.

Eur. s. et c. s.; Alp. (pr. p.); Ural.

704. *Chionaema* HS. 1850 (Bizone Wlk. 1854).

4287. **Adelina** Stgr. Mém. Rom. III p. 191, t. 10, f. 14; ib. VI p. 275; Hmps. Nol. & Lith. p. 303.

Uss.

4288. **Sanguinea** Motsch. Et. I p. 63; Brem. & Grey Schm. n. Chin. p. 14; Hmps. Nol. & Lith. p. 326; *Cruenta* Leech Entom. XXIII p. 49 (1890); Alph. Mém. Rom. IX p. 129; *Dubenskii* Alph. ib. VI p. 11, t. 1, f. 5; ib. IX p. 130 (an territorii nostri?).

China c. et oc.;? Mong.

705. **Gnophria** Stph. 1829.

4289. **Rubricollis** L. S. N. ed. X, 511; Cl. Ic. 2, 3; Esp. IV, 92, 1; Hb. 94; O. III, 142; God. V, 42, 3; Barr. II t. 68, f. 2.

Eur. c. et s. (exc. reg. bor.); Dalm.; Sic.; Bith.; Alt.; Amur.

706. **Oeonistis** Hb. 1822.

4290. **Quadra** L. S. N. ed. X, 511; Esp. IV, 92, 2-6; Hb. 101-2; O. III, 126; God. V, 2-4; Hmps. Ind. Moths II p. 73; Barr. II t. 68, f. 3; Hmps. Nol. & Lith. p. 220, f. 140, 141.

Eur. c.; Suec. m.; Liv.; ?Cat.; Dalm.; Srp.; Arm.; Amur.; Uss.; Cor. (trans.).

- *a) v. *Dives* Butl. Ann. & Mag. (4) XX p. 398; Ill. Het. II t. 22, f. 11 (obseurius, al. ant. ♂ fascia marginali sericea angustiore).

Jap.

707. **Agylla** Wlk. 1854.

4291. **Gigantea** Obth. Diag. p. 6; Et. V p. 29, t. 1, f. 6; Hmps. Nol. & Lith. p. 212.

Amur.; Uss.; Jap.

708. **Lithosia** F. 1798.

4292. **Deplana** Esp. IV p. 97, t. 93, f. 1 ♂, 2 ♀ (ante 1787); Bkh. III, 245; Gn. Ann. S. Fr. 1861 p. 53; **Depressa** Esp. IV t. 93, f. 3 ♀; O. III, 132; Frr. 380, 6; B. Ic. 57, 7; Dup. III, 1, 6; Hmps. Nol. & Lith. p. 145; **Helvola** Hb. 95 ♂; **Helveola** O. III, 133; B. Ic. 57, 8; Dup. III, 2, 2; Wd. Ind. 98; Frr. 380 f. 5; Barr. II t. 67, f. 2; **Ochreola** Hb. 96 ♀; **Luteola** Hb. Btr. I, 3, 1. E.

Eur. c.; Scand. m.; Liv.; It. s.; Rum.; Ross.

4293. **Bipuneta** Hb. 286-7; Rbr. Cat. S. And. p. 203; Hmps. Nol. & Lith. p. 157; Colon Möschl. Stett. e. Z. 1872 p. 353; Hmps. Ind. Moths II p. 82.

And. (advena?); ?It. m.; Afr. m.

4294. **Griseola** Hb. 97; O. III, 128; B. Ic. 57, 5; Dup. III, 2, 3; Frr. 380, 2; Barr. II t. 68, f. 1; Hmps. Ind. Moths II p. 80; Nol. & Lith. p. 168.

Alt.; Amur.

Eur. c.; Ped.; Dan.; Ross. s. oc.; Ural.; Cor.; Jap.; Ind.; Afr. oc.; Angl.

- a) v. (et ab.) *Flava* Hw. Lep. Br. p. 147; Wd. Ind. 99; Westw. Br. M. t. 20, f. 6; *Stramineola* Dbld. (H.) Zool. 1914 (1847); Gn. Ann. S. Fr. 1861 p. 53; Barr. II t. 68, f. 1a, 1b (trans.) (alis totis flavis).

As. or.

- b) v. *Aegrota* Butl. Ann. & Mag. (4) XX p. 397 (1877); Ill. Het. III t. 43, f. 13 (ab.); *Adaucta* Butl. I. c. 398; I. c. II t. 23, f. 6 (ab.); *Amurensis* Stgr. Mém. Rom. VI p. 268 (minor, flavescent).

Taur.; Syr.

4295. **Muscula** Stgr. Iris XII p. 156 (1899).

Eur. (exc. reg. pol., And., It. m.); Bith.; Pont.; Arm.

4296. **Lurideola** Zinck. Allg. Literaturzeitung 1817, no. 217 p. 68; Tr. X, 1. 162; F. R. 42, 2a-c; Frr. 687, 2; Hmps. Nol. & Lith. p. 167; *Complanula* B. Ic. II p. 97 (1834); Dup. III, 1, 4; Barr. II t. 67, f. 6; *Plumbeola* HS. II p. 158; Gn. Ann. S. Fr. 1861 p. 51.

Amur.; Uss. (an spec. divers.); Cor.; Jap.

- a) v. *Coreana* Leech Pr. Z. S. 1888 p. 600, t. 30, f. 13; ?Stgr. Mém. Rom. VI p. 270; Hmps. Nol. & Lith. p. 168 (minor, al. post. griseis).

Sib. or. (Irkutsk); ?Cor.; ?Jap.

4297. **Debilis** Stgr. Mém. Rom. III p. 190, t. 10, f. 12; ?Fixs. ib. p. 331; Hmps. Nol. & Lith. p. 166.

Bith.

4298. **Morosina** HS. 54-56 (1846), II p. 159; Hmps. Nol. & Lith. p. 164; *Costalis* Z. Is. 1847 p. 16; Gn. Ann. S. Fr. 1861 p. 49.

4299. **Complana** L. S. N. ed. X. 512; Hb. Btr. I. 3, 1. F; Esp. IV, 92, 7; O. III, 129; F. R. 42, 1 a-c; God. V, 41, 5; Dup. III, 1, 5; Fr. 380, 1, 687. 1: Barr. II t. 67, f. 5; Hmps. Nol. & Lith. p. 164.
4300. **Sericcea** Gregson Weekl. Int. IX p. 30 (1860); Barr. II p. 222, t. 67, f. 5 a; Meyr. p. 27; Hmps. Nol. & Lith. p. 165; **Molybdeola** Gn. Ann. S. Fr. 1861 p. 50; Spr. Stett. e. Z. 1867 p. 125; Hellins Monthl. Mag. V p. 109 (praecep. form. Darw. minor, obscurior, al. post. griseis).
4301. **Caniola** Hb. 220; O. IV, 196; God. V p. 18; B. Ic. 57, 6; Dup. III, 2, 1 a, b; Gn. Ann. S. Fr. 1861 p. 48; Rbr. Cat. S. And. p. 206; Birchall Monthl. Mag. III p. 33, t. 1, f. 4; Barr. II t. 67, f. 4; Hmps. Nol. & Lith. p. 169; **Albeola** Hb. 284-5; ?**Vitellina** B. Ic. 57, 10; ?**Uniola** Rbr. Cat. S. And. p. 209.
- a) ab. **Lacteola** B. Ic. 58, 4 p. 100; Dup. III, 3, 3; Gn. l. c. (al. ant. unicolor. albicantibus).
4302. **Unita** Hb. 93; O. III, 135; Gn. Ann. S. Fr. 1861 p. 46; **Gilveola** B. Ic. II p. 104; **Palliatella** Hmps. Nol. & Lith. p. 173; ?Sc. Ent. Carn. p. 248 (al. ant. luteis, al. post. antice cinereis).
- a) v. (et ab.) **Vitellina** Tr. X, 1 p. 165 [imbribus defecta]; **Arundineola** (Palleolae var.) Gn. l. c. p. 46; **Flaveola** Rbr. Cat. S. And. t. 2, f. 3, p. 211 (al. ant. flavis, al. post. unicoloribus stramineis).
- b) v. (et ab.) **Palleola** Hb. 221; Gn. l. c. p. 45; **Gilveola** O. III, 137; Dup. III, 3, 1; **Unita** B. Ic. 58, 3, II p. 103; HS. II p. 157; **Beckeri** Gn. l. c. p. 47 ab. (al. ant. cinereo-flavis, al. post. antice cinereis).
- c) v. **Arideola** Hering Stett. e. Z. 1844 p. 415, 1846 p. 233; HS. 57-9; Fr. 494. 1; Gn. l. c.; **Petreola** Gn. l. c. p. 46 ab. (forma valde aberrans; plerumque al. ant. griseis marg. antico luteo).
4303. **Cribrata** Stgr. Mém. Rom. III p. 189, t. 10, f. 11; Hmps. Nol. & Lith. p. 175.
4304. **Unipunctata** Stgr. Iris XII p. 157 (1899).
4305. **Marcida** Mn. Wien. Mts. 1859 p. 94; Hmps. Nol. & Lith. p. 174 (**Lutarellae** ab.); **Sordidula** Rbr. Cat. S. And. p. 210 (1866).
- a) gen. aestiv. **Naneola** Ragusa Nat. Sic. VIII p. 257 (1889) (minor).
4306. **Lutarella** L. S. N. ed. X, 535; Cl. Ic. 4, 9; Hein. I p. 167; Hmps. Nol. & Lith. p. 173; **Luteola** Schiff. S. V. p. 68; Hb. 92; O. III, 138; B. Ic. 58, 1; Dup. III, 2, 4; Fr. 380, 4; **Lutosa** Esp. IV, 93, 8. 9.
- a) ab. **Nigrocincta** Spr. geogr. Verbr. II p. 285 (al. ant. linea nigra cinctis).
- b) v. **Pygmaeola** Dbld. (H.) Zool. 1914 (1847); Gn. Ann. S. Fr. 1861 p. 44; Barr. II t. 67, f. 3 a-b; **Lutarella** var. Snell. Vlind. p. 151 (al. ant. pallidis, griseo-stramineis).
4307. **Pallifrons** Z. Stett. e. Z. 1847 p. 339, 1870 p. 88; Gn. Ann. S. Fr. 1867 p. 43; Hmps. Nol. & Lith. p. 174 (**Lutarellae** ab.); **Vitellina** B. Ic. 57, 9 (non 10), II p. 105; Dup. Sup. III, 2, 5; Gn. Ann. S. Fr. 1865 p. 306. t. 8, f. 4, 4a.
4308. **Albicosta** Rghfr. Ann. Naturh. Hofm. IX p. 45, t. 1, f. 3; Hmps. Nol. & Lith. p. 161.
- Eur. (exc. Ib. m. et reg. pol.); Bith; Pont; Arm; Ala Tau.
- Angl.
- Eur. m. (exc. Graec.); Germ. oc; Carn; Ter. m; Helv; Angl. m; Hung. m; ?Maur; As. min.
- Germ. m; Hung. et Srp. (ab.); Ferg.
- Hisp; Gal; Autr. inf; Hung. (ab.); Ala-Tau; Tarb.
- Hung; Ross. m; Germ. m. et Austr. (ab.); Sic; Pont; Tura; Arm.
- Germ. s. et c. or; Fen; Suec.
- Uss; Jap; China c.
- Pal.
- Sic; Arag; And; Maur; Hung. lit; Syr.
- Eur. c. or; Alp; Scand. m; Fen; Hisp. s. et c; Sic; Srp; Arm; Ala Tau; Sib; Amur. Germ. c. oc.
- Angl. (Deal); Bat.
- Germ. s. et c; Austr; Hung; Gothlandia; Liv; Gal. s. et c; Cors; Dalm; Graec; Arm; Saraw.
- Can.

4309. **Atratula** Ev. Bull. M. 1847, III p. 76, t. 5, f. 4; HS. 166; Stgr. Iris V p. 344; Hmps. Nol. & Lith. p. 162.
4310. **Flavociliata** Ld. z. b. V. 1853 p. 364, t. 2 (sib.), f. 3; Stgr. Mém. Rom. VI p. 273; Hmps. Nol. & Lith. p. 171; *Ochraceola* Brem. Lep. O. S. p. 37, t. 4, f. 2.
- a) ab. *Infuscata* Stgr. l. c. (al. infuscatis).
4311. **Sororecula** Hufn. Berl. M. III p. 398 (1767); Bkh. III p. 249; Hein. I, 266; Hmps. Nol. & Lith. p. 175; *Aureola* Hb. 98; O. III. 140; B. Ic. 58, 2; God. IV, 40, 5; Frr. 380, 3; Barr. II t. 67, f. 1; *Unita* Esp. IV, 93, 6. 7; Hb. Btr. I, 1, 4, V; Gn. Ann. S. Fr. 1861 p. 42.
4312. **Affineola** Brem. Lep. O. S. p. 97, t. 8, f. 5; Stgr. Mém. Rom. VI p. 271 (sec Hmps. Nol. & Lith. p. 175 synon. praec. Sororeculae).
4313. **Cereola** Hb. 99; HS. II p. 158; Gn. Ann. S. Fr. 1861 p. 40; Nolck. Fn. I p. 108 (♀); Z. Stett. e. Z. 1877 p. 429 (♀); Hmps. Nol. & Lith. p. 174.
- Daur.*
- Alt; Amur; Uss; Mong.*
- Eur. c; Dan; Suec; Hisp.s; Dalm; Ruth; Ross.m; Arm; ?Uss; ?Jap.*
- Amur m; Uss; Cor; Jap; China c. et oc.*
- Alp; Est; Fen; Lap.*

709. **Pelosia** Hb. 1822 (Paidina Stgr. 1887).

4314. **Muscerda** Hufn. Berl. M. III p. 400; Hb. 103; O. III, 143; B. Ic. 58, 5; Dup. III, 2, 6; Kirb. Cat. Het. 321; Barr. II t. 66, f. 6; Snell. Tijds. XL p. 289, t. 12, f. 2 (ab.); Hmps. Nol. & Lith. p. 94, f. 27; Pudorina Esp. IV, 196, 4. 5.
4315. **Obtusa** HS. 161, VI p. 53; Stgr. Mém. Rom. VI p. 260; Hmps. Nol. & Lith. p. 93.
- a) v. *Sutschana* Stgr. l. c. (minor. magis grisea. al. ant. exterius costis nigris).
4316. **Noctis** Butl. Tr. E. S. 1881, p. 8; *Obtrita* Stgr. Mém. Rom. III p. 183, t. 10, f. 8; ib. VI p. 262 (Obtusae ab. sec. Hmps. Nol. & Lith. p. 93).
4317. **Angusta** Stgr. Mém. Rom. III p. 182, t. 10, f. 7; ib. VI p. 260 (Obtusae ab. sec. Hmps. Nol. & Lith. p. 93).
4318. **Ramosula** Stgr. Mém. Rom. III p. 184, t. 10, f. 13; *Ramulosa* Hmps. Nol. & Lith. p. 95.
- Eur. c; Dan; Suec; Lin; Dalm; Cors. et Sard; Amur; Jap.*
- It.c.(Toscana);Germ. Hung. or; Hal; Srp; Arm. Uss. m.*
- Amur; Uss; Jap.*
- Amur; Uss; Cor.*
- Amur; Uss.*

XXXII. Heterogyinidae.

710. **Heterogynis** Rbr. 1836.

4319. **Penella** Hb. Tin. 447; Dup. Sup. IV, 56, 14; Brd. Mon. Psych. p. 29, t. 1, f. 11a-d; Chapm. Tr. E. S. 1898 p. 141; *Pennella* HS. 98; *Paradoxa* HS. 99; Hispana Rbr. Ann. S. Fr. 1836 p. 586; Cat. S. And. p. 318; *Affinis* Rbr. Ann. S. Fr. 1836 p. 586; Fn. And. t. 14, f. 9; Cat. S. And. p. 318 not; *Erotica Grasli*. Ann. S. Fr. 1850 t. 10, f. 4-7; *Dubia* Schmidt z. b. V. 1860 p. 659; *Affiniella* Brd. Mon. Psych. p. 31, t. 1, f. 13a, b.
4320. **Paradoxa** Rbr. Ann. S. Fr. 1836 p. 585, t. 17 A, f. 5-8; Fn. And. t. 14, f. 7, 8; Cat. S. And. p. 318; *Paradoxella* Brd. Mon. Psych. p. 31, t. 1, f. 12; *Ramburi* Kirb. Cat. Het. I p. 499 (? praec. sp. form. Darw.).
- Alsatia; Helv. (1); Carn; Istria; It.s; Gal. m; Hisp. c. et s; Herceg; Mavr.*
- Hisp. c. et m. mont.*

XXXIII. Zygaenidae.

A. Zygaeninae.

711. **Zygaena** F. 1775 [Anthrocera Sc. 1777].

4321. **Erythrus** Hb. 87 (1803); O. II, 21; Tr. X, 1. 103; HS. 44; Mill. Ic. 107, III; Saportae B. Ic. 52, 2, 3, II p. 38; Dup. II, 4, 2; HG. 169; Minos B. Mon. Z. 1, 7.
4322. **Rubicundus** Hb. 137; Frr. 200, 3; Stndf. Stett. e. Z. 1884 p. 207; Berl. e. Z. 1888 p. 236 fig. (genital.); Erythrus B. Mon. Z. p. 28, t. 1, f. 6; Ic. 52 f. 1; Dup. Sup. II, 4, 1.
4323. **Purpurealis** Brünnich in Pontoppidan Danske Atlas I p. 686, t. 30 (1763); Auriv. Nord. Fjär. p. 53; Tutt Brit. Lep. I p. 430; Pilosellae Esp. 24, 2a, b (1781), p. 186; Bkh. II, 25; Minos Fuessl. n. Mag. I, 1. 51 (1782); Hb. 8; O. II, 22; B. Ic. 52, 5; Dup. II, 4, 4; Frr. 86, 1; HS. 13, 14, 16; Mill. Ic. 107, IV; Barr. II t. 58, f. 4; Obth. Et. XX t. 7, f. 124 (?125 hybr.); Pluto B. Ic. 52, 4; Dup. II, 4, 3; Heringii Z. Stett. e. Z. 1844 p. 42; Hering Stett. e. Z. 1846 p. 235 [larv. var., imago inconstans]; Nubigena Birchall [non Ld.] Monthl. Mag. III p. 33, t. 1, f. 6b; ab. Lutescens Tutt l. c. 434 [ab. flava].
- a) ab. *Polygalae* Esp. 34, 3, II p. 222; O. II, 24; Tr. X, 1. 103; Minos HS. 15 (maculis confluentibus).
 - b) ab. (et v.) *Pluto* O. II, 26; B. Mon. Z. 2, 4; Z. Stett. e. Z. 1844 p. 39; Pythia Hb. 88 (minor, mac. media exterius non dilatata, al. post. marg. nigro [in apice] latiore).
 - c) ab. *Interrupta* Stgr. Cat. ed. II p. 45; Tutt l. c. 434 (macula media latius interrupta).
 - d) v. *Sareptensis* (Stgr. i. l.) major, ♀ dilutior (flavescens) collare scapulisque indistincte albo-cinctis.
 - e) v. *Diaphana* Stgr. Berl. e. Z. 1887 p. 31 (al. ant. subdiaphanis, macula media exterius valde dilatata).
 - f) v. *Nubigena* Ld. z. b. V. 1852 p. 93; Tutt Brit. Lep. I p. 437 (abdom. hirsuto, al. ant. subdiaphanis).
4324. **Brizae** Esp. 43, 3, 4; Hb. 85, context. nov. p. 78; O. II, 27; B. Mon. Z. 2, 3; Ic. 52, 6; Dup. II, 5, 4; HS. 50 ab; Sebiosae Hb. 6; ? Lathyri B. Mon. Z. 2, 1.
- a) v. *Gallica* Obth. Bull. S. Fr. 1898 p. 21 (al. ant. maculis rubris minoribus, al. post. vitta margin. latiore).
 - b) v. *Corycia* Stgr. Cat. ed. II p. 45; Hor. XIV p. 318 (minor. al. ant. magis rotundatis).
4325. **Zuleima** Pier. Ann. S. Fr. 1837 p. 22, t. 1, f. 8; Obth. Et. I p. 33; ib. XIII p. 19, t. 8, f. 81; Ludicra Luc. Expl. Alg. p. 371, t. 3, f. 1.
4326. **Erebus** Stgr. Stett. e. Z. 1867 p. 101; Mém. Rom. I t. 4, f. 4; Mana Kirb. Cat. Het. I p. 64.
4327. **Scabiosae** Scheven Naturf. X p. 97; Esp. 24, 3b; Hb. 86; O. II p. 28 pr. p.; B. Ic. 53, 1; Dup. II, 4, 5a; HS. 17, 18; Christ Mitth. VI, 1880 p. 35, t. 1, f. 1-4; Calb. Iris VIII p. 203.
- a) ab. (et v.) *Divisa* Stgr. Iris V p. 343; Horm. z. b. V. 1895 p. 249; Calb. l. c. 206; Scabiosae ab. Esp. 24, 3a; O. II, 28 pr. p.; Christ l. c. f. 5 (al. ant. striga media in maculis duabus divisa).

It; Gal. m.

It. c. et m.

*Eur. c. et m. (exc. Ib.);
Angl.; Scand. c. et m.;
Liv; As. min; Arm;
Saraw; Ala Tau;
Thian; Sib. or.*

*Eur. m. or; etc.**Srp.**Taur.**Sum. Alp; As. c. mont.*

*Ter. m; Austr. inf;
Boh; Hung; Eur. m.
or; Pont; Arm; ? Ped.
Gal. m. (Diniae).*

*Lyd; Taur; Syr.**Maur.**Arm.*

*Eur. or. et c. (exc.
Angl.); Fen; Scand.
m; Pyr; Arm; Sib.*

- b) v. *Subalpina* Calb. Iris VIII, 1895 p. 212; *Triptolemus* HS. 7-12; Christ Mitth. VI p. 35, t. 1, f. 8-10; Hein. 159; *Freyeri* Ld. z. b. V. 1852 p. 70, 94 pr p.; *Scabiosae* var. B. Mon. Z. 2, 6; B. Ic. 53, 2; Dup. II, 4, 5b (alarum apice rotundato, corpore graciliore, antennis obtusioribus, alis intensius pictis ut in ab. „a“ signatis).
- c) ab. *Conjuncta* Calb. Iris VIII, 1895 p. 206; *Triptolemus* ab. HS. II p. 32; Christ I. c. p. 37, f. 6, 7; *Scabiosae* B. Ic. 53, 1; Dup. II, 4, 5a (ab. ad. v. „b“, macul. mediis al. ant. adhuc in strigis conjunctis).
- d) v. *Orion* HS. 3; *Triptolemus* Frr. 164, 1, 2; *Freyeri* Ld. z. b. V. 1852 p. 70, 94 (pr. p.); ?*Dalmatina* B. Ic. 54 f. 2 (al. brevioribus, macula 5 minore, rotundata, mac. 2 et 4 conjunctis, al. post. margine nigro latiore).
- e) ab. (et v.) *Transapennina* Calb. Iris VIII, 1895 p. 213; *Triptolemus* Frr. 14, 4; Spr. geogr. Verbr. I p. 342 pr. p.; *Trifolii* var. Tr. X, 1, 104; *Freyeri* Ld. z. b. V. 1852 p. 70, 94 pr. p. (similis var. d, sed striga inferiore in maculis duabus divisa).
- f) v. *Romeo* Dup. II, 12, 1; Calb. I. c. p. 209; ?*Celeus* HS. 48, 49 (proxima v. d, antennis crassioribus, maculis cinnaberinis).
- g) v. *Neapolitana* Calb. Ir. VIII, 1895 p. 209 (maculis purpureis, margine nigro alar. post. latissimo).
- h) v. *Nevadensis* Rbr. Cat. S. And. t. 1, f. 10 (minor, similis v. f, antennis brevior. crassioribusque, al. subdiaphanis).
4328. **Sarpedon** Hb. Btr. II, 4, 1, C. (1790); Hb. 9; O. II, 38; God. III, 22, 8!; B. Mon. Z. 2, 7, 8; Mill. Ic. 20, f. 6; Obth. Et. XX t. 8, f. 142 [ab. flava]; *Trimaculata* Esp. 40, 7, 8 (1793?) Obth. I. c. f. 143 (forma minor, alis diaphanis).
- a) v. (et ab.) *Balearica* B. Mon. Z. 2, 5; Ic. 54, 1; Dup. II, 5, 3; Abicot Ann. S. Fr. 1849 p. 175, t. 6, f. 3; ?HS. 2; *Sarpedon* var. Rbr. Fn. And. 12, 8; *Sarpedon* HS. 51 (major, maculis majoribus).
- b) v. *Vermetensis* Obth. Et. VIII p. 28; *Sarpedon* var. Grasl. Ann. S. Fr. 1863 p. 336, t. 8, f. 1 (al. post. caerulescentibus).
4329. **Loyselis** Obth. Et. I p. 34, t. 4, f. 4; ib. XII p. 24; ib. XIII p. 20, t. 8, f. 76-80.
4330. ? **Valentini** Brd. Ann. S. Fr. 1846 p. 201, t. 8, f. 1 (Favoniae ab. Rbl. esse videtur).
4331. **Favonia** Frr. V p. 76, t. 428, f. 1 (1845); Obth. Et. XII p. 25; ib. XIII p. 20, t. 8, f. 74, 82-89; *Sarpedon* Hb. 171; Cedri Brd. Ann. S. Fr. 1846 p. 202, t. 8, f. 2.
- a) ab. *Staudingeri* Aust. Pet. Nouv. II p. 243; Obth. Et. VI p. 70 (abdomine tantum semel rubro-cineto).
- b) ab. (? v.) *Vitrina* Stgr. Berl. e. Z. 1887 p. 32 (al. diaphanis).
- c) ab. (? v.) *Thevestis* Stgr. Berl. e. Z. 1887 p. 33; Obth. I. c. XIII f. 75 (al. ant. maculis duabus exter. dilatatis et confluentibus).
4332. **Contaminei** B. Ic. 53, 4, 5, II p. 48; Dup. II, 5, 2; HS. I; *Ledereri* Rbr. Cat. S. And. t. 1, f. 9, p. 169.
4333. **Punctum** O. II, 36; B. Mon. Z. 2, 2; Ic. 53, 3; Dup. II, 5, 1; HG. 170; ?Hb. 119 ab.
- a) v. *Italica* (Stgr. i. l.) major, thorace minus albicante, in trans. ad var. b.
- Ped.; Val. (Alp. m. val.).
- Alp. m.
- It; Ter. m.; ?Dalm.
- It. c. (Toscana) Calabria; Alp. val. m. or.
- Sic.
- It. m. (Neapolis).
- Cast; And. mont.
- Gal. m; Hisp. s. or.
- Gal. c. oc; Gal. m.; Ped.; Hisp.
- Pyr.
- Maur.
- Maur.
- Maur.
- Maur.
- Maur. (Constantine).
- Pyr; And. m. mont.
- Eur. or. m; It; As. min; Arm.
- It. c. et m.

- b) v. (et ab.) *Contamineoides* Stgr. Cat. ed. II p. 46; Calb. Iris I p. 144; Contaminei Z. Is. 1847 p. 299; Mn. Wien. Mts. 1859 p. 92; Dalmatina HS. 59, 60, VI p. 43; Sarpedon var. Obth. An. Soc. Esp. 1875 p. 373, t. 17, f. 7 (thorace obscuriore, macula costali parva).
- c) v. (et ab.) *Dystrepta* F. d. W. Nouv. Mém. M. 1832 p. 359, t. 21, f. 3; Kéfersteinii HS. 77; Pythia Frr. 473, 1 (maculis confluentib., al. ant. fere totis rufis).
4334. **Cambysea** Ld. Hor. VI (1869) p. 86, t. 5, f. 6.
- a) v. *Rosacea* Rom. Mém. Rom. I p. 79 (al. ant. maculis conjunctis, laetus roseo-tinctis).
4335. **Smirnovi** Chr. Mém. Rom. I p. 108, t. 6, f. 6a, b (praeec. var?).
4336. **Armena** Ev. Bull. M. 1851, II p. 625; Kadenii Ld. Wien. Mts. 1864 p. 168, t. 3, f. 8; ab. *Flava* Rom. Mém. Rom. I p. 79, t. 4, f. 5 [flavescens].
4337. **Achilleae** Esp. 25, 1a, b (1779); O. II, 30; B. Mon. Z. 3, 1; Ic. 53, 6, 7 ab.; Dup. II, 4, 6a, b; HS. 64-7 [ab. flava]; Ld. Wien. Mts. 1863 t. 1, f. 2 [ab.]; Obth. Et. XX t. 8, f. 140 [ab. flava]; Triptolemus Hb. 96, 97; Cytisi Frr. 164, 4; ?Fulvia F. G. Ins. p. 275 (1777, si nomen certum, restituend.).
- a) ab. *Viciae* Hb. 11; *Janthina* B. Mon. Z. 8, 7; Ic. 53, 8; Dup. II, 12, 7 (macul. minorib., macula externa rotundata).
- b) v. (et ab.) *Bellis* Hb. 10 (major, obscurior).
- c) v. (et ab.) *Bitorquata* Mén. Cat. Rais. p. 259; Stgr. Hor. XIV p. 319 (alis ant. flavicantibus, margine angusto nigro).
- d) v. *Tristis* Obth. Et. VIII p. 29, XX t. 7, f. 126 (al. dia-phanius, ant. grisescensibus).
- e) v. *Arragonensis* Stgr. Berl. e. Z. 1887 p. 34 (al. ant. maculis rubris majoribus saepe confluentibus).
- f) v. *Antiochena* Stgr. l. c. (minor. al. ant. maculis rubris majoribus).
- g) v. *Phoenicea* Stgr. l. c. 35 (al. ant. fere totis rubris).
4338. **Wagneri** Mill. Bull. S. Fr. 1885 p. 92; Ann. S. Fr. 1886 p. 6, t. 1, f. 3-7; Obth. ib. Bull. 1898 p. 21 (praeec. sp. form. Darw.?).
4339. **Cynarae** Esp. 37, 2-4 (1789); Hb. 80; O. II, 42; B. Mon. Z. 3, 4; B. Ic. 54, 3; Dup. II, 5, 6; Frr. 14 f. 3; Millefolii Esp. 43, 1, 2; ?Frr. 506, 2. *Hung*; *Ross*.
- a) v. *Turatii* Stndf. Mitth. VIII p. 368 (1892) (major, ob-scurior, abdomen supra unicolor. nigro).
- b) v. *Genistae* HS. II p. 35; Calb. Iris VIII p. 217; Dahirica HS. 68 (al. subdiaphanis, ant. grisescensibus).
- c) v. *Centaureae* F. d. W. Nouv. Mém. M. 1832 p. 358, t. 21, f. 4; HS. 57, 58; *Cynarae* var. Frr. 350, 1 (alis ant. virescentib., macula externa dilatata).
4340. **Anthyllidis** B. Mon. Z. 4, 8; Ic. 55, 7; Dup. II, 7, 1; Frr. 398; HS. 4, 92; Obth. Et. VIII p. 30, t. 1, f. 14-17; ib. XX t. 8, f. 141 [ab. flava]; Erebus Meig. II p. 90, t. 59, f. 4.
- a) v. *Caucasica* (Stgr. i. l.) collare nigro, al. ant. mac. 1 et 2, 5 et 6 conjunctis.
4341. **Ecki** Chr. Hor. XVII (1882) p. 123; Mém. Rom. II p. 202, t. 13, f. 1. *Hyrc.*
- Sic*; *It. c. (ab)*; *Hispania*; *m. or.* (*Cartagena*); *Obth.*)
- Ross. m.*; *Graec.*; *As-min*; *It. c. (ab.)*.
- Hyrc.*; *Tura.*
- Arm.*
- Tura.*
- Arm.*
- Eur. c. or. et m. or.*; *Belg.*; *It. s.*; *Helv.*; *Bith.*; *Pont.*; *Arm.*; *Syr.*; *Alt.* (Ld.). (cf'r. var).
- Alp. val. m.*; *Alt.* (Elw.).
- Bith.*; *Pont.*; *Arm. m. or.*
- Pyr.*
- Aray.*
- Ant.*
- Kurd.*
- Gal. m. or.*
- Germ. m. oe.*; *Boh.*; *Hal.*; *Ter. m.*; *Ped.*; *m. (ab.)*; *?Arm.*; *Alt.*
- Lig. et Etrusc.* *Apen.*; *Dalm.*; *?Ter. m.*
- Gal. m. or.*; *Ter. m.*; *Hung.*
- Ross. m. or.*
- Pyr.*
- Cauc.*

4342. **Exulans** Hochenw. & Reiner Bot. Reisen (1792) p. 265, t. 6, f. 2; Esp. 41, 1, 2; Hb. 12, 101; B. Mon. Z. 3, 3; Ic. 54, 4, 5; Frr. 200, 2, 590, 1; Dup. II, 5, 5a, b; Barr. II t. 58, f. 5; Tutt. Brit. Lep. I p. 443; Subochracea White Scot. Nat. I p. 174.
- a) v. (et ab.) *Vanadis* Dalm. K. Vet. Ak. Handl. p. 222; Tutt. I. c. 446 (δ) paucissime squamata, non albo-mixta).
4343. **Exsiliens** Stgr. Stett. e. Z. 1881 p. 398 (prae. forma Darw.?, obscurior, al. ant. subdiaphanis, macul. rubris minoribus, al. post. margine nigro latissimo).
4344. **Magiana** Stgr. Stett. e. Z. 1889 p. 23; Hissariensis Gr. Gr. Mém. Rom. IV p. 520, t. 19, f. 1.
4345. **Corsica** B. Mon. Z. 5, 2; Ic. 55, 9; Rbr. Ann. S. Fr. 1832 p. 267, t. 7, f. 5, 6; Dup. II, 7, 7; HS. 5, 6.
4346. **Meliloti** Esp. 38, 1-8, Contin. p. 10; O. II, 43; Mon. Z. 3, 5; Ic. 54, 6; Dup. II, 5, 7; HS. 63 [mac. 6], ?78 [ab.]; Barr. II t. 59, f. 1; Loti Hb. 82; Buglossi Dup. II, 12, 4; Lonicerae var. Esp. 25, 3; v. Ehnbergii Reuter Act. Fen. IX (1893) p. 22; Viciae Schrnk.-Fuessl. n. Mag. I p. 208 (1782) [non satis descripta!]: Kirby Cat. Het. I p. 67; Tutt. Brit. Lep. I p. 453.
- a) v. (et ab.) *Stentzii* Frr. 278, 4; Meliloti var. HS. 86, 87 (abdom. rubro-cingulato).
- b) v. *Dahurica* B. Ic. 54, 7; Calb. Iris VIII p. 217; Dorychnii Dup. II, 12, 3; ab. *Dacica* Carad. Iris VI p. 192 not; ab. *Annulata* Carad. ib. VIII p. 71 [ab. abdomine rubro-cincto] (al. post. margine nigro latiore, antennis crassioribus).
- c) v. *Mongolica* (Stgr. i. l.) clava anten. obtusa, al. latioribus, ant. subtus obscurioribus.
- d) v. *Charon* Hb. 21 (non B.); Calb. Iris VIII p. 214; *Italica* Carad. Iris VIII p. 71 (major, obscurior, laetus picta, al. ant. macul. 6 [raro 5], al. post. margine nigro multo latiore).
- e) v. *Teriolensis* Spr. geogr. Verbr. I p. 462; *Charon* HS. 69, 70 (ut Charon Hb., sed minus intensius picta).
- f) ab. *Decora* Ld. z. b. V. 1852 p. 125; *Stentzii* HS. 23; *Cingulata* Stgr. i. l. (Teriolensis abdome rubro-cincto).
- g) v. *Sicula* Calb. Ir. VIII (1895) p. 216; *Scabiosae* var. Ragusa Nat. Sic. VI p. 237 (ut Charon, macul. 5 et 6 conjunctis).
- h) v. *Confusa* Stgr. Stett. e. Z. 1881 p. 398 (maculis plus minusve conjunctis).
4347. **Niphona** Butl. Ann. & Mag. (4) XX p. 393 (1877); Ill. Het. II p. 9, t. 21, f. 9; Leech Pr. Z. S. 1888 p. 597; Stgr. Mém. Rom. VI p. 251; Christophi Stgr. Mém. Rom. III p. 173, t. 8, f. 9.
4348. **Trifolii** Esp. 34, 5 (1783); Hb. 79, 134-5; O. II, 47; B. Mon. Z. 3, 7; Ic. 54, 8; Dup. II, 6, 7; Frr. 200; Spr. Stett. e. Z. 1877 p. 40; Barr. II t. 59, f. 2; Obth. Et. XX t. 8, f. 150; Tutt. Brit. Lep. I p. 483; v. *Palustris* Obth. I. c. f. 151-3; Tutt. I. c. 499 [major, robustior]; *Glycirrhizae* Hb. 138 ab; *Glycirrhiza* Frr. 164, 3 ab; *Trivittata* Spr. I. c. 41 [ab.]
- a) ab. *Minoides* Selys Cat. Lep. Belg. p. 23 (1837); *Trifolii* Esp. 34 f. 4; *Achilleae* HG. 165; ? *Filipendulae* HG. 166; ab. *Confluens* Stgr. Cat. ed. II p. 47 (macul. omnibus confluentibus).
- Sum. Alp.; Pyr.; Gal. m. or. alp.; It. e. mont. (Gran Sasso); Scot. mont; Transsylv. mont.*
- Lap.; Scand. mont: etc. (ab.).*
- Alt. (Elw.); Tarb.*
- Sarac.*
- Cors; Sard.*
- Eur. c. (exc. Bat.); Suec. m; Liv; Fen; It. (ab.); Dalm.; Buly; Ross.m; Pont; Taur; Arm; Alt; Sib. or. (vide var.).*
- Alp. val. m; Arm.*
- Daur; Rum. (trans.).*
- Daur; Mong.; ?Thian.*
- Apen. Lig. et Etrusc.*
- Alp. val. m; Apen. Neapol.*
- Sic.*
- Ala Tau.*
- Amur; Uss; Jap.*
- Eur. (exc. reg. bor. et Balc. m.); Eur. m. oc. (cf. var.); Pont; Alt.*

- b) ab. *Orobi* Hb. 133; *Gracilis* Fuchs Stett. e. Z. 1880 p. 118 [trans., antennis gracilioribus] (al. ant. macul. mediis separatis).
- c) v. *Syracusiae* Z. Is. 1847 p. 301; (-a) Frr. 506 f. 3, 4; *Australis* Ld. z. b. V. 1852 p. 71; *Trifolii* var. Rbr. Cat. S. And. t. 1, f. 5-8, p. 177 (minor, al. ant. maculis parvis disjunctis, post. marg. late nigro).
4349. **Seriziati** Obth. Et. I p. 33; ib. III p. 41, t. 5, f. 7; ib. XIII p. 21, t. 8, f. 71-73; Tutt. Brit. Lep. I p. 490 (praec. form. Darwin.).
4350. **Lonicerae** Scheven Naturf. X p. 97 (1777); Esp. 24, 1 a, b (1782), 39, 5-12; Hb. 7; O. II, 49; B. Mon. Z. 3, 8; Frr. 446; Barr. II t. 59, f. 3 (et ab.); Spr. Stett. e. Z. 1887 p. 334 (ab. *Citrina*); Obth. Et. XX t. 8, f. 148 (ab. flava); Tutt. Brit. Lep. I p. 466; ab. *Chalybea Auriv.* Nord. Fjär. p. 53; ab. *Eboracae Prest* Entom. XVI p. 273 (1883); Tutt. Brit. Lep. p. 469 [dilutior, ciliis alar. albidis]; ab. *Bercei Sand* Cat. Lep. Auv. 1879 p. 23; *Confluens Selys* Bull. S. Belg. 1882 p. 113.
- a) v. *Major* Frey Lep. p. 67; Mitth. VII p. 15; *Lonicerae* Hb. 160; Meissn. Nat. Anz. II p. 34 (major, intensius pieta).
4351. **Stoechadis** Bkh. Rhein. Mag. I p. 628 (1793) (non B.); O. II, 83; Frr. 368, 1-4; HS. 36-39; Mill. Ic. 107, 1-6; Christ. Mitth. VI p. 42; Obth. Et. XX t. 7, f. 110; *Lavandulae* Hb. Btr. II, 3, 3, O. (non Esp.); Hb. 24.
- a) ab. *Judicariae* Calb. Ir. VIII (1895) p. 218 (maculis albo-cinctis).
- b) v. *Dubia* Stgr. Cat. ed. I p. 21; Frey. Mitth. IV, 225, VII p. 16; Christ. ib. VI p. 43; Obth. Et. XX t. 8, f. 147 (ab.), 149 [?hybr.]; *Transalpina* Hb. 15, 19; O. II, 60 pr. p.; *Medicaginis* B. Mon. Z. 4. 5; Dup. Sup. II t. 6, f. 6; Ld. z. b. V. 1852 p. 96 (non O.); ?Hb. 20; *Charon* B. Mon. Z. p. 65 (non Hb.); B. Ic. 54, 9, II p. 61; Dup. II, 8, 1 bis; *Stoechadis* HS. 45; v. *Campaniae* (Stgr. i. l.) [intensius pieta] (var. major, al. ant. macul. 5 vel 6, al. post. rubris, tantum late nigro-marginatis, in trans. ad spec. sequent. v. „e“?).
- c) v. *Hadjina* (Stgr. i. l.) ut *Dubia*, al. ant. mac. 3 et 4, 5 et 6 magis distantibus.
4352. **Filipendulae** L. S. N. ed. X. 494; Esp. 16a-e; Hb. 31; O. II, 54; God. III, 22, 2; Barr. II t. 60 (et ab.); Obth. Et. XX t. 8, f. 132 [ab. *confluens*], 133 [ab. flava], f. 135 ab; Tutt. Brit. Lep. I p. 507.
- a) ab. *Cytisi* Hb. 26, context. p. 15 (maculis 6 in macul. 3 magnis confluentibus).
- b) ab. *Chrysanthemi* Bkh. II p. 166, t. 1, f. 1; Esp. 37, 1; Hb. 17; Obth. I. c. f. 134 (ab. macul. obfuscatis).
- c) v. *Mannii* HS. 109-10; *Aretica* Schneider Troms. Mus. Aars. III p. 85 (var. *alpina*, *tenui-squamata*).
- d) v. (ab.) *Tutti* Rbl.; *Hippocrepidis* Stph. III. I p. 109; Wd. Ind. t. 4, f. 6 [ab. flava]; Tutt. Brit. Lep. I p. 532 (al. post. margine nigro latiore undulato).
- e) v. *Ochsenheimeri* Z. Is. 1847 p. 303; Christ. Mitth. VI p. 44; Frey ib. VII p. 17; Tutt. I. c. p. 515; *Filipendulae* major Esp. 41, 4; *Transalpina* O. II, 60 pr. p.; B. Mon. Z. 4, 3 p. 63; Ic. II p. 67, ?t. 54, f. 10; ?HS. 61, 62; Dup. II, 6. 1; Spr. geogr. Verbr. I p. 462 (var. major, *saturatus rubra*).

*It. m.; And; Cat.**Maur. (Collo).**Eur. c. et s. (exc. reg. bor.); Eur. m. or; Gal. m; It; Pont; Arm; Alt; ?Amur (Tutt).**Alp. m. val.**Cat; Liguria; Nicaea; ?It. c.**Ter. m.**Alp. val. m; Illyr; Istr; It; Pyr; ?Graec.**Taur.**Eur. (exc. reg. bor. s. et Ib. m.); Lyd; Pont; Arm.**Sum. Alp; Lap.**Angl.**It; Gal. m; Alp. val. m; Graec; ?Pont.*

- f) v. (et ab.) *Ramburii* Ld. Wien. Mts. 1861 p. 151, t. 1, f. 10; HS. n. Schm. 161-2 (ab.) p. 32; Stgr. Hor. VII p. 103, XIV p. 321; *Gurda* Ld. Wien. Mts. 1861 p. 152, t. 1, f. 9; *Mersina* HS. n. Schm. 163 p. 32; *Syriaca* Obth. Et. XX p. 46, t. 8, f. 136-38 (ab. *Cytisi similis*, major, al. ant. mac. rufis pallidior, al. post. saepe miniaceis).
4353. **Ledereri** (Stgr. i. l.); *Laphria* HS. VI p. 44; Stgr. Hor. XIV p. 320; *Laphira* HS. 108 (a praec. var. „f“ forma alarum satis distincta sec. Calb.).
4354. ?**Laphria** Frr. 568, 2, VI p. 135.
4355. **Angelicae** O. II, 67; Hb. 120-1; Spr. geogr. Verbr. I p. 463; ?Dup. II, 6, 2; *Latipennis* HS. 105 (maculis 5, rarius 6); ab. *Doleschalli* Rühl Soc. Ent. VI p. 106 [ab. flava].
- a) ab. *Confluens* Dziurzynski Jhrs. Wien. E. V. XI, 1900 [nond. edit.] (al. ant. maculis 2 et 4 in vitta lata conjunctis, mac. 3 striaeforme, mac. 5 valde dilatata).
4356. **Transalpina** Esp. II p. 142, 196; Christ Mitth. VI p. 46; Calb. Iris VIII p. 218; *Filipendulae* var. Esp. 16f.; *Medicaginis* O. II p. 61 (non Hb. 20); B. Ic. 55, 10; B. Mon. Z. p. 66 pr.p.; *Charon* B. Mon. Z. 4, 4; *Ferulae* Ld. z. b. V. 1852 p. 71, 97; *Angelicae* B. Ic. 53, 9 (*Alpina* B.); Dup. II, 6, 2; *Maritima* Obth. Bull. S. Fr. 1898 p. 22 (forma obscurior, purpurascens, margine al. post. nigro latiore).
- a) v. *Sorrentina* Stgr. Iris VII, 1894 p. 254; *Medicaginis* ab. B. Mon. Z. p. 68 (non *Stoechadis* B. Ic. p. 64) (minor, al. ant. [subtus] mac. 6, al. post. nigris, plaga basal. rubra).
- b) v. (et ab.) *Calabrica* Calb. Iris VIII, 1895 p. 226; ?*Stoechadis* HS. 35; *Spicae* Stgr. Iris VII (1894) p. 254 (v. obscurissima, al. ant. maculis parvis, al. post. supra totis nigris).
- c) ab. (v.?) *Boisduvalii* Costa F. Nap. (1832-36); Stgr. I. c. p. 255; Calb. I. c. 226; Obth. Et. XX t. 7, f. 111; *Xanthographa* Germ. Fn. Ins. Eur. fasc. 16 t. 22; HS. 40 (maculis al. ant. et al. post. flavicantibus).
- d) v. *Astragalii* Bkh. Rhein. Mag. I p. 631; *Hippocrepidis* Hb. context. nov. p. 79; O. II, 63; Frr. 86, 2, 3 [ab. flava]; HS. 54-55 (56 ab.); Hb. 83 [ab. flava], 105 [ab. confluens]; Spr. geogr. Verbr. I p. 463; *Loti* Esp. 35 f. 1; Hb. 32; Obth. Et. XX t. 8, f. 144-6 (ab.); *Angelicae* B. Mon. Z. 4, 2; *Alpina Berce* Lep. Franc. II p. 73; ab. *Miltosa Candéze* Feuill. Jeun. Nat. III p. 47 (1883); C. R. Soc. Belg. 1883 p. 92. t. 4. f. B [al. totis rufis] (al. ant. subt. fere totis rubris, supra mac. 5 et 6 saepius confluentibus; mac. al. ant. et al. post. cinnaberinis).
4357. **Doryenii** O. II, 69; B. Ic. 55, 8; Frr. 278, 3; HS. 24, 25; ?Tr. X, 1, 107; *Dahurica* Dup. II, 12, 2 (sequ. form. Darw.).
- a) ab. (? v.) *Senescens* Stgr. Berl. e. Z. 1887 p. 36 (al. ant. maculis rufis minoribus, albescentibus).
4358. **Ephialtes** L. S. N. ed. XII, 806; Esp. 17, 3; O. II, 77; Dup. II, 6, 3; HS. 91; v. *Falcatae* B. Mon. Z. 5, 5; ab. *Sophiae* Favre Mitth. X (1897) p. 36 [al. post. bimaculatis] (abdomine rubro-cingulato, al. ant. maculis 6).
- a) ab. *Medusa* Pall. Reis. 1771 p. 472; Wernb. Btr. I p. 360; *Falcatae* Hb. 33; Obth. Et. XX t. 7, f. 113 [ab. al. ant. maculis rubris]; *Ephialtes* B. Ic. 55, 5; Dup. II, 6, 3; ab. *Aemilii* Favre Mitth. X (1897) p. 36 [al. post. bimaculatis] (abd. rubro-cingul., al. ant. maculis 5).

*Syr; Lyd; Ant;
Graec. (ab.).*

Pont.

Arm.

*Germ. c. or; Bav;
Austr. (alp.); Morav;
Hal; Hung; Graec;
Carn; Dalm; Ped.*

Austr. inf.

Alp; Nicaea; It.

Apen. et Neap. mont.

It. m. (exc. Sic.).

It. m. (exc. Sic.).

*Germ. c. et m. oc; Gal.
(lit.); Belg; ?Suec. m.*

*Ural; Pont; Taur;
Arm; Hyrc.*

Taur.

*Germ. m. et c. or; Helv.
m; Ped. et Gal. m;
Hung; Dalm; Graec;
Rum; Ross. m; Sib.*

- b) ab. et. v. *Coronillae* Esp. 33, 2; Hb. 13; Dup. II, 6, 4; *Ephialtes* var. B. Ic. 55, 6 (abdom. flavo-cingulato, al. ant. maculis 6). *Germ. m. or.; Austro-Hung; Rum; Graec; Ped; Gal. m.*
- c) ab. *Trigonellae* Esp. 33, 3, 4; B. Mon. Z. 5, 6 (abdom. flavo-cingulato, al. ant. maculis 5).
- d) ab. *Aeacus* Esp. 33, 1 (1783); Hb. 18; O. II, 75, 76 (al. ant. macul. 5 aut 6, al. post. flavis, margine latiore nigro). *Austr. inf; Hung; Transsylv; Hal; ? Bulg.*
- e) v. *Peucedani* Esp. 25, 3 (1782); Hb. 75, 76; O. II, 70; God. III, 22, 3; B. Mon. Z. 4, 6; Hb. 81 [ab. flava]; *Aeacus* Hb. 22; *Hippocrepidis* HS. 52, 53 (al. ant. mac. 6 et al. post. rubris). *Ins. Rhodus; Hyrc. [trans. ad Dorycn., Ld.]*
- f) ab. *Athamanthae* Esp. 37, 5, 6; *Veronicae* Bkh. II, 162 (al. ant. maculis 5 et al. post. rubris).
- g) v. *Araratica* Stgr. Cat. ed. II p. 48; *Stoechadis* HS. 90; ? Ld. Ann. S. Belg. 1870, t. I, t. 7 [ab. maculis flavis] (al. ant. virescenti-nigris, maculis 6 (parvis) incarnatis, al. post. cyaneo-nigris. subtus striga obsoleta albidiore; abdomen toto nigro). *Arm. (Ararat).*
- 4359. *Lavandulae*** Esp. 34, 2 (1783); B. Mon. Z. 5, 4; HS. 42; Mill. Ic. t. 11, f. 4-8; Obth. Et. XX t. 7, f. 109; Spicae Hb. 25.
- a) ab. *Consobrina* Germ. Fn. Ins. Eur. 16 t. 23; HS. 43; Obth. Et. XX t. 7, f. 108 (subt. macul. confluentibus). *Gal. m.; Ligur; Pyr; Hisp.*
- 4360. *Rhadamanthus*** Esp. 40, 1, 2 (1789); Hb. Btr. II, 4, 2, K; Hb. 23; O. II, 86; B. Mon. Z. 5, 8; God. III, 22, 9; Gn. Ann. S. Fr. 1870 p. 20. t. 7, f. 20 [ab.].
- a) ab. (et v.) *Cingulata* Ld. z. b. V. 1852 p. 72; *Rhadamanthus* HS. 21, 22 (abdom. rubro-cingulato). *Gal. m.; Ligur; Cat. (ab.).*
- b) v. *Kiesenwetteri* HS. 96-8, VI p. 46; *Stoechadis* B. Mon. Z. 5, 3; Ic. 55, 4; Dup. II, 7, 2 (al. post. fere tot. nigris). *Arag. (var.).*
- c) v. *Algarbiensis* Christ Mittb. VIII (1889) p. 101; Roederi Stgr. Iris IV (1891) p. 247; *Algarvensis* Obth. E. XX t. 7, f. 107 (v. *Kiesenwetteri* similis, major, obscurior, al. ant. macula sexta obsoleta). *Cat.*
- 4361. *Oxytropis*** B. Mon. Z. 5, 7 p. 89; Ic. 55, 3; Dup. II, 7, 3; Frr. 14, 2; Tr. X, 1, 109; HS. 19, 20. *Lusit.*
- 4362. *Graslini*** Ld. z. b. V. 1855 p. 197, t. 2, f. 3, 4 [larv.]; Obth. Et. XX t. 7, f. 127, 128 [ab. confluens]. *It. c. et m.; Ligur; Gal. m. or. (Nicaea).*
- 4363. *Lydia*** Stgr. Berl. e. Z. 1887, p. 36. *Syr; Mesop. s.; Taur; Kurd.*
- 4364. *Cuvieri*** B. Mon. Z. 3, 6 p. 53; Rom. Mém. Rom. I t. 4, f. 6.
- a) ab. *Confluens* Obth. Et. XX t. 7, f. 112 (maculis confluentibus). *Kurd; Taur.*
- 4365. *Tamara*** Chr. Hor. XXIII (1889) p. 300; Mém. Rom. V p. 196 t. 9, f. 2a, b (praeec. forma Darw., minor, antennis brevioribus, collare, maculis al. ant., al. post. flavis).
- a) ab. *Daemon* Chr. Iris VI p. 88 (al ant. maculis permagnis). *Arm. (Ordubat).*
- b) ab. *Rubra* (B.-Haas i. l.) al. post. rubescensibus.
- 4366. *Huguenini*** Stgr. Stett. e. Z. 1887 p. 73. *Ferg.*
- 4367. *Manlia*** Ld. Hor. VI (1869) p. 87, t. 5. f. 7. *Hyrc.*
- 4368. ? *Cacuminum*** Chr. Hor. XII (1877) p. 243 t. 6, f. 77. *Hyrc.*
- 4369. *Haematina*** Koll. Ins. Pers. p. 12 (spec. *distincta* sec. specim. typ. Rbl.). *Pers; Mesop. s.*

4370. **Fraxini** Mén. Cat. Rais. p. 260 (1832); HS. 102; Oribasus HS. 31-4; Frr. 568, 1; Carneolica Frr. 350, 2; Rog-nada B. Bull. S. Fr. 1848 p. 30.
a) v. *Perdita* Stgr. Stett. e. Z. 1887 p. 76 (al. ant. maculis mediis albis, al. post. margine nigro latiore).
4371. **Scovitzii** Mén. Cat. Rais. p. 260; Sogdiana Ersch. Fedtsch. 1874 p. 27, t. 2, f. 20; Stgr. Stett. e. Z. 1887 p. 75; Gr. Gr. Mém. Rom. IV p. 521.
a) v. *Separata* Stgr. l. c. p. 74 (al. ant. maculis externis separatis, al. post. margine nigro latiore).
4372. **Erschoffi** Stgr. Stett. e. Z. 1887 p. 76; Gr. Gr. Mém. Rom. IV p. 523; Olivier var. Ersch. Fedtsch. p. 28, t. 2, f. 21.
a) v. (ab.) *Kavrigini* Gr. Gr. Mém. Rom. III p. 402; ib. IV p. 522, t. 18, f. 9; Rhodogastra Stgr. Stett. e. Z. 1889 p. 24 (abdomine toto rubro).
b) v. *Kohistana* Gr. Gr. Hor. XXVII (1893) p. 385. (al. ant. mac. minoribus, collare scapulisque fere nigris, cingulo abd. subnullo).
4373. **Cocandica** Ersch. Fedtsch. p. 28 t. 2, f. 22; Gr. Gr. Mém. Rom. IV p. 525; ab. Minor Ersch. l. c. p. 29, t. 2, f. 23.
a) v. *Karategini* Gr. Gr. l. c. (abdomine fere toto rubro).
b) v. *Conserta* Gr. Gr. l. c. (magis rubescens).
4374. ? **Glasunovi** Gr. Gr. Hor. XXVII (1893) p. 386 (uno spec. condit.; incertae sedis).
4375. **Truchmena** Ev. Bull. M. 1854, III p. 184; HS. n. Schm. 7, 8.
4376. **Haberhaueri** Ld. Ann. S. Belg. 1870 p. 29, 45; Obth. Et. XX t. 8, f. 139.
4377. **Olivieri** B. Mon. Z. 6, 4 p. 98; HS. 89. 103; Stgr. Hor. XIV, 323; Dsidsilia Frr. 568, 4.
a) v. (ab.) *Laetifica* HS. 88, II p. 44; Stgr. l. c. (al. ant. macul. separatis, abdomine supra fere toto rubro).
4378. **Ganymedes** HS. 100-1, VI p. 45; Frr. 568, 3; Stgr. Hor. XIV p. 324 (praeec. form. Darw.).
4379. **Formosa** HS. 99, VI p. 45; Stgr. Hor. XIV p. 324.
a) *Malatiana* (Stgr. i. l.); major, saturatus picta.
4380. **Sedi** F. Mant. 101; Bkh. II, 165; O. II, 93; Hb. 132; Tr. X, 1, 112; Frr. 350, 3, 4; HS. 46. 47.
4381. **Laeta** Hb. Btr. II, 4, 2, H (1790); Hb. 34, 35; Esp. 46, 2; O. II, 100; B. Mon. Z. 6, 7; Ic. 55, 2; Dup. II, 7, 4; Frr. 200, 1, 637, 1.
a) ab. *Mannrheimi* Chardiny Rev. Ent. Silb. IV, 1836 p. 194, t. 37; HS. 104, VI p. 45 (al. ant. fere totis rubris).
4382. **Ignifera** Korb. Iris IV p. 349 (praeec. var.?)
4383. **Hilaris** O. II. 101; Hb. 123; B. Mon. Z. 6, 5; Ic. 55, 1; Dup. II, 7, 5; Rbr. Fn. And. t. 12, f. 9, Cat. S. And. p. 172; Obth. Et. XX t. 7, f. 129 [ab. confluens], 130 [ab. bicolor], 131 [ab. fere unicol. rubra].
a) v. *Ononidis* Mill. Pet. Nouv. II p. 249; Mém. Se. Cannes VIII (1879) p. 112, t. 5, f. 6-10 (maculis rubris minoribus, non flavo-cinctis).
b) v. *Escorialensis* Obth. Et. VIII p. 80; ib. XII p. 23, t. 7, f. 48 (al. subdiaphanis, maculis majoribus).
c) v. *Felix* Obth. Et. I p. 36 (1876), III p. 42, t. 5, f. 4. XII p. 26, XIII p. 22, t. 7, f. 57, 63-70; Stgr. Berl. e. Z. 1887 p. 37 (pr. p.) (al. ant. maculis minoribus, anguste flavo-cinctis, al. post. margine nigro latiore).
- Arm.
Cauc. m.
Ferg. m.; ? Pers.;
? Arm.
Ferg. m.; ? Saraw.
Ferg. m.; Iss. K.
Saraw.
Saraw. (mont.
Hissar.).
Ferg. m.
Buch. s. or.
Pamir (Darwas).
Saraw.
Kirgh. m; Tura.
Arm.
Syr; Lyd; Taur;
Arm.
Taur; Lyd.
Pont.
Pont; Taur.
Kurd.
Ross. m; Bulyg; Lyd;
Pont; Arm.
Morav.; Hung;
Austr; Ter. m; Eur.
m. or. (exc. Graec.); Bith: Pont.
Ural; Pont; etc.
Hisp. c. (Cast; Arag.).
Gal. m; It. s. oc; And.
Gal. m. or.
Cast.
Maur.

- d) v. *Mauretanica* Stgr. Berl. e. Z. 1887 p. 38; ? *Eudaemon* Mab. Bull. S. Phil. (2) IX p. 57 (1885) (ut v. *Felix*, abdom. rubro-cincto).
- e) v. *Faustula* Stgr. l. c. (maculis rubris late albo-cinctis). *Maur.* (*Prov. Constant.*). *Maur.*
4384. **Algira** Dup. II, 7, 6 p. 86; HS. 106; Rbr. Cat. S. And. p. 172; Obth. Et. XII p. 27, XIII t. 8, f. 59-62; *Hilaris* Hb. 172-3. ? Oberthüri Baker Tr. E. S. 1888 p. 118.
- a) ab. *Concolor* Obth. Et. VI p. 68, t. 2, f. 4 (al. ant. fere unicol. rubris).
4385. **Marcuna** Obth. Et. XII p. 27 (1889), XIII p. 22, t. 7, f. 58. *Maur.*
4386. **Baetica** Rbr. Fn. And. t. 12, f. 9, Cat. S. And. p. 170; HS. 79, 80; *Faustina* Dup. II, 12, 6 p. 141. *And. m. oc.*
4387. **Fausta** L. S. N. ed. XII, 807; Esp. 18, 1a, b; Hb. 27, 122; O. II, 96; B. Mon. Z. 6, 6; Frr. B. 9, 1; Tr. X, 1, 111; Frr. 578; Mill. Ic. 107, II; ab. *Lugdunensis* Mill. Ic. t. 8, f. 4 [ab. flava].
- a) v. *Faustina* O. II, 99; Hb. (? 141) 142; Tr. X, 1, 111; Rbr. Fn. And. t. 12, f. 7; Cat. S. And. p. 172 (macul. mediis a macul. bas. separatis, ♂ ano nigro).
- b) v. *Niceae* Stgr. Cat. ed. II p. 49 (al. ant. maculis rubris non flavo-marginatis).
- c) v. *Jucunda* Meissn. N. Anz. Schw. I, 1818 p. 35; Spr. geogr. Verbr. I p. 465; *Genevensis* Mill. Ic. I p. 237, t. 27, f. 1, 2; Ann. S. Fr. 1887 p. 216, t. 5, f. 4-6; Gn. ib. 1865 p. 91; *Faustula* Rbr. Cat. S. And. p. 171 (var. minor, abdom. fere toto nigro).
- d) v. *Junceae* Obth. Et. VIII p. 32, XII p. 24, t. 7, f. 49, 49 a (intensius rubra, maculis al. ant. distinctius flavo-cinctis).
4388. **Carniolica** Sc. Ent. Carn. p. 189 (1763); Fuessl. Mag. t. 1, f. g; Obth. Et. XX t. 7, f. 116; *Onobrychis* Schiff. S. V p. 35 (1776); Esp. 42, 2-4; Hb. 28; O. II, 87; Frr. B. 9, 2; Frr. 637, 2; HS. 26, 27 ab, 82, 83 ab; Caffra Esp. 17, 4 a, b (al. ant. macul. latius flavo-cinctis; abdom. annulo rubro).
- a) ab. *Diniensis* HS. 111, 112, VI p. 46; Obth. l. c. f. 118 (ab.) (macul. rubris permagnis, anguste flavo-cinctis).
- b) ab. (et v.) *Hedysari* Hb. 29, 36; *Astragali* Hb. 37; *Meliloti* Hb. 38; *Onobrychis* B. Mon. Z. 6, 1; HS. 81; Sedi Dup. II, 12, 5 (macul. rubris parvis, flavo-cingulatis; abdom. toto nigro).
- c) ab. *Flaveola* Esp. 36, 1; Hb. 14; *Luteola* B. Mon. Z. 6 f. 2 (ab. flava).
- d) ab. *Weieri* Stgr. Berl. e. Z. 1887 p. 39; *Diniensis* Obth. Et. XX t. 7, f. 119-20 [trans.] (maculis 1, 3, 5 et 2, 4 in strigis duabus confluentibus).
- e) ab. *Amoena* Stgr. l. c. 39 (al. ant. albis rufo-maculatis, margine angusto nigro).
- f) v. (et ab.) *Berolinensis* Stgr. Cat. ed. II p. 149; *Carniolica* Obth. Et. XX f. 115 [abdomine rubro-cincto], 117 [trans.] (maculis rubris non flavo-cinctis, abdomine toto nigro).
- g) ab. *Apennina* Tur. Bull. Soc. Ent. Ital. XVI (1884) p. 71; *Wiskotti* Calb. Iris I p. 146; *Carniolica* ab. Obth. Et. XX t. 7, f. 114 [trans.] (al. ant. maculis tantum 5).
- h) v. *Taurica* Stgr. Hor. XIV p. 325 (al. ant. maculis 5 late albo-cinctis, macula 6 obsoleta).
- i) v. *Sardoa* Mab. Bull. S. Fr. 1892 p. 150 (minor, collare nigro). *Ib.* *Nicea.* *Helv. m. oc.; Val;* *Ligur.* *Pyr.* *Eur. c. m. et m. or;* *It; As. min; Arm;* *Hyre; Alt.* *Vind; Hung. etc.* *Germ. m. oc; Gal. m.* *Hung; Austr. inf.* *Germ. s; Eur. c. (ab.).* *It. c; Ped.* *Lyd.* *Sard.*

- k) v. *Graeca* Stgr. Hor. VII p. 105 (al. ant. mac. rubris anguste albido-cinctis, abdomine annulo rubro). *Graec; Bith; ?Syr.*
- l) v. (et ab.) *Amasina* Stgr. Hor. XIV, 325; *Diniensis* ab. Obth. Et. XX t. 7, f. 121 [trans.] (al. ant. mac. rubr. late albo-cinctis, abdom. annulo rubro). *Pont; Lyd. or.*
- m) ab. (v.) *Wiedemannia* Mén. Mém. Ac. Imp. Petrop. (6) III, 1840 p. 50, t. 2, f. 10 (abdomine toto rubro). *Tura; Pont; Lyd.*
- n) v. *Albarracina* Stgr. Berl. e. Z. 1887 p. 41 (trans. ad var. *Oranam*). *Hisp. c. or.*
- o) v. *Orana* Dup. II t. 12, f. 8, p. 145; Obth. Et. XIII t. 7, f. 52-6; *?Mauritanica* Mab. Bull. S. Phil. (2) IX, 1885 p. 57 (minor, maculis permagnis anguste albo-cinctis, abdomine non rubro-cineto). *Maur.*
- p) v. (ab.) *Barbara* HS. 29-30; *Nedroma* Obth. Et. VI p. 68, t. 3, f. 3, XII p. 27 (ut var. *Orana*, al. ant. macul. late albo-cinctis). *Maur.*
- q) ab. (v.) *Allardi* Obth. Et. III p. 41, t. 5, f. 5 (ut v. *Orana*, abdom. rubro-cineto). *Maur.*
- r) v. *Transiens* Stgr. Berl. e. Z. 1887 p. 40; *Carniolica* Obth. Et. XX t. 7, f. 122 (mac. rubr. parvis, late-albo cinctis, macula 6 interdum tota alba). *Hyrc; Ant.*
4389. **Occitanica** Vill. L. Ent. II p. 114, t. 4, f. 21; O. II, 95; B. Mon. Z. 6, 3; Obth. Et. VI p. 69; Phacae Hb. 106-7 (praec. sp. form. Darw.). *Ligur; Gal. m.; Hisp.*
- a) ab. (et v.) *Albicans* Stgr. Cat. ed. I p. 22; *Occitanica* var. Rbr. Fn. And. t. 12, f. 10; HS. 84 (alis ant. fere totis albis, macul. rubris).
- b) ab. (et v.) *Iberica* Stgr. Cat. ed. II p. 50 (macul. rubris fere non albido-cinctis, macula lunari alba subnulla aut nulla). *And; Gal. m. (ab.).*
- Cat.

712. *Aglaope* Latr. 1809.

4390. **Infusa** L. S. N. ed. XII, 807; Esp. 35, 4; Hb. 5 et 5 bis; O. II, 17; God. III, 22, 18; Fuchs Stett. e. Z. 1876 p. 94. *Germ. c. oc; Gal. c. et m; It. s; Ib.*

713. *Bintha* Wlk. 1864.

4391. **Octomaculata** Brem. Bull. Ac. Petrop. III p. 476; Lep. O. S. p. 36, t. 4, f. 1; Leech Pr. Z. S. 1888 p. 594; *Sesiaeformis* Feld. Wien. Mts. VI p. 32; Nov. t. 83, f. 1; *Aegerioides* Wlk. List. XXXI p. 111; Butl. Ill. Het. III p. 4, t. 42, f. 2. *Amur; China s; Cor; Jap.*

714. *Artona* Wlk. 1854.

4392. **Sieversi** Alph. Mém. Rom. VI p. 5, t. 1, f. 4 (1892); Dejeani Obth. Et. XIX p. 29, t. 6, f. 51. *Mandsch; China s. et oc; ?Mong.*

715. *Tasema* Wlk. 1856 (Aglaino Stgr. sec. Leech).

4393. **Maerens** Stgr. Mém. Rom. III p. 171; *?Bipars* Wlk. Cat. VII p. 1597; Hmps. Ind. Moths I p. 236, f. 151. *Amur; Uss; China s.*

716. *Ino* Leach 1815 (Adscita [Retz.] Kirb.).

4394. **Ampelophaga** Bayle Saggio etc. p. 40 (1809); Hb. 153-4; Tr. X, 1. 100; Dup. II, 8, 2a, b; *Vitis* Fr. B. 68. 3 (1829); B. Ic. 56, 2, 3; HS. 73, 74; Ld. z. b. V. 1852 p. 105. *Eur. m. (exc. Ib.); Carn; Hung; As. min; Syr.*

4395. **Tristis** Brem. Lep. O. S. p. 97 (Trista), t. 8, f. 4; Leech Pr. Z. S. 1888 p. 594; Stgr. Mém. Rom. VI p. 247.
*a) v. *Esmeralda* Butl. Ann. & Mag. (4) XX p. 394 (1877); Ill. Het. II p. 4, t. 21, f. 8 (laetus viridis).
4396. **Subtristis** Stgr. Stett. e. Z. 1887 p. 68.
4397. **Dolosa** Stgr. Stett. e. Z. 1887 p. 69; Gr. Gr. Mém. Rom. IV p. 519.
4398. **Cirtana** Luc. Expl. Alg. p. 374, t. 3, f. 3; Obth. Et. I p. 37.
4399. ?**Bakeri** Kirb. Cat. Het. I p. 82; Orana Baker Tr. Ent. Soc. 1888 p. 117.
4400. **Amaura** Stgr. Stett. e. Z. 1887 p. 70.
4401. **Ambigua** Stgr. Stett. e. Z. 1887 p. 71.
4402. **Pruni** Schiff. S. V. p. 308; Esp. 35, 2, 3; Hb. 4 et 3bis; O. II, 15; Stgr. Mém. Rom. VI p. 246. *Fen; It. s; Alt;*
4403. **Splendens** Stgr. Stett. e. Z. 1887 p. 68.
4404. **Amasina** HS. 113, VI p. 42; Stgr. Stett. e. Z. 1862 p. 347.
4405. **Chloros** Hb. 238-9; Ld. z. b. V. 1852 p. 104; *Globulariae* Esp. 43, 5 (?6).
a) v. (et ab.) *Sepium* B. Ic. 56, 1; Dup. II, 12, 9; Stgr. Stett. e. Z. 1862 p. 348; *Saepium* HS. 71, 72 (v. *aenea* [brunneal]).
b) v. *Chloronota* Stgr. Hor. VII (1870) p. 100 (v. major, obscure *aenea*).
4406. **Tenuicornis** Z. Is. 1847 p. 293; Ld. z. b. V. 1852 p. 103; Stgr. Stett. e. Z. 1862 p. 348. *Sic; Hung; Balc; As. min; Syr; Maur. (Obth.).*
4407. **Globulariae** Hb. 2, 3 (4bis); O. II, 13; Frr. 62, 2; Ld. z. b. V. 1852 p. 104; Stgr. Stett. e. Z. 1862 p. 349; Barr. II t. 58, f. 1; Tutt. Brit. Lep. I p. 407. *Gal; Helv; It. s; Ross. m; Arm. Hung; Belg; Angl; Balc.*
4408. **Notata** Z. Is. 1847 p. 294; Stgr. Stett. e. Z. 1862 p. 351; Hor. VII, p. 101; ?Alph. Hor. XVII p. 23; Soror Rbr. Cat. S. And. p. 187 (1866); *Cognata* Luc. Expl. Alg. p. 373, t. 3, f. 2; Z. Stett. e. Z. 1854 p. 292.
4409. **Cognata** Rbr. Cat. S. And. 1858 t. 3, f. 1, p. 186 (1866); Stgr. Stett. e. Z. 1862 p. 351; ?HS. 94, 95; ?Wek. Jhrs. Schles. Ges. 1881 p. 200.
a) v. *Subsolana* Stgr. l. c. p. 352 (minor. obscurior). *Austr. inf; Hung; Graec; Dalm; ?Srp; Lyd.*
b) v. *Solana* Stgr. Stett. e. Z. 1887 p. 72 (multo minor). *Ferg. m; Saraw.*
4410. **Specta** Stgr. Stett. e. Z. 1887 p. 71 (praevar.?).
4411. **Inculta** Stgr. Stett. e. Z. 1887 p. 72; ?Mém. Rom. VI p. 247 [var.?]. *Ferg. m; ?Uss. m.*
4412. **Budensis** Spr. geogr. Verbr. I p. 466; Stgr. Stett. e. Z. 1862 p. 353.
a) v. *Volgensis* Möschl. Wien. Mts. 1862 p. 139, t. 1, f. 11; Stgr. l. c. p. 353 (minor, nitidior). *Hung; Bucov; It. c; As. c. Srp; Arm.*
b) v. *Asiatica* Stgr. Stett. e. Z. 1887 p. 73 (minor, obscurior). *Ferg; Saraw.*
c) v. *Mollis* Gr. Gr. Hor. XXVII p. 385 (major, obscurior, al. ant. apice magis rotundato).
4413. **Paupera** Chr. Stett. e. Z. 1887 p. 162; Mém. Rom. V p. 12.
4414. **Statics** L. S. N. ed. X, 495; Esp. 18, 2a, b; Hb. 1 (?144); O. II, 11; Frr. 62, 1; Ld. z. b. V. 1852 p. 102; Stgr. Stett. e. Z. 1862 p. 353; Barr. II t. 58, f. 2; Tutt. Brit. Lep. I p. 390; *Micans* Frr. 14, 1 var. *Eur. c. et s. (exc. reg. pol.); Hisp. c; Gal. m; It. s. et c; Ross. m.*
- a) v. *Mannii* Ld. z. b. V. 1852 p. 103; Stgr. l. c. 357; ?*Uralensis* Gr. Gr. Hor. XXVII p. 385 (v. caerulescens). *Carn; Dalm; Graec; Hisp. c; ?Ural.*

- b) v. *Heydenreichii* Ld. l. c. p. 103; HS. VI p. 43; Stgr. l. c. p. 358; var. *Micans* HS. 75; Bellieri Rbr. Cat. And. p. 184 not. (v. major. al. ant. caeruleis, al. post. aterrimis).
- c) v. *Crassicornis* Stgr. l. c. p. 358; Mill. Ann. S. Fr. 1885 p. 119, t. 2, f. 10 (v. crassior, anten. multo crassiorib., al. ant. caerul.-viridibus).
4415. ?**Orana** Aust. Natural. II p. 284 (1880).
4416. **Geryon** Hb. 130-1; O. IV, 163; Ld. z. b. V. 1852 p. 103; Stgr. Stett. e. Z. 1862 p. 354; Barr. II t. 58, f. 3; Tutt. Brit. Lep. I p. 400.
- a) v. *Chrysocephala* Nick. Stett. e. Z. 1845 p. 93; Frr. 458, 1. 2; HS. 76; Ld. l. c. p. 102; Stgr. l. c. p. 336 (v. minor).
- b) v. *Anceps* Stgr. l. c. p. 355 (v. nitens).
4417. **Obscura** Z. Is. 1847 p. 15; Ld. z. b. V. 1852 p. 103; HS. VI p. 43; Stgr. Stett. e. Z. 1862 p. 356; ?*Balcanica* Stgr. l. c. 356.
4418. **Capitalis** Stgr. Hor. XIV (1879) p. 317.
- Alp. val. m.; It; Hung. m. or; Balc; Bith; Arm.*
- Turc. m.; Gal. m. or; ?Hung. m. or.*
- Maur.*
- Germ. c. et m. or; Angl; Suec; Pyr; Hisp. c; Dalm.*
- Sum. Alp.*
- Bith.*
- Ross. m. or; ?Balc; As. min. m; Syr.*
- Pont.*

717. **Amuria** Stgr. 1887.

4419. **Cyclops** Stgr. Mém. Rom. III p. 172, t. 8, f. 6. *Amur; Uss; China c; Cor.*

718. **Inope** Stgr. 1887.

4420. **Heterogyna** Stgr. Mém. Rom. III p. 170, VI p. 245; Graes. Berl. e. Z. 1888 p. 108. *Amur; Uss.*
4421. **Impellucida** Graes. Berl. e. Z. 1888 p. 108. *Uss. m.*

719. **Illiberis** Wlk. 1854 (Northia Wlk.).

4422. **Ulmivora** Graes. Berl. e. Z. 1888 p. 107. *Amur c.*
4423. **Hyalina** Stgr. Mém. Rom. III p. 169, t. 8, f. 7, VI p. 245; Graes. Berl. e. Z. 1888 p. 107. *Uss. m.*
4424. **Tenuis** Butl. Ann. & Mag. (4.) XX p. 394 (1877); Ill. Het. II p. 4, t. 2, f. 7; Stgr. Mém. Rom. III p. 168, t. 8, f. 8; (Khasiana) Leech Pr. Z. S. 1888 p. 596, t. 30, f. 19. *Uss; Jap; Cor; China oc; Assam.*
4425. **Sinensis** Wlk. List. Het. II p. 280 (1854); Leech Pr. Z. S. 1888 p. 595, t. 30, f. 20; Stgr. Mém. Rom. VI p. 244.
- a) v. *Psychina* Obth. Et. V p. 28, t. 7, f. 6; Leech l. c. p. 596; Stgr. l. e. (obscurior, al. brevioribus). *Amur; Cor; Jap; Chin. s. et oc.*
- Uss. m; Jap.*

720. **Pseudopsyche** Obth. 1879.

4426. **Dembowskii** Obth. Diagn. p. 7 (1879); Et. V p. 41, t. 1, f. 4, 5; Stgr. Mém. Rom. VI p. 294. *Amur; Uss.*
- a) ab. *Oberthüri* Stgr. l. c. (corpore et basi alarum rubescientibus). *Uss. m. (Askold).*

B. Chalcosiinae.

721. **Pidorus** Wlk. 1854 (Laurion Wlk.).

4427. **Remota** Wlk. List. II p. 431 (1854); Butl. Ill. Het. II p. 9, t. 23, f. 10; (-us) Leech Tr. E. S. 1898 p. 338. *Mandsch; China s; Cor; Jap.*

722. **Elcysma** Butl. 1881.

- 4428.* **Westwoodii** Voll. Tijds. VI p. 136, t. 9, f. 3 (1863); Elw. Pr. Z. S. 1890 p. 386, t. 34, f. 5; Translucida Butl. Tr. Ent. S. 1881 p. 4.
 a) v. **Caudata** Brem. Lep. O. S. p. 97, t. 8, f. 8; Elw. l. c. p. 387, t. 34, f. 6; Stgr. Mém. Rom. VI p. 248 (dilutior, al. post brevius caudatis). *Jap.* *Uss. m.*

XXXIV. Megalopygidae.723. **Somabrachys** Kirb. 1892 (Brachysoma Aust., nom. praeoc.).

4429. **Aegrota** Klug Symb. Phys. t. 20, f. 5; Chrét. Bull. S. Fr. 1891 p. 172; Codeti Aust. Natural. 1880 p. 284; ib. 1884 p. 392; Obth. Et. VI p. 72, t. 11, f. 11; Chrét. Ann. S. Fr. 1899 p. 451, t. 8 (biol.); Arcanaria Mill. Rev. Ent. III p. 6, t. 1, f. 5 (1884). *Aegypt; Maur.*

4430. **Infuscata** Klug Symb. Phys. t. 20, f. 6. *Aegypt.*

XXXV. Cochlididae (Limacodidae).724. **Phrixolepia** Butl. 1877.

4431. **Sericcea** Butl. Ann. & Mag. (4) XX p. 476 (1877); Ill. Het. III p. 11, t. 43, f. 6; Stgr. Mém. Rom. VI p. 297; Castaneus Obth. Et. V p. 41, t. 1, f. 11 (1880). *Amur; Uss; Jap.*
 4432. **Nobilis** Stgr. Mém. Rom. III p. 196, t. 11, f. 8. *Uss. m.*

725. **Monema** Wlk. 1855.

4433. **Flavescens** Wlk. List. V p. 1112; Butl. Ill. Het. II p. 14, t. 25, f. 5; Stgr. Mém. Rom. VI p. 300. *Amur; Uss; Cor; Jap; China s. et c.*

726. **Miresa** Wlk. 1855.

4434. **Inornata** Wlk. List. V p. 1125 ♀ (1855); Butl. Cist. Ent. III p. 120 ♂; Hmps. Ind. Moths. I p. 386; Flavidorsalis Stgr. Mém. Rom. III p. 195, t. 11, f. 7; ib. VI p. 301.
 4435. ? **Fuscicostalis** Fixs. Mém. Rom. III p. 337, t. 15, f. 10; Stgr. ib. VI p. 301. *Uss; Jap; China s. oc; Himal.*
Amur; Cor.

727. **Parasa** Moore 1859.

4436. **Consocia** Wlk. List. Suppl. II p. 484 (1865); Tessellata Moore Ann. & Mag. (4) XX p. 93; Princeps Stgr. Mém. Rom. III p. 199, t. 15, f. 7. *Uss; Cor; Jap; China s. et c.*
 4437. **Hilarata** Stgr. Mém. Rom. III p. 298; Leech Tr. E. S. 1899 p. 105; Sinica Stgr. (nec Moore) l. c. VI p. 298.
 4438. **Sinica** Moore Ann. & Mag. (4) XX p. 93 (1877); Leech Tr. E. S. 1899 p. 106; Hilarula Stgr. Mém. Rom. III p. 197; ib. VI p. 298. *Uss; China c.*
 4439. **Inexpectata** Stgr. Iris VIII p. 293. *Uss; Cor; Jap.*
Taur. m.

728. **Cochlidion** Hb. 1806.

4440. **Limacodes** Hufn. Berl. Mag. III p. 402, 425 (1767); Esp. 26, 3-9; Testudo Schiff. S. V. p. 65 (1776); God. IV, 28, 1, 2; Barr. II t. 64, f. 2; Asella Esp. 85, 4; Testudinana Hb. Tort. 164-5; Tr. VIII, 14; Avellana Kirb. Cat. Het. p. 552; Tutt Brit. Lep. I p. 369, 546 (L. S. N. ed. X, 531 nomen incertum).
 4441. **Codetoi** Obth. Bull. S. Fr. 1883 p. 48; Et. IX p. 38, t. 3, f. 4 (?praec. var. major dilutior.).
 4442. **Christophi** Graes. Berl. e. Z. 1888 p. 119; Stgr. Mém. Rom. VI p. 296.
- Eur. c. et m.; Dan;
Suec. m.; Liv; Bith;
Pont; Taur; Arm.*
- Maur.*
- Uss.*

729. **Heterogenea** Knoch. 1783.

4443. **Asella** Schiff. S. V. p. 65; F. Mant. 121; Bkh. III, 450; God. IV, 28, 3; (-ns) Barr. II t. 64, f. 3; Cruciatava Knoch. Btr. III p. 60, t. 3, f. 1-12 (1783); Tutt Brit. Lep. I p. 378; Asellana Hb. Tort. 166-7; Tr. VIII, 18.
 4444. **Dentatus** Obth. Diagn. p. 8; Et. V p. 42, t. 1, f. 10; Stgr. Mém. Rom. VI p. 298.
 4445. **Uncula** Stgr. Mém. III p. 197, t. 11, f. 9.
- Eur. c. (exc. Bat.)
Dan; Suec. m.; Liv;
Ped; Cors; Srp;
? Dalm; Arm; Uss.
Uss; Cor.*
- Uss. m; China e; Jap.*

XXXVI. **Psychidae.**730. **Acanthopsyche** Heyl. 1881.

4446. **Opacella** HS. 102 (1847), II p. 20; Brd. Mon. Ps. 35 a, b; Frr. 663, 2e-i; HS. n. Schm. 2, 3 (involuera); Barr. II t. 84, f. 2; Tutt Brit. Lep. II p. 379; Chapm. Tr. E. S. 1900 p. 403, t. 8; Fenella Newman Zool. VIII. App. 99 (1850); Furva Kirb. Cat. Het. 507; ?Bkh. III, 282.
 a) v. ? **Senex** Stgr. Cat. ed. II p. 63 (alis hyalinis, thorace abdomineque albido-hirsutis, antennis crassioribus).
 4447. **Zelleri** Mn. z. b. V. 1855 p. 756, t. 2, f. 1-8; Friv. Jell. t. 4, f. 9a-e; Mill. Ic. 122, f. 10, 11; Zelleriella Brd. Ann. S. Fr. 1858 p. 463.
 4448. **Inquinata** Ld. Wien. Mts. 1858 p. 142, t. 2, f. 5.
- Eur. c. et s; It. s;
? And; Arm.*
- Bulg; Arm.*
- Hung; Dalm; ? Gal.*
- Syr.*

731. **Chalia** Moore 1877.

4449. **Staudingeri** Heyl. C. R. Soc. Belg. 1889 p. 56; Mém. Rom. IV p. 551 fig.
- Ferg. m.*

732. **Pachytelia** Westw. 1848.

4450. **Unicolor** Hufn. Berl. Mag. II p. 418 (1766); Hein. I p. 181; Graminella Schiff. S. V. p. 133, 291 (1776); Hb. Tin. 1; O. III, 181; Frr. 682; F. R. t. 41; Brd. Mon. Ps. 33a-d; Vestita Esp. 44, 1-5; Bkh. III, 274; Paleiferella Brd. Mon. Ps. 33bis.
 a) v. **Asiatica** Stgr. Stett. e. Z. 1887 p. 94; Mém. Rom. VI p. 302 (minor, dilutior, al. ant. apice rotundato).
- Eur. c. et m. (exc. Angl.,
And., It. m., Graec.);
Suec. m.; Dan; Ross.
s. oe; Arm; Uss. (v.
minor); Jap.*
- Ferg. m.*

4451. **Villosella** O. III, 180; God. IV, 29, 1, 2; HS. 100; Frr. 663, 1a-d; Brd. Mon. Ps. no. 28; Stndf. Bresl. e. Z. 1879 p. 31; Barr. II t. 84, f. 1; Tutt. Brit. Lep. II p. 395; Viciella Hb. Tin. 2; Nigricans Curt. Br. Ent. V t. 213; Westw. Pr. Z. S. 1854 p. 220, t. 34, f. 1; Cinerella Dup. IV, 56, 1 p. 61; Brd. l. c. no. 30a, b; Mill. Ic. 102, 6-12, III p. 12; Nigricantella Brd. l. c. no. 29, p. 52; Magniferella Brd. l. c. no. 35 b-e p. 54; Casanella Brd. l. c. no. 31, p. 53; Hirtella Ev. Bull. M. 1843, III p. 542; Hieracii Kirb. Cat. Het. 508; ?F. S. E. 568 (1775) (nom. dubium.).

733. **Amicta** Heyl. 1881.

4452. **Quadrangularis** Chr. Hor. X (1873) p. 32, t. 1, f. 7, 8; Stgr. Stett. e. Z. 1874 p. 92; Mill. Ic. III p. 273, t. 147, f. 5-7; Lucas Ann. S. Fr. (1866 p. 223, t. 3, f. 4 involucrum larvae sine nomine) 1875 p. 222; ?Murina Klug Symb. Phys. t. 20, f. 7 [si certum nom. restituend.].

a) v. *Nigrescens* Stgr. Iris XII p. 356 (alis abdomineque nigrescent.).

b) v. *Albescens* Stgr. l. c. (albicans).

4453. **Cabreraï** Rbl. Ann. Naturh. Hofmus. IX p. 46; ib. XI p. 105, t. 3, f. 1a-c; ib. XIII p. 364.

4454. **Sera** Wisk. Ent. Nachr. 1880 p. 242; Heylaertsii Mill. Mém. Sc. Nat. Cannes 1881 p. 18, t. 10, f. 16-19.

4455. **Tedaldii** Heyl. C. R. Soc. Belg. 1882 p. 139; Faill. Fn. Sic. p. 57; Mediterranea Kirb. Cat. Het. p. 511.

4456. **Lutea** Stgr. Hor. VII (1870) p. 113; ib. XIV p. 349.

a) v. *Armena* Heyl. Mém. Rom. II p. 178, t. 9, f. 2 (obscurior etc.).

b) v. *Schakuhensis* Heyl. l. c. f. 3 (multo obscurior, vix nominanda?).

4457. **Febretta** Boyer Ann. S. Fr. 1835 p. 107, t. 1, E. 8-10; Dup. IV, 56, 2; Mill. Ic. 102, 18, 19; (-ella) Brd. Mon. Ps. 27a, b; Vetulella Rbr. Cat. S. And. t. 3, f. 2a-c, p. 296; ?Magnella Brd. l. c. 34a, b p. 58; ?Maritella Brd. Ann. S. Fr. 1858 p. 459, t. 12, f. 2.

a) ab. *Albipunctella* Mill. Ic. III p. 210, t. 122, f. 14-16 (al. macula media alba distinctiore).

b) v. *Lambessa* Heyl. C. R. Soc. Belg. 1889 p. 28 (gracilior, al. post. tantum venis septem).

4458. **Ecksteini** Ld. z. b. V. 1855 p. 755, t. 1, f. 6-7; Rbr. Cat. S. And. p. 296; Friv. Jell. t. 4, f. 8a-c; Ecksteiniella Brd. Ann. S. Fr. 1858 p. 461.

4459. **Grummi** Heyl. C. R. Soc. Belg. 1887 p. 85; (Gr. Gr.) Mém. Rom. IV p. 546, t. 20, f. 9a-f.

4460. **Uralensis** Frr. 505, 2, VI p. 37; Heyl. Mém. Rom. II p. 179, t. 9, f. 4.

a) v. *Demissa* Ld. Wien. Mts. 1863 p. 23, t. 1, f. 4; Heyl. l. c. 180 t. 9, f. 5a, b (major, brunnescens).

4461. **Jordana** Stgr. Iris XII p. 160.

4462. **Oberthüri** Heyl. C. R. Soc. Belg. 1883 p. 93.

Eur. c; Suec. m;
Petrop.; It.s; Gal.m;
Dalm.; Ross. m.;?As.
min.; Arm.;?Sgr.

Hyrc.; Tura; Arm;
Syr.; Maur.;?Aegypt.

Arm.

Pal.

Ten.

It. c. mont; Sic.

Sic; Maur; Syr.

It. c. et m; Graec;
Pont; Maur.

Arm.

Hyrc.

Gal. m; Hisp; It. s. et
m; Cors;?Dalm;
Pont.

Maur.

Hung; Bulg; Tura.

Ferg.

Ural; Ross. m. or.

Bulg.

Pal.

Maur.

734. **Hyalina** Rbr. 1866 (Fumaria [Hw.] Kirb.).

4463. **Albida** Esp. 78, 2 p. 391 (1787); Tr. X, 1, 171; Dup. IV, 56, 6; HS. 110-1; Mill. Ic. 102, 17; Vitrella Hb. Tin. 55, 272; Albivitrella Brd. Mon. Ps. no. 24a, b.
- a) v. *Lorquinella* Brd. l. c. no. 25 p. 46, f. 25a, b; Mill. Mém. Sc. Cannes 1878 p. 13, t. 4, f. 4; Albivitrella var. Brd. l. c. no. 25bis; Albidella Rbr. Cat. S. And. t. 3, f. 4a; Millierella B. Bull. S. Fr. 1852 p. 22; Mill. Ic. 102, 13-16. III p. 18 (obscurior, involucrum larvae caniculis, non musco intectum).
- b) v. *Plumosella* Brd. l. c. p. 48; Rbr. Cat. S. And. t. 3, f. 3, p. 311 (nigricans).
4464. **Wockei** Stndf. Ent. Nachr. 1882 p. 322; Stett. e. Z. 1884 p. 205.
4465. **Malvinella** Mill. Ic. I p. 30. t. 4. f. III, 1-3; Stgr. Stett. e. Z. 1859 p. 211.
- a) v. *Abencerragella* Mill. Ic. 102, 4. 5, III p. 11 (obscurior, nigricans).
- Gal. c. (et m.) or.*
- Hisp; Gal. m. or.*
- It. c.*
- And. m.*
- Hisp. c. (Castilia).*

735. **Oreopsycche** Spr. 1865.

4466. **Vesubiella** Mill. Pet. Nouv. IV p. 255 (1872); Ic. 138 f. 5-12.
4467. **Pyrenaella** (r. Pyrenaeella) HS. VI p. 40 (1852); Tabanella Brd. Mon. Ps. p. 43, fig. 23.
- a) v. *Albescens* Obth. Et. VIII p. 40 (1883); Heyl. C. R. Soc. 1884 p. 35 (major, albescens).
4468. **Tabanivicinella** Brd. Mon. Ps. p. 43, fig. 23; Püng. Stett. e. Z. 1896 p. 220 (praec. form. Darw.).
4469. **Kahri** Ld. Wien. Mts. 1857 p. 80; Mill. Ic. 147 f. 10, III p. 376.
4470. **Leschenaulti** Stgr. Ann. Soc. Fr. 1860 p. 663.
- a) v. *Nigricans* Stgr. Cat. ed. II p. 163, no. 836a; Leschenaulti Mill. Ic. 65, 1-3, II p. 121 (obscurior, nigricans).
4471. **Silphella** Mill. Ic. III p. 204, t. 122, f. 1-5.
4472. **Muscella** F. Mant. II, 132 (1787); Hb. Tin. 8 (1793); O. III, 174; Tr. X, 1, 171; Frr. 218, 2; Brd. Mon. Ps. no. 44 p. 68. s. et c.
4473. **Sicheliella** Brd. Ann. S. Fr. 1858 p. 464, t. 11, f. 1-3.
4474. **Mediterranea** Ld. z. b. V. 1852 p. 113; Massilialella Brd. Mn. Ps. p. 66, f. 41a, b.
4475. **Fulminella** Mill. Ic. 65, 6-8, II p. 127.
4476. **Gondebaudella** Mill. Ic. 34, 1-8, I p. 286.
4477. **Angustella** HS. 104, II p. 22 (1847); Atra Esp. 44, 7 (1785), III p. 230 (nom. praeoc.); Ld. Berl. e. Z. 1858 p. 353; Stomoxella B. Bull. S. Fr. 1852 p. 22; Brd. Mon. Ps. 39a-c; ?Hirsutella Dup. IV, 56, 5; Hirtella Brd. l. c. f. 38.
- a) v. *Bicolorella* B. Gen. p. 80; Brd. l. c. f. 37; Bell. Ann. S. Fr. 1858 p. 139 (al. basi fulvo-lutescenti).
4478. **Atra** L. S. N. ed. XII, 823; Heyl. Stett. e. Z. 1880 p. 186; Hieracii Thnbg. Diss. IV, 53; Plumifera O. III, 176; HS. 103; (-ferella) Brd. Mon. Ps. 45a, b; Muscella Dup. IV, 56 f. 4; Bellierella Brd. l. c. 42 p. 67.
- Gal. m.*
- Pyr; ?Hisp. s; Gal. m. or. (Mill.).*
- Pyr. c.*
- Gal. m. or; Val.*
- Cal; Sic.*
- Sum. Pyr.*
- Hisp. c. et s; Pyr.*
- Gal. m. or; Ped.*
- Germ; Austr; Helv; Hung; Bucov; Gal. Cast. c; ?Ross. c; Liv; Arm. It.*
- Gal. m.; It; Cauc. m.; Maur.*
- Cast.*
- Gal. c. et m. or.*
- Germ. m; Car; Sil; Gal. m.*
- Pyr; ?It. c.*
- Germ. m; Austro-Hung; Bat; Ross.m; Helv; It. s; Gall. m; Hisp. c; ?Suec. m; Arm; Tarb.*
- Alp.*
- a) v. alt. *Valesiella* Mill. Ic. 77, II, II p. 25 (dilutior).

736. **Scioptera** Rbr. 1866.

4479. **Tenella** Spr. Stett. e. Z. 1862 p. 212, 1865 p. 249; Mill. Ic. 89, V.
4480. **Zermattensis** Frey Lep. 91; Bacot Ent. Rec. XI p. 180; Chapm. ib. 233; *Tenella* Püng. Stett. e. Z. 1896 p. 222 (? praec. var. minor, obscurior).
4481. **Plumistrella** Hb. Tin. 213; Dup. IV p. 64; Brd. Mon. Ps. 46a-d; Mill. Ic. 122 f. 8, 9; *Plumigerella* B. Gen. p. 239; Dup. IV, 56, 3.
4482. **Schiffermilleri** Stgr. Cat. ed. II p. 64, 423; (-muelleri) Habich Stett. e. Z. 1889 p. 347 (larv.); *Hirsutella* (S. V.) O. III, 173; HS. 109, II p. 21; Ld. z. b. V. 1852 p. 113; Brd. Mon. Ps. 40a (?b-f) p. 64.

737. **Psyche** Schrk. 1802.

4483. **Viciella** Schiff. S. V. p. 133, 288, t. 1a et 1b, f. 7; O. III, 178; God. IV, 29, 3, 4; HS. 107; Frr. 662, 2; Brd. Mon. Ps. 20; Z. z. b. V. 1868 p. 578; *Siciella* Hb. Tin. 280.
 a) v. *Stetinensis* Hering Stett. e. Z. 1846 p. 227; (-nella) Brd. l. c. 22; Stndf. Bresl. e. Z. 1879 p. 26; *Fasciculella* HS. 106, II p. 20; Brd. l. c. 21a, b (minor, obscurior).
 b) v. (?) *Detrita* Ld. z. b. V. 1853 t. 2 (sib.), f. 2, p. 363; Heyl. Mém. Rom. II p. 176 (uno specim. detrit. condit.).
4484. **Viadrina** Stgr. Cat. ed. II p. 62, no. 821; Wck. Stett. e. Z. 1871 p. 426; Mill. Ic. 147 f. 11, 12; Stndf. Bresl. e. Z. 1879 p. 29.
4485. **Constancella** Brd. Mon. Ps. p. 39, fig. 19 a-d (1852); *Millierella* Ld. z. b. V. 1852 p. 111.
4486. **Turatii** Stgr. Stett. e. Z. 1877 p. 178; Tur. Bull. S. Ent. Ital. XI (1879) p. 160, t. 7, f. 4, t. 8, f. 1-10.
4487. **Hampsoni** Baker Tr. E. S. 1894 p. 36.

738. **Sterrhopterix** (r. -ryx) (Hb. 1822) Kirb. (Gymna Rbr. 1866).

4488. **Hirsutella** Hb. Tin. 3 (1793), context. p. 14; Stndf. Bresl. e. Z. 1879, 22; Kirb. Cat. Het. p. 516; Tutt. Brit. Lep. II, 419; *Fusca* Hw. 157 (1810); Westw. Br. M. t. 16, 16, 17; *Calvella* O. III, 172; Dup. IV, 56, 7; Brd. Mon. Ps. 47 a, c; Frr. 653, 2; HS. n. Schm. 4, 5 (involvera); Hein. 180; Barr. II t. 84, f. 3; *Nudella* Dup. IV, 56, 8.
4489. **Standfussii** HS. VI p. 175; Hein. 181; Mill. Ic. 122, 6, 7; Stndf. Bresl. e. Z. 1879 p. 24.

739. **Phalacropterix** (r. -ryx) (Hb. 1822) Kirb. (Stenophanes Heyl.).

4490. **Apiformis** Rossi Fn. Etr. II, 178 t. 8, f. 2; Esp. 91, 7, 8; O. III, 177; God. IV, 29, 7; Frr. 667, 1; Z. Is. 1847 p. 426; Mill. Ic. 122 f. 12, 13; (-mella) Brd. Mon. Ps. 18a, b; *Fuscella* Hb. Tin. 305.
 a) ab. *Siculella* Brd. l. c. p. 60, f. 36; Bell. Ann. S. Fr. 1860 p. 691; *Melasoma* Stgr. Cat. ed. I p. 27; Mill. Mém. Sc. Cannes 1878 t. 4, f. 1-3 (thorace abdomineque nigris).
4491. **Bruandi** Ld. z. b. V. 1855 p. 198, t. 2 (syr.), f. 5, 6.
4492. **Crassicornis** Stgr. Hor. VII (1870) p. 114, t. 1, f. 8.

*Alp. oc. m.; Hisp. c. mont. (Korb).**Val.**Sum. Alp.**Austr. et Bav. (Algäu)
alp.; Car. m. alp;
? Helv.**Germ.; Austro-Hung.;
Belg.; Dalm.; Bulg.;
Ross. c.; Suec. m.; ? Lyd.
Germ. s.; ? Jap.
(Leech).**Alt.**Sil.; Hung. m. or;
Rum.**Gal. c. et or; Pyr.**It. s.**Aegypt.**Eur. c.; Ross. s. oc.;
Norv. m.; It. s.; Rum;
Amur; Uss.**Sil. mont; Hercyn.
mont; Alp.; Scand.**Syr.
Graec.*

4493. **Graslinella** B. Bull. S. Fr. 1852 p. 22; Stndf. Bresl. e. Z. 1879 p. 30; Atra Frr. 218, 1 a-d, III p. 38 (1837); HS. 101; Atribombycella Brd. Mon. Ps. p. 37, fig. 17 a-e.
4494. **Praecellens** Stgr. Berl. e. Z. 1870 p. 106; Mill. Ic. 147, 8, 9.
4495. **Calberlae** Heyl. C. R. S. Belg. 1890 p. 131; Rbl. z. b. V. 1892 p. 514.
- Eur. c. (exc. Brit. et Helv.); Dan; Liv; Fen; Scand. m.*
- Cast.*
- Pyr; Ter. m.*

740. **Apterona** Mill. 1857 (*Cochliotheca* Rbr. 1866).

4496. **Helicinella** HS. 108 (1847) II p. 21; Brd. Mon. Ps. 48 a p. 73 [exc. ♀ et larv.]; Spr. Stett. e. Z. 1886 p. 329; Heyl. Tijds. XXX p. 3, t. 10, f. 1-3; Püng. Iris V p. 133; Planorbis Siebold Parth. p. 37, fig. 15-17 (1856).
4497. **Gracilis** Spr. Stett. e. Z. 1886 p. 335 (?praec. var. major, dilutior).
4498. **Pusilla** Spr. Stett. e. Z. 1886 p. 335; ?*Helix* Nyland. Ann. S. Fr. 1854 p. 337.
4499. **Crenulella** Brd. Mon. Ps. p. 76, t. 2, f. 49; Spr. Stett. e. Z. 1886 p. 336; Heyl. Tijds. XXX p. 5, t. 10, f. 4-9; *Helicinella* Rbr. Cat. And. 303; Mill. Ic. III p. 371, t. 147, f. 1-4; *Helix* ♂ Claus Stett. e. Z. 1866 p. 358; Ztschrif. f. wiss. Zool. XVII 1867 p. 470, t. 28.
- a) ♀ form. parthen. *Helix* Siebold Parth. p. 36, f. 1-9 (1856); Reutti Fn. 49; Hofm. Nat. Ps. p. 24; Ingenitzky Zool. Anz. XX p. 474.
- Sic.*
- Arag; And.*
- Maur; Pyr.*
- Gal. m; It. s; Ter. m;*
Austr. inf.
- Eur. c. m. et m; Liv;*
Pont; Arm; Pers.
s. oc; Iss. K.

741. **Stichobasis** Kirb. 1892 (*Diabasis* Heyl. 1879 nom. praecoc.).

4500. **Helicinoides** Heyl. C. R. S. Belg. 1879 p. 138; Tijds. XXX p. 7, t. 10, f. 13, 14.
- Graec. s. mont.*

742. **Rebelia** Heyl. 1900.

4501. **Sapho** (r. Sappho) Mill. Ic. II p. 25, t. 54, f. 1, 2; Friv. Jell. p. 149, t. 4, f. 11 a, b.
4502. **Nocturnella** Alph. Trudy VIII (1876) p. 175; Stgr. Stett. e. Z. 1881 p. 403; Heyl. Mém. Rom. II p. 192, t. 9, f. 6.
4503. **Karawankensis** Höfu. Soc. Ent. XIII p. 65 (1898).
4504. **Surientella** Brd. Ann. S. Fr. 1858 p. 465, t. 11, f. 5 (♀); Suriens (Reutti i. l.) Mill. Ic. II p. 126, t. 65, f. 4. 5; ?*Nigrolucidella* Brd. Mon. Ps. 60 p. 84.
4505. **Plumella** HS. (nec S. V., Hb.) V p. 62; Hein. 185; Hofm. Nat. Ps. 29 (♂ fuscus, ciliis alar. flavo-nitentibus).
4506. **Nudella** O. III, 173, IV, 198; HS. V p. 62; Brd. Mon. Ps. 53 a-c, 53bis; Hein. 184 (♂ cinereus, ciliis al. albis).
- a) v. *Vestalis* Stgr. Cat. ed. II p. 65; Mill. Ann. S. Belg. 1877 p. 63, t. 1, f. 4; *Pectinella* Hb. Vög. 27 (1793) (minor, tota albida).
4507. **Staudingeri** Heyl. Natural. 1879 p. 3; C. R. S. Belg. 1879 p. 139; Mém. Rom. II p. 185, t. 10, f. 4-7.
4508. **Millierei** Heyl. Natural. 1879 p. 3; C. R. S. Belg. 1879 p. 139; Mém. Rom. II p. 186, t. 10, f. 8-10.
4509. **Flavescens** Heyl. Natural. 1879 p. 3; C. R. S. Belg. 1879 p. 139; Mém. Rom. II p. 183 t. 10, f. 11-13.
- a) ?v. *Kuldchaënsis* Heyl. C. R. S. Belg. p. 138; Mém. Rom. II p. 184, t. 9, f. 7, 8 (major, flavescens).
- Hung; Istr; Croat;*
Dalm; It. s.
- Ross. m; Kirgh;*
Tarb.
- Car.*
- Germ. oc; Alp. val. m;*
Dalm; Bosn.
- Germ. m. (? et s.);*
Austro-Hung; Rum.
- Austr. inf; Car; Hung;*
Gal. c; Arag.
- Ross. m; Hung. or;*
Gal. m; Rumel.
- Srp.*
- Ural.*
- Ala Tau.*
- Thian.*

743. **Epichnoptericx** (r. -ryx) (Hb. 1822) Hein.

4510. **Hofmanni** Heyl. Natural. 1879 p. 3; C. R. S. Belg. 1879 p. 139; Mém. Rom. II p. 181, t. 9, f. 1-3; ? Püng. Iris V p. 139 (♀).
4511. **Flavociliella** Mn. Wien. Mts. 1864 p. 177, t. 4, f. 3.
4512. **Tarnierella** Brd. Mon. Ps. p. 79, f. 54; Heyl. Stett. e. Z. 1875 p. 35; Mill. Mém. Sc. Nat. Cannes VII (1878) p. 18, t. 4, f. 11-14; Snell. Vlind. II, 1 p. 441; Myrmidonella Brd. l. e. p. 80, f. 55.
4513. **Pulla** Esp. 44, 8 (1875); O. III, 167; Dup. IV, 56, 11; HS. V p. 61; Frr. 653 f. 1; Hofm. Nat. Ps. 28; Snell. II, 1 p. 440; Barr. Monthl. Mag. 1894 p. 249; Brit. Lep. II t. 85, f. 1b-c; Tutt. Brit. Lep. II p. 349; Plumella Schiff. S. V. p. 133; ? Hb. Tin. 7; Brd. Mon. Ps. f. 62; Plumistrea Hw. 474; Radiella Curt. B. E. VII t. 332; Brd. l. c. 61 ter; Pullella Brd. l. c. 61a-c; Pulliparvella Brd. l. c. 61bis a, b; ? Innitidella Brd. l. c. 67; Margininigrella (Brd.) Wd. 1689.
- a) v. *Pontbrillantella* Brd. Cat. du Doubs p. 1 (1856); Ann. S. Fr. 1858 p. 467, t. 11, I, 1; Mentonella Mill. Ann. S. Belg. 1877 p. 64, t. 1, f. 8; ? Silesiaca Wck. Bresl. e. Z. 1850 p. 55; ib. 1872 p. 26; Pulla var. Barr. l. e. f. 1a; Montana Heyl. Ann. S. Belg. 1900 p. 189 (duplo major, tota atra).
- b) v. (?ab.) *Montanella* Heyl. Ann. S. Belg. 1900 p. 189 (major, al elongatis).
- c) v. *Sieboldii* Reutti Fn. p. 48; HS. V p. 61; Hofm. Nat. Ps. p. 25; HS. n. Schm. 6, 7 (involuter.); Hein. 185; Mill. Ic. II, 89 f. 8, 9; ? Plumella O. III, 168; Brd. Mon. Ps. 62; ? Grunerella Brd. Ann. S. Fr. 1858 p. 468, t. 11, f. 4; Heringii Hein. 186 (plerumque minor, al. brevioribus, minus dense squamatis, magis rufescensibus).
4514. **Ardua** Mn. z. b. V. 1867 p. 17; ? Alpina Heyl. Ann. S. Belg. 1900 p. 189 [v. major?] (praeform. Darwin?).
4515. **Retiella** Newman Zool. V. 1847 p. 1863; Tutt. Brit. Lep. II p. 340, t. 4; Reticella Newman Zool. Append. 1850 p. 94; Brd. Mon. Ps. p. 90, f. 65; HS. V p. 61; Wd. Suppl. 1690; Heyl. Tijds. XXX p. 8, t. 10, f. 15-18 (♀); Barr. Monthl. Mag. 1894 p. 250; Brit. Lep. II p. 350, t. 85, f. 2a-c; Meyr. 772.
4516. **Undulella** F. R. p. 86, t. 38, f. 3a-c; HS. V p. 61; Brd. Mon. Ps. 64a, b; Frriv. Jell. p. 148, t. 4, f. 10; Pável Rovart. Lap. I p. 75, f. 2; ab. Paveli Uhrlik ib. V p. 8 fig. [major, signat. reticul. nigris, non griseis].
4517. **Bombycella** Schiff. S. V. p. 133; Bkh. III, 288; Hb. Tin. 4; O. III, 171; HS. V p. 61; Brd. Mon. Ps. 56a-d; Frr. 349, 4, 667, 2; HS. n. Schm. 8, 9 (involuter.); Elongatella Brd. l. c. p. 77 [ab.].
- a) ab. *Rotundella* Brd. Mon. Ps. p. 82, f. 57 (al. non irroratis).
4518. **Pectinella** (S. V.) F. Mant. II, 132 (1787); Hb. Tin. 5; O. III, 170; HS. V p. 62; Brd. Mon. Ps. 50; Hein. 184; Murinella Dup. IV, 56, 10. Gal. or; Pyr. or; Rum; Srp.; ? Bith; Arm; ? Maur.
- a) v. *Perlucidella* Brd. Mon. Ps. p. 77, f. 52 (var. dilutior.).

744. **Psychidea** Rbr. 1866 (Bijugis Heyl. 1879).

4517. **Bombycella** Schiff. S. V. p. 133; Bkh. III, 288; Hb. Tin. 4; O. III, 171; HS. V p. 61; Brd. Mon. Ps. 56a-d; Frr. 349, 4, 667, 2; HS. n. Schm. 8, 9 (involuter.); Elongatella Brd. l. c. p. 77 [ab.].
- a) ab. *Rotundella* Brd. Mon. Ps. p. 82, f. 57 (al. non irroratis).
4518. **Pectinella** (S. V.) F. Mant. II, 132 (1787); Hb. Tin. 5; O. III, 170; HS. V p. 62; Brd. Mon. Ps. 50; Hein. 184; Murinella Dup. IV, 56, 10. Gal. or; Pyr. or; Rum; Srp.; ? Bith; Arm; ? Maur.
- a) v. *Perlucidella* Brd. Mon. Ps. p. 77, f. 52 (var. dilutior.).

Bith; As. min. c.
Gal. m; Bat.
Eur. c. et m; Liv;
Petrop; Rum; Pont;
Bith; Arm; Amur.

Gal. c. or. et m; It. s;
? Sil; ? Angl.

Gal. m. or. alp.

Alp; Sil. mont; Germ.
(pr. p.); Gal. c.

Sum. Alp; Apen;
Cauc. m.

Angl; Bat. s.

Hung; Ross. m.

Germ; Austr.-Hung;
Alp; Liv; Pol; Gal.
m. or; It. s; Dalm;
Rum; Bith.

Helv; Gal.m.or; Ped;?etc.
Austr.inf; Alp.(pr.p.);
Croat; Hung; Dalm;
Rum; Bith.

4519. **Proxima** Ld. z. b. V. 1853 p. 386, t. 5, f. 7; Heyl. Mém. Rom. II p. 189, t. 9, f. 9; Ledereriella Brd. Mon. Ps. f. 59.
4520. **Graecella** Mill. Ic. II p. 252, t. 77, f. 8; Stgr. Hor. VII p. 115; Heyl. Ann. S. Belg. 1900 p. 189; Tutt Ent. Rec. XII p. 86.
4521. **Alpherakii** Heyl. C. R. S. Belg. 1883 p. 47; Mém. Rom. II p. 187, t. 9, f. 10; Nocturnella v. Stgr. Stett. e. Z. 1881 p. 403; Rouasti Alph. Hor. XVII p. 34, t. 2, f. 41.
4522. **Raiblensis** (r. Rablensis) Mn. z. b. V 1870 p. 40.
- Alt; Apen.*
Graec. mont.
Tarb; Thian.
Car. m.

745. **Fumea** (Hw.) Stph. 1829.

4523. **Reticulatella** Brd. Mon. Ps. p. 88, f. 63; Chapm. Ent. Rec. XII p. 90 (v. Obscurella) et p. 203.
4524. **Comitella** Brd. Mon. Ps. p. 96, f. 70 a-f; Spr. geogr. Verbr. I p. 459; Höfn. Wien. e. Z. 1883 p. 246; Chapm. Ent. Rec. XII p. 90; ab. Saxicolella Brd. l. c. p. 98, f. 71; Spr. l. c. p. 459 [pallidior]; ?Norvegica Schöyen Nyt. Mag. Naturv. 1880 p. 303; Heyl. C. R. S. Belg. 1882 p. 140.
4525. ?**Subflavella** Mill. Cat. rais. 305; Ann. S. Belg. 1877 p. 63, t. 1, f. 5-7; ?Edwardsella Tutt Ent. Rec. XII p. 43; Chapm. ib. 123 (praece. var.?).
4526. **Crassiorella** Brd. Mém. Soc. Doubs III p. 29 (1850); Mon. Ps. p. 92, t. 2, f. 98 a-d; Spr. geogr. Verbr. I p. 459; Barr. Monthl. Mag. 1894 p. 265; Brit. Lep. II t. 85, f. 3; Chapm. Ent. Rec. XII p. 91; Tutt Brit. Lep. II p. 307; Affinis Reutti Fn. p. 174 (1853); Hofm. Nat. Ps. p. 33; Chapm. Ent. Rec. XII p. 122; ?Germanica Chapm. ib. 125 (cfr. Tutt l. c. 325); ?Mitfordella Chapm. Pr. E. S. 1899 p. 26; Tutt l. c. 314.
4527. **Casta** Pall. Nov. Act. Ac. Caes. Nat. III p. 435, t. 7, f. 1-5 (1767); Kirb. Cat. Het. p. 523; Chapm. Ent. Rec. XII p. 124; Tutt Brit. Lep. II p. 321; Nitidella ?Hb. Vög. 42; ?Hb. Tin. 6; O. III, 169 pr. p.; Hofm. Nat. Ps. p. 32; Spr. geogr. Verbr. I p. 458; HS. V p. 62; ?Frr. 666, 2; Hein. 187; Snell. Vlind. II, 1 p. 443; Intermediella Brd. Mon. Ps. p. 95, f. 69 a-c; Spr. l. c. p. 459; Barr. Monthl. Mag. 1894 p. 266; Brit. Lep. II p. 357, t. 85, f. 4 a-c; Roboricolella Brd. Mém. Soc. Doubs I p. 65 (1845) [exc. ♀]; Mon. Ps. p. 98, f. 72 a-c; Spr. l. c. p. 459; Stett. e. Z. 1888 p. 203; Barr. Monthl. Mag. 1894 p. 266; Brit. Lep. II p. 359, t. 86, f. 1, 1b [nec 1 a ♀].
4528. **Rouasti** Heyl. C. R. S. Belg. 1879 p. 140; Stgr. Stett. e. Z. 1881 p. 404; Heyl. Mém. Rom. II p. 190, t. 9, f. 11.
4529. **Betulina** Z. Is. 1839 p. 183; Spr. Is. 1846 p. 34; HS. V p. 63; Hofm. Nat. Ps. p. 33; HS. n. Schm. 11, 12 (involucr.); Hein. 187; Snell. II, 1 p. 443; Tutt Brit. Lep. II p. 283; Roboricolella Brd. Mon. Ps. t. 3, f. 72 ♀ [nec ♂]; ?Barr. II t. 86, f. 1 a ♀; Anicanella Brd. Mon. Ps. f. 73; Spr. geogr. Verbr. I p. 459; ?Mitford. Monthl. Mag. VI p. 94.
4530. ?**Salicicolella** Brd. Mém. Soc. Doubs I p. 65 (1845); Mon. Ps. p. 100, f. 74 a-c; Spr. geogr. Verbr. I p. 460; Barr. Monthl. Mag. 1894 p. 268; Brit. Lep. II p. 363, t. 86, f. 3 a; Betulina Barr. Monthl. Mag. 1894 p. 267; ib. 1895 p. 275; Brit. Lep. II p. 361, t. 86, f. 2 a-c. (cfr. Tutt Ent. Rec. XI p. 211, 238); ?Anicanella Chapm. Monthl. Mag. 1900 p. 35; ?Eppingella Tuit Brit. Lep. II p. 295 (a praece. satis distincta?).
- Dalm; Bith; Gal. m. (Chapm.).*
Gal. c. or. et m; Germ. m. oc; Car; Ter; Helv; Bucov; ?Arm; ?Norv.
Gal. m.
Eur. c. m. et m; Angl; Rum; ?Liv.
Eur. (exc. reg. pol. And., It. m., Graec., ?Srp.); Bith; Mavr; ?Amur; ?China.
Ala Tau.
Eur. c; Ross. oc; Suec; Rum; Amur.
Germ. s. oc; Gal. c. or; Angl.

746. **Bacotia** Tutt 1899.

4531. **Sepium** Spr. Is. 1846 p. 31; HS. V p. 62; HS. n. Schm. 10 (involuer.); Hein. 188; Spr. geogr. Verbr. I p. 460; Breyer Ann. Soc. Belg. 1861 p. 6, t. 3; Snell. Vlind. II, 1 p. 443; Chapm. Monthl. Mag. 1900 p. 2; Tutt Brit. Lep. II p. 254; Tabulella Gn. Ann. S. Fr. 1846 p. 15; Brd. Mon. Ps. 75a, b; Spr. l. c.; Barr. Monthl. Mag. 1894 p. 268; Brit. Lep. II p. 365, t. 86, f. 4, 4a.

Eur. c; Ross. oc;
Rum.

XXXVII. Sesiidae.747. **Trochilium** Sc. 1777. ✓

4532. **Apiformis** Cl. Ic. t. 9, f. 2 (1759); L. F. S. 289 (1761); Esp. 14, 2, 29, 2, 3; Lasp. Ses. Eur. p. 7; God. III, 21, 1; Barr. II t. 57, f. 6; **Crabroniformis** Schiff. S. V. p. 44, 305; Hb. 51.

Eur. (exc. reg. bor.);
Bith; Alt.

- a) ab. **Sireciformis** Esp. 29, 4, 5 (1782); Lasp. l. c. p. 9; O. II, 125; Herman Term. Füz. V p. 194, t. 5, f. 1, 2; Spr. Ent. Nachr. 1883 p. 129, 205 (obseurior, abdomine brunneo).
b) ab. **Tenebrioniformis** Esp. 30, 1; O. II, 126 (abdomine nigro).
c) ab. **Brunnea** Caffisch Iris II p. 268 (al. infuscatis).
d) ab. **Cafischii** Stndf. Mitth. VIII (1892) p. 369 (abdom. nigro, al. infuscatis).

Germ. m; Austr.;
Hung.

4533. **Przewalskii** Alph. Hor. XVII p. 18, t. 1, f. 28; **Crabroniforme** var. Stgr. Stett. e. Z. 1881 p. 394.

Germ. m; Austr. inf.

4534. **Crabroniformis** Lewin Tr. Lin. Soc. Lond. III, 1797 p. 1, t. 1, f. 6-10; Wd. Ind. 4, 24; **Bembeiformis** Hb. 98 (1803); O. II, 126; HS. 1; Barr. II t. 57, f. 5.

Helv.

4535. **Timur** Gr. Gr. Hor. XXVII (1893) p. 385.

Helv.

4536. **Melanocephala** Dalm. För. 1816 p. 217; Wallgr. Skymn. p. 66; Z. Stett. e. Z. 1869, 388; **Laphriaeformis** Hb. 156-9 (1827); Tr. X, 1, 118; B. Ic. 48, 2, 3; Dup. II, 9, 2a, b; B. Spec. Gen. I p. 390.

Ala Tau; Thian.

4537. **Pimplaiformis** Obth. Rev. & Mag. Zool. 1872 p. 486, t. 21, f. 3; B. Spec. Gen. I p. 388; **Maculiferum** Stgr. Iris VIII p. 290.

Angl; Bat; Germ. c.
(et s.); Austr.; Boh;
? Ped.

Saraw.

Succ; Fen; Austr.
inf; Germ. s. et c.;
Hisp; Rum; ? Srp.

Taur; Cauc.

748. **Sciapteron** Stgr. 1856. ✓

4538. **Tabaniformis** Rott. Naturf. VII p. 110 (1775); Bkh. II, 45, 131; **Asiliformis** Schiff. S. V. p. 305 (1776); Esp. 29, 1; Hb. 44; Lasp. Ses. Eur. p. 10; God. III, 21, 2; HS. 3; Barr. II t. 55, f. 1; **Serratiformis** Fr. 362, 3; Wd. Ind. 4, 25.

Eur. c. et m. (cf. var.);
Scand. m.; Fen; Liv;
Petrop; Mong.

- a) v. **Kungessana** Alph. Hor. XVII p. 20 (minor, antennis fuscis, abdomine tenuissime flavo-cincto).

Ala Tau.

- b) v. **Rhingiaeformis** Hb. Btr. II, 4, 2, I; Hb. 41; O. II, 130; HS. 48; Dup. II, 9, 3; Stgr. Stett. e. Z. 1856 p. 196; B. Spec. Gen. I p. 394; **Synagriiformis** Rbr. Cat. S. And. p. 148, t. 2, 1 (anten. ochraceis, abdomine segm. omnibus flavo-cingulatis).

Eur. m. oc. (? Lipsia,
ab. ?); Ilyria; Cypr;
Syr; Daur. (trans.).

4539. **Stiziformis** HS. 58, VI p. 47; var. Ld. Hor. VI (1896) p. 86, t. 5, f. 5; B. Spec. Gen. I p. 395.
a) v. *Melasomon* Stgr. Cat. ed. II p. 39; *Stiziformis* var. Ld. Ann. S. Belg. 1870 p. 27, t. 1, f. 6 (abdomine toto, al. post. fere totis nigris).
4540. **Gruneri** Stgr. Stett. e. Z. 1856 p. 197.
4541. **Fervida** Ld. z. b. V. 1855 p. 182, t. 5 (syr.), f. 10; Stgr. Stett. e. Z. 1856 p. 198.
a) v. *Subfervidum* Stgr. Iris IV p. 241 (abdom. segm. tribus ultimis subtus nigris, tibiis nigris).
b) v. *Ponticum* Stgr. l. c. (abdomine nigro, tantum segmento quarto flavo-cineto).
c) v. *Transcaucasicum* Stgr. l. c. 242; *Fervidum* Rom. Mém. Rom. I p. 73, t. 5, f. 2 (abdom. nigro, segm. secundo supra, quarto supra subtusque flavo-cineto).
4542. **Splendidum** Stgr. Iris IV (1891) p. 242, VI t. 1, f. 8.
4543. **Dispar** Stgr. Iris IV (1891) p. 243, VI t. 1, f. 6, 7.
4544. **Tengyraeformis** HS. 59, VI p. 47; *Sanguinolenta* Ld. z. b. V. 1855 p. 240; Stgr. Stett. e. Z. 1856 p. 199.
- Pont; Hyrc.**
Arm; Hyrc.
- Pont.**
Cypr.
Taur. or; Mesop.
Pont.
Arm.
- Taur.**
Maur. m.
Pont; Taur; As. min. c.
749. **Sesia** F. 1775.
4545. **Scoliaeformis** Bkh. II, 173 t. 1, f. 2, 3; Lasp. Ses. Eur. p. 18, f. 1. 2; Hb. 111; O. II, 137; Fr. 418, 3; God. III, 21. 4; Barr. II t. 55, f. 2; ?Emphytiformis HS. II p. 75.
4546. **Spheciiformis** Gerning Frankf. Btrg. II p. 33, t. 1, f. 2 (1780); Esp. 30, 4 (1782); Hb. 77, 78; O. II, 134; God. III, 21, 3; HS. 24; Barr. II t. 55, f. 3; Sphegiformis F. E. S. 383; Stgr. Diss. p. 47.
4547. **Deserta** Stgr. Mém. Rom. III p. 166, t. 9, f. 6; ib. VI p. 243.
4548. **Bicangulata** Stgr. Mém. Rom. III p. 165, t. 9, f. 5; ib. VI p. 242.
4549. **Mesiaeformis** HS. 17, 18, II p. 65, 74.
4550. **Andrenaeformis** Lasp. Ses. Eur. p. 20, f. 7. 8 (1801); O. II, 156; HS. 50; Anthraciformis Esp. 44, 1. 2; Stgr. Stett. e. Z. 1856 p. 201; B. Spec. Gen. I p. 398; Andreniformis Barr. II t. 55, f. 4.
4551. **Cephiformis** O. II, 169; HS. 32, II p. 71; Stgr. Stett. e. Z. 1856 p. 201; B. Spec. Gen. I p. 400.
4552. **Tipuliformis** Cl. Ic. 9, 1 (1759); L. F. S. 289 (1761); Esp. 15, 3; Hb. 49; Lasp. Ses. Eur. p. 28; O. II, 171; God. III, 21, 15; Barr. II t. 56, f. 1; *Salmaehus* Hufn. Berl. M. II p. 188; Rott. Naturf. VII, 106.
4553. **Flaviventris** Stgr. Stett. e. Z. 1883 p. 177. **Germ. s. oc. (Mecklenb.,) Sar.**
4554. **Conopiformis** Esp. 31, 1, 2 (1782); Bkh. II, 42; HS. 40; Stgr. Stett. e. Z. 1856 p. 202; *Nomadaeformis* Lasp. Ses. Eur. p. 27 (1801); O. II, 167; God. III, 21, 14; Syrphiformis Hb. 50.
4555. **Vespiformis** L. F. S. 289, no. 1095; Lasp. Ses. Eur. p. 17; God. III, 21, 8 ♂; Dup. II, 9, 5 ♀; Auriv. Nord. Fjär. 50; *Asiliformis* Rott. Naturf. VII p. 108 ♂ (1775); Stgr. Stett. e. Z. 1856 p. 203; *Oestriformis* Rott. l. c. p. 109 ♀; Esp. 23, 3; Hb. 43 ♀; *Cynipiformis* Esp. 31, 3. 4 (1782); Hb. 95 ♂; O. II, 151; Dup. Cat. p. 47; Wd. Ind. 4, 29; Barr. II t. 56, f. 2; *Melliniformis* God. III, 21, 9.
- Eur. c. et s. (exc. reg. bor.); ?Lap; Ped; Ross. m.**
- Eur. s. et c; It. s.; Ross. m.**
- Uss.**
Uss. m.
- Srp; Hung. m. or.**
Austr; Hung; Helv; Angl; Ross. m; As. min.
- Germ. m. et c. or;**
Austr.-Hung; Dalm;
Graec; Pont; Hyrc.
- Eur. c. et s. (exc. reg. pol.); It; Dalm;**
Bulg; Ross. m;
?Pont; Arm; Am. s.
- Germ; Austr; Hung;**
Gal; It. s; Dalm;
?Srp.
- Eur. m. et c; Suec.m;**
Petrop; Fen; As. min; Maur.

- a) ab. *Melliniformis* Lasp. l. c. p. 19, f. 5, 6; O. II, 154; HS. 51; Stgr. l. c. p. 203 (ab. ♀ parva, fascia media vix austral.).
4556. **Codeti** Obth. Et. VI p. 67, t. 11, f. 5 (♀); Pingi Obth. l. c. f. 6 (♂). *Maur.*
4557. **Myopaeformis** (r. *Myopiformis*) Bkh. II, 169 (1788); Hb. context. p. 87; HS. II p. 80; Stgr. Stett. e. Z. 1856 p. 204; Z. Stett. e. Z. 1869 p. 389; Barr. II t. 56, f. 3; *Mutilaeformis* Lasp. Ses. Eur. p. 26, f. 15-17 (1801); O. II, 162; God. III, 21, 13; Wd. Ind. 4, 33 ♂; *Culiciformis* Esp. 31, 5; Hb. 45. 91; Wd. Ind. 4, 34 ♀; *Tipuliformis* var. Esp. 31, 6 ♀, 37, 7 ♂ [ab. abd. bicingulato].
- a) v. *Graeca* Stgr. Hor. VII (1870) p. 92 (al. ant. apice aureo, abdomen bicingulato).
- b) v. *Elegans* Ld. Wien. Mts. 1861 t. 1, f. 7 ♂ (non ♀), p. 150 ♂ (= ♀) (major, obscurior). *Graec.*
4558. **Duplex** Stgr. Stett. e. Z. 1889 p. 21. *Syri.*
4559. **Typhiaeformis** Bkh. II, 174 f. 4, 5; Hb. 42; Lasp. Ses. Eur. p. 25, f. 13, 14; O. II, 163; God. III, 21, 12; Hein. 127; B. Spec. Gen. I p. 404; *Culiciformis* Rossi Fn. Etr. II, 165. *Saraw.*
4560. **Cruentata** Mn. Wien. Mts. 1859 p. 91, t. 1, f. 1; Ragusa Nat. Sic. IV (1884-5) p. 272, t. 4, f. 1, 2. *Germ. m; Gal; It. s; Dalm.*
4561. **Luctuosa** Ld. z. b. V. 1852 p. 82; Stgr. Stett. e. Z. 1856 p. 204; Mn. Wien. Mts. 1862 t. 3, f. 1, 2. *Bith; Lyd; Syri.*
4562. **Pipiziformis** Ld. z. b. V. 1855 p. 195, t. 2, f. 2; Stgr. Stett. e. Z. 1856 p. 206; Bhtsch. z. b. V. 1879 p. 410. *Syr; Taur. m.*
4563. **Culiciformis** L. S. N. ed. X, 493; Cl. Ic. 9, 3; Esp. 15, 1; Hb. 151-2; Lasp. Ses. Eur. p. 22, f. 9, 10; O. II, 159; God. III, 21, 10; Frr. 326, 2 a-c; Stgr. Diss. p. 47; Barr. II, t. 56, f. 4. *Eur. s. et c; Dalm; Ped; Ross. m; Arm; Alt; Tarb; Daur.*
- a) ab. *Thynniformis* Z. Isis 1840 p. 142; Assmann Abbild. u. Beschreib. Schm. Schles. II p. 45, t. 24, f. 45 a, b; Stgr. Stett. e. Z. 1856 p. 206 (antennis flavescentib., abdomine segment. postice, quarto toto, flavo-cingulatis). *Germ. c. et m. oe.*
4564. **Stomoxyiformis** Hb. Btr. II, 4, 3, P. (1790); Hb. 47; O. II, 157; HS. II p. 80; Stgr. Stett. e. Z. 1866 p. 208. *Hung; Srp; Arm; Pont; Germ; Austr; Helv; Gal.m; Hisp. et It.s; Hung; Srp; Arm; Pont; Aut; Hyrc.*
- a) v. *Amasina* Stgr. Stett. e. Z. 1856 p. 209; Hor. XIV p. 128; *Elegans* Ld. Wien. Mts. 1861 p. 150 ♀, t. 1, f. 8 (non 7) (al. post. vena transversa late nigro-squamata). *Norv. c; Fen. s; Daur.*
4565. **Polaris** Stgr. Stett. e. Z. 1877 p. 175; Auriv. Nord. Fjär. p. 49; *Aurivillii* Lampa Tidskr. 1883 p. 127, fig. (♀). *Eur. s. et c. (exc. reg. pol); Ped; Dalm; Grace; Ross. m; Uss. (Graes.).*
4566. **Formicaeformis** Esp. 32. 3, 4 (1783); Lasp. Ses. Eur. p. 24, f. 11, 12; Bkh. II, 36; O. II, 165; Stgr. Stett. e. Z. 1856 p. 209; Barr. II t. 57, f. 1; *Nomadaeformis* Hb. 90. *Ala Tau.*
4567. **Serica** Alph. Hor. XVII (1881) p. 21. t. 1, f. 29. *Mesop. s.*
4568. **Lomatiaeformis** Ld. z. b. V. 1852 p. 89; Stgr. Stett. e. Z. 1856 p. 210. *Syr; Pont; Taur.*
4569. **Palariformis** Ld. Wien. Mts. 1858 p. 141. t. 2, f. 3; Stgr. Hor. XIV p. 303 (♀). *Kurd.*
- a) v. *Rubrescens* Stgr. Berl. e. Z. 1887 p. 29 (major, rubrescens). *Arm.*
4570. **Dioctriiformis** Rom. Mém. Rom. I p. 74, t. 5, f. 3. *Arm.*
4571. **Parthica** Ld. Ann. S. Belg. 1870 p. 27, 45, t. 1, f. 4, 5. *Hyrc.*
4572. **Leucoparea** Ld. Hor. VIII (1871) p. 13, t. 1, f. 13, 14. *Hyrc.*

4573. **Ichneumoniformis** (S. V.) F. Mant. 100 (1787); Bkh. II, 172; Lasp. Ses. Eur. p. 16, f. 3, 4; O. II, 148; Tr. X, 1, 121; HS. 19; Stgr. Stett. e. Z. 1856 p. 210; Rom. Mém. Rom. II p. 116, t. 4, f. 2 [ab.]; Barr. II t. 57, f. 2; Vespiiformis Esp. 15, 2; Bkh. II, 38, 128; Hb. 39, 40; Systrophaeformis Hb. 113; Frr. B. 116, 2; Ophioniformis Hb. 127; Dup. II, 9, 1; Statuiformis Frr. 182, 4.
- a) ab. *Megillaeformis* Hb. 114; HS. 39; Stgr. l. c. 211; Hor. VII, 92; Ichneumoniformis var. Ld. z. b. V. 1855, t. 1, f. 2 (abd. triannulato).
- b) ♀ ab. *Lugubris* Stgr. Cat. ed. II p. 40 (abdomine toto nigro).
- c) v. *Illustris* (Stgr. i. l.) major, vix nominanda.
4574. **Ceiformis** Stgr. Stett. e. Z. 1881 p. 395; Gr. Gr. Mém. Rom. IV p. 517 t. 18, f. 8.
4575. **Hymenopteriformis** Bell. Ann. S. Fr. 1860 p. 681, t. 12, f. 3, 4; B. Spec. Gen. I p. 412.
4576. **Uroceriformis** Tr. X, 1, 121; HS. 20, 21; Z. Is. 1847 p. 401; Stgr. Stett. e. Z. 1856 p. 213; Friv. Tud. Ak. Evk. XI (1865-6) t. 4, f. 2; Monedulaeformis Rbr. Cat. S. And. p. 146, t. 2, f. 2.
- a) ab. (♂) *Mamertina* Z. Is. 1847 p. 404; Stgr. l. c. p. 213 (minor, pallidior, abdom. obscuriore).
4577. **Himmighoffeni** Stgr. Stett. e. Z. 1866 p. 51; Mill. Ic. 89, 1 ♀, 103, 6 ♂.
4578. **Sirphiformis** Luc. Expl. Alg. p. 367, t. 2, f. 7; Flavidæ Obth. Et. XIII t. 8, f. 95.
4579. **Pechi** Stgr. Berl. e. Z. 1887 p. 30; Obth. Et. XII p. 28, t. 7, f. 52, 52a.
4580. **Masariformis** O. II, 69 (1808); HS. II p. 69 ♂; Stgr. Stett. e. Z. 1856 p. 214; Banchiformis Hb. 126 ♀; Loewii Z. Is. 1847 p. 402; Allantiformis Ev. F. V. U. p. 104 (1844); HS. 42 ♀; Empiformis Dup. II, 9, 7 p. 114.
- a) v. (ab.) *Odyneriformis* HS. 41, II, 68; Stgr. l. c. p. 215 (al. ant. areis hyalinis citrino-adspersis, abdomine citrino-cincto).
4581. **Loewii** Z. Is. 1847 p. 14; Stgr. Iris IV p. 245; ab. *Loewii minor* Stgr. Stett. e. Z. 1856, 214 [duplo minor] (prae. spec. var. *flavescens*?).
4582. **Proximata** Stgr. Iris IV (1891) p. 244.
- a) v. (?) *Fallax* Stgr. l. c. 245 (al. ant. late aureo-marginatis).
4583. **Aurifera** (Chr.) Rom. Mém. Rom. II p. 116, t. 4, f. 3 (1885).
4584. **Doryceraeformis** Ld. z. b. V. 1852 p. 87 ♂; Stgr. Stett. e. Z. 1856 p. 213; Hor. VII p. 94; Iris IV p. 246; ib. VI, t. 1, f. 4.
4585. **Regula** Stgr. Iris IV p. 246 (1891); ib. VI t. 1, f. 5.
4586. **Annellata** Z. Is. 1847 p. 415; Stgr. Stett. e. Z. 1856 p. 219; Muscaeformis HS. 12-14 (1845), II p. 70.
- a) v. (et ab.) *Ceriaeformis* Ld. z. b. V. 1852 p. 85; Stgr. l. c. p. 219, Hor. VII (1870) p. 93; Minorata Stgr. Iris VII p. 253 (minor, obseurior).
- b) ab. *Oxybeliformis* HS. 36 ♂; Doleriformis HS. 49; Ortalidiformis Ld. z. b. V. 1852 p. 68 ♀ (major, abdom. flavidiore).
- Eur. (exc. reg. pol.); Maur; Bith; Arm; Syr; Alt.
- Sax; Bav; Helv; Austr. inf; Hung; Graec; Alt.
- Bith.
- Mesop.
- Tarb; Ala Tau.
- Sic.
- Vind; Ter. m; Hung; Sic; Sard; Gal. m; Hisp; Bale; Syr.
- Sic. etc.
- Hisp. s. or.
- Maur.
- Maur.
- Germ. m. or; Vind; Ter. m; Eur. m. or; It. m; As. min; Syr.
- Creta; Graec.
- Syr; Taur.
- Pont; Taur.
- Syr; ? Graec.
- Arm.
- Mesop.
- Mesop.
- Bav; Austr.-Hung; Eur. or. m; Gal. m; Bith. Graec; As. min.
- Hung; Srp; Arm; etc.

4587. **Empiformis** Esp. 32, 1, 2 (1783); Bkh. II, 36, 127; Stgr. Stett. e. Z. 1856 p. 222; ?Hb. 94; *Tenthrediniformis* Lasp. Ses. Eur. p. 29, f. 18-22 (1801); Hb. 52 ♀; HS. 7-9; Stgr. Diss. p. 55; *Muscaeformis* Esp. 32, 6; Bkh. II 35, 126.
- a) v. *Schizoceriformis* Kol. Mel. Ent. (1846) p. 92, t. 18, f. 1; Stgr. Stett. e. Z. 1856 p. 223; Rom. Mém. Rom I t. 4, f. 2, 3 (major, obseurior).
4588. ?**Guriensis** Emich Hor. IX p. 41, t. 2B, f. 1 (praec. synon.?).
4589. **Pudorina** Stgr. Stett. e. Z. 1881 p. 396.
4590. **Floricola** Obth. Et. VI p. 67, t. 11, f. 7.
4591. **Monspeliensis** Stgr. Stett. e. Z. 1856 p. 223, 257; Mill. Ic. 103, 4. 5; *Tengiriformis* Rbr. Cat. S. And. p. 149 (1866).
4592. **Astatiformis** HS. 5. 6, II p. 70; Stgr. Stett. e. Z. 1856 p. 258; ?*Taediiformis* Frr. 182, 3; ?*Thyreiformis* HS. 15, 16 ♀.
4593. **Triannuliformis** Frr. 404, 2, V p. 35 (1843); *Braconiformis* HS. 35 ♀ (1846), II p. 68; Stgr. Stett. e. Z. 1856 p. 261; *Meriaeformis* Assmann Schles. Tauschv. 1845 p. 3; Abbild. u. Beschr. Schm. Schles. II p. 47, t. 24, f. 48 a, b.
4594. **Mannii** Ld. z. b. V. 1852 p. 88; Stgr. Stett. e. Z. 1856 p. 263.
4595. **Doleriformis** HS. II p. 69, linea 20-26; Ld. z. b. V. 1852 p. 86; Stgr. Hor. VII (1870) p. 94.
4596. **Colpiformis** Stgr. Stett. e. Z. 1856 p. 267; ib. 1866 p. 51; B. Spec. Gen. I p. 419; Bhtsch. z. b. V. 1895 p. 70.
4597. **Umbrifera** Stgr. Hor. VII (1870) p. 96, t. 1, f. 5.
4598. **Stelidiformis** Frr. 182, 2, II p. 141; Stgr. Stett. e. Z. 1856 p. 284; *Doleriformis* HS. 38; *Unicincta* HS. 57.
- a) v. *Icteropus* HS. 56 ♂, VI p. 47; *Doleriformis* HS. 22; *Herrichii* Stgr. Stett. e. Z. 1856 p. 264; Hor. VII (1870) p. 95 (multo flavidior).
4599. **Mutilata** Stgr. Stett. e. Z. 1887 p. 67.
4600. **Ramburi** Stgr. Stett. e. Z. 1866 p. 53.
4601. **Lanipes** Ld. Wien. Mts. 1863 p. 20, t. 4, f. 1.
4602. **Senilis** Gr. Gr. Mém. Rom. IV p. 515, t. 18, f. 7 a, b.
4603. **Agdistiformis** Stgr. Stett. e. Z. 1866 p. 54; Mill. Ic. 103, 7.
4604. **Bibioniformis** Esp. 44, 3. 4, Cont. p. 30; Stgr. Stett. e. Z. 1856 p. 270; Friv. Tud. Ak. Evkön. XI, 4 t. 4, f. 3; B. Spec. Gen. I p. 420; *Philanthiformis* HS. 25-27, II p. 69.
4605. **Muscaeformis** View. Tab. Verz. p. 18 (certo) (1789); ?Esp. 32, 5 ♂; *Philanthiformis* Lasp. Ses. Eur. p. 31, f. 23-28; O. II, 118; Stgr. Stett. e. Z. 1856 p. 273; Libbach Berl. e. Z. 1859 p. 81, t. 1, f. 3; Barr. II t. 57, f. 3.
4606. **Leucomelaena** Z. Is. 1847 p. 410, p. 12 pr. p.; Stgr. Stett. e. Z. 1856 p. 274, 276; *Therevaeformis* Ld. z. b. V. 1852 p. 83.
4607. **Corsica** Stgr. Stett. e. Z. 1856 p. 274, 277; *Philanthiformis* Rbr. Ann. S. Fr. 1833 p. 53.
4608. **Affinis** Stgr. Stett. e. Z. 1856 p. 278; *Leucospidiformis* Ld. z. b. V. 1852 p. 84.
4609. **Mysiniformis** Rbr. Cat. And. p. 151; B. Gen. 42 (pr. p.).

Eur. c. et m; Bith;
Lyd; ?Maur.

Arm.

Arm.

Tarb.

Maur.

Gal.m; Hisp; ?Maur.

Austr. inf; Hung;
Ross. m; Bulg;
Bith; Alt.

Germ.s. et or; Austr.
Hung; Eur. m. or.
(exc. Ross. m.?)
Bith; Pont.

Bith; ?Ture. m. or.
Bale; Coreyra.

Austr. inf; Hung;
Gal; Graec; Bith;
Pont; Maur.

Coreyra.

Austr. inf; Morav;
Carn; Ped; Hung;
Dalm; Pont.

Dalm; Ross. m;
Hung. (ab.).

Saraw.

And.

Rumel.

Ferg.

Srp.

Austr. inf; Hung;
Rum. or; Ross. m;
Arm.

Germ. s. et c. (?m.);
Brit; Dan; Gal;
Helv; Hung; ?Ross.
c. et m.

Bale; Hung; ?Helv.
(Frey); *Hisp; ?Sic;*
Bith; Pont.

Cors; It. c.

Germ.m. etc.oc; Helv;
Austr. inf; Ter. m; Hung;
Rum; Dalm; Ped; Gal. m; Hisp.
Cast; And.

4610. **Aerifrons** Z. Is. 1847 p. 415; Stgr. Stett. e. Z. 1856 p. 280; B. Spec. Gen. I p. 423; Meriaeformis Ghil. Elenco p. 20.
a) v. (ab.?) *Sardoa* Stgr. Stett. e. Z. 1856 p. 281 (antennis aurichaleeis, abd. segm. 2, 4, 6, postice albidis; uno ♂ condit.). *Sic; Sard; Gal. m. et c.; Hisp.; ? Dalm.*
Sard.
4611. **Albiventris** Ld. z. b. V. 1852 p. 82; Stgr. Stett. e. Z. 1856 p. 79. *Bith; Maur. (Baker).*
4612. **Leucopsiformis** (r. Leucopsisidif.) Esp. 42, 6, Cont. p. 25; HS. 53; Leucospidiformis Stgr. Diss. p. 57; Stett. e. Z. 1856 p. 282. *Germ. s. or; Vind; Ter; Hung.*
4613. **Staudingeri** Failla Ted. Nat. Sic. X (1890) p. 28, t. 1, f. 1; Püng. ib. XI p. 17. *Sic.*
4614. **Alysoniformis** HS. 46 (1846), II p. 73; Ld. z. b. V. 1852 p. 68; Stgr. Stett. e. Z. 1856 p. 282; Trivittata Z. Is. 1847 p. 13. *As. min; Hung; Dalm; Bulg.*
4615. **Haberhaueri** Stgr. Hor. XIV (1879) p. 308. *Taur.*
4616. **Fenusaeformis** Ld. z. b. V. 1852 p. 84; HS. VI p. 48; Stgr. Stett. e. Z. 1856 p. 283; Leucopsiformis HS. 4, II p. 73. *Bith; Taur; ? Creta.*
4617. **Osmiaeformis** HS. 52 (1846); Stgr. Stett. e. Z. 1856 p. 287; Stelidiformis Z. Is. 1847 p. 406; HS. VI p. 48; Zelleri Ld. z. b. V. 1852 p. 69, 87. *It. m; Dalm. (Mn.).*
4618. **Azonos** Ld. z. b. V. 1855 p. 194, t. 2, f. 1; Stgr. Stett. e. Z. 1856 p. 324. *Syr.*
4619. **Anthraciformis** Rbr. Ann. S. Fr. 1832 p. 266, t. 7, f. 7; B. Ic. 48, 4; Dup. II, 9, 4; HS. 10; Joppiformis Stgr. Stett. e. Z. 1856 p. 325. *Cors.*
4620. **Vidua** Stgr. Stett. e. Z. 1889 p. 22. *Saraw.*
4621. **Tristis** Stgr. Iris VIII p. 349. *Mong. (Uliass).*
4622. **Doryliformis** O. II, 141; HS. 44 ♀. II p. 79; Stgr. Stett. e. Z. 1856 p. 325; B. Spec. Gen. I p. 428; Icteropus Z. Is. 1847 p. 403 ♂; Schmidtii Z. ib. 408 ♀; Braconiformis Ghil. Elenco p. 85; ?Euceraeformis HS. 28, II p. 79.
a) v. *Ceriaeformis* Luc. Expl. Alg. p. 369, t. 2, f. 6; Obth. Et. XIII t. 8, f. 93, 94; Stgr. Iris VII, 251 (Erythrostigma Stgr. i. l.) (al. ant. vitta media rubro-maculata, margine interiore rubro, tibialis rufescens). *Sic; Sard; And; Lusit.*
b) v. *Teroliensis* Stgr. Iris VII p. 251 (a v. Ceriaeef. satis distincta?). *Maur.*
Ter. m.
4623. **Euglossaeformis** Lue. Expl. Alg. p. 368, t. 2, f. 5; Obth. Et. XIII p. 25, t. 8, f. 90. *Maur; Sic.*
4624. ?**Agnes** Obth. Et. XIII p. 26, t. 8, f. 92. *Maur.*
4625. **Zimmermanni** Ld. Hor. VIII (1871) p. 13, t. 1, f. 11, 12. *Hyrc.*
4626. **Oryssiformis** HS. 45, II p. 79; Lahayei Obth. Et. XII p. 28; ib. XIII t. 8, f. 91. *Cors; Sic. [Mus. Caes. Vind.]; Maur.*
4627. **Chrysidiiformis** Esp. 30, 2 (1782); Hb. 53; O. II. 143; God. III. 21, 5; HS. 47; Stgr. Stett. e. Z. 1856 p. 329; Barr. II t. 57, f. 4; ?Chalcidiiformis God. III. 21, 6; Haemorrhoidalis Cyr. Ent. Neap. t. 4, f. 3 (1787).
a) ab. ♂ *Chalcocnemis* Stgr. Stett. e. Z. 1856 p. 324; Mill. Ic. 52, 1, 2; Chrysidiiformis var. Mab. Ann. S. Fr. 1866 p. 557 (abd. pedibusque nigris, al. ant. obseuriōribus). *Germ. c. et m. oc; Hung. m; Istr; Gal; Belg; Angl. m; It; Hisp.*
b) v. *Turanica* Ersch. Fedtsch. p. 26, t. 5, f. 74 (al. post. in basi croceis; an spec. distincta?). *Gal. m; Cors; And. m.*
Saraw.

4628. **Minianiformis** (r. Miniaecea) Frr. 404, 3, V p. 35 (1843);
Miniaecea Ld. z. b. V. 1852 p. 79; Stgr. Stett. e. Z. 1856 p. 329; Hor. VII p. 98; Chrysidiiformis HS. 23 ♂, 34 ♀; Z. Is. 1847 p. 14.
a) ab. (et v.) *Pepisiformis* Ld. z. b. V. 1852 p. 69, 90 (dimidio minor, pallidior).
b) v. *Destituta* Stgr. Iris VII p. 253 (al. ant. non aurantiacis).
4629. **Chalcidiformis** Hb. context. p. 90; Stgr. Stett. e. Z. 1856 p. 330; Chalciformis Esp. 47, 1, 2; Hb. 93; Prosopiformis O. II, 146; Ld. z. b. V. 1852 p. 90; Halictiformis HS. 43; ab. *Expleta* Stgr. Hor. XIV, 314 [al. ant. fere totis rufis, cum trans.]; ?Caucasica Kol. Mel. Ent. p. 91.
- a) v. *Schmidtiiformis* (r. Schmidti) Frr. 182, 1, II p. 140 (1836); Stgr. Hor. XIV p. 311; Schmidti Z. Is. 1847 p. 408; Ld. z. b. V. 1852 p. 90; Stgr. Stett. e. Z. 1856 p. 330; Prosopiformis HS. 33 (abdomine albo-cingulato).
b) ab. *Abbotarsata* (Stgr. i. l.) dilutior, al. ant. striga costali fusca subnilla, tarsis omnib. unicoloribus albidis.
4630. **Elampiformis** HS. 54, VI p. 49; Stgr. Stett. e. Z. 1856 p. 324.
4631. **Foeniformis** HS. 11, II p. 65, 78; Stgr. Stett. e. Z. 1856 p. 333; Rag. Nat. Sic. VIII p. 222.
- Balc.; Bith.; Pont.; Hyrc.; ?Arm.*
Taur.
Austr. inf.; Hung.; Balc.; Ross. m.; Ped.; Sic.; Creta; Bith.; Pont.; Taur.; Arm.; Syr.
Dalm.; Sic.; Rumel.; Pont.; Hung. (trans.).
- As. min. c. (Konia); Arm.*
Pont.; Hyrc.
Sic.

750. **Bembecia** Hb. 1822. ✓

4632. **Hylaeiformis** Lasp. Ses. Eur. p. 14; O. II, 138; Dup. II, 11, 4; HS. 2; Stgr. Diss. p. 59; Apiformis Hb. 48, 108; Anomala Dehne Stett. e. Z. 1850 p. 28, 1852 t. 3.
4633. **Pectinata** Stgr. Mém. Rom. III p. 167, t. 9, f. 4; ib. VI p. 243.
- Eur. c. et s. (exc. reg. pol., Angl., Bat.); Ped.; Dalm. s.*
Uss.; Daur.

751. **Paranthrene** Hb. 1822. ✓

4634. **Tineiformis** Esp. 38, 4 (1789); Hb. Vög. t. 29; Hb. 46; O. II, 132; Z. Is. 1847 p. 417; Stgr. Stett. e. Z. 1856 p. 334; Brosiformis Dup. II, 9, 6.
a) v. *Brosiformis* Hb. 116; O. IV, 173; Ld. z. b. V. 1852 p. 81; Stgr. Stett. e. Z. 1856 p. 336 (al. ant. apice flavo-striato, cingulo abdom. basali albido).
4635. **Myrmosaeformis** HS. 30, 31, II p. 59; Ld. z. b. V. 1852 p. 81; Stgr. Stett. e. Z. 1856 p. 336.
a) ab. (et v.) *Cingulata* Stgr. Hor. VII (1870) p. 100 (abdom. annul. 3 vel 4 flavis).
4636. **Hoplisiformis** Mn. Wien. Mts. 1864 p. 176. t. 4, f. 1.
- It.; Gal. m.; Hisp.; Dalm.; Rumel.; Graec.*
Hung.; Rum. or.; Bith.; As. c.; Maur. (Luc.).
Ture; Graec.; Bith.; Pont.
Graec.
Bith.

XXXVIII. Cossidae.

752. **Cossus** F. 1794.

4637. **Modestus** Stgr. Stett. e. Z. 1887 p. 88; Püng. Iris XII t. 8, f. 4.
4638. **Tapinus** Püng. Soc. Ent. XIII p. 57; Iris XII p. 98, t. 8, f. 8
- Thian.*
Tura.

4639. **Bohatschi** Püng. Soc. Ent. XIII (1898) p. 57; Iris XII p. 97, t. 8, f. 2. *Iss.K.(ad Ili flumen).*
4640. ? **Araraticus** Teich Stett. e. Z. 1896 p. 28.
4641. **Cossus** L. S. N. ed. X, 504; F. S. E. 569; Esp. 61, 1-6; Hb. 198; Snell. Vlind. I p. 118; Ligniperda F. E. S. III, 2, 3; O. III, 90; God. IV, 3, 1; Curt Br. E. 60; Barr. II t. 61, f. 3.
4642. **Funkei** Röber Ent. Nachr. XXII p. 3 (1896).
4643. **Vicarius** Wlk. List. XXXII p. 584 (1865); Alph. Mém. Rom. IX p. 153, t. 11, f. 3.
4644. **Balcanicus** Ld. Wien. Mts. 1863 p. 22, t. 1, f. 3.
4645. **Intractatus** Stgr. Stett. e. Z. 1887 p. 89 (hujus generis?).
4646. **Hyrcanus** Chr. Hor. XXII (1888) p. 309 (hujus generis?).
4647. **Colossus** Stgr. Stett. e. Z. 1887 p. 86.
4648. **Putridus** Chr. Mém. Rom. III p. 57 t. 3, f. 4.
4649. **Stertzzi** Püng. Iris XII p. 288, t. 8, f. 3.
4650. **Terebra** (S. V.) F. Mant. 116; Esp. 80, 1 (1789); Hb. 197; O. III, 92; Dup. IV, 68, 2. ? *Austr.; Ter. m.; Helv.; Srp.; Fen.; Arm.; Sib. oc.; Amur.*
4651. **Fereiduni** (Fereidun) Gr. Gr. Hor. XXIX (1895) p. 291. *Pers. s.*
4652. **Argentatus** Stgr. Stett. e. Z. 1887 p. 90. *Arm.*
4653. **Albimacula** Stgr. Iris XII p. 157. *Thian. c.*
4654. Vacat.

754. **Catopta** Stgr. 1899.

4655. **Paradoxus** HS. 9, VI p. 39; Kalchb. Iris X p. 166; L-nigrum Baker Tr. E. S. 1894 p. 36, t. 1, f. 3. ? *Lyd.; Syr.; Aegypt.*
4656. **Johannes** Stgr. Iris XII p. 354, t. 5, f. 14. *Pal.*

756. **Newelskoia** Gr. Gr. 1899.

4657. **Albonubilus** Graes. Berl. e. Z. 1888 p. 119; (-a) Gr. Gr. Ann. Mus. Petersb. IV, 1899 p. 466. *Uss. m.; Mong. s.; ? Iss. K. (Rückbeil).*

757. **Holcocerus** Stgr. 1884.

4658. **Inspersus** Chr. Stett. e. Z. 1887 p. 163; Mém. Rom. V p. 15, t. 1, f. 6. *Tura.*
4659. **Gracilis** Chr. Mém. III p. 59, t. 3, f. 6. *Tura.*
4660. **Mollis** Chr. Mém. Rom. III p. 58, t. 3, f. 5. *Tura.*
4661. **Mucosus** Chr. Mém. Rom. I p. 111, t. 7, f. 2. *Tura.*
4662. **Lucifer** Gr. Gr. Hor. XXV (1891) p. 463. *Amdo.*
4663. ? **Persicus** Aust. Natural. 1897 p. 45. ? *Pers. (Tura).*
4664. ? **Strigatus** Aust. Natural. 1897 p. 45. ? *Pers. (Tura).*
4665. ? **Marmoratus** Aust. Natural. 1897 p. 45. ? *Pers. (Tura).*
4666. **Holosericeus** Stgr. Mém. Rom. I p. 141, t. 9, f. 2a, b (1884). *Tura; Ferg.*

4667. **Sericetus** Gr. Gr. Mém. Rom. IV p. 541, t. 20, f. 3
 4668. **Gloriosa** Ersch. Fedtsch. p. 35, t. 2, f. 31; Gr. Gr. Mém. Rom. IV p. 541.
 4669. **Laudabilis** Stgr. Iris XII p. 159 (praeec. var.?).
 4670. **Tancrei** Püng. Soc. Ent. XIII (1898) p. 58; Iris XII p. 100.
 4671. **Nobilis** Stgr. Mém. Rom. I p. 139, t. 9, f. 1.
 4672. **Strioliger** Alph. Iris VI p. 346 (1893); Mém. Rom. IX p. 200, t. 7, f. 2.
 4673. **Pulverulentus** Püng. Soc. Ent. XIII (1898) p. 57; Iris XII p. 99, t. 8, f. 9.
 4674. **Praeclarus** Püng. Soc. Ent. XIII (1898) p. 58; Iris XII p. 99.
 4675. **Campicola** Ev. Bull. M. 1854, III p. 184; HS. n. Schm. 9. 10; Gr. Gr. Mém. Rom. IV p. 540.
 4676. **Volgensis** Chr. Iris VI p. 88 (1893); Alph. Mém. Rom. IX p. 199, t. 7, f. 1.
 4677. **Consobrinus** Püng. Soc. Ent. XIII p. 57 (1898); Iris XII p. 98, t. 9, f. 5.
 4678. **Arenicola** Stgr. Stett. e. Z. 1879 p. 317; Chr. Mém. Rom. III p. 56, t. 3, f. 3; Püng. Iris XII t. 8, f. 12.
 a) v. (?) *Insularis* Stgr. Mém. Rom. VI p. 292 (minor, obseurior).
 4679. ? **Iranicus** Aust. Natural. 1897 p. 44.
 4680. **Ussuriensis** Graes. Berl. e. Z. 1892 p. 213.
 4681. **Mongolicus** Ersch. Hor. XVII p. 33, t. 1, f. 34 (1882)
 (hujus generis?).
- Pamir.
Tura.
Pal.
Tura.
Tura.
Saraw.
Tura.
Tura.
Kirgh. m; Tura.
Srp.
Thian; Iss. K; ? etc.
Ross. m. or; Tura;
As. c.
Uss. m.
Pers.
Uss.
Thian.

758. **Hypopta** Hb. 1822.

4682. **Thrips** Hb. 265 (ante 1818); B. Ic. 68, 3; Dup. IV, 90, 1; HS. 4, 5; Fuchsianus Ev. Nouv. Mém. Mose. 1832 p. 252, t. 21, f. 1; Kindermannii Frr. 183, 1.
 4683. **Turcomanica** Chr. Iris VI p. 88; Alph. Mém. Rom. IX t. 7, f. 3.
 4684. **Herzi** Alph. Iris VI p. 346; Mém. Rom. IX p. 201, t. 7, f. 4.
 4685. **Caestrum** Hb. 199; O. III, 94; B. Ic. 68, 1, 2; Dup. III, 13, 1; HS. 1-3; Metzger Jhrsb. Wien. E. V, 1894 p. 25 (larv.); Tereodo B. Ind. p. 51; Desertus F. d. W. Nouv. Mém. Mose. 1832 p. 358, t. 21, f. 2.
 4686. **Sibirica** Alph. Iris VIII p. 185; Mém. Rom. IX p. 154, t. 11, f. 5a, b.
 4687. **Vaulogeri** Stgr. Iris X (1897) p. 155, t. 5, f. 13 ♀.
 4688. **Reibellii** Obth. Et. I p. 40, t. 4, f. 1 (1876).
- Transsylv; Ross. m.
(Srp.); Arm; Sib.
Tura.
Saraw.
Gal. m; It. s; Austr.
inf; Morav; Hung;
Rum; Balc. s; Ross.
m; Arm; Syr.
Sib. or.
Maur.
Maur.

759. **Dyspessa** Hb. 1822 (Endagria B. 1834).

4689. **Ulula** Bkh. III p. 142; Scriba Btr. t. 9, f. 1, p. 131; Esp. 86, 4, 5., 93, 3; Pantherina Hb. Btr. II, 1, 4, X; Hb. 157-8; B. Ic. 69, 1; Dup. III, 13, 3a-e; Pantherinus O. III, 96; Frr. 326, 1, 2; HS. 6.
 a) ab. (et v.) *Marmorata* Rbr. Cat. S. And. t. 5, f. 6. p. 332 (multo major).
 b) ab. *Infuscata* Stgr. Iris V, p. 284 (al. ant. maculis albis deletis).
 c) v. (?) *Algeriensis* Rbr. Cat. S. And. p. 331; Obth. Et. I p. 40; ib. III t. 5, f. 1 (minor, magis unicolor).
- Eur. m; Austro-
Hung; Germ. m. et c.
oc; ? Helv; As. min;
Arm; Tura; Alt.
And. etc.
Hung; Bith; Pont.
Maur.

4690. **Pallidata** Stgr. Iris V p. 284. (*Ulula v.*) (sp. diversa sec. Püng. i. l.; antennis ♂ brevius pectinatis, alis albidiioribus, ciliis innotatis). *Pont; Taur; Saraw.*
4691. **Fuscula** Stgr. Iris V 1892 p. 283, t. 3, f. 10. *Maur. or.*
4692. **Salicicola** Ev. Bull. M. 1848, III p. 111; HS. n. Schm. 11. *Ross. m; Arm.*
4693. **Emilia** Stgr. Hor. XIV (1878) p. 317. *Pont.*
4694. **Bipunctata** Stgr. Stett. e. Z. 1887 p. 94; Chr. Mém. Rom. V p. 200, t. 9, f. 3; Colon Chr. Hor. XXIII p. 300. *Taur; Arm.*
4695. **Lacertula** Stgr. Stett. e. Z. 1887 p. 92. *Ferg; Iss. K; Thian.*
4696. **Nigritula** Stgr. Stett. e. Z. 1887 p. 93. *Ferg.*
4697. **Alpherakyi** Chr. Mém. Rom. II p. 3, t. 2, f. 1. *Arm.*
4698. **Clathrata** Chr. Mém. Rom. I p. 114, t. 7, f. 4. *Tura.*
4699. **Agilis** Chr. Mém. Rom. I p. 113, t. 7, f. 3 a, b. *Tura.*
4700. **Saxicola** Chr. Mém. Rom. II p. 5, t. 1, f. 1. *Arm.*
4701. **Monticola** Gr. Gr. Mém. Rom. IV p. 544, t. 20, f. 5; ?Aust. Natural. 1897 p. 45. *Ferg.*
4702. **Cossoides** Graes. Berl. e. Z. 1892 p. 300. *Iss. K. oc.*
4703. **Jordana** Stgr. Iris X (1897) p. 272, t. 9, f. 12. *Syr.*
- a) v. *Suavis* Stgr. Iris XII p. 355, t. 5, f. 7 (obscurior, distinctius signata). *Maur.*
4704. **Asema** Püng. Iris XII p. 288, t. 8, f. 5. *Tura.*

760. **Stygia** Latr. 1803.

4705. **Australis** Latr. Nouv. Dict. d'Hist. Nat. XXI p. 262 (1803); Gen. I t. 16, f. 4, 5; O. IV, 167; God. III, 22, 19; B. Ic. 69, 2, 3; Terebellum Hb. 244 (post. 1804); HG. 336; Leucomelas O. II, 6; Rosina Stgr. Iris VII, 257. *Gal. m; Hisp. or. et m. (Murcia); Liguria.*
4706. **Ledereri** Stgr. Cat. ed. II p. 61, no. 807 (pr. p.); Hor. XIV p. 342; ?*Stygiella* Brd. Mon. Psych. p. 27, t. 1, f. 10. *Pont; Taur.*
4707. **Colchica** HS. 10 (1851); Stgr. Hor. XIV p. 344; Amanina HS. VI p. 39. *Srp; Pont.*
4708. **Dercetis** Gr. Gr. Ann. Mus. Petersb. IV, 1899 p. 469. *Pal.*
4709. **Tricolor** Ld. Wien. Mts. 1858 p. 143, t. 2, f. 4. *Srp; Lyd; Syr.*
4710. **Aethiops** Stgr. Stett. e. Z. 1887 p. 91. *Ferg. m.*
4711. **Psychidion** Stgr. Hor. VII (1870) p. 112; ib. XIV p. 346. *Graec; Lyd; ? It. m. (Mus. Caes. Vind.).*
4712. **Psyche** Gr. Gr. Hor. XXVII (1893) p. 386. *Tura s. or. (deserta Kisilkum).*

761. **Phragmataecia** Newman 1850.

4713. **Castaneae** Hb. Btr. II, 1, 1, C. (1790); (-nea) Esp. 94, 1, 2; Arundinis Hb. 200-1 (1803); O. III, 98; Dup. III, 13, 2a, b; Fr. 326, 3, 4; Barr. II t. 61, f. 1. *Germ; Helv; Bat; Angl; Gal. s; Cors!; Hung; Istr; Ross. c. et m; Arm; Thian; China; Jap.*
- a) v. (?) *Cinerea* Teich Stett. e. Z. 1884 p. 212; Fn. Balt. p. 19 (minor, cinerascens, al. angustioribus). *Liv.*
- b) v. *Pygmaea* Graes. Berl. e. Z. 1888 p. 119; Stgr. Mém. Rom. VI p. 293 (multo minor). *Uss.*
4714. **Territa** Stgr. Hor. XIV (1879) p. 341; Chr. Mém. Rom. III p. 60, t. 3, f. 7; Alph. ib. IX p. 201, t. 8, f. 2; ?*Castaneae* v. Albida Ersch. Fedtsch. p. 34 [si certum, nom. restituend.]; v. *Transaspica* Gr. Gr. Hor. XXIX p. 292. *Pont; Tura.*

4715. **Furia** Gr. Gr. Mém. Rom. IV p. 542, t. 20, f. 4.
 4716. **Roborowskii** Alph. Mém. Rom. IX p. 235, t. 12, f. 4.
 4717. **Reticulata** Füng. Iris XIII p. 115, t. 4, f. 2 (?hujus generis).

Pamir.
Gobi.
Tura (Merw).

762. **Zeuzera** Latr. 1804.

4718. **Pyrrina** L. F. S. 306; Snell. Vlind. I p. 114; *Aesculi* L. S. N. ed. XII, 833; Esp. 62, 1-7; Hb. 202; O. III, 99; God. IV, 3, 2, 3; Barr. II t. 61, f. 2; Octopunctata B. Ic. 68, 6 [ab. minima].
 4719. **Speyeri** Aust. Natural. 1897 p. 45.
 4720. **Nubila** Stgr. Iris VIII p. 341 (1895); Stryx Gr. Gr. Hor. XXIX (1895) p. 292.
 4721. **Ariana** Gr. Gr. Ann. Mus. Petersb. IV, 1899 p. 468.
 4722. **Regia** Stgr. Iris IV (1891) p. 253, t. 3, f. 6.

Eur. c. et m; Dan;
Suec. m; Maur;
Lyd; Cor; Jap.
?Pers. (Tura).
Kaschg; Tura.
Saraw.
Taur.

XXXIX. Hepialidae.

763. **Phassus** Wlk. 1856.

4723. **Excerrens** Butl. Ann. & Mag. (4) XX p. 482 (1877); Ill. Het. II p. 20, t. 27, f. 7; Stgr. Mém. Rom. VI, 289; *Aemulus* Butl. I. c. 482; l. c. f. 8.
 4724. **Schamyli** (Schamyl) Chr. Hor. XXII (1888) p. 309; Mém. Rom. V p. 198, t. 10, f. 1 a, b (hujus generis?).
 4725. **Regius** Stgr. Iris VIII, 1895 p. 301, t. 5, f. 11 ♀ (hujus generis?).

Amur oc; Jap.
Cauc. oc.
Amdo.

764. **Hepialus** F. 1775.

4726. **Humuli** L. S. N. ed. X, 508; Esp. IV, 80, 1-4; Hb. 203-4; O. III, 104; God. IV, 1, 1. 2; Barr. II t. 63.
 a) v. (et ab.) *Thuleus* Crotch Entom. II p. 176 (1865); *Hethlandica* Stgr. Cat. ed. II p. 60; Weir Entom. XIII p. 251, t. 3; Hoffm. Stett. e. Z. 1884 p. 357, 1887 p. 265; *Humuli* var.? Knaggs Ann. 1865 p. 98; Snell. Tijds. (2) I, 1866 p. 63, t. 2, f. 3, 4; Mill. Ic. 94, III, 5. 6; Barr. II t. 63, f. 1 b-d (δ) similis ♀, al. ant. flavidis, fulvo-striatis).
 4727. **Sylvina** L. F. S. 306; Esp. 82, 2-4; O. III, 109; God. IV, 2, 1-5; Kirby Cat. Het. p. 880; Barr. II t. 64, f. 1; Hamma Hb. 207, 252; Frr. 560, 3; ?HG. 300; Lupulina Hb. 205-6; Mill. Ic. 60 f. 7; Flina Esp. 82, 5-7.
 a) v. *Laetus* Stgr. Stett. e. Z. 1877 p. 177; Rom. Hor. XIV p. 489, t. 3, f. 1; Mém. Rom. I p. 90, t. 5, f. 3, 4; *Pulchellus* Heyne Soc. Ent. XIV p. 98 (major, laetus picta).
 4728. **Amasinus** HS. Hepial. 7, VI p. 39. *Sic; Dalm; Graec; Pont.*
 4729. **Nubifer** Ld. z. b. V. 1853 p. 362, t. 2 (sib.), f. 1. *Alt.*
 4730. **Fusconebulosa** De Geer Mém. VIII p. 598, t. 44, f. 16 (1778); Auriv. Nord. Fjär. 56; Kirby Cat. Het. p. 880; Velleda Hb. 212 (ante 1804), 238-4; Esp. IV, 195, 1; O. III, 105; B. Ic. 69, 6; Dup. III, 14, 2a, c; Frr. 302, 1, 2; HG. 308; Weir Entom. XIII t. 4, f. 16, 17; Hoffm. Stett. e. Z. 1884 p. 358; Barr. II t. 62, f. 3. *Eur. s. et c. [pr. p.]; Alp; Pyr; ?Ural.*

- a) ab. ♂ ♀ *Gallicus* Ld. z. b. V. 1852 p. 106; *Vellea* ♂ B. Ic. 69, 5; Dup. l. c. 2b; HS. 4 (unicolor rufo-fuscus).
- b) v. *Askoldensis* Stgr. Mém. Rom. III p. 193, t. 11, f. 5; ib. VI p. 290; v. *Minor* Stgr. l. c. (obscurior, sordide brunnescens).
4731. **Varius** Stgr. Mém. Rom. III p. 194, t. 11, f. 6.
4732. **Variabilis** Brem. Bull. Ac. Petrop. III p. 478 (1861); Lep. O. S. p. 41, t. 3, f. 17; Stgr. Mém. Rom. VI p. 290.
4733. **Nebulosus** Alph. Mém. Rom. V p. 85 (1889); *Luteus* Gr. Gr. Hor. XXV (1891) p. 463; *Varians* Stgr. Iris VIII (1895) p. 302, t. 5, f. 12 ♂; ib. IX p. 400.
4734. (*) **Confusus** Edw. (H.) Papilio IV (1884) p. 122.
4735. **Uralensis** Gr. Gr. Ann. Mus. Petersb. IV, 1899 p. 469.
4736. **Carna** Esp. IV, 82, 1 (1785); Hb. 214 ♂; *Jodutta* Hb. 213 ♀; *Carnus* O. III, 107; B. Ic. 69, 4; Dup. III, 14. 1a-c; Frr. 183, 4; HS. 5; *Socordis* Frr. 560, 1 ♂; *Uredo* Frr. 560, 2 ♀.
4737. **Pyrenaicus** Donz. Ann. Soc. Fr. 1838 p. 429, t. 12, f. 1, 2; Dup. IV, 68, 3a, b; Obth. Et. VII p. 11, t. 1, f. 13, 14; *Pyrenaeus* HS. 1. 8.
- a) v. *Atticola* Obth. Ann. S. Fr. 1881 p. 527; Et. VII p. 11, t. 1, f. 11, 12 (obscurior, magis griseescens, minus signat.).
- b) v. (?) *Castillanus* Obth. Et. VII p. 13, t. 1, f. 15 (♂) (minor, magis rufescens, an spec. distincta?).
4738. **Lupulina** L. S. N. ed. X, 508; Esp. IV, 81, 1-4; O. III, 114; God. IV, 1, 5. 6; Frr. 122; Kirb. Cat. Het. p. 882; Barr. II t. 62, f. 2; Flina Hb. 210-1.
- a) v. (et ab.) *Dacieus* Carad. Soc. Ent. VIII p. 44 (1893); Iris VIII p. 84 (obscure griseescens, fere unicolor).
4739. **Hyperboreus** Möschl. Wien. Mts. 1862 p. 129, t. 1, f. 1; Stett. e. Z. 1870 p. 251; ib. 1874, 158.
4740. **Labradoriensis** Pack. Proc. Phil. 1864 p. 394; Möschl. Stett. e. Z. 1870 p. 251 ♀.
4741. **Macilentus** Ev. Bull. M. 1851, II p. 626.
- a) v. *Gerda* Stgr. Iris X p. 328 (maculis argenteis obsoletis).
4742. **Ganna** Hb. 215; O. III, 113; Dup. IV, 51, 4; Frr. 459, 4. 5; HS. 2. 3; *Arcticus* Boh. För. 1848 p. 190; Wllgr. Sk. Het. II p. 14.
4743. **Hecta** L. S. N. ed. X, App. 822; Esp. IV, 80, 5-7; Hb. 208-9, 258; God. IV, 1, 3. 4; Barr. II t. 62, f. 1; *Hectus* O. III, 116; Frr. 540; *Jodutta* Esp. 81, 6 ♀; *Nemorosa* Esp. 81, 5 ♂ [dilutior]; Flina HG. 297-8 [ab. obscura].
4744. **Mlokossevitschi** Rom. Mém. Rom. I p. 91, t. 4, f. 10.
- Uss.*
- Uss. m.*
- Amur; Uss.*
- Amdo; China.*
- Alaska; ? Am. arct.*
- Ural; Sib. or.*
- Alp; Hung. et Trans-sylv. mont.*
- Pyr. or.*
- Pyr. sum.*
- Cast.*
- Eur. c; Dan; Scand; Petrop; ? Liv; Alp; It; Dalm.*
- Rum; Dalm; Cauc; Vind. (ab.).*
- Labr.*
- Labr.*
- Sib. or; Mong.*
- Daur.*
- Alp. pr. p.; Pruss. or; Suec. c; Ross. s; Amur.*
- Eur. c. et s. (exc. reg. bor.); Fen. s; ? Uss; Jap.*
- Arm.*

CATALOG

DER

LEPIDOPTEREN DES PALAEARCTISCHEN FAUNENGEBIETES.

II. THEIL:

FAMIL. PYRALIDAE—MICROPTERYGIDAE

VON

DR. H. REBEL.



BERLIN.

R. FRIEDLANDER & SOHN.
1901.

I. Pyralidae.

A. Galleriinae.

1. *Arenipes* Hmps. (ined.).

1. **Sabella** Hmps. & Rag. Mon. II, t. 24, f. 1 [ined.].

Pers; Arab. (Mascat).

2. *Corecyra* Rag. 1882.

2. **Cephalonica** Sitt. Monthl. Mag. II p. 172; Ann. 1866 p. 147; Rag. Monthl. Mag. XXII, 23; Leech Pyr. t. 13, f. 5; South Entom. 1890, 336, t. 4, f. 3; Meyr. 384; Rag. Mon. II, t. 45, f. 24 [ined.]; Oeconomellus Mn. z. b. V. 1872 p. 35; Stgr. Hor. XV p. 231 [sec. specim. typic. tantum synon. Rbl.].

Angl. et Germ. s. oc.
(advena); Corecyra;
Sic; Bith; Ind. m;
Christmas Ins; Key
Ins; Afr. c.

3. *Achroia* Hb. 1818.

3. **Grisella** F. E. S. III, 2 p. 289; Z. Is. 1848 p. 583; Hein. 204; Snell. II, 1 p. 120; Leech Pyr. t. 13, f. 6; Meyr. 384; Hmps. Ind. Moths IV p. 6; Alvearia F. Suppl. 463; Wd. 1433; Dup. IV, 60, 10; HS. 149-50, IV p. 112; Cinereola Hb. (Bomb.) 91.

Eur.c.etm; Suec; Ross.
oc; Hyrc; Ind; Austr;
Am. s.

4. *Melissoblaptes* Z. 1839.

4. **Bipunctanus** Z. Is. 1848 p. 580 (nec Curt.); HS. IV p. 113; Sitt. Man. II, 165; Hein. 205; Snell. II, 1 p. 117; Meyr. 385; Anella Zk. Germ. Mag. IV, 243; Tr. IX, 1. 144; Z. Is. 1839 p. 180; Wd. 1437; Leech Pyr. t. 13, f. 4.

Eur. c; Liv.

5. **Unicolor** Stgr. Hor. VII p. 212; Rag. Mon. II, t. 45, f. 21 [ined.].

Bulg; Graes; Bith;
Maur.

6. **Foedellus** Z. Is. 1839 p. 180; 1848 p. 579; HS. 147-8, IV p. 113; Hein. 205.

Hung; Boh; Ross.
(Hmps.).

5. *Paralipsa* Butl. 1879.

7. **Spoliatrix** Chr. Bull. M. 1881, I p. 59; Rag. Mon. II, t. 46, f. 14 [ined.].

Uss.

6. *Aphomia* Hb. 1818.

8. **Sociella** L. S. N. ed. X p. 534 (♂); Cl. Ic. 3, 11; Wd. 1435; Z. Is. 1839 p. 180; Wck. Cat. ed. II p. 231; Snell. II, 1 p. 119; Leech Pyr. t. 13, f. 3; Meyr. 385; Colonella L. S. N. ed. X p. 534 (♀); Cl. Ic. 3, 8; Hb. 23 (♀); Zk. Germ. Mag. IV, 238; Tr. IX, 1. 46; X, 3. 156; Dup. X, 282, 6; Wd. 1436; Z. Is. 1848 p. 576; HS. IV p. 114; Hein. 207; Tribunella (S. V.) Hb. 22 (♂).

Eur; Pont; Am. s.

7. **Archigalleria** Rbl. n. gen.

9. **Proavitella** Rbl. Ann. Naturh. Hofmus. VII p. 262; IX p. 80; Can. XIII p. 376.
8. **Trachylepidia** Rag. 1887.
10. **Fructicassiella** Rag. Ann. S. Fr. 1887 p. 260; Mon. II, t. 46, f. 15 [ined.]; Hmps. Ind. Moths IV p. 4.

9. **Galleria** F. 1798.

11. **Mellonella** L. S. N. ed. X, 537; F. S. E. p. 660; Curt. XIII, 587; Z. Is. 1848 p. 573; HS. IV p. 114; Hein. 208; Snell. II, 1 p. 116; Leech Pyr. t. 18, f. 2; Meyr. 386; Hmps. Ind. Moths IV p. 9; Cereana L. S. N. ed. XII, 874; Latr. Gen. IV p. 231; Wd. 1434; Cereella F. S. E. p. 665; Hb. 25; Zk. Germ. Mag. IV, 234; Tr. IX, 1. 51; Dup. X, 282, 5; Obliquella Wlk. List. XXXV p. 1706.

10. **Lamoria** Wlk. 1863.

12. **Jordanis** Rag. Mon. II, t. 46, f. 5 [ined.].
13. **Melanophlebia** Rag. N. Genr. p. 51; Mon. II, t. 46, f. 6. [ined.].
14. **Ruficostella** Rag. N. Genr. p. 52; Mon. II, t. 45, f. 11 [ined.].
15. **Anella** Schiff. S. V. p. 135; F. Mant. II, 244; Ev. F. V. U. 888; Dup. X, 282, 7 p. 261; Z. Is. 1848 p. 582; HS. IV p. 113; Hein. 206; Hmps. Ind. Moths IV p. 7; Sociella Hb. 24.

Eur.; As. oc.; Am. s. et c.

*Syr.; Ind. s. oc.
Cauc.*

*Ross. m.; Syr.
Eur. c. m. et m.; As. oc.;
Maur.; Jap.; China;
Ind.; Afr.*

B. Crambinae.

11. **Crambus** F. 1798.

16. **Serraticornis** Hmps. Tr. E. S. 1900 p. 369.
17. **Paludellus** (-a) Hb. 452-3; Tr. X, 3. 164; HS. IV p. 117; Dup. X, 283, 2; Z. Cramb. 9; Hein. 116; Snell. II, 1 p. 89; Leech Pyr. t. 7, f. 4; Meyr. 387; Obtusellus Stt. Ann. 1856 p. 33, f. 5.
18. **Hierochunticus** Z. Stett. e. Z. 1867 p. 368.
19. **Alexandriensis** Baker Tr. E. S. 1894 p. 48, t. 1, f. 19.
20. **Orontellus** (-a) Rag. Bull. S. Fr. 1895 p. 100; ? Klchbg. Iris X, 186.
21. **Concolorellus** Chr. Mém. Rom. II p. 149, t. 8, f. 1 a, b.
22. **Terrestrellus** Chr. Mém. Rom. II p. 151, t. 8, f. 2.
23. **Petrificellus** Dup. X, 273, 8, 9 p. 132; Z. Cramb. 38; Hein. 138.
24. **Combinellus** (-a) Schiff. S. V. 319; Tr. IX, 1. 123; Z. Is. 1839. 174; Dup. X, 273, 5; HS. 7, IV p. 60; Z. Cramb. 39; Hein. 138; Petrificella Hb. 47; Simploniellus Dup. X, 273, 7.
25. **Coulonellus** Dup. X, 273, 6 p. 128; Z. Cramb. 39; Hein. 139; Taeniellus Z. Is. 1839 p. 174; HS. 6, IV p. 60.
26. **Orientellus** HS. 175; Z. Cramb. 39; Hein. 139.
27. **Profluxellus** Chr. Mém. Rom. III p. 45, t. 2, f. 13.

*Syr.
Germ. s.; Austr. inf.;
Bat.; Angl.; Hung.;
Hal.; Rum.; Ross. m.*

*Pal.
Aegypt.
Taur. m.; Syr.*

*Tura.; ?Amur.
Tura.
Pyr.; ?Styria.
Alp.*

*Alp.; Sil. mont.; Hal.
mont.; Balc. mont.
Hung. or. alp.
Arm.*

Pyralidae

3

28. **Spuriellus** (-a) Hb. 471; Z. Cramb. 36; Hein. 138; Pedriolellus Dup. X, 275, 6; Aridellus HS. 17, 18, IV p. 61.
29. **Biformellus** Rbl. Stett. e. Z. 1893 p. 37.
30. **Ciliciellus** Rbl. Stett. e. Z. 1893 p. 39.
31. **Kindermanni** Z. Cramb. 37.
32. **Diplogrammus** Z. Cramb. 25; Textellus Chr. Bull. M. 1881, I p. 47; Argentistrigellus Leech Entom. XXII. p. 107, t. 5, f. 11.
33. **Pudibundellus** HS. 159 (Pyr.), VI p. 144; Z. Cramb. 36.
34. **Fascelinellus** (-a) Hb. 368; Tr. IX, 1. 111; X, 3. 169; Dup. X, 273, 3 p. 122; HS. IV p. 61; Z. Cramb. 35; Hein. 137; Snell. II, 1, p. 107; Leech Pyr. t. 9, f. 8; Meyr. 394; Aridellus Z. Is. 1839, 174; Treitschkeella Sodof. Bull. M. 1830, II, 76, t. 1, f. 9 (Tin.); Pedriolellus Stt. (nec Dup.) Man. II p. 182.
35. **Epineurus** Meyr. Monthl. Mag. XX, 141; Ramosellus Z. Cramb. 35 (praecl. spec. var. Darw.).
36. **Jucundellus** HS. 11-14 (♂), IV p. 62; Z. Cramb. 36; Festivellus HS. 19 (♂), 20 (♀), IV p. 62; Z. I. c. 36.
37. **Digitellus** HS. 103, IV p. 116; Z. Cramb. 38.
38. **Acutangulellus** HS. 15, 16, IV p. 61; Z. Cramb. 35.
39. **Dalmatinellus** Hmps. Tr. E. S. 1900 p. 369.
40. **Paleatellus** Z. Is. 1847, 754; HS. 143, IV, p. 57; Z. Cramb. 42; Inquinatellus Z. Is. 1847, 28.
41. **Trabeatellus** HS. 158, IV p. 57; Z. Cramb. 42.
42. **Inquinatellus** (-a) Schiff. S.V. 134; Hb. 54; Tr. IX, 1. 121; Dup. X, 273, 2; HS. IV p. 56; Z. Is. 1847 p. 753; Cramb. 41; Hein. 142; Snell. II, 1 p. 108; Leech Pyr. t. 9, f. 9; Meyr. 394; Luteellus Stph. Ill. IV, 327; Wd. 1511.
43. **Subflavellus** Dup. X, 275, 1 p. 113; Z. Cramb. 37.
44. **Osseellus** Hmps. Tr. E. S. 1900 p. 370.
45. **Graphellus** Const. Ann. S. Fr. 1884 p. 207, t. 9, f. 5.
46. **Divisellus** Joan. (L. & J.) Ann. S. Fr. 1888 p. 273, t. 6, f. 4.
47. **Atlanticus** Woll. Ann. & Mag. (3) I p. 119 (1858).
a) v. *Canariensis* Rbl. Ann. Naturh. Hofmus. VII p. 254, t. 17, f. 11, 12 (pallidior, al. ant. plaga fusca in plica).
48. **Tersellus** Ld. z. b. V. 1855 p. 220, t. 4, 6; Z. Cramb. 42.
49. **Desertellus** Ld. z. b. V. 1855 p. 220, t. 4, 7; Z. Cramb. 42.
50. **Aridalis** Hmps. Tr. E. S. 1900 p. 370.
51. **Grammiculellus** Luc. Expl. Alg. 407, t. 4, f. 8; Z. Stett. e. Z. 1854 p. 307.
52. **Permixtellus** Klchbg. Iris X, p. 186.
53. **Geniculeus** Hw. Lep. Br. 489; Z. Cramb. 42; Hein. 128; Snell. II, 1 p. 109; Leech Pyr. t. 9, f. 11; Meyr. 394; Inquinatellus Stph. IV, 327; Wd. 1513; Angulatellus Dup. X, 273, 1 p. 118; HS. 8-10, IV p. 57; Z. Is. 1847 p. 755; Suspectellus Z. Is. 1839, 174.
54. **Contaminellus** (-a) Hb. 59; Tr. IX, 1. 124; Dup. X p. 273; Z. Is. 1847 p. 756 v. B; Hein. 142 (pr. p.); Snell. II, 1, p. 110; Leech Pyr. t. 9, f. 10; Rbl. z. b. V. 1892 p. 613; Meyr. 395; Cantiellus Tutt Entom. 1886 p. 52, fig!; Tugwell ib. 1887 p. 75, 77, f. 1, 2.
- Alp.
Arm.
Taur.
Alt.
Uss; Jap.
Srp.
Eur. c; Liv; Suec.m;
Gal. m. et oc. Ross;
m. oc; Pont; Maur;
Ross. m.
Hung; Rum; Graec.;
Ross. m; Arm.
Gal. m.
Croat; Bosn; Dalm;
? Sic; ? Gal. m. or. (Mill.).
Dalm.
Smyrna; Syr.
Sic; Murcia (Korb).
Eur. (exc. reg. pol. et?
Ross. m.); As. oc.
Cors.
And.
Gal. m. or.
Syr.
Mad.
Can.
Pont; Lyd; Syr.
Syr; Maur. (Chrét.).
Arm.
Maur.
Syr.
Eur. c. et m. (exc.
Graec. et Ross.);
Bith; Pont; Syr.
Eur. (exc. reg. pol.);
Bith; Syr.

55. **Salinellus** Tutt Entom. 1887 p. 56; South ib. 1890 p. 298; Rbl. z. b. V. 1892 p. 614; Meyr. 395; *Inquinatella* Hb. 442 (♀); *Contaminellus* Dup. X, t. 283, f. 4; Z. Is. 1847 p. 756 v. A; Cramb. 43; HS. 88, 89; Hein. 142 (pr. p.); Tugwell Entom. 1887 p. 76, 77, f. 3, p. 162.
56. **Siculellus** Dup. X, 275, 7 p. 136; Z. Cramb. 43; Failla Fn. Sic. 107.
57. **Matriceillus** (-a) Tr. IX, 1. 71; Z. Is. 1839 p. 174; Cramb. 43; HS. 138-9, IV p. 117.
58. **Poliellus** Tr. IX, 1. 113; Dup. X, 283, 5; HS. 140, IV p. 57; Z. Cramb. 45; Hein. 127.
59. **Deliellus** (-a) Hb. 402-3; Zk. Germ. Mag. II, 96; Tr. IX, 1. 117; Dup. X, 275, 8; HS. IV p. 65; Z. Cramb. 45; Hein. 144; Snell. II, 1, 112.
60. **Lythargyrellus** (-a) Hb. 227; Snell. II, 1 p. 114; *Lithargyrellus* Tr. IX, 1. 128; Dup. X, 274, 6; HS. IV p. 66; Z. Cramb. 49; Hein. 143.
61. **Tristellus** (-a) (S.V.) F. Mant. II p. 243; Z. Cramb. 45; Hein. 141; Wck. Cat. ed. II p. 220; Nolek Fn. II, 322; Snell. II, 1 p. 111; Meyr. 395; *Culmella* Hb. 404; *Aquilellus* Tr. IX, 1. 116 var. 1; Wd. 1518; Dup. X, 272, 5; HS. IV p. 66 (al. ant. luteo-stramineis, vena mediana crassa argentea).
- a) ab. *Culmella* Hb. 50; *Bivitellus* Klem. Spraw. Kom. Fizyogr. XXXIII p. 157 [margin'e ant. argenteo] (al. ant. luteo-fuscescent. vel luridis. vena mediana et costis 1-5 plus minusve argenteis).
- b) ab. *Palecella* Hb. 51; *Aquilellus* Tr. l. e. v. 3; Dup. 272, f. 5c (al. ant. luteis, vena mediana haud dilutiore, plerumque linea fusca ex basi et in disco medio).
- c) ab. *Fuscelinellus* Stph. III. IV p. 329 (nec Schrk.) (al. ant. fusco-brunneis vena mediana crassa argentea).
- d) ab. *Aquilella* Hb. 52; (-us) Tr. l. e. v. 5; Dup. l. e. f. 5b, e; (al. ant. fusco-brunneis unicoloribus, interdum venis 2-4 dilutioribus).
62. **Argentistrigellus** Rag. Ann. S. Fr. 1888 p. 279, t. 6, f. 9.
63. **Selasellus** (-a) Hb. 405-6; Tr. IX, 1, 119; Dup. X, 272, 3 p. 104; Wd. 1515; Z. Cramb. 46; Hein. 140; Snell. II, 1 p. 111; Leech Pyr. t. 9, f. 6; Meyr. 395; *Pratellus* HS. IV p. 66 (nec L.).
64. **Aeneociliellus** Ev. F. V. U. 546; Z. Cramb. 46; *Quadrifidellus* Ld. z. b. V. 1853 p. 284, t. 7, f. 3.
65. **Luteellus** (-a) Schiff. S.V. 134; Tr. IX, 1. 125; Dup. X, 274, 1; HS. IV, 66; Z. Cramb. 47; Hein. 143; *Exoletella* Hb. 48 (♀); *Ochrella* Hb. 55; Zk. Germ. Mag. II, 100.
66. **Zermattensis** Frey Mitth. III (1870) p. 244, 478.
67. **Laevigatellus** Ld. Ann. S. Belg. 1870 p. 52, t. 2, f. 10.
68. **Perlellus** (-a) Sc. Ent. Carn. no. 620; Hb. 40; Tr. IX, 1. 129; Dup. X, 274, 2; HS. IV p. 66; Z. Bresl. e. Z. 1850, t. 3, f. 11; Cramb. 49; Hein. 143; Wck. Cat. ed. II p. 221; Snell. II, 1 p. 113; Leech Pyr. t. 9, f. 4; Meyr. 393; Fern. Cramb. p. 43, t. 3, f. 14!; Hmps. Ind. Moths IV p. 16; *Argyreus* Stph. IV, 319; Wd. 1486.
- a) v. et ab. *Warringtonellus* Stt. List. p. 2; Man. II, 184; Z. Bresl. e. Z. 1850 p. 36, t. 3, f. 10; Wck. Stett. e. Z. 1862 p. 36; Z. Cramb. 49; Leech l. c. f. 5; *Lithargyrellus* Stph. IV, 318; Wd. 1485 (minor, al. ant. quam maxime brunnescenti-venosis).

*Angl; Germ.**Sic.; ? Ped.**Austr. inf; Hung;*
*Ross. m; As. min; Arm.**Germ; Hal; Liv; Ross.*
*c. et m. or.**Germ; Bat; Liv;*
Hung; Hal; Bulg; It.
*s. oc; Ross. m.**Eur. c. (exc. Angl.);*
*Liv; Ross. m.**Eur. (exc. reg. pol.);*
*Arm; Sib.**Maur.**Eur. c. et s. (exc. reg.*
pol.); It.s; Ross.m.or;
*Amur.**Ural; Alt.**Eur. c. (exc. Angl.,*
Bat.); Liv; Fen; It;
*Dalm; As. oc; Sib.**Val.**Arm.**Eur; As. oc. et c; Sib;*
Mong; Kaschmir;
*Labr; Am. s.**Eur.c. (ab.)et s. (v.pr.*
p.); Arm; ? Tura
mont; Thian. or.

Pyralidae

5

69. **Rostellus** Lah. Pyr. p. 55, f. 6; Z. Cramb. 49; Hein. 144; Z. Stett. e. Z. 1878 p. 96; Monochromellus HS. 164 (Pyr.), VI p. 145 (praeec. v. Darw.). *Alp; Pont. alp; Arm.*
70. **Languidellus** Z. Cramb. 49. *Car. m. alp; Dalm. (Mn.).*
71. **Aureliellus** F. R. p. 281; HS. IV p. 56; Reutti Fn. 143; Z. Cramb. 9; Hein. 127; Aurescellus F. R. t. 89. 1. *Gal. m. oc; Hung; Germ. oc; Helv.*
72. **Saxonellus** Zk. Germ. Mag. IV, 255; Tr. X, 3. 170; F. R. p. 263, t. 89, 2 a, b; Dup. X, 275, 2; HS. IV p. 57; Z. Cramb. 41; Hein. 127; Chrysellus Tr. IX, 1. 132. *Germ. c. et m; Austr.-Hung; Helv; Belg; Gal; Cors; Graec; Ross. m; As. oc.*
- a) v. *Carentellus* Chr. Hor. XXII p. 311 (al. ant. pallide lutescent., sine puncto medio). *Pers; Tura.*
73. **Fulgidellus** (-a) Hb. 365-6; Tr. IX, 1. 109; HS. IV p. 65; Dup. X, 272, 2 p. 98; Z. Cramb. 31; Hein. 136; Snell. II, 1 p. 107; Baker Monthl. Mag. XX, 160. *Germ; Hung; Hal; Belg; Cast; Cat; Arag; Liv; Suec. m; Srp.*
74. **Latistrius** Hw. Lep. Br. 485; Curt. B. E. III, 109; Wd. 1506; HS. 191, IV p. 65; Stt. Man. II, 184; Z. Cramb. 31; Snell. II, 1 p. 106; Leech Pyr. t. 9, f. 3; Meyr. 393; Gueneellus Dup. X, 283, 7 p. 288. *Angl; Gal. oc; Bilb; Bat; Liv.*
75. **Monotaeniellus** HS. (Pyr.) 162 (♂), VI p. 145; Z. Cramb. 33 (praeec. var.?). *Bith; Taur. m.*
- a) v. *Vectifer* Z. Cramb. 33 (al. ant. vitta alba in ciliis non exeunte). *Sic; Dalm.*
76. **Unistriatellus** Pack. Labr. XI p. 54; Fern. Cramb. p. 30, t. 1, f. 6. *Labr; Am. s.*
77. **Radiellus** (-a) Hb. 325; Zk. Germ. Mag. II, 83; Tr. IX, 1. 108; Dup. X, 272, 1 p. 100; Z. Is. 1839, 174; Cramb. 34; Hein. 136. *Alp; Hal. et Hung. mont.*
- a) ab. (v.) *Tristrigellus* Rag. Bull. S. Fr. 1876 p. 78; Z. Stett. e. Z. 1878 p. 94 (al. ant. lineis argenteis in plica et margin. intern.). *Gal. etc.*
78. **Furcatellus** Zett. Ins. Lap. 995; Z. Cramb. 35; Leech Pyr. t. 8, f. 12; Meyr. 393; Radiellus Curt. B. E. III, 109; Stph. Ill. IV, 324; Wd. 1504; HS. 4; Radiolellus HS. IV p. 62. *Alp; Scot.mont; Norv. alp; Lap.*
79. **Margaritellus** (-a) Hb. 39; Tr. IX, 1. 102; HS. IV p. 62; Stph. IV, 325, t. 40, 2; Dup. X, 272, 4; Wd. 1505; Z. Cramb. 30; Hein. 133; Snell. II, 1 p. 105; Leech Pyr. t. 8, f. 13; Stange Stett. e. Z. 1886 p. 282 [ab]; Meyr. 393. *Eur. c. et s; It. s.*
80. **Pyramidellus** Tr. IX, 1. 104; HS. 5, IV p. 64; Z. Cramb. 30; Hein. 133; Baker Monthl. Mag. XX, 158. *Alp.*
81. **Pauperellus** Tr. IX, 1. 101; Dup. X, 271, 4 p. 94; HS. 136, IV p. 63; Z. Cramb. 29; Hein. 131; Baker Monthl. Mag. XIX, 239. *Jura mont; Alsat; Hung. m. or; Balc.*
82. **Conchellus** (-a) Schiff S. V. 134; HS. 1. IV p. 63; Z. Cramb. 29; Hein. 132; Z. Stett. e. Z. 1872 p. 99; Stenziellus Tr. X, 3. 167; Z. Is. 1839, 173; Rhombellus Z. Cramb. 29 [ab.]. *Alp; Liv; Fen.*
83. **Pinellus** (-a) L. S. N. ed. X, 539; Cl. Ic. 4, 15; Don. Nat. Hist. VI, 263, 1; Snell. II, 1 p. 104; Leech Pyr. t. 9, f. 1; Meyr. 393; Pinetella Tr. IX, 1, 94; Dup. X, 271, 3; Wd. 1507; HS. 2, IV p. 63; Z. Cramb. 29; Hein. 132; Conchella Hb. Vög. 44; Hb. 38. *Eur. c. et. s; Bilb; It; Balc; Bith; Pont; Arm.*
84. **Mytilellus** (-a) Hb. 287; Tr. IX, 1. 99; Dup. X, 271, 6 p. 87; HS. IV p. 63; Z. Cramb. 29; Hein. 133; Baker Monthl. Mag. XIX, 241. *Eur. c. (exc. Angl., Bat., ? Belg.); It. s; Arm; Sib.*
85. **Furciferalis** Hmps. Tr. E. S. 1900 p. 371, t. 3, f. 17. *Uss; China oc.*

86. **Colchicellus** Ld. Ann. S. Belg. 1870, p. 52, t. 2, 9.
87. **Myellus** (-a) Hb. 37; HS. IV p. 64; Z. Cramb. 29; Hein. 133; Snell. II. 2 p. 1074; Leech Pyr. t. 9, f. 2; Meyr. 392; Fern. Cramb. 46, t. 2, f. 7; Conchellus Tr. IX, 1. 97; Dup. X, 271, 5b. p. 91; Hercyniae Hein. Bresl. e. Z. 1854, 3 [ab.].
88. **Caucasica** Alph. Trudy X p. 27; Mém. Rom. V p. 239, t. 12, f. 5.
89. **Speculalis** Hb. Verz. 365; HS. 87, IV p. 64; Z. Cramb. 29; Hein. 134; Z. Stett. e. Z. 1872 p. 100; Baker Monthl. Mag. XIX p. 242; Pinetella Hb. 36; Conchellus Dup. X, 217, 5a.
- a) ab. *Catoptrellus* Z. Cramb. 30; Hein. 134 (al. ant. parte vittae mediae secunda maculam ovalem, tertia strigam a margine remotam formante).
90. **Luctiferellus** (-a) Hb. 324 ♀; Tr. IX, 1. 100; Dup. X, 260, 4 p. 89; HS. 21, IV p. 64; Z. Cramb. 30; Hein. 135; Luctuellerus HS. VI p. 145; Fern. Cramb. 47, t. 2, f. 8 (sp. valde variabilis, in Sum. Alp. multo obscurior).
91. **Permutatellus** HS. 86, IV p. 64; Z. Cramb. 30; Hein. 135.
92. **Corsicellus** Dup. X, 270, 1 p. 85; Z. Cramb. 20.
93. **Kobelti** Saalmüller Stett. e. Z. 1885 p. 334, t. 3, f. 12.
94. **Incertellus** HS. (Pyr.) 165, VI p. 144; Z. Cramb. 28.
95. **Dimorphellus** Stgr. Hor. XVI p. 81 (= praec. ♀?).
96. **Confusellus** Stgr. Hor. XVI p. 82; Incertellus Hein. 130 (an satis Incert. HS. distincta?).
97. **Staudingeri** Z. Cramb. 28; Mill. Ic. 83, 1, II p. 304.
98. **Verellus** Zk. Germ. Mag. II, 81; Fn. Germ. 14, f. 21; HS. 137, IV p. 58; Z. Cramb. 28; Hein. 130; Snell. II, 1, p. 104; Leech Pyr. t. 8, f. 4; South Entom. 1890 p. 298, t. 3, f. 11; Meyr. 392.
99. **Falsellus** (-a) Schiff. S.V. 134; Hb. 30; Tr. IX, 1. 105; Wd. 1510; HS. IV p. 58; Dup. X, 270, 2; Z. Cramb. 28; Hein. 130; Snell. II, 1, p. 103; Leech Pyr. t. 8, f. 3; Meyr. 392.
100. **Trichostomus** Chr. Stett. e. Z. 1858 p. 313; Möschl. Wien. Mts. 1860 p. 379, t. 10, 10; Z. Cramb. 28; Pack. Labr. XI p. 55; Fern. Cramb. p. 56, t. 2, f. 6.
101. **Zellerellus** Stgr. Iris XII p. 402.
102. **Labradoriensis** Chr. Stett. e. Z. 1858 p. 314; Möschl. Wien. Mts. 1860 p. 379; Z. Cramb. 21; Pack. Labr. XI p. 55; Fern. Cramb. 32, t. 3, f. 7; Moestellus Wlk. List. XXVII, 115.
103. **Truncatellus** Zett. Ins. Lap. 995; Z. Cramb. 28; Hein. 128; Hmps. Pr. Z. S. 1895 p. 933; Lienigiellus Z. Stett. e. Z. 1843 p. 142; HS. 141, IV p. 61.
104. **Altaicus** Stgr. Iris XII p. 402.
105. **Maculalis** Zett. Ins. Lap. 971; Wck. Stett. e. Z. 1862. 35; Z. Cramb. 28; Hein. 129; Nolek. Fn. II, 317; Cacuminellus Z. Bresl. e. Z. 1850, t. 3, 9; HS. VI p. 145.
106. **Biarmicus** Tgstr. Hor. III (1865) p. 49; t. 2, f. 1, 2; Rbl. z. B. V. 1892 p. 523.
107. **Cyrenaicellus** Rag. Bull. S. Fr. 1887 p. 138.
108. **Chrysonuchellus** (-a) Sc. Ent. Carn. no. 628; Tr. IX, 1. 91; HS. IV p. 58; Wd. 1508; Dup. X, 259, 5; Z. Cramb. 27; Hein. 125; Snell. II, 1, p. 103; Leech Pyr. t. 9, f. 13; Meyr. 392; Campella Hb. Vög. 38; Hb. 44.

Arm.
Eur. c. et s; It; Arm;
Nova Scotia.

Cauc.

Alp; Hal. mont.

Car. alp.

Alp; Labr.

Austr. alp.
Cors.
Maur. m.
Pont; Arm.
Pont.
Austr. inf; Boh.

Cast; Gal. m.
Eur. c; Suec; Fen;
Dalm; Bith.

Eur. c. et s; Ped; Gal.
m; It; Dalm; Pont.

Labr.

Alt. m. or.
Labr; Canada.

Lap; Norv; Fen; Liv;
Petrov.

Alt.
Sil. mont; Alp; Lap;
Norv; Ross. s. oc.

Alp. Ter; Liv; Fen.

Maur. or.
Eur. c; It; Dalm;
Crin; Bith; Arm;
Alt; Mong.

Pyralidae

7

109. **Craterellus** (-a) Sc. Ent. Carn. no. 627 (1763); Leech Pyr. t. 9, f. 14; Meyr. 392; Rorella L. S. N. ed. XII p. 886 (1767); (us) Tr. IX, 1. 89; Dup. X, 269, 5; HS. IV p. 58; Stph. IV, 326; Wd. 1569; Z. Cramb. 26; Hein. 126; Chrysognathella Hb. 43;
- a) v. (et ab) *Cassentiniellus* Z. Stett. e. Z. 1849 p. 312; HS. IV p. 59, f. 161, 173-4; Z. Cramb. 27; Hein. 126; Z. Stett. e. Z. 1867 p. 370; ?*Italellus* Costa Atti Ac. Nap. I p. 9, t. 1, f. 9 (1888) (major, dilutior, lineola apicali simplice).
110. **Lucellus** HS. 135, IV p. 59; Z. Cramb. 23; Hein. 124.
111. **Hortuellus** (-a) Hb. 46; Tr. IV, 1. 84; Dup. X, 271, 1b; Wd. 1497; HS. IV, 59; Z. Cramb. 24; Hein. 125; Snell. II, 1, p. 102; Leech Pyr. t. 10, f. 1; Meyr. 391; Fern. Cramb. p. 40, t. 2, f. 11.
- a) ab. *Cespitellus* Hb. 45!; Stph. IV, 322; Wd. 1498; Hortuellus Dup. X, 271, 1a (al. ant. dilute stramineis, lineis fuscis juxta venas nullis).
112. ?**Acutellus** Chrét. Natural. 1896 p. 190.
113. **Albellus** Clem. Pr. Ph. Ac. Sc. 1860 p. 204; Fern. Cramb. p. 38, t. 3, f. 5.
114. **Culmellus** (-a) L. S. N. ed. X. 535; Tr. IX, 1. 93; Dup. X, 271, 2; Wd. 1501; HS. IV p. 57; Z. Cramb. 40; Hein. 126; Wek. Cat. ed. II p. 220; Snell. II, 1, p. 109; Leech Pyr. t. 9, f. 12; Meyr. 391; Straminella Hb. 49.
115. ?**Delicatellus** Z. Cramb. 41 (praeec. var?).
116. **Vallicolellus** Costa Bull. Soc. Ent. It. XVII p. 252; Atti Ac. Napoli I p. 10.
117. **Dumetellus** (-a) Hb. 389-90; Tr. IX, 1. 80; Dup. X, 269, 2; Stph. IV, 321; Wd. 1493; HS. IV p. 54; Z. Cramb. 24; Hein. 122; Snell. II, 1, p. 99; Leech Pyr. t. 8, f. 6; Meyr. 391; Fern. Cramb. p. 33, t. 3, f. 2; Pratella Hb. 29.
118. **Palustrellus** Rag. Bull. S. Fr. 1875 p. 78.
119. **Pratellus** (-a) L. S. N. ed. X. 535; Cl. Ic. 3, 14; Hb. 401; Tr. IX, 1. 81; Dup. X, 269, 3; Wd. 1495; Z. Cramb. 22; Hein. 123; Z. Stett. e. Z. 1878 p. 91; Snell. II, 1, p. 100; Leech Pyr. t. 8, f. 5; Meyr. 391; *Angustellus* Stph. IV, 322; Wd. 1496; Ericellus Wd. 1494; ab. *Obscurellus* Mn. z. b. V. 1871 p. 75 [ab. infuscatus].
- a) v. *Alfacarellus* Stgr. Stett. e. Z. 1859 p. 221; Z. I. c. 22 (inconstans, plerumque al. post. linea dilata ante marginem).
- b) v. *Sibirica* (Chr.) Alph. Mém. Rom. IX. 346 (dilutior).
120. **Nemorellus** (-a) Hb. 384; HS. IV p. 55; Z. Cramb. 23; Hein. 124; *Lathoniellus* Zk. Germ. Mag. II, 61 (praeec. spec. ♀ ab.?).
121. **Alienellus** Zk. Germ. Mag. II, 60; Fn. Germ. 3, 18; HS. 3, IV p. 54; Z. Cramb. 20; Hein. 122; *Zinckenellus* Tr. X, 3, 166; *Tigurinellus* Dup. X, 270, 3 p. 59.
122. **Heringiellus** HS. 142, IV p. 54; Z. Cramb. 20; Hein. 121.
123. **Silvellus** (-a) Hb. 369-70; HS. IV p. 54; Z. Cramb. 20; Hein. 120; Snell. II, 1, p. 98 (Sylv.); Leech Pyr. t. 8, f. 8; Meyr. 390; *Adippellus* Tr. IX, 1. 73; Dup. X, 269, 4 p. 48.
- Eur. c. (exc. Bat.) et m; As. min; Hyrc. Syr; Maur.*
- Eur. m; As. oc.*
- Helv. m; Ter. m; Styg; Carn; Hung; It. c; Sib. or; Mong.*
- Eur. c. et s; Cast; Ross. m. or; Arm; Sib. or; Am. s.*
- It. s.*
- Labr; Am. s.*
- Eur; As. min; Arm; Sib. or.*
- Sic; Gal. m. or. (Mill.). Sard.*
- Eur. c. et s; It; Dalm; Ross. m. or; Am. s.*
- Gal. oc.*
- Eur. c. et s; Ped; Dalm; Arm; Daur.*
- Hisp.*
- Sib; Kamt.*
- Germ.s. (Brunswig.).*
- Helv; Herc. mont; Germ.s; Eur. s; Sib. or; ?Gal.m.or.(Mill.).*
- Germ.s; Liv; Fen.*
- Eur. c. et s; It. s.*

124. **Ericellus** (-a) Hb. 371; Tr. IX, 1. 78; HS. IV p. 54; Z. Cramb. 20; Hein. 121; Snell. II, 1, p. 99; Leech Pyr. t. 8, f. 7; Meyr. 390.
125. **Pascuellus** (-a) L. S. N. ed. X, 535, Hb. 31; Tr. IX, 1. 75; Wd. 1492; Dup. X, 269, 2, HS. IV p. 53; Z. Cramb. 20; Hein. 120; Z. z. b. V. 1872 p. 537; Snell. II, 1, p. 97; Leech Pyr. t. 8, f. 10; Meyr. 390; Fern. Cramb. p. 27, t. 1, f. 3.
- a) ab. *Fumipalpus* Mn. z. b. V. 1871 p. 75; ?*Scirpellus* Lah. Suppl. 46 no. 926; Mill. Ic. 45, 1 (ab. infuscata).
 - b) ab. *Extinctellus* Z. Stett. e. Z. 1857 p. 271; Cramb. 20 (al. ant. indistincte signatis, vitta alba obsoleta).
126. **Uliginosellus** Z. Bresl. Z. 1850 p. 34, t. 3, 8; Stt. Mn. II, 182; Z. Cramb. 21; Hein. 120; Snell. II, 1, p. 97; Leech Pyr. t. 8, f. 11; Meyr. 390.
127. **Argillaceellus** Pack. Labr. p. 54; Möschl. Stett. e. Z. 1870 p. 372; Fern. Cramb. 24, t. 2. f. 1.
128. **Hamelius** (-a) Thnb. Diss. Ent. p. 97, t. 4, 3; Wd. 1491; HS. IV p. 53; Z. Cramb. 17; Hein. 119; Snell. II, 1, p. 96; Leech Pyr. t. 8, f. 9; Meyr. 389; Fern. Cramb. p. 25, t. 2, f. 4; *Ensigerella* Hb. 367; Tr. IX, 1. 79; Dup. X, 275, 4.
129. **Candiellus** HS. 181, IV p. 56; Z. Cramb. 15. *Dalm*; *Sic*; *Graec*; *Srp*; *Bith*; *Maur*.
130. **Malacellus** Dup. X. 270, 5 p. 61; HS. 134, IV p. 53; Z. Cramb. 17; Hein. 119; Hmps. Ind. Moths IV p. 17. *Carn*; *Gal. or*; *Eur. m*; *As. oc*; *Ind*; *Austral*; *Afr. trop*.
131. **Argentarius** Stgr. Stett. e. Z. 1867 p. 109; Mill. Ic. II p. 307, t. 83, f. 3; Stgr. Iris V p. 386. *Ural*; *Daur*.
132. **Yokohamae** Butl. Ann. & Mag. (5) IV p. 456; *Splendidellus* Chr. Bull. M. 1881, I p. 43. *Uss*; *Jap*.
133. **Porcellanellus** Motsch. Et. IX p. 38; Vigens Butl. Ann. & Mag. (5) IV p. 456; *Fucatellus* Chr. Bull. M. 1881, I p. 45. *Amur*; *Uss*; *Jap*.
134. **Mandschuricus** Chr. Bull. M. 1881, I p. 44. *Amur*; *Uss*.
135. **Nigrociliellus** Z. Cramb. 52; (*Nigrie*) Hmps. Ind. Moths IV p. 17; *Immaturellus* Chr. Bull. M. 1881, I p. 48. *Amur*; *Uss*; *Jap*; *China*; *Ind*.
136. **Cuencalis** Hmps. Tr. E. S. 1900 p. 371, t. 3, f. 9. *Arag. (Cuenca)*.
137. **Atrisquamalis** Hmps. Tr. E. S. 1900 p. 372. *Amur*; *Uss*.
138. **Fulvifusalis** Hmps. Tr. E. S. 1900 p. 371. *Uss*.

12. Diptychophora Z. 1866

139. **Sinualis** Hmps. Tr. E. S. 1900 p. 372. *Taur. (Marasch)*.
140. **Strigatalis** Hmps. Tr. E. S. 1900 p. 373, t. 3, f. 23. *Uss*.
141. **Exsectella** Chr. Bull. M. 1881, I p. 41. *Amur*.
142. **Euchromiella** Rag. Bull. S. Fr. 1895 p. 99. *Taur. m.*

13. Platytetes Gn. 1845.

143. **Pallidellus** Dup. X. 270, 6 (♀) p. 63; Z. Cramb. 15; *Cata-launiellus* HS. 163 (♀), VI p. 144; *Oxybialis* Mill. Ic. 135, 1; *Oxybiellus* Mill. ib. III p. 284. *Sic*; *Gal. m*; *Cat*.
144. **Carectellus** Z. Is. 1847 p. 751; Cramb. 15; HS. 122-3, IV p. 55; *Lugdunellus* Mill. Ic. II p. 303, t. 83, f. 2. *Bilb*; *Gal. m*; *Sic*; *Sard*; *Dalm*; *Srp*; *Syr*.

Pyralidae

9

145. **Cerussellus** (-a) Schiff. S. V. 135, no. 22 ♂; Tr. IX. 1. 88; Wd. 1502; HS. IV p. 56; Z. Cramb. 16; Hein. 117; Snell. II, 1, p. 101; Meyr. 396; **Quadrella** S. V. 135, no. 23 ♀; Dup. X, 274, 4 p. 65, 284, 7 p. 292; **Auriferella** Hb. 62 ♂; **Barbella** Hb. 61 ♀; **Pygmaeus** Stph. IV, 324; Wd. 1503 ♀.
146. **Cuneolellus** (Rag.) Chrét. Natural. 1898 p. 177.
147. **Alpinellus** (-a) Hb. 338; Tr. IX, 1. 72; Dup. X, t. 282, 3; HS. IV p. 55; Z. Cramb. 15; Hein. 117; Snell. II, 1 p. 95; Leech Pyr. t. 8, f. 2; South Entom. 1890 p. 297, t. 4, f. 4; Meyr. 396.

14. **Elethyia** Rag. 1888.

148. **Subcissa** Chr. Hor. XII p. 97, t. 7, f. 18; Mém. Rom. II p. 152, t. 8, f. 3. *Tura.*

15. **Eromene** Hb. 1818 (Euchromius Gn.).

149. **Bella** Hb. 60; Tr. IX, 2, 268; Dup. X, 270, 7 p. 81; HS. IV p. 67; Z. Is. 1847 p. 760; Cramb. 53; Mill. Ic. II p. 311, t. 83, 10-12.
150. **Anapiella** Z. Is. 1847 p. 757; Cramb. 54.
151. **Wockeella** Z. Cramb. 53.
152. **Ramburiella** Dup. X, 270, 8 p. 83; HS. 187, IV p. 68; Z. 53; ? **Funiculella** Ev. F. V. U. 562; **Zonella** Z. Is. 1847 p. 758; Cramb. 53.
- a) ab. **Vinculella** Z. Is. 1847 p. 760; Cramb. 54 (al. ant. macula postica ochracea deficiente).
153. ? **Jaxartella** Ersch. Fedtsch. p. 82.
154. **Pulverosa** Chr. Mém. Rom III p. 48, t. 2, f. 14.
155. **Superbella** Z. Stett. e. Z. 1849 p. 314; Cramb. 54; Hmps. Ind. Moths IV p. 24; ? **Anapiellus** HS. 146, IV p. 68.
156. **Cambridgei** Z. Stett. e. Z. 1867 p. 370; Tr. E. S. 1867 p. 463, t. 24, f. 3.
157. **Ocellea** Hw. Lep. Br. 486; Stph. IV, 316; Wd. 1480; Z. Cramb. 54; Leech Pyr. t. 10, f. 2; Hmps. Ind. Moths. IV p. 24, f. 14; Rbl. Ann. Naturh. Hofmus. XIII p. 374; (-eus) Meyr. 396; Fern. Cramb. p. 69, t. 5, f. 13, 14; Cyrilli Z. Is. 1847, 760; HS. 144-5, IV p. 67; Cirilella Costa Fn. Nap. p. 2, t. 5, 2; Funiculella Tr. IX, 1. 200; Z. Is. 1839 p. 175.
158. **Lata** Stgr. Hor. VII 1870 p. 204, t. 2, f. 17. *Graec.*

16. **Amphibolia** Snell. 1884.

159. **Pyraustoides** Ersch. Hor. XII p. 340; Snell. Mém. Rom. I p. 155, t. 10. *Sib. (Irkutsk); Daur.*

17. **Chilo** Zk. 1817.

160. **Luteellus** Motsch. Bull. M. XXXIX, 1 p. 199; **Dubia** Baker Tr. E. S. 1894 p. 48, t. 1, f. 18.
161. **Cicatricellus** Hb. 455; Tr. X, 3, 161; F. R. 31, t. 18, 2; HS. IV p. 51; Stt. Man. II, 186; Z. Cramb. 8; Hein. 113; Leech Pyr. t. 7, f. 3; Meyr. 397; **Strigellus** Tr. XI, 2. 267; Treitschkeella Frr. 138. *Aegypt; Uss; Jap.*
- Eur. c. (exc. Bat.); Ross. m. or.*

162. **Phragmitellus** Hb. 297-8; Zk. Germ. Mag. II, 36; Tr. IX, 1. 63; F. R. 29, t. 18, 1; Wd. 1526; Frr. 492; Z. Cramb. 8; Hein. 113; Snell. II, 1, p. 87; Leech Pyr. t. 7, f. 5; Meyr. 397; Gigantellus Sph. IV, 332; Wd. 1527.
163. **Pulverosellus** Rag. Bull. S. Fr. 1895 p. 98. *Taur. m.*

18. Hypotomorpha Rbl. 1892.

164. **Lancerotella** Rbl. Ann. Naturh. Hofmus. VII p. 252, t. 17, f. 4, 5, a-b. *Can. or.*

19. Ancyloloomia Hb. 1818.

165. **Tentaculella** Hb. 230 ♂; Tr. IX, 1. 70; Z. Is. 1847 p. 748; HS. (Tin.) 154-5, IV p. 70; Z. Cramb. 12.
166. ? **Disparella** Hb. Tin. 357-8 (false 257-8); Dup. X p. 46, t. 275, f. 1; HS. IV p. 70; Z. Cramb. 12, not. 2; Lah. Contr. no. 30; Failla Fn. Sic. 105.
167. **Contritella** Z. Is. 1847 p. 751; HS. 153, IV p. 70, VI p. 145; Z. Cramb. 12; Tentaculellus Z. Is. 1847 p. 28.
168. **Hipponella** Rag. Ann. S. Fr. 1888 p. 279, t. 6, f. 11, 12.
169. **Anargyrella** Chrét. Natural. 1897 p. 104.
170. **Pectinatella** Z. Is. 1847 p. 747; HS. 133. 157, IV p. 69; Z. Cramb. 12.
171. **Inornata** Stgr. Berl. e. Z. 1870 p. 194.
172. **Palpella** Schiff. S. V. 134; Hb. 32; Zk. Germ. Mag. II, 44; Tr. IX, 2. 69; HS. 132, IV p. 68; Z. Cramb. 12. *Dalm.; Ross. m.; Pont.; Syr.*

20. Cephis Rag. 1892.

173. **Galleriellus** Rag. Iris V 1892 p. 295. *Maur. oc.*

21. Talis Gn. 1845.

174. **Quercella** Schiff. S. V. p. 134; Zk. Germ. Mag. III, 158; Tr. IX, 1. 161; Z. L. E. I, 309, f. 15; HS. 95, 96, IV, 49; Hein. 20; Noctuella Hb. 33 ♂; Neglectella Hb. 457 (451) ♀. *Austr. inf; Eur. m. or; Bith.*
175. **Menetriesi** Hmps. Tr. E. S. 1900 p. 373, t. 3, f. 13. *Mong. (Uliassutai).*
176. **Chamylella** Stgr. Iris XII p. 346. *Thian. or.*
177. **Pulcherrimus** Stgr. Berl. e. Z. 1870 p. 194. *Srp.*
178. **Dilatalis** Chr. Mém. Rom. III p. 109, t. 5, f. 7, a, b. *Tura.*
179. **Arenella** Rag. Bull. S. Fr. 1887 p. 138. *Maur. or.*
180. **Afra** Baker Tr. E. S. 1894 p. 49. *Aegypt.*
181. **Pallidalis** Hmps. Tr. E. S. 1900 p. 374, t. 3, f. 21. *Ferg.*

C. Schoenobiinae.

22. Acropentias Meyr. 1890.

182. **Aureus** Butl. Ann. & Mag. (5) I, 1878 p. 402; Hmps. Pr. Z. S. 1895 p. 904, f. 5; Straminea Butl. Ill. Het. III p. 79, t. 58, f. 2; Obtusalis Chr. Bull. M. 1881, I p. 26. *Uss.; Jap.*

23. **Thyridophora** Warr. 1888.

183. **Furia** Swinh. Pr. Z. S. 1884 p. 519, t. 47, f. 13; Hmps. Ind. Moths IV p. 40, f. 25; Cineracealis Joan. (L.) Ann. S. Fr. 1888 p. 272, t. 6, f. 3. *Syr; Arab. m; Ind. oc.*

24. **Neoschoenobia** Hmps. 1900.

184. **Testacealis** Hmps. Tr. E. S. 1900 p. 374. *Amur.*

25. **Scirpophaga** Tr. 1832.

185. **Praelata** Sc. Ent. Carn. no. 198; Z. Cramb. 1; Hein. 110; Latidactyla Hb. Btr. II, 1, 4, U; Phantasmella Hb. 56; Tr. IX, 1, 56, X, 3, 156; Dup. X, 267, 1, 2; Alba Hb. 309-12; Frr. t. 9. f. 1, 2, t. 32, f. 1; Z. Is. 1839, 170; HS. 22, 23, IV p. 52.
a) v. (ab.) *Cinerea* Tr. X, 3, 156; Z. Cramb. 1; Hein. 110; *Phantasmella* var. *Frr.* 168, 1, 2, II, 119 (al. ant. *cineris*, al. post. *albescens*). *Eur. m. (exc. Ib. m. et Graec.); Austr. inf; Syr; Saraw.*

186. **Fulvilinealis** Hmps. Tr. E. S. 1900 p. 374. *Carn; Car.*

*Mesop.*26. **Schoenobius** Dup. 1844.

187. **Gigantellus** Schiff. S. V. 135; Hb. 35; Tr. IX, 1, 62, X, 3, 157; F. R. p. 25, t. 16; HS. IV p. 51; Z. Cramb. 4; Hein. 111; Snell. II, 1 p. 84; Leech Pyr. t. 7, f. 8; Meyr. 401; Punctigerellus Stph. IV, 332; Wd. 1525; Spuratellus Wlk. List. XXVII, 142. *Eur. c; Ross. m; Suec; Fen; Tura; China or.*

188. **Forficellus** Thnb. Diss. Ent. VII p. 85, fig. 4; Zk. Germ. Mag. II, 39., IV, 257; Tr. IX, 1, 65; Dup. VII, 268, 1; Wd. 1523; F. R. p. 27, t. 17, 1; HS. IV p. 51; Z. Cramb. 4; Hein. 112; Snell. II, 1 p. 85; Leech Pyr. t. 7, f. 6; Meyr. 401; Consortella Hb. 220 ♂; Lanceolella Hb. 296 ♀; Caudellus Stph. IV, 332; Wd. 1528 ♀. *Eur. c; It. s. et c; Ross. s. oc. et m. or.*

189. **Niloticus** Z. Stett. e. Z. 1867 p. 397; Tr. E. S. 1867, t. 24, f. 2. *Aegypt; ?Syr.*

190. **Alpherakii** Stgr. Stett. e. Z. 1874 p. 97; Mém. Rom. III, t. 2, f. 12. *Ross. m. or; Arm; Tura; ?China m. oc.*

27. **Donacaula** Meyr. 1890.

191. **Mucronellus** Schiff. S. V. 136; Zk. Germ. Mag. IV, 257; Tr. IX, 1, 67; F. R. 29, t. 17, 2; HS. IV p. 50; Z. Cramb. 6; Hein. 112; Snell. II, 1 p. 86; Leech Pyr. t. 7, f. 7; Meyr. 401; Acuminella Hb. 284 ♀. *Eur.c;Suec;Ross.s.oc. et m. or; Bulg; Bith; Saraw.*

28. **Cirrhochrista** Ld. 1863.

192. **Argentalis** Chr. Mém. Rom. III p. 106, t. 5, f. 6 (hujus generis?). *Tura.*

29. **Acentropus** Curt. 1832.

193. **Niveus** Olivier Enc. Méth. VI p. 536 (1791); Kolenati Wien. Mts. II, 1858 p. 381, t. 7 (♂); Stt. Ann. 1858 p. 102, t. 1, f. 6 (♂); Hein. 108; Nolck. Stett. e. Z. 1869 p. 275; Spr. ib. 1869 p. 400; Mill. Ic. 115, 20 (♂); Ritsema Tijds. XIX (1875-6) p. 1; ib. XXI (1877-8) p. 81, *Eur.c; Ross.s.oc.et m. or.*

- t. 5 et 6; Snell. Vlind. II, 1 p. 80; Leech Pyr. t. 6, f. 10 (♂); Rbl. z. b. V. 1889 p. 295; Meyr. 400; Hmps. Pr. Z. S. 1895 p. 919, f. 22 (♂); Garnonsii Curt. B. E. XI, 497 (♂); Newae Kolenati l. c.; Badensis et Germanicus Nolck. l. c.; v. Obscurus Tngstr. Cat. 324 (♀ semi-aptera, forma frequentior).
- a) v. ♀ (dimorph.) *Hansoni* Stph. Nomencl. ed. II, col. 118; *Latipennis* Möschl. Wien. Mts. 1860 p. 55; HS. n. Schm. 155; Mill. Ic. 115, 21; *Niveus* Ritsema l. c. t. 6, f. 12; ?*Phryganea* Hb. Bomb. 66 p. 118 (1796). (♀ al. amplis).

D. Anerastiinae.

30. Epidauria Rag. (ined.).

194. **Transversariella** Z. Iris 1848 p. 588; HS. 33, IV p. 109; Rag. Mon. II, t. 38, f. 17 [ined.]. *Dalm; Arm.*
195. **Phoeniciella** Rag. Bull. S. Fr. 1895 p. 103; Mon. II, t. 52, f. 5 [ined.]. *Taur. m.*
196. **Discella** Rag. Mon. II, t. 40, f. 14 [ined.]. *Mesop. s. (Mardin).*
197. **Strigosa** Stgr. Hor. XV, 225; Rbl. z. b. V. 1891 p. 616; Rag. Mon. II, t. 45, f. 2 [ined.]. *Dalm; Pont; Syr; Amur.*
198. ? **Pudicella** Zk. Germ. Reise nach Dalm. Leipz. 1817 p. 280; Germ. Mag. III, 125; Z. Is. 1839 p. 177, 1848 p. 589. *Dalm.*

31. Anerastia Hb. 1818.

199. **Lotella** Hb. 334; Tr. IX, 1. 156; X, 3. 171; Dup. X, 283, 6; Wd. 1481; Z. Is. 1848 p. 586; HS. 90, 92, IV p. 109; Hein. 200; Snell. II, 1 p. 157; Leech Pyr. t. 10, f. 3; Meyr. 363; *Miniosella* Zk. Germ. Mag. III, 126; Ev. F.V.U. 551; Wd. 1482; *Pulverella* Hb. 454. *Eur.c; Ross.oc; Graec; Srp; Bith; Tura.*
200. **Incarnatella** Rag. Ann. S. Fr. 1887 p. 259; Mon. II, t. 38, f. 15 [ined.]. *Srp.*
201. **Nitidicostella** Rag. Ann. S. Fr. 1887 p. 259; Mon. II, t. 40, f. 12 [ined.]. *Srp.*
202. **Infumella** Rag. Ann. S. Fr. 1887 p. 260; Mon. II, t. 38, f. 16 [ined.]. *Hyrc.*
203. **Ablutella** Z. Is. 1839 p. 177, 1848 p. 589; HS. 39, IV p. 109; Hmps. Ind. Moths IV p. 56; *Stigmatella* Rag. N. Genr. p. 49; Mon. II, t. 40, f. 4 [ined.]. *Eur. m; Lyd; Tura; Saraw; Ind. s. oc.*
204. **Flaveolella** Rag. Ann. S. Fr. 1887 p. 260. *Ferg; Maur.*
205. **Seeboldi** Rag. Ann. S. Fr. 1894 p. 177; Iris XI, t. 1, f. 7. *And.*
206. **Incarnata** Stgr. Hor. XV, 226 (hujus generis?). *Sic.*

32. Heosphora Meyr. 1882.

207. **Ramulosella** Rag. Bull. S. Fr. 1895 p. 102; Mon. II, t. 52, f. 3 [ined.]. *Taur. m.*

33. Hypsotropa Z. 1848.

208. **Limbella** Z. Is. 1848 p. 591; HS. 38, IV p. 110; Hein. 200. *Gal.m; It.s; Dalm; Bith.*
209. **Unipunctella** Rag. N. Genr. p. 47; Mon. II, t. 38, f. 12 [ined.]. *Amur.*
210. **Syriacella** Rag. N. Genr. p. 46; Mon. II, t. 39, f. 7 [ined.]. *Syr.*

211. **Paucipunctella** Rag. Bull. S. Fr. 1895 p. 102; Mon. II, t. 51, f. 10 [ined.]. *Taur. m.*
 212. **Ichorella** Ld. z. b. V. 1855, 221, t. 4, f. 8; Rag. Mon. II, t. 39, f. 10 [ined.]. *Syr.*
 213. **Vulneratella** Z. Is. 1847 p. 769, 1848 p. 591; HS. IV p. 109; Rag. Mon. II, t. 39, f. 11 [ined.]; ?Ostrinella Lah. Contr. no. 32. *Sic; Sard; Dalm; Syr.*
 a) ab. *Roseistrigella* Rag. Mon. II, t. 39, f. 12 [ined.]

34. **Lymira** Rag. 1888.

214. **SemiroSELLA** Rag. Ann. S. Fr. 1887 p. 259; Mon. II, t. 38, f. 9 [ined.]. *Syr.*

35. **Saluria** Rag. 1887.

215. **Magnesiella** Rag. N. Genr. p. 44; Mon. II, t. 37, f. 18 [ined.]. *Tura.*
 216. **Pectigerella** Rag. Ann. S. Fr. 1887 p. 259; Mon. II, t. 37, f. 24 [ined.]. *Ferg.*
 217. **Maculivittella** Rag. Ann. S. Fr. 1887 p. 258; Mon. II, t. 38, f. 7, t. 47, f. 26 [ined.]; *Armeniella* Rag. N. Genr. p. 44. *Arm; Ferg; Maur. or; Ind. m.*

36. **Prophatasia** Rag. 1887.

218. **Platycerella** Rag. Ann. S. Fr. 1887 p. 259; Mon. II, t. 37, f. 8 [ined.]. *Arm.*

37. **Ematheudes** Z. 1867.

219. **Punctella** Tr. IX, 2, 268; Dup. X, 273, 4; Z. Is. 1839 p. 177; 1847 p. 767; 1848 p. 590; HS. 85, IV p. 108; Hein. 199. *Eur. m. (exc. Ross. m.); As. oc.*
 220. **Pseudopunctella** Rag. N. Genr. 40; Mon. II, t. 36, f. 22 [ined.]. *Syr.*
 221. **Tunesiella** Rag. Iris V p. 298; Mon. II, t. 42, f. 22 [ined.]. *Maur. or.*
 222. **Varicella** Rag. Ann. S. Fr. 1887 p. 258; Mon. II, t. 35, f. 27 [ined.]. *Ferg; ?Arm.*
 223. **Vittellinella** Rag. Ann. S. Fr. 1887 p. 258; Mon. II, t. 49, f. 22 [ined.]. *Arm.*

38. **Polyocha** Z. 1848.

224. **Foucarti** Rag. Ann. S. Fr. 1887 p. 258; Mon. II, t. 35, f. 24 [ined.]. *Maur.*
 225. **Neuropterella** Rag. Ann. S. Fr. 1887 p. 258; Mon. II, t. 35, f. 23 [ined.]. *Ferg.*
 226. **Cremoricosta** Rag. Bull. S. Fr. 1895 p. 102; Mon. II, t. 51, f. 9 [ined.]. *Taur. m.*
 227. **Monochromella** Rag. N. Genr. p. 39; Mon. II, t. 36, f. 13 [ined.]. *Hyrc.*
 228. **Venosa** Z. Is. 1847 p. 31, 1848 p. 589; HS. IV p. 109. *Syr; Cyprus.*
 229. **Subfasciatella** Rag. Ann. S. Fr. 1887 p. 258; Mon. II, t. 36, f. 17 [ined.]. *Arm; Hyrc.*

39. **Lodiana** Rag. 1888.

230. **Albicostalis** Hmps. Tr. E. S. 1900 p. 375. *Syr.*

E. Phycitinae.

40. Homoeosoma Curt. 1832.

231. **Nigrilimbella** Rag. Ann. S. Fr. 1887 p. 256; Mon. II, t. 33, f. 15 [ined.]. *Taur. (Marasch).*
232. **Sinuella** F. E. S. III, 2. 308; Z. Is. 1847 p. 769; 1848 p. 604; HS. IV p. 108; Hein. 199; Leech Pyr. t. 10, f. 11; Meyr. 376; Gemina Hw. 497; Wd. 1475; Elongella Hb. 174; Tr. IX, 1. 202; Dup. X, 282, 3 p. 245; Flavella Dup. X, 284, 6 p. 291. *Eur. c. m. et m; Angl; As. oc.*
233. **Archroella** Rag. Ann. S. Fr. 1887 p. 255; Mon. II; t. 32, f. 12 [ined.]. *Tura; Tarb.*
234. **Obatricostella** Rag. Ann. S. Fr. 1887 p. 255; Mon. II, t. 32, f. 13 [ined.]. *Hyrc.*
235. **Inquinatella** Rag. Ann. S. Fr. 1887 p. 256; Mon. II, t. 33, f. 17 [ined.]. *Taur.*
236. **Dealbatella** Ersch. Fedtsch. p. 91, t. 6, f. 101. *Saraw.*
237. **Osteella** Rag. Ann. S. Fr. 1887 p. 255; Mon. II, t. 32, f. 19 [ined.]. *Arm.*
238. **Nitidella** Rag. N. Genr. p. 33; Mon. II, t. 33, f. 6 [ined.]. *Syr.*
239. **Cretacella** Roessler Verz. p. 179 (279); Snell. Tijds. XXXII p. 42; Meyr. 377; Rag. Mon. II, t. 33, f. 14 [ined.]; Nebulella var. Hein. 197; Senecionis Vaughan Monthl. Mag. VII p. 131; Leech Pyr. t. 11, f. 2; South Entom. 1890, 302; Delineata Lucas Pr. Linn. Soc. N. S. W. (2) VII p. 266. *Germ. c. oc; Angl; Bat; Sib; Austral.*
240. **Nebulella** (S. V.) Hb. 157; Zk. Germ. Mag. III, 173; Tr. IX, 1. 169; Z. Is. 1839 p. 178; 1848 p. 600; HS. IV p. 106; Hein. 196; Leech Pyr. t. 10, f. 14; Snell. Tijds. XXXII p. 40; Meyr. 377; v. Maritima Tgstr. n. Cat. *Eur. c. et m; Ross; Fen; Pont; Hyrc; Saraw.*
241. **Inustella** Rag. Bull. S. Fr. 1884 p. 7; Mon. II, t. 32, f. 16 [ined.]. *Gal. m. (Basses Alp.).*
242. **Calcella** Rag. Ann. Fr. 1887 p. 255; Mon. II, t. 33, f. 9 [ined.]. *Ross. m. or.*
243. **Albatella** Rag. Ann. S. Fr. 1887 p. 255; Mon. II, t. 32, f. 17 [ined.]. *Saraw.*
244. **Subalbatella** Mn. Wien. Mts. 1864 p. 181, t. 4, 7; Stgr. Hor. XV, 223; Rag. Mon. II, t. 33, f. 12 [ined.]. *Dalm; Bith; Lyd; Taur; Saraw.*
245. **Exustella** Rag. N. Genr. p. 34; Mon. II, t. 33, f. 13 [ined.]. *Gal. m. (Perpignan)*
246. **Canariella** Rbl. Ann. Naturh. Hofmus. VII p. 262. *Ten.*
247. **Subbinaevella** Rag. N. Genr. p. 34; Mon. II, t. 33, f. 19 [ined.]. *Srp.*
248. **Nimbellula** Z. Is. 1839 p. 178; 1848 p. 601; Dup. X, 284, 1 p. 349; HS. 79, IV p. 106; Hein. 197; Snell. II, 1, p. 159; Tijds. XXXII p. 41; Leech Pyr. t. 10, f. 12; Meyr. 377; Caniusella Rag. Mon. II, t. 33, f. 16 [var. ined.]. *Eur. (exc. reg. pol.); Arm; Pal; Can.*
- a) v. *Saxicola* Vaughan Monthl. Mag. VII p. 132, 160; Rag. ib. XXII p. 26; Leech Pyr., t. 10, f. 13; Tutt. Ent Rec. II, 57 (major, al. ant. ochraceis, nec nigro inspersis, costa late alba). *Angl.*
249. **Subolivacella** Rag. Mon. II, t. 42, f. 18 [ined.]. *Amur.*

250. **Binaevella** Hb. 383; Zk. Germ. Mag. III, 156; Tr. IX, 1. 168; Dup. X, 279, 6; Wd. 1452; Z. Is. 1848 p. 603; HS. 80, IV p. 106; Hein. 198; Snell. II, 1, p. 161; Leech Pyr. t. 11, f. 1; Meyr. 377; Petrella HS. 81; Nebulella Wd. 1451.
a) v. (et ab.) *Unitella* Stgr. Hor. XV 223; Rag. Mon. II, t. 33, f. 26 [ined.] (minor, al. ant. fere unicol. griseis).
251. **Triangulella** Rag. Mon. II, t. 33, f. 10 [ined.].
252. **Caudefactella** Rag. Ann. S. Fr. 1887 p. 256; Mon. II, t. 32, f. 25 [ined.].

41. **Plodia** Gn. 1845.

253. **Interpunctella** Hb. 310; Tr. IX, 1. 196; Dup. X, 280, 5; Suppl. IV p. 121, t. 60, 6; Z. Is. 1848 p. 598; HS. IV p. 110; Hein. 202; Snell. II, 1 p. 163; Leech Pyr. t. 11 f. 11; Meyr. 372; Zeae Fitch. Nox. Ins. p. 320, t. 4, f. 1; Z. z. b. V. 1875, 336; Riley Ins. Life II, 166.

Eur. c. et m; Liv; Fen;

Arm; Ala Tau.

As. min. (var.).

Uss.

Arm.

42. **Ephestia** Gn. 1845.

254. **Kuehniella** Z. Stett. e. Z. 1879 p. 406; Karsch Ent. Nachr. 1884 p. 109; Snell. Tijds. XXVIII p. 237, t. 8; Barr. Monthl. Mag. XXIII p. 255; Poult. Tr. E. S. 1888 p. 599, t. 17, f. 9, 10; South Entom. 1890 p. 329, t. 4, f. 8; Riley Ins. Life I, 315; ib. II, 166; Meyr. 374; Johnson App. XIX. Rep. Illinois; Gitonella Druce Biol. Centr. Amer. II p. 286.

Eur. c; Maur; Am. s.

et c.

255. **Abstersella** Z. Is. 1847 p. 763; 1848 p. 594; Rag. Mon. II, t. 35, f. 4 [ined.].

Sic; Dalm. (Mn.);

? Hung.

And.

256. **Calonella** Rag. N. Genr. p. 36; Mon. II, t. 35, f. 5 [ined.].

Eur. m; Gal; Germ.

s. or; Austr; Syr;

Can.

257. **Calidella** Gn. Ind. 82; Meyr. 373; Rag. Mon. II, t. 24, f. 24 [ined.]; Ficella Dougl. Pr. E. S. 1851 p. 114; Stt. Man. II, 169; Ann. 1865 p. 102; Leech Pyr. t. 11, f. 5, p. 95, 122; Xanthotricha Stgr. Stett. e. Z. 1859 p. 266; Hor. XV, 226.

Ang; Eur. m. (c. m.

import); Afr. s;

Syr; ? Ten; Columbia.

258. **Figulilella** Gregson Entom. V p. 385; Rag. Mon. II, t. 34, f. 14 [ined.]; Ficulella Barr. Monthl. Mag. XI p. 271; Z. Stett. e. Z. 1879 p. 468; Leech Pyr. t. 11, f. 6; South Entom. 1890 p. 303, t. 3, f. 5; Meyr. 373; Milleri Z. z. b. V. XXV, 339.

Dalm; Pont; ? Vind.

Ross. m; Arm; Tura.

259. **Inductella** Stg. Hor. XV, 229; Rag. Mon. II, t. 35, f. 3 [ined.].

Cors; Gal. m.

260. **Irroratella** Rag. Ann. S. Fr. 1887 p. 256; Mon. II, t. 34, f. 15 [ined.].

Hyre; Tura.

261. **Affilatella** Mn. z. b. V. 1855 p. 559; Rag. Mon. II, t. 34, f. 16 [ined.]; Clothella Mill. Cat. rais 262; Philemonella Mill. ib. 263.

Bith; Pont; Arm.

262. **Gypsella** Rag. Ann. S. Fr. 1887 p. 256; Mon. II, t. 35, f. 6 [ined.].

Austr. inf; Hung;

Arag; Dalm; Srp; Bith.

263. **Reductella** Mn. Wien. Mts. 1864 p. 182, t. 4, 6; Stg. Hor. XV, 228; Rag. Mon. II, t. 34, f. 18 [ined.].

Germ. c. oc; Gal. m;

Sard; Sic; Lyd;

Arm.

264. **Welseriella** Z. Is. 1848 p. 673; HS. 83, IV p. 106; Hein. 194; Rag. Mon. II, t. 35, f. 7 [ined.].

265. **Tephrinella** Ld. Ann. S. Belg. 1870, p. 53, t. 2, f. 12; Mediterranella Mill. Rev. & Mag. 1874 p. 248; Ann. Soc. Cannes 1875, t. 2, f. 16; Rhenanella Fuchs Stett. e. Z. 1877 p. 147; ib. 1879 p. 46.

266. **Bacillella** Rag. Ann. S. Fr. 1887 p. 257; Mon. II, t. 24, f. 20 [ined]. *Taur.*
267. **Ragonotella** Mill. Ann. Sc. Nat. Cannes 1880, p. 4, t. 10, f. 6. *Gal. m. or; Lig.*
268. **Neuricella** Z. Is. 1848 p. 862; Rag. Mon. I, t. 8, f. 18. ?
269. **Baptella** Rag. Ann. S. Fr. 1887 p. 257; Mon. II, t. 34, f. 19 [ined]. *Hyrc; Tura; Saraw.*
270. **Zosteriella** Rag. Ann. S. Fr. 1887 p. 257; Mon. II, t. 34, f. 21 [ined]. *Taur.*
271. **Cautella** Wlk. List. XXVII p. 73 (1863); Hmps. Ind. Moths IV, 66, f. 44; Rag. Mon. II, t. 34, f. 23 [ined.]; Defec-tella Wlk. List. XXX, 962; Desuetella Wlk. List. XXXV, 1719; Cahiritella Z. Stett. e. Z. 1867 p. 384; Tr. E. S. 1867 p. 466, t. 24, f. 7; Snell Tijds. XXXII, 206; South. Entom. 1890, 304, t. 4, f. 12; Meyr. 373; Passulella Barr. Monthl. Mag. XI, 271; Z. Stett. e. Z. 1879 p. 468; Leech Pyr. t. 11, f. 4. *Eur. c. et m; Afr.; Arab; As. oc. et m; Austral; Am.*
272. **Parasitella** Stgr. Stett. e. Z. 1859 p. 226; Rag. Mon. II, t. 36, f. 3 [ined]. *Gal. m; And; ?Pont.*
273. **Abnormalella** Rag. Ann. S. Fr. 1887 p. 256; Mon. II, t. 34, f. 17 [ined]. *Ferg.*
274. **Modestella** Ld. Wien. Mts. 1863 p. 43, t. 1, f. 8; Stgr. Hor. XV, 222; Rag. Mon. II, t. 35, f. 9 [ined]. *Bulg; Syr.*
275. **Mistralella** Mill. Rev. & Mag. 1874, 250; Ann. Soc. Nat. Cannes 1875 p. 2, t. 1, f. 3. *Gal. m. or.*
276. **Habenella** Rag. Ann. S. Fr. 1887 p. 257; Mon. II, t. 35, f. 8 [ined.]. *Sic.*
277. **Furecatella** HS. 82, IV p. 107; Hein. 195. *Austr. alp. (Schneeberg).*
278. **Coarcetella** Rag. Ann. S. Fr. 1887 p. 257; Mon. II, t. 35, f. 10 [ined.]. *Pont.*
279. **Disparella** Rag. Mon. II, t. 34, f. 5 [ined.]. *Bith.*
280. **Icosiella** Rag. N. Genr. p. 36; Mon. II, t. 36, f. 1 [ined.]. *Maur.*
281. **Bizonella** Rag. N. Genr. p. 36; Mon. II, t. 35, f. 12 [ined.]. *Cors; Srp.*
282. **Unicolorella** Stgr. Hor. XV, 228; Rag. Mon. II, t. 35, f. 11 [ined.]. *Angl; Gal. m; Pont; Taur.*
283. **Elutella** Hb. 163; Zk. Germ. Mag. III, 175; Tr. IX, 1, 194; Z. Is. 1848 p. 593; Dup. X, 279, 8; Wd. 1454; HS. IV p. 110; Hein. 201; Snell. II, 1 p. 162; Leech Pyr. t. 11, f. 3; Meyr. 373; Rufa Hw. 497; Wd. 1454; Angusta Hw. 497. *Eur; As. oc; Saraw; Mad; Can; Austral; Madag; Am. s. et m.*
284. **Infumatella** Rag. Ann. S. Fr. 1887 p. 257; Mon. II, t. 36, f. 4 [ined.]. *And; Dalm; Srp.*
285. **Roxburgii** Gregson Entom. VI, 318; Knaggs Ann. 1874 p. 159; Rag. Monthl. Mag. XXII p. 25; South. Entom. 1890 p. 330; Barr. Monthl. Mag. 1891, 49 [Eph. Elutellae var. obscur.?]. *Angl.*
286. **Semirufa** Hw. Lep. Br. 496; Stph. Ill. IV, 305; Wd. 1457; Leech Pyr. t. 11, f. 7; Rag. Mon. II, t. 35, f. 13 [ined.]. *Angl.*
287. **Vapidella** Mn. Wien. Mts. I, 171; Stgr. Hor. XV, 229; Rag. Mon. II, t. 35, f. 15 [ined.]. *Dalm; Sic; Sard; Pont.*
288. **Suffusella** Rag. Mon. II, t. 49, f. 18 [ined.]. *Maur.*

43. **Manhatta** Hulst 1890 (Hornigia Rag. 1887 nom praeoc.).

289. **Biviella** Z. Is. 1848 p. 596; HS. 195, IV p. 105; Hein. 193. *Austr; Gal. m; It. s; Dalm.*

44. **Ancylosis** Z. 1839.

290. **Erschoffi** Rag. Ann. S. Fr. 1887 p. 251; Mon. II, t. 27, f. 18 *Ferg; ? Tura.*
[ined.]; ? *Bivitella* Chr. Mém. Rom. III p. 114, t. 5,
f. 9 (Solskyi v.).
291. **Flammella** Rag. Ann. S. Fr. 1887 p. 251; Mon. II, t. 27,
f. 8 [ined.]. *Thian.*
292. **Iranella** Rag. Ann. S. Fr. 1887 p. 251; Mon. II, t. 31, f. 3
[ined.]. *Hyrc.*
293. **Turaniella** Rag. Mon. II, t. 31, f. 4 [ined.]. *Tura.*
294. **Cephella** Rag. Mon. II, t. 31, f. 5 [ined.]. *Mesop.* (*Mardin, Diarbekir*).
295. **Ustella** Rag. Ann. S. Fr. 1887 p. 252; Mon. II, t. 31, f. 7
[ined.]. *Maur.*
296. **Diremptella** Rag. Ann. S. Fr. 1887 p. 252; Mon. II, t. 27,
f. 9 [ined.]. *And. (Granada).*
297. **Albidella** Rag. Mon. II, t. 31, f. 6 [ined.]. *Ferg.*
298. **Cinnamomella** Dup. X, 279, 4 p. 195; Z. Is. 1848 p. 741;
HS. 58-61, IV p. 94; Hein. 188; *Dilutella* Tr. IX, 1.
164; X, 3. 274; Z. Is. 1839 p. 178. *Eur. c. m. et m.; ? Belg.;
Bith; Pont; Arm.*
299. **Imitella** Rag. Mon. II, t. 31, f. 1 [ined.]. *Maur.*
300. **Maculifera** Stgr. Berl. e. Z. 1870 p. 198; Hor. XV, 219;
Rag. Mon. II, t. 31, f. 8 [ined.]. *Srp; Pont.*
301. **Signosella** Rag. Ann. S. Fr. 1887 p. 252; Mon. II, t. 27,
f. 13 [ined.]. *Srp; Pont; Amur.*
302. **Ochricostella** Rag. Ann. S. Fr. 1887 p. 252; Mon. II, t. 25,
f. 2 [ined.]. *Tura.*
303. **Byzacaenicella** Rag. Ann. S. Fr. 1887 p. 252; Mon. II,
t. 31, f. 9 [ined.]. *Maur. or.*
304. **Anguinosella** Z. Is. 1848 p. 745; *Ledereriella* HS.
145 (Pyr.). *Srp.*
305. **Labeonella** Stgr. Stett. e. Z. 1859 p. 226; Hor. XV, 222;
Rag. Mon. II, t. 27, f. 11 [ined.]. *And; Bulg.*
306. **Sareptella** HS. n. Schm. 145 p. 28; *Barbella* Ld. Wien.
Mts. 1863 p. 43, t. 1, f. 9. *Arag; Gal. m.; Hung;
Balc; Srp; Tura; Ferg.*

45. **Dectocera** Rag. 1887.

307. **Pseudolimbella** Rag. Ann. S. Fr. 1887 p. 243; Mon. I,
t. 23, f. 11. *Hung. lit. (Fiume).*

46. **Maxillaria** Stgr. 1880.

308. **Meretrix** Stgr. Hor. XV, 208; Rag. Mon. I, t. 23, f. 7. *Bith.*

47. **Syria** Rag. 1887.

309. **Citrinella** Rag. Ann. S. Fr. 1887 p. 244; Mon. II, t. 31,
f. 25 [ined.]. *Tura.*
310. **Agraphella** Rag. Mon. II, t. 31, f. 24 [ined.]. *Maur.*
311. **Arenicola** Rag. Mon. I, t. 23, f. 10. *And; ? Syr.*
312. **Arenosella** Stgr. Stett. e. Z. 1859 p. 227; Rag. Mon. II,
t. 42, f. 17 [ined.]. *Hisp; Cors; ? Maur.
or.*
313. **Angusta** Stgr. Berl. e. Z. 1870 p. 203; Rag. Mon. I, t. 23,
f. 9. *And.*

314. **Pilosella** Z. Stett. e. Z. 1867 p. 377; Tr. E. S. 1867 p. 456, t. 23, f. 3; Rbl. Ann. Naturh. Hofmus. VII p. 259, t. 17, f. 7; Rag. Mon. II, t. 42, f. 16 [ined.]. *Pal; Syr; Can; Maur; St. Vincent (Cap. Verd. Ins.).*
315. **Biflexella** Ld. z. b. V. 1855 p. 222, t. 4, f. 10; Rag. Mon. I, t. 23, f. 8. *Syr.*
316. **Sulcatella** Chr. Hor. XII p. 282, t. 8, f. 53; Rag. Mon. I, t. 23, f. 13. *Hyrc.*

48. **Lydia** Rag. (ined.).

317. **Liturosella** Ersch. Fedtsch. p. 89, t. 6, f. 100; Rag. Mon. II, t. 31, f. 22 [ined.]. *Tura.*
318. **Lutisignella** Mn. z. b. V. 1869 p. 381. *Dalm; Maced; Graec; ? As. min.*

49. **Hedemannia** Rag. 1887.

319. **Lineatella** Rag. Ann. S. Fr. 1887 p. 244; Mon. I, t. 23, f. 14. *Tura.*

50. **Proceratia** Hmps. (ined.).

320. **Caesariella** Rag. Mon. II, t. 42, f. 15 [ined.]. *Pont.*

51. **Prorophora** Rag. 1887.

321. **Curvibasella** Rag. Ann. S. Fr. 1887 p. 252; Mon. II, t. 31, f. 14 [ined.]. *Ferg.*

52. **Gymnancyla** Z. 1848.

322. **Canella** (S. V.) Hb. 289; Tr. IX, 1. 166; X, 3. 274; Z. Is. 1839 p. 178; 1845 p. 266; 1848 p. 745; HS. 212, IV p. 107; Hein. 161; Snell. II, 1 p. 155; Leech Pyr. t. 11, f. 13; Meyr. 364; Depositella Zk. Germ. Mag. III, 155. *Eur. c; Ross. m.*
323. **Barbatella** Ersch. Fedtsch. p. 85, t. 5, f. 89 (incertae sedis). *Saraw.*

53. **Spermatophthora** Ld. 1852.

324. **Hornigii** Ld. z. b. V. 1852 p. 132; Hein. 162. *Austr; Boh; Morav; Hung; Bilb; Rum. or; Srp.*

54. **Hypogryphia** Rag. 1890.

325. **Uncinatella** Rag. Bull. S. Fr. 1890 p. 110; Mon. II, t. 31, f. 18 [ined.]. *Maur.*

55. **Honora** Grote 1878.

326. **Substratella** Chr. Hor. XII, 285, t. 8, f. 57; Mon. II, t. 31, f. 12 [ined.]. *Srp; Hyrc; Arm.*

56. **Ancylodes** Rag. 1887.

327. **Griseomixtella** Rag. Ann. S. Fr. 1887 p. 250; Mon. II, t. 27, f. 14 [ined.]. *Tura (Krasnowodsk); Thian.*
328. **Pallens** Rag. Ann. S. Fr. 1887 p. 250; Rag. Mon. II, t. 31, f. 10 [ined.]. *And; Syr.*

329. **Staminella** Chr. Hor. XII, 281, t. 8, f. 52; Mém. Rom. II, t. 8, f. 4.
Srp; Hyrc; Tura.
330. **Fuscovenella** Rag. Ann. S. Fr. 1887 p. 250; Mon. II, t. 27, f. 10 [ined.].
Thian.

57. **Heterographis** Rag. 1885.

331. **Pectinatella** Rag. Ann. S. Fr. 1887 p. 245; Mon. II, t. 28, f. 16 [ined.].
Ferg.
332. **Pallida** Stgr. Berl. e. Z. 1870 p. 202; Rag. Mon. II, t. 28, f. 15 [ined.].
Srp.
333. **Deserticola** Stgr. Berl. e. Z. 1870 p. 201; Rag. Mon. II, t. 28, f. 17 [ined.].
Srp; Tura.
334. **Leucocephala** Stgr. Stett. e. Z. 1879 p. 326; Rag. Mon. II, t. 29, f. 9 [ined.].
Ross. pi; Ferg; Thian.
335. **Niveicostella** Rag. Mon. II, t. 29, f. 7 [ined.].
Tura.
336. **Albicosta** Stgr. Berl. e. Z. 1870 p. 202; Z. z. b. V. 1872 p. 556; Rag. Mon. II, t. 29, f. 6 [ined.].
Srp.
337. **Delimitella** Rag. Ann. S. Fr. 1887 p. 247; Mon. II, t. 29, f. 8 [ined.].
Srp.
338. **Ciliatella** Z. z. b. V. 1872 p. 557 not; Rag. Mon. II, t. 44, f. 8 [ined.].
Srp.
339. **Syrtella** Rag. Ann. S. Fr. 1887 p. 246; Mon. II, t. 28, f. 18 [ined.].
Maur.
340. **Aspilatella** Rag. Ann. S. Fr. 1887 p. 246; Mon. II, t. 29, f. 10 [ined.].
Tura.
341. **Hellenica** Stgr. Hor. VII, 209, t. 2, f. 18.
Graec; Syr.
342. **Rhodochrella** HS. 151 (Pyr.), VI p. 147; Lucida Warr. Pr. Z. S. 1888, p. 333.
Srp; Pont; Tura; Syr; Aegypt.
343. **Delicatella** Möschl. Wien Mts. 1860 p. 274; HS. n. Schm. 147 p. 29; Stgr. Hor. VII, 209.
Srp. ? Tura.
344. **Faustinella** Z. Stett. e. Z. 1867 p. 380; Tr. E. S. 1867 p. 457, t. 23, f. 6; Staudingeri Chr. Hor. XII, p. 282, t. 8, f. 54; Mém. Rom II p. 154.
Syr; Hyrc; Tura.
345. **Ignibasella** Rag. Ann. S. Fr. 1887 p. 246; Mon. II, t. 30, f. 6, 7 [ined.].
Tura.
 a) v. *Inflamatella* Rag. Mon. II, t. 30, f. 7 [ined.].
346. **Bichordella** Rag. Ann. S. Fr. 1887 p. 246; Mon. II, t. 29, f. 21 [ined.].
Hyrc.
347. **Decolorella** Rag. Mon. II, t. 42, f. 14 [ined.].
Ferg. (Margelan).
348. **Costistrigella** Rag. Bull. S. Fr. 1890 p. 111; Mon. II, t. 28, f. 23 [ined.].
Maur.
349. **Fulvobasella** Rag. Ann. S. Fr. 1887 p. 248; Mon. II, t. 30, f. 4 [ined.].
Hyrc; Thian.
350. **Pyrethrella** HS. n. Schm. 80 p. 12; Strictella Mn. Wien. Mts. 1861, p. 184, t. 2, f. 8 (nec 9).
Srp; Pont; Syr.
351. **Lacteicostella** Rag. Ann. S. Fr. 1887 p. 248; Mon. II, t. 30, f. 1 [ined.].
Ferg.
352. **Gracilella** Rag. Ann. S. Fr. 1887 p. 248; Mon. II, t. 30, f. 5 [ined.].
Arm; Thian.
353. **Blandella** Rag. Ann. S. Fr. 1887 p. 248; Mon. II, t. 29, f. 14 [ined.].
Arm.
354. **Decentella** Rag. Ann. S. Fr. 1887 p. 246; Mon. II, t. 29, f. 16 [ined.].
Hyrc.

355. **Subcandidatella** Rag. Ann. S. Fr. 1887 p. 249; Mon. II, t. 30, f. 18 [ined.]. *Hyrc; Ferg.*
356. **Conchyliella** Rag. Ann. S. Fr. 1887 p. 246; Mon. II, t. 29, f. 11 [ined.]. *Thian.*
357. **Plumbatella** Rag. N. Genr. p. 29; Mon. II, t. 28, f. 25 [ined.]. *Tura.*
358. **Lividella** Rag. Ann. S. Fr. 1887 p. 247; Mon. II, t. 27, f. 12 [ined.]. *Tura.*
359. **Dumetella** Rag. Ann. S. Fr. 1887 p. 247; Mon. II, t. 28, f. 24 [ined.]. *Thian.*
360. **Biligulella** Rag. Ann. S. Fr. 1887 p. 248; Mon. II, t. 29, f. 22 [ined.]. *Arm.*
361. **Harmoniella** Rag. Ann. S. Fr. 1887 p. 247; Mon. II, t. 30, f. 2 [ined.]. *Maur.*
362. **Samaritanella** Z. Stett. e. Z. 1867 p. 379; Tr. E. S. 1867 p. 456, t. 23, f. 4. *Urbicella* Ersch. Fedtsch. p. 87, t. 6, f. 99. *Syr; Arm; Tura; Ferg.*
363. **Dryadella** Rag. Ann. S. Fr. 1887 p. 246; Mon. II, t. 29, f. 19 [ined.]. *Tarb. (Saisan); Thian.*
364. **Nubeculella** Rag. Ann. S. Fr. 1887 p. 247; Mon. II, t. 29, f. 18 [ined.]. *Arm.*
365. **Ochrotaeniella** Rag. Ann. S. Fr. 1887 p. 248; Mon. II, t. 30, f. 10 [ined.]. *Arm.*
366. **Terstrigella** Chr. Hor. XII, p. 282, t. 8, f. 55; Mém. Rom. II p. 154, t. 8, f. 5; Rag. Mon. II, t. 48, f. 14 [ined.]. *Hyrc.*
367. **Trifasciella** Rag. Ann. S. Fr. 1887 p. 246; Mon. II, t. 28, f. 21 [ined.]. *Thian.*
368. **Candidatella** Ld. Wien. Mts. 1858 p. 149, t. 4, f. 6; Rag. Mon. II, t. 29, f. 15 [ined.]. *Syr; Arm; Hyrc.*
369. **Ephedrella** HS. n. Schm. 146, p. 29; Rbl. Ann. Naturh. Hofmus. VII, 259; Rag. Mon. II, t. 30, f. 25 [ined.]; Neglectella Hein. Wien. Mts. 1864, p. 292; Rag. Mon. II, t. 30, f. 13 [ined.]. *Arag; Bilb; Can. or; Gal. m. or. (Mill.); Ross. m; Hyrc; Thian.*
370. **Oblitella** Z. Is. 1848 p. 597; HS. 194, IV p. 107; Hein. 195; Meyr. 374; Rag. Mon. II, t. 30, f. 22 [ined.]. *Cinerella* Stt. Ann. & Mag. (3) III p. 211 (1859). *Germ. m. oc; Austr. inf; Hung; Angl. m; Eur. m; As. oc; Mad; Maur; Am. s.*
371. **Ochracea** Stgr. Berl. e. Z. 1870 p. 204; Rag. Mon. II, t. 29, f. 13 [ined.]. *Cat.*
372. **Tenuigranella** Rag. Bull. S. Fr. 1890 p. 111; Mon. II, t. 30, f. 14 [ined.]. *Maur.*
373. **Wockeella** Rag. Ann. S. Fr. 1887 p. 247; Mon. II, t. 30, f. 23 [ined.]. *Thian.*
374. **Sabulosella** Stgr. Stett. e. Z. 1879 p. 328; Rag. Mon. II, t. 29, f. 23 [ined.]. *Ross. m. or.*
375. **Nigripunctella** Stgr. Stett. e. Z. 1879 p. 327; Rag. Mon. II, t. 30, f. 21 [ined.]. *Ross. m. or.*
376. **Monosticticella** Rag. Ann. S. Fr. 1887 p. 249; Mon. II, t. 29, f. 24 [ined.]. *Arm.*
377. **Convexella** Ld. z. b. V. 1855 p. 222, t. 4, 9; Rag. Mon. II, t. 48, f. 17 [ined.]; *Albiciliella* Stgr. Stett. e. Z. 1859 p. 225; *Favorinella* Z. Stett. e. Z. 1867 p. 381; Tr. E. S. 1867 p. 456 t. 23, f. 6. *And; Syr; Hyrc.*

378. **Xylinella** Stgr. Berl. e. Z. 1870 p. 203; Rag. Mon. II, t. 30, f. 16 [ined.]. *Srp; Tura.*
 379. **Lafauryella** Rag. Bull. S. Fr. 1879 p. 155; Lafaury ib. Ann. 1885 p. 401 (larv.); Rag. Mon. II, t. 30, f. 17 [ined.]. *Gal. m.*
 380. **Fathmella** Obth. Et. XII p. 39, t. 6, f. 30 (incecta sedis). *Maur.*

58. **Staudingeria** Rag. 1887.

381. **Albinotella** Rag. Ann. S. Fr. 1887 p. 249; Mon. II, t. 27, f. 2 [ined.]. *Hyrc.*
 382. **Morbosella** Stgr. Hor. XV p. 218; Rag. Mon. II, t. 27, f. 1 [ined.]. *Pont; Hyrc.*
 383. **Calcariella** Rag. Mon. II, t. 28, f. 13 [ined.]. *Maur.*
 384. **Partitella** Rag. Ann. S. Fr. 1887 p. 249; Mon. II, t. 27, f. 3 [ined.]. *Srp; Arm; Maur.*
 385. **Validella** Chr. Hor. XII, t. 7, f. 49, 50; Rag. Mon. II, t. 27, f. 4 [ined.]. *Tura.*
 386. **Fractifasciella** Rag. Bull. S. Fr. 1890 p. 111; Mon. II, t. 28, f. 10 [ined.]. *Maur.*
 387. **Labeculella** Rag. Ann. S. Fr. 1887 p. 250; Mon. II, t. 28, f. 8 [ined.]. *Maur.*
 388. **Adustella** Rag. Ann. S. Fr. 1887 p. 250; Mon. II, t. 29, f. 12 [ined.]. *Srp; Tura; Thian.*
 389. **Versicolorella** Rag. Ann. S. Fr. 1887 p. 249; Mon. II, t. 28, f. 9 [ined.]. *Tura; Ind. s.*
 390. **Spectrifasciella** Rag. Ann. S. Fr. 1887 p. 250; Mon. II, t. 28, f. 14 [ined.]. *Tura.*

59. **Dentinodia** Rag. 1887.

391. **Craticulella** Rag. Ann. S. Fr. 1887 p. 251; Mon. II, t. 31, f. 19 [ined.]. *Ferg.*
 392. **Euclastella** Rag. Ann. S. Fr. 1887 p. 247; Mon. II, t. 29, f. 5 [ined.]. *Thian.*

60. **Alispa** Z. 1848.

393. **Angustella** Hb. 68; Zk. Germ. Mag. III, 157; Tr. IX, 1. 195; Z. Is. 1848 p. 643; HS. 32, IV p. 102; Hein. 189; Snell. II, 1 p. 150; Leech. Pyr. t. 11, f. 12; Meyr. 367. *Eur. c; Dalm.*

61. **Canarsia** Hulst 1890.

394. **Vittatella** Rag. Ann. S. Fr. 1887 p. 245; Mon. II, t. 27, f. 5 [ined.]. *Amur.*

62. **Laetilia** Rag. (ined.).

395. **Loxogramma** Stgr. Berl. e. Z. 1870 p. 206; Rag. Mon. II, t. 27, f. 6 [ined.]. *And.*

63. **Epischidia** Rag. (ined.).

396. **Fulvostrigella** Ev. F. V. U. 562; **Fronticornella** HS. n. Schm. 148 p. 29. *Srp; Ural.*
 397. **Albunculella** Stgr. Hor. XV p. 213; Rag. Mon. II, t. 49, f. 21 [ined.]. *Pont.*

64. **Thospia** Rag. 1888.

398. **Crassipalpella** Rag. N. Genr. p. 28; Mon. II, t. 28, f. 4 [ined.] *Hyrc.*
 399. **Alborivulella** Rag. N. Genr. p. 28; Mon. II, t. 28, f. 6 [ined.] *Ferg.*
 400. **Permixtella** Rag. N. Genr. p. 28; Mon. II, t. 28, f. 5 [ined.] *Srp; Tura; Hyrc.*

65. **Oxybia** Rag. (ined.).

401. **Transversella** Dup. X, t. 278, 6 p. 182, t. 284, 10 p. 355; HS. 165; Z. Is. 1847 p. 766; 1848 p. 676; Mill. Ic. III p. 154, t. 115, f. 10, 11; Bituminella Mill. Rev. & Mag. 1873 p. 8; Ic. 144, f. 9-11.

66. **Psorosa** Z. 1846.

402. **Dahliella** Tr. IX, 1. 200; Z. Is. 1846 p. 750; HS. 63, IV p. 81; Stgr. Hor. XV, 193; Bivittella Dup. X p. 176; Bifasciata Dup. X, t. 278, f. 3. *Eur. m; Bulg; Bith; Arm; Syr; Can; Ind. s.*
 403. **Nucleolella** Moeschl. Berl. e. Z. 1866 p. 147; Rag. Mon. II, t. 28, f. 2 [ined.]; Strictella Mn. Wien. Mts. 1861 p. 184 (pr. p.), t. 2, f. 9 ♀ (nec 8). *Gal. m; Srp; As. min; Tura.*
 404. **Ochrifasciella** Rag. Ann. S. Fr. 1887 p. 245; Mon. II, t. 29, f. 3 [ined.]. *Pont; Taur.*
 405. **Albunculella** Rag. Mon. II, t. 29, f. 4 [ined.]. *Bith; Pont.*
 406. **Flavifasciella** Rag. Mon. II, t. 29, f. 2 [ined.]. *Lusit.*
 407. **Tergestella** Rag. Mon. II, t. 50, f. 2 [ined.]. *Istr.*

67. **Pempelia** Hb. 1818.

408. **Hieroglyphella** Rag. Ann. S. Fr. 1887 p. 244; Mon. II, t. 29, f. 1 [ined.]. *Hyrc.*
 409. **Malacella** Stgr. Berl. e. Z. 1870 p. 196; Rag. Mon. I, t. 23, f. 16. *And.*
 410. **Tengstroemiella** Ersch. Fedtsch. p. 89, t. 5, f. 91; Rag. Mon. I, t. 23, f. 17. *Saraw.*
 411. **Macedoniella** Rag. Ann. S. Fr. 1887 p. 244; Mon. II, t. 42, f. 10 [ined.]. *Maced.*
 412. **Sororiella** Z. Is. 1846 p. 765; HS. 64, IV p. 73; Iucundella Mn. Wien. Mts. 1864 p. 181, t. 4, f. 10; Saturreiella Mill. Rev. & Mag. 1873 p. 7; Ic. 144, f. 1-4. *Ter. m; Austr. inf; Carn; Hung; Bulg; Eur. m; Bith; Syr.*
 413. **Subornatella** Dup. X, 284, 5 p. 287; Z. Is. 1846 p. 768; HS. 62, IV p. 74; Hein. 160; Snell. II, 1 p. 152; Leech Pyr. t. 12, f. 3; Serpylletorum Z. Is. 1839 p. 179 (a Dilutella Hb. satis distincta?). *Eur. c; ? Liv; Bale; Ross. s. et m. or.*
 414. **Integrella** Stgr. Stett. e. Z. 1859 p. 221; Rag. Mon. II, t. 26, f. 22 [ined.]. *And; ? Helv.*
 415. **Cortella** Const. Ann. S. Fr. 1884 p. 208, t. 9, f. 6. *Cors.*
 416. **Dilutella** Hb. 69; Barr. Monthl. Mag. XXVI p. 20; Meyr. 364; Adornatella Tr. X, 3. 172; Dup. X, 284, 4; Z. Is. 1846 p. 770; HS. 77-8, IV, 75; Hein. 159; Snell. II, 1, p. 153; Leech Pyr. t. 12, f. 2. *Eur. c; Liv; Bulg.*
 417. **Diffusa** Stgr. Hor. XVI p. 85; Rag. Mon. II, t. 26, f. 23 [ined.]. *Pont; Cauc. m.*

418. **Aurorella** Chr. Stett. e. Z. 1867 p. 236; Rag. Mon. I, t. 23, f. 15. *Srp.*
 419. **Ambustiella** Rag. Ann. S. Fr. 1887 p. 244; Mon. II, t. 26, f. 20 [ined.]. *Arm.*
 420. **Italogallicella** Mill. Ann. S. Lyon 1883 p. 160, t. 2, f. 3. *Gal. m.; Cast.*
 421. **Turturella** Z. Is. 1848 p. 748; HS. 192, IV p. 77 (incertae sedis). *It. c.*
 422. **Boeticella** Rag. Ann. S. Fr. 1887 p. 244; Mon. I, t. 23, f. 18. *And.*
 423. **Ardosiella** Rag. Ann. S. Fr. 1887 p. 245; Mon. II, t. 26, f. 21 [ined.]. *Cast.*
 424. **Sororecula** Rag. Ann. S. Fr. 1887 p. 245; Mon. II, t. 42, f. 9 [ined.]. *Graec. s. (Parnass.).*
 425. **Ornatella** Schiff. S. V. 319; Zk. Germ. Mag. III 154; Tr. IX, 1, 167; Dup. X, 279, 1 p. 189; Wd. 1471; Z. Is. 1846 p. 766; HS. IV p. 75; Hein. 160; Snell. II, 1, p. 154; Leech Pyr., t. 12, f. 4; Meyr. 365; Criptella Hb. 77. *Eur. c.; Liv.; Arag.; It.; Ross. m.; As. min.; Arm.; Himal. oc.*
 426. **Fraternella** Rag. Ann. S. Fr. 1887 p. 245; Mon. II, t. 26, f. 24 [ined.]. *Arm.; Thian.; Maur.*
 427. **Campicolella** Ersch. Fedtsch. p. 84, t. 5, f. 87 (incertae sedis). *Tura.*

68. **Euzopherodes** Rag. (ined.).

428. **Tenebrosa** Z. Stett. e. Z. 1867 p. 383; Tr. E. S. 1867 p. 455, t. 23, f. 7. *Pal.*

69. **Hyphantidium** Scott 1859 [Cataremna Meyr.].

429. **Terebrella** Zk. Germ. Mag. III, 162; Tr. IX, 1, 192; X, 3. 276; Z. Is. 1839 p. 177; 1848 p. 662; HS. 199, IV p. 98; Hein. 191; South Entom. 1890, 333, t. 3, f. 12; Meyr. 376. *Eur. c. (exc. Bat); It.; Ross. s. oc.*
 430. **Conicolella** Const. Ann. S. Fr. 1884 p. 209, t. 9, f. 7. *Gal. m.*
 431. **Vinaceella** Rag. Bull. S. Fr. 1895 p. 101; Mon. II, t. 48, f. 1 [ined.]. *Syr.*
 432. **Tacapella** Rag. Ann. S. Fr. 1887 p. 253; Mon. II, t. 26, f. 10 [ined.]. *Maur.; Aegypt.*

70. **Metallosticha** Rag. (ined.).

433. **Argyrogrammos** Z. Is. 1847 p. 29; 1848 p. 675; HS. 190, IV p. 99. *Sic. (Z.); Bith.; Lyd.; Syr.*
 434. **Nigrocyanella** Const. Ann. S. Fr. 1865 p. 190, t. 7, 2 (Chalcocyanella). *Gal. m. oc.; Sard.; Dalm.; Syr.*
 435. **Bicolorella** Hein. Wien. Mts. 1864 p. 288; Stgr. Hor. XV, 221; Rag. Mon. II, t. 50, f. 1 [ined.]. *Bith.*

71. **Euzophera** Z. 1867.

436. **Politella** Rag. Ann. S. Fr. 1887 p. 253; Mon. II, t. 24, f. 18 [ined.]. *Thian.*
 437. **Rubricetella** HS. VI p. 147; Rag. Mon. II, t. 24, f. 22 [ined.]. *Bith.*
 438. **Depauperatella** (Chr.) Rag. Mon. II, t. 24, f. 23 [ined.]. *Arm.; Syr.*

439. **Flagella** Ld. Hor. VI 1869 p. 91, t. 5, 12. *Hyrc.*
 440. **Affictella** Rag. Ann. S. Fr. 1887 p. 253; Mon. II, t. 25, f. 20 [ined.]. *Amur.*
 441. **Costivittella** Rag. Ann. S. Fr. 1887 p. 253; Mon. II, t. 25, f. 19 [ined.]. *Srp; Arm.*
 442. **Imperfectella** Rag. Bull. S. Fr. 1895 p. 100; Mon. II, t. 47, f. 22 [ined.]. *Taur. m.*
 443. **Pulchella** Rag. Ann. S. Fr. 1887 p. 254; Mon. II, t. 25, f. 16 [ined.]. *Bale.*
 444. **Subnitidella** Rag. Ann. S. Fr. 1887 p. 254; Mon. II, t. 25, f. 22 [ined.]. *Ferg.*
 a) v. *Striatella* Rag. l. c.; l. c. t. 24, f. 17 [ined.] (distinctius signata). *Alt.*
 445. **Colon** Chr. Bull. M. 1881, I p. 57; Rag. Mon. II, t. 25, f. 17 [ined.]. *Uss.*
 446. **Umbrosella** Stgr. Hor. XV p. 215; Rag. Mon. II, t. 25, f. 18 [ined.]. *Cypr.*
 447. **Luculentella** Rag. N. Genr. p. 32; Mon. II, t. 24, f. 20 [ined.]. *Arm. (Kasikoparan).*
 448. **Suberibrella** Rag. Ann. S. Fr. 1887 p. 255; Mon. II, t. 24, f. 21 [ined.]. *Tura.*
 449. **Osseatella** Tr. IX, 1. 199; Z. Is. 1848, 677; HS. 84, IV p. 91. *Dalm; Hung. lit; Sic; Syr.*
 450. **Arquatella** Rag. Mon. II, t. 32, f. 2 [ined.]. *Sic.*
 451. **Albipunctella** Rag. Ann. S. Fr. 1887 p. 253; Mon. II, t. 47, f. 20 [ined.]. *Thian.*
 452. **Albogilvella** Rag. Ann. S. Fr. 1887 p. 254; Mon. II, t. 25, f. 8 [ined.]. *Tura.*
 453. **Lunulella** Costa Fn. Nap., 1836, p. 3, t. 5, f. 5; *Coreyella* HS. (Myelois) 183, IV p. 98. *It. m; And; Graec; Lyd; Hyrc; Maur.*
 454. **Cinerosella** Z. Is. 1839 p. 176, 1848 p. 595; HS. 76, IV p. 105; Hein. 193; Leech Pyr. t. 11, f. 9; Meyr. 375; *Artemisiella* Stt. Man. II, 173; *Incanella* Ev. F. V. U. 552. *Germ; Angl; Morav; Ross. s. oe; Dalm; Syr.*
 455. **Pinguis** Hw. Lep. Br. 493; Curt. B. E. V. 233; Stph. Ill. IV, 304; Z. Is. 1848 p. 747; Hein. 192; Snell. II, 1 p. 149; Leech Pyr. t. 11, f. 8; Meyr. 375; *Fischeri* Z. Is. 1846 p. 739; *Splendidella* HS. 44. *Eur. c; Dan; Gal. m; Sie.*
 456. **Nelliella** Rag. Ann. S. Fr. 1894 p. 177; Mon. II, t. 47, f. 21 [ined.]. *And; Maur.*
 457. **Concolorella** Rag. Iris V, 1892 p. 297; Mon. II, t. 42, f. 8 [ined.]. *And; Maur. or.*
 458. **Bisinuella** Rag. Ann. S. Fr. 1837 p. 254; Mon. II, t. 25, f. 15 [ined.]. *Hyrc.*
 459. **Bigella** Z. Is. 1848 p. 596; HS. IV p. 105; Hein. 193; *Stenoptycha* HS. 127; *Egeriella* Mill. Pet. Nouv. 1873 p. 310; Ic. 141, f. 4, 5. *Austr. inf; Ter. m; Bilb; Gal. m; It; Dalm; As. min; Syr; Maur.*
 460. **Macra** Stgr. Berl. e. Z. 1870 p. 197; Rag. Mon. II, t. 32, f. 7 [ined.]. *Srp.*
 461. **Immundella** Rag. Mon. II, t. 32, f. 8 [ined.]. *Srp; Arm.*
 462. **Cuprotaeniella** Chr. Bull. M. 1881, I p. 58; Rag. Mon. II, t. 32, f. 10 [ined.]. *Uss.*

463. **Fuliginosella** Hein. 192; *Polyxenella* Mill. Rev. & Mag. 1871-2 p. 63; Ic. 135, f. 2, 3; Snell. Tijds. XXXII p. 39; Rag. Mon. II, t. 47, f. 23 [ined.].
Germ. c. oc; Poin;
Bat; Liv; Lusit;
Gal. m; Arm.
464. **Alpherakyella** Rag. Ann. S. Fr. 1887 p. 254; Mon. II, t. 32, f. 4 [ined.].
Hyre; Thian.

72. **Eccopisa** Z. 1848.

465. **Effractella** Z. Is. 1848 p. 648; HS. 158 (Pyr.), IV p. 102; Hein. 186.
Eur. c. (exc. Angl.,
Bat.); Bilb; Bulg; Dalm; Bith; Arm; Pers.

73. **Nyctegretis** Z. 1848.

466. **Achatinella** Hb. 451; Dup. X, 280, 6; Ev. F. V. U. p. 561; Z. Is. 1839 p. 177, 1848 p. 650; HS. IV p. 102; Hein. 187; Snell. II, 1, p. 148; Degraaf Tijds. XXIX p. 236, t. 9, f. 3-9 (larv.); Leech Pyr. t. 10, f. 10; Meyr. 378.
Eur. c. et m; Liv;
Petrop; Bith; Hyre;
Arm; Amur.
467. **Ruminella** Lah. Contr. no. 37; Failla Fn. Sic. p. 112; Corsica Mn. z. b. V. 1867 p. 847.
Cors; Sic.

74. **Zophodia** Hb. 1818.

468. **Convolutella** Hb. 34; Z. Is. 1839 p. 177, 1848 p. 679; HS. IV p. 107; Hein. 190; Snell. II, 1, p. 156; Grossulariella Tr. IX, 1. 172, X, 3. 275; Dup. X, 279, 9 p. 206.
Eur. c. (exc. Angl.) et
s. (exc. reg. pol.);
Bilb; Sard; Am. s.

75. **Salinaria** Rag. (ined.).

469. **Diffusella** Chr. Hor. IX p. 8, t. 1, f. 5 (1872); Rag. Mon. II, t. 26, f. 8 [ined.].
Srp.

76. **Lymphia** Rag. (ined.).

470. **Chalybella** Ev. F. V. U. 549; Z. Is. 1848 p. 735; HS. 177, IV p. 86; Rag. Mon. II, t. 25, f. 6 [ined.].
Ural.

77. **Pogonotrophus** Sauber 1899.

471. **Tancrei** Sauber Ver. Naturw. Hamb. X p. 63.
Iss. K.

78. **Ratasा** HS. 1849.

472. **Noctualis** Ev. Bull. M. 1842, III p. 559; Rag. Mon. II, t. 25, f. 4 [ined.]; *Alienalnis* Ev. F. V. U. 451; HS. 170-1 (Tin.), IV p. 93.
Ural. m. or; Thian.

79. **Seboldia** Rag. 1887.

473. **Korgosella** Rag. Ann. S. Fr. 1887 p. 253; Mon. II, t. 25, f. 1 [ined.].
Arag; Cat; Maur; Srp;
Thian.

80. **Hyporatasа** Rag. (ined.).

474. **Allotriella** HS. 153 (Pyr.), VI p. 147; *Alienalnis* HS. 115 (Pyr.).
Hung; Srp; Pont;
Thian.

81. **Asarta** Z. 1848.

475. **Aethiopella** Dup. X, 284, 3 p. 283; Gn. Ind. p. 73; Z. Is. 1848 p. 686; HS. IV p. 93; Hein. 163; **Helveticella** Z. Is. 1839 p. 177; HS. 55-7.
476. **Ciliciella** Stgr. Hor. XV p. 201; Rag. Mon. II, t. 25, f. 5 [ined.].
477. **Alpicolella** Z. Is. 1839 p. 177; Gn. Ind. 73; HS. 50, 51, IV p. 93; Hein. 164.
478. **Zapateri** Rag. Bull. S. Fr. 1888 p. 65; Mon. II, t. 42, f. 7 [ined.].

*Alp; Norv. s.**Taur.**Alp.**Arag. (Albarracin).*82. **Asartodes** Rag. 1893.

479. **Monspessulalis** Dup. VIII, 223, f. 9 p. 349; Rag. Mon. I p. 618, t. 23, f. 3; **Monspessulella** HS. 52-54; **Culminella** Gn. Ind. 74.
- a) v. (ab.) **Rubricosella** Stgr. Stett. e. Z. 1863 p. 268; Rag. Mon. I p. 619, t. 24, f. 7 (minor, obscurior).
- b) v. (ab.) **Frigidella** Gn. Ind. 74; Rag. Mon. I, 619, t. 23, f. 4 (multo obscurior, al. post. nigris).

*Gal. m. alp; Pyr.**Cast. mont.**Pyr.*83. **Zophodiodes** Rag. 1887.

480. **Leucocostella** Rag. Ann. S. Fr. 1887 p. 241; Mon. I p. 618, t. 20, f. 24.

*Pont.*84. **Hypochalcia** Hb. 1818.

481. **Staudingeri** Rag. Ann. S. Fr. 1887 p. 241; Mon. I p. 584, t. 19, f. 15.
482. **Disjunctella** Z. Is. 1848 p. 727; HS. 26; Rag. Mon. I p. 585, t. 24, f. 4; **Dispunctella** HS. IV p. 88.
483. **Candelisequella** Ev. F. V. U. 559; Z. Is. 1848 p. 728; HS. IV p. 87; Hein. 165; Rag. Mon. I p. 586; ib. II t. 24, f. 3 [ined.]; **Propinquella** Ev. Bull. M. 1842, III p. 564; **Uralicella** HS. 25.
484. **Romanovi** Rag. Mon. I p. 587; ib. II, t. 47, f. 11, 12 [ined.].
485. **Vesperella** Ev. F. V. U. 558; Z. Is. 1848 p. 728; HS. 172, IV p. 88; Rag. Mon. I p. 588.
486. **Rubiginella** Tr. IX, 2. 270, X, 3. 273; Z. Is. 1848 p. 725; HS. 196, IV p. 87; Rag. Mon. I p. 589.
487. **Subrubiginella** Rag. Ann. S. Fr. 1887 p. 242; Mon. I p. 591, t. 21, f. 12.
488. **Hepaticella** Rag. Ann. S. Fr. 1887 p. 242; Mon. I p. 591, t. 19, f. 16.
489. **Affiniella** HS. 24, IV p. 87; Z. Is. 1848 p. 730; Rag. Mon. I p. 592.
490. **Gianelliella** Rag. Ann. S. Fr. 1887 p. 243; Mon. I p. 593, t. 21, f. 11; ib. II, t. 47, f. 13 [ined.].
491. **Longobardella** Rag. Ann. S. Fr. 1887 p. 243; Mon. I p. 594; ib. II, t. 46, f. 23 [ined.].
492. **Bruandella** Gn. Ind. 71; Rag. Mon. I p. 595; ib. II, t. 47, f. 10 [ined.].
493. **Burgundiella** Rag. Mon. I p. 596, t. 19, f. 17.
494. **Orbipunctella** Rag. Ann. S. Fr. 1887 p. 243; Mon. I p. 596; ib. II, t. 46, f. 22 [ined.].

*Tarb. (Saisan).**Ross. m. or; Ural.**Ross. m. or; Ural.**Thian.**Ural.**Hung. m. or; ? Bulg.; Rum; Srp.**Ter. m. (Meran).**Ter. m. (Meran).**Hung; Cauç; Arm.**Ped; ? Tura.**It. s.**Gal. or. (Besançon).**Gal. or.**Maced.*

495. **Lignella** Hb. 57 text p. 30; Tr. IX, 1. 141; Dup. X, 277, 2 p. 163; Z. Is. 1848 p. 732 (pr. p.); Rag. Mon. I p. 597; Melanella Tr. IX, 1. 146; X, 3, 170; Z. Is. 1839, 178; 1846, 267; 1848, 721; Dup. Suppl. IV, 60, f. 3; HS. 72-3; IV p. 86; Hein. 166; Germarella Dup. IV, 60, f. 4, p. 118.
496. **Balcanica** Rag. Ann. S. Fr. 1887 p. 242; Mon. I p. 599, t. 21, f. 10; ib. II t. 24, f. 2 [ined.]; ? Rubiginella HS. 197.
497. **Fulvosquamella** Rag. Ann. S. Fr. 1887 p. 242; Mon. I p. 600, t. 21, f. 9.
498. **Ahenella** (S. V.) Hb. 58, text p. 31; Zk. Germ. Mag. III, 120; Tr. IX, 1. 144, X, 3. 273; Dup. X, 277, 5; Zett. Ins. Lap. 996; Wd. 1483; Z. Is. 1839 p. 178; 1846 p. 267; 1848 p. 723; HS. IV p. 86; Hein. 166; Snell. II, 1 p. 147; Leech Pyr. t. 13, f. 1; Rag. Mon. I p. 601; Meyr. 369; Aeneella Hb. 41; Bistrigella Dup. X, 277, 8.
- a) v. *Caucasica* Rag. Mon. I p. 601 (multo obscurior).
499. **Fasciatella** Stgr. Hor. XVI p. 87; Rag. Mon. I p. 602, t. 21, f. 6.
500. **Brunneella** Ev. Bull. M. 1844, III p. 599, t. 16, 1 a-c; F. V. U. 560; Z. Is. 1848 p. 730; HS. 167-8, IV p. 88; Rag. Mon. I p. 604.
501. **Dignella** Hb. text p. 30; Tr. IX, 1. 143; Ev. F. V. U. 549; Z. Is. 1839 p. 178; 1848 p. 731; Hein. 167; Rag. Mon. I, 605; (-us) Zk. Germ. Mag. II, 106; Lignella Hb. 35.
- a) v. *Insuadella* Rag. Mon. I, 605 (obscurior, al. post. nigresc.).
502. **Castanella** Rag. Ann. S. Fr. 1887 p. 242; Mon. I p. 606, t. 19, f. 18.
503. **Oxydella** Rag. Ann. S. Fr. 1887 p. 242; Mon. I p. 606, t. 19, f. 19.
504. **Plutonella** Rag. Mon. I p. 607, t. 21, f. 7.
505. **Ghilianii** Stgr. Berl. e. Z. 1870 p. 200; Rag. Mon. I p. 608, t. 21, f. 8.
506. **Caminariella** Ersch. Hor. XII p. 340; Mém. Rom. II, t. 16, f. 8; Rag. Mon. I p. 609, t. 21, f. 13.
507. **Griseoaenella** Rag. Ann. S. Fr. 1887 p. 241; Mon. I p. 609; ib. II, t. 42, f. 6 [ined.]; ? Lignella Ev. F. V. U. 548; Z. Is. 1848, 732 (pr. p.); HS. 176, IV p. 87; Hein. 168.
508. **Decorella** Hb. 301; Tr. IX, 1. 142; Dup. X, 277, 4; Ev. F. V. U. 548; Z. Is. 1839 p. 178; 1848 p. 733; HS. 211, IV p. 85; Hein. 167; Rag. Mon. I p. 610; Germarella Zk. Germ. Mag. III, 122; Tr. IX, 1. 146; Z. Is. 1848 p. 734; HS. 198, IV p. 86; Hein. 169.
- a) ab. *Erebella* Rag. Mon. I p. 610, t. 21, f. 14 (multo obscurior).
509. **Fuliginella** Dup. X, 277, f. 3, p. 165; Rag. Mon. I p. 612.
- Germ.; Austr.; Hung.; Liv.; Scand. m.; Gal.; Cors.; It. c. et s.; Ross. m.; Arm.*
- Bulg.*
- Ala Tau.*
- Eur. c. et s. (exc. reg. pol.); It. s. et c.; Dalm.; Ross. m.; As. min.; Arm.*
- Cauc.*
- Pont.; Hyrc.*
- Ural.*
- Austr.; Hung.; Ross. m.; Bulg.; Arm.*
- Austr.; Arm.*
- Thian.*
- Thian.*
- Iss. K. (Mont. Alexand.). Ped. alp. val.*
- Sib. (Irkutsk).*
- ? Hung.; ? Srp.; Tarb.; Daur.*
- Austr.; Helv.; ? Gal.; Hung.; Ural.; As. min.; Arm.*
- Hung.*
- It. s.*
85. **Etiella** Z. 1846.
510. **Zinekenella** Tr. IX, 1. 201; Z. Is. 1846 p. 755; HS. IV p. 72; Hein. 154; Rag. Mon. I p. 572; Hmps. Ind. Moths IV p. 108; Etiella Tr. X, 3. 276; F. R. 29, 3 p. 52; Dup. X, 278, 5 p. 180; Mill. Ic. I p. 248, t. 4, 7-9; Decipiens Stgr. Berl. e. Z. 1870 p. 195 [ab]; Spartiella Rondani Bull. S. Ent. It. 1876 p. 19, t. 1, f. 1.
- Austr. inf.; Val.; Eur. m.; As. oc.; Orb. terr. trop et subtrop.*

86. **Bradyrrhoa** Z. 1848.

511. **Holopyrrhella** Rag. N. Genr. p. 26; Mon. I p. 551, t. 20, f. 16. *Arm.*
512. **Marianella** Rag. Ann. S. Fr. 1887 p. 240; Mon. I p. 552, t. 20, f. 14. *And.*
513. **Mesobaphella** Rag. N. Genr. p. 26; Mon. I p. 552, t. 20, f. 15. *Arm.*
514. **Divaricella** Rag. Ann. S. Fr. 1887 p. 240; Mon. I p. 553, t. 19, f. 14. *Saraw.*
515. **Gilveolella** Tr. IX, 2. 271; F. R. 28, 2 p. 49; Z. Is. 1839 p. 177; 1848 p. 861; HS. IV p. 92; Rag. Mon. I p. 553. *Eur. m. or; Sic; As. min; Arm.*
516. **Cantenerella** Dup. X, 284, 8. p. 347; Z. Is. 1847 p. 765; 1848 p. 861; HS. 160-1, IV p. 91; Rag. Mon. I p. 554; Ravella HS. 30; Chaledoniella HS. 186. *Gal. m. Cors; Sard; It; Dalm. Maur. or.*
517. **Luteola** Lah. Contr. p. 15; Rag. Mon. I p. 555, t. 20, f. 17; Effoetella Mn. z. b. V. 1873 p. 130. *Sic.*
518. **Subflavella** Rag. Ann. S. Fr. 1887 p. 241; Mon. I p. 556, t. 19, f. 12. *Sic; Syr.*
519. **Ochrospilella** Rbl. Ann. Naturh. Hofmus. VII p. 258, t. 17, f. 13; Rag. Mon. I p. 557; ib. II, t. 49, f. 9 [ined.]. *Can.*
520. **Confiniella** Z. Is. 1848 p. 683; Stgr. Hor. XV, 204; Rag. Mon. I p. 558, t. 19, f. 13; Remotella Mn. z. b. V. 1867. 846. *Cors; Dalm; Graec; Bith; Taur; Syr.*
521. **Trapezella** Dup. X, 278, 8 p. 186; Rag. Mon. I p. 559, t. 20, f. 18; Cinerella Dup. X, 284, 9 p. 353; Saxeella Z. Is. 1848 p. 682; HS. 35, IV p. 91; Chaledoniella HS. 185, IV p. 91 (pr. p.). *Gal. m; Cors; Dalm; Turc.*
522. **Seniella** Stgr. Hor. XV, 205: Rag. Mon. I p. 560, t. 19, f. 11, t. 20, f. 19; Chaledeniella HS. 184, IV p. 91 (pr. p.). *Turc; Pont; Taur.*
523. **Haberhaueri** Rag. Mon. I p. 561, t. 20, f. 20. *Ferg. (Margelan).*
524. **Lixiviella** Ersch. Fedtsch. 86, t. 5, f. 90; Chr. Mém. Rom. II, p. 153 [Eucarphia] (incertae sedis). *Tura; Saraw.*

87. **Megasis** Gn. 1845.

525. **Ilignella** Z. Is. 1839 p. 177; 1848 p. 684; HS. 41-2, IV p. 90; Hein. 171; Rag. Mon. I p. 535; Laternella Ev. F. V. U. 555. *Sil; Austr.-Hung; Gal. m; Dalm; Bulg; Srp; Arm; Tura; Ferg; Gal. m.*
- a) v. **Dilucidella** Dup. X, 278, f. 7 p. 184 (dilute ochraceo-brunnescens).
526. **Ledereri** Rag. Mon. I p. 537, t. 20, f. 9. *Arm.*
527. **Mimeticella** Stgr. Hor. XV p. 220; Rag. Mon. I p. 539, t. 19, f. 5. *Pont; Hyrc;? Gal. m.*
528. **Pupillatella** Rag. Ann. S. Fr. 1887 p. 239; Mon. I p. 540, t. 16, f. 33. *Tura.*
529. **Nubigerella** Rag. Ann. S. Fr. 1887 p. 239; Mon. I p. 541, t. 19, f. 6. *Dalm; Bulg. (Varna).*
530. **Macrodontella** Rag. Ann. S. Fr. 1887 p. 239; Mon. I p. 542, t. 20, f. 11. *Arm.*
531. **Noctileucella** Rag. Ann. S. Fr. 1887 p. 240; Mon. I p. 542, t. 19, f. 4. *Arm.*
532. **Alpherakii** Rag. Ann. S. Fr. 1887 p. 240; Mon. I p. 543, t. 19, f. 3. *Thian.*

533. **Rippertella** Z. Is. 1839 p. 177; 1848 p. 685; HS. 65-6, IV p. 90; Hein. 170; Berce 313, t. 8, f. 3: Rag. Mon. I p. 544; *Prodromella* Dup. X, 277, 1 p. 161.
534. **Hyrcanella** Rag. Mon. I p. 545, t. 20, f. 12.
535. **Acomptella** Rag. N. Genr. p. 26; Mon. I p. 548. t. 20, f. 13.
536. **Pistrianiella** Rag. Ann. S. Fr. 1887 p. 240; Mon. I p. 549, t. 19, f. 7.
537. **Dentinella** Brem. Lep. O. S. p. 103, t. 8, f. 16 (incertae sedis). *Alp; Arag; Bulg; Srp; Ural; Pont; As. min. c; Arm; Syr; Sib. Hyrc. Thian. ? Tarb. (Nariin).*
- Sib. or.*

88. **Emporia** Rag. 1887.

538. **Grisescens** Rag. Ann. S. Fr. 1887 p. 239; Mon. I p. 534, t. 20, f. 6. *Maur. or.*

89. **Eucarphia** Hb. 1818 (Synoria Rag.).

539. **Vinetella** F. Mant. II p. 242; Hb. 42; Zk. Germ. Mag. III, 123; Tr. IX, 2. 151; Z. Is. 1848 p. 690; HS. IV p. 89; Dup. X, 276, 6; Hein. 170; Rag. Mon. I p. 530.
540. **Antiquella** HS. 147-8 (Pyr.), VI p. 147; Rag. Mon. I p. 532, t. 19, f. 1. *Germ. m; Austr.-Hung; Gal. c; Ross. m; Arm; Alt; Daur. Bith; Pont; Taur; Arm.*

90. **Ocrisia** Rag. 1893.

541. **Robiniella** Mill. Ic. II p. 87, t. 61, f. 7-10; Rag. Mon. I p. 526, t. 21, f. 23. *Gal. m.*

91. **Epischnia** (Hb. 1818) Z.

542. **Masticella** Rag. Ann. S. Fr. 1887 p. 237; Mon. I p. 498, t. 16, f. 37. *Hyrc.*
543. **Soritella** Ld. Wien. Mts. 1858 p. 150; Rag. Mon. I p. 498, t. 18, f. 23. *Syr.*
544. **Adultella** Z. Is. 1848 p. 739; HS. 208, IV p. 90; Ld. z. b. V. 1853, p. 285, t. 7, f. 4; Rag. Mon. I p. 499. *Ross. m; Arm; Tura; Alt; Thian.*
545. **Ampliatella** Hein. Wien. Mts. 1864 p. 294; Rag. Mon. I p. 500, t. 18, f. 25. *Gal. m. alp.*
546. **Zophodiella** Rag. Ann. S. Fr. 1887 p. 237; Mon. I p. 501, t. 16, f. 47. *Amur; Daur.*
547. **Gregariella** Ersch. Hor. XII p. 340; Mém. Rom. II, t. 16, f. 9; Rag. Mon. I p. 502, t. 18, f. 24. *Sib.-c.*
548. **Castillella** Rag. Ann. S. Fr. 1894 p. 176. *Cast.*
549. **Prodromella** Hb. 254; Zk. Germ. Mag. III, 127; Tr. IX, 1. 157; Z. Is. 1839 p. 178; 1848 p. 738; Ev. F. V. U. 551; HS. IV p. 90; Hein. 172; Rag. Mon. I p. 503; *Umbra-ticella* Dup. X, 278, 9 p. 187; ab. *Cinereobasella* Rag. l. c. *Eur. c. m. et m; As. min; Arm; Tura; Syr.*
550. **Cretaciella** Mn. z. b. Z. 1869 p. 380; Rag. Mon. I p. 504, t. 20, f. 1. *Dalm; Srp; Pont.*
551. **Cuculliella** Rag. Ann. S. Fr. 1887 p. 237; Mon. I p. 505, t. 16, f. 36. *Srp; Arm.*
552. **Illotella** Z. Is. 1839 p. 178, 1847 p. 780, 1848 p. 740, HS. 71, IV p. 89; Hein. 172; Rag. Mon. I p. 506. *Eur. m; Bav. (1); Austr. inf.*
- a) v. *Obscura* Rag. l. c. (major, al. ant-nigresc.). *And; Cors.*
553. **Asteriscella** Mill. Rev. & Mag. Zool. 1873 p. 9; Ic. 144, 5-8 p. 353; Rag. Mon. I p. 508, t. 21, f. 22. *Gal. m. or.*

554. **Bankesiella** Richardson Monthl. Mag. XXV p.63; ib. XXVI p. 256; Pr. Dorset Field Club X p. 192, f.1; South Entom. 1890 p. 335, t. 4, f. 7; Rag. Mon. I p. 509; ib. II, t. 42, f. 4 [ined.]; Meyr. 368.
555. **Asteris** Stg. Berl. e. Z. 1870 p. 199; Rag. Mon. I p. 510, t. 20, f. 2.
556. **Maracandella** Rag. Ann. S. Fr. 1887 p. 237; Mon. I p. 511; ib. II, t. 41, f. 22 [ined.]
557. **Plumbella** Rag. Ann. S. Fr. 1887 p. 237; Mon. I p. 511, t. 20, f. 3.
558. **Glyphella** Rag. Ann. S. Fr. 1887 p. 238; Mon. I p. 512, t. 16, f. 40.
559. **Nervosella** Rag. Ann. S. Fr. 1887 p. 238; Mon. I p. 512, t. 16, f. 39.
560. **Muscidella** Rag. Ann. S. Fr. 1887 p. 238; Mon. I p. 513; ib. II, t. 46, f. 18 [ined.]
561. **Vestaliella** Ersch. Fedtsch. p. 88, t. 5, f. 92; Rag. Mon. I p. 515; ib. II, t. 41, f. 23 [ined.]; Pollinella Chr. Hor. XII p. 286, t. 8, f. 58.
562. **Aspergella** Rag. Ann. S. Fr. 1887 p. 238; Mon. I p. 515, t. 16, f. 41.
563. **Lydella** Ld. Ann. S. Belg. 1865 p. 73, t. 3, f. 13; Rag. Mon. I p. 517, t. 7, f. 26.
564. **Boisduvaliella** Gn. Ann. S. Fr. 1845 p.319; Ind. 81; Rag. Monthl. Mag. XXII, 23; Mon. I, 518; Meyr. 368; Farrella Curt. Ann. & Mag. (2) V, 1850 p. 115; Folegne Ann. S. Belg. 1864 p. 273; Z. z. b. V. 1872 p. 558; Snell. II, 1 p.145; Leech Pyr. t. 10, f. 4; Lafauuryella Const. Ann. S. Fr. 1865 p. 189, t. 7, 1; Albocostalis Hulst Tr. Amer. Ent. Soc. XIII, 164.
a) v. *Tabulella* Rag. Mon. I p. 519 (major, grisescens, distinctius nigro-signata).
565. **Leucoloma** HS. 126, IV p. 89; Z. z. b. V. 1872 p. 558; Rag. Mon. I p. 522.
566. **Christophori** Rag. Ann. S. Fr. 1887 p. 238; Mon. I p. 524, t. 16, f. 46.
567. **Leucomixtella** Rag. Ann. S. Fr. 1887 p. 238; Mon. I p. 524, t. 16, f. 45.
568. **Oculatella** Rag. Ann. S. Fr. 1887 p. 239; Mon. I p. 525, t. 16, f. 38.
92. **Anoristia** Rag. 1893.
569. **Umbrifasciella** Rag. Ann. S. Fr. 1887 p. 236; Mon. I p. 487, t. 18, f. 17.
570. **Atrisparsella** Rag. Ann. S. Fr. 1887 p. 237; Mon. I p. 488, t. 18, f. 18.
571. **Nomiella** Rag. Ann. S. Fr. 1887 p. 236; Mon. I p. 488, t. 16, f. 32.
572. **Gilvella** Rag. Ann. S. Fr. 1887 p. 236; Mon. I p. 489, t. 12, f. 13.
573. **Venosella** Moore Ann. & Mag. (5) I, 1878 p. 236; Sec. Yark. Miss. p.15, t. 1, f. 24; Rag. Mon. I p. 490, t. 16, f. 35.
574. **Interruptella** Rag. Ann. S. Fr. 1887 p. 237; Mon. I p. 492, t. 18, f. 21.
575. **Baliella** Rag. N. Genr. p. 26; Mon. I p. 492, t. 26, f. 7.
576. **Ectypella** Rag. N. Genr. p. 25; Mon. I p. 493, t. 18, f. 22.
- Angl. m.*
- Gal. s. oc.*
- Saraw.*
- Sic.*
- Srp.*
- Tura.*
- Pont.*
- Tura.*
- Thian; Ferg.*
- As. oc.*
- Germ. s. oc; Angl; Bat; Belg; Gal. m. oc; Val; Hung; Tura; Maur; Am. s.*
- Sib. or.*
- Dalm; Graec; Bith; Lyd; Cypr.*
- Arm; Tura.*
- Arm.*
- Hyrc.*
- Ferg.*
- Tura.*
- Arm.*
- Arm; Tura; Thian.*
- Kaschg.*
- Tura.*
- Tura.*
- Srp.*

93. **Parthia** Rag. 1887.

577. **Christophorella** Rag. Ann. S. Fr. 1887 p. 235; Mon. I Tura. p. 485, t. 16, f. 31.

94. **Auxacia** Rag. 1893 (Aria Rag. 1887).

578. **Bilineella** Rag. Ann. S. Fr. 1887 p. 235; Mon. I p. 483, Arm; Tura; Ferg. t. 16, f. 30.

95. **Catastia** Hb. 1818.

579. **Marginea** Schiff. S. V. p. 69; Esp. IV t. 164, f. 1 p. 566; Z. Is. 1839 p. 178; 1848 p. 735; Hein. 164; Rag. Mon. I p. 480; **Marginalis** S. V. p. 317; Hb. Btr. I. 1. K.; Hb. 28; Dup. VIII, 229, 1 p. 280; **Marginella** Dup. X, 276, 1; **Antiopella** Zk. Germ. Mag. III, 131; Tr. IX, 1. 147; X, 3. 273.
 a) v. (ab.) **Auricella** Hb. 340; Zk. I. c. 133; Tr. I. c.; Dup. X, 276, 2; Z. Is. 1848 p. 736; Hein. 165; (-alis) Dup. VIII, 229, 2 p. 281; **Auricella** Zett. Ins. Lap. 996 (minor, al. ant. ciliis flavis).
580. ? **Acraspedella** Stgr. Hor. XV p. 203; Rag. Mon. I p. 481, t. 21, f. 21.

Germ. mont; Austr;
Hung; Bale; Alp.
(ab.); Arm.

Alp; Fen; Lap; Norv.
mont; Taur; Arm;
Ural; Alt.

Arm.

96. **Metriostola** Rag. 1893.

581. **Vacciniella** Z. Is. 1846 p. 266, 1848 p. 747; Hein. 151; Rag. Mon. I p. 478, t. 16. f. 28.

Germ. s. or; Liv.

97. **Cnephidia** Rag. 1892.

582. **Kenteriella** Rag. Bull. S. Fr. 1892 p. 235; Mon. I p. 477; ib. II, t. 47, f. 3 [ined.].

Daur.

98. **Selagia** (Hb. 1818) Z.

583. **Sejunctella** Chr. Bull. M. 1881, I p. 51; Rag. Mon. I p. 469, t. 16, f. 24 bis.
584. **Griseolella** Rag. Ann. S. Fr. 1887 p. 234; Mon. I p. 469, t. 16, f. 26.
585. **Dissimilella** Rag. Ann. S. Fr. 1887 p. 234; Mon. I p. 470, t. 16, f. 25.
586. **Disclusella** Rag. Ann. S. Fr. 1887 p. 235; Mon. I p. 471, t. 16, f. 27.
587. **Spadicella** Hb. 225 (226 ♀); Rag. Monthl. Mag. XXII p. 54; Mon. I p. 472; **Janthinella** Hb. 374-5; Zk. Germ. Mag. III, 146; Tr. IX, 1. 188; F. R. 28, 1, p. 48; Dup. X, 283, 8; Z. Is. 1846 p. 752; HS. 131, IV p. 81; Hein. 153; Snell. II, 1 p. 135.
- a) v. **Saltuella** Mn. Wien. Mts. 1862, 392; Rag. Mon. I p. 472, t. 22, f. 25 (dilutior, al. ant. ochraceo-rufesc.).
588. **Subochrella** HS. IV p. 82; Stgr. Hor. XV, 194; Rag. Mon. I p. 475; ib. II, t. 47, f. 8 [ined.]; **Subochrellus** HS. 182 (sequ. form. Darw.).

Uss.

Saraw; Tarb; Thian.

Arm.

Hyrc.

Eur. c. (exc. Angl.);
Ross. oc; Srp; Dalm;
Pont.

Graec; Bith; Arm;
Sib. or.

Maced; Creta; Bith;
Pont; Arm.

589. **Argyrella** (S. V.) F. Mant. II p. 242; Hb. 64; Tr. IX, 1. 152; Z. Is. 1846 p. 754; HS. IV p. 81; Hein. 154; Snell. II, 1 p. 137; Rag. Mon. I p. 475; Myella Hb. Vög. 43; Orichalcella Sodof. Bull. M. 1829, p. 142, t. 3, f. 1.
 a) ab. *Striatella* Stgr. Iris V, 388 (al. ant. venis late fuscis).
 b) v. (ab.) *Aurella* Stgr. l. c. 387 (al. ant. ochraceis).

*Eur. c. (exc. Angl.);
 Liv; Bilb; It. s. etc;
 Ross. m; Arm; Sib;
 Jap.*

Daur. etc.

99. **Christophia** Rag. 1887 (Bazaria Rag.).

590. **Leucochrella** HS. 150 (Pyr.), VI p. 146; Stgr. Hor. XV, 201; Rag. Mon. I p. 452, t. 13, f. 12.
591. **Livorella** Ersch. Fedtsch. p. 84, t. 5, f. 88 [Pempelia] (incorrectae sedis).
592. **Sieversi** Chr. Hor. XII p. 288, t. 8, f. 60; Rag. Mon. I p. 453, t. 17, f. 23.
593. **Pempeliella** Rag. Mon. I p. 454, t. 17, f. 22.
594. **Expallidella** Rag. Ann. S. Fr. 1887 p. 234; Mon. I p. 455, t. 18, f. 20.
595. **Turensis** Rag. Ann. S. Fr. 1887 p. 234; Mon. I, p. 456, t. 17, f. 21.
596. **Ruscinonella** Rag. N. Genr. p. 456; Mon. I p. 456, t. 17, f. 20 (uno ♂ condit.).
597. **Litterella** Rag. Ann. S. Fr. 1887 p. 233; Mon. I p. 458; ib. II, t. 46, f. 20 [ined.].
598. **Callipterella** Rag. Ann. S. Fr. 1887 p. 233; Mon. I p. 458; ib. II, t. 46, f. 19 [ined.].
599. **Trilineella** Rag. Ann. S. Fr. 1887 p. 459; Mon. I p. 459, t. 17, f. 24.
600. **Dattinella** Rag. Ann. S. Fr. 1887 p. 233; Mon. I p. 460, t. 17, f. 25.

Pont.

Tura.

Arm; Tura.

Hyrc; Tura.

Tura.

Tura; Maur.

Gal. m. (Perpignan).

Tura.

Tura.

Tura; Ferg.

Maur. or.

100. **Tephritis** Rag. 1893.

601. **Burkhunella** Rag. N. Genr. p. 19; Mon. I, p. 447, t. 12, f. 16.
602. **Cyriella** Ersch. Fedtsch. p. 83, t. 5, f. 84, 85; Rag. Mon. I p. 447, t. 21, f. 20.
 a) v. *Ochreella* Rag. Mon. I p. 448, t. 13, f. 13 (al. ant. fere unicoloribus ochraceo-griseis).

Thian; Ferg.

Tura; Thian.

Hyrc.

603. **Verrucella** Rag. Ann. S. Fr. 1887 p. 232; Mon. I p. 448, t. 17, f. 17.

Arm.

101. **Aphyletes** Rag. 1893.

604. **Nigrisparsella** Rag. Ann. S. Fr. 1887 p. 232; Mon. I p. 444, t. 12, f. 8.

Arm, Thian.

102. **Melathrix** Rag. 1893.

605. **Melanochreella** Rag. Ann. S. Fr. 1887 p. 233; Mon. I p. 445, t. 14, f. 7; *Ochrobaphella* Rag. N. Genr. p. 17.
606. **Praetextella** Chr. Hor. XII p. 279, t. 8, f. 51; Rag. Mon. I p. 436, t. 17, f. 15; Hmps. Ind. Moths IV p. 81.

Ferg.

Tura; Ind.

103. **Alophia** Rag. 1893.

607. **Combustella** HS. 152 (Pyr.), VI p. 146; Hein. 159; Rag. Mon. I p. 434; *Gallicola* Stgr. Berl. e. Z. 1870 p. 131; Mill. Ic. 115, 12-14; Stgr. Hor. XV, 196; ?*Palumbiella* Rondani Bull. Ent. It. VIII p. 20, t. 1, f. 2.

*Teriol. m. val; Gal. m;
 It; Srp; Pont; Syr;
 Maur.*

104. **Salebria** Z. 1846.

608. **Betulae** Göze in Degeer Mém. I p. 98, t. 28, f. 20-3 (1779-81); Z. Is. 1846 p. 780; HS. VI p. 74; Hein. 156; Snell. II, 1, p. 136; Leech Pyr., t. 11, f. 14; Rag. Mon. I p. 316; Meyr. 366; Obtusella Zk. Germ. Mag. III, 164; Tr. IX, 1, 190; Christella Frr. 108, 1a-c; Holosericella F. R. 57, 2 p. 149; Tristrigella Stph. IV, 311; Wd. 1473. *Eur. c. et s.*
609. **Cingillella** Z. Is. 1846 p. 779; HS. 31, IV p. 77; Hein. 155; Rag. Mon. I p. 317; Myricariella Mill. Ic. I p. 376, t. 45, 3-7. *Germ. m; Helv; Austr. inf; Gal; Lig; Dalm; Bith; Arm; Syr; Ferg; Maur.*
a) v. **Brucella** Stgr. Hor. XV, 195 (major, obscurior). *Bith; Pont.*
610. **Numidella** Rag. Bull. S. Fr. 1890 p. 110; Mon. I p. 332, t. 14, f. 17. *Maur; Aegypt; Syr.*
611. **Palumbella** (S. V.) F. Mant. II, 245; Tr. IX, 1, 173; Wd. 1474; Z. Is. 1846 p. 782; HS. IV p. 76; Hein. 157; Snell. II, 1, p. 132; Leech Pyr., t. 12, f. 9; Rag. Mon. I, 333; Meyr. 367; Hmps. Ind. Moths. IV p. 82; Contubernella Hb. 72. *Eur. c. et m. Ross. oc; As. oc; Maur; Ceylon.*
612. **Albariella** Z. Is. 1846 p. 785; HS. 37: Stgr. Hor. XV p. 198; Rag. Mon. I p. 335. *Hung; Dalm; Srp; Pont; Taur; Arm; Tura.*
a) v. **Dilucida** Stgr. l. c.; Rag. l. c. t. 21, f. 17 (major, dilutior, al. post. fere unicol. niveis). *Srp; Pont; Arm; Ferg; Thian.*
613. **Brephiella** Stgr. Hor. XV p. 193; Rag. Mon. I p. 335, t. 13, f. 9, t. 14, f. 19. *And; Maur; Maced.*
614. **Venustella** Rag. Ann. S. Fr. 1887 p. 231; Mon. I p. 337, t. 12, f. 2; Chrét. Bull. S. Fr. 1898 p. 180. *Srp; Tarb.*
615. **Intricatella** Rag. Ann. S. Fr. 1887 p. 232; Mon. I p. 337, t. 13, f. 8. *Hyre; Tura; Arm.*
616. **Amoenella** Z. Is. 1848 p. 609; HS. 205, IV p. 95; Rag. Mon. I p. 338; Erberi Mn. z. b. V. 1867 p. 845. *Corecyra; Arm; Tura; Ferg; Thian.*
617. **Komaroffi** Rag. N. Genr. 340; Mon. I p. 340, t. 14, f. 20. *Taur. m; Mesop; Arm.*
618. **Noctivaga** Stgr. Hor. XV p. 197; Rag. Mon. I p. 341, t. 21, f. 18. *Pont; Tura; Saraw; Ferg.*
619. **Lepidella** Rag. Ann. S. Fr. 1887 p. 232; Mon. I p. 342, t. 14, f. 21. *Taur; Arm.*
620. **Romanoffella** Rag. Ann. S. Fr. 1887 p. 231; Mon. I p. 343, t. 9, f. 2. *Mesop; Tura.*
621. **Fumella** Ev. F. V. U. 558; HS. 169, IV p. 72; Rag. Mon. I p. 355; ib. II, t. 48, f. 5 [ined.]; Tristis Alph. Trud. XI (1880) p. 47. *Rum; Ross. m. or.*
622. **Adelphella** F. R. 29, f. 2, p. 50; Z. Is. 1846 p. 777; HS. IV p. 74; Rag. Mon. I p. 356; Snell. Tijds. XXXII p. 36; Hostilis Hein. (nee Stph.) 158; Snell. II, 1 p. 131 (exc. larv.). *Germ; Austr; Bat; Jap.*
623. **Corticinella** Rag. Ann. S. Fr. 1887 p. 232; Mon. I p. 358, t. 12, f. 5. *Amur.*
624. **Formosa** Hw. Lep. Br. p. 494; Wd. 1468; Hein. 157; Snell. II, 1, p. 130; Leech Pyr. t. 12, f. 10; Rag. Mon. I p. 359; Meyr. 366; Perfluella Zk. Germ. Mag. III, 131; Z. Is. 1846 p. 775; HS. 49, IV p. 74; Dibaphiella Hb. 472; Dubiella Dup. X, 280, f. 2. *Eur. c; Dalm; Pont; Arm; Hyre.*
625. **Hispanella** Stgr. Stett. e. Z. 1859 p. 222; Rag. Mon. I p. 363; Hispaniella HS. n. Schm. 90 p. 14. *And; Cast.*
626. **Thymiella** Z. Is. 1846 p. 763; HS. 129, IV p. 73; Rag. Mon. I p. 364. *It. c. et m; Bith; Syr.*

627. **Cirtensis** Rag. Bull. S. Fr. 1890 p. 110; Mon. I p. 369, t. 15, f. 9. *Maur.*
628. **Morosalis** Saalmüller Jhrs. Senckenb. Ges. 1879-80 p. 307; Lep. Madag. 509; Rag. Mon. I p. 370, t. 12, f. 3; Hmps. Ind. Moths. IV p. 82. *Afr. trop.; Himal. oc.; Amur.*
629. **Obductella** Z. Is. 1839 p. 179; 1846 p. 774; F. R. p. 250, t. 85; Dup. Suppl. IV, 87, 1; HS. IV p. 75; Hein. 158; South Entom. 1890 p. 334, t. 3, f. 8; Rag. Mon. I, 372; Dilutella Dup. X, 279, f. 3; Origanella Schl. Ber. p. 133. *Eur. c. et m. (exc. ? Angl.); Liv.; Ross. m. or.; Bith.; Arm.*
630. **Nobilella** Rag. Ann. S. Fr. 1887 p. 231; Mon. I p. 273, t. 15, f. 8. *Tura.*
631. **Psammenitella** Z. Stett. e. Z. 1867 p. 372; Tr. E. S. 1867, 463, t. 24, f. 4; Rag. Mon. I p. 377. *Aegypt.*
632. **Dionysia** Z. Is. 1846 p. 760; HS. 162, IV p. 77; Rag. Mon. I p. 390. *And.; Lusit.; Sic.; Maur. or.; Pal.; Hyrc. Pont.; Arm.*
633. **Sordida** Stgr. Hor. XV p. 196; Rag. Mon. I p. 392, t. 15, f. 21. *Ferg.*
634. **Orcella** Rag. Ann. S. Fr. 1887 p. 232; Mon. I p. 395, t. 15, f. 22. *Pont.; Kurd.; Tura.*
635. **Epischniella** Stgr. Hor. XV p. 200; Rag. Mon. I p. 396, t. 12, f. 20; Dentilineella Rag. Ann. S. Fr. 1887 p. 234. *Pont.; Hyrc.; Arm.; Syr.*
636. **Albistrigata** Stgr. Hor. XVI p. 86; Rag. Mon. I p. 398, t. 12, f. 17. *Mesop.*
637. **Serratella** Rag. Mon. I p. 399, t. 15, f. 23. *Tura.; Arm.*
638. **Obliterella** Ersch. Fedtsch. p. 83, t. 5, f. 87; Rag. Mon. I p. 400, t. 13, f. 20. *Pal.*
639. **Pulverulenta** Rag. N. Genr. p. 23; Mon. I p. 400, t. 12, f. 14. *Ross. m.*
640. **Marmorata** Alph. Trud. X (1877-8) p. 44; Mém. Rom. V p. 239, t. 12, f. 6; Rag. Mon. I p. 402. *Germ.; Austr.; Helv.; Hal.; Fen.; Gal. m.; Ross. m. or.; Sib. or.*
641. **Faecella** Z. Is. 1839 p. 179, 1846 p. 774; F. R. 60. 3 p. 160; HS. IV p. 75; Hein. 157; Rag. Mon. I, 406. *Eur. c. et s.; Cat.; It. s.; Ross. oc. et m. or.; Bith. et Syr. mont.; ? Ala Tau; Am. s.*
642. **Fusca** Hw. Lep. Br. 493; Wd. 1683; Hein. 156; Snell. II, 1, p. 135; Leech Pyr. t. 12, f. 1; Auriv. Groenl. p. 24, t. 2, f. 5; Rag. Mon. I, 408; Meyr. 366; Carbonariella F. R. 60, 1 p. 157; Z. Is. 1846 p. 772; HS. IV p. 76; Janthinella Dup. X, 281, 2 p. 351; ?Infausta Rag. Mon. I p. 410; ib. II, t. 41, f. 20 [ined.]. *Labr.; Grön.*
- a) v. **Frigidella** Pack. Labr. XI, 53; Rag. Mon. I p. 408, t. 17, f. 3 (al. ant. dense albo-inspersis, distinctius albo-signatis). *Sib. (Irkutsk).*
643. **Umbrosella** Erseh. Hor. XII p. 339; Mém. Rom. II, t. 16, f. 7; Rag. Mon. I p. 410, t. 17, f. 2. *Srp.; Tura.; Tarb.*
644. **Deformella** Moeschl. Berl. e. Z. 1866 p. 147; Rag. Mon. I p. 411, t. 21, f. 19. *Eur. (exc. reg. pol.); As. oc.; Amur.; Jap.; Ind.*
645. **Semirubella** Sc. Ent. Carn. no. 623; Hein. 155; Snell. II, 1 p. 137; Rag. Mon. I, 416; Meyr. 366; Hmps. Ind. Moths. IV, 84; Carnella L. S. N. ed. XII, 887; Hb. 66; Zk. Germ. Mag. III, 128; Tr. IX, 1. 158; Dup. X, 276, 3 b p. 148; Wd. 1478; Z. Is. 1846 p. 759; HS. IV p. 72; Carnea Hw. 484. *Eur. c. et m.; Amur.*
- a) v. (ab.) **Sanguinella** Hb. 65; Stph. IV, 314; Dup. X, 276, 3 a; Wd. 1479; Semirubella Leech Pyr. t. 10, f. 5 (al. ant. vitta costali flava). *Chin.*
- *b) v. (ab.) **Icterella** Rag. N. Genr. 18; Mon. I l. e. t. 17, f. 4 (al. ant. flavis, costa alba, ciliis roseis).

105. **Triaenoneura** Rag. 1893.

646. **Laticinctella** Wlk. List. Suppl. 1708; Rag. Mon. I p. 312, t. 13, f. 18. *Aegypt.*

106. **Pleurochila** Rag. 1888.

647. **Erschoffella** Rag. N. Genr. p. 17; Mon. I p. 308, t. 12, f. 19. *Buch.*

107. **Nephopteryx** (Hb. 1818) Z.

648. **Isidis** Z. Stett. e. Z. 1867 p. 375; Tr. E. S. 1867 t. 24, f. 6; Rag. Mon. I p. 252; Hmps. Ind. Moths. IV, 79. *Aegypt.; Ind. or. (Karachi).*
649. **Serraticornella** Z. Is. 1839 p. 179, 1846 p. 733; HS. IV p. 78; Rag. Mon. I p. 262, t. 7, f. 17. *Hung.; Dalm.; Hyrc.*
650. **Gregella** Ev. F. V. U. 556; HS. 166, IV p. 78; Rag. Mon. I p. 263. *Ross. m.; As. min. c.; Ural; Tarb.; Sib.*
651. **Concineratella** Rag. Ann. S. Fr. 1887 p. 230; Mon. I p. 263, t. 10, f. 13. *Tarb.*
652. **Obscuribasella** Rag. Ann. S. Fr. 1887 p. 230; Mon. I p. 264, t. 9, f. 18. *Tarb. (Saisan).*
653. **Gengisella** Rag. Mon. I p. 265, t. 14, f. 3. *Marg.*
654. **Imperialella** Rag. Ann. S. Fr. 1887 p. 230; Mon. I p. 266, t. 9, f. 9. *Arm.; Sib.*
655. **Cynicella** Chr. Bull. M. 1881, I p. 54; Rag. Mon. I p. 272, t. 14, f. 1. *Uss. m.*
656. **Hastiferella** Rag. Ann. S. Fr. 1887 p. 230; Mon. I p. 273, t. 14, f. 2. *Ferg.*
657. **Insignella** Mn. Wien. Mts. 1862 p. 391, t. 3, 9; Rag. Mon. I p. 276. *Bulg.; Dalm. (Mn.); Bith.; Syr.*
658. **Geminella** Ev. F. V. U. 564; HS. 180, IV p. 76; Rag. Mon. I p. 277. *And.; Ural.*
659. **Alpigenella** Dup. X, 280, 7 p. 208; Hein. 152; Rag. Mon. I p. 278; Wagnerella Frr. 404, 4; Z. Is. 1846 p. 749; HS. IV p. 81; Albariella HS. 36. *Gal. m. or; Bale; Arm.; Ural.*
660. **Genistella** Dup. X, 278, 4 p. 178; Leech Pyr. t. 12, f. 8; South Entom. 1890 p. 332, t. 4, f. 5; Rag. Mon. I p. 279; Meyr. 371; Ulicella HS. 149 (Pyr.), VI p. 146; Albillineella Stgr. Stett. e. Z. 1859 p. 223; Davisella Newm. Entom. 1871 p. 449; Rag. Monthl. Mag. XXII p. 53; Albariella Knaggs ib. VIII p. 163; Dbd. ib. 271. *And.; Bilb.; Gal. m. et c.; Angl. m.; Cors.*
661. **Scabida** Z. Stett. e. Z. 1867 p. 373; Tr. E. S. 1867 p. 464, t. 24, f. 5; Rag. Mon. I p. 280. *Aegypt.*
662. **Hostilis** Stph. Ill. IV, 307; Wd. 1467; Rag. Mon. I p. 286; Meyr. 371; Rhenella HS. 130 (var.); Hein. 158; Snell. II, 1 p. 131; Leech Pyr. t. 12, f. 7. *Germ.; Austr.; Dan.; Gal.; Angl.*
663. **Rhenella** Zk. Germ. Mag. III, 166; Tr. IX, 1. 175 (pr. p.); Dup. X, 280, 1a. (non b.); Z. Is. 1846, 745; F. R. 49, t. 29, 1; HS. IV p. 80 (pr. p.); Palumbella Hb. 70.
a) v. *Laetifica* (Stgr.) Rag. Mon. I p. 288 (*laetus pieta*). *Germ.; Austr.-Hung.; Gal. c.; Ross.*
664. **Melanotaeniella** Rag. N. Genr. p. 15; Mon. I p. 292, t. 10, f. 23. *Tura.*
Mesop.; Arm.
665. **Metamelana** Hmps. Pr. Z. S. 1896 p. 271, t. 10, f. 7. *Syr.; Arab.*
666. **Cleopatrella** Rag. Ann. S. Fr. 1887 p. 231; Mon. I p. 293, t. 10, f. 21, 22. *Maur.*

667. **Divisella** Dup. Suppl. IV p. 126, t. 60, f. 9; Rag. Mon. I p. 295; Hmps. Ind. Moths. IV, 79; Euphorbiella Z. Is. 1846 p. 757; Albiricella HS. 34. IV p. 73; Mill. Ic. I, t. 18, f. 6-9. *Eur. m; Afr; Ind.*
668. **Coenulentella** Z. Is. 1846 p. 735; HS. 164, IV p. 79; Rag. Mon. I p. 299; Maculata Stgr. Stett. e. Z. 1876 p. 143. *Gal.m; Cors; It; Graec; Syr; Maur. or.*
669. **Fallax** Stgr. Hor. XVI p. 83; Rag. Mon. I p. 303, t. 14, f. 8. *Gal. m. or; Pont.*
670. **Nocticolorella** Rag. Ann. S. Fr. 1887 p. 231; Mon. I p. 304; ib. II, t. 41, f. 15 [ined.]. *Amur.*
671. **Similella** Zk. Germ. Mag. III, 172; Z. Is. 1846 p. 748; HS. IV p. 81; Hein. 151; Snell. II, 1 p. 134; Rag. Mon. I p. 305; Contiguella HS. 69. *Germ; Austr.-Hung; Bat; Gal; It. c; Liv.*
672. **Albicilla** HS. IV p. 82; Hein. 150; Rag. Mon. I p. 305, t. 22, f. 20; Leucaerinella HS. 70; Simplicella Hein. 148. *Germ; Helv; Gal.*

108. **Pristophora** Rag. 1887.

673. **Discomaculella** Rag. N. Genr. p. 6; Mon. I p. 242, t. 13, f. 2. *Hyrc; Mesop; Syr; Aegypt.*
674. **Dispergella** Rag. Ann. S. Fr. 1887 p. 229; Mon. I p. 243, t. 10, f. 10. *Arm.*
675. **Miridella** Rag. Mon. I p. 244, t. 11, f. 24. *Mesop.*
676. **Polyptychella** Rag. Ann. S. Fr. 1887 p. 229; Mon. I p. 244, t. 16, f. 34. *Hyrc.*
677. **Nigrigranella** Rag. Bull. S. Fr. 1890 p. 110; Mon. I p. 245, t. 11, f. 25. *Maur.*
678. **Ruptifasciella** Rag. Ann. S. Fr. 1887 p. 229; Mon. I p. 246, t. 9, f. 5. *Tura; Saraw; Ferg; Mong.*
679. **Fumosella** Rag. Ann. S. Fr. 1887 p. 229; Mon. I p. 246, t. 9, f. 4. *Saraw.*
680. **Acervella** Ersch. Fedtsch. p. 90, t. 5. f. 94; Rag. Mon. I p. 247, t. 10, f. 11. *Tura; Ferg.*
681. **Florella** Mn. Wien. Mts. 1862 p. 391, t. 3, 10; Rag. Mon. I p. 248, t. 11, f. 23; Chielanensis Stgr. Berl. e. Z. 1870, 205; Hor. XV p. 34. *And; Dalm; Bith; Syr; Maur.*
682. **Exasperata** Stgr. Hor. XV p. 217; Rag. Mon. I p. 249, t. 9, f. 8. *Pont; As. min.c; Arm.*

109. **Polopeustis** Rag. 1893.

683. **Annulatella** Zett. Ins. Lap. 997; Rag. Mon. I p. 233, t. 21, f. 16; Altensis Wek. Stett. e. Z. 1862 p. 39. *Norv. pol; Alt; Labr.*

110. **Daria** Rag. 1888.

684. **Coenosella** Rag. N. Genr. p. 14; Mon. I p. 231, t. 11, f. 19. *Tura; Ferg.*

111. **Pristocera** Rag. 1893.

685. **Solskyi** Chr. Hor. XII p. 287, t. 8, f. 59; Rag. Mon. I p. 229, t. 7, f. 19; Ochroleucella Stgr. Hor. XV, 201. *Hyrc; Syr.*
686. **Deltaogrammella** Rag. N. Genr. p. 13; Mon. I p. 229, t. 10, f. 7. *Arm.*

112. **Brepphia** Hein. 1865.

687. **Compositella** Tr. X, 3. 171; Z. Is. 1839 p. 177; 1848 p. 678; Dup. X, 282, 2; HS. 128, IV p. 92; Hein. 174; Rag. Mon. I p. 224, t. 7, f. 24; Murinella Hein. 151; Senescens Hein. 152.
Germ; Austr; Gal;
Belg; Helv; Hung;
And; It.c; Srp; Pont.
a) v. *Kalischiella* Stgr. Berl. e. Z. 1870 p. 206 (obscurior, distinctius signata).
And.
688. **Imitatella** Rag. Mon. I p. 226; ib. II, t. 47, f. 2 [ined.].
Srp.

113. **Adelosemia** Rag. 1887.

689. **Crepusculella** Ld. Ann. S. Belg. 1870 p. 53, t. 2, 11; Rag. Mon. I p. 219, t. 9, f. 10.
Bith; Pont; Arm.
690. **Odontella** Rag. Mon. I p. 120, t. 11, f. 21.
Cauc.
691. **Subsoritella** Rag. Ann. S. Fr. 1887 p. 230; Mon. I p. 221, t. 11, f. 20.
Hyrc.
692. **Incredibilis** Stgr. Hor. XV p. 203; Rag. Mon. I p. 221, t. 11, f. 22.
Pont; Hyrc; Mesop.
693. **Satanella** Rag. Ann. S. Fr. 1887 p. 240; Mon. I p. 222, t. 20, f. 10.
Arm.

114. **Cremnophila** Rag. 1892.

694. **Sedacovella** Ev. Bull. M. 1851 p. 644; Ld. z. b. V. 1863 p. 35, t. 7, 5; Rag. Mon. I p. 216; Flavicieliella HS. 144 (Pyr.), VI p. 144 (1852); Hein. 183.
Alp; Arm; Alt; Sib. or.
695. **Auranticiliella** Rag. Bull. S. Fr. 1892 p. 236; Mon. I p. 217; ib. II, t. 41, f. 10 [ined.].
Daur.

115. **Trachonitis** Z. 1848.

696. **Cristella** Hb. 76; Zk. Germ. Mag. III, 152; Tr. IX, 1. 183; Z. Is. 1848 p. 641; HS. 206, IV p. 94; Hein. 178; Rag. Mon. I p. 212; Christella Fr. 108, 1 d; Z. Is. 1839 p. 179.
Germ; Austr.-Hung;
Liv; It. s; Dalm;
Ross. m. or; Bith.

116. **Elegia** Rag. 1887.

697. **Atrifasciella** Rag. Ann. S. Fr. 1887 p. 230; Mon. I p. 205, t. 10, f. 3.
Arm.

117. **Dioryctria** Z. 1846.

698. **Splendidella** HS. 43, IV p. 79; Rag. Monthl. Mag. XXIV p. 224; Mon. I p. 195; Meyr. 369; Decuriella Dup. Ann. S. Fr. 1832 p. 300, t. 10, f. 1-8; Abietella Dup. X p. 237, t. 281, f. 4 b (nec 4 a); Sylvestrella Rtzb. Forst Ins. p. 243 (pr. p.); Rag. Monthl. Mag. XXII p. 52.
Eur. c. (exc.? Bat.);
Bilb; Gal. m; Jap.
699. **Nivaliensis** Rbl. Ann. Naturh. Hofmus. VII p. 256, t. 17, f. 10; Rag. Mon. I p. 195.
Ten.
700. **Abietella** (S. V.) F. M. p. 245 (1787); Zk. Germ. Mag. III, 160; Tr. IX, 1. 177; Dup. X, 281, 4 a; Wd. 1472; Z. Is. 1846 p. 736; Rtzb. Forst Ins. 244, t. 15, 2; HS. IV p. 79; Hein. 148; Snell. II, 1, p. 133; Leech Pyr., t. 12, f. 5; Rag. Mon. I p. 198; Meyr. 370; Jud.-Nitsche p. 1073, t. 7, f. 1; Decuriella Hb. 74; Sylvestrella Rtzb. Forst Ins. 244, t. 15, 1.
Eur. c. et s; It. s;
Ross. m; Jap;
Am. s.

701. **Schützeella** Fuchs Stett. e. Z. 1899 p. 180.
 702. **Mendacella** Stgr. Stett. e. Z. 1859 p. 222; HS. n. Schm. 86. p. 13; Rag. Mon. I p. 201; Maritanella Mill. Ann. Soc. Nat. Cannes 1875 p. 13, t. 2, f. 15.
 703. **Pineae** Stgr. Stett. e. Z. 1859 p. 222; HS. n. Schm. 87-8, p. 14; Rag. Mon. I p. 202, t. 7, f. 18.

Germ. s.
Gal. m; Dalm.

And; Gal. m; It. c;
Dalm.

118. **Amphithrix** Rag. 1893.

704. **Sublineatella** Stgr. Stett. e. Z. 1859 p. 223; HS. n. Schm. 91, p. 15; Rag. Mon. I p. 186, t. 7, f. 13.

And; Gal. m. or;
Dalm; Syr.

119. **Phycita** (Curt. 1840) Rag.

705. **Metzneri** Z. Is. 1846 p. 742; Stett. e. Z. 1867 p. 399; HS. 207, IV p. 80, VI p. 146; Rag. Mon. I p. 173, t. 22, f. 8.
 706. **Meliella** Mn. Wien. Mts. 1864 p. 180, t. 4, 8; Z. Stett. e. Z. 1867 p. 398; Stgr. Hor. XV, 189; Rag. Mon. I 174, t. 22, f. 9.
 707. **Poteriella** Z. Is. 1846 p. 743; HS. 163, IV p. 80; Stgr. Hor. XV, 191; Rag. Mon. I p. 175, t. 22, f. 10.
 708. **Nephodeella** Rag. Ann. S. Fr. 1887 p. 228; Mon. I p. 176, t. 9, f. 1.
 709. **Spissicella** F. Gen. p. 295; Hb. 75; Snell. II, 1, p. 129; Leech Pyr., t. 12, f. 6!; Rag. Mon. I, 177; Meyr. 370; Legatella Stph. IV, 310; Wd. 1682; Cristella Stph. IV, 310; Wd. 1681; Roborella (S.V.) Zk. Germ. Mag. III, 147; Tr. IX, 1, 162; Dup. X, 281, 3; Wd. 1680; Z. Is. 1846 p. 740; HS. IV p. 75; Hein. 149.
 710. **Coronatella** Gn. Ann. S. Fr. 1845 p. 314; Ind. 76; Rag. Mon. I p. 178, t. 7, f. 23; Illyriella Z. Stett. e. Z. 1867 p. 397.
 711. **Pedisignella** Rag. Ann. S. Fr. 1887 p. 228; Mon. I p. 179, t. 11, f. 16.
 712. **Strigata** Stgr. Hor. XV p. 190; Rag. Mon. I p. 180, t. 7, f. 15.
 713. **Diaphana** Stgr. Berl. e. Z. 1870 p. 197; Rag. Mon. I p. 181.
 714. **Gilvibasella** Rag. N. Genr. p. 12; Mon. I p. 184, t. 8, f. 9.

And; Hung; Balc;
Bith; Syr.

Pont; Bith.

It. c. et m; Balc; Srp;
Bith; Syr.

Arm.

Eur. c; Ross. c. oc;
And; It; Graec;
Arm.

Gal. m. (Digne);
Dalm.

Pont.

Pont.
And; Syr; Arm; Ten.
Maur.

120. **Arsissa** Rag. 1893.

715. **Ramosella** HS. 146 (Pyr.), VI p. 148; Rag. Mon. I p. 132.

Pont; Hyre; Arm;
Syr; Tura.

121. **Pterothrix** Rag. 1888.

716. **Rufella** Dup. X, t. 277, f. 6 p. 170; Rag. Mon. I p. 127; Crudella Z. Is. 1848 p. 657; HS. 155 (Pyr.), IV p. 96; Cruentella HS. 28; Infuscatella HS. 210, IV p. 96; Luridatella Hein. 181.
 717. **Orientella** Rag. Mon. I p. 127; ib. II t. 41, f. 4 [ined.].
 718. **Impurella** Dup. X, t. 277, f. 7, p. 171; HS. 209; Rag. Mon. I p. 128, t. 22, f. 6; Advenella Dup. X, 278, f. 2, p. 175; Luridatella Z. Is. 1848 p. 659; HS. 22-3, IV p. 96 (an satis ab Rufella distincta?).
 719. **Corsicella** Rag. Mon. I p. 129, t. 5, f. 23; Advenella Dup. X, 278, f. 1 (nec 2) p. 174.

Gal. c. et m; Cors;
Hung; Dalm; Helv;
Bulg; Pont; Mesop;
Arm.

Mesop. (Mardin).
Eur. m. et c. or; Arm.

Cors.

720. **Contectella** Z. Is. 1848 p. 661; HS. 27, IV p. 96; Rag. Mon. I p. 130, t. 22, f. 7; Xanthocephala Stgr. Berl. e. Z. 1870 p. 274. *Srp; Pont; Ural.*
721. **Tauricella** Wek. Cat. ed II p. 227, no. 549c; Stgr. Hor. XV p. 212; Rag. Mon. I p. 130, t. 21, f. 15. *Taur; Lyd; Cauc.*
722. **Caucasiella** Rag. N. Genr. p. 9; Mon. I p. 131, t. 10, f. 2; Crudella HS. 155. *Cauc.*
723. **Fimbriatella** Z. Is. 1848 p. 658; Rag. Mon. I p. 131. *Turc.*

122. *Acrobasis* Z. 1848.

724. **Clusinella** Z. Is. 1848 p. 610; Rag. Mon. I p. 89, t. 4, f. 7. *It. c; Gal. m.*
725. **Obliqua** Z. Is. 1847 p. 31; 1848 p. 610; HS. 178, IV p. 100; Rag. Mon. I p. 90; Glycerella Stgr. Stett. e. Z. 1859 p. 225; Cistella Mill. Ic. I, p. 97, t. 10, 6-12. *Eur.m.(exc.Ross.m.); Bith; Rhodus; Maur. or.*
726. **Obtusella** Hb. 215; Dup. X, 280, 4; F. R. 57, 3a-c p. 152; Z. Is. 1839 p. 177; 1848 p. 607; HS. IV p. 104; Hein. 175; Rag. Mon. I p. 91. *Eur. c. (exc. Angl., Bat.); Ped; Dalm; Ross. m.*
727. **Obrutella** Chr. Bull. M. 1881, I p. 55; Rag. Mon. I p. 92, t. 11, f. 9. *Amur.*
728. **Romanella** Mill. Ic. 115, 1-5, III p. 150; Rag. Mon. I p. 94; Singularis Stgr. Stett. e. Z. 1876 p. 144. *It. c. et m; Gal. m. or.*
729. **Porphyrella** Dup. X, 279, 2 p. 191; Z. Is. 1848 p. 608; HS. 29, IV p. 100; Mill. Ic. 67, 3-6; Rag. Mon. I p. 96. *Hisp; Gal. c. et m; Cors; It.*
730. **Tumidana** Schiff. S. V. p. 130; Rag. Monthl. Mag. XXII, 27; Mon. I p. 98; Meyr. 382; Verrucella Hb. 73; Rubrotibiella F. R. 60, 2 p. 158; Dup. IV, 60, 7; Z. Is. 1848 p. 617; HS. IV p. 99; Hein. 177; Snell. II, 1 p. 140; Leech Pyr. t. 12, f. 16. *Eur.c. et m. (exc.Ross. et Graec.).*
731. **Zelleri** Rag. Monthl. Mag. XXII p. 28; Mon. I p. 99; Meyr. 382; Tumidella Zk. Germ. Mag. III, 136; Tr. IX, 1, 179; Dup. X, 280, 3a; Z. Is. 1848 p. 615; Hein. 177; Snell. II, 1 p. 140; Leech Pyr. t. 12, f. 15; Tumidana Stph. IV, 305; Wd. 1459. *Eur. c; Gal. m; Cat; Liv.*
732. **Squalidella** Chr. Bull. M. 1881, I p. 51; Rag. Mon. I p. 101, t. 11, f. 14. *Amur; Uss.*
733. **Rufizonella** Rag. Ann. S. Fr. 1887 p. 227; Mon. I p. 102, t. 4, f. 9. *Uss. m.*
734. **Bithynella** Z. Is. 1848 p. 611; HS. 179, IV p. 100; Rag. Mon. I p. 110; Obliterella Stgr. Stett. e. Z. 1859 p. 225. *And; Gal. m; Dalm; Crim; Bith; Pont; Syr.*
735. **Rubidella** Rag. Ann. S. Fr. 1887 p. 228; Mon. I p. 111, t. 6, f. 2. *Gal. m.*
736. **Centunculella** Mn. Wien. Mts. 1859 p. 165; Rag. Mon. I p. 111, t. 6, f. 5. *Gal. m; It. c. et m; Graec; Bith.*
737. **Celticeola** Stgr. Hor. XV p. 207; Rag. Mon. I p. 112, t. 4, f. 10. *Pont.*
738. **Atrisquamella** Rag. Ann. S. Fr. 1887 p. 228; Mon. I p. 112, t. 11, f. 11. *Kurd. (Malatia).*
739. **Glaucella** Stgr. Stett. e. Z. 1859 p. 225; Rag. Mon. I p. 113; Glycerella HS. (nec Stgr.) n. Schm. 89 p. 14. *Hisp: Gal. m; Dalm; Syr.*
740. **Sodalella** Z. Is. 1848 p. 615; HS. IV p. 100; Hein. 176; Rag. Mon. I p. 116, t. 22, f. 5; Meyr. 382. *Eur. c. (exc. Bat.); Dan; It; Dalm: Graec; Arm.*
741. **Consociella** Hb. 328; Tr. IX, 1, 187; Z. Is. 1839 p. 177; 1848 p. 612; Wd. 1464; HS. 200, IV p. 99; Hein. 176; Snell. II, 1 p. 141; Leech Pyr. t. 12, f. 11; Rag. Mon. I, 117; Meyr. 381; Tumidella Dup. X, 280, 3 b. *Eur.c. et m. (exc. Ross., And., Graec.); Liv; Cauc.*

742. **Fallouella** Rag. Pet. Nouv. 1871 p. 147; Bull. S. Fr. 1872 p. 46; Mon. I p. 119. t. 6, f. 6; Rössl. Stett. e. Z. 1877 p. 370; Rbl. z. b. V. 1892 p. 524; Rhenella var. Dup. X, 280, f. 1 b.

*Bilb; Gal; Germ. oc;
Ter. m; It. c; Dalm;
Graec; As. min; Syr.*

123. Rhodophaea Gn. 1845.

743. **Cruentella** Dup. Suppl. IV p. 365, t. 79, f. 5; Rag. Mon. I p. 65; Pudorella Dup. X, 276, f. 4 b; Moeschl. Berl. e. Z. 1866 p. 138.

*And; Gal. m; Maur;
Arm.*

744. **Rosella** Sc. Ent. Carn. no. 624; Z. Is. 1839 p. 176; 1847 p. 761; 1848 p. 652; HS. IV p. 96; Hein. 182; Rag. Mon. I p. 66; Pudorella Hb. 63, 318; Zk. Germ. Mag. III, 134; Tr. IX, 1. 149; Dup. X, 276, 4 a.

*Eur. c. m; It; Dalm;
As. min; Arm.*

745. **Incensella** Stgr. Stett. e. Z. 1859 p. 224; HS. n. Schm. 85; Rag. Mon. I p. 67, t. 11, f. 7.

And; Maur.

746. **Monogrammos** Z. Stett. e. Z. 1867 p. 376; Tr. E. S. 1867, t. 23, f. 2; Rag. Mon. I p. 67.

As. min. m; Pal.

747. **Erastriella** Rag. Ann. S. Fr. 1887 p. 227; Mon. I p. 68, t. 7, f. 5.

Arm.

748. **Niveicinctella** Rag. Ann. S. Fr. 1887 p. 227; Mon. I p. 74, t. 5, f. 17.

Tura.

749. **Nigrisquamella** Rag. Ann. S. Fr. 1887 p. 227; Mon. I p. 74, t. 7, f. 1.

Saraw.

750. **Dulcella** Z. Is. 1848 p. 663; HS. 47, IV p. 98; Rag. Mon. I p. 76.

*Austr. inf; Hung;
Hisp; Eur. m. or; As. min; Arm.*

751. **Xanthogramma** Stgr. Berl. e. Z. 1870 p. 204; Rag. Mon. I p. 77. t. 11, f. 10.

And.

752. **Injunctella** Chr. Bull. M. 1881, I p. 52; Rag. Mon. I p. 77, t. 11, f. 8.

Uss. m.

753. **Curvella** Rag. Mon. I p. 78; ib. II, t. 41, f. 5 [ined.]

Uss.

754. **Marmorea** Hw. 495; Wd. 1462; Leech Pyr. t. 12, f. 13; Rag. Mon. I p. 80; Meyr. 380; Epelydella Z. Is. 1839 p. 177; 1848 p. 671; HS. 48, IV p. 98; Stt. Man. II, 173; Hein. 180.

*Eur. c. (exc. Bat.); It.
c; Dalm.*

- a) v. **Lugens** Stgr. Hor. XVI p. 88; Rag. Mon. I p. 80, t. 5, f. 21 (obscurior, nigrescens).

Pont.

755. **Legatella** Hb. 71; Zk. Germ. Mag. III, 149; Tr. IX, 1. 189; X, 3. 173; Dup. X, 284, 2; HS. 46, IV p. 97; Z. Is. 1839 p. 177; 1848 p. 665; Hein. 178; Mill. Ic. 115, 6-9; Rag. Mon. I p. 81.

*Germ. m. or; Helv;
Austr.-Hung; Gal;
Eur. m; As. oc.*

756. **Advenella** Zk. Germ. Mag. III, 141; Tr. IX, 1. 184; Z. Is. 1839 p. 177, 1848 p. 669; HS. 201, IV p. 97; Hein. 180; Snell. II, 1 p. 142; Leech Pyr. t. 12, f. 12; Rag. Mon. I p. 82; Meyr. 380; Rhenella Stph. Ill. IV, 307; Wd. 1465; Consociella Dup. X, 282, f. 4.

*Eur. c; Liv; Fen; Norv;
It; Dalm; Ross. m;
As. min.*

757. **Suavella** Zk. Germ. Mag. III, 140; Tr. IX, 1. 185, X, 3. 276; Dup. IV, 60; Z. Is. 1839 p. 177; 1848 p. 667; HS. 202, IV p. 97; Hein. 179; Snell. II, 1 p. 143; Leech Pyr. t. 12. f. 14; Rag. Mon. I p. 83; Meyr. 380.

*Eur. c. et m; As. min;
Arm.*

124. Glyptoteles Z. 1848.

758. **Leucocrinella** Z. Is. 1848 p. 647; HS. 188, IV p. 101; Hein. 185; Snell. II, 1 p. 126; Rag. Mon. I p. 62, t. 7, f. 8.

*Eur. c. (exc. Angl.);
Dalm; Ross. m.*

125. **Myelois** Hb. 1818.

759. **Luticornella** Rag. Ann. S. Fr. 1887 p. 226; Mon. I p. 31, t. 11, f. 2. *Taur. (Marasch).*
760. **Pumicosa** Ld. z. b. V. 1855 p. 252; Rag. Mon. I p. 31, t. 4, f. 16. *Mesop. s.*
761. **Immaculatella** Rag. N. Genr. p. 7; Mon. I p. 32, t. 10, f. 1. *Tura.*
762. **Calicatella** Rag. Ann. S. Fr. 1887 p. 226; Mon. I p. 32; ib. II t. 38, f. 22 [ined.]. *Thian.*
763. **Nivosella** Rag. Bull. S. Fr. 1890 p. 109; Mon. I p. 33, t. 11, f. 3. *Maur.*
764. **Fuscicostella** Mn. Wien. Mts. 1861 p. 183, t. 2, 10; Rag. Mon. I p. 33, t. 22, f. 3. *Pont.*
765. **Circumdatella** Ld. Wien. Mts. 1858 p. 149, t. 4, 5; Z. Stett. e. Z. 1867 p. 376; Rag. Mon. I p. 36, t. 22, f. 2. *Syr; Pal.*
766. **Cribrella** Hb. 67; Tr. IX, 1, 205; Dup. X, 285, 1 p. 302; Zett. Ins. Lap. 947; Ev. F. V. U. 563; Rag. Mon. I p. 34; Meyr. 379; Cribrumella Hb. Btr. I, 1, 4, W; ib. II, 1, 3, S. [larv.]; Cardui Hw. 484; Wd. 1477; Cribrum Schrk. Fn. B. II, 1 p. 314, II, 2 p. 166; Z. Is. 1848 p. 655; HS. IV p. 104; Hein. 183; Snell. II, 1 p. 144; Leech Pyr., t. 10, f. 6. *Eur. c. et m; Syr; Arm; Tura; Alt; Jap; Maur.*
767. **Cribratella** Z. Is. 1847 p. 762, 1848 p. 657; HS. 189, IV p. 104; Rag. Mon. I p. 36. *Sic.*
768. **Multiforella** Rag. Mon. I p. 37, t. 5. f. 7 (praece. var.?). *Arm; Tura.*
769. ?**Pallipedella** Rag. Mon. I p. 37. *Cors.*
770. **Cinctipalpella** Chr. Hor. XII p. 282, t. 8, f. 56; Rag. Mon. I p. 38; ib. II t. 38, f. 23 [ined.]. *Arm; Tura.*
771. **Pluripunctella** Rag. Ann. S. Fr. 1887 p. 226; Mon. I p. 39, t. 4, f. 14. *Syr.*
772. **Nigripalpella** Chr. Stett. e. Z. 1887 p. 166; Mém. Rom. V p. 55, t. 3, f. 8; Rag. Mon. I p. 39, t. 4, f. 15; Staudingerella Rag. Ann. S. Fr. 1887 p. 226. *Tura; Saraw.*
773. **Hispanicella** HS. 154 (Pyr.), VI p. 148; Rag. Mon. I p. 42, t. 21, f. 24; Rhizobiella Stgr. Stett. e. Z. 1859 p. 224. *Gal. m; Hisp; Graec.*
774. **Umbratella** Tr. IX, 2, 266, X, 3. 267; Z. Is. 1848 p. 672; HS. 125, IV p. 104; Rbl. z. b. V. 1892 p. 615; Rag. Mon. I p. 43. *Sic; Dalm; Bith.*
775. **Osseella** Rag. Ann. S. Fr. 1887 p. 226; Mon. I p. 43, t. 4, f. 20. *Syr.*
776. **Ossicolor** Rag. Mon. I p. 44; ib. II, t. 26, f. 1 [ined.]. *Mesop. s.*
777. **Cirrigerella** Zk. Germ. Mag. III, 133; Z. Is. 1839 p. 176; 1848 p. 653; HS. 67, IV p. 103; Hein. 182; Rag. Mon. I p. 44; Meyr. 379; ab. Infuscata Stgr. Hor. XV p. 211. *Eur. c. (exc. ?Bat.); Liv; Fen; It; Dalm.*
778. **Nigribasella** Rag. Bull. S. Fr. 1895 p. 100. *Taur. m.*
779. ?**Millierella** Rag. Mon. I p. 45, t. 5, f. 8 (sequ. var.?). *Gal. m. or.*
780. **Incompta** Z. Is. 1847 p. 30, 1848 p. 655; HS. 193, IV p. 103. Rag. Mon. I p. 45. *Graec; Cyprus; Lyd; Taur; Syr.*
781. **Cinerea** Stgr. Hor. XV p. 210; Rag. Mon. I, p. 46, t. 21, f. 25. *Syr; Arm; Tura.*
782. **Tetricella** (S. V.) F. Mant. II, 246; Hb. 241; Dup. Suppl. p. 200, t. 67, f. 4; Z. Is. 1848 p. 674; HS. IV p. 103; Hein. 184; Rag. Mon. I p. 46; Chrysorrhöëlla Zk. Germ. Mag. III, 170; Tr. IX, 2, 270; Z. Is. 1839 p. 176; HS. 68. *Eur. c. or; Ross; Lap; Ped; Bulg; Dalm; Bith; Árm.*
- a) v. **Amurensis** Rag. Ann. S. Fr. 1887 p. 227; Mon. I p. 46, t. 11, f. 4 (obscurior, distinctius signata). *Amur.*

783. **Cognata** Stgr. Berl. e. Z. 1870 p. 273; Rag. Mon. I p. 50, t. 4, f. 23. *Srp.; Austr. inf.*
(Stgr.).
784. **Subcognata** Rag. Ann. S. Fr. 1887 p. 221; Mon. I p. 50, t. 4, f. 21. *Amur.*
785. **Tabidella** Mn. Wien. Mts. 1864 p. 182, t. 4, 9; Griseella Rag. Ann. S. Fr. 1887 p. 227; Mon. I p. 54, t. 7, f. 4. *Srp.; Bith.; Pont;*
Arm.
786. **Constanti** Rag. Mon. I p. 54; ib. II, t. 42, f. 1 [ined.]. *Cors.*
787. **Ceratoniae** Z. Is. 1839 p. 176; 1847 p. 764; 1848 p. 675; Hein. 184; Leech Pyr. t. 10, f. 9; Rag. Mon. I p. 57; Meyr. 379; Ceratoniella F. R. 56-7f. 1a, b. p. 147; HS. IV p. 104; Pryerella Vaughan Monthl. Mag. VII, 130; Knaggs Ann. 1871 p. 90, f. 3; Leech Pyr. t. 10, f. 7; Zellerella Sorh. Berl. e. Z. 1881, 104; ?Tuerkheimiella Sorh. l. c. *Eur. c. (exc. Bat.) et m.; Syr.; Afr.: Am. m.*
788. **Albistriga** Ersch. Fedtsch. p. 88, t. 5, f. 93 (incertae sedis). *Tura.*
789. **Convergens** Ersch. Fedtsch. p. 86, t. 6, f. 98 (incertae sedis). *Tura.*
- + 790. **Zelicella** Obth. Et. XII p. 40, t. 6, f. 25 (incertae sedis). *Maur.* *594* *Bug*
791. **Talebella** Obth. Et. XII p. 40, t. 6, f. 29 (incertae sedis). *Maur.*
792. **Zohrella** Obth. Et. XII p. 41, t. 6, f. 32 (incertae sedis). *Maur.*

126. **Samaria** Rag. 1893.

793. **Indentella** Rag. Mon. I p. 59, t. 11, f. 5. *Syr.*

127. **Cryptoblabes** Z. 1848.

794. **Bistriga** Hw. Lep. Br. 496; Stph. IV, 305; Wd. 1458; Hein. 173; Snell. II, 1, p. 125; Leech Pyr., t. 11, f. 10; Rag. Mon. I, 13; Meyr. 381; Rutilella Z. Is. 1839 p. 178; 1845 p. 266; 1848 p. 645; HS. 40, IV p. 101; Obsoletella Hein. 183; Lugdunella Mill. Rev. & Mag. Zool. 1874 p. 350. *Eur. c; Ross; Dalm.*
795. **Loxiella** Rag. Ann. S. Fr. 1887 p. 226; Mon. I p. 14, t. 5, f. 4; Rutilella HS. 74 (?75), IV p. 101 (pr. p.). *Bav; Austr; Uss;*
Jap.
796. **Gnididiella** Mill. Ic. II p. 308, t. 83, f. 4-9; III p. 462; Rag. Mon. I p. 16, t. 22, f. 1; Wockiana Briosi Atti Staz. Chim. Agr. Palermo I p. 61, t. 1; Atti Ac. Rom. Mém. (Cl. Sc. Fis.) I p. 1247, t. 1, 2; ?Cassazae Briosi l. c. *Eur. m; Mad; Can;*
Aegypt.

128. **Ceroprepes** Z. 1867.

797. **Ophthalmicella** Chr. Bull. M. 1882, I, p. 49; Rag. Mon. I p. 10, t. 4, f. 3; Hmps. Ind. Moths. IV p. 104. *Uss; Ind. (Murree).*

129. **Melitene** Rag. 1893 (*Isauria* Rag. 1887 nom. praeoe.).
798. **Kuldgensis** Rag. Ann. S. Fr. 1887 p. 228; Mon. I p. 6, t. 11, f. 1. *Thian or.*

130. **Numonia** Rag. 1893.

799. **Cymindella** Rag. Mon. I p. 4, t. 11, f. 15. *Uss. m.*

F. Epipaschiinae.

131. *Anartula* Stgr. 1893.

800. **Melanophia** Stgr. Iris V, t. 3, f. 22; ib. VI p. 78; Rag. Ann. S. Fr. 1894 p. 163; Euryptera Meyr. Tr. E. S. 1894 p. 476; Hmps. Ind. Moths. IV p. 111, 566. *Amur; Jap; Ind.*

132. *Lepidogma* Meyr. 1890 (Asopina Chr. 1894).

801. **Tamaricalis** Mn. z. b. V. 1873 p. 124. *It. e; Maur.*
 802. **Obatalis** Chr. Hor. XII p. 264, t. 7, f. 36; Mém. Rom. II, t. 7, f. 9; Vafifera Swinh. Pr. Z. S. 1884 p. 523, t. 48, f. 8 (sec. Hmps.). *Hyrc; Tura; Ind. s. o.*

133. *Macalla* Wlk. 1858.

803. **Lophotalis** Hmps. Tr. E. S. 1900 p. 375. *Taur. m.*
 804. **Amurensis** Hmps. Tr. E. S. 1900 p. 376, t. 3, f. 1. *Uss.*

134. *Stericta* Ld. 1863.

805. **Haraldusalis** Wlk. List. XVI p. 160; Hmps. Ind. Moths IV p. 121, f. 70; Ficki Chr. Bull. M. 1881, I p. 2 (genus Craneophora [Cerasphora]); *Striata* Butl. Ill. Het. VII p. 20, t. 134, f. 3. *Amur; Jap; Ind; Borneo.*
 806. **Atribasalis** Hmps. Tr. E. S. 1900 p. 376. *Uss.*

G. Chrysauginae.

135. *Adenopteryx* Rag. 1890.

807. **Conchyliatalis** Rag. Ann. S. Fr. 1890 p. 508, t. 5, f. 4; Hmps. Pr. Z. S. 1897 p. 672, f. 45. *? Maur.*

H. Endotrichinae.

136. *Endotricha* Z. 1847.

808. **Flammealis** Schiff. S. V. p. 123; Hb. Vög. 94; Pyr. 99; Tr. VII, 55; Wd. 782; Dup. VIII, 223, 7; HS. IV p. 12; Gn. 219; Hein. 17; Snell. II, 1 p. 23; Meyr. 426. *Eur. c. et m; Fen; As. min; Syr; Maur.*
 809. **Rogenhoferi** Rbl. Ann. Naturh. Hofmus. VII p. 249, t. 17, f. 1, 2; IX p. 80. *Can.*
 810. **Costaemaculalis** Chr. Bull. M. 1881, I p. 4; Hmps. Ind. Moths. IV p. 133; *Fuseobasalis* Rag. Ann. S. Fr. 1890 p. 526. *Uss; Jap; Ind. s.*
 811. **Icelusalis** Wlk. List. XIX p. 900; *Flavofascialis* Brem. Lep. O. S. p. 65, t. 6, f. 1; *Rosealis* Wlk. List. XXXIV p. 1236. *Amur; Jap; China.*
 812. **Jordana** Hmps. Tr. E. S. 1900 p. 377. *Pal.*
 813. **Rufoterminalis** Chr. Bull. M. 1881, I p. 34; *Venustalis* Warr. Ann. & Mag. (6) XVII p. 464. *Uss. m; Assam.*
 814. **Ragonoti** Chr. Iris VI p. 96. *Thian.*
 815. **Penicillalis** Chr. Bull. M. 1881, I p. 6. *Uss. m.*

137. **Trichophysetis** Meyr. 1884 (Alpherakia Rag. 1890).

816. **Cretacea** Butl. Ill. Het. III p. 75, t. 59, f. 8; Obnubilalis Uss; Jap; Austral.
Chr. Bull. M. 1881, I p. 32; Neophyla Meyr. Tr. E. S.
1884 p. 287.

I. Pyralinae.

138. **Ulotricha** Ld. 1863.

817. **Egregialis** HS. Deutschl. Ins. 163, 3; HS. 55, IV, 120;
Gn. 33; Medusalis Mill. Ic. III p. 242, t. 127, f. 4, 5.
818. **Algerialis** Hmps. Tr. E. S. 1900 p. 377, t. 3, f. 18.
- Gal. m; Sic; Lyd; Syr;
Maur.*
Maur.

139. **Hypotia** Z. 1847.

819. **Corticalis** Schiff. S. V. p. 123; Hb. 137, 155; Tr. VII, 152;
Dup. VIII, 233, 8 p. 347; Z. Is. 1847 p. 493; HS. IV p. 120;
Gn. 132; Mill. Ic. 82, 3. 4.
- Eur.m.oc; It; As.min;
Syr; Maur.*

140. **Baniura** Rag. 1891.

820. **Syrticolalis** Rag. Bull. S. Fr. 1887 p. 137; ib. Ann. 1890
t. 8, f. 6; ib. 1891 p. 64.
- Maur.*

141. **Arsenaria** Rag. 1891.

821. **Dattini** Rag. Bull. S. Fr. 1887 p. 138; ib. Ann. 1890 t. 8,
f. 7; ib. 1891 p. 65.
- Maur. or.*

142. **Epizonora** Rag. 1891.

822. **Speciosalis** Chr. Mém. Rom. II p. 141, t. 7, f. 11; ib. III
p. 106; Rag. Ann. S. Fr. 1891 p. 638.
- Tura.*

143. **Ctenarthria** Rag. 1891.

823. **Khorgosalis** Rag. Ann. S. Fr. 1891 p. 67, t. 16, f. 11.
- Thian.*

144. **Precopia** Rag. 1891.

824. **Atomalis** Chr. Stett. e. Z. 1887 p. 166; Mém. Rom. V p. 51,
t. 3. f. 6.
- Tura.*

145. **Aglossa** Latr. 1796.

825. **Pinguinalis** L. S. N. ed. X. 533; F. S. no. 1350; Hb. 24; Tr.
VII, 39; Wd. 775; Dup. VIII, 213, 6; HS. IV p. 119;
Gn. 127; Hein. 14; Snell. II, 1 p. 14; Meyr. 428; Hmps.
Ind. Moths IV p. 148.
- a) ab. *Streatfieldii* Curt. X, 456; Stph. IV, 24; Wd. 777 (al.
ant. area media multo dilutiore).
- b) v. (et ab.) *Asiatica* Ersch. Hor. VIII p. 317; Fedtsch.
p. 74, t. 5, f. 81!; *Abdidalis* Chr. Hor. X p. 41;
Pinguin. var. Rbl. z. b. V. 1895 p. 351; *Rubralis*
Hmps. Tr. E. S. 1900 p. 378 (multo dilutior. alis ochraceis,
distinctissime fusco-sigillatis).
- Territ; Pers; Ind. oc.*
Angl; Gal. etc.
Pers; Ture; Saraw;
Maur; Can. (trans.)

826. **Pulverealis** Hmps. Tr. E. S. 1900 p. 378, t. 3, f. 2.
 827. **Exsucealis** Ld. Wien. Mts. 1873 p. 457, t. 7, f. 10.
 828. ? **Maceralis** Chrét. Natural. 1891 p. 67.
 829. **Simplicialis** Chr. Iris VI p. 96.
 830. **Brabantia** Rag. Bull. S. Fr. 1884 p. 6; ib. Ann. 1888 p. 277, t. 6, f. 6; 1894 p. 163.
 831. **Cuprealis** Hb. Verz. p. 348; Tr. VII, 38; Wd. 776; Dup. VIII, 213, 5; HS. 51, IV p. 119; Gn. 127; Hein. 14; Snell. II, 1 p. 15; Meyr. 428; **Caprealis** Hb. 153; **Domalis** Gn. 128; **Euthealis** Hulst Tr. Phil. XIII p. 160.
 832. **Signicostalis** Stgr. Hor. VII (1870) p. 180, t. 2, f. 6.
 833. **Dimidiata** Hw. 372; Hmps. Ind. Moths IV p. 147, f. 85; **Circularis** Motsch. Et. 1860 p. 37; **Achatina** Butl. Ill. Het. III p. 72, t. 58, f. 6.

146. Hypsopygia Hb. 1818.

834. **Costalis** F. S. E. 132; Stph. IV, 27; Wd. 781; Hein. 15; Snell. II, 1 p. 17; Meyr. 427; **Fimbrialis** S.V. p. 124; Hb. Btr. I, 4, 2, H. p. 10; Pyr. 97; Tr. VII, 154; Dup. VIII, 223, 5; Gn. 118.
 a) ab. **Rubrociliialis** Stgr. Hor. VII p. 181 (ciliis [maculisque costalibus al. ant.] concoloribus roseis).
 b) v. **Aurotaenialis** Chr. Bull. M. 1881, I p. 4 (al. ant. macula costali una, al. post. fascia media aurantiaca).

147. Pyralis L. 1767 (Asopia Tr. 1828).

835. **Obsoletalis** Mn. Wien. Mts. 1864, 179, t. 4, f. 5; Stgr. Hor. VII, 181; Rag. Ann. S. Fr. 1891 p. 83 (genus Therapne); **Corsicalis** Gn. 131 [nom. praeocc.]; Mill. Ic. 150, 21.
 836. **Farinalis** L.S.N. ed. X, 226; Cl. Ic. 2, 14; Hb. 95; Tr. VII, 147; Wd. 778; Dup. VIII, 223, f. 1; HS. IV p. 121; Gn. 119; Frr. 670; Z. Caffr. 22; Hein. 16; Snell. II, 1 p. 16; Meyr. 427; **Fraterna** Butl. Ill. Het. III p. 70, t. 58, f. 4.
 837. **Domesticalis** Z. Is. 1847, 590; HS. 1, IV p. 122; Gn. 120 (praeoc. ab.?).
 838. **Lienigialis** Z. Stett. e. Z. 1843, 140; Frr. 670, f. 2; HS. 49, IV p. 121; Gn. 119; Hein. 16; Nolek. Fn. II, 297 [ab.]; Thompson Entom. 1881 p. 84, t. 1, f. 21; Leech Pyr. t. 7, f. 1; South Entom. 1890 p. 271, t. 4, f. 13; Meyr. 428.
 839. **Pictalis** Curt. XI, 503; Stph. IV, 395; Wd. 779; HS. IV, 223; Gn. 120; Hmps. Ind. Moths. IV p. 150; **Elachia** Butl. Ill. Het. III p. 70, t. 58, f. 3.
 840. (*) **Manihotalis** Gn. 121; Hmps. Ind. Moths. IV p. 151, f. 87; **Achatina** Butl. Monthl. Mag. XIV p. 49.
 841. **Regalis** Schiff. S. V. p. 124; Hb. 105; Tr. VII, 153; Ev. F. V. U. 466; HS. IV, 122; Gn. 123; Hmps. Ind. Moths. IV p. 152; **Pulchellalis** Mill. Cat. rais. p. 221; Ic. 154, f. 7, 8; **Princeps** Butl. Ill. Het. VII p. 91, t. 134, f. 12.
 842. **Perversalis** HS. 6, IV p. 123; Gn. 122; **Lucidalis** Ev. F. V. U. 466.

148. Tegulifera Saalm. 1880 (Peucela Rag. 1891).

843. **Fuscolimbalis** Rag. Ann. S. Fr. 1887 p. 138; ib. 1890 t. 8, f. 1; ib. 1891 p. 48.

*Maur.**Syr.**Syr.**Hyre.**Gal.**Eur. c. et m. (exc. Ross. m.); As. min; Syr; Arm; Maur; Can; Am. s. et m; Austral.**Graec.**? Amdo; China; Jap; Ind. m.**Eur. c. et m; As. oc; Maur; Am. s.**Germ. m. oc.**Amur.**Gal. c; Eur. m; Bith; Naxos; Maur. or.**Territ; Jap; Austral; Am. s.**Sic; Hal.**Angl; Liv; Fen; Lap.**Angl. et Bat. (advena); Jap; Ind.**Orbis terr. trop; Jap; ? Chin. oc. m.**Eur. m. et c. or; As. min; Syr; Ural; Amur; Jap.**Ross. m. or; Arm.**Maur. or.*

149. **Stemmatophora** Gn. 1854.

844. **Combustalis** F. R. p. 278. t. 93, 1; Gn. 131; HS. IV p. 126; Lucidalis Tr. VII. 151; Rubidalis Dup. VIII p. 345, t. 233, f. 7. *Eur. m; As. min; Syr; Maur. or.*

150. **Herculia** Wlk. 1859.

845. **Glaucinalis** L. S. N. ed. X. 533; Tr. VII. 149, X. 3. 30: Wd. 780; Gn. 122; Hein. 15; Snell. II, 1 p. 18; Meyr. 427; Nitidalis F. E. S. 372; Hb. 98. *Eur. c. et s. (exc. reg. pol); Hisp. s; It; Ross. m. or; Hyrc; Bith; Maur; Jap.*
846. **Fulvocinalis** Dup. VIII, 236, 6 p. 375; Gn. 123; HS. IV p. 123. *Gal. m; Dalm; Maced; Rum; Pont; Syr; Arm.*
847. **Incarnatalis** Z. Is. 1847, 591; HS. 2, IV p. 122; Gn. 124; Lucidalis Dup. VIII. 223, 3 p. 198. *Gal. m; Ped; Sic; Hung; Istr; Maced; As. min.*
848. **Rubidalis** Schiff. S. V. p. 124; Hb. Vög. 16; Hb. (Pyr.) 96; Tr. VII. 150; Dup. Suppl. IV. 82, 7; HS. IV p. 122; Gn. 123, t. 7, 5; Lucidalis Hb. 161; Gn. 123. *Eur. c. or. et m. or; It; Cors; As. min; Arm.*
849. **Kacheticalis** Chr. Iris VI p. 96. *Arm.*

151. **Sacada** Wlk. 1862 (Xestula Snell. 1885).

850. **Fasciata** Butl. Monthl. Mag. XIV p. 207; **Miraculosa** Snell. Mém. Rom. II p. 195, t. 11. *Amur; Jap.*

152. **Bostra** Wlk. 1863.

851. **Subustalis** Ld. z. b. V. 1855 p. 213, t. 3, f. 10; Hmps. Ind. Moths IV p. 176. *Syr; Himal. s. oc.*
852. **Leonalis** Obth. Bull. S. Fr. 1887 p. 76; Et. XII p. 33, t. 6, f. 38. *Maur.*
853. **Syriacalis** Rag. Bull. S. Fr. 1895 p. 97. *Syr.*
854. **Tristis** Butl. Pr. Z. S. 1881 p. 622; ?Gnidusalis Wlk. List. XVII p. 278; Hmps. Ind. Moths IV p. 178. *?Syr. (Rag.): Ind.*
855. **Vulpecalis** Rag. Ann. S. Fr. 1890, t. 8, f. 12; ib. 1891 p. 87. *Maur.*
856. **Tacapealis** Rag. Ann. S. Fr. 1891 p. 88, t. 16, f. 5. *Maur. or.*
857. **Caesarealis** Rag. Ann. S. Fr. 1891 p. 88, t. 16, f. 6. *As. min. c.*
858. **Austautalis** Obth. Et. VI p. 93, t. 3, f. 7; Rag. Bull. S. Fr. 1895 p. 171 (genus Stygiochroa). *Maur.*

153. **Tretopteryx** Rag. 1891.

859. **Pertusalis** Hb. Zutr. 763-4; HS. 35-7, IV p. 127; Gn. 144; Weissenbornii Frr. 478, 4. 5. *Graec; As. min.*
- a) ab. (?v.) **Vitreosa** Warr. Ann. & Mag. (6)-VII p. 436 (1891) (minor. area diaphana latiore). *Pal.*

154. **Constantia** Rag. 1887.

860. **Proximalis** Chr. Hor. XVII (1882) p. 116; Mém. Rom. III p. 15, t. 1, f. 7; Hmps. Ind. Moths. IV p. 185; Rubella Swinh. Pr. Z. S. 1884 p. 523, t. 48, f. 9; ?Ingrata Butl. ib. 1881 p. 621. *Arm; Tura; Pers; Sind.*
861. **Atrisquamalis** Hmps. Tr. E. S. 1900 p. 378, t. 3, f. 10. *Syr.*
862. **Concatenalis** Ld. Wien. Mts. 1858 p. 145, t. 3, f. 3. *Syr; Ross. m. (Rag.).*
863. **Staudingeralis** Rag. Ann. S. Fr. 1891 p. 61. *Maur. m.*

864. **Persinualis** Hmps. Tr. E. S. 1900 p. 379.
865. **Syrtalis** Rag. Bull. S. Fr. 1887 p. 137; ib. Ann. 1890, t. 8, f. 4; 1891 p. 60; ? **Subochrealis** Rag. ib. p. 60; **Bella** Baker Tr. E. S. 1894 p. 46, t. 1, f. 14.
866. **Sanctalis** Hmps. Tr. E. S. 1900 p. 379, t. 3, f. 15.
867. **Colchicalis** HS. 136, VI p. 148.
868. **Caidalis** Hmps. Tr. E. S. 1900 p. 379.
869. **Fusciseptalis** Hmps. Tr. E. S. 1900 p. 380.
870. **Argentalis** Hmps. Tr. E. S. 1900 p. 380.
871. **Numidalis** Hmps. Tr. E. S. 1900 p. 381.
872. **Canifusalis** Hmps. Tr. E. S. 1900 p. 381, t. 3, f. 16.
873. **Massilialis** Dup. VIII, 230, 5 p. 304; F. R. 90, 2 p. 265; HS. IV p. 127; Gn. 143.
874. **Pectinalis** HS. 50, IV p. 127; Gn. 144; Const. Ann. S. Fr. 1888 p. 162, t. 4, f. 3, 3a.
875. **Ocelliferalis** Rag. Bull. S. Fr. 1887 p. 137; ib. Ann. 1890 t. 8, f. 8; 1891 p. 69; Rbl. z. b. V. 1895 p. 352.
876. **Infunalis** Ld. Wien. Mts. 1858 p. 146, t. 3, f. 6.
877. **Miegi** Rag. Bull. S. Fr. 1895 p. 23 (genus *Hereynodes* Rag.).
878. **Cribellalis** Ersch. Fedtsch. p. 73, t. 5, f. 80.
879. **Bilinea** Baker Tr. E. S. 1894 p. 46, t. 1, f. 15.
880. **Guttosalis** Chr. Iris VI p. 96.
881. **Leucographalis** Hmps. Tr. E. S. 1900 p. 382.
882. **Oxodontalis** Hmps. Tr. E. S. 1900 p. 382.
- Syr.*
Maur; Aegypt.
Ross. m. or; Pont; Hyrc.
Maur.
Pal.
Syr.
Maur; Syr.
Maur; Syr.
Gal. m; Srp; Tura.
Sic; Cors.
Maur.
Syr.
Hisp. m. (Murcia).
Desert. Kisil.
Aegypt.
Tura.
Hisp.
As. c. (Kupot-Dagh).

155. *Actenia* Gn. 1854.

883. **Honestalis** Tr. VII, 49, X, 3, 7; F. R. 6, 1 p. 9; HS. IV p. 125; Gn. 135.
884. **Byzacaenalis** Rag. Bull. S. Fr. 1887 p. 138; ib. 1891 p. 90, t. 26, f. 7 (Byzacaenalis).
885. **Brunnealis** Tr. VII, 48; Dup. VIII, 214, 6 p. 82; Gn. 135; HS. IV p. 125; Hein. 13; Comparalis Hb. 126.
886. **Phaealis** Hmps. Tr. E. S. 1900 p. 383, t. 3, f. 25.
887. **Beatalis** Klchbrg Iris X (1897) p. 183.
888. **Gadesalis** Rag. Bull. S. Fr. 1882 p. 65; ib. 1891 p. 89, t. 16, f. 4 (genus *Libora* Rag.).
889. **Serratalis** Hmps. Tr. E. S. 1900 p. 383.
890. **Borgialis** Dup. VIII, 230, 4; HS. IV p. 125; Gn. 135. *Hisp; Gal. m; Cors; Sic.*
- Eur. m. or; Hung;*
Pont; ? Maur. (Obth.).
Maur. or.
Austr; Hung; Helv;
Cat; Gal. m; It. c.
et m; Dalm; Pont.
Maur.
Syr.
Hisp. m. (Cadiz).
Uss.
Sic; Bith.

156. *Cledeobia* Stph. 1829.

891. **Moldavica** Esp. III, Sup. t. 86, 1, (1789); **Netricalis** Hb. 158 (1796); Tr. VII, 45; HS. 4a, b, IV p. 124; Z. Is. 1847 p. 564; Ev. F. V. U. p. 140; Hein. 11; **Graecalis** Dup. VIII, 214, 1; Brullé Exp. Mor. t. 45, f. 5; **Moldavicalis** Dup. IV, 82, 5; Gn. 140; **Aberralis** Gn. 141 [ab.].
- a) v. (et ab.) **Palermitalis** Gn. 141, t. 7, f. 3 (δ multo obseurior, brunnescens. strigis dilutis angustioribus).
- b) v. **Diffidalis** Gn. 142 (multo minor, δ nigrescens).
892. **Amuralis** Hmps. Tr. E. S. 1900 p. 384, t. 3, f. 32.
- Eur. m; Balc; Rum;*
As. min; Syr; Tura;
Maur.
And.
Amur oc.

893. **Bombycalis** Schiff. S. V. p. 120; Hb. 20; Tr. VII, 43; Dup. VIII, 230, 3; Ev. F. V. U. p. 450; HS. IV p. 124; Gn. 139; Hein. 11; Austriaca Esp. III, Sup. 86, 2; Angustalis Hb. 125 ♀.
- a) v. *Provincialis* Dup. VIII, 214, 3; Gn. 142 (obscurior, brunnescens, al. ant. strigis albescens).
 - b) v. (et ab.) *Castillalis* Gn. 143; Rag. Ann. S. Fr. 1891 p. 94; Netricalis Dup. VIII, 214, 2; Gn. 143 (minor, alis brevioribus, ♂ multo obscurior, nigrescens; an satis a prae. var. distinguenda?).
894. **Chellatalis** Hmps. Tr. E. S. 1900 p. 383. Maur.
895. **Concessoralis** Ersch. Fedtsch. p. 72, t. 8, f. 77, 78. Tura; Saraw.
896. **Consecratalis** Ld. z. b. V. 1855 p. 250; Wien. Mts. 1858, t. 3, f. 7. Pont; Taur; Syr; Pers.
897. **Uxorialis** Ld. Wien. Mts. 1858 p. 146, t. 3, f. 4, 5. Syr; Pont.
898. **Isthmicalis** Ld. Wien. Mts. 1858, 147, t. 3, f. 9. Syr: Pont.
899. **Turanicalis** Rag. Ann. S. Fr. 1891 p. 93. Tura.
900. **Armenialis** Ld. Ann. S. Belg. 1870 p. 51, t. 11, f. 7, 8. Arm; Lyd.
901. **Connectalis** Hb. 91; Tr. VII, 51; Ev. F. V. U. 450; HS. IV p. 126; Gn. 139; Hein. 12; Luridalis F. R. p. 267, t. 90, f. 3 a-c; HS. IV p. 126; Gn. 139. Ross. m; Hung; Hisp; Dalm; Bith. (Mn.); Arm; And; Maur.
- a) v. *Lorquinalis* Gn. 138 (obscurior).
 - b) v. *Subolivalis* Obth. Bull. S. Fr. 1887 p. 76; Et. XII, p. 34, t. 5, f. 21 (dilutior, olivaceo-griseescens, ♀ albicans).
902. **Interjunetalis** Gn. Luc. Expl. Alg. 398; Gn. 138; Obth. Et. XII p. 33, t. 5, f. 22. Maur.
903. **Angustalis** Schiff. S. V. p. 120; Hb. 21; Tr. VII, 46, X, 3, 7; Dup. VIII, 214, 4; HS. IV p. 126; Gn. 137; Wd. 720; Hein. 12; Mill. Ic. 109, 1-4; Meyr. 429; Erigalis F. E. S. 408; *Bombycalis* Hb. 123; Punctalis Snell. (nec F.) II, 1 p. 12. Amdo.
904. **Graeseri** Sauber Ver. Naturw. Hamb. X p. 47. Tura.
905. **Infumatalis** Ersch. Fedtsch. p. 73, t. 5, f. 79 (huj. gen.?). Maur.
906. **Morbidalis** Gn. Luc. Expl. Alg. 398, t. 4, f. 5; Gn. 139; Obth. Et. XII p. 33 (♀); Rbl. z. b. V. 1895 p. 352. Syr.
907. **Berytalis** Rag. Ann. S. Fr. 1888 p. 276, t. 6, f. 1. Maur; Hisp. m; Syr.
908. **Oculatalis** Rag. Bull. S. Fr. 1885 p. 201; ib. 1888 p. 275, t. 6, f. 7, 8. Maur. m.
909. **Bleusei** Obth. Et. XII p. 34, t. 6, f. 38. Tura.
910. **Hampsoni** Rbl. z. b. V. 1900 p. 384.

K. Hydrocampinae.

157. **Nymphula** Schrk. 1802 (Parapoxyn Hb., Hydrocampus Gn.).

911. **Rivulalis** Dup. VIII, 233, 5 p. 341; Z. Stett. e. Z. 1849 p. 233; ib. 1867 p. 192; HS. IV p. 11; Gn. 275; Hein. 104. Gal. m; It. s; Austr. inf; Germ.s.or; Cors; Istv; Graec.
912. **Stagnata** Don. Nat. Hist. t. 363, 3; Hein. 103; Snell. II, 1 p. 75; Meyr. 402; Stagnalis Gn. 276; Potamogalis Hb. Vög. 28; Hb. 82; Schrk. Fn. B. 63; Nymphaealis Tr. VII, 141; Dup. VIII, 222, 3 p. 177; Zett. Ins. Lap. 973; HS. IV p. 11. Eur. c. et s. (exc. reg. pol.); Hisp.s; Gal.m; It; As:min; Arm; Sib; Amur.
- a) v. *Distinctalis* Rag. Ann. S. Fr. 1894 p. 174; Stgr. Iris X p. 343 not. (signaturis nigresc., fusco-impletis). Amur; Mong.

Pyralidae

49

913. **Nymphaeata** L. S. N. ed. X, 529 ♂; Stph. IV p. 39; Wd. 800; Hein. 104; Snell. II, 1 p. 74; Meyr. 403; *Nymphaealis* Hb. 85; Gn. 275; *Potamogata* L. S. N. ed. X, 529 ♀; Don. Nat. Hist. IX, t. 363, 1; Wd. 799; *Potamogalis* Tr. VII, 143; Dup. VIII, 222, 1, 2; HS. IV p. 11.
914. **Bleusei** Obth. Bull. S. Fr. 1887 p. 82; Et. XII p. 37, t. 6, f. 42.
915. **Sutschana** Rag. Ann. S. Fr. 1894 p. 174.
916. **Stratiotata** L. S. N. ed. X, 529; Hein. 106; Snell. II, 1 p. 77; Meyr. 403; *Stratiotalis* Schiff. S. V. 123; Hb. 87; Tr. VII, 187; Wd. 802; Dup. VIII, 222, 6; Gn. 269; HS. IV p. 10; *Paludata* F. E. S. 213.
917. **Vittalis** Brem. Lep. O. S. p. 66, t. 6, f. 3; *Regularis* Payer Cist. Ent. II p. 234, t. 4, f. 8.
918. **Nivalis** Schiff. S. V. p. 316; *Candidata* F. Mant. II p. 215; *Nivealis* Hb. 141; Tr. VII, 133; HS. IV p. 11; Ev. F. V. U. 463; Hein. 105.
919. **Fuscomarginata** Baker Tr. E. S. 1894 p. 48, t. 1, f. 17.
920. **Algiralis** Luc. Expl. Alg. p. 404; Gn. 271.
921. **Arundinalis** Ev. Bull. M. 1842 p. 561, t. 6, f. 12; F. V. U. 469; HS. 95, IV p. 11.
- Eur. c; Liv; Scand. m;*
Hisp. s; It; Ross. m.
or; Bith; Syr. (var.);
Saraw; Amur.
- Maur.*
- Uss.*
- Eur. c; Liv; Fen;*
Hisp. (s.); Gal. m.
It; Ross. m.
- Amur; Jap; China.*
- Bav; Austr; Morav;*
Hung; Ross. m. or.
- Aegypt.*
- Maur.*
- Ross. m. or.*

158. **Cataclysma** Hb. 1818.

922. **Lemnata** L. S. N. ed. X, 529; Don. Nat. Hist. VIII t. 266, 1, 2; Wd. 801; Hein. 107; Snell. II, 1 p. 78; Leech Pyr. t. 6, f. 6; Meyr. 402; *Lemnalis* S. V. 123; Hb. 83-4; Tr. VII, 134; X, 3, 30; Frr. 680, 1; Dup. VIII, 222, 4, 5; HS. IV p. 7; Gn. 267; *Uliginata* F. E. S. no. 317.
- Eur. c. et s. (exc. reg.*
pol.); It; Ross. m. or.

159. **Ambia** Wlk. 1859.

923. **Colonalis** Brem. Lep. O. S. p. 67, t. 6, f. 4.
924. **Thyrididalis** Ld. z. b. V. 1855 p. 219, t. 4, f. 2.
- Amur.*
- Syr.*

160. **Parthenodes** Gn. 1854.

925. **Sutschana** Hmps. Tr. E. S. 1900 p. 384.
- Uss.*

161. **Orphnophanes** Ld. 1863.

926. **Turbatalis** Chr. Bull. M. 1881, I p. 31 (hujus generis?).
- Uss.*

162. **Duponchelia** Z. 1847.

927. **Fovealis** Z. Is. 1847 p. 588; HS. 3, IV p. 8; Gn. 239; *Canuisalis* Mill. Ic. II p. 426, t. 95, f. 5-7; *Griseata* Butl. Ann. & Mag. (4) XVI, 415.
928. ? **Caïdalis** Obth. Et. XII p. 36, t. 9, f. 39; ? **Fovealis** Obth. ib. f. 37 (?praecl. var.).
- Eur. m. oc; It; Maur;*
Can; Cypr; Syr;
Arab. m.
- Maur.*

163. **Stenia** Gn. 1844 (*Amaurophanes* Ld.).

929. **Intervacatalis** Chr. Hor. XII (1877) p. 276, t. 7, f. 47; Mém. Rom. III, t. 2, f. 11.
930. **Bruguieralis** Dup. VIII, 232, 3 p. 320; HS. 84, IV p. 14; Z. Is. 1847 p. 22, 569; Gn. 245.
- Hyrc.*
- Eur. m; Maur; Bith;*
Syr.

931. **Punctalis** Schiff. S. V. 123; Hb. 140; Tr. VII, 130, X, 3. 28; HS. 24, IV p. 14; Gn. 248; Hein. 101; Meyr. 405; Aetnaealis Dup. VIII, 223, 4 p. 199; Longipedalis Curt. B. E. VII, 312; Wd. 825; Lorquinialis Gn. 138.
932. **Concoloralis** Obth. Et. I p. 68, t. 2, f. 6; ib. III p. 46; Stgr. Iris V, 294.
933. **Ferealis** Hmps. Tr. E. S. 1900 p. 385.
934. **Fuscocilialis** Rag. Monthl. Mag. XVII p. 230 (1881).
935. **Stigmosalis** HS. 20, IV p. 14; Gn. 249. *Bulg; Rum; Ross. m; As. min; Arm.*
936. **Flavipunctalis** Hmps. Tr. E. S. 1900 p. 385, t. 3, f. 8.
937. **Amoenialis** Chr. Bull. M. 1881, I p. 30.
938. **Nervosalis** Luc. Expl. Alg. III p. 399, t. 4, f. 6; Gn. 241.

164. **Perinephila** Hb. 1818.

939. **Lancealis** Schiff. S. V. 121; Tr. VII, 79; Dup. VIII, 216, 4.5; Wd. 809; HS. IV p. 29; Gn. 338; Hein. 97; Snell. II, 1 p. 70; Meyr. 407; Glabralis Hb. 65, 117; Longalis Hw. 379.
940. **Doerriesi** Stgr. Iris V t. 3, f. 23; ib. VI p. 81.

Eur. c. (exc. Bat.) et m. (exc. Ross.); As. min; Syr; Maur.

Mesop. s. (Mardin). Lusit.

Arag.

Uss.

Maur.

165. **Psammotis** Hb. 1818.

941. **Pulveralis** Hb. 109; Tr. VII, 63, X, 3. 34; Dup. VIII, 215, 4; Wd. 826; HS. 17-8, IV p. 27; Gn. 401; Hein. 92; Snell. II, 1 p. 63; Leech Pyr. t. 5, f. 7; Meyr. 411.
- a) v. *Grisealis* Stgr. Hor. VII, 1870 p. 193, t. 2, f. 10 (major, magis griseascens).
942. **Hyalinalis** Hb. 74; Tr. VII, 100, X, 3. 23; Wd. 814; Dup. VIII, 217, 3; HS. IV p. 28; Gn. 336; Hein. 71; Snell. II, 1 p. 49; Meyr. 411.

Eur. c. Dan; Liv; Hisp. s; It; Amur; Jap.

Uss.

Eur. c. et s. (exc. reg. pol.) et m. or; Arm.

And; Graec; As. min; Arm; Hyrc.

Eur. c. et m; Fen; Scand.m; Bith; Pont; Amur; Maur.

166. **Eurrhypara** Hb. 1818.

943. **Urticata** L. F. S. 1297; Wd. 805; Hein. 58; Leech Pyr. t. 3, f. 8; Meyr. 407; Urticalis Hb. 78; Tr. VII, 106; Dup. VIII, 216, 3; Gn. 342; HS. IV p. 27; Hortulata Snell. II, 1 p. 37; ?L. S. N. ed. X, 195.

Eur. (exc. reg. pol. et Sic.); As. min; Arm; Amur; China oc.

167. **Mabra** Moore 1885.

944. **Charonialis** Wlk. List. XVII, 372; Dissipatalis Chr. Bull. M. 1881, I p. 28.

Amur; Jap; China.

I. Scopariinae.

168. **Scoparia** Hw. 1803.

945. **Ochrealis** Schiff. S. V. 123; Hb. 47; Z. L. E. I, 271; HS. 99, IV p. 49; Gn. 431; Hein. 24; Silacella Hb. Tin. 232; Zk. Germ. Mag. II, 107; Tr. IX, 1. 130. *Balc. s; Germ. m. oc; Austr.-Hung; It. s. et c; Ross. m. or; As. min.*
946. **Centuriella** Schiff. S. V. 319; Tr. IX, 1. 49, X, 3. 263; Hb. 239; Zk. Germ. Mag. IV, 245; Z. L. E. I, 275; HS. 93, 94, IV p. 44; Hein. 24; Auriv. Groenl. p. 23, t. 2, f. 6; Hmps. Tr. E. S. 1897 p. 234; Borealis Lef. Ann. S. Fr. 1836 p. 400, t. 10, 9; Dup. IV, 60, 1; Centurialis Gn. 418; Albisinuatella Pack. Labr. 53.

Germ. m. oc; Austr.-Hung; It. s. et c; Ross. m. or; As. min.

Alp; Sil. mont; Fen; Regio pol; Cauc; Sib. s. or.

Pyralidae

51

947. **Zelleri** Wck. Jhrb. Schles. Ges. 1854 p. 18; Hein. 26. *Germ; Alp. (pr. p.); Gal. c. oc; Hisp. s.; ? Scand. m.*
948. **Cembrae** Hw. Lep. Br. 498; Hein. 27; Knaggs Monthl. Mag. V t. 1, f. 4; Snell. II, 1 p. 29; Leech Pyr. t. 14, f. 1; Meyr. 423; Cembrella Stph. IV p. 299; Wd. 1440; Z. L. E. I, 312; Subfusca Stph. I. c.; Wd. 1441; Z. l. c. 313; Cembris Gn. 421; Erralis Gn. 421; Asphodeliella Lah. Pyr. no. 74; Zelleri Knaggs (nec Wck.) Ann. 1869 p. 126; Leech l. c. f. 2; South Entom. 1890, 272; Scotica White Monthl. Mag. VIII p. 169; Leech l. c. f. 3; South l. c. 273. *Angl; Scot; Bat; Belg; Alp; Dalm. mont.*
949. **Ambigualis** Tr. VII, 184; Dup. VIII, 229, f. 5 a-c; Z. L. E. I, 289; HS. 108, IV p. 45; Gn. 420; Hein. 28; Snell. II, 1 p. 28; Meyr. 423; Knaggs Entom. 1900 p. 109, fig.; Dubitalis Stph. IV, 299; Wd. 1442; Ambiguellus Tr. IX, 1. 138; Incertalis Dup. VIII p. 286, t. 229, f. 4; Gn. 420; Conicella Lah. Suppl. 76 b [ab.]; Ancipitella Lah. Pyr. 86, f. 5. *Eur; Bith; Maur.*
- a) v. (et ab.) *Octavianella* Mn. Wien. Mts. 1859 p. 164; ?Siginella Teich Fn. Balt. p. 72 (dilutior, distinctius signata). *Sic; Bat; Liv.*
- b) v. (ab.) *Atomalis* (Dbld. List) Stt. Ann. 1855 (ed. II) p. 64; Knaggs Monthl. Mag. V t. 1, f. 8; Bnks. ib. XXVI, 7, 98; Hein. 24; Leech Pyr. t. 14, f. 6; Knaggs Entom. 1900 p. 110 fig.; ?Taeniatella Teich Fn. Balt. p. 72 (minor, obscurior). *Angl; Bat; ? Liv.*
- c) v. *Ulmella* Knaggs Monthl. Mag. III p. 217, fig.; ib. V t. 1, f. 12; Mason ib. XXIII p. 163 fig.; Leech Pyr. t. 14, f. 8; Knaggs Entom. 1900 p. 114 fig.; Conspicualis Hodgk. Monthl. Mag. XVIII p. 134; Entom. XIV p. 223, t. 1, f. 8, 9; Leech l. c. f. 7; South Entom. 1890 p. 273 (al. ant. area basali et marginali albescens, haud fusco-conspers.). *Angl.*
950. **Basistrigalis** Knaggs Monthl. Mag. III p. 1 fig.; ib. V p. 293, t. 1, f. 6; Tutt & Briggs ib. XXVI p. 51; Porritt ib. 88; Bower ib. 1895 p. 273; Leech Pyr. t. 14, f. 4; South Entom. 1890 p. 271; Knaggs ib. 1900 p. 112, fig. ♂, ♀; ?Ambigualis HS. 108; Hein. 29 (Ambigualis var. Darw.?, major, alis latioribus, al. ant. area basali strigis fuscis etc.). *Angl; ?Germ.*
951. **Pyrenaearalis** Dup. IV p. 115, t. 60, f. 2; Incertalis Z. L. E. I, 279; HS. (Pyr.) 118, (Tin.) 156, IV p. 45; Gn. 419; Pyrenaicalis Gn. 419 (an Ambigualis var.?). *Eur. m; Bith; Syr.*
952. **Mandschurica** Chr. Bull. M. 1881, I p. 8. *Uss.*
953. **Ingratella** Z. L. E. I p. 283, f. 5; HS. 105, 106, IV p. 45; Hein. 27; Z. z. b. V. 1868 p. 595; Ingratalis Gn. 422. *Austro-Hung; Alsat; Helv; Dalm; Syr; Arm.*
954. **Dubitalis** Hb. 49, ?207; Tr. VII, 183; Dup. VIII, 229, 6; Z. L. E. I, 285; HS. 107, IV, 45; Hein. 31; Snell. II, 1 p. 27; Leech Pyr. t. 14, f. 9; Meyr. 423; Fryer Monthl. Mag. 1899 t. 1, f. 3; Pyralella Hb. (Tin.) 167; Wd. 1443; ?Confusella Lah. Mitth. I p. 87; Ingratella Knaggs (nec Z.) Monthl. Mag. V t. 1, f. 2; Leech Pyr. t. 14, f. 10; South Entom. 1890, 273. *Eur. c. et m; Liv; Fen; Scand. m; As. min.*
- a) ab. *Tristrigella* Stph. Ill. IV, 300; Wd. 1444; Z. L. E. I p. 314; HS. 98; Gn. 422 (obscure infuscata). *Angl.*
- b) ab. *Purbeckensis* Bnks. Pr. Dors. F. Club X p. 202, t. 1, f. 8-10; Alba Tutt. Ent. Rec. XI p. 142; Dubitalis var. Fryer l. c. f. 1, 2, 4 (albidior, minus signata [al. ant. raro fere totis albis]). *Angl. lit.*

955. **Perplexella** Z. Is. 1839 p. 175; L. E. I., 282; HS. 110-2, IV p. 45; Gn. 423; Hein. 25. *Carn. m.; Croat; Hung. lit; Dalm; Graec; Bith.*
956. **Absconditalis** Chr. Mém. Rom. III p. 17, t. 1, f. 8. *Arm.*
957. **Staudingeralis** Mab. Ann. S. Fr. 1869 p. 58, t. 2, f. 6. *Cors; Hisp.*
958. **Manifestella** HS. 104, IV p. 46; Hein. 32; Z. z. b. V. 1868 p. 596; *Manifestalis* Gn. 423. *Alp; Dalm; Hyrc.*
959. **Sibirica** Ld. z. b. V. 1853 p. 384, t. 7, f. 2. *Alt.*
960. **Phaeoleuca** Z. L. E. I. 306, f. 13; HS. 204; Hein. 37; Snell. Tijds. XL p. 327, t. 12, f. 7; (-calis) Gn. 423; *Vesuntialis* Gn. 424; *Sciaiphilella* Lah. Pyr. p. 35; ?*Parella* HS. 102. *Alp; Styx. et Ter; ?Helv; Hung. m. mont; Bat.*
961. **Valesialis** Dup. VIII, 229, 3 p. 284; Z. L. E. I. 300, f. 9. 10; HS. 103, IV p. 47; Hein. 33; *Parella* Z. Is. 1839 p. 175; L. E. I., 303; HS. 100, 119-20. *Alp; Hung. mont.*
- a) ab. *Octonella* Z. Is. 1839 p. 175; L. E. I., 300; *Lah. Sup.* 42 (minor, dilutior, punctis ante medium subnullis). *Alp. or.*
- b) ab. *Imparella* Lah. Sup. p. 42; Mill. Ic. 50, 2 (major, dilutior, al. ant. area media infuscata). *Sum. Alp.*
962. **Gallica** Peyer. Pet. Nouv. 1873 p. 332; Mill. Ic. 142, f. 3, 4; Fettig Cat. Lep. Alsac. 1882 p. 11. *Gal; Alsat.*
963. **Alpina** Stt. Ann. 1855 (ed. I) p. 43; Man. II, 163; Knaggs Monthl. Mag. V t. 1, f. 18; Vaughan Entom. XIII t. 4, f. 1, 2; Leech Pyr. t. 15, f. 8; Meyr. 421; *Gracilalis* (Dbld.) Stt. Man. II, 163; Knaggs l. c. f. 16; Hein. 34; Mason Monthl. Mag. XXV, 162; Briggsib. 185; *Imparella* Wck. (nec Lah.) Stett. e. Z. 1864, 201. *Scot. mont; Ins. Hethland; Norv. alp.*
964. **Petrophila** Stndf. (sen.) Stett. e. Z. 1848 p. 312; Bresl. e. Z. 1849 t. 2, 5; HS. VI p. 144; Hein. 35. *Alp; Alsat. et Sil. mont.*
965. **Sudetica** Z. Is. 1839 p. 175; Stett. e. Z. 1843 p. 148; L. E. I. p. 304, f. 12; HS. 116-7; Hein. p. 36; *Sudeticalis* Dup. IV, 84, 7; Gn. 427.
- a) v. *Luzialis* Gn. 427 (minor, magis infuscata). *Alp; Eur. c. (exc. Angl.) et s. mont; Reg. pol.*
- b) v. *Livonica* Z. L. E. I. p. 304; ?*Borealis* Tngstr. Bidr. 102 (obscurior, distinctius signata). *Pyr.*
966. **Stenota** Woll. Ann. & Mag. (3) I p. 119 (1858); ?Rbl. Ann. Naturh. Hofmus. VII p. 248; ib. XI p. 113; *Decorella* Stt. Ann. & Mag. (3) III p. 210. *Ross. s. oc.*
967. **Scoriella** Woll. Ann. & Mag. (3) I p. 119. *Mad; ?Can.*
968. **Wollastoni** Baker Tr. E. S. 1894 p. 583. *Mad.*
969. **Murana** Curt. B. E. IV, 170; Stph. IV p. 301; Wd. 1447; Z. L. E. I., 316; Stett. e. Z. 1878 p. 82; HS. VI p. 143; Stt. Man. II, 162; Hein. 38; Leech Pyr. t. 15, f. 1; Meyr. 421; *Muralis* Gn. 425, Pl. 10, 12; *Parella* HS. 101; ?*Delphinatalis* Gn. 425. t. 10, f. 9 [una ♀ cond.]. *Fen. s.*
- a) v. *Tuoniana* Hoffm. Stett. e. Z. 1893 p. 130, 141 (minor, non flavescentia, al. ant. dense nigro-inspersis). *Maur. oc.*
970. **Virescens** Rbl. z. b. V. 1896 p. 174. *Angl; Gal. c. et oc; Hisp. s.*
971. **Lineola** Curt. B. E. IV, 170; Stph. IV, 300; Wd. 1446; Z. L. E. I., 315; Knaggs Monthl. Mag. V t. 1, f. 17; Leech Pyr. t. 15, f. 6; Meyr. 421; *Lineolalis* Gn. 426. *Eur. c; Dan; Sard; Hisp.*
972. **Resinea** Hw. Lep. Br. p. 499; Curt. B. E. IV, f. 170; Stph. IV, 301; Wd. 1448; Z. L. E. I., 316; Hein. p. 42; Snell. II, 1 p. 32; Leech Pyr. t. 15, f. 2; Meyr. 420; *Resinalis* Gn. p. 429 t. 10, f. 11; *Vandaliella* HS. 157 (Pyr.), VI p. 143.

973. **Laetella** Z. L. E. I, 298, f. 8; HS. 115, IV p. 48; Hein. p. 42; Laetalis Gn. 427.
974. **Truncicolella** Stt. Cat. 2; Man. II, 161; Hein. 39; Snell. II, 1 p. 30; Leech Pyr. t. 14, f. 11; Meyr. 422; Mercurellus Tr. IX, 1.133; (-a) Z. L. E. I, 293; HS. IV p. 48; Mercuralis Gn. 428; ? Amissella Mill. Ic. 50, f. 1; ab. Pallida Bnks. Monthl. Mag. 1895 p. 49.
975. **Crataegella** Hb. (Tin.) 231; Z. L. E. I, 286; HS. 113; Hein. 41; Snell. II, 1 p. 30; Leech Pyr. t. 15, f. 4; Meyr. 422; Crataegalis Gn. 428.
976. **Frequentella** Stt. Man. II, 162; HS. VI p. 144; Hein. 40; Snell. II, 1 p. 31; Meyr. 422; Crataegella HS. 114; Mercurea Hw. p.499; Curt. B. E. IV, t.170; Mercurella Stph. IV, 302; Wd. 1449; Leech Pyr. t. 15, f. 3; Crataegalis Dup. VIII, 229, f. 7.
- a) v. (ab.) *Portlandica* Dale Monthl. Mag. V p. 291, t. 1, f. 10; Stt. ib. XXI p. 275; Phaeoleuca Stt. Man. II, 162; Leech Pyr. t. 15, f. 5 (dilutior, al. ant. area basali [et marginali] alba).
- b) ab. *Concinella* Curt. Ann. & Mag. (2) V p. 115 (fere unicolor obscura).
977. **Acuminatella** Stt. Ann. & Mag. (3) III p. 210.
978. **Angustea** Stph. Ill. IV, 302: Wd. 1450; Knaggs Monthl. Mag. V, t. 1, f. 19; Leech Pyr. t. 15, f. 7; Meyr. 421; Coaretata Z. L. E. I, 308; HS. 121, IV p. 46; Coarc-talis Gn. 430; Mill. Ic. 109, 12-16.
- a) v. *Napolitalis* Mill. I. c. f. 17 (pallidior, flavescens).
979. **Pallida** Stph. Ill. IV, 300; Z. L. E. I, 314; Wd. 1445; Hein. 43; Knaggs Monthl. Mag. V, t. 1, f. 1; Snell. II, 1 p.33; Leech Pyr. t. 15, f. 9; Meyr. 423; Oertzeniella HS. 97, IV p. 49.
980. **Obsoleta** Stgr. Hor. XV p. 163.
- Germ; Austr; Hal;*
Liv; Suec.
Eur. c; Ross. s. oc. et
m. or; It. s. et c.
- Eur; As. min.*
- Eur. c; Ib; Dalm;*
Graec; Taur; Maur.
- Angl. lit. (Portland).*
- Angl.*
- Mad.*
- Eur.m. (exc. Ross.m.);*
Angl; Ins. Hethland;
As. min; Mad; Can;
Maur.
- It. m.*
- Eur. c; Liv; Hisp. s.*
et or.
- Pont.*

M. Pyraustinae.

169. **Entephria** Ld. 1863.

981. **Tylostegalnis** Hmps. Tr. E. S. 1900 p.385, t. 3, f. 6.
- Amur; China oc.*

170. **Zinckenia** Z. 1852.

982. **Fascialis** Cr. Pap. Ex. IV, t.398, f.O; Stoll. Suppl. t.36, 13; Hmps. Ind. Moths IV p.262, f.158; Recurvalis F.E.S. 237; Z. Caffr. p.55; Gn. 225, t. 8, f. 5; Recurvella Zk. Germ. Mag. III, 143, 19.
- Syr; Can; Orbis terr.*
trop.

171. **Tabidia** Snell. 1880.

983. **Stringiferalnis** Hmps. Tr. E. S. 1900 p. 386, t. 3, f. 30.
- Amur.*

172. **Agroterta** Schrk. 1798.

984. **Nemoralis** Sc. Ent. Carn. no. 618; Hb. Btr. I, 4 t.3, f.O; Hb. 100, 206; Tr. VII, 156; Dup. VIII, 223, 6; HS. IV p.12; Gn. 217; Hein. 101; Snell. II, 1 p.72; Meyr. 406; Erosalis F. E. S. III, 2. 236.
- Eur. c; Hisp. s; It;*
Ross.m; Bith; Jap;
China.

985. **Olivacealis** Brem. Lep. O. S. p. 66, t. 6, f. 2.
- Amur.*

173. **Synclera** Ld. 1863.

986. **Traducalis** Z. Caffr. p. 54 (1852); Hmps. Ind. Moths IV p. 272; Pr. Z. S. 1898 p. 636; **Retinalis** Ld. Wien. Mts. 1857 p. 100.

*Syr; Ind; Afr. m;
Am. or. m.*

174. **Ercta** Wlk. 1859 (Spanista Ld.).

987. **Ornatalis** Dup. VIII, 223, 8 p. 207; HS. 52-3, IV p. 10; Gn. 247; Hmps. Ind. Moths IV p. 274; **Saturnalis** Tr. X, 3, 29; Heeger Beitr. p. 7, t. 1, f. 13 (♂); **Bifascialis** Heeger ib. f. 14 (♀).

*Eur.m.(exc.Ross.m);
Syr; Orb. terr. trop.*

175. **Pilocrocis** Ld. 1863.

988. **Contortalis** Hmps. Tr. E. S. 1900 p. 387, t. 3, f. 11.

Uss.

176. **Nacoleia** Wlk. 1859.

989. **Tristrialis** Brem. Lep. O. S. p. 68, t. 6, f. 7; Hmps. Ind. Moths IV p. 313.

Amur; Ind. s.

990. **Sibirialis** Mill. Natural. 1879 p. 139; Ann. Sc. Nat. Cannes 1880 p. 3, t. 8, f. 4; **Fenestralis** Chr. Bull. M. 1881, I p. 39 (sec. Rag. hic ponenda).

Uss.

177. **Sylepta** Hb. 1818.

991. **Luctuosalis** Gn. 290; Hmps. Ind. Moths IV p. 340; **Zelleri** Brem. Lep. O. S. p. 70, t. 6, f. 12; Bremeri Wck. Cat. ed. II p. 213; **Erebina** Butl. Ill. Het. II p. 57, t. 39, f. 1.

*Uss; Jap; China;
Himal.*

992. **Aurantiacalis** F. R. p. 213, t. 75, f. 3; HS. IV p. 28; Gn. 329; Hein. 72; Hmps. Ind. Moths IV p. 337; **Crocealis** Dup. VIII, 235, 6 p. 365; **Balteata** Hmps. Pr. Z. S. 1898 p. 718; ?F. Suppl. E. S. p. 457.

*Eur. m; Bith; Syr;
Jap; China; Ind.*

993. **Perpendiculalis** Dup. VIII, 232, 5 p. 324; Gn. 333.

Gal.

994. **Ruralis** Sc. Ent. Carn. no. 616; Hein. 72; Snell. II, 1 p. 58; Leech Pyr. t. 4, f. 8; Meyr. 406; **Verticalis** Schiff. S. V. 120; Hb. 57; Tr. VII, 101; Dup. VIII, 217, 1, 2; Wd. 810; Gn. 337.

*Eur. c. et m; Ross. s.
oc; As. min; Arm;
Amur.*

995. **Derogata** F. S. E. 641; Hmps. Pr. Z. S. 1898 p. 722; **Multi-linealis** Gn. 337, t. 8, 11; Ld. Wien. Mts. 1863, t. 11, f. 3; Hmps. Ind. Moths IV, 334; **Basipunctalis** Brem. Lep. O. S. p. 68, t. 6, f. 8.

*Amur; Uss; Jap;
China; Ind; Austral;
Afr. oc.*

996. ?**Paleacalis** Gn. 331.

Pal.

178. **Glyphodes** Gn. 1854 (Margarodes Gn.).

997. **Indica** Saunders Tr. E. S. 1851 p. 163, t. 12, f. 5-7; Rbl. Ann. Naturh. Hofmus. XI p. 112; Hmps. Ind. Moths IV p. 360.

*Can; Uss; Indo-
Austral; Afr. trop.*

998. **Unionalis** Hb. 132; Hb. Exot. Pyr. II, C. a; Tr. VII, 116; Dup. VIII, 220, 4; HS. IV p. 25; Gn. 305; Mill. Ic. 55, 3-6; Leech Pyr. t. 5, f. 12; Meyr. 405; Hmps. Ind. Moths IV p. 351; Pr. Z. S. 1898, 739.

*Eur. m. [et c. (ad-
vena)]; Bith; Syr;
Maur; Mad; Can;
Afr; Ind.-Austral;
Amur; Jap; Ind.*

999. **Nigropunctalis** Brem. Lep. O. S. p. 67, t. 6, f. 5; Hmps. Ind. Moths IV p. 352.

1000. **Quadrimeaculalis** Brem. Btr. p.22; Lep. O. S. p.70, t.6, f. 10; Consocialis Ld. Wien. Mts. 1863, t. 14, 2.
Amur; Uss; Jap; China.
1001. **Melaleucalis** Ev. Bull. M. 1852, I, 169.
Sib.

179. **Euclasta** Ld. 1855.

1002. **Splendidalis** HS. 109, IV p. 32.
Bith; Pont; Arm.

180. **Hellula** Gn. 1854.

1003. **Undalis** F. S. E. 392; Hb. 93; Tr. VII, 28; Dup. VIII, 221, 1; Ev. F. V. U. 463; Z. Is. 1847, 583; HS. 54. 83, IV p.10; Gn. 416; Hein. 45; Hmps. Ind. Moths IV p.373; Pr. Z. S. 1898 p. 760.
Eur.m; Helv.m; Syr; Hyrc; Maur; Can; Mad; Afr; Ind.

1004. **Fulvifascialis** Chr. Mém. Rom. III p. 110, t. 5, f. 8.
Tura.

181. **Orenaia** Dup. 1831 (Hercyna Tr. pr. p.).

1005. **Lugubralis** Ld. Wien. Mts. 1857 p.82; Hein. 50; Conspurcalis Lah. Suppl. 32; Mill. Ic. 45, 2.
Sum. Alp.
1006. **Helveticalis** HS. 127-8, VI p. 141; Gn. 159; Hein. 51; Z. Jhrsb. Graub. XXV p. 24 (praec. persimilis, subtus albidiior, fascia antimarginali maculaque al. ant. media fuscis).
Sum. Alp.
1007. **Expansalis** Ev. Bull. M. 1852, I, 168.
Ural.
1008. **Rupestrialis** Hb. 201-3; Hein. 51; Andereggialis HS. 124-6, VI p. 140; Gn. 158.
Helv. et Gal. Alp; Pyr. (Obth.).
1009. **Alpestralis** F. E. S. 350; Hb. 135; Tr. VII, 182; X, 3. 38; Dup. VIII, 227, 3; Ev. F. V. U. 473; Zett. 975; Gn. 158; Hein. 52; Alpina Hb. Vög. 21.
Alp; Transsylv.; Bosn. mont; Ural; Scand. mont; Pyr. (Obth.).

182. **Evergestis** Hb. 1818 (Orobena Gn.).

1010. **Caesialis** HS. 116, IV p. 115; Stgr. Hor. XV p. 179; Saxicolalis Mn. Wien. Mts. 1862 p. 387, t. 3, f. 8.
Dalm; As. min.
1011. **Sophialis** F. Mant. II p.217; Hb. 50; Tr. VII, 58, X, 3. 10; Fr. 600; Dup. VIII, 231, 4; HS. IV p.35; Gn. 377; Hein. 96; Variegalis F. Mant. II, 218.
Alp; Arag; Sil. mont; Hal; Bale; Ross. m. or; Bith; Lyd.
1012. **Segetalis** HS. 132, VI p. 142; Gn. 378; Blandalis Gn. 377, t. 7, f. 11.
Sic; Bith; Arm.
1013. **Lichenalis** Hmps. Tr. E. S. 1900, p. 387, t. 3, f. 20.
Tarb. (Saisan).
1014. **Frumentalis** L. F. S. no. 1351; Tr. VII, 60, X, 3. 11; Dup. VIII, 215, 2; HS. IV p.35; Gn. 378; Hein. 96; Repandalis Hb. 64; ?Implicalis Gn. 379
 a) v. **Asiaticalis** Rag. Ann. S. Fr. 1894 p. 168 (obscurior, strigis albidis al. ant. pr. p. obsoletis).
Eur. c. (exc. Angl., Bat.) et m; Liv; Fen; As. oe; Sib.
1015. **Renatalis** Obth. Bull. S. Fr. 1887 p. 99; Et. XII, t. 6, f. 36; Pechi Baker Monthl. Mag. XXI, 268.
Maur.
1016. **Allardalis** Obth. Bull. S. Fr. 1887 p. 99; Et. XII, t. 7, f. 54.
Maur.
1017. **Serizeati** Stgr. Iris V, t. 3, f. 15; ib. VI p. 79.
Maur.
1018. **Orientalis** Ev. Bull. M. 1851 p. 642.
Sib. or.
1019. **Spiniferalis** Stgr. Iris XII p. 347.
Ferg; Saraw.
1020. **Umbrosalis** F. R. p.274, t. 92, f. 2; HS. IV p.35; Gn. 378.
Pont; Arm.
1021. **Serratalis** Stgr. Hor. VIII, 1870 p. 193, t. 2, f. 11.
Graec.
1022. **Grummi** Chr. Mém. Rom. II p. 147, t. 7, f. 14.
Tura.

1023. **Plumbeofascialis** Rag. Ann. S. Fr. 1894 p. 168.
1024. **Nomadalis** Ld. Hor. VIII (1871) p. 22, t. 2, f. 10.
1025. **Extimalis** Sc. Ent. Carn. no. 614; Hein. 94; Snell. II, 1, p. 67; Meyr. 424; Margaritalis Schiff. S. V. 123; Hb. Btr. II, 2, t. 2, f. 5; Tr. VII, 73; Dup. VIII, 216, 1; Wd. 831; HS. IV p. 34; Gn. 370; Erucaulis Hb. 55.
1026. **Griseostrialis** Sauber Ver. Naturw. Hamb. X, p. 59.
1027. **Straminalis** Hb. Vög. 82; Snell. II, 1, p. 68; Meyr. 424; Elutalis Hb. 62; Stramentalis Hb. Verz. 354; Tr. VII, 76, X, 3, 13; Wd. 830; Dup. VIII, 216 2; HS. IV p. 35; Gn. 373; Hein. 95.
1028. **Bifascialis** Gn. Expl. Alg. 403; Pyr. 372; Obth. Et. I p. 68; XII p. 37, t. 6 f. 40 (sequ. var.?).
1029. **Politalis** Schiff. S. V. p. 121; Hb. Vög. 10; Hb. 183; Tr. VII, 85, X, 3, 18; Dup. VIII, 218, 4; F. R. p. 47, t. 27, 1a,b; HS. IV p. 35; Gn. 372; Hein. 95. ?*Helv. m.; Hal. (1); Eur. m.; Bith.; Pont. Sic.*
- a) v. *Dispersalis* Mn. Wien. Mts. 1859 p. 162; Politalis Hb. 136; F. R. t. 27, 1c (al. ant. maculis flavis in fasciis confluentibus).
1030. **Infirmalis** Stgr. Hor. VII (1870) p. 190, t. 2, f. 13; ib. XV p. 180; Helenalis Stgr. ib. VII p. 195, t. 2, f. 12.
1031. **Manglisalis** Ersch. Hor. XII (1877) p. 339; Mém. Rom. III, t. 2, f. 8.
1032. **Vagabundalis** Chr. Stett. e. Z. 1887 p. 166; Mém. Rom. V p. 53, t. 3, f. 7.
1033. **Limbata** L. S. N. ed. XII, 873; Praetextalis Hb. Verz. 354; Tr. X, 3, 18; Frr. 450; HS. IV p. 31; Hein. 94; Snell. II, 1, p. 69; Politalis Hb. 61; Dup. VIII, 218, 5, p. 184; Limbalis Gn. 372.
1034. **Anartalis** Stgr. Iris V t. 3, f. 17; ib. VI p. 72 (genus Maelinoptera).
1035. **Subfuscalis** Stgr. Hor. VII, 1870 p. 192, t. 2, f. 9.
1036. **Mundalis** Gn. 389; Submundalis Mill. Ann. Soc. Lyon 1883 p. 160, t. 2, f. 2.
1037. **Aenealis** Schiff. S. V. 123; Hb. 46; Tr. VII, 72, X, 3, 17; Dup. VIII, 235, 2, 3; HS. IV p. 25; Gn. 389; Hein. 94; Furvalis Hb. 58; Rufimitralis Hb. 120.
- Hisp. m.*
Hyrc.
Eur. (exc. reg. pol. et Ib.); Lyd; Sib; Amur; Am. s.
Iss. K.
Eur. c; Liv; Fen; Gal. m; It; Dalm; Ross. m; Am. s.
Maur.
Germ. m. oc; Sil; Austr. inf; Carn;
Sic.
Graec; Pont; Lyd; Hyrc; Tura.
Arm.
Arm; Tura.
Eur. c (exc. Angl.); It; Bale; Ross. m. or; Bith.
As. c; ?Syr.
Graec; Pont.
Gal. m. or; And. mont.
Eur. m. et c. or; Liv; Fen; Scand. m; Pont; Hyrc. (var.).

183. Crocidophora Ld. 1863.

1038. **Heterogenalis** Brem. Lep. O. S. p. 70, t. 6, f. 11.

Amur.

184. Nomophila Hb. 1818.

1039. **Noctuella** Schiff. S. V. 136; Hein. 91; Snell. II, 1, p. 62; Meyr. 410; Hmps. Ind. Moths. IV, 401; Pr. Z. S. 1899, 201; Hybridalis Hb. 114. 184; Tr. VII, 109; X, 3, 23; Dup. VIII, 220, 3; Wd. 1476; Zett. 971; HS. IV p. 42; Gn. 414.

Orb. terr.

185. Pachyzancla Meyr. 1884.

1040. **Licarsialis** Wlk. List. XVIII, 686; Hmps. Ind. Moths IV p. 402, f. 218; Pr. Z. S. 1899 p. 202; Serotinalis Joan. (L. & J.) Ann. S. Fr. 1888 p. 272, t. 6, f. 2.

Syr; Indo-Austral.

1041. * **Aegrotalis** Z. Caffr. 39; Hmps. Ind. Moths IV p. 405; Rbl. Ann. Naturh. Hofmus. XIII p. 373; Mutualis Z. Caffr. 40; Bipunctalis Hmps. Pr. Z. S. 1899, p. 204; ?F. E. S. III, 2 p. 227.
- a) v. *Dorsipunctalis* Rbl. l. c. VII p. 245; ib. IX p. 79; Dorealis Alph. (nec Gn.) Mém. Rom. V p. 230, t. 12, f. 7 (al. omnib. fascia antemarginali fuscescente).
- Orb. terr. trop.*
186. **Phlyctaenodes** Hb. 1818 (Euryereon Ld.).
1042. **Palealis** Schiff. S. V. 123 (1776); Hb. Vög. 32; Hb. 70; Tr. VII, 116, X, 3. 25; Dup. VIII, 220, 5. 6; Wd. 813; Gn. 385; Hein. 90; Snell. II, 1, p. 61; Meyr. 419; Hmps. Ind. Moths IV p. 409.
- a) ab. *Selenalis* Hb. 177; Dup. VIII, 235, 4 p. 361 (al. ant. supra macula media fusca).
- b) v. (ab.) *Algiralis* Allard Ann. S. Fr. 1867, p. 321, t. 6, f. 4 (al. ant. venis late fuscis, subtus minus nigro-signatis).
- Eur. c. et m; Norv. m;*
As. min. m; Syr;
Hyrc; Maur; Mad;
Amur; Jap; China; Ind. s.
1043. **Verticalis** L.S.N.ed.X, 533; Hein. 90; Snell. II, 1 p. 60; Leech Pyr. t. 5, f. 6; Meyr. 418; Hmps. Ind. Moths IV p. 409; Cinctalis Tr. VII, 97; Dup. VIII, 217, 5; Wd. 812; HS. IV p. 37; Gn. 386; Limbalis Hb. 72-3; Lavalis HS. IV, 37 [ab.].
- a) v. *Nigriciliialis* Rag. Bull. S. Fr. 1895 p. 98 (major, saturatiōn, ciliis atris).
- Eur. c; Scand. m;*
Petrop; Pyr; It; Ross.
m; As. min; Tura;
Amur; Jap; Ind. s.
1044. **Leucalis** Hmps. Tr. E. S. 1900, p. 388, t. 3, f. 14.
1045. **Straminealis** Hmps. Tr. E. S. 1900, p. 388, t. 3, f. 22.
1046. **Concoloralis** Ld. Wien. Mts. 1857 p. 100.
1047. **Sulphuralis** Hb. 166-7; Tr. VII, 118; Dup. VIII, 235, 7; Ev. F. V. U. 461; HS. IV p. 38; Gn. 385; Hein. 89.
1048. **Turbidalis** Tr. VII, 119; X, 3. 26; Dup. VIII, 236, 4. 5 p. 373; Frr. 114, 3. 4; HS. 73-6, IV p. 38; Gn. 384; Hein. 89; Flagellalis Dup. VIII, 236, 1. 2 p. 370; HS. IV p. 39; Gilvalis Hb. 154; Tr. VII, 120; HS. 72, IV p. 38; ?Dilutalis HS. 71, IV p. 37 [ab.].
1049. **Virescalis** Gn. 383; Hein. 89; Clathralis Dup. t. 236, 8. 9; HS. 47. 48, IV p. 38.
1050. **Phaeoneuralis** Hmps. Tr. E. S. 1900, p. 389, t. 3, f. 12.
1051. **Scalaralis** Chr. Hor. XII p. 275, t. 7, f. 46; Mém. Rom. II, t. 7, f. 13 (hujus generis?).
1052. **Clathralis** Hb. 168; Tr. X, 3. 27; Dup. VIII, 231, 3; Ev. F. V. U. 461; Comptalis Ld. z. b. V. 1855 p. 252.
- a) v. *Tesselalis* Gn. 383; Granatalis Stgr. Stett. e. Z. 1859 p. 220 (forma occidentalis, obscurior).
1053. **Aeruginalis** Hb. 133; Tr. VII, 121, X, 3. 28; Dup. VIII, 234, 8; HS. IV p. 34; Gn. 382; Hein. 88; Mill. Ann. Se. Nat. Cannes 1880, t. 9, f. 12; Olivalis Hb. 162.
1054. **Rhabdalnis** Hmps. Tr. E. S. 1900, p. 389, t. 3. f. 4.
1055. **Comptalis** Frr. 521, 4, VI p. 68; HS. 118, IV p. 115; Gn. 381, t. 5, f. 11.
1056. **Mucosalis** HS. 14. 15, IV p. 23; Gn. 178.
1057. ?**Sedacowialis** Ev. Bull. M. 1852 p. 165.
- Cauc.*
- As. min.*
- Syr.*
- Austr. inf; Morav;*
Hung; Turcs.; Ped;
Ross. m. or; ? Amur.
- Germ. m; Helv; Austr;*
Hung; Lio; It; Dalm;
Ross. m; Bith; Arm.
- Val; Ped; Teriol. m;*
Dalm.
- Tura.*
- Hyrc; Tura.*
- Ross. m. or; Pont;*
Arm.
- And; Gal. m; Cors.*
- Gal. m; It; Carn;*
Hung; Bulg; Ross.
m. or; Graec; Bith; Arm.
- Thian (Kuldscha).*
- Gal. m; Ross. m. or;*
Maur. (Obth.).
- Balc; As. min; Tura.*
- Sib. or.*

1058. **Nudalis** Hb. 90; Dup. VIII, 233, 4 p. 340; Gn. 403; Hmps. Ind. Moths IV, 407; Interpunctalis Hb. 128; Tr. VII, 128; Dup. VIII, 221, 2; HS. 59, 86, IV p. 26; Gn. 403; Unipunctalis Dup. VIII, 221, 5 p. 166; Gn. 404 [ab.]; Bipunctalis Dup. VIII, 221, 6; Gn. 404 [ab.]. *Eur. m.; As. min; Syr; Arm; Tura; Arab; Aegypt; Maur; Ind.*
1059. **Ustrinalis** Chr. Hor. XII p. 271, t. 7, f. 45; Mém. Rom. III, t. 2, f. 7; Excavatalis Rag. Iris V p. 294, t. 3, f. 14; Emiralis Obth. Et. XII p. 36, t. 6, f. 33. *Hisp. m; Maur; Hyrc; Tura.*
1060. **Subhyalinalis** Hmps. Tr. E. S. 1900, p. 390. *Syr; Ind. oc.*
1061. **Sticticalis** L. F. S. no. 1354; Tr. VII, 64, X, 3. 11; Dup. VIII, 215, 5; Wd. 834; Frr. 336; HS. IV p. 34; Gn. 381; Hein. 90; Snell. II, 1 p. 59; Meyr. 418; Hmps. Ind. Moths IV p. 407; Fuscalis Hb. 45. *Eur. (exc. reg. pol.); As. min; Arm; Thian. or; Sib; Amur; Beludschat; Am. s.*
1062. **Ziczac** Sauber. Ver. Naturw. Hamb. X (1899) p. 58. *Kuku Noor.*
1063. **Peltalis** Ev. Bull. M. 1842 p. 560, t. 6, f. 11; F. V. U. 471; HS. 93, 129, IV p. 34; Frr. V p. 83, t. 430, 4; Gn. 178. *Ross.m.or; Ural; Alt.*
1064. **Eversmanni** Stgr. Iris V, t. 3, f. 21; ib. VI p. 79. *As. c.*
1065. **Pustulalis** Hb. 191-2; Tr. X, 3. 15; Dup. VIII, 225, 1. 2 p. 230; HS. IV p. 24; Gn. 174; Hein. 54. *Germ; Austr; Hung; Pont; Lyd; Syr; Arm.*
1066. **Cruentalis** Hb. Zutr. 761-2; HS. IV p. 36; Gn. 371; Badialis Tr. X, 3. 9; Bourjotalis Dup. VIII, 231, 4 p. 313, IV, 80, 9 p. 381; F. R. p. 234, t. 90, 1. *Balc; As. min; Syr; Arm; Tura; Aegypt.*
1067. **Foviferalis** Hmps. Tr. E. S. 1900 p. 390. *Syr.*

187. Diasemia Gn. 1854.

1068. **Litterata** Sc. Ent. Carn. no. 574; Snell. II, 1 p. 71; Meyr. 404; Hmps. Ind. Moths IV p. 410; Litteralis Hb. 86; Dup. VIII, 222, 7; HS. IV p. 26; Gn. 233; Literalis Tr. VII, 131; Wd. 798; Literata Hein. 98; ?Reticularis L. F. S. ed. II p. 352. *Eur. (exc. reg. pol.); Bith; Chin. m. oc; Jap; Ind.*
1069. **Ramburialis** Dup. VIII p. 344, t. 233, f. 6; F. R. p. 281, t. 93, 3; HS. IV p. 26; Gn. 234; Hein. 99; Leech Pyr. t. 6, f. 2; Meyr. 404; Hmps. Ind. Moths IV p. 411, f. 222. *Austr; Gal; Engl; It; Eur.m.oc; Bith; Syr; Orb. terr. trop.*
1070. **Laetalis** Hmps. Tr. E. S. 1900 p. 390, t. 3, f. 27. *Ferg. (Namangan).*

188. Lepidoneura Hmps. 1899.

1071. **Grisealis** Hmps. Tr. E. S. 1900 p. 391, t. 3, f. 24.

Thian. (Kuldscha).

189. Antigastra Ld. 1863.

1072. **Catalaunalis** Dup. VIII p. 330, t. 232, 8; HS. 56-7, IV p. 25; Gn. 361; Knaggs Ann. 1868 p. 108, f. 4; Feld. & Rghfr. Nov. 135, 12; Mill. Ic. 135, 6-8; Leech Pyr. t. 6, f. 3; South Entom. 1890 p. 277, t. 3, f. 4; Meyr. 405; Hmps. Ind. Moths IV p. 412, f. 224. *Eur. m. oc; Engl; It; Istr; Dalm; As. min; Arab; Ind; Afr. trop.*

190. Mecyna Gn. 1854.

1073. **Polygonalis** Hb. Vög. 76; Meyr. 418; Limbalis (S.V.) Tr. VII, 111, X, 3. 24; Frr. 450; HS. IV p. 32; Hein. 67; Rusticalis Hb. 121; Gn. 411 (forma obscurior, al. post. fascis, in disco sordide luteis). *Eur. c. (exc. Bat.).*

- a) v. et ab. *Gilvata* F. E. S. 290; Hmps. Ind. Moths IV, 418; *Polygonalis* Hb. 67, 204-5; Tr. VII, 112, X, 3. 25; HS. IV p. 32; Dup. VIII, 220, 1; Gn. 407; Mill. Ic. 12, 1. 2; Hein. 68; Leech. Fyr. t. 4, f. 3; *Diversalis* Hb. 102; Tr. VII, 112; Wd. 807; Dup. VIII, 232, 2; *Polygonalis* HS. 91 [ab.]; *Teriadalis* Gn. 410; Obth. Et. XII p. 39, t. 7, f. 44; *Meridionalis* Wck. Cat. ed. II p. 209 (forma laetus picta, inconstans, al. ant. saepe rufescent.; al. post. flavis, nigro-marginatis).

Eur. m. et c. (ab.); As. min; Syr; Tura; Aegypt; Maur; Can; Mad; Ind.

191. Calamochrous Ld. 1863.

1074. **Acutellus** Ev. Bull. M. 1842 p. 563; F. V. U. 540; Höfn. Jhrb. Kärnt. XVII (1885) p. 220; Hmps. Pr. Z. S. 1899 p. 228; *Cilialis* HS. 60, IV p. 8; *Acutalis* Gn. 238.
1075. **Pallidalis** Hmps. Tr. E. S. 1900 p. 391.

Car; Istr; Hung; Sic; Ross. m. or; Tura.

Ferg. m.

192. Cybolomia Ld. 1863.

1076. **Nemausalis** Dup. VIII, 236, 7 p. 377; Gn. 240; *Argillacealis* Z. Is. 1847, 579; HS. 82, IV p. 41; Gn. 396.
1077. **Dulcinalis** Tr. X, 3, 35; HS. 12, 13, IV p. 24; Gn. 171. (exc. Graec.)
1078. **Praecultalis** Rbl. Ann. Naturh. Hofmus. XI p. 111. t. 3, f. 2.
1079. **Pentadalis** Ld. z. b. V. 1855 p. 217, t. 3, f. 13; Wien. Mts. 1863 p. 420.
1080. **Gratiosalis** Chr. Méém. Rom. III p. 40, t. 2, f. 9.
1081. **Lutosalis** Mn. Wien. Mts. 1862, 387, t. 3, f. 6.
1082. **Inglorialis** Hmps. Tr. E. S. 1900 p. 392.
1083. **Siccalis** Gn. 240, t. 7, f. 10; *Glyceralis* Stgr. Stett. e. Z. 1859, 220; *Sexpunctalis* Chrét. Natural. 1891 p. 67.
1084. **Fractilinealis** Ersch. Hor. X p. 42; Fedtsch. t. 5, f. 82; Hmps. Ind. Moths IV p. 445.

Gal. m; Sic; Dalm; Graec; Lyd.

Hung; Eur. m. or.

Ten.

Lyd; Syr.

Arm.

Ter. m; Dalm; Bith.

Hyrc; Saraw.

And; Gal. m.

Pers. s; Tura;
Kaschmir.

193. Prochoristis Meyr. 1890.

1085. **Rupicapralis** Ld. z. b. V. 1855 p. 218, t. 3, f. 12; Hmps. Pr. Z. S. 1899 p. 230, f. 136.
1086. **Capparidis** Chr. Hor. XII (1876) p. 272, t. 7, f. 43.
- a) v. *Daghestanica* Chr. l. c. 273, f. 44 (obscurior, strigis plumbeis maculaque media dilatatis).
1087. **Crudalis** Ld. Wien. Mts. 1863 p. 468, t. 10, f. 5 (hujus gener.?).
1088. **Simplicialis** (r. -cialis) Brem. Lep. O. S. p. 71, t. 6, f. 13.

Syr; Tura.

Hyrc.

Cyprus; Syr.

Sib. or.

194. Cynaeda Hb. 1818 (Odontia Dup.).

1089. **Dentalis** Schiff. S. V. p. 120; Hb. Btr. I, 4, 2, M; Hb. 25; Tr. VII, 54; Dup. VIII, 215, 1; Wd. 837; Frr. 564; HS. 120, IV p. 15, VI p. 140; Gn. 112; Hein. 55; Snell. II, 1 p. 65; Meyr. 419; Radiata Esp. IV, t. 96, 2. 3.
- a) v. *Gigantea* Wck. Cat. ed. II p. 206 (multo major, interdum laetus picta [trans ad sequ. var.]).
- b) v. *Furiosa* Hmps. Tr. E. S. 1900 p. 392 (major, alis laete rufo-mixtis).

Eur. c. et m; As. min.

Pont; Syr.

Ferg.

195. **Titanio** Hb. 1818.

1090. **Pollinalis** Schiff. S. V. p. 124; Hb. Btr. II, 1, 3, R; Hb. 29; Tr. VII, 202; Dup. VIII, 226, 5; Ev. F. V. U. 476; HS. IV p. 16; Hein. 52; Snell. II, 1, p. 35; Bigutta Esp. (Noct.) IV, 163, 5.
a) v. (ab.) *Guttulalis* HS. 96-7, IV p. 16; Gn. 149; Rbl. z. b. V. 1892 p. 612 (minor [flavescens] al. ant. lineola alba e media basi deficiente).
1091. **Cacuminalis** Ev. F. V. U. 476; HS. 26-7, IV p. 17; Gn. 150.
1092. **Multiguttalis** Stgr. Hor. VII (1870) p. 200, t. 2, f. 16 (praec. var.?).
1093. **Eponyma** Meyr. Tr. E. S. 1890 p. 454; Moeschleri Rom. (nec Chr.) Mém. Rom. III p. 22, t. 1, f. 11.
1094. **Sartalis** Hb. 173-4; HS. IV p. 16; Gn. 150; Cuncalis HS. n. Schm. 76-7 p. 11.
1095. **Magnificalis** Chr. Hor. XII p. 266, t. 7, f. 35.
1096. **Hesperialis** Hmps. Tr. E. S. 1900, p. 393, t. 3, f. 5.
1097. **Pulchellalis** Stgr. Iris V, t. 3, f. 20; ib. VI p. 71.
1098. **Venustalis** Ld.z.b.V 1855 p. 250; Stgr. Hor. XV p. 164; Rom. Mém. Rom. III, t. 1, f. 10; Echinaea Meyr. Monthl. Mag. 1891 p. 50.
1099. **Normalis** Hb. 41. 110; Tr. VII, 175; Dup. VIII, 225, 7; HS. 98, IV p. 16; Gn. 151; Hein. 47; Comitalis Hb. 180.
a) v. *Ankyrensis* Hofm. Iris X, 236 (dilutior, fasciis albis latioribus).
1100. **Originalis** HS. n. Schm. 78 p. 11.
1101. **Modestalis** Chr. Hor. XII p. 267, t. 7, f. 38.
1102. **Ephippialis** Zett. Ins. Lap. 971; Möschl. Wien. Mts. 1860, t. 10, 8 p. 377; Wk. Stett. e. Z. 1862 p. 34; 1864 p. 191; Pack. Labr. p. 52; Frigidalis Gn. 157, t. 7, f. 7; Scandinavianialis Gn. 156.
1103. **Pyrenaealis** Dup. Sup. IV, 82, 6 p. 400; HS. IV p. 17; Gn. 153; Hein. 48; Simponialis HS. 31-4.
1104. **Sericatalis** HS. 28-30, IV p. 17; Gn. 154.
1105. **Schrankiana** Hochenw. Btr. VI p. 336, t. 7, f. 6 (1785); Hein. 49; Lugubrina Esp. IV, t. 189, f. 4; Holosericalis Hb. 112; Tr. VII, 181, X, 3. 38; Dup. VIII, 234, 6, 7; Zett. 975; Gn. 154; HS. VI p. 140.
1106. **Phrygialis** Hb. 42; Ld. Wien. Mts. 1863 p. 354; Hein. 50; Z. Stett. e. Z. 1878 p. 83; Rupicolalis Hb. 139. 198-200; Tr. VII, 181, X, 3. 38; Dup. VIII, 227, 2; Gn. 154; Monedula Esp. IV, 197, 5. 6; Sericealis Hb. 43 [obscurior, spec. detrit.?).
a) v. *Nevadalis* Stgr. Stett. e. Z. 1859, 220; Schrankiana Stgr. Hor. VII p. 201 [pr. p.] (minor, obscurior, fere unicolor fuseo-aenea).
1107. **Nanalis** Chr. Hor. XXII (1888) p. 310; Obscura Warr. Ann. & Mag. (6) IX p. 175 (1892); Staudingeri Baker Monthl. Mag. 1893 p. 204 (genus Hercynella Baker).
1108. **Margelana** Baker Monthl. Mag. 1893 p. 205.
1109. **Luedersi** Sauber Ver. Naturw. Hamb. X (1899) p. 48 (genus Hypercyna).
1110. **Zachlora** Meyr. Monthl. Mag. 1891 p. 11.
1111. **Heliothalis** Stgr. Iris V, t. 3, f. 18; ib. VI p. 74.
- Eur. c. (exc. Angl.) et m.; ? Fen; As. min.; Maur; Austral; Am. s.*
Dalm; Graec.
- Ross. m.*
Graec; Pont; Arm.
- Arm.*
- Srp.*
- Hyrc; Saraw.*
Mong. (Uliassutai).
Saraw.
Graec; Pont; Taur;
Arm.
- Eur. m; Austr. inf;*
Morav. m; Hung;
Bulg; As. min; Maur.
As. min. c.
- ?Srp; Syr.*
Hyrc; Saraw.
- Norv. mont; Lap.*
Suec; Labr.
- Alp; Pyr.*
- Bith.*
Alp; Scand. mont;
Fen. s; Pyr; Cast.
mont; Cauc; Kamt.
- Alp; Scand. mont;*
Hal. mont; Bosnia;
Pyr; Arm; Ural.
- And. mont; Graec.*
mont.
- Hyrc.*
- Hyrc.*
Iss. K.
- Maur. m.*
Ferg. m; Pamir.

1112. **Sultanalis** Stgr. Iris V, t. 3, f. 17; ib. VI p. 75.
a) v. *Splendens* Stgr. l. c. (major, alis ant. fasciis plumbeis,
al. post. luteis, fascia marg. angustiore nigra).
1113. **Metaxanthalis** Hmps. Tr. E. S. 1900, p. 394, t. 3, f. 29.

196. **Metasia** Gn. 1854.

1114. **Octogenalis** Ld. Wien. Mts. 1863 p. 421 et 481, t. 15, f. 10.
1115. **Suppandalis** Hb. 187; Tr. VII, 50; Dup. VIII, 214, 5
p. 81; HS. IV p. 13; Gn. 252.
1116. **Hymenalis** Gn. 252; Rag. Ann. S. Fr. 1894 p. 169 (praec.
var. *albicans*?).
1117. **Ochrifascialis** Chr. Hor. XVII p. 121; Mém. Rom. III
t. 2, f. 10.
1118. **Inustalis** Rag. Ann. S. Fr. 1894 p. 169.
1119. **Virginialis** Rag. Ann. S. Fr. 1894 p. 170
1120. **Ossealis** Stgr. Hor. XV (1880) p. 182.
1121. **Ibericalis** Rag. Ann. S. Fr. 1894 p. 170.
1122. **Rosealis** Rag. Bull. S. Fr. 1895 p. 98.
1123. **Carnealis** Tr. VII, 91; HS. 40 (nec 39) IV p. 13 (pr. p.);
Gn. 246; Hein. 100; Rag. Ann. S. Fr. 1890 p. 452.
a) v. *Gigantalis* Stgr. Hor. VII (1870) p. 185, t. 2, 8 (major).
1124. **Albicostalis** Hmps. Tr. E. S. 1900, p. 392.
1125. **Olbiensis** Gn. 251; Mill. Ann. S. Fr. 1886 p. 9, t. 1, f. 11,
12; Rag. ib. 1890 p. 452.
a) ab. *Aegitnalis* Mill. l. c. p. 10; *Olbiensis* Mill. Ic. 95,
3, 4 (obscurior, indistinctius signata).
1126. **Corsicalis** Dup. VIII, 230, 6 (7) p. 306; Rag. Ann. S. Fr.
1890 p. 451; 1894 p. 171; *Carnealis* HS. 39 (nec 40);
Mill. Ic. 150, 22, 23; *Infidalis* Mn. z. b. V. 1855 p. 550.
1127. **Cuencalis** Rag. Ann. S. Fr. 1894 p. 171 (praec. var.?).
1128. **Ophialis** Tr. VII, 90; X, 3, 20; F. R. p. 9, t. 6, 2; Dup.
VIII, 232, 6; HS. 38, IV p. 14; Gn. 246.
1129. **Adelalis** Gn. 245; Mill. Ic. II p. 424, t. 95, f. 1, 2.
1130. **Mendicalis** Stgr. Hor. XV p. 183.
1131. (*) **Hodiusalis** Wlk. List. XVIII p. 706; *Medialis* Wlk.
List. XXXIV p. 1432.
1132. **Monialis** Ersch. Hor. VIII (1871) p. 317; Fedtsch., t. 5,
f. 83; Hmps. Ind. Moths. IV p. 422, f. 233.
1133. **Sancta** Hmps. Tr. E. S. 1900, p. 392.

197. **Epimetasia** Rag. 1894 (Metasiooides Rag.).

1134. **Vestalis** Rag. Ann. S. Fr. 1894 p. 172.
1135. **Rhodobaphialis** Rag. Ann. S. Fr. 1894 p. 173.

198. **Pionea** Gn. 1854.

1136. **Pandalis** Hb. Verz. 355; Tr. VII, 103; HS. 88, IV p. 29;
Dup. IV, 82, 2; Gn. 334; Hein. 71; Snell. II, 1, p. 50;
Meyr. 417; Hmps. Pr. Z. S. 1899 p. 242; *Verbascalis*
Hb. 59; *Angustalis* Hw. 379; Wd. 815; *Oblitalis*
Dup. Suppl. IV, 82, 4.
a) v. *Bergunensis* Z. Stett. e. Z. 1878 p. 90 (magis grisescens,
strigis fuscis latioribus).

*Saraw.**As. c.**Iss. K.**Taur.m; Syr; Cyprus.**Eur. m. (exc. Ross.
m.); As. min; Maur.
Gal. m; Cast; And.**Arm; Tura.**Mesop.**Mesop.**Pont.**Cast; Lusit.**Taur. m.**Austr. inf. (Mn.);
Balc; Bith; Syr.**Graec; Dalm; Sic.**Syr.**Gal. m; Cat.**Cors; Gal. m; Cat;
Maur. (Obth.).**Cast.**Morav.m; Ter. et Car.
m; Istr; Gal. m; It.
c; Hung; Balc; Pont; Bith.**Gal. m.**Pont.**? Amur. (Hmps.);
China; Borneo.**Tura; Saraw; Ind. s.**Syr.**Eur. c. et s. (exc. reg.
pol.); Bith; Jap.**Helv. or.*

1137. **Institutionis** Hb. 182; Dup. Suppl. IV, t. 80, f. 8; HS. IV p. 41; Gn. 393; Hein. 77; Mill. Ic. 140, 7-9. *Germ.c.oc; Liv; Hung; Gal; It; Bith; Hyrc; Maur. or. Sic; Gal. m.*
- a) v. (et ab.) **Ferreralis** Dup. 231, 6 p. 317; Gn. l. c. (al. ant. maculus nullis).
1138. **Confinalis** Ld. Wien. Mts. 1858 p. 149, t. 4, f. 4. *Syr.*
a) v. **Graecalis** Stgr. Hor. VII 1870, 199, t. 2, f. 15 (al. ant. laete citrinis). *Graec.*
1139. **Fimbriatalis** Dup. VIII, 234, 3 p. 352; HS. 119, IV p. 33, VI p. 142; Gn. 361; Stgr. Hor. VII p. 197. *Graec. m; Bith.*
- a) ab. **Veneralis** Stgr. l. c. p. 198, t. 2, 14 (al. ant. innotatis ochraceis). *Graec.*
1140. **Testacealis** Z. Is. 1847, 571; **Ochrealis** Dup. VIII, 219, 1 p. 140; HS. 90, IV p. 28; Hein. 74; **Rubetralis** Gn. 359; **Oxybialis** Mill. Rev. & Mag. Zool. 1872 p. 62; Ic. 135, 4, 5. *Eur. m; Ter. m; Val; Bith; Syr.*
1141. **Crocealis** Hb. 71; Tr. X, 3, 21; F. R. p. 212, t. 75, f. 2; HS. IV p. 28; Gn. 359; Hein. 74; Snell. II, 1 p. 51; Meyr. 408; **Ochrealis** Hb. 146; Tr. VII, 92. *Eur. c. et m; Bith; Arm.*
1142. **Languidalis** Ev. Bull. M. 1842, III p. 559; **F. V. U.** 457; **Arabescalis** HS. n. Schm. 79, p. 12. *Transsylv; Rum. or; Dalm; ?Gal.m.(Mill.); Ross. m. or; Pont; Tura.*
1143. **Ferrealis** Hmps. Tr. E. S. 1900 p. 394, t. 3, f. 19. *Amur.*
1144. **Gracialis** Brem. Lep. O. S. p. 71, t. 6, f. 14. *Sib. or.*
1145. **Perochrealis** Chr. Mém. Rom. III p. 35, t. 2, f. 6. *Arm.*
1146. **Fulvalis** Hb. 147; Tr. VII, 95, X, 3, 20; F. R. p. 10, t. 6, 3, p. 211, t. 75, 1; Dup. VIII, 219, 3; Gn. 396; Hein. 77; Snell. II, 2 p. 1073. *Eur. c. (exc. Angl.) et m. or; Liv; Fen; Bith; Pont; Sib; Amur. Sic; Rum. or.*
- a) v. **Prunoidalis** Stgr. Hor. XV p. 177 (cinerascens, al. post. obscurioribus).
1147. **Perfervidalis** Hmps. Tr. E. S. 1900 p. 395, t. 3, f. 3. *Syr.*
1148. **Tritalis** Chr. Bull. M. 1881, I p. 20. *Amur; Uss; China s.*
1149. **Caliginosalis** Rag. Ann. S. Fr. 1894 p. 166. *Amur.*
1150. **Defectalis** Sauber Ver. Naturw. Hamb. X p. 55 (1899). *Kuku Noor.*
1151. **Ferrugalis** Hb. 54, 150; Tr. VII, 94, X, 3, 20; Wd. 822; Dup. VIII, 218, 7; HS. IV p. 39; Gn. 398; Hein. 76; Snell. II, 1 p. 55; Meyr. 409; Hmps. Ind. Moths IV p. 422; **Testacea** Butl. Ill. Het. III p. 77, t. 59, f. 15. *Eur. c. et m; As. min; Syr; Aegypt; Maur; Can; Mad; Ind; Jap.*
1152. **Maderensis** Baker Tr. E. S. 1894 p. 584. *Mad.*
1153. **Atlanticum** Baker Tr. E. S. 1894 p. 584. *Mad.*
1154. **Elutalis** Schiff. S. V. 121; F. R. p. 272, t. 92, 1; HS. 16, IV p. 40; Gn. 394; Hein. 81; **Albidalis** Hb. 118; Zett. Ins. Lap. 970. *Germ; Helv; Austr.-Hung; Liv; Fen; Lap.*
1155. **Silvalis** Joan. (L. & J.) Bull. S. Fr. 1891 p. 82; Nov. Lep. p. 134, t. 18, f. 9. *Syr.*
1156. **Prunalis** Schiff. S. V. 121; Tr. VII, 55, X, 3, 10; Dup. VIII, 215, 3; Wd. 836; Frr. 114, 2; HS. IV p. 40; Gn. 394; Hein. 78; Snell. II, 1 p. 56; Meyr. 409; **Leucophaealis** Hb. 77; **Nebulalis** Hw. 386. *Eur. c. et s. (exc. reg. pol.); Gal. m. or; It. s.*
1157. **Scorialis** Z. Is. 1847 p. 566; HS. 81, IV p. 40; Gn. 394; Hein. 79. *Sic.*
1158. **Inquinatalis** Z. Is. 1846 p. 205; HS. 80, IV p. 41; Gn. 395; Wck. Stett. e. Z. 1862 p. 31; Hein. 79; Nolck. Fn. II, 308; **Glacialis** Pack. Labr. XI p. 52. *Eur. s; Alp; Labr.*

1159. **Stachydalis** Germ. Fn. I. E. IV, t. 18; Metzner Stett. e. Z. 1846, 242; HS. 114, IV p. 130; Gn. 363; Hein. 75; Snell. II, 1 p. 54; Leech Pyr. t. 5, f. 3; South Entom. 1890 p. 275, t. 4, f. 10; Meyr. 416.
1160. **Verbascalis** Schiff. S. V. 121; Tr. VII, 88; F. R. p. 48, t. 27, 3; Dup. VIII, 218, 1; Gn. 363; Hein. 75; Snell. II, 1 p. 54; Meyr. 416; Hmps. Ind. Moths IV, 423; Arcualis Hb. 80.
- a) v. *Egentalis* Chr. Bull. M. 1881, I p. 19 (al. elongatioribus, obfuscatis, strigis obsoletis).
1161. **Orbicentralis** Chr. Bull. M. 1881, I p. 22.
1162. **Vestalis** Hmps. Tr. E. S. 1900 p. 395.
1163. **Forficalis** L. S. N. ed. X p. 533; Hb. 58; Tr. VII, 122; Dup. VIII, 219, 6; Wd. 806; Frr. 670, 3; HS. IV p. 36; Gn. 369; Hein. 93; Snell. II, 1 p. 64; Meyr. 425; Hmps. Ind. Moths IV p. 425; Sodalis Butl. Ill. Het. II p. 59, t. 39, f. 4.
1164. **Africalis** Gn. 369; Obth. Et. XII p. 37, t. 7, f. 43; Hmps. Pr. Z. S. 1899, 247; Chrét. Bull. S. Fr. 1899 p. 162 [larv.]; Zonalis Lah. Contr. p. 20.
1165. ? **Conquisitalis** (Gn.) Luc. Expl. Alg. p. 403, t. 4, f. 9; Gn. 370.
1166. **Rubiginalis** Hb. 79; Tr. VII, 87; F. R. p. 48, t. 27, 2; Dup. VIII, 218, 2; HS. IV p. 30; Gn. 363; Hein. 76; Ferugalis Hb. Vög. 68.
1167. **Numeralis** Hb. 89; Tr. VII, 129; Dup. VIII, 221, 3. 4; HS. 69, 70, 79, IV p. 39; Z. Is. 1847 p. 586; Gn. 399; Simplicella Lah. Contr. no. 51.
1168. **Illutalis** Gn. 400; Obth. Et. XII t. 7, f. 45; Dilutalis Gn. Expl. Alg. p. 401, t. 4, f. 6.
1169. **Dispunctalis** Gn. 396; Hein. 80; Bipunctalis HS. 140-1.
1170. **Lutealis** Hb. 145; Hw. 380; Gn. 392; Hein. 81; Leech Pyr., t. 3, f. 10; Meyr. 408; Institalis Steph. (nee Hb.) Ill. IV p. 56; Pascualis Z. Is. 1846, 206; HS. 64-6, IV p. 41.
1171. **Nebulalis** Hb. 51; Tr. VII, 62, X, 3. 11; HS. 11, 12, IV p. 33; Gn. 392; Dup. IV, 82, 3; Hein. 82; Squalidalis Hb. 144; Pinetalis Zett. 970; Pratalis Z. Stett. e. Z. 1841, 176.
1172. **Decrepitialis** HS. 67-8, IV p. 40; Gn. 399; Wck. Stett. e. Z. 1861 p. 33; Hein. 84; Leech Pyr. t. 4, f. 21; Meyr. 415.
1173. **Itysalis** Wlk. List. XIX p. 828; Turmalis Grote Can. Ent. XIII p. 33; Hyperborealis Möschl. Stett. e. Z. 1874 p. 163.
1174. ? **Radiosalis** Möschl. Stett. e. Z. 1883 p. 123.
1175. **Olivalis** Schiff. S. V. 123; Tr. VII, 65; Dup. VIII, 231, 2; Wd. 835; HS. IV p. 42; Gn. 393; Hein. 80; Snell. II, 1 p. 57; Leech Pyr. t. 3, f. 11; Meyr. 415; Umbralalis Hb. 52.
- a) v. *Transbaicalis* Stgr. Iris X p. 343 (al. ant. fascia submarginali alba).
1176. **Albescentalis** Hmps. Tr. E. S. 1900 p. 395.
1177. **Albifuscalis** Hmps. Tr. E. S. 1900 p. 395, t. 3, f. 31.
1178. **Leucopeplalis** Hmps. Tr. E. S. 1900 p. 396, t. 3, f. 7.
- Eur. c; Suec. m; Hisp. s; Sard; Graec.*
- Eur. c; Ross. s. oc; Hisp. s; Sic; Dalm; As. min; Syr; Maur.*
- Amur.*
- Uss; Jap; China s.*
- Taur.*
- Eur.(exc. Ib. m. et reg. pol.); Arm; As. c; Himal; Jap.*
- Maur; Sic.*
- Maur.*
- Eur. c. (exc. Bat., Angl.) et m; Petrop; As. oc; Sib; Amur.*
- Eur. m; Bith; Lyd; Maur.*
- Maur.*
- And; Sic; Syr; Arm.*
- Alp; Herc. mont; Angl; Scot. mont; Ross. oc; Cauc; Mong.*
- Alp; Sil. mont; Norv; Suec. mont; Ross. s. oc.*
- Alp; Sil. mont; Scot. mont; Ross. s. oc; Norv; Lap.*
- Am. s; Labr.*
- Labr.*
- Eur. c; Liv; Fen; Arm.*
- Daur; Cauc. (trans.).*
- Taur.*
- Ferg.*
- Saraw.*

1179. **Costalis** Ev. Bull. M. 1852 p. 166; **Hilaralis** Chr. Bull. M. 1881, I p. 23; Stgr. Iris V p. 386.
1180. **Fulcrialis** Sauber Ver. Naturw. Hamb. X p. 57 (1899).
1181. **Cyanalis** Lah. Pyr. p. 30, t. 1, f. 4; HS.VI p.142; Hein. 79.
199. **Paratalanta** Meyr. 1890.
1182. **Ussurialis** Brem. Lep. O. S. p. 68, t. 6, f. 6 (1864); Hmps. Pr. Z. S. 1899 p.251, f. 147; **Cultralis** Stgr. Stett. e. Z. 1867 p.108; Mill. Ic. II, t. 85, 17; Rom. Mém. Rom. III p. 30, t. 2, f. 4; **Labutonalis** Ld. Hor. VIII p. 22, t. 2, f. 9.
200. **Pyrausta** Schrk. 1802 (Botys aut.).
1183. **Cilialis** Hb.119; Tr.VII, 124; Curt. XII, 559; Stph. IV, 53; Wd. 821; Hein.68; Nolek. Stett. e. Z. 1869 p. 272; Leech Pyr. t. 6, f. 4; Meyr. 408; **Virgata** Reutti Lep. Fn. 139; **Venosalis** (Lienig) Nolek. Nat.Ver. Riga 1848, I p. 283, t. 1, f. 10!; **Virgatalis** Chr. Bull. M. 1881, I p. 38.
1184. **Fulvicoloralis** Hmps. Tr. E. S. 1900 p. 396.
1185. **Gutturalis** Stgr. Hor. XV p.175.
1186. **Expiatalis** Chr. Bull. M. 1881, I p.36; Stett. e. Z. 1893 p.35.
1187. **Terrealis** Tr. VII, 110; X, 3. 23; F. R. p. 214, t. 75; Frr. 456; HS. IV p. 27; Gn. 339; Hein. 69; Meyr. 409; Hmps. Pr. Z. S. 1899 p. 255; **Humilalis** Ld. Wien. Mts. 1863 p. 371, t. 9, f. 2.
1188. **Fuscalis** Schiff. S. V. 121; Tr. VII, 96, X, 3. 21; Wd. 827; HS. IV p. 27; Snell. II, 1 p. 52; Meyr. 410; Hmps. Pr. Z. S. 1899 p. 254; **Cineralis** Hb. 66; Dup. VIII, 216, 6. 7; **Fimbrialis** Stph.IV, 56; Wd. 828; **Deceptalis** Lah. N. Denkschr. XX p. 37.
1189. **Accolalis** Z. Stett. e. Z. 1867 p. 190.
1190. **Pauperalis** Stgr. Hor. XV p. 173.
1191. **Sambucalis** Schiff. S. V. 121; Hb. 81; Tr. VII, 83; Wd. 803; Dup. VIII, 218, 3; Gn. 364; Hein. 74; Snell. II, 1 p. 53; Leech Pyr. t. 5, f. 2; Meyr. 410.
1192. **Luctualis** Hb. Vög. 2; Hb. 88; Tr. VII, 200, X, 3. 43; HS. 63, IV p. 20; Gn. 184; Hein. 57; **Unigutta** Esp. IV, t. 183, I. 2; **Diversa** Butl. Tr. E. S. 1884 p. 585.
1193. **Ecteinialis** Hmps. Tr. E. S. 1900 p. 396.
1194. **Discimaculalis** Hmps. Tr. E. S. 1900 p. 397.
1195. **Varialis** Brem. Lep. O. S. p. 69, t. 6, f. 9; **Latipennis** Warr. Ann. & Mag. (6) IX p. 295 (1892).
1196. **Griseofumalis** Hmps. Tr. E. S. 1900 p. 397.
1197. **Incoloralis** Gn. 333; Warr. Entom. 1891 p. 183; Hmps. Ind. Moths IV p. 438; **Ruficostalis** Ld. z. b. V. 1855 p. 217, t. 3, f. 11.
1198. **Retowskyi** Möschl. Stett. e. Z. 1888 p. 128.
1199. **Repanalis** Schiff. S. V. 120; HS. IV p. 27; Gn. 329; Hein. 68; South Entom. 1890 p. 275, t. 4, f. 6; Meyr. 415; **Pallidalis** Tr. VII, 59, X, 3. 22; Hb. 115; Dup. VIII, 232, 7.
- Amur; Sib. or. m;*
Mong.
- Kuku Noor.*
- Helv; Germ.oc; Alsat;*
Hung. m. or.
- Hyre; Arm; Alt;*
Amur; Jap; China.
- Germ; Austr.inf; Liv;*
Angl; Gal; Ped; Val;
Amur.
- Uss.*
- Pont; Taur; Syr.*
- Uss.*
- Eur. c. et s. (exc. reg.*
pol.); Arag; It; Dalm;
Bith; Alt; Afghanist;
Am. s.
- Eur.c.ets; Hisp.s; It;*
As. min; Sib; Arm;
Amur.
- Austr; Hal; Fen;*
Ped; Ross. m. oc; Tura.
- Pont.*
- Eur.c; Liv; Fen; Sic;*
Dalm; Graec; Bith;
Arm; Sib; Amur; Maur.
- Germ; Austr; Hung;*
Ross; Ped; Amur;
Jap.
- Thian (Korla).*
- Uss; Jap.*
- Sib. or; Uss; Jap.*
- Arm.*
- And; It. m; Syr; Can.*
oc; Afr. trop; Ind.-
Austral.
- Crim.*
- Eur. c. (exc. Bat.) et*
m; As. min; Maur.

1200. **Perlucidalis** Hb. 143; Tr. VII, 62; HS. 89, IV p. 29; Gn. 334; Hein. 72; **Commelalis** Chrét. Natural. 1891 p. 99; 1893 p. 65 (larv.). *Austr; Gal; Dalm; Bith.*
1201. **Coenalis** Hmps. Tr. E. S. 1900, p. 398. *Amur.*
1202. **Murcialis** Rag. Bull. S. Fr. 1895 p. 23. *Hisp. m. (Murcia).*
1203. **Moderatalis** Chr. Bull. M. 1881, I p. 25. *Amur; Uss; Jap.*
1204. **Designatalis** Chr. Mém. Rom. III p. 28, t. 2, f. 3. *Arm.*
1205. **Flavalis** Schiff. S. V. 121; Hb. Vög. 72; Hb. 69; Tr. VII, 99; Wd. 819; Dup. VIII, 217, 7, 8; Gn. 334; Hein. 73; Snell. II, 1, p. 51; Leech Pyr. t. 4, f. 6; Meyr. 415. *Daur; Amur; Kamt; ?Maur.*
- a) v. (ab.) **Lutealis** Dup. VIII p. 331, t. 233, 1; Gn. 335; **Citralis** HS. IV p. 28, VI p. 141 (saturatior, alis supra fere innotatis). *Gal. m; And; Ter. m. etc.*
1206. **Trinalis** Schiff. S. V. 317; Hb. Vög. 74; Hb. 68; Tr. VII, 105, X, 3. 23; Dup. VIII, 218, 6; HS. IV p. 31; Hein. 73. *Austr. inf; Hung; Hal; Eur. m; Bith; Hyrc; Arm.*
- a) v. **Auralis** Peyer. Pet. Nouv. 1872 p. 232; Mill. Ic. 141, 1-3; **Bornicensis** Fuchs Stett. e. Z. 1876 p. 105, 1877 p. 146, 1879 p. 43 (major, saturatior, fascia antimarginali fusca intus minus distincte cincta, strigis fuscis latioribus). *Alsat; Germ. c. oc.*
- b) v. **Marcidalis** Fuchs Stett. e. Z. 1879 p. 46; v. **Pontica** Stgr. Hor. XV (1880) p. 170; v. **Andalusica** Stgr. l. c. 171 [trans.]; v. **Tripunctalis** Obth. Bull. S. Fr. 1887 p. 99; Et. XII p. 37, t. 6, f. 41 (dilutior, al. ant. maculis tribus multo minoribus [punctiform.], fascia antimarginali fusca subnulla). *Pont; Hyrc; And; Maur.*
1207. **Amasialis** Stgr. Hor. XV p. 171 (1880); **Trinalis** v. **Pontica** Chr. (nec Stgr.) Mém. Rom. II p. 146, t. 7, f. 12. *Pont; Tura.*
1208. **Pachyceralis** Hmps. Tr. E. S. 1900, p. 398, t. 3, f. 26. *Taur. m.*
1209. **Biternalis** Mn. Wien. Mts. 1862 p. 385, t. 3, 7. *Bith.*
1210. **Gracilis** Butl. Ill. Het. III p. 74, t. 59, f. 4; **Explicatalis** Chr. Bull. M. 1881, I p. 16. *Amur; Uss; Jap.*
1211. **Cuprinialis** Rag. Bull. S. Fr. 1895 p. 97. *Taur. m.*
1212. **Clausalis** Chr. Bull. M. 1881, I p. 18. *Amur; Uss.*
1213. **Vastalis** Chr. Mém. Rom. III p. 33, t. 2, f. 5. *Arm.*
1214. **Praepetalis** Ld. Hor. VI, 1869 p. 90, t. 5, f. 11. *Pont; Hyrc; Thian or.*
1215. **Appositalis** Ld. Wien. Mts. 1858 p. 148, t. 4, f. 3. *Syr.*
1216. **Lutulentalis** Ld. Wien. Mts. 1858 p. 149, t. 4, f. 2. *Syr.*
1217. **Russulatalis** Hmps. Tr. E. S. 1900, p. 398. *Hyrc; Ferg.*
1218. **Nubilalis** Hb. 94 ♂; Robin & Laboulbéne Ann. S. Fr. 1884 p. 5, t. 1, f. 1-4; Leech Pyr., t. 4, f. 4, ♂, ♀; Meyr. 416; Hmps. Ind. Moths IV p. 435; **Silacealis** Hb. 116 ♀; Tr. VII, 81, X, 3. 17; Dup. VIII, 217, 4; Frr. 96; HS. IV p. 30; Snell. II, 1, p. 49; **Lupulinalis** Gn. 331; **Zealis** Gn. 332; **Lupulina** Hein. 70. *Eur. c. et m; As. min; Sib; Amur; Ind. s.*
1219. **Subsequalis** HS. 133, VI p. 141. *Pont; Lyd. m; Hyrc.*
1220. **Catilialis** Hmps. Tr. E. S. 1900, p. 399. *Maur.*
1221. **Asinalis** Hb. 185; Wd. 808; Z. Stett. e. Z. 1849 p. 231; Dup. VIII, 232, 1. 2; HS. 92, IV p. 31; Mill. Ic. 86, 4-6; Leech Pyr. t. 4, f. 11; Meyr. 417; **Characteralis** Frr. 521, f. 3. *Eur. m. (exc.?Graec.); Angl; ?Helv. m.; Bith; Can. (var.).*
1222. **Diffusalis** Gn. 340; Mill. Ic. 103, 8-12; Hmps. Ind. Moths IV, 436; **Carnealis** Dup. (nec Tr.) VIII, 232, 4 p. 322; **Tenuialis** Mn. Wien. Mts. 1862, 387, t. 3, f. 5; Hein. 69. *Eur. m; Bulg; As. min; Hyrc; Syr; Ind. s. oc.*

1223. **Limbopunctalis** HS. 117, IV p. 115; **Sardinialis** Gn. 178, t. 4, 5.
 a) v. *Frustalis* HS. n. Schm. 144; *Congeneralis* Gn. 179 (magis lutescens).
 b) v. *Dissolutalis* Stgr. Hor. XV, 169 (major, supra obscurior).
1224. **Aerealis** Hb. 44; Tr. X, 3. 13; HS. IV p. 33; Gn. 179; Hein. 86; Z. Stett. e. Z. 1872 p. 97; Hmps. Ind. Moths IV, 431.
 a) v. *Ablutalis* Ev. F. V. U. 461; HS. 94, IV p. 36; Gn. 179 (multo dilutior, al. ant. lutescent., al. post. albicant.).
 b) v. *Opacalis* Hb. 169-70; Tr. VII, 68; Frr. 336; Dup. VIII, 215, 6-7; *Suffusalis* Tr. VII, 68; ?*Aerealis* HS. 187-9; Z. l. c. 99 (major, obscurior, fascia al. ant. diluta ab margine magis remota).
1225. **Elwesi** Stgr. Iris XII p. 401.
1226. **Ochreocapitalis** Rag. Ann. S. Fr. 1894 p. 165; Snell. Tijds. XLII p. 83 (genus *Blepharomastix*).
1227. **Torvalis** Möschl. Wien. Mts. 1864 p. 198, t. 5, 16 ♂; Pack. Labr. XI, 52; *Gelida* Mc. Lachl. Journ. Linn. Soc. XIV p. 115.
1228. **Murinalis** F. R. 92, 3 p. 276; HS. IV p. 25; Gn. 389; Hein. 85.
1229. **Austriacalis** HS. 142, VI p. 141; Gn. 391; Hein. 84; *Donzelalis* Gn. 392, t. 6, f. 12.
1230. **Sororalis** Heyd. Jhrsb. Graub. V (1860) p. 93; Hein. 82; ?*Nitidalis* Hein. 83; Rbl. z. b. V. 1892 p. 523; Chrét. Natural. 1893 p. 266 (larv.).
1231. **Uliginosalis** Stph. Cat. II, 166; Gn. 390; Z. Stett. e. Z. 1878 p. 86; *Monticolalis* Lah. Pyr. 26; Hein. 86; *Alpinalis* Stph. IV, 58; Wd. 833; Dup. VIII, 231, 1 p. 307; HS. 7-10; Frr. VII p. 141, t. 680, 2; Leech Pyr. t. 3, f. 9; Meyr. 414.
1232. **Alpinalis** Schiff. S. V. 123; F. Mant. 219; Hb. Vög. 41; Hb. 63, 195-6; Tr. VII, 69, X, 3. 16; Frr. 336, f. 3, 4; HS. IV p. 31 (pr. p.); Gn. 390; Hein. 85.
1233. **Rhododendronalis** Dup. VIII, 235, 5 p. 363; HS. 112-3, IV p. 25; Gn. 391; Hein. 84; ?*Sulphurana* Hb. (Tortr.) 162.
1234. **Palustralis** Hb. 129-30; Tr. VII, 115; Frr. V p. 76, t. 428, f. 2; HS. 45-6, IV p. 23; Ev. F. V. U. 460; Gn. 170; Hein. 67; *Carneola* Esp. IV, 196, 8.
1235. **Extinctalis** Chr. Bull. M. 1881, I p. 20; Hmps. Ind. Moths IV, 433.
1236. **Borealis** Pack. Labr. XI, 53; *Matronalis* Grote Bull. Buff. Soc. N. Sc. II p. 231.
1237. **Commixtalis** Wlk. List. XXXIV, 1459; Hmps. Pr. Z. S. 1899 p. 265; *Septentrionalis* Tgstr. Cat. 358; Schöyen Tidsk. 1884 p. 57; Warr. Entom. 1891 p. 181; *Cerealis* Z. z. b. V. 1872 p. 517.
1238. **Manualis** Hb. 195-7; Tr. VII, 180; X, 3. 37; Frr. B. 19, 2; Dup. VIII, 227, 1; HS. IV p. 33; Gn. 156; Hein. 87.
 a) v. *Furvalis* Ev. Bull. M. 1842 p. 560, t. 6, f. 12; Frr. 429, f. 4; HS. 61-2, IV p. 33 (minor, violaceo-cinerea).
1239. **Tesserulalis** Chr. Hor. X p. 44 (1873).
- Hisp. mont; Sard; Arm.*
Srp; And.
Pont; Taur; Cauc.
Germ. (s.); Austr; Hung; Hal; Liv; Fen.
Ross. m. or; Hyrc; Pont.
Alp; Pyr; Arm.
- Altai m. or.*
Amur.
Labr.
Sum. Alp. (c.).
Alp; Bulg. mont; Arm; Alt. (var.).
Helv. or; Ter; Gal. oc; Cauc.
Alp; Scot; Hung. et Hal. mont.
Alp; Germ., Hung., Hal. mont; Buc; Alt.
Alp; It. c. mont.
Austr. inf; Hung; Rum. or; Bulg; Ross. m.
Amur; Tarb; Burma (Hmps.).
Labr; Am. s.
Fen; Am. s.
Val; Ter; Hung; Bosn; Cast; Alt.
Kirgh; Ural; Arm.
Hyrc.

1240. **Scutalis** Hb. 156; Tr. VII, 176; Dup. VIII, 225, 5; HS. IV p. 35; Gn. 177; Consortalis HS. 130-1, VI p. 142; Gn. 179.
1241. **Cespitalis** Schiff. S. V. 123; Hb. 39; Tr. VII, 173, X, 3. 37; Wd. 791; Dup. VIII, 225, 3, 4; HS. IV p. 23; Gn. 176; Hein. 66; Snell. II, 1 p. 47; Meyr. 414; Hmps. Ind. Moths IV p. 430; Sordidalis Hb. 40; Wd. 792; Tendinosalis Brem. Lep. O. S. 99, t. 8, f. 10.
- a) v. *Intermedialis* Dup. VIII, 234, 1. 2 p. 350; HS. IV p. 23; Gn. 177; Cespitalis HS. 25 (major, al. ant. cinnamomeis, al. post. aurantiaco-fasciatis).
1242. **Sanguinalis** L. S. N. ed. XII, 882; Hb. Vög. 45; Hb. 33; Tr. VII, 163; X, 3. 35; Dup. VIII, 224, 2; Gn. 170; Hein. 66; Mill. Ic. 63, 1-3; Stgr. Hor. VII, 186; Snell. II, 1, p. 46; Leech Pyr. t. 3, f. 1; Meyr. 413; Hmps. Ind. Moths IV p. 432.
- a) v. (ab.) *Haematalis* Hb. 178; Z. Is. 1847, 645; Gn. 170; Stgr. l. c. [gen. aestiva] (area exteriore lata flava, macula media sanguinea separata, al. post. dilute flavescent).
- b) v. *Auroralis* Z. Is. 1847, 645; Stgr. l. c. 187 (major, fasciis [media et exteriore] sanguineis latioribus).
- c) v. et ab. *Virginalis* Dup. VIII, 224, 3; HS. 43. 87; Gn. I, 171; Stgr. l. c. (major, fascia media multo latiore, intus flavo-divisa, area exteriore flava in linea reducta, al. post. fusco-griseis).
1243. **Tithonialis** Z. z. b. V. 1872 p. 504, t. 3, f. 15; *Dotalis* Chr. Bull. M. 1881, I p. 13; Stgr. Iris V p. 384.
1244. **Kukunorensis** Sauber Ver. Naturw. Hamb. X p. 54 (1899).
1245. **Pellicalis** Stgr. Hor. VII (1870) p. 189.
1246. **Castalis** Tr. VII, 164; Ev. F. V. U. 469; HS. 44, IV p. 24; Gn. 171.
1247. **Issykkulensis** Sauber Ver. Naturw. Hamb. X p. 52 (1899).
1248. **Porphyralis** Schiff. S. V. 317; Tr. VII, 170, X, 3. 36; Wd. 796; HS. 101-2, IV p. 21; Gn. 164; Hein. 64; Snell. II, 1, p. 43; *Coccinalis* Hb. 37!; *Chionealis* Gn. 164, t. 3, f. 4.
1249. **Falcatalis**¹⁾ Gn. 167; Hein. 63; Mill. Ic. 154, 9; *Phoenixalis* F. R. p. 279, t. 93, 2; HS. IV p. 21.
1250. **Fibulalis** Chr. Bull. M. 1881, I p. 9.
1251. **Purpuralis** L. S. N. ed. X, 534; Cl. Ic. 9, 10; Hb. 35; Tr. VII, 166; Wd. 793; Dup. VIII, 224, 5; HS. 105-6, IV p. 22; Z. Is. 1847, 646; Gn. 167; Hein. 65; Snell. II, 1 p. 45; Leech Pyr. t. 2, f. 12; Meyr. 413; *Punicealis* Hb. 34.
- a) gen. aest. *Chermesinalis* Gn. 107; Purpuralis Dup. 224, 4 (major, laetius picta, maculis fasciisque croceis latioribus).
- b) v. et ab. *Ostrinalis* Hb. 113; Tr. VII, 172; Wd. 795; Dup. VIII, 224, 8; HS. 107-8; Gn. 67; Hein. 65; Leech Pyr. t. 2, f. 13; *Moestalis* Dup. VIII, 224, 9 p. 228 (multo obscurior, plerumque minor, maculis pallide sulphureis).
- c) v. *Kentealis* Stgr. Iris V, 385 (al. ant. dilute violaceo-griseis, al. post. pallide flavo-bifasciatis).
1252. **Aurithoracalis** Chr. Mém. Rom. II (1885) p. 145, t. 7, f. 11.
- Ib; Gal. m; It; ?Amur.
- Eur. (exc. reg. pol.); As. min; Syr; Sib. or; Ind.
- Eur. m; Maur; Daur.
- Eur. (exc. reg. pol.); Maur; Can; Mad; As. min; Syr; Arm; Ind. (Simla).
- Dalm; Graec.
- Dalm; Graec; Tura, Alt.
- Sib. or; Amur; Mong.
- Kuku Noor.
- And; Arag.
- And; Gal. m; Boh.; Hung. m; Ross. m; Bith; Pont.
- Iss. K.
- Eur. c. (exc. Angl.) et s; Hisp. s; It; Ross. m. or; Kamt.
- Alp; Eur. c. (exc. Angl., Bat.) et m. Taur. m; Arm; Saraw. Uss.
- Eur; As. min; Arm; Tura; As. c.
- Eur. c. et m; As. oc.
- Daur.
- Tura.

¹⁾ Fulvomaculalis Hein. p. 60 non est civis territorii.

1253. **Aurata** Sc. Ent. Carn. no. 565; Z. Stett. e. Z. 1855, 245; Hein. 64; Snell. II, 1 p. 44; Leech Pyr. t. 2, f. 11; Meyr. 414; *Punicealis* (S. V.) Tr. VII, 168; Dup. VIII, 224, 6; Wd. 794; HS. 103, IV p. 21; Gn. 165; *Porphyralis* Hb. 36; ab. *Aquilonalis* Tngstr. Cat. p. 358 (68) [ab. *obscura*].
- a) ab. *Niepolalis* Ld. Wien. Mts. 1863, 46, t. 8, 6; Hein. 87 (al. ant. fusco-purpureis maculis tribus nigris, al. post. unicoloribus nigrescent.).
- b) v. *Meridionalis* Stgr. Hor. XV p. 168; Iris V, 385; Rbl. Ann. Naturh. Hofm. VII, 244; XI, 110 (dilutior, magis flavescens, al. post. interdum usque ad marginem fere totis flavis, solum fascia marginali strigaque media fuscis).
1254. **Rectifascialis** Sauber Ver. Naturw. Hamb. X p. 53 (1899).
1255. **Trimaculalis** Stgr. Stett. e. Z. 1867, 109: Mill. Ic. 85, 4.
1256. **Obfuscata** Sc. Ent. Carn. p. 232; Z. Stett. e. Z. 1855, 246; *Pygmaealis* Dup. VIII, 224, 8 p. 225; Z. Is. 1847, 650; HS. IV p. 21; Gn. 166; Hein. 63; *Fucatalis* Tr. X, 3, 36; HS. 99, 100; *Atrosanguinalis* Ev. Bull. M. 1842 p. 560.
1257. **Acontialis** Stgr. Stett. e. Z. 1859, 221; HS. n. Schm. 83-4.
- a) ab. *Senicalis* Stgr. l. c. (al. ant. glauco-inspersis, strigis distinctius fractis).
1258. **Peregrinalis** Ev. Bull. M. 1852, I p. 164; *Limitalis* Chr. Bull. M. 1881, I p. 14.
1259. **Fascialis** Hb. 31; Tr. VII, 196, X, 3. 42; Wd. Sup. 66; HS. IV p. 20; Hein. 62; Mill. Ann. Sc. Cannes 1880 p. 16, t. 9, f. 10.
1260. **Nigrata** Sc. Ent. Carn. no. 580; Z. Stett. e. Z. 1855, 246; Snell. II, 1 p. 42; Leech Pyr. t. 3, f. 4; Meyr. 413; *Anguinalis* Hb. 32; Tr. VII, 198; Dup. VIII, 226, 1; Wd. 789; Gn. 184; Hein. 61.
1261. **Alborivulalis** Ev. F. V. U. 475; HS. 41-2, IV p. 20; Gn. 183.
1262. **Cingulata** L. S. N. ed. X, 529; Cl. Ic. 2, 10; Wd. 788; Hein. 62; Snell. II, 1 p. 42; Leech Pyr. t. 3, f. 3; Meyr. 413; *Cingulalis* Hb. 30; Tr. VII, 196; Gn. 183; *Fascialis* Dup. VIII, 226, 3 p. 247.
- a) v. *Vittalis* Lah. N. Denksch. XX p. 33 (v. major, alpina).
1263. **Albofascialis** Tr. VII, 196, X, 3. 42; Ev. F. V. U. 475; Frr. B. 84, 3; HS. 19, IV p. 20; Gn. 183; Hein. 53.
- a) v. *Minutalis* Spr. Stett. e. Z. 1868 p. 111; Frey Lep. 255 (al. brevioribus, striga alba angustiore).
1264. **Ledereri** Stgr. Berl. e. Z. 1870, 193.
1265. **Nigralis** F. E. S. 421; Hb. Vög. 46; Hb. 26; Dup. VIII, 226, 7; Tr. VII, 204; HS. IV p. 19; Gn. 183; Hein. 60.
1266. **Chrysopygalis** Stgr. Iris XII p. 401.
1267. **Rueckbeili** Sauber Ver. Naturw. Hamb. X p. 51 (1899).
1268. **Nyctemeralis** Hb. 148; Tr. VII, 71; HS. IV p. 42; Gn. 395; Hein. 86; *Intricalis* Ev. Bull. M. 1854, II p. 193; ? *Hamalis* Thnbg. Diss. II, 3 p. 50 (nom. vet.).
1269. **Graeseri** Stgr. Iris V p. 384, t. 3, f. 24.
1270. **Solemnalis** Chr. Bull. M. 1881, I p. 10.
1271. **Pullatalis** Chr. Bull. M. 1881, I p. 12 (praeec. ab.?).

Eur.; As. min.; Arm.; Pers.; Afghanist.; As. c.; Maur.; Mad.; Can.

Germ. s.

Eur. m.; Cypr.; Syr.; Maur.; Can.

Kuku Noor.

Pont.; Graec. (Hmps.); Arm. (Hmps.).

Eur. c. or. et m.; Pont.; Bith.; Arm.

Ib.; Arm.

And.; Arag.

Sib. or.; Amur.

Cat.; Gal. m.; Ped.; Austr. inf.; Istr.; Hung.; Dalm.; Arm.

Eur.; Bith.; Pont.

Turc. s.; Ural.

Eur. (exc. reg. pol.); As. min.; Arm.

Alp.

Eur. c. et m. (exc. Angl., Bat., Sic., Graec.); Liv.; Bith.; Helv.; Gal. c.

Hung.

Alp.; Hung. et Croat. mont.; Ross. m. oc.

Altai m. or.; Chang.

Kuku Noor.

Germ.; Helv.; Liv.; Scand. m.; Ross. oc.; Hung.; Sib.

Mong.; Amur.

Uss.

Amur.; Uss.

1272. **Quadripunctalis** Schiff. S. V. p. 124; Hb. Vög. 7; Hb. 76; Tr. VII, 204; HS. IV p. 19; Gn. 185; Hein. 61. *Bav; Austr. inf; Carn; Ped; Ross. m. oc; ?Cat.*
1273. **Funebris** Ström K. Norsk. Vid. Skr. IV, 339, t. 16, f. 17 (1768); Schöyen Stett. e. Z. 1879, 396; *Octomaculata* L. Mant. plant. alt. 540; Wd. 797; Hein. 61; Snell. II, 1 p. 41; Leech Pyr. t. 3, f. 5; Meyr. 412; *Octomaculalis* Tr. VII, 201; X, 3, 43; Dup. VIII, 226, 4; HS. IV p. 20; Gn. 184; *Guttalis* S.V. 124; Hb. 75; *Atralis* F.S.E. 645; Hw. 388; ab. *Trigutta* Esp. (Noct.) IV, t. 163, f. 6; Z. Stett. e. Z. 1849 p. 236; z. b. V. 1868, 593 [al. ant. puncto medio albo]; ab. *Sexmaculata* Folgone Ann. S. Belg. 1863 p. 125, t. 3, f. 4 [al. ant. macula una externa alba]. *Eur. c. et s; Gal. m; Ped; Bith; Arm; Amur.*

201. **Cornifrons** Ld. 1863.

1274. **Ulceratalis** Ld. Wien. Mts. 1858 p. 147, t. 4, f. 1; *Serizialis* Obth. Et. I p. 69, t. 4, f. 10. *Sic; Graec; Syr; Aegypt; Maur; Can.*

202. **Tegostoma** Z. 1847 (Emprepes Ld.).

1275. **Comparalis** Hb. Verz. p. 347; Tr. VII, 89; Dup. VIII, 219, 2; HS. 5, IV p. 79; Gn. 180; Hein. 56; (-le) Hmps. Ind. Moths IV p. 444, f. 236; *Glaucinalis* Hb. 127. *Eur. m; Lyd; Syr; Tura; Ind.*
1276. **Disparalis** HS. 134-5, VI p. 140; Stgr. Hor. XV, 166. *Pont; Astrachan; Arm; Tura; Afghanist.*
1277. **Paralis** Hmps. Tr. E. S. 1900 p. 399.
1278. **Moeschleri** Chr. Stett. e. Z. 1862, 220.
1279. **Albizonalis** Hmps. Tr. E. S. 1900 p. 400.
1280. **Erubescens** Chr. Hor. XII p. 271, t. 7, f. 41.
1281. **Baphialis** Ld. in Tristam Fauna & Flora of Palaest: Stgr. Hor. VII p. 183, t. 2, f. 7; *Plumbiferalis* Chr. Hor. XII p. 270, t. 7, f. 40; Mém. Rom. II p. 144.
1282. **Conchylalis** Chr. Hor. IX p. 7, t. 1, f. 4.
1283. **Turcomanica** Chr. Hor. XII p. 271, t. 7, f. 42; Mém. Rom. II p. 145, t. 7, f. 10. *Ferg.*
1284. **Monocerialis** Rag. Ann. S. Fr. 1890 p. 450, t. 5, f. 1. *Ross. m. or; Tura.*
1285. **Pentodontalis** Ersch. Fedtsch. p. 75, t. 6, f. 97 a-c. *Tura; Saraw.*
1286. **Lepidalis** HS. Noct. 554 p. 387; Gn. 182; *Moeschleri* Rom. (nec Chr.) Mém. Rom. III p. 25, t. 2, f. 1. *Pont; Arm.*
1287. **Concinnalis** Chr. Hor. XVII p. 120. *As. min. c.*
1288. **Pudicalis** Dup. VIII, 224, 1 p. 212; HS. IV p. 24, VI p. 141; Gn. 172; Obth. Et. I, t. 3, f. 8. *Tura; Saraw.*
1289. **Russulalis** Chr. Hor. XII, 263, t. 7, f. 35; Rag. Ann. S. Fr. 1894 p. 163. *Gal. m; And; Maur.*
- Hyrc; Maur. m.*

203. **Pelaea** Ld. 1863.

1290. **Ramalis** Hb. 92; Tr. VII, 186; HS. 58; Ld. Wien. Mts. 1863, t. 8, f. 5. *It; Dalm.*

204. **Noctuelia** Gn. 1854 (Aporodes Gn.).

1291. **Floralis** Hb. 142; Tr. VII, 78; Dup. VIII, 225, 6; Z. Is. 1847, 651; HS. 22, 23, IV p. 17; Gn. 159; Hmps. Ind. Moths IV p. 445; *Conversalis* Dup. VIII, 234, 4. 5 p. 353. *Eur. m; As. min; Cyprus; Syr; Hyrc; Maur; Can.*

Pyralidae, Pterophoridae

- a) v. (et ab.) *Stygialis* Tr. VII, 176; HS. IV p. 18; Gn. 160; Hein. 45; Stgr. Hor. VII, 202; *Siculalis* Dup. VIII, 223, 8 p. 240; Z. Is. 1847, 651; HS. 85, IV p. 18; Gn. 159; *Echinialis* HS. 21; ? *Nepticulalis* Hofm. Iris X, 236 (al. ant. fuscis macul. marginal. lutescent., al. post. nigris).
- *b) v. *Meleagrisalis* Wlk. List. XVII, 324; Hmps. l. c. (minor, al. post. laetus aurantiacis).
1292. **Escherichi** Hofm. Iris X p. 234.
1293. **Yaminalis** Obth. Et. XII p. 35, t. 6, f. 35.
1294. **Mardinalis** Stgr. Iris V t. 3, f. 16; ib. VI p. 71.
1295. **Superba** Frr. 441, V p. 101; HS. 77-8: *Superbalis* HS. IV p. 15; Gn. 113; *Melaxantha* Koll. Ins. Pers. p. 53; *Petitjeanii* Obth. Et. I p. 55, t. 2, f. 5; ib. III p. 46.
1296. **Vespertalis** HS. 121-3, VI p. 140; Gn. 160.
1297. **Plebeialis** Chr. Hor. XVII p. 118; Mém. Rom. III, t. 1, f. 12.
1298. **Alticolalis** Chr. Hor. XII p. 268, t. 7, f. 34.
1299. **Dentifascialis** Chr. Mém. Rom. III p. 20, t. 1, f. 9.
1300. **Staudingeri** Chr. Hor. IX p. 6, t. 1, f. 3.
1301. **Anaemicalis** Hmps. Tr. E. S. 1900 p. 400.
1302. **Arquatalis** Hmps. Tr. E. S. 1900 p. 400, t. 3, f. 28.
1303. **Isatidalis** Dup. VIII, 233, 3 p. 336; HS. 110-11, IV p. 36; Stgr. Hor. VII, 195; Mill. Ic. III p. 240, t. 127, f. 1-4. *Dalm*; *Graec*; *Aegypt*; *Can*.
1304. **Desertalis** Hb. 171; Stgr. Hor. VII 1870, 193; Rbl. z. b. V. 1895 p. 351; *Vandalusialis* HS. 143, VI p. 142; Gn. 370.
1305. **Sorhageni** Sauber Ver. Naturw. Hamb. X p. 61.
- a) v. (?) *Obsoleta* Sauber l. c. 63 (magis unicolor).
1306. **Kukunorensis** Sauber Ver. Naturw. Hamb. X p. 63.
- And; Sic; Dalm;
Hyrc.
- Ind. s. oc.
- As. min. c.
- Maur.
- Mesop.
- Pont; Lyd. m; Arm;
Tura; Maur.
- Graec; Pont; Lyd; Syr.
- Arm.
- Arm.
- Arm.
- Pers. s; Saraw.
- Maur.
- Saraw; Ferg.
- And; Cors; ? Sic;
- Dalm; Graec; Aegypt; Can.
- And; Srp; Pont; Syr;
- Arm; Tura; Maur.
- Kuku Noor.
- Thian.
- Kuku Noor.

205. **Heliothela** Gn. 1854.

1307. **Atralis** Hb. 27; Tr. VII, 206; Dup. VIII, 226, 6; Ev. F. V. U. 476; HS. IV p. 16; Gn. 152; Hein. 46; Snell. II, 1, p. 34; Hmps. Pr. Z. S. 1899, 281. *Graec*; *Liv.* (1); *Bith*; *Pont*; *Arm*; *Alt.*
1308. **Praegallienensis** Frey Lep. p. 253; ? *Albipes* Meig. III p. 235, t. 119, f. 7; Rbl. z. b. V. 1892 p. 522.
- Eur. c. (exc. Angl.) et
m. (exc. And. et*
- Helv.; ? Ter. m.*

206. **Mimasarta** Rag. 1894.

1309. **Niveifascialis** Rag. Ann. S. Fr. 1894 p. 164; Mém. Rom. VIII, t. 24, f. 6 [ined.]; Hmps. Pr. Z. S. 1899 p. 281, f. 156. *Ferg.*

II. Pterophoridae.207. **Trichoptilus** Wlsghm. 1880.

1310. **Paludum** Z. Is. 1841, 866; L. E. VI, 400; Stt. Cat. Suppl. 13; HS. 19, V p. 382; Hein.-Wek. 810; Snell. II, 2, p. 1057; Leech Pteroph. t. 18, f. 8; Meyr. 431; Hofm. Pteroph. 122.
- Germ. (s); ? Austr.
inf; Helv; Angl; Bat;
Fen; Liv; Gal. alp;
Cat.

1311. **Siceliota** Z. Is. 1847, 907; L. E. VI, 401; HS. 40, V p. 382; Nolck. Stett. e. Z. 1882 p. 201. *Gal. m. or; Sic; Cors; Dalm; Graec; Bith; Pal; Maur.*
a) v. *Ononidis* Z. L. E. VI, 401 (al. ant. saturatioribus luteis). *Dalm.*

208. *Oxyptilus* Z. 1841.

1312. **Kollari** Stt. Cat. App. 28; Z. L. E. VI, 342; HS. 38, V p. 373; Hein.-Wck. 789; Hofm. Pteroph. 102. *Sum. Alp. Car. et Ter; Pont; Arm; Hyrc.*
1313. **Tristis** Z. Is. 1841, 788; L. E. VI, 344; Dup. IV, 88, 9 p. 501; HS. 18, V p. 372; Hein.-Wck. 790; Hofm. Pteroph. 103. *Eur. c. (exc. Helv., Bat., Angl.); Liv; It; Arag; Ross. m. or; ?Dalm.*
1314. **Distans** Z. Is. 1847, 902, L. E. VI, 345; HS. V p. 372; Frey 408; Hein.-Wck. 790; Stgr. Hor. XV p. 424; Snell. II, 2, p. 1028; Leech. Pteroph. t. 16, f. 11; Meyr. 431; Hofm. Pteroph. 105; ?*Lantoscanus* Mill. Ann. S. Lyon 1883 p. 176, t. 4, f. 8 [pallidior, flavescent]. *Eur. c. et m; As. min; Can.*
a) gen. aest. (et v.) *Laetus* Z. Is. 1847, 903, L. E. VI, 346; HS. V p. 373; Mill. Ic. I, 333, t. 39, 7-11; Barr. Monthl. Mag. XVIII, 178; Leech l. c. f. 12; *Laetidactylus* Brd. Ann. S. Fr. 1861, 34, t. 2, 7 (minor, pallidior).
1315. **Pilosellae** Z. Is. 1841, 789, t. 4, 27; L. E. VI, 349; Tgstr. Bidr. 155; HS. 16, V p. 372; Frey 408; Hein.-Wck. 790; Snell. II, 2, p. 1029; Meyr. 432; Hofm. Pteroph. 107. *Eur. c. et s; Gal. m. or; It. s. et c; Arm; Tura.*
1316. **Hieracii** Z. Is. 1841, 827, t. 4, 5. 20-24; L. E. VI, 350; HS. 14, V p. 371; Frr. 665, 2; Frey 409; Tgstr. Ann. 199; Hein.-Wck. 791; Meyr. 432; Hofm. Pteroph. 108. *Eur. c. (?exc. Bat.) et m; Fen; Liv; Arm.*
1317. ?**Maculatus** Const. Ann. S. Fr. 1865, 193, t. 7, f. 9. *Gal. or. Alp.*
1318. **Ericetorum** Z. L. E. VI, 352; HS. 15, V p. 371; Tgstr. Ann. 198; Hein.-Wck. 791; Hofm. Pteroph. 110. *Germ; Austr; Hal; Helv; Ross. s. oc; Gal; Belg; Graec; Cauc.*
1319. **Didactylus** (-a) L. F. S. no. 1453; Hein.-Wck. 791; Hofm. Pteroph. 114; *Trichodactylus* Hb. 18; Z. L. E. VI, 353; HS. 18, V p. 371; *Brunneodactylus* Mill. Ann. S. Fr. 1854 p. 66, t. 3 II, f. 6; ib. 1861 p. 35, t. 2, f. 8; Cat. rais. 380. *Germ; Austr; Eur. s. (exc. reg. pol.); Gal. m; It; Dalm; Ross. m. or; Bulg; As. min.*
1320. **Leonuri** Stange Stett. e. Z. 1882 p. 514; 1886 p. 285; Hofm. Pteroph. 119, t. 1, f. 3; Ill. Ztschr. Ent. III p. 308.
a) v. *Fusca* Hofm. Ill. Ztschft. Ent. III p. 339 (minor, obscurior).
1321. **Teuerii** Jordan Monthl. Mag. VI (1869) p. 14; Ann. f. 1870 p. 143; Barr. Monthl. Mag. VIII p. 155; Rössl. Schppfl. 222; South Entom. XVI p. 73, t. 2, f. 1; Leech Pteroph. p. 57, t. 17, f. 2; Hofm. Pteroph. p. 116, t. 1, f. 1; Meyr. 432; Hieracii Greening Monthl. Mag. IV p. 39; ?*Heterodactylus* Vill. L. Ent. II, 535; Hw. 479.
a) v. *Celeusi* Frey Stett. e. Z. 1886 p. 18; Schmid Corr. XL p. 188; Hofm. Pteroph. p. 116, t. 1, f. 2 (minor, obscurior, minus rufescens). *Bav.*
b) v. *Loranus* Fuchs Stett. e. Z. 1895 p. 48; 1897 p. 338; Hofm. Pteroph. 116 (v. minor, obscurior, magis grisea). *Germ. c. oc.*
1322. **Parvidactylus** Hw. Lep. Br. 480; Hein.-Wck. 792; Meyr. 432; Hofm. Pteroph. 112; *Microdactylus* Stph. Ill. IV, 377; Wd. 1652; *Obscurus* Z. Is. 1841, 793, t. 4, 25-6; L. E. VI, 354; Dup. IV, 88, 11; HS. 17, V p. 372; Frey 410; Snell. II, 2, p. 1030. *Eur. (exc. reg. pol.); Hyrc; As. min; Tarb.*

1323. ?**Marginellus** Z. Is. 1847, 903; L. E. VI, 355; HS. V p. 372; Stgr. Hor. XV p. 425; Hofmannseggii Moeschl. Berl. e. Z. 1866 p. 145 (praec. var. major, obscurior etc.?). *Sic; Hisp; Bith.*
1324. **Bohemanni** Wallgr. Fjäderm. p. 16; Z. Stett. e. Z. 1867 p. 336; Snell. II, 2, p. 1028. *Suec. m; Bat. s.*
- 209. Platyptilia** Hb. 1818.
1325. **Rhododactyla** (S.V.) F. E. S. III. 2. 347, 7; Hb. 8; Tr. IX, 2. 228; Dup. XI, 313, 4; Stph. Ill. IV, 375, t. 41, 3; Wd. 1645; Z. L. E. VI, 326; HS. V p. 366; Hein.-Wek. 782; South Entom. 1885 p. 275, t. 1, f. 3; Meyr. 435; Hofm. Pteroph. 34. *Eur. c. (exc. Bat.) et m.; Fen; Liv; Bith; Arm.*
1326. **Cinnamomea** Stgr. Berl. e. Z. 1870, 326. *Srp.*
1327. **Capnodactyla** (-us) Z. Is. 1841, 774; L. E. VI, 327; HS. 2, V p. 367. *Hung. m. or; Ture. (Constantinopol.).*
1328. **Ochrodactyla** Hb. 12. 13; Tr. IX, 2. 227; Dup. XI, 313, 2; Z. L. E. VI, 327; HS. 3, V p. 367; Hein.-Wek. 783; Snell. II, 2, p. 1016; Leech Pteroph. t. 16, f. 3; Hering Stett. e. Z. 1892 p. 269; Meyr. 435; Hofm. Pteroph. 53; **Pallidactyla** Hw. 478; Wd. 1641; **Dichrodactylus** Mühlig Stett. e. Z. 1863, 213; South Entom. XV p. 146, t. 3, f. 2. *Eur. c; Ross. s. oc. et m. or; Arm.*
- a) v. *Borgmanni* Rössl. Schppfl. 220; Hering l. c; Hofm. 58 (pallide ossea, distinctius signata; an sequent var.?). *Germ; Bat; Angl;*
1329. **Bertrami** Rössl. Wien. Mts. 1864, 54; Verz. 261; Hein.-Wek. 784; Snell. II, 2, p. 1017; Leech Pteroph. t. 16, f. 3; Porritt Monthl. Mag. XXII, 103, XXIII, 163; Meyr. 434; Hofm. Pteroph. 55; **Ochrodactylus** Tgstr. Bidr. 154. *Eur. s. (exc. reg. pol.); Alp. Styr. et Car; Hung.*
1330. ?**Chapmani** Tutt Ent. Rec. VIII p. 293. *Lap.*
1331. **Isodactyla** (-us) Z. L. E. VI, 328; Buckl. Monthl. Mag. VIII p. 153; Leech Pteroph. t. 16, f. 5; Meyr. 434; **Mondactyla** Hw. 476; Stph. Ill. IV, 373; Snell. II, 2 p. 1018; **Similidactyla** Stt. Cat. 31 (nec Dale); Hofm. Pteroph. 49. *Germ. s. oc; Bat; Angl.*
1332. **Gonodactyla** Schiff. S. V. 320; Z. L. E. VI, 330; HS. 9, V p. 368; Hein.-Wek. 784; Snell. II, 2 p. 1021; Leech Pteroph. t. 16, f. 6; Meyr. 434; Hofm. Pteroph. 42; **Megadactyla** Hb. 6; **Tesseradactyla** Tr. IX, 2. 230; Dup. XI, 313, 5; IV, 88, 8. *Eur. c. et s. (exc. reg. pol.); Gal. m. or; It. c; Ross. m. or; Bith.*
1333. **Terminalis** Ersch. Hor. XII (1877) p. 347; Mém. Rom. VI, t. 16, f. 14. *Sib. (Irkutsk).*
1334. **Farfarella** Z. Stett. e. Z. 1867, 334 not; 1870, 310; Hein.-Wek. 785; Hofm. Pteroph. 44. *Germ. s; Styr; Car; Hal; Gal. m.*
1335. **Zetterstedtii** Z. Is. 1841, 777, t. 4, f. 3, 4; L. E. VI, 333; Hein.-Wek. 785; Snell. II, 2 p. 1020; Leech Pteroph. t. 16, f. 7; Meyr. 434; Hofm. Pteroph. 48; **Tesseradactyla** Zett. Ins. Lap. 1012; ?**Petradactyla** Hb. 37-8; **Nemoralis** HS. 7. *Eur. c. ets; Ped; It. c; Taur; Daur.*
- a) v. *Taeniadactyla* South Entom. XV, 1882 p. 34; ib. 1889 p. 30; Leech Pteroph. p. 54, t. 16, f. 8 (al. angustioribus, fascia exteriore fusca, ciliis nigricantibus). *Angl.*
1336. **Nemoralis** Z. Is. 1841, 778 (**Zetterstedtii** var. d.); L. E. VI, 335; HS. 8, V p. 368; Hein.-Wek. 785; Snell. II, 2 p. 1019; Hofm. Pteroph. 48. *Alp; Germ. m. et Sil. mont; Bat.*

- a) v. *Saracenica* Wck. Cat. ed. II no. 3127 a; *Isodactyla* Degraaf (nec Z.) Tijds. 1868 p. 71, t. 2, f. (1, 2) 3; Hein.-Wck. 786; Hofm. Pteroph. p. 48; Grafii Z. Stett. e. Z. 1873 p. 139 (obscurior, inconstans).
1337. **Tesseradactyla** L. F. S. no. 1454; Hein.-Wck. 787; Z. Stett. e. Z. 1878 p. 162; Hofm. Pteroph. 51; Barr. Monthl. Mag. 1897 p. 25; Fischeri Z. Is. 1841, 781; Tgstr. Bldr. 155; HS. 12, V p. 369; Z. L. E. VI, 337; Frey 405.
1338. **Metzneri** Z. Is. 1841 p. 783; L. E. VI, 338; HS. V p. 367; Ld. Wien. Mts. 1863, 47, t. 1, 13; Hein.-Wck. 786; Hofm. Pteroph. 41; Bollii Frey Tin. 403.
1339. **Acanthodactyla** Hb. 23-4; Tr. IX, 2, 234; HS. 5, V p. 369; Z. L. E. VI, 338; Dup. XI, 313, 6; Frey 405; Hein.-Wck. 787; Snell. II, 2 p. 1023; Leech Pteroph. t. 16, f. 9; Meyr. 433; Hofm. Pteroph. 61; Tutt Ent. Rec. XI p. 238 (nomenclat.); *Calodactyla* F. E. S. 3, 2, 346; Wd. 1646 (forma rufo-brunneascens).
- a) v. *Tetralicella* Hofm. l. c. 62 (flavo-grisescens).
- b) v. *Calaminthae* Frey Stett. e. Z. 1886 p. 62; Hofm. l. c. (gracilior, dilute grisescens, nigro signata).
1340. **Seeboldi** Hofm. Iris XI (1898) p. 33.
1341. **Moerens** Snell. Tijds. XXVII (1884) p. 182, t. 10, f. 3, 3 a.
1342. **Cosmodactyla** Hb. 35-6; Tr. IX, 2, 235; Wd. 1649; HS. 4, V p. 369; Hein.-Wck. 788; Leech Pteroph. t. 16, f. 10; Meyr. 433; Hofm. Pteroph. 65; Tutt Ent. Rec. XI p. 238 (nomencl.); *Punctidactyla* Hw. 479; Wd. 1648; *Ulodactyla* Zett. Ins. Lap. 1012.
- a) v. *Stachydalis* Frey Mittb. III (1870) p. 290; Hofm. l. c. 66 (minor, multo dilutior).

210. **Alucita** (L. 1758) Wlsghm. (*Aciptilia* Hb.).

1343. **Semiodactyla** Mn. z. b. V. 1855, 42.
1344. **Galactodactyla** Hb. 2; Tr. IX, 2, 250; Hw. 475; Wd. 1628; Z. Is. 1841, 857, t. 4, f. 35; L. E. VI, 390; Frr. 660, 11!; HS. V p. 384; Hein.-Wck. 806; South Entom. XV p. 147, t. 3, f. 3; Leech Pteroph. t. 118, f. 3; Meyr. 436; Hofm. Pteroph. 162.
1345. **Spilodactyla** (-us) Curt. B. E. IV, 161; Wd. 1627; Dup. XI, 314, 9; Z. L. E. VI, 391; HS. 25, V p. 383; Hein.-Wck. 807; Snell. II, 2 p. 1054; Meyr. 437; Hofm. Pteroph. 164.
- a) v. *Obsoleta* Z. Is. 1841 p. 859; Ev. F. V. U. 609; *Confusa* HS. V, 384; Stgr. Hor. VII, 281; XV, 429; Hein.-Wck. 807; Hofm. l. c. 165 (not.); *Xerodactylus* HS. 34 (al. ant. plagis fuscis obsoletis vel nullis).
1346. **Phlomidis** Stgr. Hor. VII, 1870, 282, t. 3, 19; XV, 430 (praec. var., an tantum synon. sequentis?).
1347. **Nephelodactyla** Ev. F. V. U. 609; Z. L. E. VI, 398.
1348. **Pentadactyla** L. S. N. ed. X, 542; Tr. IX, 2, 249; Hb. 1; Wd. 1626; Dup. XI, 314, 8; Z. Is. 1841, 861 (862); L. E. VI, 397; Hein.-Wck. 809; Snell. II, 2 p. 1056; South Entom. XVI p. 26, t. 1, f. 2; Meyr. 436; Hofm. Pteroph. 174.
- a) ab. *Sulphurea* Stgr. Hor. XV p. 433 (sulfureascens).
1349. **Caspia** (-us) Ld. Hor. VIII (1870) p. 27, t. 2, 18.
1350. **Volgensis** Möschl. Wien. Mts. 1862, 143, t. 1, 16.

Sil.; Hal.; Bat.; Belg.

Eur. s. et c. (exc. Bat.); Gal. m. or; It. c.; Dalm.; Hyrc.

Alp.; Hung.; Bulg. or. s; Arm.

Eur.; Arm.; Syr.; Maur.; Mad.; Can.

Germ.

Bav.

Syr.

Amur.

Eur. c. (exc. Bat.); Ross. s. oc. et m. or; Scand.; Sic; Dalm.

Helv. s.

Cors.; Sard.

Germ.; Austr. inf.; Hung.; Angl.; Ross. m.; Arm.

Eur. c. et m.; Maur.

Eur. m. or; Pont.; Tura.

Srp.

Srp.

Eur. (exc. reg. pol. et Hisp. m.); Bith.; Arm.; Sib. or.

Pont.

Bith.; Hyrc.

Srp.; ?Arm.

1351. **Tuneta** Stgr. Iris V p. 300. *Maur. or.*
1352. **Subalternans** Ld. Hor. VI, (1869) p. 93, t. 5, 15; Stgr. Hor. XV, 431. *Bith; Hyrc.*
1353. **Xanthodactyla** Tr. IX, 2. 251; Z. Is. 1841, 858; L. E. VI, 392; Dup. IV, 88, 6; HS. 30, 31, V p. 383; Hein.-Wek. 808; Hofm. Pteroph. 167; Galactodactylus Dup. XI, 314, 7. *Germ. m; Austr. inf; Hung; Ter. m; Gal; Cat; It. s; Bulg; Dalm; Graec; Ross. m; Bith.*
- a) ab. **Xerodactyla** Z. Is. 1841 p. 860; L. E. VI, 393 (magis signata). *Maur.*
1354. **Probolias** Meyr. Monthl. Mag. 1891 p. 12. *Gal. m. or.*
1355. ? **Apollina** Mill. Ann. S. Lin. Lyon 1883 p. 177, t. 4, f. 9. *Gal. m.*
1356. **Adamas** Const. Bull. S. Fr. 1895 p. 54. *Gal. m.*
1357. **Decipiens** Ld. Hor. VIII (1870) 27, t. 2, f. 17. *Hyrc.*
1358. **Icterodactyla** Mn. z. b. V. 1855, 43. *Cors; Sard; Cat; Lusit.*
1359. **Punctinervis** Const. Ann. S. Fr. 1885 p. 14, t. 1, f. 35. *Gal. m.*
1360. **Raphiodactyla** Rbl. Iris XIII p. 188. *Arag. (Cuenca).*
1361. **Baliодactyla(-us)** Z. Is. 1841, 861; L. E. VI, 393; HS. 36, V p. 384; Frey 418; Hein.-Wek. 808; South Entom. 1883 p. 25, t. 1, f. 1; Meyr. 436; Hofm. Pteroph. 170; Ill. Ztschrft. Ent. III, 342; Tridactylus Stph. Ill. IV, 373; Wd. 1634. *Eur. c. m. et m; Angl; Belg; Liv; Bith; Taur.*
- a) v. *Meridionalis* Stgr. Hor. XV p. 432 (minor, pallidior). *And; As. min. et c.*
1362. **Marptys** Chr. Hor. IX (1872) p. 39, t. 2 A, f. 35. *Srp.*
1363. **Calcaria** (-us) Ld. Hor. VIII (1870) p. 26, t. 2, f. 15. *Hyrc.*
1364. **Parthica** (-us) Ld. Hor. VIII (1870) p. 27, t. 2, 16. *Hyrc.*
1365. **Tetradactyla** L.S.N.ed.X, 542; Tr. IX, 2. 255; Dup. XI, 314, 6; Wd. 1636; Z. L. E. VI, 394; HS. 35, V p. 385; Hein.-Wek. 809; Snell. II, 2 p. 1055; Meyr. 436; Hofm. Pteroph. 171; Leucodactyla Hb. 5 (cum specie sequente mixta?). *Eur. (exc. reg. pol.); Arm; Bith; Taur; Daur; Can.*
1366. **Malacodactyla** (-us) Z. Is. 1847, 905; L. E. VI, 395; HS. V p. 385; Hein.-Wek. 809; Stgr. Hor. XV, 432; Hofm. Pteroph. 172 (b. sp.). *Eur. m; As. min.*
1367. **Aearnella** Wlsghm. Monthl. Mag. 1898 p. 131. *Cors.*
1368. **Chordodactyla** Stgr. Stett. e. Z. 1859, 259. *And.*
1369. **Wernickei** Wek. Iris X (1897) p. 376 (uno ♂ condit.). *Alp. Car.*
1370. **Ischnodactyla** Tr. X, 3. 223; Z. Is. 1841, 863; 1847, 906; L. E. VI, 396; HS. 37, V p. 385; Brd. Ann. S. Fr. 1861, 33, t. 2, 6; Hein.-Wek. 809; Hofm. Pteroph. 173; Actinodactyla Chré. Natural. 1891 p. 99. *Austr. inf; Hung; Sard; It; Gal; ? Belg; Dalm; As. min; Pal; Ind. or.*
1371. **Desertorum** Z. Stett. e. Z. 1867, 386. *Pal.*
211. **Pselnophorus** Wallgr. 1881.
1372. **Brachydactylus** (-a) Tr. IX, 2. 238; Z. Is. 1841, 856, t. 4, f. 34; L. E. VI, 389; HS. 11, V p. 381; Frey 417; Hein.-Wek. 805; Snell. II, 2, p. 1051; Leech Pteroph. t. 18, f. 2; Meyr. 437; Hofm. Pteroph. 155; Aëtodactylus Dup. XI, 313, 8. *Eur. c; Dan; Liv; Suec; Ped; It. c; Dalm; Arm.*
- a) v. *Poggei* Mn. Wien. Mts. 1862, 409; t. 3. 16 (dilutior). *Crimaea; Bith.*
1373. **Amurensis** Chr. Bull. M. 1882, I p. 43. *Amur.*

212. **Marasmarcha** Meyr. 1886.

1374. **Ehrenbergiana** (-us) Z. Is. 1841, 833; L. E. VI, 356. *Syr.*
 1375. **Agrorum** HS. V p. 378; *Oxydactylus* Stgr. Stett. e. Z. 1859, 258. *And.*
 1376. **Rhypodaectyla** (-us) Stgr. Berl. e. Z. 1870, 327. *Srp.*
 1377. **Trimmatodactyla** (-us) Chr. Hor. IX (1872) p. 38 t. 2 A, f. 34. *Srp.*
 1378. **Phaeodactyla** Hb. 14; Tr. IX, 2. 240; Z. L. E. VI, 356; Dup. XI, 313, 10 p. 657; HS. V p. 378; Hein.-Wek. 793; Snell. II, 2, p. 1036; South Entom. XVI p. 75, t. 2, f. 3; Leech Pteroph. t. 17, f. 4; Meyr. 438; Hofm. Pteroph. 93; *Lunaedactylus* Hw. 477; Wd. 1640. *Eur. c. (pr. p.); Liv; Gal. m. or; It; Graec; Ross. m. or.*
 1379. **Fauna** Mill. Cat. rais p. 308; Ann. Sc. Nat. Cannes 1879 p. 1, t. 5, f. 1-3. *Gal. m.*

213. **Gypsochares** Meyr. 1890.

1380. **Baptodactyla** (-us) Z. Stett. e. Z. 1850, 211; L. E. VI, 401; HS. 39, V p. 382; Brd. Ann. S. Fr. 1861, 38, t. 2, f. 10; Hein.-Wek. 810. *Gal. m.; Hisp.; Cors; Sard; It. c.; Dalm; Ind. or.*
 1381. **Olbiadactyla** (-us) Mill. Ic. I, t. 9, f. 1-3, p. 89. *Gal. m. oc.*
 1382. **Hedemanni** Rbl. Ann. Naturh. Hofmus. XI p. 115, t. 3, f. 3. *Ten.*

214. **Pterophorus** Geoffr. 1762 (*Alucita* Meyr.).

1383. **Lithodactylus** (-a) Tr. IX, 2. 245; Z. L. E. VI, 377; HS. 10, V p. 378; Hein.-Wek. 799; Snell. II, 2, p. 1044; Leech Pteroph. t. 17, f. 8; Meyr. 439; Hofm. Pteroph. 129; *Septodactyla* Tr. IX, 2. 246; *Lithoxylodactylus* Dup. XI, 313, 3; *Similidactyla* Dale (nec Stt.) Mag. Nat. Hist. VII (1834) p. 263. *Eur. c. et s. (exc. reg. pol.); Ross. m. or; Hisp. s; Ped; Gal. m. or; Dalm; Bith.*
 1384. **Rogenhoferi** Mn. z. b. V. 1871 p. 79; Rghfr. ib. 1877 p. 500; Hein.-Wek. 80; Hofm. Pteroph. 128. *Alp. Car., Ter., Austr. inf., Helv.*
 1385. **Constanti** Rag. Bull. S. Fr. 1875 p. 200; ib. Ann. 1876 p. 419 t. 6, f. 13; Rbl. z. b. V. 1889 p. 323; Hofm. Pteroph. 127. *Gal; Austr. inf; Hung.*
 1386. **Giganteus** Mn. z. b. V. 1855, 570; Nolck. Stett. e. Z. 1882 p. 200. *Sard; Cors; Gal. m. or; Liguria.*
 1387. **Monodactylus** (-a) L. S. N. ed. X, 542; Hein.-Wek. 801; Snell. II, 2, p. 1048; South Entom. 1885 p. 277, t. 1, f. 4; Meyr. 439; Hofm. Pteroph. 133; *Pterodactyla* Hb. 4; Tr. IX, 2. 242; Z. Is. 1841, 846, t. 4, 7, 32; L. E. VI, 377; Dup. XI, 314, 2; Wd. 1631; HS. 25, V p. 373. *Eur; As. min; Arm; Hyrc; Tura; Daur; Mavr; Mad; Can; Am. s.*
 1388. **Scarodactylus** (-a) Hb. 21-2; Z. L. E. VI, 378; HS. 26. 32, V p. 379; Frey 415: Hein.-Wek. 802; Snell. II, 2, p. 1047; Hofm. Pteroph. 142; *?Icarodactyla* Tr. IX, 2. 247. *Eur. c. (exc. Angl.) et s. (excl. reg. pol.); Ross. m. or; Daur.*
 1389. **Lienigianus** Z. L. E. VI, 380; HS. V p. 379; Hein.-Wek. 802; Snell. II, 2, p. 1045; South Entom. XV, 105, t. 2, f. 3; Leech Pteroph. t. 17, f. 10; Meyr. 439; Hofm. Pteroph. 147; *Melinodactylus* HS. 33; *Scarodactyla* Becker Ann. S. Belg. 1861 p. 56, t. 2, f. 3. *Eur. c; Liv; It. c.*
 1390. **Tephradactylus** (-a) Hb. 17; Z. L. E. VI, 382; HS. 82, V p. 380; Hein.-Wek. 803; Snell. II, 2, p. 1046; South Entom. XV p. 106, t. 2, f. 4; Meyr. 439; Hofm. Pteroph. 145. *Eur. c. et s. (exc. reg. pol.); Ped; Ross. m. or.*

1391. **Innocens** Snell. Tijds. XXVII (1884) p. 195, t. 10, f. 9, 9a.
1392. **Distinctus** HS. V p. 379; Hein.-Wck. 803; Stange Stett. e. Z. 1882 p. 514 (larv.); Hofm. Pteroph. 144.
1393. **Inulae** Z. L. E. VI, 384; HS. V p. 380; Z. Stett. e. Z. 1868 p. 427; Hein.-Wck. 804; Hofm. Pteroph. 152; Ill. Ztschft. Ent. III, 342.
1394. **Carphodactylus** (-a) Hb. 19. 20; Tr. X, 3. 222; Z. L. E. VI, 386; HS. V p. 381; Frey 416; Hein.-Wck. 804; Hofm. Pteroph. 150.
a) v. *Bupthalmi* Hofm. Ill. Ztschft. Ent. III p. 340 (larvae et nymphae var.).
1395. **Pectodactylus** Stgr. Stett. e. Z. 1859, 258; Hor. VII. 281; Hein.-Wck. 805; Jourdheuille Ann. S. Fr. 1888 p. 67; Hofm. Pteroph. 140; Chrysocomae Rag. Bull. S. Fr. 1875 p. 74; ?Coniodactylus Stgr. Stett. e. Z. 1859 p. 258.
1396. **Osteodactylus** Z. Is. 1841, 851, t. 4, f. 8. 9; L. E. VI, 388; Dup. IV, 88, 7; HS. 29, V p. 381; Frey 417; Hein.-Wck. 805; Meyr. 438; Hofm. Pteroph. 141; Microdactylus Zett. Ins. Lap. 1013; Cinerariae Mill. Ic. III p. 418, t. 152, f. 1.
1397. **Microdactylus** (-a) Hb. 26-7; Tr. IX, 2. 248; Z. E. VI, 388; Dup. IV, 88, 12; HS. V p. 380; Frey 417; Hein.-Wck. 805; Snell. II, 2, p. 1050; South Entom. XV p. 102, t. 2, f. 1; Meyr. 438; Hofm. Pteroph. 149.

215. *Stenoptilia* Hb. 1818.

1398. **Miantodactyla** (-us) Z. Is. 1841, 835; L. E. VI, 357; HS. 6, V p. 374.
1399. **Pulchra** (-er) Chr. Mém. Rom. II p. 164, t. 8, f. 13.
1400. **Pelidnodactyla** Stein Is. 1837 p. 105; Hein.-Wck. 794; Hofm. Pteroph. 74; Mictodactylus var. a. Z. Is. 1841, 836, t. 4, 28-31; L. E. VI, 358; HS. 24, V p. 376; Tgstr. Anm. 200; ?Millieridactylus Brd. Ann. S. Fr. 1861, 36, t. 2, f. 9.
a) v. *Borealis* Wck. Stett. e. Z. 1864, 217 (minor, obscurior, al. ant. dense albo-pulvereis).
1401. **Pinarodactyla** (-us) Ersch. Hor. XII (1877) p. 348; Mém. Rom. VI, t. 16, f. 15.
1402. **Coprodactyla** (-us) Z. L. E. VI, 366; HS. 20, V p. 377; Frey 412; Hein.-Wck. 796; Z. Stett. e. Z. 1878, 164; Hofm. Pteroph. 88; ?Arvernicus Peyer. Pet. Nouv. VII (1875) p. 514.
1403. ?**Lutescens** HS. V p. 377; Hein.-Wck. 797 (praec. aberr.?).
1404. ?**Nolkeni** Tgstr. Cat. 366 (76).
1405. **Zophodactyla** (-us) Dup. XI, 314, 4; Hein.-Wck. 795; Leech Pteroph. p. 60, t. 17, f. 6; Meyr. 440; Hofm. Pteroph. 81; Loewii Z. Is. 1847, 38 et 904; L. E. VI, 364; HS. V p. 375; Snell. II, 2 p. 1043; Hodgkinsonii Gregson Monthl. Mag. IV p. 178; Barr. ib. XVIII p. 180; Hodgkins. ib. 212.
1406. **Bipunctidactyla** (-us) Hw. Lep. Br. 476; Stt. Man. II, 442; Barr. Monthl. Mag. XVIII p. 179; Leech Pteroph. t. 17, f. 5; Meyr. 441; Serotinus Z. L. E. VI, 361; HS. V p. 376; Tgstr. Anm. 200; Frey 411; Hein.-Wck. 794; Snell. II, 2 p. 1038; Hofm. Pteroph. 75.

*Sib. (Irkutsk).**Germ; Austr. inf.**Germ. s. et or; Austr. inf.; Morav.**Germ; Helv; Austro-Hung; Belg; Gal; Ross. m. or; Maur. (Stt.).**And; Gal; Germ. m; Graec.**Eur. c. et s; Lusit; Gal. m. or; It. c.**Eur. c; Liv; Suec; Hisp. s; Sard; It. c; Dalm; Pont; Bith.**Hung. m. or; Rum; Bulg.**Tura.**Eur. c. (exc. Bat. et Angl.) et s; Hisp; It. s. et c; Bulg; Daur.**Norv. c. alp.**Sib. (Irkutsk).**Alp; Gal.mont; Taur; Daur.**Helv.**Fen.**Eur. c. et m. (?exc. Balc.); As. min; Arm.**Eur. (exc. reg. pol.); As. min; Maur; Ten.*

- a) v. *Plagiodactyla* (-us) Stt. Cat. Suppl. 28; HS. 22, V, 377; Z. L. E. VI, 368; Stett. e. Z. 1878 p. 164; Mill. Ic. I p. 209, t. 23, f. 8-12; South. Entom. 1885 p. 273, t. 1, f. 1 (2); Hein.-Wek. 796; Hofm. Pteroph. 78; *Scabiodactylus* Gregson. Entom. IV p. 363 (ib. III p. 186 *Plagiodact.* larv.) (al. ant. saturatioribus, squamis albis mixtis, striga fusca digitii primi longiore et crassiore).
- b) v. (et ab.) *Arida* (-us) Z. Is. 1847, 904; L. E. VI, 366; HS. V p. 376; Hein.-Wek. 795 (minor, multo dilutior, lutescens).
1407. *Islandica* (-us) Stgr. Stett. e. Z. 1857, 280.
1408. *Caesia* (-us) Snell. Tijds. XXVII (1884) p. 189, t. 10, f. 6, 6a.
1409. *Hedemannia* Snell. Tijds. XXVII (1884) p. 184, t. 10, f. 4, 4a.
1410. *Vaccilans* Snell. Tijds. XXVII (1884) p. 187, t. 10, f. 5, 5a.
1411. *Luteocinerea* (-us) Snell. Tijds. XXVII (1884) p. 191, t. 10, f. 7, 7a.
1412. *Graphodactyla* (-us) Tr. IX, 2. 233; Z. Is. 1841, 840; L. E. VI, 370; HS. 23, V p. 377; Frr. 700, f. 1!; Frey 413; Hein.-Wek. 797; Z. Stett. e. Z. 1878 p. 164; Hofm. Pteroph. 85.
1413. *Pneumonanthes* Schleich Stett. e. Z. 1880 p. 472; Hofm. Pteroph. 87; *Plagiodactylus* Snell. (nec Stt.) II, 2 p. 1037 (pr. p.); Hering Stett. e. Z. 1891 p. 225; 1893 p. 117 (praec. var. Darw?).
1414. *Pterodactyla* (-us) L.F.S. no. 1456; Wallgr. Fjäderm. p. 18; Hein.-Wek. 797; Snell. II, 2 p. 1040; Meyr. 440; *Fuscus* Retz. Gen. et Sp. 35; Z. L. E. VI, 371; HS. V p. 375; Hofm. Pteroph. 82; *Ptilodactyla* Hb. 16; Tr. IX, 2. 244; Dup. XI, 314, 3; Frr. 660, 2; *Fuscodactylus* Hw. 476; Wd. 1630.
1415. *Paludicola* Wallgr. Fjäderm. 18; Z. Stett. e. Z. 1867 p. 337; Hein.-Wek. 798; Hofm. Pteroph. 85; *Fuscus* var. c. et d., Z. L. E. VI, 371 (praec. v. Darw.).
1416. *Mengeli* Fern. Pteroph. N. Am. 1898 p. 60.
1417. *Stigmatodactyla* (-us) Z. L. E. VI, 374; HS. 21, V p. 375; Hein.-Wek. 798; Snell. II, 2 p. 1042; Hofm. Pteroph. 81. *Bat*; *Sie*.
1418. *Mannii* Z. L. E. VI, 375; HS. V p. 375; Stgr. Hor. XV, 428.
1419. *Emarginata* (-us) Snell. Tijds. XXVII (1884) p. 193, t. 10, f. 8, 8a (hujus generis?).
- Eur. c. (mont.).
- Eur. m; Arm; Hyrc; Pal.
- Isl.
- Sib. c. (Irkutsk).
- Amur.
- Amur.
- Alp; Hal; Hung.
- Germ. s.;?Bat;?Angl.
- Eur. (exc. reg. pol.); As. min; Arm; Am. s.
- Germ; Suec. m.
- Groenl. s.
- Bav; Austr; Hung; Hal; Ter; Gal; Balc; Malorca; Hyrc.
- Bulg; Graec; Bith; Hyrc; Arm.
- Amur.

216. *Agdistis* Hb. 1818.

1420. *Frankeniae* Z. Is. 1847, 900; L. E. VI, 321; HS. 46, V p. 365. Sic; And.
1421. *Meridionalis* Z. Is. 1847, 898; L. E. VI, 321; HS. 44, V p. 365. And; Sic; Istr. (ins. Lusin); Dalm.
1422. *Heydenii* Z. L. E. VI, 322; HS. 45, V p. 364; Mill. Ic. II, 302, t. 82, 12-14; *Lerinensis* Mill. Bull. S. Fr. 1875 p. 168; Cat. rais p. 376, t. 2, f. 10, 11. Gal. m.
1423. *Ingens* Chr. Mém. Rom. II p. 124, t. 5, f. 16. Tura.

1424. **Adactyla** Hb. 32-34; Z. L. E. VI, 323; HS. 47, V p. 364; Hein.-Wck. 781; Hofm. Pteroph. 29; ? Dup. XI p. 639, t. 313, f. 1; Hübneri Z. Is. 1841, 771, t. 4, f. 1, 2, 14, 15; ? Manicata Stgr. Stett. e. Z. 1859 p. 257. Germ; Austr. inf; Morav; Car; Hal; Hung; ? And; Sic; Srp; Tura.
1425. **Canariensis** Rbl. Ann. Naturh. Hofmus. XI p. 114. Ten.
1426. **Satanas** Mill. Bull. S. Fr. 1875 p. 168; Cat. rais p. 377, t. 2, f. 9; Hofm. Pteroph. 31; ? Delphinensella Brd. Ann. S. Fr. 1858 p. 893. Gal. m; Germ. m. oc.
1427. **Paralia** Z. Is. 1847, 899; L. E. VI, 324. Sic; Dalm; Graec; Maced; Ross. m.
1428. **Tamaricis** Z. Is. 1847, 899 (Paralia); L. E. VI, 325; HS. 41-2, V p. 365; Mill. Ic. III p. 237, t. 126, f. 5-7; Hein.-Wck. 781; Hofm. Pteroph. 32. Germ. m. oc; Helv; Gal; Hisp; Dalm; Bith; Hyrc; Syr; Tura; Ten.
1429. **Bennetii** Curt. B. E. X, 471; Stph. Ill. IV, 370; Wd. 1625; HS. 1; South Entom. 1883 p. 27, t. 1, f. 3; Leech Pteroph. p. 50, t. 16, f. 1; Meyr. 441; Snell. Tijds. XL p. 363. Angl; Bat.
1430. **Staticis** Mill. Bull. S. Fr. 1875 p. 167; Cat. rais p. 374, t. 2, f. 4-8 (praec. syn.?). Gal.

III. Orneodidae.

217. *Orneodes* Latr. 1796 (Alucita Z.).

1431. **Zonodactyla** Z. Is. 1847, 908; L. E. VI, 405; HS. V p. 387; ? And; ? Gal. m. or; Stgr. Hor. VII, 282; Hofm. Iris XI, 347. Ter. m; It. s; Sic; Graec; Maced; Lyd; Taur; Syr.
1432. **Desmodactyla** Z. Is. 1847, 908 (Zonodactyla); L. E. VI, 408; HS. V p. 387; Frey 422; Hein.-Wck. 812; Hofm. Iris XI, 347. Germ. m; Helv; Austro-Hung; Hisp. (s.); Dalm; Graec.
1433. **Dodecadactyla** Hb. 29; Tr. IX, 2. 258; Z. Is. 1841, 874 (872), L. E. VI, 406; HS. V p. 388; Frey 421; Hein.-Wck. 811; Hofm. Iris XI, 352. Germ; Austr; Helv; Liv; Norv. m; It. s. et c; Dalm.
1434. **Grammodactyla** Z. Is. 1841, 869 (867); L. E. VI, 408; HS. V p. 388; Frey 422; Hein.-Wck. 812; Hofm. Iris XI, 352. Germ; Austr; Boh; Helv; Hung; Belg; Gal. m; Dalm; As. min.
1435. **Palodactyla** Z. Is. 1847, 908; L. E. VI, 407; Stett. e. Z. 1867 p. 387; HS. V p. 388; Hofm. Iris XI, 354; Perritto-dactyla Stgr. Stett. e. Z. 1859 p. 259 (praec. var.?). Germ. m. oc; And; Gal. m. or; It. c; Sic; Dalm; Bith; Syr.
1436. **Sympodactyla** Alph. Trudy X p. 3 (1876); Mém. Rom. V p. 240, t. 12, f. 9; Hofm. Iris XI, 355. Cauc. s.
1437. **Hexadactyla** L. S. N. ed. X, 542; Wd. 1653; Hein.-Wck. 813; Snell. II, 2, p. 1060; South Entom. XVI p. 74, t. 2, f. 1; Leech Pteroph. t. 18, f. 9; Meyr. 442; Hofm. Iris XI, 349; Polydactyla Hb. 28; Tr. IX, 2. 257; Dup. XI, 314, 10; Zett. Ins. Lap. 1014; HS. V p. 389; Z. L. E. VI, 409; Wd. 1654. Eur. (exc. reg. pol.); As. min; Arm; An. s.
1438. **Hübneri** Wallgr. Fjäderm. p. 24; Hein.-Wek. 813; Hofm. Iris XI, 350; Hexadactyla Hb. 30. 31; Tr. IX, 2. 255; Z. Is. 1841, 871 (869); L. E. VI, 412; Ev. F. V. U. 610; HS. V p. 387; Frey 423; v. Cartereau Jourdheuille Cat. Lep. Aube 1883 p. 220. Eur. c. (exc. Bat. et Angl.); Suec; And; Sard; Serbia; Graecia; Ross. m. or.
1439. **Cymatodactyla** Z. L. E. VI, 413; HS. V p. 388; Hein.-Wck. 814; Hofm. Iris XI, 351. Hung. lit. et m. or; Dalm. s; Graec.

IV. Tortricidae.**A. Tortricinae.****218. *Acalla* (Hb. 1818) Meyr. (Teras Tr. 1829).**

1440. *Emargana* F. S. E. 651, no. 37; Hb. 233; Dup. IX p. 170, t. 244, 9; Stph. Ill. IV p. 147, t. 38, f. 1; Wd. 1103; Hein. 12; Excavana Hw. p. 408; Wd. 1104; Snell. II, 1, p. 171; Caudana F. R. 55. 1 d (al. ant. flavis, fusco-irroratis).
- a) var. *Caudana* F. S. F. 651, no. 38; Tr. VIII. 248; X, 3. 128; F. R. 54, 55, 1 a-c; Dup. I. c. p. 168, t. 244, 8; Wilk. 180; Hein. 12; Meyr. 519; Effractana Hb. 175; Wd. 1105 (al. ant. violaceo-griseis, fere unicoloribus).
- b) var. *Effractana* Froel. En. Tortr. p. 27; Tr. VIII, 249; F. R. 55, 2 a-b; Wck. Stett. e. Z. 1862 p. 40; Hein. 12; Caudana Hb. 232; Hw. p. 409; Wd. 1106; Indecorana Zett. 989 (obscurior, al. ant. unicoloribus fuscis, costa minus excavata).
1441. *Cristana* (S. V.) F. Mant. 233; Hw. p. 412; Tr. VIII, 253, X, 3. 129 (pr. p.); Schläg. Stett. e. Z. 1854 p. 62, 67; Wilk. 173; Hein. 13; Wck. Bresl. e. Z. 1874 p. 14; Wallgr. Tidskr. IX, 164; Meyr. 521; Rossiana F. E. S. 259; Lefebvriana Dup. IX, 244, 6; HS. 26; Cristana Wd. 1060 (al. ant. fuscis, plaga lata dorsali [capite thoraceque niveis]).
- a) ab. *Albipunctana* Stph. 152; Wd. 1061; Subvittana Stph. 152 [ab]; Wd. 1059 (al. ant. fuscis, puncto medio albo).
- b) ab. *Striana* Hw. p. 413; Stph. 149; Combustana Dup. IX, 244, f. 2; Albovittana Stph. 151, t. 36, f. 2 [ab]; Wd. 1056 (al. ant. rufo-cinnamom., plaga dors. angusta alba vel cinerea).
- c) ab. *Desfontainana* F. E. S. 268; Stph. 151; Wd. 1054; Sericana Hb. 83; Dup. IX, 244, 3; Fulvocristana Stph. 151 [ab]; Wd. 1055 (al. ant. cinnam. [exterius griseis] plaga media ex basi rufa).
- d) ab. *Spadiceana* Hw. p. 412; Stph. 151; Wd. 1052; Brunneana Stph. 149 [ab]; Wd. 1050; Vittana Stph. 150; Wd. 1051; Cristana HS. 25 [ab] (al. ant. ochraceis, exterius cinnam. [plaga dorsali] capite thoraceque rufo-ochraceis).
- e) ab. *Albicostana* Sand Cat. Lep. Berry p. 133 (al. ant. costa alba).
- f) ab. *Cristalandia* Don. Nat. Hist. III, t. 77, f. 1, 2; Stph. 152; Wd. 1058; Cristana Hb. 176 [ab]; Dup. IX, 244, 1; HS. 237 [trans.]; Fulvivittana Stph. 151; Wd. 1057 (al. ant. cinnamomeo-fuscis, macula costali media extensa albescenti).
- g) ab. *Ruficostana* Curt. B. E. I t. 16; Stph. 153; Wd. 1062; HS. 27 (al. ant. cinereis plaga lata ex basi rufa, plaga angusta dorsali alba).
- h) ab. *Profanana* F. E. S. 268; Don. XII, t. 377, 3; Stph. 149; Consimilana Stph. 150; Wd. 1053 [ab]; Substriana Stph. 149; Wd. 1047, 1049 (al. ant. concoloribus cinereis, vel ochraceis vel rufo-brunneis, capite thoraceque interdum multo dilutioribus).

*Eur. c. (exc. Bat); It.
s; Pont; Jap.*

1442. *Paradiseana* Wlsghm. Ann. & Mag. (7) V p. 371.
1443. *Delicatana* Chr. Bull. Mosc. 1881, I p. 60.
1444. *Umbrana* Hb. 59; Hw. p. 411; Tr. VIII, 253, X, 3. 129; Wd. 1063; F. R. p. 70, t. 35; Dup. IX, t. 243, 5; HS. IV p. 149; Wilk. 173; Hein. 13; Meyr. 521; Radiana Dup. IX p. 146, t. 243, 6 [ab.].
1445. *Hispidana* Chr. Bull. Mosc. 1881, I p. 61.
1446. *Hastiana* L. S. N. ed. X. p. 222 no. 532; Cl. Ic. 2, 7; Wilk. 171, t. 1, f. 11 [ab.]; Schläg. Stett. e. Z. 1863 p. 200; Hein. 14; Wck. Bresl. e. Z. 1874 p. 15; Snell. II, 1 p. 177; Meyr. 521; Scabrina (S. V.) Hb. 58, 169; Tr. VIII, 255; Dup. IX, 243. 1; HS. 11; Sparsana Froel. no. 12 (forma al. ant. brunnescens vel griseo-brunneus, fasciis [strigis] fuscis obsoletis).
- a) ab. *Coronana* Thnbg. Diss. Ent. I p. 18, fig. 18; Wd. 1072; Buringerana Hb. 216; Leprosana Froel. no. 19; Abietana Dup. IX, 265, f. 2; Scabrina HS. 10, 13 (al. ant. fascia ante medium albescens).
 - b) ab. *Byringerana* Hb. Vög. 97; Hb. 61; Wd. 1073 (al. ant. brunnescens, rufo-mixtis, fasciis lutescenti).
 - c) ab. *Psorana* Froel. I. c. p. 20; Schläg. Stett. e. Z. 1854 p. 61; Signana Tngstr. Bidr. p. 93 (al. ant. cinereis [brunnescens] stria ex basi atra).
 - d) ab. (v.) *Pruinosana* (Stgr. i. l.) (minor, al. ant. unicoloribus fuscis).
 - e) ab. *Aquilana* Hb. 235; Froel. I. c. p. 21; Tr. VIII, 252; Suberistana Stph. 155; Wd. 1071 [trans.] (al. ant. obscure cinnamom. [fuscis], thorace luteo).
 - f) ab. *Autumnana* Stph. 155; Wd. 1070; Obsoletana Stph. 156; Wd. 1074 (al. ant. lutescentib., squamis erectis fuscis).
 - g) ab. *Radiana* Hb. 177; Wd. 1065; Ramostriana Stph. 154; Wd. 1066; Scabrina HS. 12 (al. ant. luteis [rufescens] striis ex basi ad margin. extern. atris).
 - h) ab. *Combustana* Hb. 234; Stph. 155; Wd. 1068; Cristana Froel. p. 21; Schläg. Stett. e. Z. 1854 p. 62, 67 (al. ant. cinnamom., vitta lata dorsali lutescenti, fascia plagaque apicali dilutioribus, indistinctis).
 - i) ab. *Costimaculana* Wck. Bresl. e. Z. 1874 p. 16 (al. ant. albido-griseis, macula costali quadrang. obscure brunnea).
 - k) ab. *Divisana* Hb. 198; Stph. 153, t. 34, 1; Wd. 1064; Basileana Fettig Cat. Lep. Alsace 1882 p. 34 (al. ant. parte dorsali brunnesc., parte costali albescente, linea nigra ex basi usque ad apicem divisus).
 - l) ab. *Mayrana* Hb. 335; Centrovitana Stph. 154; Wd. 1067; Longepartitana Brd. Cat. p. 34 (al. ant. fuscis plaga media ex basi usque ad apicem alba aut lutea).
 - m) ab. *Albistriana* Hw. p. 412; Stph. 154; Wd. 1069 (al. ant. fuscis, plaga dorsali albescenti).
1447. ? *Maculipunctana* Costa Atti R. Ac. Sc. di Napoli IX (11) 1882 p. 338 (incertae sedis).
1448. *Abietana* Hb. 275-6; Tr. X, 3. 131; F. R. 34-5, 1 p. 69; HS. IV p. 150, VI p. 156; Hein. 15; Wallgr. Tidskr. IX, 168 (forma al. ant. fuscis, fasciis distinctis).
- a) ab. *Confixana* Hb. 277; Froel. p. 22 (al. ant. rufescent., fasciis obsoletis).

Amur; Jap.

Amur; Uss; Jap.

Eur. c; Suec; Fen.

Amur; Uss; Jap.

Eur. (exc. It. m. et Graec.); Sib; Am. s.

Germ. s. oc. (lit.).

Sard.

Eur. s.; Germ; Austr; Car; Helv; Ital. s.

- b) ab. *Opacana* Hb. 334; *Erebana* Gn. Ind. p. 12 (al. ant. unicolor, fuscis).
- c) ab. *Lutiplaga* Rbl.; *Abietana* F. R. 35, f. 1a (al. ant. fuscis, plaga dorsali lutea [albescente]).
- 1449. *Maccana*** Tr. X, 3. 133; HS. 14-16; Wilk. p. 171; Hein. 16; Wallgr. Tidskr. IX, 168; Meyr. 523; Marmorana Westw. Brit. Moths II, 159, t. 104, f. 9; Basalticola Stgr. Stett. e. Z. 1857 p. 268.
- 1450. *Fimbriana*** Thnbg. Diss. Ent. II p. 44, t. 5, f. 3; Tngstr. Cat. p. 359; Nolek. Fn. II p. 345, 825; Wallgr. Tidskr. IX p. 168; Rbl. z. b. V. 1889 p. 296; Hering Stett. e. Z. 1889 p. 290; Disqué Stett. e. Z. 1890 p. 86 larv.; ?Decosseana Rössl. Schppfl. 1880 p. 234.
- 1451. *Mixtana*** Hb. 215; Tr. X, 3. 134; Dup. IX, 261, 8 p. 489 (Permict.); HS. IV p. 148; Wilk. 159; Hein. 23; Snell. II, 1 p. 186; Meyr. 523; Castaneana Hw. 410; Wd. 1114.
- a) ab. *Provinciana* Peyer. Mitth. III p. 410; Ann. S. Fr. 1872 p. 8, t. 5, f. 2; Rag. ib. 1894 p. 178 (al. ant. albescentibus).
- 1452. *Logiana*** Schiff. S. V. p. 130; Hb. 64; Wd. 1901; HS. 24, IV p. 143; Meyr. 523; Tristana Hb. 50; HS. IV p. 142; Wilk. 167; Hein. 17 (pr. p.); Trigonana Stph. Ill. IV p. 159; Wd. 1084 (al. ant. pallidis, macula cost. obscura fusca).
- a) ab. *Germarana* Froel. no. 22; Logiana Hb. 217; Boscana Stph. p. 159; Wd. 1083; Plumbosana Stph. Ill. IV p. 158; Wd. 1082; Brutana HS. 9 (al. ant. brunnescentibus, mac. cost. indistincta).
- 1453. *Hippophaëana*** Heyd. Stett. e. Z. 1865 p. 377; Frey Mitth. VI (1883) p. 689; Ragatzana Heyd. l. c.
- 1454. *Permutana*** Dup. IX p. 499, t. 262, f. 4; Permutatana HS. 28, IV p. 141; Wilk. 174; Hein. p. 19; Meyr. 524.
- 1455. *Variegana*** Schiff. S. V. p. 130; Wd. 1089; Wilk. 175; Hein. 20; Snell. II, 1 p. 175; Meyr. 523; A bildgaardana Froel. no. 9; Tr. VIII, 268, X, 3. 137; Dup. IX, 244, 4; HS. IV p. 141; Cristana Hb. 55.
- a) ab. *Asperana* F. Gen. 292; Wd. 1088; Dup. IX, 244, 5; Nyctemera Hb. 240; HS. IV p. 142, VI p. 155 (al. ant. parte basali alba, apicali plumbeo-nigra).
- b) v. *Insignana* HS. 410, IV p. 142; Z. Stett. e. Z. 1849 p. 284 (al. ant. ochraceis, macula dorsali ad $\frac{1}{3}$ et costali maxima fusco-plumbeis).
- 1456. *Undulana*** Wlsghm. Ann. & Mag. (7) V p. 373; ab. Coprana Wlsghm. l. c. 374.
- 1457. *Boscana*** F. E. S. 269; Dup. IX, 242, f. 3; HS. IV p. 147, VI p. 155; Wilk. 163; Hein. 20; Snell. II, 1 p. 181; Meyr. 523; Cerusana Hb. 63; Tr. VIII, 182; Wd. 1096 (forma alba, macula tripartita costali fusca).
- a) gen. aest. *Parisiana* Gn. Ind. p. 8; HS. 4-6, IV p. 153; Hein. 21; Scabrina Stph. Ill. IV, 163; Wd. 1097; Ulmana Dup. IX, 242, 7 [nom. praeoc.]; Spectrana Dup. l. c. f. 4 [ab.] (forma cinerea, macula cost. minus distineta).
- 1458. *Literana*** L. S. N. ed. X, 530; Hb. 88 [ab. insignat.], 89; Tr. VIII, 184; Wd. 1098; Dup. IX, 242, 1a, b; HS. IV p. 152; Wilk. 160; Hein. 22; Snell. II, 1 p. 176; Meyr. 522 (al. ant. virid., undulis atris, linea limbali nulla).
- Eur. s; Ist; Germ. s;
Boh; Angl; Am. s.
- Suec; Fen; Liv;
Germ. oc; Hung.
- Eur. c; Scand.
- Eur. c. (exc. Bat.) et m.
(exc. It. m. et Graec.);
Suec; Lap; Am. s.
- Helv; Germ. oc; It. s.
- Germ. m; Austr. inf;
Hung; Dalm; Belg;
Angl; Bith.
- Eur. (exc. reg. pol.);
As. min.
- It. c; Carn; Car;
Dalm; Ross. m. or.
- Ant; Taur.
- Eur. c. et m; Scand;
As. min; Jap; Am. s.
- Eur. c; Scand; It;
Sard; As. min. et s.

- a) ab. *Suavana*^v HS. 1, IV p. 152 (al. ant. pallide virid. aut glaueis, undulis nigris pluribus, linea limbali nigra).
- b) v. *Squamana*^v F. S. E. 651; Wd. 1099; Dup. IX, 242, 2 b; Hein. 21; Wallgr. Tidskr. 1888 p. 165; Asperana (S.V.) Tr. VIII, 185; HS. 2, 3, IV p. 152; *Squamulana* Hb. 93 [ab.], 94; *Irrorana* Hb. 96; Curt. B. E. X, 440; Wd. 1100 (al. ant. pallide aut cinereo-virid., minus nigro-signatis).
- c) ab. *Fulvomixtana*^v Stph. Ill. IV, 166; Wd. 1102; *Squamulana* Hb. 92; *Squamana* Dup. IX, 242, 2 a (al. ant. ut in var. b et rufo-maculatis).
- d) ab. *Tricolorana*^v Hw. no. 54; Wd. 1101; *Literana* Hb. 90 [trans.], 91 (al. ant. plaga ex basi furcata rufescens).
- e) ab. *Irrorana*^v Hb. 97 (al. ant. [fusco-]cinereis, nec virid.).
- f) ab. *Olivana*^v Rbl.; *Squamulana* Hb. Vög. 14; Hb. 95 (al. ant. obscure olivaceis plaga in apice albescens).
1459. **Niveana** F. Mant. II p. 233; Schläg. Stett. e. Z. 1854 p. 52; Hein. 22; Snell. II, 1 p. 180; Meyr. 522; Treueriana Hb. 100; Tr. VIII, 93, X, 3. 189; F.R. 25, 2 p. 43; Dup. IX, 242, f. 5 a, b; HS. IV p. 151; Cerusana Dup. IX, 264, f. 2.
- a) v. (et ab.) *Scotana* Stph. List. 97; Wilk. 162; Stt. Man. II, 231; Barr. Monthl. Mag. X p. 98 (al. ant. albido-cinereis, maeula costali tripartita fusca, marg. dorsali puncto ferrugineo).
1460. **Rosidana**^v Hb. 103; Hein. 22; *Nebulana* Hb. 104; Tr. X, 3. 188; Dup. IX, 242; HS. IV p. 151. *Gal*; *Hal*; Ross. s. oc. et m. or.; *Suec.*
1461. **Lipsiana**^v Schiff. S. V. 129; Tr. VIII, 270, X, 3. 137; Dup. IX, 264, 3; HS. 8. 17. 18. IV p. 148; Hein. 18; Meyr. 523; Sudoriana Hb. 283; Dup. IX, 243, f. 3.
1462. **Pulverana**^v HS. 364, IV p. 151; *Obtusana* Ev. F. V. U. 524 (pr. p.).
1463. **Lacordairana**^v Dup. IX, 266, 1 p. 562; Z. Is. 1846 p. 264; *Obtusana* Ev. F. V. U. p. 524 (pr. p.); *Dissonana* HS. 365. IV p. 145; *Cyaneana* Peyer. Mitth. III p. 409; Ann. S. Fr. 1872 p. 7, t. 5, f. 1, 1a; Frey Lep. 283; Rag. Ann. S. Fr. 1894 p. 179.
1464. **Sponsana**^v F. Mant. 225; Hein. 18; *Favillaceana* Hb. 62; Wd. 1075; Tr. VIII, 260, X, 3. 135; Dup. IX, 243, f. 9 a, b; HS. 270, IV p. 143; Snell. II, 1 p. 188; Meyr. 522; *Reticulana* Wd. 1077; *Tristana* Stph. IV, 157; ?*Malivorana* Rag. Bull. S. Fr. 1875 p. 71, 75; ?*Pyrivorana* Rag. ib. Ann. 1876 p. 401, t. 6, f. 1.
1465. ?**Albiscapulana**^v Chr. Bull. M. 1881, I p. 63; Wlsghm. Ann. & Mag. (7) V p. 375.
1466. **Rufana**^v Schiff. S. V. 129; Hb. 178; HS. IV p. 145; Wilk. 165; *Autumnana* Hb. 247; Hein. 23; Snell. II, 1 p. 186; Meyr. 522; *Bistriana* Wd. 1078; *Lucidana* Tr. VIII, 260, X, 3. 135; HS. 20; *Densana* Frr. 18, 4 p. 34; *Crassana* Dup. Sup. IV, t. 61, f. 9, 10.
- a) ab. *Apiciana* Hb. Vög. 49; Hb. 87; Tr. VIII, 271, X, 3. 135; HS. 7 (al. ant. striga ex basi ad apicem fusca).
1467. **Longipalpana**^v Snell. Tijds. 1882-3 p. 184, t. 11, f. 1.
1468. **Perplexana**^v Barr. Monthl. Mag. XVII (1881) p. 265; Meyr. 524.

Eur. c; Liv; Fen;
Scand; It. c; Ross.
m. or; Am. s.

Angl; Scot; Eur. c.
(ab.).

Germ; Helv; Vind;
Ross. s. oc. et m. or; Suec.

Eur. c. (exc. Bat.);
Ross. oc; Cast; It. s.
Corcyra.

Ural.

Helv; Liv; Cauc;
Ural.

Eur. c; Liv; Scand;
It. s; Dalm.

Amur; Uss; Cor.

Germ; Helv; Gal;
Angl; Scand; Ross.
s; It. s.

Amur.

Angl; Hib.

1469. **Schalleriana** F. S. no. 1339; Hb. 288-9; Tr. VIII, 265, X, 3. 136; Wd. 1085; Dup. IX, 243; HS. IV p. 144; Wilk. 165; Hein. 19; Snell. II, 1 p. 188; Meyr. 524; *Latifasciana* Hw. no. 65; Wd. 1081; *Labeculana* Frr. 18, 3; *Erutana* HS. 19 (forma *cinerea*, macula costali rufa).
a) v. *Comparana* Hb. 284; Tr. VIII, 264; Dup. IX, 243, 7; HS. IV p. 145; Wilk. 166; Hein. 24; *Costimaculana* Wd. 1087 (forma *ochracea*, macula costali fusca).
1470. **Comariana** Z. Is. 1846 p. 263; HS. 387; Nolck. Fn. II, 350; Meyr. 524; *Proteana* HS. 29, 30, IV p. 144; Hein. 25; *Potentillana* Cooke Monthl. Mag. VII p. 41; Barr. ib. X p. 99.
1471. **Aspersana** Hb. 259; Wilk. 177; Hein. 24; Snell. II, 1 p. 183; Meyr. 526; *Adspersana* Dup. IV, 61, 5; HS. 406; Tr. X, 3. 262 (*Ferrugana* var.); *Subtripunctana* Stph. III. IV, 162; Wd. 1092.
1472. **Shepherdana** Stph. List. p. 19, 98; Wilk. 151; Barr. Monthl. Mag. XVII p. 266; Meyr. 525.
1473. **Ferrugana** (S. V.) Tr. VIII, 263, X, 3. 136; F. R. p. 40, t. 23-5; Dup. IX, 243, 4; HS. 407, IV p. 146; Wilk. 178; Hein. 25; Snell. II, 1 p. 184; Meyr. 525; *Gnomana* Wd. 1093; *Bifidana* Wd. 1095.
a) v. (et ab.) *Tripunktana* Hb. 129; Wd. 1094; Dup. IX, 243, f. 2; *Brachiana* Frr. 18, 1 p. 33; Tr. X, 3. 262 (al. ant. rufescens, macula tripartita costal. fusca).
b) ab. *Rubidana* HS. 328, IV p. 146 (al. ant. macula cost. rhombica ferruginea).
c) v. *Selasana* HS. 370, IV p. 147; Hein. 27 (al. brevioribus, ant. testaceis).
1474. **Caledoniana** Stph. List. p. 18, 97; Wilk. 179; Barr. Monthl. Mag. XVII p. 112; Meyr. 526.
1475. **Affinitana** Snell. Tijds. 1882-3 p. 185, t. 11, f. 2, 2a; Wlsghm. Ann. & Mag. (7) V p. 377.
1476. **Lithargyrana** HS. 23, IV p. 147; Wallgr. Tidskr. 1888 p. 167; *Rufana* Hb. 127; Hein. 26.
1477. **Quercinana** Stett. e. Z. 1849 p. 283; HS. 21. 22, IV p. 147; Hein. 27; Snell. II, 1 p. 185; Disqué Stett. e. Z. 1890 p. 88; *?Mucidanum* Peyer. Pet. Nouv. 1873 p. 346.
1478. **Lubricana** Mn. z. b. V. 1867 p. 842; Hering Stett. e. Z. 1889 p. 293; Disqué ib. 1890 p. 87.
1479. **Holmiana** L. S. N. ed. X, 532; Cl. Ic. 10, 7; Hb. Btr. I, 3 t. 1, C; Hb. 39; Wd. 874; Tr. VIII, 124; Dup. IX, 241, 8; HS. IV p. 169; Wilk. 155; Hein. 28; Snell. II, 1 p. 183; Meyr. 526.
1480. **Contaminana** Hb. 142; Tr. VIII, 250; Wd. 1107; Dup. IX, 244, 10; HS. IV p. 153; Wilk. 150; Snell. II, 1 p. 190; Meyr. 525; *?Reticulata* Ström Det. k. Danske Wid. Selsk. Skrift. 1783 p. 83 (nom. vetust. restituend.).
a) v. *Ciliiana* Hb. 171; Wd. 1108; Tr. X, 3. 260; Dup. IX, 265, 4; *Obscurana* Don. Nat. Hist. XII, t. 374, 2 (al. ant. ochrac. minus signatis, fascia media abbreviata).
b) ab. *Dimidiiana* Froel. no. 27; Hb. 299, 300; *Rhombana* Stph. IV, 170; Wd. 1109 (al. ant. fere unicoloribus, violaceo-brunneis).
- Eur. c; It. s; Norv;*
Am. s.
- Germ. s; Belg; Angl;*
Hib; Liv.
- Eur. c; Ins. Hethland;*
Suec; Dalm.
- Angl; Germ. s. et m.*
oc.; Gal. (Paris.).
- Eur; Am. s.*
- Germ. m; Austr; It. c.*
- Scot.*
- Amur; Jap.*
- Germ; Helv; Cast;*
It. s; Ross. s. oc; Suec.
- Germ; Helv; Belg;*
Bat; Austr.-Hung;
It; Sard; As. min.
- Teriol. m; Germ. oc;*
Cauc.
- Eur. c; Liv; Scand;*
It; As. min.
- Eur. c; Liv; Fen;*
Scand; Ped; Pont.

1481. **Lorquiniana** Dup. IX, 244, 7 p. 165; HS. n. Schm. 38 p. 5; Hein. 29; Schleich Stett. e. Z. 1863 p. 67; Meyr. 525; Atrosignana HS. 300, IV p. 146; Uliginosana Westw. Br. M. II p. 139, t. 87, 12; Wilk. 145.
- a) v. **Striatana** Rag. Ann. S. Fr. 1894 p. 180 (al. ant. plaga fusca ex basi ad apicem). *Germ. s.*
219. **Amphisa** Curt. 1828 [Philedone (Hb.) Meyr.]
1482. **Gerningana** Schiff. S.V. 318; Tr. VIII, 73; Dup. Sup. IV, 61, 4; Wd. 876; HS. 239, 414 [var.], IV p. 160; Wilk. 13; Hein. 51; Snell. II, 1 p. 222; Meyr. 527; Pectinana Hb. 108. *Eur. c. et m. (pr. p.); Suec; As. min; Uss.*
1483. **Rhombicana** HS. 271, IV p. 160; Hein. 52. *Austr. inf; Boh; It. c; Dalm.*
1484. **Prodromana** Hb. Gesch. Tort. IV, B. c. 2, a-c; Wilk. 14; Hein. 52; Meyr. 527; Walkerana Curt. V, 209; Wd. 877; HS. 33, IV p. 169; ? Lunana Thnbg. Diss. I, 1774 p. 35 (nom. restituend.?) Wallgr. Tortr. & Tin. X, 58; Tidskr. 1888 p. 187. *Eur. c. (exc. Bat.); Liv; Fen; Suec.*
1485. **Seboldiana** Rössl. Stett. e. Z. 1877 p. 371; Sebold Ann. Soc. Esp. 1879 p. 118, t. 1, f. 2. *Hisp. s. (Bilb.).*
1486. **Gaditana** Rag. Bull. S. Fr. 1889 p. 130; Sebold Iris XI, t. 1, f. 8. *And.*
1487. **Joannisiana** Rag. Ann. S. Fr. 1888 p. 283, t. 6, f. 13. *Gal. m. (Marseille).*
1488. **Lithosiana** Kenn. Iris XII p. 11, t. 1, f. 9. *Hisp.*

220. **Zelotherses** Ld. 1859.

1489. **Albociliana** HS. 418, IV p. 192, VI p. 158. *Srp.*
221. **Dichelia** Gn. 1845 [Hastula Mill., Epagoge (Hb.) Meyr.]
1490. **Constanti** Rbl. Ann. Nat. Hofmus. IX p. 85 (1894). *Ten.*
1491. **Artificana** HS. 63, VI p. 170; Hein. 51. *Carn; Sic; Hung; Dalm; As. min.*
1492. **Treitschkeana** Tr. X, 3. 74; F. R. 40, 4 p. 93; HS. IV p. 170. *Hung. m. or; Ross. m. or.*
1493. **Diffusana** Kenn. Iris XII p. 10, t. 1, f. 8. *And.*
1494. **Grotiana** F. Mant. 235; Tr. VIII, 81, X, 3. 64; Dup. IX, 239, 5; Wd. 871; F. R. 11, 1 p. 17; HS. IV p. 162, VI p. 155; Wilk. 39; Hein. 50; Snell. II, 1 p. 221; Meyr. 527; Flavana Hb. 133. *Eur. c. et m; Scand. m.; As. min; Jap; Cor; China.*
1495. **Gnomana** Cl. Ic. 4, 13; Tr. VIII, 79, X, 3. 64; Dup. IX, 239, 7; F. R. 10, 1 p. 14; HS. IV p. 164; Hein. 50; Snell. II, 1 p. 221; Meyr. 527; Livoniana Sodof. Bull. M. 1829 p. 143, t. 3, f. 2. *Eur. c. et m; Scand. m.; As. min.*
1496. **Rubicundana** HS. 415, VI p. 155; Wek. Stett. e. Z. 1862 p. 43; Hein. 51; Wallgr. Tidskr. 1888 p. 188. *Sil. mont; Fen; Norv; Lap.*
1497. **Moeschleriana** Wek. Stett. e. Z. 1862 p. 45; Algidana Möschl. Wien. Mts. 1862 p. 138, t. 1, 10. *Labr.*
- a) v. **Gelidana** Möschl. l. c. f. 9; Rag. Ann. S. Fr. 1894 p. 184 (v. pallidior).
1498. **Cinerana** Zett. Ins. Lap. 978; Wek. Stett. e. Z. 1862 p. 45; Wallgr. Tidskr. 1888 p. 188. *Norv.*

1499. **Lapponana** ✓ Tgstr. Cat. p. 69; Sandberg Tidskr. 1885 p. 201; Wallgr. ib. 1888 p. 189.
1500. **Hyerana** ✓ Mill. Ann. S. Fr. 1857 p. 799, t. 14, f. III; HS. n. Schm. 93; Stgr. Hor. XV p. 234; Rag. Ann. S. Fr. 1894 p. 182.
1501. **Ignoratana** Stgr. Hor. XV (1880) p. 234.
- ✓
222. **Capua** Stph. 1834.
1502. **Angustiorana** Hw. Lep. Br. p. 429; Wd. 879; Wilk. 65; Mill. Ic. 152, f. 9-13; Snell. II, 1 p. 220; Meyr. 528; **Rotundana** Hw. p. 429; Wd. 878; Dumeriliana Dup. IX, 266, 2, a, b. p. 464; HS. 366-7, IV p. 161.
1503. **Reticulana** Hb. 271; Hein. 49; Orana F. R. 9, 3 p. 13; Tr. X, 3. 61; Dup. IV, 61, 62; HS. IV p. 161.
1504. **Favillaceana** Hb. 255; Hein. 53; Snell. II, 1 p. 223; Meyr. 528; Ochraceana Stph. Ill. IV, 172; Wd. 1113; Wilk. 113; Terreana Tr. X, 3. 88; Dup. IV, 62, 4; HS. IV p. 105.
- ✓
223. **Oenophthira** Dup. 1844 [Oenectra Gn., Sparganothis (Hb.) Meyr.].
1505. **Pilleriana** ✓ Schiff. S. V. 126; Hb. 172; Tr. VIII, 83, X, 3. 64; Dup. IX, 239, 8; Sup. IV, 79, f. 4; HS. 349, IV p. 162; Wilk. 40; Hein. 50; Snell. II, 1 p. 219; Tid. XXXII p. 44; Luteolana Hb. 136; Wd. 1677.
- ✓
224. **Cacoecia** ✓ Hb. 1818.
1506. **Piceana** ✓ L. S. N. ed. X, 531 ♂; Tr. VIII, 64, X, 3. 53; Hb. 264; F. R. 43, 1 p. 108; Rtzbl. Forst-Ins. p. 213, t. 14, f. 6, t. 13, f. 2; HS. IV p. 157; Hein. 32; Snell. II, 1 p. 197; Meyr. 529; Jud.-Nitsche II t. 7, f. 7, 8; Oporana Hb. 112 ♀; Tr. VIII, 46; Frr. 48, 1; Xylosteana Hb. 264 ♂; ?Similis Butl. Ill. Het. III p. 79, t. 60, f. 4 ♀.
1507. **Podana** ✓ Sc. Ent. Carn. p. 232; Hein. 32; Snell. II, 1, 197; Meyr. 530; Pyrastrana Hb. 124 ♂; Congenerana Hb. 295 ♀; Dup. IX, 238, 2; Ameriana Tr. VIII, 49, X, 3. 155; F. R. 43, 2. 44, 1 p. 110; Dup. IX, 238, 3; HS. IV p. 156; Fulvana Wilk. 60, t. 1, f. 4.
- a) v. **Sauferiana** ✓ Sorh. Berl. e. Z. 1882 p. 131 (al. ant. fere unicol. nigro-fuscis).
1508. **Ingentana** ✓ Chr. Bull. M. 1881, I p. 64; Subrufana Snell. Tijds. XXVI p. 187, t. 11, f. 3, 3a.
1509. **Testaceana** ✓ Ev. F. V. U. 486; Gn. Ind. 3; HS. IV p. 160.
1510. **Decretana** ✓ Tr. X, 3. 56; F. R. 43, 2 p. 112; Dup. Sup. IV p. 346, t. 79, f. 1; HS. IV p. 158; Hein. 33; Sorh. Berl. e. Z. 1882 p. 132; Snell. II, 2 p. 1076; Meyr. 530.
1511. **Rosaceana** ✓ Harr. Ins. Inj. ed. I (1841); Robinson Tr. Am. E. Soc. II p. 262, t. 1, f. 1-3; Fern. Tortr. Cat. p. 10; Arcticana Möschl. Stett. e. Z. 1874 p. 164.
1512. **Crataegana** ✓ Hb. 107 ♀; Tr. VIII, 57; Dup. IX, 238, 1; HS. IV p. 159; Hein. 33; Snell. II, 1 p. 198; Meyr. 530; Roborana Hb. 126 ♂; Dup. IX, 239, f. 3; Wd. 864; Wilk. 61; Xylosteana var. F. R. 45 e. f. p. 114; Frr. 48, 3.
- ✓
- Lap.
- Eur. m. oc; Sic; Dalm;
Maur; Can.
- Pont.
- Eur. c. oc. et m; Maur;
As. min.
- Eur. c. (exc. Angl.,
Bat.) et s. (exc. reg.
pol.); Ross. m. or.
- Eur. c; Suec; Dalm.
- Eur. c. et m; Suec. m;
As. min; Hyrc; Jap;
China; Am. s.
- Eur. c; Scand; It. s;
Sard; As. s; ?Jap.
- Eur. c; Suec; It. s;
Sard; Dalm; Graec;
As. min; Sib. or; Jap.
- Germ. s; Hal.
- Amur; Uss; Jap;
China c. et oc; Ind. s. oc.
- Ross. m. or; Petrop.
(Hedem.); It. c. (Pisa).
- Eur. c; Liv; Ross.
s. oc.
- Labr; Am. s; Jap.
(import.).
- Eur. c; Liv; It. s;
Graec; Jap; China.

1513. **Xylosteana**^v L. S. N. ed. X, 531; Cl. Ic. 2, 6; Wd. 863; Tr. VIII, 55, X, 3, 58; F. R. p. 114, t. 45a-d, g, h; Dup. IX, 239, 2; HS. IV p. 157; Wilk. 62; Hein. 34; Snell. II, 1 p. 199; Meyr. 530; Characterana Hb. Vög. 58; Hb. 125.
1514. **Rosana**^v L. S. N. ed. X, 530, Hb. 302; Wilk. 63; Hein. 34; Snell. II, 1 p. 200; Meyr. 531; Laevigana Schiff. S. V. 129; Tr. VIII, 62; Wd. 857; F. R. t. 11, 2, p. 17, t. 98, p. 292; Dup. Suppl. IV t. 79, f. 3; Z. Is. 1847 p. 24; HS. IV p. 159; Oxyacanthana Hb. 117 ♀; Dup. IX, 238, 10; Acerana Hb. 118 ♂; Dup. IX, 239, 1.
1515. **Sorbiania**^v Hb. 113; Tr. VIII, 51, X, 3, 59; Frr. 48, f. 2; Dup. IX, 238, 6; Wd. 849; HS. IV p. 165; Wilk. 55; Hein. 34; Snell. II, 1 p. 201; Meyr. 531.
1516. **Lafauryana**^v Rag. Bull. S. Fr. 1875 p. 72; Ann. S. Fr. 1876 p. 403, t. 6, f. 2; Sorh. Berl. e. Z. 1882 p. 132; Snell. II, 1 p. 200; Atmore Entom. XIV p. 153, t. 1, f. 22; Meyr. 531.
1517. **Liratana**^v Chr. Bull. M. 1881, I p. 68.
1518. **Semialbana**^v Gn. Ann. S. Fr. 1845 p. 139; Ind. 5; Wilk. 57; Hein. 35; Snell. II, 1 p. 205; Meyr. 532; Modeeriana Wd. 868; Consimilana Tr. VIII, 75; HS. 54, 347, IV p. 160.
1519. **Gilvana**^v Ev. Bull. M. 1842 p. 562; F.V.U. 488; Gn. Ind. 5.
1520. **Costana**^v F. Mant. 227; Wd. 866; HS. IV p. 164; Wilk. 58; Hein. 35; Snell. II, 1 p. 206; Meyr. 531; Gnomana Hb. 131; Spectrana Tr. VIII, 77, X, 3, 63; HS. 32; Vinculana Tr. VIII, 74; Latiorana Stt. Ann. 1857 p. 100; Wilk. 57.
1521. **Sarthana** Rag. Ann. S. Fr. 1894 p. 180.
1522. **Dumicolana**^v Z. Is. 1847 p. 657; HS. 346, IV p. 161; Hein. 39.
1523. **Histrionana**^v Froel. p. 57, no. 125; Hb. 310, 311; Tr. X, 3, 94; Rtz. Forst.-Ins. p. 228, t. 12, f. 5; Dup. Suppl. IV, 64, f. 5; HS. IV p. 167; Hein. 39; Jud.-Nitsche II p. 1029, t. 7, f. 10.
1524. **Murinana**^v Hb. 105; HS. Corr. 1863 p. 110; Wachtl Mittb. forst. Versuchsw. Oesterr. 1882 p. 9, t. 3, f. 1-13; Jud.-Nitsche II p. 1031, t. 7, f. 9; Besser. Now. En. p. 125; M. S. N. p. 5, f. 12; Histrionana Rtz. Waldv. 1868, II p. 13, 412, t. 5, f. 1, 3-6.
- a) ab. **Immaculana**^v Wachtl l. c. p. 15, t. 3, f. 3 (al. ant. fere immaculatis).
1525. **Musculana**^v Hb. 98; Tr. VIII, 175, X, 3, 93; Frr. 120, f. 1; Dup. IX, 255, 7; HS. 53, IV p. 168; Wilk. 56; Hein. 39; Snell. II, 1 p. 209; Meyr. 532.
- a) v. **Musculinana**^v (Stgr.) Kenn. Iris XII p. 5, t. 1, f. 2; Durr. Monthl. Mag. 1899 p. 60; Musculana Hoffm. Stett. e. Z. 1884 p. 372 (minor, al. ant. argenteo-griseis, distinctius signatis).
1526. **Sinapina**^v Butl. Ill. Lep. Het. III, p. 78, t. 60, f. 3.
1527. **Aeriferana** HS. 202, IV p. 223; Hein. 38; Z. Bresl. e. Z. 1852 p. 86; Mill. Ann. S. Lyon. 1883 p. 162, t. 2, f. 5.
1528. **Unifasciana**^v Dup. IV, 61, 6 p. 135; Wilk. 59; Hein. 40; Snell. II, 1 p. 210; Rbl. z. b. V. 1891 p. 617; Meyr. 532; Flavana Dup. IX, 239, 6; Productana Z. Is. 1847 p. 660; Obliterana HS. 60, 361, IV p. 164; Consimilana Hb. 239.
- Eur. c. et m; Scand;
Taur; Cauc; Jap.
- Eur; As. min; Am. s.
- Eur. c. et m; Suec;
As. min; Jap.
- Gal; Germ. s; Bat;
Angl; Cor. (var.).
- Uss; Cor; Jap.
- Eur. c. et m; Suec; As.
min; Amur; Cor;
China; Ind.
- Ural; Taur.
- Eur. c; Liv; Suec;
Srp.
- Tura.
- Eur. m (exc. Graec.
et Ross. m.); Bith.
Germ; Austr; Gal.
- Germ. m; Austr. inf;
Boh; Morav; Sil;
Hal; Helv.
- Eur; Sib; Am. s.
- Ins. Hethland.
- Amur; Jap.
Alp; Sil; Gal. m; Jap.
- Eur. oc. et m. (exc.
Graec.); Ross. s. oc;
As. min; Maur.

1529. **Neglectana**^v HS. 59, IV p. 167; Snell. II, 1 p. 211; *Betulifoliana* Hein. 43 (♂ al. ant. *plica costali indistincta*). *Germ. c. et s; Bat; ?Lusit.*
1530. **Striolana**^v Rag. Bull. S. Fr. 1879 p. 132; Ann. S. Fr. 1894 p. 180, t. 1, f. 3. *Helv.*
1531. **Strigana**^v Hb. 141; Tr. VIII, 80; Dup. IX, 261, 4; HS. IV p. 163; Hein. 40; Snell. II, 1 p. 212; *Rhombicana* HS. 46 ♀. *Eur. c. (exc. Angl.) et m; Suec.m; As. min; Cauc; Pers; Cor; Jap.*
- a) ab. *Stramineana* HS. 39. 40, IV p. 163 (al. ant. *unicoloribus stramineis*). *As. min.*
1532. **Caesareana**^v Joan. (L. & J.) Bull. S. Fr. 1891 p. 83; Nov. Lep. (1893) p. 133, t. 18, f. 8. *As. min.*
1533. **Lecheana**^v L. S. N. ed. X, 531; Cl. Ic. 10, 2; Hb. 67; Tr. VIII, 106; HS. IV p. 171; Dup. IX, 241, 2; Wilk. 67; Hein. 38; Snell. II, 1 p. 218; Sepp. (2) IV p. 227, t. 40; Meyr. 532; *Obsoleteana* Stph. IV, 142; Wd. 1055. *Eur. c; Scand; Ross; It. s. et c; Graec; Arm.*
1534. **Circumclusana**^v Chr. Bull. M. 1881, I p. 66. *Uss; Jap.*
1535. **Erschoffi**^v Chr. Hor. XII (1877) p. 290, t. 8, f. 61. *Hyrc.*
1536. **Magnificana** HS. n. Schm. 150 p. 30. *Srp.*
1537. **Plumbeolana** Brem. Lep. O. S. p. 89, t. 7, f. 20, 21. *Sib. or.*

225. Pandemis Hb. 1818.

1538. **Coryana**^v F. E. S. 260; Wd. 855; Tr. VIII, 66; Dup. IX, 238, 4; HS. IV p. 167; Wilk. 50; Hein. 35; Snell. II, 1 p. 202; Meyr. 533; *Textana* Hb. 115. *Eur. c; Scand; It; Dalm.*
1539. **Chondrillana**^v HS. n. Schm. 82 p. 13. *Srp; Gal; Hal; Turcom*
1540. **Ribeana**^v Hb. 114; Tr. VIII, 67, X, 3. 61; Dup. IX, 238, 5, 239, 10; Wd. 852; Z. Is. 1846 p. 219; HS. IV p. 166; Wilk. 48; Hein. 36; Snell. II, 1 p. 203; Meyr. 533; *Grossulariana* Stph. IV, 72; Wd. 853. *Eur. c; Scand; It; Dalm; As. min; Sib. or; Cor; Jap, China; Ind. s. or.*
- a) v. (ab.) *Cerasana*^v Hb. 119; Tr. VIII, 69; Dup. IX, 238, 9; Z. I. c., HS. IV p. 165; Hein. 36 (al. ant. *fasciis fuscis, margine dorsal. infumatis*). *Fere unicolar. fusca).*
- b) v. (ab.) *Obscura*^v Schöyen Tromsö Mus. 1882 p. 45 (fere unicolar. fusca). *Norv.*
1541. **Cinnamomeana**^v Tr. VIII, 61, X, 3. 60; Wd. 851; F. R. 9, 2 p. 12; HS. IV p. 166; Wilk. 49; Hein. 36; Meyr. 534. *Eur. c. (exc. Bat.); Suec; Ross. oc.*
1542. **Simonyi**^v Rbl. Ann. Nat. Hofmus. VII (1892) p. 263, t. 17, f. 8, 9; IX p. 82. *Can.*
1543. **Persimilana**^v Rbl. Ann. Nat. Hofmus. IX p. 82; XI, 117. *Can.*
1544. **Mactana**^v Rbl. Ann. Nat. Hofmus. XI p. 116, t. 3, f. 4; XIII p. 376. *Can.*
1545. **Bracatana**^v Rbl. Ann. Nat. Hofmus. IX (1896) p. 82. *Ten.*
1546. **Reticulata** Stt. Ann. & Mag. (3) III 1859 p. 211; Wlsghm. Tr. E. S. 1894 p. 540. *Mad.*
1547. **Heparana** Schiff. S. V. 128; Tr. VIII, 58, X, 3. 60; Dup. IX, 238, 7; Wd. 850; HS. IV p. 166; Wilk. 47; Hein. 36; Snell. II, 1 p. 204; Meyr. 533; *Carpiniana* Hb. 116; *Rubrana* Sodof. Bull. M. 1830 p. 71, t. 1, f. 5. *Eur. c; Scand; Hisp; It; Dalm; Ross. m. or; Jap.*
- a) ab. *Vulpisana*^v HS. 34, IV p. 166 (multo obscurior, al. ant. fere unicolar. fuscis). *Germ. c.*
1548. **Jecorana**^v Kenn. Iris XII p. 4, t. 1, f. 1. *Hyrc.*

226. **Eulia** Hb. 1818 (*Lophoderus* Stph. 1829).

1549. **Ochreana**^v Hb. 134; Tr. VIII, 84; Dup. IX, 240, 1; HS. IV p. 162; Schläg. Stett. e. Z. 1854 p. 71; Hein. 41; Ferugana Hb. Vög. 51. s. oc; It; Srp; Graec; As. min; Cauc; Syr. s.
1550. **Mabilliana** Rag. Bull. S. Fr. 1875 p. 72; Ann. S. Fr. 1876 p. 405, t. 6, f. 3; Pistaciana Rag. l. c. 1875 [ab.]. Cors.
1551. **Formosana** Hb. 319-20; Dup. IX, 247, 3. Ross. m; Gal. m. (Mill);? Cors. (Mab.).
1552. **Cupressana** Dup. IX, 262, 2 p. 495; HS. 273. 356, IV p. 210, VI p. 159; Z. Stett. e. Z. 1849 p. 244 (praec. var?).
- a) v. *Nobiliana* Stgr. Stett. e. Z. 1859 p. 231 (al. ant. cinereo-maculatis).
1553. **Politana**^v Hw. Lep. Br. p. 465; Wd. 1018; Wilk. 271; Hein. 41; Snell. II, 1 p. 216; Meyr. 538; Sylvana Tr. VIII, 109, X, 3. 72; F. R. 22, 4 p. 40; HS. IV p. 162; Dup. Suppl. IV t. 48, f. 8; Lepidana HS. 413. Eur. (exc. reg. pol.); Bith; Am. s.
1554. **Eatoniana**^v Rag. Monthl. Mag. XVII, 1881 p. 231; Ann. S. Fr. 1894 p. 181, t. 1, f. 1. Lusit; Maur.
1555. **Siciliana**^v Rag. Ann. S. Fr. 1894 p. 182, t. 1, f. 2. Sic.
1556. **Cinctana**^v Schiff. S. V. 129; Tr. VIII, 76; Dup. IX, 238, 8; HS. IV p. 196; Wilk. 248; Hein. 41; Snell. II, 1 p. 215; Meyr. 539; Albidana Hb. 132. Austr; Hung; Croat; Ross. m. or; Bith.
1557. **Asinana**^v Hb. 101; HS. 42, IV p. 197; Hein. 42. Austr; Hung; Croat; Ross. m. or; Pont.
1558. **Rigana**^v Sodof. Bull. M. 1829 p. 144, t. 3, f. 3; Tr. X, 3. 139; HS. IV p. 197; Hein. 42; Horridana Hb. 327; Dup. IX, 256, 2; Modestana Tr. VIII, 182. Eur. c. (exc. Engl., Bat.) et m; Liv; Suec. m; Sib.
- a) v. *Monticolana* Frey Lep. 289 (minor, magis grisea). Alp. Ter. et Helv.
1559. **Rhodophana**^v HS. 368, IV p. 234; Ld. Wien. Mts. 1863 p. 44, t. 1, f. 10; Wlsghm. Monthl. Mag. 1900 p. 152 [gen. Pygolopha]. Eur. m. (exc. Ib. et Ross. m.); Bith.
1560. **Oxyacanthana**^v HS. 161, IV p. 168; Hein. 43. Germ; Helv; Austr.-Hung; Sic; Maced; Bith.
1561. **Indignana** Chr. Bull. M. 1881, I p. 69. Amur.
1562. **Ministrana** L. S. N. ed. X, 531; Cl. Ic. 2, 12; Tr. VIII, 89; Wd. 1038; Dup. IX, 240, 2; HS. IV p. 175; Wilk. 17; Hein. 43; Snell. II, 1 p. 217; Tijds. XXXII p. 47; Meyr. 536; Ferrugana Hb. 56; Dup. IX, 261, 2. Eur. c. et s; Sib; Am. s.
- a) ab. *Subfasciana* Stph. IV, 144; Wd. 1039 (obseurius, al. ant. magis unicoloribus).
1563. **Ancillana** Kenn. Iris XII p. 5, t. 1, f. 3. Syr.

227. **Tortrix**^v (L.) Meyr. [Heterognomón Ld.]

1564. **Forskaeleana**^v L. S. N. ed. X, 531; Cl. Ic. 10, 4; Wilk. 154, t. 1, f. 10; Hein. 28; Meyr. 536; Forskaeleana Hb. 143; Forskaeleana Tr. VIII, 120; Dup. IX, 241, 6; HS. IV p. 171. Eur. c. (exc. Bat.); Liv; Scand; It; Graec.
1565. **Aurichalcana**^v Brem. Lep. O. S. p. 89, t. 7, f. 22; Wlsghm. Ann. & Mag. (7) V p. 458. Sib. or; Jap; China.
1566. **Stibiana**^v Snell. Tijds. 1882-3 p. 189, t. 11, f. 4. Uss. m.
1567. **Askoldana** Chr. Bull. M. 1881, I p. 70. Uss. m.
1568. **Bergmanniana**^v L. S. N. ed. X, 531; Hb. 340; Tr. VIII, 121; Wd. 1115; Dup. IX, 241, 5; HS. IV p. 170; Wilk. 153; Hein. 48; Snell. II, 1 p. 214; Meyr. 536; Rosana Hb. 137. Eur. c. et s; It. s; Dalm; Am. s.

1569. **Conwayana**^v F.S. E. 653; Wd. 1117; Wilk. 148; Hein. 49; Snell. II, 1 p. 214; Meyr. 536; Hofmannseggana Hb. 150; Tr. VIII, 287, X. 3. 74; Dup. IX, 241, 7; Wd. 1116; Subaureantiana Stph. IV, 175; Wd. 1118. *Eur. (exc. reg. pol.); Bith.*
1570. **Bifasciana**^v Hb. Btr. I, 2, 3, M; HS. 62, IV p. 171; Hein. 49; Meyr. 536; Audoquinana Dup. IX, 266, 5; Wilk. 286; Apicalis Westw. Br. M. II p. 169, t. 98. *Eur. c. oc. (exc. Bat.); Austr. inf.; Styr.; Hal.; It. s.*
1571. **Loefflingiana**^v L.S. N. ed. X, 531; Don. Nat. Hist. III, t. 90; Wd. 1111; Dup. IX, 241, 4; HS. IV p. 170; Wilk. 152; Hein. 48; Snell. II, 1 p. 213; Meyr. 537; Plumbana Hb. 54; Tr. VIII, 118; Wd. 1110; Dup. IX, 241, 3. *Eur. c. et m.; Succ.; As. min.; Cauc.*
- a) ab. *Ectypana*^v Hb. 190; Tr. VIII, 118 (al. ant. magis unicoll., fasciis fuscis subnullis). *Eur. c. et m.; Fen.; Scand. m.; As. min.*
1572. **Viridana**^v L. S. N. ed. X, 530; Tr. VIII, 96; Wd. 844; Rtz. Forst-Ins. 14, 8 p. 232; Dup. IX, 240, 3; HS. IV p. 172; Wilk. 44; Hein. 44; Snell. II, 1 p. 208; Meyr. 537; Jud.-Nitsche II p. 1053, t. 7, f. 6; Barr. Monthl. Mag. 1896 p. 196 (biol.). *Eur. m.; Maur. oc.; As. min.*
- a) ab. *Suttneriana*^v Schiff. S. V. 127 (al. ant. sulfureis). *Eur. m.; Hisp.; Sic.*
1573. **Pronubana**^v Hb. 121 ♂; Tr. VIII, 72; HS. 55, 56 ♀, 167-170 ♂, IV p. 159; Hein. 37; Mill. Ic. 46, 1-3; Ambustana Hb. 332-2 ♀; Dup. IX, 261, 5; Hermineana Dup. IX, 240, 5 a, b ♀; ? Insolatana Lue. Expl. Alg. p. 405; Z. Stett. e. Z. 1854 p. 306 (♀). *Eur. c. et s.*
1574. **Perochreana**^v HS. n. Schm. 36 p. 5. *Gal. m.*
1575. **Croceana** Hb. 120; Mill. Ic. 78, 1-3; Ochreana var. Dup. IX, 265, 6; Cupidinana Stgr. Stett. e. Z. 1859 p. 227. *Gal. m.; Hisp.; Sic.*
1576. **Forsterana**^v F. Sp. 279; Wd. 848; Wilk. 45; Hein. 37; Adjunctana Tr. VIII, 54, X. 3. 59; F. R. 9, 1 p. 12; Dup. IV, 61, f. 3; HS. IV p. 164; Sineana Frr. 18, 1; Laviceana Dup. IX, 239, 4 p. 83. *Maur.*
1577. **Xylotoma**^v Meyr. Monthl. Mag. 1891 p. 13. *Eur. c. et s.; Hisp. s.; It. s.; Dalm.*
1578. **Viburniana**^v F. Mant. II, 229; Meyr. 537; Viburnana F. E. S. 257; Tr. VIII, 100; Wd. 847; Dup. IV, 61, f. 1; HS. 45, IV p. 173, VI p. 156; Wilk. 44; Hein. 45; Snell. II, 1 p. 207; Rhombana Hb. 173 ♀; Tr. VIII, 70; Dup. IV, 61, 2; Unitana Hb. 123; Donelana Carpenter Pr. Royal. Soc. Dublin VI (1891) p. 91, t. 7; South Entom. 1891 p. 253. *Fen.*
- a) ab. (v.) *Galiana*^v Curt. XVI, t. 762; Stph. p. 396; Wd. 845; Serophulariana HS. 404-5, IV p. 174, VI p. 156 (multo obscurior, al. ant. rufo-brunneis). *Amur.*
- b) v. *Unipunctana*^v Tgstr. Bidr. I p. 158 (al. ant. flavescenti-ferrugineis, puncto medio fusco). *Amur.*
1579. **Inumbratana**^v Chr. Bull. M. 1881 p. 67. *Amur.*
1580. **Luticostana**^v Chr. Hor. XXII (1888) p. 311. *Amur.*
1581. **Gigantana**^v Kenn. Iris XII p. 6, t. 1, f. 4. *Amur.*
1582. **Unicolorana**^v Dup. IX, 240, 6 p. 103; Asphodilana HS. 35, 36, IV p. 173. *Eur. m. oc.; Maur.*
- a) v. *Uhagoni*^v Seeb. Ann. Soc. Esp. XXVII 1898 p. 154 (multo obscurior). *Hisp. s.*
1583. **Labatiana**^v Breignet Bull. S. Fr. 1890 p. 142; Const. ib. p. 155. *Gal.*

1584. **Verbascana** Chr. Hor. XII (1877) p. 290, t. 8, f. 62.
1585. **Paleana** Hb. Vög. 30 (1793); Snell. II, 1 p. 205; Tijds. XXXII p. 46; Reuter Söllsk. Fen. XIX, 1893 p. 82; Meyr. 537; Flavana Hb. 157; Hein. 44; Palleana Tr. VIII, 98; Wd. 846; HS. 37, 38, IV p. 172 (forma pallidior, al. post. griseis).
- a) v. *Intermedia* HS. 420-21, VI p. 157 (al. ant. pallide ochraceis, al. post. albidis).
 - b) v. *Icterana* Froel. no. 154; Wilk. 43; Flavana Hb. 258; HS. IV p. 172, VI p. 156 (forma obscurior, al. ant. saturate sulfureis vel citrinis, post. fuscis).
1586. **Stigmatana** Ev. F. V. U. 493; HS. 357, IV p. 167; Stgr. Hor. XV p. 234.
1587. **Quinquemaculana** Brem. Lep. O. S. p. 90, t. 7, f. 23.
1588. **Amplana** Hb. 157 (1802); Dup. IX, 257, 3; Peramplana Tr. X, 3. 65; HS. IV p. 164; n. Schm. 92 ♀; Chrysitana Dup. IX, 257, 4 p. 407.
1589. **Praeclarana** Kenn. Iris XII p. 8, t. 1, f. 6.
1590. **Imperfectana** Ld. Wien. Mts. 1858 p. 150, t. 4, f. 8.
1591. **Steineriana** Hb. 170; HS. 57, 58, IV p. 163, VI p. 155; Hein. 47; Chrysitana Hb. 317.
1592. **Rogana** Gn. Ind. 6; Rag. Ann. S. Fr. 1894 p. 183; Lusana HS. 330, IV p. 174, VI p. 156; Hein. 46 (pr. p.); Steineriana HS. 419.
- a) v. *Dohrniana* HS. (IV p. 163) VI p. 156 (major, pallidior).
1593. **Subjunctana** Woll. Ann. & Mag. (3) I, 1858 p. 120.
1594. **Subcostana** Stt. Ann. & Mag. (3) III, 1859 p. 211; Wlsghm. Tr. Ent. Soc. 1894 p. 539.
- a) v. *Canariensis* Rbl. Ann. Nat. Hofmus. XI p. 116; Subcostana Rbl. ib. IX p. 81 (minor, al. ant. fascia media intus excavata).
1595. **Reticulana** Stt. Ann. & Mag. (3) III, 1859 p. 211.
1596. **Coriacana (-us)** Rbl. Ann. Nat. Hofmus. IX p. 84; XI p. 118, t. 3, f. 5.
1597. **Rusticana** Tr. VIII, 95, X, 3. 69; F. R. 10, 2, a, b, c, p. 14; Dup. IX, 240, 7; HS. IV p. 173; Wilk. 41; Hein. 47; Snell. II, 1 p. 211; Meyr. 538; Helvolana Hb. 301; Senecionana Hb. 263 ♀; Pulverana Ev. F. V. U. 491; Stramineana Zett. Ins. Lap. 980; Culmana Peyer. Cat. Alsace II, 1864 p. 38.
1598. **Rolandriana** L. S. N. ed. X, 532; Hb. 174; Tr. VIII, 107; Dup. IX, 241, 1; HS. 43, 44, IV p. 171; Hein. 58.
1599. **Aerosana** Ld. z. b. V. 1853 p. 383, t. 7, f. 1.
1600. **Dumetana** Tr. X, 3. 160; F. R. 20, 4 p. 35; HS. IV p. 160; Wilk. 46, t. 1, f. 3; Hein. 37; Peyer. Ann. S. Fr. 1876, t. 12, f. 19 ♀; Snell. II, 1 p. 202; Meyr. 538; Crataegana Frr. 48, 4.
1601. **Diversana** Hb. 251; Tr. VIII, 176, X, 3. 64; Dup. IX, 265, 5; HS. 50-52, IV p. 161; Hein. 41; Snell. II, 1 p. 209; Meyr. 538; Transitana Gn. Ind. 4; Wilk. 52.
1602. **Soriana** Kenn. Iris XII p. 7, t. 1, f. 5.
1603. **Aglossana** Kenn. Iris XII p. 9, t. 1, f. 7.

*Hyrc.**Eur. c.; Ross. s. oc. et m.; Norv.**Car. Alp.; Fen.**Eur. c.; Fen.**Ural.**Sib. or.**Eur. m. lit.; Maur.**Tarb.**Syr.**Alp.; Germ. oc.; Gal.-Hung. mont.; Austr.-Hung. mont.; Hisp. s.**Alp.; Sil., Hercyn., Hung. mont.**Mad.**Mad.**Can.**Mad.**Can.**Eur. c. et s.; It. s. et c.; Cors.; Arm.**Eur. s.; Alp.; Ural.**Alt.; Uss.**Eur. c.; Liv.; Dalm.; Ross. m.; Cor.; Jap.; Ind. s. oc.**Eur. c.; Suec.; It. s.; As. min.**Syr.**Tarb.*

228. **Cnephasia** Curt. 1826 [Sciaphila Tr. 1830].

1604. **Exiguana** Lah. Contr. p. 11, no. 22; Failla-Ted. Fn. Sic. p. 116. *Sic.*
1605. **Osseana** Sc. Ent. Carn. p. 238; Hein. 54; Snell. II, 1 p. 225; Meyr. 542; Pratana Hb. 227-8; Tr. VIII, 101, X, 3. 70; Dup. IX, 259, 8; HS. IV p. 178; Wilk. 257; Quadripunctana Wd. 995; Boreana Zett. Ins. Lap. 980; Stelviana Mill. Ic. III p. 434, t. 153, f. 11-14.
- a) v. *Niveosana* Pack. Labr. XI p. 55; Fern. Tr. E. S. Phil. X p. 16; Sommer Iris X p. 400 (minor, palpis albis, al. ant. argenteis, cinereo-reticulatis).
1606. **Reynana** Stgr. Cat. ed. I p. 190; Osseana Lah. Contr. no. 27; Failla Ted. Fn. Sic. p. 115. *Labr.*
1607. **Argentana** Cl. Ic. 11, 14; Hb. 86; Meyr. 542; Gouana L. S. N. ed. XII, 879; Tr. VIII, 102; Dup. IX, 259, 7; HS. IV p. 177; Hein. 54; Magnana Hb. 225-6; Margaritalis Hb. (Pyr.) 48. *Eur. c. ets; It. s; Dalm. mont; Ross. m. or; Sib. s. or.*
1608. **Longana** Hw. Lep. Br. p. 463 ♀; Stph. Ill. IV, 127; Wd. 997; Snell. II, 1 p. 225; Meyr. 541; Rbl. Ann. Nat. Hofmus. XI p. 119; Ictericana Hw. l. e. p. 469 ♂; Stph. p. 128; Wd. 998; HS. VI p. 157; Wilk. 247; Degraaf Tijd. XIII, 1870 p. 95, t. 6, f. 5; Loewiana Z. Is. 1847 p. 25; HS. 382, IV p. 202; Hein. 55; Stratana Z. Is. 1847 p. 671; HS. 381; ?Lutosana Hb. 200.
- a) v. *Insolatana* HS. 152, IV p. 178, VI p. 157; Luridalana HS. 153, IV p. 178 [ab.] (multo pallidior, ♂ al. ant. testaceis, albido mixtis). *And; Lusit; Ped; Sard; Sic; Dalm.*
1609. **Gueneana** Dup. IX, 259, f. 3, p. 439; Rag. Ann. S. Fr. 1894 p. 185; Segetana Z. Is. 1847 p. 670; HS. 380, IV p. 202; Stgr. Hor. VII, 214. *Sic; Coreyra; Maur.*
- a) v. *Orientana* Alph. Trudy X p. 48; Mém. Rom. V p. 240, t. 12, f. 7 (pallidior). *Srp; Arm; Tura.*
- b) v. *Semibruneata* Joan. (L. & J.) Bull. S. Fr. 1891 p. 81 (a praec. var. satis distincta?). *Maur.*
1610. **Virginana** Kenn. Iris XII p. 12, t. 1, f. 10. *Mesop; Ant.*
1611. **Fragosana** Z. Is. 1847 p. 673; HS. 379, IV p. 199; Stgr. Hor. VII, 214. *Sic; Sard; Graec; Maur.*
1612. **Monochromana** Hein. p. 56. *Carn. m; Dalm.*
1613. **Conspersana** Dgl. Zool. IX, 1267, 1; Wilk. 254; Stt. Man. II, 259; Barr. Monthl. Mag. XX p. 241; Meyr. 541; Peterana (Gn.) Dbld. Cat. 24; Barr. Monthl. Mag. XII p. 230, XIII p. 221; ?Cretaceaana Curt Ann. & Mag. (2) V, 1850 p. 112. *Angl; Germ. (sec. Meyr.).*
1614. **Penziana** Thnbg. Diss. III p. 56, t. 5, f. 1 (1791); Hb. 85; Froel. no. 123; Tr. VIII, 186, X, 3. 92; Dup. IX, 256, 1; HS. 117-8, IV p. 198; Hein. 56; Mill. Ic. 142, f. 5-7; Wallgr. Tidskr. 1888, 191; Diurneana Gn. Ind. 32. *Eur. s; Alp; Hercyn. et Sil. mont.*
- a) v. *Bellana* Curt. B. E. III t. 100; Meyr. 540; Penziana Wd. 996; Wilk. 256, t. 2, f. 5; Barr. Monthl. Mag. XX p. 243 (major, fasciis distinctis nigris). *Angl.*
- b) v. (ab.) *Colquhounana* (Dbld. Cat. 23) Barr. Monthl. Mag. XX (1884) p. 244; Tutt. Ent. Rec. VII p. 194; Meyr. 541 (magis grisescens, indistincte signata, interdum vix a Bellana distinguida). *Hib. (Dublin); Ins. (of) Man.*
1615. **Cottiana** Chrét. Natural. 1898 p. 178 (praec. var.?). *Gall. m.*

1616. **Canescana**^v Gn. Ind. 32; Styriacana HS. 119, 120, IV p. 198, VI p. 158; Hein 57 [Penziana var.]; ?Candidana Lah. Tortr. no. 108 p. 51 (Bellan. var. Darwin).
1617. **Octomaculana**^v Curt. Ann. & Mag. (2) 1850, V p. 112; Dbld. Cat. 24; Wilk. 254; Stt. Man. II, 259; Barr. Monthl. Mag. XX p. 239; Meyr. 541.
1618. **Vetulana** Chr. Bull. M. 1881, I p. 72.
1619. **Sedana** Const. Ann. S. Fr. 1884 p. 211, t. 9, f. 8.
1620. **Tristrami** Wlsghm. Ann. & Mag. (7) V p. 460.
1621. **Chrysanthearana**^v Dup. Suppl. IV, 83, 5 p. 410; Hein. 58; Chrysanthemana HS. 108-11, IV p. 200; Meyr. 539; Asinana Hw. Lep. Br. p. 464; Stph. Ill. IV p. 128; Wd. 1000; Alternella Wilk. 252; Stt. Man. II, 258; Barr. Monthl. Mag. XX p. 239.
1622. **Wahlbomiana**^v L. S. N. ed. X, 532; Hb. 203; Tr. VIII, 173, X, 3. 92; HS. 107. 115-16, IV p. 200; Hein. 58; Hofm. Stett. e. Z. 1872 p. 433; Snell. II, 1 p. 227; Wahlbaumiana Dup. IX, 256, 4; Communana HS. 113-4, IV p. 200, VI p. 159.
- a) v. *Alticolana*^v HS. 112, IV p. 200, VI p. 158 (al. ant. cinereis, fascijs obscuriorib.).
- b) v. *Virgaureana*^v Tr. X, 3. 89; HS. 102-3, IV p. 201, VI p. 159; Dup. Suppl. IV, t. 62, f. 7; Barr. Monthl. Mag. XX, 238; Meyr. 539; ?Snell. II, 1 p. 228, no. 7 (minor, al. ant. magis unicoloribus griseis).
- c) v. *Derivana*^v Lah. Tort. no. 115; Paraliana Z. Stett. e. Z. 1872 p. 103 (al. ant. albido-cinereis, fascia media post cellulam rufescens-tincta).
- d) v. *Cupressivorana*^v Stgr. Hor. VII p. 215 (obscurior, brunnescens, al. ant. indistincte fasciatis).
- e) ab.? *Humerana*^v Peyer. Pet. Nouv. 1877, no. 164. p. 101; Fettig Cat. Lep. Alsace 1882 p. 45 (multo dilutior, fascia prima abbreviata, vix nominanda).
1623. ?**Cinareana**^v Chrét. Naturaliste 1892 p. 132 (Wahlbomiana var.?).
1624. **Incertana**^v Tr. X, 3 p. 91; HS. 121-2, IV p. 199, VI p. 158; Meyr. 540; Subjectana Gn. Ind. p. 31; Wilk. 250; Barr. Monthl. Mag. XX p. 242 (forma albidiator, al. ant. distinctius fasciatis).
- a) v. *Minorana*^v HS. 104-6, IV p. 201; Minusculana Z. Stett. e. Z. 1849 p. 247; Hofm. Stett. e. Z. 1872 p. 433 (obscurior, magis unicolor).
1625. **Barbarana**^v Wlsghm. Ann. & Mag. (7) V p. 461.
1626. **Sinuana**^v Stph. Cat. II p. 181; Ill. IV p. 128; Wd. 999; Wilk. 253, t. 2, f. 6; Stt. Man. II, 258; Tngstr. Cat. 360; Barr. Monthl. Mag. XX p. 240; Meyr. 539.
1627. **Pasivana** (rect. Pascuana) Hb. 99; HS. 100-1, IV p. 291, VI p. 159; n. Schm. 37; ?Wilk. 253; Hein. 62; Barr. Monthl. Mag. XX p. 241; Meyr. 540; Obsoletana Stph. Ill. IV p. 129; Wahlbomiana var. Tr. X, 3. 253.
1628. **Pumicana**^v Z. Is. 1847 p. 669; HS. IV p. 203; ?Gratana Lah. Contr. no. 22; Failla-Ted. Fn. Sic. p. 117.
1629. **Abrasana**^v Dup. Suppl. IV, 83, 2 p. 407; HS. 99, IV p. 202; Z. Stett. e. Z. 1849, 247; Hein. 62; Stgr. Hor. VII, 216; Barr. Monthl. Mag. XX p. 238; Meyr. 540.

*Austr. inf; Styr; Helv;
Ter. m; Graec; Turc;
s; Tura.**Angl.**Uss; Cor; Jap.**Gal. alp; Ant. (Wlsghm.).
Pal.**Austr.-Hung; Bav;
Sil; Helv; Angl; Eur.
m; As. min; Jap.**Eur; Arm; Tura.**Alp; Germ. mont; Hal.**Eur. c; Syr; Sib.**Germ. s; Cors. (lit.).**Gal. m; Dalm; And;
Graec.**Germ. m. oc; Gal.**Gal.**Eur. c. m; Angl;
Graec.**Eur. c.**Ant. (Haleb).**Angl; Germ. (Z.);
Fen.**Eur. c. (exc. Bat.) et
m. or; Bith; Syr.**Sic.**Austr.-Hung; Helv;
Angl; Graec; As.
min; Tura.*

1630. **Nubilana** Hb. 111; Stph. III. IV, 130; Wd. 1006; Dup. IV, 62, 3; HS. IV p. 167; Wilk. 256; Hein. 62; Snell. II, 1 p. 229; Meyr. 540; **Hybridana** Dup. IX, 266, 6.
 1631. **Policolana** Gn. Ind. 40; Wallgr. Tidskr. 1888 p. 193.

*Eur. c. et m. or; Suec;
Pont.*

Norv.

229. **Sphaleroptera** Gn. 1845.

1632. **Alpicolana** Hb. 328-9 ♂; Tr. X, 3. 86; Dup. IX, 247, 7; HS. 395 ♀, IV p. 180; Hein. 63.

Alp.

230. **Doloploca** Hb. 1818.

1633. **Punctulana** Schiff. S. V. 130; HS. 376, IV p. 193; Hein. 64; Schlemmerella Hb. Vög. 12; Hb. (Tin.) 14; Punctulella Tr. IX, 1. 38; Frr. 126, f. 1; Dup. Sup. IV t. 84, f. 1.

*Germ. m; Helv;
Austr.-Hung; Ped;
Ross. m. or; Liv. (I);
Arm.*

1634. **Lineata** Wlsghm. Ann. & Mag. (7) V p. 462.

Pal.

1635. **Buraetica** Stgr. Iris V p. 388.

Daur. (Kentei).

1636. **Praeviella** Ersch. Hor. XII p. 341 (1877); Mém. Rom. II t. 16, f. 11.

Sib. (Irkutsk).

1637. **Characterana** Snell. Tijds. XXVI (1882) p. 191, t. 11, f. 5.

Amur.

231. **Cheimatophila** Stph. 1829.

1638. **Tortricella** Hb. Tin. 11; Wd. 1268; Hein. 65; Snell. II, 1 p. 232; Meyr. 543; **Hyemana** Hb. 267; HS. 123-4, IV p. 287; **Alternella** Tr. IX, 1. 39, X, 3. 154; **Hyemella** Tr. X, 3. 154; Dup. Suppl. IV t. 67, f. 3.

*Eur. c. et m. (exc. m.
or.); Liv; Suec.*

1639. **Ignavana** Chr. Bull. M. 1881, I p. 73.

Amur.

232. **Oxypteron** Stgr. 1870.

1640. **Impar** Stgr. Berl. e. Z. 1870 p. 276; Chr. Mém. Rom. II p. 155, t. 8, f. 6 a, b.

Srp; Tura.

233. **Exapate** Hb. 1818.

1641. **Congelatella** Cl. Ic. 8, 5; Hein. 76; Meyr. 543; **Gelatella** L. F. S. no. 1450; Tr. IX, 1. 34; Dup. XI, 287, 8. 9; Wd. 1270; Frr. 150, 2; **Gelatana** Hb. 266 ♂, ♀; HS. IV p. 193.

*Eur. c. (exc. Bat.) et
s; Ross. m. or.*

1642. **Duratella** Heyd. Mitth. I p. 190 ♂ (1864); Frey ib. III p. 478 ♀.

*Helv. (Rhaet.); Gal.
m. (Alpes marit.).*

234. **Anisotaenia** Stph. 1829 (+ Isotrias Meyr. 1895).

1643. **Hybridana** Hb. 238; Froel. no. 133; Tr. X, 3. 85; Gn. Ind. 32; HS. 132-3, IV p. 198; Hein. 67; **Fingalana** Mill. Rev. Ent. 1884 p. 3.

Eur. c. m. et m; Bith.

- a) v. **Pedemontana** Stgr. Berl. e. Z. 1870 p. 275 (al. ant. fere unicoloribus fuscis).

Ped; Cauc.

1644. **Rectifasciana** Hw. 465; Wd. 1004; Rag. Ann. S. Fr. 1894 p. 186; **Albulana** Tr. X, 3. 85; HS. 190-1, IV p. 197; Hein. 66; Snell. II, 2 p. 230; **Hybridana** Wilk. 249; Meyr. 542; **Modestana** Dup. IX, 256, f. 6.

Eur. c. et m; Bith.

- a) v. *Castiliiana* Rag. Ann. S. Fr. 1894 p. 187 (al. ant. fasciis obscure griseis).
 b) v. *Stramentana* Gn. Ind. 33; Rag. l. c. t. 1, f. 7 (al. ant. stramentaceis, fasciis distortis).
 c) v. *Cuencana* Kenn. Iris XII p. 13, t. 1, f. 11 (al. ant. fuscescent, nec albidis).
1645. **Ulmana** Hb. 278 ♂; Dup. IX, 252, 3. 264, 5 p. 324, 539; HS. IV p. 224; Hein. 67; Wilk. 190; Meyr. 556; *Areola* Hb. 279 ♀; Dup. IX, 264, 6; *Fasciana* Wallgr. Tidskr. 1888 p. 194; ?L. F. S. 342 [nom. incert.].

B. Conchylinae (Phaloniinae).

235. *Lozopera* Stph. 1829.

1646. **Francillana** F. E. S. III, 2 p. 264; Don. Nat. Hist. X, t. 355, 1; Wd. 1152; Wilk. 312, t. 2, f. 11; Snell. II, 1 p. 244 (pr. p.); Barr. Monthl. Mag. XVII p. 38 (lary.); Meyr. 545; *Francillonana* Wlsghm. Monthl. Mag. 1898 p. 71, t. 2, f. 1 (genit.); *Flagellana* HS. 345; ?Rbl. Ann. Nat. Hofmus. XI p. 119.
1647. **Bilbaënsis** Rössl. Stett. e. Z. 1877 p. 372; Wlsghm. Monthl. Mag. 1898 p. 72, t. 2, f. 2 (genit.).
1648. ?**Deaurana** Peyr. Pet. Nouv. Ent. 1877, no. 164, p. 101.
1649. **Mauritanica** Wlsg. Monthl. Mag. 1898 p. 73.
1650. **Tornella** Wlsg. Monthl. Mag. 1898 p. 74, t. 2, f. 4 (genit.); ?*Flagellana* var. HS. IV p. 182.
1651. **Beatrixcella** Wlsg. Monthl. Mag. 1898 p. 75, t. 2, f. 5 (genit.).
1652. **Flagellana** Dup. IX, t. 259, f. 6, p. 441; HS. 95, IV p. 182; Wlsg. Monthl. Mag. 1898 p. 75, t. 2, f. 3 (genit.); *Francillana* Hein. 80; *Eryngiana* Heyd. Stett. e. Z. 1865 p. 100 not.; *Helveticana* Heyd. l. c.
1653. ?**Unicolor** Baker Monthl. Mag. XXI p. 268 (praec. ab. *unicolor*, sec. Kenn.).
1654. **Vicinana** Mn. Wien. Mts. 1859 p. 167.
1655. **Dilucidana** Stph. Cat. p. 84; Wilk. 311; Stt. Man. II, 275; Rag. Monthl. Mag. XII p. 88; Wallgr. Tidskr. 1889 p. 22; Meyr. 545; Wlsg. Monthl. Mag. 1898 p. 76, t. 2, f. 6 (genit.); *Francillana* var. Stph. Ill. IV, 189.

236. *Conchylis* (Tr. 1829) Ld. [Phalonia (Hb.) Meyr.].

1656. **Lambessana** Baker Monthl. Mag. XXIV p. 254.
 1657. **Molliculana** Z. Is. 1847 p. 743; HS. 388, IV p. 190.
 1658. **Dubitana** Hb. 71; Tr. VIII, 283; Dup. IX, 258, 1; Stph. Ill. IV, 183; HS. IV p. 192; Wilk. 298; Hein. 90; Snell. II, 1 p. 253; Meyr. 553.
1659. **Salebrana** Mn. Wien. Mts. 1862 p. 395, t. 3, f. 12; Stgr. Hor. XV, 249.
1660. **Nigrociliiana** Kenn. Iris XII p. 40, t. 1, f. 39.
1661. **Posterana** Z. Is. 1847 p. 740; HS. IV p. 190; Hein. 88; Snell. II, 1 p. 252; *Ambigua* Tr. VIII, 282, X, 3. 148; Hb. 64.

Cast.
Gal.
Hisp.
Eur. c. (exc. Bat.); Liv; Suec; It. s. etc.

Eur. c. et m. or; As. min. ?Can.

Hisp; Gal; Cors; Sard. Dalm.

Gal. m.

Maur. oc.

Cors; It; Gal. m; Germ. (Jena).

Angl.

Germ. m; Austr.

Maur.

Sic.

Angl; Sic; Suec. m. (Wligr.); ?Germ. lit.

Maur.

Sic.

Eur. c. etc; And; Ped; Ross. m. or; Cauc.

Hung; Bith.

And.

Eur. c. (exc. Brit.) et m; Liv; Suec; As. min; Tura.

1662. **Pallidana** Z. Is. 1847 p. 742; HS. 389, IV p. 190; Hein. 88; Nolek. Fn. II, 387; Meyr. 553; *Albicapitana* Cooke Zool. 1861 p. 7801; Birchall Monthl. Mag. III, t. 1, f. 1.
1663. **Atricapitana** Stph. List. p. 103; Wilk. 298; Hein. 87; Snell. II, 1 p. 252; Meyr. 552.
1664. **Frigidana** Gn. Ind. 60; Wallgr. Tidskr. 1889, 23.
1665. **Morosana** Kenn. Iris XII p. 19, t. 1, f. 17.
1666. **Carpophilana** Stgr. Stett. e. Z. 1859 p. 228; Kenn. Iris XII p. 20.
1667. **Centaureana** Stgr. Hor. XV (1880) p. 246.
1668. **Millierana** Peyer. Pet. Nouv. Ent. 1877 no. 164 p. 101.
1669. **Hybridella** Hb. Tin. 351; Snell. II, 1 p. 251; Meyr. 553; *Carduana* Z. Is. 1847 p. 741; HS. IV p. 190; Wilk. 300; Hein. 89; *Dissolutana* HS. 83.
1670. **Rufosignana** Kenn. Iris XII p. 21, t. 1, f. 19 (praec. var.?).
1671. **Nana** Hw. Lep. Br. p. 439; Stph. Ill. IV, 182; Wd. 1135; Wilk. 301; Snell. II, 1 p. 250; Meyr. 552; *Ambiguana* Froel. no. 112; HS. IV p. 192; Carneana Gn. Ind. 60; *Pallidana* HS. 65; *Pumilana* HS. 66; Hein. 90.
1672. **Curvistrigana** Wilk. 302, t. 2, f. 10; Stt. Man. II, 272; Hein. 87; Meyr. 553; *?Gratiosana* Lah. Tortr. p. 45, no. 99; Hein. 86.
1673. **Glyicomana** Z. Is. 1847 p. 742; Hein. 86; Bnks. Monthl. Mag. 1896 p. 183; *Flaviscapulana* HS. 97, IV p. 224, VI p. 160.
1674. **Rupicola** Curt. B. E. XI, t. 491; Wd. 1146; Wilk. 305; Hein. 84; Snell. II, 1 p. 247; Meyr. 550; *Humidana* HS. 86-7, IV p. 188.
1675. **Tauriana** Kenn. Iris XII p. 20, t. 1, f. 18.
1676. **Rubricana** Peyer. Pet. Nouv. Ent. 1877 no. 164 p. 101; Mill. Ann. Sc. Nat. Cannes 1879 p. 10, t. 6, f. 2.
1677. **Mussehliana** Tr. X, 3. 141; Dup. IV, 62, 10; HS. 88-90, IV p. 188; Hein. 85; Nolek. Fn. II, 385; Meyr. 550; *?Vectisana* Wilk. 306. *oc*; Suec.; *Suec.*
1678. **Geyeriana** HS. 91, IV p. 189; Hein. 85; Wck. Bresl. e. Z. 1874 p. 24; Barr. Monthl. Mag. XI p. 191; Richardson ib. XXVII p. 239 (larv.); Meyr. 550.
1679. **Udana** Gn. Ind. 61; Wck. Bresl. e. Z. 1874 p. 23; Barr. Monthl. Mag. X p. 155; Snell. II, 1 p. 249; Meyr. 549; *Griseana* Wilk. 304; *?Phaleratana* HS. 85 (non 84); *Alismana* Rag. Bull. S. Fr. 1883 p. 118; Rbl. z. b. V. 1889 p. 297, t. 8, f. 11.
1680. **Notulana** Z. Is. 1847 p. 745; HS. IV p. 189; *?Wilk.* 304; Stt. Man. II, 273; Hein. 86; Wck. Bresl. e. Z. 1874 p. 23; Barr. Monthl. Mag. 1881 p. 37 (larv.); Richardson ib. 1890 p. 299; Meyr. 549.
1681. **Manniana** F. R. 51, 2 p. 134; Dup. IV, 83, f. 8, p. 414; HS. 67, IV p. 189; Hein. 84; Wck. Bresl. e. Z. 1874 p. 23; Snell. II, 1 p. 248; Barr. Monthl. Mag. XI p. 192; Meyr. 549; *Luridana* Gregs. Entom. 1870 p. 80; Knaggs Ent. Annual 1871 p. 93; *?Griseana* Wck. Bresl. e. Z. 1874 p. 23.
1682. **Griseana** Stph. Ill. IV, 186; *?Wd.* 1145; Barr. Monthl. Mag. XI p. 155; Meyr. 550.
- Eur. c; Liv; Suec;
Ped; Bith.
- Germ; Morav; Angl;
Bat; Suec. m; Gal. m.
- Suec. s.
- Ferg. m. (*Usgent*).
And.
- Maced; Srp; As. min.
Gal. m.
- Eur. c. et m. or; Hisp.
s; Liv; As. min;
Arm.
- Hisp; It.
- Eur. c. et s. (*exc. reg.
pol.*); Bilb; It. s;
Dalm; As. min. oc;
Am. s.
- Germ; Vind; Angl;
Liv; Suec.m; Gal.m.
- Germ; Boh; Helv;
Angl; Liv; Suec. m;
Gal. m.
- Eur. c. et m. (*exc. Ib.
m. et It. m.*); Liv.
- Crim.
- Gal. m; Hisp. s.
- Germ. c. et s; Austr.-
Hung; Angl; Ross.s.
Hisp. s; It. s; As. min.
- Germ. s; Angl; Liv.
- Eur. c.
- Germ; Angl; It.
- Eur. c. et m. or; It;
As. c. oc.
- Angl.

1683. **Vectisana** Westw. Br. M. II, 176, t. 100, f. 15 (1844); Stt. Man. II, 273; Wd. 1856; Snell. II, 1 p. 250; Meyr. 549; Bnks. Monthl. Mag. 1899, 178; Affinitana Wd. 1855.
1684. **Affinitana** Dgl. Zool. IV, 1268, f. 7 (1846); Wek. Bresl. e. Z. 1874 p. 24; Barr. Monthl. Mag. XV p. 143; Wlsghm. ib. 1891 p. 1; Cancellana Z. Is. 1847 p. 739.
1685. **Pontana** Stgr. Stett. e. Z. 1859 p. 228; Wlsghm. Monthl. Mag. 1896 p. 247; Aedemana Const. Ann. S. Fr. 1893 p. 402, t. 11, f. 1 (Ruficinct.).
1686. **Simoniana** Stgr. Stett. e. Z. 1859 p. 227; HS. n. Schm. 98.
1687. **Callosana** HS. IV p. 157; Hein. 73. *Carn. m.; Istr.; Dalm.; Cors.; Val.*
1688. **Respirantana** Stgr. Hor. XV p. 246; Rag. Monthl. Mag. XVII p. 232. *And; Lusit.; As. min.*
1689. **Dilutana** Kenn. Iris XII p. 24, t. 1, f. 21.
1690. **Perfusana** Gn. Ind. 64; HS. 247-8, IV p. 183; Hein. 73; Rag. Ann. S. Fr. 1894 p. 190, t. 1, f. 4.
1691. **Clathratana** Stgr. Hor. XV (1880) p. 240.
1692. **Sparsana** Stgr. Hor. XV (1880) p. 239.
1693. **Cinereoviridana** Kenn. Iris XII p. 29, t. 1, f. 26.
1694. **Despectana** Kenn. Iris XII p. 30, t. 1, f. 27.
1695. **Clathrana** Stgr. Berl. e. Z. 1870 p. 278.
1696. **Cebrana** Hb. 197; Zebrana Tr. VIII, 127, X, 3, 75; Dup. Suppl. IV, 65, f. 2; HS. 96, IV p. 180; Hein. 73; Wallgr. Tidskr. 1889 p. 17.
1697. **Conjunetana** Mn. Wien. Mts. 1864 p. 183, t. 4, f. 12.
1698. **Cultana** Ld. z. b. V. 1855 p. 118, t. 2, f. 6.
1699. **Discopunctana** Ev. Fn. V. U. 528; Incretana Ld. Wien. Mts. 1857 p. 83; Coagulana Chr. Hor. VIII (1872) p. 11, t. 1, f. 8; Punctiferana Rag. Monthl. Mag. XVII (1881) p. 232.
1700. **Purana** Gn. Ind. 64; Limbatana HS. 125, IV p. 191; Hein. 71.
1701. **Corsicana** Wlsghm. Monthl. Mag. 1898 p. 169.
1702. **Fulvifasciana** Const. Ann. S. Fr. 1893 p. 403, t. 11, f. 2 (Aedemana).
1703. **Procerana** Ld. Wien. Mts. 1863 p. 45, t. 1, f. 11.
1704. **Defessana** Mn. Wien. Mts. 1861 p. 185, t. 3, f. 1.
1705. **Sanguisorbana** HS. 412, VI p. 158; Hein. 71. *Germ. oc; Bav; Sil; Helv.*
1706. **Ambiguella** Hb. Tin. 153 (1801); Wd. 1288; Wilk. 301; Hein. 72; Snell. II, 1 p. 239; Meyr. 556; Barr. Monthl. Mag. XVIII p. 152 (larv.); Roserana Froel. no. 111; Tr. VIII, 280, X, 3, 143; Dup. IX, 257, 8; HS. 93, IV p. 192.
1707. **Flavidana** Gn. Ind. 66; Rag. Ann. S. Fr. 1894 p. 191; Sulphurana Gn. Ind. 67; Andorranana Mill. Ic. II p. 167, t. 64, f. 4, 5. *Gal. m.*
1708. **Lucentana** Kenn. Iris XII p. 30, t. 1, f. 28. *Taur. (Marasch.).*
1709. **Farinosana** HS. n. Schm. 154 p. 30. *Srp.*
1710. **Retextana** Ersch. Fedtsch. p. 93, t. 6, f. 103. *Tura.*
1711. **Exasperatana** Chr. Hor. IX (1872) p. 9, t. 1, f. 6. *Srp.*
1712. **Hilarana** HS. 92, IV p. 185; Perris Ann. S. Fr. 1856 p. 33, t. 1, III; Hein. 75; ? Rheticana Lah. Mitth. I (1864) p. 184. *Germ.; ? Helv.; Gal.; Hung.; Dalm.; Bith.*

1713. **Eburneana** Kenn. Iris XII p. 31, t. 1, f. 29, 30.
1714. **Coloratana** Kenn. Iris XII p. 16, t. 1, f. 14.
1715. **Jaculana** Snell. Tidjs. XXVI (1883) p. 195, t. 11, f. 8.
1716. **Jucundana** Dup. IX, 257, 6 p. 422; Tr. X, 3. 142; F. R. 40, 2 p. 91; HS. 82, IV p. 186; Hein. 74.
1717. **Peucedanana** Rag. Bull. S. Fr. 1889 p. 105.
1718. **Clavana** Const. Ann. S. Fr. 1888 p. 164, t. 4, f. 4, 4a.
1719. **Halophilana** Chr. Hor. IX (1872) p. 10, t. 1, f. 7.
1720. **Woliniana** Schleich Stett. e. Z. 1868 p. 289.
a) v. *Lorana* Fuchs Stett. e. Z. 1897 p. 326 (al. ant. fascia media dilutiore).
1721. **Discolorana** Kenn. Iris XII p. 16, t. 1, f. 15.
1722. **Coenosana** Mn. z. b. V. 1867 p. 848.
1723. **Chamomillana** HS. 377, IV p. 183; Ld. Tortr. 276; Pentactinana Mn. z. b. V. 1855 p. 26.
1724. **Elongana** F.R. 51, 1 p. 133; Frr. 324, 2; HS. IV p. 186; Hein. 75.
1725. **Impurana** Mn. z. b. V. 1855 p. 553; Favillana Stgr. Stett. e. Z. 1859 p. 230.
1726. **Tetricana** Mn. Wien. Mts. 1864 p. 183, t. 4, f. 11.
1727. **Fucantana** Snell. Tijds. XXVI (1883) p. 186, t. 11, f. 9.
1728. **Dipoltella** Hb. Tin. 345; Tr. IX, 2. 127; Wilk. 319; Hein. 79; Meyr. 547; Margaritana Hw. 401; Wd. 1121; Dipoltana Tr. X, 3. 75; Dup. Sup. IV, 65, 1; HS. IV p. 180; Zephyrana Dup. IX, 260, f. 3; Biviana Dup. Sup. IV, 65, 3 p. 175 [ab.].
1729. **Pardaliana** Kenn. Iris XII p. 38, t. 1, f. 37.
1730. **Palpana** Rag. Ann. S. Fr. 1894 p. 195.
1731. **Cremonana** Rag. Ann. S. Fr. 1894 p. 194.
1732. **Zephyrana** Tr. VIII, 127; Dup. IV, 65, f. 7 p. 179; HS. 70-3, IV p. 183; Hein. 79 (pr. p.); Barr. Monthl. Mag. XVII, 37 (larv.); Snell. II, 1 p. 242; Rag. Ann. S. Fr. 1894 p. 192; Meyr. 547; Marmoratana Curt. B. E. XI, p. 491; Stph. Ill. IV, 188; Wd. 1149.
a) ab. *Margarotana* Dup. IX, 258, 7 p. 429 (major, obscurior).
b) v. *Williana* Brahm Ins. Kal. p. 267; Fuchs Stett. e. Z. 1880 p. 231; Dubrisana Curt. B. E. XI, p. 491; Stph. Ill. IV, 188; Wd. 1148; Luteolana Stph. p. 184; Wd. 1140 (al. post. albisi).
c) v. *Seabidulana* Ld. z. b. V. 1855 p. 223, t. 4, f. 3; Wien. Mts. 1857 p. 101; Margarotana HS. 47, 48 (non 148) IV p. 182, VI p. 157 (major, ochracea, fasciis ferrugineis).
1733. **Maritimana** Gn. Ind. 63; Wilk. 293; Stt. Man. II p. 270; Barr. Monthl. Mag. XIV p. 220; Fletcher ib. XXV p. 15; Elisha Entom. 1891 p. 277, t. 5; Meyr. 547; ?Mill. Ann. S. Linn. Lyon 1883 p. 166, t. 2, f. 12 (praeec. var. Darwin.?).
1734. **Multifasciana** Kenn. Iris XII p. 33, t. 1, f. 32.
1735. **Ochrostriana** Kenn. Iris XII p. 35, t. 1, f. 33.
1736. **Frauenfeldi** Mn. z. b. V. 1871 p. 80.
1737. **Purgatana** Tr. X, 3. 148; Dup. IV, 65, 4; HS. 69, IV p. 191; Hein. 72.
a) v. *Porculana* Mn. Wien. Mts. 1862 p. 394, t. 3, f. 11; Stgr. Hor. VII, 216; XV, 240 (obscurior, al. post. in utroque sexu fuscis).
- Mesop.*
Sib. oc. m.
Uss; Jap.
Gal; Helv; Hung;
Arag; It.s; Dalm; Sib
Gal. m.
Gal. m. (Alp. mar.).
Srp.
Germ. oc; Hung; Val;
?Srp; ?Tura.
- Tura.*
Hung; Srp.
And; Cors; As. min;
Maur. (Tunes.).
Germ; Hung; Hisp;
Dalm; Bith.
Cors; Gal. m; Hisp.
s; ?Dalm. (Mn.).
Bith.
Amur.
Eur. c. (exc. Bat.) et
m; Bith.
- Tura.*
Taur.
Syr.
Eur. c. et m; As. min;
Arm.
- Gal. m; It. s.*
Germ; Bat; Angl;
Gal; Hung; Hisp.
- Dalm; Graec; Rum;*
As. min; Syr.
- Angl; Gal. (lit.).*
- Tura.*
Ferg. m.
Ural.
Austr. inf; Carn;
Sard; It; Dalm; Taurus.
Graec; Bith.

1738. **Maculosana** Hw. 438; Stph. Ill. IV, 181; Wd. 1133; Wilk. 296; Stt. Man. II, 271; Wood Monthl. Mag. XV p. 149 (larv.); Meyr. 555.
1739. **Loriculana** (Gn.) Luc. Exp. Alg. p. 407; Z. Stett. e. Z. 1854 p. 307.
1740. **Rutilana** Hb. 249; HS. IV p. 182; Wilk. 318, t. 2, f. 12; Hein. 78; Snell. II, 1 p. 243; Meyr. 547; *Purpurella* Coquebert Ill. Ic. Ins. 17, f. 13 (1804) (nom. restituend.?).
1741. **Roridana** Mn. z. b. V. 1867 p. 847 (praec. var.?).
1742. **Aurofasciana** Mn. z. b. V. 1855 p. 757, t. 5, f. III; Hein. 78; Wallgr. Tidskr. 1889 p. 20; Valdensiana HS. n. Schm. 33 p. 5.
1743. **Aleella** Schulze Naturf. IX p. 106, t. 2 (1776); Snell. II, 1 p. 238; Tesselana Hb. Vög. 31; Hb. 144; Tesserana Tr. VIII, 111; Wd. 1124; Dup. IX, 258, 6; HS. 327, IV p. 181; Wilk. 285; Hein. 77; Meyr. 548.
1744. **Hartmanniana** Cl. Ic. 4, 10; Hb. 146; Snell. II, 1 p. 238; Baumanniana Schiff. S. V. 126; Tr. VIII, 113; Wd. 1154; Dup. IX, 258, 5a, b; HS. IV p. 184; Wilk. 289; Hein. 76; Meyr. 554.
- a) v. *Subbaumanniana* Wilk. 290; Z. Stett. e. Z. 1878 p. 102; Meyr. 554 (minor, pallidior).
1745. **Decimana** Schiff. S. V. 317; Hb. 145; Tr. VIII, 112, X, 3. 73; Dup. IX, 263. 7; HS. IV p. 181; Hein. 77.
1746. **Kuhlweiniana** F. R. 22, 3 p. 39; HS. IV p. 184; Hein. 76; Triangulana Tr. X, 3 p. 73; Tergana Ev. F. V. U. 498.
1747. **Excellentana** Chr. Bull. M. 1881, I p. 74.
1748. **Vulneratana** Zett. Ins. Lap. 979; Wck. Stett. e. Z. 1864 p. 204; Wallgr. Tidskr. 1889 p. 21.
- a) v. *Exsulana* Ld. z. b. V. 1855 p. 117, t. 2, f. 5 (major, pallidior).
1749. **Badiana** Hb. 147; Wd. 1153; Wilk. 291; Snell. II, 1 p. 245; Meyr. 548; Rubigana Tr. VIII, 117; Dup. IX, 259, 4; HS. IV p. 185; Hein. 81.
1750. **Cnicana** Dbld. List. 27; Stt. Ann. f. 1855 p. 36; Wilk. 202; Barr. Monthl. Mag. XI p. 134; Wallgr. Tidskr. 1889 p. 24; Meyr. 548; Rubigana Hein. 81 (pr. p.) (praec. var. Darwin.).
1751. **Albibalpana** Z. Is. 1847 p. 662; HS. 390, IV p. 184. Gal. m; Cors; It. s; Sic; Srp.
1752. **Deutschiana** Zett. Ins. Lap. 981; Wck. Stett. e. Z. 1862 p. 48, 1864 p. 204; Wallgr. Tidskr. 1889 p. 21; Lutulentana HS. n. Schm. 35 p. 5; Lah. Tort. no. 83; Chalcana Pack. Labr. p. 56.
1753. **Kindermanniana** Tr. VIII, 276, X, 3. 141; F. R. 12, 1 p. 18; Dup. IX, 258, 4; HS. 68, IV p. 184; Hein. 80; Wallgr. Tidskr. 1889 p. 25.
1754. **Dispersana** Kenn. Iris XII p. 23, t. 1, f. 20.
1755. **Hedemanniana** Snell. Tijds. XXVI (1883) p. 192, t. 11, f. 6.
1756. **Asiana** Kenn. Iris XII p. 18, t. 1, f. 16.
1757. **Olindiana** Snell. Tijds. XXVI (1883) p. 194, t. 11, f. 7.
1758. **Sanguinana** Tr. VIII, 116; Dup. IX, 259, 2; HS. IV p. 182; Hein. 77; Rag. Ann. S. Fr. 1894 p. 197 (larv.); Baumanniana Hb. 148.
- Angl; Germ. s; Gal.
m. (Mill.); Hisp.
- Maur.
- Eur. c. et s; Carn;
Dalm; Am. s.
- Austr. alp; Ter.
Alp; Norv.
- Eur. c. et m; Liv;
Fen; Suec; As. min;
Hyre; Arm.
- Eur. c. et s. (exc. reg.
pol.); Hisp; It. s;
Dalm; Rum; As.
min; Arm.
- Brit.
- Alp; Ped; Hisp. s;
Gal., Alsat., Sil. mont;
Hal.
- Germ; Hung; Bulg;
Fen; Ross. oc. et m.
or.
- Amur; Uss; Jap.
- Norv. c. mont; Fen.
- Alt.
- Eur. c; Fen; Suec;
Cauc; Daur; Jap.
- Angl; Germ; Lap.
- Helv. et Ter. Alp. m;
Norv; Lap; Labr.
- Germ; Helv; Austr.-
Hung; Scand; Ross.
s. oc. et m. or; Am. s.
- Tura.
- Amur.
- Ferg. (Namangan).
- Amur.
- Hung; Vind; Gal; It;
Dalm; Bith.

1759. **Moribundana** Stgr. Stett. e. Z. 1859 p. 230; Hor. XV p. 244. *And; Dalm; Mace;*
As. min.
1760. **Smeathmanniana** F. Sp. 278; Tr. VIII, 274; Wd. 1151; Dup. IX, 285, 3; HS. IV p. 185; Wilk. 313; Hein. 80; Snell. II, 1 p. 244; Meyr. 548; Fabriciana Hb. 149; Hw. p. 401. *Eur. c. et s; Gal. m;*
It; Dalm; Bith;
Labr; Am. s.
1761. **Languidana** Mn. z. b. V. 1855 p. 552. *Cors.*
1762. **Reversana** Stgr. Stett. e. Z. 1859 p. 228. *And; Bilb.*
1763. **Extensana** Stgr. Stett. e. Z. 1859 p. 229. *And.*
1764. **Santolinana** Stgr. Berl. e. Z. 1870 p. 279. *Cast.*
1765. **Richteriana** F. R. 40, 3 p. 92; Frr. IV, 324, 3 p. 55; HS. IV p. 188; Hein. 81. *Sil; Germ. s; ? Helv;*
Hal; Ross. oc; Fen.
1766. **Maestana** Kenn. Iris XII p. 32, t. 1, f. 31. *Hyre. (Schahkuk).*
1767. **Pyramidana** Stgr. Berl. e. Z. 1870 p. 280. *Srp.*
1768. **Moguntiana** Rössl. Wien. Mts. 1864 p. 131; Verz. p. 193 (293). *Germ. c. oc.*
1769. **Erigerana** Wlsghm. Monthl. Mag. 1891 p. 3. *Angl.*
1770. **Heydeniana** HS. 369, IV p. 187, VI p. 157 (pr. p.); Corr. 1863 p. 111; Wlsghm. Monthl. Mag. 1893 p. 226. *Gal. m; It. c; Ter. m;*
Istr; ?Vind.
1771. **Implicitana** Wck. in HS. VI p. 157 (Heydeniana); Meyr. 551; Heydeniana Hein. 83; Mc. Lachl. Ann. f. 1869 p. 92; Wlsghm. Monthl. Mag. 1891 p. 1; Anthemidana Wilk. 309; Durr. Monthl. Mag. 1893 p. 203. *Eur. c. (exc. Bat., Ross.,*
Helv); Hal; Dalm.
1772. **Subroseana** Hw. Lep. Br. p. 402; Stph. Ill. IV p. 186; Wd. 1143; Meyr. 550. *Angl; ?Germ.*
1773. **Roseana** Hw. Lep. Br. p. 401; Stph. Ill. IV, 185, t. 35, f. 1; Wd. 1142; Wilk. 308; Hein. 82; Meyr. 551; Rubellana Hb. 286-7; Dipsaceana Dup. Sup. IV, 65, 6; Z. Stett. e. Z. 1849 p. 286; HS. 76-8, IV p. 187. *Eur. c. (exc. Bat.);*
Fen; Hisp. s; Italp;
Taur.
1774. **Roseofasciana** Mn. z. b. V. 1855 p. 554; Stgr. Hor. XV, 247. *?Vind; Gal. m; Cors;*
Dalm; Bith; Ant.
1775. **Leucanthana** Const. Ann. S. Fr. 1888 p. 166, t. 4, f. 5. *Gal. m. (Alp. mar.).*
1776. **Amoenana** Kenn. Iris XII p. 26, t. 1, f. 23. *Tura.*
1777. **Apricana** Kenn. Iris XII p. 27, t. 1, f. 24. *Arm.*
1778. **Undulatana** Kenn. Iris XII p. 28, t. 1, f. 25. *Dalm.*
1779. **Epilinana** Z. Stett. e. Z. 1849 p. 285; Dup. Sup. IV, 65, f. 5; HS. 79, 80, IV p. 187; Hein. 82. *Germ; Belg; Car;*
It. c; Hal; Ross; Cauca.
1780. **Flaviciliiana** Wilk. 307; Stt. Man. II p. 274; Mc. Lachl. Ann. f. 1869 p. 90; Barr. Monthl. Mag. XI p. 194; Meyr. 552. *Angl.*
1781. **Ciliella** Hb. Tin. 180; Hein. 81; Snell. II, 1 p. 256 (exc. lit. pr. p.); Meyr. 551; Rubellana Hb. 283; Tr. VIII, 279, X, 3. 143; Dup. IX, 258, 2; HS. IV p. 487; Ruficiliiana Hw. p. 402; ?Wd. 1144; Subroseana Wilk. 309. *Eur. c. et s; Gal. m;*
Lap.
1782. **Degreyana** Mc. Lachl. Ent. Ann. f. 1869 p. 91; Barr. Monthl. Mag. XI p. 195; Warr. ib. XXIV p. 134; Durr. ib. (2) IV p. 202; Meyr. 551; ?Ruficiliiana Wilk. 310. *Angl.*
1783. **Flammeolana** Tgstr. Bidr. 161; Wallgr. Tidskr. 1889 p. 26. *Fen.*
1784. **Phaleratana** HS. 84, IV p. 189; Corr. 1863 p. 112; Hein. 83. *Alp; Germ; Gal. m.*
(Mill.).
1785. **Ostrinana** Gn. Ind. 61; Obth. Et. XII p. 43, t. 6, f. 26. *Gal; Maur.*
1786. **Purpuratana** HS. 81, IV p. 186; Hein. 83 (= Ostrinana Gn. sec. Kenn.). *And; Gal. m; Germ.*
m; Austr; Hung; Bith; Ant.

1787. **Infantana** Kenn. Iris XII p. 25. t. 1, f. 22.
 1788. **Coërcitana** Stgr. Stett. e. Z. 1859 p. 229.
 1789. **Pudorana** Stgr. Stett. e. Z. 1859 p. 229; HS. n. Schm. 97 p. 16.
 1790. **Inulana** Const. Ann. S. Fr. 1884 p. 212, t. 9, f. 9.
 1791. **Contractana** Z. Is. 1847 p. 744. *Gal. m.; It; Dalm; Rum; Bith; Tura; Saraw.*
 1792. **Nefandana** Kenn. Iris XII p. 39. t. 1, f. 38. *As. min. c.*

237. **Euxanthis** (Hb. 1818) Meyr.

1793. **Dives** Butl. Ill. Lep. Het. II, p. 61, t. 15, f. 7.
 1794. **Parreyssiana** Dup. Sup. IV, 83, 9 p. 415; HS. 349-50, IV p. 180; Hein. 69.
 a) v. (ab.) *Anargyrana* Rag. Ann. S. Fr. 1894 p. 188 (al. ant. maculis argenteis subnullis).
 b) v. *Hydrargyrana* Ev. Bull. M. 1842 p. 563, t. 6, f. 14; F. V. U. 495; HS. 166, IV p. 180; Parreyssiana Frr. 450, 4 (multo major).
 1795. **Locupletana** Hb. 268; Dup. IX, 260, 2; HS. IV p. 180. *Hisp; Sic; Gal. m. (Mill.). It; Gal. m; Hung; Ross. m. or; Amur.*
 1796. **Margaritana** Hb. 219; Tr. VIII, 204; Dup. IX, 260, 4; Ev. F. V. U. 496; HS. IV p. 179; Chr. Mém. Rom. II p. 156.
 1797. **Plusiana** Kenn. Iris XII p. 14, t. 1, f. 13.
 1798. **Zelleria** Chr. Hor. XII (1877) p. 290, t. 8, f. 63; Mém. Rom. II, t. 8, f. 7.
 1799. **Lathoniana** Hb. 189; Tr. VIII, 105, X, 3. 70; Wd. 1120; Dup. IX, 260, 1; Frr. 450, 3; HS. IV p. 179.
 1800. **Hamana** L. S. N. ed. X, 530; Cl. Ic. 4, 7a; Hb. Vög. 39; Hb. 140; Tr. VIII, 85; Wd. 1157; Dup. IX, 257, 2; HS. IV p. 175; Wilk. 316; Hein. 69; Snell. II, 1 p. 236; Meyr. 558; Diversana Hb. Vög. 40; Hb. 139; Wd. 1158.
 1801. **Defectana** Ld. Ann. S. Belg. 1870 p. 54, t. 2, 13.
 1802. **Zoegana** L. S. N. ed. XII, 876; Hb. Vög. 48; Hb. 138; Tr. VIII, 87; Wd. 1155; Dup. IX, 257, 1; HS. IV p. 176; Wilk. 316; Hein. 70; Snell. II, 1 p. 237; Meyr. 558; Hamana Cl. Ic. 4, 4.
 1803. **Fulvana** F. R. 20, 3 p. 35; Tr. X, 3. 66; HS. IV p. 176; Hein. 70.
 1804. **Dictyodana** Stgr. Hor. XV (1880) p. 238; Rag. Ann. S. Fr. 1894 p. 188.
 a) ? ab. *Insignatana* Stgr. l. c. (al. ant. insignatis).
 1805. **Amiantana** Hb. 155; Tr. VIII, 115; Dup. IX, 259, 1; HS. IV p. 91; Hein. 70. *Dalm; Gal. m.; It. c.; Hal. (1).*
 1806. **Diana** Kenn. Iris XII p. 13, t. 1, f. 12.
 1807. **Aureopunctana** Rag. Ann. S. Fr. 1894 p. 189.
 1808. **Amasiana** Rag. Ann. S. Fr. 1894 p. 189.
 1809. **Langeana** Klehbg. Iris X (1897) p. 188.
 1810. **Aeneana** Hb. 188; Hw. 404; Stph. Ill. IV, 176; Wd. 1122; Wilk. 287; St. Man. II, 269; Meyr. 558; Disqué Stett. e. Z. 1890 p. 56 (larv.).
 1811. **Straminea** Hw. Lep. Br. p. 401; Wd. 1150; Wilk. 313; Hein. 74; Snell. II, 1 p. 240; Meyr. 557; Tischerana Tr. VIII, 275, X, 3. 141; F. R. 12, 2 p. 19; HS. IV p. 185; Sudana Dup. IX, 266, 7. *Austr. inf; Hung; Syr. Pont. Germ. oc; Helv; Angl; Gal; It. s.*
Eur. c. et m; Suec; As. min; Arm; Syr; Tura.

1812. **Alternana** Stph. Ill. IV, 187, t. 35, f. 2; Wd. 1147; Wilk. 314; Stt. Man. II, 276; Hein. 74; Meyr. 558; Gigantana Gn. ? *Eur. c. (Meyr.).*
1813. **Pallorana** Ld. Wien. Mts. 1864 p. 171, t. 3, f. 11. *Arm.; Ant.*
1814. **Armeniana** Joan. (L. & J.) Bull. S. Fr. 1891 p. 83. *As. min. c.*
1815. **Substraminea** Rag. Bull. S. Fr. 1895 p. 103. *Syr.*
1816. **Chionopa** Meyr. Monthl. Mag. 1891 p. 55. *Maur.*
1817. **Spirana** Kenn. Iris XII p. 35, t. 1, f. 34. *Ala Tau.*
1818. **Meridiolana** Rag. Ann. S. Fr. 1894 p. 196. *Tura.*
1819. **Meridiana** Stgr. Stett. e. Z. 1859 p. 230; Hor. VII p. 217; XV p. 242; Mill. Ic. I p. 354, t. 42, f. 9; Claviculana Mn. Wien. Mts. 1861 p. 185, t. 2, f. 11; Ld. Wien. Mts. 1863 p. 45. *Hisp.; Gal. m.; Dalm.; Graec.; Srp.; Pont.*
1820. **Nomadana** Ersch. Fedtsch. p. 93, t. 6, f. 102; Rag. Ann. S. Fr. 1894 p. 195. *Tura.*
1821. **Tamerlana** Rag. Ann. S. Fr. 1894 p. 196. *Tura.*
1822. **Naeviferana** Kenn. Iris XII p. 36, t. 1, f. 35. *Cauc.*
1823. **Nodulana** Möschl. Wien. Mts. 1862 p. 140, t. 1, f. 12. *Srp.*
1824. **Mongolicana** Rag. Ann. S. Fr. 1894 p. 196. *Tura.*
1825. **Blandana** Ev. F. V. U. 492; HS. 359, IV p. 175; Kenn. Iris XII p. 306; Punctulatana Kenn. ib. p. 38, t. 1, f. 36. *Ural; Syr.*
1826. **Argentomixtana** Stgr. Berl. e. Z. 1870 p. 277. *Srp.*
1827. **Angustana** Hb. 74; Tr. VIII, 284, X, 3. 148; Dup. IX, 257, 7; Stph. Ill. IV, 182; Wd. 1134; HS. 94; Wilk. 303; Snell. II, 1 p. 240; Meyr. 557; Cruentana HS. IV p. 191; Hein. 71. *Eur. c.; Suec.; It. s.; Bith.*
1828. ?**Thuleana** Vaughan Entom. XIII (1880) p. 293, t. 4, f. 3 (praeac. var. sec. Barr., an specim. detrit. condit.?). *Ins. Hethland.*

238. **Phtheochroa** Stph. 1829 (Commophila [Hb.] Meyr.).

1829. **Rugosana** Hb. 82; Wd. 1141; Dup. IX, 256, 3; HS. IV p. 194; Wilk. 281, t. 2, f. 9; Hein. 90; Mill. Ic. 142, f. 9-11; Snell. II, 1 p. 254; Chrét. Natural. 1888 p. 91; Meyr. 555; V-Albana Don. Nat. Hist. XI, t. 371, 1. *Eur. c. et m. (exc. ? Graec.); Maur.*
1830. **Thiana** Stgr. Iris XII p. 348. *Thian. or.*
1831. **Syrtana** Rag. Bull. S. Fr. 1888 p. 88. *Maur. or.*
1832. **Duponcheliana** Dup. Sup. IV, 62, 5 p. 143; Gn. Ind. 30; Gloriosana HS. 31, IV p. 194. *Gal. m.; Sic; Hung. m.; Dalm.; Graec.; Syr.; Bith.*
1833. **Sodaliana** Hw. Lep. Br. 436; Stph. Ill. IV, 183; Wd. 1139; Wilk. 299; Stt. Man. II, 279; Hering Stett. e. Z. 1893 p. 84; Amandana HS. IV p. 195, VI p. 158; Hein. 91; Meyr. 555. *Germ; Val; Styri; Hung; Angl; Lv; Dalm; Rum.*
1834. **Pulvillana** HS. 391, IV p. 195; Hein. 92; Gartn. Verh. Brünn. 1869 p. 77 (larv.). *Germ. oc; Morav.*
1835. **Singulana** HS. IV p. 195; Hein. 92. *Austr.*
1836. **Variolosana** Chr. Mém. Rom. III p. 115, t. 5, f. 10. *Tura.*
1837. **Pistrinana** Ersch. Hor. XII p. 341 (1876). *Sib. or. (Irkutsk).*
1838. **Schreibersiana** Froel. En. Tort. no. 114; Hb. 306; Tr. VIII, 286, X, 3. 148; Dup. IX, 258, 8; HS. IV p. 242; Wilk. 288; Hein. 72; Snell. II, 1 p. 242; Meyr. 556; Lediana Hb. 151. *Eur. c. et m.; Bith.*

239. *Hysterosia* Stph. ?1829 (Idiographis Ld.).

1839. *Inopiana* Hw. Lep. Br. p. 469; Stph. Ill. IV, 192; Wd. 1159; Wilk. 100; Nolek. Stett. e. Z. 1869 p. 283; Fn. II p. 359; Snell. II, 1 p. 241; Meyr. 559; Centrana HS. 373, IV p. 205; n. Schm. p. 5, f. 34; Hein. 38; Excentrica Ersch. Hor. XII (1877) p. 341; Mém. Rom. II t. 16. f. 10 (♀).
- Eur. c. et s. (exc. reg. pol.); Ped; Croat; Sib; Jap; Am. s.*

240. *Carposina* HS. 1853.

1840. *Scirrhosella* HS. 615, V p. 142; Stt. Syr. 68; Hein. 353. *Germ.m; Vind; Hung; Morav; Hal; Bith.*
1841. *Berberidella* HS. 614, V p. 142; Hein. 353. *Germ. m; Hal; Ter. m; Styr; Carn; Dalm; Ant.*
1842. *Atlanticella* Rbl. Ann. Naturh. Hofmus. IX (1894) p. 92. *Mad.*

C. Olethreutinae (Grapholitinae).

241. *Evetria* Hb. 1818 (Retinia Gn. 1845).

1843. *Piniana* HS. 194, IV p. 222; Hein. 97. *Germ.*
1844. *Duplana* Hb. 229-30; Tr. VIII, 138, X, 3. 77; Rtzb. Forst-Ins. p. 209, t. 14, 5; HS. IV p. 222; Wilk. 221; Hein. 93; Barr. Monthl. Mag. XXI p. 126; Snell. II, 1 p. 256; Meyr. 471; Jud.-Nitsche II p. 1008, t. 7, f. 15; Spadiceana Dup. IX, 263, 8. *Eur.c; Ross.oc; Scand. (exc. reg. pol.); Cast; Jap; Am. s.*
1845. *Walsinghami* Rbl. Ann. Naturh. Hofmus. XI (1896) p. 119, t. 3, f. 6. *Ten.*
1846. *Sylvestrana* Curt. Ann. & Mag. (2) V. 111 (1850); Stt. Ann. f. 1855 p. 53; Wilk. 220; Stt. Man. II, 248; Hein. 241; Meyr. 471; Pollinis Mill. Rev. et Mag. Zool. 1874 p. 251. *Angl; Germ. s; Gal. m; Belg.*
1847. *Posticana* Zett. Ins. Lap. 982; Wck. Stett. e. Z. 1862 p. 50; Hein. 94; Nolck. Fn. II, 392; Snell. II, 1 p. 257; Warr. Monthl. Mag. XXV p. 146, 196, 307; Mulsantiana Rtzb. Stett. e. Z. 1848 p. 266; Forst. Ins. Jchneum. II p. 224 not.; *Sylvestrana* Hein. 95; Fulvimitrana Hein. 241. *Eur. s; Scot; Alp.*
1848. *Pinivorana* Z. Is. 1846 p. 225; Wilk. 219; Hein. 95; Snell. II, 1 p. 258; Meyr. 471; Jud.-Nitsche II p. 1007, t. 7, f. 14; Pudendana HS. 149-50, IV p. 122; Resinella Wd. 1130; *?Sciurana* Tgstr. Bidr. p. 158; Cat. p. 360 [ab?], uno ♂ condit.]. *Eur. c. et s; It.s.*
1849. *Turionana* Hb. 220-1; Tr. VIII, 137, X, 3. 77; Rtzb. Forst-Ins. p. 207, t. 14, 3; Dup. IX, 247, 4; HS. IV p. 222; Hein. 94; Snell. II, 1 p. 257; Meyr. 471; Jud.-Nitsche II p. 1007, t. 7, f. 12; *Turionella* Wilk. 222. *Germ; Helv; Austr.-Hung; Belg; Angl; Ross.oc; Fen; Scand. (exc. reg. pol.); Jap. Alp.*
- a) v. *Mughiana* Z. Stett. e. Z. 1868 p. 123, 1872 p. 103 (multo obscurior, al. post. ♀ fuscis). *Gal. m. or.*
1850. *Miniatana* Stgr. Berl. e. Z. 1870 p. 281. *Eur; Sib; Cor.*
1851. *Buoliana* Schiff. S. V. p. 128; Tr. VIII, 140, X, 3. 78; Rtzb. Forst-Ins. 202, t. 14; HS. 49, IV p. 221, VI p. 160; Hein. 96; Snell. II, 1 p. 259; Meyr. 470; Jud.-Nitsche II p. 1003, t. 7, f. 11; *Xylosteana* Hb. 154; *Gemmana* Hb. 269; Wd. 1127; Dup. IX, 247, 2.

- a) v. *Pinicolana* Dbld. Zool. VIII, App. 106; Wilk. 218; Barr. Monthl. Mag. X, 246; *Turionella* Curt. B. E. VIII, t. 361; *Turionana* Wd. 1126; *Concinnana* Ld. Wien. Mts. 1859 p. 282 (major, obscurior, intensius picta, vix nom. conserv.). *Angl.*
- b) v. *Thurificana* Ld. z. b. V. 1855 p. 224, t. 4, f. 4 (minor, dilutior). *Syr.; Cypr.; Hisp.*
1852. **Tessulatana** Stgr. Berl. e. Z. 1870 p. 280; Const. Ann. S. Fr. 1883 p. 13 (larv.). *Hisp.; Gal. m.; It. s.; Tergest.; Bith.*
1853. **Margarotana** HS. 148; Stgr. Hor. VII p. 220; Wck. Bresl. e. Z. 1879 p. 74. *Germ. oc.; Austr. inf.; Boh.; Sil.; ?Graec.; ?Cat.*
1854. **Retiferana** Wck. Bresl. e. Z. 1879 p. 73; Rag. Ann. S. Fr. 1894 p. 200; Barr. Monthl. Mag. 1893 p. 113; Meyr. 471; *Margarotana* Hein. 95; Rtzbl. Waldv. II p. 410, t. 5, f. 14; *Amethystana* Pehr. Pet. Nouv. Ent. IV (1872) p. 239; Mill. Ic. III p. 336, t. 142, f. 12; Rag. l. c. *Sil.; Gal. c.; Scot.; ?Jap.*
1855. **Resinella** L. S. N. ed. X, 539; Wd. 1120; Wilk. 220; Hein. 96; Snell. II, 1 p. 260; Meyr. 471; Jud.-Nitsche II p. 1009, t. 7, f. 13; *Resinana* F. S. E. 654; Tr. VIII, 128, X, 3.77; Dup. IX, 247, 6; HS. IV p. 221; *Obesana* Lah. Tort. no. 234 ♀. *Eur. c. et s.; Hisp.; It. s. et c.*

242. *Olethreutes* Hb. 1818 (Penthina Tr., Sericoris Tr.).

1856. **Schreberiana** L. F. S. p. 348; Hb. 45; Stph. Ill. IV, 81; Tr. X, 3.107; HS. IV p. 169; Hein. 104; Dup. IX, 265, 1. *Eur. s. (exc. reg. pol.); Germ.; Hal.; Cat.; It. s.; Jap.*
1857. **Salicella** L. S. N. ed. X, 536; Wd. 895; Wilk. 35; Hein. 105; Snell. II, 1 p. 264; Meyr. 460; *Salicana* Schiff. S. V. p. 131; Tr. VIII, 24; Dup. IX, 245, 3; HS. IV p. 226. *Eur. c. et s.; Gal. m.; It. s. et c.; Dalm.; Sib.*
1858. **Vicinana** Rag. Ann. S. Fr. 1894 p. 200. *Amur.; Jap.*
1859. **Inundana** Schiff. S. V. p. 132; F. Mant. 225; Hb. 60; Tr. X, 3. 92; HS. IV p. 227; Hein. 105. *Hal.; Petrop.; Fen.; Liv.; Suec.*
1860. **Semifasciana** Hw. Lep. Br. p. 431; Curt. B. E. XII, 571; Wd. 885; Wilk. 19; Hein. 105; Snell. II, 1 p. 265; Meyr. 461; *Acutana* Frr. 342, 1; Tr. X, 3. 68; Dup. IV, 64, 2; HS. J79-80, IV p. 227; *Elutana* Dup. IX, 264, 1. *Eur. c.; Fen.; Suec.*
1861. **Murina** Pack. Labr. 60. *Labr.*
1862. **Scriptana** Hb. 110; Stph. Ill. IV, 86; Wd. 884; Snell. II, 1 p. 265; *Hartmanniana* L. F. S. no. 1322; Tr. VIII, 91, X, 3. 67; Dup. IX, 245, 9; Frr. 342, f. 2; HS. 162 [ab.], IV p. 227; Wilk. 19; Hein. 106; Meyr. 461. *Eur. c. et s. (exc. reg. pol.); It. s. et c.*
1863. **Woodiana** Barr. Monthl. Mag. XVIII (1882) p. 185; Wood ib. 1892 p. 225 (larv.); Meyr. 460. *Angl.*
1864. **Capreana** Hb. 250; Tr. VIII, 27, X, 3. 46 (pr. p.); Hein. 106 (pr. p.); Nolek. Fn. II p. 397; Wallgr. Tidskr. 1889 p. 59; Meyr. 461; *Moestana* Wck. Stett. e. Z. 1862 p. 52. *Eur. s. et c. (s.); Alp.; Germ. m. oc.; Jap.; Labr.; Am. s.*
1865. **Corticana** Hb. 13; Hw. p. 432; Wd. 886; Wilk. 20; Snell. II, 1 p. 266 (pr. p.); Meyr. 461; *Picana* Froel. no. 101; *Capreana* Dup. IX p. 189 (pr. p.), t. 245, 4b; Hein. 106 (pr. p.). *Eur. c.; Fen.; It. s.*
1866. **Betulaetana** Hw. Lep. Br. p. 432; Stph. Ill. IV, 87; Wd. 887; Wilk. 22; Snell. II, 1 p. 267; Meyr. 461; *Capreana* Dup. IX, 245, f. 4a; HS. 182; *Betuletana* Hein. 107. *Eur. s. et c.; It. s.*
1867. **Sororeculana** Zett. Ins. Lap. 977; Nolek II, 397; Snell. II, 1 p. 268; Meyr. 462; *Praelongana* Gn. Ind. 18; Wilk. 24; Hein. 107; *Betuletana* HS. 251-2, IV p. 230. *Eur. s. et c. (s.); Isl.; Daur.*

- 1868. **Intermistana** Clem. Pr. Ent. S. Phil. V p. 140 (1865); *Tessellana* Pack. Labr. 58. *Labr.*
- 1869. **Septentrionana** Curt. App. Ross' 2. Aret. Voy. p. 77 (1831); *Primariana* Wilk. List. XXVIII p.336; *Fulvifrontana* Pack. Labr. 59. *Am. bor; Labr.*
- 1870. **Frigidana** Pack. Labr. 57; *Möschl.* Stett. e. Z. 1870 p.374. *Labr.*
- 1871. **Sauciana** Hb. 305; Z. Is. 1846 p.212; HS. 181, IV p.229; Wilk. 32; Hein. 108; Snell. II, 1 p.269; Meyr. 464; *Grevillana* Curt B. E. XII t. 567; Wd. 889; Barr. Monthl. Mag. XXIV p. 34; *Incarnatana* Dup. IX, 264, f. 4. *Germ. c. et s; Bat; Angl; Alp; Hal; Liv; Scand; It.s. et c.*
- a) v. *Staintoniana* Barr. Monthl. Mag. IX p. 127; *Knaggs Ann.* f. 1873 p. 44; Jones Monthl. Mag. XXI p. 139 (pallidior, al. angustioribus). *Scot.*
- 1872. **Variegana** Hb. 14; Tr. VIII, 35, X, 3. 48; Dup. IX, 245, 6; HS. IV p. 228; Snell. II, 1 p.269; Meyr. 462; *Cynosbattella* Wilk. 26; Hein. 108. *Eur. c. et m; Liv; Fen; Suec; Petrop; Bith; Smyrna; Ant; Arm. Angl.*
- a) ab. *Nubiferana* Hw. Lep. Brit. 431; Stph. Ill. IV. 91; Wd. 896; Wilk. 27; Barr. Monthl. Mag. XIII p.252 (al. ant. fere unicoloribus sordide albidis, macula disci sub-anali indistincta, fusca). *Eur. c. et m; Suec; As. min; Hyrc.*
- 1873. **Pruniana** Hb. 15; Hw. 433; Tr. VIII, 33; Wd. 890; Dup. IX, 245, 5; HS. IV p. 228; Wilk. 27; Hein. 108; Snell. II, 1 p. 271; Meyr. 463. *It; Sard; Carn; Dalm; Graec.*
- a) v. *Pruneticolana* Z. Stett. e. Z. 1849 p. 238; HS. IV p.228; Hein. 108 (dilutior). *Eur. c; It. s. et c; Hisp. s; As. min; Arm.*
- 1874. **Ochroleucana** Hb. 304; Tr. X, 3. 48; Dup. Sup. IV, 61, 8; HS. IV p. 227; Wilk. 25; Hein. 109; Snell. II, 1 p. 270; Meyr. 462; *Tripectana* Wd. 888; *Gentiana Dup.* IX, 245, 7. *Eur. c; Scand; Ross; Pont; Am. s.*
- 1875. **Dimidiana** Sodof. Bull. M. 1830 p. 73, t. 1, f. 7; Tr. X, 3. 46; HS. 164-5, IV p. 228; Wilk. 28; Hein. 109; Snell. II, 1 p. 272; Meyr. 464; *Atropunctana* Zett. Ins. Lap. 977; *Ochromelana* Gn. Ind. 18. *Sic; Dalm; Graec; As. min; Daur.*
- 1876. **Sororiana** HS. 375, IV p. 230; *Phlomidana* Stgr. Hor. VII p. 220, t. 3, f. 1; ib. XV p. 249. *Eur. c. et m; Maur; Ant; Arm; Tura.*
- 1877. **Oblongana** Hw. Lep. Br. p. 433, no. 123 ♀; Stph. Ill. IV, 89; Wd. 893; Rag. Ann. S. Fr. 1894, 201; Meyr. 463; *Marginana* Hw. p. 433, no. 124 ♂; Wd. 892; Wilk. 29; Hein. 109; Barr. Monthl. Mag. IX, 126, 177; *Sauciana* Dup. IX, 262, 5; *Similana* Wilk. 31; Barr. Monthl. Mag. IX 127; *Sellana* Gn. Ind. 19; HS. 183, IV p. 230; Wilk. 34; Hein. 110; Steud. Verz. 1882 p. 170; Snell. II, 1 p. 278 (pr. p.); Meyr. 463; ?Hb. 331; *Froel.* no. 96 (♂ al. post. albidis). *Austr. alp; Styr; Ter.*
- a) ab. *Adelana* Rbl. z. b. V. 1892 p. 526 (tota infuscata, al. ant. fere unicolor-fuscais). *Eur. c. (exc. Bat.); It. s. et c; Dalm; Bith; ?Norv; ?Jap.*
- 1878. **Gentiana** Hb. Gesch. VII, Tort. II, Noctuides B. a. 1, a, b; Meyr. 463; *Gentianaeaana* Hb. 12; Stph. Ill. IV, 89; *Gentianana* Tr. VIII, 36, X, 3. 50; Frr. 120, 2; HS. IV p. 230; Wilk. 32; Hein. 111; Wallgr. Tidskr. 1889 p. 58; *Oxybiana* Mill. Ic. III t. 152, f. 14, 15; Rag. Ann. S. Fr. 1894 p. 202 (praec. form. Darwin., al. post. ♂, ♀ fuscis). *Germ. c. et s; Bav; Hal.*
- 1879. **Roseomaculana** HS. 163, IV p. 229; *Lienigiana* Hein. 111.

1880. **Lediania** L. S. N. ed. X, 532; Cl. Ic. 10, 12; Tgstr. Bidr. p. 158; Wck. Stett. e. Z. 1862 p. 54; Wallgr. Tidskr. 1889 p. 60; Westwoodiana Zett. Ins. Lap. 990; Lienigiana Z. Is. 1846 p. 213.
1881. **Dalecarliana** Gn. Ind. 26 (1845); Rag. Ann. S. Fr. 1894 p. 203; Pyrolana Wck. Jhrb. Schles. Ges. 1857 p. 116; Stett. e. Z. 1862 p. 55; Hein. 111; Snell. II, 1 p. 274; Wallgr. Tidskr. 1889 p. 60; Pyrotana Degraaf Tidskr. IV (1861) p. 167, t. 12, f. 1; Albimaculana Teich Stett. e. Z. 1892 p. 357.
1882. **Noricana** HS. 147, IV p. 236; Hein. 112. *Alp*; Norv. (Tromsö, Schneider).
1883. **Semiceremana** Chr. Bull. M. 1881, I p. 77; Rag. Ann. S. Fr. 1894 p. 203.
1884. **Groenlandicana** B.-Haas Vid. Medd. 1896 p. 190.
1885. **Mengelana** Fern. Ent. News V (1894) p. 131.
1886. **Profundana** F. Mant. 229; Tr. VIII, 192; F. R. 62, 1 p. 168; Dup. IX, 253, 7; HS. IV p. 207; Wilk. 184; Hein. 104; Snell. II, 1 p. 276; Meyr. 465; Porphyrana Hb. 26; Wd. 880; Dup. IX, 264, 9; Wellensiana Hb. 237; Wd. 882; Dup. IX, 255, 5; Alphonsiana Dup. IX, 239, 9; Nubilana Dup. IX, 255, 4.
1887. **Nigricostana** Hw. Lep. Br. p. 438; Wd. 911; Wilk. 204; Hein. 112; Meyr. 464; Squalidana HS. IV p. 223.
a) ab. *Remyana* HS. 276 (al. ant. fascia media lutea lata).
1888. **Carbonana** (Dbld. List. p. 22 nom. Cat.) Barr. Monthl. Mag. XXIII p. 4; Meyr. 464.
1889. **Fuligana** Hb. 109; Tr. VIII, 172, X, 3. 89; Dup. IV, 62, 8; HS. 332, IV p. 221; Hein. 113; Snell. II, 1 p. 275 (pro p.); Meyr. 464; Ustulana Hw. p. 467; ?Wd. 912; Wilk. 34.
1890. **Textana** H.-G. 307-9; Froel. no. 115; HS. n. Schm. 39 p. 6; Hein. 113; Rbl. z. b.V. 1889 p. 298; Wallgr. Tidskr. 1889 p. 58; Norvegicana Schöyen Forh. Vid. Selsk. 1887 p. 14.
1891. **Lapideana** HS. 246, IV p. 231; Wallgr. Tidskr. 1889, 58; Digitalitana Mühlig Stett. e. Z. 1863 p. 72. *Hung*; *Serbia*; *Gal*; *Suec*; *Bith.*
1892. **Penthinana** Gn. Ind. 45 (1845); Postremana Z. Is. 1846 p. 231; HS. IV p. 231; Hein. 114; Meyr. 465; Heydeniana HS. 259, 304-5, 329.
1893. **Turfosana** HS. 220-1, IV p. 217; Hein. 114. *Eur. s*; *Germ. s*; *Helv*; *Car*; *Labr.*
1894. **Bicinctana** Tgstr. Bidr. p. 157.
1895. **Scitulana** Ld. Wien. Mts. 1861 p. 154, t. 2, f. 4.
1896. **Arcuella** Cl. Ic. 10, 8; Wilk. 191; Snell. II, 1 p. 296; Meyr. 465; Wlsghm. Ann. & Mag. (7) IV p. 127; Arcuana L. F. S. no. 1317; Hb. 33; Don. Nat. Hist. XI, t. 364, 1; Tr. VIII, 166, X, 3. 84; Wd. 973; Dup. IX, 248, 6; HS. IV p. 250; Hein. 131; ?Edleriana Cr. P. Ex. IV p. 223, t. 396, K.
1897. **Arbutella** L. S. N. ed. X, 538; Wilk. 260; Hein. 101; Wallgr. Tidskr. 1889 p. 62; Meyr. 465; Arbutana Hb. 195; HS. IV p. 221.
1898. **Mygindana** Schiff. S. V. p. 131; Hb. 181; HS. IV p. 210; Hein. 101; Wallgr. Tidskr. 1889 p. 63; Meyr. 466; Flamenana Hb. 321; Dup. IX, 247, 5; Formosana Curt. B. E. VIII, t. 364; Fulvipunctana Hw. p. 400; Wilk. 260.
- Eur. s. et pol*; *Germ. s. or*.
- Germ*; *Gal*; *Bat*; *Liv*; *Fen*; *Norv.*
- Amur*; *Jap.*
- Groenl.*
- Groenl.*
- Eur. c*; *Liv*; *Scand.* (*exc. reg. pol.*); *Hisp-s*; *Sard*; *It. c. et s*; *Arm*; ?*Jap.*
- Eur. c. (exc. ? Gal. et Bat.)*; *Bilb.*
- Angl*; *Bat.*
- Germ*; *Bat*; *Angl*; *Hal*; *Hisp. s*; *It. s*; *Bith.*
- Germ*; *Helv*; *Austr*; *Car*; *Tergeste*; *Gal*; *Ped*; *Dan*; *Liv*; *Scand.*
- Germ*; *Helv*; *Sil*; *Serbia*; *Gal*; *Suec*; *Bith.*
- Germ*; *Austr*; *Hal*; *Angl*; *Liv*; *Suec*; *Sic*.
- Eur. c. et m*; *Scand*; *As. min*; *Arm*; *Dawr*; *Sib*; *Cor*; *Jap.*
- Germ*; *Helv*; *Car*; *Ter*; *Gal. m*; *Angl*; *Ross. oc*; *Norv*; *Lap.*
- Germ*; *Alp*; *Hal*; *Angl*; *Eur. s*; *Arm*.

1899. **Rufana** Sc. Ent. Carn. no. 591; Hein. 102; Snell. II, 1 p. 295; Meyr. 465; Rosetana Hb. 130, 222; Tr. VIII, 94, X, 3, 69; Dup. IX, 240, 8; HS. IV p. 204; Arenana Lah. Tort. no. 119 [ab. olivaceal].
- a) v. *Purpurana* Hw. Lep. Br. p. 400; Wd. 1036; Wilk. 261; Barr. Monthl. Mag. XI, 29; Meyr. 466; Rosaceana Schläg. Ber. p. 229; Erythrana Tgstr. Bidr. p. 75 (al. ant. rosaceis vel ferrugineis).
1900. **Capreolana** HS. 341-2, IV p. 209; Hein. 102.
1901. **Striana** Schiff. S. V. p. 129; Tr. VIII, 178; Wd. 1009; Dup. IX, 255, 6; HS. IV p. 209; Wilk. 262; Hein. 102; Snell. II, 1 p. 295; Meyr. 469; Rusticana Hb. 66; Fasciolana Hb. 260; Tr. VIII, 199; Wd. 1010.
- ✓ 1902. **Branderiana** L. S. N. ed. X, 531; Wilk. 263; Hein. 102; Meyr. 468; Maurana Hb. 122; Tr. VIII, 91; Dup. IX, 240, 4; Wd. 1033; HS. IV p. 205; ab. Viduana Hb. 303; Dup. IX, 262, 1; HS. 41 [al. ant. distincte signatis].
1903. **Astrana** Gn. Ind. 25; HS. n. Schm. 151 p. 30; Hein. 116; Siderana Dup. Sup. IV, 79, f. 2.
1904. **Siderana** Tr. X, 3, 81; HS. 203, IV p. 211; n. Schm. 40; Hein. 116.
1905. **Metallicana** Hb. 68; Tr. VIII, 144, X, 3, 81; Z. Is. 1846 p. 226; HS. IV p. 212; Hein. 119; Wek. Jhrb. Schles. Ges. 1880 p. 203; Meyr. 467; Alternana Wilk. 269; Barr. Monthl. Mag. XXIII, p. 2; Daleana Dbld. List.; ? Zebrawskii Now. M. S. N. p. 7, t. 1, f. 1 [ab.] (al. ant. flavesce., fasciis brunneis et lineis plumbeis distinctis).
- a) v. *Irriguana* HS. 424-5; VI p. 160; Wek. Stett. e. Z. 1862 p. 56; Hein. 117; Z. Stett. e. Z. 1878 p. 105; Wek. l. c. 1880 p. 203; Meyr. 467; ? Porphyraea Lah. Tort. no. 142; Hein. 118 [aberr.] (gracilior, al. ant. dilutioribus, pallide olivaceis lineis plumb. minus nitentibus).
- b) v. *Nebulosana* Zett. Ins. Lapp. 985; Wek. l. c. (1880); Sparre-Schneid. Tidskr. 1883 p. 86; Wallgr. ib. 1889 p. 203; Schoenerrhana Gn. Ind. 24; ? Ljunghiana Thnbrig. Act. Holm. 1797 p. 168 (valde varians, transit. ad Metallicanam vel Irriguanam).
- c) v. *Ferruginea* Tgstr. Cat. p. 361; Wek. l. c. (1880) (trans. ad v. Sudetenana, sed major).
- d) v. *Sudetana* Stndf. (sen.) Stett. e. Z. 1846 p. 386; Bresl. Z. 1849, t. 2, f. 4; Hein. 117; Wek. l. c. (1880); Sudeticana HS. 272, IV p. 211 (minor, al. ant. magis unicolor, flavo-brunnescentibus).
1906. **Pueriana** Hein. 122.
1907. **Stibiana** Gn. Ind. 24; Hein. 118; Micana Tr. VIII, 150, X, 3, 83; HS. 243, IV p. 211. Austr. inf; Styr; Hung;
1908. **Scoriana** Gn. Ind. 24; Metalliferana HS. 204, IV p. 223; Hein. 119; Metallicana Dup. IX, 246, f. 6.
1909. **Zelleriana** Ersch. Fedtsch. p. 94, t. 6, f. 104.
1910. **Palustrana** Z. Is. 1846 p. 630; HS. IV p. 214; Stt. Man. II, 265, Ann. 1855 p. 35; Hein. 122; Snell. II, 1 p. 286; Meyr. 466; Olivana Dup. IX, 246, f. 4; Disertana HS. 213-5; Ingratana Hodgk. Entom. 1895 p. 181; Mendo-sana Lah. Tort. no. 158 [ab.]
1911. **Schaefferana** HS. 144-5; Hein. 121; Wallgr. Tidskr. 1889 p. 101; Schefferiana F. R. (Beitr.) p. 154; Furfurana HS. IV p. 211.

*Eur. c. et s; It. s. et c; Dalm.**Germ; Angl; Fen.**Germ. c. oc; Bav; Austr; Morav; Ter; Dalm; Hung; Liv. Eur. c. et m; Suec.**Eur. c. (exc. Bat.); Scand; It. s; Daur; Jap.**Gal. m; ? Helv.**Germ; Hung; Alp; It. s. et c; Daur.**Germ; Jut; Scot; Hal; Ross; Scand; Sib; Amur.**Alp; Scot. (trans. ad Nebulos.); Alt.**Eur. bor.**Fen; Norv.**Sil. mont; Alp. (ab.); Norv. (ab.).**Alp. Car. et Ter.**Germ. m; ? Helv; Srp; Graec; As. min.**Alp; Gal. m. (alp. marit.).**Tura.**Alp; Hung. or; Germ; Bat; Scot; Ross; Fen; Norv; Lap; Daur.**Alp; Norv. alp. et pol.*

1912. **Schulziana** F. Gen. 293; Zett. Ins. Lap. 983; Wilk. 276; Hein. 120; Snell. II, 1 p. 294; Meyr. 466; Pinetana Hb. 57; Ahrensanana Hb. 337-8; Bentleyana Don. Nat. Hist. X, t. 357, 1; Wd. 1128; Zinckenana Tr. VIII, 143, X, 3. 81; Dup. IX, 247, 1a, b; HS. IV p. 210.
v) a. v. *Jivaarana* Hoffm. Stett. e. Z. 1893 p. 133 (minor, al. ant. capite thoraceque olivaceis).
1913. **Boreana** Rbl. nov. nom.; Septentrionana Möschl. Stett. e. Z. 1883 p. 124.
1914. **Spuriana** HS. 334 (1848), IV p. 211; Lah. Mitth. I p. 188; Hein. 121; ?Anderreggana Gn. Ind. 27 (1845); Rag. Ann. S. Fr. 1894 p. 204 (si certum, nom. restituend.).
1915. **Enervana** Ersch. Hor. XII (1877) p. 341; Mém. Rom. II t. 16, f. 13.
1916. **Micana** Hb. 28!; Froel. Tortr. no. 157; Dup. IX, 246, f. 5; Wilk. 268; Rag. Ann. S. Fr. 1894 p. 204; Meyr. 467; Oliviana Tr. VIII, 101, X, 3. 83; Dup. IX, 246, 4; Z. Is. 1846 p. 230; HS. 218-9, IV p. 214, VI p. 160; Hein. 123; Snell. II, 1 p. 287.
1917. **Boisduvaliana** Dup. IX, 262, 8 p. 507; Z. Is. 1846 p. 226; HS. 344, IV p. 250; Hein. 120; Wallgr. Tidskr. 1889 p. 101.
1918. **Rivulana** Sc. Ent. Carn. no. 600; Schiff. S. V. p. 131; Hein. 123; Snell. II, 1 p. 289; Meyr. 466; Conchana Hb. 106; Tr. VIII, 148, X, 3. 83; Dup. IX, 246, 1; HS. IV p. 213; Wilk. 266, t. 2, f. 7.
a. v. *Stangeana* Teich. Stett. e. Z. 1890 p. 49 (minor, obscurior).
1919. **Umbrosana** Frr. 318, 1, IV p. 46; Dup. IV, 79, 6; Z. Is. 1846 p. 228; HS. 207-8, IV p. 215; Hein. 125; Wallgr. Tidskr. 1889 p. 100.
1920. **Delitana** Stgr. Hor. XV (1880) p. 250.
1921. **Urticana** Hb. 65; Hw. p. 460; Wd. 1011; Tr. VIII, 145; HS. 209-10, IV p. 215; Wilk. 267; Hein. 126; Snell. II, 1 p. 291; Meyr. 467.
a. v. *Rufa* Tutt. Entom. 1889 p. 163 (al. ant. obscure rufescent.).
1922. **Lacunana** Dup. Sup. IV, 84, 5; HS. 338-40, IV p. 215; Wilk. 266; Hein. 226; Snell. II, 1 p. 290; Meyr. 467; Micana Hw. p. 460; Wd. 1016; Urticana Dup. IX, 246, f. 2; Montana Tr. X, 3 p. 83.
a. v. *Hoffmanniana* Teich. Stett. e. Z. 1890 p. 49 (minor, al. ant. distinctius variegatis).
b. v. *Herbana* Gn. Ind. p. 157; Barr. Monthl. Mag. XI p. 31; Rag. Ann. S. Fr. 1894 p. 205, t. 1, f. 6 (al. ant. rufobrunneis (non olivaceis) fasciis dilutis distinctioribus).
c. v. *Rooana* Degraaf Tijds. IV (1861) p. 168, t. 12, f. 2; Snell. l. c. (al. ant. unicol. fusco-nigris, lineis plumbeis caeruleo-nitentibus).
1923. **Expeditana** Snell. Tijds. XXVI (1882) p. 198, t. 12, f. 1.
1924. **Concretana** Wck. Stett. e. Z. 1862 p. 57; Wallgr. Tidskr. 1889 p. 102.
1925. **Lucivagana** Z. Is. 1846 p. 229; HS. 335-7; Hein. 128; Fuchs Stett. e. Z. 1881 p. 483; Snell. II, 1 p. 287; Lucana Gn. Ind. 23; HS. IV p. 217.
a) gen. aest. *Remissana* Fuchs Stett. e. Z. 1897 p. 326 (minor, dilutior).
1926. **Rurestrana** Dup. Sup. IV, 84, 6 (ex err. Ruprestr.) p. 426; HS. 211-2, IV p. 215; Rupestrana Hein. 126; ?Diserhana Hein. 127 (var. praec.?).
- Alp; Germ; Bat; Hib.
s; Scot; Ins. Heth-
land; Ross. oc; Scand;
Lap.
- Fen. s.
- Labr.
- Alp.
- Sib.
- Eur. c. et s; Ped.
- Germ. s; Hal; Ross.
oc; Lap.
- Eur. c. et s; Ped; Gal.
m; It; Dalm; As.
min; Arm; Sib.
- Liv.
- Germ; Austr; Helv;
Hal; Suec; Ross. oc;
Dalm; As. min; Sib.
- Pont; Arm.
- Eur. c; Norv; Ross;
It; Dalm; Arm; As.
min.
- Angl. (Deal).
- Eur; Bith; China oc.
(Leech).
- Liv.
- Gal. oc. (Bretagne);
Angl.
- Germ. s; Bat; Dan.
(lit.).
- Amur.
- Norv. pol.
- Germ; Helv; Austr;
Hung; Hal; Bat;
Ross. oc; Scand.
- Germ. m; Ter; Carn;
Hisp. s; It. s. et c;
Dalm; Bith.

1927. **Cespitana** Hb. 244-5; Tr. VIII, 152, X, 3. 84; Wd. 1017; Dup. IX, 246, 3a; HS. IV p. 213; Wilk. 270, t. 2, f. 8; Hein. 124; Gramineana Curt. B. E. VIII, t. 364; Wd. 1015; Flavipalpana HS. 216-7, IV p. 213; Hein. 125.
1928. **Doubledayana** Barr. Monthl. Mag. VIII p. 246 (1872); Knaggs Ent. Ann. f. 1873 p. 45; 1874 t. 1, f. 1; Meyr. 468.
1929. **Bifasciana** Hw. Lep. Br. p. 468; Stph. Ill. IV, 136; Wd. 1023; Wilk. 273; Stt. Man. II, 264; Wallgr. Tidskr. 1889 p. 105; Meyr. 468; Decrepitana HS. 222, IV p. 216; Hein. 128; Snell. II, 1 p. 292; Alternana Wd. 1013; Silphana Mill. Rev. et Mag. Zool. 1874 p. 247; Ann. Sc. nat. Cannes 1875 t. 1, f. 8, 9.
1930. **Glaciana** Möschl. Wien. Mts. 1860 p. 380, t. 10, f. 9; Pack. Labr. XI p. 57.
1931. **Similisana** Wlk. List. XXVIII p. 373 (1863); Fern. Tr. Am. Ent. Soc. X p. 35 not.; Bipartitana Clem. Proc. Phil. II, 418.
1932. **Dissolutana** Stange Stett. e. Z. 1886 p. 282; Hering ib. 1891 p. 149, 1893 p. 86.
1933. **Bipunctana** F. E. S. 250; Tr. VIII, 154; HS. 230, IV p. 217; Hein. 129; Snell. II, 1 p. 293.
1934. **Sieversiana** Nolek. Fn. II p. 407.
1935. ? **Tenerana** Schläg. Ber. 1847 p. 227; Hein. 129; Infirmana Ld. Wien. Mts. 1859 p. 287.
1936. **Quadrimeaculana** Snell. Tijds. XXVI (1882) p. 200, t. 12, f. 2.
1937. **Tiedemanniana** Z. Arch. f. vaterl. Interr. (2) 1845 p. 530; Is. 1846 p. 233; HS. 355, IV p. 217; Hein. 130; Z. Stett. e. Z. 1871 p. 56; Nolek. Fn. II, 407; Büttner Stett. e. Z. 1880 p. 411; Wallgr. Tidskr. 1889 p. 104.
1938. **Charpentierana** Hb. 281; Tr. VIII, 153; Dup. IX, 246, 7; HS. 201, IV p. 218; Hein. 129; Wallgr. Tidskr. 1889 p. 100.
1939. **Transversana** Chr. Bull. M. 1881, I p. 75.
1940. **Fulgidana** Gn. Ind. 25; Textana Dup. IX, 246, 8; Gigantana HS. 233, IV p. 213; Hein. 130; Helveticana Dup. Cat. 301 [nom. vet. sed praecoc.].
1941. **Hercyniana** Tr. VIII, 130, X, 3. 78; Hein. 131; Snell. II, 1 p. 293; Jud.-Nitsche II p. 1028, t. 8, f. 1; Clausenthaliana Rtz. Forst-Ins. p. 223, t. 12, 2; HS. 131, IV p. 220.
1942. ? **Schmidtiana** HS. 151, IV p. 221; Hein. 131.
1943. **Achatana** F. Mant. 239; Tr. VIII, 171, X, 3. 125; Dup. Sup. IV, 64, 1; HS. IV p. 207; Wilk. 37; Hein. 132; Snell. II, 1 p. 298; Meyr. 484; Marmorana Hb. 25; Hw. p. 450; Wd. 1025.
1944. **Ericetana** Westw. Br. M. II, 150, t. 93, 3. 4; Wilk. 262; Meyr. 469; Trifoliana HS. 372, IV p. 209; Hein. 132; Snell. II, 1 p. 297.
1945. **Antiquana** Hb. 213-4; HS. IV p. 264; Wilk. 264; Hein. 133; Snell. II, 1 p. 297; Meyr. 469; Quadrimeaculana Wd. 1008.
1946. **Acharis** Butl. Ill. Lep. Het. III (1879) p. 80, t. 60, f. 9.

*Eur; As. min; Arm.
Angl; Germ. s.
Germ.m; Austr; Ter;
Dalm; Gal.m; Engl;
Belg; Bat; Norv.*

*Labr.
Labr.
Germ. s; Liv.
Germ; Alp; Hal; Bat;
Jut; Eur. s.
Liv. (Ins. Osilia).
Germ. c.
Amur oc.
Germ.s.oc; Liv; Fen;
Suec.
Germ; Alp; Hal; Ross.
oc; Scand.
Amur; Uss; Cor; Jap.
Helv; Germ.m; Austr;
Ter; Gal; Ped; Liv.
Germ. c. et s; Austr-
Hung; Helv; Ped;
Hal; Bat; Fen; Ross.
oc; Lap.
Germ. c.
Eur.c.etm; Liv; Suec;
As. min.
Eur.c; Liv; Suec; It;
Dalm; Bith.
Eur.c; Ins. Hethland;
Ross. m. or.
Amur; Cor; Jap.*

243. **Polychrosis** Rag. 1894 (Eudemis Wck. Cat. ed. II).

1947. **Euphorbiana** Frr. 318, 4, IV p. 47; Dup. Sup. IV, 63, 2; HS. 189, IV p. 225; Hein. 136; Meyr. 456.
1948. **Andereggiana** HS. (non Gn.) 416 (1852), IV p. 225; Hein. 136; Rag. Ann. S. Fr. 1894 p. 210; Kreithneriana Hornig z. b. V. 1882 p. 279; ib. Sitzb. p. 41 (larv.) [certo syn. sec. Rag. i. l. 1895].
1949. **Botrana** Schiff. S. V. p. 131; HS. IV p. 225; Hein. 137; Reliquana Tr. X, 3. 146; HS. 315; Rosmarinana Mill. Ic. II p. 108, t. 63, 9-12; Vitivorana Riley First Rep. Nox. Ins. St. Missouri p. 133, t. 2, f. 29, 30.
1950. **Bicinctana** Dup. Sup. IV p. 509, t. 89, f. 2; Rag. Bull. S. Fr. 1876 p. 84; Ann. S. Fr. 1894 p. 209; Lugdunana Gn. Ind. 59.
1951. **Artemisiana** Z. Is. 1847 p. 27; Stett. e. Z. 1847 p. 282; Hein. 136; Wallgr. Tidskr. 1889 p. 52; Trifasciana HS. 184, IV p. 217.
1952. **Amaryllana** Mill. Cat. rais. II p. 282; Const. Ann. S. Fr. 1883 p. 13 (larv.).
1953. **Isochroa** Meyr. Monthl. Mag. 1891 p. 12.
1954. **Limoniana** Mill. Ic. I p. 132, t. 14, f. 4-8.
1955. **Fuligana** Hw. Lep. Br. p. 465; Wilk. 270; Snell. II, 1 p. 281; Meyr. 455; Abscissana Dbld. List. 23.
1956. **Littoralis** (Curt.) Westw. Br. M. II p. 143, t. 88, f. 13; Wilk. 272; Snell. II, 1 p. 280; Wallgr. Tidskr. 1889 p. 52; Meyr. 456; Venustana Dgl. Zool. 1846 p. 1269; Hibernana Stgr. Stett. e. Z. 1859 p. 231; HS. n. Schm. 96.
1957. **Staticeana** Mill. Ic. II p. 430, t. 95, f. 9-14.
1958. **Porrectana** Z. Is. 1847 p. 665; HS. 352, IV p. 233.
1959. **Indusiana** Z. Is. 1847 p. 667; HS. 353, IV p. 232.
1960. **Quaggana** Mn. z. b. V. 1855 p. 557. And; Cors; Sard; Sic; Dalm; As. min.
1961. **Cinerariae** Nolck. Stett. e. Z. 1882 p. 183; Rag. Ann. S. Fr. 1894 p. 211; Quaggana Mill. (nec Mn.) Ic. III t. 152, f. 4-7.
1962. **Helychrysana** Rag. Bull. S. Fr. 1879 p. 132; Nolck. Stett. e. Z. 1882 p. 183; Lafaury Ann. S. Fr. 1885 p. 405 (larv.).

244. **Lobesia** Gn. 1845.

1963. **Permixtana** Hb. 75; Hw. p. 406; Wd. 1137; Dup. IX, 263, 9; Hein. 138; Snell. II, 1 p. 277; Meyr. 455; Fischerana Tr. X, 3. 146; HS. 313-4, IV p. 225; Reliquana Hb. Verz. no. 3674; Dup. Sup. IV t. 62, f. 9; Wilk. 280; Stt. Man. II, 226.

245. **Cymolomia** Ld. 1859.

1964. **Hartigiana** Rtzb. Forst-Ins. p. 230, t. 12, 11; HS. 260, IV p. 223; Ld. Wien. Mts. 1859 p. 374; Hein. 139.

Eur. c. et m. (exc. or.);
Suec; As. min.

Germ. s; Liv; Petrop.

246. **Exartema** Clem. 1860 (Eccopsis Ld. [non Z.]).

1965. **Latifasciana** Hw. Tr. E. S. Lond. I, 337; Wilk. 273; Hein. 139; Snell. II, 1 p. 285; Meyr. 457; Aurofasciana Hw. p. 468; Stph. Ill. IV, 136, t. 38, f. 3; Wd. 1022; Venustana Hb. 326; HS. IV p. 216; Dormoyana Dup. IX, 250, 10; HS. 187-8.

Eur. c. (exc. ? Ross.
oc.); Scand. m; Ped;
Dalm; Bith.

✓ 247. **Acroclita** Ld. 1859.

1966. **Consequana** HS. 423; Meyr. 504; **Subsequana** HS. IV p. 247; Hawkerana Stt. Ann. 1856 p. 33; Arctana Stgr. Stett. e. Z. 1859 p. 232; Mulsantana Mill. Ic. I, t. 18, f. 1-5.

a) ab. *Littorana* Const. Ann. S. Fr. 1865 p. 190, t. 7, f. 3 (al. ant. albescensibus, distinctius signatis).

1967. **Lascivana** Chr. Bull. M. 1881, II p. 405.

Gal. n.; Cat.; And.; Sard.; Angl.; Can.

Uss. m.

✓ 248. **Crocidosema** Z. 1847.

1968. **Plebejana** Z. Is. 1847 p. 721; Eppelsh. Stett. e. Z. 1881, 379; Wlsghm. Pr. Z. S. 1891 p. 506; 1897 p. 127; Altheana Mn. z. b. V. 1855 p. 555; Hein. 241; Lavaterana Mill. Ic. 34, f. 9-13; Peregrinana Möschl. Berl. e. Z. 1866 p. 139.

Germ. m.; Austr. inf.; And.; Gal. m.; Cors.; Sic.; Dalm.; Syr.; Austral.; Am. c. et m.

249. **Steganoptycha** Stph. 1829 (*Enarmonia* [Hb.] Meyr.).

1969. **Simiplana** F. R. 22, 2 p. 38; Gn. Ind. 60; HS. IV p. 234; Wilk. 119; Hein. 209; Meyr. 473; Ambiguana Dup. IX, 262, f. 7.

Germ.; Helv.; Vind.; Boh.; Angl.; Gal.; Belg.; Hal.; Hung.

1970. **Delitana** F. R. 65, 2 p. 185; Dup. Sup. IV, 64, 9; Z. Is. 1847, 731; HS. IV p. 240; Hein. 208; Laetana Stgr. Berl. e. Z. 1870 p. 275.

Eur. m.; Germ.; Helv.; Austro-Hung.; Liv.; As. min.; Hyrc.

1971. **Pauperana** Dup. IV, 64, 10; HS. 374, IV p. 235; Willk. 124; Z. Stett. e. Z. 1849 p. 285; Hein. 209; Meyr. 470.

Angl.; Germ.; Helv.; Austr.-Hung.; Hisp.; It. c.; Dalm.

1972. **Nigromaculana** Hw. Lep. Br. p. 436; Wd. 962; Willk. 295; Hein. 209; Snell. II, 1 p. 318; Meyr. 486; Albania Wd. 963; Freyeriana F. R. 51, 3 p. 135; HS. IV p. 279.

Eur. c.; Croat.

1973. **Exquisitana** Chr. Bull. M. 1881, II p. 428.

Amur.

1974. **Ramella** L. S. N. ed. X, 540; Tgstr. Bidr. 72; Hein. 210; Snell. II, 1 p. 316; Meyr. 484; Triquetra Hb. 280. 336; Dup. IX, 249, 3; Z. Is. 1846, 215; Tr. X. 3. 52; Ramana HS. IV p. 279; Paykulliana Wilk. 117; Stt. Man. II, 219.

Eur. c. et s. (exc. reg. pol.); Daur.

a) ab. *Costana* Dup. IX, 263, 1 (al. ant. infuscatis, vitta costali alba).

Eur. c.; It. s. et c.

1975. **Oppressana** Tr. X, 3. 195; Dup. IV, 64, 6; HS. 242, IV p. 207; Wilk. 189; Hein. 211; Snell. II, 1 p. 326; Meyr. 475.

And.

1976. **Pauperculana** Stgr. Stett. e. Z. 1859 p. 230; HS. n. Schm. 99.

Eur. s.; Alp.; Vind.; Angl.; Sib.

✓ 1977. **Diniana** Gn. Ind. p. 33 (1845); Rag. Ann. S. Fr. 1894 p. 221; Pinicolana Z. Is. 1846 p. 242; HS. 384-5, IV p. 207; Hein. 210; Nolek. Fn. II, 474; Wallgr. Tidskr. 1890 p. 167; Jud.-Nitsche II t. 8, f. 12; Meyr. 474; Occultana Dgl. Zool. 1846 p. 1267, fig.; Wilk. 223.

Eur. (exc. reg. pol.).

1978. **Corticana** Hb. 209, 270; Tr. VIII, 193; Dup. IX, 255, 3; HS. IV p. 207; Wilk. 185; Hein. 211; Meyr. 475; Communana Wd. 1029; Adustana Snell. II, 1 p. 336; ?Isertana F. E. S. III, 281; Wallgr. Tidskr. 1890 p. 167.

a) ab. *Adustana* Hb. 218 (maculis dilutis ochraceo-brunneis).

- b) ab. *Steiniana* Sorh. Berl. e. Z. 1882 p. 141 (macula alba dorsali ad basin interrupta).
- c) ab. *Nigricans* Sorh. l. c. (al. ant. unicol. fusco-nigris).
1979. **Subcorticana** Snell. Tijds. XXVI (1883) p. 215, t. 13, f. 2.
1980. **Signatana** Dgl. Zool. III, 844 (1845); Wallgr. Tijds. 1890 p. 167; Meyr. 484; Padana Z. Is. 1846, 243; HS. 383, IV p. 281; Kroesmanniana Hein. 147; Reinhold Jhrs. Hannov. 1861-2 p. 40; Nolek Fn. II, 445.
1981. **Rasdolnyana** Chr. Bull. M. 1881, II p. 427.
1982. **Rufimitrana** HS. 139, IV p. 220; Hein. 212; Jud.-Nitsche II p. 1031, t. 8, f. 13; Meyr. 474; ? Nördlingerana Rtz. Forst. Ins. Jchneum. II (1848) p. 224 (not.); Jud.-Nitsche II p. 1014.
1983. **Ratzeburgiana** Rtz. Forst-Ins. p. 227, t. 12, 3; Z. Is. 1846, 242; HS. 333, IV p. 208; Hein. 212; Snell. II, 1 p. 337; Meyr. 475; Jud.-Nitsche II p. 1028, t. 8, f. 15; Tenerana Dup. IX, 266, 4; Stt. Ann. 1855 p. 35; Wilk. 176; Abietisana Frr. 318, 3; Pinetana Westw. Br. M. p. 172, t. 99.
1984. **Nanana** Tr. X, 3, 80; Rtz. Forst-Ins. p. 225, t. 12, 10; Dup. IV, 66, 6; Wilk. 198; Hein. 213; Snell. II, 1 p. 345; Meyr. 474; Jud.-Nitsche II t. 8, f. 14; Nana HS. 129, IV p. 220; Waltavaarana Hoffm. Stett. e. Z. 1893 p. 135.
1985. **Ustomaculana** Curt. B. E. VIII. t. 376; Wd. 958; Wilk. 130; Z. Is. 1846, 259; Hein. 213; Snell. II, 1 p. 335; Meyr. 485; Dorsivittana HS. 142, IV p. 280.
1986. **Binotana** Wek. Cat. ed. I no. 913; Bimaculana Schläg. Ber. 1847, 232; HS. 396, IV p. 277; Binotatana Hein. 214.
1987. **Vacciniana** Z. Is. 1846, 248; HS. 206, IV p. 275; Wilk. 198; Hein. 214; Snell. II, 1 p. 348; Meyr. 474; Myrtillana Westw. Br. M. II p. 146, t. 89, 15.
1988. ? **Confinitana** Stgr. Hor. VII (1870) p. 226.
1989. **Nitidulana** Z. Is. 1846, 259; HS. 397, IV p. 276; Ericetana var. Hein. 215.
1990. **Ericetana** HS. 136, IV p. 276; Hein. 215; Cespitana Dup. IX, t. 246, f. 3 b; Flexulana Dup. IX, 265, 8; Z. Is. 1846, 245; Collicolana Hein. Bresl. e. Z. 1854 p. 2.
- a) v. *Languentana* Stgr. z. b. V. 1875 p. 733 (major, magis griseescens, vix nom. conserv.).
1991. ? **Cafischiana** Frey Lep. 326 (praec. var.?).
1992. **Fractifasciana** Hw. Lep. Br. 466; Wilk. 283; Hein. 216; Snell. II, 1 p. 345; Wallgr. Tidskr. 1890, 172; Meyr. 485; Cuphana Dup. Sup. IV, 63, 1; Z. Is. 1846, 245; HS. 134, IV p. 276; Queketana Curt. Ann. & Mag. (2) V, 112 (1850).
1993. **Cuphulana** HS. IV p. 276; Immundana Ev. F.V. U. 513.
1994. ? **Hungaricana** HS. 255, IV p. 276.
1995. **Nebulosana** Pack. Labr. p. 61; Möschl. Stett. e. Z. 1870 p. 374.
1996. **Parryana** Curt. App. Ross' 2. Voy. (1831) p. 75, t. 1, f. 13; Rag. Ann. S. Fr. 1894 t. 1, f. 9.
1997. **Quadrana** Hb. 223; Tr. VIII, 169; Dup. IX, 255, 10; HS. 137, 256, IV p. 277; Wd. 909; Wilk. 284; Hein. 216; Snell. II, 1 p. 346; Meyr. 474.
- Amur.
- Eur. c. (exc. Bat.);
Liv; Fen; Mad.
- Uss.
- Eur. c. (exc. Bat.);
Ross. s. oc.
- Eur. c. et s; Am. s.
- Eur. c. et s.
- Eur. s. et c. s.
- Germ. c; Austr. inf;
Hung; Transsyb.
- Eur. c. et s; Bith.
- Graec.
- Germ. s; Liv.
- Alp; Germ. s; Bat;
Eur. s; As. min;
? Labr.
- Alp. Ter.
- Helv.
- Eur. c. et s; It.s. et c;
Dalm; Bith.
- Ural.
- Hung.
- Labr.
- Am. bor. (Boot. felix).
- Eur. c. et s; Dalm.

1998. **Subsequana** Hw. 448; Barr. Monthl. Mag. X. 245; Warr. ib. XXIV p. 6; Meyr. 485; Horvath Term. Füz. XIX, 187, t. 5 et 6; Abiegana Dup. IV, 83, 4 p. 409 (1842); Abiegnana Z. Stett. e. Z. 1849, 244; HS. 128, IV p. 281; Hein. 217; Pygmaeana Wilk. 216; Stt. Man. II, 247.
1999. **Granitana** HS. 303, IV p. 280; Hein. 218; Snell. II, 1 p. 305; Wallgr. Tidskr. 1890, 172.
2000. **Rubiginosana** HS. 185, IV p. 282; Hein. 219; Nolck. Fn. II, 390; Snell. II, 1 p. 332; Wallgr. Tidskr. 1890 p. 171; Meyr. 473; Bouchardana (Dbl.) Wilk. 186, t. 2, f. 1; Stt. Man. II, 238.
2001. **Mercuriana** Hb. 322; HS. 326, IV p. 272; Hein. 218; Meyr. 470; Monticolana Dup. Sup. IV t. 83, f. 3; Wilk. 224; Subsequana Wd. 1021; Wlsghm. Monthl. Mag. 1893 p. 177; Alticolana Stph. List. p. 100.
2002. **Gimmerthaliana** Z. Is. 1846, 247; HS. 399, IV p. 273; Wallgr. Tidskr. 1890 p. 166.
2003. **Cruciana** L. F. S. no. 1333; Wd. 873; Nolck. Fn. II, 442; Snell. II, 1 p. 349; Meyr. 473; Augustana Hb. 205; Tr. VIII, 221; Dup. IX, 261, f. 7; IV. 89, f. 1; Z. Is. 1846, 247; HS. 362; Wilk. 116; Hein. 219; Excoecana HS. 363, IV p. 272; Hein. 219; Gyllenhaliana Wallgr. Tidskr. 1890 p. 169; ?Thnbg. Diss. I p. 22.
2004. **Obtusana** Hw. Lep. Br. p. 453; Wd. 949; HS. 320; Wilk. 140; Hein. 241; Snell. II, 1 p. 350; Meyr. 483; Derasana Dup. IV, 79, 7; Segmentana HS. IV p. 283; Distortana Gn. Ind. 48.
2005. **Trimaculana** Don. Nat. Hist. XI, t. 369, 1; Wilk. 125; Hein. 220; Snell. II, 1 p. 333; Meyr. 483; Mitterbacheriana Wd. 972; Lithoxylana Dup. IX, 250, 7; HS. 176-7, IV p. 283; Ulmariana Z. Is. 1846, 141; Dup. IV, 83, 1; Stannana Gn. Ind. 37 [ab. fusca]; Alpinana HS. 156 (non 155) [ab.]
2006. **Contrariana** Chr. Bull. M. 1881, II p. 424; Snell. Tijds. XXVI p. 218, t. 13, f. 3.
2007. **Minutana** Hb. 73; Tr. VIII, 216, X, 3. 114; Dup. IX, 250, 9; HS. 174-5, IV p. 283; Wilk. 126; Hein. 220; Snell. II, 1 p. 332; Meyr. Monthl. Mag. 1891 p. 13; Handb. 484; Paediscana Stgr. Stett. e. Z. 1859, 233; Mill. Ic. 129, f. 1-3 [var.]

250. *Gypsonoma* Meyr. 1895.

2008. **Aceriana** Dup. Sup. IV, 83, 12; Z. Is. 1846, 656; HS. 350, IV p. 232; Wilk. 123; Hein. 206; Snell. II, 1 p. 325; Meyr. 482.
2009. **Simulantana** Stgr. Hor. XV p. 261 (1880).
2010. **Inearnana** Hw. Lep. Br. p. 435; Wd. 966; Snell. II, 1 p. 325; Dealbana Froel. no. 107; Tr. X, 3. 153; F. R. 22, 1 p. 37; HS. IV p. 232; Wilk. 120; Hein. 207; Meyr. 481; Minorana Tr. VIII. 48; Dup. IX, 265, 7.
- a) ab. **Alnetana** Gn. Ind. 20; Wd. 1782; Stt. Man. II, 219; Reconditana HS. 417 [trans.]; Obscurefasciana Hein. Bresl. e. Z. 1854 p. 1 (al. ant. plumbeo-infuscatis).
2011. **Neglectana** Dup. Sup. IV, 89, 3; Wilk. 121, t. 1, f. 8; Hein. 208; Meyr. 484.

Eur. c. (exc. Ross. et Bat.); Croat; It. c.

Germ; Bat; Liv; Fen; Suec.

Germ; Hal; Bat; Angl.; Liv; Suec. m; Gal. m.

Alp; Scot; Scand; Fen; Lap.

Ross. oc; Suec.

Eur. c. et s.

Eur. c; Fen; Srp; Bith.

Eur. (exc. reg. pol. et Graec.).

Amur; Uss.

Eur. (exc. reg. pol.); Maur.

As. min.

Eur. c. et s. (exc. reg. pol.); It. s. et c.

Eur. c.

Germ; Angl; Ter; Car.

✓ 251. **Asthenia** (Hb. 1818) Meyr.

- ✓ 2012. **Pygmaeana** Hb. 89; Tr. VIII, 135; Dup. IX, 252, 1; Rtz. Forst.-Ins. p. 226, t. 12, 9; HS. IV p. 281; Hein. 217; Snell. II, 1 p. 342; Tijds. XXXII p. 52; Meyr. 472.

Eur. c; Ross. c. oc;
Scand.

✓ 252. **Sphaeroeca** Meyr. 1895.

- ✓ 2013. **Obscurana** Stph. Ill. IV p. 98; Stt. Monthl. Mag. XXIV p. 8; Meyr. 490; **Ravulana** HS. 143, IV p. 241; Tgstr. Ann. p. 163, Cat. p. 43 (333); Wck. Stett. e. Z. 1862 p. 60; Hein. 148; Knaggs Ann. f. 1868 p. 110, t. 1, f. 2; Barr. Monthl. Mag. X p. 38, 244; Wallgr. Tidskr. 1890 p. 154; Tomiana Z. Tijds. XI (1868) p. 85; Snell. II, 1 p. 379.

Germ. s; Austr. inf;
Angl. s; Hib.; Bat;
Fen; Norv.; Lap.

✓ 253. **Pelatea** Gn. 1845.

- ✓ 2014. **Klugiana** Frr. 144, II p. 83; F. R. 20, 2 p. 34; HS. IV p. 224; Hein. 140.

Carn; Croat; Gal. m;
And.

- ✓ 2015. **Festivana** Hb. 52; Tr. VIII, 181, X, 3. 95; Dup. IX, 261, 3; HS. IV p. 224; Hein. 140.

Austr. inf; Ter. m;
Carn; Hung; Gal.

m; Sard; It; Istr; Dalm; As. min.

✓ 254. **Rhyacionia** (Hb. 1818) HS.

- ✓ 2016. **Hastana** Hb. 186; Tr. VIII, 266, X, 3. 187; Stph. Ill. IV, 180; Wd. 1132; HS. IV p. 206; **Torridana** Ld. Wien. Mts. 1859 p. 250; Hein. 229.

Germ; Helv; Austr.-Hung; Dalm; Srp; Tura.

✓ 255. **Bactra** Stph. 1829 (Aphelia Curt. [non Hb.]).

- ✓ 2017. **Lanceolana** Hb. 80; Tr. VIII, 232; Dup. IX, 253, 1; HS. IV p. 243; Wilk. 145; Hein. 134; Snell. II, 1 p. 301; Meyr. 456; Wlsghm. Pr. Z. S. 1897 p. 121; **Dibeliana** Hb. 272; **Pauperana** Curt. B. E. XIII t. 599; Wd. 991; Signana HS. 317.

Territ. (exc. reg. pol.);
Am. s; Austral.

- a) gen. aest. **Nigrovittana** Stph. List. p. 99; Wd. 1790; Barr. Monthl. Mag. X p. 97 (al. ant. vitta media ex basi ad apicem fusca).

Srp; Saraw.

- ✓ 2018. **Robustana** Chr. Hor. IX p. 13, t. 1, f. 10 (1872).

Sic; Gal. m; Hisp. s.

- ✓ 2019. **Venosana** Z. Is. 1847 p. 738; HS. 386, IV p. 244.

Eur. c; Hisp. s; Cat;

- ✓ 2020. **Furfurana** Hw. Lep. Br. p. 466; Wd. 1024; Wilk. 147; Hein. 135; Snell. II, 1 p. 300; Meyr. 457; **Acutana** Ev. F.V. U. 529; **Lamana** Z. Is. 1846 p. 257; **Scirpana** HS. IV p. 243; **Pauperana** HS. 302; **Canuisana** Mill. Rev. Zool. 1874 p. 247; Ann. S. Cannes 1875 t. 1, f. 6 [syn. sec. Kenn.].

It. c; Rumaen; Suec;

Ross. m. (Am. s.).

✓ 256. **Epibactra** Rag. 1894.

- ✓ 2021. **Sareptana** HS. n. Schm. 152-3 p. 30; Rag. Ann. S. Fr. 1894 p. 208, 226.

Hung; Srp.

✓ 257. **Semasia** (Stph. 1829) HS.

- ✓ 2022. **Hypericana** Hb. 23; Tr. VIII, 206, X, 3. 111; Wd. 981; Dup. IX, 250, 2; HS. IV p. 249; Wilk. 241; Hein. 177; Snell. II, 1 p. 303; Meyr. 517.

Eur. c; Scand; Ross.
s. oc; Ped; It. c;

- ✓ 2023. **Mirificana** Peyer. Ann. S. Fr. 1876 t. 12, f. 18; Frey. Lep. p. 319.

Dalm; Arm; As. min.

Val.

2024. **Glebana** Snell. Tijds. XXVI p. 206, t. 12, f. 6.
2025. **Teliferana** Chr. Bull. M. 1881, II p. 415.
2026. **Kenteana** Stgr. Iris V p. 390.
2027. **Radiolana** Ev. F. V. U. 520.
2028. **Anserana** Hein. 169.
2029. **Astragalana** Stgr. Berl. e. Z. 1870 p. 282.
2030. **Ephedrana** Chr. Hor. XII p. 291, t. 8, f. 64 (1877).
2031. **Aemulana** Schläg. Ber. 1849 p. 39; HS. IV p. 248; Hein. 175; Meyr. 487; Latiiorana HS. 312; Snell. II, I p. 309; Modestana Wilk. 312; Stt. Man. II, 254.
2032. **Tripoliana** Barr. Monthl. Mag. XVII (1880) p. 82, 84; Carrington Entom. XIV p. 304, t. 1, f. 11; Meyr. 487; Aemulana Gartn. Verh. Brünn 1865 p. 145 (larv.).
2033. **Seeboldi** Rössl. Stett. e. Z. 1877 p. 373; Sebold Ann. S. Esp. 1879 p. 120, t. 1, f. 1.
2034. **Messingiana** F. R. 40, I p. 89; Frr. 324, 5; HS. IV p. 244; Hein. 167; Lignana Snell. Tijds. XXVI p. 205, t. 12, f. 5.
2035. **Citrana** Hb. 185; Tr. VIII, 273, X, 3. 141; Dup. IX, 257, 5; HS. IV p. 245; Wilk. 245; Hein. 168; Snell. II, I p. 304; Meyr. 486.
2036. **Sulphurana** Chr. Hor. XXII (1888) p. 311.
2037. **Lerneana** Tr. X, 3. 120; HS. 293, IV p. 257. *Austr. inf;*
2038. **Placidana** Stgr. Berl. e. Z. 1870, 281.
2039. **Obliquana** Ev. F. V. U. 528.
2040. **Arabescana** Ev. F. V. U. 528; HS. 358, IV p. 245.
2041. **Labyrinthicana** Chr. Hor. IX (1872) p. 17, t. 1, f. 14.
2042. **Pupillana** Cl. Ic. 11, 9; Stph. Ill. IV, 122, t. 34, 2; Wd. 985; Dup. IX, 248, 8; Wilk. 244; Hein. 168; Snell. II, I p. 305; Meyr. 486; Absynthiana Hb. 34; Tr. X, 3. 112; HS. IV p. 245.
2043. **Metzneriana** Tr. VIII, 277, X, 3. 111; Frr. 318, f. 6; HS. 311, IV p. 245; Hein. 168. *Hung; Hal; Ross. m. or; Dalm; Sib.*
2044. **Wimmerana** Tr. X, 3. 111; Dup. Sup. IV, 66, 1; HS. 309, IV p. 246; Hein. 170. *Hung; Srp; Arm.*
2045. **Tetraplana** Möschl. Berl. e. Z. 1866, 148.
2046. **Incana** Z. Is. 1846, 239; HS. 298-9, IV p. 246; Hein. 171. *Hung; Hal; Ross. oc; Srp.*
2047. **Abacana** Ersch. Hor. XII (1877) p. 342; Mém. Rom. II t. 16, f. 14; Opulentana Chr. Bull. M. 1881, II p. 413.
2048. **Tarandana** Möschl. Stett. e. Z. 1877 p. 178; ?Stgr. Iris V p. 390. *Labr; ?Daur.*
2049. **Aspidiscana** Hb. 256; Tr. VIII, 200; ?Wd. 978; Dup. IX, 249, 6; HS. IV p. 247; Hein. 172; Snell. II, I p. 303; ?Chr. Mém. Rom. II p. 157; Meyr. 487; Nebritanana HS. 241. *Eur. c. (exc. Bat.); Scand; It.c; As. min.; ?Tura; Sib.*
- a) v. **Rubescana** Const. Bull. S. Fr. 1895 p. 51 (al. ant. rubescens).
2050. **Incinerana** Const. Ann. S. Fr. 1888 p. 167, t. 4, f. 6. *Gal. m.*
2051. **Conterminana** HS. 297, IV p. 247; Dbld. Ann. f. 1864 p. 125, t. 1, f. 1; Hein. 172; Snell. II, I p. 308; Meyr. 487; Caecimaculana Dup. IX, 249, 5 b. *Gal. m.*
- Eur. c; Suec; Ped; Dalm; Srp; Tura.*

- ✓ 2052. **Suomiana** Hoffm. Stett. e. Z. 1893 p. 142. *Fen.*
 ✓ 2053. **Subterminana** Ersch. Hor. XII (1877) p. 342; Mém. Rom. II t. 16, f. 15. *Sib. (Irkutsk).*
 ✓ 2054. **Lyrana** Snell. Tijds. XXVI p. 208, t. 12, f. 7 (1883). *Sib. or; Amur.*
- ✓ 258. **Notocelia** (Hb. 1818) Meyr. (Aspis Tr.).
- ✓ 2055. **Uddmanniana** L. F. S. no. 1332; Snell. II, 1 p. 299; Meyr. 488; (Udman-) Hb. Vög. 92; F. R. 91 p. 269; HS. IV p. 218; Wilk. 69; Hein. 133; Achatana Hb. 49; Solan-driana F. S. E. 648; Tr. VIII, 157; Frr. 114, 2; Dup. IX, 245, 2. *Eur. c. et m; Fen; Scand; As. min; Syr.*
 ✓ 2056. **Junctana** HS. VI p. 160; Hein. 133. *Germ; Austr. inf; Hung; Dalm; Srp.*
 ✓ 2057. **Jaspidana** Chr. Hor. IX p. 12, t. 1, f. 9 (1872). *Srp.*
 ✓ 2058. **Circumfluxana** Chr. Bull. M. 1881, I p. 78; Snell. Tijds. XXVI p. 201, t. 12, f. 3. *Amur.*
 ✓ 2059. **Argutana** Chr. Bull. M. 1881, I p. 79.
 ✓ 2060. **Suffusana** Z. Is. 1846 p. 211; Dup. IV, 83, 10; HS. 178, IV p. 232; Hein. 162; Snell. II, 1 p. 323; Trimaculana Hw. p. 412; Wd. 899; Meyr. 489; Cynosbana Dup. IX, 245, f. 1. *Uss. m.*
Eur. c. et m; Liv; Suec; Bith; Hyrc.
 ✓ 2061. **Rosaecolana** Dbld. Zool. 1849, 2364; ib. 1850 App. 106; Wd. 1779; Wilk. 72; Barr. Monthl. Mag. IX p. 266; XV p. 247 (larv.); Meyr. 488. *Angl; Germ; Austr. inf; Jut; Tura (Chr.).*
 ✓ 2062. **Roborana** (S. V.) Tr. VIII, 30; X, 3 p. 51; HS. IV p. 233; Wilk. 71; Hein. 162; Z. Stett. e. Z. 1873 p. 130; Snell. II, 1 p. 322; Meyr. 489; Aquana Hb. 17; Wd. 898. *Eur. (exc. reg. pol.); Tura.*
 ✓ 2063. **Incarnatana** Hb. 191; HS. IV p. 232; Hein. 163; Meyr. 489; Amoenana Hb. 248; Tr. VIII, 41; Dup. IV, 84, 3; Wilk. 74; Z. Stett. e. Z. 1873 p. 130; Snell. II, 1 p. 320, 2, p. 1077. *Eur. c. et m; Fen; Liv; As. min; Tura; Daur.*
 ✓ 2064. **Sarmatana** Chr. Hor. IX p. 16, t. 1, f. 13.
 ✓ 2065. **Tetragonana** Stph. Ill. IV, 96; Wd. 910; Wilk. 99; Stt. Man. II. 212; Nolek. Fn. II, 430; Meyr. 489; Luctuosa HS. (?227) IV p. 242; Hein. 154. *Srp.*
Germ; Vind; Helv; Angl; Ped; Hal; Liv.

✓ 259. **Pygolopha** Ld. 1859.

- ✓ 2066. **Lugubrana** Tr. VIII, 26; HS. 274, IV p. 191; Trinaria Ld. Wien. Mts. 1859 p. 280, t. 2, f. 1, 2. *Hung; Sic.*

✓ 260. **Epiblema** Hb. 1818 (Paedisca Tr.).¹⁾

- ✓ 2067. **Grandaevana** Z. Is. 1846 p. 238; HS. 348; Hein. 141; Knaggs Ann. f. 1874 p. 158; Wallgr. Tidskr. 1890 p. 147; Meyr. 496; Tussilaginana HS. 240, IV p. 205; ?Cana Sc. E. C. p. 236 (nom. restituend.?) Z. Stett. e. Z. 1868 p. 132. *Alp; Germ. s. oc; Liv.*
 ✓ 2068. **Fessana** Mn. z. b. V. 1873 p. 573; Stgr. Hor. XV, 257. *As. min; Arm.*
 ✓ 2069. **Fulvostrigana** Const. Ann. S. Fr. 1888 p. 168, t. 4, f. 7. *Cors.*
 ✓ 2070. **Griseolana** Z. Is. 1847, 726. *And; Arag; Sic.*
 ✓ 2071. **Medullana** Stgr. Hor. XV (1880) p. 254. *As. min.*

¹⁾ Adamantana Gu. Ind. 65; Rag. Ann. S. Fr. 1894 p. 187, t. 1, f. 5 et Norwichiana Hb. 252; Wlsghm. Tr. E. S. 1895 p. 506 non incolae territorii esse evidentur.

2072. **Chanana** (Kenn.) Stgr. Iris XII p. 349. *Thian or.*
 2073. **Hübneriana** Z. Is. 1846 p. 237; HS. 343, IV p. 237; *Liv; Fen; Ross. oc;*
 Wallgr. Tidskr. 1890 p. 151. *Suec. m.; ?Germ. s. (Sorh.).*
 2074. **Infidana** Hb. 296-8; Dup. IX, 262, 3; Frr. 324, 6; HS. *Germ; Austr. inf;*
 IV p. 244; Hein. 167; Wallgr. Tidskr. 1890 p. 159. *Ter; Hung; Gal; It.*
 a) v. *Umbraculana* Ev. F. V. U. 519; HS. 378, IV p. 209 *s; Val; Hal; Liv; Sib.*
 (obscurior, minus variegata). *Ural.*
 2075. **Agrestana** Tr. VIII, 180; HS. 61, IV p. 237; Hein. 142; *Austr. inf; Cors; Sic;*
 Fultana Z. Is. 1847 p. 722. *Dalm; Bith.*
 2076. **Bleuseana** Obth. Et. XII p. 42, t. 6, f. 24. *Maur.*
 2077. **Mancipiana** Mn. z. b. V. 1855, 556. *Cors; Sard.*
 2078. **Caementana** Chr. Hor. VIII (1872) p. 14, t. 1. f. 11. *Srp.*
 2079. **Albuneana** Z. Is. 1847 p. 725. *And; Sard; Sic; Dalm; Ross. m.*
 2080. **Candidulana** Nolck. Fn. II p. 413; Meyr. 486; Wim-
 merana Wilk. 243; Barr. Monthl. Mag. XI p. 14; Maritima
 Humphr. & Westw. Brit. Moths II p. 138. *Germ. s; Angl; Liv.*
 2081. **Lacteana** Tr. X, 3. 113; HS. 308, IV p. 246; Hein. 169. *Vind; Hung; ?Germ.*
 a) v. *Albidulana* HS. 310, IV p. 245; Z. Bresl. e. Z. 1854 p. 12; *oc; Arag.*
 Hein. 170; Peyer. Ann. S. Fr. 1876 t. 12, f. 16.
 2083. **Agnatana** Chr. Hor. IX (1872) p. 15, t. 1, f. 12. *Sil; Thuring; Hung;*
 2084. **Fulvana** Stph. Ill. IV p. 123; Wilk. 89; Wd. 986; Barr.
 Monthl. Mag. X p. 5; Meyr. 498; Pupillana Hw. (non L.)
 455; Jaceana HS. IV p. 248; Hein. 174; Snell. II, 1
 p. 306. *Istr; Hal. or. (1); Srp; Pont.*
 2085. **Scopoliana** Hw. Lep. Br. p. 456; Stph. IV, 123; Wd. 988;
 Barr. Monthl. Mag. X p. 5; Meyr. 499; Pupillana Hb.
 20; Hohenwartiana Gn. Ind. 55; Wilk. 90. *Eur. c; Liv; It. s.*
 a) v. *Parvulana* Wilk. p. 91, t. 1, f. 6; Barr. Monthl. Mag. X
 p. 8; XXVI p. 70 (multo minor, capite ochraceo, al. ant.
 macula dorsali diluta obsoletiore).
 2086. **Cana** Hw. Lep. Br. 456; Wd. 987; Barr. Monthl. Mag. X
 p. 4; Wallgr. Tidskr. 1890 p. 160; Meyr. 499; Hohen-
 wartiana (S. V.) Tr. VIII, 204; X, 3, 111; Dup. IX,
 249, f. 4; HS. 296, IV p. 248; Hein. 173; Snell. II, 1
 p. 307; Carduana Gn. Ind. 54; Monetulana Hb. 257;
 Scopoliana Wilk. (non Hw.) 88.
 a) v. *Subvittana* Stgr. Iris V p. 299 (1892) (indistinctius
 signata). *Maur. or; Cat. Sard;*
 2087. **Scutana** Const. Ann. S. Fr. 1893 p. 391, t. 11, f. 3. *Gal. m.*
 2088. **Expallidana** Hw. Lep. Br. p. 469; Wd. 994; Wilk. 92;
 Rössl. Stett. e. Z. 1877 p. 373; Snell. II, 1 p. 306; Meyr.
 498; Rufana Stph. p. 160; Wd. 989; Ibiceana HS.
 IV p. 249; Hein. 174; Obumbratana Z. Is. 1846 p. 240;
 Nolck. Fn. II, 415. *Germ; Austr. inf;*
 a) v. *Rufana* Stph. p. 160; Wd. 989; Ibiceana HS.
 IV p. 249; Hein. 174; Obumbratana Z. Is. 1846 p. 240;
 Nolck. Fn. II, 415. *Ter; Hal; Angl; Liv;*
 Hisp. s; Ped; Ross.
 m. or.
 2089. **Rigidana** Snell. Tijds. XXVI p. 203, t. 12, f. 4. *Uss. m.*
 2090. **Decolorana** Frr. 318, 5, IV p. 48; Z. Is. 1846 p. 240; HS.
 300, IV p. 249; Hein. 176; Rössl. Stett. e. Z. 1877 p. 374;
 Barr. Monthl. Mag. XXVII p. 101. *Germ. c. or; Trans-*
 syly; Ross. s. oc;
 Hisp. s.
 2091. **Cumulana** Gn. Ind. 55; Rag. Ann. S. Fr. 1894 p. 211;
 Hornigiana Ld. z. b. V. 1855 p. 77, t. 2, f. 8; Wien.
 Mts. 1857 p. 72; Hein. 171. *Austr; Hung; Gal.*
 m; Árag.
 2092. **Fervidana** Z. Is. 1847 p. 730. *Austr. inf; Carn; Dalm; Sard; Sic.*
 2093. **Caecimaculana** Hb. 27; Froel. no. 237; HS. IV p. 246;
 Wilk. 91; Hein. 172; Meyr. 498; Kollariana HS. 295. *Eur.c.etm; Liv; Fen;*
 Norv; Taur; Arm.

2094. **Umbratana** Stgr. Hor. XV (1880) p. 253.
2095. **Grammana** Const. Ann. S. Fr 1884 p. 213, t. 9, f. 10.
2096. **Sordicomana** Stgr. Stett. e. Z. 1859, 232; HS. n. Schm. 95 p. 15.
2097. **Modicana** Z. Is. 1847 p. 727; HS. 392, IV p. 249; Hein. 176; ?Modestana HS. 301. Hung; Ross. s. oc; It; Dalm; As. min.
2098. **Commodestana** Rössl. Stett. e. Z. 1877 p. 375; Rbl. z. b. V. 1891 p. 619; Modestana Seeb. Ann. S. Esp. 1879 p. 122.
2099. **Hepaticana** Tr. X. 3. 97; F. R. 63, 1 p. 172; Dup. IV, 62, 1; HS. 223, IV p. 238, VI p. 161; Frr. 318, f. 2; Hein. 146.
- a) v. **Senecionana** Stgr. Hor. VII (1870) p. 222 (dilutior, obsoletius signata).
2100. **Albohamulana** Rbl. Stett. e. Z. 1893 p. 41; Iris XI t. 1, f. 1.
2101. **Hepatariana** HS. 224, IV p. 238; Hein. 156.
2102. ✓ **Mollitana** Z. Is. 1847 p. 724.
2103. **Trigeminana** Stph. Ill. IV p. 94, t. 37, 3; Wd. 905; Wilk. 94; Stt. Man. II, 211; Peyer. Ann. S. Fr. 1876 t. 12, f. 17; Snell. II, 1 p. 330; Tidskr. XXXII p. 51; Meyr. 495; Argyraana Stph. Ill. IV, 95 ♀; Wd. 908; Brunnicchiana Dup. IX, 253, f. 9; Poecilana Gn. Ind. 43; HS. 226, IV p. 241; Hein. 152; Confusana HS. VI p. 161; Hein. 147; Rag. Ann. S. Fr. 1894 p. 212; ?Pietruskii Now. En. p. 143.
2104. **Absconditana** Lah. Contr. p. 9, no. 19; Failla-Ted. Fn. Sic. p. 120.
2105. **Graphana** Tr. X. 3. 96; HS. 409, IV p. 240; Hein. 148; Pierretana Dup. IX, 266, 3 p. 566. Hung; Hal; Ross. oc; Srp; As. oc.
2106. **Fusculana** Z. Is. 1847 p. 729; HS. 393, IV p. 277. Gal. m. or; Sard; Sic; And.
2107. **Kochiana** HS. 236, IV p. 262; Hein. 165; Hofm. Wien. Mts. 1864 p. 28.
2108. **Nigricana** HS. 138, IV p. 220; Hein. 165; Snell. II, 1 p. 344; Wallgr. Tidskr. 1890 p. 158; Meyr. 494; Jud.-Nitsche II p. 1038, t. 8, f. 5.
2109. **Rhododendrana** HS. 140-1, IV p. 281; Hein. 164; Wallgr. Tidskr. 1890 p. 158.
2110. **Pusillana** Peyer. Cat. Lep. Alsace II 1863 p. 59; Mittb. III (1871) p. 410; Ann. S. Fr. 1872 p. 9, t. 5, f. 3, 3a; Wek. Bresl. e. Z. 1884 p. 58; Rbl. z. b. V. 1889 p. 299.
2111. **Tedella** Cl. Ic. 10, 13; Z. Stett. e. Z. 1853 p. 284; Wallgr. Tidskr. 1890, 158; Meyr. 494; Jud.-Nitsche II p. 1023, t. 8, f. 3; Comitana Schiff. S. V. 131; Tr. VIII, 132, X, 3. 78; Wd. 1131; Dup. IX, 247, 9; HS. IV p. 219; Hein. 164; Snell. II, 1 p. 343; Piceana Hb. 72; Hercyniana Froel. En. Tort. no. 142; Rtz. Forst-Ins. p. 220, t. 12, 4; Hyrciniana Wilk. 112.
2112. **Proximana** HS. 127, IV p. 219; Hein. 165; Snell. II, 1 p. 343; Wallgr. Tidskr. 1890 p. 157; Distinctana Wilk. 111; Stt. Man. II, 216; Meyr. 494; ?Fraternana Hw. Lep. Br. p. 449; ?Wd. 915; Warr. Monthl. Mag. XXV p. 5 [nom. restituend?].
2113. **Nemorivaga** Tgstr. Bidr. 88, Anm. 170; Wck. Stett. e. Z. 1862 p. 65; Wallgr. Tidskr. 1890 p. 171; Meyr. 495; Finitimana Dbld. List. 25.
- Pont.
Gal. m; And; Lusit.
And; Bilb; Lusit.
Germ; Vind; Car;
Hung; Ross. s. oc; It; Dalm; As. min.
Bilb; Gal. m; Dalm.
Germ; Austro-Hung;
Ross. oc; Helv; Eur.
m; As. min.
Graec; Dalm.
Cauc.
Germ; Austr. inf;
Hung; Gal; Ped; Dalm; Bith.
Sic.
Eur. c.
- Germ; Austr. inf;
Hung; Hal; Ross. oc; Srp; As. oc.
Germ; Helv; Austro-Hung; Dalm; Bith.
Eur. c; Suec; It. s;
Dalm; Graec; Taur.
Styr. alp; Fen; Lap.
Alsat; Sil; Morav;
Austr. inf. et sup;
Fen.
Eur. c. et s; Gal. m;
Ped; Ross. m. or.
Eur. c; Graec.
Alp; Angl; Scot;
Scand; Ross. s. oc.

2114. **Perangustana** Snell. Tijds. XXVI p. 222, t. 13, f. 4.
2115. **Demarniana** F. R. 65, 3 p. 186; HS. 232, IV, 239; Wilk. 83; Hein. 160; Snell. II, 1 p. 319; Meyr. 493; Naevana Stph. Ill. IV, 115; Wd. 964.
2116. **Couleruana** Dup. IX, 253, 8 p. 353; Rieseana HS. 186, IV p. 240; Trochilana Hein. 160; ?Hb. 313-14.
2117. **Dalmatana** Rbl. z. b. V. 1891 p. 620.
2118. **Subocellana** Don. Nat. Hist. XI t. 380, 1 (1806); Meyr. 492; Campoliliana Tr. VIII, 212; Dup. IX, 251, 1; HS. 269, IV p. 279; Wilk. 76; Hein. 159; Snell. II, 1 p. 318; Wallgr. Tidskr. 1890 p. 158; Asseclana Stph. IV, 117; Wd. 971.
2119. **Nisella** Cl. Ic. 12, 6; L. F. S. no. 1377; Wilk. 78; Hein. 158; Snell. II, 1 p. 334; Meyr. 493; Siliceana Hb. 196; Tr. VIII, 211, X, 3. 114; Dup. IX, 249, 1; HS. IV p. 280.
- a) ab. *Pavonana* Don. Nat. Hist. II t. 58, 3 (1793); Petrania Hb. 210; Dup. IX, 249, 2; Boeberana Stph. IV, 207; Wd. 942 (al. ant. cinereis, macula dorsali [fascia basali conjuncta] brunneo-fusca).
- b) ab. *Decorana* Hb. 265; Dup. IV, 62, 6; Cuspidana Hw. p. 451; Wd. 943 (al. ant. ochraceis, area basali fusca).
2120. **Ustulana** Hb. 231; HS. IV p. 257; Hein. 161.
2121. **Penkleriana** F. R. p. 198; HS. IV p. 282; Wilk. 78; Hein. 156; Snell. II, 1 p. 317; Meyr. 492; Mitterpacheriana Tr. VIII, 214, X, 3, 257; F. R. 19-20, 1 p. 33; Dup. IX t. 250, 8; Oblitana Dup. Sup. IV t. 63, f. 5 [ab. obscur.].
2122. **Acceptana** Snell. Tijds. XXVI (1883) p. 211, t. 12, f. 9.
2123. **Ophthalmicana** Hb. 51; Tr. VIII, 198, X, 3. 108; Dup. IX, 254, 7; HS. IV p. 207; Wilk. 87; Hein. 145; Snell. II, 1 p. 341; Meyr. 497; Maculana Stph. Ill. IV, 141; Wd. 1032; Wallgr. Tidskr. 1890 p. 151.
2124. **Güntheri** Tgstr. Cat. p. 361 (71).
2125. **Solandriana** L. S. N. ed. X, 532; Wd. 1027; Nolck. Fn. II p. 421; Snell. II, 1 p. 338; Meyr. 497; Semimacula Hb. Vög. 24; Hb. 48; Tr. VIII, 198; Dup. IX, 254, 5C; Semilunana Froel. En. Tort. no. 84; Parmatana F. R. 4, u-z (al. ant. cinereis, macula dorsali extensa rufo-fusca).
- a) v. (et ab.) *Sinuana* Hb. 212; Dup. IX, 254, 2B; Hein. 143; Parmatana Hb. 253; Tr. VIII, 199, X, 3. 108; Dup. IX, 254, 1A; F. R. p. 6, t. 1-2, 4, f. s-t [trans.]; HS. IV p. 203 (al. ant. nigro-griseis, vel rufo-brunneis, macula dorsali trianguli alba).
- b) v. (et ab.) *Trapezana* F. Mant. 228; Hw. p. 441; Wd. 1028; *Sylvana* Hb. 128; Dup. IX, 254, 3F; Ratana Hb. 236; Dup. IX, 254, 4D; Parmatana Hb. 254; F. R. t. 3; Sordidana Dup. IX, 254, 6E. (ut var. a, sed macula dorsali deleta aut nulla).
2126. **Semifuscana** Stph. Ill. IV p. 140, t. 36, 1; Wd. 1031; Hein. 144; Nolck. Fn. II, 422; Snell. II, 1 p. 340; Meyr. 498; ?Divellana Hb. 339; Piceana Hw. 440; Wilk. 85; Barr. Monthl. Mag. X, 2; Melaleucana Dup. IX, 255, 2 p. 375; HS. 75, IV p. 204 (al. ant. cinereo-albidis, parte costali late rufa aut fusca).
- a) ab.? *Sciurana* HS. 426 (al. ant. rufo-fuscis, vitta media ferruginea).

*Amur.**Eur. c.; Arm.**Germ. m. oe; Helv;
Gal; Ped; Arag.**Dalm; Syr.**Eur. c; Fen; Scand;
It. c.**Eur. c; Scand; It;
Hisp; Am. s.**Germ.m; Austr; Helv;
?Hal; ?Petrop.**Eur. c. et s; Hisp. s;
Ped; It. c; Dalm;
Cauc.**Amur.**Eur. c; Scand; Ped.**Fen.**Eur. c. et s; Cat; Ped.**Eur. c. (oe.); Suec;
Ross. s. oc.*

2127. **Sordidana** Hb. 292; Tr. VIII, 278; Snell. II, 1 p. 340; Wallgr. Tidskr. 1890, 148; Meyr. 498; Stabilana Stph. List. p. 100 (1852); Wilk. 86; Solandriana Hein. 145.
2128. **Bilunana** Hw. Lep. Br. p. 436; Wd. 969; Wilk. 114; Hein. 163; Snell. II, 1 p. 316; Meyr. 497; Cretaceana Hb. 318; Dup. IX, 256, 5 p. 397; Frr. 324, 4; HS. IV p. 203.
2129. **Tetraquetrana** Hw. Lep. Br. p. 454; Wd. 937; Wilk. 80; Hein. 157; Snell. II, 1 p. 331; Meyr. 494; Angulana Hw. p. 455 [var.]; Wd. 938; Frutetana Hb. 293-4; Tr. VIII, 170, X. 3. 95; F. R. 52-3, 1 p. 136; Dup. IX, 255, 9; HS. IV p. 282.
2130. **Solicitana** Wilk. List. XXVIII p. 387 (1863); Wlsghm. Ill. Het. IV p. 55, t. 72, f. 10; Packardiana Clem. Pr. Phil. II p. 417; Tephrinana Z. b. V. 1875 p. 309.
2131. **Desertana** Stgr. Hor. XV (1880) p. 256.
2132. **Immundana** F. R. 53, 2 p. 138; Dup. IV, 66, 4 p. 189; Gn. Ind. 39; HS. IV p. 279; Wilk. 81; Hein. 157; Snell. II, 1 p. 335; Meyr. 493; Triquetraena Stph. Ill. IV, 106; Wd. 940; Estreyeriana Gn. Ind. 39 [ab. obsc.].
2133. **Crenana** Hb. 242; Dup. IX, 263, 5; Z. Is. 1846 p. 236; Wilk. 83, t. 1, f. 5; Hein. 158; Wallgr. Tidskr. 1890 p. 151; Meyr. 493; Monachana F. R. 53, 3 a-d p. 139; HS. IV p. 240, VI p. 161.
2134. **Externa** Ev. F. V. U. 508.
2135. **Similana** Hb. Vög. 71; Hb. 41; Dup. IX, 254, f. 8; Meyr. 495; Bimaculana Don. Nat. Hist. XIII, t. 459; Wilk. 93; Hein. 145; Snell. II, 1 p. 338; Dissimilana Tr. X, 3. 103; F. R. 62, 2 p. 170; HS. IV p. 239.
2136. **Biscutana** Wck. Stett. e. Z. 1862 p. 61, 1864 p. 207; Wallgr. Tidskr. 1890 p. 152.
2137. **Thapsiana** Z. Is. 1847 p. 654; HS. 351, IV p. 230.
2138. **Tripunctana** (S. V.) F. Mant. 238; Hw. 432; HS. IV p. 233; Wilk. 70; Hein. 162; Snell. II, 1 p. 321; Meyr. 492; Ocellana Hb. 18; Dup. IX, 245, f. 8; Cynosbana Hw. p. 430; Tr. VIII, 38; Cynosbatella ?L. S. N. ed. X, 536 [nom. certum?]; Wd. 897.
2139. **Asseclana** Hb. 19; Rössl. Stett. e. Z. 1877 p. 77; Similana Tr. X, 3. 100; F. R. 63, 2 p. 174; HS. IV p. 235; Hein. 155; Scutulana Dup. IX, 253, f. 6. Hal.; Ross. s. oc. et m. or; Gal. m.
2140. **Fuchsiana** Rössl. Stett. e. Z. 1877 p. 75; Fuchs ib. 1881 p. 454.
2141. **Mendiculana** Tr. X, 3. 87; HS. 146, IV p. 236; Hein. 155.
2142. **Semirufana** Chr. Bull. M. 1881 II p. 408.
2143. **Pflugiana** Hw. Lep. Br. p. 441; Stph. Ill. IV, 93; Wd. 902; Meyr. 495; Scutulana Tr. VIII, 189, X. 3. 99; F. R. 64, a, e, f, p. 176; HS. 228, IV p. 239; Wilk. 96; Hein. 151; Snell. II, 1 p. 328 (pr. p.); Sticticana Stph. Ill. IV, 94; Wd. 906; Novana Gn. Ind. 42; Wd. 1797.
- a) v. **Alsaticana** Peyer. Ann. S. Fr. 1872 p. 10, t. 5, f. 4 (dilutior, vix nom. conserv.).
2144. **Luctuosana** Dup. IX, 252, f. 4; Gn. Ind. 43; Cirsiana Z. Stett. e. Z. 1843 p. 150; HS. 225, IV p. 241; Wilk. 95; Hein. 150; Wallgr. Tidskr. 1890 p. 155; Scutulana F. R. t. 64, b, c, d, g (spec. non semper a Pflugiana Hw. satis distinguenda).
- Eur. c. (oc.); Fen; Suec; Ross. oc.; Ped.
- Eur. c; Scand; Ross. s. oc. et m. or; It. s.
- Eur. c. et s; It. s. et c; Hung. lit.
- Labr; Am. s.
- Pont.
- Eur. c; Hisp. s; Fen; Scand; Ross. m. or; Cauc.
- Germ; Alp; Angl; Belg; Liv; Scand; Ross. oc. et m. or.
- Ross. m. or.
- Eur. c; Ped; Scand; Sib. or. (Am. s.).
- Norv; Fen.
- Eur. m; Austr. inf; Gal; Maur. or; As. min.
- Eur. (exc reg. pol.); As. min; Tura.
- Germ; Helv; Austr. inf; Styr; Hung; Alsat.
- Alp; Austr. inf; Hung. Amur.
- Eur. c; It. s. et c; Dalm; Bith.
- Alp; Germ; Angl; Jut; Ross. oc; Hisp; It.

2145. **Expressana** Chr. Bull. M. 1881, II p. 409; Stett. e. Z. 1893 p.35; Snell. Tijds. XXVI p.213, t.13, f.1; **Contrainsignata** Chr. Bull. M. 1881, II p. 411 (♀).
2146. **Simploniana** Dup. IX, 248, f. 7 p. 259; Rbl. z. b. V. 1889 p. 299; **Sublimana** HS. 229, IV p. 242; Hein. 153; Wallgr. Tidskr. 1890, 154; ?Pictana Lah. Tortr. no. 139.
2147. **Obscurana** HS. 307, IV p. 243; Hein. 153.
2148. ?**Trisignana** Nolck. Fn. II, no. 295, p. 413 (a praec. non satis distinguenda sec. Kenn.).
2149. **Cnicicolana** Z. Is. 1847 p. 724. *Sic; Hung. m. or; Croat; Dalm.*
2150. **Brunnichiana** (S. V.) Froel. En. Tort. no. 93; Tr. VIII, 195, X, 3. 102; F. R. 65, 1 p. 181; HS. IV p. 242; Wilk. 98; Hein. 149; Snell. II, 1 p. 328; Meyr. 496; **Profundana** Hb. 21; **Rusticana** Hw. p. 412; Wd. 904.
2151. **Rotundana** Snell. Tijds. XXVI (1883) p. 209, t. 12, f. 8.
2152. **Rimosana** Chr. Bull. M. 1881, II p. 407.
2153. **Turbidana** Tr. X, 3. 98; Dup. IV, 64, 4; HS. 245, IV p. 237; Wilk. 99, t. 1, f. 7; Hein. 142; Snell. Tijds. XXXII p. 49; Meyr. 496; **Zelleriana** Schläg. Ber. p. 230.
2154. **Foenella** L. S. N. ed. X, 536; Cl. Ic. 2, 13; Wd. 901; Wilk. 101; Hein. 142; Snell. II, 1 p. 327; Meyr. 496; **Tibialana** Hb. Vög. 64; Hb. 40; **Foeneana** Tr. VIII, 196, X, 3. 106; Dup. IX, 252, 5; HS. IV p. 268.
- Sib. or; Uss. m.
Amur; Uss.
Germ; Helv; Austr;
Hung; Gal. m.; Angl;
Bat.
Eur. c; Fen; Scand;
It.s. et c; Graec; Arm;
Tura.*

261. **Grapholitha** (Tr. 1829), Hein. (Laspeyresia [Hb.] Meyr.).

2155. **Albersana** Hb. 224; HS. 154, IV p. 257; Wilk. 239; Hein. 178; Snell. II, 1 p. 350; Meyr. 517; **Rhediella** Stph. Ill. IV, 121; Wd. 979.
2156. **Gradana** Chr. Bull. M. 1881, II p. 419.
2157. **Woeberiana** Schiff. S. V. 126; Tr. VIII, 164; Dup. IX, 248, 5; HS. IV p. 264; Wilk. 195; Hein. 191; Snell. II, 1 p. 351; Meyr. 476; **Ornatana** Hb. 32.
2158. **Prunivorana** Rag. Bull. S. Fr. 1879 p. 132; Ann. S. Fr. 1894 p. 216, t. 1, f. 8.
2159. **Funebrana** Tr. X, 3. 116; Dup. IV, 66, 8; HS. IV p. 259; Wilk. 237; Hein. 179; Snell. II, 1 p. 361; Meyr. 517.
2160. **Nigricana** Stph. Ill. IV p. 101; Wd. 925; Wilk. 230; Barr. Monthl. Mag. IX p. 30; Meyr. 513; **Nebritana** Z. (non Tr.) Stett. e. Z. 1849 p. 250; Ld. Wien. Mts. 1859 p. 33; Snell. II, 1 p. 360 (pr. p.); **Tenebrosana** Z. l. c. et 1866 p. 14; HS. 292, IV p. 257; Hein. 181; **Proximana** Wilk. 231; Stt. Man. II, 251; ?Wd. 926; Pisana Gn. Ind. p. 48; ?Vicianana Gn. Ind. 48.
2161. **Nebritana** Tr. VIII, 209, X, 3. 115; Dup. IX, 250, 1; HS. 234, IV p. 258; Hein. 180; Snell. II, 1 p. 360 (pr. p.); ?**Gilviciliiana** Stgr. Stett. e. Z. 1859 p. 233.
2162. **Roseticolana** Z. Stett. e. Z. 1849, 253; 1871 p. 57; HS. 408, IV p. 256; Hein. 178; Snell. II, 1 p. 361; Meyr. 510; **Germanana** Wilk. 229; Stt. Man. II, 251; Barr. Monthl. Mag. IX p. 30; **Tenebrosana** Dup. Suppl. IV 66, f. 5 [nom. vet., sed praeoco.].
2163. **Zebeana** Rtz. Forst.-Ins. p. 231, t. 15, 6; HS. 354, 422; IV p. 258; Hein. 191; Jud.-Nitsche II p. 1048, t. 8, f. 8.
- Eur. c. m; And; It.
s. et c; Dalm; As.
min; ?Fen.
Eur. c; Norv; It. c;
Cauc.*
- Alp; Thuring; Boh;
Sil.*

2164. **Tenebrana** Chr. Bull. M. 1881, II p. 406 (incertae sedis). *Uss. m.*
2165. **Nougatana** Chrét. Natural. 1898 p. 178. *Gal.*
2166. **Gemmiferana** Tr. X, 3. 118; HS. 294, IV p. 258; Hein. 178; ?Stgr. Hor. VII, 223; Meyr. 514; Olbienana Gn. Ind. 54. *Eur. m; Angl; Sil; Austr. inf; Hung; As. min.*
2167. **Strigulatana** Kenn. Iris XII p. 41, t. 1, f. 40. *Lusit.*
2168. **Adenocarpi** Rag. Bull. S. Fr. 1875 p. 83; Ann. S. Fr. 1876 p. 406, t. 6, f. 4. *Gal.*
2169. **Caecana** Schläg. Ber. 1847 p. 234; Hein. 180; Meyr. 514; Coecana HS. 257, IV p. 253. *Eur. c. m. et m; Belg; Angl; As. min; Cauc. Gal.*
- a) v. *Obcaecana* Rag. Bull. S. Fr. 1876 p. 65 (obscerior, al. ant. strigulisi costae variant.). *Arag.*
2170. **Cretaceana** Kenn. Iris XII p. 42, t. 1, f. 41. *Eur. c. et m. (exc. Ross.); Maur. or; Ins. Hethl; Liv; As. min; Cauc.*
2171. **Succedana** (S. V.) Froel. En. Tort. no. 224; Tr. VIII, 211; Dup. IX, 251, 2; HS. IV p. 252; Hein. 193; Snell. II, 1 p. 372; Asseelana Hb. 194; ?Gallicana HS. IV p. 252. *Eur. m. oc; Angl.*
- a) v. *Ulicetana* Hw. 458; Stt. Man. II, 254; Rössl. Stett. e. Z. 1877 p. 375; Meyr. 514 (pr. p.); Lanceolana Wd. 980; Consequana Z. Is. 1847 p. 733; Micaceana Const. Ann. S. Fr. 1865 p. 191, t. 7, f. 4 (al. ant. obscur. fere unicoloribus fuscescent.). *Hisp.*
- b) v. *Conjunctana* Möschl. Berl. e. Z. 1866, 140 (multo dilutior, albescens). *Graec; ?Gal. m. (Mill.).*
2172. **Plumbiferana** Stgr. Hor. VII (1870) p. 224, t. 3, f. 2 (praec. var.?). *Eur. c; Ped; Hisp.*
2173. **Servillana** Dup. IX, 262, 6; HS. 98, IV p. 234; Hein. 192; Snell. II, 1 p. 371; Meyr. 510. *Eur. c; Suec; Ped; Maur; As. min; Arm.*
2174. **Microgrammana** Gn. Ind. 54; HS. 291, IV p. 257; Wilk. 243; Hein. 180; Snell. II, 1 p. 359; Meyr. 514. *Hisp. s; Hung; Croat; Dalm; As. min.*
2175. **Conformana** Mn. z. b. V. 1872 p. 36. *As. min. c.*
2176. **Leucogrammana** Hofm. Iris X (1897) p. 237. *Eur. c. et s.*
2177. **Strobilella** L. S. N. ed. X, 539; Wilk. 214; Hein. 189; Snell. II, 1 p. 362; Jud.-Nitsche II p. 1071, t. 8, f. 6; Meyr. 485; Strobilana Hb. 70; Tr. VIII, 134; Rtz. Forst-Ins. p. 216, t. 12, 13; HS. 254, IV p. 273; Kollarana Hb. 323-4. *Bat; Austr. inf.*
2178. **Conicolana** Heyl. Pet. Nouv. Ent. 1874, VI p. 380; Tijds. XVII (1874) p. 212, t. 12, f. A-D; Snell. II, 1 p. 365. *Ross. s. oc.*
2179. **Clanculana** Tgstr. Cat. 362 (72). *Vind; Hung. lit.*
2180. **Exquisitana** Rbl. z. b. V. 1889 p. 301, t. 8, f. 2. *Eur. c. (exc. Bat.); Fen; Ross. s. oc; Dalm.*
2181. **Corollana** Hb. 282; Froel. no. 218; HS. 235, IV p. 265; Hein. 184; Meyr. 511; Heegerana Wilk. 206. *Eur. c. (exc. Bat.); Fen; Liv; Ped; Serbia.*
2182. **Scopariana** HS. 324, IV p. 274; Hein. 190; Barr. Monthl. Mag. XVII, 38, 278; Entom. XIV, t. 1, f. 16; Meyr. 513; Lathyranana Froel. no. 207; Tr. X, 3. 123. *Hung. m.*
2183. **Krausiana** Stndf. Bresl. e. Z. 1881 p. 8. *Eur. c. et s. (exc. Liv., Fen.).*
2184. **Cosmophorana** Tr. X, 3. 124; Rtz. Forst-Ins. p. 212, t. 14, 2; Dup. IV, 63, 8; HS. 325, IV p. 274; Wilk. 212; Hein. 190; Snell. II, 1 p. 364; Wallgr. Tidskr. 1890 p. 182; Meyr. 513; Jud.-Nitsche II p. 1022, t. 8, f. 11. *Gal. m; ?Dalm. (Mn.).*
2185. **Oxycedrana** Mill. Cat. rais. II p. 286; Ann. Soc. Belg. XX (1877) p. 61, t. 1, f. 12, 13; Peyer. Pet. Nouv. 1877 p. 102; ?Juniperana Mill. Ic. I p. 3, t. 1, f. 1-5 (si certum, nom. restituend.).

2186. **Interscindana** Möschl. Berl. e. Z. 1866, 141; Opulentana Mill. Cat. rais. (1875) p. 287; Ann. S. Cannes 1875 t. 1, f. 14, t. 2, f. 11; Ann. S. Belg. XX p. 62, t. 1, f. 9-11; Nolck. Stett. e. Z. 1882 p. 186.
2187. **Coniferana** Rtz. Forst-Ins. p. 217, t. 12, 1; HS. IV p. 266; Wilk. 212, t. 2, f. 3; Wck. Stett. e. Z. 1862 p. 63; Hein. 187; Snell. II, 1 p. 363; Meyr. 514; Jud.-Nitsche II p. 1021, t. 8, f. 10; Separatana HS. 322.
2188. **Negatana** Rbl. Ann. Naturh. Hofmus. XI (1896) p. 121, t. 3, f. 8; Salvana Rbl. ib. IX p. 88.
2189. **Illutana** HS. 130, IV p. 275; Hein. 187.
2190. **Pactolana** Z. Stett. e. Z. 1840, 190; Is. 1846, 250; HS. 253, IV p. 274; Hein. 188; Snell. II, 1 p. 363; Jud.-Nitsche II p. 1015, t. 8, f. 9; Dorsana Rtz. Forst-Ins. p. 216, t. 12, 7; Grunertiana Rtz. Waldv. II p. 414, t. 5, f. 9; ?Cognatana Barr. Monthl. Mag. X (1874) p. 244; Meyr. 513 [spec. distincta?].
2191. **Implicatana** Chr. Bull. M. 1881, II p. 417.
2192. **Flavipunctana** Chr. Bull. M. 1881, II p. 416.
2193. **Internana** Gn. Ind. 49; HS. 283, IV p. 267; Wd. Suppl. 1812; Wilk. 208; Meyr. 511; Dorsana Stph. Ill. IV, 104; Erectana Barr. Monthl. Mag. XII (1875) p. 8; Waterh. Aid I t. 64.
2194. **Compositella** F. S. E. 663; Stph. Ill. IV, 103, t. 37, f. 2; Wd. 931; Wilk. 207; Hein. 184; Snell. II, 1, 368; Gundiana Hb. 42; Hw. 448; Wd. 932; Tr. X, 3, 122; HS. 281; Composana Dup. IX, 251, f. 8; HS. IV, 264.
2195. **Tetragrammana** Stgr. Hor. XV p. 259; Rbl. z. b. V. 1889 p. 300, t. 8, f. 1; Hinneberg Stett. e. Z. 1894 p. 345; Terstrigana Rag. Ann. S. Fr. 1894 p. 217.
2196. **Leplastriana** Curt. B. E. VIII, 3, t. 352; Wd. 982; HS. IV p. 265; Wilk. 209; Hein. 183; Meyr. 511; Gueriniiana Dup. IX, 263, 2; ?Capparidana Z. Is. 1847, 734; Rag. Ann. S. Fr. 1894 p. 218.
2197. **Maderae** Woll. Ann. & Mag. (3) I, 1858 p. 120; Rbl. Ann. Naturh. Hofmus. IX p. 87, XI p. 120, t. 3, f. 7.
2198. **Generosana** Chr. Bull. M. 1881, II p. 423; Lepidulana Snell. Tijds. XXVI p. 221, t. 13, f. 5.
2199. **Cornucopiae** Tgstr. Cat. 362 (72).
2200. **Mundana** Chr. Bull. M. 1881, II p. 420.
2201. **Scintillana** Chr. Bull. M. 1881, II p. 421.
2202. **Nigrostriana** Snell. Tijds. XXI (1883) p. 223, t. 13, f. 6.
2203. **Fimana** Snell. Tijds. XXVI (1883) p. 225, t. 13, f. 7.
2204. **Duplicana** Zett. Ins. Lap. 987; Hein. 188; Wallgr. Tidskr. 1890 p. 178; Jud.-Nitsche II, t. 8, f. 7; Geminana Zett. l. c.; Interruptana HS. 280, IV p. 269; Dorsana Rtz. Forst-Ins. p. 216, t. 12, 6; Jungiana Dup. IX, 251, f. 9, p. 318; Inquinatana Dup. IX p. 547.
2205. **Graeca** Stgr. Hor. VII p. 225; Rbl. z. b. V. 1891 p. 623 (praec. spec. var. an forma Darwin?).
2206. **Gammanna** Mn. z. b. V. 1866, 347, t. 1, f. 2.
2207. **Perlepidana** Hw. Lep. Br. 458; Wd. 983; Wilk. 208; Hein. 183; Peyer. Ann. S. Fr. 1876, t. 12, f. 15; Snell. II, 1 p. 367; Meyr. 511; Loderana Tr. X, 3, 121; Dup. IV, 83, 6 ♀; Dorsana Dup. IX, 251, 7; Lathyranana HS. 265.
- And; Gal. m.
- Eur. c; Norv; Ped; Lusit.
- Ten.
- Germ; Boh; Austr. inf.
- Eur. c. (exc. ? Angl.); Suec. m; Lap.
- Amur.
- Uss.
- Angl; Gal; And.
- Eur. (exc. reg. pol. et ? Graec.); As. min.
- Germ; Vind; Trans-sylv; Bith; Pers. s.
- Germ. m. oc; Angl; Gal; Hung; It; Dalm; Bith; Maur.
- Mad; Ten.
- Sib. or. (Irkutsk); Amur.
- Fen.
- Amur.
- Amur; Uss.
- Amur.
- Uss. m.
- Alp; Germ; Hal; Petrop; Scand; Fen; Lap; It. s; Illyr; Dalm.
- Graec; Dalm.
- Rum. or; Graec.
- Eur. c; Ross. s. oc. et m. or; Ped; It. c; Dalm; Graec; Bith.

- 2208. **Pallifrontana** Z. Is. 1846, 251; Hein. 185; Meyr. 512; Filana HS. 285, IV p. 267. *Germ; Austr. inf; Hung; Angl; Liv; As. min.*
2209. **Fissana** Froel. En. Tort. no. 205; Dup. IX p. 542; Z. Is. 1846, 252; HS. IV p. 266; Hein. 187; Divisana Dup. IX, 264, 7; Dorsana Tr. VIII p. 226; Diffusana HS. 284. *Germ; Helv; Austr.-Hung; Ross. s. oc. et m; Suec; It; Dalm; Graec.*
2210. **Discretana** Wck. Cat. ed. I, no. 1027; Hein. 187; Snell. II, 1 p. 365; Wallgr. Tidskr. 1890 p. 178; Dorsana Hb. 36; Z. Is. 1846, 250; HS. 287, IV p. 266; ?Geniculana Lah. Tortr. p. 109. *Germ; Helv; Austr.-Hung; Gal; Bat; Liv; Scand. m; It; Ross. m. or.*
2211. **Aureolana** Tgstr. Bidr. 89; Wallgr. Tidskr. 1890 p. 177. *Fen; Lap.*
2212. **Inquinatana** Hb. 43; Froel. no. 201; HS. 278, IV p. 268; Hein. 186. *Hung; Ross. s. oc.*
2213. **Leguminana** Z. Is. 1846, 253; Hein. 185; Meyr. 513; Deflexana HS. 277, IV p. 268; Interruptana Wilk. 210; Stt. Man. II, 245; Barr. Monthl. Mag. X p. 148; Dorsilunana Ersch. Hor. XII (1877) p. 342; Mém. Rom. II, t. 16, f. 16; ?Lathyranana Hb. 207 [sec. Rag.]. *Germ; Hal; Angl; Liv; Sib.*
2214. **Dorsana** F. S. E. p. 654; Hein. 182; Snell. II, 1 p. 367; Meyr. 512; Lunulana Hb. 35; Jungiana Froel. no. 200; Tr. VIII, 227, X, 3, 125; Z. Is. 1846, 253; Dup. IX, 264, 8; HS. IV p. 268. *Eur. c. et m; Scand. m; As. min.*
2215. **Selenana** Z. Is. 1847, 736; Rbl. z. b. V. 1891 p. 623; Jungiana Z. Is. 1847, 6; Conspectana Ld. Wien. Mts. 1859, 341. *Gal. m; Sard; Sic; Dalm; Graec; Ross. m.*
2216. **Orobana** Tr. VIII, 226; HS. 288, IV p. 268; Hein. 182; Nolek. Fn. II p. 441; Barr. Monthl. Mag. X. 148; Snell. II, 1 p. 366; Meyr. 512; Areigera Tgstr. Bidr. 160; Dorsana Wilk. 211, t. 2, f. 2; Stt. Man. II, 246. *Eur; As. min.*
2217. **Coronillana** Z. Is. 1846, 251; HS. 286, IV p. 267; Hein. 185; Argyrana Tr. VIII, 225. *Germ; Helv; Austr.-Hung; As. min.*
2218. **Phacana** Wck. Stett. e. Z. 1864, 207; Wallgr. Tidskr. 1890 p. 179. *Norv. c. alp; Sun. Alp. or. (Gross Glockn.). Rum.*
2219. **Moldovana** Carad. Iris XII p. 193. *Eur. m (exc. Sic.);*
2220. **Effusana** Ld. z. b. V. 1855 p. 225, t. 4, f. 5. *Hisp. (Cartagena); Syr; Arm. Bith.*
2221. **Nigritana** Mn. Wien. Mts. 1862, 397, t. 3, f. 13. *Eur. c; Suec; Ped.*
2222. **Aurana** F. S. E. p. 653; Don. Nat. Hist. II, t. 57, 2; Wd. 936; Wilk. 200; Hein. 192; Snell. II, 1 p. 369; Meyr. 517; Mediana Hb. 179; Tr. VIII, 201, X, 3, 110; Dup. IX, 263, 4; HS. IV p. 177. *Germ. (s.); Bat; Angl; Suec.*
- a) ab. **Aurantiana** Koll. Btr. II, 84; Mediana var. HS. 411 (al. ant. fere totis aurantiacis). *Eur. c. et m; As. min.*
2223. **Gallicana** Gn. Ind. 58; Rag. Ann. S. Fr. 1894 p. 217; Rufillana Stt. Ann. f. 1855 p. 29; Wilk. 197; Wd. 1799; Stt. Man. II, 241; Hein. 179; Snell. II, 1 p. 369; Meyr. 510; Pudieana HS. 331, IV p. 263; ?Diana Dup. (non Hb.) IX t. 24, f. 8, p. 243. *Eur. c. et m; As. min.*
2224. **Janthinana** Dup. IX, 248, 1; Wilk. 196; Hein. 196; Snell. II, 1 p. 370; Meyr. 510; Ledianana Hw. 459; Wd. 934; Incisana HS. 173, IV p. 262. *Germ; Austr. inf; Alsat; Belg; Bat; Angl; Gal. m; Scand.*

/ 262. **Pamene** Hb. 1818 [Phthoroblastis Ld.].

2225. **Fimbriana** Hw. Lep. Br. p. 446; Wd. 913; HS. 394, IV p. 262; Wilk. 225; Hein. 198; Snell. II, 1 p. 381; Meyr. 507. *Germ; Austr. inf; Alsat; Belg; Bat; Angl; Gal. m; Scand.*

- ✓ 2226. **Argyrana** Hb. 46; Z. Is. 1846, 254; HS. 192, IV p. 262; Wilk. 203; Hein. 199; Snell. II, 1 p. 382; Meyr. 507; *Atromargana* Wd. 916; *Lathyrana* Dup. IX, 251, f. 6. *Eur. c; Liv; Petrop; Suec; Gal. m; Cast.*
- ✓ 2227. **Vernana** Knaggs Monthl. Mag. IV (1867) p. 122, 154; Barr. ib. X p. 146; Snell. II, 1 p. 380. *Angl; Bat.*
- ✓ 2228. **Splendidulana** Gn. Ind. 45; Wilk. 215; Meyr. 506; *Plumbatana* Z. Is. 1846, 249; HS. 321, IV p. 254; Hein. 198; Snell. II, 1 p. 376; Wallgr. Tidskr. 1890 p. 190; *Suberana* Const. Bull. S. Fr. 1895 p. 50. *Eur. c; Scand; Dalm.*
- ✓ 2229. **Suspectana** Z. Is. 1846, 255; Stett. e. Z. 1849, 276; Nolek. Fn. II. 461. *Liv; ?Germ.c.(Halle).*
- ✓ 2230. **Fraxinana** Peyer. Mitth. III (1871) p. 415; Ann. S. Fr. 1872 p. 12, t. 5, f. 5. *Alsat.*
- ✓ 2231. **Gallicolana** Z. Is. 1846, 255; HS. 172, IV p. 263; Hein. 200; Snell. II, 1 p. 383; Meyr. 507; *Albuginana* Gn. Ind. 44; Peyer. Pet. Nouv. 1877 no. 164 p. 102; *Argyrana* Dup. IX, 263, f. 6, p. 520 [nom. praeoc.]; *Obscurana* (?Stph. Ill. IV, 98) Wilk. 195; Stt. Man. II, 241; Monthl. Mag. XV, 238. *Eur. c. et m; As. min.*
- ✓ a) v. **Amygdalana** Dup. Sup. IV, 63, 6; HS. 231; Rag. Ann. S. Fr. 1894 p. 219; *Kokeilana* Firr. 419, 4; HS. 171, IV p. 264; *Gallarum* Graëlls Mém. 1858 p. 110, t. 6, 3 (al. ant. ferrugineis, dors. flavo-undulatis, sine macula alba). *Hal; Austr.*
- ✓ 2232. **Lobarzewskii** Now. En. 138; M. S. N. p. 9, t. 1, f. 2. *Bith. (Mn.); Aegypt; Arab.*
- ✓ 2233. **Pharaonana** Koll. Wien. Mts. 1858 p. 154, t. 5; Frauenfeld z. b. V. 1859 p. 321, t. 6, t. 7, f. 2; Wlsghm. Pr. Z. S. 1896 p. 277. *Germ; Austr; Bat; Hung.*
- ✓ 2234. **Aurantiana** Stgr. Berl. e. Z. 1870 p. 286; Snell. II, 1 p. 379. *Germ; Austr; Bat; Hung.*
- ✓ 2235. **Salvana** Stgr. Stett. e. Z. 1859, 233. *Germ. m; Sil; Hung; Gal. m; And.*
- ✓ 2236. **Luedersiana** Sorh. Ent. Nachr. XI (1885) p. 284; Rbl. z. b. V. 1899 p. 172. *Germ. s; Cast; Gal. m; Ter. m; Rum. or; Bith.*
- ✓ 2237. **Juliana** Curt. B. E. XIII, t. 583; Wd. 1678; HS. IV p. 252; Wilk. 233, t. 2, f. 4; Hein. 201; Snell. II, 1 p. 383; Meyr. 516; *Nimbana* HS. 266. *Eur. c; Suec; Dalm.*
- ✓ a) v. *Herrichiana* Hein. Bresl. e. Z. 1854 p. 2; HS. Corr. 1863 p. 123; *Nimbana* Hein. 200; Meyr. 516 (obseurior, al. ant. plumbeis, macul. dorsali [minore] albescente). *Germ; Hal; Suec; Ross. oc; Gal. m; Dalm; As. min.*
- ✓ 2238. **Insulana** Gn. Ind. 44 (1845); Rag. Ann. S. Fr. 1894 p. 220; *Motacillana* Z. Is. 1847, 736; HS. 268, IV p. 269; Hein. 201. *Gal. m; Sic; Srp.*
- ✓ 2239. **Cytisana** Z. Is. 1847, 735; HS. IV p. 269. *Eur. c; Maur. or.*
- ✓ 2240. **Spiniana** Dup. IV, 66, 7; HS. 267, IV p. 269; Wilk. 194; Hein. 202; Snell. II, 1 p. 377; Meyr. 508; *Ephippiana* Wd. 929. *Eur. c; Ped; Scand; Ross. m. or; ? And.*
- ✓ 2241. **Populana** F. Mant. II, App. 382; Wd. 928; Wilk. 193; Hein. 202; Snell. II, 1 p. 377; Wallgr. Tidskr. 1890, 189; Meyr. 508; *Ephippiana* Hb. 246; Tr. VIII, 223; Dup. IX, 251, 5; HS. IV p. 269. *Fen; Suec; Lap.*
- ✓ 2242. **Stragulana** Tgstr. Bidr. p. 160; Wallgr. Tidskr. 1890, 189; *Ovulana* Tgstr. l. c. *Transsyly; Srp; Graec.*
- ✓ 2243. **Christophana** Möschl. Wien. Mts. 1862 p. 140, t. 1, f. 13. *Transsyly; Srp; Graec.*

2244. **Regiana** Z. Stett. e. Z. 1489, 279; HS. 400, 402, IV p. 270; Wilk. 203; Hein. 202; Snell. II, 1 p. 378; Meyr. 508; Trauniana Hw. 444; Wd. 930; Dup. IX, 251, f. 3.
a) ab. (v.) **Honorana** HS. 244, 401, IV p. 270 (al. ant. speculo distinctius flavo).
2245. **Trauniana** Schiff. S. V. 132; Hb. Vög. 73; Hb. 38; Z. Stett. e. Z. 1849, 277; HS. 403, IV p. 270; Wilk. 201; Hein. 203; Meyr. 509; Floricolana Hb. 325; Conjugana Z. Stett. e. Z. 1849, 278; HS. IV p. 270; Notata Westw. Br. M. p. 126, t. 83, f. 20.
2246. **Pinetana** Schläg. Ber. 1848, 233; HS. 398, IV p. 274; Hein. 189; Snell. II, 1 p. 375.
2247. **Ochsenheimeriana** Z. Is. 1846, 249; Hein. 203; Barr. Monthl. Mag. XV, 146; Snell. II, 1, 375; Meyr. 506; Loxiana HS. 323, IV p. 273.
2248. **Blockiana** HS. IV p. 256; Hein. 204.
2249. **Flexana** Z. Stett. e. Z. 1849, 281; Hein. 204; Nolck. Fn. II, 463 (pr. p.); Snell. II, 1 p. 385; Rag. Ann. S. Fr. 1894 p. 220 (exc. cit.); Meyr. 506; Vigelianana HS. 195, V p. 94; Weirana Dgl. Zool. VIII (1850), 2806; Wilk. 206; Stt. Man. II, 244; Barr. Monthl. Mag. XII p. 7; XXI p. 44 (larv.) (larv.: Fagus).
2250. **Nitidana** F. E. S. 276; Stph. Ill. IV, 104; Wd. 935; Wilk. 205; Stt. Man. II, 204; Barr. Monthl. Mag. XXI p. 44 (larv.); Meyr. 506; Redimitana Gn. Ind. 50 (larv.: Quercus).
2251. **Selectana** Chr. Bull. M. 1881 II p. 426.
2252. **Germanana** Hb. 47; Germanana Hb. Verz. 376; Dup. Sup. IV, t. 63, f. 7; Tr. X, 3. 117; Hein. 204; Meyr. 506; Germanana HS. 258; Puncticostata Wd. 927; (-ana) Wilk. 231; Fulvifrontana Z. Stett. e. Z. 1849, 255; HS. IV p. 253.
2253. **Purpureana** Const. Ann. S. Fr. 1888 p. 169, t. 4, f. 8.
2254. **Rhediella** Cl. Ic. 12, 12; Wilk. 157; Hein. 205; Snell. II, I p. 384; Meyr. 508; Aurana Hb. 22; Daldorfiana Hw. 405; Wd. 1119; HS. IV p. 153; Rhediana Tr. VIII, 220, X, 3. 121; Dup. IX, 250, 6.

✓ 263. Tmetocera Ld. 1859.

2255. **Ocellana** F. Mant. II, 228; Tr. VIII, 40, X, 3. 51; HS. 371, IV p. 233; Wilk. 118; Hein. 206; Snell. II, 1 p. 325; Meyr. 476; Luscania F. E. S. 255; Dup. IX, 245, 10; Sup. IV, 84, 2; Comitana Hb. 16; Hw. 434; Wd. 900.
a) v. **Lariciana** Hein. 206; Knaggs Ann. f. 1866 p. 166; Barr. Monthl. Mag. X p. 66; Z. Stett. e. Z. 1873 p. 129; Zellerana Borgmann Forst. naturw. Ztschr. (Tubeuf) IV p. 171, fig. (gracilior, al. angustior., ant. plus minusve plumbeo-fusco-conpersis).
2256. **Prognathana** Snell. Tijds. XXVI (1883) p. 227, t. 13, f. 8.

Eur. c; Suec; It. s;
Dalm; Arm.

Germ; ?Helv; Austr.;
Belg; Angl; Hung.
m. or; It. s. et c.

Germ; Bat.

Eur. c. (?exc. Gal. et
Ross.); Liv; Suec;
Dalm; As. min.

?Germ.

Eur. c; Liv; Scand;
Ped; It. s; Dalm;
As. min.

Angl; Gal.

Uss.

Eur. c. et m; Liv; Suec;
Sib. or.

Gal. m.

Eur. c; Fen; Norv;
It; Dalm; Bith.

Eur. c. et m. (exc.
Graec.); Scand; Am.
s.

Eur. c.

Sib. or.

✓ 264. Carpocapsa Tr. 1829.

2257. **Pomonella** L. S. N. ed. X, 538; Wd. 974; Wilk. 236; Hein. 194; Snell. II, 1 p. 374; Meyr. 515; Pomonana Schiff. S. V. 126; Hb. 30; Tr. VIII, 161; Rtz. Forst.-Ins. p. 234, t. 14, 7; Dup. IX, 248, 2.

Eur. (exc. reg. pol.);
Maur. or; Am. s.

- a) v. *Putaminana* Stgr. Stett. e. Z. 1859, 232; Hor. VII, 226; Z. Stett. e. Z. 1871 p. 55; *Pomonana* Dup. IX, 248, 3 (multo dilutior). *Eur. m; As. min.*
- 2258. **Grossana** Hw. Lep. Br. p. 438; Wd. 976; Wilk. 235; Hein. 195; Snell. II, 1 p. 372; Meyr. 518; Jud.-Nitsche II p. 1078, t. 8, f. 2; *Fagiglandana* Z. Is. 1847, 668; HS. 157-60, IV p. 251; *Aspidiscana* Wd. 978. *Eur. c. et m; Mad.*
- 2259. **Splendana** Hb. 31; Tr. VIII, 163; Wd. 975; Dup. IX, 248, 4; HS. IV p. 251; Wilk. 234; Hein. 194; Snell. II, 1 p. 373; Meyr. 515. *Eur. c. et m; Suec; Mad; Bith.*
- a) v. *Reaumurana* Hein. 195 (Réaum. Mém. t. 40, f. 16-19) (laryv. in fruct. Castaneae Vescae, varians, al. ant. plerumque unicol. fusco-plumbeis). *Germ. m; Gal; It. c.*
- 2260. **Amplana** Hb. 24; Tr. X, 3. 106; HS. IV p. 252; Hein. 196. *Germ; Morav; ?Helv; Hung; It. s. et c; Istr.*
- 2261. **Molybdana** Const. Ann. S. Fr. 1884 p. 214, t. 9, f. 11. *Gal. m.*

✓ 265. **Ancylis** ✓ Hb. 1818 [Phoxopteryx Tr.]

- 2262. **Sparulana** Stgr. Stett. e. Z. 1859, 234; HS. n. Schm. 95 p. 15. *And; Arag; Lusit.*
- 2263. **Derasana** Hb. 206; Tr. VIII, 244; Dup. IX, 263, 3; HS. IV p. 285; Wilk. 140, t. 1, f. 9; Hein. 227; Snell. II, 1 p. 392; Meyr. 478; *Unculana* Wd. 950. *Eur. c; Hisp. s; It; Dalm; Bith.*
- 2264. **Lundana** F. Gen. p. 294; Don. Nat. Hist. XI, t. 374, 1; Wd. 951; Wilk. 138; Meyr. 478; *Corylana* Hb. Vög. 63; Hb. 53; *Badiana* Dup. IX, 253, 3; Tr. VIII, 243; HS. IV p. 285; Hein. 225; Snell. II, 1 p. 393. *Eur; As. min; Cauc.*
- 2265. **Paludana** Barr. Monthl. Mag. VIII p. 134 (1871); Knaggs Ann. f. 1872 p. 120, t. 1, f. 5; Meyr. 478. *Angl; Germ. (sec. Meyr.).*
- 2266. **Myrtillana** Tr. VIII, 245; Dup. IX, 253, 4; HS. 316, IV p. 286; Wilk. 138; Hein. 226; Meyr. 479; *Lyellana* Curt. B. E. VIII, t. 376; Wd. 952; *Derasana* Wd. 960; *Dentana* Lah. Tort. no. 305. *Eur. c. et s; Ped. alp.*
- 2267. **Siculana** Hb. 79; Tr. VIII, 233, X, 3. 125; Dup. IX, 252, 6; Wd. 954; HS. IV p. 287; Wilk. 142; Meyr. 479; *Apicella* (S. V.) Hein. 224; Snell. II, 1 p. 391. *Eur. c. et s; It; Dalm; Ross. m. or; As. min.*
- 2268. **Tineana** Hb. 81; Tr. VIII, 240; X, 3. 127; HS. IV p. 184; Hein. 223; Snell. II, 1 p. 394; *Leucophaleratana* Pack. Labr. 56; Möschl. Stett. e. Z. 1870 p. 373. *Germ; Austr; Bat; Hal; Ross. oc; Suec; Gal; Ped; Labr.*
- 2269. **Selenana** Gn. Ind. 36; Rag. Ann. S. Fr. 1894 p. 223; *Curvana* Z. Stett. e. Z. 1849 p. 282; HS. 264, IV p. 284. *Germ; Austr. inf; Styr; Gal; Hisp. s; It. s. et c; Dalm; Bith; Hyrc.*
- 2270. **Comptana** Froel. En. Tort. no. 242; Dup. Sup. IV, 66, 3; HS. 318, IV p. 286; Wilk. 141; Hein. 225; Meyr. 479; *Cuspidana* Westw. Br. M. II p. 132, t. 85, f. 15. *Eur.c(exc.Bat.); Liv; Fen; Suec; Hisp. s; It; Dalm; As. min.*
- a) v. *Incomptana* Lah. Tortr. p. 110 no. 307; Hein. 225; Frey Lep. 329 (al. ant. apice magis product., fascia albescente distinctiore). *Helv. m.; ?Car.*
- 2271. **Unguicella** L. S. N. ed. X, 536; Wilk. 143; Hein. 224; Snell. II, 1 p. 388; Meyr. 479; (-ana) Tr. VIII, 239; Dup. IX, 252, 9; HS. IV p. 286; *Faleana* Hb. 78; *Fractifasciana* Stph. Ill. IV, 111, t. 34. 3; Wd. 953. *Eur. c. et s; Arag; It; Dalm; Ross. m. or.*
- 2272. **Uncana** Hb. 76; Tr. VIII, 237; Wd. 957; Dup. IX, 252, 8; HS. IV p. 286; Snell. II, 1 p. 389; Meyr. 480; *Uncella* Hein. 224. *Eur. c. et s; It. m. or; Ross.*

2273. **Biarecuna** Stph. Cat. II, 178; Wilk. 136; Hein. 223; Meyr. 480; Cuspidana Wd. 959; Crenana Dup. IX, 252, 7; Fluctigerana HS. 319, IV p. 286; Geminana Don. XI, 29, t. 370, f. 1 (sec. Wernb.); Snell. II, 1, 396.
a) v. *Subarecuna* Dgl. Tr. E. S. Lond. V, 21 (al. ant. fere unicolor, fuscis).
2274. **Inornatana** HS. 306, IV p. 287; Barr. Monthl. Mag. X p. 95; Meyr. 480; Subarecuna Wilk. 135; Stt. Man. II, 223; Nolek. Fn. II, 453.
2275. **Plagosana** Clem. Pr. Ent. S. Phil. 1864 p. 417.
2276. **Diminutana** Hw. 452; Wd. 955; Wilk. 135; Hein. 224; Snell. II, 1, 395; Meyr. 480; Cuspidana Tr. VIII, 236, X, 3, 127; Dup. Sup. IV, 66, 2; HS. 238, IV p. 286.
2277. **Mitterbacheriana** Schiff. S. V. p. 129; Hb. 192; Wilk. 132; Hein. 222; Snell. II, 1 p. 391; Meyr. 480; Retusana Wd. 947; Subuncana Wd. 948; Penkleriana Tr. VIII, 241, X, 3, 127; F. R. 21 p. 37; Dup. IX, 253, 5.
2278. **Partitana** Chr. Bull. M. 1881, II p. 430.
2279. **Upupana** Tr. X, 3, 120; HS. 205, IV p. 285; Wilk. 134; Hein. 222; Snell. II, 1 p. 394; Meyr. 481; Ustulana Tr. VIII, 219.
2280. **Laetana** F. S. E. 649, no. 20 (1775); Snell. II, 1 p. 390; Lactana F. Sp. 281; Meyr. 481; Harpana Hb. 77; Stph. Ill. IV, 114, t. 39, 1; Wd. 961; Hein. 222; Ramana Tr. VIII, 235, X, 3, 125; Dup. IX, 253, 2; Ramella Wilk. 132.

✓ 266. Rhopobota Ld. 1859.

2281. **Naevana** Hb. 261; Dup. IX, 255, 8; HS. 275, IV p. 280; Wilk. 127; Hein. 228; Snell. II, 1 p. 397; Meyr. 477; Unipunctana Hw. 454; Wd. 939.
a) v. *Geminana* Stph. List. p. 99; Wilk. 129; Stt. Man. II, 222; Hein. 228 (dilutior, al. ant. nitidis, magis griseis).

✓ 267. Dichrorampha Gn. 1845 (Hemimene [Hb.] Meyr.).

2282. **Sequana** Hb. 44; Hw. p. 446; Wd. 918; Dup. IV, 63, 3; HS. IV p. 271; Wilk. 104; Hein. 231; Meyr. 501.
2283. **Gemellana** Z. Is. 1847 p. 732.
2284. **Petiverella** L. S. N. ed. X, p. 540; Wilk. 103; Hein. 230; Snell. II, 1 p. 401; Meyr. 501; Montana Hb. 37; Petiverana Tr. VIII, 228, X, 3, 125; Dup. IX, 251, 4; HS. IV p. 271.
a) v. *Flavidorsana* Knaggs Monthl. Mag. III, 176 (1866-67); Ann. 1867 p. 148, t. 1, f. 5; Barr. Monthl. Mag. IX p. 25; Hering Stett. e. Z. 1891 p. 158; Knaggs Entom. 1898 p. 201, fig. (al. ant. macula dorsali flava latiore).
2285. **Alpinana** Tr. VIII, 230; Dup. IX, 252, 2; HS. 155 (nec 156), IV p. 271; Hein. 230; Snell. II, 1 p. 402; Rag. Ann. S. Fr. 1894 p. 224; Meyr. 501; Strigana Hw. 444; Wd. 923; Jacquiniana Hw. 444; Wd. 922; Politana Gn. Ind. 51; Wilk. 104; Barr. Monthl. Mag. IX p. 25, XVI p. 195.
2286. **Quaestionana** Z. Stett. e. Z. 1878 p. 114; Snell. II, 1 p. 402; Meyr. 501; Alpinana Wilk. 105; Stt. Man. II, 214; Barr. Monthl. Mag. IX p. 25, XVI p. 195.

Eur. c; Am. s.

Angl.

Germ; Jut; Bat;
Angl; Liv; Lap.Labr.
Eur.c; Norv; Ib; It.s.Eur. c; Scand; It;
Dalm; Arm.

Amur.

Eur. c. (exc. Helv.);
Suec; Petrop.Eur. c; Scand; Ross.
s. oc. et m. or; It. s.
et c.Eur. c. et s; Hisp. s;
It. s. et c.Germ; Austr.-Hung;
Angl.

Sic; Sard.

Eur. c. et s; Ped;
Ross. m; Dalm;
Bith.

Germ. s; Angl.

Eur. c. et m; ?Lap;
As. min.Germ; Helv; Bat;
Angl.

2287. **Heegeriana** Dup. Sup. IV, 66, 10; HS. 199, 200, IV p. 261; Hein. 238. *Austr; Hung.*
2288. **Simpliciana** Hw. Lep. Br. p. 444; Wd. 921; Wilk. 106; Snell. II, 1 p. 405; Wallgr. Tidskr. 1890 p. 193; Meyr. 502; Caliginosana Tr. X, 3, 119; Dup. Sup. IV, 63, 4b; Frr. 324, 1; HS. 263, IV p. 261; Hein. 234; *Atropurpurana* Wd. 924. *Eur. c; Liv; Suec.*
2289. **Agilana** Tgstr. Bidr. 90; Hein. 231; Snell. II, 1 p. 403; Wallgr. Tidskr. 1890 p. 192. *Germ; Alp; Gal; Bat; Liv; Fen; Scand.*
2290. **Distinctana** Hein. 232; Z. Stett. e. Z. 1878 p. 114. *Austr; Helv; Boh; Hung.*
2291. **Consortana** Wilk. 109; Stt. Man. II, 215; Hein. 233; Meyr. 502; *Distinctana* Barr. Monthl. Mag. XVIII p. 278; XXIII p. 142; South ib. 164. *Germ. s. oc; Angl; Ins. Hethland; ? Sib.*
2292. **Ligulana** HS. 279, IV p. 260; Hein. 231; *Plusiana* Stgr. Berl. e. Z. 1870, 284. *Alp.*
2293. **Rhaeticana** Frey Lep. 331. *Helv. (Rhaet.).*
2294. **Harpeana** Frey Mittb. III (1870) p. 246; Stett. e. Z. 1871 p. 103; Stgr. Berl. e. Z. 1870, 283; *?Chavanneana* Lah. Tortr. 102 ♀ (nom. vetust. sed incert.). *Helv. et Ter. alp.*
2295. **Plumbagana** Tr. VIII, 218, X, 3, 120; Dup. IV, 66, 9; HS. 289, IV p. 260; Wilk. 107; Hein. 232; Snell. II, 1 p. 405; Meyr. 503; *Salicetana* Prittitz Stett. e. Z. 1844, 419; *?Cinerana* Hb. 211; *?Strobilana* Dup. IX, 250, f. 4. *Eur. (exc. reg. pol., Hisp. m., Sic.); As. min.*
2296. **Alpestrana** HS. IV p. 260; Z. Stett. e. Z. 1878 p. 115; Thurnall Monthl. Mag. 1893 p. 175; 1895 p. 280; Wlsghm. ib. 1893 p. 180; Meyr. 500; *Montanana* Dup. Sup. IV, 83, f. 7, p. 413; HS. 193; *Monticolana* Hein. 235. *Alp; Germ; Angl; Norv; Cauc.*
2297. **Senectana** Gn. Ind. p. 52; Barr. Monthl. Mag. IX p. 27; Rag. Ann. S. Fr. 1894 p. 226. *Germ. s; Angl; Gal. c.*
2298. **Acuminatana** Z. Is. 1846 p. 255, 1847 p. 732; HS. IV p. 259; Wilk. 108; Hein. 235; Snell. II, 1 p. 404; Meyr. 502; *Germarana* Tr. X, 3, 117 (diagnos.); HS. 282; *Caliginosana* Dup. Sup. IV, 63, f. 4a. *Eur. c; Liv; Fen; Suec; It; As. min.*
2299. **Cinerosana** HS. 290, IV p. 255. *Austr; Hung.*
2300. **Cacaleana** HS. IV p. 261; Hein. 234. *Alp; Sil. mont.*
2301. **Rejectana** Lah. Tort. no. 136, Suppl. no. 275b. *Helv. alp.*

268. *Lipoptycha* Ld. 1859.

2302. **Bugnionana** Dup. Sup. IV, 83, 11; HS. 126, IV p. 255; Hein. 235. *Alp.*
2303. **?Resplendana** Hein. 236; HS. Corr. 1863 p. 124. *Germ. s. oc; Alp. (HS.); Belg. Alp.*
2304. **Alpigenana** Hein. p. 236. *Austr; Germ. m. oc; Hal; Hung; As. min.*
2305. **Gruneriana** HS. 261-2, IV p. 256; Hein. 237. *Germ; Bat; Angl; Ins. Hethland.*
2306. **Tanaceti** Stt. Ann. 1857 p. 101; Wilk. 107; Stt. Man. II, 214; Barr. Monthl. Mag. IX, 26; Snell. II, 1 p. 406; Meyr. 503; *Saturnana* Hein. 238; *Herbosana* Barr. Monthl. Mag. IX p. 27; Knaggs Ann. 1873 p. 45; Warr. Monthl. Mag. XXI, 190. *Germ; Angl; Gal. c; Hisp. s; Ped.*
2307. **Saturnana** Gn. Ind. p. 52; Wilk. 228; Stt. Man. II, 251; Meyr. 504; *Germanana* Dup. (nee Hb.) IX, 250, f. 5. *Germ. s. oc.*
2308. **Sylvicolana** Hein. 239; Glitz Jhrs. Hannov. 1861-2 p. 40; HS. Corr. 1863 p. 124. *Germ. s. oc.*

2309. **Plumbana** Sc. Ent. Carn. no. 592; Hein. 239; Snell. II, 1 p. 407; Meyr. 504; Zachana Tr. VIII, 217; Dup. IX, 250, 3; ?Hb. 243; Blepharana HS. 197-8, IV p. 254; Ulicana Gn. Ind. 51; Wilk. 228; Stt. Man. II, 251.
2310. **Incursana** HS. 196, IV p. 266; Hein. 240. Germ; Austr.-Hung; Dalm; Graec.
-

V. Glypterygidae.

A. Choreutinae.

269. **Choreutis** Hb. 1818.

2311. **Bjerkandrella** Thnbg. Diss. Ent. I, p. 36 (24), t. 3, 23-4 (1784); Hein. 2; Meyr. 706; Fern. Canad. Ent. 1900 p. 241; Vibrana Hb. Tort. 202; Tr. VIII, 284; Dup. Sup. IV, 65, 8; HS. V p. 96; Mill. Ic. 140, f. 3-6.
- a) v. *Pretiosana* Dup. Sup. IV, 65, 9, p. 182; Mill. Ic. 140, f. 1-2; Australis Z. Is. 1847, 643; Micalis Mn. Wien. Mts. I p. 181 [trans.] (minor, dilutior).
2312. **Solaris** Ersch. Hor. XII p. 342 (1877); Mém. Rom. VI t. 16, f. 1.
2313. **Myllerana** F. E. S. 3. 2. 377, 147; Hein. 3; Snell. II, 1 p. 438; Meyr. 705; Mylleri Hw. 472, 5; Curt. B. E. VII t. 320; Angustana Hb. Tort. 204; Scintilulana Hb. Verz. 373; HS. V p. 96; Scintilulalis Tr. X, 3. 33; Albipunctalis Zett. Ins. Lap. 974.
- a) v. *Stellaris* Z. Is. 1847 p. 642; HS. V p. 96; Stgr. Hor. VII p. 272 (major, al. latioribus, ciliis nigricantibus).

270. **Simaethis** Leach 1815.

2314. **Nemorana** Hb. Tort. 3; Dup. IX, 260, 7; HS. V p. 95; Hein. 4; Incialis Tr. VII, 157.
2315. **Pariana** Cl. Ic. 10, 9; Hb. Tort. 1. 2; Wd. 784; Dup. IX, 260, 6; HS. V p. 94; Hein. 4; Snell. II, 1 p. 436; Meyr. 706; Parialis Tr. VII, 159; F. R. 26 p. 47; Lutosa Hw. 472, 4; Wd. 785.
2316. **Diana** Hb. Tort. 274; Z. Is. 1846, 208; HS. 257-61, V p. 94; Hein. 5; Fern. Canad. Ent. 1900 p. 238; Decorana Zett. Ins. Lap. 982; Luridana Wlk. List. XXVIII p. 318.
2317. **Atrosignata** Chr. Hor. XXII p. 311 (1888).
2318. **Fabriciana** L. S. N. ed. XII, 880; Stph. Ill. IV, 29; Wd. 783; HS. V p. 95; Hein. 5; Snell. II, 1 p. 437; Meyr. 707; Oxyacanthella L. S. N. ed. XII, 886; Dentana Hb. Tortr. 4. 5; Urticana Hb. Tortr. 273; Alternalis Tr. VII, 160; Zett. Ins. Lap. 974.

B. Glypteryginae.

271. **Millieria** Rag. 1874 (Ripismia Wck. 1877).

2319. **Dolosana** HS. 262-4, V p. 95; Mill. Ann. S. Fr. 1856 p. 39, t. 1, IV; Hein.-Wck. 399. Eur. m; Germ. oc. m; Vindob; Morav; Ped; As. min; Syr.

272. **Glyphipteryx** Hb. 1818.

2320. **Loricatella** Tr. IX, 2. 70; Z. Is. 1839, 203; F. R. 81, 1 p. 235; HS. V p. 92. *Hung; Serbia; Cauc.*
2321. **Magnatella** Ersch. Hor. XII p. 346 (1877); Mém. Rom. VI t. 16, f. 10. *Sib. or. (Irkutsk).*
2322. **Speculiferella** Chr. Bull. M. 1882, I p. 37. *Uss. m.*
2323. **Bergstraesserella** F. Sp. 302, 76; F. R. 81, 2 p. 236; HS. V p. 92; Frey 173; Hein.-Wck. 394; Linneana Hb. Tort. 84; Z. Is. 1839, 203; Linneella Hb. 436; Dup. IX, 304, 3. *Germ; Austr.-Hung; Alp; Scand.*
- a) v. (ab.) *Pietruskii* Now. M. S. N. 22, f. 8 (obscurior, al. ant. fere unicol.-fuscis). *Hal; Sil; Helv. Alp.*
2324. **Argyrogutella** Rag. Bull. S. Fr. 1885 p. 56; Rbl. Stett. e. Z. 1893 p. 57. *Ped.*
2325. **Fuscoviridella** Hw. Lep. Br. 569; Stph. Ill. IV, 278; Wd. 1389; Stt. I, B, 174; Hein.-Wck. 394; Meyr. 704; Albicostella Dup. XI, 302, 3 p. 396; HS. 356, 641, V p. 137; ?Aereinitidella Mill. Ann. S. Fr. 1854 p. 60, t. 3, f. II, 2. *Angl; Gal; Ped; Ib.*
2326. **Thrasonella** Sc. Ent. Carn. no. 658; Dup. XI, 304, 2; Z. Is. 1839, 203; F. R. 83, 1 p. 238; HS. V p. 93; Hein.-Wck. 395; Snell. II, 2 p. 751; Meyr. 704; Fyesrella F. Suppl. E. S. 493, 72; Wd. 1387; Seppella Hb. 223; Aillyella Hb. 431. *Eur. c; Ross. s. oc; Suec; Ped; Dalm; It.c; Cast; Pont.*
- a) v. *Cladiella* Stt. Ann. f. 1859 p. 153; Man. II p. 364 (al. ant. fere unicolor., fasciis obsoletissimis). *Angl; Ins. Hethland.*
2327. **Simplicella** Chr. Bull. M. 1882, I p. 38. *Uss. m.*
2328. **Nicaeella** Möschl. Berl. e. Z. 1866, 146. *It. s. oc.*
2329. **Haworthana** Stph. Ill. IV, 262, t. 39, f. 2; Wd. 1338; HS. V p. 93; Stt. Nat. Hist. XI, 244, t. 7, f. 1; Hein.-Wck. 396; Meyr. 704; Zonella Zett. Ins. Lap. 1009; Stndf. Bresl. e. Z. 1849, 21, t. 2, f. 7. *Eur. c. (exc. Bat.) et s; Gal. m.*
2330. **Gianelliella** Rag. Bull. S. Fr. 1885 p. 56; Chrét. ib. 1899 p. 147. *Ped; Gal.*
2331. **Equitella** Sc. Ent. Carn. no. 659; Tr. IX, 2. 71; Z. Is. 1839, 203; F. R. 82, 2 p. 240; HS. V p. 93; Stt. Nat. Hist. XI, 254, t. 7, f. 2; Frey Tin. 175; Hein.-Wck. 398; Snell. II, 2 p. 752; Meyr. 705. *Eur. (exc. Hisp.); Bith; ?Pal.*
2332. **Majorella** Hein.-Wck. 397; Equitella var. HS. V p. 93; Frey Tin. 175. *Austr.inf; Carn; Ter; Helv; Cauc.*
2333. **Pygmaeella** Rbl. Ann. Naturh. Hofmus. XI, 1896 p. 132. *Can.*
2334. **Forsterella** F. Mant. II, 252, 128; Hw. 577; Hein.-Wck. 397; Oculatella Z. Stett. e. Z. 1850, 157; HS. 265, V p. 93; Frey 174; Meyr. 704; Lucasella Dup. XI, 304, 5. *Eur. c. et m. (exc. Hisp.); Bith.*
2335. ?**Albimaculella** Hein.-Wek. 397. *Germ. c. (Brunnsv.); Sil. (Wck.).*
2336. **Fischeriella** Z. Is. 1839, 204; Stt. I. B. 176; HS. V p. 94; Frey 176; Stt. Nat. Hist. XI p. 266, t. 7, f. 3; Hein.-Wck. 398; Snell. II, 8 p. 754; Meyr. 705; Desiderella F. R. 82, 3; Aechmiella Dup. XI, 308, 7; Desideratella Dup. Sup. IV, 77, 3; Schoenicolella Stt. Ann. f. 1859 p. 153. *Eur. c. et m; Ross. s. oc; Suec; As. min; Maur.*

C. Douglassiinae.

273. *Tinagma* Z. 1839.

2337. **Perdicellum** Z. Is. 1839, 204; F. R. 82, 2 a-e p. 244; HS. V p. 259; Hein.-Wck. 511; Snell. II, 2 p. 756.
a) v. *Matutinellum* Z. Stett. e. Z. 1872 p. 117 (capite antennisque obscurioribus).
2338. **Dryadis** Stgr. z. b. V. 1872 p. 735; Hein.-Wck. 511; Z. Stett. e. Z. 1878 p. 155; Dryadella Frey Mitth. IV p. 556.

274. *Douglasia* Stt. 1854.

2339. **Transversella** Z. Is. 1839, 204; F. R. 84, 1 p. 246; HS. V p. 260; Z. Stett. e. Z. 1868 p. 426; Hein.-Wck. 512; ab. *Unicolorella* Mill. Cat. rais. 358.
2340. **Balteolella** F. R. p. 247, not. ♀; HS. 362, V p. 260; Z. Stett. e. Z. 1868 p. 423; Hein.-Wck. 512; Borkhauseniella HS. V p. 259 ♂.
2341. **Ocnerostomella** Stt. Tr. E. S. Lond. (2) I p. 6; I. B. 180 t. 6, f. 5; Hein.-Wck. 513; Snell. II, 2 p. 757; Meyr. 685; Echii HS. 961, V p. 259.
2342. **Columbella** Stgr. Hor. XV (1880) p. 383.
2343. **Minutissima** Stgr. Hor. XV (1880) p. 384.
- Eur. c. (exc. Angl.); Scand. m.; Ross. oc. et m. or; It. c; Dalm. Alp.*
- Sum. Alp.*
- Eur. c. (exc. Bat. et Angl.); Fen; Liv; And; Dalm.*
- Eur. c. m; Sil; Hal; It. c. et m; Dalm; Bith.*
- Eur. c; Liv; Bith; Pont.*
- Pont.*
- Pont.*

VI. Yponomeutidae.

A. Yponomeutinae.

275. *Calantica* Z. 1847.

2344. **Albella** Z. Is. 1847, 812; HS. 272-3, V p. 90; Hein. 102.
2345. **Dealbatella** Z. Is. 1847, 811; HS. V p. 90.

Germ. oc; Gal; Dalm. Sic; It. c.

276. *Procalantica* Rbl. 1900.

2346. **Eximiella** Rbl. z. b. V. 1899 p. 176, t. 4, f. 7 (♀).
2347. **Ussuriensis** Rbl. Iris XIII p. 162.

Ter.
Uss.

277. *Distagmos* HS. 1853.

2348. **Ledereri** HS. 269, V p. 90.

And.

278. *Wockia* Hein. 1870.

2349. **Asperipunctella** Brd. Cat. Doubs (1847) p. 84; Ann. S. Fr. 1858 p. 177, 615; Brown Bull. S. Fr. 1894 p. 205; Rag. ib. 206; Funebrella Hein. 103.

Gal; Alsat; Sil; Ped;
? Liv.

279. **Scythropia** Hb. 1818.

2350. **Crataegella** L. S. N. ed. XII, 885; Hb. 257; Tr. IX, 1. 231; Wd. 1289; Dup. XI, 289, 3; Frr. 168, 3; HS. V p. 90; Hein. 104; Snell. II, 1 p. 522; Meyr. 779.

Eur. c; Cors; Sard;
It; Dalm; Liv.

2351. **Petrobiella** Z. z. b. V. 1868, 607 (45).

Car.

280. **Herrichia** Stgr. 1870.

2352. **Excelsella** Stgr. Berl. e. Z. 1870, 292; **Hirticruralis** Peyer. Ann. S. Fr. 1872 p. 16, t. 5, f. 8.

Germ. m. oc.

281. **Yponomeuta** Latr. 1796 (*Hyponomeuta* [Sodof. 1837] Z.).

2353. **Egregiellus** (-a) Dup. XI, 299, 9 p. 345; HS. 409, V p. 282; Mill. Ic. 71, 2-6, II p. 190.

Hisp; Gal. m; Ped;
Ter. m; Dalm.

2354. **Bakeri** Wlsghm. Tr. E. S. 1894 p. 542.

Mad.

2355. **Stannellus** (-a) Thnbg. Diss. Ent. VII, 108 (97); HS. 351; **Rufimitrellus** Z. Is. 1844, 209; **Stanniella** HS. V p. 91; Hein. 108.

Germ; Helv; Fen;
Suec; Cauc.

2356. **Vigintipunctatus** (-a) Retz. Gen. et Sp. p. 52; Z. Is. 1844, 210; HS. V p. 91; Hein. 108; Snell. II, 1 p. 507; Meyr. 696; **Sedella** Tr. IX, 1. 223; Dup. XI, 285, 8; HS. 352.

Eur. c; Cat; Ped;
Dalm; Srp.

2357. **Plumbellus** (-a) Schiff. S. V. 139; Hb. 86; Tr. IX, 1. 213; Wd. 1286; Z. Is. 1844, 212; HS. V p. 91; Frr. 420; Hein. 108; Snell. II, 1 p. 507; Meyr. 696.

Eur. c. et m; Liv;
As. min.

2358. **Irrorellus** (-a) Hb. 93; Tr. IX, 1. 222; Wd. 1282; Dup. XI, 286, 5; Z. Is. 1844, 213; HS. V p. 91; Hein. 109; Meyr. 696.

Eur. c. (exc. Bat. et
Ross.) et m. (exc.
Ib.); Bith.

2359. **Padellus** (-a) L. S. N. ed. X, 535; Hb. 393-5; Wd. 1285; Dup. XI, 286, 3 a-d; Rtz. Forst-Ins. 248, t. 16, 1; Frr. 378, 2; Snell. II, 1 p. 508; Meyr. 696; **Variabilis** Z. Is. 1844, 214; HS. V p. 91; Hein. 109.

Eur. (exc. reg. pol.,
Graec.); Arm; Tura.

2360. **Rorellus** (-a) Hb. 284; Tr. IX, 1. 222; Wd. 1284; Dup. XI, 286, 4 a, b; Z. Is. 1844, 218; HS. V p. 92; Hein. 110; Snell. II, 1 p. 508; **Helicella** Frr. 378, 1.

Germ; Austr.-Hung;
Belg; Bat; Ped; Sic;
Ross. m. or; Dalm; Graec.

2361. **Gigas** Rbl. Ann. Naturh. Hofmus. VII (1892) p. 271, t. 17, f. 17; ib. IX p. 89; ib. XI p. 126; ib. XIII p. 377.

Can.

2362. **Nigrifimbriatus** Chr. Bull. M. 1882, I p. 11.

Uss. m.

2363. **Malinellus** Z. Is. 1844, 220; Frr. 384, 1; HS. V p. 92; Frey Tin. 59; Hein. 110; Snell. II, 1 p. 509.

Eur. c. (exc. Angl.) et
m; Liv; Petrop; Lyd; Jap.

2364. **Mahalebella** Gn. Ind. 105; Rag. Bull. S. Fr. 1873 p. 124; ib. Ann. 1874 p. 583.

Gal; Austr. inf; Sic;
Dalm.

2365. **Cognatellus** (-a) Hb. 391-2 (falso Cagnagella); Tr. IX, 1. 220; Frr. 384, 2; Rtz. Forst-Ins. 248, t. 16, 3; Dup. XI, 286, 2; Wd. 1283; Meyr. 696; **Evonymella** Sc. Ent. Carn. no. 631; Hein. 110; Snell. II, 1 p. 510; **Evonymi** Z. Is. 1844, 223; HS. V p. 92; Frey Tin. 60; **Diffluellus** Hein. 111 [ab.].

Eur. (exc. reg. pol.);
Pont.

2366. **Evonymellus** (-a) L. S. N. ed. X, 534; Hb. 88; Tr. IX, 1. 215; Don. Nat. Hist. XI, t. 355, 4; Wd. 1281; Dup. XI, 286, 1; Frr. 384, 3; Rtz. Forst-Ins. 248, t. 16, 2; Meyr. 695; **Padi** Z. Is. 1844, 225; HS. V p. 92; Hein. 111; Snell. II, 1 p. 511.

Eur. c; Ross. s. oc. et
m; Gal. m; Carn;
Dalm; Arm; Sib. or.

282. *Swammerdamia* ✓ Hb. 1818.

2367. **Combinella** Hb. Btr. I, 1 t. 1, f. c; Snell. II, 1 p. 513; Meyr. 769; Comptella Hb. 89; HS. 282; Wd. 1291; *Apicella* Don. Nat. Hist. II, t. 57, 3; Stt. I. B. 55; Frey 55; Hein. 105; *Aurofinitella* Dup. Sup. IV, 89, 11. *Eur. c. m; Angl. m; Bat; Dalm; It. c; Sic; Bith.*
2368. **Caesiella** Hb. (260); Stt. I. B. 55, t. 2, f. 8 (exc. larva); HS. V, 326 p. 280 (exc. larva); Hein. 105 (pr. p.); Meyr. 769; *Spiniella* Hb. Gesch. Tin. III, Tortr. f. B. D. (larv.); Z. Stett. e. Z. 1871 p. 67; Stt. Monthl. Mag. XV p. 207; Rag. ib. 230; Snell. II, 1 p. 515. *Germ; Austr; Helv; Gal; Angl; Hung; Hal; It.*
2369. **Heroldella** Tr. IX, 2 p. 9; X, 3 p. 199; Dup. XI, t. 289, f. 2; F. R. 13 p. 20; Z. Stett. e. Z. 1871 p. 70; Snell. II, 1 p. 514; Meyr. 769; ?*Caesiella* Hb. 172; Frey Tin. 55; Hein. 105 (pr. p.). *Eur. c. et s; Hisp; It.*
- a) v. *Griseocapitella* Stt. Cat. 3; Nat. Hist. XI, p. 52, t. 2, f. 1; HS. 642, V p. 281; Hein. 107; *Nubeculella* Tgstr. Bidr. 112 (capite thoraceque fuscescentibus). *Scot; Esth.*
2370. ?**Nanivora** Stt. Ann. f. 1871 p. 96; Monthl. Mag. VII p. 51; ib. XV p. 208 (prae. var.?). *Ross. s. oc.*
2371. ?**Variegata** Tgstr. Cat. 364 (74); Z. Stett. e. Z. 1871 p. 74. *Eur. c.*
2372. **Lutarea** Hw. Lep. Br. 515; Stt. I. B. 56; Hein. 106; Meyr. 769; *Oxyacanthella* Dup. Sup. IV, 67, 9, p. 205; HS. 367, V p. 281; Hein. 106; Z. Stett. e. Z. 1871 p. 74; Snell. II, 1 p. 515; *Caesiella* Stt. Nat. Hist. XI, t. 2, f. 2. *Germ; Helv; Styr; Carn; Hal; Fen.*
2373. **Compunctella** HS. 325, V p. 281; Hein. 105; Nolek. Fn. II p. 507; Snell. II, 1 p. 513, not. 1; ?*Nebulosella* Stt. Nat. Hist. XI p. 45. *Eur. c; Cors; It. c; Dalm.*
2374. **Pyrella** Vill. L. Ent. II, 515; Stt. Nat. Hist. XI, 77, t. 2, f. 3; Hein. 107; Snell. II, 1 p. 516; Meyr. 770; *Cerasiella* Hb. 332; Tr. X, 3, 200; Dup. XI, 287, 6; F. R. 14 p. 21; HS. 328, V p. 281; Sepp II, 16, 1-7 p. 71. *Alp. (pr. p.); Ross. s. oc; Norv; Lap. Helv; Gal. m. alp; Cauc. Helv.*
2375. **Conspersella** Tgstr. Bidr. 112; Wck. Stett. e. Z. 1862, 74; Rag. Monthl. Mag. XV p. 230. *Alp; Hal. mont.*
2376. **Alternans** Stgr. Berl. e. Z. 1870, 291; Frey Mitth. III, 1870 p. 277. *Austr.inf.alp; Ter; Car.*
2377. **Cafischielia** Frey Lep. 344.
2378. **Zimmermannii** Now. M. S. N. p. 13, f. 3 (Kessleria).
2379. **Alpicella** HS. 359 (nec n. Schn. 45), V p. 282 (pr. p.).

283. *Prays* Hb. 1818. ✓

2380. **Curtisellus** Don. Nat. Hist. II, 65, 4 p. 77; Wd. 1287; HS. V p. 263; Stt. Nat. Hist. XI, t. 1, f. 1 p. 6; Hein. 112; Snell. II, 1 p. 518; Meyr. 694; *Caenobitella* Hb. 309; Dup. X, 285, 6. *Eur. c; Ped; Lusit; Ross. oc; Suec; Arm.*
- a) ab. (et v.) *Rustica* Hw. 548; Schütze Stett. e. Z. 1899 p. 169; *Simplicella* HS. 360, V p. 280; Hein. 112; Snell. II, 1 p. 519; *Ruficeps* Hein. Bresl. e. Z. 1854, 4 (al. ant. unicol. fuscis, capite rufescente). *Gal. m; Cors; Sard; It; Dalm; Graec; Bith; Maur.*
2381. **Oleellus** F. E. S. 3, 2, 308, 91; Boyer Ann. S. Fr. 1837, 180, t. 8, f. 5; 1851, 18; Z. Stett. e. Z. 1850, 148; HS. V p. 112; Stt. Nat. Hist. XI, 22, t. 1, 2; *Oliviella* Boyer l. e. p. 182, f. 4; Dup. Sup. IV, 85, 2; *Adspersella* HS. 366. *Cors; Sic.*
2382. **Citri** Mill. Pet. Nouv. Ent. V, 1873 p. 310; Ic. 150, f. 17-20.

284. *Paradoxus* Stt. 1869.

2383. *Osyridellus* Stt. South. Eur. 167; Mill. Ic. III p. 42, t. 105, f. 12-22; Nolek. Stett. e. Z. 1882 p. 189.

Gal. m; And; Dalm;
Bith.

285. *Atemelia* HS. 1853.

2384. *Torquatella* Z. Is. 1846, 279; HS. 413, V p. 112; Stt. Man. II, 361; Hein. 113; Snell. II, 1 p. 520; Meyr. 694; Compressella HS. 414, V p. 112.

Eur. c; Ross. s. oc;
Ped; Pont; Bith.

B. Argyresthinae.

286. *Zelleria* Stt. 1849.

2385. *Hepariella* Stt. Cat. 22; I. B. 192; HS. 605, V p. 279; Hein.-Wek. 643; Meyr. 767; Insignipennella Stt. Cat. 22; I. B. 192; Frey 199; Taxella HS. V p. 289; Hein.-Wek. 623; Taxi Frey Tin. 234; Fusca Stt. Monthl. Mag. XIII p. 1 (1876).
2386. *Phillyrella* Mill. Ic. II, 286, t. 81, f. 6-8; Stt. Ann. f. 1868, 145; South. Eur. 224; Nat. Hist. XI, 100, t. 3, 1; Barr. Monthl. Mag. 1900 p. 4.
2387. *Oleastrella* Mill. Ic. II, 42, t. 55, f. 7-9; Stt. South. Eur. 215; Nat. Hist. XI, 108, t. 3, 2.
2388. *Plumbeella* Stgr. Berl. e. Z. 1870, 320.

Germ. m. oc; Alp;
Angl; Dalm; Graec;
Bith.

Gal. m; It; Graec;
Maur; Hib.(advena).

Gal. m; And.

And.

287. *Hofmannia* Hein.-Wek. 1877.

2389. *Fasciapennella* Stt. Cat. 22; I. B. 192; Ann. f. 1870 p. 12; ib. 1873 p. 48, t. 1, f. 2; Hein.-Wek. 645; Meyr. 767.
2390. *Saxifragae* Stt. Tr. E. S. Lond. 1868, 139; Nat. Hist. XI, 116, t. 3, 3; Ann. f. 1873 t. 1, f. 3; Hein.-Wek. 644; Meyr. 768; Fasciapen nella Frey 200; Alpicella HS. V p. 282 ♀ (nec ♂, nec fig. 359); n. Schm. 45.
2391. *Albescens* Rbl. z. b. V. 1899 p. 177.
2392. *Impura* Stgr. Hor. XV p. 280.

Scot; Fen; Liv; Bav.
alp; Helv; ? Hisp.

Alp; Scot; Alsat.mont.

Ter. m.

Pont; Hyrc.

288. *Argyresthia* Hb. 1818.

2393. *Conjugella* Z. Is. 1839, 204; L. E. II, 258, f. 2. 3; HS. 647, V p. 276; Hein.-Wek. 647; Snell. II, 1 p. 529; Meyr. 765; ab. *Maculosa* Tgstr. Bidr. 136.
2394. *Aerariella* Stt. Ann. f. 1871 p. 100; Thretfell Entom. XIII, 164; Meyr. 766 (praec. forma Darw.).
2395. *Pulchella* Z. Is. 1846, 293; L. E. II, 261; HS. 604, V p. 277; Frey Tin. 189; Hein.-Wek. 648.
2396. *Cyaneimarmorella* Mill. Ann. S. Fr. 1854, 46, t. 3, II, 5.
2397. *Mendica* Hw. Lep. Br. 517; Frey 190; Hein.-Wek. 648; Snell. II, 1 p. 528; Meyr. 765; *Mendicella* Wd. 1296; HS. V p. 277; *Caesiella* Tr. IX, 2. 157, X, 3. 207; *Tetrapodella* Z. L. E. II, 262; HS. 646; Dup. XI, 305, 2 p. 457.

Eur. c. et s; It. c; As.
min; Jap; Am. s.

Brit.

Alp; Germ. m; Liv.

Gal. m. oc.

Eur. c. et m; Ross. s.
oc; Bith.

2398. **Glaucinella** Z. Is. 1839, 205; L. E. II, 265; HS. 649, V p. 277; Hein.-Wek. 649; Snell. II, 1 p. 529; Meyr. 765; Dzieduszycii Now. En. 204; M. S. N. p. 24, f. 9.
2399. **Reticulata** Stgr. Stett. e. Z. 1877 205.
2400. **Pretiosa** Stgr. Hor. XV p. 281 (1880).
2401. **Semifusca** Hw. Lep. Br. 517; Stt. I. B. 184; HS. V p. 276; Meyr. 765; Semipurpurella Stph. Ill. IV, 249; Wd. 1300; Pruniella Don. Nat. Hist. II t. 58, 9.
2402. **Spiniella** Z. Is. 1839, 204; L. E. II, 254; HS. 648, V p. 276; Frey 186; Hein.-Wek. 649; Hering Stett. e. Z. 1891 p. 164; 1893 p. 90; Meyr. 766 (synon. praec. sec. Hering l. c.).
2403. **Albistria** Hw. Lep. Br. 517; Stph. Ill. IV, 248; Hein.-Wek. 650; Snell. II, 1 p. 527; Meyr. 766; Semitestacella Wd. 1301; Fagetella Z. L. E. II, 256; HS. 653, V p. 278.
2404. **Ephippella** F. Gen. I, 297; HS. V p. 276; Hein.-Wek. 650; Snell. II, 1 p. 530; Meyr. 766; Pruniella Hb. 175; Dup. XI, 305, 1; Z. L. E. II, 243; HS. 652; Tetrapodella Stph. Ill. IV, 249; Wd. 1299.
2405. **Nitidella** F. Mant. II, 241; Z. L. E. II, 250; HS. 651, V p. 275; Hein.-Wek. 651; Snell. II, 1 p. 530; Meyr. 766; Pruniella Tr. IX, 2. 156; Wd. 1298; Rtz. Forst.-Ins. II, 252; Purpurascenella Stt. Zool. 1859 App. V; HS. V p. 275.
- a) ab. *Ossea* Hw. 517; Stph. Ill. IV, 250; Wd. 1304; Denudatella Z. L. E. II, 250 (al. ant. innotatis, fere unicoloribus osseis).
2406. **Semiflavella** Chr. Bull. M. 1882, I p. 12.
2407. **Semitestacella** Curt. Ent. Mag. I, 191; B. E. XV, 719; HS. 602-3, V p. 277; Frey 187; Hein.-Wek. 649; Snell. II, 1 p. 527; Meyr. 767; Albistria Wd. 1297; Semipurpurella Hein. Bresl. e. Z. 1854, 4.
2408. **Chrysidella** Peyer. Pet. Nouv. Ent. 1877 p. 102; Wal-singhamella Mill. Ann. Sc. Cannes 1880 p. 21; Ann. Soc. Lyon. XXIX (1883) p. 159, t. 2, f. 1.
2409. **Rufella** Tgstr. Bidr. 111; HS. 923, V p. 278; Hein.-Wek. 651.
2410. **Abdominalis** Z. Is. 1839, 205; L. E. II, 270; HS. 691 (661), V p. 273; Hein.-Wek. 652; Snell. II, 1 p. 534; Meyr. 765.
- a) ab. *Inauratella* Tgstr. Bidr. 137; Wek. Stett. e. Z. 1862 p. 240; Nolck. Fn. II p. 614; Hoffm. Stett. e. Z. 1893 p. 137 (al. ant. signaturis aureis permagnis).
2411. **Helvetica** Hein. 652; Hoffm. Stett. e. Z. 1893 p. 136.
2412. **Aurulentella** Stt. Zool. 1849, App. p. 40; HS. V p. 272; Nolck. Fn. II, 618; Hein.-Wek. 652; Snell. II, 1 p. 533; Meyr. 764.
2413. **Decimella** Stt. Cat. Suppl. 10; Wek. Stett. e. Z. 1864, 215.
2414. **Retinella** Z. Is. 1839, 205; L. E. II, 269; HS. V p. 273; Frey 190; Hein.-Wek. 653; Snell. II, 1 p. 534; Meyr. 765.
2415. **Fundella** F. R. 15, 4 p. 24; Tr. X, 3 p. 211; Dup. XI, 305, f. 6; Z. L. E. II p. 267; HS. V p. 273; Hein.-Wek. 653.
2416. **Cornella** F. S. E. 657, 8; Tr. IX, 2, 162, X, 3, 210; F. R. 15, 3 p. 23; Dup. XI, 305, 3; Z. L. E. II, 273; HS. V p. 274; Hein.-Wek. 653; Meyr. 764; Curvella Stph. Ill. IV, 250; Wd. 1302; Frey 198; Snell. II, 1 p. 531.
- Germ; Austr.; Ter;
Bat; Angl; Hal. or;
Hisp. s.
- Val.
- Pont.
- Angl.
- Eur. c; Liv; Dalm.
- Eur. c; It. c.
- Eur. c; Ross. s. oc. et
m. or; Gal. m; Sard;
It; Dalm; Bith.
- Eur. c; Ross. oc; It.
c. et s; Dalm.
- Uss. m.
- Eur. c.
- Gal. m.
- Sil; Helv; Gal; Liv;
Fen.
- Eur. c. et s; It. c;
Dalm; Bith.
- Fen.
- Helv; Fen.
- Eur. c. et s.
- Norv; Angl. (1).
- Eur. c; Ross. s. oc;
Ped; Hisp. s.
- Eur. c. (exc. Angl. et
Bat); Liv; Fen.
- Eur. c; Liv; Gal. m;
Ross. m. or.

2417. **Sorbiella** Tr. IX, 2. 160, X, 3. 210; F. R. 15, 2 p. 22; Z. L. E. II, 276; Dup. Sup. IV, 87, f. 9; HS. V p. 274; Frey 191; Hein.-Wck. 654; Meyr. 764.
2418. **Submontana** Frey Mitth. III (1870) p. 255; Hein.-Wck. 654 (praec. var.?).
2419. **Pygmaeella** Hb. 353; Tr. IX, 2. 159, X, 3. 209; F. R. 15, 1 p. 22; Z. L. E. II, 278; HS. V p. 274; Frey 193; Hein.-Wck. 655; Meyr. 764; *Semifasciella* Stph. Ill. IV, 252; Wd. 1308.
2420. **Goedartella** L. S. N. ed. X, 541; Hb. 133; Tr. IX, 2. 162; Dup. XI, 305, 8; Wd. 1307; Rtz. Forst.-Ins. II, 252; Z. L. E. II, 282; HS. V p. 274; Hein.-Wck. 655; Snell. II, 1 p. 532; Meyr. 764; *Aurivitella* Wd. 1311 [ab.]
a) ab. *Literella* Hw. 570; Wd. 1310 (al. ant. fasciis mediis costam non attingentibus).
2421. **Brockeella** Hb. 362 (262); Tr. IX, 2. 164; Dup. XI, 305, 7 p. 464; Z. L. E. II, 286; Wd. 1309; HS. V p. 275; Hein.-Wck. 656; Snell. II, 1 p. 533; Meyr. 763.
2422. **Huguenini** Frey Mitth. VI p. 369 (1882).
2423. **Andereggia** Dup. XI, 305, 9; F. R. 74, 2 p. 209; Z. L. E. II, 241; HS. V p. 275; Hein.-Wck. 656; Meyr. 763; *IV-ella* Hw. 570; Wd. 1313.
2424. **Trifasciata** Stgr. Cat. ed. II p. 425; Hein.-Wck. 657; Frey Lep. 385.
2425. **Dilectella** Z. L. E. II, 272; HS. 638, V p. 273; Frey Tin. 191; Hein.-Wck. 657; Snell. II, 1 p. 535; Meyr. 763.
2426. **Marmorata** Frey Lep. p. 384.
2427. **Praecoecella** Z. Is. 1839, 205; L. E. II, 290; HS. 687 (657), V p. 273; Hein.-Wck. 657; Meyr. 763.
2428. **Arceuthina** Z. Is. 1839, 205; L. E. II, 288, f. 6; HS. 688 (658), V p. 272; Hein.-Wck. 658; Snell. II, 1 p. 535; Meyr. 763.
2429. **Certella** Z. L. E. II, 289; HS. 686 (656), V p. 272; Frey 195; Hein.-Wck. 658.
2430. **Atmoriella** Bnks. Monthl. Mag. (2) VII, 1896 p. 25; Wlsghm. ib. X p. 142 (larv.); *Illuminatella* Wlsghm. ib. (1) XXX p. 50; Meyr. 763.
2431. **Illuminatella** Z. Is. 1839, 205; L. E. II, 291; Dup. XI, 305, 5; HS. 685 (655), V p. 272; Frey Tin. 195; Hein.-Wck. 658; Snell. II, 1 p. 536; *Bergiella* Rtz. Forst.-Ins. II, 246 t. 15, 4.
2432. **Glabratella** Z. L. E. II, 293; HS. V p. 272; Hein.-Wck. 658; ?*Oleaginella* Stndf. Bresl.e.Z. 1851 p. 60 [var.].
2433. **Amiantella** Z. L. E. II, 294; HS. V p. 272; Hein.-Wck. 659.
2434. **Laevigatella** HS. V p. 271; Frey 196; Hein.-Wck. 659.

289. **Cedestis** Z. 1839.

2435. **Gysselinella** Dup. XI, 305, 4 p. 461; *Gysseleniella* Z. Is. 1839 p. 205; F. R. 74, 3 p. 210; Z. L. E. II, 295; HS. V p. 279; Hein.-Wck. 646; Snell. II, 2 p. 538; Meyr. 761.
2436. **Farinatella** Dup. XI p. 473; Z. Is. 1839 p. 206; F. R. 74, 4 p. 211; Z. L. E. II, 296; HS. V p. 279; Frey 184; Hein.-Wck. 646; Snell. II, 2 p. 538; Meyr. 760; *Farinella* Dup. XI, 305, f. 11.

Eur. c; Ross. s. oc; It. c. et s.

Eur. c; Ross. c.

Eur. c. (exc. Bat.) ets;
Gal. m; Ped.

Eur. c. (exc. Bat.) ets;
Ross. m.or; Dalm.

Eur. c. ets; Ped; Gal.
m; Ross.m.or; Dalm.

Eur. c; Ped; Ross. oc.
et m. or.

Val.
Eur. c. (exc. Bat.);
Liv.

Val. •

Eur. c; Fen; Liv.

Val.
Eur. c. (exc. Bat.);
Ross. s. oc; And.
Eur. c; Hisp; It. c;
Dalm.

Germ. et Austr. mont;
Helv; Ross. s. oc.
Angl; Sil.

Eur. c. (exc. Brit.);
Dalm; Ross. oc;
Norv.

Alp; Germ. mont.

Austr. Alp; Germ. m.
oc; Sil. mont.

Germ. or; Alp; Bat.

290. Ocnerostoma Z. 1847.

2437. **Piniariella** Z. L. E. II, 299; Stt. I. B. 191; HS. 689-90 (659-60), V p. 283; Frey 197; Hein.-Wek. 660; Snell. II, 2 p. 540; Meyr. 760; Argentella Z. Is. 1839, 205.
 a) v. *Copiosella* Frey Tin. 197; Mittb. VI, 370; Hein. 660; Hering Stett. e. Z. 1893 p. 90 (major, griseascens).
- Eur. c; Ross. oc. et
?m. or: Gal. m.*
- Alp; Petrop.*

VII. Plutellidae.

A. Plutellinae.

291. Eidophasia Sph. 1842.

2438. **Messingiella** F. R. 68, 3 p. 193; HS. V p. 84; Stt. I. B. 66; Hein. 115; Meyr. 703.
 a) v. *Infuscata* Stgr. Hor. VII (1870), 238 (capite infuscato, fascia media extus indistincte cincta).
Eur. c. et s. (exc. Gal., Bat., reg. pol.); Dalm; Bith; Tura.
Graec.
2439. **Concinnella** Chr. Hor. XXII (1888) p. 313.
Cauc.
2440. **Syenitella** HS. 343, V p. 84. *And; Gal. m.; Hung. or; Dalm; Graec; Bith.*
2441. **Insulella** Wlsg. Monthl. Mag. 1900 p. 153.
Cors.
2442. **Tauricella** Stgr. Hor. XV (1880) p. 282.
Taur.

292. Plutella Schrk. 1802.

2443. **Hufnagelii** Z. Is. 1839, 188; HS. 344, V p. 84; Hein. 116.
Austr. inf; Hal; Carn; Sic; Dalm.
2444. **Porrectella** L. S. N. ed. X, 540; Tr. IX, 2, 27; Wd. 1546; Dup. XI, 293, 9; HS. V p. 107; Hein. 116; Snell. II, 2 p. 542; Meyr. 701; Hesperidella Hb. 169.
Eur. c. et s.; Gal. m.; Carn; Ped; Pont; Am. s.
2445. **Geniatella** Z. Is. 1839, 188; HS. 347, V p. 107; Frey 69; Hein. 117.
Alp; Gal. m.
2446. **Haasi** Stgr. Stett. e. Z. 1883 p. 183.
Norv; Tarb.
2447. **Maculipennis** Curt. Guide 186 (1831); Sph. p. 342; Wd. 1548; Wlsg. & Durr. Monthl. Mag. 1897 p. 173; Xylostella Hb. 119; Tr. IX, 2, 25; Wd. 1549; Dup. XI, 239, 10; Annulatellus Wd. 1547; (-a) HS. 350; Cruciferarum Z. Stett. e. Z. 1843, 281; HS. V p. 106; Hein. 117; Snell. II, 2 p. 542; Meyr. 702; Cicerella Rondani Bull. S. It. VIII p. 20, t. 1, f. 3-5.
Territ; Ins. Spitzbergen; ubique orbis terrar.
2448. **Annulatella** Curt. B. E. 420; Sph. Ill. IV, 342; Hein. 118; Meyr. 702; Horticola Tgstr. Bidr. 117; Z. z. b. V. 1868, 608.
 a) v. *Bicingulata* Z. Is. 1839, 188; HS. 349, V p. 107; Dup. XI, 306, 6; Hein. 118 (al. ant. brevioribus, albescentibus).
Germ. s; Alp; Brit; Scand.
2449. **Senilella** Zett. Ins. Lap. 1001; Wallgr. Tidskr. 1880 p. 57; Dalella Stt. Cat. 11; I. B. 69; HS. V p. 151; Hein. 118; Meyr. 702; Vitrella Hb. 164; Marmorosella Wek. Jhrb. Schles. Ges. 1849, 71; HS. 639; Septentrionum Stgr. Stett. e. Z. 1857, 275 [?ab.].
Ross. oc; Scand; Lap; Sil. mont.
2450. **Incarnatella** Steud. Stett. e. Z. 1873 p. 340; Hinneberg ib. 1894 p. 350.
Alp; Germ. or. mont; Angl; Scot; Scand; Lap; Isl.
- Austr; Germ. s; Helv; Gal.*

293. **Cerostoma** Latr. 1802.

2451. **Vittella** L. S. N. ed. X p. 264; Dup. XI, 293, 2, 6; HS. V p. 152; Hein. 120; Snell. II, 2 p. 552; Meyr. 701; Vitella Hb. 349; Wd. 1544; Z. Is. 1839, 188; HS. 392; Sisymbrella Tr. IX, 2, 88.
a) ab. *Carbonella* Hb. 421; *Maurellus* Stph. Ill. IV, 340; Wd. 1543 (al. ant. unicol. nigricantibus).
2452. **Amoenella** Chr. Bull. M. 1882, I p. 12.
2453. **Sequella** Cl. Ic. 10, 14; L. F. S. no. 1365; Hb. Vög. 77; Hb. 103; Wd. 1545; Tr. IX, 1. 229; Dup. XI, 285, 4, 293, 1; Z. Is. 1839, 188; HS. V p. 151; Hein. 121; Meyr. 701.
a) ab. *Leucophaea* Z. Is. 1839, 188; *Sequella* HS. 394 (al. ant. infuscatis).
2454. **Ephedrella** Chr. Hor. X p. 51, t. 1. f. 11 (1873).
2455. **Seniculella** Chr. Hor. IX p. 27, t. 2 A, f. 23; ib. X p. 51.
2456. **Satellitella** Stgr. Berl. e. Z. 1870, 293.
2457. **Excisella** Ld. z. b. V. 1855, 120, t. 2, f. 7.
2458. **Instabilella** Mn. z. b. V. 1866, 351, t. 1, f. 5-7; Stgr. Hor. XV, 284.
2459. **Nebulella** Stgr. Berl. e. Z. 1870, 294.
2460. **Trichonella** Mn. Wien. Mts. 1861, 189, t. 3, f. 5.
2461. **Semitessella** Mn. Wien. Mts. 1861, 188, t. 3, f. 6.
2462. **Albidorsella** Stgr. Hor. XV p. 287.
2463. **Albiramella** Mn. Wien. Mts. 1861, 188, t. 3, f. 7.
2464. **Sculpturella** HS. 598, V p. 151.
2465. **Manniella** Stgr. Hor. XV p. 288.
2466. **Radiatella** Don. Nat. Hist. III, t. 77, f. 3. 4 p. 14; Wd. 1539; Hein. 121; Snell. II, 2 p. 551; Meyr. 700; Variella Hb. 106; Wd. 1540; Fissella Hb. 108; Tr. X, 3. 187; Dup. XI, 293, 8; Wd. 1538; Z. Is. 1839, 188; HS. 376, 391, V p. 150; Lutarella Hb. 168; Byssinella Hb. 380; Fulvella Dup. XI, 292, 8; Rufimitterellus Wd. 1542.
2467. **Parenthesella** L. F. S. no. 1435; Wernb. Btr. I, 281; Snell. II, 2 p. 550; Costella F. S. E. 668. 10; Hb. 107; Tr. IX, 2. 17; Dup. XI, 292, 6. 7; Wd. 1537; HS. V p. 151; Meyr. 700; Ochrella Hb. Vög. 50; Fissella ♀ Dup. XI, 293, 7; Judeichiella Rtz. Wldv. t. 4, f. 6.
2468. **Coriacella** HS. V p. 151; Hein. 122.
2469. **Chazariella** Mn. z. b. V. 1866, 352, t. 1, f. 8.
2470. **Leuconotella** Snell. Tijds. XXVII (1884) p. 157, t. 8, f. 4, 4a.
2471. **Sylvella** L. S. N. ed. XII, 893; Hb. 420; Tr. IX, 2. 16; Dup. XI, 293, 3; Wd. 1541; HS. V p. 149; Hein. 123; Snell. II, 2 p. 550; Meyr. 700.
2472. **Lucella** F. S. E. 667, 4; Hein. 124; Snell. II, 2 p. 548; Meyr. 700; Antennella Hb. Vög. 91; Tr. IX, 2. 7; Wd. 1535; HS. V p. 149; Dup. XI, 292, 4; Mucronella Hb. 99 (♂ ignot.).
2473. **Alpella** Schiff. S. V. 135; F. Mant. II, 254, 6; Tr. IX, 2. 8; HS. 618-9, V p. 149; Hein. 123; Snell. II, 2 p. 549; Meyr. 700.

*Eur. (exc. reg. pol.);
Bith.**Amur.**Eur. c. et s. (exc. Bat.
et reg. pol.); Ped;
It. c.; Bith.**Pers; Tura.**Tura.**Srp.**Alt; Pont.**Arag; Dalm; As.
min; Tarb.**Srp.**Arag; Dalm; Pont; Tura.
Pont; Dalm.**Pers.**Srp; Pont; Tura.
Dalm; Pont.**Pont.**Eur. (exc. reg. pol. et
Graec.).**Eur. c. et s.; And;
Tura (var.).**Austr; Alsat; Sib.
Srp; Transsylv; Rum.
Amur.**Eur. (exc. reg., pol.
Ib., Graec.).**Eur. c; Liv; Suec;
Hisp; Dalm; Graec;
Ross. m. or.**Eur. c; Dalm; Bulg.*

2474. **Persicella** (S. V.) F. Mant. II, 255, 16; Hb. 100; Tr. IX, 2. 5; HS. V p. 149; Dup. XI, 292, 1; Hein. 124; Sulphurella Hb. Vög. 17. *Eur. c. m. et m; Bith; Arm.*
2475. **Asperella** L. F. S. no. 1447; Hb. 101, 329; Tr. IX, 2. 4; Dup. XI, 292, 2; Wd. 1534; HS. V p. 148; Hein. 124; Meyr. 699. *Eur. c. (exc. Bat.) et s. (exc. reg. pol.); Ped; It. c; Dalm; Bith; Sib.*
2476. **Falculella** Ersch. Hor. XII p. 343; Mém. Rom. VI p. 671, t. 16, f. 4. *Sib. or. (Irkutsk).*
2477. **Scabrella** L. F. S. no. 1446; Tr. IX, 2. 43; Wd. 1533; HS. 620, V p. 149; Frey 74; Hein. 125; Snell. II, 2 p. 548; Meyr. 699; Pterodactylella Hb. Vög. 86; Hb. 102. *Eur. c; Scand. m; Ross; Gal. m; It. c; Dalm.*
2478. **Horridella** Tr. X, 3. 191; Dup. XI, 292, 5; HS. 373, V p. 148; Hein. 125; Snell. II, 2 p. 547; Meyr. 699; Falcella Stph. Ill. IV, 335; Wd. 1532. *Eur. c; Liv; Suec; Gal. m; Syr.*
2479. **Nemorella** L. S. N. ed. X, 536; Thnbg. Diss. Ent. VII, 97, t. 4, 5; Wd. 1530; HS. V p. 149; Hein. 126; Snell. II, 2 p. 546; Meyr. 699; Hamella Hb. 282; Frr. B. 24, 2; Tr. IX, 2. 40; Dup. XI, 295, 4. *Eur. c; Cur; Liv; Suec; Ped; It. c.*
2480. **Blandella** Chr. Bull. M. 1882, I p. 14. *Uss. m.*
2481. **Falcella** (S. V.) Hb. 112; Frr. B. 24, 1; Tr. IX, 2. 39; Dup. XI, 295, 2; HS. V p. 50; Frey 76; Hein. 126. *Germ; Helv; Austr; Ross. oc; Suec. m; Gal. m.*
2482. **Xylostella** L. S. N. ed. XII, 890 no. 389; Hein. 126; Snell. II, 2 p. 546; Meyr. 698; Harpella Schiff. S. V. 136; Hb. Vög. 89; Hb. 110; Tr. IX, 2. 37; HS. V p. 150; Dup. XI, 295, 3; Dentella F. S. E. 667, 2; Wd. 1531. *Eur. c. et s; It. s. et c; Dalm; Arm.*
a) v. *Pallescentella* Stgr. Iris V p. 392 (al. ant. dilutioribus, coriacéis).
2483. **Affinitella** Stgr. Iris V p. 392. *Graec.*
Uss; Mong.

294. Theristis Hb. 1818.

2484. **Mucronella** Sc. Ent. Carn. no. 643; Snell. II, 2 p. 553; Caudella L. S. N. ed. XII, 894: Hein. 127; Meyr. 698; Cultrella Hb. 109; Tr. IX, 2. 41; Dup. XI, 295, 5-7; Acinacidella Hb. 237; Stph. Ill. IV, 333, t. 40, f. 1; Wd. 1529. *Eur. c. et m; Ross. s. oc; Suec. m; Bith.*

295. Paraplutella Rbl. 1900.

2485. **Algiricella** (B.-Haas i. l.) Rbl. Iris XIII p. 164. *Maur.*

B. Orthotaeliinae.

296. Orthotaelia (r. -telia) Stph. 1834.

2486. **Sparganella** Thnbg. Diss. Ent. VII, 95; Snell. II, 2 p. 559; Meyr. 697; Sparganiella Tr. IX, 1, 261, X, 3. 185; Dup. XI, 261, 7-9; Z. Is. 1839, 195; Hein. 129; Venosa Stph. Ill. IV, 195, t. 35, f. 3; Wd. 1162; Tostella Hb. 456. *Eur. c; Liv; Suec; Ped; Ross. m. or.*

VIII. Gelechiidae.**A. Gelechiinae.****297. Metzneria** ✓ Z. 1839 (Parasia Dup.).

2487. **Paucipunctella** Z. Is. 1839, 202; HS. 557, V p. 206; Gartn. Wien. Mts. 1864 p. 31 (biol.); Hein. 291; **Intestinella** Mn. Wien. Mts. 1864 p. 187, t. 4, f. 15 [ab. obscur.]. *Eur. c. (exc. Angl. et Bat.) em; Liv; Fen; As. min; Tura.*
2488. **Tristella** (B.-Haas i. l.) Rbl. Iris XIII p. 164. *Arag.*
2489. **Castiliella** Möschl. Berl. e. Z. 1866, 142. *And; Lusit.*
2490. **Torridella** Mn. Wien. Mts. 1859, 174. *Cors; Sic; Dalm; Bith.*
2491. **Lappella** L. S. N. ed. X, 537; Loew Stett. e. Z. 1841 t. 1, f. 19-21, 1842, 257; Z. ib. 259; HS. V p. 206; Hein. 292; Snell. II, 2 p. 693; Meyr. 571; Silacella Wd. 1236; Aestivella HS. 559. *Eur. (exc. reg. pol. et Graec.); As. oc.*
2492. **Obsolete** Chr. Hor. XXII p. 313 (1888). *Tura.*
2493. **Torosulella** Rbl. Stett. e. Z. 1893 p. 49; Iris XI t. 1, f. 11. *Arag.*
2494. **Aspretella** Ld. Hor. VI (1869) p. 92, t. 5. f. 13. *Hyrc.*
2495. ? **Litigiosella** Mill. Natural. 1879 no. 18 p. 139; Ann. Sc. Nat. Cannes 1880 t. 8, f. 1. *Gal. m.*
2496. **Carlinella** Stt. Cat. Sup. 5; I. B. 141, t. 4, f. 6, t. 10, f. 13; HS. V p. 207; Hein. 292; Snell. II, 2 p. 694; Meyr. 571; Aestivella HS. 558. *Eur. c; Dalm; ?Graec.*
2497. **Metzneriella** Stt. Cat. Sup. 5; I. B. 141; HS. V p. 206; Hein. 293; Meyr. 570; Paucipunctella Dgl. Tr. E. S. Lond. I, 14. *Angl; Belg; Germ; Austr; Carn; Srp.*
2498. **Aprilella** HS. 963, V p. 207. *Austr. inf; Val; Srp; As. min. s. et c.*
2499. **Inflammella** Chr. Bull. M. 1882, I p. 26. *Amur.*
2500. **Selaginella** Mn. z. b. V. 1855, 565. *Cors; Dalm. (Mn.).*
2501. **Eatoni** Wlsghm. Monthl. Mag. 1899 p. 183. *And; Maur.*
2502. **Agraphella** Rag. Bull. S. Fr. 1895 p. 106. *Taur. m.*
2503. **Neuropterella** Z. Is. 1839, 202; Dup. Sup. IV, 72, 1; Dgl. Tr. E. S. Lond. I, 15; HS. 556, V p. 207; Hein. 293; Z. Stett. e. Z. 1878 p. 145; Meyr. 570. *Eur. c. (exc. Bat.); Ross. oc; It. s; Dalm; Graec.*
2504. **Igneella** Tgstr. Anm. 183; Nolek. Fn. II p. 587; Z. Stett. e. Z. 1878 p. 145. *Ross. s. oc. et m. or.*
2505. **Albiramosella** Chr. Mém. Rom. II p. 159, t. 8, f. 9 a, b. *Tura.*

298. Chelaria ✓ Hw. 1829.

2506. **Hübnerella** Don. Nat. Hist. XI, t. 382, 2; Hein. 294; Snell. II, 2 p. 695; Meyr. 610; **Conscriptella** Hb. 283; **Rhomboidella** Curt. B. E. VIII, 368; Wd. 1235; Dup. XI, 299, 10. *Eur. c; Ross. s. oc.*

299. Psoricoptera ✓ Stt. 1854.

2507. **Gibbosella** Z. Is. 1839, 202; HS. 470, V p. 165; Frey 184; Hein. 192; Snell. II, 2 p. 610; Meyr. 605. *Eur. c; Gal. m; Liv; Srp.*
2508. ? **Speciosella** Teich Stett. e. Z. 1892 p. 358 (uno spec. cond.). *Liv.*

300. *Platyedra* Meyr. 1895.

2509. *Vilella* Z. Is. 1847, 845; HS. 532, V p. 176; Stt. I. B. 105; Hein. 194; Meyr. 605; *Argillorella* HS. 514.

Eur. m; Angl; Belg;
Germ. m. et s. oc;
Austr; As. oc; Maur.

301. *Bryotropha* Hein. 1870.

2510. *Terrella* (S. V.) Hb. 170; Tr. IX, 2. 77; Dup. XI, 296, 7. 8; Z. Is. 1839, 199; F. R. 80, 1. 96, l. p. 227; HS. V p. 173; Hein. 235; Snell. II, 2 p. 643; Meyr. 590; *Inulella* Hb. 286; *Zephyrella* Tr. IX, 1. 241; ?*Latella* HS. 513, V p. 174; Hein. 234 [ab. al. latioribus?].

Eur. (exc. reg. pol.);
Bith; Pont.

- a) v. ?*Alpicolella* Hein. 235 (multo dilutior).
2511. *Decrepidella* HS. 508, 533, V p. 177; (-tella) Hein. 236; Fuchs Stett. e. Z. 1881 p. 457 (praec. var.?).

Alp. Austr.
Germ; Austr; Gal;
Suec.

- a) v. (ab.) *Lutescens* Const. Ann. S. Fr. 1865 p. 196, t. 7, f. 12; Hein. 237; Z. Stett. e. Z. 1878 p. 137 (al. ant. lutescentibus).

2512. *Figulella* Stgr. Stett. e. Z. 1859, 242; Barr. Monthl. Mag. 1893 p. 158; Meyr. 590; *Capnella* Const. Ann. S. Fr. 1865 p. 196, t. 7, f. 13.

And; Gal. m; Angl;
Graec; ?Maur.

2513. *Desertella* Dgl. Tr. E. S. Lond. I, 62; Stt. I. B. 113; HS. VI p. 164; Hein. 238; Snell. II, 2 p. 644; Meyr. 590.

Germ; Belg; Bat;
Angl; Liv; Sic.

Liv.

2514. *Brevipalpella* Rbl. Stett. e. Z. 1893 p. 47.

Eur. m; Maur.

2515. *Plebejella* Z. Is. 1847, 850; HS. 481, V p. 174; Hein. 237.

And; Gal. m.

2516. *Imperitella* Stgr. Stett. e. Z. 1859, 242.

Pont.

2517. *Indignella* Stgr. Hor. XV p. 308.

Germ.

2518. *Ciliatella* HS. 590, V p. 174.

Angl; ?Gal. m.

2519. *Politella* Stt. Cat. Sup. 4; I. B. 113; HS. V p. 159; VI p. 164; Meyr. 590; ?*Damonella* Mill. Cat. rais. p. 328.

Eur. c. et s.

2520. *Senectella* Z. Is. 1839, 199; Stt. I. B. 114; HS. 507, V p. 174; Frey 115; Hein. 238; Snell. II, 2 p. 644; Meyr. 589; ?*Minorella* Hein. 240.

Germ; Austr; Angl;
Liv.

Germ. s. oc.

- a) v. *Obscurella* Hein. 239; Nolek. Fn. II p. 555; Meyr. 589 (obscurior, inconstans).

Saraw.

2521. ?*Glabrella* Hein. 239 (praec. var.?).

Ross. s. oc.

2522. *Glebicolorella* Ersch. Fedtsch. p. 101, t. 6, f. 114.

Germ. s; Ross. s. oc.

2523. *Plantariella* Tgstr. Bidr. 128; Nolek. Fn. II p. 556; ?*Flavipalpella* Tgstr. Bidr. 127; Nolek. l. c. [spec. diversa?].

Angl; Germ.

2524. *Cinerosella* Tgstr. Bidr. 129; Hein. 241; Nolek. Fn. II p. 558; ?*Serrulatella* Tgstr. Bidr. 128.

Angl; Germ.

2525. *Mundella* Dgl. Tr. E. S. Lond. I, 64; Stt. I. B. 115; HS. 575, V p. 177; Hein. 241; Meyr. 589; *Portlandicella* Richardson Monthl. Mag. 1890 p. 29.

Helv.

2526. *Tectella* HS. V p. 182; Hein. 240.

Angl; Bat; Ross. s.

2527. *Similis* Stt. I. B. 115; Man. II, 334; Snell. II, 2 p. 646; Meyr. 589; Bnks. Monthl. Mag. 1898 p. 196; *Obscure-*

oc.

- a) v. *Confinis* Stt. Ann. f. 1871 p. 98; *Stolidella* Gregson Morris Brit. Moths t. 108, f. 1 (v. aterrima).

Angl; Bat; Ross. s.

2528. *Fuliginosella* Snell. II, 2 p. 645.

oc.

2529. *Thuleella* Stgr. Stett. e. Z. 1857, 276.

Isl.

2530. **Umbrosella** Z. Is. 1839, 201; HS. V p. 176; Dup. Sup. IV, 74, 10; Hein. 242; Snell. II, 2 p. 647; Meyr. 588.
2531. **Affinis** Dgl. Tr. E. S. Lond. I, 17; Stt. Nat. Hist. IX, 150, t. 5, f. 2; Hein. 241; Snell. II, 2 p. 648; Meyr. 589. *Tegulella* HS. V p. 182.
2532. **Scabra** Stgr. Hor. VII, 1870, 254.
2533. **Domestica** Hw. Lep. Br. 551; Wd. 1203; Stt. Nat. Hist. IX, 140, t. 5, f. 1; HS. 577; V p. 181; Hein. 243; Meyr. 588.
2534. **Dryadella** Z. Stett. e. Z. 1850, 152; HS. 566, V p. 181; *Phoebusella* Mill. Cat. rais. p. 328 (a praeced. vix satis distincta).
2535. **Basaltilinella** Z. Is. 1839, 198; Stt. I. B. 116; HS. 506, V p. 180; Hein. 243; Snell. II, 2 p. 649; Meyr. 588.
- Eur. c; It. c. et s.*
Eur. c; Ross. s. oc;
Ped; Syr.
2536. **Solitaria** Stgr. Hor. XV (1880) p. 310.
- Graec.*
Germ.oc; Angl; Hisp;
Istr; Syr; Mad.
- Eur.m; Hung; Bith.*
Eur. c; Gal. m.

302. **Pogochaetia** Stgr. 1880.

2536. **Solitaria** Stgr. Hor. XV (1880) p. 310.

Pont.

303. **Gelechia** (Hb. 1818) Z.

2537. **Fulminella** Mill. Ann. S. Lyon. 1883 p. 161, t. 2, f. 4.
2538. **Pinguinella** Tr. IX, 1. 244; Dup. XI, 296, 10, 11; Frey 100; Hein. 195; Meyr. 600; *Populella* Hb. 21; *Turpellula* HS. V p. 182; Snell. II, 2 p. 629.
2539. **Nigra** Hw. Lep. Br. 550; Hein. 196; Snell. II, 2 p. 630; Meyr. 599; *Cautella* Z. Is. 1839, 200; HS. 509, V p. 182; Dup. Sup. IV, 84, 12; *Hortuella* Wd. 1189.
2540. **Reuttiella** Hein. 196; *Syrticola* Stgr. Berl. e. Z. 1870, 304.
2541. **Muscosella** Z. Is. 1839, 197; HS. 586, V p. 183; Hein. 197; Meyr. 599.
2542. **Cuneatella** Dgl. Tr. E. S. Lond. I, 242; HS. 531, V p. 164; Hein. 197; Meyr. 599.
2543. **Rhombella** Schiff. S. V. 139; Hb. 277; Tr. IX, 2. 93; Dup. XI, 297, 7; HS. 479, V p. 170; Hein. 198; Snell. II, 2 p. 634; Meyr. 601.
2544. **Rhombelliformis** Stgr. Berl. e. Z. 1870, 303; Rbl. z. b. V. 1889, p. 311.
2545. **Hippophaëlla** Schrk. Fn. B. II, 115; Stt. Nat. Hist. IX, 34, t. 1, f. 3; Hein. 198; Snell. Tijds. XXXII p. 59; Meyr. 600; *Basipunctella* HS. 530, V p. 164.
2546. **Acupediella** Frey Mitth. III (1870) p. 250; Lep. 357.
2547. **Basiguttella** Hein. 199; Const. Ann. S. Fr. 1883 p. 16 (larv.); *?Albicans* Hein. 199; Snell. Tijds. XXXII p. 61.
2548. **Tragicella** Heyd. Stett. e. Z. 1865, 380; Hein. 199; Schütze Stett. e. Z. 1897 p. 302; *Libidinosa* Stgr. Berl. e. Z. 1870, 229.
2549. **Nigristrigella** Wck. Iris X p. 374.
2550. **Incomptella** HS. 536, V p. 178; Hein. 201; *Turbidella* Nolck. Fn. II p. 561; Hoffm. Stett. e. Z. 1893 p. 138.
2551. **Tephriditella** Dup. Sup. IV, 84, 11; HS. 517-8, V p. 178; Hein. 200; Snell. II, 2 p. 634.
- Gal. m.*
Eur. c. et m; Liv;
Suec.
- Eur. c; Liv; Suec;*
Srp.
- Germ. m. oc.*
- Eur. c. (exc. Bat.);*
Ross. s. oc.
- Germ; Austr; Styr;*
Angl; Liv.
- Eur. c; Ross. oc. et*
m. or; Ped.
- Germ; Austr. inf;*
Srp.
- Eur. c. (exc. Helv.).*
- Helv; Ter.*
- Sil; Austr. inf; Val;*
Gal.
- Alp; Sax. or.*
- Alp. Car.*
- Germ; Ross. s. oc.*
- Germ. m. or; Austr.-*
Hung; Bat; Gal. m.

2552. ?**Algeriella** Baker Monthl. Mag. XXIV p. 255.
2553. **Spurcella** HS. 538, V p. 179; Hein. 201; Hofm. Stett. e. Z. 1871 p. 219.
2554. **Vepretella** Z. Stett. e. Z. 1871 p. 64; Rbl. z. b. V. 1889 p. 312, t. 8, f. 6.
2555. ?**Superfetella** Peyer Pet. Nouv. 1877 p. 102; Fettig Cat. Als. 1882 p. 116.
2556. **Hungariae** Stgr. Berl. e. Z. 1870, 300.
2557. ?**Suspectella** Hein. 202 (uno spec. condit.!).
2558. **Holosericella** HS. V p. 176; Frey 116; Lep. 364; Hein. 202; Cognatella Hein. 218; Z. Stett. e. Z. 1878 p. 134.
2559. **Distinctella** Z. Is. 1839, 199; F. R. 80, 2 p. 229; HS. V p. 173; Hein. 203; Snell. II, 2 p. 633; Meyr. 601; Fumatarella Dgl. Tr. E. S. I p. 67; Stt. Man. II. 331; HS. VI p. 164; Snell. II, 2 p. 632; Celerella Stt. Cat. Sup. 5; ?Striolatella Hein. 204; ?Praecclarella Hein. (non HS.) 204; TenebroSELLA Teich Stett. e. Z. 1886 p. 170; ?Tristella Teich Fn. Balt. p. 108 (spec. valde variab.).
- a) v. *Indistinctella* (B.-Haas i. l.) Rbl., abdomen dilutiore, griseescenti.
2560. ?**Albifaciella** Hein. 205.
2561. ?**Farinosa** Teich Natur. Ver. Riga XLII (1899) p. 75.
2562. **Oppletella** HS. 582, V p. 180; VI p. 164; Hein. 206; Z. Stett. e. Z. 1878 p. 132; Hering ib. 1891 p. 168; 1893 p. 94; Nigricans Hein. 205.
2563. **Pallipalpella** Snell. Tijds. XXVII (1884) p. 167, t. 9, f. 2, 2 a.
2564. **Praecclarella** HS. V p. 177; Frey Tin. 117; Terrestrella Z. Stett. e. Z. 1872 p. 111; 1878 p. 133; Frey Lep. 357.
2565. **Ochripalpella** Frey Lep. 358.
2566. **ConspurcateLLA** Hein. 206.
2567. ?**Confusella** Hein. 207.
2568. **Scotinella** HS. 505, V p. 181; Frey 110; Hein. 207; Meyr. 600; ?Kiesenwetteri Heuäcker Stett. e. Z. 1873 p. 94, 245.
2569. **Ruptella** Const. Ann. S. Fr. 1865, 192, t. 7, f. 6.
2570. **Sororeculella** Hb. 440; Tr. IX, 2. 238; Frr. 108, 3!; HS. V p. 183; Frey 110; Hein. 208; Snell. II, 2 p. 630; Meyr. 600.
2571. **Longipalpella** Teich Natur. Ver. Riga XLII, 1899 p. 75.
2572. **Flavicomedella** Z. Is. 1839, 198; HS. 516, V p. 179; Dup. IV, 85, 9; Stt. Nat. Hist. IX, 74, t. 3, f. 1; Hein. 208.
2573. **Velocella** Dup. XI, 297, 3; F. R. 77, 4 p. 222; HS. V p. 179; Hein. 209; Snell. II, 2 p. 631; Meyr. 602; Subsequella Tr. IX, 2. 83; Nebulea Stph. Ill. IV, 206; Wd. 1191; ab. Aterrimella Rbl. z. b. V. 1889 p. 312, t. 8, f. 6 [ab.] (spec. valde varians).
- a) v. *Brunnea* Schöyen Troms. Mus. Aars. V, 1882 p. 53; Wck. Forh. Vid. Sels. Christ. 1893 p. 51 (brunnescens).
2574. **Pascuicola** Stgr. Berl. e. Z. 1870 p. 301.
2575. **Astragali** Stgr. Hor. XV p. 304.
2576. **Decolorella** Hein. 209; ?Z. Is. 1839 p. 190.
2577. **Ignorantella** HS. 510, V p. 180; VI p. 164; Hein. 210; Ochrisignella Nolek. Fn. II p. 548; Z. Stett. e. Z. 1881 p. 116; Hering ib. 1891 p. 170; 1893 p. 96.
- Maur.*
Germ.m; Austr; Gal;
Lusit; Bith; Pont.
- Germ. s; Austr;*
Hung; Hal; Cors.
- Alsat.*
- Hung.*
- Germ. c.*
- Helv.or. et Austr. Alp.*
- Eur. (exc. reg. pol.);*
Bith; Tura.
- Maur.*
- Germ. c.*
- Liv.*
- Germ; Vind; Helv.*
- Amur.*
- Alp.*
- Alp. (Helv; Ter; Austr. inf.).*
- Germ. s. oc.*
- Germ. s. oc.*
- Germ; Belg; Angl;*
Helv; Austr; Hal;
Croat; Dalm.
- Gal. m.*
- Eur. c; Fen; Liv;*
Suec.
- Liv.*
- Germ; Austr; Hal;*
Croat; Gal.
- Eur; Bith.*
- Norr.*
- Hispc.*
- And; As. min; Pers.*
- Austr., Carn., Ter. Alp.*
- Germ. s; Liv.*

2578. **Peliella** Tr. X, 3. 198; Dup. XI, 297, 11; Z. Is. 1839, 199; Dgl. Tr. E. S. Lond. V, 200; Stt. Nat. Hist. IX, 160, t. 4, f. 1; HS. 484, V p. 179; Hein. 211; Snell. II, 2 p. 639; Durr. Monthl. Mag. 1896 p. 248.
2579. **Suppelrella** Wlsghm. Monthl. Mag. 1896 p. 250; 1897 p. 103; Bnks. ib. 101; Snell. Tijds. XL (1897) p. 351; Peliella Meyr. 602.
2580. **Ericetella** Hb. 470 (!); Stt. Nat. Hist. IX, 84, t. 3, f. 2; Frey 101; Hein. 211; Snell. II, 2 p. 636; Meyr. 603; Betulea Hw. 549; Wd. 1191; Gallinella Tr. IX, 2. 79; Dup. XI, 296, 9; HS. 585, V p. 182; Z. z. b. V. 1873 p. 285; ? Simplicella Hein. 213.
2581. **Infernalis** HS. 584; Hein. 212; Wck. Stett. e. Z. 1862 p. 234; Snell. II, 2 p. 635; Infernella HS. V p. 177; Violacea Tgstr. Bidr. 125.
2582. **Fuscantella** Hein. 213.
2583. **Lentiginosella** Z. Is. 1839, 198; F. R. 80, 3 p. 230; Stt. Nat. Hist. IX, 64, t. 2, f. 3; HS. V p. 179; Frey 101; Hein. 213; Meyr. 603.
2584. **Plutelliformis** Stgr. Stett. e. Z. 1859, 239; Olbiaëlla Mill. Ic. I p. 193, t. 21, f. 1-6; Siewersiellus Chr. Stett. e. Z. 1867, 239; Sieversi Stgr. Berl. e. Z. 1870 p. 309 [ab.].
2585. **Rumicivorella** Mill. Ann. Sc. Cannes 1880 p. 11, t. 10, f. 13; Ann. S. Fr. 1885 p. 120, t. 2, f. 14, 15.
2586. **Mulinella** Z. Is. 1839, 199; Stt. Nat. Hist. IX, 96, t. 3, f. 3; HS. 588-9, V p. 187; Hein. 214; Snell. II, 2 p. 637; Meyr. 603; Interruptella Stph. Ill. IV, 214; Wd. 1226.
2587. **Interruptella** Hb. Vög. 88; Tin. 116; Dup. XI, 312, 12; HS. V p. 188; Hein. 215; Snell. II, 2 p. 637.
2588. **Petasitis** Pfaffenzeller Stett. e. Z. 1867, 79; Hofm. ib. p. 201; Petasitella Stgr. ib. p. 211; Petasitae Hein. 215; Z. Stett. e. Z. 1878 p. 132.
2589. **Lutilabrella** Mn. Wien. Mts. 1857, 179; Hein. 215.
2590. **Monochromella** Const. Bull. S. Fr. 1895 p. 52 (syn. praec.?).
2591. ? **Bergiella** Teich Stett. e. Z. 1886 p. 170.
2592. **Aristotelis** Mill. Ann. S. Cannes 1875 t. 1, f. 1, 2; Cat. rais. p. 324.
2593. **Malvella** Hb. 281; F. R. 46 p. 121; Dup. XI, 269, 6; HS. V p. 175; Hein. 216; Meyr. 602.
2594. **Galbanella** Z. Is. 1839, 200; HS. 515, V p. 173; Frey 116; Hein. 216; Snell. II, 2 p. 640; Meyr. 602; Angustella Hein. 217.
2595. **Ilmatariella** Hoffm. Stett. e. Z. 1893 p. 138.
2596. **Boreella** Dgl. Tr. E. S. Lond. I, 105; Hein. 217; Meyr. 602.
2597. **Continuella** Z. Is. 1839, 198; HS. 512, V p. 180; Hein. 219; Snell. II, 2 p. 639; Trimaculella Pack. Labr. p. 61; Möschl. Stett. e. Z. 1870 p. 375.
- a) v. **Nebulosella** Hein. 218; Z. Stett. e. Z. 1872 p. 107 (v. major, al. ant. magis albo-signatis).
2598. **Discontinuella** Rbl. z. b. V. 1899 p. 178.
2599. **Perpetuella** HS. 511, V p. 180; Hein. 219; Z. Stett. e. Z. 1878 p. 135.
2600. **Interalbicella** HS. V p. 187; n. Schm. 44; Frey 104; Hein. 221.
2601. **Tarandella** Wck. Stett. e. Z. 1864, 212.
- Eur. c. (exc. Angl.); Suec; Ross. s. oc. et m. or; Ped; It. c.; Sard; Cors; Hisp. Angl; Bat; Germ.*
- Eur; Bith.*
- Germ; Alp; Bat; Scand; Fen; Hisp. s.*
- Bith; Cauc.*
- Eur. c. (exc. Bat.); Gal. m; Ross. s. oc. et m. or; Dalm; Arm. Gal. m; And; Can; Srp; Pont; Syr; Tura.*
- Gal. m.*
- Germ; Belg; Bat; Angl; Gal. m; Hisp.*
- Germ; Austr; Bat; Gal; Cast.*
- Alp.*
- Hung. lit; Dalm.*
- Gal. m.*
- Liv.*
- Gal. m.*
- Eur.c. (exc.Bat.) et m.*
- Eur. c. et s.*
- Fen.*
- Germ. s; Angl; Fen.*
- Germ. c. et s; Bat; Ross. oc; Scand; Labr.*
- Alp.*
- Ter.*
- Alp; Hung. mont.*
- Alp; Gal. m; Cors.*
- Norv. alp.*

2602. **Melantypella** Mn. z. b. V. 1877 p. 498. *Ter. m.*
2603. **Solutella** Z. Is. 1839, 199; Dup. Sup. IV, 73, 2. 75, 14; HS. 519-20, 537, V p. 175; Hein. 219; Snell. II, 2 p. 642; Meyr. 601. *Eur. c. et m.; Bith.*
- a) v. (ab.) *Pribitzeri* Rbl. z. b. V. 1889 p. 313, t. 8, f. 8, 9 (al. ant. caerulescent.). *Austr. inf; Hung.*
2604. **Virgella** Thnbg. Diss. Ent. VII, 92; Zett. Ins. Lapp. 998; *Longicornis* Curt. B. E. IV, 189; Wd. 1198; Hein. 220; Meyr. 603; *Histrionella* Hb. 464; Dup. XI, 297, 1, 2; *Zebrella* Tr. IX, 2. 82; HS. V p. 187. *Eur. s; Germ.; Alp.; Angl.; Gal.; It. c. et s.; Bith.*
- a) v. *Alpicola* Frey Mitth. II p. 299; Z. Stett. e. Z. 1878 p. 135 (minor, intensius picta). *Alp.*
2605. **Perspersella** Wck. Stett. e. Z. 1862, 236; Teich Stett. e. Z. 1892 p. 359. *Lap; Norv; Liv.*
2606. **Elatella** HS. 499, V p. 168; Frey Tin. 103; Hein. 221. *Alp.*
2607. **Rosalbella** Fologne Ann. S. Belg. 1862, 167, t. 2, f. 3; Hein. 224. *Belg; Germ. c. oc.*
2608. **Albifemorella** Hofm. Stett. e. Z. 1867, 204; Z. Stett. e. Z. 1868, 141; Hein. 222. *Alp. or.*
2609. **Dzieduszykii** Now. M. S. N. p. 20, t. 1, f. 4; Rbl. z. b. V. 1889 p. 315; *Melaleucella* Const. Ann. S. Fr. 1865, 197, t. 7, t. 14a, b; Hein. 223; *Mariae* Frey Mitth. II p. 302. *Alp; Hung. mont; Balc.*
2610. **Cinctipunctella** Ersch. Hor. XII p. 344; Mém. Rom. VI t. 16, f 7. *Amur.*
2611. **Diffinis** Hw. Lep. Br. 551; Hein. 224; Snell. II, 2 p. 641; Meyr. 601; *Dissimilella* Tr. IX, 2. 80; Dup. XI, 297, 4; *Scabidella* Z. Is. 1839, 199; HS. 568, V p. 167; *?Bagriotella* Dup. XI, 312, 2 p. 608. *Eur. (exc. Graec.).*
2612. **Terebinthinella** HS. 597; Stgr. Hor. XV, 307; Rbl. z. b. V. 1891 p. 629. *Dalm; Bulg; Bith; Pont.*
2613. **Electella** Z. Is. 1839, 198; Dup. IX, 298, 1; HS. 504, V p. 166; Hein. 226; Hering Stett. e. Z. 1893 p. 98 [ab.]; Snell. Tijds. XL, 353. *Eur. c. (exc. Angl.); Ross. oc.*
2614. **Istrella** Mn. z. b. V. 1866, 354, t. 1, f. 9. *Rum. or.*
2615. **Scalella** Sc. Ent. Carn. no. 654; Hein. 226; Snell. II, 2 p. 649; Meyr. 584; *Alternella* Hb. 151; Wd. 1229; *Bicolorella* Tr. IX, 1. 233; Dup. XI, 298, 4; *Aleella* F. E. S. III, 2 p. 317, no. 136; HS. V p. 165. *Eur. (exc. reg. pol. et Graec.); Bith.*
2616. **Ferarella** Z. Stett. e. Z. 1872 p. 110. *Helv; Austr. sup.*
2617. **Lugubrella** F. E. S. III, 2. 299, 54; HS. V p. 187; Frey 122; Hein. 227; *Luctificella* Hb. 312; *Lunatella* Zett. Ins. Lap. 1005. *Germ; Alp; Ross. oc; Scand; Lap; Kamt.*
2618. **Viduella** F. E. S. III, 2. 299, 53; Thnbg. Diss. Ent. VII, 103, t. 4, f. 9; Hein. 227; *Leucomella* Quens. in Acerbi II p. 254, t. 3, f. 2; *Luctuella* Dup. XI, 298, 9; Frey 122; *Luctiferella* HS. n. Schm. 42; *?Labradoriella* Clem. Proc. Ent. Soc. Philad. II, 1863 p. 12. *Eur. s; Germ. et Hung. mont; Alp; ?Labr.*
2619. **Trauniella** Z. Stett. e. Z. 1868, 147; Hein. 271. *Car. m.*
2620. **Luctuella** Hb. Vög. 5, ?Tin. 144; Hein. 228; Rbl. z. b. V. 1899 p. 179; *Sauteriella* Z. z. b. V. 1868, 612. *Germ. s. or. et m. oc; Alp; Liv; Fen. s.*
2621. **Tessella** Hb. Vög. 3 (1793); *Quadrella* F. E. S. III, 2. 298, 51 (1794); HS. V p. 166; Hein. 228; *Scopolella* Hb. 145; Tr. IX, 2. 102; *Funestella* Hb. 466; Dup. XI, 312, 9. *Germ. m; Austr; Alp. (m.); Suec; Hung; It. c; Dalm.*
2622. **Magnetella** Stgr. Berl. e. Z. 1870, 310. *Bith; Lyd; Arm.*

2623. **Maculatella** Hb. 162 (Subsequella); HS. V p. 185; Hein. 229; Stt. Nat. Hist. IX p. 228, t. 7, f. 3.
 2624. **Cytisella** Tr. IX, 2. 99; HS. 491, V p. 186; *Cythisella* Hein. 229.
 2625. **Rhodoptera** Mn. z. b. V. 1866, 353, t. 1, f. 10; Stgr. Hor. VII, 253.

Germ; Austr; Helv;
Ped; Hung. m. or.
Germ; Austro-Hung;
It. s; Gal. m; Cors.
Rum; Graec.

(Lita Tr.)

2626. **Singula** Stgr. Stett. e. Z. 1876 p. 145.
 2627. **Streliciella** HS. 495, V p. 171; Snell. II, 2 p. 650; *Strelitzia* Hein. 245.
 2628. **Valesiella** Stgr. Stett. e. Z. 1877 p. 205; Rbl. z. b. V. 1899 p. 179.
 2629. **Steudeliella** Frey Lep. 363.
 2630. **Inustella** HS. 498, V p. 171; Hein. 246.
 2631. **Ustulatella** Stgr. Berl. e. Z. 1870, 307.
 2632. **Psilella** HS. 496, V p. 171; Hein. 247; ?*Herbichii* Now. M. S. N. p. 17, t. 1, f. 6.
 2633. **Helotella** Stgr. Stett. e. Z. 1859, 240.
 2634. **Gallicella** Const. Ann. S. Fr. 1884 p. 253, t. 10, f. 14.
 2635. **Epithymella** Stgr. Stett. e. Z. 1859, 242; Mill. Ic. 149, f. 8-10.
 2636. **Solanella** B. (Rag.) Bull. S. Fr. 1875 p. 35; Rbl. Ann. Naturh. Hofmus. VII p. 274; ib. IX p. 89; Insect Life IV p. 239; Wight ib. V p. 163; *Tabacella* Rag. Bull. S. Fr. 1879 p. 147; Olivier ib. 1885 p. 111.
 2637. **Thymifoliella** Const. Ann. S. Fr. 1893 g. 394, t. 11, f. 5.
 2638. **Submissella** Stt. Ann. & Mag. (3) III, 1859, p. 212; Wlsglm. Monthl. Mag. 1891 p. 145.
 2639. **Artemisiella** Tr. IX, 2. 97 (exc. larv.); F. R. 30, 2 p. 53; Dup. XI, 298, 3; Stt. Nat. Hist. IX, 208, t. 7, f. 1; HS. V p. 172; Hein. 248; Snell. II, 2 p. 652; Meyr. 591.
 2640. **Proclivella** Fuchs Stett. e. Z. 1886 p. 68; ib. 1895, p. 30; Rbl. z. b. V. 1889 p. 316.
 2641. **Cistiflorella** Const. Bull. S. Fr. 1889 p. 25; ib. Ann. 1890 p. 5, t. 1, f. 1.
 2642. **Atriplicella** F. R. 78 p. 223; Dup. Sup. IV, 73, 7; HS. V p. 172; Hein. 248; Snell. II, 2 p. 651; Bnks. Monthl. Mag. 1894 p. 83, 191; Meyr. 591.
 2643. **Plantaginella** Stt. Monthl. Mag. XIX (1883) p. 253; Richardson ib. 1893 p. 242; Dorset Countr. Chron. 1892-3 t. 1; Bnks. Monthl. Mag. 1894 p. 82, 191; Meyr. 591.
 2644. **Saltenella** Schöyen Troms. Mus. Aars. V, 1882 p. 55; Stangei Hering Stett. e. Z. 1889 p. 299 (a praec. satis distincta?).
 2645. **Portosanctana** Stt. Ann. & Mag. (3) III, 1859 p. 212.
 2646. **Ocellatella** Boyd Ent. Wk. Int. IV p. 143 (1858); Stt. Ann. 1859, 151; Ann. & Mag. (3) III p. 212 (1859); Richardson Monthl. Mag. 1893 p. 243; Bnks. ib. 1894 p. 81, 191; Meyr. 593; *Horticolella* Rössl. Verz. 240; Hein. 249; Wlsglm. Monthl. Mag. 1894 p. 81 not.
 2647. **Instabilella** Dgl. Zool. 1846, 1270, f. 10; ?Nolek. Fn. II p. 565; Bnks. Monthl. Mag. 1894, 81, 191; Meyr. 592.
 2648. **Samadensis** Pfaffenzeller Stett. e. Z. 1870, 321; *Instabilella* Hein. 249.

Sic.
Germ. s; Gal; Bat.
Val; Ter. m; Cauc.
.Helv.
Sil; Hung.
Srp.
Germ; ?Hal.

And; Gal. m. (Peyr.).
Gal. m.
And; Gal. m. or.
Cat; Maur; Can;
Am. s; Austral.
Gal. m.
Mad; Gal. m.
Eur.c; Ross. oc; Hisp.
s; Gal. m; Dalm;
It. c.
Germ. oc; Austr. inf.

Gal. m.
Eur.c; Ross. oc; Srp;
Taur; Tura.
Angl.

Germ. s; Norv.
Mad.
Germ; Angl; Mad;
Sic; Dalm; As. min.
Angl; Liv.
Helv. or. Alp.

2649. **Phagnatella** Const. Bull. S. Fr. 1895 p. 52.
2650. **Suaedella** Richardson Monthl. Mag. 1893 p. 241; Dorset Countr. Chron. 1892-3, t. 1; Bnks. Monthl. Mag. 1894 p. 81; Meyr. 592.
2651. **Halymella** Mill. Ic. I p. 352, t. 42, f. 4-8; Stt. South. Eur. 220; Nolck. Stett. e. Z. 1882 p. 191.
2652. **Obsoletella** F. R. 79 p. 225; Dup. Sup. IV, 72, 11; HS. V p. 172; Frey Tin. 125; Hein. 250; Bnks. Monthl. Mag. 1894 p. 125, 192; Meyr. 591.
2653. ?**Saharae** Obth. Et. XII p. 44, t. 6, f. 34k, 34k'.
2654. **Vasconiella** Rössl. Stett. e. Z. 1877 p. 377; Seeb. Ann. S. Esp. 1879 p. 126, t. 1, f. 7.
2655. **Gallincolella** Mn. z. b. V. 1872 p. 37 (syn.: *Oasis* Stgr. i. l. see. spec. typ.).
2656. **Desertella** (B.-Haas i. l.) Rbl. Iris XIII p. 165.
2657. **Eremaula** Meyr. Monthl. Mag. 1891 p. 57.
2658. **Gaditella** Stgr. Stett. e. Z. 1859, 243.
2659. **Disjectella** Stgr. Stett. e. Z. 1859, 241.
2660. **Tussilaginella** Hein. 251; *Tussilaginis* Frey Mitth. III p. 294.
2661. **Furfurella** Stgr. Berl. e. Z. 1870, 308.
2662. **Gypsella** Const. Ann. S. Fr. 1893 p. 396, t. 11, f. 6.
2663. **Praticolella** Chr. Hor. IX p. 25, t. 2 A, f. 22.
2664. **Salinella** Z. Is. 1847, 853; HS. 572, V. p. 171.
2665. **Nigromaculella** Mill. Pet. Nouv. IV, 1872 p. 172; Ic. 140, f. 10, III p. 318.
2666. **Punctata** Stgr. Stett. e. Z. 1876 p. 149 (syn. *praececd.*?).
2667. ?**Palermittella** Lah. Contr. 8; Failla-Ted. Fn. Sic. p. 127.
2668. **Insulella** Hein. 251; *Insularis* Stgr. Berl. e. Z. 1870, 304.
2669. **Deserticolella** Stgr. Berl. e. Z. 1870, 305.
2670. **Diminutella** Z. Is. 1847, 855; HS. 574, V p. 171; Hein. 252; *Subdiminutella* Stt. Syr. p. 45; Monthl. Mag. VIII, 234.
2671. **Pusillella** Rbl. Stett. e. Z. 1893 p. 47; Iris XI, t. 1, f. 10.
2672. **Promptella** Stgr. Stett. e. Z. 1859, 241.
2673. ?**Pallidella** Hein. 252.
2674. **Porcella** Hein. 253.
2675. **Trochilella** Hein. 253; ?Rbl. z. b. V. 1892 p. 529.
2676. **Diffluella** Hein. 247; Frey Mitth. III p. 252; Z. Stett. e. Z. 1878 p. 137.
2677. **Cacuminum** Frey Mitth. III (1870) p. 252; Z. Stett. e. Z. 1878 p. 139; *Culminicolella* Stgr. Berl. e. Z. 1870 p. 306.
2678. **Excelsa** Frey Lep. 363 (syn. *praecc.*?).
2679. **Murinella** HS. 535, V p. 178; Hein. 254; Z. Stett. e. Z. 1878 p. 140.
2680. **Nocturnella** Stgr. Stett. e. Z. 1859, 241.
2681. **Suasella** Const. Bull. S. Fr. 1895 p. 53.
2682. **Behenella** Const. Bull. S. Fr. 1889 p. 125; ib. Ann. 1890 p. 6, t. 1, f. 3.
2683. **Rancidella** HS. 534, V p. 176; Hein. 254.
2684. **Chrysanthemella** Hofm. Stett. e. Z. 1867, 202; Hein. 255.
2685. **Opificella** Mn. z. b. V. 1877 p. 499.

*Gal. m.**Angl.**Gal. m.**Germ; Austro-Hung;
Helv; Angl; Maur.**Maur.**Hisp. s.**Dalm; Maur.**Maur.**Maur.**And.**And.**Germ; Helv; Hung;
Liv.**Srp; Austr. inf. (Rbl.).
Gal. m.**Srp.**Sic; And; Gal. m.**Gal. m.**Sic.**Sic.**Germ. m. oc; ?Val.**Srp.**It; Gal. m; ?Maur;
Pal.**Arag.**And; Sic.**Germ. s.**Bav.**Germ. s. oc; ?Ter.**Alp.**Helv.**Helv.**Germ; Austr. inf;
Gal; Hal; Hung; Liv.**And.**Gal. m.**Gal. oc.**Germ. m; Austr. inf.**Germ. m.**Austr. inf.*

2686. **Halonella** HS. V p. 178; Hein. 255; Hering Stett. e. Z. 1893 p. 98; **Pauperella** Hein. 256 [dilutior]; ? **Luridella** Teich Stett. e. Z. 1886 p. 170.
2687. **Spiraeae** Stgr. Berl. e. Z. 1870, 302.
2688. **Acuminatella** Sircum Zool. 1850, App. 72; Dgl. Tr. E. S. Lond. I, 242; HS. VI p. 164; Stt. Nat. Hist. IX, 116, t. 4, f. 2; Mill. Ic. 69, 1-3; Hein. 256; Snell. II, 2 p. 652; Meyr. 590; ? **Gracilella** Stt. Ann. f. 1871 p. 97.
2689. **Voltinella** Chrét. Natural. 1898 p. 178.
2690. **Aethiops** Westw. Br. M. II, 192, t. 107, f. 13; Dgl. Tr. E. S. Lond. I, 16 et 247; Stt. Nat. Hist. IX, 220, t. 7, 2; HS. 486, V p. 183; Hein. 257; Snell. II, 2 p. 654; Meyr. 583.
2691. ? **Melanella** Hein. 258; ? **Nigripalpella** Hein. 258.
2692. **Pygmaeella** Hein. 259.
2693. **Ingloriella** Hein. 259. Austr.; Germ. c;
2694. **Brahmiella** Heyd. Stett. e. Z. 1862, 175; Stt. Ann. 1868, 19; Hein. 259.
2695. **Moritzella** Hb. 476-7; Tr. X, 3. 214; F. R. 30, 1 p. 52; HS. V p. 187; Frey 112; Hein. 260.
2696. **Roseella** Zett. Ins. Lap. 1005; Wck. Stett. e. Z. 1862, 235.
2697. **Laceratella** Z. Stett. e. Z. 1868, 143; Hein. 260.
2698. **Hübneri** Hw. Lep. Br. 551; Wd. 1210; Hein. 261; Snell. II, 2 p. 657; Meyr. 593; **Kroesmanniella** HS. 581, V p. 166.
2699. **Knaggsiella** Stt. Ann. 1866, 167; Hein. 262; Barr. Entom. XX p. 111 (larv.); Meyr. 593; **Junctella** HS. 594, V p. 184.
2700. **Maculea** Hw. Lep. Br. 552; Stt. Nat. Hist. X, 90, t. 10, f. 1; Hein. 262; Snell. II, 2 p. 658; Meyr. 593; **Maculella** Wd. 1222; **Nivella** Wd. 1224; **Blandella** Dgl. Tr. E. S. Lond. II, 77, t. 10, f. 2; HS. 503, V p. 166.
2701. **Blandulella** Tutt Monthl. Mag. XXIV (1887) p. 105; Entom. 1887 p. 293; Meyr. 594.
2702. **Fraternella** Dgl. Tr. E. S. Lond. I, 101, II, 77, t. 10, f. 3; HS. V p. 158; VI p. 165; Stt. Nat. Hist. X, 122, t. 11, 1; Meyr. 594; Bnks. Monthl. Mag. 1898 p. 185 (biol.).
2703. **Salicorniae** Hering Stett. e. Z. 1889 p. 302; Bnks. Monthl. Mag. 1894 p. 80, 188; Meyr. 592.
2704. **Viscariaella** Stt. Ann. 1855, 43 (65); Nat. Hist. X, 114, t. 10, 3; Meyr. 594.
2705. **Tricolorella** Hw. Tr. E. S. Lond. 1812, 338; Stt. Nat. Hist. X, 102, t. 10, 2; Hein. 262; Snell. II, 2 p. 659; Meyr. 594; **Contigua** Hw. 552; Wd. 1211; Dgl. Tr. E. S. Lond. II, 76, t. 10, 1; **Acernella** HS. 580, V p. 185.
2706. **Costella** Westw. Br. M. II, 192; Dgl. Tr. E. S. Lond. I, 19 et 247; Stt. Nat. Hist. X, 78, t. 9, 3; HS. 625, V p. 167; Snell. II, 2 p. 653; Meyr. 595.
2707. **Hyoscyamella** Stt. South. Eur. 233.
2708. **Maculiferaella** Dgl. Tr. E. S. Lond. I, 102; HS. 475, V p. 185; Hein. 263; Snell. II, 2 p. 658; Meyr. 595; **Proxima** Hw. 552; Wd. 1213; **Horticolla** Peyer. Mitth. III p. 411.
2709. **Semidecandrella** (Stt.) Thretfall Monthl. Mag. XXIII (1887) p. 233; Pr. Dors. Nat. Hist. Cl. XV p. 59, t. 1; Snell. Tijds. XXXVII p. 25; Hering Stett. e. Z. 1893 p. 99; Meyr. 595; **Maculiferaella** Stt. Nat. Hist. X, 154, t. 12, 1; **Marmorea** var. Tutt Entom. XX p. 28.

Germ; Austr; Hal;
? Liv.

Srp.

Eur. c; Dalm; Bith;
? Ist. (Mason).

Gal.

Angl; Germ. m; Bat.

Bav.

Helv. m; Ter.

Carn; Hung. lit; Cors.
Germ. c. oc; Gal. m.

Germ; Helv; Hal.

Norv.

Car. m.

Eur. c. (exc. Helv.).

Germ; Angl.

Eur. c; Ross. s. oc.

Angl.

Angl; ? Germ. s. oc.

Germ. c. et s; Angl.

Angl.

Eur. c; Suec.

Angl; Bat.

Gal. m.

Eur. c; Ross. s. oc;
Sard; Graec.

Angl; Germ; Bat.

2710. **Pullatella** Tgstr. Bidr. 126.
2711. **Junctella** Dgl. Tr. E. S. Lond. I, 103; Stt. Man. II, 339; Hein. 264; Hering Stett. e. Z. 1893 p. 100; Meyr. 595; **Vicinella** HS. 474, V p. 184; **Marmorea** HS. 592.
2712. **Provinciella** Stt. South. Eur. 221.
2713. **Marmorea** Hw. Lep. Br. 553; Wd. 1218; Dgl. Tr. E. S. Lond. I, 104; Stt. Nat. Hist. X, 142, t. 11, f. 3; HS. 598, V p. 184; Hein. 164; Snell. II, 2 p. 655; Meyr. 596.
2714. **Pulchra** Woll. Ann. & Mag. (3) I p. 121 (1858).
2715. **Crepusculella** Teich Fn. Balt. p. 111.
2716. **Alsinella** Z. Stett. e. Z. 1868, 145; Hein. 266; **Albi-frontella** Hein. 266 [non satis distincta]; ?**Tristella** Hein. 267.
- a) v. (?) **Livoniella** Teich Nat. Ver. Riga XLI p. 88 (al. ant. macula disci alba).
2717. **Kiningerella** HS. 471, V p. 186; Hein. 268; Fuchs Stett. e. Z. 1881 p. 459.
2718. **Fischerella** Tr. IX, 2. 84; X, 3. 197; F. R. 5 p. 8; Dup. XI, 297, 5; HS. V p. 183; Stt. Nat. Hist. X, 132, t. 11, 2; Hein. 268.
2719. **Schleichi** Chr. Hor. IX (1872) p. 22, t. 1, f. 19.
2720. **Melanotephrella** Ersch. Hor. XII (1877) p. 345; Mém. Rom. VI t. 16, f. 8.
2721. **Cauligenella** Schmid Berl. e. Z. 1863, 63; Stt. Nat. Hist. X, 70, t. 9, f. 2; Hein. 268; Snell. II, 2 p. 656.
2722. **Saginella** Z. Stett. e. Z. 1868, 146; Hein. 269.
2723. **Gypsophilae** Stt. South. Eur. 210.
2724. **Petryi** Hofm. Stett. e. Z. 1899 p. 139.
2725. **Vicinella** Dgl. Tr. E. S. Lond. I, 102; Stt. I. B. 125; Man. II p. 339; Frey Tin. 106; Hein. 265; Tutt Entom. 1887 p. 294; Meyr. 596.
2726. **Leucomelanella** Z. Is. 1839, 198; HS. 473, V p. 186; Stt. Nat. Hist. X, 60, t. 9, f. 1; Hein. 270; Meyr. 596; ?**Affiniella** Zett. Ins. Lap. 1004.
2727. **Tischeriella** Z. Is. 1839, 199; HS. 472, V p. 186; Frey 112; Hein. 270.
2728. **Delphinatella** Const. Bull. S. Fr. 1889 p. 125; ib. Ann. 1890 p. 6, t. 1, f. 2.
2729. **Sestertiella** HS. 487, V p. 186; Hein. 271. Germ. m; Austr; Liv; Norv; Graec.
2730. **Pseudolella** Chr. Hor. XXII (1888) p. 313. Srp.

(Teleia Hein.)

2731. **Vulgella** Hb. 346; Stt. Nat. Hist. IX, 162, t. 5, f. 3; HS. 500, V p. 169; Hein. 273; Snell. II, 2 p. 661; Meyr. 598; **Aspera** Hw. 550; Wd. 1202.
2732. ?**Squamulella** Peyer. Mitth. III (1871) p. 412; Ann. S. Fr. 1872 p. 15, t. 5, f. 7 (una ♀ cond.).
2733. **Scriptella** Hb. 152; Tr. IX, 2. 96; Z. Stett. e. Z. 1850, 154; Stt. Nat. Hist. IX, 172, t. 6, f. 1; HS. 480, 570, V p. 168; Hein. 273; Meyr. 597; **Tremella** Wd. 1223.
2734. **Inscriptella** Chr. Bull. M. 1882, 1 p. 25.
2735. **Alburnella** Dup. XI, 298, 2; Z. Is. 1839, 200; HS. 489-90; V p. 168; Frey 107; Hein. 274; Snell. II, 2 p. 661.

*Fen.**Germ; Austr.-Hung;
Angl; Ross. s. oc;
Suec.**Gal. m.**Eur. c; Ross. s. oc.**Mad.**Liv.**Carn; Austr.inf; Ter.**Liv.**Germ; Austr.-Hung;
Hal; Fen; Dalm.**Germ; Austr; Liv;
Dalm.**Srp.**Sib. or. (Irkutsk).**Germ; Austr; Helv;
Bat. m.**Car. m.**Gal. m. or.**Germ. c.**Germ; Helv; Angl;
Petrop; Isl.(Mason).**Eur. c. (exc. Bat.) et s;
Dalm.**Germ; Helv; Austr.
inf; Hung; Liv; ?Graec.**Gal. oc.**Eur. c; Suec; Ross. s.
oc; It. s; Dalm.**Gal. m.**Eur. c. et m. (exc. Bat.,
Hisp.; Graec.); Ross.
s. oc; Suec; Bith.**Amur; Uss. m.**Eur. c. (exc. Angl.);
Ross. oc; It.s; Mong.*

2736. **Tigrina** Chr. Hor. XII (1877) p. 296, t. 6, f. 68; Mém. Rom. II p. 159, t. 8, f. 8.
2737. **Partitella** Chr. Stett. e. Z. 1887 p. 167; Mém. Rom. V p. 57, t. 3, f. 9.
2738. **Melanostictella** Rag. Bull. Fr. 1895 p. 106.
2739. **Mersinella** Stgr. Hor. XV (1880) p. 313.
2740. **Tamariciella** Z. Stett. e. Z. 1850, 153; HS. 567, V p. 167; Stt. South. Eur. p. 80.
2741. **Sequax** Hw. Lep. Br. 552; Wd. 1213; Frey 106; Stt. Nat. Hist. X, 170, t. 12, 3; Hein. 274; Meyr. 599; Apicistrella HS. 483, V p. 176.
2742. **Comedonella** Stgr. Hor. XV (1880) p. 312.
2743. **Cisti** Stt. South. Eur. 211; Rbl. z. b. V. 1891 p. 630.
2744. **Omachella** Obth. Et. XII p. 43, t. 6, f. 28 a, a'.
2745. **Brucinella** Mn. z. b. V. 1872 p. 37.
2746. **Fugitivella** Z. Is. 1839, 200; HS. 571, V p. 168; Hein. 275; Snell. II, 2 p. 664; Meyr. 597.
2747. **Fugacella** Z. Is. 1839, 200; ?HS. 569; Hein. 275.
2748. **Epomidella** Tgstr. Cat. 365 (75); Nolck. Fn. II p. 560.
2749. **Humeralis** Z. Is. 1839, 200; HS. 477-8; Frey 120; Hein. 276; Snell. II, 2 p. 665; Meyr. 584; Lyellella Westw. & Humph. Br. M. II p. 190, t. 106, f. 10; ?Decorella Hw. Tr. E. S. 1812 p. 338 [nom. incert.].
2750. **Erschoffii** Frey Lep. 361.
2751. **Killiasii** Frey Lep. 362.
2752. **Proximella** Hb. 228; Tr. IX, 2. 90; Dup. XI, 297, 10; HS. 492, V p. 169; Hein. 276; Snell. II, 2 p. 662; Meyr. 597; ?Mouffetella L. F. S. 1397; Zett. Ins. Lapp. 1004.
2753. **Saltuum** Z. Stett. e. Z. 1878 p. 140; Schütze ib. 1897 p. 307.
2754. **Peritella** Const. Ann. S. Fr. 1884 p. 254, t. 10, f. 15.
2755. **Notatella** Hb. 344 (!); Tr. IX, 2. 94; Z. Is. 1846, 287; Frey 119; Hein. 277; Nolck. Fn. II p. 560; Snell. II, 2 p. 663; Meyr. 597; Euratella HS. 493, V p. 169.
2756. **Wagae** Now. En. 189, M. S. N. 15, f. 5; Rbl. z. b. V. 1889 p. 318; Chrét. Bull. S. Fr. 1898 p. 49.
2757. **Triparella** Z. Is. 1839, 200; HS. 582, V p. 170; Stt. Nat. Hist. IX p. 184, t. 6, f. 2; Hein. 277; Snell. II, 2 p. 666; Meyr. 598; Dodecella Wd. 1200; ?Paripunctella Thnbg. Diss. Ent. VII, 96.
2758. **Myricariella** Frey Mittb. III p. 251 (1870); Hein. 278. Germ. m. oc; Helv. s; Gal.
2759. **Femoralis** Stgr. Stett. e. Z. 1876 p. 146.
2760. **Semicostella** Stgr. Berl. e. Z. 1870, 311.
2761. **Luculella** Hb. 397; Dup. XI, 312, 13; HS. 497, V p. 167; Hein. 278; Snell. II, 2 p. 666; Meyr. 596; Subrosea Wd. 1216; Luctuella Wd. 1215.
2762. **Dodecella** L. S. N. ed. X, 539; HS. 501, V p. 169; Hein. 279; Snell. II, 2 p. 668; Meyr. 598; Annulicornis Stph. Ill. IV, 208; Wd. 1199; Favillaticella Z. Is. 1839, 201; Reussiella Rtz. Forst-Ins. 240, t. 15, f. 5.
2763. ?**Succinctella** Z. Stett. e. Z. 1872 p. 108.
2764. **Trijugella** Ersch. Hor. XII (1877) p. 345; Mém. Rom. VI t. 16, f. 9.
- Tura.
- Taur. m.
- Taur. m.
- Ib; Gal. m; It. c; Syr.
- Eur. c. (exc. Bat.); Suec; Carn.
- Taur.
- Gal. m; Dalm.
- Maur.
- Bith; Aegypt; Sic.
- Eur. c; Suec; Ross. s. oc; Hisp; Dalm.
- Germ; Hal; Ross. oc.
- Ross. s. oc.
- Eur. c. et m. (exc. Hisp.); As. min.
- Helv.
- Val.
- Eur. c. et s; Ross. m. or; It. c; Dalm.
- Helv; Ter; Germ. c.
- Cors.
- Eur. s. et c; Ped.
- Germ. s; Austr. inf; Hal; Val; Hisp. s.
- Eur. c. et m; Ross. s. oc; Suec; Bith.
- Eur. c. et s; Gal. m; Ped; Dalm.
- Eur. c; Ross. oc; Hisp; Gal. m.
- Helv.
- Sib. or. (Irkutsk).

2765. **Anguinella** HS. n. Schm. 159 p. 31. *Hung; Srp.*
 2766. **Decuriella** Mn. z. b. V. 1872 p. 38. *Car. m.*
 2767. **Maculata** Stgr. Hor. XV (1880) p. 314. *Taur.*
 2768. **Oxycedrella** Mill. Ic. III p. 177, t. 118, f. 1-6; Cat. rais. 327. *Gal. m.*

304. **Alloclita** ✓ Stgr. 1859.

2769. **Recisella** Stgr. Stett. e. Z. 1859, 247; HS. n. Schm. 106 p. 18. *And.*

305. **Schistophila** ✓ Chrét. 1899.

2770. **Laurocistella** Chrét. Bull. S. Fr. 1899 p. 112 (Cisticola Stgr. i. l.). *Gal. m.*

306. **Acompsia** Hb. 1818 (Brachycrossata Hein.).

2771. **Cinerella** Cl. Ic. 11, 6; Hb. 173; Tr. IX, 2. 81; Wd. 1195, 1242; Dup. XI, 299, 2; HS. V p. 200; Hein. 324; Snell. II, 2 p. 615; Meyr. 607; Ardeliella Hb. 437; Spodiella Tr. IX, 2. 78. *Eur; As. min.*
 2772. **Labradorica** Möschl. Wien. Mts. 1864, 200, t. 5, f. 17. *Labr.*
 2773. **Minorella** Rbl. z. b. V. 1899 p. 180. *Ter; Car; Austr. inf.; Boh.*
 2774. **Tripunktella** Schiff. S. V. 319; Hb. 217; Tr. IX, 2. 14; Dup. XI, 299, 1 p. 336; HS. 462 ♀, V p. 202; Hein. 324; Z. Stett. e. Z. 1872 p. 106; Antirrhinella Mill. Ic. 80, f. 6-8.
 a) v. *Maculosella* HS. 463, V p. 202; Hein. 324 (al. ant. maculis oppositis fuscis). *Alp.*
 2775. ?**Brumella** Clem. Proc. Ent. Soc. Philad. II p. 416 (1864). *Labr.*

307. **Tachyptilia** ✓ Hein. 1870.

2776. **Populella** Cl. Ic. 11, 5; L. F. S. no. 1442; Tr. IX, 1. 242; Dup. XI, 296, 1-4; F. R. 76-7, 1 p. 217; HS. V p. 191; Hein. 321; Snell. II, 2 p. 612; Meyr. 604; Blattariella Hb. 148; Tremulella Dup. XI, 296, 5; Laticinctella Wd. 1188. *Eur. (exc. ? Graec.); Sib. or; Mong.*
 2777. **Solemnella** Chr. Bull. M. 1882, I p. 27.
 2778. **Mauricaudella** Obth. Et. XII p. 43, t. 6, f. 34.
 2779. **Scintillella** F. R. 77, 3a, b, p. 221; HS. V p. 193; Stt. Nat. Hist. IX, 44, t. 2, f. 1; Hein. 322; Brunneella HS. 578, V p. 193; Contuberiella Stgr. Stett. e. Z. 1859, 240. *Eur. c. m. et m.; Bith.; Pont.*
 2780. **Hirsutella** Const. Ann. S. Fr. 1884 p. 256, t. 10, f. 17; ?Timidella Wek. Bresl. e. Z. 1887 p. 63. *Amur.*
 2781. **Temerella** Z. Is. 1846, 284; HS. V p. 195; VI p. 165; Stt. Nat. Hist. IX, 56, t. 2, f. 2; Hein. 323; Snell. II, 2 p. 613; Meyr. 604; Pernigrella Dgl. Tr. E. S. Lond. I, 64. *Ross. oc; Germ. s.; Bav; Bat; Angl.*
 2782. **Trifoliella** Const. Bull. S. Fr. 1889 p. 125; ib. Ann. 1890 p. 7, t. 1, f. 4. *Gal. m.; ? Sil.*
 2783. **Subsequella** Hb. 161; Tr. IX, 2. 83; F. R. 77, 2; Hein. 322; Stgr. Hor. XV, 326; Obscurella F. R. p. 220; HS. V p. 159. *Germ; Austro-Hung; Ross; Dalm; Graec; Pont.*

308. **Harpagidia** Rag. 1895.2784. **Pallidibasella** Rag. Bull. S. Fr. 1895 p. 107.*Taur. m.*309. **Acanthophila** Hein. 1870.2785. **Alacella** Dup. XI, 297, 12; Z. Is. 1839, 199; Dgl. Tr. E. S. Lond. V, 200; HS. 485, V p. 191; Frey 111; Hein. 320; Snell. II, 2 p. 678; Meyr. 583.*Eur. c; Ross. s. oc;
Suec; It. c; Graec.*310. **Xystophora** ✓ Hein. 1877 (*Doryphora* Hein.).2786. **Carchariella** Z. Is. 1839, 201; HS. 554, V p. 198; Hofm. Stett. e. Z. 1868, 390; Hein. 299.*Germ; Austr; Liv;
Dalm; Bith.*2787. **Pulveratella** HS. 552, V p. 199; Hofm. Stett. e. Z. 1868, 391; Hein. 300; Meyr. 576; *Intaminatella* Stt. Ent. Wk. Int. VII, 140; Ann. 1861, 86; 1864, 165; 1867, 20.*Angl; Germ; Austr;
Hung; Dalm.*2788. **Punctatella** Stgr. Hor. XV p. 321 (1880).*Pont; ? Maced.*2789. ? **Parvula** Stgr. Hor. XV, 321 (1880).*Pont.*2790. **Luteella** Hein. 300; *Decolorella* HS. (non Z.) 550, V p. 199.*Austr. inf.*2791. **Tenuiella** Mn. Wien. Mts. 1864, 186, t. 4, f. 16; Z. z. b. V. 1873 p. 278 not.*Dalm; Bith.*2792. **Striatopunctella** Rbl. z. b. V. 1891 p. 630.*It. c; Cors; Dalm; Bith.*2793. **Retusella** Rbl. z. b. V. 1891 p. 632.*Bith.*2794. **Latiuscula** Hein. 300.*Sil; Liv.*2795. **Griseella** Hein. 301.*Germ. c. oc.*2796. **Robustella** Stgr. Berl. e. Z. 1870, 312.*Srp.*2797. **Servella** Z. Is. 1839, 201, 1846, 289; Hein. 301; Stt. Monthl. Mag. XXV p. 361; Wlsghm. ib. 1894 p. 51; 1898 p. 172; Ferrea Frey Mittb. III p. 253.*Germ; Helv; Austr;
Angl; Liv; Fen; Gal.
m; It. c; Cors; Bith.*2798. **Nomadella** Z. z. b. V. 1868, 616; Hein. 302.*Carn; Dalm; Hisp. s.*2799. **Lutulenta** Z. Is. 1839, 201; Stt. I. B. 135; HS. 555, V p. 199; Hein. 302; Nolck. Fn. II, 581; Meyr. 576.*Germ; Austr; Fen;
Liv; Angl; Bith; Dalm.*2800. **Divisella** Dgl. Tr. E. S. Lond. I, 60; Stt. I. B. 109; Meyr. 577.*Angl.*2801. **Palustrella** (-us) Dgl. Pr. E. S. Lond. (2) I, 14; Stt. I. B. 109; Snell. II, 2 p. 686; Meyr. 577.*Angl; Bat.*2802. **Tripunctella** Snell. Tijds. XXVII (1884) p. 172, t. 9, f. 7, 7 a*Amur.*2803. **Rufulella** Snell. Tijds. XXVII (1884) p. 175, t. 9, f. 9, 9 a.*Sib. or. (Irkutsk).*2804. **Conspersella** HS. 591, V p. 177; Hein. 302.*Austr. inf; ? Germ; ? Fen.*2805. **Orthogonella** Stgr. Berl. e. Z. 1870, 307.*Srp.*2806. **Morosa** Mühlig Stett. e. Z. 1864, 101; Hein. 303; Stt. Monthl. Mag. XIII, 144; Meyr. 576.*Eur. c. (exc. Bat.);
Liv.*2807. **Quaestionella** HS. 587, V p. 193; Hein. 304; Warr. Monthl. Mag. XXIV p. 104; Meyr. 576.*Germ. m. oc; Helv;
Angl.*2808. **Farinosae** Stt. Nat. Hist. X, 164, t. 12, f. 2; Hein. 304.*Helv; Bav; Ter; Liv*2809. **Sepicolella** HS. V p. 192; Hein. 304; Wck. Bresl. e. Z. 1876 p. 40.*Austr; Germ.*2810. ? **Acutangulella** Hein. 305.*Germ. m.*2811. **Rumicetella** Hofm. Stett. e. Z. 1868, 28; Hein. 306.*Germ. c. oc; Austr.*2812. **Hornigi** Stgr. Stett. e. Z. 1883 p. 184.*inf; Sil; Boh; Liv.*2813. **Arundinetella** Stt. Ann. 1858, 91, Nat. Hist. X, 220, t. 14, f. 2; Hein. 306; Meyr. 576.*Austr. inf;
Angl; Germ. s; Bat.*

2814. **Lucidella** Stph. Ill. IV, 221; Wd. 1240; Hein. 307; Snell. II, 2 p. 687; Meyr. 576; Wlsghm. Monthl. Mag. 1898, 205 (larv.).
2815. **Elongella** Hein. 307; Barr. Monthl. Mag. 1890 p. 112; Meyr. 577.
2816. **Tetragonella** Stt. Monthl. Mag. XXII (1885) p. 99; Snell. Tijds. XXXII p. 62; Meyr. 577; Bnks. Monthl. Mag. 1897 p. 5; Meyr. 577.
2817. **Suffusella** Dgl. Tr. E. S. Lond. I, 64; Stt. I. B. 134; Hein. 308; Snell. II, 2 p. 687; Meyr. 577.
2818. **Tenebrella** Hb. 434 (!); Tr. X, 3, 216; Dup. XI, 306, 7; HS. V p. 196; Gartin. Stett. e. Z. 1864, 158; Hein. 308; Snell. II, 2 p. 688; Meyr. 575; ♀ **Tenebrosella** Z. Is. 1839, 201; HS. 528, V p. 196; **Bufonella** Mill. Cat. rais. p. 361.
2819. **Rutilella** Snell. Tijds. XXVII (1884) p. 174, t. 9, f. 8, 8a.
2820. **Atrella** Hw. 567; Stt. Monthl. Mag. VI, 36 (larv.); Hein. 309; Snell. II, 2 p. 686; Meyr. 575; **Umbriferella** HS. 524, V p. 195; Frey 127; **Aurimaculella** Höfn. Jhrb. Kärnt. XXIV, 1896 p. 6 (sep.).
2821. **Unicolorella** Dup. Sup. IV p. 458, t. 85, f. 8; HS. V p. 196; Frey 124; Hein. 310; Bnks. Monthl. Mag. 1899 p. 133; **Immaculatella** Dgl. Tr. E. S. I p. 67; Stt. I. B. 132; ? **Sircimella** Stt. I. B. 132; Man. II, 243; ? **Lucentella** Peyer. Mitt. III p. 412.
2822. ? **Plumbella** Hein. 310.
2823. **Rhenanella** Heyd. Stett. e. Z. 1863, 343; Hein. 310.
2824. **Micella** Schiff. S. V. 140; Dup. XI, 304, 9; HS. 543, V p. 198; Frey 123; Hein. 311; **Asterella** Tr. IX, 2. 172.
- Germ.; Austr. inf.;
Angl.; Bat.; Fen.; Liv.;
Succ. m.; Srp.
- Germ. s. oc.; Angl.
- Angl.; Bat.
- Germ. s.; Angl.; Bat.;
Liv.
- Eur. c.; Ross. s. oc.;
Suec.; Gal. m.; It. c.;
Dalm.; Graec.
- Amur.
- Eur. c.; Liv.; Dalm.
- Germ.; Angl.; Helv.;
Ter.; Carn.; ?Gal.;
Cast.; Liv.
- Germ. c. oc.
- Germ. c. oc.
- Eur. c. (exc. Bat. et
Angl.); Ross. oc.; Suec.

311. **Anacampsis** (Curt. 1827) Hein. [Aproaeerema Durr. 1897].

2825. **Patruella** Mn. Wien. Mts. 1857, 180; ? Hein. 312; Z. Stett. e. Z. 1878 p. 142; Stgr. Hor. XV, 323.
2826. **Splendens** Stgr. Hor. XVI (1881) p. 90.
2827. **Fulvistilella** Rbl. z. b. V. 1891 p. 632.
2828. **Nigritella** Z. Is. 1847, 857.
2829. **Coronillella** Tr. IX, 2. 87; Dup. XI, 298, 7; Dgl. Tr. E. S. Lond. I, 63; HS. 522, V p. 193; Frey 128; Stt. Nat. Hist. X, 192, t. 13, f. 2; Hein. 312; Meyr. 582.
2830. **Biguttella** HS. 521, V p. 192; Hein. 313; Gartin. Verh. Brünn IV p. 203 (larv.).
2831. **Sangiella** Stt. Ann. 1863, 149; ib. 1867 p. 21 (larv.); Hein. 313; Meyr. 582.
2832. **Ignobiliella** Hein. 313.
2833. **Remissella** Z. Is. 1847, 854; HS. 576, V p. 192; Hein. 314; **Vetustella** HS. 526, V p. 191; Hein. 314 [obscurior].
2834. ? **Submissella** Frey Lep. 367.
2835. **Anthyllidella** Hb. 330; Z. Is. 1839, 201, 1847, 857; Dup. Sup. IV, 85, 10; Dgl. Tr. E. S. Lond. I, 17; HS. 525, V p. 195; Stt. Nat. Hist. X, 210, t. 14, 1; Hein. 315; Z. Stett. e. Z. 1878 p. 143; Snell. II, 2 p. 676; Meyr. 582; **Nigritella** (Dgl.) Stt. I. B. 133; **Psoraleella** Mill. Ic. II p. 83, t. 61, f. 1-6; **Sparsiciliella** Barr. Monthl. Mag. 1891 p. 7; ib. 1892 p. 80.
- Germ. m.; Alp. m.; Gal. m.; Dalm.; Bith.
- As. min.; Maced.
- Dalm.
- And.; Sic.; Dalm.
- Eur. c. (exc. Bat.); Liv.;
Suec. m.; Hisp. s.;
Cors.; It.; Dalm.; As. min.
- Germ. c. et m.; Austr.
- Ter.; Helv.; Belg.; Gal. m.; Dalm.; Pont.
- Germ. c.; Sil.; Angl.
- Germ. m.; Austr. inf.
- Germ.; Sic.; Dalm.;
Bith.
- Val.
- Eur. c. et m.; Ross. s.
oc.; Bith.; Mad.

2836. **Vinella** Bnks, Monthl. Mag. 1892 p. 242; ib. 1899 p. 202 (larv.).
 2837. **Albipalpella** HS. V p. 195; Stt. Ann. Hist. X, 202, t. 13, f. 3; Hein. 316; Snell. II, 2 p. 675; Meyr. 582; Leuco-palpella HS. 523.
 2838. **Infestella** Rbl. Ann. Naturh. Hofmus. XI (1896) p. 128.
 2839. **Azosterella** HS. V p. 194; Hein. 316.
 2840. **Melagonella** Const. Bull. S. Fr. 1895 p. 53.
 2841. **Vorticella** Sc. Ent. Carn. no. 651; Tr. IX, 2 p. 206; Z. Is. 1839, 201; Dgl. Tr. E. S. Lond. I, 63; Hein. 317; Snell. II, 2 p. 675; Meyr. 582; Ligulella Z. Is. 1839 p. 201; HS. V p. 194; Hein. 316; ?Cinetella Hb. Vög. 11; Tin. 142; ?Obliqueella Rag. Ann. S. Fr. 1874 p. 586.
 2842. **Cincticulella** HS. 527, V p. 194; Hein. 318.
 2843. **Wollastonella** Wlsghm. Tr. E. S. 1894 p. 545.
 2844. **Taeniolella** Z. Is. 1839, 201; Dgl. Tr. E. S. Lond. V, 198; HS. V p. 194; Frey 130; Stt. Nat. Hist. X, 182, t. 13, f. 1; Hein. 318; Snell. II, 2 p. 674; Meyr. 581.
 2845. **Sarothamnella** Z. z. b. V. 1868, 615; Sarrothamnella Hein. 318; ?Albifrontella Hein. 319.
 2846. **Elachistella** Stt. Ann. & Mag. (3) III, 1859 p. 213.
 2847. **Captivella** HS. 579, V p. 194; Hein. 319.
 2848. **Lamprostoma** Z. Is. 1847, 851; HS. 564, V p. 196.
- Angl.
Germ; Belg; Bat;
Angl.
- Ten.
Austr. inf; Sil.
Gal. m.
Eur. (exc. reg. pol.);
As. min.
- Eur.m; Germ; Austr.
inf; Hal; ?Pont.
- Mad.
Eur. c; It. c; Dalm;
Bith.
- Germ. c. et s; ?Helv.
- Mad.
Hung. lit; Dalm.
- Hisp; Sic; Dalm; Bith.

312. **Calyptrotis** Meyr. 1891.

2849. **Aphitodes** Meyr. Monthl. Mag. 1891 p. 56.

Maur.

313. **Epithectis** Meyr. 1896 (Brachmia Hein. [non Hb.]).

2850. **Mouffetella** Schiff. S. V. 140; Hb. 245; Tr. IX, 2. 91; Z. Is. 1846, 287; HS. V p. 170; Stt. Nat. Hist. IX, 128, t. 4, f. 3; Hein. 230; Snell. II, 2 p. 672; Meyr. 581; Pedisequella Hb. 95.
 2851. **Adumbratella** Snell. Tijds. XXVII p. 170, t. 9, f. 5, 5a.
 2852. **Pruinosella** Z. Is. 1846, 288; Bresl. e. Z. 1849, t. 2, f. 6; HS. 596, V p. 173; Hein. 231; Nolek. Fn. II p. 554.
 2853. **Triatomea** Mühlig Stett. e. Z. 1864, 101; Hein. 231.
 2854. **Ulicinella** Stgr. Stett. e. Z. 1859, 240; Mill. Ic. I p. 325, t. 38, f. 8-11.
 2855. **Nigricostella** Dup. IV, 74, 9 p. 288; HS. 494, V p. 205; Stt. Nat. Hist. IX, 236, t. 8, f. 1; Hein. 232. Hung; Hal; ?Fen; Dalm; Bith.
 2856. **Lathyri** Stt. Ann. 1865, 130; Nat. Hist. X, 228, t. 14, f. 3; Meyr. 580; Nigricostella Dgl. Tr. E. S. Lond. I, 244.
 2857. **Amoenella** Frey Mitth. VI (1882) p. 366; Rbl. z. b. V. 1899 p. 180, t. 4, f. 9.
 2858. **Petiginella** Mn. z. b. V. 1867, 843; Hein. 232.
- Eur. c; Suec; Ross.
oc; Ped; Dalm.
- Amur.
Germ. m; Sil; Liv;
Fen.
- Germ. m. oc; Gal. oc.
Gal. m; And.
- Germ. or; Austr.;
Hung; Hal; ?Fen; Dalm; Bith.
- Angl; Liv.
- Val; Ter. m.
- Teriol. m. val; ?Gal. m. or.

314. **Aristotelia** Hb. 1818 (Ergatis Hein.).

2859. **Calastomella** Chr. Hor. IX (1872) p. 24, t. 2A, f. 21.
 2860. **Mirabilis** Chr. Hor. XXII p. 314 (1888).
 2861. **Brizella** Tr. IX, 2. 173; Dup. XI, 306, 5; Dgl. Tr. E. S. Lond. I, 244; HS. 542, V p. 197; Stt. Nat. Hist. X, 256, t. 15, f. 3; Hein. 295; Meyr. 575.
- Srp.
- Srp.
- Germ; Austr. Hung;
Angl; Fen.

2862. **Staticella** Mill. Bull. S. Fr. 1875 p. 167; Ann. Sc. Cannes 1875, t. 2, f. 12, 13. *Gal. m.*
2863. **Morphochroma** Wlsghm. Monthl. Mag. 1900 p. 80. *Gal. m.; It. c.*
2864. **Frankeniae** Wlsghm. Monthl. Mag. 1898 p. 132. *Cors.*
2865. **Nitidula** Stt. Syr. 44. *Pal.*
2866. **Heliacella** HS. 544, V p. 198; Hein. 296; Rogenhoferi Stgr. z. b. V. 1872 p. 734; Z. Stett. e. Z. 1878 p. 141. *Helv.; Ter.; Gal. m.; or. (alp.).*
2867. **Pancaliella** Stgr. Berl. e. Z. 1870, 312. *Srp; Pont.*
2868. **Subericinella** HS. 541, V p. 197; Hein. 296. *Eur. m.; Austr. inf.; Hung; Bith; Pont; Cauc.*
2869. **Subdecurtella** Stt. Ann. 1859, 152; Hein. 297; Meyr. 574. *Angl; Germ. s.*
2870. **Ericinella** Dup. XI, 306, 12 p. 497; HS. 540, V p. 197; Stt. Nat. Hist. X, 276, t. 16, 2; Hein. 297; Snell. II, 2 p. 683; Meyr. 574; Micella Hb. 210; Tr. IX, 2. 171, X, 3. 214. *Eur. c; Ross. s. oc; Ped; Gal. m.*
2871. **Decurtella** Hb. 311; HS. 539, V p. 197; Hein. 298; Turbatella Tr. X, 3. 195; Amoenella Joan. (L. & S.) Bull. S. Fr. 1891 p. 83. *Germ.m; Austr; Gal; Hung; Helv; Carn; Dalm; Graec; As. min; Hyrc.*
2872. **Decoratella** Stgr. Hor. XV p. 320 (1880). *Sic; Dalm; Bith; Cauc. m.*

315. Recurvaria (Hw. 1829) HS. (Aphanaula Meyr. 1895).

2873. **Leucatella** Cl. Ic. 2, 3; Hb. Btr. I, 3, t. 1, B; Tin. 146; Tr. IX, 2. 101; Dup. XI, 298, 11; Wd. 1290; Z. Is. 1846, 286; Stt. Nat. Hist. IX, 196, t. 6, f. 3; Hein. 280; Snell. II, 2 p. 670; Meyr. 580; Albocinctella Dup. XI, 298, 13. *Eur. (exc. reg. pol.); Bith.*
2874. **Nanella** (S. V.) Hb. 267; Dup. Sup. IV, 74, 6; HS. 502, V p. 167; Frey 126; Hein. 280; Snell. II, 2 p. 670; Meyr. 580; Pruniella Hb. 268. *Eur. c; Suec; Hisp. s; Gal. m; It. c. et s; Dalm; Ross. m. oc.*

316. Ptocheuusa Hein. 1870.

2875. **Subocellea** Stph. Ill. IV, 214; Wd. 1221; Dgl. Tr. E. S. (1) V, 200; ib. (2) I p. 246; Stt. Nat. Hist. X, 288, t. 16, f. 3; Hein. 289; Meyr. 579; Hofm. Iris X p. 228 (genus Reutinia); Internella Z. Is. 1846, 291; Dissonella HS. 553, V p. 200. *Eur. c. (exc. Bat.); Liv; Hisp. s; Gal. m; Dalm.*
2876. **Dejectella** Stgr. Stett. e. Z. 1859, 242. *And.*
2877. **Littorella** Dgl. Tr. E. S. Lond. I, 67; Stt. I. B. 127; Meyr. 579; Wlsghm. Monthl. Mag. 1900 p. 127 (larv.); Quinquepunctella HS. 573, V p. 172. *Angl; Austr; Gal. m; Cors; It. c. et m; Dalm.*
2878. **Coleella** Const. Ann. S. Fr. 1884 p. 255, t. 10, f. 16. *Gal. m.*
2879. **Inopella** Z. Is. 1839, 201; Dgl. Tr. E. S. Lond. I, 66; Stt. I. B. 138; HS. 551, V p. 200; Hein. 290 (pr. p.); Hering Stett. e. Z. 1891 p. 175; ib. 1893 p. 100 (larv.: Helichrysum Arenar.). *Germ. s; Angl; Liv.*
2880. **Paupella** Z. Is. 1847 p. 858; Dgl. Tr. E. S. I p. 106; Stt. I. B. 138; Inopella Stt. Nat. Hist. X, 246, t. 15, f. 2; Hein. 290 (pr. p.); Meyr. 579; Inulella Curt. Ann. & Mag. (2) V, 1850 p. 117 (larv.: Inula Dysenterica). *Germ. m. oc; Angl; And; Sic; Sard; Cors; Dalm; Bith.*
2881. **Sublutella** Chr. Hor. IX (1872) p. 23, t. 2A, f. 20. *Srp.*
2882. **Abnormella** HS. 549, V p. 199. *Austr. inf; Germ. m. oc; Sic.*
2883. **Multistrigella** Rag. Bull. S. Fr. 1892 p. 83. *Maur. or.*
2884. **Campicolella** Mn. Wien. Mts. 1857, 181. *Cors; Dalm; Bith.*
2885. **Osseella** Stt. Ann. 1861, 87; Hein. 290; Meyr. 579. *Angl; Germ; Carn; Dalm; Cors; Maur.*

317. **Stenolechia** Meyr. 1894 (Poecilia Hein. praeocc.).

2886. **Albiceps** Z. Is. 1839, 202; HS. 476; Hein. 281; Snell. II, 2 p. 680; Meyr. 578; Albicippitella HS. V p. 165; Alella Wd. 1225. *Eur. c; Ross. oc; Dalm.*
2887. **Gemmella** L. S. N. ed. X, 539; Stt. I. B. 135; Frey Tin. 127; Hein. 282; Meyr. 578; Nivea Hw. Lep. Br. 554; Nigrovittella Dup. XI, 298, 5; Lepidella Z. Is. 1839, 202; HS. 488, V p. 165; Snell. II, 2 p. 680. *Eur. c; Ross. oc; Dalm.*
2888. **Nigrinotella** Z. Is. 1847, 856; HS. V p. 165; Hein. 282; Nigralbella HS. 565. *Austr. inf; Carn; Ter. m; Hung; It; Dalm; Bith.*
2889. **Interstratella** Chr. Hor. IX p. 21, t. 1, f. 18. *Srp.*

318. **Argyritis** Hein. 1870.

2890. **Pictella** Z. Is. 1839, 202; Dgl. Tr. E. S. Lond. I, 18; HS. 545, V p. 188; Stt. Nat. Hist. X, 266, t. 16, 1; Hein. 283 (pr. p.); Z. Stett. e. Z. 1872 p. 114; Snell. II, 2 p. 682; Meyr. 574; Germarella Nolck. Fn. II p. 585; ?Wilkella L. F. S. p. 361. *Eur. c. et m. (exc. Graec); Suec; Liv; Fen; Bith.*
2891. **Tarquiniella** Stt. Ann. f. 1862 p. 112; Birchall Monthl. Mag. III p. 169, t. 1, f. 2; Z. Stett. e. Z. 1872 p. 114; Meyr. 574 (praec. var.?). *Hib.*
2892. **Superbella** Z. Is. 1839, 202; HS. 546, V p. 188; Frey 132; Hein. 284; Snell. II, 2 p. 683. *Eur. c. (exc. Angl.); Ross. oc; Suec; Srp; As. min. c.*
2893. **Libertinella** Z. Stett. e. Z. 1872 p. 112; Superbella Frey Tin. 132; Pictella Hein. 283 (pr. p.); ?Germarella Hb. 467-8. *Alp; Hisp. m.*

319. **Chrysopora** Clem. 1860 (Nannodia Hein. 1870).

2894. **Stipella** Hb. 138; Tr. IX, 2. 124; HS. V p. 197; Hein. 285; Snell. II, 2 p. 691; Meyr. 574. *Germ. m; Austr; Hung; Eur. m; Bith; Pont.*
- a) v. *Naeviferella* Dup. Sup. IV, 85, 4; Dgl. Tr. E. S. Lond. I, 61; HS. 547, V p. 196; Stt. Nat. Hist. IX, 246, t. 8, f. 2; Hein. 285 (obscurior, al. ant. maculis aurantiacis in lineolis duabus reductis). *Eur. c; It. s; Cors.*
2895. **Eppelsheimeri** Stgr. Stett. e. Z. 1885 p. 351; Stt. Monthl. Mag. XXIII p. 101. *Germ. m. oc.*
2896. **Hermannella** F. Sp. 509; Tr. IX, 2. 174; Dup. XI, 306, 2; HS. V p. 198; Stt. Nat. Hist. IX, 262, t. 8, 3; Hein. 285; Snell. II, 2 p. 691; Meyr. 573; Zinckeella Hb. 401-2; ?Schwarzana Panz. 29, f. 24 (1791). *Eur. (exc. reg. pol., Hisp., Graec.); Bith.*
2897. **Fervidella** Mn. Wien. Mts. 1864, 187, t. 4, 5. *Bith.*

320. **Apodia** Hein. 1870.

2898. **Bifractella** Dgl. Tr. E. S. Lond. I, 66; HS. 548, V p. 196; Fologne Ann. S. Belg. VI, 1862 p. 167; Stt. Nat. Hist. X, 238, t. 15, f. 1; Hein. 286; Meyr. 575. *Eur. c. (exc. Bat.); Liv; And; Sic; Dalm; Srp; Bith; Pont.*
2899. **Doliodes** Meyr. Monthl. Mag. 1895 p. 55. *Maur.*
2900. **Psamathias** Meyr. Monthl. Mag. 1895 p. 56. *Maur.*
2901. **Artificella** HS. n. Schm. 158 p. 31. *Srp.*

321. *Sitotroga* Hein. 1870.

2902. *Cerealella* Olivier Encycl. Méth. Ent. I, 121; Dup. Sup. IV, 85, 3; Dgl. Tr. E. S. Lond. I, 107; HS. V p. 199; Hein. 287; Riley Rep. of Ent. 1885 p. 345, t. 6; Snell. Tijds. XXXVII p. 26; Meyr. 571; Pyrophagella Koll. Naturg. II, 383.

*Eur. c. et m.; Ross.
s. oc; Can; Mad;
Am. s.*

322. *Didactylota* Wlsghm. 1891 (*Dactyloota* Snell. 1875).

2903. *Kinkerella* Snell. Tijds. XIX (1875) p. 23, t. 1; Vlind. II, 2 p. 689; Wck. Bresl. e. Z. 1879 p. 75; Stt. Monthl. Mag. XXI p. 70; Hering Stett. e. Z. 1891 p. 176.

323. *Apatetris* Stgr. 1880.

2904. *Mirabella* Stgr. Hor. XV (1880) p. 317. *Pont.*

324. *Colopteryx* Hofm. 1897.

2905. *Conchylidella* Hofm. Iris X (1897) p. 239. *As. min. c.*

325. *Stomopteryx* Hein. 1870.

2906. *Detersella* Z. Is. 1847, 846; HS. V p. 201; Hein. 324; Egenella HS. 340. *Eur. m; Hung. m. or;
Maur; As. min.*
 2907. *Nugatricella* Rbl. Stett. e. Z. 1893 p. 50; Iris XI, t. 1, f. 12 (hujus generis?). *Arag.*
 2908. *Basalis* Stgr. Stett. e. Z. 1876 p. 147. *Sic.*

326. *Brachmia* (Hb. 1818) Meyr.

2909. *Rufescens* Hw. 555; Curt. B. E. XIV p. 671; Fologne Ann. S. Belg. VII, 127, t. 3, f. 7; Stt. Nat. Hist. IX, 14, t. 1, f. 2; Hein. 326; Snell. II, 2 p. 616; Meyr. 606; Diaphanella Z. Is. 1846, 285; Isabella Z. Stett. e. Z. 1850, 151; HS. 457, V p. 201; Terrella F. R. 96, f. a-k. *Eur. c; Ross. s. oc;
Hisp. s; Gal. m;
It. c.*
 2910. *Lutatella* HS. 467, V p. 201; Hein. 325; Stt. Ann. f. 1864 p. 164; 1865 p. 134; Snell. II, 2 p. 616. *Eur. c. (exc. Angl. et
? Ross); It. s; Ural.*
 2911. *Triannulella* HS. 458, V p. 201; Rössl. Wien. Mts. 1863, 131; Hein. 326; Sepiella Steudel Stett. e. Z. 1866, 312. *Eur. c. (exc. Angl. et
Bat.); And; It. s;
Rum; Arm.*
 2912. *Lineolella* Z. Is. 1839, 197; HS. 467, V p. 201; Hein. 327; Hering Stett. e. Z. 1891 p. 178; 1893 p. 102. *Germ; Liv; Ross. m.
or.*
 2913. *Radiosella* Ersch. Fedtsch. p. 102, t. 6, f. 115. *Saraw.*
 2914. *Inornatella* Dgl. Tr. E. S. Lond. I, 65; Stt. I. B. 104; Hein. 326; Snell. II, 2 p. 618; Meyr. 606. *Germ. s; Angl; Bat;
? Fen.*
 2915. *Modicella* Chr. Bull. M. 1882, I p. 28. *Uss. m.*
 2916. *Gerronella* Z. Stett. e. Z. 1850, 155; HS. 464. V p. 203; Frey 98; Hein. 331; Snell. II, 2 p. 617; Meyr. 606. *Eur. c; Gal. m; It;
Dalm; Graec; Pal.*
 2917. *Dimidiella* Schiff. S. V. 141; Hb. 253; Dup. Sup. IV, 74, 3; Z. Is. 1846, 290; HS. V p. 202; Frey 123; Hein. 330. *Eur. c.m; Ross; Suec;
Belg; Hal; Dalm;
Tura.*
 a) ab. (et v.) *Costiguttella* Z. Is. 1846, 290; Kneri Now. En. 191; M. S. N. 19, t. 1, f. 7 (al. ant. fere totis fuscis).
 2918. *Rasilella* HS. 459. V p. 202. *Austr. inf; Hung; Croat.*
 2919. *Biareatella* Ersch. Fedtsch. p. 102, t. 6, f. 116. *Tura (Desert. Kisil.).*

327. Rhinosia Tr. 1833.

2920. **Denisella** (S. V.) F. Mant. II, 251, 105; Tr. IX, 2, 64; HS. V p. 136; Hein. 328; Carmelitella Hb. Vög. 87; Tin. 78. *Eur. c. m; It; Dalm; Bith.*
2921. **Monastricella** F. R. 100, 3 p. 296; HS. V p. 136; Hein. 328. *Austr. inf.*
2922. **Cervinella** Ev. F. V. U. 585; HS. 465, V p. 203. *Ural; Dalm. (Mn.).*
2923. **Sordidella** Hb. 229; Tr. IX, 2, 18; HS. V p. 137; Frey 99; Hein. 328. *Germ. m; Austr.-Hung; Helv; Belg; Gal; Pyr. or; Ped; Dalm; As. min.*
2924. **Ferrugella** Schiff. S. V. 142; Tr. IX, 2, 19; Dup. Sup. IV, 72, 5; Stt. Nat. Hist. IX, 2, t. 1, f. 1; Hein. 329; Coriacella Hb. 233; Ferruginella HS. V p. 137. *Eur. c. (exc. Angl. et Bat.); Ross; Suec; And; It. c; Dalm.*
2925. **Flavella** Dup. Sup. IV, 89, 7; Segetella Z. Is. 1847, 847; HS. V p. 198. *Eur. m. (exc. Hisp.); As. min; Syr.*
2926. **Formosella** Hb. 160; Costa Fn. Nap. 6, 5; Hein. 329; Snell. II, 2 p. 615; Flammella Tr. IX, 2, 20; Dup. Sup. IV, 72, 12; Z. Is. 1847, 848. *Eur. c. (exc. Angl. et Germ.s.) etm; Maur; As. min; Syr.*
2927. **Incertella** HS. n. Schm. 156 p. 31. *Srp.*

328. Deuteroagonia ✓ (Gonia Hein. praeocc.).

2928. **Pudorina** Wck. Bresl. e. Z. 1857, 4; Hein. 332. *Sil.*

329. Euteles Hein. 1870.

2929. **Kollarella** Costa Fn. Nap. I, 4 p. 7; Z. Is. 1847, 849; Hein. 333; Walkenaerana Dup. IX, 261, 6; Flavedinella F. R. Is. 1838, 197; HS. 460, V p. 203; Lutéella Dup. XI, 312, 11. *Eur. m. (exc. Hisp. et Graec.); Austr. inf; Bith.*
2930. **Ratella** HS. 427-8, V p. 211. *Gal. m; Arag; And; Maur. or; Pont.*
2931. **Ternatella** Stgr. Stett. e. Z. 1859, 240; HS. n. Schm. 107 p. 18. *And.*
2932. **Subsignella** Rbl. Stett. e. Z. 1893 p. 52; Iris XI, t. 1, f. 6. *Cauc.*
2933. **Flavimaculata** Chr. Bull. M. 1882, I p. 29. *Uss. m.*

330. Ceuthomadarus Mn. 1864.

2934. **Tenebrionellus** Mn. Wien. Mts. 1864, 188, t. 5, f. 1. 2. *Bith; Lyd; Arm; Hyrc.*

331. Paltodora ✓ Meyr. 1894 (Cleodora Curt., Hein.).

2935. **Striatella** (S. V.) Hb. 288; Tr. IX, 2, 24; Z. Is. 1839, 190; Stt. Man. II, 348; Snell. II, 2 p. 705; Meyr. 572; Tanacetella Schrk. Fn. B. II, 2, 122; Rössl. Stett. e. Z. 1870, 258; Hein. 334. *Eur. c; Suec; Ross. s. oc; Ped; As. min.*
2936. **Anthemidella** Wck. Cat. ed. II p. 301; Striatella HS. 563, V p. 204; Rössl. Stett. e. Z. 1870, 258; Hein. 335. *Germ; Austr.-Hung; Eur. m; As. min.*
2937. **Constantina** Baker Monthl. Mag. XXIV p. 255. *Maur.*
2938. **Invisella** Const. Ann. S. Fr. 1884 p. 257, t. 10, f. 18. *Cors.*
2939. **Kefersteiniella** Z. Stett. e. Z. 1850, 142; HS. 561, V p. 204. *Eur. m; Bith; Lyd.*
2940. **Lineatella** Z. Stett. e. Z. 1850, 142; HS. 560, V p. 204. *Eur. m. (exc. Ross. m. et Graec.); Bith.*
2941. **Meridionella** HS. 595, V p. 204. *And.*

2942. **Cytisella** Curt. B. E. XIV, 671; Stt. I. B. 142, t. 4, f. 7; Z. Bresl. e. Z. 1854, 13; Frey 137; Hein. 335; Meyr. 572; **Fuscipennis** Westw. & Humphr. Br. Moths II p. 192; **Walkeriella** Dgl. Tr. E. S. I, 1850-1 p. 21; **Coenulenta** HS. 562, V p. 204.
2943. **Bohemiella** Nick. Wien. Mts. 1864, 5, t. 5, f. 9; Hein. 336, Boh.; Srp.
332. **Mesophleps** (Hb. 1818) HS.
2944. **Silacellus** Hb. 117; Tr. IX, 2. 29; Dup. Sup. IV, 72, 10; HS. V p. 203; Hein. 337; **Pyropella** Hb. Vög. 95 (nom. vet., sed propter Pyropell. S. V. (1776) non restituend.).
2945. **Auminatus** Stgr. Stett. e. Z. 1876 p. 148.
2946. **Conserstellus** Chr. Bull. M. 1882, I p. 31.
2947. **Pudicellus** Mn. Wien. Mn. 1861, 190, t. 3, f. 10. Hung. lit; Dalm; Bith; Pont.
2948. **Corsicellus** HS. n. Schm. 47 p. 7; Mill. Ann. Sc. Cannes 1875, t. 1, f. 10, 11; Nolck. Stett. e. Z. 1882 p. 192.
2949. **Trinotellus** HS. n. Schm. 46 p. 6; Stt. Ann. f. 1868 p. 142 (larv.); Const. Ann. S. Fr. 1883 p. 18 (larv.). Austr.-Hung; Gal; Cors; Sard; It. s.; Graec.

333. **Ypsolophus** (F. 1798) Z.

2950. **Renigerellus** Z. Is. 1839, 189; HS. 621, V p. 155; Hein. 338. Car; Ter; Helv; Bav; Gal; Hung; ? Hal; Dalm.
2951. **Ustulellus** (-a) F. E. S. III, 2. 307; Dup. XI, 292, 9; Tr. IX, 2. 11; HS. V p. 154; Hein. 338; Stt. Nat. Hist. XIII p. 344, t. 8, f. 1; Snell. II, 2 p. 700; Meyr. 609; **Capuci-nella** Hb. 159, 331. Eur. c; Suec; Liv; It; Dalm; Serbia; Corecyra; Arm.
2952. **Fasciellus** (-a) Hb. 111; Tr. IX, 2. 10; Dup. XI, 292, 10; Wd. 1245; HS. V p. 154; Hein. 338; Stt. Nat. Hist. XIII p. 354, t. 8, f. 2; Snell. II, 2 p. 701; Meyr. 609. Eur. c; Liv; Gal.m; It; Dalm; Srp; Bith; Pont.
2953. **Limosellus** Schläg. Ber. 1849, 43; Frey 141; Stt. Nat. Hist. XIII p. 364, t. 8, f. 3; **Deflectivellus** HS. 383, V p. 154; Hein. 339. Germ; Helv; Bith; Daur.
2954. **Schmidellus** Heyd. Is. 1848, 954; HS. V p. 154; Heyd. Stett. e. Z. 1865, 380; Meyr. 609; **Durdhamellus** Stt. Cat. 12 (1849), Hein. 339; **Quadrinellus** HS. 616, V p. 154. Angl; Germ; Austr; Boh; Hisp.s; Gal.m.
2955. **Milliereillus** Stt. Nat. Hist. XIII p. 336; Mill. Ann. Soc. Cannes 1875 p. 2, t. 1, f. 4, 5; Cat. rais. p. 339. Gal. m.
2956. **Apludellus** Id. Hor. VI (1869) p. 92, t. 5, f. 14.
2957. **Juniperellus** (-a) L. F. S. no. 1449; Hb. 216; Z. Is. 1846, 278; F. R. 97 p. 290; Tr. IX, 2. 12; HS. V p. 155; Hein. 340; Meyr. 608. Hyrc.
2958. **Barbellus** (-a) (S.V.) Hb. 291; Z. Is. 1839, 189; HS. 393, V p. 155; Hein. 340. Eur. c. (exc. Bat.); Suec; Fen; Liv; It; c; Dalm; Bith.
2959. **Sparsellus** Chr. Bull. M. 1882, I p. 29. Bav; Austro-Hung; Bith.

334. **Nothris** Hb. 1818.

2960. **Marginella** F. Sp. 307, 8; Don. Nat. Hist. II, t. 58, f. 2; Wd. 1247; HS. V p. 155; Hein. 340; Snell. II, 2 p. 698; Meyr. 608; **Striatella** Hb. 154; **Clarella** Tr. IX, 2. 54; Dup. XI, 294, 2. Eur. (exc. reg. pol.); Sib.
2961. **Verbascella** Hb. 98; Tr. IX, 1. 253; Dup. XI, 292, 11; HS. 583, V p. 163; Hein. 341; Stgr. Hor. XV p. 328; Snell. II, 2 p. 697; Meyr. 608. Eur. c. et m; Liv; Suec; As. min; Tura.

2962. **Sulcella** Stgr. Hor. XV (1880) p. 328.
2963. **Congressariella** Brd. Ann. S. Fr. 1858, 171, t. 11, f. 7.
2964. **Declaratella** Stgr. Stett. e. Z. 1859, 238; Rag. Ann. S. Fr. 1876 p. 408, t. 6, f. 5 (syn. praec.?).
2965. **Discretella** Rbl. z. b. V. 1889 p. 318, t. 8, f. 14.
2966. **Obscuripennis** Frey Lep. 372.
2967. **Senticetella** Stgr. Stett. e. Z. 1859, 238; Mill. Ic. 150, f. 9-11.
2968. **Flabellifera** (-fer) Rbl. z. b. V. 1896 p. 175.
2969. **Chinganella** Chr. Bull. M. 1882, I p. 32.
2970. **Lotellus** Const. Ann. S. Fr. 1893 p. 398, t. 11, f. 7.
2971. **Sabinella** Z. Is. 1839, 190; HS. 468-9, V p. 164; Hein. 342; Snell. II, 2 p. 698.
2972. **Asinella** Hb. 166; HS. 529, V p. 164; Hein. 342; **Aurorella** Frey Mitth. VI (1882) p. 365.
2973. **Albidella** Snell. Tijds. XXVII (1884) p. 171, t. 9, f. 6.
2974. **Cisti** Stgr. Stett. e. Z. 1859, 244.
2975. **Limbipunctella** Stgr. Stett. e. Z. 1859, 245; HS. n. Schm. 104; Rössl. Stett. e. Z. 1877 p. 378; Mill. Ann. S. Fr. 1885 p. 118, t. 2, f. 9.
2976. **Lemniscella** Z. Is. 1839, 190; F. R. 95, 3 p. 286; HS. V p. 163; Hein. 342.
2977. **Bilbainella** Rössl. Stett. e. Z. 1877 p. 378; Seibold Ann. S. Esp. 1879 p. 127, t. 1, f. 10.
- Pont.*
Gal. m.
And; Gal. m.
- Styr.*
Val.
And; Gal. m.; It. c.; Bith. (Mn.).
- Maur. oc.*
Amur; Uss.
Gal. m.
- Eur. c. (exc. Angl.), Bith.*
Eur. c. (exc. Angl. et Bat.); Liv; Cors.
Amur.
And.
- And; Hisp. s; Gal. m.*
- Germ. m. or; Austro-Hung. m.*
Hisp. s.

335. **Holcopogon** Stgr. 1880.

2978. **Helveolellus** Stgr. Hor. XV (1880) p. 330. *Hung; Dalm; Maced; Srp; Ás. oc.*
2979. **Bubulcellus** (-a) Stgr. Stett. e. Z. 1859, 245; HS. n. Schm. 105 p. 18; **Pulverellus** Const. Ann. S. Fr. 1865 p. 191, t. 7, f. 5.
2980. **Sophroniellus** Rbl. Ann. Naturh. Hofmus. IX p. 89; ib. XI p. 128, t. 3, f. 10.
- And; Gal. m.*
- Can.*

336. **Holcophora** Stgr. 1870.

2981. **Statics** Stgr. Berl. e. Z. 1870, 313.
- Srp.*

337. **Sophronia** Hb. 1818.

2982. **Semicostella** Hb. 396; Tr. IX, 2. 49; Dup. XI, 294, 9; HS. V p. 155; Z. Stett. e. Z. 1878 p. 146; Snell. II, 2. 703; Meyr. 608; **Parenthesella** Hw. 540; Wd. 1246; Hein. 343.
2983. **Chilonella** Tr. IX, 2. 36; HS. 370, V p. 156; Hein. 344.
2984. **Consanguinella** HS. 369, V p. 156; Hein. 345.
2985. **Cosmella** Const. Ann. S. Fr. 1884 p. 258, t. 10, f. 19.
2986. **Exustella** Z. Is. 1847, 820; HS. V p. 205.
2987. **Curonella** Stndf. Stett. e. Z. 1884 p. 193.
2988. **Humerella** Schiff. S. V. 137; Hb. 292; Dup. Sup. IV, 72, 14; Stt. I. B. 150; HS. 372, V p. 156; Hein. 345; Z. Stett. e. Z. 1878 p. 146; Meyr. 608.
- Eur. c; Ross. s. oc. et m. or; Hisp.*
- Eur. c. m; Liv; Ped; Dalm; Srp.*
- Germ. m; Austr; Hung; Hal; Lyd.*
- Cors.*
- And; It.*
- It. c.*
- Eur. c. (exc. Bat.); Liv; Fen; Suec;*
- Cast; Gal. m; Ped; As. min.*

2989. **Sicariella** Z. Is. 1839, 189; Dup. Sup. IV, 72, 13; HS. 371, *Eur. c. (exc. Bat. et V p. 156; Hein. 346.* *Angl.); Liv; Ped; Dalm; Srp.*
 2990. **Santolinae** Stgr. Stett. e. Z. 1863, 270. *Cast.*
 2991. **Illustrella** Hb. 158; HS. V p. 156; Hein. 346. *Austr; Hung; Dalm; Bith; Cauc.*

338. **Metanarsia** Stgr. 1870.

2992. **Modesta** Stgr. Bér. e. Z. 1870, 315; Chr. Mém. Rom. II, t. 8, f. 10. *Srp; Tura.*
 2993. **Junctivitella** Chr. Mém. Rom. II p. 161, t. 8, f. 11. *Tura.*
 2994. **Onzella** Chr. Mém. Rom. III p. 120, t. 5, f. 13. *Tura.*

339. **Anarsia** Z. 1839.¹⁾

2995. **Halimodendri** Chr. Hor. XII (1877) p. 297, t. 8, f. 69. *Hyrc.*
 2996. **Spartiella** Schrk. Fn. B. II, 104; Z. Is. 1839, 190; F. R. 95, 2 p. 284; HS. V p. 153; Hein. 347; Meyr. 609; Robertsonella Curt. B. E. XIV, 655; Genistae Stt. I. B. 144; Snell. II, 2 p. 707 [obscurior]. *Eur. c. et m; Bith.*
 2997. **Acaciae** Wlsghm. Pr. Z. S. 1896 p. 278. *Maur; Arab.*
 2998. **Eburnella** Chr. Mém. Rom. III p. 122, t. 5, f. 14. *Tura.*
 2999. **Lineatella** Z. Is. 1839, 190; Stett. e. Z. 1850 p. 142; F. R. 94-5, 1 p. 282; HS. V p. 153; Hein. 348; Pullatella Hb. 118. *Germ; Austr.-Hung; Dalm; Gal. m; Sard; Bith; Pont; Syr; Am. s.*

340. **Paranarsia** Rag. 1895.

3000. **Joannisella** Rag. Bull. S. Fr. 1895 p. 195. *Gal; Pyr; It. c.*

341. **Megacraspedus** Z. 1839.

3001. **Dolosellus** Z. Is. 1839, 190; F. R. 99, 3 p. 301; HS. V p. 157; Hein. 349. *Austr; Hung; Dalm; It; Arag.*
 3002. **Tutti** Wlsghm. Ent. Rec. IX p. 140 (1897). *Gal.*
 3003. **Separatellus** F. R. 100, 1 p. 302; HS. V p. 157; Hein. 349. *Austr; And; Sic; Dalm; Bith; Cauc.*
 3004. **Subdolellus** Stgr. Stett. e. Z. 1859, 243. *And; Gal. m; Dalm.*
 3005. **Lanceolellus** Z. Stett. e. Z. 1850, 143; HS. 402, V p. 157; Hein. 349; Hessleriellus Rössl. Verz. 247. *Germ. c. oc; Cors; It. c. et m; Dalm.*
 3006. **Binotellus** F. R. 99, 2 p. 301; HS. V p. 157; Hein. 349. *Germ. c. oc; Austr; Carn; Hung; Dalm.*
 3007. **Imparellus** F. R. 100, 2 p. 303; Hein. 350. *Austr; Hung; It. c; Dalm; Bith.*
 3008. **Attritellus** Stgr. Berl. e. Z. 1870, 316. *Srp.*
 3009. **Lagopellus** HS. n. Schm. 81 p. 13. *Hung; Ross. m.*
 3010. **Exoletellus** Ersch. Fedtsch. (1874) p. 103, t. 6, f. 117. *Saraw.*
 3011. **Argyroneurellus** Stgr. Berl. e. Z. 1870, 316. *Srp.*

342. **Chilopsephalus** Mn. 1867.

3012. **Fallax** Mn. z. b. V. 1867, 850. *Hung; Srp.*

¹⁾ Anarsia Kochiella HS. V p. 153 civis territorii?

343. **Pterolonche** Z. 1847.

3013. **Albescens** Z. Is. 1847, 896; HS. 381, V p. 145. *Gal. m.; Sic; Hung; Balc; As. min.*
 3014. ?**Inspersa** Stgr. Stett. e. Z. 1859 p. 245 (praec. var.?). *Hung; ?Austr; And;*
As. min.
 3015. **Pulverulenta** Z. Is. 1847, 897; HS. 382. V p. 145. *Sic; And; Maur.*

344. **Oecocecis** Gn. 1870.

3016. **Guyonella** Gn. Ann. S. Fr. 1870 p. 14, t. 7, f. 1-11; Rag. Bull. S. Fr. 1894 p. 251. *Maur; Cypr; Syr.*

345. **Amblypalpis** Rag. 1885.

3017. **Olivierella** Rag. Bull. S. Fr. 1885 p. 209. *Maur.*

346. **Atremaea** Stgr. 1870.

3018. **Lonchoptera** Stgr. Berl. e. Z. 1870, 317. *Gal. s. oe; Hung. (Rbl.).*

347. **Epidola** Stgr. 1859.

3019. **Stigma** Stgr. Stett. e. Z. 1859, 244. *And.*
 3020. **Barcinonella** Mill. Ic. II, 313, t. 83, f. 13-15. *Cat; Gal. m.*
 3021. **Albidella** (B.-Haas i. l.) Rbl. Iris XIII p. 166. *Maur.*

348. **Symmoca** Hb. 1818.

3022. **Signella** Hb. 211; Frey Tin. 64; HS. VI p. 163 (♀); Corr. 1863, 168; Z. Stett. e. Z. 1868, 135; z. b. V. 1868 p. 610 not. (♀); Hein. 365. *Alp. c. m. et oe.*
 3023. **Albicanella** Z. Stett. e. Z. 1868, 136; Hein. 364; **Signella** HS. 338, V p. 111; Corr. 1863, 168. *Carn; Istr; Dalm; Graec.*
 3024. **Achrestella** Rbl. z. b. V. 1889 p. 320, t. 8, f. 4. *Ter; Car. m.*
 3025. **Caliginella** Mn. z. b. V. 1867, 842; Z. Stett. e. Z. 1868, 135; Hein. 366; Rbl. z. b. V. 1889, t. 8, f. 5; ib. 1892 p. 530. *Ter. m. val.*
 3026. **Oenophila** Stgr. Cat. ed. II p. 426. *Cat.*
 3027. **Uniformella** (B.-Haas i. l.) Rbl. Iris XIII p. 166. *Arag; Murcia.*
 3028. **Muricella** Chrét. Nat. 1896 p. 104. *Pyr. or.*
 3029. **Dodecatella** Stgr. Stett. e. Z. 1859, 239. *And.*
 3030. **Signatella** HS. 380, V p. 111; Rbl. z. b. V. 1892 p. 530; Meyr. 610. *Hisp; Gal; Als; Angl; Ter. m; Istr; Srp.*
 3031. **Nigromaculella** Rag. Bull. S. Fr. 1875 p. 194; ib. Ann. 1876 p. 410, t. 6, f. 6. *Lusit.*
 3032. **Designatella** HS. 384, V p. 111; Hein. 367. *Dalm; Bith; Taur.*
 a) v. **Bifasciata** Stgr. Hor. VII, 1870, 248 (al. ant. tantum bifasciatis). *Graec.*
 3033. **Designella** HS. 461, V p. 111. *Hung. m.*
 3034. **Pyrrhella** Rag. Bull. S. Fr. 1895 p. 107. *Taur m.*
 3035. **Oxybiella** Mill. Pet. Nouv. 1872, IV p. 172; Ic. 138, f. 1, 2; Rbl. z. b. V. 1889 p. 322. *Gal. m; Ter. m.*
 3036. **Mendosella** Z. Stett. e. Z. 1868, 137; Hein. 366. *Car. m; Ter. m.*
 3037. **Vitiosella** Z. Stett. e. Z. 1868, 139; Stgr. Hor. VII, 250. *Graec; As. min.*

3038. **Sparsella** Joan. (L. & J.) Bull. S. Fr. 1891 p. 84.
 3039. **Syriacella** Rag. Bull. S. Fr. 1895 p. 108.
 3040. **Tofosella** Rbl. Stett. e. Z. 1893 p. 53; Iris XI, t. 1, f. 14.
 3041. **Undecimpunctella** Mn. Wien. Mts. 1864, 185, t. 4, f. 17;
 ?Dissoluta Stgr. Hor. VII, 250.
 3042. **Cedestiella** Z. Stett. e. Z. 1868, 140; Stgr. Hor. XV, 348.
 3043. **Griseosericeella** Rag. Bull. S. Fr. 1879 p. 140.
 3044. **Pallida** Stgr. Stett. e. Z. 1876 p. 149.
 3045. **Staechadella** Const. Ann. S. Fr. 1884 p. 260, t. 10, f. 23.
 3046. **Quadrifariella** Mn. z. b. V. 1855, 563.
 3047. **Cryptogamorum** Mill. Pet. Nouv. IV, 1872 p. 172; Ic.
 138, f. 3, 4.
 3048. **Orphnella** Rbl. Stett. e. Z. 1883 p. 54.
 3049. **Musculina** Stgr. Hor. VII (1870) p. 251, t. 3, f. 9.
- ✓
- Syr.*
Syr; Taur. m.
Arag.
Dalm; Graec; Rum;
Bith.
Srp; Pont.
Lusit.
Sie; Dalm.
Gal. m.
Cors.
Gal. m.
It. s.
Graec.

349. **Oegoconia** Stt. 1854.

3050. **Quadripuncta** Hw. Lep. Br. 557; Hein. 385; Snell. II, 2
 p. 727; Meyr. 611; Bifasciella Stph. Ill. IV, 217; Wd.
 1233; Kindermanniella HS. 418; Deauratella
 HS. V p. 135.
- ✓
- Eur. c. et m; As. oc.*

B. Blastobasinae.

350. **Endrosis** Hb. 1818.

3051. **Lacteella** Schiff. S. V. 139; HS. V p. 262; Hein.-Wek. 389;
 Snell. II, 2 p. 729; Meyr. 688; Betulinella Hb. 20. 448;
 Tr. IX, 1. 9; X, 3. 151; Dup. XI, 297, 8; Sarcitella
 Stph. Ill. IV, 210; Wd. 1207.
- ✓
- Eur; Isl; Mad; Bith.*

351. **Blastobasis** Z. 1855.

3052. **Roscidella** Z. Is. 1847, 834; HS. 985, V p. 265; Z. z. b. V.
 1873 p. 300 not.
 3053. ?**Mnemosynella** Mill. Cat. rais. p. 346.
 3054. **Phycidella** Z. Is. 1839, 193; HS. 358, V p. 212; Hein.
 388; Z. z. b. V. 1873 p. 298 not. Austr. inf; Helv;
 As. min; Maur; Can.
 3055. **Segnella** Z. z. b. V. 1873 p. 296, t. 4, f. 35.
 3056. **Rubiginosella** Rbl. Ann. Naturh. Hofmus. XI p. 130,
 t. 3, f. 12.
 3057. **Anthophaga** Stgr. Berl. e. Z. 1870, 319.
 3058. **Lavernella** Wlsghm. Tr. E. S. 1894 p. 547.
 3059. **Decolorella** Woll. Ann. & Mag. (3) I 1858 p. 122; Rbl.
 Ann. Naturh. Hofmus. IX p. 92; Wlsghm. Tr. E. S. 1894
 p. 548.
 3060. **Fuscomaculella** Rag. Bull. S. Fr. 1879 p. 141; Wlsghm.
 Tr. E. S. 1894 p. 549; Rbl. Ann. Naturh. Hofmus. XI
 p. 130; Seeboldiella Kreithner Sitzb. z. b. G. 1881
 p. 20; Seeb. Iris XI t. 1, f. 15; Marmorosella Rbl.
 (nec Woil.) l. c. VII p. 276, t. 17, f. 6; ib. IX p. 90.
 3061. **Desertarum** Woll. Ann. & Mag. (3) I 1858 p. 122; Wlsghm.
 Tr. E. S. 1894 p. 549; Maderensis Stt. Ann. & Mag.
 (3) III, 1859 p. 213.
- ✓
- It; Srp; Sil. (Wck.); Can.*
Gal. m.
Eur. m; Germ;
As. min; Maur; Can.
Srp.
Ten.
And; Gal. m.
Mad.
Mad.
Ib; Mad; Can.
Mad..

3062. **Lignea** Wlsghm. Tr. E. S. 1894 p. 550.
a) v. *Adustella* Wlsghm. l. c. 551 (al. ant. fascia fusca basali).
3063. **Ochreopalpella** Woll. Ann. & Mag. (3) I, 1858 p. 122.
3064. **Marmorosella** Woll. Ann. & Mag. (3) I, 1858 p. 122;
Wlsghm. Tr. E. S. 1894 p. 549.
3065. **Nigromaculata** Woll. Ann. & Mag. (3) I, 1858 p. 121.
3066. **Aurantiaca** Woll. Ann. & Mag. (3) I, 1858 p. 122.
3067. **Oecophila** Stgr. Stett. e. Z. 1876 p. 150 (hujus generis?
gen. Macroceras Stgr. [nom. praeocc.]).

Mad.
Mad.
Mad.
Mad.
Mad.
Sic.

352. **Epistetus** ✓ Wlsghm. 1894.

3068. **Divisus** Wlsghm. Tr. E. S. 1894 p. 552.
3069. **Pica** Wlsghm. Tr. E. S. 1894 p. 553.

Mad.
Mad.

353. **Hypatima** (Hb. 1818) HS.

3070. **Binotella** Thnbg. Diss. Ent. VII, 106; Z. L. E. X, 264;
Hein. 386; Snell. II, 2 p. 737; Mouffetella Hb. 245;
Tr. IX, 2. 91; Z. Is. 1839, 194; HS. 357!, V p. 212;
Wd. 1201.
3071. **Inunctella** Z. Is. 1839, 193; HS. 419, V p. 212; Z. L. E.
X, 266; Hein. 387.
3072. **Latiusculella** Stt. Syr. 55.
3073. **Fasciata** Stt. Ann. & Mag. (3) III, 1859 p. 213.

*Eur. c. (exc. Angl.);
Ross. s. oc; Suec.*
*Eur. c. (exc. Bat. et
Ross. s. oc; Sic; Bith.*
Bith.
Mad.

354. **Xenopathia** Rbl.

3074. **Novaki** Rbl. z. b. V. 1891 p. 635.

Dalm.

C. Oecophorinae.

355. **Pleurota** ✓ Hb. 1818.

3075. **Rostrella** Hb. Vög. 18; Hb. Tin. 113; Tr. IX, 2. 52; F. R.
99, 1 p. 294; HS. V p. 146; Hein. 354.
a) v. *Sibirica* (Stgr. i. l.) Rbl., al. ant. macula media alba
distincta, al. post. ciliis alar. apice excepto fuscis; ♀
albidior.
3076. **Breviella** Const. Ann. S. Fr. 1884 p. 259, t. 10, f. 20.
3077. **Filigerella** Mn. z. b. V. 1867, 851.
a) v. *Graeca* Stgr. Hor. VII (1870), 257, t. 3, f. 10 (obscurior).
3078. **Largella** Ld. z. b. V. 1855, 230, t. 5, 2; Stt. Syr. 67.
3079. **Planella** Stgr. Stett. e. Z. 1859, 246; Hor. VII p. 256;
HS. n. Schm. 110 p. 19.
a) v. *Pallidella* (B.-Haas i. l.) Rbl., minor, pallidior.

Sil; Austro-Hung;
Dalm; It; Graec.
Alt; Tarb.
Cors.
Dalm; Cauc.
Graec.
Syr.
And; Graec; Bith.
Cast. (St. Ildefonso).
Graec; Bith.
Eur.m; Austr.-Hung;
Pont; Taur; Bith;
Pal; Maur.
Pont.

3080. **Sublustrella** Mn. z. b. V. 1872 p. 39 (praec. form. Darw.).
3081. **Pyropella** Schiff. S. V. 187; Hb. 114; Tr. IX, 2. 54; HS.
396, V p. 146; Hein. 355; Stgr. Hor. XV p. 333; Salviella
HS. V p. 146 [al. latioribus].
3082. **Subpyropella** Stgr. Hor. XV (1880) p. 336.

3083. Proteella Stgr. Hor. XV (1880) p. 340.	Syr.
3084. Vittalba Stgr. Hor. VII (1870), 258, t. 3, f. 11.	Graec.
3085. Brevispinella Z. Is. 1847, 822; HS. V p. 146; Stgr. Hor. XV p. 334.	Hung. m. or; Ped; Sic; Srp.
3086. Metricella Z. Is. 1847, 823; HS. V p. 146; Stgr. Hor. XV p. 335; Pyropella Z. Is. 1847, 34.	Graec; As. min; Cauc; ? Gal. m. or. (Mill.).
3087. Aorsella Chr. Hor. IX (1872) p. 28, t. 2 A, f. 24.	Srp; Tura.
3088. Ochreostrigella Baker Monthl. Mag. XXI p. 269.	Maur.
3089. Submetricella Stt. Syr. 46.	Pal.
3090. Sparella Ld. z. b. V. 1855, 229, t. 5, f. 1; Stt. Syr. 46.	Syr; Pal.
3091. Pungitiella HS. 395, V p. 147; Hein. 355; Stgr. Hor. XV p. 336.	Carn; Dalm; Graec; Cauc; Sib. or.
3092. Nitens Stgr. Hor. VII (1870), 260, t. 3, f. 12; Aurata Stgr. l. c. [ab.].	Graec.
3093. Contristatella Mn. z. b. V. 1867, 851; Stgr. Hor. VII p. 262; Tristatella Stgr. l. c.; ib. XV (1880), 342.	As. min; Syra; Timos; Naxos.
3094. Issicella Stgr. Hor. XV (1880) p. 344.	Taur.
3095. Macrosella (Stgr. i. l.) Rbl. Iris XIII p. 167.	Maur.
3096. Staintoniella Baker Tr. E. S. Lond. 1888 p. 119.	Maur.
3097. Algeriella Baker Monthl. Mag. XXI p. 269.	Maur.
3098. Mauretanica Baker Tr. E. S. Lond. 1888 p. 120.	Maur.
3099. Schlaegeriella Z. Thür. Ber. 1847, 239; HS. 374, V p. 147; Hein. 355; Rössl. Stett. e. Z. 1877 p. 378.	Germ. c. et m; Gal; Bely; Ped; Hung; Hisp. s.
3100. Syriaca Stgr. Hor. XV (1880) p. 339.	Syr.
3101. Bistriella Const. Ann. S. Fr. 1884 p. 259, t. 10, f. 21.	Cors.
3102. Aristella L. S. N. ed. XII, 894; Z. Thür. Ber. 1847, 239; HS. V p. 147; Hein. 356; Bitrabilicella Tr. IX, 2. 53; Dup. XI, 294, 4-6.	Germ; Hung; Gal; Its; Ib; Dalm; Cors; Srp; Arm; Bith; Tarb.
a) v. Argentistrigella Mn. z. b. V. 1854 p. 585; Hein. 356 (al. ant. vitta costali alba obsoleta).	Carn.
3103. Cyriella Mn. z. b. V. 1855, 562.	Cors.
3104. Generosella (B.-Haas i. l.) Rbl. Iris XIII p. 168.	Mesop. s.
3105. Eximia Ld. Wien. Mts. 1861, 154, t. 2, f. 5; Stt. Syr. 67; Stgr. Hor. XV p. 338.	As. min.
3106. Contignatella Chr. Hor. IX (1872) p. 29, t. 2 A, f. 25.	Srp.
3107. Galaticella Stgr. Hor. XV (1880) p. 341.	Pont.
3108. Tristicella (Rag.) Seeb. Iris XI, t. 1, f. 5.	Taur.
3109. Simplex Stgr. Hor. XV (1880) p. 345.	Bith; Syr.
3110. Sobriella Stgr. Stett. e. Z. 1859, 245.	And.
3111. Honorella Hb. 354; HS. 400, V p. 148.	Gal. m; Hisp.
a) v. Nobilella Rbl. Iris XIII p. 169 (major, al. latioribus, striga subcostali [praesertim in ♀] distincta fusca).	Murcia.
b) v. et ab. Heydenreichiella HS. 397-9, V p. 148 (vitta argentea superiore bis interrupta).	And.
3112. Oranella Baker Tr. E. S. Lond. 1888 p. 120.	Maur.
3113. Hebetella Rag. Bull. S. Fr. 1889 p. 130; Iris XI, t. 1, f. 13.	Arag.
3114. Semicanella Const. Ann. S. Fr. 1884 p. 260, t. 10, f. 22.	Cors.
3115. Protosella Stgr. Stett. e. Z. 1883 p. 184.	And.
3116. Bicostella Cl. Ic. 3, 15; Hb. 115; Tr. IX, 2. 50; Dup. XI, 294, 7; Wd. 1248; HS. V p. 147; Hein. 356; Snell. II, 2 p. 709; Meyr. 614; Bipunctella Hb. Vög. 96.	Eur. c. et s; Carn; Hisp; It. c. et s; Dalm; Maur; Mong.

3117. **Ericella** Dup. XI, 294, 3; Z. Is. 1847, 34; Imitatrix HS. 401, a, b, V p. 147; Teligerella Stgr. Stett. e. Z. 1859, 246; HS. n. Schm. 111 p. 19 (sp. valde variab.).
 3118. **Elegans** Stt. Syr. 47.
 3119. **Amaniella** Mn. z. b. V. 1873 p. 573; Stgr. Hor. XV p. 345.

Gal; Ped; Ib; Grace;
As. min.

Pal.

Lusit; Dalm; Taur.

356. **Aplota** Stph. 1834. ✓

3120. **Palpella** Hw. Lep. Br. 545; Wd. 1249; Stt. I. B. 147; Hein. 357; Meyr. 614; Nigricans Z. Bresl. e. Z. 1852 p. 87; Kadeniella HS. 375, V p. 148; Hein. 358; Balucella HS. 617, V p. 143.

Eur. c. (exc. Bat.);
Hisp. s; Ped; Srp.

357. **Holoscolia** Z. 1839. ✓

3121. **Forficella** Hb. 343; Tr. IX, 2. 36; Z. Is. 1839, 190; Heeger Is. 1848 p. 338, t. 5; HS. V p. 144; Hein. 359. *Hung; It. c; Bale; Bith; Syr.*

358. **Protasis** HS. 1853. ✓

3122. **Punctella** Costa Fn. Nap. II, t. 4, f. 2; Z. Is. 1847, 822; Stett. e. Z. 1850, 143; HS. V p. 145; Hein. 360; Monostictella HS. 363.
 3123. **Pleurotella** Stgr. Berl. e. Z. 1870, 317.
 3124. **Glitzella** Stgr. Stett. e. Z. 1883 p. 185.

Gal. m. or; It; Carn;
Dalm; Bith.

And.

And.

359. **Topeutis** (Hb. 1818) HS. ✓

3125. **Barbella** F. E. S. III. 2. 297, 45; Tr. X, 3. 193; HS. V p. 144; Hein. 351; Labiosella Tr. IX, 2. 47; Crinitella HS. 385-6.
 3126. **Criella** Tr. X, 3. 194; HS. V p. 144; Hein. 351; Criella HS. 387-8 (sequ. var.?).
 3127. **Labiosella** Hb. 294; Tr. X, 3. 192; HS. 389-90, V p. 144; Hein. 352.

Austro-Hung; ?Cat.
(Himmigh.).

Austr. inf; Carn;
Hung; Dalm; Ped.
Austr. inf; Styr;
Hung; Ped.

360. **Apiletria** Ld. 1855. ✓

3128. **Luella** Ld. z. b. V. 1855, 231, t. 4, f. 13; Stt. Syr. 43.
 3129. **Purulentella** Stt. Syr. 43.
 3130. ?**Nervosa** Stt. Syr. 44.

Cypr; Taur; Syr; Pal.
Pont; Arm; Pal; Hyrc.
Pal.

361. **Dasystoma** Curt. 1833. ✓

3131. **Salicella** Hb. 9; Tr. IX, 1. 33; Frr. 150, 1; Dup. XI, 287, 7; Stph. Ill. IV, 236; Wd. 1271; Hein. 131; Snell. II, 2 p. 561; Meyr. 615; Rufocrinalis Zett. Ins. Lap. 975.

Eur. c. et s; It. s. et c;
Dalm; Ross. m. or.

362. **Chimabache** (Hb. 1818) Z. ✓

3132. **Phryganella** Hb. 10; Tr. IX, 1. 32; Wd. 1272 (exc. ♀); Dup. XI, 287, 5; HS. 330 ♀, V p. 114; Hein. 131; Snell. II, 2 p. 564; Meyr. 616; Novembbris Hw. 502 ♀; Curt. B. E. XVI, 743; Wd. 1274.

Eur. c; Liv; Suec;
Ped; Ross. m. or.

3133. **Fagella** (S.V.) F. Mant. II, 244, 42; Hb. 12; Tr. IX, 1. 26; Wd. 1273; Dup. XI, 287, 1. 2; HS. 332 ♀, V p. 114; Hein. 132; Snell. II, 2 p. 562; Meyr. 616.
a) ab. *Dormoyella* Dup. XI, 287, 3, 4; *Fagella* var. HS. 331; *Nolckenella* Mill. Ann. Sc. Cannes 1880, t. 10, f. 7 (al. ant. infuscatis).

363. Semioscopis Hb. 1818.

3134. **Anella** Hb. 28; Hein. 136; Snell. II, 2 p. 566; *Alienella* Tr. IX, 1. 40; HS. 152 ♀, V p. 114; Dup. XI, 287, 6; ?*Oculella* Thnbg. Diss. Ent. VII, 92.
3135. **Strigulana** (S.V.) F. Mant. II, 233, 79; HS. 334, V p. 144; Frey 9; Hein. 136; *Atomella* Hb. 13; Tr. IX, 1. 29. Hung; Hal; Ross; Ped.
3136. **Avellanella** Hb. Vög. 65; Tin. 27; Tr. IX, 1. 31; Dup. XI, 287, 11; Wd. 1275; HS. 333, V p. 114; Hein. 136; Snell. II, 2 p. 567; Meyr. 616.
3137. **Antiquella** Zett. Ins. Lap. 992 (praecl. var.?).

Germ; Austr; Hal;
Bat; Liv; Suec;
Ross. m. or.

Germ; Helv; Austr.-
Hung; Hal; Ross; Ped.
Eur.c; Ross; Scand;
Ped.

Lap. Norv.

364. Epigraphia Stph. 1829.

3138. **Steinkellneriana** Schiff. S. V. 130; HS. 335, V p. 131; Hein. 136; Snell. II, 2 p. 567; Meyr. 617; *Steinkellnerella* Tr. IX, 1. 36; Dup. XI, 287, 10; *Characterella* Hb. Vög. 9; Tin. 26.
3139. **Orientella** Rbl. Stett. e. Z. 1893 p. 45; Iris XI, t. 1. f. 4.

Eur. c. et s; Sic;
Dalm.s; Ross.m. or.

Albania; Cauc.

365. Psecadia Hb. 1818.

3140. **Sexpunctella** Hb. 304; Tr. IX, 1. 226; Z. Is. 1844, 230; Dup. XI, 286, 6; HS. V p. 132; Hein. 137.
3141. **Amasina** Stgr. Hor. XV (1880) p. 291.
3142. **Pusiella** Roemer Gen. Ins. 22, t. 23, f. 9 (1789); Curt. B. E. IX, 412; Stph. III. IV, 240, t. 39, 3; Dup. XI, 285, 3; Hein. 138; Mill. Ic. 97, 5-9; Meyr. 632; *Lithospermella* Hb. 104; Tr. IX, 1. 209; *Scalella* Z. Is. 1844, 230; HS. V p. 132.
a) ab. (et v.?) *Fumidella* Wck. Jhrb. Schles. Ges. 1849 p. 70; HS. 922, V p. 132; Hein. 138; Stgr. Hor. XV p. 290 (al. ant. vitta media nigra usque ad costam producta).
3143. **Bipunctella** F. S. E. 668, 7; Hein. 138; Stt. Nat. Hist. XIII p. 268, t. 6, f. 2; Meyr. 631; *Echiella* Hb. Btr. IV, 4, t. 1, B; Hb. 105; Tr. IX, 1. 211; Dup. XI, 285, 2; Z. Is. 1844, 231; Curt. B. E. IX, 412.
3144. **Confusella** (B.-Haas i. l.) Rbl. Iris XIII p. 169.
3145. **Vittalabella** Chr. Hor. XII (1877) p. 292, t. 8, f. 65.
3146. **Funerella** F. Mant. II, 247, 74; Hb. Vög. 4; Hb. 85; Tr. IX, 1. 213; Dup. XI, 285, 5; Wd. 1280; Z. Is. 1844, 232; HS. V p. 131; Hein. 139; Stt. Nat. Hist. XIII p. 252, t. 6, f. 1; Snell. II, 2 p. 605; Meyr. 631.
a) v. *Canuisella* Mill. Ic. II, 291, t. 81, f. 13 (al. ant. macula costali alba nulla).
b) v. *Luctuosella* HS. V p. 131 (al. ant. apice albo-maculato).
3147. **Decemguttella** Hb. 303; Tr. IX, 1. 225; Frr. 126, 2; Dup. XI, 285, 7; Z. Is. 1844, 232; HS. V p. 132; Hein. 139; Stt. Nat. Hist. XIII p. 280, t. 6, f. 3; Snell. II, 2 p. 606; Meyr. 631.

Germ; Austr; Hung;
Hal; Belg; Eur. m.; Bith.
Pont.

Eur. c. (exc. Bat.) et
m; As. min; Tura.

Eur.c. et m; Dan; As.
min; Maur; Can.

Mesop. s.

Tura.

Eur. c; Ross. s. oc;
Ib; It; Dalm; As.
min; Cauc.

Gal. m.

Bith.

Eur. c; Hisp; Ped;
Dalm; As. min.

3148. **Tripunctella** Stgr. Hor. XV (1880) p. 292. *Pont.*
 3149. **Septempunctata** Chr. Bull. M. 1882, I p. 14. *Amur.*
 3150. **Quadrinotella** Mn. Wien. Mts. 1861, 191, t. 3, f. 8. *Graec.; Pont.; Syr.*
 3151. **Distigmatella** Ersch. Fedtsch. p. 100, t. 6, f. 111. *Saraw.*
 3152. **Libycella** Rag. Bull. S. Fr. 1892 p. 82. *Maur. or.*
 3153. **Quadripunctella** Ev. F. V. U. 566; HS. 339, V p. 132. *Ural.*
 ✓ 3154. **Haemorrhoidella** Ev. F. V. U. 565; HS. 337, V p. 133; Hein. 139. *Srp.; Dalm.; Graec.; Bith.; Cauc.*
 3155. **Flavianella** Tr. IX, 1. 228 ♂; HS. 354, V p. 133; Hein. 140. *Carn.; Dalm.; Bith.; Pont.*
 3156. **Treitschkeella** Stgr. Hor. XV (1880) p. 294. *Pont.*
 3157. **Chrysopyga** HS. V p. 133; Stgr. Hor. XV p. 295; Jourdeheille Ann. S. Fr. 1888 p. 65; Flavianella Tr. IX, 1. 228 ♀; F. R. 30, 3 p. 53; Z. Is. 1844 p. 233. *Hung. m.; Gal.; Eur. m.; Bulg.; Bith.; Pont.; Taur.; Arm.*
 3158. **Staudingeri** Rbl. Iris XIII p. 171. *Kurd. oc.*
 3159. **Mongolica** Rbl. Iris XIII p. 171. *Mong.*
 3160. **Andalusica** Stgr. Hor. XV p. 296; Iris XI t. 1, f. 9. *And.*
 3161. **Albarracinella** Rag. Bull. S. Fr. 1882 p. 66. *Arag.*
 3162. **Flavitibiella** HS. V p. 133; Z. Stett. e. Z. 1872 p. 104; ib. 1878 p. 127; Flavianella Ev. F. V. U. 566; Chrysopygella Kol. Mel. Ent. p. 111, t. 18, f. 5; Z. Stett. e. Z. 1848 p. 376. *Ross. m. or.; Helv.*
 3163. **Vidua** Stgr. Hor. XV (1880) p. 296. *Tarb.*
 3164. **Lugubris** Stgr. Hor. XV (1880) p. 296. *Bulg.; Austr. sup.*
 3165. **Maracandica** Rbl. Iris XIII p. 170. *Saraw.*
 3166. **Cirrhoenemia** Ld. Hor. VIII (1871) p. 25, t. 2, f. 13. *Hyrc.*
 3167. **Nigripedella** Rbl. Iris XIII p. 173. *Thian. or.*
 3168. **Namangana** Rbl. Iris XIII p. 174. *Ferg.*
 3169. **Pyrausta** Pall. Reis. I, 176 (1771); Z. Stett. e. Z. 1844, 379; Meyr. 631; Atropunctella Thnbg. Diss. Ent. VII, 103. *Angl.; Ross. oc.; Sib.; Amur.*
 3170. **Discrepitella** Rbl. Iris XIII p. 172. *Ross. m. or.*
 3171. **Aurifluella** Hb. 302; Tr. IX, 1. 227; Pyrausta Hb. 260 (Bomb.); Z. Is. 1844, 234; Pyraustella Dup. X, 286, f. 7. *Gal. m.; Val.; Sard.; It.; Balc.; Bith.; Arm.*

366. **Exaeretia** Stt. 1849.

3172. **Allisella** Stt. Tr. E. S. Lond. V, 152, t. 17, f. 1 (1849); Z. L. E. IX, 194; HS. V p. 115; Hein. 141; Stt. Nat. Hist. XIII p. 322, t. 7, f. 3; Meyr. 618. *Germ. c. et s.; Helv.; Angl.; Liv.; Fen.*

367. **Cryptolechia** Z. 1853.

3173. **Sareptensis** Möschl. Wien. Mts. 1862, 141, t. 1, f. 14. *Hung.; Srp.*
 3174. **Murcidella** Chr. Hor. XII (1877) p. 294, t. 8, f. 67. *Hyrc.*
 3175. **Catenulella** Chr. Bull. M. 1882, I p. 19. *Amur.*

368. **Pantelamprus** Chr. 1882.

3176. **Staudingeri** Chr. Bull. M. 1882, I p. 22.

Uss. m.

369. **Depressaria** Hw. 1812.

3177. **Costosa** Hw. Lep. Br. 508; Z. L. E. IX, 198; Hein. 143; Snell. II, 2 p. 577; Meyr. 620; Spartiana Hb. (Tortr.) 199; Depunctella Hb. 378; Tr. IX, 1. 280; Dup. XI, 291, 2; HS. V p. 123; Boieella Fr. II, 168, 3.
3178. **Irrorata** Stgr. Hor. VII, 1870, 241, t. 3, f. 7; Rbl. z. b. V. 1891 p. 627; Anthriscella Brown Act. Soc. L. Bordeaux XL (1886) p. 53.
3179. **Comitella** Ld. z. b. V. 1855, 232, t. 5, f. 5.
3180. **Pupillana** Wck. Bresl. e. Z. 1887 p. 62; Rbl. z. b. V. 1899 p. 177, t. 4, f. 8.
3181. **Flavella** Hb. 97; HS. V p. 127; Liturella (S. V.) Tr. IX, 1. 257; Dup. XI, 291, 1; Z. L. E. IX, 200; Stt. Nat. Hist. VI, 81, t. 2, f. 2; Hein. 144; Snell. II, 2 p. 576; Meyr. 621; Sparmanniana Wd. 1172; ?Kaekeritziana L. S. N. ed. XII, 876; Spr. Stett. e. Z. 1872, 174.
a) v. *Sparmanniana* F. E. S. 3. 2. 285, 175; Bipunctosa (Curt.) Stt. Ann. 1858, 89; Pallorella HS. 448 (al. ant. pallidioribus, exterius densius nigro-squamatis).
3182. **Aspersella** Const. Ann. S. Fr. 1888 p. 170, t. 4, f. 9.
3183. **Imbutella** Chr. Hor. XXII p. 313 (1888).
3184. **Squamosa** Mn. Wien. Mts. 1864, 185, t. 4, f. 13; Stgr. Hor. XV, 297.
3185. **Straminella** Stgr. Stett. e. Z. 1859, 238; Hor. VII, 242.
3186. **Subpallorella** Stgr. Berl. e. Z. 1870, 298; Discognitella HS. Corr. 1871 p. 48.
3187. **Pallorella** Z. Is. 1839, 195; Z. L. E. IX, 204; Stt. Nat. Hist. VI, 91, t. 2, f. 3; Hein. 145; Snell. II, 2 p. 576; Meyr. 622; Sparmanniella HS. 449.
3188. **Prostratella** Const. Ann. S. Fr. 1884 p. 215, t. 9. f. 12.
3189. **Culcitella** HS. 435, V p. 127; Z. L. E. IX, 206; Hein. 146; Stt. Nat. Hist. XII p. 166, t. 5, f. 3.
3190. **Lepidella** Chr. Hor. IX p. 19, t. 1, f. 16 (1872).
3191. **Doronicella** Wck. Jhrb. Schles. Ges. 1849, 73; Bresl. e. Z. 1850, t. 5, f. 18; Hb. 622-3, V p. 121; Schmidella Z. Stett. e. Z. 1851, 81; L. E. IX, 207; Hein. 146; Laetella HS. V p. 122.
a) v. *Lennigiella* Fuchs Stett. e. Z. 1880 p. 237 (pallidior, al. post. angulo interno magis producto, vix nom. conserv.).
3193. **Assimilella** Tr. IX, 1. 259, X, 3. 185; F. R. 31. 32, 1 p. 61; Dup. XI, 291, 1; Z. L. E. IX, 212; HS. V p. 121; Stt. Nat. Hist. VI, 43, t. 1, f. 1; Hein. 147; Snell. II, 2 p. 579; Meyr. 621.
3194. **Venosulella** Möschl. Wien. Mts. 1862, 142, t. 1, f. 15; Stgr. Hor. XV, 298; Neglectella Ld. Wien. Mts. 1863 p. 46, t. 1, f. 12.
3195. **Nanatella** Stt. Tr. E. S. Lond. V, 154, t. 17, f. 2; Nat. Hist. VI, 53, t. 1, 2; Z. L. E. IX, 216; HS. V p. 121; Hein. 147; Snell. II, 2 p. 579; Meyr. 622.
3196. **Aridella** Mn. z. b. V. 1869, 385; Hein. 150; Stgr. Hor. VII, 244.
- Eur. c; Suec; It. c. et s; Sard; Dalm.
- Val; Gal; Sic; Dalm; Graec; Syr.
- Naxos; Lyd; Syr.
- Ter. m.
- Eur. c; Suec; Ross. s. oc; Gal. m; It; Dalm; Bith.
- Angl; Gal; Germ; Hisp; Bith; ?Maur.
- Gal. m; Sic.
- Arm.
- Cat; Sic; Dalm; Bith.
- And; Gal. m; Naxos.
- Austr. inf; Styr; Hung; Gal. m.
- Eur. c; Liv; Suec; And; Hisp. s; It.
- Gal. c. or.
- Germ. m; Austr. inf; Hung.
- Srp.
- Carn; Car; Sil. or. mont; Hung. m.
- Angl; Bat; Gal. m; Cast.
- Germ. oc. c.
- Eur. c; It; Dalm; Graec; Srp.
- Hung; Bulg; Srp; Bith; Cauc.
- Eur. c; Sard; It; Dalm.
- Carn; Dalm; Graec; Bith.

3197. **Putridella** Schiff. S. V. 138; Hb. 244; HS. 450, V p. 120; Z. L. E. IX, 218; Hein. 147; Stt. Nat. Hist. XII p. 192, t. 6, f. 3; Nolck. Stett. e. Z. 1882 p. 190; Peucedanella Mill. Ann. Sc. Cannes 1880 p. 13, t. 10, f. 14, 15.
3198. **Mongolicella** Chr. Bull. M. 1882, I p. 15; Septicella Snell. Tijds. XXVII (1884) p. 162, t. 8, f. 8, 8a.
3199. **Ramosella** Stt. Syr. 53; Ld. Ann. S. Belg. 1870, t. 2, f. 14; Stgr. Hor. XV, 298.
3200. **Atomella** (S. V.) Hb. 240; Z. L. E. IX, 220 var. a. c.; Rössl. Verz. 230; Hein. 148; Stt. Monthl. Mag. XV. 188; Snell. II, 2 p. 583; Meyr. 621 (pr. p.); Pulverella Tr. IX, 1. 252; F. R. 32, 2a, b; Respersella Tr. IX, 2. 275; F. R. 33, 1.
3201. **Scopariella** Hein. 149; Snell. II, 2 p. 584; Atomella Z. L. E. IX p. 220 var. b. d. e; Stt. Nat. Hist. XII p. 218, t. 7, f. 3; Meyr. 621 (pr. p.); Pulverella F. R. 32, 2 c. d.; Rössl. Verz. 230; Rubescens Hein. 154; Wek. Jhrsb. Schles. Ges. 1874, 165 (praeec. var. Darw.).
3202. **Rutana** F. E. S. III, 2. 286, no. 179; Stt. Nat. Hist. XII p. 200, t. 7, f. 1; Rutella F. Suppl. E. S. 485, 21; Retiferella Z. Stett. e. Z. 1850, 150; L. E. IX, 224.
3203. **Petasitis** Stndf. (sen.) Bresl. e. Z. 1851, 59; Z. L. E. IX, 229; HS. 624, V p. 124; Petasitae Hein. 149.
3204. **Arenella** Schiff. S. V. 137; Tr. IX. 1. 258, X, 3. 184; F. R. 33, 2 p. 61; Dup. XI, 290, 2; Z. L. E. IX, 226; HS. V p. 124; Stt. Nat. Hist. VI, 69, t. 2, f. 1; Hein. 149; Snell. II, 2 p. 580; Meyr. 622; Gilvella Hb. 96; Wd. 1171.
3205. **Propinquella** Tr. X, 3. 184; F. R. 33, 3 p. 65; Z. L. E. IX, 232; HS. V p. 124; Mill. Ic. 69, 6-9; Hein. 150; Snell. II, 2 p. 581; Meyr. 622; Yeatiella Hb. 418.
3206. **Subpropinquella** Stt. Tr. E. S. Lond. V, 156, t. 17, 3; Nat. Hist. XII, 156, t. 5, f. 2; Z. L. E. IX, 235; Hein. 151; Snell. II, 2 p. 583; Meyr. 623; Heracliella Dup. XI, 290, 12; Sublutella Stgr. Stett. e. Z. 1859, 237; ?Intermediella Stt. l. c. p. 160, t. 17, f. 4; HS. V p. 118; Variabilis Hein. 152; ?Himmighofenella HS. V p. 125; Stt. South. Eur. 241.
a) v. et ab. *Rhodochrella* HS. 425, V p. 125; Z. L. E. IX, 231; Hein. 152; Thoracica Ld. z. b. V. 1855 p. 233, t. 5, f. 6 (al. ant. minus conspersis, macula media magna thoraceque fuscis).
3207. **Laterella** Schiff. S. V. 137; F. R. p. 66; Stt. Tr. E. S. Lond. V, 159; Z. L. E. IX, 263; HS. V p. 125; Hein. 153; Snell. II, 2 p. 582; Heracliella Hb. 417; (-iella) Tr. IX, 1. 250, X, 3. 183; F. R. 33, 4a, b.
3208. **Abiectella** Chr. Bull. M. 1882, I p. 16.
3209. **Carduella** Hb. 439; Stph. Ill. IV, 199; Stt. Tr. E. S. Lond. V, 159; Nat. Hist. XII, 148, t. 5, f. 1; Wd. 1170; Z. L. E. IX, 268; Hein. 153; Nolck. Fn. II, 534; Meyr. 623.
3210. **Incarnatella** Z. L. E. IX, 266; Hein. 154 (?praeec. var.).
3211. **Zephyrella** Hb. 414-5; HS. V p. 125; Hein. 155; Meyr. 626; Capreolella HS. 453; Granulosella Stt. Cat. 62; HS. 1001, VI p. 163; Z. L. E. IX, 277; Snell. Tijds. XL p. 345; Amasina Mn. Wien. Mts. 1861 p. 192, t. 3, f. 9; Stgr. Hor. XV. 298; Turbulentella Glitz Jhrsb. Hannov. 1863, 40.
- Germ. m; Austr. inf; Hung; Gal. m.*
- Amur.*
- Arm; ?Pont.*
- Eur. c. et m; Bith; Syr.*
- Germ; Bat; Angl; Gal; It.*
- Hisp; Gal. m; Ter. m; It; Dalm.*
- Alp. s. et or; Sil. mont.*
- Eur. c; Dan; Suec; Ross. s. oc. et m. or; Gal. m; Sard; It. s. et c; Dalm; Graec.*
- Eur. c; Dan; And; Gal. m; Sic; Ross. m. or. et s. oc; Suec.*
- Eur. c. et m; Fen; Bith.*
- Syr. (var.) etc. (ab.).*
- Eur. c. (exc. Angl.); Ross; Sard; It; Dalm; Sib; Mong.*
- Uss. m.*
- Angl; Germ. c. et m. or; Austr. inf; Ter; Ross. m. or; Liv.*
- Germ. c.*
- Angl; Bat; Germ; Pont.*

3212. **Quadripunctata** Wck. Jhrb. Schles. Ges. 1857, 7; Hein. 156. *Sil; ? Liv.*
3213. **Homochroella** Ersch. Fedtsch. (1874) p. 100, t. 6. f. 112. *Tura; Saraw.*
3214. **Adspersella** Koll. Btr. Landesk. Oestr. II, 92; Tr. IX, 2. 276; Z. L. E. IX, 259; Hein. 156; Stgr. Hor. VII, 245. *Austr; Ter; Hung;*
Sic; As. min.
3215. **Amanthicella** Hein. 157. *Germ. m; Austr. inf; Hal; Dalm; Pers; Tura.*
3216. **Thapsiella** Z. Is. 1847, 838; L. E. IX, 261; Stt. Tr. E. Soc. Lond. V, 159; HS. V p. 121; Thapsia HS. 454; *Feruliphila* Mill. Ic. II, 209, t. 73, f. 1-3. *Sic; Gal. m; ? Dalm;*
Graec; Bith.
3217. **Chironella** Const. Ann. S. Fr. 1893 p. 392, t. 11, f. 4. *Gal. m.*
3218. **Cervariella** Const. Ann. S. Fr. 1884 p. 251, t. 10, f. 13. *Gal.*
3219. **Crassiventrella** Rbl. z. b. V. 1891 p. 627. *Dalm.*
3220. **Silerella** Stt. Monthl. Mag. I, 221; Hein. 157; Stt. Nat. Hist. XII p. 238, t. 8, f. 2. *Austr.*
3221. **Ciniflonella** Z. Is. 1846, 280; Tgstr. Bidr. 123; HS. 434, V p. 116; Stt. Tr. E. S. Lond. V, 159; Z. L. E. IX, 255; Hein. 157; Meyr. 624. *Scot; Germ. s; Car.*
alp; Ross. oc; Scand;
Am. s.
3222. **Yeatiana** F. Sp. II, 286, 60; Stt. Tr. E. S. Lond. V, 160; Z. L. E. IX, 252; Snell. II, 2 p. 589; Meyr. 624; Yatesana Wd. 1173; Ventosella Reutti Fn. 186; HS. 455, V p. 126; Atricornella Mn. z. b. V. 1855, 564; Rbl. Ann. Naturh. Hofmus. VII p. 274 not. *Eur. c; Cors; And.*
3223. **Conciliatella** Rbl. Ann. Naturh. Hofmus. VII, 1892 p. 272, t. 17, f. 14. *Can; Mad; Sic.*
3224. **Ocellana** F. S. E. 652, 40; Wd. 1175; Z. L. E. IX, 250; Frey Tin. 85; Hein. 158; Snell. II, 2 p. 588; Meyr. 624; Signella Hb. 80; Characterella Tr. IX, 1. 254, 2. 275; Dup. XI, 290, 3. *Eur. (exc. Ib. m. et*
reg. pol.); Sib. or.
3225. **Ledereri** Z. L. E. IX, 248.
3226. **Alstroemeriana** Cl. Ic. 10, 1; L. S. N. ed. XII, 879; Wd. 1179; Z. L. E. IX, 238; Stt. Nat. Hist. VI, 257, t. 8, f. 2; Hein. 159; Snell. II, 2 p. 589; Meyr. 625; Puella Hb. 82; Alstroemerella Tr. IX, 1. 255, X, 3. 184; Dup. XI, 290, 5; HS. V p. 124. *Cyprus; ? Arm.*
Eur. c. et s. (exc. reg.
pol.); And; Gal. m;
Ped; Carn; Ross. m.
or; Sib.
3227. **Niviferella** Chr. Hor. IX p. 20, t. 1, f. 17. *Srp.*
3228. **Purpurea** Hw. Lep. Br. 511; Wd. 1186; Z. L. E. IX, 240; Hein. 159; Snell. II, 2 p. 590; Meyr. 625; Vaccinella Hb. 416; Tr. IX, 1. 236, X, 3. 177; Dup. XI, 261, 6; HS. V p. 117. *Eur. c. et m; Bith;*
Arm; Hyrc; Tura.
3229. **Liturella** Hb. 83; Wd. 1184; HS. 433, V p. 115; Hypericella Tr. IX, 1. 236; Dup. XI, 290, 7; Z. L. E. IX, 242; Stt. Nat. Hist. VI p. 100, t. 3, f. 1; Hein. 160; Snell. II, 2 p. 591; Meyr. 623. *Eur. c; Suec; Ross.*
oc; Gal. m; Cast.
3230. **Contermineila** Z. Is. 1839, 196; HS. V p. 116; Hein. 161; Snell. II, 2, 592; Meyr. 624; Hypericella Hb. 441. *Germ; Austr; Bat;*
Angl; Gal. m;
Ross. oc.
3231. **Impurelia** Tr. X, 3. 178; F. R. 48, 3a, b, p. 125; Z. L. E. IX, 257; HS. V p. 128; Frey 86; Hein. 161. *Germ; Austr; Helv;*
Hal; Liv.
3232. **Lutosella** HS. 438, V p. 122; Hein. 170. *Hisp; Cors; Istr; Dalm; As. min; Arm.*
3233. **Applana** F. Gen. 294; Wd. 1176; Z. L. E. IX, 270; Stt. Nat. Hist. VI, 269, t. 8, 3; Hein. 162; Snell. II, 2, 585; Meyr. 626; Applanella F. R. 47-8, 1 p. 122; Cicutella Hb. 79, 419; Tr. IX, 1. 248, X, 3. 182; Dup. XI, 290, 4. *Eur. c. et s; Gal. m;*
It. c; Mad.
3234. **Ciliella** Stt. Cat. 17; Tr. E. S. Lond. V, 161, t. 17, f. 7; HS. V p. 118; Snell. II, 2 p. 586; Meyr. 626; Annexella Z. Stett. c. Z. 1868, 416; Hein. 162. *Angl; Bat; Germ. (s.);*
Boh; Ter; Helv;
Liv; Scand.

3235. ?**Rubricella** Mill. Cat. rais. p. 323. *Gal. m.*
3236. **Multiplicella** Ersch. Hor. XII p. 344 (1877); Mém. Rom. VI p. 671, t. 16, f. 5. *Uss.*
3237. **Erythrella** Snell. Tijds. XXVII p. 161, t. 8, f. 7, 7a (1884). *Uss.*
3238. **Cotoneastri** Nick. Wien. Mts. 1864, 2, t. 5, f. 6; Hein. 163. *Helv. or. alp.*
3239. **Capreolella** Z. Is. 1839, 196; HS. V p. 120; Z. L. E. IX, 274; Hein. 164; Snell. II, 2 p. 587; Meyr. 625; Depressella HS. 452; Caprella Stt. Tr. E. S. Lond. V, 157, t. 17, f. 9. *Eur. c; Liv; Fen; Suec; Carn; Dalm; Bith.*
3240. **Rotundella** Dgl. Zool. 1270, f. 8; Stt. I. B. 94; Z. L. E. IX, 278; HS. 644, V p. 126; Hein. 164; Meyr. 626; Peloritanella Z. Is. 1847, 837. *Germ. m.; Austr. inf.; Angl.; Eur. m.; Bith.; Pont.*
3241. **Nodiflorella** Mill. Ic. II, 214, t. 73, 8-11; Stt. Nat. Hist. XII p. 210, t. 7, f. 2. *Gal. m. or.*
3242. **Angelicella** Hb. 337; Tr. IX, 2. 273, X, 3. 183; Z. L. E. IX, 280; HS. V p. 126; Stt. Nat. Hist. VI, 166, t. 5, f. 1; Hein. 165; Snell. II, 2 p. 593; Meyr. 625; Rubella Dup. XI, 290, 6. *Eur. c; Ped; Liv; Fen; Suec.*
3243. **Isabellina** Klem. Spraw. Kom. fizyogr. XXXIII p. 173 (1898). *Hal.*
3244. **Astrantiae** Hein. 165. *Germ; Gal; Dan; Hal.*
3245. **Alpigena** Frey Mitth. III, 1870, 248, 295; Stett. e. Z. 1871 p. 129; Sileris Pfaffenzeller Stett. e. Z. 1870 p. 320; Parilella var. e. Z. b. V. 1868 p. 48. *Helv. m. or. et Car. m. Alp.*
- a) v. *Salvensis* Frey Lep. 353 (minor, magis brunnescens).
3246. **Ragonoti** Rbl. z. b. V. 1889 p. 308, t. 8, f. 10 (a praec. satis distincta?). *Austr. inf.*
3247. **Hepatariella** Z. Is. 1846, 282; HS. 436, V p. 123; Stt. Tr. E. S. Lond. V, 163; Z. L. E. IX, 290; Snell. II, 2 p. 594. *Helv; Car. sum. alp; Sil; Bat; Ross. oc; Lap.*
3248. **Cnicella** Tr. IX, 1. 237, X, 3. 177; F. R. 48, 2 p. 124; Dup. XI, 290, 8; Z. L. E. IX, 289; HS. V p. 117; Stt. Nat. Hist. VI, 210, t. 6, f. 3; Hein. 166; Snell. II, 2 p. 595; Meyr. 623. *Eur. c; Ross. s. oc; Hisp.s; Gal. m; Sic; Bith.*
3249. **Sarracenella** Rössl. Verz. 233 (333); Hein. 167. *Germ. oc.*
3250. **Senecionis** Nick. Wien. Mts. 1864 p. 3; Stgr. Berl. e. Z. 1870 p. 295; Marmotella Frey Mitth. II p. 377 (praec. var.?). *Alp. Helv. et Ter; Cast.*
3251. **Oinochroa** Tur. (E.) Bull. Soc. It. 1879 p. 200, t. 8, f. 13, 14; Rbl. z. b. V. 1889 p. 310. *It. s; Austr. inf.*
3252. **Anticella** Ersch. Hor. XII p. 344 (1877); Mém. Rom. VI t. 16, f. 6. *Sib. or. (Irkutsk).*
3253. **Selini** Hein. 167; Parilella var. e. Z. L. E. IX, 283. *Germ; Carn; Gal. c.*
3254. **Parilella** Tr. X, 3. 178; Z. L. E. IX, 283; HS. 451, V p. 117; Stt. Nat. Hist. VI, 202, t. 6, f. 2; Hein. 168; Humerella Dup. XI, 312, 7. *Germ; Austr.inf; Car; Ter; Dalm; Gal; Liv.*
3255. **Hippomarathri** Nick. Wien. Mts. 1864 p. 3, 486, t. 5, f. 8; Hypomarathri Hein. 169. *Boh; Morav; Austr. inf; Ter; Hung.*
3256. **Cachritis** Stgr. Stett. e. Z. 1859, 237. *And.*
3257. **Epicachritis** Rag. Bull. S. Fr. 1895 p. 106. *Syr.*
3258. **Ferulae** Z. Is. 1847, 840; Stt. Tr. E. S. Lond. V, 162; HS. 437, V p. 117; Z. L. E. IX, 292; Mill. Ic. II, 212, t. 73, f. 6, 7. *Gal. m. or; Sic; ? Istr.*
3259. **Furvelia** Tr. IX, 1. 239; Z. L. E. IX, 287; HS. 440, V p. 123; Stt. Nat. Hist. 194, t. 6, 1; Hein. 169. *Germ; Austr; Carn; Hung; Ped; Dalm; Bith.*

3260. **Costaemaculella** Chr. Bull. M. 1882, I p.18; Snell. Tijds. XXVII p. 158, t. 8, f. 5, 5a. *Uss. m.*
3261. **Depressella** Hb. 407; Dup. XI, 290, 9. 10; Z. L. E. IX, 294; Stt. Nat. Hist. VI, 156, t. 4, f. 3; Hein. 171; Meyr. 629; Bluntii Curt. B. E. V, 221; Wd. 1185.
a) v. *Amasiella* Stgr. Hor. XV p. 300 (1880) (minor, dilutior). *Eur. c. et m. (exc. Bat. et Sic.); Ross. s. oc; Suec; Lap; Bith.*
3262. **Despoliatella** Ersch. Fedtsch. p. 101, t. 6, f. 113. *Pont.*
3263. **Bupleurella** Hein. 171; Stgr. Berl. e. Z. 1870, 296. *Saraw.*
3264. **Pimpinellae** Z. Is. 1839, 195; Z. L. E. IX, 298; HS. 439, V p. 130; Stt. Nat. Hist. VI, 146, t. 4, f. 2; Hein. 172; Snell. II, 2 p. 595; Meyr. 629. *Germ. oc. m.*
3265. **Reichlini** Hein. 173 (praec. var.?). *Eur. c; Suec; Norv; Ross.*
3266. **Libanotidella** Schläg. Ber. 1849, 44; Z. L. E. IX, 301; Frey Tin. 89; HS. 423-4, V p. 130; Stt. Nat. Hist. VI, 184, t. 5, f. 3; Hein. 173; Nolek. Fn. II, 539.
a) v. *Laserpitii* Nick. Wien. Mts. 1864, 1; Hein. 174; Z. Stett. e. Z. 1878 p. 130 (major, inconstans). *Bav.*
3267. **Daucivorella** Rag. Bull. S. Fr. 1889 p. 106. *Germ; Austr; Helv; Angl; Ross. s. oc; ?Sic.*
3268. **Badiella** Hb. 92; Tr. X, 3. 180; Z. L. E. IX, 306; HS. 447, V p. 128; Frey 90; Hein. 175; Snell. II, 2 p. 601; Meyr. 627; Pastinacella Dup. XI, 291, 5. *Helv. or. alp.*
- a) v.? *Unicolor* Tgst. Cat. 364 (unicolor radio-fusca). *Gal.*
3269. ?**Aurantiella** Tutt Ent. Rec. IV p. 241. *Eur. c. et m.; Suec; Ross; Cauc; Mong.*
3270. **Brunneella** Rag. Ann. S. Fr. 1874 p.585, t. 11, f. 3. *Ross. s. oc.*
3271. **Leuocephala** Snell. Tijds. XXVII p. 160, t. 8, f. 6, 6a. *Angl.*
3272. **Veneficella** Z. Is. 1847, 842; L. E. IX, 304; Stt. Tr. E. S. Lond. V, 168; HS. V p. 129; Veneneficella HS. 422; Veneneficella HS. 430. *Gal.*
3273. **Velox** Stgr. Stett. e. Z. 1859, 237; Hor. VII, 245. *Uss.*
3274. **Zelleri** Stgr. Hor. XV (1880) p. 300. *And; Sic; Dalm; Graec; Bith.*
3275. **Altaica** Z. L. E. IX, 309. *And; Graec.*
3276. **Caucasica** Chr. Hor. XII (1877) p. 293, t. 8, f. 66. *Pont.*
3277. **Fuscicostella** Chr. Mém. Rom. III p. 119, t. 5, f. 12. *Alt.*
3278. **Cervicella** HS. 431-2, V p. 130; Z. L. E. IX, 310; Hein. 175. *Arm.*
3279. **Jugurthella** (Gn.) Luc. Expl. Alg. 411, t. 4, f. 10; Z. Stett. e. Z. 1854 p. 308. *Tura; ?Srp.*
3280. **Heracliana** De Geer Mém. II, 407; Z. L. E. IX, 312; Stt. Nat. Hist. VI, 112, t. 3, f. 2; Hein. 176; Snell. II, 2 p. 597; Meyr. 629; Heracleana Wd. 1163; HS. V p. 128; Heracleella HS. 445; Pastinacella Brd. Ann. S. Fr. 1844, 129, t. 6, f. 1. *Austr. inf; Hung; Dalm.*
3281. **Ruticola** Chr. Hor. X (1873) p. 52, t. 1, f. 12. *Maur.*
3282. **Discipunctella** HS. 446, V p.128; Z. L. E. IX, 318; Hein. 176 (not.); Snell. II, 2 p.596; Meyr. 630; Pastinacella Stt. I. B. 99; Man. II, 328; ?Dup. XI, 291, 4. *Eur. c. et s. (exc. reg. pol.); Ped; Sard; Mad; Am. s.*
3283. **Emeritella** Stt. Tr. E. S. Lond. V, 167; Z. L. E. IX, 322; HS. 444, V p. 120; Stt. Nat. Hist. VI, 230, t. 7, f. 2; Hein. 176; Meyr. 627. *Hyrc.*
3284. **Hofmanni** Stt. Nat. Hist. VI, 176, t. 5, f. 2; Hein. 177. *Hisp; Gal; Angl; Bat; Belg; Germ. s. et oe; Hyrc.*
3285. **Tenebricosa** Z. L. E. IX, 324. *Angl; Germ.*
3286. **Corticinella** Z. L. E. IX, 328. *Germ. m; Helv; Bith. Sic; Dalm; Bith; Syr.*
- Bith; ?Cors; ?Hung. m. or.*

3287. **Olerella** Z. L. E. IX, 337; Stt. Nat. Hist. VI, 240, t. 7, f. 3; Hein. 177; Meyr. 627.
3288. **Albipunctella** Hb. 149; Tr. IX, 1. 245; Dup. XI, 307, 6; Frey 91; Z. L. E. IX, 319; HS. V p. 119; Stt. Nat. Hist. VI, 218, t. 7, f. 1; Hein. 178; Snell. II, 2 p. 598; Meyr. 628.
3289. **Radiosquamella** Wlsghm. Monthl. Mag. 1898 p. 132.
3290. **Albiocellata** Stgr. Hor. VII (1870) p. 247, t. 3, f. 8.
3291. **Weirella** Stt. Tr. E. S. Lond. V, 165, t. 17, f. 5; HS. V p. 120; Z. L. E. IX, 315; Hein. 178; Meyr. 629.
3292. **Beckmanni** Hein. 179.
3293. **Pulcherrimella** Stt. Tr. E. S. Lond. V, 164, t. 17, f. 8; HS. V p. 119; Z. L. E. IX, 326; Hein. 180; Snell. II, 2 p. 598; Meyr. 629.
3294. **Douglasiella** Stt. Tr. E. S. Lond. V, 165; Z. L. E. IX, 334; Hein. 181; Snell. II, 2 p. 599; Meyr. 627; Miserella HS. 426, V p. 119, VI, 163.
3295. **Ululana** Rössl. Verz. 234; Hein. 181; Stt. Nat. Hist. XII p. 230, t. 8, f. 1.
3296. **Chaerophylli** Z. Is. 1839, 136; L. E. IX, 330; Frey 90; HS. 441, V p. 129; Stt. Nat. Hist. VI, p. 136, t. 4, f. 1; Hein. 182; Snell. II, 2 p. 600; Meyr. 628.
3297. **Marcella** Rbl. n. sp.: minor, capite thoraceque al. ant. concoloribus, palporum articulo terminali fusco, apice exalbido. Al. ant. angustis, elongatis, nitidis, purpurascenti-brunneis, fasciis quatuor obsoletis fuscis, puncto medio fusco. Exp. 14-17 mm. ♂ ♀ (Typ. in Mus. Caes. Vind.). Affinis Depr. Chaerophylli Z., differt expansione multo minore, al. ant. purpurascensibus, nitidis, fasciatis (nec nigro-striolatis), margine exteriore innotato etc.
3298. **Absynthiella** HS. Corr. XIX, 1865 p. 115; Hein. 182; Stt. Nat. Hist. XII p. 182, t. 6, f. 2; ?Anchusella Now. En. p. 254.
3299. **Absinthivora** Frey Lep. 355 (praec. var.?).
3300. **Eryngiella** Mill. Ann. Sc. Cannes 1880 p. 7, t. 8, f. 8. 9.
3301. **Campestrella** Chrét. Natural. 1896 p. 104; Iris XI p. 312 not.
3302. **Artemisiae** Nick. Wien. Mts. 1862, 4; Hein. 183; Stt. Nat. Hist. XII p. 174, t. 6, f. 1; ?Sordidatella Tngstr. Bidr. 124; Cat. 364.
3303. **Heydenii** Z. L. E. IX, 296; Frey Tin. 89; Stt. Nat. Hist. VI, 248, t. 8, f. 1; Hein. 183.
3304. **Silesiaca** Hein. 184.
3305. **Floridella** Mn. Wien. Mts. 1864, 186, t. 4, f. 14.
3306. **Nervosa** Hw. Lep. Br. 506; Wd. 1166; Stt. Nat. Hist. VI, 124, t. 3, f. 3; Z. L. E. IX, 339; Hein. 185; Snell. II, 2 p. 601; Meyr. 630; Apiella Hb. 94; Daucella Tr. IX, 1. 247, X, 3. 180; HS. 443, V p. 129.
3307. **Subnervosa** Obth. Et. XII p. 42, t. 6, f. 27.
3308. **Ultimella** Stt. I. B. 98; HS. V p. 129; Snell. Tijds. X (1867) p. 27, t. 1, f. 1; Z. Stett. e.Z. 1869, 39; Hein. 185; Snell. II, 2 p. 602; Meyr. 628.
3309. **Hirtipalpis** Z. L. E. IX, 342.
3310. **Erinaceella** Stgr. Hor. VII (1870) p. 247.
- Germ; Austr; Angl;
Gal; Scand.
- Eur. c; Ross; Cast;
Ped; Sard; ?Graec.
- Cors.
- Graec.
- Germ; Angl; Liv;
Sic.
- Alp. s. et or.
- Eur. c; Ross. s. oc.
- Eur. c; Dan; Sic;
Dalm; ?Lyd.
- Germ. c. oc.
- Eur. c; Fen; Bith;
Cauc.
- Hung; Sic; Dalm;
Bith; Syr.
- Germ; Austr; ?Hal;
Gal.
- Val.
- Gal.
- Pyr. or.
- Germ; Austr.-Hung;
?Fen.
- Alp.
- Sil. mont.
- Bith.
- Eur. c; Ross. s. oc;
Suec; Hisp. s; Sard;
Gal. m.
- Maur.
- Germ; Bat; Angl;
Suec; ?Tura.
- Dalm; Naxos; Bith.
And.

3311. **Dictamnella** Tr. X, 3. 181; F. R. 33, 5 p. 68; Dup. XI, 291, 3 p. 150; Z. L. E. IX, 344; HS. 429 [ab. al. ant. obsc. purpurasc.]. V p. 130; Hein. 186; Stt. Nat. Hist. XII p. 248, t. 8, f. 3.
3312. **Hystricella** Möschl. Wien. Mts. 1860, 275; HS. n. Schm. 149.
3313. **Radiata** Stgr. Hor. XV (1880) p. 302.

Germ. m; Austr. inf;
Carn; Hung.

Srp.

Pont.

370. **Enicostoma** Stph. 1834.

3314. **Lobella** Schiff. S. V. 138; Hb. 238; Tr. X, 3. 196; Hein. 363; Stt. Nat. Hist. XIII p. 310, t. 7, f. 2; Snell. II, 2 p. 607; Meyr. 617; Thunbergana F. Mant. II, 234. 85; Wd. 1250; Lugubrella Dup. XI, 312, 4.

Eur. c; It. s. et c.;
Dalm.

371. **Anchinia** Hb. 1818.

3315. **Daphnella** (S. V.) Hb. 81; Tr. IX, 2. 46; HS. V p. 142; Frey 148; Hein. 369; Pudorella Hb. Vög. 90. *Angl.); Liv; Fen; Norv; Carn.*
3316. **Grandis** Stt. Syr. 54.
3317. **Dolomiella** Mn. & Rghfr. z. b. V. 1877 p. 32.
3318. **Grisescens** Frey Tin. 148; Hein. 369; Insolatella HS. n. Schm. 41; Austriaea Frey Mittb. VI p. 367.
3319. **Cristalis** Sc. Ent. Carn. no. 611; Verrucella Schiff. S.V. 138; Tr. IX, 1. 181; HS. V p. 143; Frey 149; Hein. 370; Hepaticella Hb. 84; Cneorella Hb. 315.
3320. **Laureolella** HS. 421, V p. 143; Frey 149; Hein. 370; Hornig z. b. V. 1877 p. 33 (larv.).

Eur. c. (exc. Bat. et

Frey 148; Hein. 369; Pudorella Hb. Vög. 90. Angl.); Liv; Fen; Norv; Carn.

Pont.

Ter.

Alp. or. et oc. m.

Germ; Austr; Helv;
Hal; Cat; Gal. m.
or.

Alp; Gal. m.

372. **Cacophyia** Rbl. (Cacochroa Hein. nom. praeocc.).

3321. **Permixtella** HS. 599, V p. 143; Hein. 368.

Gal. m; Dalm; Bith; ? Hung.

373. **Hypercallia** Stph. 1829.

3322. **Citrinalis** Sc. Ent. Carn. no. 609; Christiernana L. S. N. ed. XII, 877; Hb. Tort. 152; Stph. Ill. IV, 194, t. 38, f. 2; Wd. 1161; Dup. IX, 260, 10; Hein. 360; Meyr. 618; Christiernella Hb. 452; Tr. IX, 2. 65.

Eur. c. et m. (exc.
Bat., Hisp., Graec.);
Liv; Fen; Bith;
Mong.

374. **Carcina** Hb. 1818.

3323. **Quercana** F. S. E. 652, 39; Wd. 1160; Hein. 362; Stt. Nat. Hist. XIII p. 296, t. 7, f. 1; Snell. II, 2 p. 609; Meyr. 613; Fagana Schiff. S. V. 128, t. 1, f. 5; Hb. Tort. 153; Faganella Tr. IX, 2. 67; Cancella Hb. 453-4.
- a) v. **Purpurana** Mill. Cat. rais. 343; Ann. Nat. Cannes 1880 t. 8, f. 10 (obscurior, al. ant. purpurasc.).

Eur. c. et m; Bith.

Gal. m. or.

375. **Lecithocera** HS. 1853.

3324. **Siculella** Wck. Nat. Sic. IX (1889) p. 2.
3325. **Briantiella** Tur. (E.) Bull. Soc. Ital. 1879 p. 202, t. 8, f. 15; Stgr. Hor. XV p. 346; Rbl. z. b. V. 1889 p. 319.

Sic.

It. s; Ter. m; Hung;
Pont.

3326. **Luticornella** Z. Is. 1839, 197; HS. V p. 207; Hein. 361; Luteicornella HS. 645; Orsoviella Hein. 361 [palpis pedibusque infuscatis].

a) v. *Pallicornella* Stgr. Stett. e. Z. 1859, 239 (al. acutioribus, ♀ dilutior, flavescens).

b) v. *Intermedia* Stgr. Hor. VII, p. 240 (al. brunneo-flavescens, transit ad speciem sequent.).

3327. **Flavissimella** Mn. Wien. Mts. 1862, 402, t. 3, f. 14.

3328. **Luridella** Chr. Bull. M. 1882, I p. 33.

Germ. m.; Austr. inf;
Hung.; Eur. m.; As.
min.; Pal.

And; Cast; Gal. m.

Graec.

Maced; Taur; Bith.
Amur; Uss. m.

376. **Harpella** Schrk. 1802 (Peltophora Meyr. 1884).

3329. **Forficella** Sc. Ent. Carn. no. 338; Snell. II, 2 p. 711; Majorella Schiff. S. V. 141; Hb. 120; Tr. IX, 2. 58; Proboscidella Sulz. Abg. G. 163, t. 23, f. 14, 15; Z. Is. 1839, 191; HS. 407 [ab.], V p. 139; Hein. 371.

Eur. c. (exc. Angl.);
Liv; Suec; It. s. et
c; Dalm; Graec. ins;
Taur; ?Can.

377. **Alabonia** (Hb. 1818) Wlsghm.

3330. **Geoffrella** L. S. N. ed. XIII, 896; Dup. XI, 303, 2; Z. Stett. e. Z. 1850, 144; Hein. 372; Snell. II, 2 p. 712; Meyr. 632; Cramerella Cr. P. Ex. IV, 396, f. M; Geoffroyella Wd. 1251; HS. V p. 136; Grunerella HS. 377.

Eur. c. oc; It; Hung.
m; Dalm.

3331. **Staintoniella** Z. Stett. e. Z. 1850, 145; HS. V p. 135; Hein. 373; Stt. Monthl. Mag. XVII, p. 247 [var.?]; Geoffrella (S. V.) Hb. Btr. II, I. 18, t. 3, f. M; Tr. IX, 2. 129; Geoffroyella Hb. 123.

Austr; Sil; Hung;
?Ped; ?Lusit; Bith;
Cauc. m.

3332. **Kindermanni** HS. 378, (-ii) V p. 136; Stgr. Hor. XV, 348.

Pont.

3333. **Bractella** L. S. N. ed. X, 540; Cl. Ic. 12, 4; Snell. II, 2 p. 712; Meyr. 632; Bracteella Hb. 156; Tr. IX, 1. 62; HS. V p. 134; Hein. 372; Druryella Cr. IV, 396, f. L.

Eur. c; Suec; Ped;
It. c; Serbia; Bith.

378. **Oecophora** Latr. 1706 (Dasyicerca Hw.).

3334. **Sulphurella** F. S. E. 670, 19; Curt. B. E. IX, 408; Hein. 373; Meyr. 633; Orbonella Hb. 313; Dup. IX, 303, 3. 4; HS. V p. 134; Oliviella Wd. 1252.

Germ; Belg; Angl;
Gal; Eur. m. (exc.
Ross. m.); Bith.

Eur. c. et m; Bith.

3335. **Olivella** F. E. S. III, 2. 316, no. 132; Dup. XI, 303, 1; HS. V p. 134; Hein. 374; Snell. II, 2 p. 715; Meyr. 633; Aemulella Hb. 222; Tr. IX, 2. 130; Sulphurella Wd. 1253.

Eur. c. et m; Bith.

3336. **Imitatix** Z. Is. 1847, 35; HS. 368, V p. 134; Stgr. Hor. XV p. 349.

Lyd.

3337. **Intermediella** Stt. Syr. 54; Stgr. Hor. XV, 349.

Pont; Taur.

3338. **Krueperella** Stgr. Hor. VII (1870), 263, t. 3, f. 13.

Graec.

379. **Borkhausenia** Hb. 1818 (Oecophora auct.).

3339. **Ochricolor** Ersch. Hor. XII (1877) p. 346.

Arm.

3340. **Tinctella** Hb. 214; Tr. IX, 2. 21; Dup. XI, 299, 7; HS. V p. 138; Frey 160; Hein. 375; Snell. II, 2 p. 724; Meyr. 637; Lutarella Stph. Ill. IV, 291; Wd. 1429.

Eur. c. et s. (exc. reg.
pol.); It. s. et c;
Dalm.

3341. **Unitella** Hb. 147; Wd. 1243; Hein. 375; Snell. II, 2 p. 723; Meyr. 637; Fuscoaurella Hw. 569; Arietella Z. Is. 1839, 192; HS. 411, V p. 138; VI p. 163.

Eur. c; Suec; Hisp. s.

3342. **Colurnella** Mn. z. b. V. 1867, 843; Rbl. z. b. V. 1899 p. 181.

Teriol. m. val.

3343. **Luteella** Hein. 376; Snell. II, 2 p. 716 not. *Austr. inf. (alp.).*
 3344. **Panzerella** Stph. Ill. IV, 292; Wd. 1431; Stt. I. B. 161; Hein. 376; Snell. II, 2 p. 734; Meyr. 637. *Eur. c; Hung. m; It; Cauc.*
 3345. ?**Thorencella** Mill. Cat. rais. p. 346. *Gal. m. or.*
 3346. **Ineolorella** Const. Bull. S. Fr. 1889 p. 125; ib. Ann. 1890 p. 10, t. 1, f. 7 (syn. praec.?). *Gal. m.*
 3347. **Detrimentella** Stgr. Stett. e. Z. 1859, 247; ?Rössl. Stett. e. Z. 1877 p. 379. *Hisp.*
 3348. **Filiella** Stgr. Stett. e. Z. 1859, 247 (syn. praec.?). *Hisp.*
 3349. **Xanthosoma** (Stgr. i. l.) Rbl. Iris XIII p. 174. *Cast.*
 3350. **Flavifrontella** Hb. 126; Tr. IX, 2. 262; Wd. 1432; HS. V p. 138; Frey 160; Fologne Ann. S. Belg. IV p. 102, t. 2, f. 6; Hein. 376; Snell. II, 2 p. 733; Meyr. 637. *Eur. (exc. reg. pol.); As. oc.*
 3351. **Sordida** Stgr. Hor. XV (1880) p. 350. *Pont.*
 3352. **Subaquilea** Stt. Cat. 14; I. B. 160; Man. II p. 357; Meyr. 636; Britannicella HS. 817. *Angl; Cast.*
 3353. **Pulverosella** Hein. 377. *Teriol. m.*
 3354. **Lavandulae** Mn. z. b. V. 1855, 562; **Fuscifrontella** Const. Ann. S. Fr. 1884 p. 262, t. 10, f. 24; **Pulverisquamis** Wlsghm. Monthl. Mag. 1898 p. 133, 171. *Cors.*
 3355. **Ardosiella** Const. Bull. S. Fr. 1889 p. 125; ib. Ann. 1890 p. 10, t. 1, f. 6 (a praec. satis distincta?). *Cors.*
 3356. **Cinerariella** Mn. Wien. Mts. 1859, 171. *And; Sic; Cors; Bith.*
 3357. **Xenias** Meyr. Monthl. Mag. 1891 p. 57. *Maur.*
 3358. **Pseudospretella** Stt. Cat. 14; I. B. 162; HS. 627, V p. 181; Hein. 377; Snell. II, 2 p. 725; Meyr. 637. *Eur. c; Ross. s. oc; Mad.*
 3359. **Gelechiella** Wck. Natur. Sic. IX p. 2 (1889). *Sic.*
 3360. **Fuscescens** Hw. Lep. Br. 555; Wd. 1228; Stt. I. B. 161; Hein. 378; Snell. II, 2 p. 725; Meyr. 637; ?**Trinotella** Thnbg. Diss. Ent. VII p. 95. *Eur. c; Suec; Ross. s. oc.*
 3361. **Luridicomella** HS. 367, VI p. 163; Hein. 378. *Germ; Austr. inf; Belg. Dalm.*
 3362. **Praeditella** Rbl. z. b. V. 1891 p. 634. *Alp; Germ. mont.*
 3363. **Nubilosella** HS. 640, V p. 138; Hein. 378. *Eur. c. (exc. Angl.) et s; Ped; It. c; Dalm.*
 3364. **Stipella** L. S. N. ed. X, 539; Cl. Ic. 12, 5; Hein. 379; **Sulphurella** Hb. 150; Tr. IX, 2. 60; HS. V p. 139; Zett. Ins. Lap. 1003; Snell. II, 2 p. 719; **Tigrella** Hb. 336. *Bith; Cauc.*
 3365. **Irroratella** Stgr. Hor. XV (1880) p. 351. *Lap.*
 3366. **Westermannella** Zett. Ins. Lap. 1003. *Eur. c. et s; Ross. s. oc; It. s; Mong.*
 3367. **Similella** Hb. 182; Tr. IX, 2. 61; Z. Is. 1839, 192; HS. 416, V p. 139; Hein. 379; Snell. II, 2 p. 719; Meyr. 636. *Arm.*
 3368. **Luticiliella** Ersch. Hor. XII (1877) p. 346. *Eur. c. (exc. Angl.); Ross. oc.*
 3369. **Cinnamomea** Z. Is. 1839, 192; HS. 415, V p. 139; Hein. 380; Snell. II, 2 p. 720. *Arm.*
 3370. **Trigutta** Chr. Hor. XXII (1888) p. 314. *Helv. et Car. Alp; Graec.*
 3371. **Rhaetica** Frey 156; Hein. 380; **Engadinella** HS. n. Schm. 43 p. 6. *Pyr.*
 a) v.? **Graslinella** Stgr. Hor. VII, (1870), 264 (fasciis exalbidis). *Eur. c. et m; Suec.*
 3372. **Augustella** Hb. 177; Z. Is. 1839, 192; HS. V p. 140; Hein. 381; Snell. II, 2 p. 721; Meyr. 636 (pr. p.); **Moestella** H.-G. 465; **Augustella** Wd. 1230. *It. c; Gal. m.*
 3373. **Albilabris** Z. Stett. e. Z. 1850, 147; **Latoniella** Mill. Cat. rais. 345 (?praec. var., al. ant. fasciis angustioribus, palpis exalbidis).

3374. **Luctuosella** Dup. XI, 312, f. 10; HS. 417, V p. 135; **Funestella** Dup. XI, 298, f. 12; **Albimaculea** Hw. 557; Stph. IV, 217; Wd. 1231. *Germ; Belg; Angl; Gal. m. or; Ped; Hung. m. or.*
3375. **Coeruleopicta** Chr. Hor. XXII (1888) p. 314; Rbl. Stett. e. Z. 1893 p. 56; Iris XI, t. 1, f. 17. *Arm.*
3376. **Amasiella** HS. 379, V p. 135. *Pont.*
3377. ?**Schmidii** Saalmüller Stett. e. Z. 1881 p. 218. *Gal; Bav.*
3378. **Stroemella** F. Sp. II, 303, 80; Z. Is. 1839, 192; HS. 405, V p. 135; Hein. 381; Nolck. Fn. II, 595. *Germ; Helv; Hung; Hal; Liv; Suec.*
3379. **Ragonotella** Const. Ann. S. Fr. 1885 p. 5, t. 1, f. 25. *Cors.*
3380. **Coarctella** Rbl. Ann. Naturh. Hofmus. XI p. 129, t. 3, f. 11 (1896). *Can.*
3381. **Jourdheuillella** Rag. Bull. S. Fr. 1875 p. 73; ib. Ann. 1876 p. 412, t. 6, f. 7. *Val; Gal. m; Germ. oc.*
3382. **Minutella** L. S. N. ed. X, 537; Dup. Sup. IV, 86, 14; HS. V p. 140; Hein. 381; Snell. II, 2 p. 733; Meyr. 636; Oppositella Hb. 141; Tr. IX, 2, 120; Wd. 1575; Dup. XI, 303, 9. *Eur. (exc. reg. pol.); Arm.*
3383. **Tripunctella** Hw. Lep. Br. 557; Hein. 382; Meyr. 636; **Tri-punctella** Wd. 1574; **Tramaculella** Dup. XI, 303, 8 p. 424; **Trisignella** Z. Is. 1839, 192; HS. 403, V p. 140. *Eur. c. (exc. Bat.); Suec; It; Srp; Bith.*
3384. **Borkhausenii** Z. Is. 1839, 192; HS. 406, V p. 140; Hein. 382; Disqué Stett. e. Z. 1895 p. 243 (larv.). *Germ; Austr. inf; Ross. s. oc.*
3385. **Icterinella** Mn. z. b. V. 1867, 852. *Dalm; Graec; Pont; Syr. Saraw.*
3386. **Bisinuella** Ersch. Fedtsch. p. 103, t. 6, f. 118. *Eur. c. (exc. Bat.); Ross.c.etm.or; Hisp. s; Dalm.*
3387. **Formosella** (S. V.) F. Mant. II, 257, 39; Hb. 248; Tr. IX, 2, 170; Dup. Sup. IV, 72, 12; HS. V p. 141; Frey Tin. 158; Hein. 328; Meyr. 635. *Amur.*
3388. **Conchyliidella** Snell. Tijds. XXVII p. 176, t. 9, f. 10, 10a. *Amur; Uss.*
3389. **Venustella** Chr. Bull. M. 1882, I p. 34. *Eur. c. et m; Bith.*
3390. **Lunaris** Hw. Lep. Br. 556; Curt. B. E. XII, 543; Hein. 383; Snell. II, 2 p. 723; Meyr. 636; Metznerella Tr. X, 3. 189; Begrandella Dup. Sup. IV, 89, 8 p. 513; Clavella HS. V p. 141. *Eur. c; Gal. m.; Corcyra; Sic. (Mn.).*
3391. **Lambdella** Don. Nat. Hist. II, t. 57, f. 1; Stph. Ill. IV, 291; Wd. 1427; Hein. 383; Snell. II, 2 p. 722; Meyr. 635; Metzneriella HS. 408, V p. 141. *And.*
3392. **Meredella** Stgr. Stett. e. Z. 1859, 246. *Angl. (olim).*
3393. **Woodiella** Curt. B. E. VII, t. 304; Stph. Ill. IV, 275; Wd. 1382; Stt. I. B. 158; HS. VI p. 163; Meyr. 635. *Uss. m.*
3394. **Schaefferella** L. S. N. ed. X, 541; Hb. 136; Tr. IX, 2, 127; HS. V p. 141; Hein. 384. *Germ; Austro-Hung; Suec; Ped; Srp; Graec; Taur.*
3395. **Zelleri** Chr. Bull. M. 1882, I p. 35. *Uss. m.*
3396. **Mannii** Ld. Hor. VIII (1871) p. 25, t. 2, f. 14; Nolckenii Bienert Dissert. p. 42. *Hyrc.*
3397. **Heringi** Ld. Wien. Mts. 1864, 172, t. 3, f. 12. *Arm.*
3398. **Grandis** Desvignes Entom. 1842 p. 342; Stt. I. B. 159; HS. VI p. 163; Hein. 384; Meyr. 635. *Germ. c. oc; Austr. Car; Alp. val. m; Angl. inf;*
3399. **Leucochrysella** Mill. Ann. S. Fr. 1854, 61, t. 3, II, 3. *Gal. m.*
3400. **Procerella** Schiff. S. V. 138; Hb. Btr. I, 3, t. 3, U; Tin. 137; HS. V p. 141; Hein. 384; Snell. II, 2 p. 721. *Eur. c. (exc. Angl.); Ross. c. et s. oc; Hisp. s; It. c. et s.*
3401. **Bruandella** Rag. Bull. S. Fr. 1889 p. 106. *Gal. m; Hung.(Rbl.).*
3402. **Pokornyi** Nick. Wien. Mts. 1864, 6, t. 5, f. 10; Pockornii Hein. 385. *Boh; Hung; Graec; Bith.*

IX. Tinaegeriidae.380. **Eretmocera** Z. 1853 (Staintonia Stgr.).

3403. **Medinella** Stgr. Stett. e. Z. 1859, 250; Costa Atti Ac. And; Sard; Pers;
Napol. I p. 40; Wlsgm. Tr. E. S. 1889 p. 35, t. 6, f. 20. Saraw.

X. Elachistidae.**A. Scythridinae** (Butalinae).381. **Phaulernis** Meyr. 1895 (Aechmia Stt., nom. praeocc.).

3404. **Dentella** Z. Is. 1839, 204; F. R. 83, 3 p. 245; HS. V p. 259; Germ; Helv; Austr;
Hein.-Wck. 408; Meyr. 690; Atrella Stph. Ill. IV, 354; Hal; Angl; Liv;
Wd. 1578. ? Suec; Dalm.

382. **Schreckensteinia** Hb. 1818.

3405. **Festaliella** Hb. 449; Tr. X, 3. 213; Z. Is. 1839, 212; Eur. c. et s. (exc. reg.
HS. V p. 262; Hein.-Wck. 414; Snell. II, 2 p. 849; pol.); Ped; It. c;
Meyr. 690; Scissella Hw. 580; Curt. B. E. XIV, 663; Cors.
Montandonella Dup. XI, 309, 11. Hung.

383. **Eperménia** Hb. 1818 (Chauliodus Tr.).

3406. **Illigerella** Hb. 333; Tr. IX, 2. 32; Dup. XI, 294, 1; HS. Eur. c: Ross. s. oc;
V p. 207; Stt. Nat. Hist. XII p. 96, t. 3, f. 3; Hein.-Wck. Suec; It. s; Dalm.
409; Snell. II, 2 p. 847; Meyr. 691; Falciiformis Hw. 555; Wd. 1241. Hung.

3407. **Securella** HS. 968, V p. 208; (-us) Frey 269; Hein.-Wck. 409. Alp; Gal.

3408. **Pontificella** Hb. 181; Tr. IX, 2. 33; HS. V p. 208; (-us) Hein.-Wck. 410. Eur. c. m; And; Gal. m; It. s; Dalm; Bith.

3409. **Petrusella** (-us) Heyl. C. R. Soc. Belg. 1883 p. 11. Hung.

3410. **Insecurella** (-us) Stt. Cat. 24; I. B. 234, t. 7, f. 7; Monthl. Mag. XIX p. 73; Hein.-Wck. 410; Lafaury Ann. S. Fr. 1885 p. 418 (larv.); Warr. Monthl. Mag. XXIV p. 144; Meyr. 692. Germ. m; Austr; Carn; Angl; Gal. m. oc; Ped; Srp.

3411. **Dentosella** HS. 967, V p. 208; Iniquellus Wck. Stett. e. Z. 1867 p. 209; Hein.-Wck. 411; Mill. Ann. S. Lyon 1883 p. 168, t. 3, f. 4-6. Germ. s; Austr; Gal. m.

3412. **Ochreomaculella** Mill. Ann. S. Fr. 1854, 63, t. 3, II, 4. Gal. m. oc.

3413. **Daucella** (-us) Peyer. Pet. Nouv. 1870 p. 57; Stt. Ann. 1873 p. 49; Nat. Hist. XII p. 82, t. 3, f. 1; Mill. Ic. 125, f. 1-4; Meyr. 692. Hisp; Gal. m; Angl. m; Mad; Herceg.

3414. **Aequidinentella** (-us) Hofm. Stett. e. Z. 1867, 206; Hein.-Wck. 412; Strictellus Wck. Stett. e. Z. 1867 p. 209; Hein.-Wck. 412. Germ; Alp; Gal; Hung.

3415. **Nigrostriatella** (-us) Heyl. C. R. Soc. Belg. 1883 p. 12. Hung.

3416. **Chaerophyllella** Goeze Btr. III, 4. 169, 292; (-us) Hein.-Wck. 411; Snell. II, 2 p. 847; Meyr. 691; Testaceaella Hb. 326; Z. Is. 1839, 211; HS. V p. 213; Fasciculellus Stph. Ill. IV, 218, t. 39, 1; Wd. 1234. Eur. c. et s; Gal. m; Cors; It; Dalm; Bith.

3417. **Staintoniella** (-us) Stt. South. Eur. 169; Mill. Ic. III, 45, t. 105, 1-11; Stt. Nat. Hist. XII p. 91. t. 3, f. 2. Gal. m.
3418. **Wockeella** (-us) Stgr. Hor. XV (1880) p. 382. Pont.
384. **Scythris** ✓ Hb. 1818 (Galanthia Hb., Butalis Tr.).
3419. **Obscurella** Sc. Ent. Carn. no. 652; Hein.-Wck. 438; Esperella Hb. 255; Z. L. E. X, 173; HS. V p. 266. Alp; Germ. m. mont; Hung. mont; Hal; Ross. oc; Dalm; Lyd; Taur; Daur.
3420. **Productella** Z. Is. 1839 p. 193; L. E. X, 175; HS. V p. 266; Frey 162; Hein.-Wck. 439. Germ; Alp; Hung; Carn; Ped; Lusit.
3421. **Capitalis** Ersch. Fedtsch. p. 105, t. 6, f. 120. Saraw.
3422. **Amphonycella** H.-G. 473; HS. V p. 266; Z. L. E. X, 180; Frey 162; Hein.-Wck. 439; Viridatella HS. V p. 288. Alp; Taur.
3423. **Seliniella** Z. Is. 1839, 193; L. E. X, 182; Dup. Sup. IV, 73, 3 p. 267; HS. 931, V p. 267; Hein.-Wck. 440; Hofm. Stett. e. Z. 1888 p. 339, t. 1, f. 2 (genit. ♂). Germ; Alp. (pr. p.); Hal; Ross. m. oc; Ped; Arag.
3424. **Subseliniella** Hein.-Wck. 439; Höfn. Jhrb. Kärnt. XXIV p. 6 (♀) (praec. forma Darw.). Hung. oc; Car; Cauç.
3425. **Cassiterella** Snell. Tijds. XXVII (1884) p. 178, t. 9, f. 11, 11a. Amur.
3426. **Fallacella** Schläg. Ber. 238; Z. L. E. X, 184; Stett. e. Z. 1868 p. 618; Frey 163; Hein.-Wck. 441; Hofm. Stett. e. Z. 1888 p. 343, t. 1, f. 8; ib. 1890 p. 208, t. 1 A, f. 1 (genit.); Armatella HS. 932, V p. 267. Germ; Alp; Gal; Hal; Lusit.
3427. ?**Hydrargyrella** Steud. Verz. p. 223 (praec. ab.?, uno ♂ condit.). Germ. m. oc.
3428. **Grandipennis** Hw. Lep. Br. 536; Stph. Ill. IV, 280; Wd. 1392; Stt. I. B. 165; Z. L. E. X, 178; Hein.-Wck. 442; Meyr. 686; Herbosella HS. V p. 266. Germ. m; Angl; Gal; Hisp.
3429. **Cuencella** (B.-Haasi l.) Rbl. Iris XIII p. 175 (? praec. var.?). Arag.
3430. **Aerariella** HS. V p. 269; Z. L. E. X, 186; Hein.-Wck. 442. Hung; Dalm; Graec; Bith.
3431. **Subaerariella** Stt. Syr. 55. Lyd.
3432. **Tabidella** HS. V p. 268; Z. L. E. X, 188; Hein.-Wck. 443. Carn; Hung; Dalm; ? Bith.
3433. **Ericetella** Hein. Tijds. XV (1872) p. 280; Hein.-Wck. 444; Fuchs Stett. e. Z. 1881 p. 461; Snell. II, 2 p. 743. Germ. oc; Bat.
3434. **Constanti** Wlsghm. Monthl. Mag. 1898 p. 168. Cors; It. s. oc.
3435. ?**Inquilinella** Ersch. Fedtsch. p. 106 (Tabidella var.). Saraw.
3436. **Paelopyga** Stgr. Hor. XV (1880) p. 391. Pont.
3437. **Flaviventrella** HS. 412, V p. 265; Z. L. E. X, 189; Hein.-Wck. 444; Stgr. Hor. XV p. 392. Austr. inf; Hung; Arag; Gal; Pont.
3438. **Tabescentella** Stgr. Hor. XV (1880) p. 390. Pont.
3439. **Anomaloptera** Stgr. Hor. XV (1880) p. 393. Balc; Pont.
3440. **Apicalis** Z. Is. 1847, 35; L. E. X, 191; HS. V p. 269. Lyd.
3441. **Cupreella** Stgr. Stett. e. Z. 1859, 249. And.
3442. **Lampyrella** Const. Ann. S. Fr. 1865, 192, t. 7, f. 7. Gal. m. (Pyr.).
3443. **Leucogaster** Mn. z. b. V. 1872 p. 40. Austr. alp.
3444. **Fuscoaenea** Hw. Lep. Br. 537; Curt. B. E. XII p. 304; Wd. 1383; Stt. I. B. 165; Z. L. E. X, 192; Hein.-Wck. 445; Hofm. Stett. e. Z. 1888 p. 345, t. 1, f. 7 (genit.); ib. 1893 p. 308; Meyr. 686; Schneideri Z. l. c. 194. Germ. oc; Alp; Bely; Angl; Gal; Graec.

3445. **Speyeri** Hein.-Wck. 445. *Val.*
3446. **Flavilaterella** Fuchs Stett. e. Z. 1886 p. 71; ib. 1895 p. 36; Schneideri Fuchs (nec Z.) ib. 1881 p. 460; ab. *Immaculata* Fuchs ib. 1895 p. 38. *Germ. c. oc.*
3447. **Ericivorella** Rag. Bull. S. Fr. 1880 p. 121. *Gal.*
3448. **Mattiacella** Rössl. Verz. 255 (355); Hein. Wck. 446. *Germ. c. oc.*
3449. **Senescens** Stt. I. B. 166; HS. 933, V p. 276; Z. L. E. X, 195; Frey Tin. 163; Hein.-Wck. 446; Snell. II, 2 p. 743; Hofm. Stett. e. Z. 1888 p. 340, t. 1, f. 3 (genit.); Meyr. 686. *Eur. c.;? Pont; Maur.*
3450. **Vagabundella** HS. V p. 269; Z. L. E. X, 200; Hein.-Wck. 447 (praecl. var.?). *Carn; Hung. lit; Balc; Bith.*
3451. **Disparella** Tgstr. Bidr. 121; Z. L. E. X, 198; Snell. II, 2 p. 742; ?Hein.-Wck. 447 (Senescens var.). *Alp. s. oc; Bat; Liv; Fen.*
3452. **Pudorinella** Möschl. Berl. e. Z. 1866, 149. *Srp.*
3453. **Platypyga** Stgr. Hor. XV (1880) p. 396. *Pont.*
3454. **Fusco-cuprea** Hw. Lep. Br. 537; Curt. B. E. VII p. 304; Wd. 1884; Z. L. E. X, 222; Hein.-Wck. 448; Hofm. Stett. e. Z. 1888 p. 345, t. 1, f. 6 (genit. ♂); Meyr. 687; Crassiuscula HS. V p. 268. *Germ; Austr; Angl; Gal.*
3455. **Serella** Const. Ann. S. Fr. 1885 p. 11, t. 1, f. 31. *Gal. m.*
3456. **Succisae** Rössl. Verz. 253 (353); Hein.-Wck. 448. *Germ. c.*
3457. **Potentillae** Z. Is. 1847, 832 (Gravatella); L. E. X, 202; HS. V p. 271; Hein.-Wck. 449; Chrét. Bull. S. Fr. 1899 p. 219 (laryv.). *Germ; Gal;? Suec. m.*
3458. **Bifissella** Hofm. Stett. e. Z. 1889 p. 107. *Germ. oc; Hung.*
3459. ?**Binotiferella** Rag. Bull. S. Fr. 1880 p. 121. *Gal.*
3460. **Basistrigella** Stgr. Hor. XV (1880) p. 395. *Lyd.*
3461. **Dissitella** Z. Is. 1847, 833; L. E. X, 204; HS. 987, V p. 268. *Sic.*
3462. **Aeneospersella** Rössl. Verz. 253 (353); Schppfl. 301; Hein.-Wck. 454 (not.). *Germ. c. oc.*
3463. **Alseriella** Tur. (E.) Bull. Soc. It. 1879 p. 204, t. 8, f. 16, 17. *It. s.*
3464. **Glacialis** Frey Mitth. III p. 254 (1870); Hein.-Wck. 450. *Sum. Alp.*
3465. **Pascuella** Z. L. E. X, 207; Hein.-Wck. 450. *Carn; Ter. m; Hung. m; Gal. m; Sic; Dalm;? Graec; Taur.*
3466. **Gravatella** Z. Is. 1847, 831; L. E. X, 208; HS. 988, V p. 271; Hein.-Wck. 449. *Hung. lit; Dalm; Sic; Bith.*
3467. **Tergestinella** Z. L. E. X, 210; Hein.-Wck. 444; Gravatella v. b. Z. Is. 1847, 832. *Carn. m; Istr; Graec; Hisp. s.*
3468. **Tributella** Z. Is. 1847, 833; L. E. X, 211; HS. 986, V p. 271. *Sic.*
3469. **Hibernella** Stgr. Stett. e. Z. 1859, 250. *And.*
3470. **Terrenella** Z. Is. 1847, 834; L. E. X, 212; HS. 983-4, V p. 265. *It.*
3471. **Denigratella** HS. 936, V p. 271; Z. L. E. X, 213; Hein.-Wck. 451. *Germ. m; Ter. m; Graec.*
3472. **Paullella** HS. 937, V p. 270; Z. L. E. X, 215; Hein.-Wck. 451; Schütze Stett. e. Z. 1896 p. 26; ib. 1897 p. 311. *Germ; Boh.*
3473. **Humillimella** Stgr. Stett. e. Z. 1859, 249. *And.*
3474. **Palustris** Z. L. E. X, 217; Hein.-Wck. 452; Stange Stett. e. Z. 1881 p. 117 (♀); Hofm. ib. 1888 p. 341, t. 1, f. 4 (genit.). *Germ.*

3475. **Parvella** HS. V p. 270 (non f. 938); Z. L. E. X, 218; Frey Tin. 163; ?Nolek. Fn. II, 600; Hein.-Wck. 453; Snell. II, 2 p. 745; Hofm. Stett. e. Z. 1888 p. 338, t. 1, f. 1 (genit. ♂). *Germ; Austr; Car; Helv; Bat; ?Liv; Dalm.*
3476. **Gracilella** Hein.-Wck. 452.
3477. **Laminella** HS. 935, V p. 270; Z. L. E. X, 220; Frey Tin. 164; Hein.-Wck. 453; Snell. II, 2 p. 744; Hofm. Stett. e. Z. 1888 p. 342, t. 1, f. 5 (genit.); Bnks. Monthl. Mag. XXV p. 15 (larv.); Meyr. 687. *Sax.*
3478. **Dorycniella** Mill. Ic. I p. 225, t. 25, f. 1-6. *Gal. m.*
3479. **Cistorum** Mill. Cat. rais. p. 360; Ann. Sc. Cannes 1875 p. 3, t. 1, f. 7, 8; ?Nolek. Stett. e. Z. 1882 p. 195; Lafaury Ann. S. Fr. 1885 p. 419 (larv.). *Gal. m.*
3480. ?**Heleniella** Mill. Cat. rais. 361. *Gal. m.*
3481. **Focella** Const. Ann. S. Fr. 1885 p. 12, t. 1, f. 32. *Cors.*
3482. **Mus** Wlsghm. Monthl. Mag. 1898 p. 169. *Cors.*
3483. **Canescens** Stgr. Hor. XV (1880) p. 403. *Pont.*
3484. **Satyrella** Stgr. Hor. XV (1880) p. 404. *Hyrc.*
3485. **Matronella** Stg. Hor. XV (1880) p. 405. *Hyrc.*
3486. **Temperatella** Ld. z. b. V. 1855, 230, t. 5, f. 8 (♂); Stt. Syr. 47; Ochrolitella Stgr. Hor. VII, 266, t. 3, f. 17 ♂; Fuscofasciata Stt. l. c. p. 48 (♀). *Lyd; Cypr; Syr; Pal.*
3487. **Cuspidella** Schiff. S. V. 140; Hb. 242; Tr. IX, 2. 110; Dup. XI, 299, 3. 4; Z. L. E. X, 226; HS. V p. 263; Hein.-Wck. 454; Bifariella Hb. 385-6 [ab.]. *Germ; Austro-Hung; It; Dalm; Graec.*
3488. **Sagittatella** Ersch. Hor. XII (1877) p. 347; Mém. Rom. VI t. 16, f. 12. *Amur.*
3489. **Apicistrigella** Stgr. Hor. VII (1870), 268, t. 3, f. 15. *Graec.*
3490. **Asmodella** Mill. Pet. Nouv. V (1873) p. 310; Ic. 150, f. 2. *Gal. m.*
3491. **Ossianella** Mill. Ic. 150, f. 1, III p. 397. *Gal. m.*
3492. **Knochella** F. E. S. 3. 2. 318, 137; Z. Is. 1839, 193; L. E. X, 232; Hein.-Wck. 456; Snell. Tijds. XXXII p. 64; Knochiella HS. V p. 263. *Germ; Helv; Bat; Suec; Carn; Hung. lit; Dalm; Sic.*
3493. **Punctivittella** Costa Fn. Nap. 198, t. 5, f. 3; Z. L. E. X, 233; Hein.-Wck. 457; Knochella Tr. IX, 2. 109; HS. 410. *Carn; Hung. lit; It; Balc; Bith; Pont.*
- a) v. **Confluens** Stgr. Hor. VII (1870) p. 267, t. 3, f. 4 (al. ant. linea flavescentia cum macula media conjuncta). *Graec.*
3494. **Subclavella** (B.-Haas i. l.) Rbl. Iris XIII p. 175. *Mesop. s.*
3495. **Mülleri** Mn. z. b. V. 1871 p. 81; Hein.-Wck. 455. *Hung.*
3496. **Sinensis** Feld. & Rghfr. Nov. 140, f. 11; Apicigutella Chr. Bull. M. 1882. I p. 42. *Uss; China or.*
3497. **Inclusella** Ld. z. b. V. 1855, 231, t. 5, f. 3. *Syr.*
3498. **Unipunctella** (Stgr. i. l.) Rbl. Iris XIII p. 176. *Taur.*
3499. **Heinemanni** Möschl. Stett. e. Z. 1869, 372. *Gal. m. or. (Nizza).*
3500. **Rectella** Stgr. Hor. VII (1870), 269, t. 3, f. 16. *Srp.*
3501. **Clavella** Z. L. E. X, 236. *Srp.*
3502. **Emichi** Anker Stett. e. Z. 1870, 143; Stgr. Hor. XV, 398. *Hung; Pont; Hyrc.*
3503. **Zelleri** Stgr. Hor. XV (1880) p. 397. *Pont.*
3504. **Schleichiella** Z. Stett. e. Z. 1870, 305; Hein.-Wck. 457. *Styr. et Ter. Alp.*
3505. **Setiella** Z. Stett. e. Z. 1870, 309. *Srp.*
3506. **Flabellula** Mn. Wien. Mts. 1861, 190, t. 3, f. 11. *Lyd; Pont; Arm.*
3507. **Subflabellula** Stt. Syr. 48. *Syr; Pal.*

3508. **Scipionella** Stgr. Stett. e. Z. 1859, 248; HS. n. Schm. 108; Rössl. Stett. e. Z. 1877 p. 379; Chrét. Bull. S. Fr. 1898 p. 163 (larv.). *Ib; Gal. m.*
3509. **Xanthopygella** Stgr. Stett. e. Z. 1859, 248; HS. n. Schm. 109. *And.*
3510. **Tenuivittella** Stt. Syr. 55; Stgr. Hor. XV p. 389. *Bith.*
3511. **Tenuisquamata** Stgr. Hor. XV (1880) p. 388. *Pont.*
3512. **Restigerella** Z. Is. 1839, 193; L. E. X, 238; F. R. 72, 2 p. 204; HS. V p. 264; Dup. Sup. IV, 73, 9; Hein.-Wck. 458. *Germ. m. or; Austr.; Alp. calc. m; Hung; Dalm.*
3513. **Hornigii** Z. L. E. X, 239; Stett. e. Z. 1868 p. 149; Hein.-Wck. 458. *Car; Ter.*
3514. **Biforella** Stgr. Stett. e. Z. 1859, 248. *And.*
3515. **Scopolella** Hb. 246; Z. L. E. X, 242; Frey 164; Hein.-Wck. 455; Triguttella Dup. XI, 298, 14; F. R. 72, f. 3. p. 205; HS. V p. 213. *Germ; Helv; Belg; Gal; Ped; Taur; Maur.*
3516. **Chenopodiella** Hb. 320; F. R. 71-2, 1; Z. L. E. X, 243; HS. V p. 264; Hein.-Wck. 460; Snell. II, 2 p. 746; Meyr. 687; Tristella Tr. XI, 2, 109; Dup. XI, 299, 5 p. 343; Cylindrella Stph. Ill. IV, 280; Wd. 1393. *Eur. (exc. reg. pol.); As. min; Tura.*
- a) v. *Obscura* Stgr. Hor. VII (1870), 270 (obscurior). *Graec; Pont.*
3517. **Tangerensis** Stt. Monthl. Mag. VIII p. 235 (1872). *Maur. oc.*
3518. **Gurdella** Chr. Hor. XII (1877) p. 298, t. 8, f. 70. *Hyrc.*
3519. **Vitilella** Chr. Mém. Rom. II (1885) p. 163, t. 8, f. 12. *Tura.*
3520. **Rouxella** Const. Ann. S. Fr. 1865, 193, t. 7, f. 8; Z. Stett. e. Z. 1870 p. 307. *Gal. m. or. Alp.*
3521. **Mediella** Const. Ann. S. Fr. 1885 p. 13, t. 1, f. 33. *Cors.*
3522. **Noricella** Z. Stett. e. Z. 1843, 151; L. E. X, 248; HS. 990, V p. 265; Dup. Sup. IV, 85, 13 p. 463; Hein.-Wck. 459. *Alp; Sil. mont; ?Belg; Fen.*
3523. **Dissimilella** HS. 989, V p. 265; Z. L. E. X, 250; Hein.-Wck. 459. *Germ.m; Helv; Gal; Cors; Dalm; Bith.*
3524. **Bimerdella** Stgr. Stett. e. Z. 1859, 250. *And.*
3525. **Inspersella** Hb. 443; Z. L. E. X, 252; HS. 982, V p. 264; Tgstr. Bidr. 121; Becker Ann. S. Belg. 1861 p. 53, t. 2, f. 1; Hein.-Wck. 460. *Eur. c. (exc. Angl. et Bat.) et s. (exc. reg. pol.); Dalm.*
3526. **Insulella** Stgr. Stett. e. Z. 1859, 249. *And; Lusit.*
3527. **Biventrella** Rössl. Stett. e. Z. 1877 p. 380; Seeb. Ann. S. Esp. 1879 p. 130, t. 1, f. 8. *Hisp. s.*
3528. **Variella** Stph. Ill. IV, 274; Wd. 1379; Stt. I. B. 166; Z. L. E. X, 255; Hein.-Wck. 461; Snell. II, 2 p. 748; Bnks. Monthl. Mag. XXIV p. 247; Meyr. 687. *Germ. s; Bat; Angl; Liv; Suec; ?Hisp.*
3529. **Siccella** Z. Is. 1839, 193; L. E. X, 257; HS. V p. 314; Hein.-Wck. 462 (Variella var.); Snell. II, 2 p. 748; Bnks. Monthl. Mag. XXIV, 246; Warr. ib. XXV p. 174; Proc. Dorset Field Club. X, t. 1, f. 6, 6a; Meyr. 687. *Eur. c; It; ?Fen.*
3530. **Braschiella** Hofm. Iris X, 1897 p. 241. *Germ. s.*
3531. **Subfasciata** Stgr. Hor. XV (1880) p. 402. *Pont.*
3532. **Pulicella** Stgr. Stett. e. Z. 1859, 249. *And.*
3533. **Cicadella** Z. Is. 1839, 193; L. E. X, 259; HS. 420, V p. 264; Stt. I. B. 166; Hein.-Wck. 461; Snell. II, 2 p. 747; Meyr. 688. *Eur. c; Suec. m; Gal. m. or.*
3534. **Caramani** Stgr. Hor. XV (1880) p. 400. *Pont.*
3535. **Monochreella** Rag. Bull. S. Fr. 1895 p. 108. *Taur. m.*
3536. **Fasciatella** Rag. Bull. S. Fr. 1880 p. 121. *And.*

3537. **Albidella** Stt. Syr. 50.
3538. **Acanthella** God. V, 44, 4 p. 38; Dup. XI, 298, 6; HS. V p. 263; Z. L. E. X, 261; Rag. Ann. S. Fr. 1874 p. 590, t. 11, f. 5; Mill. Ann. S. Cannes 1879 p. 23, t. 7, f. 7-8 (Genus *Bryophaga* Rag.).
- a) v. *Triangulella* Rag. Bull. S. Fr. 1874 p. 172; ib. Ann. 1875 p. 589, t. 11, f. 4 (al. ant. albidiors., punctis marginalibus fuscis).
 - b) v. *Delicatella* (B.-Haas i. l.) Rbl., al. ant. minus signatis, fascia externa late interrupta; transit ad v. c.
 - c) v. *Desidella* Ld. z. b. V. 1855, 231, t. 5, f. 4 (♂, nec ♀); Stt. Syr. 49 (al. ant. minime signatis, signaturis dilutoribus).
3539. **Inertella** Z. L. E. X, 262; Stt. Syr. 49; Desidella Ld. z. b. V. 1855 p. 231 (♀).

Pal.
Gal. m.; Ib. (cfr. var.);
Dalm.; ?Helv. m.

Cors.

Ib.m. (Sierra Nevada,
Murcia).

Syr.

Syr; Pal; ?And.

B. Momphinae (Laverninae).

385. *Amphisbatis* Z. 1870.

3540. **Incongruella** Stt. Cat. 15; I. B. 167; HS. V p. 269; Z. L. E. X. 225; Stett. e. Z. 1870, 304; Hein.-Wck. 437; Snell. II, 2 p. 735; Meyr. 638.

Eur. c; Liv; And.

386. *Cataplectica* Wlsghm. 1894 (Heydenia Hofm. 1868 nom. praeocc.).

3541. **Farreni** Wlsghm. Monthl. Mag. 1894 p. 199; Meyr. 689.
3542. **Profugella** Stt. Ann. 1856, 38; Man. II p. 406; Hein.-Wck. 406; Warr. Monthl. Mag. XXIV p. 146; Meyr. 689.
3543. **Silerinella** Z. z. b. V. 1868, 619; Hein.-Wck. 407.
3544. **Laserptiella** Pfaffenzeller Stett. e. Z. 1870, 322; Hein.-Wck. 407 (praeec. var.?).
3545. **Devotella** Heyd. Stett. e. Z. 1863, 107; Hofm. ib. 1868, 292; Hein.-Wck. 406.
3546. **Statariella** Heyd. Stett. e. Z. 1863, 108; Hofm. ib. 1868, 293; Hein.-Wck. 406.
3547. **Fulviguttella** Z. Is. 1839, 193; HS. V p. 140; Hein.-Wck. 405; Snell. II, 2 p. 738; Meyr. 689; Minutella Stph. Ill. IV, 354; WD. 1577; Flavimaculella Stt. I. B. 157.
3548. **Auromaculata** Frey Mitth. II p. 290, III p. 253; Hein.-Wck. 405; Warr. Monthl. Mag. XXIV p. 146; Meyr. 689.

Angl.

Germ; Austr; Helv;
Angl; Fen.

Alp.

Helv. or. Alp.

Alp.

Helv. m. or; Bav. alp.

Eur. c; Ross. s. oc;
It. c; Dalm; Bith.

Sum. Alp; Ins. Heth-
land; Norv.

387. *Lepidotarphius* Pryer 1877 (Desmidoloma Ersch. 1892).

3549. **Fulgens** Ersch. Hor. XII (1877) p. 347; Mém. Rom. VI p. 671, t. 16, f. 13.

Amur.

388. *Cosmopteryx* Hb. 1818.

3550. **Liengiella** Z. Is. 1846, 298; Stt. Zool. 1850, 2753; I. B. 229, t. 9, f. 22; Nat. Hist. XII p. 10, t. 1, f. 1; HS. V p. 284; Nolck. Fn. II, 692; Hein.-Wck. 523; Meyr. 662.
3551. **Scribaiella** Z. Stett. e. Z. 1850, 197; HS. 998, V p. 284; Frey Mitth. IV p. 191; Hein.-Wck. 522; Snell. II, 2 p. 868.

Germ. s. oc; Angl;
Liv; Austr. inf;
Hung.

Germ; Austr; Helv;
Bat; Gal; Bith.

3552. ?**Hermsiella** Hering Stett. e. Z. 1889 p. 308; Herms ib. 1888 p. 82 (Scribaïella e aberri?). *Pom.*
3553. **Flavofasciata** Woll. Ann. & Mag. (5) III, 1879 p. 438; Rbl. Ann. Naturh. Hofmus. XI p. 133, t. 3, f. 13. *Can; Ins. St. Helena.*
3554. **Pulcherrimella** Chamb. Cinc. Quart-Journ. Sc. II p. 297. *Mad; Am. s.*
3555. **Turbidella** Rbl. Ann. Naturh. Hofmus. XI p. 135, t. 3, f. 14. *Can.*
3556. **Crassicervicella** Chrét. Natural. 1896 p. 105. *Maur.*
3557. **Eximia** Hw. Lep. Br. 532; Snell. II, 2 p. 869; Meyr. 663; Drurella Stt. I. B. 229; Folegne Ann. S. Belg. VI, 162, t. 2, f. 1; Hein.-Wck. 521; Druryella HS. 999, V p. 284; ?Zieglerella Hb. 306; Nolck. Fn. II, 689. *Eur. c; Fen; ?Liv; Hisp. s; Dalm; Srp; Bith.*
3558. **Schmidiola** Frey Tin. 257; Stt. Nat. Hist. XII p. 30, t. 1, f. 3; Hein.-Wck. 521; Bnks. Monthl. Mag. XXV p. 307 (ab.); Meyr. 663. *Eur. c. (exc. Bat.); Hyrc.*
- a) ab. **Obsoleta** Bnks. Proc. Dorset Field Club X p. 211, t. 1, f. 11 (al. ant. fascia aurant. deleta). *Germ; Austr; Val; Angl; Liv; ?Cat.*
3559. **Druryella** Z. Stett. e. Z. 1850, 196; Frey Tin. 258 not; Stt. Nat. Hist. XII p. 30, t. 1, f. 3; Hein.-Wck. 522; Meyr. 663; Orichalcea Stt. Ann. 1861 p. 90; ?Drurella F. E. S. 666 (1775); Nolck. Fn. II, 688.

389. **Batrachedra** Stt. 1854.

3560. **Praeangusta** Hw. Lep. Br. 530; Wd. 1624; Frey Tin. 255; Hein.-Wck. 524; Snell. II, 2 p. 863; Meyr. 661; Turdi-pennella Tr. IX, 2. 210; Dup. XI, 311, 7; HS. 995, V p. 283. *Eur. c. et s; It. c.*
3561. **Pinicolella** Dup. XI, 310, 13; Z. Is. 1839, 210; HS. V p. 283; Frey Tin. 256; Hein.-Wck. 525; Snell. II, 2 p. 864; Meyr. 661; Piniariella HS. 996. *Eur. c; Ross. oc; Suec; It. c.*
3562. **Ledereriella** Z. Stett. e. Z. 1850, 198; HS. 997, V p. 283. *Gal. m; It; Dalm; Bith; Can.*

390. **Ischnophanes** Meyr. 1891.

3563. **Monocentra** Meyr. Monthl. Mag. 1891 p. 60. *Maur.*

391. **Pyroderces** Z. 1853.

3564. **Argyrogrammos** Z. Is. 1847, 37; HS. 1000, V p. 212; Hein.-Wck. 426; Nolck. Stett. e. Z. 1882 p. 194. *Eur. c. m. (pr. p.) et m; Maur; Bith; Pal; Tura.*

392. **Stathmopoda** Stt. 1854.

3565. **Pedella** L. F. S. no. 1493; HS. V p. 283; Stt. Nat. Hist. XII p. 46, t. 2, f. 1; Hein.-Wck. 427; Snell. II, 2 p. 866; Meyr. 664; Angustipennella Hb. 197; Tr. IX, 2. 197; Dup. XI, 309, 10. *Eur. c; Ross. s. oc; Ped.*
3566. **Guerini** Stt. Ann. 1858, 152. f. 5, 1867, 25; Nat. Hist. XII p. 58, t. 2, f. 2. *Gal. m; Ter. m; It; Dalm; Graec.*

393. **Calycobathra** Meyr. 1891.

3567. **Acarpa** Meyr. Monthl. Mag. 1891 p. 60. *Maur.*

394. **Ochromolopis** Hb. 1818.

3568. **Ictella** Hb. 361; HS. V p. 213; Frey Tin. 265; Stt. Nat. Hist. XII p. 128, t. 4, f. 3; Hein.-Wck. 413; **Ictipen-nella** Tr. IX, 2. 204; X, 3. 217. Germ. m; Helv; Austr; Hung; Hal; Hisp; Gal. m; It; Dalm; Bith.

395. **Cyphophora** HS. 1853.

3569. **Idaei** Z. Is. 1839, 211; HS. 921, V p. 211; Frey L. E. XIV, 183; Hein.-Wck. 416. Eur. s; Alp; Germ. mont; Arm; ? Labr.

396. **Heinemannia** Wck. 1877.

3570. **Festivella** Schiff. S. V. 319; Hb. 249; Tr. IX, 2. 169; HS. V p. 215; Nolck. Stett. e. Z. 1869, 284; Hein.-Wck. 428; Snell. II, 2 p. 851. Germ. oc; Bat. m; Austr. inf; Hung; Hisp. s; ? Gal; Dalm.
3571. **Albidorsella** Stgr. Stett. e. Z. 1877 p. 206. Gal. m; Sard.
3572. **Laspeyrella** Hb. 90; Nolck. Stett. e. Z. 1869, 284; Hein.-Wck. 428; **Laspeyresiella** HS. V p. 215; **Festivella** Z. Is. 1839, 211. Germ; Austr. inf; Boh; Hal; Liv; Fen.

397. **Blastodacna** Wck. 1877.

3573. **Hellerella** Dup. XI, 893, 11; Hein.-Wck. 429; **Atra** var. γ , Hw. 553; Curt. B. E. XVI p. 735; Wd. 1220; Frey L. E. XIV, 198; Snell. II, 2 p. 858; Meyr. 678; **Putri-pennella** Z. Is. 1839, 211; HS. 976, V p. 214. Eur. c; Liv; Suec; Norv. m; Gal. m; It; Dalm.
3574. **Vinolentella** HS. 974, V p. 214; Frey L. E. XIV, 199; Hein.-Wck. 429; Meyr. 678. Germ. c; Angl.
3575. **Rhamniella** Z. Is. 1839, 211; HS. 972, V p. 210; Frey L. E. XIV, 204; Stt. Nat. Hist. XI, 218, t. 6, 3; Hein.-Wck. 422; Snell. II, 2 p. 859; Meyr. 678. Eur. c; Scand. m; It. c; Dalm.

398. **Mompha** Hb. 1818 (Laverna Curt.).

3576. **Conturbatella** Hb. 450; Tr. IX, 2. 86; Z. Is. 1839, 211; HS. V p. 209; Frey L. E. XIV, 184; Stt. Ann. 1857 p. 107, f. 2; Hein.-Wek. 417; Meyr. 680. Eur. c. et s.
3577. **Raschkiella** Z. Is. 1839, 211; HS. 825-6, V p. 214; Stt. Ann. 1857, 108, f. 3; Frey L. E. XIV, 186; Hein.-Wck. 431; Snell. II, 2 p. 857; Meyr. 680; **Pilipennella** Zett. Ins. Lap. 1008. Eur. c. et s; It. s. et c.
3578. **Propinquella** Stt. Cat. Suppl. 8; I. B. 236; Frey L. E. XIV, 188; Stt. Nat. Hist. XI, 160, t. 5, 1; Hein.-Wck. 418; Snell. Tijds. XXXII p. 66; Meyr. 680. Angl; Scot; Alp; Belg; Bat; Fen.
3579. **Lacteella** Sph. Ill. IV, 210; Frey L. E. XIV, 189; Hein.-Wck. 417; Meyr. 681; **Gibbiferella** Z. Is. 1839, 212; HS. 971, V p. 209. Eur. c. (exc. Bat.); Ross. oc; It. s. et c; Bith.
3580. **Decorella** Sph. Ill. IV, 213; Wd. 1217; Frey L. E. XIV, 190; Heyd. Stett. e. Z. 1861, 37, 1862, 362; Stt. Nat. Hist. XI, 196, t. 6, 1; Hein.-Wck. 418; Snell. II, 2 p. 856; Meyr. 681; **Divisella** HS. 970, V p. 209. Eur. c; Liv; Tura.
3581. **Iurassicella** Frey Mitth. VI (1881) p. 146. Helv.
3582. **Subbistrigella** Hw. 581; Frey L. E. XIV, 203; Stt. Nat. Hist. XI, 208, t. 6, 2; Hein.-Wck. 419; Snell. II, 2 p. 856; Meyr. 681; **Sturnipennella** Tr. IX, 2. 209; HS. V p. 209; **Permutatella** HS. 969. Eur. c; Hisp. s; Gal. m; Ross. oc; Balc; Bith; Cauc.

3583. **Quaggella** Chr. Mém. Rom. III p. 123, t. 5, f. 15.
3584. **Rebeli** Wlsgm. Tr. E. S. 1894 p. 554.
3585. **Seeboldiella** Rag. Bull. S. Fr. 1882 p. 66; Iris XI t. 1, f. 16.
3586. **Fulvescens** Hw. 554; Sepp. (2) II, 80, t. 18; Stt. Nat. Hist. XI, 170, t. 5, 2; Hein.-Wck. 419; Snell. II, 2 p. 855; Meyr. 681; Epilobiella Schrk. Fn. B. II, 2, 126; Tr. X, 3. 208; F. R. 73. 74, 1 p. 206; Frey L. E. XIV, 191; Nebulella Wd. 1238; Curt. B. E. XIV p. 671.
3587. **Tetrazonella** Ersch. Fedtsch. p. 105, t. 6, f. 119.
3588. **Ochraceella** Curt. B. E. XVI, 735; Stt. I. B. 238; HS. 1002; Frey L. E. XIV, 193; Hein.-Wck. 420; Snell. II, 2 p. 854; Meyr. 681.
3589. **Miscella** Schiff. S. V. 142; Hb. 273; Dup. Sup. IV, 77, 11; HS. 975, V p. 214; Frey L. E. XIV, 200; Hein.-Wck. 430; Meyr. 682; Staintoni Sircum Zool. 1848 p. 2038.
3590. **Stephensi** Stt. Cat. 24; Frey L. E. XIV, 202; Hein.-Wck. 431; Meyr. 682; Tessellatella HS. 980, V p. 215.
3591. **Vittata** Woll. Ann. & Mag. (3) I 1858 p. 122.
- ✓
- Tura.*
Mad.
Hisp. s.
Eur. c; Gal. m; Liv;
Scand. m.
- Saraw.*
Germ. s; Bat; Angl;
Helv; Austr.
- Eur. c (exc. Bat.);*
Fen; Lusit; Gal. m;
Cors; It. c; Dalm; Bith.
- Germ; Angl; Hisp. s.*
- Mad.*

399. **Limnaecia** Stt. 1851.

3592. **Phragmitella** Stt. Cat. Suppl. 4; Ann. 1858, 110, f. 2, Nat. Hist. XI, 150, t. 4; Frey L. E. XIV, 194; Heyd. Stett. e. Z. 1863, 111; Hein.-Wck. 421; Snell. Tijds. XL p. 360; Meyr. 675.
- ✓
- Germ; Bat; Angl;*
Suec; Gal; Maur.
(Meyr.).

400. **Ascalenia** Wck. 1877.

3593. **Vanella** Frey L. E. XIV, 197; Hein.-Wck. 422.
- ✓
- Germ. m. oc; Austr.*
inf; Gal. m. or.

401. **Anybia** Stt. 1854.

3594. **Epilobiella** Roemer Berl. Schrift. Ges. Naturf. Freund. XI, 162, t. 3, 1-6 (1794); Stt. Nat. Hist. XI, 182, t. 5, 3; Hein.-Wck. 420; Meyr. 675; Langiella Hb. 187; Tr. IX, 2. 178; HS. 965, V p. 208; Frey L. E. XIV, 196; Niveipunctella HS. 966; Fulicella HS. V p. 209.
- ✓
- Eur.c.(exc.Bat.);Liv;*
Scand. m; Cat; It. c.
et s; Dalm.

402. **Chrysoclista** Stt. 1854.

3595. **Linneella** Cl. Ic. 12, 8; L. F. S. no. 1408; Curt. B. E. 152; Wd. 1870; F. R. 88, 2; Dup. XI, 306, 4; HS. V p. 215; Hein.-Wck. 433; Snell. II, 2 p. 861; Meyr. 677; Linnaeella Z. Is. 1839, 212; Schaefferella Dup. XI p. 482.
3596. **Bimaculella** Hw. 575; Stph. Ill. IV, 272; Stt. I. B. 242; HS. V p. 216; Hein.-Wck. 433; Stt. Monthl. Mag. XXV p. 169; Roesella Wd. 1371; Linneella F. R. p. 257 ♂.
- ✓
- Eur.c; Liv; Suec; It;*
Lyd.
- Germ; Austr; Angl.*

403. **Spuleria** Hofm. 1897.

3597. **Aurifrontella** Hb. 469; HS. V p. 214; Hein.-Wck. 432; Snell. II, 2 p. 859; Meyr. 677; Flavicaput Hw. 536; Wd. 1401.
- ✓
- Eur. c; It. c; Dalm.*

404. Psacaphora HS. 1853.

3598. **Schranckella** Hb. 264; Stt. I. B. 242; Hein.-Wck. 434; Meyr. 680; Locupletella F. R. 88, 3; HS. V p. 216; ?Quadrilobella HS. V p. 216. *Eur. c.; Ins. Hethland.*
3599. **Terminella** Westw. Br. M. II. 216, t. 113, 11; Stt. Nat. Hist. XII p. 112, t. 4, f. 1; Hein.-Wck. 434; Meyr. 679; Chrysargyrella HS. 364, V p. 216. *Germ; Angl.*

405. Stagmatophora HS. 1853.

3600. **Isabellella** Costa Fn. Nap. t. 12, A. a, b; Opulentella HS. 818, V p. 217. *Eur. m; Bith.*
3601. **Rutilella** Chrét. Natural. 1896 p. 105. *Maur.*
3602. **Dohrnii** Z. Is. 1847, 890; HS. 993. *Hisp; Gal. m. or; Cors; Sard; Sic; Graec; Syr.*
3603. **Divitella** Const. Ann. S. Fr. 1885 p. 10, t. 1, f. 30.
3604. **Heydeniella** F. R. 88, 1 p. 256; HS. V p. 217; Hein.-Wck. 423. *Germ.m; Sil; Austr; Hal; Helv; Ped; It. c.*
3605. **Nickerlii** Nick. Wien. Mts. 1864, 7, t. 5, f. 11; Hein.-Wck. 424. *Boh; Gal. m; Ped; It. c.*
3606. **Pomposella** Z. Is. 1839, 212; HS. 977, V p. 217; Hein.-Wck. 424. *Germ; Austr; Hal; Dalm; Bith; Taur.*
3607. **Grabowiella** Stgr. Stett. e. Z. 1859, 151; HS. n. Schm. 114. *Hisp; Gal.m; Dalm; Graec.*
3608. **Extremella** Wck. Cat. ed. II p. 321 (praecl. var?). *Dalm. s.*
3609. **Rosmarinella** Wlsghm. Monthl. Mag. XXVII, 1881 p. 139.
3610. **Serratella** Tr. IX, 2. 167; HS. 978, V p. 217; Frey Tin. 255; Hein.-Wck. 424. *Eur. c.m; Ross; Gal. m; Cors; Sic; Dalm; Bith.*
3611. **Tririvella** Stgr. Berl. e. Z. 1870, 322; Nolck. Fn. II, p. 701. *Liv; Srp.*
3612. **Fulguritella** Rag. Bull. S. Fr. 1895 p. 108. *Taur. m.*
3613. **Sumptuosella** Ld. z. b. V. 1855, 234, t. 5, f. 9; Stgr. Hor. XV p. 385. *Syr.*
3614. **Albiapicella** HS. 979, V p. 217; Stt. Ann. 1862 p. 137; Hein.-Wck. 425. *Bav; Austr. inf; Ter; Helv; Hung; Cors; Dalm; Bith.*

406. Heliodines Stt. 1854.

3615. **Roesella** L. F. S. no. 1406; Hb. 135, 399, 400; Tr. IX, 2. 165; Hw. 573; Dup. XI, 306, 1; HS. V p. 314; Frey Tin. 274; Hein.-Wck. 518; Meyr. 676. *Eur. c. (exc. Bat.); It; Ross. m. or; Arm.*

407. Pancalia Stph. 1829.

3616. **Leuwenhoeckella** L. F. S. no. 1400; Stph. Ill. IV, 275; Wd. 1380; Frey 166; Hein.-Wck. 391; Snell. II, 2 p. 730; Fletcher Monthl. Mag. 1893 p. 81 (larv.); Meyr. 676; Schmidtella Tr. IX, 2. 167. X, 3. 212; Dup. XI, 306, 9.
- a) v. **Latreillella** Curt. B. E. VII p. 304; Wd. 1381; HS. V p. 210; Frey 166; Hein.-Wck. 390; Nodosella Mn. z. b. V. 1854 p. 586; HS. 964, V p. 210; Hein.-Wck. 391 (v. major, antennis ♀ interdum squamis magis incrassatis). *Eur. c. et m; Taur.*
3617. **Sichotella** Chr. Bull. M. 1882 I p. 40. *Amur.*

408. **Augasma** HS. 1853.

3618. **Aeratella** Z. Is. 1839, 212; HS. 692, V p. 260; Stt. Nat. Hist. XII p. 120, t. 4, f. 2; Hein.-Wck. 526; Meyr. 684; Metallella Stph. Ill. IV, 273.
- Eur. c (exc. Bat.); It. c; Dalm; Bith.*

C. Heliozelinae.

409. **Antispila** Hb. 1818.

3619. **Pfeifferella** Hb. 398; Stph. Ill. IV, 270; Wd. 1369; Z. Is. 1839, 213; Stt. Nat. Hist. XI, 308, t. 8, f. 2; HS. V p. 315; Frey Tin. 283; Hein.-Wck. 515; Meyr. 684.
3620. **Treitschkiella** F. R. 100, 4 p. 296; Stt. Nat. Hist. XI, 318, t. 8, f. 3; HS. V p. 315; Dup. Sup. IV p. 319; Hein.-Wck. 515; Meyr. 684.
3621. **Petryi** Martini Stett. e. Z. 1898 p. 398.
3622. **Rivillei** Stt. Tr. E. S. (2) III, 1855 p. 89; South. Eur. 310, t. 1; Monthl. Mag. VIII p. 146, IX p. 54, XIV p. 6; Rbl. z. b. V. 1891 p. 637; Rivillella Rondani (?).
- Eur. c (exc. Bat.); Liv; Scand. m; It; Dalm; Bith.*
Eur. c; Belg; Angl; Gal. m. or; Maced.
Germ.
It. s. et m; Dalm.

410. **Heliozela** HS. 1853.

3623. **Sericella** Hw. Lep. Br. 585; Wd. 1366; Hein.-Wck. 516; Snell. II, 2 p. 762; Meyr. 683; Metallicella Dup. XI, 304, 7; Z. Is. 1839, 204; F. R. 84, 2 p. 247; HS. V p. 315.
3624. **Stanneella** F. R. p. 248 not; Stt. I. B. 179; Snell. II, 2 p. 760; Meyr. 683; Stannella HS. V p. 315; Hein.-Wck. 516.
3625. **Lithargyrella** Z. Stett. e. Z. 1850, 158; HS. V p. 315.
3626. **Resplendella** Stt. Cat. Suppl. 6; Nat. Hist. XI. 286, t. 8, f. 1; HS. V p. 315; Hein.-Wck. 516; Snell. II, 2 p. 761; Meyr. 683; Metallicella Stt. Zool. 1850, 2751.
3627. **Hammoniella** Sorh. Ent. Nachr. 1885 p. 338; Stange Stett. e. Z. 1891 p. 133; Stt. Monthl. Mag. 1891 p. 299; Betulae Wood Monthl. Mag. 1890 p. 261; Stt. ib. 264; Proc. Dorset Field Cl. XII t. 1, f. 1; Meyr. 683.
3628. **Grisescens** Stt. Syr. 51.
- Eur. c; Scand. m; Ross. oc; Ped; Sic; Dalm.*
Eur. c; Suec; Gal. m. or; Dalm.
It. c; Sic; Cors.
Eur. c; Fen; Liv; Gal. m. or.
Germ. s; Angl.
Pal.

D. Coleophorinae.

411. **Asynchna** Stt. 1854.

3629. **Modestella** Dup. XI, 299, 8; Stt. I. B. 246; HS. 973, V p. 214; Hein.-Wck. 530; Snell. II, 2 p. 844; Meyr. 661; Splendidella Z. Is. 1846, 296.
3630. **Insularis** Woll. Ann. & Mag. (3) I, 1858 p. 123.
- Eur. c; Liv; Ross. m. or.*
Mad.

412. **Coleophora** Hb. 1818.

3631. **Juncicolella** Stt. Cat. Suppl. 7; Nat. Hist. IV, 58, t. 1, f. 1; Hein.-Wck. 534; Snell. II, 2 p. 807; Meyr. 650; Infantilella HS. 666, V p. 232; Frey Tin. 219.
- Eur. c; Liv.*

3632. **Nigricornis** Hein.-Wek. 534.
3633. **Laricella** Hb. 427; Dup. XI, 311, 3; Z. Is. 1839, 208; L. E. IV, 376; Stt. Nat. Hist. IV, 68, t. 1, f. 2; HS. 667, V p. 230; Frey 218; Hein.-Wek. 534; Snell. II, 2 p. 806; Meyr. 649; Jud.-Nitsche II p. 1041, t. 8, f. 17; Lari-cinella Rtz. Forst.-Ins. II, 244, t. 15, f. 3.
3634. **Antennariella** HS. Corr. Ins. 1861 p. 135; Hein.-Wek. 535; Hering Stett. e. Z. 1891 p. 185.
3635. **Badiipennella** Dup. Sup. IV, 78, 14 p. 346; Z. L. E. IV, 401; HS. 680, V p. 235; Frey 225; Hein.-Wek. 535; Meyr. 649.
3636. **Trigeminella** Fuchs Stett. e. Z. 1881 p. 462.
3637. **Kroneella** Fuchs Stett. e. Z. 1899 p. 183; Trigeminella Rbl. z. b. V. 1889 p. 322.
3638. **Asthenella** Const. Ann. S. Fr. 1893 p. 400, t. 11, f. 8.
3639. **Milvipennis** Z. Is. 1839, 208; L. E. IV, 403; HS. V p. 236; Frey 225; Hein.-Wek. 535; Snell. II, 2 p. 817.
3640. **Lutipennella** Z. Is. 1838, 713; L. E. IV, 398; Dup. Sup. IV, 75, 1; HS. 676, V p. 235; Hein.-Wek. 536; Snell. II, 2 p. 814; Meyr. 648.
3641. **Limosipennella** Dup. Sup. IV, 75, 4; Z. L. E. IV, 406; HS. 677. V p. 235; Stt. Nat. Hist. IV, 102, t. 2, f. 2; Frey 226; Hein.-Wek. 536; Snell. II, 2 p. 816; Meyr. 649.
3642. **Ochripennella** Z. L. E. IV, 408; HS. 678. V p. 236; Frey 226; Stt. Nat. Hist. V p. 84, t. 12, f. 1; Hein.-Wek. 537; Snell. II, 2 p. 815.
3643. **Flavipennella** HS. 675, V p. 234; Frey 224; Hein.-Wek. 537.
3644. **Solitariella** Z. L. E. IV, 397; Dgl. Tr. E. S. Lond. (2) II, 81, t. 11, f. 3; Stt. Nat. Hist. IV, 112, t. 2, f. 3; Frey 225; HS. V p. 233; Hein.-Wek. 538; Snell. II, 2 p. 811; Meyr. 649.
3645. **Olivacella** Stt. I. B. 223; Fologne Ann. S. Belg. 1860 p. 76, t. 1; Hein.-Wek. 538; Meyr. 649.
3646. **Lithargyriella** Z. L. E. IV, 394; HS. V p. 234; Hein.-Wek. 538; Solitariella HS. 672.
3647. **Cornuta** Stt. Nat. Hist. IV p. 15; Hein.-Wek. 539.
3648. **Gryphipennella** Bouché Naturg. d. Ins. 131 (1834); Stt. Nat. Hist. IV, 90, t. 2, f. 1; Hein.-Wek. 539; Snell. II, 2 p. 810; Meyr. 647; **Lusciniaeapennella** Z. L. E. IV, 390; HS. 673-4, V p. 233.
3649. **Siccifolia** Stt. Ann. 1856, 37; Nat. Hist. IV, 80, t. 1, f. 3; Nolck. Fn. II, 649; Hein.-Wek. 540; Meyr. 647; **Betulifoliella** Stt. Ann. 1857 p. 134; ib. 1858 p. 115.
3650. **Deviella** Z. Is. 1847, 888; L. E. IV, 395; HS. V p. 234.
3651. **Uliginosella** Glitz Stett. e. Z. 1872 p. 23; Hein.-Wek. 540.
3652. **Orbitella** Z. L. E. IV, 385; Stt. I. B. 221 (non HS. Frey); Hein.-Wek. 541; Snell. II, 2 p. 809; Meyr. 648; Wilkinsoni Scott Tr. E. S. (2) V p. 411.
3653. **Bifrondella** Wlsghm. Monthl. Mag. 1891 p. 137.
3654. **Viminetella** Z. L. E. IV, 393 not; Stt. Nat. Hist. V, 190, t. 16, f. 1; Hein.-Wek. 541; Snell. II, 2 p. 808; Meyr. 648; **Orbitella** HS. 670, V p. 232; Frey 222; **?Marinella** Hodgk. Entom. XIV p. 68.
3655. **Rhododendri** Hofm. Stett. e. Z. 1869, 188; Hein.-Wek. 542.

Val.

Eur. c. et s; Ped;
Gal. m. alp.

Germ. s; Ter; Petrop.

Germ; Austr.-Hung;
Angl; Belg; It. c;
Cors; ?Graec.

Germ.

Austr. inf.

Gal. m.

Eur. c. (exc. Angl.);
Pont.Eur. c. et s; Dalm;
Bith.Eur. c; Ross. s. oc;
Suec; It. c; Dalm;
Bith.

Eur. c. (exc. Angl.).

Eur. c. m; Dalm;
Bith.

Eur. c; Ross. s. oc.

Germ; Angl; Belg;
Gal.

Alp. (Austr.).

Germ. m. oc; Austr. inf.

Eur. c; Ross. s. oc;
Suec.

Angl; Germ; ?Hisp. s.

Sic.

Germ. s. oc.

Eur. c; Norv; Ross.
s. oc.

Gal. m.

Eur. c; Ross. s. oc;
Suec.

Bav. Alp.

3656. **Idaeella** Hofm. Stett. e. Z. 1869, 187; Hein.-Wck. 542; Schütze Stett. e. Z. 1897 p. 309.
3657. **Vacciniella** HS. Corr. Ins. 1861, 135; Hofm. Stett. e. Z. 1869, 114; Hein.-Wck. 542; Snell. II. 2 p. 807.
3658. **Glitzella** Hofm. Stett. e. Z. 1869, 119; Nolek. Fn. II, 652; Hein.-Wck. 543; Bnks. Monthl. Mag. 1896 p. 145.
3659. **Vitisella** Gregson Zool. 1856, 5167; Stt. Ann. 1857 p. 106; Nat. Hist. V, 100, t. 12, f. 3; Hein.-Wck. 543; Snell. Tijds. XXXII p. 66; Meyr. 648.
3660. **Albisquamella** HS. V p. 235; Frey 225; Hein.-Wck. 543.
3661. **Binderella** Koll. Btr. Landesk. Oestr. II, 99 (1832); Dup. Sup. IV, 78, 9; HS. 920a, V p. 232; Hein.-Wck. 543; Lusciniaepennella Z. Is. 1839, 208; Tgstr. Bidr. 143.
3662. **Bicolorella** Stt. Ann. f. 1861 p. 89; Snell. Tijds. XVI p. 235; Vlind. II, 2 p. 813; Meyr. 648; Binderella Z. L. E. IV p. 388 (imago).
3663. **Fuscedinella** Z. L. E. IV, 383; HS. 669, V p. 231; Stt. I. B. 221; Frey 221; Hein.-Wck. 544; Snell. II, 2 p. 812; Meyr. 648; Binderella Z. L. E. IV p. 388 (larv.); Frey 221; Politella Scott Tr. E. S. (2) V p. 410, t. 17, f. 4; Metallicella Hodgk. Entom. 1892 p. 44.
3664. **Nigricella** Stph. Ill. IV. 281; Stt. I. B. 221; Hein.-Wck. 545; Meyr. 647; Coracipennella Hb. 208; HS. 671, V p. 232; Frey 220; Snell. II, 2 p. 812.
3665. **Paripennella** Z. Is. 1839, 208; L. E. IV, 211; HS. 665, V p. 230; Stt. Nat. Hist. V, 200, t. 16, f. 2; Hein.-Wck. 545; Snell. II, 2 p. 804; Meyr. 647.
3666. **Potentillae** Elisha Monthl. Mag. XXI (1885) p. 254; Stt. ib. XXIV p. 231; Meyr. 647.
3667. **Ahenella** Hein. 546; Meyr. 646; Ledi Stt. Nat. Hist. V p. 210, t. 16, f. 3 a-c (larv.); Monthl. Mag. XVI p. 165.
3668. **Ledi** Stt. Nat. Hist. V, 210, t. 16, f. 3 (imago); HS. Corr. Ins. 1861 p. 107 (ex err. Sedi); Hein.-Wck. 546.
3669. **Fuscocuprella** HS. 920, f., V p. 230; Hein.-Wck. 546; Meyr. 647; Snell. Tijds. XL p. 356; Fuscociliella Stt. Tr. E. Soc. Lond. (2) I. 25.
3670. **Aeripennis** Hein.-Wck. 547.
3671. **Aethiops** Hein.-Wck. 547.
3672. **Albitarsella** Z. L. E. IV, 378; Dgl. Tr. E. Soc. Lond. (2) II, 79, t. 11, f. 1; HS. 668, V p. 230; Frey 219; Hein.-Wck. 548; Snell. II, 2 p. 805; Meyr. 646.
3673. **Pulmonariella** Rag. Ann. S. Fr. 1874 p. 593, t. 11, f. 7 (praec. var.?).
3674. **Alcyonipennella** Koll. Btr. Landesk. Oestr. II, 99; Dup. XI, 309, 12.13; Z. L. E. IV, 208; Dgl. Tr. E. Soc. Lond. (2) II, 80, t. 11, f. 2; HS. 624, V p. 229; Stt. Nat. Hist. V, 180, t. 15, f. 3; Hein.-Wck. 548; Snell. II, 2 p. 804; Meyr. 646.
3675. **Fuscicornis** Z. Is. 1847, 37; L. E. IV, 207; Frey Tin. 204; ?Hein.-Wck. 549.
3676. **Frischella** L. S. N. ed. X, 541 no. 389; Z. L. E. IV, 209, not. 1; Stt. I. B. 211, Hein.-Wck. 549; Meyr. 646; Trifolii Curt. B. E. IX, p. 391; ?Chalybeella Costa Fn. Nap. t. 5, f. 9; Z. L. E. IV, 212; Melilotella Scott Weekl. Int. VIII p. 108; Tr. E. S. (2) V p. 408, t. 17, f. 1; Bnks. Monthl. Mag. XXV p. 1.
- Germ.
- Germ; Bat; Fen.
- Germ; Alp; Angl; Liv; Norv.
- Eur. c. et s; Gal. m. alp.
- Helv. or. Alp.
- Germ; Austr; Helv; Hal; Ross.oc;?Belg.
- Angl; Bat; ?Germ.
- Eur. c; Ross. oc.
- Eur.c.etm.(exc.Hisp., Graec.); Ross. s. oc; Bith; Arm; Jap.
- Eur. c; Ross.s. oc; It. c; Dalm.
- Angl.
- Germ; Angl.
- Germ; Austr; Liv.
- Eur. c.
- Ped; Norv.
- Ped.
- Eur. c; Liv; Gal. m.
- Gal.
- Eur. (exc. reg. pol.); Bith.
- And; Maur; Bith; ?Germ. (Hein.).
- Eur. c. (exc. Bat.); Liv; Suec; Hisp; Bale; As. min.

3677. **Cuprariella** Z. Is. 1847, 36; L. E. IV, 206; Hein.-Wck. 549.
3678. **Amethystinella** Rag. Natural. III (1885) p. 167; Ann. S. Fr. 1887 p. 222, t. 5, f. 2, 3.
3679. **Deauratella** Z. Is. 1846, 295; L. E. IV, 204; Tgstr. Bidr. 139; HS. 663, V p. 229; Frey 203; Hein.-Wck. 550; Snell. II, 2 p. 803; Meyr. 646.
3680. **Spissicornis** Hw. 537; Curt. B. E. IX, 391; Stph. Ill. IV, 283. t. 41, f. 1; Wd. 1403; Fabriciella Vill. L. Ent. II, 527 (nom. praeocc.); Hein.-Wck. 550; Snell. II, 2 p. 803; Meyr. 645; Mayrella Z. Is. 1839, 206; L. E. IV, 200; Trochilipennella Costa Fn. Nap. t. 3, f. 6; Z. L. E. IV p. 204.
3681. **Hieronella** Z. L. E. IV, 203; Mayrella Z. Is. 1847, 883.
3682. **Basimaculella** Mn. Wien. Mts. 1864, 189, t. 5, f. 3.
3683. **Chalcogrammella** Z. Is. 1839, 207; L. E. IV, 293; HS. 708, V p. 245; Stt. Ann. 1858, 93, f. 3; Nat. Hist. V, 92, t. 12, 2; Hein.-Wck. 550; Snell. II, 2 p. 823; Meyr. 651.
3684. **Femorella** Wlsghm. Monthl. Mag. 1898 p. 166.
3685. **Lixella** Z. L. E. IV, 231; HS. 713, V p. 245; Stt. Nat. Hist. IV, 132, t. 3, f. 2; Frey 206; Hein.-Wck. 552; Snell. II, 2 p. 823; Meyr. 651; Ornatipennella Stph. Ill. IV, 285; Dup. XI, 310, 2.
3686. **Tricolor** Wlsghm. Monthl. Mag. 1899 p. 201.
3687. **Ornatipennella** Hb. 199; Z. L. E. IV, 227; HS. 712, V p. 245; Frey Tin. 205; Stt. Nat. Hist. IV, 122, t. 3, 1; Hein.-Wck. 552.
3688. **Ochrea** Hw. Lep. Br. 533; Z. L. E. IV, 216; Stt. Nat. Hist. V, 108, t. 13, f. 1; HS. 709, V p. 245; Hein.-Wck. 551; Meyr. 651; Argentipennella Dup. XI, 310, 3 p. 564.
- a) v. *Thuringiaca* Martini Bresl. e. Z. 1887 p. 61 (multo obscurior, al. ant. brunneo-infuscatis).
3689. **Helianthemella** Mill. Ic. III, 131, t. 113, f. 1-5.
3690. **Necessaria** Stgr. Hor. XV (1880) p. 370.
3691. **Pechi** Baker Monthl. Mag. XXIV p. 256 (1888).
3692. **Falcigerella** Chr. Hor. IX (1872) p. 31, t. 2 A, f. 27.
3693. **Caucasica** Stt. Syr. 57; Ld. Ann. S. Belg. 1870, t. 2, f. 15.
3694. **Amasiella** Stt. Syr. 56.
3695. **Vulpecula** Z. L. E. IV, 219; HS. V p. 245.
3696. **Binotapennella** Dup. Sup. IV, 75, 3; Hein.-Wck. 553; Binotatella Z. L. E. IV, 224; HS. 714, V p. 246.
3697. **Salicorniae** Hein.-Wck. 553; Stange Stett. e. Z. 1886 p. 284; Meyr. 650; Binotapennella Stt. I. B. p. 212.
3698. **Clypeiferella** Hofm. Stett. e. Z. 1871 p. 221, 328; Hein.-Wck. 554.
3699. **Squalorella** Z. L. E. IV, 226; HS. V p. 246; Hein.-Wck. 554.
3700. **Stefanii** Joan. (J.) Bull. S. Fr. 1899 p. 331 (fig.); Wlsghm. Monthl. Mag. 1900 p. 59.
3701. **Serinipennella** Chr. Hor. IX (1872) p. 31, t. 2 A, f. 32.
3702. **Delibutella** Chr. Hor. IX (1872) p. 35, t. 2 A, f. 31.
3703. **Ballotella** F. R. 58 p. 154; Dup. Sup. IV, 76, 9 p. 314; Z. L. E. IV, 221; HS. 711, V p. 246; Hein.-Wck. 556. Ross. m. or; Dalm.; Bith.
- Austr.; Hung.; Eur. m.; As. min.
Arag.; Gal. m.; Taur.
Eur. c. et m.; Ross. oc.; Suec.; Pont.; Pal.
Eur. (exc. reg. pol. et? Hisp.); Bith.
Sic.; Bith.
Bith.; Taur.
Eur. c.
Cors.
Eur. c.; Liv.; Suec.; Pont.
Angl.
Eur. c. m. et m. or.; It. s. et c.; Bith.
Eur. c. (exc. Bat.); It.; Arm.
Germ. c. s.
Gal. m. or.
Pont.
Maur.
Sr. p.
Arm.; Lyd.
Pont.
Austr. inf.; Morav.; Hung.; Gal. m. or.
Austr. inf.; Germ. m.
Germ. s.; Angl.
Germ.; Austr. inf.; Hung.
Germ.; Hung.; Sr. p.
Sic.
Sr. p.
Sr. p.
Germ.; Austr.-Hung.; Ross. m. or; Dalm.; Bith.

3704. **Wockeella** Z. L. E. IV, 215; HS. 710, V p. 245; Frey 205; Stt. Nat. Hist. V, 118, t. 13, 2; Hein.-Wek. 555; Meyr. 650.
3705. **Onopordiella** Z. L. E. IV, 213; HS. 707, V p. 246.
3706. **Phlomidella** Chr. Stett. e. Z. 1862, 222.
3707. **Botaurella** HS. Corr. Ins. II p. 143 (1861); Möschl. Berl. e. Z. 1866, 149.
3708. **Leucapennella** Hb. 205; Tr. IX, 2. 214; Dup. XI, 310, 9; Z. Is. 1839, 208; L. E. IV, 294; HS. V p. 238; Hein.-Wek. 555; Meyr. 650; Albifuscella Z. Is. 1839, 206; L. E. IV, 296; HS. 685, V p. 238.
3709. **Crepidinella** Z. Is. 1847, 885; L. E. IV, 298; HS. V p. 238.
3710. **Lattivitella** Ersch. Hor. XII. (1877) p. 346; Mém. Rom. VI t. 16, f. 11.
3711. **Niveicostella** Z. Is. 1839, 208; Dup. Sup. IV, 87, 3; HS. 681, V p. 236; Frey 210; Hein.-Wek. 556; Meyr. 654.
3712. **Albicostella** Dup. Sup. IV, 75, 2; Z. L. E. IV, 275; HS. 682, V p. 237; Hein.-Wek. 557; Marginatella HS. 683, V p. 238; Corr. Ins. p. 133.
3713. **Orotavensis** Rbl. Ann. Naturh. Hofmus. XI, 1896 p. 137, t. 3, f. 16.
3714. **Mongetella** Chrét. Natural. 1900 p. 69.
3715. **Bilineella** HS. 910, V p. 258; Hein.-Wek. 557; Argentilimbella Mill. Cat. rais. 355; Ann. Sc. Cannes 1879 t. 6, f. 1.
3716. **Discordella** Z. L. E. IV, 301; HS. V p. 239; Frey 210; Stt. Nat. Hist. IV, 178, t. 5, 1; Hein.-Wek. 558; Snell. II, 2 p. 820; Meyr. 654.
3717. **Genistae** Stt. Ann. 1857, 104; Nat. Hist. IV, 188, t. 5, f. 2; Hein.-Wek. 558; Snell. II, 2 p. 819; Meyr. 654.
3718. **Bilineatella** Z. L. E. IV, 272; HS. 690, V p. 239; Hein.-Wek. 559; Snell. II, 2 p. 818; Coverdale Ent. 1885 p. 227.
3719. **Saturatella** Stt. Zool. 1850, App. 93; I. B. 216; Meyr. 653; Tinctoriella Coverdale Ent. 1885 p. 225 (praec. var. obseara?).
3720. **Acrisella** Mill. Pet. Nouv. 1872 p. 172; Chrét. Natural. 1900 p. 69.
3721. **Trientella** Chr. Hor. IX (1872) p. 31, t. 2A, f. 33.
3722. **Serenella** Z. L. E. IV, 269; HS. 692, V p. 240; Frey 208; Stt. Nat. Hist. IV, 196, t. 5. f. 3; Hein.-Wek. 559.
3723. **Tristella** Stgr. Hor. XV (1880) p. 362.
3724. **Siliquella** Const. Ann. S. Fr. 1893 p. 399, t. 11, f. 9.
3725. **Squamella** Const. Ann. S. Fr. 1885 p. 6, t. 1, f. 26; Lafaurie ib. p. 415.
3726. **Arenariella** Z. Stett. e. Z. 1865, 43; Hein.-Wek. 560.
3727. **Onobrychiella** Z. L. E. IV, 271; HS. 686, V p. 238; Stgr. Hor. VII p. 276; Hein.-Wek. 561.
3728. **Lutatiella** Stgr. Stett. e. Z. 1859, 253.
3729. **Phlomidis** Stt. Syr. 57.
3730. **Longicostella** Stt. Syr. 51.
3731. **Trifariella** Z. L. E. IV, 257; HS. 691, V p. 240; Stt. Nat. Hist. V, 164, t. 15, f. 1; Hein.-Wek. 561.
3732. **Attalicella** Z. Stett. e. Z. 1871 p. 77.
3733. **Flaviella** Mn. Wien. Mts. 1857, 182; Hein.-Wek. 562.
- Eur. c. oc. (exc. Bat.);
Gal. m.; Bith.; Pont.
- Hung; Graec; Lyd.
- Srp.
- Srp.
- Eur.c.(exc. Bat.) etm.
(exc. Ib.); Liv;
Bith; Tura.
- Sic.
- Sib. or. (Irkutsk).
- Eur. c. (exc. Bat.);
Suec; Dalm.
- Germ; Austr.-Hung;
Belg; It; Dalm;
Bith.
- Ten.
- Pyr. or.
- Austr; Gal. m.
- Eur. c.
- Eur. c.
- Germ; Austr; Hung;
Gal; Bat; Suec.
- Angl.
- Gal. m.; Ter. m.; Ill.
- Srp.
- Eur. c. (exc. Angl. et
Bat.); Fen; It. c; Dalm.
- Pont.
- Gal. m.
- Gal. or.
- Germ. s. or.
- Germ. m. or; Austr.-
Dalm; ? Graec; Bith.
- And.
- Pont.
- Pal.
- Germ; Austr; Hung;
Dalm.
- Srp.
- Carn; Dalm.

3734. **Oriolella** Z. L. E. IV, 258; HS. 694, V p. 240; Hein.-Wck. 562. *Austr; Carn; Hung.*
3735. **Laticostella** Mn. Wien. Mts. 1859, 175. *Sic; Bith; Pal.*
3736. **Quadrifariella** Stgr. Hor. XV (1880) p. 373. *Srp.*
3737. **Fringillella** Z. Is. 1839, 208; L. E. IV, 302; HS. 698, V p. 242; Hein.-Wck. 563. *Austr; Hung; Pont.*
3738. **Confusa** Stgr. Hor. XV (1880) p. 372. *Pont.*
3739. **Rectilineella** F. R. Stett. e. Z. 1843, 146, not.; Z. L. E. IV, 305; HS. 697 a, b, V p. 242; Frey 211; Hein.-Wck. 563. *Alp.*
3740. **Tauricella** Stgr. Hor. XV (1880) p. 374. *Taur.*
3741. **Niveistrigella** Hein.-Wck. 564. *Val.*
3742. **Nubivagella** Z. L. E. IV, 309, not.; Frey 212; Hein.-Wck. 564. *Alp.*
3743. **Tractella** Z. L. E. IV, 308; HS. V p. 242; Frey 212; Hein.-Wck. 565. *Alp.*
3744. **Saponariella** Heeger Is. 1848, 342, t. 6; Z. L. E. IV, 309; HS. 700, V p. 242; Hein.-Wck. 565; *Ocymoidella* Rondani Bull. S. It. VIII p. 23, t. 1, f. 15. *Germ; Austr; Hung; Gal. m; It. c; Dalm.*
3745. **Musculella** Mühlig Stett. e. Z. 1864, 102; Hein.-Wck. 566. *Germ. m. oc.*
3746. **Fretella** Z. Is. 1847, 887; L. E. IV, 312; HS. 915, V p. 243; Meyr. Monthl. Mag. 1891 p. 59; *Pabulella* Z. l. c. *Sic; Dalm; Graec; Bith; Maur.*
3747. **Striolatella** Z. L. E. IV, 313; HS. V p. 251; Hein.-Wck. 566. *Austr; Hung.*
3748. **Biseriatella** Stgr. Stett. e. Z. 1859, 255; HS. n. Schm. 102. *And.*
3749. **Vestalella** Stgr. Stett. e. Z. 1859, 254; HS. Corr. Ins. 143. *And.*
3750. **Parthenica** Meyr. Monthl. Mag. 1891 p. 59. *Maur.*
3751. **Stramontella** Z. L. E. IV, 274; Hein.-Wck. 567; *Canariella* HS. 688, V p. 238. *Austr. inf; Hung; Ross. m. or; Bith.*
3752. **Univittella** Stgr. Hor. XV (1880) p. 368. *Lyd.*
3753. **Gallipennella** Hb. 202; Z. L. E. IV, 263; HS. 684, V p. 237; Hein.-Wck. 567. *Eur. c. m; Suec. m; It. s; Ross. m. or; Bith; Pont.*
3754. **Coronillae** Z. L. E. IV, 265; HS. V p. 239; Hein.-Wck. 568; *Gallipennella* Tr. IX, 2. 215, X, 3. 218; Z. Is. 1839, 207; *Coronillella* HS. 689. *Eur. c. m; Dalm; Ross. m. or.*
3755. **Colutella** F. E. S. III, 2, 337, 24; Z. L. E. IV, 242; HS. 687, V p. 238; Hein.-Wck. 568. *Austr. inf; Hung; Gal.*
3756. **Ochestrigraphella** Rag. Bull. S. Fr. 1895 p. 40. *And.*
3757. **Vulnerariae** Z. Is. 1839, 207; HS. 693, V p. 240; Hein.-Wck. 569; Meyr. 653; *Icterella* Dup. XI, 310, 12; ? *Albicosta* HS. 917-8. *Eur. c. (exc. Bat.); Liv; Cors; Sic; Dalm; Bith.*
3758. **Defessella** HS. 889, V p. 241; Hein.-Wck. 569. *Germ. m.*
3759. **Vicinella** Z. L. E. IV, 251; HS. 916, V p. 241; Hein.-Wck. 570. *Germ. m. or; Austr; Hung; Hal; Gal. m; It; Dalm; Graec.*
3760. **Ononidella** Mill. Ann. Sc. Cannes 1879 p. 3, t. 5, f. 4, 5; Lafaurie Ann. S. Fr. 1885 p. 416. *Gal. m.*
3761. **Infibulatella** Hofm. Stett. e. Z. 1874 p. 318; Hein.-Wck. 570. *Germ. m. oc.*
3762. **Fuscociliella** Z. L. E. IV, 250; HS. 695, V p. 241; Hein.-Wck. 570. *Germ. m; Austr; It. c; Dalm; Bith.*
3763. **Medicaginis** HS. Corr. Ins. II p. 142 (1861); Hein.-Wck. 571. *Germ. oc. c.*
3764. **Roessleri** Hein.-Wck. 572; *Tanaceti* Rössl. Verz. 267. *Germ. oc; Gal. m.*

3765. **Congeriella** Stgr. Stett. e. Z. 1859, 254; Stt. South. Eur. 225; Chrét. Natural. 1900 p. 69.
3766. **Partitella** Z. L. E. IV, 248; HS. 696, V p. 241; Hein.-Wek. 572; Fuehs Stett. e. Z. 1886 p. 73.
3767. **Cartilaginella** Chr. Hor. IX (1872) p. 33, t. 2 A, f. 30.
3768. **Albicosta** Hw. Lep. Br. 535; Curt. B. E. XV, 687; Z. L. E. IV, 255; Stt. Nat. Hist. IV, 260, t. 8, f. 1; Snell. II, 2 p. 820; Meyr. 654.
3769. **Semicinerea** Stgr. Stett. e. Z. 1859, 253.
3770. **Pyrrhulipennella** Z. Is. 1839, 206; L. E. IV, 253; HS. 699, V p. 241; Stt. Nat. Hist. IV, 252, t. 7, f. 3; Hein.-Wek. 573; Snell. II, 2 p. 821; Meyr. 653.
3771. **Bivittella** Stgr. Hor. XV (1880) p. 363.
3772. **Ditella** Z. L. E. IV, 247; HS. 701, V p. 243; Stt. Nat. Hist. V, 126, t. 13, f. 3; Hein.-Wek. 573.
3773. **Confluella** Rbl. Ann. Naturh. Hofmus. VII, 1892 p. 278, t. 17, f. 15.
3774. **Vibicigerella** Z. Is. 1839, 206; L. E. IV, 244; Dup. XI, 310, 11; HS. 702, V p. 243; Hein.-Wek. 574; Meyr. 653.
3775. **Astragalella** Z. L. E. IV, 243; HS. 703, a, b, c, V p. 243; Hein.-Wek. 574; Fimbriosella HS. Corr. Ins. 142.
3776. **Echinella** Stgr. Hor. XV (1880) p. 364.
3777. **Gypsophilae** Chr. Stett. e. Z. 1862, 223.
3778. **Caelebipennella** Z. Is. 1839, 206; L. E. IV, 238; HS. 704, V p. 244; Stt. Nat. Hist. V, 22, t. 9, f. 3; Hein.-Wek. 575.
3779. **Similis** Stgr. Hor. XV (1880) p. 366.
3780. **Simillima** Stgr. Hor. XV (1880) p. 367.
3781. **Propinqua** Stgr. Hor. XV (1880) p. 367 (praec. var.?).
3782. **Craccella** Valet Compt. Rend. 1835 p. 101; Chrét. Natural. 1888 p. 262; Lugduniella Stt. Nat. Hist. IV, 278, t. 8, f. 3.
3783. **Valesianella** Z. L. E. IV, 241; Frey 207; Hein.-Wek. 576; ?Plusiella Const. Ann. S. Fr. 1865 p. 198, t. 7, f. 15.
3784. **Polonicella** Z. Stett. e. Z. 1865, 46; Hein.-Wek. 576.
3785. **Argyrerella** HS. n. Schm. 157 p. 31; Chr. Stett. e. Z. 1867, 245.
3786. **Conspicuella** Z. L. E. IV, 236; HS. 705, V p. 244; Frey 207; Stt. Nat. Hist. V, 12, t. 9, f. 2; Hein.-Wek. 577; Meyr. 652; ?Lantosquella Mill. Cat. rais. 352.
3787. **Solenella** Stgr. Stett. e. Z. 1859, 252; HS. n. Schn. 100 p. 17; Hein.-Wek. 577.
3788. **Vibicella** Hb. 308; Z. L. E. IV, 232; HS. 706, V p. 244; Stt. Nat. Hist. V, 2, t. 9, f. 1; Hein.-Wek. 578; Snell. II, 2 p. 822; Meyr. 652; Vibicipennella Tr. IX, 2. 217, X, 3. 219; Dup. XI, 310, 1; Ev. F. V. U. 603.
3789. **Spumosella** Stgr. Stett. e. Z. 1859, 252; HS. n. Schm. 101; Chrét. Natural. 1900 p. 69.
3790. **Giraudi** Rag. Ann. S. Fr. 1874 p. 596, t. 11, f. 6; Mill. Cat. rais. 353.
3791. **Currucipennella** Z. Is. 1839, 207; L. E. IV, 286; HS. 894, V p. 248; Frey 209; Stt. Nat. Hist. IV, 150, t. 4, 1; Hein.-Wek. 579; Snell. II, 2 p. 837; Meyr. 652; Tristrigella Hein.-Wek. 580.
- Gal. m; And.
- Austr; Germ. c. et m; Liv.
- Srp.
- Brit; Bat.
- And.
- Eur. c. et m; Ross. s. oc; Norv. m; Bith.
- Pont; Hyrc.
- Germ; Austr; Hal; Dan; Eur. m; Maur. Can.
- Germ; Austr; Angl; Fen; Liv; Ped.
- Austr; Hal; Hung; Bith.
- Pont; Hung.
- Srp.
- Germ; Austr; Hal; Dan; Liv; Gal. m. or; Cors; Bith.
- Pont.
- Dalm.
- Syr.
- Gal. m; Hung; Lyd.
- Val.
- Germ. s. or.
- Srp.
- Eur. c (exc. Bat.); Gal. m; Liv; Norv. m.
- Teriol. m. val; And.
- Eur. c; Liv; Ped; Carn; Dalm; Bith.
- And; Gal. m. (Mill.).
- Gal. m.
- Eur. c; Ross. s. oc; It. c; Dalm; Bith.

3792. **Zelleriella** Hein. Bresl. e. Z. 1854 p. 5; Hein.-Wek. 579. *Germ. s. oc; Austr. inf.*
3793. **Nemorum** Hein. Bresl. e. Z. 1854 p. 6; Hein.-Wek. 581. *Germ. s.*
3794. **Palliatella** Zk. Germ. Mag. III, 40; Z. L. E. IV, 282; HS. 906, V p. 257; Hein.-Wek. 581; Snell. II, 2 p. 838; Meyr. 652; Pallipennella Tr. IX, 2. 212, X, 3. 218; Ardeaepennella Scott Tr. E. S. (2) V p. 410, t. 17, f. 3. *Eur. c.; Ross. s. oc;*
It. s. et c.
3795. **Coarctella** Stgr. Stett. e. Z. 1859, 253. *And.*
3796. **Ibipennella** Z. L. E. IV, 285; HS. V p. 257; Stt. Ann. 1858, 92; Hein.-Wek. 582; Snell. II, 2 p. 839; Meyr. 652. *Eur. c.*
3797. **Betulella** Hein.-Wek. 583; Wek. Bresl. e. Z. 1884 p. 61; Ibipennella Stt. Nat. Hist. IV p. 158, t. 4, f. 2 (praeec. var.?). *Germ.*
3798. **Büttneri** Rössl. Schppfl. 307. *Germ. oc.*
3799. **Anatipennella** Hb. 186; Tr. IX, 2. 211, X, 3. 217; Stt. Nat. Hist. IV, 166, t. 4, 3; Hein.-Wek. 583; Snell. II, 2 p. 840; Meyr. 651; Tiliella Z. L. E. IV, 278 (pr. p.); HS. 907, V p. 257; Frey 208; ?Schrk. Fn. B. II, 107. *Eur. c. et s. (exc. reg. pol.); Ped.*
3800. **Albidella** HS. V p. 258; Snell. II, 2 p. 841; Sorhag. Ill. Ztschr. Ent. V p. 113; Tiliella Z. L. E. IV p. 278 (pr. p.). *Austr.; Germ.; Bat.*
3801. **Albipennella** Stgr. Hor. XV (1880) p. 359. *Pont.*
3802. **Hemerobiella** Sc. Ent. Carn. no. 650; F. R. 69, 70, 1 p. 195; Z. L. E. IV, 374; HS. 908, V p. 258; Stt. Nat. Hist. V, 74, t. 11, 3; Hein.-Wek. 584; Snell. II, 2 p. 842; Meyr. 650; Anseripennella Hb. 319; Tr. IX, 2. 221, X, 3. 220; Dup. XI, 310, 10. *Eur. c.; Ross.; Norv. m; It. s. et c.*
3803. **Unipunctella** Z. L. E. IV, 404; HS. 909, V p. 258; Hein.-Wek. 584; Nigrostigmatarella Heeger Sitzb. Ak. Wiss. Wien X, 1853 p. 479, t. 6; Zelleri Now. En. 212; M. S. N. 27, t. 1, f. 10. *Germ; Austr.; Hal.; Hung.*
3804. **Incanella** Tgstr. Bidr. 140. *Fen.*
3805. **Murinella** Tgstr. Bidr. 140; Cat. p. 359. *Fen.*
3806. **Solidaginella** Stgr. Stett. e. Z. 1859, 254. *And.*
3807. **Struella** Stgr. Stett. e. Z. 1859, 254; HS. n. Schm. 103. *Hisp.*
3808. **Setipalpella** Stgr. Hor. XV (1880) p. 360. *Pont.*
3809. **Auricella** F. E. S. III, 2. 300; Z. L. E. IV, 289; HS. 715, V p. 247; Frey 209; Stt. Nat. Hist. V, 146, t. 14, 2; Hein.-Wek. 585. *Eur. c. m; Liv; Gal. m; It. s; Dalm.*
3810. **Plurifoliella** Chrét. Bull. S. Fr. 1896 p. 190. *Maur.*
3811. **Brevipalpella** Wek. Bresl. e. Z. 1874 p. 80; Hein.-Wek. 586. *Sil.*
3812. **Serpyletorum** Hering Stett. e. Z. 1889 p. 305. *Germ. s.*
3813. **Virgatella** Z. L. E. IV, 291; HS. 717, b, V p. 247; Stt. Nat. Hist. V, 136, t. 14, 1; Hein.-Wek. 586; Snell. II, 2 p. 825; Auricella Z. Is 1839, 207; Dup. Sup. IV, 75, 5. *Germ.; Austr.; Hal.; Bat.; Carn.; It. c.; Bith.*
3814. **Serratulella** HS. 717, V p. 247; Stt. Nat. Hist. V, 156, t. 14, 3; Hein.-Wek. 587. *Germ. m; Tura.*
3815. **Chamaedryella** Stt. Nat. Hist. IV, 270, t. 8, 2; Hein.-Wek. 587. *Germ. m; Austr.; Styr.; Gal.; Sic; Dalm.*
3816. **Didymella** Chrét. Bull. S. Fr. 1899 p. 146. *Gal.*
3817. **Santolinella** Const. Ann. S. Fr. 1890 p. 11, t. 1, f. 8, 8a. *Cors.*
3818. **Conyzae** Z. z. b. V. 1868, 623; Hein.-Wek. 588; Meyr. 655. *Germ.; Car; Angl; Gal. m.*
3819. **Diffinis** Stgr. Hor. XV (1880) p. 361. *Pont.*

3820. **Onosmella** Brahm Scriba Btr. II, 133, t. 9, f. 7, 8; Z. L. E. IV, 314; HS. 716a. b, V p. 246; Stt. Nat. Hist. IV, 232, t. 7. 1; Hein.-Wek. 588; Snell. II, 2 p. 824; Meyr. 655; Struthionipennella Tr. IX, 2, 219; ?Hb. 209.
3821. **Hispanicella** Möschl. Berl. e. Z. 1866, 163.
3822. **Lineolea** Hw. Lep. Br. 534; Stt. Nat. Hist. IV, 242, t. 7, 2; Hein.-Wek. 589; Meyr. 655; Crocogrammos Z. L. E. IV, 325; HS. 891, V p. 251.
3823. **Calycotomella** Stt. South. Eur. 225; Sarothamni Rössl. Stett. e. Z. 1877 p. 77.
3824. **Ventifuga** Wlsghm. Monthl. Mag. 1898 p. 166.
3825. **Therinella** Tgstr. Bidr. 141; Z. L. E. IV, 319; HS. 888, V p. 250; Frey 212; Nolck. Fn. II, 667; Hein.-Wek. 591; Snell. II, 2 p. 830; Meyr. 656; Trochilella Dup. Sup. IV, 75, 10.
3826. **Pratella** Z. Stett. e. Z. 1871 p. 78, t. 2, f. 6; Hein.-Wek. 591.
3827. **Striatipennella** Z. L. E. IV, 324; Nolck. Fn. II p. 686; Hein.-Wek. 592; ?Tgstr. Bidr. 142.
3828. ?**Lineatella** Tgstr. Bidr. 141; Ann. 186.
3829. **Troglodytella** Dup. Sup. IV, 75, 12; Z. L. E. IV, 322; HS. 893, V p. 249; Frey 213; Nolck. Fn. II, 669; Hein.-Wek. 592; Snell. II, 2 p. 829; Meyr. 656; Ramosella Z. l. c; HS. V p. 250; Frey l. c.; Linosyridella Fuchs Stett. e. Z. 1880 p. 113, 247, 1881 p. 464; ?Maritimella (Stt.) Machin Ent. 1884 p. 87; ?Otidipennella Hb. 433; HS. 880, V p. 250 (spec. valde variab.).
3830. **Inulae** Hein.-Wek. 593; Jourdheuille Ann. S. Fr. 1888 p. 66; Meyr. 656; ?Taeniiapennella HS. 879, V p. 249.
3831. **Bornicensis** Fuchs Stett. e. Z. 1886 p. 73.
3832. ?**Alpicola** Hein.-Wek. 594.
3833. **LinearIELLA** Z. L. E. IV, 329; HS. 882-6, V p. 250; Hein.-Wek. 594.
3834. **Praecursella** Z. Is. 1847, 886; L. E. IV, 331; HS. 913, V p. 249.
3835. **Obtectella** Z. L. E. IV, 333; HS. 914, V p. 247.
3836. **Stachelinella** Wlsghm. Monthl. Mag. 1891 p. 138.
3837. **Chrysanthemi** Hofm. Stett. e. Z. 1869, 107; Hein.-Wek. 595.
3838. **Pappiferella** Hofm. Stett. e. Z. 1860, 109; Hein.-Wek. 595; Filaginella Fuchs Stett. e. Z. 1881 p. 465, 1897 p. 333.
3839. **Fuscolineata** Wlsghm. Monthl. Mag. 1898 p. 168.
3840. **Murinipennella** Dup. Sup. IV, 87, 6 p. 484; Z. L. E. IV, 334; HS. 881, V p. 249; Frey 214; Stt. Nat. Hist. V, 30, t. 10, 1; Hein.-Wek. 596; Snell. II, 2 p. 827; Wood Monthl. Mag. 1892, 169, t. 4, 3 (genit.); Meyr. 659.
3841. **Algidella** Stgr. Stett. e. Z. 1857, 278.
3842. **Sylvaticella** Wood Monthl. Mag. 1892 p. 118, 283, t. 4, f. 1 (genit.); Meyr. 659.
3843. **Alticolella** Z. L. E. IV p. 341; Wood Monthl. Mag. 1892 p. 120, t. 4, f. 2 (genit.); Meyr. 659.
3844. **Glaucicolella** Wood Monthl. Mag. 1892 p. 118, 172, t. 4, f. 5 (genit.); Meyr. 659.
- Eur. (exc. reg. pol. et Graec.).
- And.
- Eur. c. (exc. Bat.); Dalm.
- Germ. m. oc; Gal. m; Cast.
- Cors.
- Eur. c; Ross. oc; Scand. m; Dalm; Bith.
- Germ; Austr.
- Austr; ?Fen.
- Fen.
- Eur. c; Ross. s. oc; Gal. m; Dalm.
- Germ; Austr; Gal; Angl.
- Germ. oc.
- Helv.
- Germ; Austr. (alp.); Norv; It. c; Dalm; Bith.
- Sic.
- Sic.
- Gal. m.
- Bav.
- Germ; Austr. inf; Hal.
- Cors.
- Eur. c; Ross. s. oc; Scand. m; Dalm.
- Isl.
- Angl.
- Germ; Austr; Angl.
- Angl.

3845. **Caespitiella** Z. Is. 1839, 208; L. E. IV, 338; HS. 877-8, V p. 248; Frey 214; Stt. Nat. Hist. IV, 206, t. 6, 1; Hein.-Wek. 597; Snell. II, 2 p. 826; Wood Monthl. Mag. 1892, 170, t. 4, 4 (genit.); Meyr. 659; Sternipennella Zett. Ins. Lap. 1011 (genit.); Lacunaecolella Dup. Sup. IV, 87, 12; (Lacunie.) Z. L. E. IV, 343; HS. 890.
3846. ?**Lassella** Stgr. Stett. e. Z. 1859, 255.
3847. **Obtusella** Stt. Ann. f. 1874 p. 162; Meyr. 660.
3848. **Adjunctella** Hodgk. Monthl. Mag. XVII (1882) p. 189; Ent. XV p. 36; Fletcher Monthl. Mag. XXIV p. 15; Meyr. 660; Paludicola Stt. Monthl. Mag. XXII p. 9.
3849. **Agrammella** Wood Monthl. Mag. 1892 p. 283; Meyr. 660.
3850. **Nutantella** Mühlig & Frey Zürcher Vierteljahrschrift 1857, II p. 10; Nolek. Fn. II, 674; Hein.-Wek. 598; Meyr. 655; Inflatae Stt. Ann. 1857 p. 105; Nat. Hist. IV p. 224, t. 6, f. 3; Nolek. Fn. II, 666; Amphibiella Gn. Ann. S. Fr. 1876 p. 505.
3851. **Derivatella** Z. L. E. IV, 327; HS. 892, V p. 248.
3852. **Atlanticella** Rbl. Ann. Naturh. Hofmus. XI, 1896 p. 138.
3853. **Drymidis** Mn. Wien. Mts. 1857, 183.
3854. **Apicella** Stt. Ann. 1858, 93; Nolek. Fn. II, 671; Snell. II, 2 p. 828; Meyr. 655.
3855. **Silenella** HS. V. 252; Nolek. Fn. 673; Hein.-Wek. 598; Dianthi HS. 920, d.
3856. **Robustella** Fuchs Stett. e. Z. 1895 p. 40.
3857. **Graminicolella** Hein.-Wek. 599; Nolek. Fn. II p. 673; Stt. Ann. f. 1870 p. 13; Snell. II, 2 p. 832; Meyr. 556.
3858. **Tripoliella** Hodgk. Entom. VIII (1875) p. 55; Meyr. 656.
3859. **Ciconiella** HS. 895, V p. 252; Wek. Bresl. e. Z. 1876 p. 40; Tritici Lindemann Bull. M. 1881, III p. 39; Sorh. Ent. Nachr. 1884 p. 209; Hofm. Stett. e. Z. 1889 p. 278.
3860. **Dianthi** HS. V p. 252; Hein.-Wek. 600. Germ; Austr; Gal; Hal; Fen.
3861. **Millefolii** Z. L. E. IV, 360; HS. 897-9, V p. 253; Stt. Nat. Hist. V, 66, t. 11, 2; Hein.-Wek. 600. Germ; Hal; Fen; Liv.
3862. **Strigiferella** Snell. Tijds. XXVII (1884) p. 179, t. 10, f. 1, 1a. Sib. or. (Irkutsk).
3863. **Odorariella** Mühlig & Frey Zürcher Vierteljahrschrift 1857, 26; Stt. Nat. Hist. V, 172, t. 15, 2; Hein.-Wek. 601. Germ. c. oc.
3864. **Succursella** HS. 887, V p. 254; Becker Ann. S. Belg. 1861 p. 54, t. 2, f. 4; Hein.-Wek. 601; Artemisiae HS. 920, b. Germ; Austr; Cors.
3865. **Absinthii** Hein.-Wek. 602. Germ. s.
3866. **Directella** Z. L. E. IV. 366; HS. 919, V p. 253; Hein.-Wek. 603. Germ; Austr.-Hung; Dalm; Dan; Liv; Fen.
3867. **Asperginella** Chr. Hor. IX (1872) p. 31, t. 2A, f. 28. Srp.
3868. **Settari** Wek. Bresl. e. Z. 1877 p. 45; Lafauty Ann. S. Fr. 1885 p. 417 (larv.). Ter. m; Gal. or.
3869. **Aequalella** Chr. Hor. IX (1872) p. 32, t. 2A, f. 29. Suec.
3870. ?**Scolopacinella** Wallgr. Öfvers. K. V. Ak. Förh. 1859 p. 171. Germ; Austr.-Hung; Fen; Suec.
3871. **Gnaphalii** Z. Is. 1839, 207; L. E. IV, 357; Stt. Nat. Hist. V, 58, t. 11, 1; Hein.-Wek. 603; Gnaphaliella HS. 904, V p. 256. Pont.
3872. **Breviuscula** Stgr. Hor. XV (1880) p. 377.

3873. **Hermannia** Wlsghm. Monthl. Mag. 1898 p. 167.
3874. ?**Cistorum** Peyer. Pet. Nouv. II 1870 p. 58; Ann. S. Fr. 1872 p. 199, t. 6, f. 9.
3875. **Muehligella** Hein.-Wck. 604.
3876. **Arefactella** Stgr. Stett. e. Z. 1859, 255.
3877. **Fulvosquamella** HS. 912, V p. 249; Frey 216; Hein.-Wck. 605; Wck. Bresl. e. Z. 1877 p. 47; Z. Stett. e. Z. 1878 p. 153.
3878. ?**Collina** Frey Lep. 398.
3879. **Otitae** Z. Is. 1839, 207; L. E. IV, 344; HS. 911, 920, a, V p. 254; Stt. Nat. Hist. IV, 142, t. 3, f. 3; Hein.-Wck. 605; Snell. II, 2 p. 831.
3880. **Macrobiella** Const. Ann. S. Fr. 1885 p. 7, t. 1, f. 27.
3881. **Argentula** Z. L. E. IV, 368; Stt. Nat. Hist. V, 38, t. 10, f. 2; HS. 896, V p. 254; Hein.-Wck. 606; Snell. II, 2 p. 834; Meyr. 657.
3882. **Frankii** Schmid Corr. XL (1887) p. 160.
3883. **Tanaceti** Mühlig Stett. e. Z. 1865, 182; Hein.-Wck. 607.
3884. **Achaenivora** Hofm. Corr. XXXI (1877) p. 28.
3885. **Granulatella** Z. L. E. IV, 371; Hein.-Wck. 607; Albicans Z. l. c. 372; ?**Obscenella** HS. 902, V p. 256. *Belg.; ?Ross. s. oc.; ?Dalm.*
3886. **Simillimella** Fuchs Stett. e. Z. 1881 p. 467; ib. 1895 p. 41 (praec. var.?).
3887. **Kyffhusana** Petry Stett. e. Z. 1898 p. 394.
3888. **Albicella** Const. Ann. S. Fr. 1885 p. 8, t. 1, f. 28.
3889. **Leucogrammella** HS. V p. 258; Corr. Ins. p. 143; **Niveiciliella** Hofm. Corr. XXXI (1877) p. 29.
3890. **Granulosella** Stgr. Hor. XV (1880) p. 379.
3891. **Artemisicolella** Brd. Mém. de la Soc. d'émulation de Doubs, 1854; Hein.-Wck. 608; Meyr. 658; Albicans HS. 920, e, V p. 255 (non Z.); Stt. Nat. Hist. V, 48, t. 10, 3.
3892. **Artemisiella** Scott Tr. E. S. (2) V p. 409, t. 17, f. 2; Stt. Ann. 1861 p. 89; Meyr. 658.
3893. **Virgaureae** Stt. Ann. 1857, 105; Nat. Hist. IV, 216, t. 6, 2; Hein.-Wck. 608; Snell. II, 2 p. 833; Meyr. 657; Albicans Frey 217; ?HS. 900.
3894. **Asteris** Mühlig Stett. e. Z. 1864, 162; Hein.-Wck. 609.
3895. **Artemisiae** Mühlig Stett. e. Z. 1864, 163; Hein.-Wck. 610.
3896. **Corsicella** Wlsghm. Monthl. Mag. 1898 p. 167.
3897. **Squamosella** Stt. Ann. 1856, 37; Meyr. 657.
3898. **Dubiella** Baker Monthl. Mag. XXIV p. 256 (1887).
3899. **Mediostrigata** Frey Lep. 398; Wck. Jhrs. Schles. Ges. 1880 p. 204.
3900. **Brigensis** Frey Lep. 398.
3901. **Albulae** Frey Lep. 399.
3902. **Punctulatella** Z. L. E. IV, 373.
3903. **Camphorosmella** Const. Ann. S. Fr. 1885 p. 9, t. 1, f. 29 (praec. synon.?).
- Cors.*
Gal. m.
Germ. oc.
And.
Sum. Alp; Cauc.
Helv.
Eur. c. (exc. Angl.); Liv; Gal. m; It. c.
Gal. m.
Eur. c; Liv; Suec; Dalm.
Bav.
Germ; Dan.
Germ. c.
Germ; Austr; Hal; Belg; ?Ross. s. oc.; ?Dalm.
Germ. oc.
Germ. c.
Gal. m. or.
Alp; Austr; Bav.
Pont; ?Maced.
Germ; Morav; Gal; Angl.
Angl; Hib.
Eur. c.
Germ. m; Austr. inf; Morav; Car.
Germ. m; Austr. inf; ?Liv.
Cors.
Angl.
Maur.
Helv.
Helv.
Helv.
Gal. m.
Gal. m.

3904. **Laripennella** Zett. Ins. Lap. 1011; Hein.-Wek. 610; Z. Stett. e.Z. 1878 p. 158; Meyr. 657; Annulatella Tgstr. Bidr. 143; Z. L. E. IV, 348; HS. 901, V p. 255; Snell. II, 2 p. 835. *Eur. c. et s.*
3905. ?**Versurella** Z. L. E. IV, 352; ?Nolck. Fn. II p. 683; Agricolella Fuchs Stett. e. Z 1886 p. 78 (praec. var.?). *Germ.*
3906. **Miserella** Stgr. Hor. XV (1880) p. 380. *Pont.*
3907. **Luteolella** Stgr. Hor. XV (1880) p. 380. *Pont.*
3908. **Flavaginella** Z. Is. 1846, 295; Tgstr. Bidr. 143; Hein.-Wek. 611; Snell. II, 2 p. 836; Meyr. 658; ?Pr. Dorset Field Club X p. 197, t. 1, f. 5; Punctipennella Tgstr. Bidr. 142; Z. L. E. IV, 356; Sternipennella Wallgr. Öfvers. K. V. Ak. Förh. 1859 p. 170. *Eur. c. et s.*
3909. **Maeniacella** Stt. Monthl. Mag. XXIV (1887) p. 42; Muehligiella Stt. ib. p. 14; Meyr. 658; Flavaginella Schmid Corr. XL p. 161 (larv.); Fletcher Monthl. Mag. XXIV p. 13 (larv.). *Angl; Germ.*
3910. ?**Motacillella** Z. L. E. IV, 355; HS. 903, V p. 256; Hein.-Wek. 611. *Germ; Austr; Hal.*
3911. **Occatella** Stgr. Hor. XV (1880) p. 376. *And; Srp; Pont.*
3912. **Salinella** Stt. Ann. 1859, 154; ?Machin Entom. XVI p. 18; Meyr. 658. *Angl.*
3913. **Longicornella** Const. Ann. S. Fr. 1893 p. 401, t. 11. f. 10. *Gal. m. or.*

413. **Goniodoma** Z. 1849.

3914. **Auroguttella** F. R. 86-7 p. 253; Dup. Sup. IV, 76, 12; Z. L. E. IV, 410; HS. V p. 218; Hein.-Wek. 612. *Austr; Hung; Gal; Srp.*
3915. **Millierella** Rag. Bull. S. Fr. 1882 p. 149; Mill. Nat. Sic. 1884 p. 12, t. 1, f. 8, 9; Const. Monthl. Mag. XXI p. 59. *Gal. m; It. s. oc.*
3916. **Limoniella** Stt. Monthl. Mag. XXI (1884) p. 60; Meyr. 640; Aurogutella Stt. (non F. R.) Ann. 1855 p. 46, t. 1, f. 4. *Angl.*

E. Elachistinae. (Gymnidiidae)

414. **Atachia** Wek. 1877.

3917. **Pigerella** HS. V p. 111; Hein.-Wek. 464. *Germ. oc.*
3918. **Bilbaënsis** Rbl. Stett. e. Z. 1893 p. 58. *Hisp. s.*

415. **Perittia** Stt. 1854.

3919. **Obscurepunctella** Stt. Zool. 1848, 2164; I. B. 178, t. 6, f. 3; HS. 924, V p. 314; Hein.-Wek. 465; Snell. II, 2 p. 759; Meyr. 685; Oleella Wd. 1422. *Eur. c.*

416. **Stephensia** Stt. 1854.
3920. **Brunnichiella** L. S. N. ed. XII, 898, no. 448; Frey 248; Hein.-Wek. 504; Meyr. 674; Magnificella Z. Is. 1847, 891; HS. 1016, V p. 309. *Eur. c. (exc. Bat.) et m; Bith.*

417. Elachista Tr. 1833.

3921. **Quadrella** Hb. 293; Z. Is. 1839, 212; HS. 353, V p. 309; Stt. Nat. Hist. III, t. 7, f. 3; Frey L. E. XIII, 187; Hein.-Wck. 504; ab. *Guttella* Nolek. Fn. 702; ?Hb. 176.
3922. **Subquadrella** Rag. Bull. S. Fr. 1889 p. 106.
3923. **Atrisquamosa** Stgr. Hor. XV (1880) p. 406.
3924. **Trapeziella** Stt. Cat. 26; I. B. 254; HS. V p. 309; Frey L. E. XIII, 191; Hein.-Wck. 503; Meyr. 666.
3925. **Tetragonella** HS. 1010, V p. 308; Stt. Nat. Hist. III, 142, t. 4, 3; Frey L. E. XIII, 189; Hein.-Wck. 502.
3926. **Ornithopodella** Frey L. E. XIII, 194; Hein.-Wck. 503.
3927. **Magnificella** Tgstr. Bidr. 148; Frey L. E. XIII, 196; Nolek. Fn. II, 703; Hein.-Wck. 502; Meyr. 667; *Geminatella* HS. 1015.
3928. **Nobilella** Z. Is. 1839, 213; HS. 1012, V p. 309; Frey L. E. XIII, 198; Hein.-Wck. 501; Snell. II, 2 p. 893.
a) ab. *Subnobilella* Rössl. Verz. 278 (fascia medio interrupta).
3929. **Gleichenella** F. Sp. 303, 81; Stt. Nat. Hist. III, 186, t. 6, 2; Frey L. E. XIII, 200; Hein.-Wck. 501; Meyr. 667; *Gleichella* Stph. Ill. IV, 270; *Trifasciella* Tgstr. Bidr. 148; *Fractella* HS. 1013-14, V p. 309.
3930. **Apicipunctella** Stt. Cat. 26; I. B. 252; HS. 951, V p. 309; Frey L. E. XIII, 203; Hein.-Wck. 500; Snell. II, 2 p. 893; Meyr. 667.
3931. **Argentifasciella** Höfn. Soc. Ent. XIII p. 73 (1898).
3932. **Albifrontella** Hb. 432; HS. V p. 306; Stt. Nat. Hist. III, 46, t. 1, 2; Frey L. E. XIII, 204; Nolek. Fn. 704; Hein.-Wck. 499; Snell. II, 2 p. 892; Meyr. 667.
3933. **Holdenella** Stt. I. B. 252; HS. V p. 306; Frey L. E. XIII, 220; Stett. e. Z. 1885 p. 104; Hein.-Wck. 499; Meyr. 668; ?*Helvetica* Frey Tin. 288; L. E. XIII p. 207.
3934. **Elegans** Frey L. E. XIII, 239; Hein.-Wck. 498; Hering Stett. e. Z. 1893 p. 115.
3935. **Cinereopunctella** Hw. Lep. Br. 582; Stph. Ill. IV, 265; Wd. 1846; HS. 1009, V p. 306; Stt. Nat. Hist. III, 176, t. 6, 1; Frey L. E. XIII, 208; Hein.-Wck. 498; Meyr. 667.
3936. **Luticomella** Z. Is. 1839, 212; Frey L. E. XIII, 212; HS. 1011, V p. 305; Hein.-Wck. 497; Snell. II, 2 p. 891; Meyr. 668; ab. *Flavicomella* Stt. Ann. 1856 p. 39; Frey l. c. 214.
3937. **Abbreviatella** Stt. Cat. Suppl. 26; Frey L. E. XIII, 211; Hein.-Wck. 497; *Latipennella* HS. 955, V p. 308; *Maxima* Höfn. Jhrb. Kärnt. XXIV p. 15 (1896).
3938. **Atricomella** Stt. Cat. 25; I. B. 253; Nat. Hist. III, 34, t. 1, 1; Frey L. E. XIII, 214; Hein.-Wck. 496; Snell. II, 2 p. 890; Meyr. 668.
3939. **Diederichsiella** Hering Stett. e. Z. 1889 p. 313.
3940. **Stagnalis** Frey L. E. XIII, 216; Stett. e. Z. 1885 p. 97; Hein.-Wck. 494; *Kilmunella* Nolek. Fn. II p. 705.
3941. **Kilmunella** Stt. Cat. 25; I. B. 253; Monthl. Mag. XV p. 174; HS. 1008?, V p. 307; Frey L. E. XIII, 218; Meyr. 668.
- Eur. c. (exc. Engl. et Bat.)*; *Liv.*; *It. c.*; *Dalm.*
- Gal.*
- Pont.*
- Germ.; Austr. inf.; Helv.; Engl.*
- Germ. m. et c.; Austr.; Car.; Helv.; Hal.*
- Helv. s.; Petrop.; Cauc.; ? Hung. lit.*
- Eur. c. (exc. Bat.) et s. (exc. reg. pol.); ? Sic. (Mn.).*
- Eur. c. (exc. Engl.) et s. m.; It. c.*
- Eur. c. (exc. Bat.); Ross. s. oc.; Succ. m.; Ter. m.; Gal. m. or.*
- Eur. c.; Dan.; Ross. s. oc.*
- Car.*
- Eur. c. et s. (exc. reg. pol.); It. c.; Dalm.; Bith.*
- Germ.; Helv.; Austr.; Car.; Engl.*
- Helv. s.; Germ. c.*
- Germ. m.; Belg.; Engl.; Helv.; Ter.*
- Eur. c.; Dan.; Liv.; Succ. m.*
- Austr. Car. Ter. Alp.; Sil. mont.*
- Eur. c. s.; Succ.*
- Germ. s.; Sil.*
- Sil. et Hercyn. mont.; Liv.*
- Scot.; Engl. s.*

3942. **Monticola** Wck.-Hein. 495; Stt. Monthl. Mag. XV p. 176; Hodgk. ib. 209; Frey Stett. e. Z. 1885 p. 101; Hering ib. 1891 p. 201; Alpinella Meyr. 668; ?Stt. I. B. 254; ?TurfoSELLA Frey Stett. e. Z. 1885 p. 100.
3943. **Longipennis** Frey Stett. e. Z. 1885 p. 102; Mitth. VII p. 259.
3944. **Poae** Stt. Ann. 1855, 47; Nat. Hist. III, 104, t. 3, 2; Frey L. E. XIII, 221; Hein.-Wck. 493; Snell. II, 2 p. 889; Meyr. 669.
3945. **Pomerana** Frey Mitth. III p. 282; Nolck. Fn. II p. 706; Hein.-Wck. 493.
3946. **Perplexella** Stt. Weekl. Int. 1858, 18; Frey L. E. XIII, 226; Hein.-Wck. 492; Meyr. 669; Subnigrella Frey Tin. 291; Airae Stt. Tr. E. S. 1858 p. 108; Nat. Hist. III p. 112, t. 3, f. 3; Frey L. E. XIII p. 223; Snell. II, 2 p. 890.
3947. **Phalaridella** Const. Bull. S. Fr. 1895 p. 54.
3948. **Oppositella** Hein.-Wck. 492; Hering Stett. e. Z. 1891 p. 204.
3949. **Subnigrella** Dgl. Tr. E. Soc. Lond. (2) II p. 210, t. 18, 1; HS. V p. 307; Stt. Nat. Hist. III, 212, t. 7, f. 2; Frey L. E. XIII, 227; Hein.-Wck. 491; Snell. II, 2 p. 888; Meyr. 669.
3950. **Nigrella** Hw. Lep. Br. 583; Tr. IX, 2. 182; Stt. Cat. 26; I. B. 254; Hein.-Wck. 507; Snell. II, 2 p. 885; Meyr. 669; ?Hb. 283; Aridella Hein. Berl. e. Z. 1854 p. 7; Hein.-Wck. 506; Hering Stett. e. Z. 1891 p. 204; Pulrella HS. 946, V p. 304; Frey L. E. XIII, 230; Gregsoni Stt. Ann. 1855 p. 48; Nat. Hist. III p. 168, t. 5, f. 3; Frey l. c. 236; Incertella Frey l. c. p. 231; Stett. e. Z. 1885 p. 104; Hein.-Wck. 507; ?Tristictella Tgstr. Bidr. 148.
3951. **Montanella** Wck. Stett. e. Z. 1862, 247.
3952. **Grisescens** Wck. Stett. e. Z. 1862, 248.
3953. **Sublimis** Frey Mitth. III (1870) p. 280; Hein.-Wck. 506.
3954. **Exactella** HS. 960 ♀, V p. 304; Frey L. E. XIII, 234; Nolck. Fn. II, 708; Hein.-Wck. 508; Hering Stett. e. Z. 1891 p. 205; Parvulella HS. 943 ♂; Consortella Frey Tin. 294.
3955. **Echidnias** Meyr. Monthl. Mag. 1891 p. 61.
3956. **Stabilella** Frey L. E. XIII, 237; Hein.-Wck. 508; Warr. Monthl. Mag. XV p. 16, 69 (larv.); Meyr. 669.
3957. **Infuscata** Frey Mitth. VI (1882) p. 373.
3958. **Herrichii** Frey L. E. XIII, 238; Hein.-Wck. 489; Nigrella Frey Tin. 293.
3959. **Incanella** HS. 957, V p. 308; Frey L. E. XIII, 253; Hein.-Wck. 488.
3960. **Spectrella** Frey Stett. e. Z. 1885 p. 107; Mitth. VII p. 261.
3961. **Roesslerella** Hein.-Wck. 489; Nigrella HS. V p. 307; Rössl. Verz. 380.
3962. **Bedellella** Sircom Zool. 1848, 2057; Stt. Nat. Hist. III, 120, t. 4, 1; Frey L. E. XIII, 241; Hein.-Wck. 485; Meyr. 670; Truncatella HS. V p. 305; Frey Tin. 297; Nigrella HS. 942.
3963. **Exiguella** Frey Stett. e. Z. 1885 p. 105; Mitth. VII p. 260.

*Germ. c. (Hercyn. mont.); Scot.; ?Parisii (Chrét.)**Val.**Germ; Bat; Belg; Angl; Fen.**Pom; Liv.**Eur. c; Dan; Liv; Scand. m.**Gal. m. oc.**Germ.c. (Brunsviga); Dan.**Germ; Helv; Bat; Angl.**Eur. (exc. reg. pol. et ?Ib.).**Norv.**Norv.**Rhaetia (Helv.).**Germ; Helv; Car; Hal; Belg; Ross. s. oc.**Maur. m.**Germ; Austr; Styr; Helv; Angl.**Val.**Germ; Helv. s.**Helv; Austr; Bav; Hal; Dalm; Rum; Bith; ?Liv.**Val.**Germ. c. oc.**Eur. c. (exc. Bat.); Dan; Suec. m.**Val.*

3964. **Extensella** Stt. Cat. 26; Frey L. E. XIII, 243; Hein.-Wck. 485. *Austr. inf.*
3965. **Pullicomella** Z. Is. 1839, 212; HS. 947, V p. 305; Frey L. E. XIII, 243; Hein.-Wck. 484; Snell. II, 2 p. 886; **Furvicomella** HS. 945. *Eur. c. (exc. Angl.); Fen; Scand. m.*
3966. **Humilis** Z. Stett. e. Z. 1850, 201; HS. 1030; Frey L. E. XIII, 245; Nolek. Fn. II, 709; Hein.-Wck. 490; Hering Stett. e. Z. 1891 p. 206; Meyr. 670; (-illiella) HS. V p. 308; Obscurella Stt. Cat. 26; I. B. 257; Frey l. c. 247; Hein.-Wck. 490; Snell. II, 2 p. 887; Meyr. 670; Occultella Dgl. Tr. E. Soc. Lond. (2) I, 1850, Proc. 7; Stt. I. B. 255; ♀ Pulchella Stt. I. B. 256; HS. V p. 306; ?Hw. 582. *Eur. c. et s.*
3967. **Arundinella** Z. Stett. e. Z. 1850, 200; Frey L. E. XIII, 249; Hein.-Wck. 487; Arundinis HS. 1029; Arundinella HS. V p. 308. *Austr; Hal; Sil; It. c.*
3968. ?**Decolorella** Hein.-Wck. 491. *Val.*
3969. **Reuttiana** Frey L. E. XIII, 251; Hein.-Wck. 486; Hofm. Stett. e. Z. 1893 p. 309 (larv.); Obscurella HS. 949-50, V p. 307; Frey Tin. 296. *Germ. m; Austr. inf.; Helv; Car.*
3970. **Baltica** Hering Stett. e. Z. 1891 p. 207. *Pom; Dan.*
3971. **Confluella** Rössl. Verz. p. 380; Hein.-Wck. 486. *Germ. c. oc.*
3972. **Griseella** Z. Stett. e. Z. 1850, 199; HS. 948, V p. 308; Frey L. E. XIII, 254; Hein.-Wck. 487. *Carn; It. s. et c; Dalm; Rum; Bith.*
3973. **Dispositella** Frey L. E. XIII, 225; Hein.-Wck. 488. *Hung. lit; Bith.*
3974. **Bifasciella** Tr. IX, 2, 182; Dup. XI, 308, 5; Z. Is. 1839, 213; HS. 959; Frey L. E. XIII, 257; Hein.-Wck. 484; Binella HS. V p. 310. *Germ. (mont.); Boh; Hal; Alp.*
3975. **Bistictella** Tgstr. Bidr. 149; ?Salicis Tgstr. l. c. *Fen.*
3976. **Cingillella** HS. 940, V p. 303; Hein.-Wck. 467; Meyr. 671; Cingilella Frey L. E. XIII, 258. *Eur. c. m. et m. (exc. Ib.); Angl; Bith.*
3977. **Melancholica** Frey L. E. XIII, 259. *Bith.*
3978. **Megerlella** Stt. Cat. 27; Nat. Hist. III p. 74, t. 2, f. 2; Dgl. Tr. E. S. (2) II, 211, t. 18, f. 2; HS. 954, V p. 303; Frey L. E. XIII, 261; Meyr. 671; Cinctella Z. Stett. e. Z. 1850, 201; HS. 944, V p. 303; Tgstr. Bidr. 150; ?Frey l. c. 265; Hein.-Wck. 468; Snell. II, 2 p. 884; Adscitella Stt. Cat. Suppl. 10; Nat. Hist. III p. 58, t. 1, f. 3; HS. 956, V p. 303; Frey l. c. 263; Obliquella Stt. I. B. 258; Frey l. c. p. 275. *Eur. c. et s; It. c; Gal. m. or.*
3979. ?**Ursinella** Chrét. Bull. S. Fr. 1896 p. 192. *Gal.*
3980. **Revinctella** Z. Stett. e. Z. 1850, 202; HS. V p. 303; Frey L. E. XIII, 267; Hein.-Wck. 469. *Austr. inf; Carn; Istr; Hung. lit; Bith.*
3981. **Taeniatella** Stt. Ann. 1857, 109; Nat. Hist. III, 66, t. 2, 1; Frey L. E. XIII, 268; Hein.-Wck. 470; Meyr. 670. *Germ; Austr; Helv; Angl; Belg.*
3982. ?**Densicornella** Hodgk. Ent. XII (1879) p. 56. *Angl.*
3983. **Chrysodesmella** Z. Stett. e. Z. 1850, 303; HS. V p. 303; Frey L. E. XIII, 270; Hein.-Wck. 470. *Germ. (m.); Austr; Helv; Eur. m; Bith.*
3984. **Gangabella** Z. Stett. e. Z. 1850, 202; Stt. Nat. Hist. III, 150, t. 5, 1; ?HS. 941, V p. 304; Frey L. E. XIII, 271; Hein.-Wck. 470; Meyr. 671. *Germ; Austr; Angl; It. c; Dalm; Bith.*
3985. **Zonariella** Tgstr. Bidr. 150; HS. V p. 303; Stt. Nat. Hist. III, 160, t. 5, 2; Frey L. E. XIII, 273; Hein.-Wck. 469; Snell. II, 2 p. 883; Meyr. 671; Bisulcella Z. Stett. e. Z. 1850, 203; HS. 939. *Eur. c; Liv; Fen; Dalm; Rum; Bith.*

3986. **Serricornis** Stt. I. B. 260; HS. V p. 311; Frey L. E. XIII, 276; Nolck. Fn. II, 718; Hein.-Wek. 483; Hering Stett. e. Z. 1891 p. 209; Meyr. 671.
3987. **Juliensis** Frey Mitth. III (1870) p. 279; ib. VI, 372.
3988. **Occidentalis** Frey Mitth. VI (1882) p. 372.
3989. **Consortella** Stt. Cat. Suppl. 9; Frey L. E. XIII, 250; Meyr. 670.
3990. **Freyi** Stgr. Berl. e. Z. 1870, 322; Hein.-Wek. 500; ?Rbl. z. b. V. 1899 p. 182.
3991. **Martini** Hofm. Iris XI p. 143; Ber. Naturw. Ver. Regensb. VI p. 49.
3992. **Utonella** Frey Tin. 300; L. E. XIII. 278; Stt. Nat. Hist. III p. 206, t. 7, f. 1; Nolck. Fn. 716; Hein.-Wek. 482.
3993. **Fadella** Mill. Cat. rais. III p. 364.
3994. **Albidella** Tgstr. Bidr. 150; Nolck. Fn. II, 718; Hein.-Wek. 481; Rhynchosporaella HS. V p. 310; Frey L. E. XIII, 281; Snell. II, 2 p. 879; Hering Stett. e. Z. 1891 p. 211; Meyr. 672; Uliginella HS. 1017.
3995. **Scirpi** Stt. Monthl. Mag. XXIII p. 253; Fletcher ib. 254 [larv.]; Snell. Tijds. XXXII p. 69; Meyr. 672.
3996. **Monosemiella** Rössl. Schppfl. 325.
3997. **Contaminatella** Z. Is. 1847, 892; HS. 1027, V p. 312; Frey L. E. XIII, 280.
3998. **Paludum** Frey L. E. XIII, 283; Nolck. Fn. II, 718; Hein.-Wek. 483; Snell. II, 2 p. 882; Meyr. 672; Caricis Stt. Ann. 1859, 155.
3999. **Eleochariella** Stt. Cat. Suppl. 10; I. B. 260; HS. 1007, V p. 310; Frey L. E. XIII, 283; Hein.-Wek. 482; Meyr. 672.
4000. **Biatomella** Stt. Zool. 1848, 2165; Nat. Hist. III, 198, t. 6, 3; HS. V p. 310; Frey L. E. XIII, 284; Hein.-Wek. 480; Snell. II, 2 p. 880; Meyr. 672.
4001. **Collitella** Dup. Sup. IV, 77, 9 p. 327; HS. 1019, V p. 311; Frey L. E. XIII, 290; Hein.-Wek. 478; Meyr. 673; Grosspunctella HS. V p. 312; Frey l. c. 289.
4002. **Subocellea** Stph. Ill. IV, 290; Frey L. E. XIII, 291; Nolck. Fn. II, 722; Hein.-Wek. 478; Z. Stett. e. Z. 1878 p. 158; Hering ib. 1891 p. 213; Meyr. 673.
4003. **Disertella** HS. 1018, a, V p. 311; Frey L. E. XIII, 285; Nolck. Fn. II, 719; Hein.-Wek. 477; Meyr. 673; Anserinella HS. 1018, b; Pollinariella Stt. I. B. 261; ?Dup. XI, 307, f. 5.
4004. **Heringi** Rbl. z. b. V. 1899 p. 525.
4005. **Pollinariella** Z. Is. 1839, 213; HS. 1022, V p. 311; Tgstr. Bidr. 151; Frey L. E. XIII, 287; Hein.-Wek. 477; Snell. II, 2 p. 878; Hering Stett. e. Z. 1891 p. 212.
4006. **Hedemanni** Rbl. z. b. V. 1899 p. 524.
4007. **Lugdunensis** Frey L. E. XIII, 291; Hein.-Wek. 476.
4008. **Cerusella** Hb. 183; Hw. 567; Wd. 1579; Z. Is. 1839, 213; HS. V p. 310; Stt. Nat. Hist. III, 94, t. 3, 1; Frey L. E. XIII, 276; Hein.-Wek. 475; Snell. II, 2 p. 878; Meyr. 672.
4009. **Suspectella** Chrét. Bull. S. Fr. 1896 p. 192.
4010. **Rudectella** Stt. Cat. Suppl. 26; HS. 1020, V p. 311; Frey L. E. XIII, 293; Hein.-Wek. 475; Hofm. Stett. e. Z. 1893 p. 311 [larv.].
- Germ; Austr. inf; Ter. m; Angl; Liv.
- Rhaetia (Helv.).
- Helv. oc.
- Scot; Hib.
- Alp. m. val.
- Bav; Thuring; Austr. sup.
- Helv; Germ. m. oc; Sil; Belg; ?Liv.
- Gal. m. or.
- Eur. c. et s. (exc. reg. pol.).
- Angl.
- Germ. c. oc; Liv.
- Ter. m; Sic; Dalm; Bith. (Mn.).
- Germ; Ter; Bat; Angl; Petrop.
- Angl; Scot; Ins. Hethland; ?Herc. mont.
- Angl; Bat; Helv. s; ?Gal. m.
- Germ; Austr; Belg; Angl; Ross. s. oc; Gal. m; Dalm; Bith.
- Germ; Austr; Alp; Angl; Liv.
- Eur.c.(exc.Bat.); Liv; Norv. m; Hisp. s; Sic; Dalm; Bith; Maur.
- Austr. inf; Hung. m; Rum. Eur. c. (exc. Angl.); Ross. oc; Carn; Gal. m; It. c; Dalm; Bith. Austr. inf; Hung. c.
- Germ; Helv. s; Gal. m. Eur. c; Ross. s. oc; Dalm; Bith.
- Maur.
- Germ.m; Helv; Austr; Carn; Cors; It. c; Rum; Balc; As. min.

4011. **Squamosella** HS. 958, V p. 303; Frey L. E. XIII, 294; Hein.-Wek. 485. *Germ. m. oc; Helv; Austr; Boh; Hal; Dalm.*
4012. **Constitella** Frey L. E. XIII, 295. *Hung. lit.*
4013. **Rufocinerea** Hw. 535; Wd. 1421; Z. Stett. e. Z. 1850, 204; Stt. Nat. Hist. III, 84, t. 2, f. 3; HS. 1021; Frey L. E. XIII, 296; Hein.-Wek. 474; Snell. II, 2 p. 877; Meyr. 673; Flos-lactis Hw. 535; Wd. 1420. *Germ.s.oc; Bat; Belg; Brit; Gal; Hung. lit.; Carn; It. c; Bith.*
4014. **Maculosella** Chrét. Bull. S. Fr. 1896 p. 191. *Gal.*
4015. **Anserinella** Z. Is. 1839, 213; Stett. e. Z. 1850, 203; Dup. Sup. IV, 86, 10; Frey L. E. XIII, 298; Hein.-Wek. 476. *Germ; Boh; Austr; Dan; Gal; It. c; Dalm.*
4016. **Disemella** Z. Is. 1847, 893; HS. 1028, V p. 313 (pr. p.); Frey L. E. XIII, 299. *Hung; Croat; Dalm; It. c; Sic; Hisp. s.*
4017. **Sepulchrella** Stt. Monthl. Mag. VIII p. 235. *Maur. oc.*
4018. **Triatomea** Hw. Lep. Br. 535; Stt. I. B. 261; HS. V p. 312; Frey L. E. XIII, 300; Hein.-Wek. 479; Hering Stett. e. Z. 1891 p. 213; Meyr. 673. *Pom; Dan; Angl.*
4019. **Dispilella** Z. Is. 1839 p. 213; HS. 1023, V p. 312; Frey L. E. XIII p. 301; Hein.-Wek. 479; Snell. II, 2 p. 881; Distigmatella Frey l. c. p. 302; Hein.-Wek. 479. *Eur. c. (exc. Angl.) et m; Bith.*
4020. **Dispunctella** Dup. Sup. IV, 78, 1; HS. 1024, V p. 312; Frey Tin. 302; L. E. XIII, 303; Hein.-Wek. 480; Hering Stett. e. Z. 1891 p. 215; Meyr. 673; Triseriatella Stt. I. B. 261; HS. V p. 313; Frey l. c. p. 304. *Germ; Austr; Helv; Angl; Hib; Gal. m; Dalm.*
4021. **Nitidulella** HS. 1025, V p. 314; Frey Tin. 302; L. E. XIII, 304; Hein.-Wek. 473. *Germ.m; Austr; Helv; Ter; Hung.*
4022. **Lastrella** Chrét. Bull. S. Fr. 1896 p. 192; ib. 1898 p. 127. *Gal; Germ. oc. m.*
4023. **Chionella** Mn. Wien. Mts. 1861, 193; Stgr. Hor. XV, 408. *Bith; Pont; Taur.*
4024. **Argentella** Cl. Ic. 11, 13; Hein.-Wek. 472; Snell. II, 2 p. 876; Cygnipennella Hb. 207; Wd. 1417; Dgl. Tr. E. S. (2) II, 211, t. 18, 3; Stt. Nat. Hist. III, 130, t. 4, 2; Frey L. E. XIII, 305; Meyr. 674; Cygnella Tr. IX, 2, 117; Dup. XI, 309, 1 p. 543. *Eur. c. et m. (exc. Graec.); Dan; Ross. s. oc; As. min.*
- a) v. *Constantinella* (Stgr. i. l.) Rbl.; al. ant. flavescenti-albidis, al. post. abdomineque nigrescentibus. *Maur.*
4025. **Pollutella** HS. 1026, V p. 313; Frey L. E. XIII, 307; Hein.-Wek. 474. *Germ. m; Austr; Helv; Carn; Dalm; Bith.*
4026. **Pollutissima** Stgr. Hor. XV (1880) p. 411. *Pont.*
4027. **Festucicolella** Z. Stett. e. Z. 1853, 415; HS. V p. 313; Frey L. E. XIII, 308; Hein.-Wek. 473. *Sil; Pom; Austr. inf; Bith. (Stgr.).*
4028. **Deceptricula** Stgr. Hor. XV (1880) p. 409. *Pont.*
4029. **Heinemanni** Frey Mittb. III (1870) p. 278; Hein.-Wek. 472. *Rhaetia (Helv.); Ter.*
4030. **Subalbidella** Schläg. Ber. 1847, 241; Nolck. Fn. II, 723; Hein.-Wek. 472; Snell. II, 2 p. 876; Meyr. 674; Ochreella Stt. Cat. 27; HS. 1006, V p. 313; Frey L. E. XIII, 309; Tgstr. Cat. 366 (76). *Eur. c; Dan; Ross. s. oc; Suec.*
4031. **Immolatella** Z. z. b. V. 1868, 625; Hein.-Wek. 473. *Alp. Austr; Car; Ter; Norv. m.*
4032. **Fuscochrella** Frey Tin. 304; L. E. XIII, 310; HS. V p. 313 (Ochreella not. 2); Hein.-Wek. 471. *Helv. s; Austr. inf.*
4033. **Mühligiella** Frey Tin. 304; L. E. XIII, 311; Hein.-Wek. 471. *Helv. s.*
4034. **Piperatella** Stgr. Stett. e. Z. 1859, 256. *And.*

418. Urodeta Stt. 1869.

4035. *Cisticolella* Stt. South. Eur. 226; Monthl. Mag. VIII p. 235;
Mill. Cat. rais. 365; Nolck. Stett. e. Z. 1882 p. 192.

Gal. m; Maur.

419. Scirtopoda Wck. 1877.

4036. *Herrichiella* HS. 361, V p. 260; Z. Stett. e. Z. 1868
p. 424; Hein.-Wck. 466.
4037. *Saltatricella* F. R. 84, 3 p. 249; HS. V p. 260; Z. Stett.
e. Z. 1868 p. 425; Hein.-Wck. 466.
4038. *Vibratoriella* Mn. Wien. Mts. 1862, 404, t. 3, f. 15.
4039. *Thymetella* (-um) Stgr. Stett. e. Z. 1859, 252.

*Germ; Austr; Helv.**Austr; Car; Hal;
Dalm; Fen.**Bith.**And.*

XI. Gracilariaidae.

A. Gracilariainae.

420. Gracilaria (Hw. 1812) Z.

4040. *Alchimiella* Sc. Ent. Carn. no. 661; Hein.-Wck. 617; Snell.
II, 2 p. 766; Meyr. 751; Swederella Thnbg. Mus. Nat.
VI, 80; Stt. Nat. Hist. VIII, 48, t. 1, f. 2; Franckella
Hb. 379; Z. L. E. II, 314; Stt. Tr. E. Soc. Lond. I, 118,
t. 14, 10; Dgl. ib. II, 123, t. 14, 1; HS. V p. 285; Hilari-
pennella Tr. IX, 2. 196; Dup. XI, 311, 1.
4041. *Flava* Stgr. Berl. e. Z. 1870, 321.
4042. *Rhodinella* HS. 823, V p. 286; Hein.-Wck. 617; Rbl.
z. b. V. 1892 p. 532.
4043. *Mutilata* Stgr. Hor. XV (1880) p. 353.
4044. *Stigmatella* F. Sp. II, 295, 34; Wd. 1614; Z. L. E. II,
319; Stt. Tr. E. Soc. Lond. I, 120, t. 14, 14; Dgl. ib. II,
124, t. 11, f. 2; Stt. Nat. Hist. VIII, 34, t. 1, 1; Hein.-
Wck. 617; Snell. II, 2 p. 767; Meyr. 751; Upupae-
pennella Hb. 203; Tr. IX, 2. 195; Dup. XI, 311, 13;
Ochracea Hw. 528; Wd. 1615.
4045. *Onustella* Hb. 314; HS. 729, V p. 286; Hein.-Wck. 618;
Frey Lep. 388; ?Hemidactylella HS. 728.
- a) gen. hibern. *Fidella* Reutti Fn. ed. I p. 203; Heyd. Stett.
e. Z. 1862 p. 360; Hein.-Wck. 620; Hering Stett. e. Z. 1891
p. 90 (obscurior, al. ant. macula costali infuscata).
4046. *Hemidactylella* (S. V.) F. Mant. II, 247. 69; Hb. 276;
Dup. XI, 311, 12; Z. L. E. II, 326; Stt. Tr. E. Soc.
Lond. (2) I, 122, t. 14, 8; Nat. Hist. VIII, 100, t. 2, f. 3;
HS. V p. 286; Hein.-Wck. 619; Meyr. 751.
4047. *Fribergensis* Fritzsche Isis Dresden 1871 p. 230; Hein.-
Wck. 619 (praec. var.?).
4048. *Bracecatella* Stgr. Hor. VII (1870), 274 not.
4049. *Staintoni* Woll. Ann. & Mag. (3) I, 1858 p. 121.
4050. *Falconipennella* Hb. 317; Tr. IX, 2. 203; Z. L. E. II,
323; HS. 727, V p. 287; Nolek. Fn. II p. 624; Hein.-
Wck. 621; Snell. II, 2 p. 768; Hering Stett. e. Z. 1891
p. 93; Meyr. 751.

*Eur. (exc. reg. pol.);
Bith; Am. s.**Srp.**Germ. m. oc; Ter. m;
Dalm; Bith; Taur.**Lyd.**Eur. (exc. Graec.);
Tura; Am. s.**Germ. c. et m; Helv;
Austr. inf; Belg; Bith.**Eur. c. (exc. Bat.);
Ped; It. c; Srp.**Germ. (m.); Austr.
inf.**It. c; Smyrna.**Mad.**Eur. c; Fen; Liv;
Suec; Ped; Gal. m.*

4051. **Oneratella** Z. L. E. II, 317; Stt. Tr. E. S. (2) I, 1850 p. 119, t. 14, f. 12; HS. 821, V p. 286; Hein.-Wek. 618; Hering Stett. e. Z. 1891 p. 93 (præc. var.?).
4052. **Semifascia** Hw. Lep. Br. 528; Wd. 1612; Stt. Tr. E. Soc. Lond. (2) I, 124, t. 14, 13; Nat. Hist. VIII, 62, t. 1, 3; Hein.-Wek. 620; Meyr. 751; Picipennella Z. L. E. II, 328; HS. V p. 288; Inconstans HS. 822.
4053. **Mandschurica** Chr. Bull. M. 1882, I p. 89.
4054. **Populetorum** Z. Is. 1839, 209; L. E. II, 330; HS. 726, V p. 288; Stt. Tr. E. Soc. Lond. (2) I, t. 14, 11; Nolek. Fn. II p. 626 [var.]; Hein.-Wek. 621; Meyr. 752; Sub-erinella Tgstr. Bidr. 145; Proteella Frey Mitth. VII (1884) p. 24.
4055. **Pallescens** Stgr. Hor. XV (1880) p. 355.
4056. **Elongella** L. F. S. no. 1436; Z. L. E. II, 333; HS. 730, V p. 289; Stt. Nat. Hist. VIII, 72, t. 2, f. 1; Wek. Cat. ed. II no. 2331; Hein.-Wek. 622; Snell. II, 2 p. 770; Meyr. 752; Signipennella Hb. 196; Tr. IX, 2, 200; Dup. XI, 311, 11; Roscipennella Tr. IX, 2, 202; Dup. XI, 311, 9; Inconstans Stt. Tr. E. Soc. Lond. (2) I, 125, t. 14, 1-7; Stramineella Stt. l. c. p. 121, t. 14, f. 9.
4057. **Roscipennella** Hb. 198; Z. L. E. II, 338; HS. 732; Z. Stett. e. Z. 1878 p. 150; Snell. II, 2 p. 769; Rbl. Ann. Naturh. Hofmus. IX p. 278; Puncticostella HS. V p. 288; Frey Tin. 236; Juglandella Mn. z. b. V. 1867 p. 844; Hein.-Wek. 622.
4058. **Rufipennella** Hb. 204; Tr. IX, 2, 198; Zett. Ins. Lap. 1011; Z. L. E. II, 331; HS. 731, V p. 289; Hein.-Wek. 622.
4059. **Tringipennella** Z. Is. 1839, 209; L. E. II, 339; HS. 733, V p. 290; Stt. Nat. Hist. VIII, 110, t. 3, 1; Hein.-Wek. 623; Snell. II, 2 p. 772; Meyr. 752; Fringilella Dup. Sup. IV, 75, 11.
4060. **Limosella** Z. L. E. II, 341; Stt. Tr. E. Soc. Lond. (2) I, 131; Nat. Hist. VIII, 120, t. 3, f. 2; HS. 734, V p. 290; Dup. Sup. IV p. 488; Hein.-Wek. 624.
4061. **Inquinatella** Chr. Hor. IX (1872) p. 30, t. 2A, f. 26.
4062. **Rebeli** Klem. z. b. V. 1896 p. 212; Spraw. Kom. fizyogr. XXXIII (1898) p. 67.
4063. **Syringella** F. E. S. 3. 2. 328; Wd. 1607; Dup. Sup. IV, 75, 6; Z. L. E. II, 342; HS. 741, V p. 290; Stt. Nat. Hist. VIII, 88, t. 2, 2; Hein.-Wek. 624; Snell. II, 2 p. 772; Meyr. 752; Anastomosis Hw. 530; Curt. B. E. X, 479; Ardeaepennella Tr. IX, 2, 205; Dup. XI, 311, 5 p. 589.
4064. ? **Loriolella** Frey Mitth. VI (1881) p. 146.
4065. **Simploniella** F. R. 70, 3 p. 197; Dup. Sup. IV, 305; Z. L. E. II, 345; HS. V p. 290; Hein.-Wek. 625; Snell. II, 2 p. 773.
4066. **Eximiella** Chr. Hor. XXII (1888) p. 314.
4067. **Hedemannii** Rbl. Ann. Naturh. Hofmus. XI (1896) p. 136, t. 3, f. 15.
4068. **Magnifica** Stt. Syr. 56; Redtenbacheri Mn. z. b. V. 1867, 74, t. 9B, f. 1.
- Sil; Pom; Austr; Car;
Boh; Hal; Belg.
- Eur. c. (exc. Bat.);
Liv; Dalm.
- Uss.
- Eur. c. (exc. Bat.);
Ross. s. oc. et m. or;
Suec; Hisp. s.
- Pont.
- Eur. (exc. Graec.);
As. min; Am. s.
- Eur. c.m. (exc. Angl.);
Eur. m; Bith; Mad;
Can.
- Germ; Austr.-Hung;
Helv; Fen; Scand;
Arag; It. c.
- Eur. c. et m; Ins.
Hethland; Liv; Bith.
- Germ. m; Austr;
Hung; Helv; It. c;
Dalm; Bith.
- Srp.
- Hal; Ross. c. m.
- Eur. (exc. reg. pol.);
Bith.
- Helv. oc. m.
- Germ. c. et m; Austr.
(alp.); Gal. m; Val;
Belg; Bat.
- Arm.
- Ten.
- Croat; Cauc.

4069. **Phasianipennella** Hb. 321; Tr. IX, 2, 209; Z. L. E. II, 350; Stt. Tr. E. Soc. Lond. (2) I, 185, t. 15, 2; Nat. Hist. VIII, 158, t. 4, 3; HS. 739, V p. 291; Tgstr. Anm. 192; Hein.-Wck. 625; Snell. II, 2 p. 774; Meyr. 752.
a) ab. et gen. aest. *Quadruprella* Z. L. E. II, 355; Stt. l. c. 188, t. 15, f. 5; HS. 736; *Auroguttella* Stph. Ill. IV, 363; Wd. 1604 (al. ant. guttis quatuor laete flavis).
4070. **Quadrisignella** Z. Is. 1839, 209; L. E. II, 357; Stt. Tr. E. S. (2) I p. 190, t. 15, f. 6; HS. 737, V p. 291; Hein.-Wck. 626.
4071. **Auroguttella** Stph. Ill. IV, 274; Wd. 1378; Stt. Tr. E. Soc. (2) I, 187, t. 15, 3, 4; Nat. Hist. VIII, 188, t. 4, 1; Dgl. Tr. E. S. (2) II, 124, t. 14, 3; Frey Tin. 288; Hein.-Wck. 626; Snell. II, 2 p. 775; Meyr. 753; *Lacertella* Z. L. E. II, 347; HS. 738, V p. 291.
4072. **Latifoliella** Mill. Ann. S. Fr. 1887 p. 219, t. 5, f. 10-13 (Cat. rais. Suppl. II, no. 3014 nom. cat.).
4073. **Omissella** Stt. Zool. 1848, 2163; Tr. E. Soc. Lond. (2) I, 183, t. 15, 1; Nat. Hist. VIII, 150, t. 4, 2; HS. 925-6, V p. 292; Hein.-Wck. 627; Meyr. 753.
4074. **Cupediella** HS. 803, V p. 292.
4075. **Ononidis** Z. Is. 1839, 209; L. E. II, 358; Stt. Tr. E. Soc. Lond. (2) I, 191, t. 15, f. 8; Nat. Hist. VIII, 174, t. 5, 1; Hein.-Wck. 627; Snell. II, 2 p. 775; Meyr. 753; *Ononiella* Dup. Sup. IV, 77, 7; *Ononidella* HS. 735, V p. 272.
4076. **Imperialella** Mn. in Z. L. E. II, 365 not. 2; HS. 740, V p. 292; Schleich Stett. e. Z. 1867, 453; Stt. Ann. f. 1868 p. 147, 1869 p. 12, t. 1, f. 1; Hein.-Wck. 628; Snell. II, 2 p. 776; Meyr. 753.
4077. **Hofmanniella** Schleich Stett. e. Z. 1867, 452; Hein.-Wck. 628; Meyr. 754; *Imperialella* Stt. Nat. Hist. VIII p. 194, t. 5, f. 3.
4078. **Pavoniella** Z. L. E. II, 362; Stt. Nat. Hist. VIII, 184, t. 5, 2; Frey Tin. 239; HS. 721, V p. 293; Hein.-Wck. 629.
4079. **Kollariella** Z. Is. 1839, 209; L. E. II, 363; Stt. Tr. E. Soc. (2) I, 193, t. 15, f. 7; Nat. Hist. VIII, 128, t. 3, 3; Dup. Sup. IV, 78, 3; HS. 720, V p. 293; Hein.-Wck. 630; Snell. II, 2 p. 777; Meyr. 754 (not.).
4080. **Gradatella** HS. 992, V p. 293; Hein.-Wck. 630.
4081. **Scalariella** Z. Stett. e. Z. 1850, 160; HS. 991, V p. 292; Wlsghm. Pr. Z. S. 1897 p. 150 (genus *Dialectica*).¹⁾

421. *Coriscium* Z. 1839.

4082. **Bronniardellum** (-a) F. Suppl. E. S. 496; HS. V p. 284; Hein.-Wck. 631; Snell. II, 2 p. 780; Meyr. 749; *Substriga* Hw. 532; Wd. 1611; *Curtisella* Dup. XI, 309, 4 p. 546; *Quercetellum* Z. L. E. II, 366; HS. 719; ab. *Disconigrellum* Klem. Spraw. Kom. fizyogr. XXXIV p. 193.
4083. **Cuculipennellum** (-a) Hb. Gesch. VIII, Tin. VI, Alucitaef. B. a. f. 2, a-f; Tr. IX, 2, 204; HS. 718; Hein.-Wck. 631; Snell. II, 2 p. 779; Meyr. 749; *Cinerea* Hw. 530; Wd. 1608; *Alaudella* Dup. XI, 308, 1; Z. L. E. II, 369.

Eur. c; Ross. s. oc. et m. or; It.

Germ; Austr.-Hung; Suec; It. c; Dalm; Bith.

Eur. (exc. reg. pol.); Bith.

Gal. m.

Angl; Sil.

Hung. lit; Dalm; Ter. m.
Eur. c; Liv; Fen;
Gal. m; It. s. et c;
Dalm.

Eur. c; ?Bith.

Germ; Helv; Angl;
Hal; Hung. m; Bith.

Germ. m; Austr;
Helv.
Eur. c. (?exc. Angl.);
It; Dalm; Bith.

Bav; Hal. (Schille).

Gal. m; It; Hisp;
Mad; Can; Taur.

Eur. c. et m; Ross.
s. oc; Maur; As.
min.

Eur. c; Liv; Suec;
Carn; It; Dalm; Srp.

¹⁾ *Grac. Pistaciella* Rondani Bull. Soc. It. VIII p. 21, t. 1, f. 6-10 (Sic.) non satis descripta, hujus generis?.

4084. **Norvegiellum** Wck. Forh. Vid. Selsk. Christ. 1893 p. 52.
4085. **Sulphurellum** Hw. Lep. Br. 564; Hein.-Wck. 632; Snell. II, 2 p. 779; Hering Stett. e. Z. 1893 p. 106; Meyr. 749; Leucapennella Steph. Ill. IV, 368; Wd. 1622; Citrinellum Z. L. E. II, 372; F. R. 70, 2a, b. p. 196; HS. V p. 285.
- a) v. *Aurantiellum* Peyer. Mitth. III p. 412 (1871); Ann. S. Fr. 1872 p. 200, t. 6, f. 10; *Remotellum* Hein.-Wck. 632 (al. ant. aurantiacis vel cinnamomeis, fusco-punctatis).
- Norv.
Eur. c. et m. (exc.
Graec.); Suec.
- Gal; Austr. inf.

422. **Ornix** (Tr. 1833) Z.

4086. **Guttea** Hw. Lep. Br. 531; Wd. 1886; Stt. Nat. Hist. VIII, 222, t. 1, 1; Frey L. E. XV, 5; Hein.-Wck. 633; Snell. II, 2 p. 784; Meyr. 747; *Guttiferarella* Dup. XI, 306, 11; Z. L. E. II, 378, t. 2, 23; HS. 723, V p. 298; ?*Gyllenhalella* Thnbg. Diss. Ent. VII, 89; ?*Coffeella* Zett. Ins. Lap. 1009.
4087. **Interruptella** Zett. Ins. Lap. 1009; Z. Stett. e. Z. 1850, 195; HS. V p. 298; Wck. Stett. e. Z. 1862, 243; Frey L. E. XV. 8; Hein.-Wck. 634; *Caelatella* Z. L. E. II, 585; Stett. e. Z. 1850, 195; ?*Boreasella* Clem. Pr. E. S. Phil. II, 1863 p. 415.
4088. **Pfaffenzelleri** Frey Tin. 245; L. E. XV, 11; Heyd. Stett. e. Z. 1863 p. 344; Hein.-Wck. 634.
4089. **Insperatella** Nick. Wien. Mts. 1864, 5 t. 5, f. 12; Nolck. Fn. 641; Hein.-Wck. 635; Frey Mitth. VII p. 26.
4090. **Loganella** Stt. Zool. 1848, 2162; Nat. Hist. VIII, 272, t. 2, f. 3; Frey L. E. XV, 13; Meyr. 747
4091. **Distinctella** Nolck. Fn. II p. 636.
4092. **Polygrammella** Wck. Stett. e. Z. 1862, 242; Frey L. E. XV, 15.
4093. **Alpicola** Wck. Bresl. e. Z. 1877 p. 48; Hofm. Stett. e. Z. 1893 p. 307.
4094. **Petiolella** Frey L. E. XV, 17; Stt. Nat. Hist. VIII, 234, t. 1, f. 2; Hein.-Wck. 636.
4095. **Fagivora** Frey L. E. XV, 19; Stt. Nat. Hist. VIII, 304, t. 3, 3; Hein.-Wck. 637; Snell. II, 2 p. 786; Meyr. 748; *Devoniella* Frey Tin. 252.
4096. **Carpinella** Frey L. E. XV, 21, not; Hein.-Wck. 637.
4097. **Anglicella** Stt. Tr. E. Soc. Lond. (2) I, 92; Nat. Hist. VIII, 292, t. 3, 3; HS. V p. 297; Frey L. E. XV, 22; Nolck. Fn. II, 634; Hein.-Wck. 637; Snell. II, 2 p. 788; Meyr. 748; *Fragariae* Stt. Ann. f. 1874 p. 161.
4098. **Avellanella** Stt. I. B. 204; Nat. Hist. VIII, 280, t. 3, f. 1; HS. V p. 297; Frey L. E. XV, 23; Hein.-Wck. 638; Snell. II, 2 p. 788; Meyr. 748; *Devoniella* Stt. Tr. E. S. (2) I p. 89; Frey l. e. 25.
4099. **Finitimella** Z. Stett. e. Z. 1850, 162; HS. 725, V p. 207; Frey L. E. XV, 26; Hein.-Wck. 638; Snell. II, 2 p. 787.
4100. **Torquillella** Z. Stett. e. Z. 1850, 161; HS. V p. 295; Frey L. E. XV, 28; Stt. Nat. Hist. VIII, 242, t. 1, 3; Hein.-Wck. 638; Snell. II, 2 p. 784; Meyr. 747.
4101. **Scoticella** Stt. Tr. E. Soc. Lond. (2) I, 94, Nat. Hist. VIII, 252, t. 2, 1; Frey L. E. XV, 30; Hein.-Wck. 638; Snell. II, 2 p. 785; Meyr. 747; ?*Canella* Tgstr. Anm. 193.
- Eur. c; Ross. s. oc;
Hisp; It. s; Cauc.
- Eur. s; Hal; Alp; It.
c. (1); ?Labr.
- Helv. Alp.
- Boh; Helv. or; Liv.
- Scot; Angl.
- Liv.
- Lap; Norv. Alp;
?Ross. s. oc.
- Alp. Ter. et Bav.
- Germ. m; Austr. inf.
- Eur. c.
- Germ; Helv.
- Eur. c; ?Pont; Amur.
s.
- Eur. c; Suec; Ross.
m. or. et s. oc; Dalm.
- Eur. c. (exc. Angl.);
Graec; Pont.
- Eur. c; Ross. s. oc;
Suec; Carn; It. c;
Dalm; Bith.
- Eur. c; Ross. s. oc;
Hisp. s.

4102. **Fulluzella** Chrét. Bull. S. Fr. 1898 p. 203.
4103. **Betulae** Stt. I. B. 205; Nat. Hist. VIII, 262, t. 2, f. 2; Frey L. E. XV, 33; Hein.-Wck. 639; Snell. II, 2 p. 789; Meyr. 747.
- a) v. **Scutulatella** Stt. I. B. p. 206; HS. V p. 295; Wck. Stett. e. Z. 1862 p. 241; Frey l. c. p. 35; Hein.-Wck. 639 (al. ant. dense albo-conpersis, palp. immaculatis albis).
4104. **Anguliferella** Z. L. E. II, 377; Stett. e. Z. 1850, 162; HS. 724, V p. 296; Frey L. E. XV, 37; Hein.-Wck. 640; Snell. II, 2 p. 786.
4105. **Ampliatella** Stt. Tr. E. Soc. Lond. (2) I, 95 (1850); Wck. Thür. Ber. 1857, 75; Frey L. E. XV, 38; Hein.-Wck. 639.
4106. **Caudulatella** Z. Is. 1839, 210; L. E. II, 380; HS. 722, V p. 298; Now. En. 220; Frey L. E. XV, 39; Hein.-Wck. 640.

*Gal. alp.
Eur. c. et s.*

Eur. c. et s.

*Germ. or; Austr.;
Bat; Hal; Dalm;
Bith.*

*Carn; Hung. lit;
Dalm; Cors.*

*Germ. or; Austro-Hung;
Gal. m; Liv.*

B. Lithocletinae.

423. **Bedellia** Stt. 1849.

4107. **Somnulentella** Z. Is. 1847, 894; Dgl. Tr. E. Soc. Lond. (2) II, 208, t. 17, 1; HS. 819, V p. 336; Frey Tin. 263; Hein.-Wck. 697; Snell. II, 2 p. 895; Meyr. 758; *Convolvulella* Fologne Ann. S. Belg. 1860, 86.

*Eur. c; Gal. m. or; It;
Dalm; Srp; Mad;
Can; Am. s.*

424. **Lithocletis** (Hb. 1818) Z.

4108. **Roboris** Z. Is. 1849, 317; L. E. I. 174, t. 1, 4; HS. 746; Frey Tin. 330; Hein.-Wck. 686; Snell. II, 2 p. 908; Meyr. 737; *Roborifoliella* Dup. Sup. IV, 78, 11. — larv.: Quercus Robur et Pedunculata (inf.).

*Eur. c; Cat; Gal. m;
Carn; It. c; Dalm;
Graec; Bith.*

4109. **Amyotella** Dup. XI, 309, 2; Z. L. E. I. 180, t. 1, 7; HS. 755, V p. 322; Frey Tin. 331; Hein.-Wck. 685; Snell. II, 2 p. 909; Meyr. 737. — larv.: Quercus Robur et Pedunculata (inf.).

*Eur. c; Ped; Carn;
Graec; ?Suec. m.*

4110. **Hortella** F. E. S. III, 2, 327, 174; Stph. Ill. IV, 258; Frey Tin. 330; Hein.-Wck. 686; Snell. II, 2 p. 908; Meyr. 737; *Saportella* Dup. XI, 308, 10; Z. L. E. I. 177, t. 1, 6; HS. 766, V p. 322. — larv.: Quercus Robur et Pedunculata (inf.).

*Eur. c; Suec. m;
It. c; Dalm; Bith.*

4111. **Sylvella** Hw. Lep. Br. 579; Stt. Nat. Hist. II, 224, t. 6, 1; Frey Tin. 358; Hein.-Wck. 686; Snell. II, 2 p. 938; Meyr. 737; *Acerifoliella* Z. L. E. I. 239, t. 1, 32; HS. 814, V p. 334; *Acernella* Dup. Sup. IV, 76, 11. — larv.: Acer Campestre (inf.).

*Eur. c; Liv; Scand.
m; It. c; Dalm;
Bith.*

4112. **Geniculella** Rag. Pet. Nouv. 1873, no. 86 p. 346; Ann. S. Fr. 1874 p. 601; ib. 1876 p. 413, t. 6, f. 8; Sorh. Berl. e. Z. 1885 p. 102; *Acerifoliella* Z. L. E. I. t. 1, f. 33; HS. 813; Sorh. Ill. Ztschr. Ent. V p. 249, f. 17; ?*Dahmiella* Sorh. ib. 250. — larv.: Acer Pseudoplatanus (inf.).

*Germ; Austr. inf;
Boh; Hung; Gal.*

- a) ab. *Pseudoplataniella* Rag. Pet. Nouv. l. c; Ann. S. Fr. 1874 p. 600, t. 11, f. 8; ib. 1876, t. 6, f. 9; Sorh. l. c. f. 18; *Geniculella* Rag. l. c. 1874, f. 9 (al. ant. strigulis unicoloribus fuscis, strigula secunda dorsali deficiente).

4113. **Helianthemella** HS. n. Schm. 115 p. 20; Hein.-Wek. 687. — larv.: *Helianthemum Vulgare* et *Guttatum* (inf.).
4114. **Abrasella** Z. L. E. I, 238, t. 1, f. 31; HS. 751, V p. 323; Hein.-Wek. 687. — larv.: *Quercus Robur* et *Pedunculata* (inf.).
4115. **Cramerella** F. E. S. III, 2. 327, 173; Hw. 578; Z. L. E. I, 234, t. 1, f. 29; HS. 764, V p. 323; Hein.-Wek. 688; Snell. II, 2 p. 910; Meyr. 737. — larv.: *Quercus Robur* et *Pedunculata* (inf.).
4116. **Tenella** Z. L. E. I, 236, t. 1, f. 30; HS. 763, V p. 323; Frey Tin. 357; Hein.-Wek. 682; Snell. II, 2 p. 911; Meyr. 738. — larv.: *Carpinus Betulus* (inf.).
4117. **Heegeriella** Z. L. E. I, 232, t. 1, f. 28; HS. 762, V p. 323; Frey Tin. 356; Hein.-Wek. 667; Snell. II, 2 p. 910; Meyr. 738. — larv.: *Quercus Robur* et *Pedunculata* (inf.).
4118. **Alniella** Z. L. E. I, 229; HS. 761, V p. 323; Frey Tin. 354; Hein.-Wek. 683; Snell. II, 2 p. 913; *Alnifoliella Dup. XI*, 308, 2 ♀; Stt. Nat. Hist. II p. 212, t. 5, f. 3; Meyr. 738; *Rajella Z. Is.* 1839, 217. — larv.: *Alnus Glutinosa* (inf.).
- a) v. *Neapolitana* (Stgr. i. l.) Rbl.; capillis albidis, strigulis al. ant. distinctioribus niveis.
4119. **Alpina** Frey Tin. 354; Hein.-Wek. 683; Wck. Jhrsb. Schles. Ges. 1880 p. 204. — larv.: *Alnus Viridis* (inf.).
4120. **Strigulatella** Z. Is. 1846, 300; HS. 789, V p. 324; Frey Tin. 332; Hein.-Wek. 684; *Rajella Z. L. E. I*, 185, t. 1, f. 11; ?L. F. S. 1407. — larv.: *Alnus Incana* (inf.).
4121. **Nigrescentella** Logan Tr. E. Soc. Lond. (2) I, 1851 p. 182, t. 15, f. 9; Stt. I. B. 269; Stett. e. Z. 1852, 79; Meyr. 738; *Bremiella* Frey Mittb. Naturf. Ges. Zürich 1852 p. 629; Stt. Nat. Hist. II p. 182, t. 4, f. 3; HS. 772-4, V p. 331; Frey Tin. 363; Hein.-Wek. 681. — larv.: *Vicia Sepium* et *Angustif.*, *Trifolium Medium*; *Medicago Sativa*, *Orobus* etc. (inf.).
4122. **Lautella** Z. L. E. I, 194, t. 1, f. 14; HS. 750, V p. 322; Frey Tin. 362; Hein.-Wek. 682; Snell. II, 2 p. 930; Meyr. 738. — larv.: *Quercus Robur* et *Pedunculata* (inf.).
- a) v. *Irradiella* Scott Tr. E. S. (2) II. 1854 p. 9, t. 1, f. 1; Stt. I. B. 269; HS. V p. 335; Snell. II, 2 p. 206, not (al. ant. olivaceo-fuscis, thorace minus nitente).
4123. **Sublautella** Stt. South. Eur. 197; Wlsghm. Bull. S. Fr. 1889 p. 233. — larv.: *Quercus Robur* et *Pubescens* (inf.).
4124. **Insignitella** Z. L. E. I, 193. t. 1, f. 13; HS. 788, V p. 324; Hein.-Wek. 681; Meyr. 739. — larv.: *Trifolium Pratense*, *Medium*, *Repens* (inf.).
4125. **Ulmifoliella** Hb. 444; Tr. IX, 2. 187; Dup. XI, 307, 7; Z. L. E. I, 210, t. 1, f. 18; Stt. Nat. Hist. II, 246, t. 6, 3; HS. 754, V p. 324; Hein.-Wek. 680; Snell. II, 2 p. 915; Meyr. 739. — larv.: *Betula alba* (inf.).
4126. **Anderidae** Fletcher Monthl. Mag. XXII p. 40; Richardson ib. 1890 p. 243; Proc. Dorset N. H. & A. F. Club XI p. 47, t. 1, f. 8; Meyr. 739. — larv.: *Betula Alba* (inf.).
4127. **Alnivorella** Rag. Bull. S. Fr. 1875 p. 73; ib. Ann. 1876 p. 414, t. 6, f. 10. — larv.: *Alnus Glutinosa* (inf.).
4128. **Fraxinella** Z. L. E. I, 216, t. 1, f. 21; HS. 796, V p. 322; Frey Tin. 350; Hein.-Wek. 679. — larv.: *Genista Germanica* et *Tinctoria* (inf.).
- Germ; Austr. inf;
Ter. m; Gal. m. or;
Dalm. s; Bith; Taur.
Germ. m. or; Austr.-
Hung; It. s. et c;
Bith.
- Eur. c. et s. (exc. reg.
pol.); Carn; It. s. et
c; Dalm; Bith.
- Eur. c; Liv; Suec. m;
Gal. m. or; It. s;
Dalm.
- Eur. c; Liv; Suec. m.
- Eur. c. et s; It. c;
Dalm.
- Neapolis.
- Alp; Norv.
- Germ; Helv; Austr;
?Scand. (an *Alpina*
Frey?).
- Germ. m; Austr;
Helv; Belg; Angl.
- Eur. c; Liv; Petrop;
Suec. m; Dalm.
- Angl.
- Gal. m. or.
- Germ; Austr. inf;
Helv; Car; Belg;
Angl.
- Eur. c. et s; Gal. m.
or; Dalm.
- Angl.
- Gal.
- Germ. m; Helv;
Austro-Hung;
It. c; Dalm; Bith.

4129. **Spinolella** Dup. XI, 308, 8; HS. 797, V p.332; Frey Tin. 348; Hein.-Wek. 680; Meyr. 739; Hilarella Zett. Ins. Lap. 1010. — larv.: *Salix Caprea* (inf.).
4130. **Lativitella** Sorh. Ill. Ztschr. Ent. V p. 211, f. 1. — larv.: *Sorbus Scandinavica* (inf.).
4131. ?**Graeseriella** Sorh. Ill. Ztschr. Ent. V p. 212, f. 5. — larv.: *Salix Repens* (inf.) (uno spec. condit.!).
4132. **Cavella** Z. L. E. I, 213, t. 1, f. 19; Stt. Zool. 1848, 2085; HS. 753, V p. 326; Hein.-Wek. 680; Snell. II, 2 p. 922; Meyr. 740; Schreberella Z. Is. 1839, 218. — larv.: *Betula Alba* (inf.).
4133. **Viminetorum** Stt. I. B. 272; Nat. Hist. II, 56, t. 1, 1; Hein.-Wek. 678; Snell. II, 2 p. 917; Meyr. 740; Viminetella HS. V p. 326. — larv.: *Salix Viminalis* (inf.).
4134. **Salicicolella** Sircom Zool. 1848. 2271; Stt. Nat. Hist. II, 66, t. 1, 2; Hein.-Wek. 679; Snell. II, 2 p. 916; Meyr. 740; Capraeella Nicelli Stett. e. Z. 1851, 42; HS. 786, V p. 325. — larv.: *Salix Caprea*, *Cinerea* etc. (inf.).
4135. **Salictella** Z. L. E. I, 207, t. 1, f. 16; HS. 759, V p. 328; Frey 345; Hein.-Wek. 675; Snell. II, 2 p. 927 (pr. p.). — larv.: *Salix Viminalis* etc. (inf.).
4136. **Dubitella** HS. V p. 325; Frey Tin. 346; Hein.-Wek. 672; Spinicolella HS. 782. — larv.: *Salix Caprea* (inf.).
4137. ?**Monspessulanella** Fuchs Stett. e. Z. 1897 p. 336. — larv.: *Acer Monspess.* (inf.).
4138. **Mannii** Z. L. E. I, 209, t. 1, f. 17; HS. 760; Hein.-Wek. 666; Manniella HS. V p. 323. — larv.: *Quereus Robur* (inf.).
4139. **Sorbi** Frey Mitt. Naturf. Ges. Zürich 1852, 608; Tin. 338; Hein.-Wek. 669; Snell. II, 2 p. 918; Meyr. 741; Bnks. Monthl. Mag. 1899 p. 284; Sorbifoliella HS. V p. 328; Pomonella HS. 775-6; Padella Glitz Jhrsb. Hannov. 1863 p. 41; Hein.-Wek. 669; Sorh. Berl. e. Z. 1885 p. 103. — larv.: *Sorbus Aucuparia* et *Prunus Padus* (inf.).
4140. **Cydoniella** (S. V.) F. E. S. III, 323; Hb. 271; Frey Tin. 337; Hein.-Wek. 668; Snell. II, 2 p. 919; Bnks. Monthl. Mag. 1899 p. 286. — larv.: *Cydonia Vulgaris*; *Pyrus Communis* (inf.).
4141. **Cerasicolella** HS. 784-5, V p. 326; Frey Tin. 341; Hein.-Wek. 670; Snell. II, 2 p. 923; Meyr. 741; Bnks. Monthl. Mag. 1899 p. 243, 288; Mahalebella Mühlig Stett. e. Z. 1863, 212; Hein.-Wek. 670; Sorh. Ill. Ztschr. Ent. V p. 114, 232. — larv.: *Prunus Avium*, *Cerasus Armeniaca*, *Mahaleb* (inf.).
4142. **Spinicolella** Z. L. E. I p. 203, not. 1; Stt. I. B. 271; Nat. Hist. II, 136, t. 3, 2; Frey 343; Hein.-Wek. 671; Snell. II, 2 p. 924; Meyr. 741; Bnks. Monthl. Mag. 1899 p. 244; Pruniella HS. V p. 326; Deflexella (Pomonella) Stt. Zool. 1851, App. 170; Stett. e. Z. 1852, 81; ab. Conjunctella Steud. Verz. p. 232. — larv.: *Prunus Spinosa* et *Domestica* (inf.).
- a) v. (?) *Domesticella* Sorh. Ill. Ztschr. Ent. V p. 213, f. 14 (al. ant. multo obscurioribus, tarsis nigro-signatis).
4143. **Concomitella** Bnks. Monthl. Mag. 1899 p. 246; Pomi-foliella Z. Is. 1839, 218 (pr. p.); L. E. I, 196 (pr. p.); v. Mespilella HS. 749. — larv.: *Pyrus Malus* (inf.) (et *Prunus Spinosa*).

*Eur. c. (exc. Bat.) etc.**Germ. s. oc.**Germ. s. oc.**Eur. c; Ross. s. oc;
Suec.**Eur. c; Gal. m. or.**Eur. c; Liv; Suec.**Eur. c. (exc. Angl.);
It. c; Ross. s. oc.**Germ; Austr; Helv;
Gal; Belg; Dalm.**Germ. c. oc.**Austr. inf.**Eur. c; Fen; Petrop;
Suec.**Eur. c. (exc. Angl.);
Liv; Suec. m.**Eur. c; Ross. s. oc;
?Scand. m; Hisp. s.;
?Bith.**Eur. c; Suec; Petrop;
Gal. m. or.**Germ. s. oc.**Eur. c.*

4144. **Blancardella** F. S. E. III p. 327; Bnks. Monthl. Mag. 1899 p. 248; Mespilella Hw. 576; Cydoniella Dup. (nec Hb.) XI, 528, t. 308, f. 3; Pomifoliella Z. Is. 1839 p. 218 (pr. p.); L. E. I p. 196 (pr. p.), t. 1, f. 15; HS. 748, V p. 330 (pr. p.); Frey Tin. 335 (pr. p.); Hein.-Wck. 667 (pr. p.); Snell. II, 2 p. 921 (pr. p.); Meyr. 740 (pr. p.). — larv.: Pyrus Malus, Aria etc. (inf.).
4145. **Oxyacanthea** Frey Tin. 336; Hein.-Wck. 668; Snell. II, 2 p. 920; Bnks. Monthl. Mag. 1899 p. 250; Pomifoliella Meyr. 740 (pr. p.). — larv.: Crataegus Oxyacantha (inf.).
4146. **Pyrivorella** Bnks. Monthl. Mag. 1899 p. 252; ib. 1900 p. 125. — larv.: Pyrus Communis (inf.).
4147. **Mespilella** Hb. 272!; Bnks. Monthl. Mag. 1899 p. 254; Torminella Frey Tin. 340; Stt. Nat. Hist. II, 128, t. 3, 1; Hein.-Wck. 668; Meyr. 741. — larv.: Pyrus Aria, Aucuparia, Cydonia, Torminalis (inf.).
4148. **Cerisolella** Peyer. Ann. S. Fr. 1872 p. 201, t. 6, f. 11. — larv.: Crataegus Torminalis (sup.).
4149. **Faginella** Z. L. E. I, 204; Stt. Nat. Hist. II, 148, t. 3, 3; HS. 783, V p. 327; Hein.-Wck. 671; Snell. II, 2 p. 922; Meyr. 741; Triguttella Stt. Zool. 1848 p. 2896; Stett. e. Z. 1852 p. 78; Bnks. Monthl. Mag. 1894 p. 30 [strigulis cost. 3 et 4 conjunctis]; ♀ Phegophagella HS. 777-8. — larv.: Fagus Sylvatica (inf.).
4150. **Coryli** Nicelli Stett. e. Z. 1851, 36; Stt. Nat. Hist. II, 106, t. 2, 2; HS. 771; Frey Tin. 330; Hein.-Wck. 672; Snell. II, 2 p. 926; Meyr. 742; Corylella HS. V p. 329. — larv.: Corylus Avellana (sup.).
4151. **Carpinicolella** Stt. Cat. Suppl. 13; Stett. e. Z. 1852 p. 83; Nat. Hist. II, 118, t. 2, 3; HS. 779, V p. 329; Frey Tin. 334; Hein.-Wck. 671; Snell. II, 2 p. 925; Meyr. 742. — larv.: Carpinus Betulus (sup.).
4152. **Leucographella** Z. Stett. e. Z. 1850, 207; HS. 758, V p. 327. — larv.: Calycotome Spinos. (Mill.); ?Crataeg. Pyracanth. (Stt.).
4153. **Barbarella** (Stgr. i. l.) Rbl. Iris XIII p. 176.
4154. **Distentella** Z. L. E. I, 181, t. 1, f. 8; HS. 756, V p. 322; Frey Tin. 331; Hein.-Wck. 666; Wood Monthl. Mag. XXII p. 261; Meyr. 742. — larv.: Quercus Robur et Pubescens (inf.).
4155. **Ilicifoliella** Z. L. E. I, 183, t. 1, f. 9; HS. 767, V p. 322; Hein.-Wck. 666; Wlsghm. Bull. S. Fr. 1890 p. 9. — larv.: Quercus Robur (inf.).
4156. **Endryella** Mn. z. b. V. 1855, 569; Meridionella Möschl. Berl. e. Z. 1866, 144; Caudiferaella Rag. Bull. S. Fr. 1875 p. 74; Ann. S. Fr. 1876 p. 415, t. 6, f. 11. — larv.: Quercus Ilex (inf.).
4157. **Lantanella** Schrk. Fn. B. II, 1. 138; Stt. Nat. Hist. II, 162, t. 4, 1; Hein.-Wck. 678; Meyr. 740; Elatella Z. L. E. I, 190, t. 1, f. 12; Stt. Stett. e. Z. 1852, 78; HS. 757, V p. 327; Frey Tin. 333. — larv.: Viburnum Lan-tana, Opulus, Tinus. (inf.).
4158. **Junoniella** Z. L. E. I, 215, t. 1, f. 20; HS. 770, V p. 329; Hein.-Wck. 673; Snell. II, 2 p. 918; Meyr. 742; Vacciniella Stt. Nat. Hist. II, 174, t. 4, 2. — larv.: Vaccinium Vitis-Idaea (inf.).
- Eur. (exc. reg. pol., Ib. m.); ?Bith.
- Eur. c.
- Angl.
- Eur. c. (exc. Bat.).
- Gal. m. or.
- Eur. c; Carn; Dalm; Suec. m.
- Eur. c; Gal. m. or; Suec.
- Eur. c; Pont.
- Gal. m. or; It. c; Graec.
- Maur.
- Germ. m; Austr; Ter. m; Helv; Gal.
- Austr. inf; Morav; Ter. m; Gal. m. or; Dalm; ?Graec.
- And; Cast; Lusit; Gal. m; Cors; Dalm.
- Eur. c. (exc. Bat.); Petrop; It. c; Cors.
- Eur. s; Germ. s; Alp; Bat; Angl.

4159. **Joviella** Const. Bull. S. Fr. 1889 p. 125; Ann. S. Fr. 1890 p. 12, t. 1, f. 9, 9a; Sorh. Ill. Ztschr. Ent. V p. 233, f. 8. — larv.: *Quercus Ilex* (sup.).
4160. **Quinqueguttella** Stt. Cat. Suppl. 12; I. B. 268; Hein.-Wck. 684; Snell. II, 2 p. 914; Sorh. Ent. Nachr. 1885 p. 277; Meyr. 742; Sorh. Ill. Ztschr. Ent. V p. 232; Repentella Sorh. ib. f. 7 [ab.]. — larv.: *Salix Repens* (inf.).
4161. **Ebolotella** Stgr. Stett. e. Z. 1859, 257; HS. n. Schm. 116. — larv.: *Quercus Ilex et Pubescens* (inf.).
4162. **Scitulella** Z. L. E. I, 176, t. 1, f. 5; HS. 765, V p. 322; Hein.-Wck. 662. — larv.: *Quercus Pubescens* (inf.).
4163. **Parisiella** Wck. Jhrsb. Schles. Ges. 1848, 106; HS. 745, V p. 322; Hein.-Wck. 663. — larv.: *Quercus Pubescens et Robur* (inf.).
4164. **Quercifoliella** Z. Is. 1839, 217; Dup. XI. 308, 5; Z. L. E. I, 218, f. 22; HS. 768, V p. 323; Frey Tin. 352; Hein.-Wck. 663; Snell. II, 2 p. 912; Meyr. 743; Sorh. Ill. Ztschr. Ent. V p. 233 (larv.). — larv.: *Quercus Robur et Pedunculata* (inf.).
4165. **Messaniella** Z. L. E. I, 221, t. 1, f. 23; Stt. Nat. Hist. II, 234, t. 6, 2: HS. 769, V p. 323; Hein.-Wck. 665; Snell. II, 2 p. 913; Meyr. 743. — larv.: *Quercus Robur, Pubescens, Ilex; Castanea Vesca; Carpinus Betulus* (inf.).
4166. **Platani** Stgr. Hor. VII (1870), 277, t. 3, 18; Hein.-Wck. 665. — larv.: *Platanus Orientalis* (inf.).
4167. **Hesperiella** Stgr. Stett. e. Z. 1859, 256. — larv.: *Quercus Coccifera?* (inf.).
4168. **Delitella** Z. L. E. I, 184; HS. 752, V p. 322; Hein.-Wck. 688; Wlsglm. Bull. S. Fr. 1889 p. 238. — larv.: *Quercus Robur et Pubescens* (inf.).
4169. **Deleta** Stgr. Hor. XV (1880) p. 413. — larv.: ignot.
4170. **Idolias** Meyr. Monthl. Mag. 1891 p. 61. — larv.: ignot.
4171. **Cerasinella** Reutti Fn. 205 (1852) (exc. larv.); **Quinquenotella** Frey Mith. Naturf. Ges. Zürich 1855, 619; HS. 787, V p. 324; Stt. Nat. Hist. II, 276, t. 7, 3; Hein.-Wck. 673. — larv.: *Genista Sagittalis* (in caulis cortice).
4172. **Haasi** (Stgr. i. l.) Rbl. Iris XIII p. 177. — larv.: *Sarothamnus Purgans* (in caulibus).
4173. **Scopariella** Z. L. E. I, 227, t. 1, f. 26; Stt. I. B. 275; HS. 795, V p. 332; Hein.-Wck. 674; Stt. Monthl. Mag. XV, 239; Meyr. 743; Snell. Tijds. XL p. 361. — larv.: *Sarothamnus Scop.* (in ramnis).
4174. **Ulicicolella** Stt. Cat. Sup. 12; I. B. 276; HS. V p. 326; Meyr. 743. — larv.: *?Ulex Europaeus*.
4175. **Tangerensis** Stt. Monthl. Mag. VIII p. 236. — larv.: *Coronilla*.
4176. **Staintoniella** Stt. Nat. Hist. II, 268, t. 7, 2; Hein.-Wck. 674. — larv.: *Genista Pilosa* (sup.).
4177. **Connexella** Z. L. E. I, 226, t. 1, f. 25; HS. 812, V p. 330; Hein.-Wck. 677; Snell. II, 2 p. 926. — larv.: *Salix Fragilis et Alba, Populus Nigra* (inf.).
4178. **Viminiella** Stt. I. B. 275; Stett. e. Z. 1852, 86; Nat. Hist. II, 80, t. 1, 3; Hein.-Wck. 674; Wallgr. Tidskr. 1883 p. 204; Meyr. 743. — larv.: *Salix Caprea* (inf.).
- Gal. m. or.
- Germ. (s.); Helv;
Bat; Angl.
- And; Arag; Gal. m.
or; Smyrna (Stgr.).
- Austr. inf; Ter. m;
Carn; Iusit; Gal. m;
It. c; Hung. lit; Dalm.
- Austr. inf; Ter. m;
Gal; It. c. et m; Istr;
Hung. lit; Dalm.
- Eur. c. et s. (exc. reg.
pol); Carn; Gal. m;
It. s. et c; Dalm;
Bith.
- Eur. m. et c. m; Bat.
m; Angl; Bith;
Mad.
- Ter. m; Gal. m; Istr;
It; Graec; As. min.
And.
- Germ. m; Austr;
Carn; Gal; It. c;
Dalm. *
- Pont.
- Maur.
- Germ. m; Austr;
Car; Hung; Helv;
Gal.
- Cast.
- Germ; Austr; Belg;
Bat; Angl; Liv;
Dalm.
- Angl.
- Maur. oc.
- Germ. oc; Ter. m.
- Germ; Austr; Car;
Helv; Hal; Bat;
Dalm.
- Germ. s; Bat; Angl;
Petrop; Suec.

4179. **Triflorella** Peyer. Ann. S. Fr. 1872 p. 202, t. 6, f. 12. — larv.: *Cytisus Triflorus*, *Calycot. Spinos.*
4180. **Cytisella** Rbl. Ann. Naturh. Hofmus. XI p. 140, t. 3, f. 17, 17 a. — larv.: *Cytisus Proliferus*.
4181. **Dubiosella** Hein.-Wck. 677; *Acaciella* HS. (nec Z.) 742, V p. 331. — larv.: ignot.
4182. **Corylifoliella** Hw. Lep. Br. 580; Stt. Stett. e. Z. 1852, 85; Nat. Hist. II p. 90, t. 2, f. 1; HS. V p. 330; Frey 353; Hein.-Wck. 675; Snell. II, 2 p. 928; Meyr. 744; *Betulae* HS. 780. — larv.: *Crataegus Oxyacantha*; *Pyrus Communis* et *Malus*; *Sorbus Aria* et *Torminalis* (sup.).
4183. **Betulae** Z. Is. 1839, 217; L. E. I., 223, t. 1, 24; HS. 744; Frey 352; Hein.-Wck. 676; Snell. II, 2 p. 929; *Caledoniella* Stt. Cat. Sup. 12; Stett. e. Z. 1852 p. 84; HS. 1005, V p. 330 [magis variegata]; *Corylifoliella* HS. 743; *Betulella* HS. V p. 330 (praec. var. Darw.). — larv.: *Betula Alba*; *Pyrus Communis* et *Malus* (sup.).
4184. **Suberifoliella** Z. Stett. e. Z. 1850, 208; HS. 781, V p. 331. — larv.: *Quercus Suber* (inf.).
4185. **Nicellii** Stt. Zool. 1851, App. 172; I. B. 279; HS. 792, V p. 333; Frey 361; Hein.-Wck. 689; Snell. II, 2 p. 935; Meyr. 744; *Tristigella Nicelli* Stett. e. Z. 1851, 47; *Dunningiella* Stt. Stett. e. Z. 1852 p. 88; I. B. 279; HS. V p. 333 [obseuriior]. — larv.: *Corylus Avelana* (inf.).
4186. **Unifasciella** Tgstr. Cat. 366 (76). — larv.: ignota.
4187. **Froelichiella** Z. Is. 1839, 218; L. E. I., 243, t. 1, 35; Stt. I. B. 278; HS. 793, V p. 333; Hein.-Wck. 689; Snell. II, 2 p. 934; Meyr. 744. — larv.: *Alnus Glutinosa* (inf.).
4188. **Chrysella** Const. Ann. S. Fr. 1885 p. 13, t. 1, f. 34. — larv.: *Alnus Glutinosa* et *Incana* (inf.).
4189. **Stettinensis** Nicelli Stett. e. Z. 1852, 219; Stt. Nat. Hist. II, 192, t. 5, 1; Hein.-Wck. 690; Snell. II, 2 p. 931; Meyr. 744; *Stettinella* HS. V p. 331. — larv.: *Alnus Glutinosa* (sup.).
4190. **Kleemannella** F. Sp. II, 509; ?Hb. 201; Snell. II, 2 p. 936; *Kleemannella* Z. L. E. I., 244, t. 1, 36; HS. 790-1, V p. 333; Hein.-Wck. 690; Meyr. 744. — larv.: *Alnus Glutinosa* (inf.).
a) ?v. *Crocinella* Sorh. Ill. Ztschr. Ent. V p. 212, f. 2. — larv.: *Salix Alba* (inf.) (minor, dilutior, antennis totis griseis).
4191. **Schreberella** F. Sp. II, 304; Stt. Nat. Hist. II, 200, t. 5, 2; Hein.-Wck. 691; Snell. II, 2 p. 931; Meyr. 745; *Ulmella* Z. L. E. I., 246, t. 1, 37; HS. 747, V p. 332; ab. *Obumbrata* Sorh. Ill. Ztschr. Ent. V p. 212, f. 4. [al. ant. infuscata]. — larv.: *Ulmus Campestris* (inf.).
4192. **Emberizaepennella** Bouché Nat. d. Ins. I, 132; Z. L. E. I., 241, t. 1, 34; Dgl. Tr. E. Soc. Lond. (2) II, 122, t. 13, 3; Stt. Nat. Hist. II, 304, t. 8, 3; Dup. Sup. IV, 76, 7; HS. 799, V p. 332; Hein.-Wck. 691; Snell. II, 2 p. 932; Meyr. 745. — larv.: *Loniceraarum* sp. (inf.).
4193. **Tristrigella** Hw. Lep. Br. 576; Stt. I. B. 281; HS. 794, V p. 332; Frey 360; Hein.-Wck. 688; Snell. II, 2 p. 933; Meyr. 745. — larv.: *Ulmus Campestris*, *Alnus* (inf.).
4194. **Millierella** Stgr. Berl. e. Z. 1870, 323; Hein.-Wck. 685; *Celtidella Rondani* Bull. S. Ent. It. VIII (1876) p. 22, t. 1, f. 11. — larv.: *Celtis Australis* (inf.).
- Gal. m. or.
Ten.
Vind.
Eur. c.
Eur. c. et s.
It. c. et m; Gal. m. or.
Eur. c.
Fen.
Eur. c; Ross. oc. et m.
or; Suec; Ped;
Dalm.
Gal. m. or.
Eur. c; Ross. s. oc;
Gal. m. or.
Eur. c; Ross. s. oc;
It. s. et c; Dalm;
Bith.
Germ. s. oc.
Eur. c; Dalm; Bith.
Eur. c; Ross. oc;
Scand. m; It. c;
Dalm; Bith.
Eur. c; Suec; Fen.
Gal. m; Ter. m; It;
As. min.

4195. **Scabiosella** Dgl. Tr. E. Soc. Lond. (2) II, 121, t. 13, 2; HS. V p. 333; Frey 360; Stt. Nat. Hist. II, 296, t. 8, 2; Hein.-Wek. 692; Meyr. 745. — larv.: *Scabiosa Columbaria* (inf.). Germ. m; Austr.;
Helv; Angl.
4196. **Trifasciella** Hw. 576; Dgl. Tr. E. Soc. Lond. (2) II, 120, t. 13, 1; Stt. Nat. Hist. II p. 286, t. 8, f. 1; HS. 806, V p. 333; Hein.-Wek. 692; Snell. II, 2 p. 937; Meyr. 745; Heydenii Z. L. E. I, 247, t. 1, f. 39. — larv.: *Lonicera* sp. divers. (inf.). Eur. c; It. c; Dalm;
Bith.
4197. **Acaciella** Z. L. E. I, 258; Hein.-Wek. 696. — larv.: ignota. Vind.
4198. **Agilella** Z. L. E. I, 248, t. 1, 39; HS. 809, V p. 333; Hein.-Wek. 693; Sorh. Klinschm. 354. — larv.: *Ulmus Campestris* (inf.). Germ; Austr. inf;
It. c.
4199. **Pastorella** Z. L. E. I, 250; HS. 801, 812, V p. 334; Hein.-Wek. 693; Snell. II, 2 p. 940; Wallgr. Tidskr. 1883 p. 211. — larv.: *Salix Viminalis* etc. (inf.). Germ; Belg; Bat;
Norv.
4200. **Populifoliella** Tr. IX, 2, 188 (exc. var. et larva); Z. L. E. I, 255, t. 1, 41; HS. 807-8, V p. 334; Frey 366; Stt. Nat. Hist. II, 258, t. 7, 1; Hein.-Wek. 694. — larv.: *Populus Nigra*, *Canadensis*, *Pyramidalis* (inf.). Germ; Austr; Helv;
Belg; Hal; Dan; Liv;
Suec. m; Dalm; Cat.
4201. **Chiclanella** Stgr. Stett. e. Z. 1859, 256. — larv.: *Populus Alba* (inf.). And.
4202. **Apparella** HS. 804-5, V p. 334; Hein.-Wek. 694. — larv.: *Populus*, *Salix* (inf.). Germ; Belg.
4203. **Tremulae** Z. L. E. I, 251, t. 1, 40; HS. 810-11; Frey 366; Hein.-Wek. 695; Snell. II, 2 p. 940; *Populifoliella* Tr. IX, 2, 188 (var. et larva); Z. Is. 1839, 218; *Tremulella* HS. V p. 334. — larv.: *Populus Tremula* (inf.). Eur. c. (exc. Angl.);
Ross. oc; Scand. m.
4204. **Comparella** Z. L. E. I, 257, t. 1, 42; Stt. I. B. 282; HS. 800, V p. 334; Frey 367; Hein.-Wek. 695; Snell. II, 2 p. 939; Meyr. 746. — larv.: *Populus Alba* (inf.). Eur. c; It. c. et s;
Saraw.
4205. **Adenocarpi** Stgr. Stett. e. Z. 1863, 270. — larv.: *Adenocarpus Hispanicus* (inf.). Cast; Lusit.
4206. **Genistella** (Stgr. i. l.) Rbl. Iris XIII p. 178. — larv.: *Genista Florida*. Cast.
4207. **Parvifoliella** Rag. Bull. S. Fr. 1875 p. 74; ib. Ann. 1876 p. 417, t. 6, f. 12. — larv.: *Adenocarpus Parvifol.* (sup.). Gal. m. or.

425. **Palumbina** Rondani 1876.

4208. **Terebinthella** Rondani Bull. S. Ent. It. VIII (1876) p. 23, t. 1, f. 12-14 (genus et spec. valde dubios.). Sic.

426. **Tischeria** Z. 1839.

4209. **Complanella** Hb. 428; Tr. IX, 2, 179; Dup. XI, 307, 2; Rtzb. Forst-Ins. II, 251, t. 12, 4; Z. L. E. III, 335; Stt. Nat. Hist. III, 238, t. 1, 1; HS. V p. 337; Hein.-Wek. 698; Snell. II, 2 p. 898; Meyr. 759; *Comparella* HS. 862; ?*Ekebladella* Bjaerkander Act. Holm. 1795 p. 58, t. 2, f. 1, 3 [sec. Wallgr. nom. vet.]. Eur. (exc. reg. pol.);
? Graec.); Bith;
Maur. oc.
4210. **Dodonaea** Stt. Nat. Hist. III p. 230, 236; Man. II, 412; Heyd. Stett. e. Z. 1862 p. 364; Hein. Wek. 699; Snell. II, 2 p. 899; Meyr. 759. Eur. c.

4211. **Decidua** Wck. Bresl. e. Z. 1876 p. 41; Hein.-Wck. 699. *Germ.*
 4212. **Marginea** Hw. Lep. Br. 556; Wd. 1426; Stt. Nat. Hist. III, 248, t. 1, 2; Frey 307; Hein.-Wck. 699; Snell. II, 2 p. 897; Meyr. 759; Emyella Dup. XI, 309, 6; Z. L. E. III, 338; HS. 863, V p. 337. *Eur. c. et m.; Liv.; Bith; Maur.*
 4213. **Heinemanni** Wck. Cat. ed. II (1871) p. 333 no. 2913; Nolck. Fn. II, 725; Hein.-Wck. 699. *Germ; Austr. inf; Liv.*
 4214. **Gaunacella** Dup. Sup. IV p. 319, t. 76, f. 14; Z. L. E. III, 338; HS. 865, V p. 336; Hein.-Wck. 700; Meyr. 759. *Germ; Austr; Angl; Gal; It. c; Bith.*
 4215. **Longiciliatella** Rbl. Ann. Naturh. Hofmus. XI (1896) p. 141. *Ten.*
 4216. **Angusticolella** Dup. Sup. IV p. 309, t. 76, f. 3; HS. 864, V p. 337; Snell. Tijds. XXXII p. 70; Angusticolella Z. L. E. III, 339; Frey 307; Stt. Nat. Hist. III, 256, t. 1, 3; Hein.-Wck. 700; Meyr. 760; Auri-frontella Rag. Ann. S. Fr. 1874 p. 604, t. 11, f. 10. *Eur. c; Ross. s. oc; It. c; Carn; Dalm; Bith; Maur. oc.*
-

XII. Lyonetiidae.

A. Lyonetiinae.

427. **Lyonetia** Hb. 1818.

4217. **Clerkella** L. S. N. ed. X, 542; Hein.-Wck. 703; Meyr. 757; Clerkella Tr. IX, 2. 191; Dup. XI, 307, 7; Z. L. E. III, 252; HS. 856, V p. 261; Snell. II, 2 p. 943; Unipunctella Stph. Ill. IV, 260; Wd. 1335. *Eur. c. et s; Carn; It. c; Sard.*
 a) ab. **Aereella** Tr. IX, 2. 192; Autumnella Stph. l. c.; Curt. B. E. VI, 284; Wd. 1332; Semiaurella Wd. 1334 (obscurior, al. ant. sordide aeneis).
 4218. **Ledi** Wck. Jhrsb. Schles. Ges. 1859, 101; Nolck. Fn. II, 739; Hein.-Wck. 703. *Germ. s. et oc; Ross. s. oc.*
 4219. **Prunifoliella** Hb. 191; Z. L. E. III, 259; HS. 855, V p. 261; Frey 311; Hein.-Wck. 704; Meyr. 757.
 a) ab. **Padifoliella** Hb. 316; Tr. IX, 2. 190; Z. l. c. 261; HS. 854, V p. 261 (al. ant. infuscatis, basi fusco-trimaculata).
 b) ab. **Albella** Ev. F. V. U. 600; HS. 853; Padifoliella Stt. I. B. 284; Schineri Now. M. S. N. 28, f. 11 (al. ant. niveis, vitta costali lata fusca).
 4220. **Pulverulentella** Z. Is. 1839, 216; L. E. III. 263; Hein.-Wck. 705. *Austr; Boh; Sil.*
 4221. **Frigidariella** HS. V p. 262; Frey 310; Heyd. Stett. e. Z. 1861, 38; Hein.-Wck. 705. *Alp; Fen; Lap. (Tngstr.).*

428. **Phyllobrostis** Stgr. 1859.

4222. **Daphneella** Stgr. Stett. e. Z. 1859, 357. *Gal. m; And; Mad.*
 4223. **Hartmanni** Stgr. Stett. e. Z. 1867, 212; Hein.-Wck. 702. *Germ. m; Austr.*

B. Phylloconistinae.

429. *Phylloconistis* Z. 1848.

4224. *Suffusella* Z. Is. 1847, 894; L. E. III, 266, var. b, t. 2, f. 31-4; HS. 871, V p. 341; Hein.-Wck. 708; Snell. II, 2 p. 945; Hoffm. Stett. e. Z. 1887 p. 307 (larv.); Meyr. 758.
4225. *Sorhageniella* Lüders Jhrs. Realsch. St. Pauli (Hamburg) 1899-1900 t. 1, f. 1; *Suffusella* Z. L. E. III p. 266 (exc. var. b).
4226. *Saligna* Z. Is. 1839, 214; L. E. III, 270; Stt. I. B. 285; HS. 872; Hein.-Wck. 708; Snell. II, 2 p. 946; Meyr. 757; *Salignella* HS. V p. 341.

Eur. c; Ross. s. oc;
Norv. m; It; Dalm;
Bith.

Eur. c.

Eur. c; Suec; Ross;
Gal. m. or.

430. *Cemiostoma* Z. 1848 (Leucoptera [Hb.] Meyr.).

4227. *Susinella* HS. V p. 342; Stt. Nat. Hist. I, 288; Snell. Tijds. VIII p. 157, t. 12, f. 1; Nolck. Fn. 743; Hein.-Wck. 710; Snell. II, 2 p. 949.
4228. *Spartifoliella* Hb. 335; Wd. 1336; Dup. XI, 307, 8; Z. L. E. III, 272, f. 35-9; HS. 875, V p. 342; Stt. Nat. Hist. I, 294, t. 1, 2; Hein.-Wck. 709; Snell. II, 2 p. 951; Meyr. 755.
4229. *Laburnella* Stt. Cat. Sup. 11; I. B. 287; Nat. Hist. I, 312, t. 1, 1; HS. 876, V p. 342; Frey 323; Hein.-Wck. 710; Snell. II, 2 p. 950; Meyr. 755.
4230. *Wailesella* Stt. Weekl. Int. 1858, IV, 44; Heyd. Stett. e. Z. 1863 p. 346 (larv.); Hein.-Wck. 710; Meyr. 755.
4231. *Orobi* Stt. Ann. 1870 p. 158; Snell. II, 2 p. 949 not.; Meyr. 755.
4232. *Lathyrifoliella* Stt. Ann. 1866 p. 170; Snell. Vlind. II, 2 p. 949 not. 1; Meyr. 755.
4233. *Zanclaeella* Z. L. E. III, 277; St. Nat. Hist. I, 288.
4234. *Adenocarpella* Stgr. Berl. e. Z. 1870, 324.
4235. *Lotella* Stt. Weeckl. Int. 1858 p. 117 (larv.); Ann. 1859, 156; Stange Stett. e. Z. 1886 p. 285; Meyr. 756.
4236. *Scitella* Z. Is. 1839, 214; L. E. III, 278; Stt. Nat. Hist. I, 323, t. 1, 3; HS. 873, V p. 342; Hein.-Wck. 711; Snell. II, 2 p. 952; Meyr. 756; *Clerckella* Stph. Ill. IV, 261; Wd. 1337.
4237. *Lustratella* HS. 874, V p. 343; Stt. Nat. Hist. I p. 290; Heyd. Stett. e. Z. 1860 p. 124; Hein.-Wck. 711.

Eur. c. (exc. Angl.);
Ross. s. oc; Suec;
Maur. (Meyr.).

Eur. c; Liv; Suec; It.
s; Dalm.

Eur. c; Suec; It. c.

Germ; Angl; Gal;
Hal.

Angl.

Angl; Germ. m. oc.

Sic; Dalm.

Hispl. c.

Angl; Germ. s. oc.

Eur. c. et s. (exc. reg.
pol.); Dalm; It;
Bith.

Germ; Austr.

431. *Bucculatrix* Z. 1848.

4238. *Thoracella* Thunbg. Diss. Ent. VII, 88 (100); Hein.-Wck. 712; Meyr. 732; *Hippocastanella* Dup. XI, 308, 4; Z. L. E. III, 297; HS. 852, V p. 338; Stt. Nat. Hist. VII, 130, t. 4, 2.
4239. *Cidarella* Z. Is. 1839, 216; L. E. III, 287; HS. 845, V p. 338; Stt. Nat. Hist. VII, 38, t. 1, 3; Hein.-Wck. 713; Snell. II, 2 p. 957; Meyr. 732.
4240. ?*Luteiciliella* Tgstr. Cat. 366 (76).

Eur. c. (?exc. Bat.);
Liv; Petrop; Scand.
m; Dalm.

Eur. c; Liv; Suec; It.
c.

Fen.

4241. **Ulmella** Z. L. E. III, 288 (pr. p.); HS. 849, V p. 339; Becker Ann. S. Belg. IV, 1860 p. 104, t. 2, f. 7a-d; Stt. Nat. Hist. VII, 46, t. 2, 1; Hein.-Wek. 713; Snell. II, 2 p. 957; Meyr. 732.
- a) v. (gen. aest.) *Vetustella* Stt. Cat. 28; I. B. 292; Nolek. Fn. II p. 748; Snell. I. e. 958 (multo dilutior, magis flavescens).
- b) v. (?) *Sircocella* Stt. Zool. 1848 p. 2162; Wek. Bresl. e. Z. 1892 Ver. Nachr. p. 19 (an spec. divers? larv.: Quercus).
4242. **Crataegi** Z. Is. 1839, 216; L. E. III, 290; HS. 850; Stt. Nat. Hist. VII, 68, t. 2, 2; Hein.-Wek. 714; Snell. II, 2 p. 958; Meyr. 732; *Crataegifoliella* Dup. Sup. IV, 78, 8; HS. V p. 339.
4243. **Myricae** Rag. Bull. S. Fr. 1879 p. 142; Lafautry ib. Ann. 1885 p. 421 (larv.).
4244. **Demaryella** Dup. XI p. 547, t. 309, f. 5; Stt. Zool. 1848, 2157; Nat. Hist. VII, 80, t. 2, 3; Meyr. 733; *Scotella* HS. V p. 339.
4245. **Maritima** Stt. Cat. Sup. 11; Nat. Hist. VII, 88, t. 3, 1; HS. V p. 339; Nolek. Fn. 749; Hein.-Wek. 714; Meyr. 731.
4246. **Chrysanthemella** Rbl. Ann. Naturh. Hofmus. XI p. 142 (1896).
4247. **Albiguttella** Mill. Bull. S. Fr. 1886 p. 23; ib. Ann. 1887 p. 221, t. 5, f. 1.
4248. **Boyerella** Dup. XI, 309, 3; Z. L. E. III, 291, f. 44-6; Stt. I. B. 293; HS. 851, V p. 341; Hein.-Wek. 715; Snell. II, 2 p. 959; Meyr. 731; *Albedinella* Z. Is. 1839, 216.
4249. **Rhamniella** HS. V p. 340; Hein.-Wek. 715.
4250. **Lavaterella** Mill. Ic. II, 69, t. 59, f. 1-5; Frey Mitth. III, (1870) p. 284.
4251. **Turatii** Stndf. Soc. Nat. Modena (3) III p. 112 (1887); Berl. e. Z. 1888 p. 244.
4252. **Basifuscella** Stgr. Hor. XV (1880) p. 416.
4253. **Oppositella** Stgr. Hor. XV (1880) p. 417.
4254. **Infans** Stgr. Hor. XV (1880) p. 418.
4255. **Albellia** Stt. Syr. 51.
4256. **Fatigatella** Heyd. Stett. e. Z. 1863, 112; 1865 p. 106; Hein.-Wek. 722; ?v. *Obscurella* Klem. Spraw. Kom. fizyogr. XXXIV p. 199.
4257. **Atagina** Wek.-Hein. 716.
4258. **Frangulella** Goeze Btr. III, 4, 169; Z. L. E. III, 295; HS. V p. 341; Stt. Nat. Hist. VII, 114, t. 4, 1; Hein.-Wek. 716; Snell. II, 2 p. 960; Meyr. 731; *Rhamnifoliella* Tr. IX, 2. 183; F. R. 7 p. 10; Dup. XI, 307, 11; Z. Is. 1839, 216.
4259. **Alaternella** Const. Bull. S. Fr. 1889 p. 125; ib. Ann. 1890 p. 14, t. 1, f. 11.
4260. **Valesiacae** Frey Mitth. III (1870) p. 283; Hein.-Wek. 717.
4261. **Artemisiae** HS. 858; Hein.-Wek. 717; Meyr. 731; *Artemisiella* HS. V p. 340.
- a) v. *Ratisboniensis* Stt. Weekl. Int. IX, 157; Nat. Hist. VII p. 106, t. 3, f. 3; *Gnaphaliella* HS. 857, V p. 340 (dilutior, minus fusco-conspersa).
4262. **Leucanthemella** Const. Bull. S. Fr. 1895 p. 54.
4263. **Cantabricella** Chrét. Bull. S. Fr. 1898 p. 126.
- Eur. c; Ross. s. oc;*
Suec; Dalm; It. c;
Bith.
- Eur. c; Ross. s. oc. et*
m. or; Suec; Hisp. s;
It. s; Carn; Dalm;
Bith; Maur.
- Gal; Lusit.*
- Angl; Scot; Liv;*
? Fen.
- Germ; ?Austr; Angl;*
Liv; Fen; Suec.
- Ten.*
- Gal. m.*
- Eur. c. et m. or; Liv;*
Suec; It. c; Bith.
- Sil.*
- Gal. m.*
- It. c.*
- Pont.*
- Pont.*
- Pont.*
- Pal.*
- Helv. or. et Ter. s.*
alp; ? Hal.
- Ter. m.*
- Eur. c; Ross. s. or;*
Scand. m; Carn;
Dalm; It.
- Gal. m. or.*
- Val.*
- Eur. c. (exc. Bat.);*
Scand. m; Ross. s. oc; Gal. m.
- Gal. m.*
- Gal.*

4264. **Absinthii** Gartn. Stett. e. Z. 1865, 330; Hein.-Wek. 719.
4265. **Lustrella** Snell. Tijds. XXVII (1884) p. 181, t. 10, f. 2.
4266. **Humiella** HS. 859, V p. 340; Hein.-Wek. 719.
4267. **Gnaphaliella** Tr. IX, 2. 180; Dup. XI, 307, 4; Z. Is. 1839, 218; L. E. III, 293; Stt. Nat. Hist. VII, 98, t. 3, 2; Hein.-Wek. 718.
4268. **Helichrysella** Const. Bull. S. Fr. 1889 p. 126; ib. Ann. 1890 p. 13, t. 1, f. 10.
4269. **Santolinella** Wlsghm. Monthl. Mag. 1898 p. 171.
4270. **Nigricomella** Z. Is. 1839, 215; L. E. III, 299; HS. 847, V p. 338; Frey 319; Stt. Nat. Hist. VII, 32, t. 1, 2; Hein.-Wek. 719; Snell. II, 2 p. 956; Meyr. 730.
- a) ab. **Aurimacuella** Stt. Cat. 28; Nat. Hist. VII, 22, t. 1, 1; HS. V p. 338; Frey 320 (al. ant. maculis quatuor albescentibus, obsoletioribus).
4271. **Alipedella** Hofm. Stett. e. Z. 1874 p. 319; Hein.-Wek. 720.
4272. **Cristatella** Z. Is. 1839, 214; L. E. III, 300; HS. 846, V p. 337; Frey 319; Stt. Nat. Hist. VII, 138, t. 4, 3; Nolck. Fn. II, 745; Hein.-Wek. 720; Meyr. 730; Concolorella Tgstr. Bidr. 151; Ann. 197.
- a) ab. **Argentisignella** HS. V p. 338; Hein.-Wek. 713; Frey Lep. 419; Gracilella Frey Tin. 321; Nolck. Fn. 747; Hein.-Wek. 721 (al. ant. maculis quatuor argenteis parvis).
4273. **Imitatella** HS. V p. 337; Hein.-Wek. 721; Steud. Verz. 239.
4274. **Alpina** Frey Mitt. III (1870) p. 285; Hein.-Wek. 721.
4275. **Iugicola** Wek.-Hein. 721.

432. **Opogona** Z. 1853.

4276. **Dimidiatella** Z. Bull. M. 1853, II, p. 507, t. 4, f. 13-6; Wlsghm. Monthl. Mag. 1900 p. 180 (non civis territ. esse videtur).
4277. **Panchalcella** Stgr. Berl. e. Z. 1870, 325.

Germ. m; Austr. inf; Morav.

Amur.

Bav.; ? Hal.

Germ; Austr.; Ter; Liv; Suec. m; Hal; Dalm.

Gal. m. or.

Cors.

Eur. c; Ross; Scand. m; It. c; Dalm; Bith.

Germ. m. oc.

Eur. c. (exc. ? Bat.); Scand. m; Ross. s. oc; Gal. m; Carn; Dalm.

Germ. c. oc. et m. oc.

Rhaetia (Helv.); Ter; Ter. (Stelvio).

?? Hyre; Java.

Srp; Lyd; Arm.

433. **Opostega** Z. 1839.

4278. **Salaciella** Tr. IX, 2. 180; Dup. XI, 307, 3; Z. L. E. III, 280; Stt. I. B. 289; HS. V p. 360; Nolck. Fn. II, 744; Hein.-Wek. 724; Snell. II, 2 p. 965; Meyr. 729.
- a) ab. **Reliquella** Z. l. c. p. 282; HS. 867, V p. 360 (al. ant. fascia anteapicali ochrascente).
4279. **Menthinella** Mn. z. b. V. 1855, 568; Nolck. Stett. e. Z. 1882 p. 197.
4280. **Auritella** Hb. 387; Z. Is. 1839, 214; L. E. III, 283; HS. 868, V p. 360; Hein.-Wek. 724; Meyr. 729.
4281. **Snelleni** Nolck. Stett. e. Z. 1882 p. 197
4282. **Crepusculella** Z. Is. 1839, 214; L. E. III, 284; Dup. Sup. IV, 78, f. 5; HS. 869, V p. 360; Hein.-Wek. 725; Snell. II, 2 p. 965; Meyr. 729; Auritella Stph. Ill. IV, 288; Wd. 1416.
4283. **Spatulella** HS. 870, V p. 360; Stt. Ann. 1860 p. 135; Monthl. Mag. XIV p. 140; Meyr. 729.

Eur. c; Suec. m; Ross. oc. et m. or; Carn; Dalm; It. c; Cors.

Cors; Gal. m. or.

Germ. s; Austr. inf; Ter; Angl; Bith.

Gal. m.

Eur. (exc. reg. pol.); Bith; Pal.

Gal. c; Angl.

XIII. Nepticulidae.

434. Trifurcula Z. 1848.

4284. **Pallidella** Z. L. E. III, 332, t. 2, f. 51-2; HS. V p. 359; Hein.-Wek. 726; Meyr. 727; Tutt Brit. Lep. I p. 356; *Pallidulella* HS. 860. *Germ; Austr. inf;*
Angl; Gal. m. or;
It; Hung. lit; Dalm; Bith.
4285. **Serotinella** HS. 866, V p. 359; Hein.-Wek. 726; Fuchs Stett. e. Z. 1895 p. 45. *Bav; ?Styr.*
4286. ?**Confertella** Fuchs Stett. e. Z. 1895 p. 47. *Germ. c. oc.*
4287. **Immundella** Z. Is. 1839, 215; L. E. III, 332; Frey 396; HS. 861!, V p. 359; Hein.-Wek. 726; Snell. II, 2 p. 967; Meyr. 727; Tutt Brit. Lep. I p. 355; *Squamatella* Stt. Cat. 30; I. B. 307; HS. V p. 360; Tutt l. c. *Eur. c; It. c; Maur.*
4288. **Atrifrontella** Stt. Cat. Sup. 11; I. B. 306; HS. V p. 360; Hein.-Wek. 726; Meyr. 727; Tutt Brit. Lep. I p. 358. *Angl; Germ; ?Austr. inf.*

435. Nepticula (Heyd. 1843) Z.

4289. **Pomella** Vaughan Weekl. Int. V, 44 (1858); Stt. Man. II, 431; Hein. Wien. Mts. 1862, 253; Nolek. Fn. 752; Hein.-Wek. 729; Snell. II, 2 p. 978; Meyr. 714; Tutt Brit. Lep. I p. 189. — larv.: Pyrus Malus. *Eur. c; Ross. s. oc.*
4290. **Ilicivora** Peyer. Mitt. III p. 413 (1871); Ann. S. Fr. 1872 p. 203, t. 6, f. 13. — larv.: Quercus Ilex. *Gal. m. or.*
4291. **Pygmaeella** Hw. Lep. Br. 586; Stt. Nat. Hist. I, 158, t. 5, 1; HS. V p. 348; Hein.-Wek. 729; Snell. II, 2 p. 978; Meyr. 714; Tutt Brit. Lep. I p. 191. — larv.: Crataegus Oxyacantha. *Germ; Angl; Bat; Gal. c.*
4292. **Aeneella** Hein. Wien. Mts. 1862, 254; Hein.-Wek. 729; Snell. II, 2 p. 977. — larv.: Pyrus Malus. *Germ; Helv; Austr. inf; Bat.*
4293. **Atricapitella** Hw. Lep. Br. 585; Stph. Ill. IV, 269; Stt. I. B. 297; HS. V p. 347; Nolek. Fn. 755; Hein.-Wek. 731; Snell. II, 2 p. 981; Meyr. 714; Tutt Brit. Lep. I p. 185. — larv.: Quercus Robur et Pedunculata. *Eur. c; Dan.*
4294. **Ruficapitella** Hw. Lep. Br. 586; Wd. 1363; Stt. Nat. Hist. I, 272, t. 7, 2; HS. V p. 348; Frey L. E. XI, 370; Hein.-Wek. 730; Snell. II, 2 p. 981; Tutt Brit. Lep. I p. 187; *Atricapitella* Meyr. 714 (pr. p.); *Samiatella* ♀ Z. L. E. III, 303 (praecl. var.?). — larv.: Quercus Robur et Pedunculata. *Eur. c; Liv; Fen; Suec.*
4295. **Uniformis** Hein. Berl. e. Z. 1871 p. 210; Hein.-Wek. 730. — larv.: Salix Caprea. *Pom.*
4296. **Samiatella** HS. 835, V p. 348; Hein. Wien. Mts. 1862, 255; Nolek. Fn. 754; Hein.-Wek. 730. — larv.: Quercus Robur et Pedunculata. *Germ; Austr; Dan; ?It. c.*
4297. **Basiguttella** Hein. Wien. Mts. 1862, 258; Nolek. Fn. 756; Hein.-Wek. 732; Meyr. 715; Tutt Brit. Lep. I, p. 217. — larv.: Quercus Robur et Pedunculata. *Eur. c. (exc. Bat.); Liv.*
4298. ?**Subnitidella** Z. L. E. III, 305; HS. 836, V p. 358; Hein.-Wek. 732 (not.). — larv.: ignota. *Vind.*
4299. **Rhamnella** HS. Corr. Ins. 1860, 60; n. Schm. 171; Hein.-Wek. 732. — larv.: Rhamnus Catharticus. *Germ.*
4300. **Sanguisorbae** Wck. Stett. e. Z. 1865, 269; Hein.-Wek. 733. — larv.: Sanguisorba Officinalis. *Sil; Vind. (Mn.).*

4301. **Viscerella** Stt. Zool. 1853, 3958; Nat. Hist. I, 126, t. 3, 1; HS. V p. 349; Frey L. E. XI, 374; Hein.-Wek. 733; Meyr. 715; Tutt Brit. Lep. I p. 193. — larv.: *Ulmus Campestris*.
4302. **Anomalella** Goeze Btr. III, 4, 168, 290; Stt. Nat. Hist. I, 54, t. 1, 2; HS. V p. 349; Frey L. E. XI, 379; Hein.-Wek. 733; Snell. II, 2 p. 982; Meyr. 715; Tutt Brit. Lep. I p. 206. — larv.: *Rosarum spec. divers.*
4303. **Fletcheri** Tutt Brit. Lep. I p. 211 (1899). — larv.: *Rosa Arvensis*.
4304. **Nitidella** Hein. Wien. Mts. 1862, 257; Hein.-Wek. 734; *Paradoxa* (Frey Weeckl. Int. IV, 14) Hein. Berl. e. Z. 1871 p. 211. — larv.: *Crataegus Oxyacantha*.
4305. ?**Aureocapitella** Mill. Cat. rais. 374, 416. — larv.: *ignota*.
4306. **Tiliae** Frey Tin. 375; L. E. XI, 381; Stt. Ann. 1860, 136; Nat. Hist. VII, 168, t. 8, 2; Hein.-Wek. 734; Meyr. 715; Tutt Brit. Lep. I p. 215. — larv.: *Tilia Europaea*.
4307. **Lonicerarum** Frey L. E. XI, 383; Stt. Nat. Hist. VII, 176, t. 8, 3; Nolek. Fn. 760; Hein.-Wek. 734; Snell. II, 2 p. 980. — larv.: *Lonicera Caprifolium et ?Xystosteum*.
4308. **Aucupariae** Frey L. E. XI, 376; Hein.-Wek. 735; Snell. II, 2 p. 980; Warr. Monthl. Mag. XXII p. 181; Meyr. 715; Tutt Brit. Lep. I p. 195. — larv.: *Sorbus Aucuparia*.
4309. **Minusculella** HS. V p. 348; Frey L. E. XI, 377; Stt. Nat. Hist. VII, 162, t. 8, 1; Hein.-Wek. 735; Snell. II, 2 p. 979; Meyr. 715; Tutt Brit. Lep. I p. 197; Stettinensis Hein. Berl. e. Z. 1871 p. 210; Hein.-Wek. 731; Tutt l. c. 198. — larv.: *Pyrus Communis*.
4310. **Tristis** Wek. Stett. e. Z. 1862, 251. — larv.: *Betula Nana*.
4311. **Pyri** Glitz Jhrs. Hannov. XIV (1865), 42; Frey Mittb. III p. 289; Hein.-Wek. 736; Meyr. 716; Tutt Brit. Lep. I p. 199. — larv.: *Pyrus Communis*.
4312. **Oxyacanthella** Stt. I. B. 298; Nat. Hist. I, 200, t. 5, 2; HS. V p. 349; Frey L. E. XI, 373; Nolek. Fn. 762; Hein.-Wek. 735; Snell. II, 2 p. 976; Meyr. 716; Tutt Brit. Lep. I p. 202. — larv.: *Crataegus Oxyacantha*, *Pyrus spec. etc.*
4313. **Desperatella** Frey Tin. 374; L. E. XI, 384; Hein.-Wek. 736; Wood Monthl. Mag. XXIII p. 188; Meyr. 716; Tutt Brit. Lep. I p. 213. — larv.: *Pyrus Malus*, *Fraxinus* (Wek.).
4314. **Pyricola** Wek. Bresl. e. Z. 1877 p. 49. — larv.: *Pyrus Communis*.
4315. **Suberivora** Stt. South. Eur. 228. — larv.: *Quercus Suber*.
4316. **Nylandriella** Tgstr. Bidr. 152; HS. 927; Frey L. E. XI, 445; Hein. Wien. Mts. 1862, 259; Hein.-Wek. 736; Meyr. 716; Tutt Brit. Lep. I p. 220. — larv.: *Sorbus Aucuparia*.
4317. **Aceris** Frey L. E. XI, 386; Hein.-Wek. 737; Snell. II, 2 p. 986. — larv.: *Acerum spec. divers.*
4318. **Regiella** HS. V p. 351; Frey Tin. 391; L. E. XI, 434; Hein.-Wek. 738; Meyr. 716; Tutt Brit. Lep. I p. 221. — larv.: *Crataegus Oxyacantha*.
4319. **Torminalis** Wood Monthl. Mag. XXVI p. 209 (1890); Meyr. 716; Tutt Brit. Lep. I p. 223. — larv.: *Pyrus Torminalis*.
4320. **Pretiosa** Hein. Wien. Mts. 1862, 261; Glitz Jhrs. Hannov. 1863, 41; Hein.-Wek. 738. — larv.: *Geum Urbanum*.

*Germ. oc. et s.; Angl.; Gal.**Eur. c; Fen; Suec; Carn; Cors.**Angl.**Germ. s. oc.**Gal. m. or.**Germ; Helv; Angl; Belg; Gal.**Helv. s; Germ. m. oc; Bat; ?Liv.**Germ; Austr. inf; Helv; Angl; Gal; Bat; Dan; Liv.**Eur. c. (exc. or.).**Lap. Norv.**Germ; Helv; Gal; Angl.**Eur. c; Liv.**Germ; Helv. s; Angl; Gal; Liv.**Sil.**Gal. m. or.**Germ; Angl; Fen; Suec.**Germ; Helv. s; Belg; Bat. m.**Germ; Helv; Gal; Angl; Liv.**Angl.**Germ. s. oc.*

4321. **Bollii** Frey Mitth. IV p. 144 (1873); Hein.-Wck. 739. — larv.: *Rubus Fruticosus*.
4322. **Aeneofasciella** HS. V p. 353; Hein. Wien. Mts. 1862, 262; Nolck. Fn. 767; Hein.-Wck. 739; Meyr. 717; Tutt Brit. Lep. I p. 224; *Aeneofasciata* Frey L. E. XI, 388. — larv.: *Agrimonia Eupatorium*; *Tomentilla Erecta*.
4323. **Fragariella** Heyd. Stett. e. Z. 1862, 365; Hein. Wien. Mts. 1862, 263; Hein.-Wck. 739; Meyr. 717; Tutt Brit. Lep. I p. 234. — larv.: *Fragaria Vesca*; *Agrimonia Eupatorium*.
4324. **Gei** Wck. Cat. ed. II p. 336; Eppish. Stett. e. Z. 1890 p. 229; Tutt Brit. Lep. I p. 239 (praec. *Fragariella* var. *Darwin*).
a) ab. *Semicolorella* Eppish. Stett. e. Z. 1891 p. 351 (fascia argentea deficiente). — larv.: *Geum Urbanum*; *Rubus Corylifol. et Caesius*.
4325. ?**Nitens** Flogne Ann. S. Belg. 1862, 164, t. 2, 5 (a *Fragariella satis distincta* cfr. Hein.-Wck. 740 not.). — larv.: *Agrimonia Eupatorium*.
4326. **Tomentillella** HS. Corr. Ins. 1860, 60; n. Schm. 167; Hein.-Wck. 740; Tutt Brit. Lep. I p. 226. — larv.: *Tomentilla Erecta*.
4327. **Serella** Stt. Monthl. Mag. XXIV p. 260 (1888); Tutt Brit. Lep. I p. 245; *Tomentillella* Bnks. (nec HS.) Monthl. Mag. XXIV p. 160. — larv.: *Potentilla Tomentilla*.
4328. **Splendidissimella** HS. V p. 353; Hein.-Wck. 741; Snell. II, 2 p. 983; Meyr. 717; Tutt Brit. Lep. I p. 243; *Splendidissima* Frey Tin. 393; L. E. XI, 439. — larv.: *Rubus Fruticosus et Caesius*.
4329. **Auromarginella** Richardson Monthl. Mag. XXVI p. 30 (1890); Proc. Dors. N. H. Soc. XI p. 74, f. 10; Meyr. 717; Tutt Brit. Lep. I p. 242. — larv.: *Rubus Fruticosus*.
4330. **Dryadella** Hofm. Stett. e. Z. 1868, 29; Hein.-Wck. 741; Wck. Bresl. e. Z. 1877 p. 50. — larv.: *Dryas Octopetala*.
4331. **Stelviana** Wck. Jhrs. Schles. Ges. 1880 p. 205. — larv.: *Potentilla Grandiflora*.
4332. **Lediella** Schleich Stett. e. Z. 1867, 449; Hein.-Wck. 741. — larv.: *Ledum Palustre*.
4333. **Aurella** F. S. E. p. 666; E. S. III, 2 p. 329; Stt. Cat. 28; Nat. Hist. I, 34, t. 1, 1; HS. V p. 350; Frey L. E. XI, 441; Hein.-Wck. 742; Snell. II, 2 p. 983; Meyr. 717; Tutt Brit. Lep. I p. 228; ?*Strigilella* Thnbg. Diss. VII, 87 (Wallgr.). — larv.: *Rubus Fruticosus*.
4334. **Filipendulae** Wck. Cat. ed. II p. 338, no. 3032; Hein.-Wck. 749; Meyr. 718; Tutt Brit. Lep. I p. 250. — larv.: *Spiraea Filipendula*.
4335. **Diffinis** Wck. Bresl. e. Z. 1874 p. 100; Hein.-Wck. 749. — larv.: *Sanguisorba Officinalis*.
4336. **Poterii** Stt. Ann. 1858, 96; Nat. Hist. VII, 242, t. 11, 3; Hein. Wien. Mts. 1862, 304; Meyr. 718; Tutt Brit. Lep. I p. 248. — larv.: *Poterium Sanguisorba*.
4337. **Geminella** Frey Mitth. III (1870) p. 288; Hein.-Wck. 749 (a *Poterii* Stt. *distincta*?). — larv.: *Poterium Sanguisorba*.
4338. **Ulmariae** Wck. Bresl. e. Z. 1879 p. 79; Wallgr. Tidskr. 1881 p. 127. — larv.: *Spiraea Ulmaria*.
4339. **Acetosae** Stt. I. B. 303; Nat. Hist. I, 228, t. 6, 2; Frey L. E. XI, 422; Hein.-Wck. 750; Meyr. 718; Tutt Brit. Lep. I p. 251. — larv.: *Rumex Acetosa et Acetosella*.

4340. **Gratiosella** Stt. Cat. 29; HS. V p. 352; Frey L. E. XI, 430; Hein.-Wck. 743; Snell. II, 2 p. 987; Meyr. 718; Tutt Brit. Lep. I p. 253; Hübnerella HS. 829, V p. 352; *Latifasciella* HS. 832, V p. 352; Hein.-Wck. 737; Glitz Stett. e. Z. 1887 p. 277 [v. minor]; *Aurella* HS. 833. — larv.: *Crataegus Oxyacantha*.
4341. **Ulmivora** Folegne Weeckl. Int. VIII p. 92 (1860); Ann. S. Belg. 1860 p. 112; Hein. Wien. Mts. 1862, 264; Nolck. Fn. 769; Hein.-Wck. 744; Snell. II, 2 p. 986; Meyr. 718; Tutt Brit. Lep. I p. 257. — larv.: *Ulmus Campestris*.
4342. **Prunetorum** Stt. Ann. 1855, 50; Nat. Hist. I, 238, t. 6, 3; Hein.-Wck. 745; Snell. II, 2 p. 984; Meyr. 719; Tutt Brit. Lep. I p. 259; *Perpusillella* HS. V p. 353; Frey L. E. XI, 432; ?*Dimidiatella* HS. V p. 352; Corr. Ins. 1860 p. 59; *Hübnerella* HS. 830 et d (nom. vetust.?). — larv.: *Prunus Spinoso*.
4343. **Mespilicola** Frey Tin. 392; L. E. XI, 438; Hein.-Wck. 744; *Ariella* HS. n. Schm. 168. — larv.: *Amelanchier Vulgaris*; *Sorbus Aria* et *Torminalis*.
4344. **Peniciliata** Hein.-Wck. 744 (una ♀ condit.). — larv.: *ingnot*.
4345. ?**Ligustrella** Rössl. Schuppf. 238. — larv.: ?*Ligustrum Vulg.*
4346. **Marginicolella** Stt. Zool. 1853, 3958; Nat. Hist. I, 134, t. 3, 2; HS. V p. 351; Frey L. E. XI, 443; Hein.-Wck. 742; Snell. II, 2 p. 985; Meyr. 719; Tutt Brit. Lep. I p. 260; *Aurella* Z. L. E. III, 306 (pro parte). — larv.: *Ulmus Campestris*.
4347. **Speciosa** Frey Weeckl. Int. IV, 27; Hein. Wien. Mts. 1862, 265; Hein.-Wck. 743. — larv.: *Acer Pseudo-Platanus*.
4348. **Alnetella** Stt. Ann. 1856, 43; Nat. Hist. VII, 220, t. 10, 3; Frey L. E. XI, 437; Nolck. Fn. 721; Hein.-Wck. 745; Snell. II, 2 p. 989; Meyr. 719; Tutt Brit. Lep. I p. 263. — larv.: *Alnus Glutinosa*.
4349. **Rubescens** Hein. Berl. e. Z. 1871 p. 214; Hein.-Wck. 745; Snell. II, 2 p. 995; *Alnetella* Hein. Wien. Mts. 1862 p. 266. — larv.: *Alnus Glutinosa*.
4350. **Dulcella** Hein. Wien. Mts. 1862, 267; Hein.-Wck. 746; Tutt Brit. Lep. I p. 237. — larv.: *Fragaria Vesca*.
4351. **Continuella** Stt. Ann. 1856, 42; Frey L. E. XI, 436; Hein. Wien. Mts. 1862, 301; Hein.-Wck. 746; Snell. II, 2 p. 990; Meyr. 719; Tutt Brit. Lep. I p. 265. — larv.: *Betula Alba*.
4352. **Centifoliella** Z. L. E. III, 315; HS. 827-8, V p. 351; Frey L. E. XI, 419; Stt. Nat. Hist. VII, 204, t. 10, 1; Hein.-Wck. 747; Meyr. 719; Tutt Brit. Lep. I p. 267. — larv.: *Rosa Centifolia* etc.
4353. **Hodgkinsoni** Stt. Monthl. Mag. XXI p. 103 (1884); Hodgk. Entom. XVII p. 281; Meyr. 719; Tutt Brit. Lep. I p. 269. — larv.: *Rosarum* spec. divers.
4354. **Microtheriella** Stt. I. B. 302; Nat. Hist. I, 118, t. 2, 3; HS. V p. 350; Frey L. E. XI, 419; Hein.-Wck. 747; Snell. II, 2 p. 992; Meyr. 720; Tutt Brit. Lep. I p. 275. — larv.: *Corylus Avellana*; *Carpinus Betulus*.
4355. **Inaequalis** Hein. Wien. Mts. 1862, 302; Hein.-Wck. 747; ?*Albicomeilla* Hein.-Wck. 748. — larv.: *Fragaria Vesca*.

*Eur. c; It. c; Dalm.**Germ; Gal; Belg; Bat; Angl; Liv.**Germ; Vind.(Dimid.); Helv. s; Gal; Belg; Bat; Angl; Bith. (Dimid.).**Helv. Alp; Bav.**Germ. c.**Germ. c. oc.**Eur. c; Dan; Liv; Scand. m; Ped.**Germ; Helv; Belg.**Eur. c (?exc. or.); Dan; Liv; Suec.**Germ. s; Bat.**Germ. s; ?Angl.**Germ; Helv. s; Bat; Angl; ?Liv; Suec.**Germ; Austr; Gal; Angl; Cat; Dalm; Bith.**Angl.**Eur. c; Dan; Liv; Fen.**Germ. s. oc.*

4356. **Betulicola** Stt. Ann. 1856, 42; Frey L. E. XI, 424; Hein. Wien. Mts. 1862, 303; Nolck. Fn. II, 773; Hein.-Wek. 748; Snell. II, 2 p. 991; Threlfall Monthl. Mag. XIX p. 113; Meyr. 720; Tutt Brit. Lep. I p. 269. — larv.: *Betula Alba*. *Eur. c. (?exc. or.); Dan; Liv; Fen; Suec.*
4357. **Occultella** Hein. Berl. e. Z. 1871 p. 215; Hein.-Wek. 749; Potentillae Glitz Stett. e. Z. 1872 p. 24. — larv.: *Tomentilla Erecta*; *Potentilla Anserina*. *Germ.*
4358. **Plagicolella** Stt. I. B. 303; Nat. Hist. I, 160, t. 4, 1; HS. V p. 350; Frey Tin. 387, L. E. XI, 426; Hein.-Wek. 750; Snell. II, 2 p. 990; Meyr. 720; Tutt Brit. Lep. I p. 272; ?Reuttiella (Frey) HS. Corr. Ins. 1863, 181 [ab. fascia deficiente]. — larv.: *Prunus Spinosa et Domestica*. *Eur. c; Dan; Ross. s. oc; Suec.*
4359. **Ignobiliella** Stt. Cat. 29; Nat. Hist. I, 246, t. 7, 1; HS. V p. 350; Frey L. E. XI, 414; Snell. II, 2 p. 988; Meyr. 720; Tutt Brit. Lep. I p. 278; Gratirosella Glitz Stett. e. Z. 1887 p. 276 (pr. p.). — larv.: *Crataegus Oxyacantha*. *Germ. s. oc; Bav; Belg; Bat; Angl; Gal; Suec.*
4360. **Distinguenda** Hein. Wien. Mts. 1862, 305; Hein.-Wek. 751; Meyr. 720; Tutt Brit. Lep. I p. 280. — larv.: *Betula Alba*. *Germ. s; Angl.*
4361. **Tengstroemi** Nolck. Fn. II p. 776; Tutt Brit. Lep. I p. 246. — larv.: *Rubus Chamaemorus*. *Liv; Angl. (I); ?Petrov; Norv.*
4362. **Glutinosae** Stt. Ann. 1858, 96; Hein. Wien. Mts. 1862, 306; Hein.-Wek. 751; Snell. II, 2 p. 994; Meyr. 721; Tutt Brit. Lep. I p. 283. — larv.: *Alnus Glutinosa*. *Eur. c. (?exc. or.); Liv.*
4363. **Comari** Wek. Stett. e. Z. 1862, 253; Hein.-Wek. 752; Palustrella Frey Mitth. III (1870) p. 287. — larv.: *Comarum Palustre*. *Germ. s; Norv. s.; Helv.*
4364. **Luteella** Stt. Ann. 1857, 110; Hein. Wien. Mts. 1862, 308; Hein.-Wek. 752; Meyr. 721; Tutt Brit. Lep. I p. 285. — larv.: *Betula Alba*. *Germ. s; Angl; Liv; Suec.*
4365. **Gilvella** Rössl. Verz. 295 (1866); Schppfl. 338; ?Hein.-Wek. 753. — larv.: ?*Quercus*. *Germ. c.*
4366. **Sorbi** Stt. Ann. 1861, 91; Nolck. Fn. II p. 779; Hein. Berl. e. Z. 1871 p. 216; Hein.-Wek. 754; Meyr. 721; Tutt Brit. Lep. I p. 287. — larv.: *Sorbus Aucuparia*. *Sil. et Hercyn. mont; Helv; Gal; Angl; Ross. s. oc; Suec.*
4367. **Zelleriella** Snell. Tijds. XVIII (1874) p. 113, t. 7, f. 1-4; Vlind. II, 2 p. 1007. — larv.: ignota. *Germ; Vind; Bat; Petrov.*
4368. **Helianthemella** HS. Corr. Ins. 1860, 60; n. Schm. 170; Hein. Berl. e. Z. 1871 p. 218; Hein.-Wek. 755. — larv.: *Helianthemum Vulgare*. *Bav; Boh; Hercyn. mont; Ter. m.*
4369. **Argentipedella** Z. Is. 1839, 215; L. E. III, 316; HS. 834, V p. 353; Frey L. E. XI, 421; Stt. Nat. Hist. VII, 212, t. 10, 2; Nolck. Fn. 780; Hein.-Wek. 754; Snell. II, 2 p. 996; Meyr. 721 (pr. p.); Tutt Brit. Lep. I p. 289. — larv.: *Betula Alba*. *Eur. c; Dan; Ross. oc; Suec; Dalm. s.*
4370. **Woolhopiella** Stt. Monthl. Mag. XXIV p. 62 (1887); Tutt Brit. Lep. I p. 292; Argentipedella Meyr. 721 (pr. p.). — larv.: *Betula Alba*. *Angl.*
4371. ?**Flexuosella** Fologne Ann. S. Belg. 1860, 140, 1861, t. 2, f. 5. — larv.: ignota. *Belg.*
4372. **Freyella** Heyd. Weekl. Int. IV, 1858, 175; Stett. e. Z. 1862 p. 366; Hein.-Wek. 756. — larv.: *Convolvulus Sepium et Arvensis*. *Germ; Helv. s.*

4373. **Turicella** HS. V p. 355; Hein. Wien. Mts. 1862, 309; Hein.-Wek. 753; Tutt Brit. Lep. I p. 297; Hemargyrella [Koll. Btrg. II p. 98]; Z. L. E. III p. 323; Hein. Wien. Mts. 1862 p. 310; Hein.-Wek. 753; Snell. II, 2 p. 993; Ignobiliella HS. 816; Turicensis Frey Tin. 391; L. E. XI, 413. — larv.: *Fagus Sylvatica*.
4374. **Basalella** HS. 831, V p. 354; Tutt Brit. Lep. I p. 299; Tityrella Stt. I. B. 304; Nat. Hist. I, 148, t. 3, 3; Frey L. E. XI, 429; Hein.-Wek. 756; Snell. II, 2 p. 997; Meyr. 721; Fulgens Stt. Monthl. Mag. XXV p. 12; Wood ib. 1894 p. 49; Meyr. 723; Tutt l. c. 300. — larv.: *Fagus Sylvatica*.
4375. **Angustella** Hein.-Wek. 756. — larv.: ?*Fragaria Vesca*.
4376. **Nobilella** Hein.-Wek. 755. — larv.: ignot. (a praec. satis distincta?).
4377. **Castanella** Stt. Weekl. Int. V, 123; Ann. 1860, 135; Meyr. 722 not; Tutt Brit. Lep. I p. 302. — larv.: *Castanea Vesca*.
4378. **Malella** Stt. I. B. 304; Nat. Hist. I, 209, t. 5, 3; Frey L. E. XI, 427; Hein.-Wek. 757; Snell. II, 2 p. 998; Meyr. 722; Tutt Brit. Lep. I p. 302. — larv.: *Pyrus Malus*.
4379. **Agrimoniae** Frey Weekl. Int. IV p. 43 (1858); Heyd. Stett. e. Z. 1861 p. 41; Tutt Brit. Lep. I p. 313; Agromoniella HS. Corr. Ins. 1860, 60; n. Schm. 169; Hein. Wien. Mts. 1862, 312; Hein.-Wek. 757; Meyr. 722. — larv.: *Agrimonia Eupatorium*.
4380. **Atricollis** Stt. Ann. 1857, 112; Nat. Hist. VII, 228, t. 11, 1; Hein. Wien. Mts. 1862, 313; Nolek. Fn. 782; Hein.-Wek. 758; Meyr. 722; Tutt Brit. Lep. I p. 304. — larv.: *Crataegus Oxyacantha*; *Pyrus Malus*; *Prunus Spinosa*.
4381. **Angulifasciella** Stt. Cat. 29; Nat. Hist. I, 88, t. 1, 3; HS. V p. 350; Frey L. E. XI, 417; Hein.-Wek. 758; Meyr. 722; Tutt Brit. Lep. I p. 308. — larv.: *Rosa Canina* etc.
4382. **Rubivora** Wek. Jhrs. Schles. Ges. 1860, 132; Hein. Wien. Mts. 1862, 315; Nolek. Fn. 783; Hein.-Wek. 759; Meyr. 722; Tutt Brit. Lep. I p. 310. — larv.: *Rubus Caesius*, *Chamaemorus*, *Fruticosus*.
4383. **Arctuatella** HS. V p. 354 (1855); Hein. Wien. Mts. 1862, 315; Nolek. Fn. 784; Hein.-Wek. 759; Meyr. 723; Tutt Brit. Lep. I p. 306; Arcuata Frey L. E. XI, 415; Stt. Nat. Hist. VII, 196, t. 9, 3. — larv.: *Fragaria Vesca*; *Potentilla Fragariastrum*.
4384. **Schleichiella** Frey Mittb. III (1870) p. 286; Hein.-Wek. 759. — larv.: *Sanguisorba Officinalis*.
4385. **Obliquella** Hein. Wien. Mts. 1862, 316; Hein.-Wek. 760; Glitz Stett. e. Z. 1887 p. 277; Tutt Brit. Lep. I p. 323; Diversa Glitz l. c. 1872 p. 24; Hein.-Wek. 761; Martini Stett. e. Z. 1893 p. 117. — larv.: *Salix Viminalis* et *Alba*.
4386. **Myrtillella** Stt. Weekl. Int. II, 1857 p. 44; Ann. 1858, 95; Nat. Hist. VII, 236, t. 11, 2; Hein. Wien. Mts. 1862, 317; Nolek. Fn. 786; Hein.-Wek. 760; Meyr. 723; Tutt Brit. Lep. I p. 315. — larv.: *Vaccinium Myrtillus* et *Uliginosum*.

*Eur. c.**Germ; Austr. inf;*
Hal; Helv; Angl;
*Bat; Belg; Scand.m.**Germ. c.**Austr. inf.**Angl. [sec. Wek. : It;*
*Gal.m; Ter.m.val.J.**Eur. c; Liv; Fen.**Germ; ?Austr; Helv;*
*Angl; Gal.**Germ; Angl; Dan;*
*Liv.**Eur. c. (exc. Bat.);*
*Gal. m; Dan.**Germ; Helv; Austr;*
Gal; Angl; Belg;
*Liv.**Germ; Helv; Angl;*
*Liv.**Helv.**Germ; Helv; Austr;*
*Dan.**Germ; Helv; Angl;*
Belg; Suec.

Nepticulidae

227

4387. **Salicis** Stt. I. B. 302; Nat. Hist. I, 98, t. 2, 1; HS. V p. 354; Frey L. E. XI, 408; Nolck. Fn. 787; Hein.-Wek. 761; Snell. II, 2 p. 999; Meyr. 723 (pr. p.); Tutt Brit. Lep. I p. 317. — larv.: Salices.
4388. **Suberis** Stt. South. Eur. 229; Nolck. Stett. e. Z. 1882 p. 198. — larv.: Quercus Suber.
4389. **Vimineticola** Frey Tin. 382; L. E. XI, 409; Hein.-Wek. 761; Snell. II, 2 p. 1001; Tutt Brit. Lep. I p. 320. — larv.: Salix Viminalis et Alba.
4390. **Floslactella** Hw. Lep. Br. 585; Stt. Nat. Hist. I, 106, t. 2, 2; HS. V p. 355; Frey L. E. XI, 411; Hein.-Wek. 762; Snell. II, 2 p. 1000; Meyr. 723; Tutt Brit. Lep. I p. 324. — larv.: Corylus Avellana; Carpinus Betulus.
4391. **Lapponica** Wek. Stett. e. Z. 1862, 251; Wallgr. Tidskr. II, 130; Threlfall Monthl. Mag. XV p. 239; Meyr. 724; Tutt Brit. Lep. I p. 293. — larv.: Betula Alba.
4392. **Confusella** Wood Monthl. Mag. 1894 p. 272 (95); Meyr. 724; Tutt Brit. Lep. I p. 296. — larv.: Betula Alba.
4393. **Carpinella** Hein. Wien. Mts. VI (1862) p. 251; Hein.-Wek. 762; Snell. II, 2 p. 1000; ?Fagella HS. V p. 354; Hein.-Wek. 763 not; Fagi Frey Tin. 384; L. E. XI, 412; Lep. 425. — larv.: Carpinus Betulus.
4394. **Aterrima** Wek. Stett. e. Z. 1865, 270; Hein.-Wek. 763. — larv.: Crataegus Oxyacantha.
4395. **Septimbrella** Stt. Cat. 29; Nat. Hist. I, 168, t. 4, 2; HS. V p. 356; Frey L. E. XI, 391; Hein.-Wek. 763; Snell. II. 2 p. 1007; Meyr. 724; Tutt Brit. Lep. I p. 336; Intimella HS. 929. — larv.: Hypericum (spec. divers.).
4396. **Catharticella** Stt. Zool. 1853, 3958; Nat. Hist. I, 178, t. 4, 3; HS. V p. 356; Frey L. E. XI, 390; Hein.-Wek. 763; Snell. II, 2 p. 1006; Meyr. 724; Tutt Brit. Lep. I p. 339. — larv.: Rhamnus Cathartica et Alaternus.
4397. **Intimella** Z. I. E. III, 323; Stt. I. B. 301; HS. V p. 356; Frey L. E. XI, 393; Hein.-Wek. 764; Meyr. 724; Tutt Brit. Lep. I p. 341. — larv.: Salix Fragilis, S. Russeliana, S. Caprea.
4398. **Weaveri** Stt. Ann. 1855, 49, t. 1, f. 5; Nat. Hist. I, 10; VII, 182, t. 9, 1; HS. V p. 346; Frey L. E. XI, 396; Hein. Wien. Mts. 1862, 319; Hein.-Wek. 764; Snell. II, 2 p. 1005; Meyr. 725; Tutt Brit. Lep. I p. 346. — larv.: Vaccinium Vitis Idaea.
4399. **Sericopeza** Z. Is. 1839, 215; L. E. III, 325, t. 2, f. 48; HS. 841-2, V p. 358; Frey L. E. XI, 402; Hein.-Wek. 764; Meyr. 725; Tutt Brit. Lep. I p. 343; ?Louisella Sircum Zool. 1849, App. p. 42. — larv.: Acer Campestre et Platanoides.
4400. **Decentella** HS. 815, V p. 358; Frey L. E. XI, 403; Hein.-Wek. 765 (praec. gen. aestiv. sec. Frey Lep. 425). — larv.: Acer Pseudo-Platanus et Platanoides.
4401. **Quinquella** Bedell Zool. 1848, 1986; Stt. I. B. 301; Meyr. Monthl. Mag. XIV p. 111; Handb. 725; Tutt Brit. Lep. I p. 342. — larv.: Quercus Robur.
4402. **Turbidella** Z. L. E. III, 321 (Argyropeza var. c.); Hein.-Wek. 765; Argyropeza HS. 838-9, 930. — larv.: Populus Nigra et Alba.
4403. **Hannoverella** Glitz Stett. e. Z. 1872 p. 25; Hein.-Wek. 766 (praec. var.?). — larv.: Populus Pyramidalis.
- Eur. c. (?exc. or.);
Dan; Ross. s. oc;
Suec; Gal. m. or.
- Gal. m. or; Lusit.
- Helv. s; Bav; Bat;
Angl; Fen.
- Eur. c. (exc. or.);
Dan; Liv; Suec.
- Lap; Fen; Angl;
Scot.
- Angl.
- Germ; Helv; Bat;
As. min.
- Sil. mont.
- Eur. c; Liv.
- Eur. c. (?exc. or.);
Liv; Suec; Gal. m.
or.
- Germ; Austr; Helv.
s; Angl; ?Liv.
- Germ. s. et m. mont;
Alp; Angl; Scot;
Bat; Ross. s. oc;
Suec.
- Eur. c. (exc. Bat.);
Liv; Scand. m;
It. c; Dalm; Bith.
- Germ; Austr; Gal.
- Angl.
- Germ; Austr; Ross.
c. oc.
- Germ.

4404. **Trimaculella** Hw. Lep. Br. 583; Stt. Nat. Hist. I, 216, t. 6, 1; Frey L. E. XI, 404; Hein.-Wek. 766; Snell. II, 2 p. 1004; Meyr. 725; Tutt Brit. Lep. I p. 348; Rufella Z. Is. 1839 p. 215; L. E. III, 328; HS. 843, V p. 358; ?Albicornella (Koll.) Now. En. 231. — larv.: Populus (Nigra, Pyramidalis, Tremula).
- a) ab. *Populella* (Frey) HS. V p. 357; *Semipictella* Steud. Verz. 244 (al. ant. striga basali cum macula inf. conjuncta).
4405. **Promissa** Stgr. Berl. e. Z. 1870, 325. — larv.: Pistacia Lentiscus; Rhus Cotinus.
4406. **Assimilella** Z. L. E. III, 327; Stt. Nat. Hist. I, 12; HS. 840, V p. 355; Frey Tin. 380; L. E. XI, 406; Nolek. Fn. 794; Hein.-Wek. 767; Snell. II, 2 p. 1003; Meyr. 725; Tutt Brit. Lep. I p. 350. — larv.: Populus Tremula.
4407. **Bistrimaculella** Heyd. Stett. e. Z. 1861, 40; Weekl. Int. IX, 180; Hein.-Wek. 768 (a praece. satis distincta?). — larv.: Betula Alba.
4408. **Subbimaculella** Hw. Lep. Br. 583; Wd. 1355; Stt. Nat. Hist. I, 258, t. 7, 3; Frey L. E. XI, 379; Hein.-Wek. 767; Snell. II, 2 p. 1002; Meyr. 725; Tutt Brit. Lep. I p. 352; *Cursoriella* Z. L. E. III, 326; HS. 844, V p. 356. — larv.: Quercus Robur et Pedunculata.
- a) v. *Albifasciella* Hein. Berl. e. Z. 1871 p. 222; Hein.-Wek. 769; Snell. II, 2 p. 1002 (al. ant. maculis oppositis in fascia conjunctis).
4409. **Argyropeza** Z. Is. 1839, 215; L. E. III, 320 (exc. var. a et b); Stt. Nat. Hist. I, 10. VII. 188, t. 9, 2; Hein.-Wek. 768; Meyr. 726; Tutt Brit. Lep. I p. 327; *Apicella* Stt. I. B. 300; Meyr. 726; *Subapicella* Stt. Monthl. Mag. XXII p. 238; Tutt l. c. 330; ab. *Morosella* Steud. Verz. 244 [ab. *unicolor nigra*]. — larv.: Populus Tremula.
4410. **Headleyella** Stt. I. B. 300; Nat. Hist. I, 11; HS. V p. 356; Frey L. E. XI, 395; Fletcher Monthl. Mag. XXIII p. 187; Meyr. 726; Tutt Brit. Lep. I p. 330; *Argystigma* Frey Tin. 379; L. E. XI, 394. — larv.: Prunella Vulgaris.
4411. **Pulverosella** Stt. Cat. 30; I. B. 307 (Trifurcula); Nolek. Fn. 797; Hein.-Wek. 769; Meyr. 726; Tutt Brit. Lep. I p. 355. — larv.: Pyrus Malus.
4412. **Cryptella** Stt. Ann. 1856; Frey L. E. XI, 389; Hein.-Wek. 769; Meyr. 726; Tutt Brit. Lep. I p. 333. — larv.: Lotus Corniculatus.
4413. **Wockeella** Hein. Berl. e. Z. 1871 p. 223; Hein.-Wek. 770 (Vimineticolae Frey [no. 4389] var? sec. Snell.). — larv.: Salices.
4414. **Simplicella** Hein. Wien. Mts. 1862, 319; Hein.-Wek. 770. — larv.: ignota.
4415. **Eurema** (Durr.) Tutt Brit. Lep. I p. 332 (1899). — larv.: Lotus Corniculatus; Doryenium Hirsutum.
4416. **Euphorbiella** Stt. South. Eur. 229. — larv.: Euphorbia Dendroides.
4417. **Dewitziella** Sorh. Ent. Nachr. 1885 p. 285. — larv.: Salix Caprea.
4418. **Cistivora** Peyer Mitth. III (1871) p. 414; Mill. Ic. 125, f. 13-16. — larv.: Cistus Monspeliensis et Salviaefol.
- Eur. c; Dan; Liv.
Gal. m.
Eur. c; Dan; Liv.
Germ.
Eur. c; Suec; Fen;
Gal.m.or; It.c; Istr.
Germ. s; Bat.
Eur. c; Dan; Suec;
Ross. oc; It. c.
Angl.; ?Helv. s; Bav.
Germ; Helv; Angl;
Liv.
Germ; Austr. inf;
Helv; Angl; Scot;
Gal. m. or.
Sil.
Germ. s. oc.
Angl; Gal. m.
Gal. m. or.
Germ. s. oc.
Gal. c. et m.

436. **Scoliaula** Meyr. 1895 (Bohemannia Stt., nom. praeocc.).

4419. **Quadrimaculella** Boh. Ent. Anteckn. under en resa i Södra Sverige 1851 p. 167; HS. 1004, V p. 353; Stt. Man. II, 439; Snell. II, 2 p. 963; Meyr. 728; Tutt Brit. Lep. I p. 359. — larv.: ?Afnus.
- Suec. m; Angl; Belg;
Bat; Gal. m. or.

XIV. Talaeporidae.437. **Dissocetna** Stgr. 1859.

4420. **Granigerella** Stgr. Stt. e. Z. 1859, 234; HS. n. Schm. 112 p. 19.
- Hisp; ?Pont.

438. **Talaeporia** Hb. 1818.

4421. **Politella** O. IV, 200; Tr. X, 1, 171; F. R. 38, f. 2 a-c, p. 86; Z. L. E. VII, 337; Gn. Ann. S. Fr. 1846 p. 9, 13; Brd. Mon. Ps. t. 1, f. 14 a, b; Hein. 19; Lefebvriella Dup. Sup. IV p. 198, t. 67, f. 2.
- a) v. **Clandestinella** Z. L. E. VII, 338; Brd. Mon. Ps. t. 1, f. 15; Minorella Dup. Sup. IV p. 201, t. 67, f. 5 (minor, pallidior).
4422. **Borealis** Wck. Stett. e. Z. 1862, 66.
4423. **Tubulosa** Retz. Gen. et Sp. Ins. p. 44 (1783); Tutt Brit. Lep. II p. 215; Pseudobombycella Hb. 212 ♂, 382 ♀; Tr. X, 1. 169; F. R. 37 p. 81; Tngstr. Bidr. 106; Gn. Ann. S. Fr. 1846 p. 9, 13; Z. L. E. VII, 339; Hein. 19; Snell. II, 1 p. 447; Meyr. 776; Glabrella O. IV, 199; Tessellea Hw. 522; Wd. 1266; Curt. B. E. XI, 487; Andereggella Dup. Sup. IV, 67, 1.
4424. **Improvisella** Stgr. Stt. e. Z. 1859, 234; Hor. XV, 267 (hujus generis?).
- Germ. m; Helv;
Austr; Hung; Gal;
Cast; ?Petrov.
- Dalm; Hung. lit; Gal.
m.
- Norv. s. et c. alp; Lap.
Eur. c. et m; Suec;
Ross. s. oc; As. min.
- And; Pont; Taur.

439. **Bankesia** Tutt 1899.

4425. ?**Douglasii** Stt. I. B. p. 19; Man. II p. 286; Meyr. 775 (pr. p.); Tutt Brit. Lep. II p. 201.
4426. **Staintoni** Wlsghm. Ent. Rec. XI p. 258 (1899); Tutt Brit. Lep. II p. 202; Conspurcatella Stt. (non Z.) Ann. f. 1868 p. 127, t. 1, f. 3; Meyr. 775.
4427. **Conspurcatella** Z. Stett. e. Z. 1850, 59; L. E. VII, 356; HS. 365, V p. 113; Brd. Mon. Ps. p. 103, t. 2, f. 76; Hein. 19; ?Chret. Natural. 1893 p. 103.
4428. **Vernella** Const. Ent. Rec. XI p. 255 (1899).
4429. **Montanella** Wlsghm. Ent. Rec. XI p. 257 (1899).
4430. **Alpestrella** Hein. 20.
4431. **Pallida** Stgr. Hor. XV (1880) p. 268; Tutt Brit. Lep. II p. 195 (certe hujus gen. sec. spec. typie. Rbl.).
4432. **Defoliella** Const. Bull. S. Fr. 1895 p. 51; Ent. Rec. XI p. 256 (hujus generis?).
- Angl. (Surrey).
- Angl; Belg; Cors.
- It. c; ?Gal; ?Hisp. s.
- Gal. m. or; Parisii.
Cors.
- Alp. Helv.
Pont.
- Gal. m.

440. **Sciopetris** Meyr. 1891.4433. **Technica** Meyr. Monthl. Mag. 1891 p. 58.*Maur.*4434. **Pretiosa** Stt. Monthl. Mag. VIII p. 233 (hujus gen.?).*Maur. oc.*441. **Luffia** Tutt 1899.

4435. **Lapidella** Goeze Btr. III, 4, 168; Z. L. E. VII p. 357 not; Rbl. Ann. Nat. Hofmus. VII p. 266; Tutt Ent. Rec. XI p. 207; Brit. Lep. II p. 234; Lapidicella Z. Is. 1838, 718; Lapidicella Gn. Ann. S. Fr. 1846 p. 14; Brd. Mon. Ps. p. 90, t. 2, f. 66, a, b; Pectinella Dup. Sup. IV, 89, 6; ?Pinastrella Mill. Ann. S. Lyon 1857, IV p. 181, t. 2, f. 3-5.

*Hisp. m; Gal; Angl;
Helv. m; Cors; It;
Dalm; Can.*

4436. **Forchaultella** Stph. Zool. VIII App. p. 109 (1850); Chapm. Ent. Rec. XI p. 293; ib. XII p. 20; Tutt Brit. Lep. II p. 245; Pomona Stt. Weekl. Int. VI p. 28; Harding Monthl. Mag. VI p. 91; ib. XIII p. 208 (sp. parthenog., ♂ ignot.; praec. sp. ♀ forma parthenog.?).

*Angl; Gal; Helv. m;
?It.*

442. **Solenobia** (Dup.) Z. 1852.

4437. **Clathrella** F. R. 38, 1 p. 84; Dup. Sup. IV, 84, 9; Gn. Ann. S. Fr. 1846, 10, 14; Z. L. E. VII, 344; HS. V p. 88; Brd. Mon. Ps. p. 103, t. 2, f. 77, a, b; Hein. 22; Tutt Brit. Lep. II p. 196; Triquetrella Tr. X, 1. 169.

*Austr. inf; Hung;
?Ped; ?Helv. m.*

4438. **Mannii** Z. L. E. VII, 346; HS. V p. 88; Hein. 22; Tutt Brit. Lep. II p. 193; Lichenella Dup. Sup. IV p. 428, t. 84, f. 8; Brd. Mon. Ps. p. 105, t. 2, f. 78, a, b.

*Austr; ?Hal; ?Gal;
Rum; ?Bith.*

4439. **Triquetrella** F. R. 39 p. 87; Z. L. E. VII, 351; HS. V p. 88; Frey Tin. 18; Hofm. Nat. Ps. 40; Hein. 23; Sepp. (2) III p. 233, t. 42, f. 1-10; Snell. II, 1 p. 445; Tutt Brit. Lep. II p. 189; ?Hb. 373 (273).

*Eur. c. (exc. Brit.);
Liv; Fen; Dalm;
Rum.*

4440. **Fumosella** Hein. 24; Tutt Brit. Lep. II p. 188.

Germ. s; ?Alsat.

4441. **Pineti** Z. L. E. VII, 348; HS. V p. 88; Hofm. Nat. Ps. 46; Wck. Stett. e. Z. 1862 p. 68; Hein. 23; Snell. II, 1 p. 446; Cembrella Tngstr. Cat. 363; Tutt Brit. Lep. II, 184; ?L. F. S. no. 1422; Clathrella Tngstr. Bidr. 107 (forma bisexualis).

Eur. c. (exc. Brit.) et s.

4442. **Lichenella** L. F. S. p. 370, no. 1451; Z. L. E. VII p. 353; HS. V p. 88; Tutt Brit. Lep. II p. 171 (praec. sp. ♀ parthenog.??; ♂ ignot.).

*Eur. c. et s; Ped;
Rum.*

4443. **Suifunella** Chr. Bull. M. 1881, II p. 430; Tutt Brit. Lep. II p. 183.

Amur; Uss.

4444. **Wockii** Hein. 24; Barr. Monthl. Mag. 1895 p. 163; Tutt Brit. Lep. II p. 182.

*Sil; ?Belg; Vind;
Hal; Car; ?Hebr.*

4445. **Nickerlii** Hein. 25; Wlsghm. Monthl. Mag. 1897 p. 129; Tutt Brit. Lep. II p. 182.

Boh; Austr; ?Angl.

4446. **Inconspicuella** Stt. Cat. 6; Zool. App. 1849 p. 61; I. B. 19; Man. II p. 286; Z. L. E. VII, 355; Hofm. Nat. Ps. 50; Hein. 25; Meyr. 775; ?Tutt Ent. Rec. XI p. 173; Brit. Lep. II p. 163.

*Angl; Germ. m;
Austr. inf; Car; Val.*

XV. Tineidae.

A. Atychiinae.

443. Atychia Latr. 1809.

4447. **Pumila** O. II, 3, IV, 161; Hb. 678-9; Guérin Ic. t. 84 bis, f. 8, 8a; B. Ic. p. 85, t. 56, 7, 8; Dup. Sup. II, 8, 4; Ev. F. V. U. 89; HS. 609-10, V p. 83; Chimaera Hb. Noct. 405. *Hung; Ross. m.; Austr. inf. (Mn.); Dalm.*
4448. **Fulgorita** F. d. W. Nouv. Mém. Mosc. 1832 p. 360, t. 21, f. 5; Orbonata Frr. IV, 321, 1; Pusilla Ev. F. V. U. 90. *Ross. m. or.*
- a) ab. *Exilis* (Ev.) HS. n. Schm. 12 p. 2; Möschl. Wien. Mts. 1863, 79; Confinis B. Spec. Gen. Het. I p. 484 (al. post. fere totis albis). *Srp.*
4449. **Minutula** Ersch. Fedtsch. p. 96, t. 6, f. 105. *Saraw.*
4450. **Appendiculata** Esp. II, t. 35, f. 5, 6 ♀, p. 227; O. II, 4; B. Ic. 56, 5, 6 p. 83; Dup. Sup. II, 8, 3; Ev. F. V. U. 90; Frr. B. 116, f. 1; HS. V p. 83; Hein. 7; Chimaera Hb. Sphing. 1; Hb. Noct. 314-5. *Austr. inf; Morav.; Ter; Carn; Hung; Dalm; Ross. m.; Pont; Tura.*
4451. **Dispar** HS. 606-8, V p. 83; Möschl. Wien. Mts. 1863 p. 78. *Ross. m.*
- a) v. *Compar* Stgr. Hor. XV p. 265 (♂ al. post. nigris, macula basali et ciliis albis, ♀ tota nigra). *Pont; Taur; Hyrc.*
4452. **Tristis** Stgr. Hor. XV (1880) p. 266. *Taur.*
4453. **Candefacta** Ld. Wien. Mts. 1858, 151, t. 4, 9 ♀. *Syr.*
4454. **Diacona** Ld. Wien. Mts. 1858, 151, t. 4, 10 ♂. *Syr.*
4455. **Funebris** Feisth. Ann. S. Fr. 1833, 259, t. 9, D; Dup. Sup. II, 8, 5; B. Ic. 56, 4 p. 86; HS. 611-12, V p. 83; B. Spec. Gen. Het. I p. 486; Nana Rbr. Cat. S. And. p. 159; ?Pusilla B. I. c. 487. *Gal. m; Hisp; Mauv.*
4456. **Nana** Tr. X, 1, 97; Frr. IV, 351, 2; HS. 613, V p. 84; B. Spec. Gen. Het. I p. 486. *Dalm; Graec; ?Sic.*
4457. **Beryti** Stt. Syr. 53; Nana Ld. z. b. V. 1855, 226, t. 4, f. 11. *Syr.*
4458. **Laeta** Stgr. Stett. e. Z. 1863, 269; Mill. Ic. 52, f. 3, 4. *Cast.*
4459. **Rhagensis** Ld. Hor. VI (1869) p. 91, t. 5, f. 10. *Hyrc.*
4460. **Fallax** Stgr. Iris XII p. 350. *As. c. (Thian. oc. [Kuldscha]; Usgent; Alai; Iss. K. oc.).*
4461. **Fasciata** Stgr. Iris XII p. 349, t. 7, f. 10. *Thian. or.*
4462. **Rasa** Chr. Hor. XII (1877) p. 266; Stgr. Iris XII p. 350; *Radiata* Chr. Hor. X (1873) p. 49, t. 1, f. 9. *Tura; Hyrc.*
- a) v. *Rasata* Stgr. l. c. (al. ant. distinctius striatis). *Ferg.*
4463. **Radiolata** Stgr. Iris XIII p. 351. *Tarb.*
4464. **Cassandrella** Stgr. Stett. e. Z. 1859, 224. *And.*

444. Phycodes Gn. 1852.

4465. **Minor** Moore Pr. Z. Soc. 1881 p. 378.¹⁾ *Mesop; Arab; Ind.*

¹⁾ *Phyc. Radiata* O. II, 5 non civis est territorii (cfr. Rghfr. z. b. V. 1884 p. 563).

B. Ochsenheimeriinae.445. **Ochsenheimeria** Hb. 1822.

4466. **Bubalella** Hb. 376 (276); HS. V p. 109. *Gal. m; And.*
4467. **Taurella** Schiff. S. V. 142; Tr. IX, 2. 74 ♂; Dup. XI, 299, 11; F. R. Stett. e. Z. 1849, 209; HS. 248, V p. 110; Hein. 89; Snell. II, 1 p. 502. (*var.*) *Eur. c. (exc. Angl.); Liv; Fen; Hisp. Ped; Sard; It; Dalm. Angl; Germ; Helv; Ross. s. oc.*
4468. **Bisontella** Z. Is. 1846, 274; Stt. I. B. 23; Frey 16; Hein. 90; Nolck. Fn. II, 473; Meyr. 778; Taurellus Hw. 546; (-a) Stph. Ill. IV, 350; Wd. 1568; Urella HS. 246, V p. 110; ?Tngstr. Bidr. 114; Hirculella Tngstr. Bidr. 113; Porphyrella Tngstr. l. c. 114; Scabrosella Tngstr. l. c. 113. *Angl; Germ; Helv; Bat.*
4469. **Birdella** Curt. B. E. VIII, 344; Wd. 1566; HS. V p. 110; Hein. 90; Stt. Nat. Hist. XIII p. 14, t. 1, f. 1; Möschl. Bresl. e. Z. 1879 p. 120; Snell. II, 1 p. 502; Meyr. 778; Urella F. R. Stett. e. Z. 1842, 211 (*praeac. var.?*). *It. c; Gal. m. (Mill.). Gal. m.*
4470. **Trifasciata** Wck. Cat. ed. II p. 276, no. 1524. *Angl; Germ; Austr; Helv. s.*
4471. **Hederarum** Mill. Rev. et Mag. Zool. 1874 p. 249; Ann. Soc. Sc. Cannes 1875 p. 5, t. 1, f. 12, 13 (*?syn. praeac.*). *Srp.*
4472. **Vacculella** F. R. Stett. e. Z. 1842, 213; HS. 247, V, 110; Stt. I. B. 23; Hein. 91; Snell. II. 1 p. 503; Meyr. 778; Taurella Hb. 188; Tr. IX, 2. 74 ♀. *Angl; Germ; Austr; Helv. s.*
4473. **Capella** Möschl. Wien. Mts. 1860, 275. *Angl; Germ; Austr; Helv. s.*

C. Acrolepiinae.446. **Acrolepia** Curt. 1838.

4474. **Valeriella** Snell. Tijds. XXI (1877-78) p. 44, t. 2, f. a; Vlind. II, 2 p. 556. *Germ; Bat; Gal; Transsylv.*
4475. **Cariosella** Tr. X, 3. 203; Z. Is. 1839, 203; Dup. XI, 289, 4; HS. V p. 105; Frey 171; Hein. 95; Snell. Tijds. XXI t. 2, f. b; Reticulella Hb. 171; Tr. IX, 1. 232. *Eur. c. (exc. Angl.); Fen; It. c; Bith.*
4476. **Arnicella** Heyd. Stett. e. Z. 1863, 109; Hein. 96; Snell. Tijds. XXI t. 2, f. c; ib. XL p. 342; ?Adjectella Heyd. l. c. 111. *Germ; Bat; Helv; Ter; Car.*
4477. **Fumociliella** Mn. z. b. V. 1855, 566. *Hisp. s; Gal; Cors; Sard; It. c.*
4478. **Vesperella** Z. Stett. e. Z. 1850, 156; HS. 348, V p. 106; Smilacella Mill. Ic. I p. 385, t. 46, 6-11. *Gal. m; Hisp. s; It. c; Sic; Dalm; Maur. Sil.*
4479. **Unicolor** Wck. Bresl. e. Z. 1884 p. 59. *Germ; Austr; Hal; Hung; Gal; Belg; Bat.*
4480. **Assectella** Z. Is. 1839, 203; Hein. 96; Snell. II, 2 p. 557; Betulella HS. 345, V p. 105; ?Vigeliella Dup. Sup. IV t. 73. f. 12. *Angl; ?Sil; ?Alsat.*
4481. **Betulella** Curt. B. E. XV, 679; Stt. Monthl. Mag. XXV p. 291; Meyr. 771; Betuletella Stt. Ann. f. 1858 p. 107; ib. 1867 p. 24. *Angl.*
4482. **Marcidella** Curt. Ann. & Mag. (2) 1850, V p. 120; Stt. Ann. f. 1861 p. 88; Proc. Dorset Field Club X t. 1, f. 3; Barr. Monthl. Mag. XXVII p. 274 (*cfr. Meyr. 772*). *Angl.*
4483. **Tauricella** Stgr. Berl. e. Z. 1870, 319. *Crimaea.*

4484. **Pygmaeana** Hw. Lep. Br. 438; Hein. 97; Snell. II, 2 p.556; Meyr.772; *Autumnitella* Curt. B.E. XV p.679; *Lefebvriella* Dup. XI, 290. 11; *Heleniella* Z. Is. 1839, 203; HS. 346, V p. 105.
4485. **Perlepidella** Stt. Cat. 19; I. B. 170; Frey 170; Hein. 98; Meyr. 772; *Fulviceps* Wek. Bresl. e. Z. 1850, t. 5, 19; HS. V p. 106; *Ruficeps* HS. 643.
4486. **Granitella** Tr. IX, 2. 265; F. R. 8 p. 11; HS. V p. 105; Frey 171; Hein. 96; Snell. Tijds. XXXII p.57; Meyr. 771.
4487. **Exsucella** Ersch. Fedtsch. p. 98, t. 6, f. 110.
4488. **Solidaginis** Stgr. Stett. e. Z. 1859, 251.
4489. **Eglanteriella** Mn. z. b. V. 1855, 566.
- ✓

447. **Roeslerstammia** Z. 1839.

4490. **Erxlebella** F. Mant. II, 256; Meyr.771; *Fuscocuprella* Hw. p. 569; Wd. 1388; *Chrysitella* Tr. IX, 2. 114; *Erxlebeniella* HS. 355, V p.137; Hein. 98.
4491. **Pronubella** Schiff. S. V. 142; Hb. 247; HS. V p.138; Hein. 99; Meyr. 770.
4492. **Incerta** Chr. Bull. M. 1882, I p. 10.
- ✓

448. **Atabryia** Snell. 1884.

4493. **Bucephala** Snell. Tijds. XXVII (1884) p.166, t.9, f.1-1 b. Amur; Uss.

D. Setomorphinae.

449. **Setomorpha** Z. 1853.

4494. **Discipunctella** Rbl. Ann. Naturh. Hofmus. VII p. 267, t. 17, f. 16 (1892); ib. XI p.122; ib. XIII p.377.

E. Lypusinae.

450. **Lypusa** Z. 1852.

4495. **Maurella** (S. V.) F. Mant. II, 244; Hb. 122; Tr. IX, 2. 113; Ev. F. V. U. 587; Z. L. E. VII. 334; HS. V p. 63; Hein. 28; Snell. II, 1 p. 451.
- ✓

F. Teichobiinae.

451. **Teichobia** HS. 1853 [Psychoides Brd. Novbr. 1853].

4496. **Verhuellella** Stt. I. B. 39; HS. 820, V p.280; Frey 31; Hein. 93; Meyr. 777; *Verhuella* Brd. Mon. Ps. 109, t. 2, 82.
- ✓

*Angl; Germ; Austr;
Hal; Gal. m; Bat.*

*Angl; Germ. or;
Austr. inf; Car;
Helv. s; Hung.*

Eur. c. et m; Maur.

Saraw.

And; Gal. m; Sic.

Cors; Gal. m.

Eur. c. (exc. Bat.).

*Austr.inf; Hal; Hung;
Sil; Germ. c; Angl; ? Liv; Dalm; Cauc.*

Uss. m.

Amur; Uss.

*Eur. c. (exc. Angl.) et
s; It; Dalm.*

*Eur. c. (exc. Bät. et
? Ross.); Dalm.*

G. Tineinae.

452. Narycia Stph. 1836 (Xysmatodoma Z. 1852).

4497. **Monilifera** Geoffr.-Fourc. Ent. Par. II p. 325; Tutt Brit. Lep. II p. 137; Melanella Hw. Lep. Br. 566; Wd. 1589; Stt. I. B. 21, t. 1, f. 7; HS. V p. 89; Z. L. E. VII, 363; Hein. 35; Snell. II, 1 p. 450; Meyr. 776; Stelliferella F. R. 59 p. 156; Atrella Stph. Ill. IV, 359; Wd. 1590.
 4498. ?**Astrella** HS. 320, V p. 89; Z. L. E. VII, 365; Hein. 35.

Eur. c; Dalm. s; Srp.

Boh.; Sil.; Morav.

453. Diplodoma Z. 1852.

4499. **Marginepunctella** Stph. Ill. IV, 358; Wd. 1588; HS. V p. 96; Z. L. E. VII, 360; Hein. 33; Snell. II, 1 p. 449; Meyr. 777; Siderella Z. Is. 1839, 183; Tongstr. Bidr. 107; HS. 319; Herminia Tutt. Brit. Lep. II p. 147; ?Geoffr.-Fourc. Ent. Par. II p. 332 (1785).

Eur. c; Ross. s. oc;
As. min; Arm.

4500. ?**Adspersella** Hein. 34; Rbl. z. b. V. 1889 p. 303.

Alp.; Sax; Transsyb.
Hisp. m.

4501. **Ragonoti** (B.-Haas i. l.) Rbl. Iris XIII p. 186.

454. Penestoglossa Rghfr. 1875 (Psilotrix Wek. 1871 nom. praeocc.).

4502. **Dardoinella** Mill. Ic. I p. 318, t. 37, 8-11, II p. 27, t. 54, 3-5, III p. 377, t. 147, 13-15.
 4503. **Incerta** Mill. Bull. S. Fr. 1886 p. 53; Nat. Sic. VI p. 3, t. 1, f. 5, 6 (praeec. ♀?).
 4504. **Latiorella** Mn. z. b. V. 1873 p. 131.

Cat; Gal. m; Sard.
Sic; Dalm.
Lomb.

Sic.

455. Melasina B. 1840.

4505. **Lugubris** Hb. Bomb. 216-7; O. II, 7; HS. Bomb. 114, V p. 86; Dup. Sup. II, t. 8, f. 6, IV, t. 56, f. 13; B. Ic. 56, f. 9, 10; Hein. 32; Ciliaris O. III, 350; HS. Bomb. 112-13; Hein. 32; Melas B. Gen. 78; Dup. Sup. IV t. 56, f. 12; HS. V p. 87; Ciliarella Brd. Mon. Ps. t. 1, f. 1; Ciliarivicina Brd. ib. f. 2; Semilugubrella Brd. ib. f. 3; Melanosella Brd. ib. f. 4; Lugubrosella Brd. ib. f. 7, 8; Phryganilugubrella Brd. ib. f. 9 (spec. valde variabilis, ♀ ciliis alarum aut fusca aut albis).
 a) ab. (var.) **Melana** Friv. Tarsag. Evkönv. III p. 171, t. 7, f. 1 (1838); HS. Bomb. 79; Melanatella Brd. I. c. f. 6 (♂ al. ant. maculis magnis disci albis).

Alp; Austr. inf;
Hung; Gal; Pyr;
Lusit; It; Balk; As.
min.

Ter; Hung. m. mont;
Bulg.

4506. **Punctata** HS. Bomb. 80 ♂, V p. 87; Stgr. Hor. XV p. 269; Punctatella Brd. Mon. Ps. 1, 5 (♀ aptera).

Turc; Srp; Lyd;
Taur; Cauc. m. or.

456. Hapsifera Z. 1847.

4507. **Luridella** Z. Is. 1847, 33; HS. 336, V p. 82; Stt. Syr. 59.
 4508. **Palaestinensis** (B.-Haas i. l.) Rbl. Iris XIII p. 179.
 4509. **Parcella** Ld. z. b. V. 1855, 228, t. 4, 12 ♂; Stt. Syr. 59.

Graec; As. min; Syr.
Pal.
Syr.

457. Euplocera Rag. 1895.

4510. **Multiguttella** Rag. Bull. S. Fr. 1895 p. 104.

Taur. m.

458. **Euplocamus** Latr. 1809.

4511. **Anthracinalis** Sc. Ent. Carn. no. 607; Hb. Pyr. 22; Mill. Ic. 62, f. 8 [ab.]; Fuesslinella Sulz. Abg. G. II, 163, t. 23, 13; Z. L. E. VI, 86; Hein. 36; Anthracina Bkh. Rh. Mag. I, 345; O. III, 122; Fuesslinaria Esp. V, 188, t. 33, 5-7; Anthracinella Hb. 224; Tr. IX, 1, 5, X, 3, 265; Dup. XI, 288, 1.
Germ. c. et m; Austr.; Hung; Helv; Ped; It. c; Dalm; Ross. m; Bith; Syr.
4512. **Monetellus** Ld. Wien. Mts. 1864 p. 171; Stt. Syr. 60; Fuesslinellus HS. 241-3.
Carn; Bulg; Pont; Arm.
4513. **Delagrangei** Rag. Bull. S. Fr. 1895 p. 103.
Taur. m.
4514. **Ophisa** Cr. P. Ex. t. 13, f. C; Z. L. E. VI, 89; HS. V p. 82; Aurantiella Friv. Tarsag. Evkönv. II p. 272, t. 7, f. 6 (1835); Tr. X, 3, 149; Dup. XI, 288, 2; Z. Is. 1839, 187; HS. 244-5.
Balc; Bith; Pont.
4515. **Pallidellus** Chr. Mém. Rom. III p. 117, t. 5, f. 11.
Tura.
4516. **Bienerti** Stgr. Berl. e. Z. 1870, 207; Ld. Hor. VIII (1871) p. 24, t. 2, 11.
Hyrc.
4517. **Violaceus** Chr. Hor. XXII (1888) p. 312.
Pers.

459. **Rhodobates** Rag. 1895.

4518. **Laevigatellus** HS. 270, V p. 82; Mn. Wien. Mts. 1861 p. 186, t. 3, f. 2; Stgr. Hor. XV p. 270.
Pont; Taur.
4519. **Pallipalpellus** (B.-Haas i. l.) Rbl. Iris XIII p. 179.
Mesop. s.

460. **Scardia** Tr. 1830.

4520. **Boleti** F. Gen. 282; Z. L. E. VI, 91; Hein. 37; Snell. II, 1 p. 453; Meyr. 779; Mediellus Curt. B. E. XIII, t. 591; Wd. 1565; O. IV, 195; Tr. IX, 1, 5, X, 3, 150; HS. 314; ?Hb. 19; Choragellus Z. Is. 1839, 187; HS. V p. 63.
Eur. c; Petrop; Liv; Fen; It. c. et s; Dalm; Arm.
4521. **Tessulatella** Z. Stett. e. Z. 1846, 182; L. E. VI, 96; HS. 315, V p. 63; Hein. 37.
Germ; Alp; Hal; Liv; Petrop; Lap; Dalm.
4522. **Boletella** F. E. S. III, 2. 287; Hb. 18; Tr. IX, 1, 5; Boleti F. Suppl. 463; O. III, 121; Polypori Esp. IV, 2, 64, t. 196, 1; Z. L. E. VI, 98; HS. V p. 63; Hein. 38; Gigantella Hb. Btr. II, 2 p. 38, t. 2, f. F.
Austr; Carn; Hung; mont; Hal; Suec; Ross. c. et oc; It. s.
4523. **Mediterranea** Baker Tr. E. S. 1894 p. 50, t. 1, f. 21 (hujus generis?).
Aegypt.

461. **Episcardia** Rag. 1895.

4524. **Lardatella** Ld. Wien. Mts. 1858, 151, t. 4, f. 11; Stt. Syr. p. 62; Rag. Bull. S. Fr. 1895 p. 105.
Syr; Taur. m; Maur.

462. **Morophaga** HS. 1853.

4525. **Morella** Dup. XI, 288, 5; Z. L. E. VI, 94; HS. 317, V p. 78.
Gal. m; Sard; And; Bith.
4526. **Unicolor** Stgr. Berl. e. Z. 1870, 287.
Sard.
4527. **Barbata** Chr. Bull. M. 1881, II p. 432.
Amur.

463. **Ateliotum** Z. 1839.

4528. **Hungaricellum** Z. Is. 1839, 189; HS. 249, V p. 80. *Hung; Germ. c. oc;*
Austr. inf; Morav; Dalm; Srp.

464. **Monopis** Hb. 1818 (Blabophanes Z.).

4529. **Imella** Hb. 347; Dup. Sup. IV, 67, 10; Stt. I. B. 26; Z. L. E. VI, 103; HS. 323, V p. 79; Frey 21; Hein. 39; Meyr. 784. *Eur. c. (exc. Bat.) et m; Fen; Suec; Bith; Pont; Tura.*
 Gal. m.
4530. **Nigricantella** Mill. Pet. Nouv. Ent. IV p. 172 (1872); Cat. rais. 308; Ic. 150, f. 3, 4. *Germ; Angl; Bat.*
4531. **Fenestratella** Heyd. Stett. e. Z. 1863, 342; Hein. 39; Snell. II, 1 p. 456; Meyr. 784. *Germ; Angl; Bat.*
4532. **Truncicolella** Tngstr. Bidr. 108; Snell. Tijds. XXXVII p. 18. *Fen; Bat.*
4533. **Ferruginella** Hb. 348; Tr. IX, 2. 265; Dup. XI, 289, 7; Z. L. E. VI, 105; HS. V p. 79; Hein. 39; Snell. II, 1 p. 456; Tijds. XXXVII p. 16, t. 1, f. 1-3; Meyr. 784; Splendella Hb. 381; Ustella Hw. 565; Wd. 1553. *Eur. c. et m; Afr. s; As. min.*
4534. **Lombardica** Hering Stett. e. Z. 1889 p. 295; Snell. Tijds. XXXVII p. 14, t. 1, f. 4-6; Heringi Richardson Monthl. Mag. 1893 p. 14. *Lomb; Austr. inf; Angl; Bat.*
4535. **Hyalinella** Stgr. Hor. VII (1870) p. 229. *Graec; And.*
4536. **Monachella** Hb. 143; Z. L. E. VI, 111; Tr. IX, 2. 100; HS. V p. 79; Hein. 39; Snell. II, 1 p. 457; Meyr. 785; Wlsghm. Tr. E. S. Lond. 1897 p. 63. *Germ; Austr; Hal; Bat; Angl; Rum; Labr.*
4537. **Rusticella** Hb. 339; Tr. IX, 2. 264; Dup. XI, 288, 6; Z. L. E. VI, 107; HS. V p. 79; Hein. 40; Snell. II, 1 p. 458; Meyr. 785; Vestianella Stph. Ill. IV, 344; Wd. 1552; ab. Semispilotella Strand Ent. Nachr. 1900 p. 255 [trans. ad v. a]. *Eur; Isl; Bith.*
- a) v. *Spilotella* Tngstr. Bidr. 109 (al. ant. obscurioribus, violaceo-purpureis, distincte bimaculatis, tarsis postic.unicoloribus). *Lap; Fen; Labr.*

465. **Trichophaga** Rag. 1894.

4538. **Abruptella** Woll. Ann. & Mag. (3) 1858, 1 p. 120; Rbl. Ann. Naturh. Hofmus. XI p. 123; Bipartitella Rag. Bull. S. Fr. 1892 p. 82. *Afr. s; Can; Mad.*
4539. **Tapetzella** L. S. N. ed. X, 536; Cl. Ic. 11, 12; Wd. 1550; Snell. II, 1 p. 462; Tapezella Hb. 91; Tr. IX, 1. 22, IX, 2. 261; Dup. XI, 288, 7; Tapetiella Z. L. E. VI, 116; HS. V p. 68; Hein. 42; Meyr. 785. *Eur; As. oc; Jap; Am. s.*

466. **Tinea** (L. 1758) Z.

4540. **Fulvimitrella** Sodof. Bull. M. 1830, 74, t. 1, f. 6; Tr. X, 3. 152; Dup. XI, 312, 1; Z. L. E. VI, 114; HS. 283, V p. 68; Hein. 42; Snell. II, 1 p. 462; Meyr. 788; Rupella Hw. 565; Wd. 1587; Bohemanella Zett. Ins. Lap. 1006; Kroesmanni Stt. Ann. f. 1856 p. 124 not. [ab.]. *Eur. c. ets; Gal. m; It. c. et s; Ross. m. or.*
4541. **Ankerella** Mn. z. b. V. 1867, 75, t. 9B, f. 2. *Hung; Sil; Rum.*
4542. **Ragusaella** Wck. Nat. Sic. IX p. 1 (1889). *Sic.*

4543. **Arcella** F. Gen. 295; Z. L. E. VI, 118; HS. V p. 68; Frey 23; Hein. 42; Snell. II, 1 p. 463; Meyr. 788; Repan-della Hb. 256; Dup. XI, 289, 9; Clematella Stph. III. IV, 250; Wd. 1303.
4544. **Corticella** Curt. B. E. XI, 511; Z. L. E. VI, 124; HS. V p. 70; Hein. 43; Snell. II, 1 p. 464; Meyr. 788; Emortu-ella Z. Is. 1839, 184; Granella var. Dup. XI, 289, 10 p. 113; Cloacella HS. 304.
4545. **Parasitella** Hb. 16; Tr. IX, 1. 6; Dup. XI, 288, 4 a; Stph. III. IV, 347; Wd. 1564; HS. 316, V p. 69; Z. L. E. VI, 126; Hein. 43; Snell. II, 1 p. 463; Meyr. 788.
4546. **Turatiella** Mill. Bull. S. Fr. 1885 p. 111; ib. Ann. 1886 p. 9, t. 1, f. 10.
4547. **Fraudulentella** HS. 318. V p. 70; Z. L. E. VI, 110, not. 5; Hein. 44.
4548. **Arcuatella** Stt. I. B. 29; Hein. 44; Meyr. 789; Picarella Hb. 219; Tr. IX, 1. 7; Zett. Ins. Lap. 990; Dup. Sup. IV, 67, 8; Z. L. E. VI, 122; HS. 282, V p. 69.
4549. **Picarella** Cl. Ic. 10, 15: L. F. S. no. 1389; Hein. 44; Meyr. 789; Rigaëlla Sodof. Bull. M. 1830 p. 68, t. 1, 3; Tr. X, 3. 150; Acerella Tr. IX, 1. 8; Riganella HS. 299, V p. 69; Z. L. E. VI, 120.
4550. **Nigralbellia** Z. Is. 1839, 184; L. E. VI, 131; HS. 298, V p. 69; Hein. 45.
4551. **Gliriella** Heyd. Stett. e. Z. 1865, 102; Hein. 45.
4552. **Mendicella** Hb. 179; Nolck. Fn. II p. 478; Z. z. b. V. 1875 p. 342.
4553. **Propulsatella** Rbl. z. b. V. 1892 p. 527.
4554. **Quercicolella** HS. 286, V p. 71; Z. L. E. VI, 133; Hein. 46. Gal.
4555. **Granella** L. S. N. ed. X, 537; Tr. IX, 1. 13; Hb. 165; Dup. XI, 289, 11; Wd. 1563; Z. L. E. VI, 135; HS. 285, V p. 70; Hein. 47; Snell. II, 1 p. 466; Meyr. 789; ?Mancuniella Hodgk. Entom. XIII (1880) p. 10 [ab. albicans?].
4556. **Cloacella** Hw. Lep. Br. 563; Wd. 1562; Z. L. E. VI, 139; Hein. 48; Snell. II, 1 p. 465; Meyr. 789; Granella Dup. XI, 289, 13, 14; Infinimella HS. 284, V p. 70.
a) v. *Ruricolella* Stt. Cat. 7, 21; I. B. 31; Granella Dup. I. c. f. 12 (obscurius, al. ant. fere unicolor. fuscis)¹⁾.
4557. **Albibunctella** Hw. Lep. Br. 564; Wd. 1557; Z. L. E. VI, 141; HS. 632, V p. 71; Meyr. 790.
4558. **Caprimulgella** HS. 303, V p. 75; Stt. I. B. 32; Z. L. E. VI, 144; Hein. 48; Meyr. 790.
4559. **Ignicomella** HS. 279-80, V p. 74; Z. L. E. VI, 146; Hein. 49; Schütze Stett. e. Z. 1896 p. 20 [biol.].
4560. **Albicomella** HS. 324, V p. 74; Hein. 49; Albicapilla Z. L. E. VI, 148.
4561. **Marcunella** (Stgr. i. l.) Rbl. Iris XIII p. 180.
4562. ?**Flavicapilla** Z. L. E. VI, 149; HS. V p. 74; Hein. 49.
4563. **Roesslerella** Heyd. Stett. e. Z. 1865, 102; Hein. 50.
4564. **Pustulatella** Z. L. E. VI, 174; HS. 636, V p. 75; Frey Tin. 26; Hein. 50.
- Eur. c; Ross. s. oc;
Hisp. s; It. c. et s;
Dalm; Bith.
- Eur. c; Ross. s. oc;
Gal. m; And.
- Eur. c; Liv; Ross. m.
or; Bith.
- Lig; Hisp. s.
- Carn; Austr. inf. or.
- Eur. c. (exc. Bat.);
Ross. m. or. et s. oc;
Scand.
- Eur. c. (exc. Bat.) et s;
Cors.
- Germ; Dan; Ross. s.
oc; Hisp. s.
- Germ. m. oc.
- Liv.
- Ter; Car; Sax.
- Germ; Hal; Ross. oc;
m; Sard; Dalm; Bith.
- Eur. (exc. Graec.);
Bith; Arm; Mauv;
Jap.
- Eur. c; Suec; Ross.
oc. et m. or; Hisp. s;
Sard; As. oc.
- Angl; Germ.
- Angl; Helv; Germ. m.
oc; Suec; Fen; Hisp. s.
- Germ; Austr; Dan;
Angl; Gal.
- Germ; Alp; Boh;
Fen.
- Germ; Austr; Ter;
Val; Hung. m. or.
- Maur.
- Sil.
- Germ. c. oc; Ter;
? Petrop; ?Liv.
- Germ. m; Car; Ter;
Helv; Sie; Dalm; Grace.

¹⁾ T. *Cochylidella* Stt. I. B. 32 non civis territorii esse videtur.

4565. **Fasciata** Stgr. Hor. XV (1880) p. 271.
4566. **Sexguttella** Mn. z. b. V. 1873 p. 127.
4567. **Nigripunctella** Hw. Lep. Br. 564; Wd. 1556; Z. L. E. VI, 142; HS. V p. 73; Hein. 51; Snell. Tijds. XIX p. 51, t. 2, f. 6; Vlind. II, 1 p. 473; Meyr. 790.
4568. **Moeniella** Rössl. Stett. e. Z. 1877 p. 376; Seibold Ann. S. Esp. 1879 p. 125, t. 1, f. 9 (?praeoc. var.).
4569. **Confusella** HS. 276, V p. 74; Stt. Ann. f. 1862 p. 111; Monthl. Mag. III p. 147, t. 1, f. 3 (?); Hein. 51; Meyr. 790; Rbl. z. b. V. 1899 t. 4, f. 10.
4570. **Hedemannii** Rbl. z. b. V. 1899 p. 174, t. 4, f. 11.
4571. **Granulatella** HS. 267, V p. 74; Stt. Ann. f. 1862 p. 111; Rbl. z. b. V. 1891 p. 624; ib. 1899, t. 4, f. 12.
4572. **Muricolella** Fuchs Stett. e. Z. 1879 p. 340.
4573. **Atrifasciella** Stgr. Berl. e. Z. 1870, 288.
4574. **Angustipennis** HS. 601, V p. 73; Hein. 52; Stgr. Berl. e. Z. 1870, 288; Snell. II, 1 p. 470; Meyr. 790. *Angl.*
4575. **Immaculatella** Rbl. Ann. Naturh. Hofmus. VII p. 269; XI p. 123.
4576. **Panormitanella** Mn. Wien. Mts. 1859, 170.
4577. **Relicinella** HS. 287, V p. 71; Hein. 52.
4578. **Severella** Chr. Hor. XXII (1888) p. 312.
4579. **Fuliginosella** Z. Is. 1846, 273; L. E. VI, 150; HS. 637, V p. 78; Hein. 53.
4580. **Misella** Z. Is. 1839, 184; L. E. VI, 151; Dup. Sup. IV, 67, 7; Tngstr. Bidr. 111; HS. 277, V p. 71; Hein. 53; Snell. II, 1 p. 467; Meyr. 790; ?Fuscescentella Stt. Ann. f. 1860, 134.
4581. ?**Camisardella** Chrét. Natural. 1898 p. 178.
4582. **Basifasciella** Rag. Bull. S. Fr. 1895 p. 40.
4583. **Fuscipunctella** Hw. Lep. Br. 562; Stph. Ill. IV, 345; Wd. 1554; HS. 300; Meyr. 791; Spretella (S. V.) Z. L. E. VI, 154; HS. V p. 72; Hein. 53; Snell. II, 1 p. 467; Frigidella Pack. Labr. 62.
4584. **Pellionella** L. S. N. ed. X, 536; Tr. IX. 1. 15; Dup. XI, 289, 1; Wd. 1555; Z. L. E. VI, 157; HS. 278, V p. 72; Hein. 54; Snell. II, 1 p. 468; Meyr. 791; Flavescen-tella Hw. Lep. Br. 564; Wd. 1558; Hein. 54; Merdella Z. Is. 1847 p. 808; L. E. VI p. 162; HS. 635, V p. 72; Dubiella Stt. Ann. f. 1860 p. 133.
4585. **Columbariella** Wck. Bresl. e. Z. 1877 p. 43 (praeoc. var.?).
4586. **Subalbidella** Stt. Syr. 42.
4587. ?**Rufescentella** Chrét. Natural. 1898 p. 178.
4588. **Pallescentella** Stt. Cat. Sup. 2; I. B. 34; Rbl. z. b. V. 1889 p. 303, t. 8, f. 7; Meyr. 791.
4589. **Colonella** Ersch. Fedtsch. p. 97, t. 6, f. 106.
4590. **Cubiculella** Stgr. Stett. e. Z. 1859, 235; Hor. VII p. 230, t. 3, f. 3.
4591. **Fulgens** Chr. Hor. XXII (1888) p. 312.
4592. **Atratella** Stgr. Hor. VII (1870), 231, t. 3, f. 4.
4593. **Haasi** Rbl. Iris XIII p. 181.
4594. **Inquinatella** Z. L. E. VI, 161; HS. 634, V p. 72.
4595. **Liguriella** Mill. Ann. Sc. Nat. Cannes 1879 p. 16, t. 6, f. 11.
- Pont.
Lig.
Eur. c.; Alp. m.; Sic.; Dalm.; Maur.; Mad.
- Hisp.; It. s.
- Austr.; Val.; Ter.; Dalm. s.; Hib. or.
- Ter. m.
- Ter. m.; It. c.; Hung. m. lit.; Dalm.; Taur.
- Germ. c. oc.
- Gal. m.; Ter. m.
- Germ.; Austr. inf.; Bat.; Dan.; Liv.; Fen. Can.
- Sic.
- Austr. inf.; Boh.; Hung.
- Srp.; Arm.
- Germ.; Ter.; Liv.
- Eur. c.; Ped.; Ross. oc. et m. or.; Dalm.; Taur.
- Gal. (Ardèche).
And.
- Eur.; As. oc.; Maur.; Labr.
- Eur.; As. min.; Arm.; Maur.; Mad.; Ten.; Jap.; Am. s.
- Germ.
Pal.
Maur.
Angl.; Vind.; ?Germ.
- Saraw.
And.; Graec.
- Cauc.
Graec.; Hal.
And.
It.; Gal. m.; Dalm.; Ross. m. oc.
- Gal. m.

4596. **Lapella** Hb. 252; Hein. 55; Snell. II, 1 p. 468; Meyr. 791; Lappella Hw. 564; Wd. 1559; Dup. XI, 289, 3; Ganomella Tr. IX, 2. 263; Z. L. E. VI, 163; HS. 302, V p. 73.
4597. **Semifulvella** Hw. Lep. Br. 562; Stph. Ill. IV, 344; Wd. 1551; HS. 301, V p. 72; Z. L. E. VI, 170; Hein. 55; Snell. II, 1 p. 469; Meyr. 792.
4598. **Chrysopterella** HS. 271, V p. 112; Stgr. Hor. VII (1870), 231; Vitellinella Stgr. Stett. e. Z. 1859, 235.
4599. **Mauritanica** Baker Monthl. Mag. XXI p. 269 (praeac. var.?).
4600. **Latiusculella** Stt. Syr. 41.
4601. **Irrorella** Woll. Ann. & Mag. (3) 1858, I p. 121.
4602. **Violacella** Rbl. Stett. e. Z. 1893 p. 42.
4603. **Fuscoviolacella** Rag. Bull. S. Fr. 1895 p. 105.
4604. **Caerulipennis** Ersch. Fedtsch. p. 97, t. 6, f. 108.
4605. **Simpicella** HS. 322, V p. 73; Z. L. E. VI, 169; Stt. I. B. 35; Hein. 56; Meyr. 792; Angusticostella Z. L. E. V, 310; HS. 321, V p. 73.
4606. **Rosenbergerella** Nolck. Fn. II p. 484.
4607. **Infuscatella** Joan. (J.) Bull. S. Fr. 1897 p. 119, fig.
4608. **Falstriella** B.-Haas Naturh. Tidskr. XIII (1881) p. 198.
4609. **Praetoriella** Chr. Hor. IX (1872) p. 19, t. 1, f. 15 (hujus generis?).
- ✓
467. **Meessia** Hofm. 1897.

4610. **Argentimaculella** Stt. Cat. 6; I. B. 36; Z. L. E. VII, 366; HS. 600, V p. 89; Hein. 57; Snell. II, 1 p. 470; Meyr. 792; Niveistrigella Hein. Bresl. e. Z. 1854, p. 7.
4611. **Vinculella** HS. 275, V p. 75; Z. L. E. VI, 173; Frey 27; Hein. 56; Pagenstecherella Heyd. Stett. e. Z. 1861, 32.
4612. **Vinctella** HS. 274, V p. 75; Z. L. E. VI, 174 not; Hein. 57.
4613. **Richardsoni** Wlsghm. Monthl. Mag. 1900 p. 176; Vinculella Richardson Pr. Dorset Field Club XVI p. 81, t. 7, f. 2, 2 a-d; ?Meyr. 792.
4614. **Mensella** Wlsghm. Monthl. Mag. 1900 p. 178.
4615. **Pachyceras** Wlsghm. Monthl. Mag. 1900 p. 178.
4616. **Leopoldella** Costa Fn. Nap. t. 1, f. 1 A, B; Oberthuriella Mill. Ann. Sc. Cannes 1879 p. 13, t. 6, f. 5, 6.
- ✓
468. **Ischnosia** Meyr. 1895 (= Guenea Mill. 1874, nom. praeocc.).

4617. **Borreonella** Mill. Ic. III p. 436, t. 153, f. 20, 21; Subtilella Fuchs Stett. e. Z. 1879 p. 341; Richardson Monthl. Mag. 1891 p. 14; Proc. Dors. Field Club XII t. 1, f. 1; Meyr. 783.
4618. **Pandorella** Mill. Ann. Sc. Cannes 1880 p. 16, t. 10, f. 20 (a praeac. satis distincta?).
4619. **Carbonifera** Wlsghm. Monthl. Mag. 1900 p. 152.

*Eur. c; Ins. Hethland;
Ross. oc; Hisp.; It;
Dalm; Bith; Pont.*

*Germ; Austr; Helv;
Bat; Belg; Angl.*

*And; Lusit; Maur;
Graec. (var.); Taur.
Maur.*

Pal; Maur. (Prov. Oran).

Mad.

Taur.

Syr.

Saraw.

*Germ; Helv; Austr;
Hung; Dalm; It. c;
Ten.*

Liv. (Ins. Osilia).

Maur.

Dan. (Ins. Falster).

Srp.

*Germ; Austr; Helv;
Bat; Belg; Angl;
Dan.*

*Eur. c. (exc. Angl.,
Bat.); It; Rum.*

Austr; Gal. m; Dalm.

Angl.

Cors.

Helv; It. s.

*It. c. et m; Gal. m;
Dalm.*

*Gal. m; Hisp. s;
Angl; Germ. c. oc.*

Gal. m.

Cors.

469. **Phylloporia** Hein. 1870.

4620. **Bistrigella** Hw. Lep. Br. 573; Wd. 1603; Z. L. E. VI, 171; HS. V p. 76; Hein. 58; Stt. Nat. Hist. XIII p. 32, t. 1, f. 2; Snell. II, 1 p. 471; Meyr. 783; Subamma-nella Stt. Cat. 9; Tr. Ent. Soc. Lond. (2) I, 1851 p. 31, t. 3, f. 8; Z. L. E. V p. 333; Abalinella Zett. Ins. Lap. 1008; Dilorella HS. 266.

Germ; Belg; Bat;
Angl; Scand; Ross.
oc; Lap.

470. **Oinophila** Stph. 1848.

4621. **V-flavum** (-a) Hw. Lep. Br. 530; Stph. Ill. IV, 365; Wd. 1609; HS. 994; Hein.-Wek. 696; Snell. Tijds. XIX p. 51, t. 2, f. 1, 2; Vlind. II, 1 p. 474; Meyr. 733; V-flavella HS. V p. 336.

Angl; Germ; Belg;
Bat; Gal; Hisp;
Mad; Can.

471. **Tineola** HS. 1853.

4622. **Crassicornella** Z. Is. 1847, 810; L. E. VI, 168; HS. 168, V p. 81.

Sic; Ib; Graec;
?As. min.

4623. **Allutella** Rbl. Ann. Naturh. Hofmus. VII p. 270, t. 17, f. 3; ib. XI p. 124.

Can; Mad.

4624. **Biselliella** Hummel Essais Entom. III, 13 p. 6-13; Z. L. E. VI, 166; HS. 281, V p. 81; Frey 25; Hein. 59; Snell. II, 1 p. 472; Meyr. 782; Crinella Tr. IX, 1, 12, X, 3, 151; Dup. XI, 289, 2; Sodof. Bull. M. 1830 p. 70, t. 1, f. 2; Destructor Stph. Ill. IV, 346; Wd. 1561.

Eur; Maur.

4625. **Murariella** Stgr. Stett. e. Z. 1859, 235.

And; Hisp. s; Sic; Dalm.

4626. **Bipunctella** Rag. Ann. S. Fr. 1874 p. 579, t. 11, f. 1; Rbl. Ann. Naturh. Hofmus. XI p. 125.

Hisp; Maur; Ten.

4627. **Biskraëlla** (B.-Haas i. l.) Rbl. Iris XIII p. 181.

Maur.

4628. **Lutosella** Ev. F. V. U. 535; HS. 341, V p. 81.

Ross. m. or; And; As. min. c.

4629. **Gigantea** Chr. Hor. X (1873) p. 49, t. 1, f. 10.

Hyrc.

472. **Deuterotinea** Rbl. 1900.

4630. **Syriaca** Ld. Wien. Mts. 1857, 102.

Syr.

4631. **Palaestinensis** Rbl. Iris XIII p. 183.

Syr.

4632. **Casanella** Ev. F. V. U. 532; HS. 342, V p. 81.

Ross. m. or.

4633. **Paradoxella** Stgr. Stett. e. Z. 1859, 236; Hor. XV p. 273.

Hisp; Pont.

4634. **Longipennis** Ersch. Fedtsch. p. 97, t. 6, f. 107 (hujus generis?).

Saraw.

4635. **Macropodella** Ersch. Fedtsch. p. 98, t. 6, f. 109 (hujus generis?).

Saraw.

473. **Tineomima** Stgr. 1892.

4636. **Kenteella** Stgr. Iris V p. 391.

Daur.

474. **Myrmecozela** Z. 1852.

4637. **Ochraceella** Tngstr. Bidr. 111; Z. L. E. VI, 176; HS. V p. 76; Stt. Nat. Hist. XIII p. 44, t. 1, f. 3; Meyr. 782.

Alp; Angl; Liv; Fen;
Lap; ?Hisp; Amur. c.

4638. ?**Curtella** Tngstr. Cat. 363 (73).

Fen.

4639. **Affinitella** (B.-Haas i. l.) Rbl. Iris XIII p. 184.

Mesop.

4640. **Danubiella** Mn. z. b. V. 1866, 349, t. 1, f. 3.
a) v. *Algiricella* Rbl. Iris XIII p. 184 (al. angustioribus, minor).
Rum. or; Dalm; Arm.
Maur.
4641. **Chellalis** (B.-Haas i. l.) Rbl. Iris XIII p. 185.
Maur.
4642. **Lambesella** (Stgr. i. l.) Rbl. Iris XIII p. 185.
Maur.

475. **Dysmasia** HS. 1853.

4643. **Petrinella** HS. 633, V p. 80; Stt. South Eur. 239.
Hisp; Germ. m. oc.
4644. **Insularis** Rbl. Ann. Naturh. Hofmus. XI p. 125, t. 3, f. 9 (1896).
Ten.
- a) ab. *Instratella* Rbl. l. c. (minor, al. ant. innotatis).
Germ. c. oc. et m; Gal;
? Helv; Ter. m;
Dalm; Bith.
4645. **Parietariella** HS. 268, V p. 74; Hein. 52; Snell. Tijds. XIX p. 51, t. 2, f. 3, 4; *Nigripunctella* Heyd. Stett. e. Z. 1861, 33.

476. **Eriocottis** Z. 1847.

4646. **Fuscanella** Z. Is. 1847, 813, L. E. VI, 178; Stt. Cat. Sup. 18.
It. c. et m; ? And;
Bith; Pont; Lyd.
4647. **Andalusиella** (Stgr. i. l.) Rbl. Iris XIII p. 187.
And.
4648. **Pyrocoma** Meyr. Monthl. Mag. 1891 p. 58.
Maur.

477. **Incurvaria** Hw. 1829.

4649. **Standfussiella** Z. L. E. VI, 180; HS. V p. 64; Hein. 66; Rbl. z. b. V. 1899 p. 176.
Sil; Ter. m.
4650. **Morosa** Z. L. E. VI, 181; HS. 628, V p. 64; Hein. 66; Snell. II, 1 p. 480; *Quadripunctella* Stph. Ill. IV, 354; Wd. 1576; Meyr. 781; *Quadripuncta* Wd. 1282.
Germ; Austr; Hung;
Bat; Angl; Norv.
4651. **Flavimitrella** Hb. 429; Z. L. E. VI, 184; HS. 292, V p. 64; Frey 29; Hein. 66; ?*Rhaeticella* HS. VI p. 162.
Germ; Austr; Hal;
Helv; Gal; Ped;
Ross. m. or; Dan.
4652. **Redimitella** Z. Is. 1846, 271, L. E. VI, 186; Tngstr. Bidr. 107; HS. 629, V p. 64; Hein. 67.
Germ. s; Dan; Liv;
Fen; Petrop.
4653. **Trimaculella** HS. 291; *Mesospilella* HS. V p. 67; Hein. 67; ab. *Quadrimeculella* Höfn. Jhrb. Kärnt. XXVI, 5.
Austr., Car., Bav. Alp.
4654. **Luzella** Hb. 430; Curt. B. E. XIV, 639; Z. L. E. VI, 187; HS. 630-1, V p. 65; Hein. 67; Snell. II, 1 p. 480; Meyr. 781; *Flavipunctella* Hw. 566; Wd. 1586; *Adversella* HS. 404.
Germ; Austr; Car;
Ter; Bat; Angl;
Dan; Suec; It. s.
4655. **Praelatella** Schiff. S. V. p. 320; Wd. 1584; Z. L. E. VI, 189; HS. 294-5, V p. 65; Hein. 68; Snell. II, 1 p. 482; Meyr. 781; *Luzella* Frr. 132, 2; Tr. X, 3. 204; Ev. F. V. U. 589.
Eur. c. et s; Ped;
Ross. m. or.
4656. **Devotella** Rbl. Stett. e. Z. 1893 p. 43; Iris XI, t. 1, f. 2.
Cauc.
4657. **Rubiella** Bjerkander Vet. Ac. Hand. 1781 p. 20, t. 1, f. 6-10; Stt. I. B. 39; Hein. 68; Snell. II, 1 p. 484; Meyr. 781; *Variella* Tr. X, 3. 206; F.R. 82, 1 p. 237; Z. L. E. VI, 193; HS. V p. 65; *Corticella* Hw. 566; Wd. 1591; *Multipunctella* Dup. XI, 303, 10; ?*Dumicolella* Peyer. Pet. Nouv. IV, 1872 p. 240.
Eur. c. et s; Ped;
Cors; Dalm; Ross.
m. or; Bith.
4658. **Tenuicornis** Stt. I. B. 41; Hein. 65; Snell. II, 1 p. 479; Meyr. 781.
Angl; Bat; Belg;
Germ. or; Hal.

4659. **Pubicornis** Hw. Lep. Br. 523; Stph. Ill. IV, 233; Wd. 1267; Z. L. E. VII, 336; Stt. Ann. f. 1870 p. 1; Meyr. 781; Canariella Stt. Ann. f. 1872 p. 122; Monthl. Mag. VIII p. 210; Flavifrontella (S. V.) Hein. 65.
Angl; Germ. m. oc.; Fen; Sic. (Mn.).
4660. **Provectella** Heyd. Stett. e. Z. 1865, 103; Rbl. z. b. V. 1889 p. 304, t. 8, f. 3.
4661. **Argillella** Z. L. E. V, 311; HS. 313, V p. 66; Hein. 61.
4662. **Splendidella** Hein. 61.
4663. ? **Aeneella** Hein. 62.
4664. **Schoenherrella** Zett. Ins. Lap. 1007; Z. L. E. V, 317.
4665. **Vetulella** Zett. Ins. Lap. 1007; Z. L. E. V, 311; HS. V p. 67; Wck. Stett. e. Z. 1862, 70; Hein. 61; Pallidula HS. 311-2; ?Triangulifera Tngstr. Cat. p. 339. Scand; Fen; Lap; Taur. Austr.
- a) v. **Circulella** Zett. l. c.; Tngstr. Bidr. 107; Z. l. c. 312 (major, al. ant. macul. dors. niveis, area apicali guttulis albis ornata).
4666. **Capitella** Cl. Ic. 11, 1; L. F. S. no. 1874; Wd. 1583; Tngstr. Bidr. 107; Z. L. E. V, 317; HS. 293, V p. 67; Hein. 62; Snell. II, 1 p. 481; Meyr. 787; Flavimitrella Dup. XI, 303, 7.
4667. **Intermediella** Hein. 62.
4668. **Oehlmanniella** Tr. IX, 2. 122, X, 3. 204; Dup. XI, 303, 6 p. 421; Zett. Ins. Lap. 1007; Tngstr. Bidr. 107; Z. L. E. V, 314; HS. 291, V p. 66; Hein. 63; Snell. II, 1 p. 483; Meyr. 788.
4669. **Aeripennella** Rbl. z. b. V. 1889 p. 306, t. 8, f. 13.
4670. **Psychidella** Mill. Ann. S. Fr. 1854, 59, t. 3, II, 1.
4671. **Rupella** Schiff. S. V. 320; Hb. 250; Z. L. E. V, 320; HS. 288-89, V p. 67; Hein. 63; Rbl. z. b. V. 1899, 175 [var.]; Capitella Tr. IX, 2. 61; Ev. F. V. U. 579; Dup. Sup. IV, 72, 3.
- a) ab. *Confluens* Wck. Cat. ed. II no. 1463 a (maculis confluentibus).
- b) ab. *Aurata* Wck. Cat. ed. II no. 1463 b; Rupella var. b. Z. Stett. e. Z. 1843, 146 not; HS. 290 (al. ant. innotatis, pallide aureis).
4672. ? **Labradorella** Clem. Proc. Ent. Soc. Philad. II p. 416.
4673. **Koernerella** Z. Is. 1839, 183; L. E. V, 309; HS. V p. 68; Hein. 60; Stt. Nat. Hist. XIII p. 84, t. 2, f. 3; Snell. II, 1 p. 479; Rufimitrella Hb. 124; HS. 309-10.
4674. **Muscalella** F. Mant. II, 249, 91; Hein. 60; Stt. Nat. Hist. XIII p. 62, t. 2, f. 1; Snell. II, 1 p. 477; Meyr. 780; Masculella Hb. 125; Tr. IX, 2. 120, X, 3. 204; Wd. 1570; Curt. B. E. XIII, 607; Dup. XI, 303, 5; Z. L. E. V, 303; HS. 308, V p. 66; Spuria Hw. Lep. Br. 560 ♀.
4675. **Fuscatella** Tngstr. Bidr. 162; Anm. 174; Cat. 339.
4676. **Pectinea** Hw. Lep. Br. 559; Hein. 60; Stt. Nat. Hist. XIII p. 74, t. 2, f. 2; Snell. II, 1 p. 478; Meyr. 780; Pectinella Stph. Ill. IV, 352; Wd. 1571; Zinckenii Z. L. E. V, 305; HS. 305-7, V p. 66; ?Tumorifica Amerling Lotos X, 1860 p. 3, t. 1; Schenckling-Prevôt Ill. Ztschr. Ent. II, 661 [uno spec. miser. condit.].
4677. **Insignis** Chr. Bull. M. 1881, II p. 433 (certe non hujus generis, gen. propri.?).
- Germ. m; Sil; Austr. inf; Croat. Austr; Cauc. Alp. Styr. et Ter. Austr. Lap. Alp. or. ets; Sil. mont; Dalm. mont; Hal; Scand; Fen; Lap; Taur. Fen; Lap. Eur. c; Ross. oc; Suec; Norv. s. Bav. Eur. c; Hisp. s; It. c. et s; Dalm; Ross. m.or; Scand; Cauc. Styr. Gal. m. oc. Alp. Sil. mont; Alsat; Scand. mont; Ross. oc; Ural. Labr. Eur. c. (exc. Angl); Suec; Carn; Dalm; Bith. Eur. c. et m. (exc. And.); ? Ross. s. oc; As. min. Fen; Hal. (det. Rbl.). Eur. c. et s; Hisp. s; It. c. et s; Dalm; Cauc; Sib. Uss. m.

478. **Nemophora** Hb. 1818.

4678. **Swammerdammella** L. S. N. ed. X, 540; Cl. Ic. 12, 1; Hb. 410-1; Tr. IX, 2, 149; Dup. XI, 301, 11; Wd. 1263; Z. L. E. V, 348; HS. V p. 76; Hein. 70; Snell. II, 1 p. 486; Meyr. 793. *Eur. c; Ross. s. oc; Ped; It. c; Dalm; Bith.*
4679. **Reaumurella** Peyer. Pet. Nouv. Ent. I no. 17 p. 66 (1870); ib. II p. 66; Ann. S. Fr. 1872 p. 13, t. 5, f. 6, 6a. *Gal. m.*
4680. **Panzerella** Hb. 412 ♂; Dup. XI, 301, 10; Z. L. E. V, 352; HS. 216 ♀, V p. 77; Hein. 70; Nolck. Fn. II, 501; Snell. II, 1 p. 487. *Eur. c. (exc. Brit.); Hisp. s; Gal. m; It. c. et s; Istr; Liv; Norv.*
4681. **Sericinella** Z. Is. 1847, 816; L. E. V, 350; HS. V p. 77. *Sic.*
4682. **Schwarzziella** Z. Is. 1839, 185; L. E. V, 351; HS. 213-4, V p. 77; Stt. I. B. 47; Frey 36; Hein. 70; Meyr. 793. *Germ; Helv; Angl; It. c. et s; Ross. s. oc; Maur.*
4683. **Caucasica** Rbl. Stett. e. Z. 1893 p. 44; Iris XI t. 1, f. 3. *Cauc.*
4684. **Dorsigutella** Ersch. Hor. VII (1877) p. 343; Mém. Rom. VI, t. 16, f. 2. *Sib. or. (Irkutsk).*
4685. **Pilulella** Hb. 409; Dup. XI, 301, 9; Z. L. E. V, 354; HS. 215, V p. 78; Frey 37; Hein. 71; Pilella Tr. IX, 2. 153. *Eur. c. et s; Ped; Gal. m; Dalm; Ross. m. or; Maur.*
4686. **Pilella** F. Mant. II, 256, 24; Hb. 235; Dup. XI, 301, 8; Z. L. E. V, 355; HS. 217, V p. 77; Hein. 71; Snell. II, 1 p. 487; Meyr. 793. *Eur. c. et s. (exc. reg. pol.); Dalm; Ross. m. or; Bith.*
- a) v. *Magna* Z. Stett. e. Z. 1878 p. 120 (major). *Helv.*
4687. **Annulatella** Rag. Bull. S. Fr. 1876 p. 66; *Pseudopilella* Peyer. Pet. Nouv. Ent. 1877 p. 101. *Gal. m.*
4688. **Minutella** Snell. Tijds. XXVII p. 151, t. 8, f. 1 (1884). *Amur.*
4689. **Metaxella** Hb. 413; Tr. IX, 2, 152; Dup. XI, 301, 12; Z. L. E. V, 357; HS. V p. 76; Frey 38; Hein. 71; Snell. II, 1 p. 488; Meyr. 793. *Eur. c. et s. et m. oc; Dalm; Ross. m. or.*

 H. Adelinae.479. **Nemotois** Hb. 1818.

4690. **Raddei** Rbl. (n. nom.); Raddeellus Chr. Bull. M. 1882, 1 p. 8; Snell. Tijds. XXVII p. 155, t. 8, f. 3, 3a (nom. mut. propter Raddaëllum Hb.). *Amur.*
4691. **Metallicus** (-a) Poda Ins. Mus. Graec. p. 94 (1761); Werneb. Btr. I, 298; Snell. II, 1 p. 497; Scabiosellus Sc. Ent. Carn. no. 644; Tr. IX, 2, 146; Dup. XI, 301, 1. 2; HS. 229 ♀, V p. 97; Z. L. E. VIII, 47; Hein. 82; Meyr. 796; Viridella Hb. 128 ♂; Frischella Curt. B. E. X, t. 463 ♀; Wd. 1262. *Eur. c. et s. (exc. reg. pol.); Gal. m; It; Ross. m.*
- a) v. et ab. *Aerosellus* Z. Stett. e. Z. 1850, 140; HS. 256 (purpurascens). *Eur. m; Angl. (ab.).*
4692. **Pfeifferellus** (-a) Hb. 422 ♂; Z. L. E. VIII, 51; HS. V p. 100; Hein. 82. *Germ; Austr; Gal. c; Dalm.*
4693. **Latreillellus** (-a) F. Suppl. E. S. 502, 2; Hb. 255-6 (355-6); Tr. IX, 2, 142; Dup. XI, 300, 5. 6; Wd. 1254; Z. L. E. VIII, 52; HS. V p. 98; Stgr. Iris V, 299. *Ib; Gal. m, Ped; It. m; Lyd; Maur.*
4694. **Raddaëllus** (-a) Hb. Vög. t. 23; Raddella Hb. 131; Tr. IX, 2, 143; Dup. Sup. IV, 88, 1; HS. 255, V p. 98; Hein. 83. *Germ. m. oc; Austr; Hung; Sic; Bulg; Core; Bith.*
4695. **Pantherellus** (-a) (Gn.) Luc. Expl. Alg. 409, t. 4, f. 11; Z. L. E. VIII, 56. *Maur.*

4696. **Cupriacellus** (-a) Hb. 445; Z. L. E. VIII, 57; HS. V p. 97; Frey 44; Hein. 83; Snell. II, 1 p. 498; Tijds. XXXII p. 54; Meyr. 796; Cypriacella Dup. Sup. IV, 88, 2; HS. 220, 252.
4697. **Istrianellus** (-a) HS. 232; Stt. Syr. p. 62; Hein. 84; ?Beyruthella Brd. Ann. S. Fr. 1858 p. 619; Dalmatinellus Mn. z. b. V. 1869 p. 384.
4698. **Annae** Z. L. E. VIII, 65; Stgr. Hor. VII, 236. Graec; As. min; Syr; Arm.
4699. **Purpureus** Stt. Syr. p. 42. Pal.
4700. **Prodigellus** Z. L. E. VIII, 67; Splendidus Stgr. Hor. XV p. 277. Bith; Pont.
4701. **Auricellus** Rag. Ann. S. Fr. 1874 p 580, t. 11, f. 2; Rbl. z. b. V. 1889 p. 306; Inauratella Peyer. Ann. S. Fr. 1872 p. 14; Prodigellus Hein. (non Z.) 85; Frey Lep. 343.
4702. **Demaisonii** Rag. Bull. S. Fr. 1889 p. 105.
4703. **Constantinella** Baker Monthl. Mag. XXIV p. 255 (=praec?).
4704. **Fasciellus** (-a) F. S. E. 670, 18; Wd. 1257; Hein. 85; Snell. II, 1 p. 499; Meyr. 797; Schiffermillerella (S. V.) Hb. Vög. 19; Hb. 132; (-us) Z. L. E. VIII, 69; HS. 233, V p. 98; (-müller.) Tr. IX, 2. 135; Dup. XI, 300, 11.
4705. **Lenellus** Z. L. E. VIII, 69.
4706. **Violellus** Z. L. E. VIII, 61; HS. 230-1, V p. 97; Frey 44; Hein. 84; Cypriacellus Z. Is. 1846, 275.
4707. **Mollellus** (-a) Hb. 423-4; Tr. IX, 2. 137; Z. L. E. VIII, 73; HS. 234, V p. 98; Hein. 86.
4708. **Minimellus** (S. V.) Z. L. E. VIII, 76; HS. 235, V p. 99; Hein. 86; Stt. Nat. Hist. XIII p. 229, t. 5, f. 3; Snell. II, 1 p. 500; Meyr. 797.
4709. **Barbatellus** Z. Is. 1847, 33; L. E. VIII, 69; HS. 254, V p. 99; Hein. 86; Chalcochrysellus Mn. z. b. V. 1855, 561.
- a) v. *Albiciliellus* Stgr. Stett. e. Z. 1859, 236 (al. post. nigrofuscis, albo-ciliatis).
4710. **Dumeriliellus** (-a) Dup. XI, 300, 12; Z. L. E. VIII, 81; HS. V p. 99; Frey 45; Hein. 87; Inauratella Dup. Sup. IV, 88, 3; HS. 221-2; ?Basochesella Hb. 456 [♀, capite falso].

480. **Adela** Latr. 1792.

4711. **Infantella** Ersch. Hor. XII (1877) p. 343; Mém. Rom. VI, t. 16, f. 3 (♀).
4712. **Cuprella** (S. V.) Thnbg. Diss. Ent. VII, 98; Hb. 185; Wd. 1258; Tr. IX, 2. 144; Dup. XI, 301, 7; HS. 219, V p. 102; Z. L. E. VIII, 42; Hein. 80; Snell. II, 1 p. 495; Meyr. 795.
4713. **Viridella** Sc. Ent. Carn. 250; Hb. Vög. 25; Tr. IX, 2. 148; Wd. 1261; Z. L. E. VIII, 37; HS. 218 ♀, V p. 102; Hein. 80; Snell. II, 1 p. 495; Meyr. 795; Sphingiella Hb. Vög. 26; Hb. 129; Reaumurella Dup. XI, 301, 5. 6; ab. Speyeri Z. L. E. VIII, 41; Hein. 80.
4714. **Askoldella** Mill. Natural. I p. 139 (1879); Mém. Sc. Nat. Cannes 1880 p. 2, t. 8, f. 3; Griseella Wlsghm. Pr. Z. S. Lond. 1880 p. 82, t. 9, f. 9; Irroratella Chr. Bull. M. 1882, I p. 5.

Eur. c; Cat; Ped;
Dalm; Ross. m. or;
Cauc.

Syr; Pont; Dalm.

Graec; As. min; Syr; Arm.
Pal.

Bith; Pont.

Gal; Sic; Helv; Ter.
m; Austr. inf;
Hung. m.

Maur.

Maur.

Eur. c; Hisp. c; Ped;
Dalm; Pont; Cauc.

Austr. et Styr. Alp.

Germ; Helv; Austr;
Hal; Gal; Liv.

Germ. m; Austr;
Hung; Eur. m; As. min.

Eur. c; Gal. m; Bale;
Ross. oc.

And; Cors; Sard;
Carn; Sic; Dalm;
Graec; Bith.

Gal. m; And; Taur.

Eur. c. m; Liv; Dalm;
Pont.

Sib. or. (Irkutsk).

Eur. c. et s. (exc. reg.
pol.); Ross. m. or;
Sard; It. c. et s;
Dalm; Cauc.

Eur. (exc. And. et
Graec.); Bith.

Uss. m.

4715. **Associatella** Z. Is. 1839, 186; F. R. 68, 1 p. 192; Z. L. E. VIII, 23; HS. V p. 104; Frey 40; Hein. 78. *Ross. s. oc; Gal. m; It. c; Dalm.*
4716. **Tancrei** Sauber Ver. Naturw. Hamb. X, 1899 p. 67. *Germ; Austr; Helv; Iss. K.*
4717. **Croesella** Sc. Ent. Carn. no. 648; Snell. II, 1 p. 493; Meyr. 795; Podaella Don. Nat. Hist. VIII, t. 267, f. 3; Sulzella Schiff. S V. 143; Hb. 121; Tr. IX, 2, 132; Wd. 1255; Zett. Ins. Lap. 1008; Sultzella Dup. XI, 300, 7; Sulzeriella Z. Is. 1839, 186; HS. 227, V p. 104; Z. L. E. VIII, 25; Hein. 78. *Eur. c. et m; Ross. s; As. min; Cauc; Sib.*
- a) v. **Laqueatella** Z. Stett. e. Z. 1850, 135 (al. ant. lineis flavis indistinctis, antennis amplius nigris). *It. c.*
- b) v. **Religatella** Z. Stett. e. Z. 1850 p. 136; L. E. VIII p. 29; Hein. 79 (al. ant. lin. flavis exterius non dilatatis, striga media flava angustiore). *Hung. lit.*
4718. **Badioumbratella** Sauber Ver. Naturw. Hamb. X, 1899 p. 67. *Amdo.*
4719. **Kukunorensis** Sauber Ver. Naturw. Hamb. X, 1899 p. 66. *Kuku Noor.*
4720. **Staudingerella** Chr. Bull. M. 1881, II p. 435. *Uss. m.*
4721. **Degeerella** L. S. N. ed. X, 540; Cl. Ic. 12, 3; Don. Nat. Hist. VIII, t. 267, f. 1. 2; Tr. IX, 1. 131, X, 3. 207; F. R. 66-7, f. 1; Dup. XI, 300, 1. 2; Wd. 1256; Z. L. E. VIII, 30; HS. V p. 104; Hein. 77; Snell. II, 1 p. 494; Meyr. 795; Geerella Hb. 130. 446. *Eur. (exc. Graec.); Arm.*
- a) v. **Amurensis** (Stgr.) Alph. Mém. Rom. IX p. 346; ? **Amatella** Stgr. Iris V p. 392 (major, al. latioribus). *Amur; Daur; Ural; Cauc.*
4722. **Hedemanni** Chr. Hor. XXII (1888) p. 312. *Amur. sup.*
4723. **Esmarkella** Wck. Stett. e. Z. 1864, 211. *Norv. c. alp.*
4724. **Schrencki** Brem. Lep. O. S. p. 92, t. 7, f. 24. *Amur.*
4725. **Congruella** F. R. 67, 2 p. 191; E. F. V. U. 591; Dup. XI, 300, 3. 4 p. 363; Z. L. E. VIII, 33; HS. V p. 104; Hein. 77. *Germ; Austr. inf; Ter; Ross. m.*
4726. **Ochsenheimerella** Hb. 359; Tr. IX, 2. 134; Z. L. E. VIII, 35; HS. V p. 105; Frey 42; Hein. 77. *Germ; Austr.-Hung; Gal. m; Helv; Ped.*
4727. **Chalybeella** Brem. Lep. O. S. 92, t. 7, f. 25. *Uss.*
4728. **Imperialis** (Stgr. i. l.) Rbl. Iris XIII p. 187. *Amur.*
4729. **Nobilis** Chr. Bull. M. 1882, I p. 7; Snell. Tijds. XXVII p. 153, t. 8, f. 2, 2a. *Uss. m.*
4730. **Rubrofascia** Chr. Bull. M. 1882, I p. 9. *Uss. m.*
4731. **Basella** Ev. F. V. U. 592; HS. 228, V p. 105; Z. L. E. VIII, 23. *Ross. m. or.*
4732. **Basiradiella** Chr. Hor. XXII (1888) p. 312. *Amur.*
4733. **Australis** HS. 253, V p. 103; Mazzolella Dup. XI, 300, 8. *And; Gal. m; It; Cauc.*
4734. **Repetitella** Mn. Wien. Mts. 1861, 187, t. 3, f. 3. 4. *Pont.*
4735. **Homalella** Stgr. Stett. e. Z. 1859, 236. *And; Arag.*
4736. **Albicinctella** Mn. z. b. V. 1852, 135; Z. L. E. VIII, 22; HS. V p. 103; Hein. 80; Panicensis Frey Mitth. III (1870) p. 247, 296. *Alp. Styr., Austr. sup., Car., Helv.*
4737. **Paludicolella** Z. Stett. e. Z. 1850, 139; L. E. VIII, 21; HS. 226, V p. 103. *It. c; Cors.*
4738. **Orientella** Stgr. Hor. VII (1870) 233, t. 3, f. 6; Getica Mn. z. b. V. 1871 p. 80. *Graec; Rum.*
4739. **Mazzolella** Hb. 155 ♂; Tr. IX, 2. 140; Z. L. E. VIII, 19; HS. 225 ♀, V p. 103; Hein. 76. *Austr; Hung; Cat; Gal. m; It. s; Graec.*
4740. **Violella** Tr. IX, 2. 139, X, 3. 292; Dup. XI, 302, 1; Z. L. E. VIII, 16; Hein. 79; Stt. Nat. Hist. XIII p. 182, t. 4, f. 3; Snell. II, 1 p. 492; Tombacinchella HS. 240, V p. 102. *Eur. c. (exc. Angl.); Ped; Gal. m; Ross. m. or; Dalm. s; Cauc.*

4741. **Rufimitrella** Sc. Ent. Carn. no. 649; Z. L. E. VIII, 12; Hein. 75; Snell. II, 1 p. 491; Meyr. 794; Frischella Hb. 425-6; Tr. IX, 2. 137; Dup. XI, 301, 3; HS. 239, V p. 101.
a) v. (ab.) *Purpuratella* Z. Stett. e. Z. 1850, 135; HS. 250-1; Frischella HS. 224 (al. ant. flavo-maculatis).
4742. **Canalella** Ev. F. V. U. 587.
4743. **Cyanella** Z. Stett. e. Z. 1850, 134; HS. 223, V p. 101.
4744. **Rufffrontella** Tr. IX, 2, 116; Dup. Sup. IV, 88, 5; Z. L. E. VIII, 9; HS. 238, V p. 100; Hein. 75; *Aurifrontella* Dup. XI, 302, 4. m; Cors; Dalm; Graec; As. min.
4745. **Trifasciella** Stgr. Hor. XV (1880) p. 275.
4746. **Florella** Stgr. Berl. e. Z. 1870, 290.
4747. **Leucocerella** Sc. Ent. Carn. 255; Z. L. E. VIII, 7; HS. V p. 100; Hein. 75; *Bimaculella* F. R. 68, 2a, b p. 193; Dup. Sup. IV, 72, 6; *Conformella* Z. Is. 1839, 168; ib. 1846, 275. m. or.
4748. **Fibulella** (S. V.) F. Mant. II, 253; Dup. XI, 300, 9. 10; Z. L. E. VIII, 3; HS. 236-7, V p. 100; Hein. 74; Sitt. Nat. Hist. XIII p. 160, t. 4, f. 1; Snell. II, 1 p. 490; Meyr. 794; *Pulchella* Ev. F. V. U. 588.
- a) ab. *Immaculata* Wck. Bresl. e. Z. 1877 p. 44 (al. ant. sine maculis).
- Eur. c; Liv; It. c. et s; Dalm; Ross. m.
Hung; etc. (ab.).
Srp.
It. c; Ped.
Germ; Austr.-Hung;
Ped; Ross. s. oc. et
Dalm; Graec; As. min.
Pont.
Srp; As. min. c.
Germ. m; Austr;
Hung; Serbia; Hal;
Ped; ?Liv.(1); Ross.
or; Dalm; Graec; Arm.
Eur.c; Ross.oc; Suec;
It. c. et s; Dalm;
Bith.
Alp. Ter.

XVI. Crinopterygidae.

481. Crinopteryx Peyer. 1871.

4749. **Familiella** Peyer. Mitth. III p. 410 (1871); Mill. Ic. III p. 229, t. 125, f. 5-12; Nolek. Stett. e. Z. 1882 p. 188. Gal. m; Sic. (Wck.).

XVII. Eriocraniidae (Micropterygidae aut.).

482. Eriocrania Z. 1851 (Micropteryx aut.).

4750. **Sparmannella** Bosc Tr. Lin. Soc. I, 197, t. 17, 6. 7 (1791); Hb. 408; Dup. XI, 302, 9; Z. L. E. V, 338; HS. 8, V p. 392; Frey 53; Hein.-Wck. 777; Snell. II, 2 p. 1071; Wood Monthl. Mag. XXVI p. 7 [larv.]; Meyr. 803; *Auropurpurella* Hw. 572; Wd. 1595; *Cicatricella* Zett. Ins. Lap. 1008.
4751. **Fimbriata** Wlsghm. Monthl. Mag. 1900 p. 106.
4752. **Subpurpurella** Hw. Lep. Br. 571; Wd. 1592; Z. L. E. V, 341; Stt. Tr. E. S. 1850 p. 33, t. 3, f. 10-13, 18; Nat. Hist. XIII p. 108, t. 3, f. 1; HS. V p. 393; Meyr. 805; *Donzelellus* Dup. XI p. 408, t. 302, f. 12 (forma al. ant. magis viridib., minus purpureo-conspersis).
- a) v. *Fastuosella* Z. Is. 1839 p. 185; L. E. V, 340; HS. 10, V p. 393; Hein.-Wck. 777; Snell. II, 2 p. 1067 (obseurius, al. ant. dense purpureo-[violaceo-]conspersis).
- Eur. c; Scand; Ross.
s. oc.
Angl.
Eur. (exc. reg. pol. et
Ib.).
Eur. c. m. (or.).

4753. **Unimaculella** Zett. Ins. Lap. 1008; Stt. I. B. 45; Tr. E. S. (2) I, 1850 p. 37, t. 3, f. 17; Nat. Hist. XIII p. 118, t. 3, f. 2; HS. V p. 393; Hein.-Wek. 777; Snell. II, 2 p. 1069; Barr. Monthl. Mag. XXIV p. 213; Meyr. 804; *Purpurella* var. b. Z. L. E. V. 345.
4754. **Salopiella** Stt. I. B. p. 44, t. 9, f. 4; Man. II p. 203; Nat. Hist. XIII p. 130, t. 3, f. 3; Barr. Monthl. Mag. XXIV, 213; Wood ib. XXVI p. 5; Meyr. 803.
4755. **Crysolepidella** Z. L. E. V. 342; HS. V p. 394; Hein.-Wek. 778.
4756. **Semipurpurella** Stph. Ill. IV, 359; Wd. 1593; Z. L. E. V., 343; HS. V p. 394; Hein.-Wek. 779; Snell. II, 2 p. 1068; Meyr. 804; *Auropulverella* Ev. Bull. M. 1842, III p. 565; *Auripulverella* Ev. F. V. U. 590; *Amentella* Z. Stett. e. Z. 1850, 63; Tngstr. Bidr. 115; *Inconspicuella* Wood Monthl. Mag. 1890 p. 3 [larv.]
4757. **Sangii** Wood Monthl. Mag. 1891 p. 100; Meyr. 804; *Semipurpurella* Wood l. c. 1890 p. 4 [larv.]
4758. **Purpurella** Hw. Lep. Br. 571; Stph. Ill. IV, 360; Wd. 1594; Z. L. E. V. 345 (pr. p.); Stt. I. B. 44; Hein.-Wek. 778; Snell. II, 2 p. 1070; Meyr. 803; *Violacea* HS. 9; *Caledoniella* Griffith Monthl. Mag. 1891 p. 300.
4759. **Kaltenbachii** Wood Monthl. Mag. 1890 p. 5; Stt. ib. p. 31; Barr. ib. 1891 p. 21; Bnks. ib. 1893 p. 47; Meyr. 804.
- Eur. c. et s. (exc. reg. pol.).
- Angl.
- Austr.; Bav.; Germ.
m. oc.; Hal.; ? Belg.
- Eur. c. et s.; Hisp. s.;
Gal. m.; It. c.; Ross.
m. or.
- Angl.; Petrop.
- Germ; Austr. inf.;
Bat; Angl; Scot;
Ross. s. oc.
- Angl.; ? Germ.; ? Belg.

XVIII. Micropterygidae (Erioccephalidae).

483. Micropteryx Hb. 1818 (Eriocphala Curt.).

4760. **Thunbergella** (false Tunbergella) F. Mant. II, 253, 131; HS. V p. 392; Hein.-Wek. 776; Meyr. 806; Tutt Brit. Lep. I p. 153; *Rubrifasciella* Hw. 572; Z. L. E. V., 334; *Anderschella* Hb. 352; Tr. IX. 2. 126; Z. Is. 1839, 185; Dup. XI, 302, 7; *Hellwigella* Wd. 1597; *Depictella* HS. 7.
4761. **Completa** Stgr. Berl. e. Z. 1870, 289.
4762. **Maschukella** Alph. Trudy X p. 52; Mém. Rom. V p. 240, t. 12, f. 8
4763. **Mansuetella** Z. L. E. V. 337; Stt. I. B. 43; HS. 3, V p. 391; Hein.-Wek. 775; Snell. II, 2 p. 1067; Meyr. 806; Tutt Brit. Lep. I p. 152.
4764. **Aureoviridella** Höfn. Soc. Ent. XIII (1898) p. 73. Car., Ter. s., Austr. inf. alp.
4765. **Aureatella** Sc. Ent. Carn. no. 662; Hein.-Wek. 774; Meyr. 806; Tutt Brit. Lep. I p. 156; *Allionella* F. E. S. III, 2. 148; Stt. Tr. E. S. (2) I, 1850 p. 31, t. 3, f. 7; Z. L. E. V. 330, var. a et b; HS. 6, V p. 392; Frey 49; Chapman Tr. E. S. 1898 p. 391 [larv.]; *Ammanella* Zett. Ins. Lap. 1008.
4766. **Ammanella** Hb. 288!; Tr. IX, 2. 125; Dup. XI p. 404, t. 302, f. 8; Chapman Tr. E. S. 1899 p. 253 [larv.]; *Anderschella* HS. 4, V p. 392; Frey Tin. 51; Hein.-Wek. 774; ?Hb. 352; *Allionella* var. c. d. e. Z. L. E. V. 330; *Facetella* Z. l. c. 361.
4767. **Rothenbachii** Frey Tin. 52; Hein.-Wek. 775; ? *Anderschella* HS. 5.
- Eur. c. (exc. Bat.);
Liv; Suec.
- Sard.
- Arm.
- Germ; Austr.; Bat;
Angl; Lusit; Norr.
m.
- Eur. c. et s.; Gal. m.
or; Ped; Arag.
(Cuenca).
- Germ; Alp; Austr.;
Ped; Cors; Dalm.;
Bith.
- Helv; It. s. et c.;
? Austr.

4768. **Wockei** Stgr. Hor. VII (1870), 231, t. 3, 5. *It. c; Graec.*
 4769. **Rablensis** Z. Stett. e. Z. 1868, 133; Hein.-Wek. 773. *Car.*
 4770. **Paykullega** F. E. S. III, 2 p. 340 no. 38; Z. L. E. V, 329; HS. V p. 392; Hein.-Wek. 773; **Sicanella** Z. Stett. e. Z. 1850, 63. *Gal. (m.); Helv.; Ter.; Austr. inf. alp.; It; Dalm.*
 4771. **Imperfectella** Stgr. Stett. e. Z. 1859, 236; HS. n. Schm. 113 p. 19; Stt. Monthl. Mag. VIII p. 233. *And; Maur.*
 4772. **Elegans** Stt. Syr. 42.
 4773. **Myrtetella** Z. Stett. e. Z. 1850, 62; L. E. V, 328; HS. V p. 391.
 4774. **Algeriella** Rag. Bull. S. Fr. 1889 p. 107.
 4775. **Aglaella** Dup. XI, 312, 14 p. 627.
 4776. **Berytella** Joan. (L. & J.) Bull. S. Fr. 1886 p. 183; Ann. S. Fr. 1888 p. 274, t. 6. f. 5. *Pal.*
 4777. **Atricapilla** Wck. Bresl. e. Z. 1877 p. 52. *Ter. m. alp; Car. (Petzen).*
 4778. ?**Seppella** F. Gen. I, 296; Hw. 573; Wd. 1601; HS. V p. 391; Tutt. Brit. Lep. I p. 149; **Podevinella** Dup. XI, 302, 5 p. 399; **Eximiella** Z. Stett. e. Z. 1850, 62; L. E. V, 328 (sequ. var. [♂ al. ant. angustioribus, bifasciatis, gutta costali anteapicali] sec. Snell., Meyr. etc.). *Eur. c; It; Graec.*
 4779. **Aruncella** Sc. Ent. Carn. no 660; Z. L. E. V, 325; Stt. Tr. E. Soc. (2) I, 1850, 29, t. 3, 5 ♂, 6 ♀; HS. 2, V p. 391; Frey 48; Hein.-Wek. 772; Snell. II, 2 p. 1066; Meyr. 806; Tutt. Brit. Lep. I p. 146. *Eur. c; Ross. s. oc; Suec.*
 4780. **Amasiella** Stgr. Hor. XV (1880) p. 421.
 4781. **Isobasella** Stgr. Berl. e. Z. 1870, 289; Hor. XV p. 421; Hein.-Wek. 772; Meyr. Monthl. Mag. 1891 p. 58; **Calthella** var. b. Z. L. E. V p. 323. *Pont.*
 4782. **Calthella** L. F. S. no. 1432; Tr. IX, 2, 117; Dup. XI, 302, 6; Curt. B. E. XVI, 751; Wd. 1591; Z. L. E. V, 323; Stt. Tr. E. Soc. (2) I, 1850, 27, t. 3, 1-4; HS. 1, V p. 391; Hein.-Wek. 772; Snell. II, 2 p. 1065; Chapm. Tr. E. S. 1894 p. 335, t. 6 [larv.]; Meyr. 806; Tutt. Brit. Lep. I p. 138. *It.s; Sic; And; Maur.*
 4783. **Leptothrix** L. F. S. no. 1433; Tr. IX, 2, 117; Dup. XI, 302, 6; Curt. B. E. XVI, 751; Wd. 1591; Z. L. E. V, 323; Stt. Tr. E. Soc. (2) I, 1850, 27, t. 3, 1-4; HS. 1, V p. 391; Hein.-Wek. 772; Snell. II, 2 p. 1065; Chapm. Tr. E. S. 1894 p. 335, t. 6 [larv.]; Meyr. 806; Tutt. Brit. Lep. I p. 138. *Eur. c. et s. (exc. reg. pol.); Cors; It; Dalm.*



Nachträge (Addenda) zum Theil I.

Die Zahlen in Klammern vor den Gattungsnamen beziehen sich auf die Seiten des Textes.

I. Papilionidae.

4 (3). **Thais** F.

ad 9. **Cerisyi** God.

a) v. *Deyrollei* Obth.; Stichel Berl. e. Z. 1900 p. 123, t. 2, f. 2
[♀ ab. melanot.].

5 (4). **Hypermnestra** Mén.

ad 12. **Helios** Nick.; ab. *Persica* Neuburger Ill. Ztsch. Ent.
V p. 330 [al. ant. sine maculis rubris].

7 (4). **Parnassius** Latr.

ad 14. **Apollo** L.; Stichel Ins. Börse XVI (v. et ab.).

g) v. *Sibirica* Nordm.; Stgr. Iris XII p. 332 (v. Mongolica).

II. Pieridae.

10 (9). **Pieris** Schulz.

ad 48. **Rapae** L.

c) v. *Manni* Mayer; v. *Rossi* Stefan. Bull. Soc. It. XXXII
178 [gen. aestiv.].

d) ?ab. *Erganooides* Stefan. l. c. 179 (al. ant. amplis, ♂ macula
apicali angustiore; an *Ergane* HG. ab.?).

ad 52. **Napi** L.; Burger Ill. Ztschr. Ent. V p. 330 fig. [ab. tota
fusca].

14 (14). **Leptidia** Billb.

ad 82. **Amurensis** Mén. Bull. Ac. Petr. XVII, 213 (descr. prim.).

16 (15). **Colias** F.

107bis. **Hyperborea** Gr. Gr. Ann. Mus. Petersb. IV (1899) p. 455. *Sib. s. or.*

ad 109. **Hecla** Lef.

e) v. *Orientalis* Gr. Gr. Ann. Mus. Petersb. IV (1899) p. 459;
? *Aquilonaris* Gr. Gr. l. c. [an sp. distincta?] (major,
♀ macul. marg. sulfureis permagnis).

ad 113. **Edusa** F.; ab. **Failla** e Stefan. Bull. Soc. It. XXXII p. 187.

ad 114. **Myrmidone** Esp.

a) bis) ab. ♀ *Flavescens* Garbowski Sitzb. Ak. Wiss. Wien 1892 p. 903 (flavescens, trans. ad ab. Albam Stgr.).

c) v. *Balcanica* Rbl. major, saturatior, ♀ valde varians plerumque alba; transit. ad Caucasieam Stgr. (no. 115).

Bosn. et Hereg. mont.

17 (20). **Gonepteryx** Leach.

ad 122. **Aspasia** Mén. Bull. Ac. Petr. XVII, 213 (descr. prim.).

III. **Nymphalidae.**

18 (21). **Charaxes** O.

ad 127. **Jasius** L.; Jason Rothschr. & Jord. Nov. Zool. VII p. 446.

20 (21). **Apatura** F.

ad 130. **Nycteis** Mén. Bull. Ac. Petr. XVII, 215 (descr. prim.).

23 bis. **Aldania** Moore 1897.

ad 151. **Raddei** Brem. (Neptis) genus propr. *Aldania* Moore 1897.

24 (24). **Pyrameis** Hb.

ad 152. **Atalanta** L.

b) ab. (v.?) *Italica* Stichel Berl. e. Z. 1900 p. 124 (al. ant. *It. c.* (v.?) ; etc. ?ab. fascia rubra angustiore).

25 (24). **Vanessa** F.

ad 160. **Xanthomelas** Esp.

b) ab. *Chelys* Mitis X. Jhrsb. Wien. E. V. 1899 p. 77, t. 1, f. 3; *Testudo* Dahlström Ins. Börse 1898 p. 135 (maculis confluentibus).

29 (27). **Melitaea** F.

ad 172. **Maturna** L.

c) v. *Urbani* Hirschke XI. Jhrsb. Wien. E. V. (al. supra nigris, minus signatis, fascia rufa externa distinctissima, subt. saturatior, al. post. fascia maculisque flavidis minoribus).

Salisburg.

ad 185. **Didyma** O.; Obth. Bull. S. Fr. 1900 p. 276, t. 1 [ab.]; ab. *Ziegleri* Stichel Berl. e. Z. 1900 p. 128, t. 2, f. 5 [ab.].

hbis) v. *Polaris* Gr. Gr. Ann. Mus. Petersb. IV (1899) p. 459 (minor, ♂ supra Triviae, subtus v. *Didymoides* similis; ♀ rubido-albae).

Sib. s. or.

ad 191. **Athalia** Rott.

a) ab. *Corythalia* Hb.; *Cymothoe* Bertolini An. Stor. Nat. Bologn. 1829, II p. 237; Stefan. Bull. Soc. It. XXXII p. 357.

ad 193. **Parthenie** Bkh.; Obth. Bull. S. Fr. 1900 p. 276, t. 1 [ab.].

ad 194. **Protomedia** Mén. Bull. Ac. Petr. XVII, 214 (descr. prim.).

30 (34). **Argynnис F.**ad 210. **Pales** Schiff.a) ab. *Napaea* Hb.; Galvagni z. b. V. 1900 p. 567, f. 2 [ab. supra fere tota nigra].* c^{bis}) v. *Alaskensis* Holl. Ent. News. XI p. 383 (al. area basali fusca minus extensa, signaturis nigris minoribus, subt. ut Pales; similis v. Generator Stgr.).*Alaska.*ad 230. **Aglaja** L.; ab. *Obscura* Nick. B. Tgf. p. 21, t. 1, f. 1; ab. *Wimani* Holmgren Tidskr. IX (1888) p. 103, f. 1; Stichel Berl. e. Z. 1900 p. 132, t. 2, f. 4 [ab. melan.].ad 232. **Adippe** L.; ab. *Varenii* Holmgren Tidskr. IX p. 104, f. 3 [ab.].ad 237. **Paphia** L.; Pramer Jhrs. Wien. E. V. 1893 t. 1, f. 2, 3 [ab. melanot.].33 (43). **Erebia** Dalm.ad 272. **Haberhaueri** Stgr.b) v. *Sofia* Streck; v. *Alaskensis* Holl. Ent. News. XI p. 387.ad 287. **Fasciata** Butl.a) v. *Semo* Gr. Gr. Ann. Mus. Petersb. IV (1899) p. 460 (an-tennis albis, nigro-annulatis, clava rufa, al. ant. ♂ macula magna rufa).*Sib. s. or.*ad 320. **Tyndarus** Esp.; ab. ♀ Galvagni z. b. V. 1900 p. 568, f. 3.34 (51). **Oeneis** Hb.ad 325. **Norna** Thnbg.e) v. *Verdanda* Stgr.; ?Elsa Aust. Natural. 1895 p. 85, 1900 p. 48; H.-Rühl 813 [si certum nom. restitund; an spec. distincta?; sec. Stgr. sp. incerta et omittenda]; v. *Vanda* Aust. l. c. 1900 p. 48.*Thian. or.*ad 330. **Jutta** Hb.*c) v. *Alaskensis* Holl. Ent. News. XI p. 389 (al. griseous. subdiaphanous, minus signatis).*Alaska.*ad 334. **Nanna** Mén. Bull. Ac. Petr. XVII, 216 (descr. prim.).35 (53). **Satyrus** Latr.ad 342. **Alcyone** Schiff.; ab. *Nemorivaga* Schultz Soc. Ent. XV p. 17 [ab.].37 (60). **Pararge** Hb.ad 398. **Schrenckii** Mén. Bull. Ac. Petr. XVII, 215 (descr. prim.).40 (62). **Epinephele** Hb.ad 405. **Lycaon** Rott.; ab. *Schlosseri* et ab. *Pavonia* Voel-schow Soc. Ent. XV p. 121.41 (64). **Coenonympha** Hb.ad 441. **Amaryllis** Cr.a) v. *Rinda* Mén. Bull. Ac. Petr. XVII, 217 (descr. prim.).

42 (67). **Triphysa** Z.ad 449. **Nervosa** Motsch.

- a) v. *Tscherskii* Gr. Gr. Ann. Mus. Petersb. IV (1899) p. 461
(al. ant. subtus nervis minus distinctis).
-

VI. Lycaenidae.54 (72). **Chrysophanus** Hb.ad 508. **Dispar** Hw.

- d) v. *Borodowskyi* Gr. Gr. Ann. Mus. Petersb. IV (1899) p. 459 *Mandsch.*
(multo major, laetus picta).

ad 513. **Dorilis** Hufn.; ab. Fulvior Stefan. Bull. Soc. It. XXXII
p. 331.60 (77). **Lycaena** F.ad 613. **Bellargus** Rott.

- a) ab. *Krodeli* Gillmer Ill. Ztsch. Ent. V p. 50, f. 6-9 (Febr.
1900); *Adonis* Hb. 645-6; *Cinnides* Stgr. Cat. ed. III
p. 86.

ad 614. **Coridon** Poda; ab. *Fowleri* South Entom. XXXIII
p. 104, t. 3, f. 4, 5.

- a) ab. *Cinnus* Hb.; Gillmer Ill. Ztsch. Ent. V p. 50.

ad 646. **Arion** L.; ab. *Aldrovandus* Selys Mém. Soc. Royal.
Liéges II (1844) p. 35 [major, obscurior].**VII. Hesperiidae.**62 (91). **Heteropterus** Duméril.ad 651. **Morpheus** Pall; ab. *Phantasos* Stichel Berl. e. Z.
1900 p. 137, t. 2, f. 6 [ab. al. post. subtus nigris, flavidō-
maculatis].73 (98). **Aeromachus** Nicév.ad 712. **Inachus** Mén. Bull. Ac. Petr. XVII, 217 (descr. prim.).

- *a) v. *Thibetana* Aust. Natural 1900 p. 48 (al. supra obscurior,
al. post. subtus distinctius signatis). *Chin. oc. m.*

IX. Notodontidae.94 (105). **Cerura** Schrk.777 bis. **Intercalaris** Gr. Gr. Ann. Mus. Petersb. IV (1899) p. 470.782 bis. ? **Syra** Gr. Gr. Ann. Mus. Petersb. IV (1899) p. 471.*China or. (territ.?).**Syr.*107 (108). **Pheosia** Hb.ad 809. **Dictaeoides** Esp.

- b) ab. (v.?) *Leonis* Stichel Berl. e. Z. 1900 p. 139, t. 2, f. 7, 8
(major, distinctius signata, plus minusve infuscata).

*Val.*ad 811. **Tephroxantha** Püng. Iris XIII p. 116, t. 4, f. 5.*Kuku N.*

110 (109). **Notodonta** O.

- ad 824. **Tritophus** Esp.; ab. Fügei Bart. Ent. Nachr. XXVI p. 337 [al. ant. nigris strigis albidis, corpore nigro].

XI. Lymantriidae.131 (113). **Orgyia** O.

- 891 bis? **Algircum** Luc. Exp. Alg. p. 376, t. 3, f. 6 [Trichosoma]; Luc. Ann. S. Fr. 1853 p. 415 (certo non Dubia Tausch. var. sec. Stgr.; hujus generis?).

*Maur.*142 (118). **Ocneria** Hb.

- 945 bis. **Nora** Stgr. Iris XIII p. 112 (hujus gener.?).

*Taur. m. or.***XII. Lasiocampidae.**146 (119). **Malacosoma** Hb.

- ad 956. **Neustria** L.; Tutt Brit. Lep. II p. 546.

- ad 957. **Castrensis** L.; Tutt Brit. Lep. II p. 530.

147 (119). **Trichiura** Stph.

- ad 960. **Crataegi** L.; Tutt Brit. Lep. II p. 483.

148 (120). **Poecilocampa** Stph.

- ad 962. **Populi** L.; Tutt Brit. Lep. II p. 465; ab. **Albescens** Heyne Soc. Ent. XIII p. 105; Stichel Berl. e. Z. 1900 p. 144, t. 2, f. 18; ab. **Albomarginata** Heyne l. c. 105; Stichel l. c. f. 11, 12.

a) v. *Alpina* Frey & Wullschlegel Mitth. IV p. 259 (1874); Stichel l. c. p. 140, f. 9, 10.

b) v. *Cannensis* (r. *Canensis*) Mill.; Stichel l. c. 142.

149 (120). **Eriogaster** Germ.

- ad 965. **Lanestris** L.; Tutt Brit. Lep. II p. 501.

XV. Saturniidae.174 (126). **Saturnia** Schrk.

- ad 1030. **Stoliczkana** Feld.

a bis) v. *Galeropa* Püng. Iris XIII p. 116, t. 4, f. 1 (major, *saturatius picta*, rufo-brunnescens).

Tura.

XXI. Noctuidae.**192 (180). Diphthera Hb.**

- ad 1068. **Japyx** Stgr.; Niveola Motsch Bull. Soc. Nat. Mosc. XXXIX p. 195 est spec. distincta ex Corea (cfr. Leech Tr. E. S. 1900 p. 551).

203 (185). Agrotis O.

- ad 1125. **Janthina** Esp.

b) v. *Latimarginata* Roeber Ent. Nachr. 1900 p. 204 (minor, obseur., al. post. margine nigro laticore). *Hercyn. mont.*

- ad 1146 bis. **Aucta** Alph.; Stgr. & Rbl. Cat. ed. III, no. 1146 b sec. spec. typ. spec. diversa (Stgr.).

- 1182 bis. **Gaurax** Püng. Iris XIII p. 117, t. 4, f. 9.

Iss. K.

- 1183 bis. **Coryphaea** Püng. Iris XIII p. 118, t. 4, f. 4.

Kuku N.

- ad 1205. **Brunnea** F.; Carnea Thnbg. Mus. Nat. VI p. 72, f. 1 (1788) [syn. sec. Lampa].

206 (154). Phleboëis Chr.

- 1248 bis. **Clarivena** Püng. Iris XIII p. 116, t. 4, f. 8.

Kuku N.

- 1377 bis. **Inquinata** Mab. Bull. S. Fr. 1888 p. 43; Stgr. & Rbl. Cat. ed. III sub no. 1481 a (sec. spec. typ. ad genus *Agrotis* ponend. proxima *Anarmodiae* Stgr., Rbl.).

Maur. or.

- ad 1430. **Unctus** Chr.; certe aberr. ad 1431 (Lasserrei Obth.) sec. Stgr. i. l.

- ad 1431. **Lasserrei** Obth.

a) ab. *Unctus* Chr.; Stgr. & Rbl. Cat. ed. III no. 1430; certe aberr. ad no. 1431 sec. Stgr. i. l. (al. ant. non rufo-brunnescent.).

207 (154). Centropus Chr.

- ad 1432. **Argillacea** Chr.; sec. spec. typ. syn. ad no. 2607 (*Pseudoligia Similiaria* Mén.) sec. Herz i. l.

213 (155). Mamestra Hb.

- 1473 bis. **Lauta** Püng. Iris XIII p. 119.

Kuku N.

213 bis. Saragossa Stgr.

- 1518 bis. **Seboldi** Stgr. Iris XIII p. 109.

Hisp. s. or. (Saragossa).

215 (161). Thargelia Püng.

- 1525 bis. **Pusilla** Püng. Iris XIII p. 118, t. 4, f. 10.

Tura.

227 (168). Valeria Stph.

- ad 1612. **Spilogramma** Rbr. est syn. ad no. 1873 (*Nyssocnemis Obesa* Ev.) sec. Stgr. i. l.

230 (169). Celaena Stph.

- ad 1622. **Vitalba** Frr.; *Amathusia* Rbr. [sec. spec. typ. ab. an v., al. ant. obscurioribus, al. post. pallide flavicantibus extus latius fusco-marginatis].

239 (171). **Hadena** Schrk.

ad 1685. **Dianthoecina** Stgr.; ad gen. *Blepharidia* Püng. ponend.
(vide post.).

244 (177). **Heliophobus** B.

ad 1749. **Grumi** Alph. ad genus *Blepharidia* Püng. ponend.
ad 1750. **Anachoretoides** Alph. ad genus *Blepharidia* Püng.
ponend.
ad 1751. **Lama** Püng. ad genus *Blepharidia*.

244 bis. **Blepharidia** Püng. 1900
continens no. 1685, 1749, 1750, 1751, 1860.265 (182). **Dryobota** Ld.

ad 1821. **Roboris** B.; adde HS. 52.

277 (184). **Trigonophora** Hb.

ad 1860. **Paspa** Püng. Iris XIII p. 123; **Grumi** Alph. l. c. (nom.
mutat; ad gen. *Blepharidia* Püng. ponend.).

282 (185). **Naenia** Stph.

ad 1871. **Typica** L.

a) v. *Issyca* Püng. Iris XIII p. 119 (rufescens, margine minus
undulato). *Iss. K.*

283 (185). **Nyssocnemis** Ld.

ad 1873. **Obesa** Ev.; *Spilogramma* Rbr. Ann. S. Fr. 1871
p. 321; Stgr. & Rbl. Cat. ed. III no. 1612.

301 (191). **Leucania** Hb.

ad 1951. **Comma** L.

a) v. *Rhodocomma* Püng. Iris XIII p. 120 (rufescens). *Iss. K.*

311 (195). **Caradrina** Hb.

ad 1990. **Exigua** Hb.; adde HS. 441.

318 (199). **Amphipyra** O.

ad 2050. **Schrenkii** Mén. Bull. Ac. Petr. XVII, 219 (descr. prim.).

322 (201). **Taeniocampa** Gn.

ad 2071. **Opima** Hb.; ab. *Mediolugens* Schultz Ill. Ztsch.
Ent. V p. 349.

337 (205). **Orthosia** O.

ad 2138. **Litura** L.; ab. *Saturata* Schultz Ill. Ztsch. Ent. V
p. 349.

340 (208). **Orrhodia** Hb.

ad 2158. **Veronicae** Hb.; *Intricata* B.; Obth. Bull. S. Fr. 1900
p. 352.

ad 2165. **Ligula** Esp.

c) ab. *Uniformis* Stgr.; *Staudingeri* Grasl. Obth. Bull.
S. Fr. 1900 p. 355.

343 (211). **Calocampa** Stph.

- ad 2182. **Solidaginis** Hb.; ab. **Obscura** Lutzau Ent. Ztschr. Gub. XIV p. 155.

420 (235). **Plusia** O.

- ad 2539. **Chrysitis** L.; ab. **Juncta** Tutt Brit. Noct. IV p. 25. [al. ant. area media brunn. interrupta]; ab. **Disjuncta** Schultz Ill. Ztschr. Ent. V p. 349 [= typ. sec. Tutt].
 ad 2544. **Excelsa** Kretschmar; **Metabractea** Butl. Tr. E. S. 1881 p. 190.
 ad 2551. **Gutta** Gn.; **Albostriata** Leech Pr. Z. S. 1889 p. 532. *Cor; Jap.*
 ad 2553. **Rutilifrons** Wlk. List. XV p. 1785; Leech Tr. E. S. 1900 p. 581; **Argenteo-Guttata** Pouj. Bull. S. Fr. 1887 p. 68; **Adscripta** Stgr. l. c. *China s; Jap; Uss. m.*

431 (242). **Zethes** Rbr.

- ad 2600. **Musculus** Mén. Bull. Ac. XVII p. 220 (descr. prim.).
 ad 2601. **Subfalcata** Mén. Bull. Ac. Petr. XVII, 220 (descr. prim.).

436 (242). **Pseudoligia** Stgr.

- ad 2607. **Similiaria** Mén.; **Argillacea** Chr.; Stgr. & Rbl. Cat. ed. III p. 154, no. 1432 [syn. sec. Herz].

439 (243). **Leucanitis** Gn.

- ad 2643. **Obscura** Brem. & Grey. Schm. n. Chin. p. 19 [nom. vet. sec. Herz]; **Hedemannii** Stgr. l. c.

443 (245). **Pseudophia** Gn.

- ad 2658. **Amata** Brem. & Grey.; Mén. En. III t. 17, f. 4.

458 (253). **Aventina** Stgr.

- ad 2749. **Argillacea** Butl. Ann. & Mag. (5) IV p. 450 (1879) (nom. vet. sec. Leech); **Costimacula** Stgr. l. c. *Uss; Jap; Cor.*

464 (254). **Nodaria** Gn.

- ad 2764. **Amurensis** Stgr.; ?**Jutalis** Wlk. List. XVI p. 172; **Hmps.** Ind. Moths III, 45 (nom. vet. sec. Leech). *Ind.*

466 (255). **Pangrapta** Hb.

- ad 2783. **Vasava** Butl. Tr. E. S. 1881 p. 582 (nom. vet.); **Incisa** Stgr. l. c. *Jap.*
-

XXV. Geometridae.546 (308). **Tephroclystia** Hb.

- ad 3556. **Distinctaria** HS.; ?**Liguriata** Mill. Rev. Ent. III p. 3 (1884).
-

Nachträge (Addenda) zum Theil II.

Die Zahlen in Klammern vor den Gattungsnamen beziehen sich auf die Seiten des Textes.

I. Pyralidae.

11 (2). Crambus F.

- ad 106. **Biarmicus** Tgstr.; ab. **Pallidus** Strand Ent. Z. Pub. XIV, 92.
130 bis. **Argyrophorus** Butl. Ill. Het. II p. 61, t. 40, f. 5; Hmps. *Amur c. et Uss.m. (sec. B.-Haas); Jap; Ind. s.*
Ind. Moths IV p. 15.
130 ter. **Ornatellus** Leech Entom. XXII p. 106, t. 5, f. 2. *Uss.m. (sec. B.-Haas); Jap.*
134 bis. **Distinctellus** Leech Entom. XXII (1889) p. 107, t. 5, *Uss.m. (sec. B.-Haas); Jap.*
f. 1.

17 (9). Chilo Zk.

- 160 bis. **Simplex** Butl. Pr. Z. S. 1880 p. 690; Hmps. Ind. Moths IV p. 26, f. 17; **Zonellus** Swinh. Pr. Z. S. 1884 p. 528, t. 48, f. 16; **Partellus** Swinh. ib. 1885 p. 879. *Amur (Blagowest-schensk sec. B.-Haas); Jap; China; Kamt; Ind.*
160 ter. **Gensanellus** Leech Entom. XXII (1889) p. 108, t. 5, f. 9 (a praec. (Ch. Simplex) satis distincta?). *Uss. (sec. B.-Haas); Cor; Jap.*

19 (10). Ancyloloomia Hb.

- 167 bis. **Chrysographella** Koll. Hüg.-Kaschm. IV p. 494; Hmps. *Uss.m. (Sutschuan sec. Ind. Moths IV p. 33, (cfr. syn.) f. 21. B.-Haas); Jap; China; Ind; Arab; Afr.*

42 (15). Ephestia Gn.

- 266 bis. **Interfusella** Rag. Mon. II t. 34, f. 17. *Taur. m.*

44 (17). Ancylosis Z.

- ad 295. **Ustella** Rag.; **Talebella** Obth. (no. 791) syn. sec. Joan. i. l.
299 bis. **Zohrella** Obth. (no. 792) est hujus gen. sec. Joan. i. l.

57 (19). Heterographis Rag.

- ad 372. **Tenuigranella** Rag. (1890) est syn. **Fathmella** Obth. (no. 380) (1888) sec. Joan. i. l.
ad 380. **Fathmella** Obth.; **Tenuigranella** Rag. (no. 372) syn. sec. Joan. i. l.

99 (32). **Christophia** Rag.

594bis. **Zelicella** Obth. (no. 790) est hujus gen. sec. Joan. i. l.

125 (41). **Myelois** Hb.

ad 790. **Zelicella** Obth. est gen. *Christophia* Rag. no. 594 bis sec. Joan. i. l.

ad 791. **Talebella** Obth. (1888) est syn. *Ancylosis Ustella* Rag. (no. 295) (1887) sec. Joan. i. l.

ad 792. **Zohrella** Obth. est gen. *Ancylosis* Z. no. 299 bis sec. Joan. i. l.

133 (43). **Macalla** Wlk.

804bis. **Inimica** Butl. Ann. & Mag. (5) IV p. 448.

Uss. (sec. B.-Haas); *Jap.*

804ter. **Elegans** Butl. Tr. E. S. 1881 p. 581.

Uss. m; Jap.

134bis. **Orthaga** Wlk. 1858.

806bis. **Onerata** Butl. Ann. & Mag. (5) IV p. 447; Hmps. Ind. Moths IV p. 126.

Uss. (sec. B.-Haas); Jap; Ind. s.

150 (46). **Herculia** Wlk. 1859.

847bis. **Placens** Butl. Ill. Het. III p. 72, t. 58, f. 10.

Uss. (sec. B.-Haas); Jap.

157 (48). **Nymphula** Schrk.

913bis. **Interruptalis** Pryer Cist. Ent. II p. 233, t. 4, f. 5; v. *Separatalis* Leech Entom. XXII p. 71, t. 4, f. 2, 13 [v. an ab?].

Uss; Jap; China s.

158 (49). **Cataclysta** Hb.

922bis. **Midas** Butl. Tr. E. S. 1881 p. 585.

Amur (Radeffka see. B.-Haas); Jap.

162bis. **Bradina** Ld. 1863.

928bis. **Atopalialis** Wlk. List. XVIII p. 644; *Damasalis* Wlk. l. c. 668.

Uss. m; Jap; China.

169 (53). **Entephria** Ld.

981bis. **Lactiferalis** Wlk. List. XVII, 480; Hmps. Ill. Het. IX t. 173, f. 28; Ind. Moths IV p. 259; *Argyria* Butl. Ill. Het. III p. 76, t. 59, f. 9; *Paucipunetalis* Snell. Tr. E. S. 1890, 633 t. 19, f. 2.

Uss; Jap; China; Ind; Malay. Ins.

174bis. **Cnaphalocrocis** Ld. 1863.

987bis. **Medinalis** Gn. 201; Hmps. Ind. Moths IV p. 275, f. 166; *Jolinalis* Ld. Wien. Mts. 1863 t. 12, f. 7.

Uss. (sec. B.-Haas); Jap; China; Ind; Austral.

174ter. **Bocchoris** Moore 1886.

987ter. **Telphusalis** Wlk. List. XIX, 974; Hmps. Ind. Moths IV p. 284.

Amur (Radeffka see. B.-Haas); Jap; Ind.

177 (54). **Sylepta** Hb.

ad 991. **Luctuosalis** Gn.; Segnalis Leech Entom. XXII p. 65, t. 4; f. 4 (Coptobasis).

182 (55). **Evergestis** Hb.

1033^{bis}. **Junctalis** Warr. Ann. & Mag. (6) IX p. 434.

Uss; Jap.

183^{bis}. **Maruca** Wlk. 1859.

1038^{bis}. **Testulalis** HG. Zutr. 629-30; Hmps. Ind. Moths IV p. 393, f. 211.

Uss; Jap; Orbis terr. trop.

198 (61). **Pionea** Gn.

1160^{bis}. **Lugubralis** Leech Entom. XXII (1889) p. 67, t. 3, f. 6.

Amur; Uss; Jap.

1161^{bis}. **Fentoni** Butl. Tr. E. S. 1881 p. 587; Hmps. Ind. Moths IV p. 425.

Uss; Jap; Ind.

200 (64). **Pyrausta** Schrk.

1217^{bis}. **Damoalis** Wlk. List. XVIII p. 656; Hmps. Ind. Moths IV p. 436; Dorsivittata Moore Lep. Atk. p. 223, t. 7, f. 18.

Uss; Jap; China; Ind.

IV. Tortricidae.218 (79). **Acalla** Hb. ✓

1440^{bis}. **Staudingeri** Kenn. Iris XIII p. 205.

Uss. m.

ad 1442. **Paradiseana** Wlsghm.; Kenn. Iris XIII p. 207.

ad 1456. **Undulana** Wlsghm.; Kenn. Iris XIII p. 209.

1479^{bis}. **Pretiosana** Kenn. Iris XIII p. 208.

Amur or.

1480^{bis}. **Exsucana** Kenn. Iris XIII p. 208.

Uss. m.

221 (84). **Dichelia** Gn. ✓

1492^{bis}. **Inconditana** Kenn. Iris XIII p. 210.

Uss. m.

1497^{bis}. **Illotana** Kenn. Iris XIII p. 210 (?hujus gen.).

Uss. m.

1498^{bis}. **Praecana** Kenn. Iris XIII p. 125, t. 5, f. 1, 36, 37.

Sib. s. or.

222 (85). **Capua** Stph. ✓

1503^{bis}. **Foederatana** Kenn. Iris XIII p. 211.

Uss. m.

224 (85). **Cacoecia** Hb. ✓

1507^{bis}. **Capsigerana** Kenn. Iris XIII p. 212.

Uss. m.

1513^{bis}. **Criticana** Kenn. Iris XIII p. 213.

Amur.

1514^{bis}. **Evanidana** Kenn. Iris XIII p. 214.

Uss. m.

1515^{bis}. **Disparana** Kenn. Iris XIII p. 216.

Uss.

1528^{bis}. **Fluxana** Kenn. Iris XIII p. 217.

Cast.

- 1529bis. ✓ **Congruentana** Kenn. Iris XIII p. 227. Uss. m.
 ad 1531. **Strigana** Hb.; **Quinquemaculana** Brem. (no. 1587), Kenn. Iris XIII p. 127, t. 5, f. 3 [trans. ad ab. Stramin. HS.).
 1537bis. ✓ **Micantana** Kenn. Iris XIII p. 218. Uss.

225 (87). **Pandemis** Hb. ✓

- 1540bis. ✓ **Praefloratana** Kenn. Iris XIII p. 219. Mong.
 1544bis. ✓ **Severana** Kenn. Iris XIII p. 227. Maur.
 1547bis. ✓ **Inopinatana** Kenn. Iris XIII p. 220. Uss.
 1559bis. ✓ **Adulterinana** Kenn. Iris XIII p. 221. Maur.

227 (88). **Tortrix** L. ✓

- 1567bis. ✓ **Arquatana** Kenn. Iris XIII p. 222. Uss.
 1576bis. ✓ **Perpulchrana** Kenn. Iris XIII p. 223. Uss. (Bikin).
 1576ter. ✓ **Oblimatana** Kenn. Iris XIII p. 228. Pal.
 ad 1581. **Gigantana** Kenn.; Kenn. Iris XIII p. 127, t. 5, f. 2 (♂) (ad gen. Cacoeciam ponend.?) ; sec. Wlsghm. Ann. & Mag. (7) VI p. 443 syn. ad 1580. Uss. m.
 ad 1587. **Quinquemaculana** Brem.; Kenn. Iris XIII p. 127, t. 5, f. 3, recte ponend. var. ad 1531. Mong.
 1588bis. ✓ **Fucosana** Kenn. Iris XIII p. 225.
 ad 1590. **Imperfectana** Ld.; Kenn. Iris XIII p. 226.
 1603bis. ✓ **Accuratana** Kenn. Iris XIII p. 224. Mong.

228 (91). **Cnephasia** Curt. ✓

- 1608bis. ✓ **Marcidana** Kenn. Iris XIII p. 229.
 1618bis. ✓ **Obsoletana** Kenn. Iris XIII p. 230.
 1619bis. ✓ **Facetana** Kenn. Iris XIII p. 231.
 1624bis. ✓ **Personatana** Kenn. Iris XIII p. 231.
 ad 1636. ✓ **Praeviella** Ersch.; Kenn. Iris XIII p. 128, t. 5, f. 4.

236 (94). **Conchylis** Tr. ✓

- 1663bis. ✓ **Subobscurana** Kenn. Iris XIII p. 129, t. 5, f. 2. Tura (Puli-chatum).
 1671bis. ✓ **Suppositana** Kenn. Iris XIII p. 235. Amur.
 1685bis. ✓ **Imbecillana** Kenn. Iris XIII p. 241 (Euxanthis). Maur.
 1685ter. ✓ **Bingenerana** Kenn. Iris XIII p. 241 (Euxanthis). Murc.
 ad 1689. pro **Dilutana** Kenn. lege **Helvolana** Kenn. Iris XIII p. 159 (nom. mutat.).
 1716bis. ✓ **Additana** Kenn. Iris XIII p. 242 (Euxanthis). Maur.
 1720bis. ✓ **Manifestana** Kenn. Iris XIII p. 232. Sic.
 1722bis. ✓ **Declivana** Kenn. Iris XIII p. 243 (Euxanthis). ?Amur.
 1728bis. ✓ **Perfidana** Kenn. Iris XIII p. 236. Cast.
 1729bis. ✓ **Luteopictana** Kenn. Iris XIII p. 130, t. 5, f. 6. Hyrc.
 1743bis. ✓ **Magister** Wlsghm. Ann. & Mag. (7) VI p. 443. Ant.
 1756bis. ✓ **Taganrogana** Kenn. Iris XIII p. 132, t. 5, f. 9 (Euxanthis!). Ross. m; Arm.
 1758bis. ✓ **Ferruginea** Wlsghm. Ann. & Mag. (7) VI p. 444 (hujus generis?). Ant.
 1759bis. ✓ **Incommodana** Kenn. Iris XIII p. 232. Murc.

- 1760 bis. ✓ **Dolosana** Kenn. Iris XIII p. 234.
 1764 bis. ✓ **Aestiva** Wlsghm. Ann. & Mag. (7) VI p. 445.
 1765 bis. ✓ **Ineptana** Kenn. Iris XIII p. 233.
 1767 bis. ✓ **Perturbana** Kenn. Iris XIII p. 134, t. 5, f. 10 (Euxanthis!).
 ad 1769. ✓ **Sabulicola** Wlsghm. Monthl. Mag. 1900 p. 194 (n. nom.); Erigerana Wlsghm. (nom. praeoc.).
 1792 bis. ✓ **Prangana** Kenn. Iris XIII p. 130, t. 5, f. 7.
 1792 ter. ✓ **Sulphurosana** Kenn. Iris XIII p. 237.
- Taur.
Ant.
Amur sup.
Ural. m.
Cauc.
Maur.

237 (100). **Euxanthis** Hb. ✓

- 1794 bis. ✓ **Romanovi** Kenn. Iris XIII p. 131, t. 5, f. 8.
 1812 bis. ✓ **Lentiginosana** Kenn. Iris XIII p. 238.
 1812 ter. ✓ **Scabiosana** Kenn. Iris XIII p. 239.
 1813 bis. ✓ **Subdolana** Kenn. Iris XIII p. 240.
 ad 1818. **Meridiolana** Rag.; Kenn. Iris XIII p. 239.
 1820 bis. ✓ **Uncinatana** Kenn. Iris XIII p. 237.
- Thian.
Murc.
Maur. or.
Taur.
Ferg. m.
Ferg. m.

238 (101). **Phtheochroa** Stph. ✓

- 1831 bis. ✓ **Dilectana** Kenn. Iris XIII p. 243.
 1832 bis. ✓ **Syriaca** Wlsghm. Ann. & Mag. (7) VI p. 446.
 1832 ter. ✓ **Decipiens** Wlsghm. Ann. & Mag. (7) VI p. 447.
- Srp.
Ant.
Ant.

239 (102). **Hysterosia** Stph. ✓

- 1839 bis. ✓ **Unionana** Kenn. Iris XIII p. 135, t. 5, f. 11.
- Cauc.

242 (103). **Olethreutes** Hb. ✓

- 1858 bis. ✓ **Crassiveniana** Kenn. Iris XIII p. 244.
 1860 bis. ✓ **Semiassana** Kenn. Iris XIII p. 246.
 1866 bis. ✓ **Lutosana** Kenn. Iris XIII p. 247.
 1871 bis. ✓ **Demissana** Kenn. Iris XIII p. 248.
 1871 ter. ✓ **Moeschleri** Kenn. Iris XIII p. 249.
 1871 quat. ✓ **Lemniscatana** Kenn. Iris XIII p. 250.
 1872 bis. ✓ **Perspicuana** Kenn. Iris XIII p. 251.
 1874 bis. ✓ **Caucasicana** Kenn. Iris XIII p. 136, t. 5, f. 12.
 1886 bis. ✓ **Purpurissatana** Kenn. Iris XIII p. 252.
 1895 bis. ✓ **Electana** Kenn. Iris XIII p. 257.
 ad 1896. **Arcuela** Cl.
 a) var. ✓ **Furiosella** Kenn. Iris XIII p. 258 (multo obsevior et intensius picta).
 1899 bis. ✓ **Helvinana** Kenn. Iris XIII p. 138, t. 5, f. 14.
 1900 bis. ✓ **Fraudulentana** Kenn. Iris XIII p. 256.
 1902 bis. ✓ **Ineptana** Kenn. Iris XIII p. 255.
 1911 bis. ✓ **Hepialana** Kenn. Iris XIII p. 137, t. 5, f. 13.
 1919 bis. ✓ **Illepidana** Kenn. Iris XIII p. 253.
 ad 1922. **Lacunana** Dup.
 d) ?var. ✓ **Cacuminana** Kenn. Iris XIII p. 253 (dilutior).
 1927 bis. ✓ **Dolosana** Kenn. Iris XIII p. 254.
- Uss.
Uss.
Ferg.
Norv.
Norv.
Labr.
Norv.
Uss.
Cauc.
Uss. m.
Uss.
Gal. m.
Mong. (Urga).
Amur.
Uss.
Mong.
Taur.
Uss.
Uss. m.

243 (109). **Polychrosis** Rag.

- 1950 bis. **Herculeana** Kenn. Iris XIII p. 139, t. 5, f. 15.
- 1951 bis. **Fictana** Kenn. Iris XIII p. 258.
- 1951 ter. **Attributana** Kenn. Iris XIII p. 259.
- 1951 quat. **Pullana** Kenn. Iris XIII p. 140, t. 5, f. 16, 17.

Thian oc.
Syr.
Taur.
Ross. m.

247 (110). **Acroclita** Ld.

- ad 1967. **Lascivana** Chr.; Kenn. Iris XIII p. 260.
- 1967 bis. **Exartemana** Kenn. Iris XIII p. 260.

Uss.

249 (110). **Steganoptycha** Stph.

- 1977 bis. **Corpulentana** Kenn. Iris XIII p. 262.
- 1992 bis. **Explicatana** Kenn. Iris XIII p. 141, t. 5, f. 18.
- 1997 bis. **Resupinatana** Kenn. Iris XIII p. 270 (Semasia).

Uss.
Ural. m.
Val.

253 (113). **Pelatea** Gn.

- 2015 bis. **Confictana** Kenn. Iris XIII p. 262.

Iss. K.

255 (113). **Bactra** Stph.

- 2018 bis. **Fumosana** Kenn. Iris XIII p. 263.
- 2020 bis. **Egenana** Kenn. Iris XIII p. 264.

Ferg.
Cast.

257 (113). **Semasia** Stph.

- 2022 bis. **Urbana** Kenn. Iris XIII p. 271.
- 2029 bis. **Demissana** Kenn. Iris XIII p. 268.
- 2029 ter. **Bactrana** Kenn. Iris XIII p. 269.
- 2029 quat. **Elutana** Kenn. Iris XIII p. 147, t. 5, f. 22, 23.
- 2030 bis. **Affectana** Kenn. Iris XIII p. 267.
- 2030 ter. **Infirmana** Kenn. Iris XIII p. 158, t. 5, f. 29.
- 2032 bis. **Cetratana** Kenn. Iris XIII p. 264.
- 2043 bis. **Paetulana** Kenn. Iris XIII p. 145, t. 5, f. 20 (hujus generis?).
- 2044 bis. **Tundrana** Kenn. Iris XIII p. 148, t. 5, f. 24, 25.
- 2045 bis. **Fraudulentana** Kenn. Iris XIII p. 265.
- 2045 ter. **Intermediaana** Kenn. Iris XIII p. 146, t. 5, f. 21.
- 2047 bis. **Oculatana** Kenn. Iris XIII p. 143, t. 5, f. 19.
- ad 2053. **Subterminana** Ersch.; Kenn. Iris XIII p. 150, t. 3, f. 26; ad gen. Epiblemam post. 2141 ponend.
- 2054 bis. **Malitiosana** Kenn. Iris XIII p. 266.

Cast; Pont.
And.
Hisp. m.; ? Ferg.
Amur.
Cauc. m.
Tura.
Ural m.
Ural m; Sib. or; Amur.
Ala Tau.
Amur.
Sib. or. (Irkutsk).
Mong.

260 (115). **Epiblema** Hb.

- 2068 bis. **Succineana** Kenn. Iris XIII p. 272.
- 2068 ter. **Infessana** Wlsghm. Ann. & Mag. (7) VI p. 404 (1900).
- ad 2072. **Chanana** Kenn. Iris XIII p. 273.
- 2073 bis. **Disquéi** Kenn. Iris XIII p. 274.
- 2074 bis. **Eversmanni** (Stgr.) Kenn. Iris XIII p. 275.

Ferg.
Ant; Pal.
Ferg. m.
Mong.
Ferg; Mong.

2078 bis.	Elegantana Kenn. Iris XIII p. 276.	Maur.
2083 bis.	Significantana Kenn. Iris XIII p. 282.	<i>Maced.; Pont; Mesop; Syr.</i>
2085 bis.	Coagulana (Z.) Kenn. Iris XIII p. 278.	<i>Cauc. m.; Taur; Tura.</i>
2085 ter.	Haberhaueri (Stgr.) Kenn. Iris XIII p. 280.	<i>Ferg. s.</i>
2086 bis.	Denigratana Kenn. Iris XIII p. 281.	<i>Uss.</i>
2088 bis.	Idotatana Kenn. Iris XIII p. 277.	<i>Thian or.</i>
2088 ter.	Apheliana Kenn. Iris XIII p. 277.	<i>Srp; Ala Tau.</i>
2088 quat.	Individiosana Kenn. Iris XIII p. 278.	<i>Maur.</i>
2089 bis.	Sublucidana Kenn. Iris XIII p. 282.	<i>Arag.</i>
2093 bis.	Inignana Kenn. Iris XIII p. 283.	<i>Amur oc.</i>
2096 bis.	Ravana Kenn. Iris XIII p. 151, t. 5, f. 27.	<i>Ural m.</i>
2100 bis.	Infuscatana Kenn. Iris XIII p. 292.	<i>Cauc. m.</i>
2102 bis.	Obesana Kenn. Iris XIII p. 284.	<i>And.</i>
2102 ter.	Definitana Kenn. Iris XIII p. 285.	<i>Pont.</i>
2102 quat.	Obstinatana Kenn. Iris XIII p. 286 (hic ponenda?).	<i>Maur.</i>
2107 bis.	Praefractana Kenn. Iris XIII p. 287.	<i>Pont.</i>
2113 bis.	Deruptana Kenn. Iris XIII p. 290.	<i>Taur.</i>
2133 bis.	Maculiferana Kenn. Iris XIII p. 152, t. 5, f. 28.	<i>Ural m.</i>
2135 bis.	Pentagonana Kenn. Iris XIII p. 289.	<i>Uss.</i>
2141 bis.	Subterminana Ersch. (no. 2053); Kenn. Iris XIII p. 150, t. 3, f. 26 [hic ponend. sec. Kenn.].	
2154 bis.	Angulatana Kenn. Iris XIII p. 288.	<i>Uss.</i>
2154 ter.	Banghaasi Kenn. Iris XIII p. 291.	<i>Uss.</i>

v 260 bis. **Kennelia** Rbl. n. nom. (*Anomalopteryx* Kenn. 1901 nom. praeoc.).

2154 quat. **Xylinana** Kenn. Iris XIII p. 157, t. 5, f. 33, 34, 35. *Amur; Uss.*

261 (120). **Grapholitha** Tr.

2167 bis.	Seriana Kenn. Iris XIII p. 270 (Semasia).	<i>And.</i>
2172 bis.	Adjunctana Kenn. Iris XIII p. 292.	<i>Pont; Tura; Ferg; Thian.</i>
2201 bis.	Vana Kenn. Iris XIII p. 294.	<i>And.</i>
2208 bis.	Difficiliana (B.-Haas i. l.) Wlsghm. Ann. & Mag. (7) VI p. 433 (init. Decbr. 1900); Kenn. Iris XIII p. 295.	<i>Ant; Taur.</i>
2213 bis.	Instratana Kenn. Iris XIII p. 296.	<i>Syr.</i>
2214 bis.	Junctistrigana Wlsghm. Ann. & Mag. (7) VI p. 434.	<i>Ant.</i>
2215 bis.	Hamatana Kenn. Iris XIII p. 297.	<i>Amur.</i>
2215 ter.	Semicinctana Kenn. Iris XIII p. 298.	<i>Graec.</i>
2215 quat.	Selliferana Kenn. Iris XIII p. 299.	<i>Taur.</i>
2220 bis.	Bipartitana Kenn. Iris XIII p. 299.	<i>Mure; Maur.</i>
2220 ter.	Dimidiatana Kenn. Iris XIII p. 300.	<i>Mure; Maur.</i>
2221 bis.	Tricuneana Kenn. Iris XIII p. 154, t. 5, f. 30.	<i>Arm.</i>
2223 bis.	Recreantana Kenn. Iris XIII p. 155, t. 5, f. 31.	<i>Amur.</i>

262 (123). **Pamene** Hb.

2236 bis.	Nannodes Wlsghm. Ann. & Mag. (7) VI p. 435.	<i>Syr.</i>
ad 2237 a.	Herrichiana Hein.; est spec. distineta sec. Wlsghm. Monthl. Mag. 1900 p. 193.	
2237 bis.	Macilentana Kenn. Iris XIII p. 302.	<i>Syr.</i>

- 2245 bis. **Petulantana** Kenn. Iris XIII p. 301.
 2250 bis. **Dichroramphana** Kenn. Iris XIII p. 156, t. 5, f. 32.
 2250 ter. **Glaucana** Kenn. Iris XIII p. 302.

Amur.
Mandsch.
Uss.

265 (126). **Ancylis** Hb.

- 2264 bis. **Mandarina** Wlsghm. Ann. & Mag. (7) VI p. 440.
 2273 bis. **Repandana** Kenn. Iris XIII p. 303.

Amur; Jap; China.
Amur.

267 (127). **Dichrorampha** Gn.

- 2287 bis. **Cancellatana** Kenn. Iris XIII p. 303.

Amur.

268 (128). **Lipoptycha** Ld.

- 2308 bis. **Sericana** Kenn. Iris XIII p. 304.

Arm.

VI. **Yponomeutidae.**

286 (134). **Zelleria** Stt.

- 2386 bis. **Ribesiella** Joan. (J.) Bull. S. Fr. 1900 p. 391; Chrét. ib. 393 (lary.).

Gal. (Ardeche).

VII. **Plutellidae.**

292 bis. **Phrealcia** Chrét. 1900.

- 2450 bis. **Brevipalpella** Chrét. Bull. S. Fr. 1900 p. 90; Viard. ib. p. 270.

Gal. or; Cat.

VIII. **Gelechiidae.**

303 (142). **Gelechia** Hb.

- 2600 bis. **Apolectella** Wlsghm. Monthl. Mag. 1900 p. 216.
 2694 bis. **Lyciella** Wlsghm. Monthl. Mag. 1900 p. 217.
 2694 ter. **Micradelpha** Wlsghm. Monthl. Mag. 1900 p. 217.
 2716 bis. **Capsophilella** Chrét. Bull. S. Fr. 1900 p. 223.
 2723 bis. **Ocymoidella** Wlsghm. Monthl. Mag. 1900 p. 218.
 2723 ter. **Mucronatella** Chrét. Bull. S. Fr. 1900 p. 138.
 2745 bis. **Wachtlii** Rghfr. z. b. V. 1880 Sitzb. p. 48.

Cors.
Gal. m. oc. (Perpignan).
Gal. m. oc.
Gal. or.
Gal. m. oc.
Gal. or.
Gal. or.
Aegypt.

313 (154). **Epithectis** Meyr.

- 2853 bis. **Medjella** Chrét. Bull. S. Fr. 1900 p. 191.

Gal. or.

341 bis. **Cyrnia** Wlsghm. 1900.

- 3011 bis. **Barbata** Wlsghm. Monthl. Mag. 1900 p. 219.

Cors.

348 bis. **Apatema** Wlsghm. 1900.

3049 bis. **Mediopallidum** Wlsghm. Monthl. Mag. 1900 p. 220. *Cors.*

X. Elachistidae.

384 (180). **Scythris** Hb.

3450 bis. **Penicillata** Chrét. Bull. S. Fr. 1900 p. 163. *Gal. or.*

XV. Tineidae.

455 (234). **Melasina** B.

ad 4505. **Lugubris** Hb.; **Phryganilugubrella** Mill. Ic. 102,
f. 1-3 [ab. ♂ ciliis alar. albis].

a) ab. **Melana** Friv.; **Lugubris** var. Mill. Ic. 147 f. 16-19.



Berichtigungen (Corrigenda)

zum Theil I.

- p. 1 no. 2b pro *Judaeus* lege: *Judaeus*.
" 3 " 7a " Brem. & Gray lege: Brem. & Grey.
" 3 " 10a " *Rumina alba* lege: *Rumina alba*.
" 5 " 20 " *Delius ab.* lege: *Delius ab.*.
" 8 " 35 ante Bull. Mosc. lege: Nordm.
" 17 " 98 pro (*excl. Can. etc.*) lege: (*exc. Can. etc.*).
" 25 " 156c " *Sardoa* lege: *Sardoa*.
" 29 " 179 " Hb. 575-8 lege: HG. 575-8.
" 40 " 242a " *Lang* lege: Lanz.
" 48 " 302 " Hb. 225-8 lege: Hb. 225-7.
" 56 " 359c " *Wilkensi* lege: Wilkinsi.
" 59 " 382 " *Johannsen* lege: Johannsen.
" 60 " 392 " *Paris 1888* lege: Paris 1885.
" 89 " 637 " *Actnaea* lege: Aetnaea.
" 93 " 673 " p. 275 lege: p. 285.
" 99 " 724 " HS. 14 lege: HS. 12.
" 104 " 767 " Hb. 102, 104 lege: Hb. 102, 124.

Thaumetopoedae lege: **Thaumetopoeidae**.

- " 120 no. 969 pro *Rückbeili* lege: *Rueckbeili*.

" 125 " 1011 " t. 6 lege: t. 9.

" 128 " 1040 " t. V lege: t. 5.

Dailalama lege: **Dalailama**.

- " 133 no. 1097a pro Hb. 615 lege: Hb. 614.

" 174 " 1710a " *Graesl.* lege: Graes.

" 186 " 1877 " *Acton* lege: Acton.

" 222 " 2333 post *Contrix* adde: Chr. ib.

" 248 " 2693 pro *Aestimobilis* lege: *Aestimabilis*.

" 299 " 3382 " p. 19 lege: p. 196.

" 321 " 3672 " *Chiclaua* lege: *Chiclana*.

Zum Theil II.

- p. 1 no. 5 pro *Graes.* lege: *Graec.*

" 15 " 252 " *Caudefactella* lege: *Candefactella*.

" 16 " 273 ultimum citat: Mon. II, t. 34, f. 17 deleatur.

" 23 " 429-432 exitus nomin. spec. mutandi sunt: -ellum.

" 24 " 450 pro *Arquatella* lege: *Arquatella*.

" 28 " 522 " *Chaledeniella* lege: *Chalcedoniella*.

" 73 " 1336a " *Grafii* lege: *Graafii*.

" 83 " 1477 post *Quercinana* adde: Z.

Grapholitinae lege: **Grapholithinae**.

" 103 no. 1854 pro Peyer. lege: Peyer.

" 133 " 2379 " (nec n. Schn.) lege: (nec n. Schm.)

Argyresthinae lege: **Argyresthiinae**.

Talaeporidae lege: **Talaeporiidae**.

" 241 no. 4657 pro Peyer. lege: Peyer.

Index der Familien und Gattungen

zum
Theil I und II.

(Die arabischen Zahlen beziehen sich auf die Seiten. Namen in *Cursiv* bedeuten Synonyme.)

- | | |
|---|--|
| Abraxas Leach I, 323.
Abrostola O. I, 235.
Acalia Gn. I, 349.
Acalla (Hb.) Meyr. II, 79 et 259 add.
Acantholipes Ld. I, 242.
Acanthophila Hein. II, 152.
Acanthopsyche Heyl. I, 393.
Acentropus Curt. II, 11.
Achalarus Seud. I, 94.
Acherontia O. I, 98.
Achroia Hb. II, 1.
Acidalia Tr. I, 265.
ACIDALIINAE I, 265.
Acidalina Stgr. I, 276.
<i>Aciptilia</i> Hb. II, 73.
Acompsia Hb. II, 151.
Acontia (O.) Ld. I, 225.
Acontiola Stgr. I, 225.
Acosmetia Stph. I, 199.
Acrobasis Z. II, 39.
Acroclita Ld. II, 110 et 262 add.
Acrolepia Curt. II, 232.
ACROLEPIINAE II, 232.
Acronicta O. I, 181.
ACRONYCTINAE I, 180.
Acropentias Meyr. II, 10.
Acropteris Hb. I, 359.
Actenia Gn. II, 47.
Actias Leach I, 126.
Adela Latr. II, 244.
ADELINAE II, 243.
Adelosemia Rag. II, 37.
Adenopteryx Rag. II, 43.
Adopaea (Billb.) Wats. I, 92. | <i>Adscita</i> (Retz.) Kirb. I, 389.
<i>Aechmia</i> Stt. II, 179.
Aedia Hb. I, 246.
Aedophrone Ld. I, 223.
Aeromachus Nicév. I, 98 et 252 add.
<i>Agapetes</i> Billb. I, 41.
A GARISTIDAE I, 258.
Agathia Gn. I, 262.
Agdistis Hb. II, 77.
<i>Aglaimo</i> Stgr. I, 389.
Aglaope Latr. I, 389.
Aglia O. I, 127.
Aglossa Latr. II, 44.
Agnomonia Hb. I, 242.
<i>Agrophila</i> B. I, 233.
Agrotera Schrk. II, 53.
Agrotis O. I, 135 et 254 add.
Agylla Wlk. I, 377.
Ala Stgr. I, 220.
Alabonia (Hb.) Wlsghm. II, 176.
Albarracina Stgr. I, 118.
Aldania Moore I, 250 add.
Alispa Z. II, 21.
Alloclita Stgr. II, 151.
Allodontia Stgr. I, 109.
Alophia Rag. II, 32.
<i>Alpherakia</i> Rag. II, 44.
Alucita (L.) Wlsghm. II, 73.
<i>Alucita</i> Meyr. II, 75; Z. II, 78.
Amaurophanes Ld. II, 49.
Ambia Wlk. II, 49.
Amblypalpis Rag. II, 162.
Amicta Heyl. I, 394.
Ammoconia Ld. I, 178. |
|---|--|

- Ammogrotis** Stgr. I, 178.
Ampelophaga Brem. & Grey I, 100.
Amphibolia Snell. II, 9.
Amphidasis Tr. I, 336.
Amphidrina Stgr. I, 195.
Amphiipyra O. I, 199 et 255 add.
Amphisa Curt. II, 84.
Amphisbatis Z. II, 184.
Amphithrix Rag. II, 38.
Amraica Moore I, 337.
Amuria Stgr. I, 391.
Amuria Auriv. I, 122.
Amygdaloptera Gmppbg. I, 283.
Amyna Gn. I, 232.
Anacampsis (Curt.) Hein. II, 153.
Anaitis Dup. I, 285.
Anarsia Z. II, 161.
Anarta Hb. I, 218.
Anartula Stgr. II, 43.
Anchinia Hb. II, 175.
Anchoscelis Gn. I, 205.
Ancylis Hb. II, 126 et 264 add.
Ancylodes Rag. II, 18.
Ancylolomia Hb. II, 10 et 257 add.
Ancylosis Z. II, 17 et 257 add.
Anerastia Hb. II, 12.
ANERASTIINAE II, 12.
Angerona Dup. I, 329.
Anisopteryx Stph. I, 334.
Anisotaenia Stph. II, 93.
Anomalopteryx Kenn. II, 263 add.
Anomogyna Stgr. I, 195.
Anophia Gn. I, 246.
Anoristia Rag. II, 30.
Antha Stgr. I, 183.
Antheraea Hb. I, 126.
Anthocharis B. I, 12.
Anthometra B. I, 349.
Antilocera Sc. I, 380.
Antigastra Ld. II, 58.
Antispila Hb. II, 189.
Anybia Stt. II, 187.
Apaidia Hmps. I, 375.
Apamea (O.) Tr. I, 168.
Apatela (Hb.) Grote I, 131.
Apatema Wlsghm. II, 265 add.
Apatetris Stgr. II, 157.
Apatura F. I, 21 et 250 add.
Aphanaula Meyr. II, 155.
Aphantopus Wallgr. I, 61.
Aphelia Curt. II, 113.
Aphomia Hb. II, 1.
Aphyletes Rag. II, 32.
Apiletria Ld. II, 166.
Aplasta Hb. I, 260.
- Aplectoides** Butl. I, 131.
Aplota Stph. II, 166.
Apocheima Hb. I, 335; HS. I, 336.
Apodia Hein. II, 156.
Apopestes Hb. I, 250.
Aporia Hb. I, 9.
Aporodes Gn. II, 69.
Aporophyla Gn. I, 178.
Aproaerema Durr. II, 153.
Apterona Mill. I, 397.
Aracima Butl. I, 262.
Araschnia Hb. I, 27.
Archigalleria Rbl. II, 2.
Arcte Koll. I, 246.
Arctia Schrk. I, 368.
ARCTIIDAE II, 364.
ARCTIIINAE I, 364.
Arctinia Eichwald I, 367.
Arctornis Germ. I, 117.
Arenipses Hmps. II, 1.
Argynnus F. I, 34 et 251 add.
ARGYRESTHIINAE II, 134.
Argyresthia Hb. II, 134.
Argyritis Hein. II, 156.
Argyrosipa HS. I, 189.
Aria Rag. II, 31.
Arichanna Moore I, 323.
Aristotelia Hb. II, 154.
Armada Stgr. I, 224.
Arsenaria Rag. II, 44.
Arsilonche Ld. I, 134.
Arsissa Rag. II, 38.
Artaxa Wlk. I, 116.
Artemidora Meyr. I, 328.
Artona Wlk. I, 389.
Asarta Z. II, 26.
Asartodes Rag. II, 26.
Ascalenia Wek. II, 187.
Asopia Tr. II, 45.
Asopina Chr. II, 43.
Asphalia Ld. I, 260.
Aspilates Tr. I, 356.
Aspis Tr. II, 115.
Asteroscopus B. I, 181.
Asthena Hb. I, 308.
Asthenia (Hb.) Meyr. II, 113.
Astrapophora Alph. I, 356.
Asuridia Hmps. I, 376.
Asychna Stt. II, 189.
Atabryia Snell. II, 233.
Atachia Wek. II, 200.
Ateliotum Z. II, 236.
Atemelia HS. II, 134.
Athrolophha Ld. I, 350.
Atomorpha Alph. I, 282.

Atossa Moore I, 359.
Atremaea Stgr. II, 162.
Atychia Latr. II, 231.
ATYCHIINAE II, 231.
Augasma HS. II, 189.
Augiades (Hb.) Wats. I, 92.
Auxacia Rag. II, 31.
Aventia Dup. I, 253.
Aventina Stgr. I, 253 et 256 add.
Aventiola Stgr. I, 253.
Axiopoena Mén. I, 371.

Bacotia Tutt I, 400.
Bactra Stph. II, 113 et 262 add.
Baltia Moore I, 9.
Balsa Wlk. I, 362.
Baniura Rag. II, 44.
Bankesia Tutt II, 229.
Bapta Stph. I, 324.
Batrachedra Stt. II, 185.
Bazaria Rag. II, 32.
Bedellia Stt. II, 210.
Bembecia Hb. I, 406.
Bessophora Meyr. I, 287.
Bhima Moore I, 125.
Bijugis Heyl. I, 398.
Bintha Wlk. I, 389.
Biston Leach I, 335.
Bisulcia Chapm. I, 134.
Bizone Wlk. I, 376.
Blabophanes Z. II, 236.
BLASTOBASINAE II, 163.
Blastobasis Z. II, 163.
Blastodacna Wck. II, 186.
Blepharidia Püng. I, 255 add.
Boarmia Tr. I, 339.
BOARMIINAE I, 323.
Bocchoris Moore II, 258 add.
Boletobia B. I, 253.
Bohemannia Stt. II, 229.
Bombycia Stph. I, 164.
BOMBYCIDAE I, 128.
Bomolocha Hb. I, 256.
Borkhausenia Hb. II, 176.
Bostra Wlk. II, 46.
Botys aut. II, 64.
Brabira Moore I, 288.
Brachionycha Hb. I, 181.
Brachmia (Hb.) Meyr. II, 157.
Brachmia Hein. II, 154.
Brachycrossata Hein. II, 151.
Brachysoma Aust. I, 392.
Bradina Ld. II, 258 add.
Bradyrrhoa Z. II, 28.
Brahmaea Wlk. I, 128.

BRAHMAEIDAE I, 128.
Brepchia Hein. II, 37.
BREPHIDAE I, 260.
Brephos O. I, 260.
Brithys (Hb.) Stgr. I, 154.
Brotolomia Ld. I, 185.
Bryomima Stgr. I, 167.
Bryomoia Stgr. I, 167.
Bryophila Tr. I, 165.
Bryophilina Stgr. I, 168.
Bryotropha Hein. II, 141.
Bucculatrix Z. II, 218.
Bupalus Leach I, 351.
BUTALINAE II, 179.
Butalis Tr. II, 180.

Cabera Tr. I, 325.
Cacochora Hein. II, 175.
Cacocacia Hb. II, 85 et 258 add.
Cacophyia Rbl. II, 175.
Calamia Hb. I, 190.
Calamochrous Ld. II, 59.
Calantica Z. II, 131.
Calcaritis Hedem. I, 331.
Caligenia Dup. I, 374.
Caligula Moore I, 126.
CALLIDULIDAE I, 129.
Callimorpha Latr. I, 371.
Callophrys Bilb. I, 70.
Callopistria Hb. I, 183.
Calocampa Stph. I, 211 et 256 add.
Calophasia Stph. I, 213.
Calpe Tr. I, 234.
Calyceobathra Meyr. II, 185.
Calymnia Hb. I, 203.
Calyptrotis Meyr. II, 154.
Canarsia Hulst II, 21.
Capnodes Gn. I, 253.
Capotena Wlk. I, 234.
Capua Stph. II, 85 et 259 add.
Caradrina (Hb.) O. I, 195 et 255 add.
Carcharodus (Hb.) Wats. I, 94.
Carcina Hb. II, 175.
Carige Wlk. I, 332.
Carpocaspa Tr. II, 125.
Carposina HS. II, 102.
Carterocephalus Ld. I, 91.
Cataclysta Hb. II, 49 et 258 add.
Catamecia Stgr. I, 213.
Cataplectica Wlsghm. II, 184.
Cataremna Meyr. II, 23.
Catasema Stgr. I, 177.
Catastia Hb. II, 31.
Catephia O. I, 246.
Catocala Schrk. I, 247.

- Catodaulis* Spr. I, 94.
Catopsilia Hb. I, 15.
Catopta Stgr. I, 407.
Caustoloma Ld. I, 331.
Cedestis Z. II, 136.
Celaena Stph. I, 69 et 254 add.
Cemiostoma Z. II, 218.
Centropus Chr. I, 154 et 254 add.
Cephis Rag. II, 10.
Cerocala B. I, 241.
Ceroprepes Z. II, 42.
Cerostoma Latr. II, 138.
Cerura Schrnk. I, 105 et 252 add.
Ceuthomadarus Mn. II, 158.
Chaerocampa Dup. I, 103.
CHALCOSIINAE I, 391.
Chalia Moore I, 393.
Chamyla Stgr. I, 222.
Chara Stgr. I, 232.
Charaeas Stph. I, 154.
Charaxes O. I, 21 et 250 add.
Chariclea Curt. I, 223.
Chariptera Gn. I, 181.
Chauliodus Tr. II, 179.
Chematobia Stph. I, 288.
Cheimatophila Stph. II, 93.
Chelaria Hw. II, 140.
Chemerina B. I, 322.
Chesias Tr. I, 286.
Chilades Moore I, 77.
Chilena Wlk. I, 122.
Chilo Zk. II, 9 et 257 add.
Chilopsephalus Mn. II, 161.
Chimabache (Hb.) Z. II, 166.
Chionaema HS. I, 376.
Chloantha Gn. I, 183.
Chloroclystis Hb. I, 319.
Chondrosoma Anker I, 335.
Chondrostega Ld. I, 119.
CHOREUTINAE II, 129.
Choreutis Hb. II, 129.
Christophia Rag. II, 32 et 258 add.
Christophia Stgr. I, 290.
CHRYSAUGINAE II, 43.
Chrysoclista Stt. II, 187.
Chrysophanus Hb. I, 72 et 252 add.
Chrysopora Clem. II, 156.
Cidaria Tr. I, 291.
Cifuna Wlk. I, 115.
Cigaritis B. I, 76.
Ciliix Leach I, 129.
Cimelia Ld. I, 358.
Cinglis Gn. I, 265.
Cinogon Butl. I, 104.
Cirrhochrista Ld. II, 11.
- Cirrhoedia* Gn. I, 205.
Cistidia Hb. I, 323.
Cithecia Stgr. I, 320.
Cladocera Rbr. I, 176.
Clavipalpula Stgr. I, 201.
Cledeobia Stph. II, 47.
Cleoceris B. I, 164.
Cleodora Curt., Hein. II, 158.
Cleogene B. I, 356.
Cleophana B. I, 213.
Clettharra Wlk. I, 361.
Clidia B. I, 134.
Clisiocampa Curt. I, 119.
Cnaphaloerocis Ld. II, 258 add.
Cnephasia Curt. II, 91 et 260 add.
Cnephidia Rag. II, 31.
Cnethocampa Stph. I, 113.
Cnethodontia Stgr. I, 107.
COCHLIDIDAE I, 392.
Cochlidion Hb. I, 393.
Cochliotheca Rbr. I, 397.
Cocytodes Gn. I, 246.
Coenagrion Stgr. I, 188.
Coenobia Stph. I, 188.
Coenonympha Hb. I, 64 et 251 add.
Coleophora Hb. II, 189.
COLEOPHORINAE II, 189.
Colias (F.) Leach I, 15 et 249 add.
Collix Gn. I, 320.
Colocasia Hb. I, 131.
Colopteryx Hofm. II, 157.
Comacula Wlk. I, 376.
Commophila (Hb.) Meyr. II, 101.
Comophorus Alph. I, 154.
CONCHYLINAE II, 94.
Conchyliis (Tr.) Ld. II, 94 et 260 add.
Constantia Rag. II, 46.
Coreyra Rag. II, 1.
Coriscium Z. II, 208.
Cornifrons Ld. II, 69.
Cosecinia Hb. I, 372.
Cosmia O. I, 204.
Cosmophila B. I, 234.
Cosmopteryx Hb. II, 184.
Cosmotricha Hb. I, 122.
COSSIDAE I, 406.
Cossulinus Kirb. I, 407.
Cossulus Stgr. I, 407.
Cossus F. I, 406.
CRAMBINAE II, 2.
Crambus F. II, 2 et 257 add.
Craniophora Snell. I, 134.
Crasia Auriv. I, 205.
Crateronyx Dup. I, 125.
Cremnophila Rag. II, 37.

CRINOPTERYGIDAE II, 246.
Crinopteryx Peyer. II, 246.
Crocallis Tr. I, 329.
Crocidophora Ld. II, 56.
Crocidosema Z. II, 110.
Cryptoblabes Z. II, 42.
Cryptolechia Z. II, 168.
Cteipolia Stgr. I, 181.
Ctenarthria Rag. II, 44.
Cucullia Schrk. I, 214.
Curvatala Stgr. I, 253.
Cyaniris Dalm. I, 90.
Cybolomia Ld. II, 59.
Cyboscia Hb. I, 376.
Cymatophora Tr. I, 259.
CYMATOPHORIDAE I, 258.
CYMBIDAE I, 361.
Cymolomia Ld. II, 109.
Cynaeda Hb. II, 59.
Cyphophora HS. II, 186.
Cynria Wlsghm. II, 264 add.
Cyrtolitha Stgr. vide **Kyrtolitha**.

Dactylota Snell. II, 157.
Daimio Murr. I, 94.
Dalailama Stgr. I, 128.
DANAINAE I, 40.
Danais Latr. I, 40.
Daphnis Hb. I, 100.
Daria Rag. II, 36.
Dasorgya Stgr. I, 114.
Dasycephala Stgr. I, 329.
Dasyecera Hw. II, 176.
Dasychira Stph. I, 115.
Dasydia Gn. I, 348.
Dasypolia Gn. I, 181.
Dasypterooma Stgr. I, 334.
Dasysternum Stgr. I, 180.
Dasystoma Curt. II, 166.
Dasythorax Stgr. I, 180.
Dectocera Rag. II, 17.
Deilephila O. I, 101.
Deilinia (Hb.) Hmps. I, 325.
Deiopeia Stph. I, 373.
Demas Stph. I, 131.
Dendrolimus Germ. I, 124.
Dentinodia Rag. II, 21.
Depressaria Hw. II, 169.
Desmidoloma Ersch. II, 184.
Deuterogonia Rbl. II, 158.
Deuterotinea Rbl. II, 240.
Diabasis Heyl. I, 397.
Diacrisia Hb. I, 367.
Dianthoecia B. I, 161.
Diasemia Gn. II, 58.

Diastictis Hb. I, 352.
Dichelia Gn. I, 84 et 259 add.
Dichonia Hb. I, 182.
Dichromia Gn. I, 256.
Dichrorampha Gn. II, 127 et 264 add.
Dicranura B. I, 106.
Dicycla Gn. I, 203.
Didactylota Wlsghm. II, 157.
Dilina Dalm. I, 100.
Dilinia (Hb.) Hmps. vide **Deilinia**.
Diloba B. I, 168.
Dioryctria Z. II, 37.
Diptera Hb. I, 130 et 254 add.
Diplodoma Z. II, 234.
Diplura Rbr. I, 122.
Dipterygia Stph. I, 182.
Diptychophora Z. II, 8.
Dissocetena Stgr. II, 229.
Distagmos HS. II, 131.
Dithalamia Meyr. I, 276.
Doerriesa Stgr. I, 188.
Dolbina Stgr. I, 101.
Doloploca Hb. II, 93.
Donacaula Meyr. II, 11.
Doritis (F.) B. I, 4.
Doryphora Hein. II, 152.
Douglasia Stt. II, 131.
DOUGLASIINAE II, 131.
Drepana Schrk. I, 128.
DREPANIDAE I, 128.
Dryobotidae Ld. I, 182 et 255 add.
Drymonia Hb. I, 108.
Drynobia Dup. I, 110.
Duponchelia Z. II, 49.
Dysauxes Hb. I, 363.
Dyschorista Ld. I, 204.
Dysmasia HS. II, 241.
Dypsessa Hb. I, 408.

Earias Hb. I, 362.
Eccopisa Z. II, 25.
Eccopsis Ld. II, 109.
Ecopterooma Stgr. I, 203.
Eccrita Ld. I, 251.
Egea Dup. I, 349.
Eicomorpha Stgr. I, 154.
Eidophasia Stph. II, 137.
Eilicrinia Hb. I, 332.
Elachista Tr. II, 201.
ELACHISTIDAE II, 179.
ELACHISTINAE II, 200.
Elcysma Butl. I, 392.
Elegia Rag. II, 37.
Elethyia Rag. II, 9.
Ellopia Tr. I, 326.

- Ematheudes** Z. II, 13.
Ematurga Ld. I, 350.
Emmelia Hb. I, 233.
Emporia Rag. II, 29.
Emprepes Ld. II, 69.
Emydia B. I, 372.
Enarmonia (Hb.) Meyr. II, 110.
Enconista Ld. I, 355.
Endagria B. I, 408.
Endotricha Z. II, 43.
ENDOTRICHINAE II, 43.
ENDROMIDIDAE I, 125.
Endromis O. I, 125.
Endrosa Hb. I, 375.
Endrosis Hb. II, 163.
Enicostoma Stph. II, 175.
Ennomos Tr. I, 327.
Entephria Ld. II, 53 et 258 add.
Eogena Gn. I, 134.
Epagine (Hb.) Meyr. II, 84.
Epermenia Hb. II, 179.
Ephestia Gn. II, 15 et 257 add.
Ephoria Meyr. I, 326.
Ephyra Dup. I, 276.
Epibactra Rag. II, 113.
Epiblema Hb. II, 115 et 262 add.
Epichnopterix (Hb.) Hein. I, 398.
Epicimelia Korb I, 358.
Epicnaptera Rbr. I, 123.
Epidauria Rag. II, 12.
Epidola Stgr. II, 162.
Epigraphia Stph. II, 167.
Epimacaria Stgr. I, 332.
Epimecia Gn. I, 212.
Epimetasia Rag. II, 61.
Epimydia Stgr. I, 373.
Epinephele Hb. I, 62 et 251 add.
Epineuronia Rbl. I, 155.
Epione Dup. I, 330.
EPIPASCHIINAE II, 43.
Epiplema HS. I, 359.
EPIPLEMIDAE I, 359.
Epipsammia Stgr. I, 190.
Epiranthis Hb. I, 322.
Episauris Rbl. I, 286.
Episcardia Rag. II, 235.
Epischidia Rag. II, 21.
Epischnia (Hb.) Z. II, 29.
Episema Hb. I, 176.
Epistetus Wlsgm. II, 164.
Epithectis Meyr. II, 154 et 264 add.
Epizeuxis Hb. I, 253.
Epizonora Rag. II, 44.
Epunda Gn. I, 179.
Erastria O. I, 230.
Ercta Wlk. II, 54.
Erebia Dalm. I, 43 et 251 add.
Erebomorpha Wlk. I, 338.
Eremia HS. I, 349.
Eretmocera Z. II, 179.
Ergatis Hein. II, 154.
Ericephala Curt. II, 247.
ERIOCEPHALIDAE II, 247.
Eriocottis Z. II, 241.
Eriocrania Z. II, 246.
ERIOCRAANIIDAE II, 246.
Eriogaster Germ. I, 120 et 253 add.
Eriopus Tr. I, 183.
Eromene Hb. II, 9.
Erosia aut. I, 359.
ERYCINIDAE I, 68.
Erythrophaia Stgr. I, 224.
Etiella Z. II, 27.
Euarctia Stgr. I, 371.
Eublemma Hb. I, 226.
Eubolia (Dup.) Ld. I, 354.
Eucarpchia Hb. II, 29.
Eucaterva Gmpgbg. I, 349.
Euchelia B. I, 373.
Euchloë Hb. I, 12.
Euchloris Hb. I, 262.
Euchromius Gn. II, 9.
Euclasta Ld. II, 55.
Euclidia O. I, 240.
Eucosmia Stph. I, 289.
Eucrostes Hb. I, 263.
Eudemis Wek. II, 109.
Eugoa Wlk. I, 374.
Eugonia Hb. I, 327.
Eulia Hb. II, 88.
Eulygris Stgr. I, 290.
Eumegethes Stgr. I, 230.
Eumera Stgr. I, 327.
Eupithecia Curt. I, 308 et 319.
Euplexia Stph. I, 185.
Euplocamus Latr. II, 235.
Euplocera Rag. II, 234.
Euprepia O. I, 371.
Euproctis Hb. I, 116.
Eurhopia B. I, 218.
Euromoia Stgr. I, 131.
Eurranthis Hb. I, 350.
Eurrhypara Hb. II, 50.
Eurycreon Ld. II, 57.
Eurymene Dup. I, 330.
Eusarea HS. I, 322.
Eusarca aut. I, 278.
Euteles Hein. II, 158.
Eutelia Hb. I, 218.
Euterpias Gn. I, 224.

- Euxanthis** (Hb.) Meyr. II, 100 et 261 add.
Euxestis Ld. I, 234.
Euzophera Z. II, 24.
Euzopherodes Rag. II, 23.
Evergestis Hb. II, 55 et 259 add.
Eversmannia Stgr. I, 359.
Evetria Hb. II, 102.
Exaereta Hb. I, 107.
Exaeretia Stt. II, 168.
Exapate Hb. II, 93.
Exartema Clem. II, 109.
Exophyla Gn. I, 251.
- Fentonia** Butl. I, 107.
Fergana Stgr. I, 194.
Fidonia Tr. I, 349.
Fumaria (Hw.) Kirb. I, 395.
Fumea Stph. I, 399.
- Galanthia** Hb. II, 180.
Galgula Gn. I, 232.
Galleria F. II, 2.
GALLERIINAE II, 1.
Gandaritis Moore I, 290.
Gastropacha O. I, 123.
Gelechia (Hb.) Z. II, 142 et 264 add.
GELECHIIDAE II, 140.
GELECHIINAE II, 140.
Geometra L. I, 261.
GEOMETRIDAE II, 260.
GEOMETRINAE I, 260.
Glottula Gn. I, 154.
Gluphisia B. I, 168.
GLYPHIPTERYGIDAE II, 129.
GLYPHIPTERYGINAE II, 129.
Glyphipteryx Hb. II, 130.
Glyphodes Gn. II, 54.
Glyptoteles Z. II, 40.
Gnopharmia Stgr. I, 343.
Gnophos Tr. I, 344.
Gnophria Stph. I, 377.
Gonepteryx Leach I, 20 et 250 add.
Gonia Hein. II, 158.
Goniodesma Z. II, 200.
Gonodontis Hb. I, 328.
Gonophora Brd. I, 258.
Gonoptera Latr. I, 234.
GONOPTERINAE I, 234.
Gortyna Hb. I, 187.
Gracilaria (Hw.) Z. II, 206.
GRACILARIIDAE II, 206.
GRACILARIINAE II, 206.
Gracilipalpus Calb. I, 199.
- Graëllsia** Grote I, 126.
Grammesia Stph. I, 195.
Grammicheilla Stgr. I, 322.
Grammodes Gn. I, 245.
Grapholitha (Tr.) Hein. II, 120 et 263 add.
GRAPHOLITHINAE II, 102.
Grapta Kirby. I, 26.
Grumia Alph. I, 223.
Guenea Mill. II, 239.
Gymna Rbr. I, 396.
Gymnancyla Z. II, 18.
Gynaephila Stgr. I, 255.
Gypsochares Meyr. II, 75.
Gypsochroa (Hb.) HS. I, 322.
Gypsonoma Meyr. II, 112.
Gyrohypsoma Stgr. I, 233.
- Habrosyne** Hb. I, 258.
Habryntis Ld. I, 185.
Hadena Schrk. I, 171 et 255 add.
Haderonia Stgr. I, 161.
Hadjina Stgr. I, 170.
Haemerosia B. I, 233.
Halia Dup. I, 352.
Hapsifera Z. II, 234.
Harpagidia Rag. II, 152.
Harpella Schrk. II, 176.
Harpyia O. I, 105.
Hastina Moore I, 282.
Hastula Mill. II, 84.
Hedemannia Rag. II, 18.
Heinemannia Wck. II, 186.
Helia Gn. I, 253.
Heliaeca HS. I, 220.
Heliocheilus Grote I, 222.
Heliodes Gn. I, 220.
Heliodines Stt. II, 188.
Heliphobus B. I, 177 et 255 add.
Heliothea B. I, 358.
Heliothela Gn. II, 70.
Heliothis O. I, 221.
Heliozela HS. II, 189.
HELIOZELINAE II, 189.
Hellula Gn. II, 55.
Helotropha Ld. I, 186.
Hemaris Dalm. I, 104.
Hemerophila Stph. I, 338.
Hemimene (Hb.) Meyr. II, 127.
Hemipyrrha Grote I, 323.
Hemithea Dup. I, 265.
Heosphora Meyr. II, 12.
Hepatica Stgr. I, 234.
Hepdomochondra Stgr. I, 223.
HEPIALIDAE I, 410.

- Hepialus** F. I, 410.
Heptapotamia Alph. I, 177.
Heraema Stgr. I, 202.
Herculia Wlk. II, 46 et 258 add.
Hercyna Tr. II, 55.
Herminia Latr. I, 255.
Herrichia Stgr. II, 132.
Hesperia (F.) Wats. I, 94.
Hesperia Stgr. I, 92.
HESPERIIDAE I, 91.
Heterogenea Knoch I, 393.
Heterognomon Ld. II, 88.
Heterographa Stgr. I, 170.
Heterographis Rag. II, 19 et 257 add.
HETEROGYNIDAE I, 379.
Heterogynis Rbr. I, 379.
Heterolocha Ld. I, 330.
Heteropsis Gn. I, 283.
Heteropterus Duméril I, 91 et 252 add.
Heydenia Hofm. II, 184.
Hibernia Latr. vide **Hybernia**.
Hierophata Meyr. I, 110.
Himera Dup. I, 329.
Himeropteryx Stgr. I, 111.
Hipocrita Hb. I, 373.
Hiptelia Gn. I, 202.
Hofmannia Hein.-Wock. II, 134.
Holcocerus Stgr. I, 407.
Holephora Stgr. II, 160.
Holcopogon Stgr. II, 160.
Holoscolia Z. II, 166.
Holoterpa Püng. I, 261.
Homoeosoma Curt. II, 14.
Honora Grote II, 18.
Hoplitis Hb. I, 107.
Hoporina Blanch. I, 208.
Hornigia Rag. II, 16.
Hupodonta Butl. I, 108.
Hyalina Rbr. I, 395.
Hybernia Latr. I, 333.
Hybocampa Ld. I, 107.
Hydrilla B. I, 198.
Hydrillodes Gn. I, 255.
Hydroecia Gn. I, 186.
Hydrocampus Gn. II, 48.
HYDROCAMPINAE II, 48.
Hygrochroa Hb. I, 328.
Hyloicus Hb. I, 101.
Hylophila Hb. I, 362.
Hypatima (Hb.) HS. II, 164.
Hypena Schrk. I, 257.
HYPENINAE I, 253.
Hypenodes Gn. I, 258.
Hyperborea Gr. Gr. I, 371.
Hypercallia Stph. II, 175.
Hypermnestra Mén. I, 4 et 249 add.
Hypernaenia Hmps. I, 200.
Hypeuthina Ld. I, 373.
Hyphantidium Scott II, 23.
Hypocala Gn. I, 246.
Hypochnacia Hb. II, 26.
Hypoglaucitis Stgr. I, 245.
Hypogryphia Rag. II, 18.
Hypogymna Hb. I, 113.
Hypolimnas Hb. I, 21.
Hypolycaena Feld. I, 76.
Hypomecia Stgr. I, 213.
Hyponomeuta (Sodof.) Z. II, 132.
Hypoplectis Hb. I, 331.
Hypopta Hb. I, 408.
Hyporatas Rag. II, 25.
Hypotia Z. II, 44.
Hypotomorpha Rbl. II, 10.
Hyppa Dup. I, 182.
Hypsophila Stgr. I, 219.
Hypsopygia Hb. II, 45.
Hypsotropa Z. II, 12.
Hyptioxesta Rbl. I, 231.
Hysterosia Stph. II, 102 et 261 add.

Jankowskia Obth. I, 337.
Janthinea Gn. I, 221.
Jaspidea B. I, 186.
Idiographis Ld. II, 102.
Ilicrinia Hb. vide **Eilicrinia**.
Illiberis Wlk. I, 391.
Imitator Alph. I, 242.
Incurvaria Hw. II, 241.
Ino Leach I, 389.
Inope Stgr. I, 391.
Jolaus Hb. I, 76.
Jotaphora Warr. I, 322.
Isauria Rag. II, 42.
Ischnophanes Meyr. II, 185.
Ischnosia Meyr. II, 239.
Ismene Swains. I, 94.
Isochlora Stgr. I, 222.
Isotrias Meyr. II, 93.
Junonia Hb. I, 27.

Kennelia Rbl. II, 263 add.
Kentrochrysalis Stgr. I, 101.
Kerala Moore I, 373.
Kuldscha Alph. I, 282.
Kyrtolitha Stgr. I, 281.

Laelia Stph. I, 117.
Laeosopis Rbr. I, 68.
Laetilia Rag. II, 21.

- Lagoptera** Gn. I, 246.
Lamoria Wlk. II, 2.
Lampides Hb. I, 76.
Larentia Tr. I, 291.
LARENTIINAE I, 279.
Laria Schrk. I, 117.
Lasiocampa Schrk. I, 120.
LASIOCAMPIDAE I, 119.
Laspeyresia (Hb.) Meyr. II, 120.
Laspeyria Germ. I, 253.
Laurion Wlk. I, 391.
Laverna Curt. II, 186.
LAVERNINAE II, 184.
Lecithocera HS. II, 175.
Leiometopon Stgr. I, 134.
Lemonia Hb. I, 125.
LEMONIIDAE I, 125.
Leocyma Gn. I, 225.
Lepidogma Meyr. II, 43.
Lepidoneura Hmps. II, 58.
Lepidotarphius Pryer II, 184.
Leptidia Billb. I, 14 et 249 add.
Leptostegna Chr. I, 287.
Lethe Hb. I, 61.
Leucania Hb. I, 190 et 255 add.
Leucanitis Gn. I, 243 et 256 add.
Leucodonta Stgr. I, 110.
Leucophasia Stph. I, 14.
Leucoptera (Hb.) Meyr. II, 218.
Libythea F. I, 68.
LIBYTHEIDAE I, 68.
Ligia Dup. I, 358.
Lignyoptera Ld. I, 333.
LIMACODIDAE I, 392.
Limenitis F. I, 22.
Limeria Stgr. I, 349.
Limnaecia Stt. II, 187.
LIPARIDAE I, 113.
Lipoptycha Ld. II, 128 et 264 add.
Lita Tr. II, 146.
Lithocampa Gn. I, 212.
LITHOCOLLETINAE II, 210.
Lithocletis (Hb.) Z. II, 210.
Lithophasia Stgr. I, 212.
Lithosia F. I, 377.
LITHOSIINAE I, 373.
Lithostege Hb. I, 284.
Lobesia Gn. II, 109.
Lobophora Curt. I, 286.
Lodiana Rag. II, 13.
Longula Stgr. I, 276.
Lophocosma Stgr. I, 107.
Lophoderus Stph. II, 88.
Lophontia Stgr. I, 110.
Lophontosia Stgr. I, 110.
- Lophopteryx** Stph. I, 110.
Loxospilates Warr. I, 356.
Lozopera Stph. II, 94.
Luceria Hein. I, 190.
Luehdorfia Crüger I, 3.
Luffia Tutt II, 230.
Luperina B. I, 169.
Lycaena F. I, 77 et 252 add.
LYCAENIDAE I, 68.
Lycophorus Stgr. I, 154.
Lydia Rag. II, 18.
Lygranoa Butl. I, 287.
Lygris Hb. I, 290.
Lymantria Hb. I, 117.
LYMANTRIIDAE I, 113.
Lymira Rag. II, 13.
Lympnia Rag. II, 25.
Lyonetia Hb. II, 217.
LYONETIIDAE II, 217.
LYONETIINAE II, 217.
Lypusa Z. II, 233.
LYPUSINAE II, 233.
Lythria Hb. I, 280.
- Mabra** Moore II, 50.
Macalla Wlk. II, 43 et 258 add.
Macaria Curt. I, 332.
Macroglossa Sc. I, 104.
Macrothylacia Rbr. I, 122.
Madopa Stph. I, 255.
Malacodea Tngstr. I, 288.
Malacosoma (Hb.) Auriv. I, 119 et 253 add.
Mamestra Hb. I, 155 et 254 add.
Manhatta Hulst II, 16.
Mania Tr. I, 185.
Manobia Stgr. I, 161.
Marasmarcha Meyr. II, 75.
Margarodes Gn. II, 54.
Margelana Stgr. I, 177.
Maruca Wlk. II, 259 add.
Maxillaria Stgr. II, 17.
Mecyna Gn. II, 58.
Meessia Hofm. II, 239.
Megacraspedus Z. II, 161.
Megalochlora Meyr. I, 261.
Megalodes Gn. I, 240.
MEGALOPYGIDAE I, 392.
Megasis Gn. II, 28.
Megasoma Feisth. I, 124.
Melanaema Butl. I, 376.
Melanargia Meig. I, 41.
Melasina B. II, 234 et 265 add.
Melathrix Rag. II, 32.

Meliana Curt. I, 189.
Melipotis (Hb.) Hmps. I, 242.
Melissoblaptes Z. II, 1.
Melitaea F. I, 27 et 250 add.
Melitene Rag. II, 42.
Mesogona B. I, 202.
Mesophleps (Hb.) HS. II, 159.
Mesotrosta Ld. I, 233.
Mesotype (Hb.) HS. I, 282.
Metachrostis Hb. I, 165.
Metallosticha Rag. II, 23.
Metalopha Stgr. I, 223.
Metanarsia Stgr. II, 161.
Metanastria Hb. I, 122.
Metasia Gn. II, 61.
Metasioides Rag. II, 61.
Metopoceras Gn. I, 175.
Metoponia Gn. I, 233.
Metoponrhis Stgr. I, 225.
Metopoplus Alph. I, 222.
Metopsilus Dunc. I, 104.
Metoptria Gn. I, 240.
Metriostola Rag. II, 31.
Metrocampa Latr. I, 326.
Metzneria Z. II, 140.
Miana Stph. I, 164.
Microbiston Stgr. I, 336.
Microdonta Dup. I, 110.
Microloba Hmps. I, 288.
Micromania Alph. I, 199.
Micronia aut. I, 359.
Microphalera Butl. I, 109.
MICROPTERYGIDAE II, 247.
MICROPTERYGIDAE II, 246.
Micropteryx Hb. II, 247.
Micropteryx aut. II, 246.
Milichia Snell. I, 232.
Millieria Rag. II, 129.
Miltochrista Hb. I, 374.
Mimasarta Rag. II, 70.
Mimerastria Butl. I, 359.
Mimeusemia Butl. I, 258.
Minoa Tr. I, 282.
Mira Stgr. I, 127.
Miresa Wlk. I, 392.
Mirina Stgr. I, 127.
Miselia O. I, 181.
Mompha Hb. II, 186.
MOMPHINAE II, 184.
Monema Wlk. I, 392.
Monopis Hb. II, 236.
Monostola Alph. I, 194.
Moraphaga HS. II, 235.
Mycterooplus HS. I, 222.
Myelois Hb. II, 41 et 258 add.

Myinodes Meyr. I, 322.
Myrmecozela Z. II, 240.
Mythimna (Hb.) O. I, 194.
Naclia B. I, 363.
Nacoleia Wlk. II, 54.
Nadata Wlk. I, 111.
Nadiasa Wlk. I, 122.
Naenias Stph. I, 185 et 255 add.
Namangana Stgr. I, 169.
Namangana Stgr. I, 242.
Nannodia Hein. II, 156.
Narycia Stph. II, 234.
Nemeobius Stph. I, 68.
Nemeophila Stph. I, 366.
Nemophora Hb. II, 243.
Nemoria Hb. I, 263.
Nemotois Hb. II, 243.
Neoschoenobia Hmps. II, 11.
Nephopteryx (Hb.) Z. II, 35.
Nepticula (Heyd.) Z. II, 221.
NEPTICULIDAE II, 221.
Neptis F. I, 23.
Nerice Wlk. I, 108.
Neromia Stgr. I, 264.
Neuronia Hb. I, 155.
Newelskoia Gr. Gr. I, 407.
Niphanda Moore I, 69.
Noctuelia Gn. II, 69.
NOCTUIDAE I, 130.
Nodaria Gn. I, 254 et 256 add.
Nola Leach I, 359.
NOLIDAE I, 359.
Nomophila Hb. II, 56.
Nonagria (Hb.) O. I, 187.
Northia Wlk. I, 391.
Nossa Kirb. I, 359.
Nothris Hb. II, 159.
Notocelia (Hb.) Meyr. II, 115.
Notodontidae O. I, 109 et 253 add.
NOTODONTIDAE I, 105.
Nudaria Hw. I, 374.
Nudaridia Hmps. I, 375.
Nudifrons Stgr. I, 222.
Nudina Stgr. I, 374.
Numenes Wlk. I, 116.
Numeria Dup. I, 325.
Numonia Rag. II, 42.
Nychiodes Ld. I, 337.
Nyctegretis Z. II, 25.
Nycteola HS. I, 362.
NYMPHALIDAE I, 21.
NYMPHALINAE I, 21.
Nymphula Schrk. II, 48 et 258 add.
Nyssiodes Obth. I, 336.
Nyssocnemis Ld. I, 185 et 255 add.

Oberthüria Stgr. I, 128.
Ochodontia Ld. I, 279.
Ochromolopis Hb. II, 186.
Ochrostigma Hb. I, 110.
Ochsenheimeria Hb. II, 232.
OCHSENHEIMERIINAE II, 232.
Ocneria Hb. I, 118 et 253 add.
Ocnerogyia Stgr. I, 118.
Ocnerostoma Z. II, 137.
Ocnogyna Ld. I, 367.
Ocrisia Rag. II, 29.
Odezia B. I, 283.
Odonestis Germ. I, 124.
Odontia Dup. II, 59.
Odontopera Stph. I, 328.
Odontosia Hb. I, 110.
Oecocecis Gn. II, 162.
Oecophora Latr. II, 176.
Oecophora aut. II, 176.
OECOPHORINAE II, 164.
Oegoconia Stt. II, 163.
Oenectra Gn. II, 85.
Oeneis Hb. I, 51 et 251 add.
Oenistis Hb. I, 377.
Oenophthira Dup. II, 85.
Oinophila Stph. II, 240.
Olethreutes Hb. II, 103 et 261 add.
OLETHREUTINAE II, 102.
Omia Gn. I, 220.
Omoehroa Rbr. I, 366.
Omorphina Alph. I, 220.
Oncocnemis Ld. I, 176.
Oncodocnemis Rbl. I, 354.
Ophideres B. I, 247.
Opistographitis Hb. I, 330.
Opogona Z. II, 220.
Opostega Z. II, 220.
Orectis Ld. I, 257.
Orenaia Dup. II, 55.
Oreopsyne Spr. I, 395.
Oreta Wlk. I, 128.
Orgyia O. I, 113 et 253 add.
Orneodes Latr. II, 78.
ORNEDIDAE II, 78.
Orníx (Tr.) Z. II, 209.
Orobena Gn. II, 55.
Orphnophanes Ld. II, 49.
Orrhodia Hb. I, 208 et 255 add.
Orthaga Wlk. II, 258 add.
Ortholitha Hb. I, 281.
Orthotaelia Stph. II, 139.
ORTHOETAELIINAE II, 139.
Orthosia O. I, 205 et 255 add.
ORTHOSTIXINAE I, 322.
Orthostixis Hb. I, 322.

Ourapteryx Leach I, 330.
Oxybia Rag. II, 22.
Oxycesta Hb. I, 134.
Oxypteron Stgr. II, 93.
Oxyptilus Z. II, 71.
Oxytrypia Stgr. I, 168.

Pachnobia Gn. I, 153.
Pachycnemia Stph. I, 343.
Pachypasa Wlk. I, 124.
Pachytelia Westw. I, 393.
Pachyzancla Meyr. II, 56.
Paeidica Tr. II, 115.
Paidia Hb. I, 375.
Paidia HS. I, 375.
Paidina Stgr. I, 379.
Palimpsestis (Hb.) Meyr. I, 259.
Palpangula Stgr. I, 242.
Palumbina Rondani II, 216.
Paltodora Meyr. II, 158.
Pamene Hb. II, 123 et 263 add.
Pamphila (F.) Wats. I, 91.
Pancalia Stph. II, 188.
Pandemis Hb. II, 87 et 260 add.
Pandesma Gn. I, 241.
Pangrapta Hb. I, 255 et 256 add.
Panolis Hb. I, 202.
Pantelamprus Chr. II, 168.
Panthauma Stgr. I, 130.
Panthea Hb. I, 130.
Papilio (L.) Latr. I, 1.
PAPILIONIDAE I, 1.
Paradoxus Stt. II, 134.
Paragona Stgr. I, 232.
Paralebeda Auriv. I, 124.
Paralipsa Butl. II, 1.
Paranarsia Rag. II, 161.
Paranthrene Hb. I, 406.
Paraplutella Rbl. II, 139.
Parapoxyn Hb. II, 48.
Pararge Hb. I, 60 et 251 add.
Parasa Moore I, 392.
Parascotia Hb. I, 253.
Parasemia Hb. I, 366.
Parasia Dup. II, 140.
Parasiccia Hmps. I, 376.
Paratalanta Meyr. II, 64.
Parnara Moore I, 93.
Parnassius Latr. I, 4 et 249 add.
Paropta Stgr. I, 407.
Parthenodes Gn. II, 49.
Parthia Rag. II, 31.
Pechipogon Hb. I, 256.
Pelaea Ld. II, 69.
Pelamia Gn. I, 241.

- Pelatea** Gn. II, 113 et 262 add.
Pellonia Dup. I, 278.
Pelosia Hb. I, 379.
Peltophora Meyr. II, 176.
Pempelia Hb. II, 22.
Penestoglossa Rghfr. II, 234.
Penthina Tr. II, 103.
Penthophera Germ. I, 113.
Perconia Hb. I, 357.
Pericallia Hb. I, 371.
Pericallia Stph. I, 328.
Pericyma HS. I, 241.
Perigea Gn. I, 170.
Perigrapha Ld. I, 200.
Perinephila Hb. II, 50.
Perisomena Walk. I, 126.
Perittia Stt. II, 200.
Petilampa Auriv. I, 199.
Peucelia Rag. II, 45.
Phalakra Stgr. I, 232.
Phalacropterix Hb. I, 396.
Phalera Hb. I, 111.
Phalerodonta Stgr. I, 111.
Phalonia (Hb.) Meyr. II, 94.
PHALONIINAE II, 94.
Phasiane (Dup.) HS. I, 353.
Phassus Wlk. I, 410.
Phaulernis Meyr. II, 179.
Pheosia Hb. I, 108 et 252 add.
Phibalapteryx Stph. I, 320.
Phigalia Dup. I, 335.
Philedone (Hb.) Meyr. II, 84.
Phleboëis Chr. I, 154 et 254 add.
Phlogophora Tr. I, 185.
Phlyctaenodes Hb. II, 57.
Phoebophilus Stgr. I, 177.
Phorodesma B. I, 262.
Photoscotosia Warr. I, 289.
Phoxopteryx Tr. II, 126.
Phragmataecia Newman I, 409.
Phragmatobia Stph. I, 365.
Phrealcia Chrét. II, 264 add.
Phrixolepia Butl. I, 392.
Phryssogonus Butl. I, 288.
Phteocheiroa Stph. II, 101 et 261 add.
Phthoroblastis Ld. II, 123.
Phycita (Curt.) Rag. II, 38.
PHYCITINAE II, 14.
Phycodes Gn. II, 231.
Phyllobrostis Stgr. II, 217.
PHYLLOCNISTINAE II, 218.
Phyllocnistis Z. II, 218.
Phylloporia Hein. II, 240.
Pidorus Wlk. I, 391.
PIERIDAE I, 9.
Pieris Schrk. I, 9 et 249 add.
Pilocrociis Ld. II, 54.
Pionea Gn. II, 61 et 259 add.
Plastenis B. I, 205.
Platyedra Meyr. II, 141.
Platyptilia Hb. II, 72.
Platytes Gn. II, 8.
Pleretes Ld. I, 371.
Pleurochila Rag. II, 35.
Pleurota Hb. II, 164.
Plodia Gn. II, 15.
Ploseria B. I, 322.
Plusia O. I, 235 et 256 add.
Plusilla Stgr. I, 235.
Plusiodonta Gn. I, 234.
Plutella Schrk. II, 137.
PLUTELLIDAE II, 137.
PLUTELLINAE II, 137.
Poecilia Hein. II, 156.
Poecilocampa Stph. I, 120 et 253 add.
Pogochaetia Stgr. II, 142.
Pogonitis Chr. I, 325.
Pogonotrophus Sauber II, 25.
Polia (O.) Tr. I, 179.
Polopeustis Rag. II, 36.
Polycaena Stgr. I, 68.
Polychrosis Rag. II, 109 et 262 add.
Polygonia Hb. I, 26.
Polyocha Z. II, 13.
Polyommatus (Latr.) Scud. I, 76; aut. I, 72.
Polyphaenis B. I, 184.
Polyptoca Hb. I, 260.
Polythrena Gn. I, 283.
Porthesia Stph. I, 116.
Praestilbia Stgr. I, 194.
Prays Hb. II, 133.
Precopia Rag. II, 44.
Pristocera Rag. II, 36.
Pristophora Rag. II, 36.
Problepsis Ld. I, 276.
Procalantica Rbl. II, 18.
Proceratia Hmps. II, 18.
Prochoristis Meyr. II, 59.
Prodenia Gn. I, 184.
Proptasia Rag. II, 13.
Prorophora Rag. II, 18.
Prosolopha Ld. I, 358.
Protasis HS. II, 166.
Prothymnia Hb. I, 232.
Protomeceras Rbl. I, 240.
Protoparce Burm. I, 101.
Psacaphora HS. II, 188.
Psammotis Hb. II, 50.
Psecadia Hb. II, 167.
Pselnophorus Wallgr. II, 74.

Pseudocalpe Hmps. I, 234.
Pseudognophos Stgr. I, 344.
Pseudohadena Alph. I, 170.
Pseudoligia Stgr. I, 242 et 256 add.
Pseudophia Gn. I, 245 et 256 add.
Pseudopsyche Obth. I, 391.
Pseudosterra Rbl. I, 373.
Pseudotagma Stgr. I, 322.
Pseudoterpn Hb. I, 261.
Psilothrix Wck. II, 234.
Psilura Stph. I, 117.
Psodos Tr. I, 348.
Psoricoptera Stt. II, 140.
Psorosa Z. II, 22.
Psyche Schrk. I, 396.
PSYCHIDAE I, 393.
Psychidea Rbr. I, 398.
Psychoides Brd. II, 233.
Pterodecta Butl. I, 129.
Pterolonche Z. II, 162.
Pteroma Stgr. I, 111.
Pterogon B. I, 104.
PTEROPHORIDAE II, 70.
Pterophorus Geoffr. II, 75.
Pterostoma Germ. I, 111.
Pterothrix Rag. II, 38.
Pterotocera Stgr. I, 334.
Ptilophora Stph. I, 111.
Ptocheuusa Hein. II, 155.
Ptychoptera Chr. I, 287.
Pulcheria Alph. I, 212.
Pygaera O. I, 112.
Pygmaena B. I, 348.
Pygolopha Ld. II, 115.
Pygopteryx Stgr. I, 112.
PYRALIDAE II, 1.
PYRALINAE II, 44.
Pyralis L. II, 45.
Pyrameis Hb. I, 24 et 250 add.
Pyrausta Schrk. II, 64 et 259 add.
PYRAUSTINAE II, 53.
Pyrhus Hb. I, 94.
Pyroderces Z. II, 185.
Pyrosis Obth. I, 125.
Pyrrhia Hb. I, 224.

QUADRIFINAE I, 234.

Raddea Alph. I, 202.
Rapala Moore I, 68.
Raphia Hb. I, 179.
Ratasa HS. II, 25.
Rebelia Heyl. I, 397.
Recurvaria (Hw.) HS. II, 155.

Remigia Gn. I, 240.
Retinia Gn. II, 102.
Rhabdophera Stgr. I, 240.
Rhabinopteryx Chr. I, 242.
Rhegmatophila Stndf. I, 111.
Rhinobia Tr. II, 158.
Rhiza Stgr. I, 183.
Rhizogramma Ld. I, 183.
Rhodia Moore I, 126.
Rhodinia Stgr. I, 126.
Rhodobates Rag. II, 235.
Rhodocera B. I, 20.
Rhodoneura Gn. I, 130.
Rhodophaea Gn. II, 40.
Rhodostrophia Hb. I, 278.
Rhopobota Ld. II, 127.
Rhyacionia (Hb.) HS. II, 113.
Rhyparia Hb. I, 366.
Rhyparioides Butl. I, 366.
Ripismia Wck. II, 129.
Rivula Gn. I, 231.
Roeslerstammia Z. II, 233.
Rondotia Moore I, 128.
Rumia Dup. I, 330.
Rusidrina Stgr. I, 199.
Rusina Stph. I, 199.

Sacada Wlk. II, 46.
Salebria Z. II, 33.
Salinaria Rag. II, 25.
Saluria Rag. II, 13.
Samaria Rag. II, 42.
Saragossa Stgr. I, 254 add.
Sarrothripus Curt. I, 361.
Sartha Stgr. I, 242.
Satarupa Moore I, 94.
Satsuma Murr. I, 68.
Saturnia Schrk. I, 126 et 253 add.
SATURNIIDAE I, 126.
SATYRINAE I, 41.
Satyrus (Latr.) Westw. I, 53 et 251 add.
Scardamia Gn. I, 326.
Scardia Tr. II, 235.
Schistophila Chrét. II, 151.
SCHOENOBIINAE II, 10.
Schoenobius Dup. II, 11.
Schöyenia Auriv. I, 219.
Sekreckensteinia Hb. II, 179.
Sciaphila Tr. II, 91.
Sciapteron Stgr. I, 400.
Sciopetris Meyr. II, 230.
Scioptera Rbr. I, 396.
Scirpophaga Tr. II, 11.
Scirtopoda Wck. II, 206.

Scodiomima Stgr. I, 355.
Scodiuma B. I, 355.
Scodionyx Stgr. I, 355.
Scoliaula Meyr. II, 229.
Scoliopteryx Germ. I, 284.
Scoparia Hw. II, 50.
SCOPARIINAE II, 50.
Scopelosoma Curt. I, 210.
Scoria Stph. I, 356.
Scotocampa Stgr. I, 212.
Scetochrosta Ld. I, 212.
Scotosia Stph. I, 290.
SCYTHRIDINAE II, 179.
Scythris Hb. II, 180 et 265 add.
Scythropia Hb. II, 132.
Seboldia Rag. II, 25.
Segetia (Stph.) B. I, 170.
Selagia (Hb.) Z. II, 31.
Selenephera Rbr. I, 123.
Selenia Hb. I, 327.
Selidosema Hb. I, 351.
Semasia (Stph.) HS. II, 113 et 262 add.
Semidonta Stgr. I, 109.
Semioscopis Hb. II, 167.
Semiothisa Hb. I, 332.
Senta Stph. I, 188.
Sericinus Westw. I, 2.
Sericophora Chr. I, 130.
Sericoris Tr. II, 103.
Sesamia Gn. I, 190.
Sesia F. I, 401.
SESIIDAE I, 400.
Setina aut. I, 375.
Setomorpha Z. II, 233.
SETOMORPHINAE II, 233.
Sidemia Stgr. I, 171.
Simaethis Leach II, 129.
Simplicia Gn. I, 254.
Simyra O. I, 134.
Sinna Wlk. I, 362.
Siona Dup. I, 284.
Sitotroga Hein. II, 157.
Smerinthus Latr. I, 98.
Solenobia (Dup.) Z. II, 230.
Somabrychys Kirb. I, 392.
Songarica Stgr. I, 348.
Sophronia Hb. II, 160.
Spanista Ld. II, 54.
Sparganothis (Hb.) Meyr. II, 85.
Sparta Stgr. I, 287.
Spatialia Hb. I, 109.
Spermatophthora Ld. II, 18.
Sphaeroeca Meyr. II, 113.
Sphaleroptera Gn. II, 93.
SPHINGIDAE I, 98.

Sphingulus Stgr. I, 101.
Sphinx (L.) O. I, 100.
Sphragifera Stgr. I, 226.
Spica Swinh. I, 129.
Spilosoma Stph. I, 364.
Spinipalpa Alph. I, 154.
Spintherops B. I, 250.
Spuleria Hofm. II, 187.
Stagmatophora HS. II, 188.
Staintonia Stgr. II, 179.
Stamnodes Gn. I, 283.
Stathmopoda Stt. II, 185.
Staudingeria Rag. II, 21.
Stauropus Germ. I, 107.
Stegania Dup. I, 324.
Steganoptycha Stph. II, 110 et 262 add.
Stemmaphora Stgr. I, 220.
Stemmatophora Gn. II, 46.
Stenia Gn. II, 49.
Stenolechia Meyr. II, 156.
Stenoloba Stgr. I, 361.
Stenophanes Heyl. I, 396.
Stenoptilia Hb. II, 76.
Stephensia Stt. II, 200.
Stericta Ld. II, 43.
Steropes B. I, 91.
Sterra HS. I, 279.
Sterrhopterix Hb. I, 396.
Stichobasis Kirb. I, 397.
Stigma Alph. I, 278.
Stigmatophora Stgr. I, 373.
Stilbia Stph. I, 194.
Stilbina Stgr. I, 194.
Stilpnobia Westw. & Humphr. I, 117.
Stomopteryx Hein. II, 157.
Striglina Gn. I, 130.
Stygia Latr. I, 409.
Swammerdamia Hb. II, 133.
Sylepta Hb. II, 54 et 259 add.
Symmoca Hb. II, 162.
Synclera Ld. II, 54.
Synopsis (Hb.) Ld. I, 338.
Synoria Rag. II, 29.
SYNTOMIDAE I, 363.
Syntomis O. I, 363.
Sypna Gn. I, 245.
Syria Rag. II, 17.
Syrichtus B. I, 94.

Tabidia Snell. II, 53.
Tachyptilia Hein. II, 151.
Taeniocampa Gn. I, 201 et 255 add.
Taenioptila Stgr. I, 323.
Talaeporia Hb. II, 229.
TALAEPORIIDAE II, 229.

Talis Gn. II, 10.
 Tancrea Püng. I, 368.
 Tapinostola Ld. I, 189.
 Taragama Moore I, 124.
 Tasema Wlk. I, 389.
 Tegostoma Z. II, 69.
 Tegulifera Saalm. II, 45.
 Teichobia HS. II, 233.
TEICHOBIINAE II, 233.
 Teinoptera Calb. I, 225.
 Teleia Hein. II, 149.
 Telesilla HS. I, 235.
 Tephritis Rag. II, 32.
 Tephroclystia Hb. I, 308 et 256 add.
 Tephronia Hb. I, 343.
 Teracolus Swains. I, 14.
Teras Tr. II, 79.
 Thaïs F. I, 3 et 249 add.
 Thälera Hb. I, 264.
 Thalerastria Stgr. I, 230.
 Thaleropis Stgr. I, 22.
 Thalpochares Ld. I, 226.
 Thamnonoma Ld. I, 352.
 Thanaos B. I, 98.
 Thargelia Püng. I, 161 et 254 add.
 Thaumasta Stgr. I, 168.
 Thaumetopoea Hb. I, 113.
THAUMETOPOEIDAE I, 113.
 Tecla F. I, 69.
 Thecophora Ld. I, 182.
 Therapis Hb. I, 328.
 Theristis Hb. II, 139.
 Thermesia Hb. I, 240.
 Thestor Hb. I, 72.
 Tholomiges Ld. I, 258.
 Thospia Rag. II, 22.
 Thyatira Hb. I, 259.
 Thyreus Swains. I, 105.
 Thyrgorina Wlk. I, 365.
THYRIDIDAE I, 129.
 Thyridophora Warr. II, 11.
 Thrysis (Lasp.) O. I, 129.
Thysanodes Rbr. I, 288.
 Timandra Dup. I, 279.
TINAEGERIIDAE II, 179.
 Tinagma Z. II, 181.
 Tinea (L.) Z. II, 236.
TINEIDAE II, 231.
TINEINAE II, 234.
 Tineola HS. II, 240.
 Tineomima Stgr. II, 240.
 Tischeria Z. II, 216.
 Titanio Hb. II, 60.
 Tmetocera Ld. II, 125.
 Topeutis (Hb.) HS. II, 166.

TORTRICIDAE II, 79.
TORTRICINAE II, 79.
 Tortrix (L.) Meyr. II, 88 et 260 add.
 Toxocampa Gn. I, 252.
 Trachea Hb. I, 184.
 Trachonitis Z. II, 37.
 Trachylepidia Rag. II, 2.
 Treptopteryx Rag. II, 46.
 Triaenoneura Rag. II, 35.
 Trichiura Stph. I, 119 et 253 add.
 Trichophaga Rag. II, 236.
 Trichophysetis Meyr. II, 44.
Trichopleura Stgr. I, 289.
 Trichoptilus Wlsghm. II, 70.
 Trichosea Grote I, 130.
TRIFINAE I, 135.
 Trifurcula Z. II, 221.
 Trigonophora Hb. I, 184 et 255 add.
 Triphosa Stph. I, 288.
 Triphysa Z. I, 67 et 252 add.
 Trochilium Sc. I, 400.
 Troctoptera Hmps. I, 231.
Tyloptera Chr. I, 288.

 Ulochlaena Ld. I, 178.
 Ulotricha Ld. II, 44.
URANIIDAE I, 359.
 Urapteryx Leach vide *Ourapteryx*.
Urocampus Stgr. I, 107.
 Urodeta Stt. II, 206.
 Urodonta Stgr. I, 107.
Uropus B. I, 107.
Uropyia Stgr. I, 107.

 Valeria Stph. I, 168 et 254 add.
 Vanessa F. I, 24 et 250 add.
 Venilia Dup. I, 331.
 Victrix Stgr. I, 168.
 Virgo Stgr. I, 187.
 Vithora Wlk. I, 323.

 Wockia Hein. II, 131.

 Xanthia O. I, 207.
 Xanthodes Gn. I, 224.
 Xenopathia Rbl. II, 164.
 Xestula Snell. II, 46.
 Xylina Tr. I, 210.
 Xylocampa Gn. I, 212.
 Xylomoia Stgr. I, 183.
 Xylomyges Gn. I, 212.
Xysmatodoma Z. II, 234.
Xystophora Hein. II, 152.

- | | |
|--|--|
| Yponomeuta Latr. II, 132.
YPONOMEUTIDAE II, 131.
YPONOMEUTINAE II, 131.
Ypsolophus (F.) Z. II, 159.
Ypthima (Hb.) Westw. I, 59. | Zelotherses Ld. II, 84.
Zephyrus Dalm. I, 70.
Zethenia Motsch. I, 328.
Zethes Rbr. I, 242 et 256 add.
Zeuzera Latr. I, 410.
Zinckenia Z. II, 53.
Zonosoma Ld. I, 276.
Zophodia Hb. II, 25.
Zophodiodes Rag. II, 26.
Zygaena F. I, 380.
ZYGAEIIDAE I, 380.
ZYGAEININAE I, 380. |
|--|--|

Index der Arten, Varietäten, Aberrationen und deren Synonyme

zum

Theil I.

(Die Zahlen bezeichnen die Nummern, unter welchen die betreffenden Arten etc. im Catalog angeführt sind. Die als Kategorien behandelten Varietäten und Aberrationen sind durch einen Buchstaben hinter der Zahl kenntlich. Namen in Cursiv bedeuten ein Synonym.)

Aavaskae Teich. 965 b.
Abacta Stgr. 2712.
Abafii Uhrik 3197.
Abbus Baker 1474.
Abbreviata Stph. 3646.
Abdelkader Pier. 377.
Abdita Ioan. 1403 a.
Abditaria HS. 3373.
Abdominalis Gerh. 465 a.
Abencerragella Mill. 4465 a.
Abencerragus Pier. 573 c.
Aberrans Ev. 1559 a (Dianthoec.).
 " Stgr. 2646 (Leucanit.).
 Butl. 4265 (Miltochr.).
Aberrans Lampo 230 (Argynn.).
Abecta Hb. 1693.
Abecta HS. 1693 a (Hadena).
 Butl. 3741 (Zethenia).
Abietaria Goede 3338.
Abietaria Ditez 3539 (Tephrocl.).
 " (S.V.) Hb. 3883.
 " 3904 a (Boarmia).
Abietis Schiff. 907 (Dasychir.).
Abietis Esp. 3883 (Boarmia).
Ablatoria Fuchs 3713.
Ablegata Stgr. 3460.
Abluta Hb. 2101.
Ablutaria Hb. 3340 b.
Ablutaria HS. 3340.
Abmarginata Bhtsch. 3031 a.
Aboleta Stgr. 933 (Lymantr.).
 " Gn. 2024 a (Hydrill.).
Abramovi Ersch. 358.
Abrasaria HS. 3377.
Abraxina Butl. 3362.
Abrostoloides Butl. 2524.
Abrotani Hb. 2273.
Abrupta Ev. 1499 bis.
Abruptaria Thnbg. 3845.
Abscondita Tr. 1099.
Abscondita HS. 1098 c.
Absinthia Cl. 3560.
Absinthii L. 2274.
Abstersaria B. 3876 b.
Absyntia HS. 3426.
Absynthia Gn. 3560.
Absynthii Gn. 2274.
Acaciae F. 465 (Thecla).
 " Klug 1011 (Taragam.).
Acamas Klug 523.
Acanthophylli Chr. 966.

Acaudata Stgr. 470 a.
Accentifera Lef. 2566.
Accessoria HS. 3008.
Accrescens Stgr. 441 d.
Accurata Chr. 1632 (Namang.).
 " Stgr. 3515 (Thephroclyst.).
Accuratrix Chr. 3056.
Adestis Gr. Gr. 25 h.
Aceraria Schiff. 3807.
Aceris Lepechin 145 (Neptis).
 " L. 1076 (Acronicta).
Acetosellae F. 2078.
Achalina Püng. 2279 a.
Achatalis Hb. 2804.
Achates Hb. 1468 a.
Achatina Butl. 2648.
Achatinata Hb. 3292.
Achatinellaria Obth. 3292 b.
Achilleae Gn. 2255 (Cucullia).
 Esp. 4337 (Zygaea).
Achillea ab. HG. 4348 a.
Achilleata Mab. 3603.
Achinoe Sc. 394.
Achinooides Butl. 394 a.
Achrophora Püng. 3277.
Achromaria Lah. 3403.
Acidaria Stgr. 3132.
Acis Schiff. 637 (Lycaena).
 " F. 650 (Cyaniris).
Aciaria Mill. 4015.
Acræina Stgr. 184.
Acronycta Obth. 778 (Cnethod.).
 Obth. 910 (Dasychir.).
Actæa Esp. 378.
Actæa var. Esp. 378 b.
Actæata Walderdorff 3565.
Actæon Hb. 664.
 " Brulle 665.
Acteon Rott. 664.
Actinides Stgr. 602.
Actinobola Ev. 1506.
Actinobolus Stgr. 22 b.
Actis HS. 626.
Actius Ev. 22.
Acuminata HS. 2827; 2828.
Acuminaria Ev. 4073.
Acuminata Feld. 22 a.
Acuminifera Ev. 1840.
Acuta Frr. 1798 (Polia).
Acuta Butl. 1048 (Drepana).
Acutangula Stgr. 1229 b.

Acutangulata Chr. 3344 d.
Acutula Stgr. 2166.
Adaequata Bkh. 3464.
Adacea Butl. 2321 (Helioth.).
 Butl. 4294 b (Lithos.).
Adducta Herz 1175 b.
Adelina Stgr. 4287.
Adelpharia Püng. 3055.
Adelpa HG. 2660.
Adherbariata Stgr. 3020 a.
Adjectaria Stgr. 3954.
Adippe L. 232 et add.
Adippe Esp. 232 a.
 " Hb. 232 c.
 " Rbr. 232 b.
 " var. Esp. 231.
Aditya Moore 504 b.
Adjuncta Stgr. 1447.
Adjunctaria B. 3069 a.
Adlata Stgr. 3418.
Admetus Esp. 619. [pter.).
Admirabilis Stgr. 845 (Lophaph.).
 Obth. 3688 (Jotaphor.).
Admîranda Obth. 1559 a.
Adonis Hb. 613; 613 a et add.
Adoratrix Stgr. 2282.
Adornata Stgr. 3283.
Adrasta Hb. 392 b.
Adrasta Dup. 392.
Adrastoides Biener 392 g.
Adscripta Stgr. 2553.
Adscripta Stgr. 2553 add.
Adscriptaria (Ld.) Stgr. 3644.
Adsequa Tr. 1154 a.
Adspersaria Hb. 3769.
Adulatrix Hb. 2281.
Adultera Mén. 2679.
Adulteraria Ersch. 3088 b.
Adumbraria HS. 3397.
Adumbrata Ev. 1371.
Adusta Esp. 1665.
Adustaria F. d. W. 3142.
Adustata Schiff. 3701.
Advena F. 1446.
Advenaria Hb. 3765.
Advolata Ev. 2898 a.
Adyte Hb. 302 a.
Adzeuria Obth. 4022.
Aeacus Esp. 4358 d.
Aeacus Hb. 4358 e.
Aedon Chr. 617.

- Aegagrus Chr. 581 i.
Aegeria L. 385.
Aegeria Esp. 385 a.
Aegerioidea Wlk. 4391.
Aegidion Meissn. 544 b.
Aegino Gr. Gr. 544 d.
Aegon Schiff. 543.
Aeginides Brem. 547.
Aegrota Alph. 1177 b (Agrotis).
 " Butl. 4294 b (Lithosia).
 " Klug 4429 (Somabrach.).
Aegyptiaca Snell. 4124.
Aello Hb. 332.
Aemilia Favre 4358 a.
Aemula (S. V.) Hb. 2545.
Aemularia HS. 3679.
Aemulata Hb. 3679.
Aemulus Butl. 4723.
Aenea Hb. 2482.
Aeolides Gr. Gr. 106 a.
Aequa HG. 1402.
 " Hb. 1402 a.
Aequata Stgr. 3097 c (Acidal.).
 " Stgr. 3578 (Tephrocl.).
Aequicupis Stgr. 1335.
Aequifasciata Chr. 3029.
Aequistrigata Stgr. 3604 a.
Aerata Esp. 1567 a.
 " 1567 b.
Aerifrons Z. 4610.
Aerosa Butl. 3287.
Aeruginaria Hb. 2918.
Aeruginea Hb. 1817.
Aeruginosa Stgr. 638 c (Lycaena).
 " Chr. 777 (Cerura).
Aeruga Hb. 4117.
Aescularia Schiff. 3809.
Aesculi Hb. vide Esculi.
Aesculi L. 4718.
Aestimabilis Stgr. 2693.
Aestimaria Hb. 3792.
Aestiva Stgr. 83 a Leptid.).
 " Spr. 1053 a (Drepana).
 " Stgr. 3735 a (Selenia).
Aestiva Rühl 46 a (Pieris).
 " Stgr. 589 b (Lycaen.).
 " Fuchs 3110 b (Ephyra).
 " Fuchs 3373 (Larentia).
Aestivalis (Gn. 2428 a (Thalpochar.).
Aestivalis Aust. 726 a (Smerinth.).
 " Gn. 3733 a (Selenia).
Aestivaria Hb. 2919.
Aestius Eim. 4 b.
Aestuosa Stgr. 59 a.
Aetherea Ev. 180 g.
Aetheria Luc. 179.
 " Dup. 180 g.
Aetheria HG. 179.
Aetheriata Graes. 3706.
Aethiopalpis HS. 2763.
Aethiopata Hein. 3192.
Aethiopella Stgr. 296 c.
Aethiops Tutt. 296 (Erebia).
 " Hw. 1567 b (Miana).
 " Hoffm. 2284 a (Anarta).
 " Stgr. 4710 (Stygia).
Aethiops Tutt. 1690 a (Hadena).
 " O. 1765 (Aporophyla).
 " minor Esp. 292 (Erebia).
Aetnaea Z. 637.
Afer Esp. 321.
Affectata Ev. 3278.
Affineola Brem. 4312.
Affiniata Bkh. 3381 a.
Affiniella Brd. 4319.
Affinis Brem. 772 (Hemaris).
 " L. 2088 (Calymnia).
 " Stgr. 4608 (Sesia).
Affinis Stgr. 462 (Thecla).
 " Hb. 2089 (Calymnia).
 " Rbr. 4319 (Heterogyn.).
 " Reutti 4526 (Fumea).
Affinitaria HS. 3455; 3455 a.
Affinitata Stph. 3455.
Afra Esp. vide Afer.
 " Baker 1480 (Mamestra).
Afra Chr. 321 b (Erebia).
 " Graes. 1455 (Mamestra).
 " Baker 2983 a (Acidalia).
Africana Leech 2463.
Agalma Püng. 1194.
Agama Stgr. 1162.
Agamox Hb. 2713 b.
Agarithara Dardoin 4053.
Agathia Stgr. 2498.
Agathina Dup. 1168.
Agave Esp. 351.
Agdistiformis Stgr. 4603.
Agestes Berg. 610.
Agestis Hb. 589 a; 589 b.
Aggregata Gn. 3593.
Agilata Chr. 3663.
Agilis Chr. 4699.
Agitatrix Graes. 2700.
Aglaia L. 230 et add.
Aglaia ab. Mill. 230.
Agnata Stgr. 558 b (Lycaena).
 " Stgr. 2555 (Plusia).
Agnes Butl. 3285 (Gandaritis).
 " Obth. 4624 (Sesia).
Agnitaria Stgr. 3945.
Agramma Gn. 2565.
Agraria Joan. 2996.
Arestaria Dup. 2860 a.
Agricola B. 1403.
Agrionides Butl. 3693.
Astrotemmata Gn. 3046 a.
Agriontina Stgr. 1988.
Ahrimani Chr. 677 a.
Ahti Sahlb. 216.
Ajaka Moore 51 d.
Ajanensis Mén. 302 c.
Ajatur Schilde 780 a.
Ain Hohenw. 2574.
Aino Sahlb. 202.
Airae Frr. 2034.
Ala Stgr. 1851 (Melitaea).
 " Stgr. 1269 (Agrotis).
Alaica Stgr. 221 b (Argynn.).
 " Stgr. 375 k (Satyrus).
 " Gr. Gr. 506 b (Chrysop.).
Alaica Gr. Gr. 378 e (Satyrus).
 " Stgr. 565 a (Lycaena).
Alaina Stgr. 542 (Lycaena).
 " Stgr. 1274 (Agrotis).
Alaskensis Holl. 210 cibis add.
 (Argynn.).
 " Holl. 330 c add.
 (Oeneis).
Alaskensis Holl. 272 b add.
(Erebia).
Alatauna Stgr. 193 b.
Alaudaria Frr. 3440.
Alba Stgr. 114 a.
 " Rühl 115 a (Colias).
 " Brem. 924 (Arctornis).
 " Vallantin. 1475 (Mamestr.).
Alba Heyne-Rühl 118 (Colias).
Albaria Esp. 2914.
Albarracina Stgr. 4388 n.
Albeola HG. 4251 e (Coscinia).
 " Hb. 4301 (Lithosia).
Albeolata Rbr. 3509.
Alberta Edw. 215.
Alberti Albert 390.
Albescens Moore 2230 (Cucull.).
 " Stgr. 4275 e (Paidia).
 " Stgr. 4452 b (Amictia).
 " Heyl. 4467 a (Oreopsych.).
Albescens Heyne 962 add. (Poecilocampa).
 " Gn. 1672 (Hadena).
Albicans HS. 614 e (Lycaena).
 " Stgr. 2213 a (Cleophaen.).
 " Gn. 2399 a (Thalpochar.).
 " Stgr. 4389 a (Zygaena).
- Albicans* Fuchs 513 (Chrysophan.).
 " Auriv. 589 (Lycaena).
 " Rbr. 2399 (Thalpochar.).
 " Obth. 4032 b (Phasiane).
Albicaria HS. 3059.
Albicillata L. 3442.
Albicollis F. 2378 a.
Albicolon Hb. 1457.
Albicosia Rghfr. 4308.
Albicosata Brem. 2839.
Albida B. 833 a (Leucodonta).
 " Dup. 2400 (Thalpochar.).
 " Esp. 4463 (Hyalina).
Albida Auriv. 1118 (Arisoloch.).
 " Obth. 1737 e (Episema).
 " Ersch. 4714 (Phragmat.).
Albidaria Stgr. 3991 a (Acidal.).
 " Stgr. 4058 c (Scodionia).
Albidaria Ersch. 3144 b (Sterrhia).
Albidata Ev. 3464.
Albidella Rbr. 4463 a.
Albides HS. 2595.
Albidentaria Frr. 2595.
Albidice Stgr. 59 b.
Albidio Obth. 57 b.
Albidior Alph. 3444 b.
Albidulata Stgr. 3528.
Albifascia Const. 4188.
Albifronsata Grasl. 3556.
Albifurca Ersch. 1390.
Albigirata Koll. 3329.
Albiguttata Chr. 653 a.
Albilinea Wlk. 2649.
Albilineata Stgr. 3119.
Albimacula Stgr. 793 (Urodont.).
 " Bkh. 1546 (Dianthoecc.).
 " Stgr. 4653 (Catopta).
Albimacula Horm. 1420 (Agrotis).
Albimacularia Frr. 3324.
Albina Stgr. 1472 e (Mamestra).
 " Ev. 2001 (Caradrina).
 " Stgr. 2405 a (Thalpochar.).
Albinea Tngstr. 3236.
Albinea B. 1438 b.
Albinus Lanz 2424 a.
Albiocellaria Hb. 3110.
Albiticta Chr. 1481 a.
Albiplaga Obth. 3261.
Albipuncta F. 1966.
Albipunctaria Alph. 3144 d.
Albipunctella Hw. 3567.
Albipunctella Mill. 4457 a.
Albiradiosa HS. 1959.
Albirena Chr. 2374 (Metoponrh.).
Albirena Hb. 2884 (Anarta).
Albisignata Obth. 2021.
Albistrigata Mab. 711 b.
Albistrigata Gn. 2827.
Albistrigatus Hw. 2827.
Albivenata Grasl. 1940 a.
Albivenata Stgr. 1390.
Albiventris Ld. 4611.
Albivittella Brd. 4463.
 " var. Brd. 4463 a.
Albivitta Alph. 2341.
Albocostaria Brem. 2883.
Alborenata Curt. 3491.
Albodenata Brem. 903.
Albofascia Leech 912 not.
Albofasciata Stgr. 3633 (Tephrocytisia).
Albofasciata Höfn. 268 (Erebia).
Albolineola Graes. 1847.
Albomaculalis Brem. 2802.
Albomaculata Brem. 991.
Albomarginata Fallon 423 (Epinephele).
 " Heyne 962 add. (Poecilocampa).
Albonitens Brem. 2385.
Albonotaria Brem. 3739.
Albonotaria var. Brem. 3740.

- Albonotata* Stgr. 1575.
Albonubilus Graes. 4657.
Albopieta Graes. 1636.
Alboradiosa Ev. 1959.
Albosericia Moore 4262.
Alboserricea Fitch. 867.
Albosignaria Brem. & Grey 3890.
Albosignata Stgr. 2479 (Chara).
Albosignata Obth. 2021 (Caradrina).
Albosparvata Joan. 3598 b.
Albotigmata Baker 1668.
Albotriata Leech 2551 add.
 " Brem. & Grey 2568.
Albotrigaria Brem. 3477.
Albotarsata (Stgr.) Rbl. 4629 b.
Albounidula Heden. 2919.
Albovenaria Brem. 2873.
Albovenosa Aust. 372 a (Satyrus).
 " Goetze 1118 (Arislonche).
Albovenosa Ersch. 449 (Triphysa).
Albusa Schiff. 4113.
Albulalis Hb. 4113.
Albularia Fir. 3465.
Albulata Schiff. 3465.
Albulata Hw. 3465 a.
Albulus Horn. 250.
Albuncula Ev. 1176.
Alceae Esp. 686.
Alcedo Chr. 562.
Alchemillaria Esp. 3369.
 " Fir. 3437.
Alchemillata (S. V.) Hb. 3437.
Alchemysta Schiff. 2662 (Cateph.).
Alchymista Esp. 2661 (Aedia).
Alcides HS. 677.
Alciphron Rott. 511.
Alcipoides Moore 241 b.
Alcippus F. 241 a.
Alemena Gr. Gr. 295 b.
Aleon F. 644.
Aleconides Auriv. 646.
Aleycone Schiff. 342 et add.
Alda Aust. 327 a.
Aldrovandus Selys 646 add.
Alecto Hb. 285 a (Erebria).
 " L. 757 (Chærocampa).
Alecto Fir. 285.
 " Dup. 285 b.
 " B. 285 (Erebria).
Alepicia Cosmocivici 38.
Alero (Ev.) Luc. 4215 a.
Alexandra Mén. 29 (Argynn.).
 " Stgr. 300 d (Erebria).
Rühl 447a (Coenonym.).
Alexandria Stgr. 3132 b (Rho-dostrophia).
 " Stgr. 3349 (Larent.).
Alexandriensis Baker 1357.
Alexandrina Stgr. 175 f.
Alexanor Esp. 2.
Alexis Esp. 302 (Erebria).
 " Hb. 604.
 " Fir. 604 a.
 " var. HS. 604 a (Lycaena).
Alfacaria Stgr. 3355.
Alfaoriata Rbr. 3406.
Algæ F. 1591 (Bryophila).
Algæ Esp. 1892 (Nonagria).
Algarbiensis Christ 4360 c.
Algarvensis Obth. 4360 c.
Algeriensis Baker 984 a (Diplura).
 " Baker 3010 b (Acidal.).
 " Rbr. 4689 c (Dypessa).
Algida Lef. 2289.
Algidata Möschl. 3327 a.
Algira Obth. 2490 b (Emmelia).
 " L. 2644 (Grammodes).
 " Dup. 4384 (Zygaena).
Algiriae Obth. 2594 b.
Algirica (Stgr.) Rühl 179 a (Melit.).
 " Obth. 352 a (Satyrus).
- Algirica* Heyne-Rühl 639 (Lycaena).
Algiricum Lue. 891 bis add.
Alhambrata Stgr. 3501.
Ali Obth. 700 b.
Aliaska Scud. 4 h.
Aliata Hein. 3077.
Aliena Stgr. 820 (Notodontia).
 " Hb. 1465 (Mamestra).
Aliena Dup. 1467 (Mamestra)
 " Dup. 1679 (Hadena).
 " Hb. 1977 (Mythimna).
 " var. Stgr. 1465 a (Mamestr.).
Alienata Stgr. 3744 a.
Allantiformis Ev. 4580.
Allardi Obth. 4388 q (Zygaena).
Allardi Obth. 553 (Lycaena).
Allardiata Mab. 2950.
Allardii Obth. 553.
Alliacea Germ. 1852.
Alliaria Stgr. 3349.
Alliaria Höfn. 2917.
Allionia F. 370 a.
Allionii Hb. 371.
Allongata Stgr. 2989.
Allongata Stgr. 2989.
Allous Hb. 589 a.
Allous Gerh. 589 b.
Almangoviæ Stgr. 288.
Almoravida Gras. 2197.
Alni L. 1082.
Alni var. Barr. 1082 a.
Alniaria L. 3727.
Alniaria (S. V.) Esp. 3725.
Alnifolia O. 998 a.
Alopocera Fir. 1941.
Alopocuri B. 1941 (Leucania).
Alopocurus Esp. 1706 a (Haden.).
Alpestris Elw. 216 a (Argynn.).
 " B. 1241 (Agrotis).
 " Z. 4280 (Endrosa).
Alpestris Fir. 625 e (Lycaena).
Alpestrata Hb. 3358.
Alpherakii Stgr. 94 (Colias).
 " Gr. Gr. 503 a (Chrysophan.).
 " Gr. Gr. 895 (Dasorygia).
 " Stgr. 2045 (Amphyra).
 " Ersch. 3175 (Ortholith.).
 " Stgr. 4087 a (Heliothea).
 " Heyl. 5521 (Psychidea).
Alpherakii Chr. 1390 (Agrotis).
 " Stgr. 4206 (Arctia).
Alpherakyi Chr. 1008 (Taragam.).
 " Stgr. 2263 (Cucull.).
 " Chr. 4697 (Dypessa).
Alpicola Stgr. 959 (Malacosom.).
Alpicola Zett. 1165 (Agrotis).
 " Quens. 2287 (Anarta).
Alpicolaria HS. 3426.
Alpigena Tur. 1347 a (Agrotis).
 " B. 1492 (Mamestra).
Alpina Stgr. 185 a (Melitaea).
 " Elw. 218 a (Argynnis).
 " Elw. 322 b (Erebria).
 " Stgr. 366 (Satyrus).
 " Gr. Gr. 496 a (Thestor).
 " Bath. 670 a (Augiades).
 " Ersch. 708 (Hesperia).
 " Bell. 847 (Rhegmatoph.).
 " Frey 962 a.
 " Frey & Wullschelegel 962 a
 add. (Poecilocampa).
 " Frey 970 b (Lasiocamp.).
Humphr. & Westw. 1155 a
 (Agrotis).
 " Eghfr. 1802 a (Dasypol.).
 " Raetzer 2283 a (Anarta).
 " Sulz. 3821 (Biston).
 " Quens. 4214 (Arctia).
Alpina Stgr. 365 c (Satyrus).
 " Stgr. 589 a (Lycaena).
 " Favre 1037 (Saturnia).
 " Tutt 1097 (Acronicta).
Alpina Hb. 1977 (Mythimna).
 " Berce 4356 d (Zygaena).
 " Heyl. 4514 (Epichnopt.).
Alpinaria HS. 3821.
 " Hb. 3822.
Alpinata Sc. 3975.
Alpinata (S. V.) Hb. 3980.
Alpinus Stgr. 18 a.
Alpium Osbeck 1069.
Alsines Brahm. 2017.
Also Möschl. 327.
 " B. 328.
 " Herz 329.
Alsoïdes Gerh. 635.
Altus F. 635.
Alta Stgr. 98 c (Colias).
Alta Rühl 18 a (Parnassius).
Altajana Stgr. 320 e.
Altaica Stgr. 201 a (Melitaea).
 " Elw. 325 b (Oeneis).
 " Stgr. 1090 b (Acronicta).
 " Ld. 1453 (Mamestra).
 " Stgr. 1535 a (Dianthoe.).
 " Ld. 4285 (Parasiccia).
Altaiaca Gr. Gr. 185 (Melitaea).
 " Gr. Gr. 210 a (Argynn.).
 " Gr. Gr. 378 f (Satyrus).
 " Elw. 625 b (Lycaena).
Altaicata Gn. 3553 a.
Altemaria Stgr. 3571 a.
Altensis Heyne 54.
Alteratus Moore 532 b.
Alternaria Hb. 3783.
Alternata Stgr. 3268 (Eucosmia).
Alternata (S. V.) Stph. 3783 (Semiothisa).
Altheae Hb. 687.
Alticola Chr. 632 a (Lycaena).
 " Obth. 4737 a (Hepialus).
Alticolaria Mn. 3974.
Altitudinum Alph. 3348 a.
Altivaga Alph. 2623.
Altutæaria B. 3673.
Alveoides Stgr. 701 c.
Alveolus Hb. 709; 709 a.
Alveus Hb. 703.
Alveus Hb. 701 a.
 " B. 704.
Alwinia Brem. & Grey 149.
Alysoniformis HS. 4614.
Alyssumata Mill. 2971 b.
Amabilis Chr. 947.
Amalthea Friv. 362 a.
Amanda Stgr. 948 (Ocneryg.).
Amanda Stgr. 607 b (Lycaena).
 " B. 2690 (Catocala).
Amandus Schn. 607 (Lycaena).
Amaradaea Ld. 414 (Epineph.).
Amaradea Gr. Gr. 177 a (Melit.).
Amarginata Metzg. 246.
Amarillis Hbst. 441. (Inom.).
Amaryllis Cr. 441 et add. (Coe.).
Amaryllis Bkh. 422 (Epineph.).
Amasis Esp. 2673.
Amasina Stgr. 13 c (Doritis).
 " Stgr. 378 h (Satyrus).
 " Stgr. 1401 c (Agrotis).
 " Stgr. 1789 a (Polia).
 " Ev. 2424 (Thalpochar.).
 " Stgr. 2735 a (Toxocamp.).
 " Blitsch. 3555 (Teplirocl.).
 " Stgr. 43881 (Zygaena).
 " Hs. 4404 (Ino).
 " Stgr. 4564 a (Sesia).
Amasina HS. 4707 (Stygia).
Amasinus HS. 4728 (Hepialis).
Amata Gr. Gr. 607 c (Lycaena).
 " Brem. & Grey 2658 et add.
 " (Pseudophilia).
 " L. 3139 (Timandra).
Amata Stgr. 898 (Cifuna).
Amataria L. 3139.
Amathusia Esp. 219 (Argynn.).

- Amathusia* Rbr. 1622 et add. (Celaena).
Amaura Stgr. 4400.
Ambigua Stgr. 995 a (Epicnapt.).
 " F. 2019 (Caradrina).
 " Stgr. 4401 (Ino).
Ambigua Mén. 191 g (Meliitaea).
 " Hb. 2066 (Taeniocamp.).
Ambiguaria HS. 3933.
Ambiguata Dup. 3933.
Ambiguata Stgr. 3933 b.
Ambusta F. 2116. (tia).
Ambustaria Leech 3493 (Laren.). HG. 4007 (Selidosema).
Amboënsis Alph. 3268.
Amelia Feisth. 743.
Amentata Germ. 1620.
Americana Harris 4201 b (Arctia).
Americana d'Urban 512 d (Chrysophanus).
 " Spr. 1877 (Hydroeoc.).
Amethystina Hb. 2512.
Amica Tr. 1655 (Hadena).
 " Butl. 2810 (Dichromia).
Amicina Stgr. 1656.
Amicta Donz. 1424.
Amissa Lef. 2291; 2294.
Ammon Elw. 326 b.
Ammonia HS. 133.
Amnicola Rbr. 1956.
Amnicula Hb. 3438.
Amoena Stgr. 1294 (Agrotis).
 " Stgr. 1890 (Virgo).
 " Stgr. 2261 a (Cucull.).
 " Stgr. 4388 e (Zygaena).
Amoena Hb. 2403 (Thalpochar.).
Amoenaria Obth. 2881 (Euchlor.).
 " Stgr. 3028 (Acidal.).
 " Stgr. 3898 (Boarmia).
Amoena Chr. 3205 (Lithost.).
Amoena Stph. 3320 b (Larentia).
Amoenus Stgr. 1755 (Phoeboeph.).
Amor Stgr. 597 d.
Amota Alph. d'2233 a.
Ampelophaga Bayle 4394.
Ampelos Edw. 443 g.
Amphidamas Esp. 514.
Amphidasys Obth. 3851.
Amphilochus Mén. 214 a.
Amphion Esp. 573.
Amphithea Mén. 383 a.
Amphitricha Obth. 2909.
Amphitrite Hb. 260.
Amphyssia Mén. 140.
Amplexata Chr. 3605.
Ampliata Butl. 2841.
Amurensis Stgr. 7 d (Sericinus).
 " Mén. 82 et add. (Leptid.).
 " Graes. 124 a (Gonepter.).
 " Stgr. 192 f. (Meliitaea).
 " Stgr. 222 a (Argynn.).
 " Stgr. 510 d (Chrysoph.).
 " Stgr. 607 d (Lycaena).
 " Stgr. 724 a (Smerinth.).
 " Stgr. 1465 a (Mamestr.).
 " Stgr. 1826 (Dryobot.).
 " Stgr. 1880 a (Hydroe.).
 " Stgr. 1933 c (Leucania).
 " Stgr. 2017 c (Caradrin.).
 " Stgr. 2666 a (Ophideres).
 " Stgr. 2764 et add. (Nodar.).
 " Stgr. 3505 a (Asthena).
 " Brym. 4183 (Rhypharioid.).
Amurensis Leech 82 (Leptidia).
 " Stgr. 401 b (Aphantop.).
 " Rühl 425 (Coenonym.).
 " Stgr. 711 (Hesperia).
 " Obth. 734 b (Sphinx).
 " Stgr. 1396 a (Agrotis).
 " Hedem. 3700 c (Abraxas).
 " Stgr. 3894 b, c (Boarm.).
 " Stgr. 4294 b (Lithosia).
Amuri Stgr. 4186 b.
- Amurica* Stgr. 2560 d.
Amurula Stgr. 2453 a.
Amycus Gr. Gr. 607 a
Amygdalaria HS. 3840.
Amyntas Hb. 540.
Anachoreta F. 869 (Pygaera).
 " HS. 1235 (Agrot.).
Anachoreta F. 869 (Pygaera).
Anachoretoidea Alph. 1750 et add.
Anadyomene Feld. 239.
Anaedina Butl. 1079.
Analogia Alph. 349 c.
Anarygra Stgr. 237 b.
Anarygra B. 1667.
Anarmodia Stgr. 1377.
Anarrhini Dup. 2208.
Anastomosis L. 865.
Anatolica Plötz 671 a (Augiad.).
 " Ld. 2202 (Cleophaen.).
Anaxagoras Assmuss 427 a.
Anceps Obth. 888 a (Orgyia).
 " Stgr. 1781 (Polia).
 " Stgr. 2228 (Cucullia).
 " Stgr. 2505 (Hepatica).
 " Stgr. 4416 b (Ino).
Anceps Hb. 1679.
 " Dup. 1712 (Hadena).
 " HS. 2013 (Caradaria).
Ancilla L. 4155.
Ancilla var. Esp. 4156.
Ancipitatis HS. 4109.
Ancora Frr. 2560.
Andalusia Stgr. 1981 b.
Andalusia Mill. 3839 b.
Andalusica Stgr. 1454 a (Mamestra).
 " Stgr. 1528 (Dianthoece.).
Andereggaria Lah. 3969.
Andereggii Rühl 638 (Lycaena).
Andereggii B. 1229 a (Agrot.).
 " B. 1952 (Leucania).
Andereggii HS. 4278 d (Endrosa).
Andereggii HS. 1952 a.
 " var. Steinert 1952 b
 " (Leucan.).
Andersoni Lampa 1242 a.
Andravus Obth. 857.
Andreniformis Lasp. 4550.
Andreniformis Barr. 4550.
Androgyne Leech 72 a.
Andromedae Wallgr. 705.
Angarensis Ersch. 207.
Angelica B. 4203 a (Arctia).
Angelica Cr. 164 (Polygonia).
 " HG. 4203 b (Arctia).
Angelicea O. 4355.
Angelicea B. 4356; 4356 d.
Angelica Barr. 3567.
Anglicata Mill. 3592 a.
Angularia Thbg. 3896 (Boarm.).
Angularia (S. V.) Hb. 3726.
 " Esp. 3726 a (Ennomos).
Angulifera Moore 2510 a (Euxestis).
 " Butl. 3880 (Boarmia).
Anguifera Moore 1964 (Leucania).
Angulosa EV. 2590.
Angusta Stgr. 4317.
Angustata Stgr. 138 b (Limenit.).
 " Stgr. 2840 (Cymatoph.).
Angustata Hw. 3634 (Tephrocl.).
Angustella HS. 4477 (Oreopsych.).
Anicunella Brd. 4529.
 " Chapm. 4530 (Fumea).
Anicularia EV. 3778 a.
Anilis B. 1672.
Animoria HS. 3777.
Animata F. 3777.
Anisopthalma Koll. 568.
Ankeraria Stgr. 3800.
Annu Gerh. 115.
Annellata Chr. 4235 a (Arctia).
 " Z. 4586 (Sesia).
- Annetta* Butl. 2585.
Annexata Frr. 3217.
Annosata Zett. 3385 a.
Annubiatia Stgr. 3089.
Annubilata Chr. 3950.
Annulata Schulz 3111 (Ephyra).
Annulata Carad. 4346 b (Zygaena).
Annulifer Butl. 425.
Anomala Hw. 1981 (Stilbia).
 " Dehne 4632 (Bembec.).
 " var. Failla-Ted. 1982
 " (Stilbia).
Anomalata Rbr. 2394 (Thalpochar.).
Anomalata Curt. 1981 (Stilbia).
Anopenerpterus Lambrichs 352.
Anseraria HS. 3507.
Ansolata Ld. 3088.
Antelataria Stgr. 3391.
Anteros 596.
Anteros Frr. 557 c.
Anthe O. 349.
Anthelea Hb. 362.
Anthelea HS. 362 a.
Anthemidis Gn. 2234.
Anterici Chr. 1739.
Anthophilaria Hb. 3144.
Anthophilaria HS. 3144 c.
Anthracias Chr. 571.
Anthraciformis Rbr. 4619.
Anthraciformis Esp. 4550.
Anthracita Th.-Mieg. 2715 a.
Anthylle Stgr. 87.
Anthyllidis B. 4340.
Antiochena Ld. 637 e (Lycaena).
 " Ld. 4148 (Syntomis).
Antioipa L. 162.
Antioipa Iones 162 a.
 " Hb. 162 b.
Antiqua Stgr. 592 b (Lycaena).
 " L. 886 (Orgyia).
 " Stgr. 1426 (Eicomorph.).
 " Stgr. 2639 a (Leucanit.).
Antiqua Rühl 592 (Lycaena).
Antiqualis Hb. 2825. [chioid].
Antiquaria Stgr. 3839 e (Nyct.).
Antiquaria HS. 2937 (Acidal.).
Antiquoides Esp. 889.
Antirrhini Tr. 2201.
Antirrhini Hb. 2201.
Antizora Obth. 258.
Antonia Spr. 692 (Hesperia).
Antonia Butl. 125 b (Gonopter.).
Anysa Gn. 2597.
Anzascaria Stgr. 3996 d.
Apennina Tur. 4388 g.
Apennina Stgr. 268 b (Argynn.).
 " Calb. 500 e (Chrysophan.).
 " Z. 614 c (Lycaena).
Aperta HG. 1484.
Apheo Hb. 191.
 " Frr. 192 b.
Aphirape Hb. 202.
Aphirape Hb. 202 b.
Apiciaria Schiff. 3763.
Apiciaria Stgr. 3346.
Apicipunctata Chr. 3080.
Apiformella Brd. 4490.
Apiformis Rossi. 4490 (Phalacropterix).
 " Cl. 4532 (Trophilum).
Apiformis Hb. 4632 (Bembecia).
Apolinaris Stgr. 13 d.
Apollinus Hbst. 13.
Apollinus HS. 13 a.
Apollo L. 14 et add.
Apollo ab. Honr. 14.
 " ab. Feld. 14.
 " var. Aust. 14 a.
 " var. Esp. 14 a.
 " var. Esp. 14 b.
Apollonius Ev. 18.

- Apora* Stgr. 1780.
Appendicularia B. 3240.
Appensaria HS. 3245.
Appensata Ev. 3245.
Approximans Butl. 884.
Approximaria Gn. 3381.
 " Weawer 3381 a.
Approximata Alph. 1770 (Raphia).
 " Stgr. 3400 (Larentia).
Aprilina L. 1816 (Dichonia).
Aprilina Hb. 1069 (Diptera).
Apropinqua Stgr. 3167.
Aptaria Frr. 3331.
Aptata Hb. 3331.
Aptata Dup. 3332.
Aquata Hb. 3670.
Aquatalis Gn. 2035 a.
Aquearia HS. 3338.
Aqueata Hb. 3338.
Aquila Donz. 1706 a.
Aquilaria HS. 3459.
Aquilina Stgr. 581 e (Lycaena).
 " Spr. 681 (Ismene).
 " Hb. 1375 c (Agrotis).
Aquilina B. 1378.
Aquilo Auriv. 581 e.
 " B. 581 f.
Aquilonaris Gr. Gr. 109 c add. (Colias).
 Zett. 1165 (Agrotis).
Aquitania Const. 3006 a.
Arabs Obth. 1692.
Arachne Hb. 288 (Erebia).
 Esp. 370 (Satyrus).
Aracanthus F. 651.
Araratica Stgr. 4358 g (Zygaena).
Araraticus Teich. 4640 (Cossus).
Arata Brem. 455.
Arborerorum Obth. 143.
Arbusculae Fr. 965 a (Eriogast.).
Arbusculae Pfaffenz. 960 a (Trichiusa).
Arbuti F. 2302.
Arbutoides Bell. 2302 a.
Arcanaria Mill. 4429.
Arcaia L. 433.
Arcanioides Pier. 434.
Arcanii var. HS. 433 b.
Areas Rott. 648.
Areas Esp. 644.
Areasia Brem. 199.
Areutharia HS. 3592 b.
Areuthata Frr. 3592 b.
Archipps F. 243.
Arcta Ld. 1719.
Arata Obth. 1720.
Arctaria HS. 3324.
Arctata Gn. 2204 (Cleophana).
 " Z. 3324 (Larentia).
Arctica Zett. 211 b (Argynnis).
 " Zett. 785 b (Dicranura).
 " Zett. 1177 a (Agrotis).
 " (B.) Frr. 1688 (Hadena).
 " Auriv. 2296 (Schöyen.).
Arctica Möschl. 2572 (Plusia).
 " Schöyen 3334 a (Larent.).
 " Schöyen 4114 (Nola).
 " Schneider 4352 c (Zygaena).
Arcticaria Germ. 3327.
Arctius Boh. 4742 (Hepialus).
Arctides Stgr. 1720.
Arctomyia Alph. 2337.
Arcuata Alph. 796 (Urodonta).
 " Moore 2645 (Grammod.).
Arcufera Reuter 3115.
Arcuina Hb. 2389.
Arcuosa Hw. 2034.
Ardua Mn. 4514.
Arduinna Esp. 178.
Arefacta Swinh. 2582.
Arenacea (S. V.) Hb. 4037.
Arenaria Stgr. 3710 a.
Arenicola Stgr. 4678 (Holococer.).
Arenicola Stgr. 1337 (Agrotis).
Arenosa Stgr. 1339 (Agrotis).
 " Butl. 2767 a (Zanclogn.).
 " Butl. 3718 (Ephoria).
Arenosaria Stgr. 3058.
Areola Esp. 2186.
Arete F. 2-8 (Erebia).
 " Müll. 401 a (Aphantop.).
Aretusa Esp. 353.
Aretioides Fologone 426.
Aretusa var. Frr. 353 b.
Argali Elw. 641.
Argo Sulz. 260.
Argyra nemusica Esp. 245.
 " occitana Esp. 258.
 " Russiae Esp. 249 c.
Argentacea HS. 1115 a.
Argentaria HS. 4083.
Argentata Graes. 1849 (Callopist.).
Argentatus Stgr. 4652 (Cossulini).
Argentea Fixs. 194 a (Melitaea).
 " Hufn. 2278 (Cucullia).
Argentea Lampo 607 (Lycaena).
 " Tutt 1118 (Arisoloch.).
 " Tutt 1706 (Hadena).
 " Tutt 2848 (Cymatoph.).
Argentenguata Pouj. 2553 add.
Argenteopita Obth. 2847.
Argentina Schiff. 830 (Spatula).
 " F. 2279 (Cucullia).
Argentula Hb. 2453.
Argiades Pall. 540.
Argilata Gn. 2991.
Argillacea Alph. 1210 (Agrotis).
 " Chr. 1432 et add. (Centropus).
 " Hb. 1527 a (Dianthoec.).
 " Tausch 2389 a (Eulemma).
 " Butl. 2749 add. (Aventina).
Argillacea Ev. 2417 (Thalpoch.).
 " Chr. 2607 add. (Pseudolig.).
Argillaceago Gn. 1785.
Argillacearia Stgr. 3931 b (Gnophos).
Argillacea HS. 3624 (Tephroclystia).
Argiolus L. 650 (Cyaniris).
Argiolus Esp. 637 (Lycaena).
Argiva Stgr. 544 g.
Argulus Frey 544 b.
Argus Butl. 382 (Ypthima).
 " L. 543 (Lycaena).
Argus Esp. 544 (Lycaena).
 " Méu. 726 d (Smerinth.).
Arguta Butl. 3894 b.
Argyreia Frr. 2280.
Argyritis Rbr. 1967 a.
Argyrogonom Brgrstr. 544.
Argyrogonom Brgrstr. 544 a.
Argyrosticta Butl. 1849.
Argyrostigma Ev. 656.
Argyrotus Brgrstr. 543.
Ariae Hb. 960 a.
Ariana Moore 599 b (Lycaena).
 " Gr. Gr. 4721 (Zeuzera).
Arida Alph. 105 d (Colias).
 " Ld. 1457 b (Mamestr.).
Arida Stgr. 1457 a (Mamestr.).
 " Butl. 3745 (Gonodontis).
Aridaria HS. 3023.
Aridata Z. 3023.
Arideola Hering 4302 c.
Arion L. 646 et add.
Arion var. Z. 646 a.
Arionides Stgr. 647.
Aristaeus Bon. 352 b.
Aristonaria Leech 3762.
Armata Stgr. 1505 (Mamestra).
 " Alph. 1641 (Pseudeohad.).
Armena Stgr. 610 a (Lycaena).
 " Ev. 1327 (Agrotis).
Armena Stgr. 1610 a (Diloba).
 " Stgr. 4197 b (Ocnogyna).
 " Ev. 4336 (Zygaena).
 " Heyl. 4456 a (Amicta).
Armeniaca Chr. 70 a (Euchloe).
 " Stgr. 1980 (Praestilb.).
Armenialis Stgr. 2815 a.
Armeniensta Gerh. 529.
Armeriae Gn. 1548 c.
Armeriae Mill. 1548.
 " Stgr. 1549.
Armigera Hb. 2327.
Armoracia Obth. 2860 a.
Arne Klug 78.
Arragonensis Stgr. 4217 (Arctia).
 " Stgr. 4337 e (Zygaena).
Arragonensis Gerh. 614 d (Lycaena).
Arsacia Ld. 568.
Arschanica Alph. 1519.
Arsilache var. Esp. 210 e.
Arsilache Esp. 210.
 " HS. 210 f.
Artaxerxes F. 589 g.
Artaxidia Butl. 4272.
Artemidora Obth. 3252.
Artemis Brem. 1623 (Actias).
 " Stgr. 3901 b (Boarm.).
Artemis Hb. 175.
 " var. Frr. 175 m (Melitaea).
Artemisiae Hufn. 2273.
Artemisiue Schiff. 2278.
Artemisiata Const. 3598 a.
Artesaria (S. V.) F. 4019.
Arthurus Melvill. 646.
Arundineola Gn. 4302 a.
Arundineta Schmidt 1897 a.
Arundin Hb. 1892.
 " F. 1894 (Nonagria).
 " Hb. 4713 (Phragmat.).
Arvernensis Brams. 230.
Arvicola Chr. 1644.
Asabinus HS. 507.
Asbestaria Z. 2995.
Asclepiadis Schiff. 2516.
Asclepiadis Esp. 2517.
Ascodavia Chr. 3695.
Asella Schiff. 4443 (Heterogen.).
Asella Esp. 4440 (Cochlidion).
Asellina Hb. 4443.
Asellaria HS. 2971.
Asema Püng. 4704.
Ashworthii Dbd. 1179.
Asiatica Stgr. 175 e (Melitaea).
 " Stgr. 202 a (Argynna).
 " Elw. 583 c (Lycaena).
 " Stgr. 1452 b (Mamestr.).
 " Alph. 1792 a (Polia).
 " Stgr. 1813 c (Miselia).
 " Alph. 1975 (Monostol.).
 " Stgr. 2289 b (Anarta).
 " Stgr. 2723 b (Apopest.).
 " Stgr. 3369 b (Larent.).
 " Stgr. 4412 b (Ino).
 " Stgr. 4450 a (Pachytel.).
Asiatica Mén. 4 b.
 " Eim. 4 e (Papilio).
 " Pouj. 1077 (Acronicta).
 " Alph. 1803 a (Dasypol.).
Asiliformia Schiff. 4538 (Sciapter.).
 " Rott. 4555 (Sesia).
Asinata Frr. 3199 a.
Asinata Gn. 3199.
Askolda Obth. 1452 c (Mamestr.).
Askolda Obth. 785 e (Dicranur.).
Askoldaria Obth. 3329.
Askoldensis Obth. 764 (Cinogon).
 " Obth. 990 a (Cosmotr.).
 " Stgr. 2062 b (Taenio-campa).
 " Stgr. 4730 b (Hepial.).
Askoldensis Obth. 4265 (Miltochr.).
Askoldinia Obth. 3691.

- Askoldis Obth. 161.
Aspasia Mén. 122 et add. (*Gonepteryx*).
 „ Stgr. 2680 (*Catocala*).
Aspasia Garbowksi 234 (*Argynn.*).
Asperaria Hb. 3956.
Aspersa Mill. 3956a.
Aspersaria Rbr. 2013.
Aspersaria Stgr. 4062.
Asphodeli Rbr. 1787 a.
Assimilaria Stgr. 3062 a (*Acidal.*).
 „ Rbr. 4041 (*Eubolia*).
Assimilata Gn. 3559. (*flera*).
Assimilis Brem. & Grey 860 (*Pha-*
Assimilis Butl. 328 (*Oeneis*).
 „ Dbl. 1677 b (*Hadena*).
 „ Stgr. 2770 (*Zanclogn.*).
Associata Bkh. 3294.
Astanda Stgr. 251 a.
Astarte Dbl. 214.
Astasia Hb. 132 b.
Astasioides Stgr. 132 d.
Astatiformis HS. 4592.
Aster Edw. 545.
Asteria Frr. 201.
Asteriades Selys 191.
Asterie HS. 201.
Asteris Schiff. 2229.
Astroidea Stgr. 200.
Asterope Klug 384.
Astraea Leec 640 (*Lycena*).
Astraea Lee 380 (*Satyrus*).
Astragali Bkh. 4356 d (*Zygaea*).
Astragali HS. 2741 (*Toxocamp.*).
 „ Hb. 4388 b (*Zygaea*).
Astrarche Bgrstr. 589.
Astrea Frr. 640.
Astrida Ev. 2637.
Astur Obth. 282 b.
Atalanta L. 152 et add.
Atalanta Cr. 153.
 „ var. Esp. 152 a.
Athalia Rott. 191 et add.
Athalia Hb. 191 b.
 „ Hb. 192.
 „ ab. Ersch. 197.
 „ *minor* Esp. 192.
 „ var. Fixs. 191 h.
 „ var. Herz 192 e.
 „ var. HS. 193 a.
Athaliae var. Esp. 180.
Athamantha Esp. 4358 f.
Athamanthi Ev. 522.
Athene Stgr. 183 a (*Melitaea*).
Athene Bkh. 381 (*Satyrus*).
Athis Frr. 626 a.
Athleta Obth. 3835.
Athys Gerh. 626.
Atkinsoni Moore 2230.
Atlantic Rbr. 932 (*Lymantr.*).
 „ Luc. 1033 (*Saturnia*).
 „ Stt. 2884 (*Acidalia*).
 „ Stgr. 3481 c (*Larentia*).
Atlantic HS. 936 a (*Lymantr.*).
 „ Grote 1467 (*Mamestr.*).
Atlantica Stgr. 3859.
Atlanticum Luc. 4191 (*Ocnogyn.*).
Atlanticus Aust. 726 c (*Smerinth.*).
 „ Baker 1667 (*Hadena*).
Atlantis Edw. 227.
Atomaria L. 4000.
Atomaria var. HS. 4000 c.
Atomosa Brem. 4117 a.
Atra L. 4478.
Atra Esp. 4477 (*Oreopsyche*).
 „ Frr. 4493 (*Phalacrop.*).
Atraria HS. 3563 a.
Atraria Gn. 3595 a.
Atrata Graes. 33 a (*Parmass.*).
 „ Butl. 2387 (*Leocyma*).
 „ Butl. 2465 (*Erastria*).
 „ L. 3191 (*Odezia*).
Atratula Ev. 4309 (*Lithosia*).
Atratula Hb. 2462 (*Erastria*).
Atratus Esp. 285 a.
Atrebatensis B. 157 b.
Atribombyceta Brd. 4493.
Atrifasciaria Stefan. 3143 b.
Atriplaga Stgr. 797.
Atriphilus L. 1854.
Atromaclaria HS. 3991 a.
Atromarginata Stndf. 4 (*Papil.*).
Atropos L. 717 (*Acherontia*).
Atropos Hb. 249 (*Melanargia*).
Atrosignata Wilk. 2612.
Astrostrigata Brem. 3273.
Atrivittatus Brem. 813.
Attenuaria Rbr. 3005.
Attenuata Rbr. 3006.
Attilia Brem. 483.
Atys Hb. 583.
Auberti Obth. 3750.
Aubuissone Carad. 113 a.
Aucta Alph. 1146 b.
 „ Alph. 1146 bis add.
Auctata Stgr. 3126.
Augur F. 1136 (*Agrotis*).
Augur Esp. 2655 (*Pseudoph.*).
Augusta Stgr. 2535.
Aulica L. 4207.
Aulica var. Esp. 4208.
Aurago F. 2143.
Aurago Hb. 2145 a.
Auragoidea Gn. 2503.
Aurantiaca Spr. 4 a (*Papilio*).
 „ Stgr. 121 d (*Colias*).
 „ Stgr. 367 a (*Satyrus*).
 „ Stgr. 499 b (*Thestor*).
 „ Alph. 2301 (*Omophrin.*).
 „ Stgr. 2591 a (*Euclidia*).
Aurantiacia Brem. 3719.
Aurantiaria Esp. 3798.
Aurarie Obth. 2060.
Aurata Stgr. 2520 (*Plusia*).
 „ Moore 3492 (*Larentia*).
Aurata Fuchs 3048 (*Acidalia*).
Auratus Leech 508 c (*Chrysophanus*).
Aurea Hb. 2519.
Aurelia Nick. 192.
Aurelia Meyer-Dür 192 c.
 „ var. Horm. 192 a.
 „ var. Elw. 201 a.
Aureliaria Mill. 2901.
Aureola Graes. 2509 (*Calpe*).
Aureola Hb. 4311 (*Lithosia*).
Aureolaria F. 2629.
Aureomicans Heyne 500 f.
Auricoma F. 1097.
Auricruda Butl. 3019.
Auricula Don. 1877.
Auricularia Hb. 2567.
Aurifera Hb. 2541 (*Plusia*).
 „ (Chr.) Rom. 4583 (*Sesia*).
Auriftua Esp. 913 (*Euprocotis*).
 „ F. 919 (*Porthesia*).
Aurilegula Obth. 1832.
Aurimia Rott. 175.
Auripennis Butl. 4201.
Auripenna Wilk. 1855.
Aurita Esp. 4281.
Aurita Frr. 4281 a.
 „ var. Esp. 4281 b.
Auritaria Hb. 3999.
Auritheme Gr. Gr. 105 d.
Aurivillii Lampka 4565.
Aurolimbata Gn. 880.
Aurolimbata var. Rom. 882.
Aurora Esp. 116 (*Colias*).
 „ Butl. 930 a (*Lymantr.*).
Aurora Alph. 100 (*Colias*).
Auroraria Bkh. 2952 (*Acidal.*).
 „ Hb. 3996.
 „ Hb. 3997 (*Fidonia*).
Aurorina HS. 118 (*Colias*).
Aurorina Obth. 479 (*Zephyr.*).
 „ HS. 2346 (*Aedophr.*).
Aurora F. 55.
Ausonia Hb. 62 b.
Ausoniades B. 62 f.
Austataria Obth. 4029 a.
Austauti Obth. 436 b (*Coeno-*
nymph).
- „ Stgr. 725 c (*Smerinth.*).
 „ Obth. 2150 a (*Xanthia*).
Austeria (S. V.) Hb. 836 (*Ochro-*
stigma).
 „ Esp. 1110 (*Oxycesta*).
Austeraria HS. 3569.
Austerata Hb. 3569.
 „ Frr. 3594.
Australis Graes. 205 a (*Argynn.*).
 „ Z. 686 a (*Carcharod.*).
 „ B. 1763 (*Aporophyla*).
 „ Z. 2983 b (*Acidalia*).
Australis Barr. 1763 a (*Aporoph.*).
 „ Z. 2983 c (*Acidalia*).
 „ Ld. 4348 c (*Zygaena*).
Austriacaria HS. 3336.
Autonoë Esp. 350. [tia].
Autumnalis Ström. 3486 (*Laren-*
Autumnalis Stefan. 167 a (*Poly-*
gonia).
 „ Obth. 1225 (*Agrotis*).
Autumnaria Wernb. 3725 (*En-*
nomos).
Autumnaria Wd. 3381.
 „ Gn. 3381 (*Larentia*).
Autumnata Bkh. 3381.
Acellana Kirb. 4440.
Averniensis Brams. 221.
Aversaria Hb. 3048; 3048 a..
Aversata L. 3048.
Aversata Tr. 3048 a.
Avia Hb. 4210.
Axillaria Gn. 2861 b.
Azonos Ld. 4618.
Bacheri Stgr. 2192 a.
Bactriana Ersch. 4149 (*Syntomis*).
Bactriana Gr. Gr. 544 g (*Lycaena*).
Bada Moore 732.
Badiaria Stgr. 3112 a (*Ephyra*).
 „ Frr. 3133 (*Rhodostroph.*).
Badiaria (S. V.) Hb. 3494.
Badiofasciata Teich. 2098 a.
Baetica Rbr. 176 a (*Melitaea*).
 „ B. 1735 (*Cladocera*).
 „ Rbr. 2210 (*Cleophana*).
 „ Rbr. 4386 (*Zygaena*).
Baeticaria Rbr. 4080.
Baeticum Rbr. 4189 (*Ocnogyna*).
Baeticus Rbr. 687 a (*Carcharod.*).
Baja F. 1172.
Bajaria Schiff. 3796.
Baicalata Brem. 3377.
Baicalensis Brem. 199.
Baikolensis Brem. 199.
Bajala Stgr. 1172 a.
Bajularia Schiff. 2879.
Bakeri Kirb. 4399.
Balbifa Moore 200 g.
Balcanica Frr. vide *Balkanica*.
 „ Rbr. 114 c add. (*Colias*).
 „ HS. 1019 (*Lemonia*).
Balcanica Lang 531 (*Lampides*).
 „ Stgr. 4417 (*Ino*).
Balcanicus Ld. 4644 (*Cossus*).
Balderi B. 330 a.
 „ HS. 330.
Balderi Hb. 330 a.
Baldiva Moore 365.
Baldus Stgr. 382.
Balearica B. 4328 a.
Balkanica Frr. 531.
Ballionia Chr. 1017.

- Ballotae* Dup. 2136.
Ballus F. 495.
Balneorum Alph. 2829.
Balsaminata Frr. 3488.
Balsamitae B. 2243.
Baltiearia Frr. 3991 a.
Baltica Hering 1665 a (Hadena).
 " Spr. 2560 c (Plusia).
Banchiformis Hb. 4580.
Banghaasi Stgr. 4226.
Bankiana F. 2453.
Barachla Moore 2101.
Barbalis Cl. 2803 (Pechipogon).
Barbalis (S. V.) Hb. 2797 (Herminia).
Barbara HS. 4388 p.
Barcinonaria Bell. 3843 a.
Barcinonensis Mill. 2485.
Barrettii Dbd. 1527 a.
Bartholomaei Mén. 2560 a.
Basalipunctata Graes. 1889.
Basilis Moore 787.
Basigramma Stgr. 1386.
Basimbuta Butl. 4160.
Basilinea F. 1710.
Basistriga Stgr. 1710 a.
Basochesiata Dup. 3425.
Bassiaria Feisth. 3398.
Bastelicaria Bell. 3866.
Bataetae Christ 735.
Bathseba God. 424 (Epinephele).
 " Stgr. 976 e (Lasioicum).
Bathyerga Frr. 1928.
Batis L. 2336.
Baton Berg. 573.
Battus Hb. 574.
Baueri Stgr. 2486 a.
Bani Stndf. 950.
Bavius Ev. 575.
Beata Stgr. 1722 (Metopocer.).
 " Stgr. 2421 (Thalpochar.).
Beata Carad. 193 (Melitaea).
Beatrix Butl. 1868.
Beckeraria Id. 3062.
Beckeri Stgr. 2533 (Plusia).
Beckeri Gerh. 99 a (Colias).
 " Ld. 175 k (Melitaea).
 " Stndf. 2364 (Armada).
 " Gn. 4302 b (Lithosia).
Beelzebul Costa 285 b.
Begrandaria B. 3623.
Behenis Frr. 1552.
Bela Butl. 3801.
Belemia Esp. 60.
Belemiata Mill. 3030.
Belemtia HG. 57 a.
Belgaria Hb. 4058.
Belgaria Bkh. 4058.
Belia Cr. 62.
Belia Esp. 62 b.
Belisaria Obth. 156 b.
Bella HS. 543 e (Lycaena).
 " Butl. 1862 (Euplexia).
 " Stgr. 2459 (Erastria).
 " Chr. 2569 (Plusia).
 " Butl. 2702 (Catocala).
 " Butl. 3251 (Microloba).
 " Stgr. 3582 (Tephroclyst.).
Bella Bkh. 1201 (Agrotis).
Bellargus Stgr. 13 b (Doritis).
 " Roit. 613 et add. (Lycaena).
Bellata Frr. 3008.
Belledice HG. 63 a.
Bellesina Dup. 63 a.
Bellezina B. 63 a.
Bellidice O. 57 a.
Bellieraria Ragusa 3839 c.
Bellieriella Brd. 4478.
Bellieri Ld. 4225 (Aretia).
Bellieri Ragusa 530 (Lampides).
 " Failla 4203 b (Arctia).
 " Rbr. 4414 b (Ino).

- Bellis* Frr. 637 b (Lycaena).
 " Hb. 4337 b (Zygaea).
Bellona Gr. Gr. 560.
Bellula Alph. 1087.
Bellus Gerh. 482 a (Zephyr).
Belucha Swinh. 1995 c.
Bembeciformis Hb. 4534.
Benedictina Stgr. 1813 b.
Benenotata Warr. 2650.
Benesignata Bell. 3958.
Bentelli Rätsz. 3979.
Berberata Schiff. 3498.
Bercei Sand. 4350.
Beresovskiy Bianchi 23 b.
Bergunensis Dietze 3566.
Berisalensis Favre & Wullschl. 191 e.
Berisal Rühl 191 e.
Beroe Frr. 367 (Satyrus).
Beroe F. 131 a (Apatura).
 " var. Ld. 366 (Satyrus).
Berolinensis Stgr. 4388 f (Zygaea).
Berolinensis Heyne 990 (Cosmotr.).
Beryllaria Mn. 2901.
Berytaria Stgr. 2859 b (Aplasta).
 " Stgr. 4010 (Thamnomon.).
Berytaria Stgr. 4226 a.
Betulae L. 492.
Betularia L. 3832.
Betularia ab. Mill. 3832 a.
Betulifolia Esp. 994.
 " O. 995.
Betulina Stgr. 493 (Zephyrus).
 " Z. 4529 (Fumea).
Betulina Barr. 4530.
Biangulata Hw. 3439.
Bianor Cr. 6 (Papilio).
 " Gr. Gr. 339 a (Satyrus).
Bibioniformis Esp. 4604.
Biceratia Stgr. 3042.
Bicinctata Fuchs 3380.
Bicingulata Stgr. 4548.
Bicolor Esp. 2848.
Bicolora Hb. 835.
Bicoloralis Graes. 2807.
Bicolorana Fuessl. 4142.
Bicolorata Hufn. 3205 (Larentia).
Bicolorata Ld. 1514 (Mamestr.).
 " F. R. 3438 (Larentia).
Bicolorella B. 4477 a.
Bicoloria Schiff. 835 (Leucodontata).
 " Vill. 1569 (Miana).
 " Baker 5519 (Tephroclyst.).
Biconica Koll. 1344.
Bicuspidaria Ghil. 3440.
Bicuspis Bkh. 778.
Bicuspis B. 780.
Bicyclus Pack. 2286.
Bicycliva Stgr. 2470.
Bidens Ev. 1680.
Bidentalis Hein. 2766 a.
Bidentata Cl. 3743 (Gonodontis).
Bidentata Leech 798 (Nerice).
 " Rott. 3504 (Larentia).
Bieli Stgr. 436 a (Coenonym.).
Bieli Stgr. 4245 e (Callimorph.).
Bieneriti Stgr. 743 a.
Bieti Obth. 68 (Euchloe).
 " Obth. 131 b (Apatura).
 " Obth. 401 c (Aphantopus).
 " Obth. 710 (Hesperia).
Bieti Horm. 401 (Aphantopus).
Bifasciata Stgr. 1987 (Grammes.).
 " Rbr. 4250 (Coscinia).
Bifasciata Petag. 2646 (Grammodes).
Bifasciatus Brem. & Grey 682 (Achalaraus).
Bifida Hb. 781.
Bifurca Stgr. 1043 (Dalailam.).
 " Stgr. 1413 (Agrotis).
- Bifurea* Esp. 2173 (Xylina).
Bigeminata Chr. 3375.
Bigutta Stgr. 2551 a.
Bilinea Hb. 1986 a.
Bilinearia Fuchs 3044.
Bilineata L. 3481.
Bilineata var. Gn. 3481 a.
 " var. Weir. 3481 c.
Biloba Obth. 827.
Bilunaria Esp. 3733.
Bilunata Zett. 3539.
Bimaculata Stgr. 2480 (Chara).
 " F. 3703 (Baptia).
Bimaculata Mill. 1252 (Agrotis).
 " Stph. 2557 (Plusia).
Bimaculosa L. 1810 (Miselia).
Bimaculosa Maassen 1074 (Acronicta).
 " Esp. 1452 (Mamestra).
Binaevata Mab. 4029.
Binaria Hufn. 1052.
Biocellata Stgr. 448 b.
Biorntata F. d. W. 2242 (Cucull.).
 " Chr. 3576 (Tephroclyst.).
Biparata Ld. 4030.
Bipara Wilk. 4393.
Bipartita Butl. 799 (Nerice).
 " Graes. 1137 (Agrotis).
 " HS. 2452 (Thalerastr.).
 " Stgr. 2808 (Bomoloch.).
Bipartita Rbr. 4028 (Phasiane).
Bipuncta Hb. 4293 (Lithosia).
Bipuncta Bkh. 2848 (Cymatophor.).
 " Dup. 2849 (Polyptocra).
Bipunctaria Schiff. 3174.
Bipunctata Hw. 1996 (Senta).
 " Stgr. 4249 c (Coscinia).
Bipunctata Stgr. 4694 (Dyspessa).
Bipunctata Hb. 3174 (Ortholitha).
 " Fuchs 3703 (Baptia).
Bipunctatus Motsch. 381 b (Satyrus).
Birivata Stt. 3437.
Birivia Hb. 1276.
Birivia Hb. 1273.
Bisagittata Graes. 1419. (Iia).
Bischoffaria Lah. 2983 a (Acida).
Bischoffaria GH. 3660 c (Chloroclystia).
Bischoffii HS. 345 (Satyrus).
 " HS. 1629 (Luperina).
Bischoffii Gerh. 464 c (Thecla).
Bisetaria HS. 3025.
 " Dup. 3026.
Bisetata Hufn. 3025.
Biskraria Obth. 4048.
Biskrensis Obth. 2379.
Bistortata Goeze 3904.
Bistriata Hedem. 3801.
Bistrigata HS. 3419 ; 3483.
Bistrigata Stgr. 2780 (Zanclogn.).
 " Tr. 3483 (Larentia).
Bistrigata Hw. 3658 (Tephroclystia).
Bithynica Stgr. 4245 a.
Biton Brem. 549.
 " Sulz. 624.
Bitorquata Mén. 4337 c.
Bituminaria Ld. 3869.
Biundularia Esp. 3903.
 " Bkh. 3904.
Biundulata Motsch. 1971.
Bivinetata Fuchs 3931.
Bivirga Tutt 1090.
Bivittata Schultz 4215.
Blachieri Mill. 638 a.
Blancheata Cool. 3575.
Blanda Hb. 2015.
 " Tr. 2018.
Blandiaria HS. 3464.
Blandiata (S. V.) Hb. 3464.
Blandina F. 296.
Blandula Stgr. 1606 (Bryophil.).

- Blandula Rbr. 2389 c (Eublem.).
Blattariae Esp. 2227.
Blattariae Dup. 2220.
Blleusei Obth. 513 b.
Blomeraria Gn. 3472.
Blomeri Curt. 3472.
Bloomeri Hein. 1117.
Boabdil Rbr. 353 b.
Boarmiata Graes. 4036.
Boetius L. 529.
Bogdanovi Ersch. 2084.
Bohatschi Stgr. 3599 (Tephroclystia).
 Püng. 4639 (Cossus).
Bohemanni Stgr. 2285.
Boisdefreli Obth. 2641.
Boisduvalia Luc. 3752 (Crococallis).
Boisduvalia HS. 3217 (Anaitis).
Boisduvalia Dup. 3217.
Boisduvalii Dup. 211 a (Argynn.).
 " Bugnion 758 (Chaeocampa).
 " Ev. 1031 (Saturnia).
 " Costa 4356 c (Zygaena).
Boisduvalii HS. 597 c (Lycaena).
 " Dup. 1947 (Leucania).
Bologicus Gr. Gr. 356.
Bombycaria B. 3821.
Bombycata Hb. 3230.
Bombycata Schiff. 4517.
Bombycia Ev. 1416 a.
Bombycia Obth. 854 (Phalerod.).
 " Ev. 1441 a (Mamestræ).
Bombycinæ Mén. 1112 (Bogena).
Bombyliformis O. 771.
 " Esp. 774.
Bondii Knaggs 1920.
Bonelli Hb. 280.
Bonza Püng. 1228.
Bootei B. 326 a.
Boothii Curt. 110.
Boothii HS. 109 a.
Bordigalensis Mab. 929.
Bore Schn. 326.
Bore Hb. 325 a.
Borea Auriv. 2575 a (Plusia).
Borea HS. 1677 b (Hadena).
Borealis Stgr. 217 a (Argynnis).
 " Boh. 780 (Cerura).
 " Stgr. 4168 a (Phragmatobia).
Borealis Krul. 476 (Callophys).
 " Zett. 1207 b (Agrotis).
 " Sparre-Schneider 2138 (Orthosia).
 " Reuter 2573 (Plusia).
 " Möschl. 4213 (Arctia).
Borearia HS. 3255.
Boreata Hb. 3255.
Borellii Pier. 1883.
Borjomensis Rom. 2104.
Bornicensis Fuchs 1323 a.
Borodowskyi Gr. Gr. 508 d add.
Borussica Stgr. 2357.
Boryphora F. d. W. 2254.
Bosporaria HS. 3203.
Bovina Stgr. 1472 b.
Brachyptera Stgr. 2175.
Braconiformis HS. 4593.
 " Ghil. 4622.
Bractea (S. V.) F. 2543.
Bractea Butl. 544 g.
Bradyporina Tr. 1074 a.
Bradyporina Hb. 1074.
 " Barr. 1074 b.
Braniški Obth. 795.
Brassicae L. 45 (Pieris).
 " L. 1454 (Mamestræ).
Brassicoides Stgr. 45 e.
Bremmeria Stgr. 3685 a.
Bremmeri Brem. 19 (Parnass.).
Bremeri Kol. 1019 (Lemonia).
 " Ersch. 1654 (Sidemia).
 " var. Brem. 19 (Parnass.).
Breveti Obth. 4175.
Breviculata Donz. 3512.
Brevilinea Fenn. 1899.
Brigenis B. 2165 e.
Brigitta Ijungb. 402.
Brillantina Stgr. 478.
Briseis L. 343.
Briseis Esp. 381.
Britomartis Assmann 192 b.
Brittingeri Rbl. & Rghfr. 14 b.
Brizae Esp. 4324.
Brontes Hb. 653.
Brosiformis Hb. 4634 a.
Brosiformis Dup. 4634.
Bruandaria Mill. 2898.
Brundi Ld. 4491.
Brulleata Dup. 3382 a.
Brullei Lef. 3382 a.
Brumaria Esp. 3256.
Brumata L. 3236 (Cheimatob.).
Brumata Hb. 3794 (Hypernia).
Brumosa Gn. 1097 b.
Brumosa Leech 1103.
Brunnea Stgr. 729 a (Smerinth.).
 " F. 1205 et add. (Agrotis).
 " Lampara 2169 a (Scopelos).
 " Caffisch 4532 a (Trochil.).
Brunnea Graes. 851 (Pterostom.).
Brunnea Obth. 984 a (Diplura).
Brunneaceus Stgr. 730 a.
Brunneago Stgr. 2080 (Hiptelia).
Brunneago Esp. 1527 (Dianthoec.).
Brunnearia Ld. 3360.
Brunneata Stgr. 3527 (Tephroclystia).
 " Thrbg. 4018 (Thamnonoma).
Brunneata Pack. 3319 d (Larentia).
Brunneo-basalis Stgr. 774 a.
Bryce Hb. 378 f.
Bryce God. 378 b.
Bryoniae O. 52 c.
Bryophilalisa Stgr. 4101.
Bryophiloidea Horm. 1084 a.
Bryoptera Püng. 1501.
Bubastis Meissn. 275 a.
Bucephala L. 588.
Bucephalina Stgr. 858 b.
Bucephaloidea O. 859.
Bucovinata Horm. 3658.
Bucovinensis Horm. 136 b.
Buddha Gr. Gr. 337.
Buddhista Püng. 810 (Pheosia).
Buddhista Alph. 634 (Lyceana).
Budensis Spr. 4412 (Ino).
Budensis Fuchs 132 c (Apatura).
 " Frr. 1197 (Agrotis).
Büchlein Kilian 3881.
Büttneri Hering 1117 (Simyra).
Büttneri Heden. 3871 (Boarmia).
Buffonaria Mill. 4011.
Bufi Ld. 1003.
Buglossi Dup. 4346.
Bulgariata Mill. 3429 a.
Bunea HS. 132 e.
Bungaria HS. 3170.
Bupleuraria Schiff. 2914.
Buraetica Stgr. 2559 c (Plusia).
Burdigalensis Trimoulet 4 a
 (Papilio).
 " Gerh. 970 c
 (Lasiocampa).
Burejana Brem. 170.
Burgaria Ev. 3170.
Burgaria Ld. 3169.
Burkiana Alph. 1885.
Burmesteri Graes. 3928.
Busambra Ragusa 3518.
Butleri Moore 44 (Baltia).
Butleri Fenton 485 (Zephyrus).
Butleri Edw. 211 b (Argynnis).
Butterovi Krul. 461.
Buxicolaria Mab. 3865.
Byssata Auriv. 3383.
Byssinata Tr. 2990.
Bythinica Baker 2403 b.
C-album L. 166.
C-album Hb. 166 a.
C-aureum L. 164 (Polygonia).
C-aureum Knock 2518 (Plusia).
Cabrerae Rbl. 4453.
Cacaliae Rbr. 704.
Cacuminaria Rbr. 3989.
Cacuminum Chr. 4368.
Cadesia Moore 359 a.
Caduca HS. 1513 a (Mamestra).
 " Chr. 2410 (Thalpochar.).
Cadusia Ld. 415.
Cadusina Stgr. 416.
Caeca Stgr. 260 a (Melanargia).
 " Stgr. 444 (Coenonymph.).
 " Obth. 1044 (Oberthüria).
 " Obth. 2021 a (Caradrina).
 " Stgr. 2744 (Toxocampa).
Caeca Fuchs 401 (Aphantopus).
 " Fuchs 637 (Lycaena).
Caecigena Kupido 1029.
Caecilia Hb. 275 b (Erebia).
 " Stgr. 4217 e (Arctia).
Caecimacula (S. V.) F. 1767.
Caecula Stgr. 2742 a.
Caecus Frr. 701 a (Hesperia).
 " Mén. 727 (Smerinth.).
Caeculus Dönnitz 25 e (Parnass.).
Caelalaria HS. 3970.
Caelalaria Stgr. 1161 (Agrotis).
Caelebra Stgr. 1224 (Agrotis).
 " Hb. 2554 (Brenphos).
Caerulearia HS. 3970.
Caerulea Fuchs 604 b.
 " Stgr. 627 b (Lycaena).
 " Gin. 2664 (Arcte).
Caeruleata Brem. & Grey 456.
Caeruleata Gn. 3388 b (Larentia).
Caeruleata Heyne-Rühl 606 (Lycaena).
Caeruleocephala L. 1610.
Caeruleolineata Moore 3182.
Caerulescens Obth. 597 a (Lycaena).
 " Calb. 2127 d (Orthocerata).
Caerulescens Gr. Gr. 544 (Lycaena).
 " B. 1782 (Polia).
Caesar Stgr. 22 a.
Caesaria Goeze 4187.
Caesariae var. Frr. 3388.
Caesia Bkh. 1539.
Caesia Barr. 1539 a.
 " Auriv. 1539 b.
 " var. Stgr. 1539 c.
Caesaria Frr. 3385.
Caesiata (S. V.) Lang 3385.
Caesiata var. Gn. 335 b.
Caespitaria Chr. 3667.
Caestrum Hb. 4685.
Caffischia Car. 86 g (Colias).
Caffra Esp. 4388.
Caffischia Stndf. 4532 d (Trochil.).
Caffischia Rühl 1802 a (Dasypol.).
Caja L. 4201.
Caid Obth. 2438 c.
Cailino Lef. 2627.
Cajula Stgr. 4206 a.
Calabra Ld. 3124.
Calabria Z. 3124.
Calabria Hb. 3123.
Calabrica Calb. 4356 b.
Calais Cr. 77 (Teracolus).
Calais Scud. 326 a (Oeneis).
Calamina Butl. 4268.

zum Theil I

291

- Calberlae Failla-Ted. 1991 (Caradrin.).
 " Heyl. 4495 (Phalaeroct.).
Calberlae Ragusa 962 b (Poecilocampa).
Calberlae Stndf. 2533 a (Plusia).
Calberlae Stgr. 1491.
Calcearia Z. 2983 b.
Calceata Stgr. 3931 a.
Calcoelaria Butl. 1046 a.
Calcularia Ld. 3684.
Calendulae Tr. 2250 b.
Calida Rbl. 2427 a.
Caliginata Tr. 2394.
Caliginea Butl. 1070.
Caliginea Butl. 1143.
Caliginearia Rbr. 3690.
Caligineus Butl. 736 a.
Caliginosa Hb. 2035.
Caliginose Ev. 2035 a.
Callarga Stgr. 544 a.
Callenphenia Butl. 73.
Callias Edw. 3201.
Callicore Stgr. 2303.
Callida Bell. 589 b.
Callidaria Joan. 3309.
Callidice Esp. 56.
Calligrapha Bkh. 1592 c.
Calligrapharia HS. 3681.
Calligraphata HS. 3681.
Callimachus Ev. 498.
Callinympha Dup. 2718.
Calliopsis B. 544; 544 a.
Calliōē Hb. 153.
Callirhoe Mill. 153 a.
Calluna Palmer. 970 a (Lasiocarpa).
Calluna Spr. 3561 (Tephroclyst.).
Callunaria Dbd. 3595.
Callunata Rbr. 3022.
Calmucca Rühl 315 (Erebia).
 Gr. Gr. 544 g (Lycaena).
Calunetaria Stgr. 3022.
Calvaria F. 2756 (Epizexus).
Calvaria Lah. 2983 b (Aidalia).
Calvariatis Hb. 2756.
Calvelia O. 4488.
Calvescens B. 1777 b.
Cambrica Curt. 3359.
Cambraria Gn. 3359.
Cambyses Ld. 4334.
Camelinia L. 841.
Camelia Esp. 841 a.
Camilla Schiff. 135 (Limenitis).
Camilla Esp. 138 (Limenitis).
 " Esp. 144 (Neptis).
Campaniae Stgr. 4351 b.
Campanulae Frr. 2246.
Campanulae HS. 2248.
Campanulata HS. 3563.
Camparia HS. 2980.
Campata Rbr. 2980.
Campestris Graes. 4202 a.
Campicola Ld. 1732 (Oncochen.).
 " Ev. 4675 (Holcocer.).
Campostigma Stgr. 2095.
Camptostigma Mén. 2095.
Cana Gr. Gr. 105 a (Colias).
 " Ev. 1530 a (Dianthoezia).
Stgr. 1568 a (Miana).
Cana Hmps. 1474 (Mamestræ).
Canace L. 163.
Canaliculata Hochenw. 3978.
Canaria Esp. 2127 a (Orthosia).
Canaria Hb. 3727 (Ennomos).
 " Alph. 1593 (Bryopila).
Bh. 3965 (Gnophos).
Canariaria Rghfr. 4076.
Canariensis Rbl. 1947 a (Leucania).
Canariensis Blachier 589 c (Lycaena).
Cancellaria Hb. 4032 c.
- Cancellata* Chr. 1061 (Striglina).
 Frr. 1218 (Agrotis).
Candalus HS. 603.
Candelarum Stgr. 1178.
Candelisequa Esp. 1076 a (Aeronicta).
 Hb. 1253 (Agrotis).
Candelisequa Hb. 1178.
 " Hb. 1303.
 var. Gn. 1178 a.
Candens HS. 510 f.
Candidans Rbr. 2402.
Candida Stgr. 783 a (Dicerura).
 " Leech 922 a (Laelia).
 " Stgr. 925 a (Stilpnota).
 " Stgr. 1265 b (Agrotis).
 Cyr. 4251 d (Coscinia).
Candida HS. 4251 e (Coscinia).
Candidalis Stgr. 4118.
Candidana F. 2433.
Candidana Ld. 2433 a.
Candidata Schiff. 3505.
Candidissima Stgr. 3505 b.
Candidus Hb. 2460.
Canensis Mill. 962 b et add.
Canescens Graes. 866 a (Pygaera).
 Dup. 1757 (Polia).
Canicostata Graes. 2162.
Canidia Sparm. 46.
Canigentis (Obth.) Bräms. 245.
Caninae Rbr. 2227.
Caniola Hb. 4301.
Canitaria Gn. 3935 c (Gnophos).
 Frr. 3982 (Pygmaena).
Canuae O. 1892.
Cannensis Mill. 962 b add.
Cantabrica Rössl. 2433 a.
Canteneraria B. 2083 c.
Canteneraria Mill. 2983 b.
Canteneri Stgr. 11 a (Thais).
 " Dup. 1724 (Metopocer.).
Canūsata Mill. 3010 c.
Capella Chr. 420.
Capicola HS. 1899.
Capitalis Stgr. 4418.
Capitaria HS. 3488.
Capitata HS. 3488.
Capitulata Stgr. 3488 a.
Capniastis Ld. 1223.
Capnoptera Püng. 1183 a.
Cappa Hb. 1515.
Capreae Hb. 1741.
Capreolaria (S. V.) F. 3716 (Nunneria).
Capreolaria Esp. 3799 (Hypernia).
Capsincola (S. V.) Hb. 1550.
Capsincoloides Stndf. 1551.
Capsiphila Dup. 1553 a.
Capsophila HS. 1553.
Capsophoba Rbr. 1553 a.
Captiuncula Tr. 1571.
Capucina Mill. 1813 a (Miselia).
 " Esp. 2507 (Calpe).
Capucina Hb. 888 (Odontosia).
 L. 841 (Lophopteryx).
Carädjae Caflisch 276 c.
Caradrioides Stgr. 1306.
Cararia Hb. 3709.
Cararia HS. 3710.
Carbonaria Gr. Gr. 474 a (Thecla).
 " Graes. 1103 (Aeronicta).
 " Chr. 2284 b (Anarta).
 " Stgr. 2713 a (Catocala).
 Cl. 3992 (Fidonia).
Carbonaria Esp. 2752 (Paramoëcia).
Carbonata Schrk. 3975.
Carbona Hb. 1370.
Carbonis Frr. 1578 a (Bryophil.).
 " Frr. 4170 a (Phragmatob.).
Cardamines L. 69.
Cardinal Obth. 20.
Cardinalis Gr. Gr. 25 g.
- Carducha* Stgr. 1604.
Cardui L. 154 (Pyrameis).
 " Hb. 2315 (Heliothis).
Cardui var. HS. 154 a (Pyrameis).
Caricaria Reutti 3079.
Caricis Frr. 1946.
 " HS. 1942.
 " Tr. 1957.
Cariceraria HS. 3911.
Carissima Butl. 2876.
Carinae Rbr. 703 a.
Carmelita Esp. 838.
Carmom HS. 625 c.
Carmom Gerh. 550.
Carna Esp. 4736.
Carnea Aust. 750 a (Deilephila).
 " Tr. 1166.
 " Thnbg. 1205 add.
 " ab. Stgr. 1166 a (Agrotis).
Carnearia Mn. 3006.
Carneolica Frr. 4370.
Caronica Hering 1165 b.
Carnifer Butl. 77.
Carniolica Sc. 4388.
Carniolica Obth. 4388 f; 4388 r.
 " ab. Obth. 4388 g.
Carripieta Butl. 4284.
Carnosaria Stgr. 3137 a.
Carus O. 4736.
Carola Philippis 1082 a.
Carpatica Hormuz. 427 b (Cœnonympha).
 " Horm. 2801 b (Herminia).
Carpathicus Rbl. & Rghfr. 14
(Parnassius).
Carpentieri Butl. 1040.
Carpini Schiff. 1037.
Caryinaria Hb. 3726 b.
Carpinata Bkh. 3241.
Carpophaga Bkh. 1553.
Carpophagata Rbr. 3546.
Carpophagata Dietze 3547.
Carpophilata Stgr. 3548.
Carstanjeni Stgr. 722 a.
Carthalina Chr. 1363.
Carthami Hb. 694 (Hesperia).
 " HS. 2428 b (Thalpochar.).
Carthami HS. 2403 a (Talpochar.).
Casanella Brd. 4451.
Casanensis Krul. 604 b.
Caschmirensis Koll. 157 n.
Casearia Stgr. 2002 (Caradrina).
 Const. 3427 (Larentia).
Cashmirensis Moore 573.
Caspario Steinert 1084 a.
Caspia Stgr. 4151.
Caspica Alph. 1727 a (Metopocer.).
 " Stgr. 2633 b (Leucanitis).
Caspius Ld. 518.
Cassandra Hb. 10 b.
Cassandra Mn. 10.
 " Dup. 10 c.
Cassandrata Mill. 3547.
Cassida Tr. 3218.
Cassinea Hb. 1509.
Cassinia Esp. 789.
Cassioides Esp. 320.
Cassiope F. 261 a (Erebia).
Cassiope Mén. 130 (Apatura).
 Meyer-Dür 261 e (Erebia).
Casta Koll. 182 (Melitaea).
 " Bkh. 2194 (Calophasia).
 " Butl. 2511 (Plusiodont.).
 " Esp. 4218 (Arctia).
 " Pall. 4527 (Funaea).
Casta Butl. 3442 (Larentia).
Castanea Esp. 1156 (Agrotis).
Castanæa Hb. 4713 (Phragmataecia).
Castanea Obth. 4431 (Phrixolep.).
Castigaria HS. 3575.
Castigata Hb. 3575.
Castigataria Brem. 3863.

- Castiliaria Stgr. 3201 (Litho-
stege).
 „ Stgr. 3717 (Numeria).
 „ Stgr. 3915 a (Tephron.).
 „ Stgr. 4080 a (Perconia).
Castiliaria Stgr. 2858 a (Eu-
chloris).
Castillaria Obth. 4737 b.
Castissima Aust. 750 a.
Castor Esp. 319.
Castrensis L. 957 et add.
Catalampra Ster. 405 d.
Catalaunaria Gn. 4043.
Catalaunensis Mill. 1345.
Catalaunica Stgr. 970 e.
Cataleuca Stgr. 245 a (Melanarg.).
Cataleuca B. 1259.
 „ Frr. 1260 (Agrotis).
Cataleuca Stgr. 3922 a.
Catamelas Stgr. 405 a (Epineph.).
 „ Alph. 2189 (Pulcher.).
Catapelia Stgr. 186 c.
Cataphanes Hb. 2721.
Cataria Gn. 3699 a.
Catax L. 964.
Catax Esp. 963.
Catena Stgr. 670 b.
Catenula Rbr. 3932.
Catocalis Stgr. 2630.
Catocaloida Graes. 1105.
Catoleuca Röb. 45 b.
Cattena (M.-D.) Wck. 670 a.
Caucasica Led. 9 b (Thais).
 „ Stgr. 115 (Colias).
 „ Stgr. 180 d.
 „ Stgr. 185 f.
 „ Stgr. 191 f (Melitaea).
 „ Stgr. 210 f.
 „ Stgr. 221 a (Argynniss).
 „ Nordm. 249 b (Melanarg.).
 „ Ld. 363 e (Satyrus).
 „ Ld. 614 g (Lycaena).
 „ Heyl. 879 a (Hypogniss.).
 „ Stgr. 1285 (Agrotis).
 „ Kol. 2637 (Leucanitis).
 „ Mén. 4177 e (Parasemia).
 „ (Stgr.) Rbl. 4340 a (Zy-
gaena).
Caucasica Alph. 2638 (Leucanit.).
 „ Kol. 4629 (Sesia).
Cauchyata Dup. 3594.
Caudata Brem. & Gray 775
 (Thyreus).
 „ Brem. 4428 a (Eleysma).
Caudatula Z. 464 c.
Caudatus Stgr. 502 a.
 „ Stgr. 519 a (Chrysoph.).
Cauterita Stgr. 3776.
Cavernosa Ev. 1502.
Caylino HG. 2627.
Cebennaria Chrét. 3911.
Cebriaria Hb. 3991.
Cebrene Trin. 168 a.
Cecilia Vallantin 423.
Cecinæ Horm. 644.
Cedri Brd. 4331.
Ceiformis Stgr. 4574.
Celaeno Leech 350 c (Satyrus).
Celaeno Hb. 325 (Oeneis).
Celebrata Alph. 1319.
Celerio L. 753 (Chaerocampa).
Celerio var. Esp. 752 a (Deilephil.).
Celeus HS. 4327 f.
Celimene Cr. 336.
Celina Aust. 604 d.
Celsia L. 1874.
Celsiae HS. 2219.
Celsiana Stgr. 4143.
Celsicola Bell. 1333.
Celtis Lacharting 450.
Centrauræa Rbr. 706 (Hesperia).
 „ F. d.W. 4339 c (Zygaena).
Centaureata (S. V.) F. 3511.
- Centonalis** Hb. 4117.
Centrago Hw. 2117.
Centralasiae Stgr. 749 e (Deile-
phila).
 „ Stgr. 1792 (Polia).
 „ Stgr. 2188 a (Litho-
campa).
Centralasiae Chr. 4 d (Papilio).
Centralis Stgr. 4 d (Papilio).
 „ Ersch. 1080 (Acronept.).
 „ Stgr. 1365 a (Agrotis).
 „ Stgr. 2824 a (Hypena).
Centralisata Stgr. 3431 a (La-
rentia).
 „ Stgr. 3511 a (Te-
phroclystia).
Centripuncta HS. 1118 a.
Centrostrigaria Wöll. 3668.
Cephalariae Chr. 1036.
Cephalus Gr. Gr. 25 i.
Cephriformis O. 4551.
Cephusalis Wlk. 2487.
Cerago F. 2148.
 „ Hb. 2148 a.
Ceramanthaes HS. 2220.
Ceramanthea Frr. 2220.
Cerasina Frr. 1156.
Cerataria Gr. 4009.
Ceratilis Stgr. 2730.
Cereola Hb. 4313.
Ceriaeformis Ld. 4586 a.
 „ Luc. 4622 a (Sesia).
Cerisyi God. 9 et add.
Ceronius Esp. 613 b.
Cerri Hb. 464 a (Thecla).
Cerridifolia Feld. 998 e.
Cerris B. 1821 a (Dryobotida).
Certaria Frr. 3264.
Certata Hb. 3264.
Certhia F. 1040.
Cerusraria Lah. 3078 (Acidalia).
Cerussaria Ld. 3588 (Tephro-
clystia).
Cervago Ev. 1884.
Cervantaria Mill. 2978.
Cervantes Gras. 713 b.
Cervina Ev. 1472 a (Mamestra).
 „ Stgr. 2734 a (Eccrita).
Cervina Germ. 1677 b (Hadena).
Cervinaria Tr. 3152 (Ortholitha).
 „ Moore 3236 (Eulyagr.).
Cervinata Schiff. 3152 (Ortho-
litha).
Cervinata Hb. 3264 (Encosmia).
Cervini Fallon 4231.
Cespitis (S. V.) F. 1440.
Cestina Stgr. 2614.
Cestis Mén. 2613.
Cethosia Hb. 234.
Ceto Hb. 276.
Chabordis Obth. 2213.
Chaerophyllea L. 3191.
Chalcidiformis Hb. 4629.
Chalcidiiformis God. 4627.
Chalciformis Esp. 4629.
Chalcocnemis Stgr. 4627 a.
Chalcytes Esp. 2557.
Chaldaica B. 1182.
Chalysyis Hb. 2557.
Chalybea Auriv. 4350.
Chalybeata Hb. 3434.
Chamæleon Alph. 1796.
Chamaenerii Harr. 745 b.
Chamaesyces HS. 1111.
Chamaesyces Gn. 1111.
Chamomillæ Schiff. 2250.
Champa Moore 1066.
Chamyla Stgr. 411 a.
Chanzyi Obth. 2316.
Chonaria Frr. 3977.
Chonia Hb. 807.
Chaoticaria Alph. 3811.
Characterea Hb. 1707.
- Characteristicæ** Alph. 1415 (Agro-
tis).
 „ Alph. 3088 a (Acidalia).
Chardini B. 1129 (Agrotis).
Chardinyi Grote 1130.
 „ HS. 1234 (Agrotis).
 „ Dup. 1665 b (Hadena).
Chariclea Stph. 45 a (Pieris).
 „ Schn. 211 (Argynn.).
Chariclea Holl. 211 a.
 „ Dup. 211 b (Argynn.).
Charlonia Donz. 66.
Charlotta Hw. 230.
Charltonius Gray 26.
Charitonius Gr. Gr. 26 a.
Charmetanti Vuillet 918.
Charon Hb. 4346 d.
Charon HS. 4346 e.
 „ B. 4351 b; 4356.
Choronia Dru. 163.
Charybdis Stgr. 642.
Chavignier Failla 4203 b.
Cheiranthi Hb. 45 d (Pieris).
 „ Tausch. 2524 (Plusia).
Chelys Mitis 160 b add.
Chenopodiaria Esp. 3155.
Chenopodiata Hein. 3155 (Ortho-
lith.).
 „ L. 3503 (Larentia).
Chenopodiæ F. 1477.
Chenopodiaphaga Rbr. 1649.
Chi L. 1797.
Chikuna Aust. 107.
Chimenes Leech 157 i (Vanessa).
 „ Feld. 512 c (Chrysophan.).
 „ Murr. 590 (Lycaena).
 „ Stgr. 684 a (Daimio).
 „ Alph. 2625 (Leucanitis).
 „ Leech 3447 d (Larentia).
 „ Gr. Gr. 4220 a (Arctia).
Chinensis Feld. 4269 (Miltochrist.).
Chioleuca HS. 1762 (Apophryl.).
 „ Tr. 1817 a (Dichonia).
Chionata Ld. 3506.
Chione Curt. 110 a.
Chiron Rott. 592.
Chlamitulus Hb. 4110.
Chlamydulus Hb. vide Chlam-
itulus.
Chlamydulus Tr. 4110.
Chloe Ev. 116 a.
Chloe Ev. 90.
Chlorataba Mab. 3662.
Chlorana L. vide Chlorana.
Chloridice Hb. 59.
Chloridice Chr. 59 b.
Chlorion Rbr. 4134.
Chloris Esp. 223 (Argynniss.).
 „ Mill. 1440 (Epineuron.).
Chlorocoma Chr. 119.
Chlorodippe HS. 232 b.
Chloronota Stgr. 4405 b.
Chlorophyllana Stgr. 4135.
Chlorophyllaria Hедем. 2887.
Chloros Hb. 4405.
Chlorosaria Graes. 2914 a.
Chlorotica Ld. 2411.
Chlorovenosata Chr. 3288.
Choaspitis Obth. 3234.
Choenorhini Dup. 2210.
Christi Rätzer 266 (Erebia).
 „ Rbl. 663 (Adopaea).
Christiernssonii Lampa 88 e.
Christophi Gr. Gr. 96 (Colias).
 „ Stgr. 558 (Lycaena).
 „ Gr. Gr. 657 (Pamphil.).
 „ Stgr. 731 (Dilina).
 „ Stgr. 1038 (Mirina).
 „ Stgr. 1042 (Brahmaea).
 „ Stgr. 1380 (Agrotis).
 „ Mösch. 1555 (Dianthoec.).
 „ Alph. 1657 (Hadena).
 „ Ersch. 2621 (Palpangula).

- Christophi Alph. 2622 a (Leucanitis).
 „ Alph. 4087 c (Heliothaea).
 „ Graes. 4442 (Cochlidion).
Christophi Alph. 882 (Orgyia).
 „ Stgr. 1570 (Miana).
 „ Hedem. 3269 (Eucosmia).
 „ Stgr. 4347 (Zygaena).
 „ var. Stgr. 1555 a (Dianthoecea).
- Christyi* Prout 3380.
Chrysanthemi Hb. 2250 a (Cucull.).
 „ Bkh. 4352 b (Zygaena).
Chrysise Bkh. 510.
 „ ab. B. 510 a.
Chrysidice HS. 56 a.
Chrysidice Stgr. 56 b (Pieris).
 „ Butl. 3479 (Larentia).
Chrysidiiformis Esp. 4627.
Chrysidiiformis HS. 4628.
 „ var. Mab. 4627 a.
Chrysippus L. 241.
Chrysippus Cr. 241 a.
Chrysitaria HG. 3998 a.
Chrysitina Martyn 2541.
Chrysitis L. 2539 et add.
Chrysocephala Hb. 4241 e (Pericallia).
 „ Nick. 4416 a (Ino).
Chrysocoma Gr. 98 d.
 „ Ev. 118.
Chrysocome Frr. 118.
Chrysodippe Stgr. 232 e; 232 f;
 232 g.
Chrysodoma B. 99 a.
Chrysographa Hb. 1877.
Chryson Esp. 2542.
Chrysonome Klug 79.
Chrysops Gr. 584.
Chrysoprasaria Esp. 2867.
Chrysoptera Gr. 121 e.
Chrysoptera Stgr. 121 f.
Chrysorrhoea L. 913 (Euprotctis).
Chrysorrhoea Esp. 919 (Porthesia).
Chrysotheme Esp. 111.
Chrysozona Bkh. 1513.
Chrysozona var. Stgr. 1513 b.
Chuana Gr. Gr. 199 b.
Chumbiensis Nicév. 41 a.
Cieatralis Graes. 1227 (Agrotis).
 Tr. 4104 (Nola).
Cilia Stgr. 2386.
Ciliaria Gn. 1989 b.
Ciliaria Mén. 2608.
Ciliata Stgr. 2163.
Ciliissa Ld. 524.
Cinarae Rbr. 707.
Cincta F. 2058.
Cinctaria Schiff. 3874.
Cinefacta Graes. 1710 a.
Cineracea Frr. 2238 (Cucullia).
Cineracea Graes. 1074 c (Acronicta).
Cineraria Dup. 4038 a (Eubolia).
Cineraria Schönen 3352 (Larentia).
 „ Bkh. 3897 (Boarmia).
 „ (S.V.) Hb. 3911.
 „ Gn. 3912 (Tephronia).
Cinerarius Ersch. 3823 (Biston).
Cinerascens Stgr. 726 b (Smerinthus).
 „ Stgr. 2152 a (Calocamp.).
 „ HS. 4275 a (Paiida).
Cinerascens Tngstr. 2007 (Caradrina).
 „ Tngstr. 3553 a (Tephroclastia).
Cinerata Stgr. 3149 a.
Cinerea Stgr. 1166 a.
 „ Hb. 1347 (Agrotis).
 „ Stgr. 1763 d (Aporophyl.).
 „ Alph. 2031 (Hydrilla).
- Cinerea* Butl. 2761 (Capnodes).
 „ Teich. 4713 a (Phragmataecia).
Cinerea Butl. 2790 (Madopa).
 „ Auriv. 2852 (Polyploc.).
Cinerearia Stgr. 3183 b.
Cinereata Stgr. 3230 a (Chesias).
 „ Stgr. 3259 a (Triphosa).
Cinerella Dup. 4451.
Cinerestrigaria Klem. 3720.
Cinerina Ghil. 2416.
Cinerosa Gn. 2174.
Cingularis Hb. 2642.
Cingulata Hb. 4032 b (Phasiame).
 „ Ld. 4360 a (Zygaena).
 „ Stgr. 4635 a (Paranthr.).
Cingulata Fuchs 3115 (Ephyra).
 „ Tngstr. 3437 (Larentia).
 „ Chr. 3545 (Tephroclast.).
 „ Stgr. 4346 f (Zygaena).
Cingulatula Butl. 764 (Cinogon).
Cinigeraria Alph. 4040.
Cinis Frr. 1952 a.
Cinnamomea Göze 2055.
Cinnides Stgr. 613 a.
Cinnides Stgr. 613 a add.
Cimus Hb. 614 a et add.
Cinxia L. 177.
Cinzia Esp. 185.
 „ Hb. 185 c.
 „ major Esp. 177.
Circe F. 249 (Satyrus).
Circe Schiff. 513 (Chrysophan.).
Circularia Hufn. 2124.
Circellata Gn. 2997 a.
Circuita Gn. 1638.
Circuitaria Gb. 3017.
Circundataria Vill. 3996.
Circunducta Ld. 2059.
Circumflexa L. 2564.
Circumflexa Esp. 2551.
Circumscripta Frr. 2552.
Cirsii Rbr. 703 d.
Cirsii Rbl. 703 c.
Cirtana Luc. 4398.
Cirtanaria Linc. 2924.
Cissigma Mén. 1196.
Citillus Alph. 1305.
Citrago L. 2143.
Citraria Hb. 4077.
Citrina Stgr. 109 a (Colias).
 „ Spr. 4350 (Zygaena).
Citrimarus Motsch. 37 b.
Civica Hb. 4208.
Clandestina Harris 1144.
Clara Stgr. 200 a (Melitaea).
 „ Stgr. 222 b.
 „ Blanch. 228 (Argynnis).
 „ (Stgr.) Chr. 573 a (Lycaena).
 „ Stgr. 1292 (Agrotis).
 „ Stgr. 1539 c (Dianthoecia).
 „ Stgr. 2634 a (Leucanitis).
Claro Butl. 4131 (Sinna).
Clarina Stgr. 228 a.
Clarior Stgr. 3967 a.
Clarissa Stgr. 177 c (Melitaea).
 „ Stgr. 2515 a (Abrostola).
 „ Butl. 3705 (Bapta).
Clariss Ev. 34.
Clariss HS. 35.
Clarivena Püng. 1248 bis add.
Clarus Carad. 713.
Clathrata Hb. 4032 (Phasiame).
 „ Chr. 4698 (Dyspessa).
Clathrata Ld. 4197 (Oenogyna).
 „ var. Dup. 4032 c; 4033.
 „ ab. Rattet 4032 a (Phasiame).
Clavis Esp. 1411.
Cleanthe B. 249 a.
Cleo Hb. 320.
Cleobis Brem. 547 (Lycaena).
- Cleobis* Sulz 650 (Cyaniris).
Cleobule Hb. 126.
Cleodippe Stgr. 232 c.
Cleodoxa O. 232 a.
Cleodoza Esp. 231 b.
Cleopatra L. 125.
Climene Esp. 388.
Clio Stgr. 2366.
Clite Hb. 428.
Cloelia Bkh. 4146 b.
Clorana L. 4136.
Cloraria Hb. 2904.
 „ Dup. 2907.
Clotho Luc. 247.
 „ Hb. 249 c (Melanargia).
 „ Dru. 758 (Chaerocamp.).
Clymene vide *Climene* Esp.
Clymene O. 388.
Clytie Schiff. 132 b.
Clytie ab. Mitis 132 c.
C. nigrum L. 1185.
Coaretaria (S. V.) HS. 3150.
Coarcata F. 3150.
Coartata Püng. 3237.
Coassaria B. 3199.
Cocandaria Ersch. 3918 a.
Cocandaria Chr. 3918 b.
Cocaudica Ersch. 89 (Colias).
 „ Ersch. 4150 a (Syntomis).
 „ Ersch. 4373 (Zygaena).
Coccifera Mill. 3646; 3647.
Cocles HG. 976 d.
Codetaria Obth. 3914.
Codeti Obth. 1728 (Metopocer.).
 „ Obth. 4441 (Cochlidion).
 „ Obth. 4556 (Sesia).
Codeti Aust. 4429 (Somabrach.).
Coccodromus Gn. 320 a.
Coelestina Ev. 632 (Lycaena).
 „ Koll. 650 d (Cyaniris).
Coelostina Gr. Gr. 132 e (Apatura).
 „ Mill. 638 (Lycaena).
Coelostinaria Alph. 3987.
Coelinaria Gras. 3160.
Coenobita Esp. 1064.
Coenosia Hb. 922.
Coenosaria Ld. 3067.
Cognata Frr. 2314 (Heliothis).
 „ Stgr. 2753 (Parascotia).
 „ Thnbg. 3308 (Larentia).
 „ Rbr. 4409 (Ino).
Cognata Stgr. 480 a (Zephyrus).
 „ Stph. 3600 d (Tephroclast.).
 „ Luc. 4405 (Ino).
Cognataria Ld. 3707 a (Stegania).
 „ Gn. 3832 b (Amphidias.).
Cognita Stgr. 1312.
Cohaesa HS. 1197 a.
Colchica HS. 4707.
Colchidaria Ld. 3918.
Collaria HS. 3956 a.
Collaris Gr. Gr. 4215 a.
Collata Hb. 3956.
 „ Dup. 3956 a.
Colleti Sparre-Schl. 1507.
Coligata Tngstr. 3660 b.
Collina Ld. 187 (Melitaea).
 „ B. 1167 (Agrotis).
Collinaria Holt-White 4076
 (Aspalites).
Collinaria Metzner 3327 (Larentia).
Colon Hb. 4251 d (Coscinia).
 „ Mösch. 4293 (Lithosia).
 „ Chr. 4694 (Dyspessa).
Colonaria HS. 3008.
Coloraria HS. 3188.
Colorata Krul. 1596.
Colossus Stgr. 4647.
Colpiformis Stgr. 4596.
Columbaria Frr. 3216.
Columbata Metzner 3216.
Coluteae Bienert 1643.

- Comara Ld. 408a.
Combusta Dup. 1706a.
Comedarum Gr. 512c.
Comes Hb. 1154.
Comita Warr. 3838a.
Comitata L. 3503.
Comitata Hb. 3504.
Comitella Brd. 4524.
Comma L. 670 (Augiades).
 „ L. 1951 et add. (Leucania).
Comma Stgr. 670c (Augiades).
 „ Hb. 1833 (Rhizogram.).
Comanotata Hw. 3319.
Commoda Stgr. 1829.
Communimacula (S.V.) Hb. 2422.
Commutaria HS. 3072; 3072a;
 3074 (Acidalia).
 „ Gn. 3707a.
 „ Hb. 3708 (Stegania).
Commutata Frr. 3072.
Compararia Stgr. 3722 (Ellopia).
Compararia HS. 3085 (Acidalia).
Comparata Möschl. 1164.
 „ Spärre-Schn. 1174.
Complana L. 4299.
Complanata B. 4296.
Completa Stgr. 3035.
Compluta Hb. 4280a.
Compluta Hb. 4281.
Compressata Gu. 3575.
Compta (S.V.) F. 1548.
Compto Esp. 1546.
Comptaria Wilk. 3139.
 „ HS. 3436.
Compuncta Ld. 2406.
Compyntas God. 540f.
Concha F. 2518.
Concinna Warr. 3832e.
Concinna Hb. 1546.
Concinnaria Dup. 3094.
Concinnata Gu. 3094 (Acidalia).
 „ Sph. 3319a (Larentia).
Concinnula B. 2414.
Concinnula HS. 2413.
Concolor Stgr. 908a (Dasychir.).
 „ Chr. 950 (Lasiocamp.).
 „ Tutt. 1923b (Tapinost.).
 „ Obth. 4384a (Zygaena).
Concolor Gu. 1921 (Tapinostola).
Concoloria Ld. 3983.
Concordaria Hb. 3995.
Concocts Stgr. 1738c.
Concubina Hb. 2678.
Conferenda Butl. 3895c.
Confertata Stgr. 3935a.
Confinaria HS. 3066b (Acidalia).
Confinaria Frr. 3713b (Delimnia).
Confinis Stgr. 772a (Hemaris).
 „ Gr. Gr. 886a (Orgya).
 „ HS. 2089a (Calymnia).
Confinis Stgr. 1147 (Agrotis).
Confixaria HS. 3369.
Confusa Tr. 1207b.
Confusa Weir 1207c.
Confluens Gerh. 510a (Chrysophanus).
 „ Ev. 1467a (Mamestra).
 „ Stgr. 3855a (Synopsis).
 „ Rom. 4203d (Arctia).
 „ Dzurzynski 4355a.
 „ Obth. 4364a (Zygaena).
Confluens Reuter 2836a (Thyatira).
 „ Obth. 3148 (Lythria).
 „ Stgr. 4348a.
 „ Selys 4350 (Zygaena).
Conformis Hb. 2173.
 „ Frr. 2174.
Confusa Breu. 897a (Cifuna).
 „ Frr. 1729 (Oncocnem.).
 „ Stgr. 4346h (Zygaena).
Confusa Alph. 1147 (Agrotis).
 „ HS. 1729a (Oncoenem.).
 „ Stgr. 3837 (Amraica).
Confusalis HS. 4106.
Confusaria Stgr. 2910 (Memoria).
Confusaria Stgr. 3419 (Larentia).
Confus Edw. 4734.
Congerer Hb. 1951 (Leucania).
 „ Frr. 2109.
 „ HG. 2109a (Dyschorist.).
Congeneraria Hb. 2825.
Congesta Ld. 2001a.
Congrua Hb. 1956.
Congruaria HS. 3096.
Congruata Z. 3096.
Conica Esp. 2055.
Conicephala Stgr. 2485.
Conifera Chr. 1364.
Coniferata Curt. 3306.
Conigera F. 1964.
Conjuga Hb. 2685.
Conjuncta Stgr. 19 b (Parnass.).
 „ Püng. 1844 (Chloanth.).
 „ Esp. 2685 (Catocala).
 „ Stgr. 4275b (Paida).
 „ Calb. 4327c (Zygaena).
Conjunctaria Ld. 3666a.
Conjungens Alph. 3873.
Conzug Frr. 2697.
Connexa Butl. 157k (Vanessa).
Connexa Hb. 1623 (Celaena).
 „ Bkh. 1717 (Hadena).
Conopiformis Esp. 4554.
Conradti Alph. 357a.
Consanguinaria Ld. 2939.
Consanguinata Butl. 1094 (Aerocista).
 „ Gu. 1474 (Mamestra).
Consecraria Rbr. 3144b.
Consecrata Stgr. 2940.
Consenescens Stgr. 1212b.
Consentaria Frr. 3484.
Consequa Hb. 1153a.
 „ Curt. 1154c.
Conserata Gr. Gr. 4373b.
Consignata Wilk. 1230 (Agrotis).
Consignata Bkh. 3541.
 „ Rbr. 3546 (Tephrocylist.).
Consimilaria Dup. 3874a.
Consimilaria Mill. 3876; 3901a.
Consobrina Germ. 4359a (Zygaea).
Consobrinaria Bkh. 3895a.
Consobrinaria Bkh. 3891.
 „ Hb. 3894 (Boarmia).
Consobrinus F. 4677 (Holocerus).
Consocia Wilk. 4436.
Consocioria Chr. 3740.
Consocia Stgr. 2975.
Consolidata Ld. 2969.
Consona F. 2532.
Consonaria Hb. 3906.
Consonaria Sph. 3904.
Consors Butl. 3342 (Erebomorph.).
Consors Ev. 2236 (Cucullia).
 „ Butl. 2589a (Euclidia).
Consorciata F. 3895.
Consparsata Frr. 1545.
Conspectaria Mn. 3366.
Conspersa Chr. 1603 (Bryophil.).
Conspersa (S.V.) Esp. 1547 (Dianthoecea).
Conspersalis Stgr. 2812.
Conspersaria (S.V.) F. 4059 (Scodia).
 „ Stgr. 4075b (Aspidonia).
Conspersaria Hb. 4059a (Scodia).
Conspicillaris L. 2183.
Conspicillaris Esp. 2183a.
Conspicua Hb. 1403.
Conspicuaria Bkh. 3996.
 „ Esp. 3997.
Conspicuata Hirschke 3671a (Phibalapteryx).
- Conspicuata* Schiff. 3996 (Fidonia).
Conspureata Butl. 3697b (Abraxas).
Conspurcata HS. 1345 (Dianthoece.).
Constancella Brd. 4485.
Constanti Mill. 1293.
Constantina Auri. 955 (Chondrostega).
 „ Baker. 3598b (Te-phroclysta).
Constirpataria Fuchs 3754c.
Constricta Butl. 734b (Sphinx).
Constricta Strand 3486 (Larentia).
Constrictata Mill. 3552.
 „ Gn. 3556.
Consieta HS. 2136.
Contacta Esp. 2070.
Contaminaria Hb. 4017.
Contaminata Walk. 1872.
Contaminei Ev. 1112 (Eogena).
 „ B. 4332 (Zygaena).
Contaminei Z. 4333b.
Contamineoides Stgr. 4333b.
Contecta Graes. 2113.
Contemmenda Stgr. 2687.
Contermina Graes. 1822.
Conterminata Z. 3536.
Contigua Vill. 1469.
Contiguaria Hb. 2968.
Contiguaria Dup. 3068.
 „ var. Fryer 2968a (Acidalia).
Continuaria Ev. 3788.
Contractus Leech. 682a.
Contrubilis Dup. 1493.
Contristans Ld. 1577.
Contrita Chr. 2333.
Contrix Chr. 2333.
Contusa Frr. 2108.
Convergenata Brem. 3298.
Convergens (S.V.) F. 1818.
Conversa Esp. 2713.
Conversa var. HS. 2713a.
 „ var. Esp. 2713b.
Conversaria Hb. 3891c.
Convolvuli L. 735.
Conzyae Gn. 703b.
Cora Ev. 2319.
Coraciata Hb. 3314.
Coracina Brem. 3977.
Coraxa Püng. 2028.
Corcularia Rbl. 3008.
Corculata Prout. 3370.
Cordaria Hb. 3777.
Cordaria Hb. 3777a.
Cordigera Thnbg. 2284.
Cordula F. 378b.
Cordulina Stgr. 378e.
Coreana Leech 4296a (Lithosia).
Coreana Butl. 233 (Argynnis).
Coredippe Leech. 232e.
Coreta Gn. 2319.
Coretas O. 540a.
Coriacea Graes. 2154.
Coridon Poda 614 et add.
Corinna Hb. 437.
Corneata Püng. 3507.
Cornelia Stgr. 1106 (Aeronicta).
Cornelia Frr. 603 (Lycaena).
Cornelialia Mill. 3948a.
Corollaria HS. 3431.
Coronaria HS. 3659.
Coronata Hb. 3659.
Coronilla Esp. 4358b (Zygaena).
Coronillae HS. 2742 (Toxocampa).
Coronillaria Hb. 2861.
Correptaria Z. 3864a.
Correspondens Alph. 2893.
Corivalaria Kretschmar 3082.
Corrosa HS. 1303.
Corrupta Herz 1555a.
Corsica Bell. 543a (Lycaena).
 „ B. 888d (Orgyia).

- Corsica* Rbr. 1514 c (Mamestra).
 " Mab. 2155 a (Hoporina).
 " B. 4345 (Zygaena).
 " Stgr. 4607 (Sesia).
Corsica Stgr. 888 c (Orgyia).
Corsicaria Rbr. 2862.
Corsicum Rbr. 4188.
Cortex Alph. 1814.
Corticalis Butl. 812 a.
Corticaria Dup. 3912.
Corticata Tr. 3673.
Corticella Hb. 1396.
Corticosa Ld. 1762.
Corticulata Frr. 3614.
Corussaria Obth. 3318.
Corvina Motsch. 2049 a.
Corybas F. d. W. 20 a.
Corybas Ersch. 21.
Corycia Stgr. 4324 b.
Corydalaria Graes. 3453.
Corydon Hb. 614.
 " South 614.
 " Hb. 614 b.
Corydonius HS. 614 f.
Corylaria Thnbg. 3754 a.
Corylate Thnbg. 3491.
Coryli L. 1073.
Coryli var. Graes. 1073 a.
Coryphaea Püng. 1183 bis add.
Corythalia Hb. 191 a et add.
Corythalia Hb. 195.
Corythalia Esp. 180.
Cos Hb. 1313.
Coscinia O. 4251 e.
Cossoides Graes. 4702.
Cossurata Mill. 2983 a.
Cossus L. 4641.
Costaemacula Stgr. 2787.
Costaestriga Stgr. 1184.
Costaestrigalis Stph. 2828.
Costai Calb. 3191 a.
Costalis Stgr. 4100 (Nola).
Costalis Z. 4298 (Lithosia).
Costata Nordm. 751 (Deilephil.).
Costata Stgr. 1391 (Agrotis).
Costimacula Obth. 2473 (Erastria).
 " Stgr. 2749 et add.
 " (Aventina).
Costimacula Stgr. 2749 add. (Aventina).
 " Stgr. 4121 (Nola).
Costimaculata Graes. 4014.
Costovata Hw. 3344 a.
Coturnicula Graes. 1231.
Couagaria Gn. 3694.
Crabroniforme var. Stgr. 4533.
Crabroniformis Lewin 4534.
Crabroniformis Schiff. 4532.
Craceae F. 2743.
Crambi Frr. 327.
Crameria Esch. 589 c.
Crameri Butl. 62.
Crasis HS. 2119 a.
Crasis HS. 2119.
 " var. Schilde 2119 a.
Crasnenensis Hormuz. 185.
Crassa Leech 492 a (Zephyrus).
 " Hb. 1405 (Agrotis).
Crassalis Tr. 2804 (Bomolocha).
 " Hb. 2816 (Hypena).
Crassestrigata Chr. 3870.
Crassicornis Stgr. 4414 c (Ino).
 " Stgr. 4492 (Phalacopt.).
Crassiorella Brd. 4526.
Crassipunctata Alph. 3972.
Crataegaria Hb. 3761.
Crataegata L. 3761.
Crataegata L. 38 (Aporia).
 " L. 960 et add. (Trichiura).
Crataegioides Luc. 39.
Cratippus Feld. 241 c.
Cremata Butl. 2760.
Cremaria Frr. 3912.
- Cremonaria* Stgr. 2900 a.
Cremata Esp. 801.
Crenosa Hb. 801.
Crenulata Rbr. 3941 (Gnophos).
Crenulata Butl. 2915 (Thaleria).
Crenulella Brd. 4499.
Creperaria Ersch. 3944.
Crepuscularia (S. V.) Hb. 3903.
Crepuscularia Dup. 3904.
Cretacea Schilde 86 b (Colias).
 " Stgr. 926 a (Stilpnöt.).
 " Stgr. 1631 (Namangan.).
 " Stgr. 3993 (Fidonia).
Cretacea Ev. 2363 (Euterbia).
 " Butl. 2455 (Erastria).
 " Z. 2983 b (Acidalia).
Cretacea Pack. 3589.
Cretaria Ev. 4079 b (Perconia).
Cretaria Stgr. 3062 a (Acidalia).
Cretica Ld. 1926 (Sesamia).
Cretica Stndf. 439 (Coenonym.).
 " B. 757; 758 (Chaeocamp.).
Cretula Frr. 2396 a.
Creusa Meig. 10 b.
Cribalaria Hb. 2795.
Cribalaria Hb. 3683.
Cribalaria Stgr. 4303.
Cribellum Ev. 697 (Hesperia).
Cribellum Esp. 4251 d (Coscinia).
Cribrum L. 4251.
Criburalis Hb. 2795.
Crinialis Tr. 2797.
Crinitaria Stgr. 3049.
Crinodes Feld. 1006.
Cristata Butl. 855.
Cristatalis Stgr. 2772 (Zanclogn.).
Cristatalis Dup. 4106.
 " Hb. 4112 (Nola).
Croatica Esp. 769.
Crocällaria Stgr. 4054.
Crocea Bignault 4266.
Croceago F. 2155.
Croceus Foure. 113.
Crodeli Gillmer 613 a add.
Crucia Knoch 4443.
Crucigerata Chr. 2895.
Cruda (S. V.) Tr. 2066 (Taenio-campæ).
 " Hb. 2165 e (Orrhodia).
Cruenta Leech 4288.
Cruentata Mn. 4560.
Cubicularis (S. V.) Bkh. 2000.
 " var. HS. 2001.
Cuebali (S. V.) Fuessl. 1552.
Cuculata Hufn. 3432.
Cuculla Esp. 843.
Cucullata Hufn. vide Cuculata.
Cucullata Bkh. 3432.
Cucullatella L. 4103.
Cucullaria (Mn.) Rbl. 3621.
Cucullina (S. V.) Hb. 843.
Cuculus Stgr. 840.
Culiciformis L. 4563.
Culiciformis Esp. 4557.
 " Rossi 4559.
Culmária HS. 3440.
Culminaria Ev. 3986.
Culininicola Stgr. 1296.
Culinimifera Calb. 2375.
Culta Hb. 1815.
Cultraria F. 1053.
Cumulata Alph. 3062 a (Acidal.).
 " Chr. 3712 (Pogonitis).
Cuneata Don. 3489.
Cunicularia Esp. 4059.
Cuniculina Hb. 4059 b.
Cupestrata Frr. 3311.
Cuprea Hb. 1232.
Cuprearia HS. 3419.
Cupreata HS. 3419.
Cupressata Hb. 3311.
Cupressivora Stgr. 2178 b.
Cuprina Stgr. 1279.
- Cuprinaria* Chr. 3136.
Curata Ev. 3669.
Curiatis Esp. 4208.
Curoi Calb. 1674 b.
Currens Stgr. 1358 c.
Cursoria Hufn. 1558.
Curtisi Newm. 1154 c.
Curtula L. 866.
Curtula Esp. 869.
Curtuloides Ersch. 867.
Curva Stgr. 1831.
Curvaria Ev. 4074.
Curvatula Bkh. 1048.
Curvilinea Stgr. 2506.
Curvipalpis Butl. 2757.
Curzoni Gregson 3595 c.
Cuspidata Thnbg. 3302.
Cuspidea Ev. 2589 a.
Cuspis Hb. 1091.
Cuvieri B. 4364.
Cyanaria Frr. 3390.
Cyanata Hb. 3390.
Cyane Ev. 578.
Cyane Frr. 551.
Cyanea Stgr. 625 e.
Cyanecula Ev. 646 b.
Cycladum Stgr. 1313 a.
Cyclopea Grasl. 2308.
Cyclopius Ev. 307.
Cyclops Stgr. 4419.
Cydoniata Bkh. 3660 b.
Cyllarus Rott. 638.
Cyllarus ab. Mill. 638 a.
Cymbalariae Hb. 2306.
Cymbalariae Mill. 3948 a.
Cymothoe Bertolini 191 a add.
Cynara F. 240.
Cynarae Esp. 4339 (Zygaena).
Cynarae Frr. 707 (Hesperiæ).
 " var. Frr. 4339 c (Zygaena)
Cynipiformis Esp. 4555.
Cynthia Hb. 174.
Cynthia Esp. 172.
 " var. Esp. 174.
Cyparissaria Mn. 3183 d.
Cyparissiae Hb. 750 (Deilephila).
 " Hb. 1098 (Aeronicta).
Cyparissus Hb. 563 b.
Cyperi B. 1940 b.
Cypriaca Stgr. 341 b (Satyrus).
 " Stgr. 2438 a (Thalpochar.).
Cypriaca Hb. 1879 (Hydroecia).
Cyrene Bon. 226.
Cyri Bienert 408 a.
Cynaea Mab. 1926.
Cytherea F. 1623.
Cythisaria Schiff. 2860.
Cytis Chr. 565.
Cytisi Hb. 4352 a.
Cytisi Frr. 4337.
Czekanowskii Gr. Gr. 4237.
- Dabanensis* Ersch. 298.
Dacica Horm. 240 b (Argynnis).
Dacica Carad. 4346 b (Zygaena).
Dacicus Carad. 4738 a (Hepialus).
Dactylidis D. 1942 a.
Dactylidis HS. 1942.
Daemon Chr. 4365 a.
Dagmara Gr. Gr. 601.
Dahlii HG. 748 (Deilephila).
 " Hb. 1203 (Agrotis).
Dahlii Hmps. 749 d (Deilephila).
Dalurica Stgr. 3305 b (Larentia).
 " B. 4217 d (Arctia).
 " B. 4346 b (Zygaena).
Dahurica Graes. 508 c (Chrysophanus).
 " HS. 4339 b.
 " Dup. 4357 (Zygaena).
Daira Klug 80.
Dalmata God. 321 a (Erebia).

- Dalmata Stgr. 1259 b (Agrotis).
 Dalmataria Gn. 3710.
 Dalmataria var. Alph. 3716 a.
 Dalmatica Sp. 612 a.
 Dalmatina Stgr. 185 d (Melitaea).
 " Gerh. 970 d (Lasiocamp.).
 " Gerh. 998 c (Gastrop.).
 " HS. 2434 (Thalpochar.).
 " B. 4327 d.
 " HS. 4333 b (Zygaena).
 Dama Stgr. 628.
 Damocles HS. 625.
 " Ld. 625 c.
 Damoetas Hb. 638.
 Damon Schiff. 624.
 Damone B. 71 (Euchloe).
 " Ev. 625 (Lycaena).
 Damon Gerh. 627.
 " var. Stgr. 625 b.
 " var. Ld. 627 b (Lycaena).
 Damonides Stgr. 625 a.
 Danilovi Ersch. 3186.
Daphnis Gr. Gr. 62 d.
 Daphne Schiff. 223.
Daphne Stgr. 223 a.
Daphne Brgstr. 611.
 Daphidice L. 57.
 Dara Koll. 674.
Darcti Dup. 254.
 Dardanus Frr. 581 h.
Dardoimaria Donz. 3751.
Dardoinula Mill. 4132.
 Dardonini B. 2395.
 Darollesi Obth. 2352 a.
 Darwazica Gr. Gr. 708 a.
Darwiniana Stgr. 433 b.
Darwiniana Räther 433 a.
 Datinaris Obth. 3153.
 Datini Mab. 974 (Lasiocampa).
Datin Obth. 1745 (Heliophob.).
 Daubearia B. 3923 a.
 Daubei Dup. 2161 (Orrhodia).
 " B. 2567 (Plusia).
Dauibii Stndf. 162 a (Vanessa).
 " Frr. 2564 (Plusia).
Daucus Cr. 752.
 Davendra Moore 408.
Davidaria Obth. 3186.
 Davidi Obth. 474 b (Thecla).
 " Obth. 766 (Pterogon).
 " Obth. 798 (Nerice).
Davidi Obth. 175 g (Melitaea).
Davida Obth. 40 a.
 Davidis Obth. 40 (Aporia).
 " Stgr. 975 (Lasiocamp.).
Davida Obth. 15 (Parnassius).
 " Obth. 737 (Kentochr.).
Davus F. 443.
 Dayensis Obth. 1624 a.
Dealbaria Hb. 4067.
 Dealbata Stgr. 1547 e (Dianthoec.).
Dealbata L. 4067 (Scoria).
 Deaurata Esp. 2519.
Debilata Hb. 3661.
Debilata Hb. 3662.
Debilis Rhl. 1593 a (Bryophila).
 " Chr. 2430 (Thalpochar.).
 " Stgr. 4297 (Lithosia).
Debitis Alph. 48 a (Pieris).
 Debrunneata Stgr. 3539 a.
Deceptans Stgr. 3790 b.
Deceptoria Sc. 2462.
Deceptricula Hb. 1578 b.
Deceptricula Dup. 1578.
Deceptrix Stgr. 1652.
Decipiata Stgr. 3409 a.
Decipiens Alph. 1681.
Declinans Stgr. 3286 (Eulygris).
 " Stgr. 3803 (Hybernia).
Declinans Stgr. 1462 (Mamestr.).
 " Stgr. 1738 a (Episema).
Declinata Stgr. 3805 (Pterotoc.).
Decor Stgr. 540 d (Lycaena).
- Decolor Stgr. 3103 (Acaladina).
Decor Stgr. 1210 (Agrotis).
 " Sohn 1440 a (Epicuron.).
Decorolaria Esp. 3327.
 " Frr. 3476 (Larentia).
 " Alph. 3899 (Boarmia).
Decorolata Stgr. 116 b (Colias).
 " Stgr. 359 a (Satyrus).
 " Stgr. 540 b (Lycaena).
 " Klug 973 (Lasiocamp.).
 " Stgr. 1454 b (Mamestr.).
 " Stgr. 2131 a (Orthosia).
 " Stgr. 3691 b (Arichanna).
Decorolata Hb. 3476 (Larentia).
Decorata Hb. 1281 (Agrotis).
 " Ld. 4346 f (Zygaena).
Decorans Stgr. 1283.
Decoraria Moore 1864 (Euplexia).
 " Hb. 3097 a (Acidalia).
Decorata Stgr. 1284 (Agrotis).
 " Frr. 2313 (Janthinea).
 " Bkh. 3097 a (Acidalia).
Decorripetaria HS. 3361.
Decrepitata Zett. 3361.
Decreta Piung. 1489.
Decussata Stgr. 1220.
Decussata Hb. 3193 a.
Decussata (S. V.) Bkh. 3193.
Decussata Dup. 3193 a.
Deducta Ev. 2677.
Defecta Stgr. 2258 a.
Defectata Chr. 3479.
Defessa Ld. 1258.
Defessaria Frr. 3903 a.
Deflavata Stgr. 3489 b.
Deflora F. 2663 (Hypocala).
 " Ersch. 3364 (Larentia).
Defolariata Cl. 3802.
Defuncta Stgr. 1146 a.
Degener Esp. 1592 a (Bryophil.).
Degener Hb. 1118 (Arsilonche).
 " Bkh. 1592 (Bryophila).
Degeneraria Hb. 4126 d.
Degeneraria Hb. 3043 (Acidalia).
Degeneraria HS. 3044 (Acidalia).
 " Stgr. 3918 a (Gnopharm.).
Degenerata Stgr. 1186 (Agrotis).
Degenerata Tr. 3043 (Acidalia).
 " Hw. 3437 (Larentia).
 " Hb. 3917 (Pachynem.).
Degeniata Chr. 1146.
Dejanira L. 394.
Deicamia Ev. 395.
Dejeani Obth. 4392 (Artona).
Dejeani Dup. 2211 (Cleophan.).
 " God. 4209 (Arctia).
Dejone HG. 190.
Delamerensis White 3903 a.
Delavoiei Gaschet 785 a.
Delatorvia Thunbg. 3333.
Deleta Stgr. 2131 (Orthosia).
 " Stgr. 2430 a (Thalpochar.).
 " Stgr. 2491 (Emmelia).
 " Stgr. 2814 a (Hypena).
Deleta Koll. 1252 (Agrotis).
Deletata Fuchs 3369.
Delia Bkh. 177.
Deliaria Brem. 3106.
Delicata Stgr. 2331.
Delicatula Chr. 2461.
Deliciosa Alph. 1538.
Delicosaria Ld. 3857.
Delia Röber 237.
Delimbaria Stgr. 3996 b.
Delineata Walk. 4269.
Delius Esp. 20.
Delius F. d. W. 20 b.
 " HS. 20.
Delphinii L. 2352.
Delphinus Ev. 25.
Delunaria Hb. 3734 a.
Delunaris Stgr. 2652 a.
Demagore Feld. 80 a.
- Demandataria* Esp. 3050.
Demarginata Fuchs. 3700.
Dembowskii Obth. 818 (Notodontata).
 " Obth. 4426 (Pseudopsych.).
Dembowskia Obth. 3887.
Demea Obth. 658 a.
Demetata Chr. 3544.
Demissa Ld. 4460 a.
Demnasia Frr. 10 b.
Demophile Frr. 443 c.
Demptaria Fuchs 3115.
Denotata Hb. 3563.
Denotata Gn. 3553.
Denatoria Hb. 3743.
Dentata Auct. 34 a (Parnass.).
 " Stgr. 353 a (Satyrus).
 " Stgr. 498 a (Thestor).
 " Stgr. 770 a (Hemaris).
 " Stgr. 2367 (Armada).
 " Stgr. 2589 a (Euclidia).
Dentatoineata Rbr. 3066 d.
Dentatus Obth. 4444 (Heterogen.).
Denticornalis Wk. 2766.
Denticularia HS. 3606.
Denticulata Tr. 3606.
Dentigera Fv. 1506.
Dentimacula Hb. 1737 b.
Dentina (S. V.) Esp. 1487.
Dentimosa Frr. 1114.
Dentistrigata Stgr. 2609.
Dentistrigatae Alph. 2608.
Dentula Ld. 2510 (Euxestis).
Dentula Mill. 4273 (Apaidia).
Deota Nicév. 45 bis.
Depeculata Ld. 3187.
Deplana Esp. 4292 (Lithosia).
Deplana Frr. 1225 (Agrotis).
Deplanata Ev. 1225.
Depravata Stgr. 3043 a (Acidalia).
 " Stgr. 3891 f (Boarmia).
Depressa Esp. 4292.
Depressaria Stgr. 2978 a.
Depuncta L. 1212.
Depunctata Gn. 3078.
Derasa L. 2834.
Derasoides Butl. 2834 a.
Dereetis Gr. Gr. 4708.
Deria Moore 471.
Derivalis Hb. 2800.
Derivata (S. V.) Bkh. 3500.
Deschangel Depuiset 4159 c.
Desictaria Chr. 3023 a.
Descripta Brem. 1204.
Deserta Stgr. 1360 (Agrotis).
 " Stgr. 2446 (Thalpochar.).
 " Stgr. 4547 (Sesia).
Desertaria Frr. 3986.
Deserticola Obth. 185 e (Meliataea)
 " Elw. 578 a (Lycaena).
 " Bart.-Rühl 747 a (Deilephila).
 " Stgr. 1924 (Epipsamm.).
 " Stgr. 1930 (Calamia).
Deserticola Ev. 1355 c (Agrotis).
Desertorum B. 1355 c.
Desertus F. d. W. 4685.
Desfontainesi B. 176.
Desfontainesi Ev. 175 g.
 " HS. 175 k; 176.
Desfontainii God. 176.
Desfontainii Rbr. 175 k.
Desiderata Stgr. 2691 (Catocala).
 " Stgr. 3413 a (Larentia).
Designata Rott. 3374.
Desillii Pier. 1355 a.
Despecta Tr. 1902.
Despectaria Ld. 3532.
Desperata Stgr. 3389.
Desperataria Fuchs 3937.
Destinata Möschl. 3295.

- Destituta Stgr. 934 (Lymantr.).
" Stgr. 4628 b (Sesia).
Destituta Wlk. 3911 (Tephronia).
Destrigaria Hw. 3891 a.
Desylles B. 1620 a.
Determinata Stgr. 2941.
Detersa Esp. 1833 (Rhizogram.).
" Stgr. 2754 (Parascotia).
Detersata Püng. 3671 c.
Detersina Stgr. 1835.
Detorta Ev. 1375 g.
Detrita Esp. 938 (Oceneria).
" Ld. 4483 b (Psyche).
Detritaria Stgr. 3001.
Detritata Stgr. 3570.
Deuteronymph Stgr. 2703.
Devanica Moore 605.
Devanica Gr. Gr. 606.
Devastatrix Brace 1693.
Devergens Hb. 2578.
Deversaria HS. 3047.
Deversaria HS. 3047 a.
Deversata Z. 3047 (Acidalia).
" Stgr. 3891 c (Boarmia).
Devota Chr. 1290.
Devta Nicév. 47 b.
Dewitzia Graes. 1206.
Deyrolle Obth. 9 a et add.
Dia L. 218.
Diagonalis Alph. 2823.
Diapharalia Püng. 2864.
Dialampa Stgr. 4252.
Dia laponica Esp. 208 a; 212.
" major Esp. 219.
Dialis Leech 6 d.
Diamantina Obth. 480 a.
Diana Butl. 400 (Letho).
" Obth. 1027 a (Rhodinia).
Diana Hb. 219 (Argynnis).
Diania Hb. 3901 a.
Dianthi Tausch. 1506.
Dianthocina Stgr. 1685 et add.
Diaphana Stgr. 1660 (Thyris).
" Ev. 4256 (Hippocrate).
" Stgr. 4233 e (Zygaea).
Diaphora Stgr. 2451.
Diasema B. 2574.
Dichroma Esp. 1539.
Dictaea Esp. 808.
Dictaeoides Esp. 809 et add.
Dictyna Esp. 195 (Melitaea).
Dictyna Hb. 222 (Argynn.).
" Butl. 4047 (Eubolia).
" ab. HS. 195 (Melitaea).
Dictynnoidea Horn. 192 a.
Didymoidea Horm. 192 a.
Dido Wagner 4206.
Diducta Z. 1207 b.
Didyma O. 185 et add.
Didyma Tr. 185 a (Melitaea).
" Esp. 1715.
" Dup. 1715 a.
" Frr. 1715 b (Hadena).
" var. HS. 185 g (Melitaea).
Didyma var. Esp. 185.
Didymata L. 3358.
Didymina Stgr. 185 g.
Didymogramma Ersch. 2334.
Didymoides Ev. 185 h.
Dieckmanni Graes. 658 (Pamphila).
" Graes. 2835 (Habrosyne).
" Graes. 2871 (Megalochlora).
Dieckmanni Graes. 983 (Metanastria).
Difficilis Ersch. 1390 (Agrotis).
" Alph. 3937 (Gnophos).
Diffinis L. 2089.
Diffusa Hb. 1677 b.
Diffinata HS. 3047 b.
Diffidens Stgr. 2216.
Diffusa Gu. 1729.
Digitalia Dietze 3521.
- Digna Butl. 1096 (Acronicta).
" Alph. 2075 (Raddea).
Dignata Gu. 3078 a.
Diagramme F. d. W. 1504 bis.
Digressa Th.-Mieg. 2685.
Dilacerata Zett. 3464.
Dilecta Hb. 2681.
Dilectaria Hb. 3708.
Dilicida Hb. 2723 (Apopestes).
Dilicida Ev. 1295 (Agrotis).
Dilicidaria (S. V.) Hb. 3964.
Dilicidaria Stph. 3931 b.
Dilicidaria Frr. 3963 a.
Dilita F. 2549.
Dilitata Hb. 4126 b.
Dilitaria Hb. 3038 (Acidalia).
Dilitaria HG. 2983 b.
" Hein. 3039 (Acidalia).
" Frr. 3380; 3380 a (Larentia).
Dilitata (S. V.) Bkh. 3380.
Dilitata Dup. 3380 a.
Dilitator Fixs. 204 d (Argynnis).
" Stgr. 521 a (Chrysophaen.).
" Rühl 695 b (Hesperiæ).
" Stgr. 2741 a (Toxocamp.).
Dilitor Stgr. 132 (Apatura).
Dimidia Z. 1400.
Dimidiata Hufn. 2953 (Acidalia).
Dimidiata Tgrs. 1051 a (Drepana).
" Hb. 3192 (Odezia).
" Motsch. 3328 (Larentia).
Dimilia Moore 670 e.
Dimorpha Stgr. 2256 a (Cucull.).
Dimorphus Stgr. 521 (Chrysophanus).
Diniensis B. 81 d (Leptidia).
HS. 4388 a (Zygaea).
Diniensis Obth. 4388 d.
" ab. Obth. 43881.
Dioceratiformis Rom. 4570.
Diodorus Brem. 581 d.
Diomedes Rott. 645.
Diopetasuria Chr. 2874.
Diopspixe Hb. 303.
Dipora Moore 540 e.
Dipsacea L. 2321.
Directaria Graes. 3499.
Dirempita Stgr. 1406.
Dis Gr. Gr. 20 c (Parnass.).
" Gr. Gr. 586 (Lycaena).
Disa Thmgb. 304.
Disceptaria F. R. 3301.
Discularia Chr. 3075.
Discobolus Stgr. 16.
Discoidalis Kirby 314.
Discoidaria B. 4086.
Discophora Fixs. 3107.
Discophora Stgr. 1738 a.
Discrepans Stgr. 1707 a (Hadena).
" Stgr. 1757 (Phoeboph.).
Discreparata Graes. 3870.
Disjuncta HG. 2717 (Catocala).
Disjuncta Schultz 2539 add.
(Plusia).
Disjunctaria Stgr. 3004 (Acidalia).
" Lah. 3345 (Larentia).
Dispar Hw. 505 et add. (Chrysophanus).
" L. 929 (Lymantria).
" Stgr. 3129 (Rhodostroph.).
" Stgr. 4543 (Sciaopteron).
Dispar Brem. 459 (Niphanda).
Disparata Hb. 3600 b (Tephroclystia).
" Stgr. 3774 (Venulia).
Disparata Hb. 3600 c (Tephroclystia).
Disparilis Stgr. 912.
Disparina Muell. 929.
Disparoides Gasch. 929.
Disputaria Gu. 4046.
Dissidiata Gn. 2943.
- Dissimilis Brem. 723 (Smerinth.).
" Knoch 1467 (Mamestr.).
" Brem. 2719 (Catocala).
" Stgr. 3878 (Boarmia).
Dissimulata Rbr. 3412.
Dissoluta Stgr. 359 c (Satyrus).
" Stgr. 1221 b (Agrotis).
" Tr. 1897 (Nonagria).
Dissona Möschl. 1368.
Distans Hb. 1824.
Frr. 1824 a.
Distensa Ev. 1985.
Distincta Stgr. 1375 d (Agrotis).
" Stgr. 1459 a (Mamestra).
" Chr. 1524 (Thargelia).
" Chr. 1594 (Bryophila).
" Stgr. 2003 (Caradrina).
Distincta Butl. 2095 (Calymnia).
Distinctaria (B.) Gn. 3010 c
(Acidalia).
" HS. 3556 et add.
(Tephroclystia).
Distinctaria Stgr. 3010 (Acidal.).
Distinctata Chr. 3210 (Lithosteg.).
" Stgr. 3302 a (Larentia).
Distinguenda Ld. 1378 (Agrotis).
" Stgr. 2232 (Cucullia).
" Stgr. 2466 (Erastria).
Distracta Ev. 1907.
Distrigaria Wd. 3891.
Ditrapezium Bkh. 1187.
Diva Gr. Gr. 117 (Colias).
" Stgr. 4199 (Oenogyna).
Divalis Stgr. 2312.
Divergaria Stgr. 3839 a.
Divergens Butl. 1970 (Leucania).
" Butl. 2154 (Xanthia).
Divergens Hb. 2577 (Plusia).
Diversa Stgr. 1620 b (Apamea).
" HG. 2718 (Catocala).
Diversaria Hb. 3689.
Dives Obth. 833 (Spatula).
" Ev. 2548 (Plusia).
" Butl. 4290 a (Oenistis).
Divina Fixs. 577.
Divincta Holt-White 2899.
Divisa Stgr. 4327 a.
Divisaria Chr. 3061.
Divitaria Stgr. 3185 a.
Dobrogensis Carad. 499 d.
Dodonaea Hb. 806 a.
Dodonaea Frr. 806.
Dodoneaeta Gu. vide *Dodoneata*.
Dodoneata Gu. 3648.
Dodonides Stgr. 806 b.
Doerriesaria Chr. 3902.
Doerriesi Stgr. 139 (Limenitis).
" Graes. 831 (Spatula).
" Stgr. 1570 (Miana).
" Stgr. 1705 (Hadena).
" Stgr. 2705 (Catocala).
Doerriesi Obth. 4159 d (Spilosom.).
Dohlmanni Hедем. 2933.
Dohrni Z. 448 a.
Dolabria L. 3760.
Doleriformis HS. 4595.
Doleriformis HS. 4586 b; 4598;
4598 a.
Doleschallii Rühl 4355.
Dolosa Stgr. 4397 (Ino).
Dolosa Hb. 2158 (Orrhodia).
Dolosaria HS. 3955.
Dolosaria Nolck. 3956 a.
Dolus Hb. 621.
Dominica Meig. 4203 b.
Dominia Hb. 4245; 4245 e.
Dominula L. 4245.
Dominula Mn. 4245 a.
" var. God. 4245 b.
Donna Esp. 4245 b; 4245 e.
" Costa 4245 d.
Donzelaria Dup. 3716 a.

- Donzelii B. 593.
Doreas Kirby 515.
Dorilis Hufn. 513 et add. (*Chrysophanus*).
Dorilis Bkh. 436 (*Coenonymph.*).
Dorian Hb. 436.
Dorippus Klug 242.
Dorippus var. Klug 242; 242a.
Dornesi Obth. 4159 d.
Dorsiflava Stndf. 2337.
Dorsivitta Stgr. 4134 a.
Dorus Esp. 436.
Doryceraeformis Ld. 4584.
Dorychnia Dup. 4346 b.
Doryciata Bell. 3022.
Dorycini O. 4357 (*Zygaena*).
Dorycini Mill. 958 (*Melacosom.*).
Dorylas Hb. 610.
 " var. Rbr. 610 b.
Doryliformis O. 4622.
Dos Frr. 2310.
Dotata L. 3300 (*Larentia*).
Dotata HS. 2714 (*Catocala*).
 Cl. 3293 (*Lygris*).
Doubledayaria Mill. 3832 a.
Doubledayi Mill. 1539 a.
Douei HG. 72.
 " Pier. 72.
Dovrensis Wk. 1535 (*Dianthoe.*).
 " Stgr. 2289 a (*Anarta*).
Draconis Gr. Gr. 121 f.
Dracunculi Hb. 2233.
Dracunculi Ev. 2237.
Drewseni Stgr. 1367.
Dromedarius L. 816.
Dromulus Stgr. 320 d.
Dromus HS. 320 b.
Dromus var. HS. 320 d.
Drusus Fuchs 4 a.
Dryadaria Rbr. 3731.
Dryas Sc. 381.
Dryophaga HG. 1004.
Dschagatai Gr. Gr. 544 d.
Dshungarica Gr. Gr. 181 a.
Dsidsilia Frr. 4377.
Dubenskii Alph. 4288.
Dubernardi Obth. 41.
Dubia Elw. 324 (*Oeneis*).
 " Schulz. 544 c (*Lycaena*).
 " Tauscher 891 (*Orgya*).
 " Dup. 1782 (*Polla*).
 " Stgr. 4351 b (*Zygaena*).
Dubia Krul. 175 (*Melitaea*).
 " Dup. 891 b.
 " HS. 891 (*Orgya*).
Dubiosa Baker 1866 (*Phlogoph.*).
 " Stgr. 2010 a (*Caradrina*).
Dubiosa Tr. 1909 (*Meliana*).
Dubiosata Alph. 3437 c.
Dubitaria Stgr. 3952 (*Gnophos*).
Dubitaria Frr. 3259 (*Triphosa*).
Dubitata L. 3259.
Dubitata var. Gn. 3258 b.
Ducalis Stgr. 770.
Dula Brem. 2683.
Dulcinea Butl. 51.
Dulcis Alph. 1244 (*Agrotis*).
Dulcis Obth. 657 (*Pamphila*).
Dumerilii Dup. 1620.
Dumetaria Tr. 3923.
Dumetata Tr. 3923.
Dumetli L. 1020.
Dumetorum HG. 1626.
Dumi L. 1020.
Dumosa Donz. 1299.
Dungana Alph. 1933 b.
Dupilaris L. 2848.
Duplex Alph. 643 a (*Lycaena*).
 " Stgr. 4558 (*Sesia*).
Duplicaria Stgr. 3825 b (*Biston*).
Duplicaria Hb. 3197.
 " Ev. 3199 a (*Lithostege*).
Duplicata Stgr. 2261 (*Cucullia*).
 " Hb. 3199 (*Lithostege*).
Duplicata, Stgr. 1424 (Limenit.).
 " F. 3220 (Anaitis).
Duponchelaria Luc. 3184 (Amygdaloptera).
Duponcheli Stgr. 83 (Leptidia).
Duponcheli Obth. 285 b (Erebii).
Duponchelia Lef. 4007 (Selinosema).
Duponcheli B. 2034 (Petilampa).
Durota Th.-Mieg. 3201.
Duskei Chr. 1597.
Dux Stgr. 18 b.
Dynamene Klug 77.
Dyopthalmica Garbini 156 a.
Dysodes Leech 719.
Dysdora Ld. 409.
Dysdora var. Alph. 409 a.
Dysdorina Rühl 409 a.
 " Esp. 1777 (*Polia*).
Dystrepta F. d. W. 4333 c.

Ebenica Delahaye 3797.
Eboracea Prest. 4350.
Eboraci Tugwell 4159 a.
Eborea Esp. 4282.
Eborina Hb. 4282.
Eburnata Wek. 2908.
Eburneata Chr. 3251.
Echii Bkh. 1559.
Ecki Chr. 4341.
Ecksteini Ld. 4458.
Ecksteiniella Brd. 4458.
Ectypa Hb. 1935 a.
Ectypata Mab. 3241.
Edda Mén. 306 (*Erebia*).
 " Stgr. 1214 a (*Agrotis*).
Edusia F. 113 et add.
Edwardsella Tut. 4525.
Effeminata Stgr. 3024.
Efflorata Z. 3003.
Efflorescens Butl. 1155.
Efflorescens Gn. 3220 a.
Effractaria Frr. 3729.
Effusa B. 2056.
Effusaria Chr. 3018 (*Acidalia*).
 " Stgr. 3491 a (*Larentia*).
Effusaria Klem. 3139 (*Timandra*).
Effusaria Rbh. 3728 a.
Egea Cr. 167 (*Polygonia*).
Egea Bkh. 261 (*Erebia*).
Egena Ld. 1457 a.
Egenaria HS. 3551.
Egeria L. vide *Aegeria*.
Egeria Lang 385.
 " O. 385 a.
Egerides Stgr. 385 a.
Eginus Stgr. 345 b.
Egrecia Stgr. 1063 (*Panthaum*).
Egrecia Esp. 1420 (*Agrotis*).
Ehbergii Reuter 4346.
Elaeagni Alph. 1077.
Elampiformis HS. 4630.
Elatius Stgr. 214 b.
Elbana Stgr. 437 a.
Electra Bkh. 2669.
Electaria Brem. 2593.
Electra Stgr. 1304 (*Agrotis*).
Electra Meig. 246 c (*Melanarg.*).
Elegans Ev. 1218 (*Agrotis*).
 " Stgr. 2582 b (*Thermes*).
 " Ld. 4557 b (*Sesia*).
Elegans Van der Hoev. 2665
 (Lagoptera).
 " Obth. 3889 (*Boarmia*).
 " Ld. 4564 a (*Sesia*).
Eleus F. 512 b.
Eleusis Demaison 536.
Eliela Butl. 3477.
Elinguaria L. 3749.
Elsa God. 226.
Elissa Gr. Gr. 105 c.
Eliza Lang 226.
Ella Butl. 2711 (*Catocala*).
Ella Brem. 239 (*Argynnis*).
 " Butl. 2072 (*Taeniochampa*).
Ellena Obth. 342 b.
Ellisi Marshall 5811.
Elocata Esp. 2670.
Elongaria Rbr. 3023.
Elongata Obth. 1078 (*Acronict.*).
 " Butl. 2230 (*Cucullia*).
Elongatella Brd. 4517.
Elota Hb. 1717.
Elpenor L. 759.
Elpenorellus Stgr. 761 b.
Elsa Aust. 327 not.
Elsa Aust. 3256 add.
Elutata Hb. 3485; 3485 a.
 " var. Gn. 3485 a.
Elutior Alph. 1197 c.
Elvira Ev. 579.
Elwesi Leech 25 n (*Parnass.*).
 " Stgr. 272 a (*Erebia*).
 " Stgr. 331 a (*Oeneis*).
Elychrys Rbr. 2435.
Elymri HS. 2434.
Elymi Rbr. 154 a (*Pyrameis*).
 " Tr. 1915 (*Tapinostola*).
Elymi Obth. 1915 a.
Emaculata Graes. 2739 (*Toxocampa*).
 " Graes. 3761 b (*Opistothrapta*).
Emarginaria Hb. 3050.
Emarginata L. 3050.
Emaria Brem. 3846.
Embla Thmbg. 303.
Embla B. 304.
Emichi Rghfr. 2536.
Emilia Stgr. 4693 (*Dypsessa*).
Emilia Quens. 230 (*Argynnis*).
Eminens Ld. 1181 (*Agrotis*).
 " Stgr. 2706 (*Catocala*).
Emortalis Schiff. 2781.
Emphytiformis HS. 4545.
Empiformis Esp. 4587.
Empiformis Dup. 4580.
Empyreia Frr. 544 (*Lycaena*).
 " HB. 1858 (*Trigonoph.*).
Emucidaria Dup. 4056 (*Scodiona*).
Emucidaria Ev. 3133 (*Rodostrophia*).
 " Mill. 4058 c (*Scodiona*).
Emundata Chr. 3768.
Emutaria Hb. 3090.
Encausta Hb. 1436.
Endogaea B. 1337.
Endymion Frr. 564.
Enervata Stgr. 349 b.
Engadinensis Mill. 1952 b.
Engelhartii Duurloo 1679 a.
Enormis Butl. 2738 a.
Enthea Jans. 484.
Eogene Feld. 105 (*Colias*).
Eogene Gr. Gr. 105 b (*Colias*).
 " Frr. 1112 (*Eogenia*).
Eos Rossi 132 c (*Apatura*).
Eos HS. 106 (*Colias*).
Epamindonas Stgr. 397.
Epaphus Obth. 23.
Epargyros Ev. 523.
Ephialtes Hb. 2039 (*Gracilipalp.*).
 " L. 4358 (*Zygaena*).
Ephialtes B. 4358 a.
Epidiolus B. 621 b.
Epigramma Stgr. 2418.
Epilobii B. 742 b.
Epimede Stgr. 256.
Epimenides Mén. 396.
Epiphania B. 498.
Epiphron Kn. 261.

Epiphron God. 277.
Episopodes Butl. 277 f.
Epistygne Hb. 289.
Epicanthe Möschl. 515.
Eppingella Tutt. 4530.
Equestraria F. 3726 c (Ennomos).
Equestraria Esp. 3980 (Psodos).
Equestrata Bkh. 3980.
Erasaria Chr. 4095.
Erata Esp. 99.
Erda Chr. 215 a.
Erdmanni Möschl. 2119.
Erebaria Obth. 4066.
Erebina Butl. 2052 (Amphipyrr.).
Erebina Butl. 395 (Pararge).
Erebus Gr. Gr. 714 a (Thaenaeos).
 „ Th.-Mieg. 929a (Lymantr.).
 „ Stgr. 4326 (Zygaena).
Erebus Gr. Gr. 309 (Erebia).
 „ Knöch. 648 (Lycaena).
 Meig. 4340 (Zygaena).
Eremicola Stndf. 1315 (Agrotis).
 Stgr. 2078 a (Mesogona).
Eremita O. 931 b.
Eremophila Rbl. 2370.
Ereptricula Tr. 1588 a.
Eretia Calb. 1578 e.
Eretia Hew. 463.
Ergane HG. 49.
Ergane var. Ld. 48 c.
Erganoïdes Stefan. 48 d add.
Erica Germ. 889 (Orgyia).
Erica B. 1120 (Agrotis).
 „ var. Lef. 888 (Orgyia).
Ericaria Gn. 3657.
Ericata Rbr. 3657.
Ericetria Vill. 4003.
Ericetaria Auriv. 4003 d.
Ericetata Curt. 3463.
Eridioides Pfüller. 230.
Erigone Gr. Gr. 597 e.
Eriguata Rbr. 3530.
Eriticula Tr. 2588 a.
Eritria Hew. 463.
Eriopoda HS. 2042.
Eriopodata Grasl. 3003 a.
Eriosoma Dbd. 2557.
Eriphyle Frr. 265.
Erippus Cr. 243.
Eris Meig. 231 b.
Ermaki Gr. Gr. 114 b.
Erminea Esp. 783 (Dicranura).
Erminea Marsh. 4163 (Spilosom.).
Ero Brem. 305 a.
Ero Trybom 305.
Erodes Friv. 597 c.
Eros O. 597.
Erosa Hb. 2503.
Erosaria (S. V.) Hb. 3730.
Erosaria Dup. 3730 a.
 „ Hb. 3730 b.
Erothoë Ev. 74.
 „ Frr. 74 b.
Erotica Grasl. 4319.
Erotides Stgr. 597 b.
Erraticula Gn. 1566.
 „ Rbr. 1568.
 „ Frr. 1569 b.
Erschoffia Alph. 100 (Colias).
 „ Stgr. 1233 (Agrotis).
 „ Chr. 2373 (Metoponrh.).
 „ Chr. 3045 (Acidalia).
 „ Alph. 3162 (Ortholith.).
 „ Stgr. 4372 (Zygaena).
Erschoffii Ld. 618 (Lycaena).
 „ Alph. 4222 (Arctia).
Erubescens Stgr. 209 a (Argynn.).
 „ Stgr. 1299 c (Agrotis).
 „ Stgr. 1649 a (Pseudohad.).
 „ Stgr. 3213 a (Anaitis).
 „ Stgr. 4139 (Earias).
Erubescens Graes. 2355 (Charilea).

Erupta Germ. 1621.
Eruta Hb. 1375 a.
Erutae Pouj. 51 a.
Erutaria B. 3359.
Erycina Ld. 195 b.
Erycinides Stgr. 195 a.
Erymanthea Esp. 402.
Erynnis Esp. 292 a.
Erynnis Stgr. 286.
Erysima Bkh. 81.
Erythas Gr. Gr. 105 b.
Erythia Hb. 353.
 „ Stgr. 353 a.
Erythrea Stgr. 526 a.
Erythrina Rbr. 1141.
Erythrocephala F. 2157.
Erythromelas Aust. 161 c.
Erythrostigma Haw. 1877 a (Hydroecia).
Erythrostigma Stgr. 4622 a (Sesia).
Erythrozyte Tr. 1345.
Erythrus Hb. 4321.
Erythrus B. 4322.
Escheri Hb. 612.
Esorialensis Obth. 4383 b.
Esclie Hb. 464 b.
Esculai Hb. 464 a.
Esmeralda Obth. 2521 a (Plusia).
 „ Butl. 4395 a (Imo).
Esperi Stgr. 4204 b.
Esterelata Mill. 2965.
Estonica Huee 500 a.
Esulae B. 749 c (Deilephila).
 „ Hb. 1098 d (Acronicta).
Esulae HS. 749 (Deilephila).
Ethela Edw. 272 b.
Etruscaria Z. 2307 (Nemoria).
 „ Stgr. 3941 (Gnophos).
Euboeica Mill. 2384 a.
Euceraeiformis HS. 4622.
Eucrate O. 700 a.
Eucrate Frr. 699.
Eudaemon Mab. 4383 d.
Eudora HS. 405 f.
Eudoxia Stgr. 2359.
Eugenia Ev. 224 (Argynnis).
 „ Stgr. 848 (Pteroma).
Eugenia Ev. 2524 (Plusia).
Eugenias Mill. 3013.
Euglossaformis Luc. 4623.
Eumedon Esp. 592.
Eumedon Gr. Gr. 592 b.
Eumenis Frr. 277 a.
Eunomia Mén. 302 c.
Eumorpha Alph. 2256 b.
Eunomia Frr. 71 (Euchloe).
 „ Esp. 202 (Argynnis).
Eupheme Esp. 74.
Eupheme Rbr. 74 c.
Euphemia Stgr. 645 b.
Euphemus Hb. 645.
Euphemus God. 644.
Eupheno L. 72.
Euphene Esp. 73.
Euphoroides Stgr. 73.
Euphorbiae L. 749 (Deilephila).
 „ F. 1098 (Acronicta).
Euphorbiae Lyc. 747.
 „ Hmps. 749 f (Deilephila).
 „ Hb. 1098 a.
 „ HS. 1099 (Acronicta).
 „ ab. Ribbe 749 (Deileph.).
Euphorbiaria Hb. 3183.
Euphorbiata (S. V.) Tr. 3183.
 „ var. B. 3183 b.
Euphrasiae Brahm 1098 c.
Euphrasiata Frr. 1098 a.
Euphrasiata HS. 3552.
Euphosyne L. 208.
Euphosyne Calb. 208 b.
Euridice Hb. 510 c.
Euripome Esp. 86 c.
Europomene O. 86 e.

Euryale Esp. 301.
Euryale Hb. 296.
Euryaloïdes Tgstr. 301 b.
Eurybia O. 510 c.
Eurydice Butl. 898 (Cifuna).
Evidice Leech 51 c (Pieris).
 „ Rott. 510 (Chrysophan.).
Eurymede Motsch. 3694.
Euryphilus Gerh. 625 c (Lycaena).
Euryphilus Frr. 551 (Lycaena).
Eurypple Mén. 3694 (Cistidia).
Euryphilus Frr. vide Eurypilus.
Eustrati Alph. 1752.
Eutychea Tr. 2714.
Eutychea ab. Stgr. 2714 a.
Euxinata Blitsch. 3643 a.
Eva Gr. Gr. 220.
Eugore Marshall soa.
Evanescens Stgr. 178 b (Melitaea).
 „ Alph. 441 b (Coenonym.).
 „ Stgr. 3480 (Larentia).
Everia Knöch. 964.
Eversmannia HS. 3192 b.
Eversmanni Mén. 32 (Parnass.).
 „ Ev. 337 (Parage).
 „ Stgr. 548 (Lycaena).
 „ Ev. 978 (Lasiocamp.).
 „ Stgr. 1509 (Mamestr.).
 „ Stgr. 2528 a (Plusia).
Eversmanni Ev. 729 (Smerinth.).
 „ Ld. 1873 (Nysocnem.).
 „ Kol. 2376 (Acontia).
Evias God. 280.
Evidens Hb. 1963.
Eippus Hb. 457.
Evonymaria Schiff. 3738.
Exacta Stgr. 740 (Dolbina).
 „ Stgr. 1216 (Agrotis).
 „ Chr. 1733 (Oncocnem.).
Exactata Stgr. 3651.
Exalbata Hb. 3194 b.
Exalbidata Stgr. 3600 a.
Exanthemata Esp. 3714.
Exanthemata Sc. 3714.
Exaridaria Graes. 3766.
Exasperata Ld. 2449.
Excéllens Butl. 1002 c (Dendrol.).
 „ Butl. 3905 (Boarmia).
Excéllens Krul. 217 (Argynnis).
 „ Stgr. 1002 b (Dendrol.).
 „ Stgr. 1181 (Agrotis).
Excelsa Stgr. 1002 b (Dendrol.).
 „ Chr. 2335 (Metopoplus).
 „ Kretschmar 2544 et add.
 „ (Plusia).
Excelsata Ersch. 3206.
Excentrica Alph. 3330.
Excisa Butl. 3664.
Excisaria Esp. 5724.
Exclamationis Ev. 1229 a.
Exclamationis L. 1349.
Excreseens Butl. 4723.
Excultata Chr. 3260.
Exigua Hb. 1990 et add.
Exiguaria HS. 3650.
Exiguata Hb. 3650.
Exilaria Gn. 2965.
Eximia Fixs. 462 (Thecla).
 „ Obth. 1012 (Pyrosis).
 „ Stgr. 1533 (Dianthoe.).
 „ Frr. 2580 (Megalodes).
Eximia Crüger 8 (Luehdorfia).
 „ Stgr. 394 a (Pararge).
Exoculaeta Weym. 156 a.
Exoleta L. 2181.
Exoletaria HS. 3676.
Exoletata HS. 3676.
Exornata Möschl. 1689 (Hadena).
 „ Ev. 4094 (Epiplema).
Exornataria HS. 4094.
Expallescents Stgr. 1694 a.
Expallidata Gn. 3558.
Expansa Alph. 1993 c.

- Expleta* Stgr. 4629.
Expolita Stt. 1571 a.
Exportata Stgr. 3239.
Expressa Ld. 1608 (Thamast.).
Expressa Gr. Gr. 197 (Melitaea).
Expressaria HS. 3656 a.
Expressaria Mill. 3657.
Expressata Chr. 3238 a.
Exprimata Stgr. 1804.
Exsiccata Ld. 2732.
Exsiliens Stgr. 4343.
Extincta Stgr. 730 d (Dilina).
 „ Stgr. 1706 b (Hadena).
Extarsaria HS. 3003.
Extensa Pouj. 51 c (Pieris).
 „ Leech 166 g (Polygon.).
Extensa Ev. 1530 (Dianthoecia).
Extensis Gn. 2815.
Extensaria Chr. 3585.
Externaria HS. 3233.
Externata HS. 3233.
Exteraria Hb. 3908.
Extimaria Hb. 3748.
Extineta Stgr. 1467 b (Mamestr.).
 „ Stgr. 3025 a (Acalidia).
Extinctalis Fuchs 2776.
Extinctaria Stdf. 3812 a (Phigalia).
 „ Ev. 3892 (Boarmia).
Extranea Gn. 1962 (Leucania).
 „ Rbr. 2402 (Thalpochar.).
Extraordinaria Stgr. 3102.
Extraria Rbr. 2402.
Exaversaria HS. 3557.
Extrema Alph. 350 b (Satyrus).
 „ Hb. 1921 (Tapinost.).
 „ Wilk. 4131 (Sima).
Extrema HS. 1922 a.
 „ HS. 1923 a (Tapinost.).
Extremaria Leech 3781.
Extremata F. 3513.
Extricata Zett. 1422.
Extrita Stgr. 1793.
Exulans Hochenw. 4342.
Exulus Wilk. 1677.
 „ Lef. 1677 b.
Exusta Butl. 1171.
Exustaria Stgr. 4052.
Exustaria Stgr. 3892.
Eylandia Chr. 2368.
Eynensata Grasl. 3591 a.
- F album Esp. 166 a.
F. album Esp. 166 a.
Fabrefactaria Obth. 3491 b.
Faceta Tr. 1425.
Faecataria Hb. 2859 a.
Faecularia Th. 4028.
Fagaria Thnbg. 4058 (Sciodina).
Fagaria Snell. 3853 (Synopsis).
Fagi L. 786.
FaiHae Piüng. 1982 (Stilbia).
Fauiae Stefan. 113 add. (Colias).
Falcata Graes. 2086.
Falcatae B. 4358.
 „ Hb. 4358 a.
 „ L. 1047.
Falcatoria L. 1044.
Falekii Heden. 2931.
Falconaria Frr. 3940 b.
Falcula Schiff. 1047.
Fallax Ev. 1329 (Agrotis).
 „ Stgr. 1746 (Heliophob.).
 „ Stgr. 4582 a (Sesia).
Fallentaria Stgr. 3882 a.
Falloni Allard 61 (Enchloe).
Falloui Jourdhen 4232 (Arctia).
Fallovi Obth. 1473.
Falsalis HS. 4132.
Falsaria HS. 3066 a.
Falsaria HS. 3066 d.
 „ var. Gn. 3066 a.
- Famula* Esp. 3995 (Fidonia).
 „ Frr. 1456 c (Dysauxes).
Famula God. 4156.
Fani Stgr. 1803.
Farinata Hufn. 3195.
Farinosa Z. 123 (Gonepteryx).
 „ Stgr. 1350 (Agrotis).
Farinosa Frr. 1778 a (Polia).
Farinosata Chr. 3938.
Farinulenta Chr. 1675.
Farkasii Tr. 1477 a.
Farkasi HS. 1484.
Fascelina var. Stgr. vide Nivalis.
Fascelina L. 904.
Fascelis Esp. 186 a.
Fascelis Hb. 186 b.
 „ var. HS. 185 a.
Fasciana Stgr. 954 (Chondrost.).
 „ L. 2464 (Erastria).
Fasciaria Schiff. 3720.
 „ Mill. 3720 b (Ellopia).
Fasciata Butl. 287 et add.
 „ Stgr. 311 b (Erebia).
 „ Wilk. 917 not. (Euproct.).
 „ Stgr. 2942 (Acalidia).
 „ Stgr. 3262 a (Triphosa).
 „ Stgr. 3268 a (Eucosmia).
 „ Esp. 4204 (Arctia).
Fasciata Jans. 479 (Zephyrus).
 „ Lamp. 736 (Hyloicus).
 „ Butl. 1719 (Hadena).
 „ Tugwell 4158 (Spilosom.).
 „ Butl. 4285 (Parascecia).
Fasciatella Mén. 1002 a.
Fasciatella Fixs. 1002 b.
Fasciatus Brem. & Grey 7.
Fasciculata HS. 4483 a.
Fascinataria Stgr. 3868.
Fasciolaria Rott. 3991.
Fasciuncula Hw. 1568.
Fasciuncula var. Hw. 1568 a.
Fathmaria Obth. 2986.
Fatidica Hb. 1416.
Fatimata Stgr. 2966.
Fatma Obth. 575 a.
Fatua Frr. 371.
Fauna Sulz. 370.
 „ Hb. 370 a.
Faunus Edw. 166 f.
Fausta Olivier 76 (Teracolus).
 „ L. 4387 (Zygaena).
Fausti Chr. 75.
Faustina O. 4387 a.
Faustina Dup. 4386.
Faustina Mill. 2908.
Faustula Stgr. 4383 e.
Faustula Rbr. 4387 c.
Favicolar Barr. 1935.
Favillacea Esp. 1084.
Favillacearia Hb. 4058 b.
Favillaceaaria Dup. 4057; 4058 c.
Favonia Frr. 4331 (Zygaena).
Favonius Stgr. 376 (Satyrus).
Febrella Brd. 4457.
Febretta Boyer 4457.
Fedtschenko Ersch. 496
 (Thestor).
 „ Ersch. 3312 (Larentia).
Feildi Ersch. 2328.
Feisthameli Dup. 1 e.
Feisthameli Rothsch. 1 e (Papil.).
Feisthameli B. 1686 (Hadena).
Felder Brem. 33 (Parnassius).
 „ Gr. Gr. 103 (Colias).
 „ Brem. 1055 (Pterodec.).
Felicina Donz. 1725.
Felina Butl. 785 e (Dicranura).
 „ Ev. 1581 (Bryophila).
Felix Stdf. 1727 b (Metopocer.).
 „ Obth. 4383 c (Zygaena).
Felixii Frr. 2184.
Femorata Mén. 1006 a.
Fenella Newman 4446.
- Fenestra* Mill. 3589 (Tephroclystia).
Fenestrata HS. 4154 (Syntomis).
Fenestratus Gerh. 970 (Lasio-campa).
Fenestrella Sc. 1059.
Fenestrina Schiff. 1059.
Fennica Tausch. 1255 (Agrotis).
Fennica Reuter 191 (Melitaea).
Fentonii Butl. 166 e (Polygonia).
 „ Butl. 461 (Thecla).
 „ Butl. 4131 (Sima).
Fenusaeformis Ld. 4616.
Ferdinandi Rühl 1802 a:
Fereiduni Gr. Gr. 4651.
Ferenigra Th.-Mieg. 1039 a.
Fergana Stgr. 183 b (Melitaea).
 „ Stgr. 343 d (Satyrus).
 „ Stgr. 555 (Lycaena).
 „ Stgr. 1995 a (Caradrina).
Fenghana Stgr. 4222 a (Arctia).
Fenghana Gr. Gr. 555 (Lycaena).
Ferrago Alph. 1695.
Ferraria HS. 3340.
Ferrieri Bell. 2206.
Ferrugaria Frr. 3370.
Ferrugata Cl. 3369.
Ferrugata Hb. 3370.
Ferruginago Hb. 2085.
Ferruginata Dup. 3600 d.
Ferruginea Stgr. 870 b (Pygaera).
 „ Höfn. 1440 a (Epineuron.).
Ferruginea Esp. 2124 (Orthosia).
 „ Wlk. 2486 (Galurga).
Ferrugineoides Gn. 2124 a.
Ferulæ Ld. 4356.
Fervida Stdf. 160 a (Vanessa).
 „ Stgr. 476 b (Callophratob.).
 „ Ld. 4541 (Sciapteron).
Fervida Hb. 1400 (Agrotis).
Fercidum Rom. 4541 c (Scapteron).
Festata Graes. 2547.
Festinaria Chr. 3285 a.
Festiva Bkh. 4210 (Arctia).
Festiva Hb. 1207 (Agrotis).
 „ Kirb. 4215 (Arctia).
Festivata Stgr. 3417 a.
Festucæ L. 2546.
Festucaria Hb. 4019.
Fettigii Obth. 435.
Fibrosa Hb. 1876 a.
Fibrosa Barr. 1876.
Fidilia Hb. 1375 c; 1387 b (Agrot.).
 „ Frr. 1734 (Cladocera).
Fictima Gu. 1710 a.
Fidia L. 372.
Fidia var. Esp. 370 c.
Fidonaria Stgr. 3350.
Fiducaria Anker 3813.
Fieldii Mén. 112.
Figuratus Wlk. 4269.
Filacearia HS. 2928.
Filaria Ev. 3416.
Filicaria Dup. 3032.
Filicata Hb. 3032.
Filigranna Frr. 1542.
Filigrannaria HS. 3381 a.
Filigrannaria Clark 3381.
Filigrana Esp. 1542.
Filipendulae L. 4352.
Filipendulas HG. 4348 a.
 „ major Esp. 4352 e.
 „ var. Esp. 4356.
Filograna Esp. 1542.
Fimbriala L. 1127.
Fimbrialis Sc. 2914.
Fimbriola Esp. 1322.
Fimbriolaria Hb. 2897.
Fingal Hbst. 208 a.
Fingalaria Mill. 3911 a.

- Finitimaria* Fuchs 3943.
Finnarchica Schöyen 2852 a.
Firme Hb. 2071.
Firmaria Tr. 3321.
Firmata Hb. 3321.
Fischeri Ev. 541.
Fissa Stgr. 1362.
Fissilis Chr. 1525.
Fissipuncta Hw. 2111.
Fissurata Mab. 3198.
Fixa F. 2583.
Fixseni Stgr. 7 f (Sericinus).
 „ Leech 462 a (Thecla).
 „ Chr. 1996 (Caradrina).
 „ Chr. 2336 (Metopopl.).
 „ Brem. 3301 (Larentia).
 „ Alph. 4068 (Loxospil.).
Fixseni Graes. 1095 (Aeromict.).
Flabellaria Heeger 3830.
Flaccata Stgr. 3092.
Flaccidaria Z. 3091.
Flamen Leech 490.
Flammatrix F. 1252.
Flammea Esp. 1858 (Trigonoph.).
 „ Curt. 1909 (Meliaria).
Flammea Esp. 1670 (Hadena).
 „ Hb. 2074 (Panolis).
Flava Husz 98 a (Colias).
 „ Obth. 1994 (Caradrina).
 „ Stgr. 4179 a (Rhypania).
 „ Brem. & Grey 261 (Stigmatorpha).
 „ Hv. 4294 a (Lithosia).
Flava Murray 674 (Augiades).
 „ Brem. 914 (Euproctis).
 „ Chr. 1913 (Tapinostola).
 „ Hb. 2493 (Metopona).
 „ Rom. 4336 (Zygaena).
Flavago Esp. 1887 (Gortyna).
 „ F. 2146 (Xanthia).
Flaveola Esp. 4388 e (Zygaena).
Flaveola Rbr. 4302 a (Lithosia).
Flaveolaria Hb. 2932.
Flaveolaria Tr. 2928.
Flavescens Garbowski 114 a bis add. (Colias).
 „ Brem. 857 (Phalera).
 „ Esp. 2148 a (Xanthia).
 „ Wlk. 4433 (Monema).
 „ Heyl. 4509 (Rebelia).
Flavescens Rühl 105 c (Colias).
 „ Buch. - White 4001
 „ (Bupalus).
 „ Th.-Mieg. 4255 (Hippocrita).
Flavia Fuessl. 4202.
Flavicans B. 4278 b.
Flavicaria (S. V.) Hb. 3771.
Flavicata Thnbg. 3475.
Flavicincta (S. V.) F. 1777 (Polia).
Flavicincta Wd. 3387 (Larentia).
 „ minor Esp. 1513
 „ (Mamestra).
 „ major Esp. 1777 (Polia).
Flavicinctata Frr. 3387.
Flavicinctata Hb. 3387.
Flavicinctata Dup. 3388.
Flavicornata Z. 3196.
Flavicornis L. 2852 (Polyploca).
Flavicoris Auriv. 2843 (Cymatophora).
Flavida Auriv. 1118 (Arsionch.).
 „ O. 2493 (Metopona).
 „ Brem. 4182 (Rhypanoid.).
 „ Obth. 4578 (Sesia).
Flavidaria Ev. 4037 a.
Flavidorsalis Stgr. 4434.
Flavina HS. 1352.
Flavipalpata Stgr. 942.
Flavipedaria Mén. 3272.
Flavipes Mén. 3272.
Flavirena Gn. 2005.

- Flavirena* Rbl. 2005 d.
Flavistigma Tutt 2843 a.
Flaviventris Stgr. 4553.
Flavociliata Ld. 4310.
Flavociliella Mn. 4511.
Flavocingulata Stgr. 3388 a.
Flavofasciata Heyne 264 (Erebria).
 „ Thnbg. 3476 (Larentia).
Flavolimbata Stgr. 881.
Flavolineata Stgr. 3342.
Flavomacula Stgr. 2784 (Pan-grapta).
 „ Obth. 2762 (Matopha).
Flavomacula Schilde 10 a (Thais).
Flavomaculata Graes. 1418 a
 (Agrotis).
 „ Obth. 2092 (Calymmn.).
 „ Brem. 2659 (Pseudoph.).
Flavomaculata Aust. 18 (Par-nassius).
Flavomaculatus Obth. 660 (Pam-phila).
Flavomarginaria Brem. 3692.
Flavomixta Hirschke 3390 a.
Flavoniteus Aust. 2490 c.
Flavostigma Brem. 1965.
Flavosulphurea Ersch. 926 (Stilp-not.).
Flavosulphurea Gr. Gr. 920 (Por-thesia).
Flecki Carad. 1966 a.
Fletcheii Elv. 299.
Flexula Schiff. 2747.
Flexularia Hb. 2747.
Flexuosa Mén. 2633.
Flexuosa Boh. 3457 a.
Flina Esp. 4277.
 „ Hb. 4738.
 „ HG. 4743.
Flöccifera Z. 687 a.
Floccoesa Graes. 4177 b.
Flora Alph. 2345.
Florella F. 84.
Florentina Esp. 2325 (Helioth.).
 „ Stefan. 3832 (Biston).
Floricola Obth. 4590.
Florida Schmidt 1202.
Florigera Ev. 1369.
Florinda Butl. 670 f.
Fluctuaria var. HS. 3344 a.
Fluctuata L. 3344.
Fluctuata var. Weir. 3344 c.
Fluctuosa Hb. 2846.
Fluidata Ld. 3484.
Fluvioria HS. 3378.
Fluviata HS. 3378.
Fluviatilia Swinh. 4244.
Fluxa Tr. 1923 a.
Fluxa HS. 1923.
Fodinae Obth. 1564.
Foeda Ld. 1384.
Foodata Butl. 2956.
Foeniformis HS. 4631.
Foliata Fuchs. 3115.
Folagenevia Stgr. 2997 a.
Fontis Thnbg. 2804.
Forcipula Hb. 1323.
Forficula Ev. 1300 (Agrotis).
Forficula F. d. W. 778; 780 (Ce-rura).
Formicaeformis Esp. 4566.
Formosa Graes. 1912 (Argyro-spira).
 „ Rghfr. 2275 (Cueull.).
 „ HS. 4379 (Zygaena).
Formosaria Ev. 4071.
Formosissima Hb. 1846.
Fornax Butl. 2167.
Fortalitium Tausch. 2592.
Fortatilium Hb. 2592.
Fortificata Hb. 3193 a.
Fortis Butl. 1888.
Fortuna Jans. 230 a.
- Fortunata* Alph. 402 b (Epine-phel.).
 „ Rghfr. 906 (Dasychira).
 „ Blachier 3881 (Boarmia).
Fortunata Stgr. 534 (Lampides).
 „ Rbl. 3881 a (Boarmia).
Fortunei Gray 7 b (Sericinus).
 „ Feld. 678 (Parnaria).
Fovea Tr. 1819.
Foveolatus Stgr. 2330.
Fowleri South 614 add.
Fractaria Stgr. 3843.
Fractilineata Z. 2962.
Fractistrigata Alph. 2616.
Fragariae Esp. 2156.
Franconica Esp. 958.
Franconica Mill. 959.
Franklinii Curt. 581 f.
Fraterna Tr. 1894 a (Nonagria).
Fraterna Moore 1396 (Agrotis).
 „ HS. 1894 (Nonagria).
 „ Butl. 3691 (Archanna).
Fraternata HS. 3223.
Fraudatricula Hb. 1580.
Fraudatrix Ev. 2271.
Fraudulenta Stgr. 1718.
Fraudulentata Bltsch. 3220.
Fraxinata Crewe 3636 b.
Fraxini L. 2667 (Catocala).
 „ Mén. 4370 (Zygaena).
Fraxini Stgr. 2667 b (Catocala).
Frejia Thnbg. 212.
Fretagaria Möschl. 3778 a.
Freyeri Friv. 2200 (Calophasia).
 „ Nick. 4278 c (Endrosia).
Freyeri Kirb. 757 (Chaerocamp.).
 „ Frr. 1678 (Hadena).
 „ Ld. 4327 b; 4327 d; 4327 e
 (Zygaena).
Fribolus B. 1693.
Fricta Chr. 2615.
Frigga Thnbg. 216.
Frigida Scudd. 52 e (Pieris).
 „ Zett. 809 a (Pheosia).
Frigidaria Möschl. 3073 (Aci-dalia).
 „ Gn. 3347 (Larentia).
Fringsii Schultz 1986.
Fritillum Tr. 703.
 „ HB. 709.
Frivaldszkyi Ld. 458 (Satsuma).
 „ Dup. 2311 (Janthinea).
Frondosana Wlk. 4134.
Frumentalis Lindemann 1913.
Frustaria HS. 3410.
Frustata Tr. 3410.
Fucata Esp. 2145 a.
Fuchsiana Ev. 2269 (Cucullia).
Fuchsianus Ev. 4682 (Hypopta).
Fuchsi Frr. 2269.
Fuciformis L. 771.
Fuciformis O. 774.
Fuosa Frr. 1877 a.
Fügei Bart. 824 add.
Fugax Butl. 1027 (Rhodinia).
 „ Tr. 1267 (Agrotis).
Fugitiva Chr. 2398 (Thalpochar.).
Fugitiva Wlk. 2597 (Paudesma).
Fugena HG. 1990.
Fulgida Obth. 4248 b.
Fulgorita Ld. 4233 (Hypeuthina).
Fulgorita Wlk. s69 (Pygaera).
Fuliginalis Stph. 4103 a.
Fuliginaria L. 2752.
Fuliginea Hb. 1370.
Fuliginosa L. 4168.
Fuliginosa Butl. 2648.
Fulla Ev. 325 c (Oeneis).
Fulla Quens. 177 (Melitaea).
 „ Stgr. 325 a (Oeneis).
Fullonica Obth. 2666.

- Fulminans Stgr. 178c (Melitaea).
 ", Gr. 504a (Chrysophanias).
 ", Stgr. 4203c (Arctia).
Fulminaria Ld. 2892.
Fulminata Alph. 3452.
Fulminea Scop. 2696.
Fulminella Mill. 4475.
Fulva Hb. 1923.
Fulva Tr. 1923a.
Fulvocinctata Rbr. 3410a.
Fulvago L. 2148 (Xanthia).
Fulvago Hb. 2099 (Cosmia).
Fulvata Forst. 3302.
Fulvia F. 4387.
Fulvia Butl. 3324.
Fulvior Stefan. 513 add.
Fumaria HS. 3502a (Larentia).
 ", Hw. 3825 (Biston).
Fumata Stph. 3072 (Acidalia).
 ", Ev. 3502a (Larentia).
Fumicollis Rghfr. 2485a.
Fumida Graes. 2288 (Anarta).
Fumida Butl. 223 (Argynnis).
Fumaria Hb. 3793.
Fumifera Graes. 2565a.
Fumosa Butl. 2770 (Zanclognatha).
 ", Bntl. 4102 (Nola).
Fumosa Hb. 1370 (Agrotis).
 ", Butl. 2648 (Sypna).
 ", Pront 3305a (Larentia).
Fumosaria HS. 3502a (Larentia).
 ", Alph. 3832b (Amphidias).
Funébris Th.-Mieg. 3797b.
Funebris Stgr. 1299d (Agrotis).
 ", Hb. 2292 (Anarta).
Funeraria Lah. 3449.
Funeraria Hb. 3451.
Funnearia Hein. 1663 (Hadena).
 ", Ev. 4249b (Coscinia).
Funesta Stgr. 2026 (Hydrilla).
 ", Esp. 2661 (Aedia).
Funesta Payk. 2292.
Funginus Schilde 703.
Funkel Röber 4642.
Funkel Ev. 1507.
Furcata Stgr. 1472c (Mamestra).
 ", Stgr. 3587 (Tephroclyst.).
Furcata Pront 3485 (Larentia).
Furcifera Hufn. 2173.
Furcula Cl. 780 (Cernua).
 ", Stgr. 1510 (Mamestra).
Furcula Esp. 781.
 var. God. 781a (Cerura).
Furia Gr. Gr. 4715.
Furuncula Hb. 1569a.
Furuncula Tr. 1569.
 ", HS. 1569e.
Furva (S. V.) Hb. 1678 (Hadena).
 ", Esp. 1820 (Dryobotida).
Furva Bkh. 4446 (Acanthopsych.).
Furvaria Hb. 3925.
Furvata (S. V.) F. 3925.
Fusca Brem. & Grey 459 (Niphanda).
 ", B. 1347c (Agrotis).
 ", Butl. 3247 (Lyraea).
 ", Stgr. 3274a (Photostotos.).
 ", Thnbg. 3982 (Pygmaena).
Fusca Leech 930a (Lymantria).
 ", Möschl. 1407 (Agrotis).
 ", HS. 1507 (Mamestra).
 ", Schultz 2099a (Cosmia).
 ", Hw. 4488 (Sternhoft.).
Fuscalata Fuchs 2968a.
Fuscantaria Hw. 3728.
Fusearia Stgr. 3773b (Venilia).
 ", Thnbg. 4013a (Thamnomoma).
Fuscaria Zett. 3982.
Fusca Hw. 2070a (Taeniocamp.).
 ", Harrison 3799a (Hybernia).
- Fuscata* Hufn. 3183 (Minoa).
Fuscella Hb. 4490.
Fuscescens Butl. 860 (Phalera).
 ", Bntl. 4269 (Miltochrist.).
Fuscicornis Rbr. 2006.
Fuscicostalis Fixs. 4435.
Fuscicostata Chr. 3593a.
Fuscilinea Grasli. 1940a.
Fuscinula Dup. 780.
Fuscolimbata Tugstr. 3334a.
Fuscolimbata Tugstr. 3261.
Fuscomarginata Stgr. 3363a.
Fusconebulosa de Geer 4730.
Fuscostigma Brem. 1170 (Agrotis).
Fuscostigma Alph. 3593a (Tephroclystia).
Fusco-undata Don. 3485a.
Fuscovirens Hmps. 2340.
Fuscula Stgr. 4691 (Dyspessa).
Fuscula Hb. 2464 (Erastria).
Fusculana Schmid 4126a.
Fuscum Bntl. 2658.
Fusca Obth. 459.
Futilea Stgr. 2587.
Fylgia Spångb. 592a.
- Gabrielis Leeche 489a.
Gacharia Frr. 3174.
Gadmenus Rätzer 3715.
Gætæca Kane 2843a.
Gaigeri Stgr. 3748a.
Galathea L. 246 (Melanargia).
 ", Mill. 1590 (Bryophil.).
Galathea Esp. 246c (Melanarg.).
Galaxaera Esp. 246c.
Galba Gr. Gr. 89 a (Colias).
 ", Ld. 538 (Lamides).
Galene O. 246b.
Galeropa Püng. 1030a bis add.
Galiata (S. V.) Hb. 3434.
Galiata Stgr. 3434a.
Galii Schiff. 745.
Gallica Ld. 2160 (Orrhodia).
 ", Obth. 4324a (Zygaea).
Gallieus Ld. 4730a (Hepialus).
Gallini Rott. 745.
Gatscha Gr. Gr. 412b.
Gamma L. 2562a.
Gammina Stgr. 2562.
Gammoides Spr. 2559b.
Gamra Ld. 533.
Gandolphi Obth. 4193.
Ganna Hb. 4742.
Ganssensis Gr. Gr. 772b (Hemaris).
 ", Gr. Gr. 4145 (Synnomis).
Ganssuensis Gr. Gr. 375f (Satyrus).
 ", Gr. Gr. 544b (Lycæna).
Ganymedes HS. 4378 (Zygæna).
Ganymedes Heyne 255 (Melanarg.).
Gaschkewitschi Brem. & Grey 722.
Gastonaria Obth. 4049.
Gaudens Stgr. 2367b.
Gaurax Püng. 1182 bis add.
Gazella Blackmore 4046.
Gefion Quens. 304.
Gegenaria Alph. 3144a.
Gelata Stgr. 3355c (Larentia).
Gelata Lef. 1677b (Hadena).
 ", Gn. 3335 (Larentia).
Gelida Sparre-Schn. 1174 (Agrotis).
 ", Möschl. 4232a (Arctia).
Gelida Gn. 1677a (Hadena).
 ", Schöyen 4232 (Arctia).
Gelidata Möschl. 3634b.
Gemmella Leech 2478.
Gemmella HS. 3554.
Gemina Hb. 1712 (Hadena).
- Gemina* Ld. 687 (Carcharodus).
 ", Hb. 1468 (Mamestra).
 ", var. Gn. 1712a (Hadena).
Geminipuncta Hatchett 1895.
Gemmaria Brahm. 3876 (Boarmia).
Gemmifera Wlk. 1864.
Genearia HS. 3308.
Geneata Feisth. 3308a.
Generator Stgr. 210c.
Generosa Stgr. 2260 (Cucullia).
 ", Stgr. 2525 (Plusia).
Genensis Mill. 4337c.
Genistae Bkh. 1466 (Mamestra).
 ", HS. 4339 b (Zygaea).
Genistarria Vill. 2860.
Gentianella Mill. 3426.
Gentilis Stgr. 2654.
Gentilis HS. 2651b.
Geographica F. 1110.
Geometrica F. 2646.
Gerbillus Alph. 1806.
Gerda Stgr. 4741a.
Gerhardi Stgr. 465b.
Germaini Dup. 2011.
Germana Stgr. 412a (Epineph.).
 ", Feld. 4154 (Syntomis).
Germanica Morr. 2182 (Calocamp.).
Germanica Chapm. 4526.
Geroldia Fuchs 3596.
Geron Watson 698a.
Gertha Stgr. 300b.
Geryon Hb. 4416.
Gesticularia Hb. 4016.
Geticus Esp. 425.
Geyeria HS. 355.
Gibbosa Snell. 2449.
Gigantaria Stgr. 2911a (Nemoria).
 ", Stgr. 3841 (Nychiodes).
Gigantea Stgr. 36c (Parnass.).
 ", Stgr. 231f (Argynnis).
 ", Obth. 292 (Erebia).
 ", Gr. Gr. 629 (Lycæna).
 ", Stgr. 692a (Hesperia).
 ", Mill. 2858a (Euchloris).
 ", Stgr. 3540 (Tephroclyst.).
 ", Obth. 4291 (Agylla).
Gigantina Stgr. 850.
Gigantula Stgr. 4107.
Gigas Stgr. 554a (Lycæna).
 ", Brem. 695c (Hesperia).
 ", Stgr. 1972a (Lencania).
Gigas Butl. 4107 (Nola).
Gilva Donz. 2012.
Gilvago Esp. 2151.
Gilvago Hb. 2152a.
Gilvaria Stgr. 3967b (Gnophos).
 ", (S. V.) F. 4075 (Aspilates).
Gilevoila B. 4302.
 ", O. 4302b.
Giliopennis Grote 1130.
Giraffina Hb. 841a.
Gitan Mab. 2671.
Glabra Hb. 2157a.
Glabraria Hb. 3900.
Glacialis Esp. 285 (Erebia).
Glacialis Butl. 37b (Parnassius).
 ", Mc. Lachl. 109 (Colias).
 ", Schrk. 323 (Oeneis).
 ", HS. 1165b (Agrotis).
Glaciaria Germ. 3385b.
Glandifera Hb. 1599.
Glaphyra Ev. 4229.
Glarea Tr. 2396.
Glarearia (S. V.) Brahm. 4033.
Glareosa Esp. 1214 (Agrotis).
Glareosa Weir 1214a.
 ", Tr. 1215 (Agrotis).

- Glareosa* Dup. 2396 a (Thalpochares).
Glareosaria Graes. 3909.
Glasunovi Gr. Gr. 414a (Epinephel.).
 " Gr. Gr. 996 (Epienapt.).
Glaucia Hb. 1484 (Mamestra).
Glaucia Maassen 604 b (Lycaena).
 " Stgr. 4230 (Arctia).
Glaucana Lampa 4126 c.
Glaucaria Mén. 2872.
Glaucata Sc. 1057.
Glaucus Hb. 60 a.
Glaucus Frr. 60.
Glaucescens Chr. 1217.
Glaucias Ld. 616.
Glaucimacula Graes. 1242 b.
Glaucina Esp. 1738.
Glaucinaria Hb. 3940.
Glaucinata Tr. 3940.
Glaucinomicta Mn. 3513.
Glaucinosa Motsch. 163 a.
Glaucone Klug. 58.
Glaucula Stgr. 1586 (Bryophil.).
 " 2101 a (Cosmia).
Glebicolor Ersch. 2724.
Glebosia Stgr. 1213.
Glossaria Chr. 4073.
Glicinia Cr. 46.
Glis Chr. 1140.
Globulariae Hb. 4407.
Globulariae Esp. 4405.
Globularia Mill. 3658 a.
Gloriosa Stgr. 2351 (Metalophia).
 " Ersch. 4668 (Holocerus).
Gloriosa Butl. 1058 (Pterodect.).
Gloriosaria B. 4071.
Gluteosa Tr. 2023.
Glyciphila Frr. 4348.
Glyciphilae Rbr. 2736 (Toxocampa).
Glyciphilae Hb. 4348 (Zygaena).
Glyciphila L. 2589.
Gnaphalii Hb. 2264.
Guoma Butl. 1854 b (Trachea).
Gnoma F. 809 (Phoebia).
Gnophos Obth. 251 b.
Goante Esp. 290.
Goante HS. 283.
Golus Hb. 610.
Goliathii Obth. 1450.
Golickei Ersch. 1405 b.
Gondebantella Mill. 4476.
Gonostigma F. 884.
Goossensiata Mab. 3561.
Gordius Sul. 511 b.
Gorge Esp. 292.
Gorge var. HS. 292 a.
Gorgon Esp. 767.
Gorgone B. 291.
Gorgoniae HS. 290.
Gorgoniades Hb. 767.
Gorgophone Bell. 267 a.
Gortys Hb. 755.
Gossypii Frauenfeld 4134.
Gothica L. 2062.
Gothicata Gn. 3447 c.
Gothicina HS. 2062 a.
Graciiliata Mn. 2998.
Gracilis Rbl. 1918 (Tapinostol.).
 " F. 2072 (Taeniocamp.).
 " Stgr. 2731 (Apopestes).
 " Stgr. 2734 b (Ecclita).
 " Stgr. 4166 (Spilosom.).
 " Spr. 4497 (Apterona).
 " Chr. 4658 (Holocerus).
Gracilis Fuchs 4348 b (Zygaena).
Graciosa Guér. 4270.
Graeca Stgr. 210 h (Argynnis).
 " Stgr. 368 a (Satyrus).
 " Stgr. 4388 k (Zygaena).
 " Stgr. 4557 a (Sesia).
Graeca Stgr. 185 b (Melitaea).

- Graeca* Alph. 210 c (Argynnis).
Graecaria Stgr. 3933 b.
 " Stgr. 3952 a (Gnophos).
Graecarius Stgr. 3822 (Biston).
Graecella Mill. 4520.
Graeciata Stgr. 3222 a.
Graellsia Feisth. 4016.
Graellsii Feist. 2362.
Graeseri Honr. 19 a (Parnass.).
 " Stgr. 819 (Notodont.).
 " Pung. 1522 a (Haderon.).
Graeseri Stgr. 1862 (Euplexia).
Graeserata Rätzer 3656 b.
Graminaria Z. 2898.
Graminea Graes. 1901.
Graminella Schiff. 4450.
Graminis L. 1438 (Charaeas).
Graminis Hb. 1439 (Epineuron.).
Grammara B. 3595.
Grammica L. 4249.
 " Hb. 4249 a.
 " var. Esp. 4249 a.
Grammiptera Rbr. 1218.
Granadaria Stgr. 2944.
Granataria Rbr. 4004.
Grandifolia Graes. 2097.
Grandificaria Graes. 2913.
Grandis Feld. 463 (Thecla).
 " Rgbfr. 971 (Lasiocamp.).
Grandis Butl. 1971.
 " Stgr. 1972 a (Leucania).
 " Stgr. 2597 a (Pandesma).
Granitata Gn. 3787.
Grapharia HS. 3614.
Graphata Tr. 3614 (Tephrocl.).
Graphata Hedenm. 3784 (Semiothisa).
Graphica HS. 2564.
Graslinaria Stgr. 3597 b.
Graslinella B. 4493.
Grashini Stgr. 2107 e (Orrhodia).
 " Ld. 4326 (Zygaena).
Graslini Obth. 14 g (Parnass.).
Graslini Rbr. 1410 (Agrotis).
Grata Butl. 1838 (Antha).
 " Gn. 2399.
 " Tr. 2403 a (Thalpochares).
Gratiotia Stgr. 2134 (Orthosia).
 " Ev. 2419 (Thalpochares).
 " Stgr. 2497 (Metopomia).
 " Gr. Gr. 4229 b (Arctia).
Gratiotia Hb. 4204 (Arctia).
Gratiotia Brem. 2577.
Gratiotia HS. 3510.
Gratissima Stgr. 2400 a.
Grentzenbergi Stgr. 749 b.
Greyi Stgr. 2708 (Catocala).
Greyi Brem. & Grey 7 a.
 " Fixs. 7 f (Sericiinus).
Griella F. 304.
Griphodeata Rbr. 3345 a.
Grisea Butl. s14 (Microphalera).
 " Brem. 851 (Pterostoma).
 " Ev. 2008 (Caradrina).
Grisea Graes. 850 (Ptevostoma).
 " Graes. 2174 a (Xylina).
 " Th.-Mieg. 3011 a (Acidalia).
Grisealis Hb. 2768.
Grisearia Stgr. 1054 (Drepana).
 " Stgr. 3122 a (Rhodostroph.).
 " Fuchs 3720 a (Ellopia).
 " Stgr. 3951 a (Gnophos).
 " Stgr. 4079 a (Perconia).
Griseata Hb. 3197 (Lithosteg.).
Griseata Schiff. 3197 (Lithosteg.).
 " Stgr. 3661 b (Chloroel.).
Griseata Stgr. 3465 a (Larentia).
Griselda Butl. 2769.
Griseola Ersch. 2443 (Thalpochares).
 " Stgr. 2785 (Pangrapta).
 " Hb. 4294 (Lithosia).
Griseolaria Ev. 4039.
- Griseolata* Stgr. 3108 a.
Griseolimbata Obth. 3711.
Griseovariegata Goeze 2074.
Grisescens Stgr. 788 (Cnethodonta).
 " Stgr. 935 (Lymantr.).
 " Tr. 1303.
 " Stgr. 1321 a (Agrotis).
 " Stgr. 1710 b (Hadena).
 " Stgr. 3070 (Acidalia).
 " Stgr. 3482 (Larentia).
Grisescens Christ. 443 f (Coenonympha).
 " Stndf. 1665 c (Hadena).
Groenlandica Wek. 903 (Dasychia).
Groenlandica (Lampa) Rühl 109 (Colias).
 " Zett. 1666.
 " Dup. 1677 b (Hadena).
 " Stgr. 2572 (Plusia).
Grossulariata L. 3697.
Groumi Obth. 30 a.
Grumaria Alph. 3127.
Grumi Alph. 89 d (Colias).
 " Stndf. 252 (Melanarg.).
 " Stgr. 548 a (Lycaena).
 " Stgr. 894 (Dasorygia).
 " Alph. 1081 a (Acronicta).
 " Alph. 1749 et add. (Helio-phobus).
 " Alph. 1860 (Trigonoph.).
 " Alph. 2298 (Hypsophil.).
 " Alph. 2344 (Isochlora).
 " Alph. 2630 a (Leucanitis).
Grumi Alph. 1860 add. (Trigonophora).
 " Alph. 2084 (Hiptelia).
Grümme Chr. 826 (Notodont.).
 " Alph. 3849 (Hemerophil.).
 " Heyl. 4459 (Amicta).
Gruneraria Stgr. 3961.
Gruneri HS. 70 (Euchloe).
 " Gn. 1131 a (Agrotis).
 " B. 1737 e (Episema).
 " Stgr. 4216 (Arctia).
 " Stgr. 4540 (Scapteron).
Gruneriella Brd. 4513 c.
Gryphalis HS. 2799.
Guadarramensis Stgr. 880 a.
Guancharia Alph. 3063.
Guenearia Mill. 3518 (Tephrocl.).
Guenearia Prout 3381 (Larentia).
Guenearia Stgr. 1549 (Dianthoe.).
 " Dbd. 1618 a (Apamea).
Gueneei Fallou 2464 a (Estrasia).
Guillemoëti Trimoulet 970 c.
Guinardaria B. 3597.
 " Dup. 3600 d.
 " HS. 3646.
Gultschensis Gr. Gr. 346 b.
Gurda Ld. 3525 f.
Guriata Emich 3315.
Guriensis Emich 4538 (Sesia).
Guriensis Stgr. 366 (Satyrus).
Gutta Gn. 2551 et add.
Guttans Hb. 1895.
Guttata Chr. 1062 (Rhodoneur.).
 " Ersch. 4167 (Thyrgorina).
Guttata Brem. & Grey 675.
Gyraria Hb. 3112 b.
 " Tr. 3116.
Gyrata Hb. 3112 b.
- Haasi* Stgr. 1764 (Aporophyl.).
 " Hedenm. 3461 (Larentia).
Häberhaueri Stgr. 272 et add. (Erebia).
 " Stgr. 412 (Epinephele).
 " Stgr. 559 a (Lycaena).
 " Stgr. 2297 a (Hypsophil.).
 " Ld. 3189 (Polythrena).

- Haberhaueri Ld. 4376 (*Zygaena*).
 ,, Stgr. 4615 (*Sesia*).
Haberhaueri Alph. 4199 (*Oenomya*).
Hadenata Fuchs 3662.
Hades Stgr. 309.
Hadjina Heyne-Rühl 378 g (*Satyrus*).
 ,, Heyne-Rühl 622 a (*Lycæna*).
 ,, Stgr. 1301 (*Agrotis*).
 ,, (Stgr.) Rbl. 4351 c (*Zygæna*).
Haelsseni Graes. 1708.
Haematidea Dup. 2129.
Haematina Koll. 4369.
Haemorrhoidalis Cyr. 4627.
Hafis Koll. 498.
Hahn Chr. 1222.
Haifa Stgr. 1336.
Haliciaria Schille 2421.
Halictiformis HS. 4629.
Halimedé Mén. 255.
Halimi Mill. 1647 a.
Halimodendrata Ersch. 3053 b.
Halituaria Gn. 4013 b.
Halterata Hufn. 3243.
Hamelensis Pflümer 4245.
Hamifera Stgr. 2196.
Hamigera Butl. 166 e.
Hamia Hb. 4727.
Hammoniensis Sauber 1709.
Hampsoni Baker 4487.
Hamula Esp. 1052.
Hamza Obth. 666.
Hanifa Nordm. 349 a.
Hanoviensis Heymons 3825 a.
Hansa HS. 2397.
Hansenii Hedenm. 3691.
Hansi Aust. 370 b.
Harpagula Esp. 1050.
Harpagula Hb. 1048.
Hartmanni Stndf. 36 a.
Haruspica Grote 1136 a.
Hastata L. 3447.
Hastifera Donz. 1388.
Hastifera Donz. 1378.
Hastifata Hb. 3447 a; 3450.
Haverkampfi Stndf. 1282.
Haworthia Stt. 3625.
Haworthii Curt. 1621.
Haworthii Gras. 1621 a.
Hebe L. 4215.
Hebesata Wilk. 3791.
Hebraica Hb. 1214.
Hebridicola Stgr. 1168 b.
Hebodium Weir. 3465 b.
Hecate Esp. 221.
Hecla Lef. 109 et add.
Hecta Stgr. 109 a.
Hecta L. 4743.
Hectus O. 4743.
Hedemannia Obth. 3266.
Hedemannii Stgr. 2355 (*Chariclo*).
 ,, Stgr. 2643 (*Leucanit.*).
 ,, Chr. 2837 (*Thyatira*).
 ,, Chr. 3178 (*Atomorph.*).
 ,, Stgr. 3742 (*Zethenia*).
 ,, Chr. 3888 a (*Boarmia*).
Hedemannii Stgr. 2643 add. (*Leucanitis*).
Hedeni Graes. 1698.
Hedysari Hb. 4388 b.
Hegemone Stgr. 209.
Hela Stgr. 204 c (*Argynnis*).
Hela Streck. 109 (*Colias*).
Heldreichi Stgr. 118 b.
Helena Stgr. 637 d (*Lycæna*).
 ,, Ev. 2704 (*Catocala*).
Helena HS. 113 (*Colias*).
 ,, Gr. 597 c (*Lycæna*).
Heliaeca Hb. 2302.
Helialis Stgr. 2778.
Helianthemata Mill. 3014.
Helice Hb. 113 b.
Helicita Ld. 99 a.
Helicina Obth. 113 a.
Helicinaella HS. 4496.
Helicinella Rbr. 4499.
Helicinoeides Heyl. 4500.
Helophilus Hb. 2304.
Helios Nick. 12 et add.
Helioscopiae Selys 749.
Helius HS. 507.
Helix Sieb. 4499 a.
Helix Nyland 4498.
 ,, Claus 4499.
Helle Hb. 514.
Hellmanni Ev. 1922 (*Tapinostola*).
Hellmanni HS. 1922 a; 1923 a.
Helloides Möschl. 515.
Hellmanni Ld. 142 (*Limenitis*).
Helvoela O. 4292.
Helvetica Rühl 191 d.
Helvetica B. 3592.
Helvetica Dup. 3592.
Helvetina B. 1273.
Helvola L. 2125 (*Orthosia*).
Helvola Hb. 4292 (*Lithosia*).
Hemerobia Hb. 4264.
Hemidiaphana Graes. 2253.
Hemigene Gras. 4195.
Hemileuca Püng. 1083.
Henkei Stgr. 967 (*Eriogaster*).
 ,, Stgr. 2611 (*Palpangula*).
Henricaria Obth. 3770.
Heos Meig. 132 c.
Hepara Gn. 2486.
Hepararia Hb. 3474.
Heparata (S. V.) Hw. 3474.
Hepatica Hb. 1707 (*Hadena*).
Hepatica Hb. 1449 (*Mamestra*).
Hera Gr. Gr. 98 d (*Colias*).
 ,, L. 4248.
 ,, O. 4248 a (*Callimorpha*).
Herbacea Alph. 2342.
Herbacaria Mén. 2866.
Herbaria Hb. 2898.
Herbariata F. 3020.
Herbida Hb. 1420.
Heraclea Butl. 671 c.
Herculeana Rbr. 877.
Hercules Feld.-Rghfr. 1078.
Hercyniae Stgr. 1686 a.
Here Feld. 1321.
Heringi Stgr. 1288 (*Agrotis*).
Heringii Z. 4323 (*Zygaena*).
 ,, Hein. 4513 c (*Epichnopt.*).
Hermetina Kirb. 781.
Hermione L. 341.
Hermione Bkh. 342.
 ,, major Esp. 341.
 ,, minor Esp. 342.
Hero L. 426.
Heroëdes Chr. 427 d.
Herpeticaria Rbr. 4079.
Herrichi Stgr. 86 f (*Colias*).
 ,, Stgr. 364 a (*Satyrus*).
 ,, Stgr. 2528 (*Plusia*).
 ,, Stgr. 4198 (*Oenogyna*).
Herrickii HS. 1949 (*Leucania*).
Herrickii Obth. 20 (*Parnassius*).
 ,, Stgr. 4598 a (*Sesia*).
Herrick-Schaefferi Alph. 1238.
Herse Gr. Gr. 313 (*Erebä*).
Herse Hb. 422 (*Epinephele*).
Herta HG. 251 c.
Hertha Quens. 191 c.
Hertina Stgr. 251 d.
Herzi Stgr. 90 a (*Colias*).
 ,, Fixs. 468 (*Thecla*).
 ,, Christ. 1208 (*Agrotis*).
 ,, Alph. 2626 (*Leucania*).
 ,, Stgr. 4087 b (*Helióthea*).
 ,, Alph. 4684 (*Hypopta*).
Herzi Chr. 271 (*Erebä*).
 ,, Chr. 979 (*Lasiocampä*).
 ,, Alph. 2239 (*Cucullia*).
Hesebolus Nordm. 14 f.
Hesebolus Aust. 14 g.
Hesperica Rbr. 552 b (*Lycæna*).
Hesperica Rbr. 1925.
 ,, Fr. 1926 (*Sesamia*).
Hesperidata Rbr. 3094.
Hessii B. 1897.
Hetaera Stgr. 2709 (*Catocala*).
Hetaera Ev. 1128 (*Agrotis*).
 ,, Stgr. 2680 (*Catocala*).
Heterogyna Stgr. 4420.
Hethlandica Stgr. 1547 b (*Dianthoecia*).
Hethlandica Stgr. 4726 a (*Heplilus*).
Hewitsonii Ld. 281.
Hexapteraria HS. 3243.
Hexapterea Schiff. 3243.
Heydenaria Stgr. 3556.
Heydenreichi Ld. 347 (*Satyrus*).
Heydenreichi Gr. Gr. 347 a.
Heydenreichii Ld. 4414 b (*Ino*).
Heyeraria HS. 3713 a.
Heydaertsii Mill. 4454.
Heymei Aust. 722 b (*Smerinth.*).
 ,, Bartel 771 (*Hemaris*).
Heyni Rühl 177 b.
Hibernica Birchall 175 a (*Melittaea*).
 ,, Stph. 1621 a (*Celaena*).
Hiera F. 391.
Hieracii Kirb. 4451 (*Pachytelia*).
Hierta F. 168.
Hilarata Stgr. 4437.
Hilaris Stgr. 419 (*Epinephele*).
 ,, Stgr. 699 a (*Heplilia*).
 ,, Fr. 1364 (*Agrotis*).
 ,, Stgr. 1439 a (*Epineuron*).
 ,, Stgr. 1726 (*Metopocer*).
 ,, Stgr. 2019 a (*Caradrina*).
 ,, O. 4383 (*Zygaena*).
Hilaris Zett. 1487 (*Mamestra*).
 ,, Hb. 4384 (*Zygaena*).
Hilaria Stgr. 4438.
Hilda Quens. 325 a.
Hilleri Stndf. 957 c.
Himmighoffeni Mill. 2436 (*Thalpochara*).
 ,, Stgr. 4577 (*Sesia*).
Hippia Brem. 39.
Hippocastanaria Hb. 3917.
Hippocastanata Tr. 3917.
Hippocrates Feld. 41.
Hippocrepis Stph. 4352 d.
 ,, Hb. 4356 d.
 ,, HS. 4358 e.
Hippodice Hb. 378 b.
Hippolyte Esp. 351.
Hippolyte Stgr. 351 a.
 ,, Elw. 351 b.
Hippomedusa O. 277 b.
Hippone Esp. 511.
Hippophæs Esp. 743 (*Deilephil*).
Hippophæs HG. 1136 (*Agrotis*).
Hippothoë L. 510.
Hippothoë Lewin 508.
 ,, Hb. 508 a.
Hirsuta Stgr. 2726.
Hirsutella Hb. 4488 (*Sterrhopt*).
Hirsutella Dup. 4477 (*Oreopsych*).
 ,, (S. V.) O. 4482 (*Scioptera*).
Hirsutula Alph. 2725.
Hirsutus Stgr. 1747.
Hirta Hb. 1754 (*Raphia*).
Hirta Dup. 1742 (*Heliothobus*).
Hirtaria Cl. 3825.
Hirtella Ev. 4451 (*Pachytelia*).
 ,, Brd. 4477 (*Oreopsych*).
Hispatala Rbr. 3403.

- Hispania HS. 614 d (Lycaena).
 „ B. 1737 c (Episema).
Hispania Rbr. 4319 (Heterogyn.).
Hispanalis Gn. 2763.
Hispanaria Mill. 4057.
Hispania Zapater 280 b.
 „ Bell. 320 c (Erebia).
Hispidaria (S. V.) F. 3814.
Hispidus HG. 1742.
Hispulla Hb. 402 a.
Hissoriensis Gr. Gr. 4344.
Hnateckii Frey 4231 a.
Hochenwarthi Hochenw. 2577.
Hodnae Obth. 1342.
Hoegei Graes. 842 a (Lophopt.).
 „ *Heuäcker* 998 b (Gastrop.).
 „ HS. 1152 b (Agrotis).
Hoffmanni Chr. 357 b.
Hofgreni Lampa 3447 b.
Hofmanni Heyl. 4510.
Holmgreni Lampa 3802.
Holoserica Dup. 3038.
Holosericearia HS. 3038.
Holosericeus Stgr. 4666.
Homeyeri Tancre 141.
Homicida Stgr. 1366.
Homochromata Tab. 3990.
Homogena Rühl 70 a.
Honesta Stgr. 1193 (Agrotis).
Honesti Frr. 4217 c (Arctia).
Honestata Mab. 3097 b.
Honoraria Schiff. 3724.
Honoratii B. 11 c.
Honoratina Donz. 1276.
Honorifica Stgr. 3724.
Honrathi Stgr. 21 (Parnassius).
Honrathi Graes. 1106 (Aeronicta).
 „ Graes. 2705 (Catocala).
Hopfferaria Stgr. 4042.
Hopfferi HS. 622.
Hoplisiformis Mn. 4636.
Hoplites Piung. 1505 a.
Hora Gr. Gr. 325 d.
Hora Elw. 325 e.
Hornigaria Stgr. 2971 a (Acidalia).
Horridaria Hb. 3973 (Dasydia).
 „ Schiff. 3975 (Psodos).
Horridata Dup. 3975.
Hortensia Graes. 3328.
Horticolaria Fuchs 3602.
Hortulanaria Graes. 3328.
 „ Stgr. 3419.
Hospes Frr. 2028.
Hospita Schiff. 4177 a.
Hospitalia HS. 3653.
Hospitata Tr. 3653.
Hospiton Gene 3.
Hüberaria Ballion 3833.
Hueberi Ersch. 2365.
Huebneri Feld. 359.
Huegelii Fixs. 650 c.
Huegellii Moore 650 e.
Huegenini Obth. 4192 (Ocnogyna).
 „ Stgr. 4366 (Zygaena).
Huegenini Rühl 1405.
Hulda Edw. 52 f (Pieris).
Hulda Stgr. 334 (Oeneis).
Humifusaria Ev. 2922.
Humifuscaria Ev. 2922.
Humigena Piung. 1359.
Humiliata Hufn. 3040.
Humilis Chr. 1548 b (Dianthoece.).
 „ F. 2132 (Orthosia).
Humperti Humpert 3895 b.
Humuli L. 4726.
Humuli var. Knaggs 4726 a.
Hungarica Obth. 282.
Hunlera F. 155.
Hunza Gr. Gr. 25 m (Parnass.).
 „ Gr. Gr. 599 a (Lycaena).
Hutchinsoni Robson 166 b.
Huttoni Moore 1030 b.
- Hyacinthus* HS. 594.
Hyale L. 98.
Hyale Esp. 113.
 „ var. Esp. 113 b.
Hyaleoides Gr. Gr. 99 c.
Hyalina Frr. 4156 d (Dysauxes).
 „ Stgr. 4423 (Illiberis).
Hyalinata Chr. 3047 b.
Hyblaoides Moore 2638.
Hybrida Gr. Gr. 89 b (Colias).
 „ O. 1035 a.
 „ major O. 1034 a (Saturnia).
Hybridaria Selys 3116.
Hybridata Hb. 1981.
Hybridus Westw. 726 a.
Hybris Hb. 1769.
Hydraria HS. 3457.
Hydrata Tr. 3457.
Hydriolloides Alph. 1306.
Hygiaea Hdrch. 162 b.
Hyglaea Mab. 392.
Hylaeiformis Lasp. 4632.
Hydas Esp. 610.
Hydas Hb. 578.
Hydylata Mén. 253.
Hydylus Cr. 506.
Hymenaea Schiff. 2694.
Hymenaea God. 2694 a.
Hymenopteriformis Bell. 4575.
Hypaenides Stgr. 1983.
Hypargyrus Butl. 523.
Hyperanthus var. Esp. 401 a.
Hyperantus L. 401.
Hyperborea Gr. Gr. 107 bis add. (Colias).
 „ Zett. 1165 (Agrotis).
Hyperborea Weir 1165 a.
Hyperboreata Stgr. 3635.
Hyperboreus Curt. 4212 (Arctia).
 „ Mösch. 4739 (Hepialus).
Hyperici F. 1843.
Hypermnestra Sc. 10.
Hypochniona Rbr. 543 b.
Hypoleuca Koll. 650 b (Cyaniris).
Hypoleucus Ld. 709 c (Hesperia).
Hypolepheas Ld. 512 d.
Hypsipyle F. 10.
Hyrax Ld. 663.
Hyrcana Stgr. 321 b (Erebia).
 „ Stgr. 343 c (Satyrus).
 „ Ld. 561 (Lycaena).
 „ Chr. 671 b (Angiades).
 „ Stgr. 952 a (Chondrost.).
 „ Stgr. 1303 b (Agrotis).
 „ Stgr. 3267 a (Eucosmia).
Hyrcania Stgr. 183 (Melitaea).
Hyrcanaria Stgr. 3169 a.
Hyrcanus Chr. 4646.
Hygmina Obth. 1170.
- Jacobaeae* L. 4255.
Jacquemontii Gray 23.
Jacularia Hb. 3137.
Jainadeva Moore 2321.
Jakima Butl. 2958.
I-album Boisd. 159 (Vanessa).
 „ Esp. 167 a (Polygonia).
Ialoka Moore 5811.
Jameza Butl. 3329.
Janira L. 402.
Janirodes HS. 421.
Janirula Esp. 405.
Jankowskia Mill. 2888.
Jankowskii Obth. 720 (Smerinth.).
 „ Obth. 813 (Notodontida).
 „ Obth. 899 (Cifuna).
 „ Obth. 1028 (Rhodinia).
 „ Obth. 1086 (Aeronicta).
 „ Obth. 1704 (Hadena).
 „ Alph. 1875 (Jaspidea).
 „ Obth. 2051 (Amphipyra).
- Jankowskii* Obth. 2094 (Calymnia).
 „ Obth. 2276 (Cucullia).
 „ Obth. 2758 (Capnodes).
 „ Obth. 4125 (Stenoloba).
 „ Obth. 4161 (Spilosoma).
Jankowskii Obth. 681 (Ismene).
 „ Obth. 1155 (Agrotis).
Janthe Hb. 262 (Erebia).
 „ minor Esp. 343.
 „ major Esp. 343 (Satyrus).
Janthina Esp. 1125 et add. (Agrotis).
Janthina B. 4337 a (Zygaena).
Japetus Gr. Gr. 765 a.
Japonensis Warr. 3809 a.
Japoniata Stgr. 3701 c.
Japonica Leech 8 a (Luehdorf.).
 „ Mén. 234 a (Argynnis).
 „ B. 756 (Chaerocamp.).
 „ Leech 994 a (Epicnapt.).
 „ Moore 1026 (Caligula).
 „ Leech 1039 c (Aglia).
Japonica Murr. 479 (Zephyrus).
 „ Leech 1684 (Hadena).
 „ Butl. 3715 (Nuneria).
 „ Wlk. 4187 (Arctinia).
Japygia Cyr. 249.
Japygiaria Costa 3843.
Japyx Stgr. 1068 et add.
Jasikowskii Horm. 646 a.
Jasioneata Crewe 3564.
Jasius L. 127 et add.
Jason L. 127.
 „ Rothsch. 127 add.
Jaspidea Vill. 1611.
Iberaria Rbr. 3345 a (Larentia).
Iberarius Kol. 4000 c (Ematurga).
Iberica Obth. 175 k.
 „ Stgr. 1911 (Melitaea).
 „ Stgr. 482 b (Zephyrus).
 „ Gr. Gr. 703 a (Hesperia).
 „ Gn. 976 a (Lasiocampa).
 „ Stgr. 3363 b (Larentia).
 „ Stgr. 4389 b (Zygaena).
Ibericata Stgr. 3406.
Iberica HS. 3794 a.
Icadius Gr. Gr. 604 f.
Icarinus Scriba 604 a.
Icarus Esp. 607.
Icarus Rott. 604.
Icarus var. Esp. 604 a.
Icelos Gr. Gr. 311.
Ichne B. 173.
Ichneumoniformis (S. V.) F. 4573.
Ichneumoniformis var. Ld. 4573 a.
Ichnusa Bon. 157 g.
Ichnusoides Selys 157 a.
Ichnusoides South 157 b.
I cinctum Hb. 2058.
Icteria Ev. 1703.
Ictericia Swinh. 2510 a.
Icteropus HS. 4598 a.
Icteropus Z. 4622.
Ida Esp. 423 (Epinephele).
 „ Gr. Gr. 547 a (Lycaena).
Idia Gr. Gr. 311 b (Erebia).
Idas Rbr. 587.
Idas L. 543.
 „ Gerh. 589.
Idia Stgr. 2337.
Idiotha Graes. 1013.
Idmon Hb. 540.
Idonea Chr. 1584.
Iduna Dalm. 171.
Jeniseiensis Trybom 301 c.
Jesous Guer. 533.
Jezebella Obth. 200 f.
I. geminum Dup. 1214.
Ignara Stgr. 1291.
Ignicola HS. 1207 b.
Ignipeta Obth. 1271.

- Ignitus* HS. 502.
Ignobilis Stgr. 1307 (Agrotis).
Ignobilis Stgr. 1291 (Agrotis).
 „ Butl. 3368 (Larentia).
 „ Butl. 3910 (Boarmia).
Ignorata Sgr. 611b (Lycaena).
 „ Stgr. 3204a (Lithostege).
 „ Stgr. 3384 (Larentia).
Ignorata Stgr. 3317 (Larentia).
Ignotata Stgr. 3317.
I. intactum Hb. 1215.
Ilia Schiff. 132.
Ilia var. O. 132c.
Iliades Mitis 132a.
Iliaris Alph. 4000d.
Ilicana F. 4126e.
Ilicaria HG. 3879.
Ilicifolia L. 994.
Ilicifolia Esp. 995.
Ilicis Esp. 464 (Thecla).
 „ Rbr. 961 (Trichiura).
Ilicis Frr. 1823 (Dryobotida).
 „ Dup. 2120 (Orthosia).
Iliensis Gr. Gr. 474d (Thecla).
 „ Stgr. 520b (Chrysoph.).
 „ Alph. 4087 (Heliothea).
Illataria Fuchs 3794.
Illigneri Rühl 86d.
Illobaria Hb. 4065.
Illobata Gn. 4065.
Illobatara Wlk. 2913.
Illoba Butl. 1462.
Illotha Chr. 2441.
Illotha Chr. 4096.
Illyria Frr. 1714.
Illumina Gr. Gr. 54a.
Illuminata Joan. 3525.
Iluanaria Hb. 3733.
 „ Esp. 3733a.
Iluanaris Hb. 2651.
Iluanis Gn. 1883.
Illustraria Hb. 3735.
Illustrata Graes. 1863 (Eplexia).
 „ Stgr. 2027 (Hydriella).
Illustris Gr. Gr. 25 d (Parnass.).
 „ (Stgr.) Rbl. 4573c (Sesia).
Imbecilla F. 1977.
Imbellis Stgr. 1978.
Imbuta B. 2102 (Cosmia).
Imbuta Hb. 4281b (Endrosa).
Imbutata Hb. 3228b.
Imitaria Hb. 3093.
Imitatrix Chr. 2618.
Immaculata Lampo 88d (Colias).
 „ Bell. 237b (Argynnus).
 „ Stgr. 1927a (Lucretia).
 „ Stgr. 2073a (Taenio-
 campia).
 „ Stgr. 2159a (Orrhodia).
 „ (Spr.) Stgr. 2743a (Toxo-
 campia).
 „ Thnbg. 2886 (Euchloris).
Immaculata Päbst 69 (Euchloré).
 „ Fuchs 476 (Callophrys).
Immanata Hw. 3320.
Immanata Mill. 3319a.
 „ Mill. 3319c.
 „ Mill. 3320b.
Immistaria HS. 3060.
Immorraria Esp. 3051.
 var. HS. 3051a.
Immorrata L. 3051.
Immunda Ev. 1647.
Immundata Z. 3624.
Immunis Stgr. 1650.
Immunita Mill. 2590a.
Immutata Hb. 3064.
Immutata L. 3081.
Immutata Tr. 3064.
Impallescens Chr. 3385d.
Impar Warren 1599c (Bryophil.).
 „ Stgr. 1799 (Mytimna).
Impararia Gn. 2869.
Imparata Wlk. 2361 (Xanthod.).
 „ HS. 2869 (Geometra).
Impinctinata Gn. 3935c.
Impedita Chr. 1648.
Impellucida Graes. 4421.
Imperator Obth. 27.
Imperatrix Alph. 27b.
Imperialis Stgr. 2318.
Imperita Hb. 1164.
Implexa Hb. 1473 (Mamestra).
Implexa Tr. 1634 (Segetia).
 „ Hb. 1707 (Hadena).
Implicata Lef. 1422b (Agrotis).
Implicata HS. 1422 (Agrotis).
 „ Vill. 3363 (Larentia).
Impluviaria HS. 3486.
Impluviata (S. V.) Hb. 3486.
Improbata Butl. 216c (Argynnis).
 „ Stgr. 1328 (Agrotis).
 „ Stgr. 1917 (Tapinost.).
Improbata Chr. 2254 (Cuecilia).
Improbata Stgr. 3021 (Acidal.).
Improbata (F. R. Z.) 3658 (Te-
 phroclystia).
Improcera (Ersch.) Stgr. 1330a.
Impudens Hb. 1932.
Impudica Stgr. 1900 (Nonagria).
 „ Stgr. 2181a (Calocamp.).
 „ Chr. 4120 (Nola).
Impunctata Stgr. 1934.
Impunctata Höfn. 265a (Erebia).
 „ Stgr. 3401 (Larentia).
Impura Hb. 1933 (Leucania).
 „ Stgr. 2423a (Thalpoch.).
 „ Mn. 4122 (Nola).
Impurata Hb. 3607.
Inachus Mén. 712 et add.
Inaemoena Hb. 2389.
 „ Frr. 2389a.
Inanata Chr. 3271.
Inanis Obth. 1972.
Inanca Mill. 1441 (Mamestra).
 „ Ev. 2233 (Cuecilia)
Incanaria Hb. 2983.
Incanata L. 3069 (Acidalia).
Incanata Z. 3086 (Acidalia).
 „ Reuter 3344b (Larentia).
Incaranya HS. 3011.
Incarnata Frr. 2329 (Heliothis).
Incarnata Aust. 725c (Smerinth.).
Incerta Stgr. 1557 (Dianthoec.).
 „ Hufn. 2070 (Taenioampa).
 „ Stgr. 2489 (Mesotrosta).
 „ Stgr. 4411 (Ino).
Incertaria Stgr. 3905.
Incertata Stgr. 3262 (Triphosa).
Incertata Mill. 3658a (Tephrocl.).
Inciiliata Zett. 3455.
Incinetata Lah. 3560.
Incisa Stgr. 2783 (Pangrapta).
Incisa Stgr. 2783 add. (Pangrapta).
 „ Frr. 4235 (Arctia).
Incisaria Stgr. 2974 (Acidalia).
Incisarius Ld. 3820 (Biston).
Inelatata Ld. 2962.
Inconspicata Stgr. 1325.
Incommoda Stgr. 1488.
Incompleta Reuter 2576.
Inconsiderata Stgr. 3343.
Inconspicua Graes. 2526 (Plusia).
 „ Alph. 4115 (Nola).
Inconspicua Butl. 2721c (Apo-
 pestes).
Inconspicuaria Hb. 4044.
Inconspicuaria Bltsch. 3619.
Increta Butl. 1089b.
Incurtaria HS. 3404.
Incurvaria HS. 3361.
Incurvata Hb. 3361.
Incurva HS. 1416.
Incurvaria Ersch. 3680.
Indecora Warr. 3419.
Inderiensis HS. 2251.
Indica Hbst. 153 (Pyrameis).
Indica Gn. 2503 (Cosmophila).
Indicatrix Wlk. 3104.
Indictinaria Brems. 3741.
Indigra HS. 3537.
Indigata Hb. 3537.
Indigenata Vill. 2897.
Indigesta Stgr. 2185.
Indigna Chr. 1331 (Agrotis).
Inducta Spångb. 210e.
Iners Tr. 2109a.
Ines Hffsgg. 257.
Inesata Mill. 3003a.
Inexacta Leech 739.
 „ Fixs. 740.
Inexpectata Alph. 1372a (Agro-
 tis).
 „ Stgr. 4439 (Parasa).
Infans Alph. 1976 (Monostola).
 „ Mösch. 2855 (Brephos).
Infantilis Stgr. 1158.
Infausta L. 4390.
Infernata Rbr. 3023.
Infernalis Stgr. 25a (Parnass.).
 „ Gr. Gr. 183e (Melit.).
Infernalis Ev. 1678 (Hadena).
Infesta Tr. 1679.
Infidaria Lah. 3388.
Infirmitaria Rbr. 3006.
Infinita HS. 3006.
Infulgens Graes. 858a.
Infumata Aust. 25c (Parnass.).
 „ Stgr. 778a (Cerura).
Infumata Auriv. 242 (Danaïs).
 „ Stgr. 779 (Cerura).
 „ Alph. 1935b (Leucania).
 „ Grote 2099 (Cosmia).
Infusca Const. 2005b.
Infuscata Buchanan-White 1690a
 (Hadena).
 „ Stgr. 2400c (Thalpoch.).
 „ Stgr. 3150a (Ortholitha).
 „ Stgr. 3485b (Larentia).
 „ Stgr. 3726a (Ennomos).
 „ Stgr. 3894a (Boarmia).
 „ Stgr. 4310a (Lithosia).
 „ Klug 4430 (Somabrach.).
 „ Stgr. 4689b (Dyspessa).
Infuscata Hw. 1076a (Aeoniet.).
 „ Reuter 3115 (Ephyra).
 „ Ev. 3197 (Lithostege).
 „ Tngstr. 3319.
 „ Gmpbbg. 3481 (Larentia).
Ingenua Frr. 1763c.
Ingrata Stgr. 1998 (Caradrina).
 „ HS. 2389b (Eublemma).
Ingrata Gn. 2389c.
Ingricia HS. 2174.
Innitidella Brd. 4513.
Innocens Stgr. 1513b.
Innocentaria Chr. 4081.
Innocua Butl. 4121.
Innotaria HS. 3636.
Innotata Hufn. 3636 (Tephrocl.).
Innotata Failla-Ted. 2144 (Xanthia).
 „ Crewe 3636b (Tephrocl.).
Innubata Tr. 1152a.
Innubata Swinh. 2510a.
Innuptaria HS. 3973b.
Ino Rott. 222.
Inocellata Graes. 322a.
Inops Ld. 1628.
Inornata Edw. 443g (Coeno-
 nympha).
 „ Hw. 3046 (Acidalia).
 „ Wlk. 4434 (Miresa).
Inornata Brams. 154 (Pyrameis).
Inquinata Mab. 1377 bis add.
 (Agrotis).
 „ Ld. 2794 (Madopa).
 „ Butl. 3443a (Larentia).

zum Theil I

307

- Inquinata* Ld. 4448 (Acantho-psyché).
Inquinata Mab. 1481 a (Mamestr.).
 Rbr. 4251 e (Coscimia).
Inquinataria B. 4016.
Insana Stgr. 2594 a.
Inscripta Esp. 2560 b.
Inscriptata Don. 3380.
Insidiosa Ersch. 743 a.
Insignata Ld. 1180 (Agrotis).
 ,, Stgr. 2904 a (Nemoria).
 ,, Stgr. 4278 f (Endrosa).
Insignata Hb. 3543 (Tephroclyst.).
Insignata Hb. 3541.
Insignis Stgr. 16 c (Parnassius).
 Alph. 4075 c (Aspalat.).
Insignis Butl. 813 (Microphal.).
Insolatrix Hb. 2378 f.
Insolita Stgr. 1461 (Mamestra).
Insolita Butl. 3874 (Boarmia).
Insontata Chr. 3242.
Insparsa Stgr. 963 a.
Insparsaria Stgr. 4062.
Insparsata Stgr. 3701 a.
Inpersus Chr. 4658.
Instabilis Alph. 3284 (Scotosia).
Instabilis Esp. 2070 (Taenio-campa).
Insubrica Frey 433 a (Coeno-nymphäa).
Insubrica Wackerzapp 4245 d (Callimorpha).
Insueta HS. 1724 (Metopocer.).
 Frr. 2130 (Orthosia).
Insulana B. 4134.
Insularia Th.-Mieg. 3832.
Insularia Stt. 3658 c (Tephroclystia).
Insulariata Wallgr. 3366 (Larentia).
Insularis Stgr. 63 b (Euchloë).
 ,, Rbr. 2598 (Zethes).
 ,, Stgr. 4678 a (Holcocer.).
Insulata Hw. 3489 a.
Insulicola Stgr. 1569 d (Miana).
 Stgr. 3292 a (Lygris).
Integraria Stgr. 3163.
Intensa Butl. 914.
Intercalaris Gr. Gr. 777 bis add. (Cerura).
 Ev. 4206 (Arctia).
Intercisa Dup. 4235.
Interjecta Hb. 1128.
Interjectaria B. 3039.
Intermaculata Stgr. 4031.
Intermedia Krul. 52 b (Pieris).
 Pryer 145 a (Neptis).
 ,, Stgr. 405 e (Epinephele).
 ,, Stefanelli 511 c (Chrysophanias).
 ,, Kirby 745 b (Deilephila).
 ,, Teich. 785 d (Dianuräa).
 ,, Friv. 889 a (Orgyia).
 ,, Stgr. 1299 b (Agrotis).
 ,, Brem. 1841 (Chlaonantha).
 ,, Habich 2152 b (Xanthia).
 ,, Stgr. 3033 (Acidalia).
 ,, Stndf. 4159 a (Spilosoma).
 ,, Stgr. 4194 a (Ocynogyna).
Intermedia Horm. 145 (Neptis).
 Mén. 173 (Melitaea).
 ,, Spångb. 204 a (Argynn.).
 ,, Frey 265.
 ,, Obth. 282 a.
 ,, Trybom 306 (Erebia).
 ,, Schilde 709 a (Hesperia).
 ,, Mill. 958 (Malacosoma).
 ,, Ev. 1180 (Agrotis).
 ,, Brem. 2834 a (Habrosyn.).
 ,, Kempf 3122 (Rhodost.).
Intermediaria Alph. 3394 a.
Intermediella Brd. 4527.
Intermedius Mén. 20 b (Parnass.).
Intermedius Gr. Gr. 359 c (Satyr.).
Internata Püng. 3232.
Interposita Stgr. 1666 (Polygon.).
 ,, Ersch. 406 (Epineph.).
Interpositaria Stgr. 3353.
Interpositaria trans. Stgr. 3352.
Interpunctaria HS. 3687.
Interrogata Alph. 3497.
Interrogationis F. 165 (Polygon.).
 ,, L. 2573 (Plusia).
 ,, Mén. 4215 a (Arctia).
Interrupta Chr. 782 (Cerura).
 ,, Stgr. 4323 c (Zygaena).
Interrupta Rom. 782 a (Cerura).
 ,, Gr. Gr. 891 (Orgyia).
Interruptaria Feld. 3694.
Interruptata Rbl. 3668.
Interscalaris HS. 2558.
Intersecta Stgr. 3413.
Intradata Stgr. 2522.
Intractatus Stgr. 4645.
Intricans Alph. 2338.
Intricata Stgr. 3675 (Phibalapt.).
Intricata B. 2158 et add. (Orrhodia).
 ,, Zett. 3592 b (Tephroclyst.).
Inturbaria Frr. 3630.
 ,, HS. 3631.
Inturbata Hb. 3631.
Inturbata Hein. 3523.
Innumbrata Stgr. 1993 a.
Inusitata Gn. 3454 a.
Inustaria HS. 3007.
Inustata HS. 3007.
Inversa Alph. 98 a.
Involuta Walk. 2504.
Jo L. 156.
Jo var. Kayser 156 a.
 ,, var. Newman 156 b.
Jocosa Z. 2302 a.
Jocularis Chr. 2409.
Jodea (Gn.) HS. 1859.
Jodisata Stgr. 2912.
Jodutta Hb. 4736.
 ,, Esp. 4743.
Johanna Stgr. 1791.
Johannes Stgr. 4656.
Johanssoni Lampa 3300.
Joides O. 156.
Jolas O. 630.
Jolause Bon. 354 (Satyrus).
 ,, Hb. 630 (Lycaena).
Jole Schiff. 131 a (Apatura).
 ,, Leech 338 c (Satyrus).
Jonasi Jans. 491 (Zephyrus).
Jonasii Butl. 1031 a (Saturnia).
Jone Butl. 4160.
Jonia Ev. 132.
Jonis Ld. 1790.
Joppiformis Stgr. 4619.
Jordana Stgr. 311 a (Erebia).
 ,, Stgr. 878 (Thaumatur.).
 ,, Stgr. 1988 a (Amphidr.).
 ,, Stgr. 2121 (Orthosia).
 ,, Stgr. 2192 (Catamec.).
 ,, Stgr. 4461 (Amicta).
 ,, Stgr. 4703 (Dyspessa).
Jordanaria Stgr. 3753 (Crocall.).
 Stgr. 4027 (Phasiene).
Jordanus Stgr. 528.
Jordisi Rühl 193.
Josephi Stgr. 359 a.
Josephina Aust. 891 d.
Josua Stgr. 977.
Jota L. 2560.
Jota Frr. 2559.
 ,, var. HS. 2560 a.
Jotunensis Auriv. 1178.
Jourdanaria Vill. 4084.
Iphias Ev. 438.
Iphiata Gn. 4092.
Iphicles Stgr. 427 d (Coenonym.).
Iphicles Stgr. 629 (Lycaena).
Iphidamon Stgr. 625 h.
Iphigenia Graes. 206 (Argynn.).
 ,, HS. 625 g (Lycaena).
Iphigenia Esp. 186 (Melitaea).
 ,, Alph. 625 i (Lycaena).
Iphigenides Stgr. 625 k.
Iphimedia Esp. 4146 c.
Iphina Stgr. 427 c.
Iphiooides Stgr. 429.
Iphis Schiff. 427 (Coenonymph.).
Iphis Meig. 604 a (Lycaena).
Iramica Bienn. 58 a (Pieris).
 ,, Gr. Gr. 320 h (Erebäia).
Iranicus Aust. 4679.
Iris L. 131 (Apatura).
 ,, Stgr. 566 (Lycaena).
 ,, Gn. 1863 (Brotolomia).
 ,, Zett. 2119 (Crasia).
Iris Hb. 131 a.
 ,, Esp. 132.
 ,, ab. Weym. 131 a.
 ,, var. Esp. 131 a; 132 b.
 ,, *rubescens* Esp. 132 c.
Irregularis Hufn. 1559.
Irrignata Stgr. 3531.
Irrisor Ersch. 1481 a.
Irritaria Stgr. 3529.
Irrorata Baker 3101 (Acidalia).
 Chr. 4024 b (Phasiane).
Irrorata God. 4278 (Endrosa).
Irrorataria Brem. 3888.
Irvorea Schiff. 4278.
 ,, var. Esp. 4278 a.
Irrorella Cl. 4278.
Isabella Tgstr. 202 b.
Isabellae Graëlls 1024.
Isabellaria Mill. 2979 (Acidalia).
 Stgr. 3894 c (Boarmia).
Isaea Gray 225 b.
Isarica Rühl 301.
Isaurica Stgr. 609.
Isis Hb. 210 b (Argynnis).
 ,, Thmbg. 443 c (Coenonympha).
Isis Hb. 210 (Argynnis).
Islandiae Mill. 1666 a.
Islandica Stgr. 1373.
Islandica Auriv. 1368 a.
Islandicaria Stgr. 3374 a.
Ismene HS. 12.
Isogrammaria HS. 3625.
Isogrammata Tr. 3623.
 Breyer 3625.
Issyca Stgr. 300 c (Erebäia).
 ,, Püng. 1871 a add. (Naenia).
Issyca Stgr. 4222 b.
Issykula Stgr. 1334 a.
Istrianus Stgr. 3822 a.
Italica Gerh. 125 a (Gonepteryx).
 ,, Stichel 152 b add. (Pyrameis).
 ,, Calb. 510 b (Chrysophan.).
 ,, Stgr. 253 a (Plusia).
 ,, Stndf. 4245 d (Callimorph.).
 ,, (Stgr.) Rbl. 4333 a (Zygæna).
Italica Carad. 4346 d (Zygaena).
Italicata Mill. 3183 a (Minoa).
Italicata Gn. 3595 (Tephroclyst.).
Italo-Gallica Mill. 1966.
Itea Wilk. 537.
Jubata Obth. 2212 (Cleophana).
 ,, Thmbg. 3900 (Boarmia).
Jucunda Hb. 2392 (Eublemma).
 ,, Meissner 4387 c (Zygaena).
Jucundaria B. 3464.
Judaea Stgr. 891 a (Orgyia).
 Stgr. 1076 b (Acronict.).
Judea Stgr. 2 a.
Judaica Stgr. 1616.
Judicariae Calb. 4351 a.
Juditha Stgr. 1779.
Jugicola Stgr. 3160 a.
Jugicola var. Stgr. 3160.

- Juglandis* Hb. 908.
Juglansaria Graes. 3831.
Jugorum Ersch. 2297.
Jugurtha Obth. 525 a.
Juldusci Stgr. 625 i.
Juldussi Alph. 1251.
Julifaria Hw. 3733 a.
Junciea Obth. 4387 d.
Juncteti Z. 1990.
Juncta Stgr. 2686 (Catocala).
Juncta Tutt. 2539 add. (Plusia).
Junctata Stgr. 3172.
Junctimacula Chr. 1326.
Junctis Hw. 2068.
Juniperata L. 3310.
Juno Dalm. 2665.
Junonia Stgr. 1275.
Jurassica Rüggenbach 2004.
Jurtina L. 402.
Jurtina Hb. 405.
Jutalis Wlk. 2764 add.
Jutta Hb. 330 et add.
Juvenilia Brem. 2604.
Juvenis Stgr. 1224.
Juventina Cr. 1846.
Iveni Ersch. 3967 (Gnophos).
Iveni Hübner 1165 (Agrotis).
Ixora B. 258 a.
- Kabylaria* Obth. 3998 b.
Kadenii Frr. 2009.
Kadenii Ld. 4336.
Kahri Ld. 4469.
Kalchbergi Stgr. 1799 (Polia).
 „, Stgr. 2830 (Hypenod.).
Kalischata Stgr. 3414.
Kalmuka Alph. 315.
Kalora Moore 56 c.
Kalora Gr. Gr. 56 b.
Kamtschadalus Alph. 4 g.
Karategini Gr. Gr. 4373 a.
Karawankensis Höfn. 4503.
Karelica Tgst. 4114.
Karelini Mén. 4244.
Kargalika Moore 920.
Karsana Moore 680.
Karschi Graes. 1373 b.
Karsiana Rom. 1607.
Kaschtschenkoi Chr. 185 f.
Kashghara Moore 3161.
Kashgharensis Moore 604.
Kashmirensis Moore 2528 b.
Kaufmanni Ersch. 346.
Kavrigini Gr. Gr. 4372 a.
 „, Stgr. 3225.
Kazamoto Druce 645 e.
Kefersteinii Ev. 263 (Erebia).
Kefersteini Gerh. 503 (Chrysop.).
 HS. 4333 c (Zygaena).
Kengkalis Brem. 2813.
Kenteana Stgr. 1167 a (Agrotis).
 „, Stgr. 1535 b (Dianthoec.).
Kenteana Stgr. 547 a (Lycaena).
Kenteana Stgr. 3754 c.
Kenteata Stgr. 4031 a.
Kenteata Stgr. 4030.
Kermesina Mab. 1198.
Keyserlingi Bien. 2393.
Khaldija Obth. 1723.
Khasiana Leech 4424.
Khorgossi Alph. 1521.
Kidsicota Gmpbg. 3894.
Kiesenwetteri HS. 4360 b.
Kiliiani Rbl. 3231.
Kiliissi Rühl 210.
Kindermannia Stgr. 3854.
Kindermanni Stgr. 270 (Erebia).
 „, Ld. 728 (Smerinthus).
 „, Brem. 3190 (Polythyn.).
 „, Stgr. 4219 (Arctia).
Kindermanni Ld. 625 c (Lycaena).
 „, Ld. 4147 (Syntom.).
- Kindermannii* F. 2136 (Orthos.).
Kindermannii HS. 2423 (Thalpochares).
 „, Frr. 4682 (Hypotpa).
Kirghisa Alph. 411 (Epinephele).
 „, Ev. 1316 (Agrotis).
Kirghisa var. (Sartha) (Gr. Gr. 412).
Kirghisaca Stgr. 957 d.
Kirgis Gerh. 363 e (Satyrus).
Kisilkumensis Ersch. 2371 (Armadama).
Kisilkumensis Chr. 2374 (Metoponrhis).
Klemensiewicz Schille 152 a.
Klugii Butl. 242.
Knautiata Gregson 3561.
Kodiak (a) Edw. 443 e.
Koechlini Th.-Mieg. 1513.
Koekeritziana Bw. 2493.
Köppeni Alph. 1427.
Kogistana Gr. Gr. 591.
Kohistania Gr. Gr. 4372 b.
Kolaensis Reuter 211.
Kollararia Frr. 3335.
Kollarii Ld. 1189.
Kollararia HS. 3335.
Kollararia Lah. 3335 a.
Kolpakofskii Alph. 4246.
Kolthoffi Auriv. 2291 b.
Komarovii Chr. 760 (Chaerocamp.).
 „, Chr. 937 (Lymantria).
Konekwai Frr. 4203 b.
Korbi Stgr. 949 (Albarracina).
 „, Stgr. 2214 a (Cleophaen.).
Koreana Fixs. 7 c (Sericinus).
Korlana Stgr. 358 (Satyrus).
 „, Stgr. 643 b (Lycaena).
Korsakovi Chr. 1736.
Kosakka Obth. 1856.
Kozlovi Alph. 41 b.
Kraefti Graes. 4144.
Kraussi Rbl. 2198.
Kreitneri Friv. 39 b.
Krodeli Gillmer 613 a add.
Krueperi Stgr. 47.
Krystallina Schilde 13.
Kulekana Stgr. 2390.
Kuenlunus Gr. Gr. 695.
Kuhlwelti Hb. 4280.
Kulldjaensis Graes. 767 a.
Kuldschaensis Alph. 3121 (Stigma).
 „, Stgr. 3577 (Tephrocil.).
 „, Heyl. 4509 a (Rebelia).
Kullervo Sahlberg. 202.
Kungessana Alph. 4538 a.
Kungessi Alph. 1160.
Kurdistana Stgr. 363 d (Satyr.).
Kurdistana Rühl 1402 (Epineph.).
Kuwerti Fuchs 2766.
- Labeula* Ld. 1585.
Labradorensis Seudd. 87.
Labradoriata Möschl. 3786.
Labradoriensis Sommer 3228 a (Anaitis).
 „, Pack. 4740 (Hepial.).
Labradoriensis Stgr. 1368 a (Agrotis).
 „, Pack. 3327 (Larentia).
Labradoris Stgr. 2291 a.
Lucata Sc. 2482.
Lacerataria Graes. 2016.
Lacernaria Hb. 2396.
Lacertinia L. 1051.
Lacertula Stgr. 4695 (Dyspessa).
Lacertula Schiff. 1051 (Drepana).
Lachesis Hb. 245.
Laciniosa Chr. 1842 (Chloanthia).
Laciniosa Donz. 2000 (Cardadrina).
Lacrimosa Graes. 1488.
- Lactaria* Graes. 4116.
Lactata Hmps. 2876.
Lactea F. 2240.
Lactearia L. 2918.
Lacteola Chr. 1974 (Leucania).
 „, B. 4301 a (Lithosia).
Lactuceae Esp. 2248.
Lactularia HS. 3509.
Lacunaria Hedem. 2876.
Lada Gr. Gr. 108.
Ladakensis Moore 4 f (Papilio).
 „, Feld. 97 (Colias).
 „, Moore 151 (Vanessa).
Ladislai Obth. 844.
Ladoniades de l'Orza 650 c.
Laeta Chr. 175 d (Melitea).
 „, Stgr. 274 a (Erebina).
 „, Stgr. 416 b (Epinephele).
 „, Wlk. 992 (Cosmotrichre).
 „, Alph. 1913 a (Tapinostol.).
 „, Hb. 4381 (Zygaena).
Laeta Chr. 375 (Satyrus).
 „, Renter 1467 (Mamestra).
 „, var. Wlk. 992 a (Cosmotrichre).
Laetabilis Zeit. 1985.
Laetalia Stgr. 2790 a.
Laetaria Lah. 3335 a.
Laetata F. 3683.
 „, Brem. 3685 a.
Laetevirens Obth. 1864.
Laetifica Püng. 638 d (Lycaena).
 „, Stgr. 1266 (Agrotis).
 „, Stgr. 223 c (Apopest.).
 „, HS. 4377 a (Zygaena).
Laetus Stgr. 4727 a.
Laevgaria Hb. 3002.
Laevigata Sc. 3002 (Acidalia).
Laevgaria Hw. 3656 (Tephrocil.).
Laevis Hb. 2133 (Orthosia).
Laevis Butl. 790 (Fentonia).
Lagopus Esp. 1846.
Lagunica Graes. 1903.
Lahayei Obth. 2863 (Pseudopterina).
Lahayei Obth. 4626 (Sesia).
Laidion Bkh. 443.
 „, Auriv. 443 c.
L-album Esp. 158 (Vanessa).
 „, L. 1954 (Leucania).
L-album Hb. 167 a (Polygonia).
Lama Stgr. 1711 (Hadena).
 „, Püng. 1751 et add. (Heliophobus).
 „, Stgr. 1803 a (Dasypolia).
Lama Alph. 42 (Aporia).
 „, Alph. 338 b (Satyrus).
 „, Gr. Gr. 598 (Lycaena).
 „, Stgr. 1452 b (Mamestra).
Lamata Stgr. 3371.
Lambessa Heyl. 4457 b.
Lambessanus Stgr. 377 a.
Lambessata Obth. 2944.
Lamda F. 2176.
Lamentaria Alph. 1207 a.
Laminaria HS. 3762.
Lampana Auriv. 325.
Lampetie Hb. 511.
Lampon Ld. 505.
Lamponides Stgr. 505 a.
Lanaria Ev. 3815.
Lanata Rühl 405 e.
Lancea Stph. 1621 a.
Lanceata Hb. 3653.
Lanceolaria (Stph.) Wd. 3650.
Lanceolata Shipp. 401.
Lanestris L. 965 et add.
Langi Ersch. 2629 (Leucanitis).
 „, Chr. 3154 (Ortholitha).
Languida Stgr. 1937 (Leucania).
Languida HS. 2714 (Catocala).
Lanigera Butl. 779.
Lanipes Ld. 4601.

Lantosata Mill. 3553.
Lantyi Obth. 576.
Lanzarotis Rbl. 1338.
Laodice Pallas 234.
Laphira HS. 4353.
Laphria Frr. 4354.
Laphria HS. 4353.
Laphriaciformis Hb. 4356.
Lapidaria HS. 3669.
Lapidatia Hb. 3669.
Lapidata Mill. 3669 a.
Lapidea Hb. 2178.
Lapidea Tr. 2178 b.
Lapidicola HS. 936.
Lapidisaria Frr. 3922.
Lapidosa Graes. 1257.
Lapidosaria Frr. 3922.
Lappona Esp. 319.
Laponaria B. 3817.
Laponica Stgr. 210 d (Argynnis).
 „ Teich. 849 a (Pterostom.).
 „ Bau 1014 a (Endromis).
 „ Thmbg. 2294 (Anarta).
 „ Stgr. 3363 a (Larentia).
Laponica Stgr. 80 (Colias).
 „ Backhaus 514 (Chrysoph.).
 „ Gerh. 544 b (Lycaena).
 „ Frr. 1131 a (Agrotis).
 „ Thnbg. 4210 (Aretia).
Laquearia HS. 3523.
Laquearia HS. vide *Laquearia*.
Laquearia Gn. 3523.
Lara Brem. 2668.
Larentia Brd. 3335.
Lariciaria HS. 3574.
Lariciaria Dhd. 3904 a.
Lariciata Frr. 3574.
Laricis Schille 904 a (Dasychira).
 „ Spr. 3535 a (Tephroclyst.).
Larissa HG. 251.
Larissa var. d'Arct. 254.
Larixia Gn. 1219.
Lasciva Stgr. 1250.
Lascivalis Ld. 2383.
Lasseria Obth. 1431 et add.
Lassulata Rehfr. 3701 a.
Lasthenia Mill. 69.
Lasurea Graes. 459 a.
Lata Tr. 1405 a (Agrotis).
 „ Chr. 4278 g (Endrosa).
Latebrosa Ld. 1989 a.
Latefascia Herz 191 h.
Latefasciata Mén. 137 a (Limenitis).
 „ Stgr. 3319 c (Larentia).
Latelineata Graes. 3061.
Latenai Pier. 1487 a.
Latens Hb. 1308.
Latens B. 1303.
Latentaria Curt. 3340.
Lateritia Hufn. 1694.
Lathonia Hb. 225 a.
Lathonia L. 225.
Lathyri Hb. 81 a (Leptidia).
Lathyri Dup. 83 (Leptidia).
 „ Hb. 900 (Dasychira).
 „ B. 4324 (Zygaena).
Lathyrus Wlk. 749 f.
Laticincta Stgr. 2451 a.
Latifascia Curt. 781.
Latifasciata Prout 3380.
Latifoliata Mill. 3404.
Latifolii Th.-Mieg. 749.
Latifusata Wlk. 3317.
Latimarginata Röber 1125 b add.
Latiior Fixs. 460 c.
Latipennis Butl. 862 (Pygaera).
 „ HS. 4355 (Zygaena).
Latinupta Wlk. 3668.
Latitans Gn. 1308.
Lato Gr. Gr. 670 d.
Latofasciata Stgr. 4021.
Latonia L. vide *Lathonia*.

Latonia Gr. Gr. 1851 (Melitaea).
 „ var. Fir. 225 a (Argynn.).
Latonida Mill. 3656 b.
Latoniogena Ev. 1851.
Latrefillei Dup. 1848 (Callopist.).
 „ God. 4220 (Aretia).
Latruncula Hb. 1567 a.
Latruncula HG. 1567 b.
Latsaria Obth. 3470.
Lattei Ein. 1 f.
Latae Hb. 2245.
Landabilis Stgr. 4669.
Landetti B. 2363.
L aureum Frr. 2566.
Lauta Püng. 1473 bis add.
Lavandulae Esp. 4359.
Lavatherae Esp. 685.
Lea Stgr. 1783.
Leander Esp. 428.
Leautieri B. 2178.
Leda HS. 2484.
Lederi Alph. 336 a (Oeneis).
 „ Chr. 1738 (Episema).
 „ Chr. 3844 (Hemeroph.).
Ledererata Gn. 3006.
Ledereri B. 469 (Thecla).
 „ Mill. 945 (Oeneis).
 „ Rghfr. 1041 (Brahmaea).
 „ Ersch. 1311 (Agrotis).
 „ Stgr. 2142 (Xanthia).
 „ Stgr. 2171 (Xylina).
 „ Stgr. 2231 (Cucullia).
 „ Stgr. 3189 a (Polythren.).
 „ Brem. 3296 (Lygris).
 „ (Stgr.) Rbl. 4353 (Zygaea).
 „ Stgr. 4766 (Stygia).
Ledereri Stgr. 1233 (Agrotis).
 „ HS. 1873 (Nyssocneum.).
 „ Rbr. 4332 (Zygaena).
Ledereriella Brd. 4519.
Leechi Gr. Gr. 105 f (Colias).
 „ Gr. Gr. 359 d (Satyrus).
 „ Stgr. 800 (Nerice).
 „ Stgr. 3190 a (Polythren.).
 „ Alph. 3275 (Photoscotos).
Leechii Elw. 89 g (Colias).
Leela Nicév. 581 k.
Lefebvrei Dup. 282 a.
Lefebvrii HS. 280 b; 282 a.
Lefuarius Ersch. 3827.
Legataria HS. 4035.
Legeri Frr. 501.
Lehana Moore 365 b.
Lehanus Moore 583 b.
Leineri Frr. 1472.
Lena Chr. 314.
Lenata Chr. 3208.
Lenis Stgr. 1756 (Phoebophil.).
 „ Ev. 2423 a (Thalpochares).
Lenis HS. 2423.
Lennigia Fuchs 3110 b.
Lenta Tr. 2022.
Lentalis Leech 2788.
Lenticulosa Dup. 1401.
Lentina Stgr. 2022 a.
Lentipes Esp. 964.
Lentiscaria Donz. 4061.
Lentiscata Mab. 3655.
Leoudra Stgr. 4130.
Leonardti Rühl 20.
Leonina Butl. 668 (Adopaea).
 „ Obth. 2538 (*Plusia*).
Leonina Stgr. 1295 (Agrotis).
Leonis Stichel 809 b add.
Leopardina Mén. 4180.
Lepechini Ersch. 134 a.
Lepidaria Chr. 3364.
Lepigone Möschl. 2029.
Lepigone Rössl. 2028.
Lepititi B. 1424.
Leporella Stgr. 1074 c.
Leporina L. 1074.
Leprieuri Obth. 4175.
Lepsaria Stgr. 3568.
Leptogrammata Stgr. 3617.
Lesbia Chr. 2672.
Leschenaulti Stgr. 4470.
Leschenaulti Mill. 4470 a.
Leuce Stgr. 121 a.
Leucanides Stgr. 2445.
Leucanthemi Rbr. 2250 c.
Leucaspis F. d. W. 1114.
Leucocycla Stgr. 2290.
Leucoderia Stgr. 829.
Leucodice Ev. 54.
Leucodon Ev. 1680.
Leucogaster Frr. 1243.
Leucogrammaria Püng. 4063.
Leucographa Hb. 1424 (Pachnob.).
 „ Bkh. 1883 (Hydroec.).
Leucomelaena Z. 4606.
Leucomelas Esp. 246 a (Melanargia).
 „ L. 2660 (Anophia).
Leucomelas Hb. 2661 (Aedia).
 „ Esp. 2662 (Catephia).
 „ O 4705 (Stygia).
Leuconota Ev. 1514 a (Mamestra).
 „ HS. 1659 (Hadena).
Leucoparea Ld. 4572.
Leucophaea View. 1441 (Mamistra).
 „ Butl. 3889 (Boarmia).
Leucophaearia Schiff. 3797.
Leucophaearia var. Dup. 3797 a.
 „ Wd. 3799.
Leucophryna Gr. Gr. 94.
Leucopsidiformis Esp. vide *Leucopsiformis*.
Leucopsiformis Esp. 4612.
Leucopsiformis HS. 4616.
Leucoptera Thnbg. 2000 a (Cadrinaria).
Leucoptera Esp. 2286 (Anarta).
Leucospidiformis Ld. 4608.
 „ Stgr. 4612.
Leucostigma Esp. 1715 b (Hadena).
 „ Hb. 1876 (Helotroph.).
Leucotaenia Stgr. 296 a.
Leucotera Steff. 48 a.
Leucotheme Gr. Gr. 121 c.
Leuzeae Obth. 689.
Levantillii Luc. 66.
Levana L. 169.
Levetti Butl. 650 c.
Levis Stgr. 2017 b.
Libanicola Stgr. 936 b.
Libanotica Ld. 118 a (Colias).
 „ Stgr. 405 g (Epineph.).
 „ Stgr. 2723 e (Apopest.).
Libanotida (Schläg.) Gn. 3557.
Libatrix L. 2502.
Liburnicus Rbl. & Rghfr. 14 e.
Lichen Obth. 794.
Lichenaria Hufn. 3897.
Lichenea Hb. 1771.
Lichenis Esp. 1599.
 „ Dup. 1599 b.
Lichenodes Graes. 1071.
Lidia Cr. 1372.
Lidia B. 1168.
Lienigiaria Ld. 3322.
Ligaminata Ev. 3681.
Ligaminosa Ev. 2721 a.
Ligea L. 302.
Ligea Esp. 277.
 „ Schilde 302 b.
Lignata Hb. 3379.
Ligneal Butl. 2759.
Ligniperda F. 4941.
Lignosa God. 1345 a.
Lignosa Hb. 1346.
Ligula Esp. 2165 et add.
Ligula Esp. 2165 e.

- Ligularia* Gn. 3377.
Liguriata Mill. 3556 add.
Liguris Mill. 1599.
Ligusticata Donz. 3600 d.
 ” Dup. 3597 b.
Ligustraria Tr. 3368.
Ligustrata (S. V.) Hb. 3368.
Ligustrum L. 734 (Sphinx).
 ” F. 1107 (Craniophor.).
Lilacina Butl. 2745.
Lilitputana Stgr. 136 c.
Limacodes Hufn. 4440.
Limaria Chr. 3767.
Limata Chr. 2369.
Limbaria F. 3996 (Fidomia).
Limbaria Hb. 3436 (Larentia).
Limbata Stgr. 2722 (Apopestes).
 ” Stgr. 3524 (Tephrocl.).
Limbata Butl. 1969 (Leucania).
 ” Rbr. 3997 (Fidomia).
 ” var. Stgr. 2722 a (Apopestes).
Limbsignata Nolck. 3449.
Limitata Sc. 3155.
Limosa Vill. 1005 (Pachypasa).
 ” Tr. 2746 (Toxocampa).
Limosaria Hb. 3965.
Linariae Esp. 2199.
Linariata (S. V.) F. 3520 (Tephroclysta).
Linariata Bkh. 3370 (Larentia).
Lineans F. 564.
Lindei Heyne 2273 a.
Linea F. 662.
Lineago Gn. 2152 a.
Linearia Hb. 3117.
Lineata F. 752 (Deilephila).
 ” Obth. 803 (Drymonia).
 ” Ev. 1953 (Leucania).
 ” Sc. 4067 (Seoria).
Lineata O. 752 a (Deilephila).
Lineola O. 661.
Lineolata (S. V.) Hb. 3180.
Lineosa Frr. 1005 (Pachypasa).
 ” Moore 2021 (Caradrin.).
Linogrisea Schöff. 1126.
Linogrisea Stgr. 1126 a.
Linogrisearia Const. 3230 c.
Linnea Frr. 2200.
Lintneri Fitzsch. 162 a.
Linutata Gn. 3459.
Lipara Rbl. 1408.
Liquidaria Ev. 3818.
Literata Brem. 1100 (Acronicta).
 F. d. W. 1529 (Dianthoec.).
Litterata Don. 3486.
 ” Spr. 3487 (Larentia).
Literesa Hw. 1566.
Lithographata Chr. 3610.
Lithorhiza Tr. 2181.
Lithoxylata Hb. vide Lythoxylata.
Lithoxylata Gn. 3212.
Lithoxylea F. 1700.
Lithoxylea Hb. 1701.
Litigiosaria B. 2943.
Litoria Frr. 2035.
Litterata Cyr. 2586 a.
Littora Baker 4129.
Littoralis B. 1857 (Prodenia).
 ” Curt. 1958 (Leucania).
Littoralis Pack. 1166.
Littorata Const. 3598 a.
Litura L. 2138 et add.
Liturata Hb. 3790.
Liturata Chr. 2350 (Metaloph.).
 ” Cl. 3790 (Semiorthis).
 ” Mén. 4232 b (Arctia).
Liturataria Esp. 3790.
Livia Klug 527 (Hypolycaen.).
Livia Frr. 1273 (Agrotis).
Lividata Stgr. 1281 a (Agrotis).
Lividata F. 2049 (Amphyipyra).
Lividalis Hb. 2820.
Lividaria Hb. 3839 (Nychiodes).
Lividaria Costa 3143 a (Sterrhia).
Lividata Gn. 3048.
Lividellaria Peyer. 3002.
Livina Stgr. 2165 d.
Livinaria Lah. 3369.
Livonica Teich. 1347 b.
Livonica Teich. 302 b.
Livornica Esp. 752 a.
L-nigrum Müller 923 (Arctorinus).
L-nigrum Baker 4655 (Paropta).
Lobulata Hb. 3241.
Lobulina Esp. 993 a.
Lobulina Frr. 993.
Locata Stgr. 2670 a.
Locuples Wlk. 897.
Locuples Butl. 2324.
 ” Butl. 232 g (Argynnus).
 ” Butl. 897 a (Cifuna).
 ” Obth. 2556 (Plusia).
Loewii Z. 554 (Lycaena).
 ” Z. 4197 (Ocynogyna).
 ” Z. 4581 (Sesia).
Loewii Z. 4580 (Sesia).
 ” var. Id. 4197 b.
 ” var. HS. 4198 (Ocynogyna).
 ” minor Stgr. 4581 (Sesia).
Lolii Esp. 1439.
Lomatiaformis Ld. 4568.
Longaria HS. 2987.
Longicornis Graes. 1442.
Lonicerae Scheven 4350.
Lonicerae Z. 771 (Hemaris).
 ” Hb. 4350 a.
 ” var. Esp. 4346 (Zygaena).
Loreyi Dup. 1957.
Lorezi Stgr. 2081.
Loricaria Ev. 4012.
Lorquinella Brd. 4463 a.
Lorquinia HS. 634.
Lota Cl. 2122 (Orthosia).
Lota Hb. 2073 (Taeniocampa).
Lotaria B. 3338.
Loti O. 984 (Diptura).
Loti Hb. 4346.
 ” Esp. 4356 d (Zygaena).
Lötteri Aust. 1 f.
Loyselis Obth. 4329.
Lua Gr. Gr. 453.
Lubrica Frr. 2740.
Lubricipeda L. 4159.
Lubricipeda var. Barr. 4159 a.
Lubrosa Stgr. 2740 b.
Lucas Rbr. 247.
Lucens Frr. 1877 b.
Lucerneia L. 1259.
Lucia Butl. 1855 a.
Lucialata Fuchs 3874 a.
Lucicolea Butl. 3273.
Lucida Stgr. 250 a (Melanargia).
 ” Hufn. 2378 (Acontia).
Lucidulina Pouj. 1062 a.
Lucifer Gr. Gr. 4662.
Lucifera Stgr. 549 (Lycaena).
Lucifera Esp. 1205 (Agrotis).
Lucifuga Hb. 2247.
Lucifuga Esp. 2245.
 ” Dup. 2250.
Lucilla Buti. 66 d (Euchloe).
 ” F. 144 (Neptis).
Lucilla Esp. 135 (Limenitis).
Lucillata Gn. 3677.
Lucina L. 451.
Lucipara L. 1861.
Lucipara F. 1270.
Lucifera Esp. 4187.
Lucifica Stgr. 874 a.
Lucifaria HS. 3444.
Luciata Hb. 3450.
Luciata (S. V.) Hb. 3444.
Luctuosa Esp. 2380 (Acontia).
 ” Stgr. 2717 b (Catocala).
 ” Hg. 4171 (Phragmatob.).
 ” Ld. 4561 (Sesia).
Luctuosaria Obth. 3438 b.
Luculentia Esp. 1706.
Ludiera Hb. 2734 (Ecrita).
Ludiora Luc. 4325 (Zygaena).
Ludifica L. 1065.
Ludifica Stgr. 3409.
Ludmilla HS. 144 a.
Ludovicaria Obth. 3290.
Ludovicata Mill. 3500.
Ludognaria HS. 3458.
Lugdunensis Mill. 4387.
Lugens Horv. 256 a (Melanargia).
 ” Stgr. 278 a (Erebia).
 ” Carad. 638 b (Lycaena).
 ” Stgr. 699 b (Hesperia).
 ” Stgr. 2030 a (Hydrilla).
 ” Alph. 2378 c (Acontia).
 ” Obth. 3446 (Larentia).
Lugens Obth. 246 (Melanargia).
 ” Stndf. 1039 a (Aglia).
 ” Hw. 1715 b (Hadena).
Lugubrata Möschl. 3295 a (Lygris).
 ” Stgr. 3444 (Larentia).
Lugubris Stgr. 4573 b (Sesia).
Lugubris Graes. 2026 (Hydrilla).
 ” Stgr. 3445 (Larentia).
 ” HS. 4171 (Phragmatob.).
Luminosata Chr. 3221.
Lunaria Schiff. 3734.
Lunaria Hb. 3735.
Lunaria Schiff. 2655.
Lunata Moore 1230 a (Agrotis).
Lunata Frr. 1883 (Hydroecia).
Luneburgensis Frr. 1761 a.
Lunifera Butl. 3894 a.
Lunigera Esp. 993 (Seleneper.).
Lunigera Butl. 166 f (Polygon.).
 ” Esp. 993 a (Seleneper.).
Lunulata Butl. 166 f (Polygon.).
 ” Ersch. 470 (Thecla).
 ” Butl. 910 (Dasychira).
Lunulata Rom. 471 (Thecla).
 ” Brem. 1040 (Brahmaea).
Lupa Chr. 1443.
Luperinoides Gn. 1234.
Lupina HS. 2689 (Catocala).
 ” Graes. 2737 (Toxocamp.).
Lupinus Costa 405 f.
Lupula Hb. 1588.
Lupulina L. 4738.
Lupulina Hb. 4727.
Lurida Fixs. 1045 (Rondotia).
 ” Alph. 1541 (Dianthoec.).
Lurida Tr. 2191.
Luridaria Frr. 3853 b (Synopsis).
Luridaria HS. 3066 (Acidalia).
Luridata Z. 3061 (Acidalia).
 ” Bkh. 3908 (Boarmia).
Luridata Rbh. 3066 a (Epimecia).
Lurideola Zinck. 4296.
Lusciania Z. 3668.
Lusitanica Stgr. 457 a (Laeosop.).
 ” Stgr. 4245 c (Callimorph.).
Lusoria L. 2735.
Lusoria Hb. 2741.
Lutamentaria Graes. 3903 b.
Lutarella L. 4306.
Lutarella var. Snell. 4306 b.
Lutea Hew. 487 (Zephyrus).
 ” Obth. 958 a (Malacosom.).
 ” Brem. 1104 (Acronicta).
 ” Ström. 2146 (Xanthia).
 ” Stgr. 4456 (Amicta).

- Lutea* Stgr. 4245 b (Callimorph.).
„ Stgr. 4268 (Miltochrista).
Luteago (S. V.) Hb. 1527.
Lutearia Stgr. 3147 b (Lythria).
F. 4064 (Lycogene).
Luteiceps Hb. 3475 (Larentia).
Luteata Schiff. 3475 (Larentia).
Pack. 3562 (Tephrocl.).
Luteiceps Rbr. 3758.
Luteocincta Rbr. 1542 b.
Luteola Frr. 2024 (Hydrella).
Hb. 4292.
„ Schiff. 4306 (Lithosia).
B. 4388 c (Zygaea).
Luteolaria Const. 2930 (Acidal.).
Tgstr. 3782 a (Semeiothis).
Luteolata L. 3761.
Luteostrigata Stgr. 3526.
Lutescens Stgr. 4248 a (Callimorpha).
Lutescens Bath 166 b (Polygonia).
„ Fuchs 1600 (Bryophila).
Lutescentia Stgr. 3965 b.
Luteus Obth. 958 a (Malacosom.).
„ Gr. Gr. 4733 (Heptalus).
Luticiliata Chr. 3949.
Lutipemaria Fuchs vide *Lutipennaria*.
Lutipennaria Fuchs 3947.
Lutosa Stgr. 1126 a (Agrotis).
„ Stgr. 1638 (Hadjina).
„ Hb. 1928 (Calama).
Stgr. 2440 (Thalpochar.).
Lutosa Esp. 4306 (Lithosia).
Lutosaria Bhtsch. 3622.
Lutosata Rbr. 3054.
Lutulenta Bkh. 1761.
Lutulenta Dup. 1761 b.
Lutulentaria Stgr. 3037.
Lutulentus Gr. Gr. 690.
Luxerii God. 4163.
Lycaon Rott. 405 et add.
Lycaon var. Alph. 405 e.
Lycarum HS. 1403.
Lychnidis Hb. 2127.
Lychnitidis Rbr. 2224.
Lycides Trapp. 552 c.
Lycormas Butl. 631.
Lydia Stgr. 368 b (Satyrus).
„ Kral. 607 a (Lycaena).
„ Stgr. 4363 (Zygaea).
Lylus Esp. 440 b.
Lylus var. HS. 440 c.
Lyncea Hb. 1839.
Lyneus Hb. 460 a.
Lyneus Esp. 460.
Lysimon Hb. 569.
Lysippe Janson 235.
Lyssa B. 390 a.
Lythargyrea Hb. 1967.
Lythargyria Esp. 1967.
Lythoxylata Hb. 3212.
- Maackii* Mén. 6 a (Papilio).
„ Brem. 399 (Letho).
Brem. 721 (Smerinth.).
Mabilieii Th.-Mieg. 2894.
Maccabaeus Stgr. 2 b.
Macedonica Stgr. 3232.
Machaon L. 4.
Macilenta Hb. 2123.
Macilenta Hb. 2124.
Macilentaria HS. 2937.
Macilentus Ev. 4741.
Macraria Stgr. 3985.
Macraria Gn. 3054.
Macrocheila Stgr. 3664.
Macrogamma Ev. 2561.
Macronota Stgr. 3770.
Macrophthalmus Ev. 375 a.
Macroptera Obth. 4258.

- Mactans* Butl. 4270.
Mactata Feld. & Rghfr. 3490.
Macularia Lang. 4208.
Macularia L. 3773.
Maculata Stgr. 200 e (Melitaea).
„ Wlgcr. 730 b (Dilina).
„ Alph. 1437 (Spinipalp.).
„ Stgr. 3891 d (Boarmia).
„ Stgr. 4099 (Nola).
Maculata Ev. 1910 (Argyrosophil.).
Hb. 3700 (Abraxas).
„ Schiff. 3773.
„ Dup. 3773 b (Venilia).
„ Reuter 3874 (Boarmia).
Maculata Brem. & Grey 711.
Maculicardaria Motsch. 3758.
Maculifera Stgr. 497 a (Thestor).
„ Stgr. 2033 (Hydrella).
„ Stgr. 2117 c (Cirrhoed.).
„ Stgr. 2721 d (Apopestes).
„ Stgr. 2751 (Aventiola).
„ Stgr. 2789 (Gynaephil.).
„ Stgr. 3919 (Gnopharm.).
Maculiferum Stgr. 4537.
Maculosa Rghfr. 976 e (Lasio-campa).
„ Stgr. 2262 (Cucullia).
„ (S. V.) Gerning 4217 (Arctia).
Maderae Baker 1516 (Mamestr.).
„ Baker 2938 a (Acidalia).
„ Baker 3850 (Hemerophil.).
Maderensis Feld. 125 c (Gonepter.).
„ Baker 352 d (Satyrus).
„ Baker 3120 (Ephyra).
Maderensis Baker 1593 (Bryophil.).
Maeonis Ld. 1601.
Maeoticaria Bhtsch. 3603 a (Tephroclasty).
Alph. 3899 (Boarmia).
Maera L. 392.
Maera Esp. 392 b.
var. Esp. 392 b.
Maerens Stgr. 1191 (Agrotis).
„ Stgr. 1561 a (Miana).
„ Stgr. 3466 (Larentia).
„ Stgr. 4393 (Zygaea).
Maerooides Feld. 393.
Magdalena Obth. 1471 bis.
Magdaleneria Bell. 3222.
Magnaria Stgr. 4344.
Magna Graes. 330 b (Oeneis).
„ Heyne-Rühl 635 a (Lycaena).
Magna Butl. 3695 (Thaenophil.).
Magnata Rühl 144 b (Neptis).
Magnata Mill. 3591 a (Tephrocl.).
Magnella Brd. 4457.
Magniferella Brd. 4451.
Magnifica Frr. 2277 (Cucullia).
Magnifica Gr. Gr. 600 (Lycaena).
Maguirena Alph. 1658.
Magnolia B. 1544.
Mahometana Gr. Gr. 47 d (Pieris).
Alph. 427 e (Coenon).
Maja „ Gr. Gr. 89 c (Colias).
„ Fuchs 392 c (Pararge).
Maja Cr. 240 (Argynnis).
Mailliardi HG. 1677.
Major Obth. 343 a (Satyrus).
„ Stgr. 701 b (Hesperia).
„ Brem. 1079 (Acronicta).
„ Frey 4350 a (Zygaea).
Majoraria Lah. 3604.
Malachitis OLT. 1067.
Malana Fitch 4130.
Malatania (Stgr.) Rbl. 4379 a.
Malatania Rühl 375 a.
Maligna Butl. 3791.
Malitiosa Alph. 1617.
Maloyensis Rühl 583.
Malvae L. 709 (Hesperia).
„ Esp. 2361 (Xanthodes).
- Malvae* Hb. 687; 686 (Carcharod.).
„ Esp. 694; 709 a.
„ minor Esp. 709 (Hesperia).
Malvaria HS. 3424.
Malvarum Hffsgg. 686.
var. O. 687.
Malvata Rbr. 3424.
Malvinella Mill. 4465.
Malvoidea Elw. & Edw. 709 b.
Mamertia Z. 4576 a.
Mamurra HS. 368.
Mona Kirb. 4326.
Moman Gregs. 1539 a.
Mancinus Dbd. 304 a.
Mancipiata Stgr. 2999.
Manciniota Knaggs 2995.
Mandon Edw. 653 (Pamphila).
Mandane Koll. 407 a (Epineph.).
Mandarina Leech 51 b (Pieris).
„ Frr. 2558 (Plusia).
Mandarina Butl. 773 (Hemaris).
Butl. 4154 (Symtomis).
Mandschuriae Obth. 2270 (Cucullia).
Mandschuriae Obth. 15 (Parnass.).
Mandschuriana Stgr. 2645 a
(Grammodes).
„ Obth. 4097 (Mimerastria).
Mandschuraria Brem. 3887.
Mandschurica Stgr. 175 h (Meliataea).
„ Stgr. 1022 a (Actias).
„ Stgr. 1702 a (Hadena).
„ Graes. 2076 (Heraema).
„ Stgr. 3560 a (Tephrocl.).
Mandschurica Spr. 48 b (Pieris).
„ Fixs. 191 k (Melitaea).
„ Stgr. 590 (Lycaena).
Mandschuricata Brem. 3441.
Mani Nicév. 311.
Manicaria HS. 2960.
Manifesta Chr. 1830.
Manisadjiani Stgr. 1776.
Manitiliaria HS. 3720.
Mannia Ld. 4367.
Mannerheimi Chardiny 4382 (Zygaea).
Mannerheimii Dup. 4217 c (Arctia).
Manni Mayer 48 c et add. (Pieris).
„ Alph. 4229 a (Arctia).
Manniaria HS. 3536.
Mannii HS. 4352 c (Zygaea).
„ Ld. 4414 a (Ino).
„ Ld. 4594 (Sesia).
Mansueta HS. 2135.
Manto Esp. 275.
Manto F. 319.
Mantoides Butl. 319.
Manuelaria HS. 3879 a.
Maracandaria Ersch. 3737.
Maracandica Stgr. 183 d (Meliataea).
„ Ersch. 312 (Erebia).
„ Stgr. 343 e (Satyrus).
„ Ersch. 544 f (Lycaena).
„ Stgr. 2239 (Cucullia).
„ Ersch. 4150 (Syntomis).
Maravigna Dup. 1322.
Marcens Chr. 1289.
Marchandiae HG. 62 c.
Marchandi Gerh. 639.
Marchandii B. 639 a.
Marcida Ld. 615 (Lycaena).
„ Chr. 1134 (Agrotis).
„ Mn. 4305 (Lithosia).
Marcopolo Gr. Gr. 85.
Marcuna Obth. 4385.
Mardina Stgr. 762 a (Metopsilus).
„ Stgr. 936 c (Lymantria).
„ Stgr. 2438 b (Thalpochar.).
Mardinalis Stgr. 2821.

- Mardinaria Stgr. 3931 d.
 Mardinata Stgr. 3289 (Lygris).
 „ Stgr. 3921 (Pseudognoph.).
 Margarita Obth. 293 a (Erebria).
 „ Hb. 4088 (Cimelia).
 Margaritacea Vill. 1215.
 Margaritoria (S. V.) Hb. 3723.
 Margaritata L. 3723.
 Margaritas Hw. 1402 a.
 Margelanica Stgr. 520 c.
Marginalis Robbe 4 (Papilio).
 „ Leech 399 (Letha).
 „ Butl. 434 (Coenon).
 „ Grote 772 a (Hemaris).
 Marginaria Bkh. 3799 (Hybern.).
Marginaria Hb. 3700.
 „ Bond. 3700 a.
 „ Hb. 3700 b (Abrazas).
 Marginata Rühl 440 a (Coenon).
 „ Stgr. 3581 (Tephrocil.).
 „ L. 3700 (Abrazas).
Marginata F. 2358 (Pyrrhia).
 Marginiota Joan. 1598.
Marginigrella (Brd.) Wd. 4513.
Marginipunctata Göze 3064.
Marginipunctata Stph. 2997.
 Marginula HS. 2420.
 Maria Stgr. 2534.
 Mariana Rbr. 2714 a.
Mariesii Butl. 3488.
Mariocole Gerh. 614 b.
Marita Hb. 2670.
 Maritima Tausch. 1906 (Senta).
 „ Grasl. 2321 a (Heliothis).
 „ Seeb. 3174 a (Ortholitha).
Maritima HS. 875 a (Thaumatop.).
 „ Failla-Ted. 1727 (Metapoceras).
 „ Obth. 4356 (Zygaena).
Maritima Gn. 3047.
Maritimella Brd. 4457.
 Marloyi B. 715.
Marmorata Hb. 354.
Marmoraria Esp. 3826.
Marmorata Stgr. 2782 (Pan-grapta).
 „ Hw. 3320 b (Larentia).
 „ Rbr. 4689 a (Dypessa).
Marmorata HS. 1677 b (Hadena).
 „ Hb. 3294 (Lygris).
 „ Sulz. 3826 (Biston).
Marmoratus Aust. 4665.
Marmorea Grasl. 1119 a.
Marmorinaria Esp. 3797 a.
Marmorosa Bkh. 1496.
Marmorosa Frr. 1496 a.
Marnoana Rghfr. 98 f.
Marocana Stgr. 2216 b (Cleopatra).
Marocana Aust. 1033 (Saturnia).
Marocana Stgr. 972 a (Lasiocampa).
Marphisa Hbst. 204 a.
Marrubii (Rbr.) HS. 687 a.
Marsdeni Baker 1748.
Martianii HS. 370 a.
Martini Allard 556.
Martinaria Obth. 4046.
Masariformis O. 4580.
Massageta Stgr. 252 b.
Massiliatella Brd. 4474.
Massiliata Mil. 3629.
Massiliensis Fouquier 125 a (Gonepteryx).
 „ Mill. 2826 (Orectis).
Massinissa Lne. 525.
Matheri Vallantin 1033.
Mathias F. 675.
Mathura Moore 930.
Matrona Hb. 4241.
Matronalis Frr. 4177 c.
Matronula L. 4241.
Mattiaca Bastelberger 3116 a.
- Mattozo* Monteiro 378 a.
Matura Hufn. 1623.
Maturaria Chr. 3827.
Matura L. 172 et add.
Matura Hb. 171.
 „ Esp. 175.
 „ Hb. 191.
 var. Esp. 175 i.
Mauitinalis Rbr. 2496.
Maura L. 1870 (Mania).
 „ Stgr. 2721 e (Apopestes).
 „ Eichwald 4244 (Axio-poena).
Maura Obth. 2655 (Pseudophia).
Marella Stgr. 2025.
Maurerii Stgr. 102 b (Colias).
 „ Stgr. 412 b (Epinephele).
Mauritanica Stgr. 464 d (Thecla).
 „ Stgr. 747 (Deilephila).
 „ Stgr. 2192 b (Catamaec.).
 „ Stgr. 4383 d (Zygaena).
Mauritanicaria Stgr. 4053 a.
Mauritanicus Lue. vide Mauritanicus.
Mauritanicum Luc. 4190.
Mauritus Esp. 273.
Mauritus Stgr. 72 a.
Mauritanica Obth. 405 c (Epinephela).
 „ Baker 2976 (Acidal.).
Mauritanica Obth. 247 (Melanarg.).
 „ Stgr. 970 d (Lasiocamp.).
 „ Mab. 4388 o (Zygaena).
Mauritanicus Luc. 494.
Maurus Esp. 282.
Maxima Gr. 12 a (Hypermn.).
 „ Stgr. 524 a (Cigaritis).
 „ Stgr. 2340 (Isochlora).
 „ Bren. 2738 (Toxicamp.).
Maximum Stgr. 25 p.
Maximowiczii Brem. 2659.
Mayerata Gn. 3615.
Mayeri Mn. 3615.
Meda Gr. Gr. 248.
Medea Bkh. 277.
 „ Hb. 296.
Medesicaste Ill. 11 b.
Media Stgr. 1037 a.
Mediana Stgr. 2452 a.
Mediaria Hb. 2947.
Mediaria Obth. 2948.
Medicaginis Hb. 976 b (Lasiocampa).
Medicaginis Hb. 904 (Dasychira).
 „ B. 4351 b; 4356.
 „ ab. B. 4356 a (Zygaena).
Mediofasciata Höfn. 3700 a.
Mediolucens Rössl. 3306 c.
Mediogutens Fuchs 390 (Pararge).
 „ Schultz 2071 add.
 (Taeniocampa).
Mediorhenana Fuchs 1768 a.
Mediorufaria Fuchs 3319.
Mediterranea Baker 1999 (Caradrina).
 „ Ld. 4474 (Oreopsyché).
Mediterranea Kirb. 4455.
Medon Esp. 589.
Medusa F. 277 (Erebia).
 „ Pall. 4358 a (Zygaena).
Medusa HS. 277 c.
 „ Ev. 277 d (Erebia).
 „ Butl. 717 a (Acherontia).
 „ var. Stgr. 277 e (Erebia).
Megacephala F. 1081.
Megacephala Z. 1092.
Megaera L. vide Megera.
Megaeira Esp. 390.
Megaeira var. Esp. 392 b.
Megaerina HS. 390.
Megala Alph. 1438 c.
Megearia Obth. 3994.
Megera L. 390.
- Megillaeformis* Hb. 4573 a.
Mehadiensis Gerh. 191.
Meissoniera Gn. 1492.
Melacheila Stgr. 2456.
Melachlora Stgr. 1605.
Melagona Bkh. 837.
Melaina Horr. 36 a (Parnass.).
 „ Gross 1039 b (Aglia).
Melaleuca View. 2183 a (Xylo-miges).
 „ Thmbg. 2286 (Anarta).
Melampus Fuessl. 262.
Melampus Esp. 261 a.
Melana Prout. 3380 a.
Melanaria L. 3691.
Melanocholica HS. 297 (Erebia).
 „ Ld. 226 (Agrotis).
Melanocholica Butl. 3288.
Melania Stgr. 6251 (Lycaena).
 „ Stgr. 921 (Porthesia).
 „ Stgr. 1935 b (Leucania).
Melania Obth. 246 (Melanargia).
 „ Gr. Gr. 625 k (Lycaena).
Melanicterata Ld. 3188.
Melanina Bonaparte 180.
 „ HS. 180 g.
 „ Mén. 180 h.
Melanocephala Dalm. 4536.
Melanochroa Stgr. 1542 c.
 „ Stgr. 2024 b.
Melanomos Niek. 4279 a.
Melanopa Thmbg. 2287.
Melanoparia Grasl. 3665.
Melanophia Horr. 37 a.
Melanope Chr. 300 e (Erebia).
 „ B. 639 (Lycaena).
Melanoptera Brahm. 4249 a.
Melanostigma Ersch. 4162.
Melanotoza Pincit. 604.
Melanthe Klug 460 b.
Melanura Koll. 1321 (Agrotis).
 „ Alph. 1992 b (Caradrina).
Melanurina Stgr. 1 21.
Melas Hbst. 282 (Erebia).
 „ Chr. 4177 d (Parasemia).
Melasoma Stgr. 4490 a.
Melasomon Stgr. 4539 a.
Meleager Esp. 611.
Melete Mén. 51.
Melibaeus Stgr. 511 a.
Melictaria Pfützner 195 c.
Meliloti Esp. 4346.
Meliloti Hb. 4388 b.
 „ var. HS. 4346 a.
Melinaria HS. 2905.
Melinos Ev. 90.
Melinos Herz 90 a.
Melissa Edw. 544 h.
Melliniformis God. 4555 a.
Melliniformis God. 4555.
Melotis Dup. 709 e.
Melusina HS. 296 b.
Membranaria Chr. 3808.
Menadaria Th.-Mieg. 2902.
Menalcas Frr. 621 b.
Menava Moore 393.
Mencia Moore 675.
Menciana Moore 783 b.
Mendacula Hb. 1592 b (Bryophil.).
Mendacula Frr. 2395 (Thalpoch.).
Mendaculata Tr. 2394.
Mendax Stgr. 1512.
Mendica Stgr. 1511 (Mamestrina).
 „ Cl. 4158 (Spilosoma).
Mendicaria HS. 3963 a.
Mendoza Hb. 1212.
Menestho Mén. 74 b.
Menetriesi Brem. 395 (Pararge).
 „ Stgr. 3894 (Boarmia).
Menetriesii Kretschmar 2007
 (Caradrina).
 „ Ev. 4247 (Callimorpha).
Mensuraria Schiff. 3155.

- Mensurata* Hb. 3155.
Menthastri Esp. 4163.
Menthastri var. God. 4163 a.
Mentonella Mill. 4513 a.
Menyanthidis View. 1093.
Meone Esp. 385.
Merckii Rbr. 2179.
Mercurius Gr. Gr. 23 c (Parnass.).
 „ Stgr. 251 a (Satyrus).
Meriaformis Assmann 4593.
 „ Ghil. 4610.
Meridaria Mill. 3043.
Meridionalis Ld. 74 c (Zegris).
 „ Stgr. 185 b (Melietae).
 „ Feld. 256 (Melanargia).
 „ Calb. 1037 b (Saturnia).
 „ B. 1777 a (Polia).
 „ Stgr. 2138 a (Orthosia).
Meridionalis Stgr. 343 a (Satyr.).
 „ Calb. 1737 c (Episema).
Merinata Gn. 3523.
Merklares Obth. 2967.
Merope Prun. 175 b.
Mersina Stgr. 352 c (Satyrus).
Mersina HS. 4352 f (Zygæna).
Merularia Weymer 379 b.
Mesentina Cr. 55.
Mesiaeformis HS. 4549.
Mesogona God. 4273.
Mesogona HS. 4274.
Mesoleucata Püng. 3209.
Mesomella L. 4282.
Mesopotamica Stgr. 66 b (Euchloe).
 „ Rühl 438 a (Coenonym.).
 „ Stgr. 627 a (Lycaena).
Mesotrosta Püng. 1943.
Messaouda Obth. 1744.
Messrae Stgr. 2582 a.
Mestralli Bugnion 4147.
Meta Meig. 10 a (Thais).
 „ Stgr. 300 (Erebia).
Metabactrea Butl. 2544 add.
Metallaria Gn. pag. 326 not.
Metallica Feld. 585.
Metelkana Ld. 4182.
Meticulodina Obth. 792.
Meticulosa L. 1867.
Metis Frr. 132 f.
Methoienius Rbl. 2977.
Mevesi Auriv. 1174 a (Agrotis).
Mevesi Lampa 3147 (Lythria).
Meyeraria Lah. 3933.
Mi Cl. 2586.
Mi God. 2586 a.
Miaria Bkh. 3314.
 „ Bkh. 3333.
Miata L. 3314.
Miata Hb. 3333.
Micacea Esp. 1879.
Micans Brem. 456 (Rapala).
 „ Ld. 2042 (Amphipyra).
 „ Brem. & Grey 4262 (Stigmatorpha).
Micans Frr. 4414.
 „ HS. 4414 b (Ino).
Michael Obth. 1096.
Michaelis Obth. 489 (Zephyrus).
Michaelis Obth. 719 (Smerinth.).
Micronotus Gn. 1496 a.
Microgamma Hb. 2576.
Microglossa Rbr. 1572.
Microsoria B. 3020.
Midas Butl. 239.
Middendorfii Méu. 2857.
Miegii Th.-Mieg. 1 d (Papilio).
 „ Vogel 500 g (Chrysoph.).
Mikadino Butl. 2518.
Milesiformis Tr. 771 a.
Milhauseri F. 791.
Militaris Stgr. 1254.
Millefoliata Rössl. 3603.
Millefolii Esp. 4339.
- Milleri* Schulz 2005 a.
Millierata Brd. 3258 a (Triphosa).
 „ Stgr. 3669 a (Phibalapt.).
Millierata Gmpptbg. 3417 (Larent.).
 „ Stgr. 3657 (Tephroclyst.).
Millierei Stgr. 2188 (Lithocamp.).
 „ Heyl. 4508 (Rebelia).
Millierella B. 4463 a (Hyalina).
 „ Ld. 4485 (Psyche).
Miltosa Candéze 4356 d.
Milvaria Chr. 3413.
Milvinaria Fuchs 3940 a.
Mimicaria Obth. 2581.
Mimosaria HS. 3017 a.
Minax Hb. 785.
Minerva Stgr. 198.
Miniaeae Frr. vide Minianiformis.
Miniaeae Ld. 4628.
Minangi Frr. 2082.
Minianiformis Frr. 4628.
Miniate Forst. 4266.
Minima Honr. 35 a (Parnass.).
 „ Stgr. 524 b (Cigaritis).
Minima Leech 625 (Lycaena).
 „ Hb. 2034 (Petillampa).
Minimata Stgr. 3326.
Minimus Fuesl. 635.
Miniosa F. 2065.
Miniosaria Dup. 4050.
Miniosaria var. Mill. 4050 a.
Minna Butl. 3367 b (Larentia).
Minna Ld. 84 (Catopsilia).
Minoides Selys 4348 a.
Minor Stgr. 16 b (Parnassius).
 „ Elw. 199 a (Melietae).
 „ Kalchb. 2005 c (Caradrina).
 „ Alph. 3137 b (Rhodostroph.).
Minor Frey 648 (Lycaena).
 „ Fuchs 1053 a (Drepana).
 „ Stgr. 3367 b (Larentia).
 „ Ersch. 4373 (Zygæna).
 „ Stgr. 4730 b (Hepialus).
Minoraria HS. 3463 (Larentia).
 „ Dup. 3607 (Tephroclyst.).
Minorata Tr. 3463 (Larentia).
Minorata Stgr. 4586 a (Sesia).
Minos B. 4321.
 „ Fuessl. 4323.
 „ HS. 4323 a.
Minusculta Alph. 3533.
Minuta Gr. Gr. 636 (Lycaena).
 „ Dup. 2429.
 „ Hb. 2433.
 „ Frr. 2434 (Thalpochar.).
Minutata Hb. 3559.
 „ Tr. 3560.
 „ „ Gn. 3561.
 „ „ Hb. 3569 (Tephroclyst.).
Minuticornis Gn. 2508.
Mioleuca Tr. 1762 (Aporophyla).
 „ HG. 1817 a (Dichonia).
Mira Stgr. 1639.
Mirabilis Stgr. 2603 (Sartha).
Mirabilis Ersch. 471 (Thecla).
 „ Aust. 725 c (Smerinth.).
 „ Rom. 2647 (Grammod.).
Miraculosa Stgr. 853.
Miranda Butl. 3698 b (Abraxas).
Miranda Grote 2029 (Hydrilla).
Mirifica Ersch. 2619.
Mirificaria Ld. 3248.
Miris Stgr. 580 (Lycaena).
Miris Rühl 425 (Coenonympha).
Mirza Stgr. 559.
Miserata Stgr. 2954.
Misippus L. 128.
Mista Stgr. 1483 (Mamestra).
Mista Frr. 1131 (Agrotis).
 „ Hb. 1423 a (Pachnobia).
Mitfordella Chapm. 4526.
Mithridates Stgr. 620.
Mixta Alph. 670 d (Augiades).
- Mixta* Stgr. 1072 (Euromoia).
 „ Stgr. 2164 b (Orrhodia).
 „ Frr. 2236 (Cuecullia).
Mixa Dup. 1358 (Agrotis).
 „ Ev. 2238 (Cucullia).
Mixtata Stgr. 3399 a.
Mixturata Alph. 443 e.
Mlokosevitshi Rom. 4744.
Mnemon Hw. 261 b.
Mnemosynata Mill. 3642.
Mnemosyne L. 36.
Mneste Hb. 2684.
Mnesta Hb. 267.
Muiszechii HS. 364.
Moderata Ev. 1715 d (Hadena).
 „ Stgr. 2097 (Calymnia).
Moderata Graes. 868 (Pygaera).
Moderata Stgr. 868 (Pygaera).
 „ Kirby 909 (Dasychira).
 „ Stgr. 1209 (Agrotis).
 „ Ersch. 1931 (Calamia).
 „ Carad. 2482 a (Prothymn.).
 „ Hb. 2531 (Plusia).
 „ Stgr. 3747 (Dasycéphala).
 „ Krulik. 4156 a (Dysauxes).
Moderata Heyne 886 (Orgya).
 „ Moore 1792 (Polla).
Modestalis Heyd. 2801 a.
Modestaria Ersch. 3376.
Modestus Stgr. 4637.
Modicaria Lah. 3607.
 „ HS. 3608.
Modicata Hb. 3607.
Moeniaria Esp. 3156.
Moeniata Sc. 3156.
Moerens Fuchs 2667 a (Catocala).
Moerens Alph. 3447 d (Larentia).
 „ Butl. 4187 (Arctinia).
Moeroraria Frr. 3192 a.
Moeschleri HS. 694 a (Hesperia).
 „ Stgr. 2290 a (Anarta).
Moeschleri Gr. Gr. 87 (Colias).
Moesiaca HS. 1882.
Moesta Stgr. 1665 e.
Moesta Hb. 2286.
Moestata Nolck. 3447 b.
Mohammedi Obth. 688 a.
Moldavicola HS. 2384.
Moldavina Carad. 3503 a.
Mollicula Graes. 2469.
Mollicularia Ev. 3981.
Mollicularia Gn. 3393.
Mollis Stgr. 1381 (Agrotis).
 „ Gr. Gr. 4412 c (Ino).
 „ Chr. 4660 (Holcocerus).
Molluginata Hb. 3454.
Molochina Hb. 1694.
Molothina Esp. 1120.
Molybdea Chr. 2046.
Molybdeola Gn. 4300.
Monacha L. 931.
Monachalis Hw. 4105 a.
Monacharia Stgr. 3812 b.
Monadarria Gu. 3023.
Monediaeformis Rbr. 4576.
Moneta F. 2321.
Monetaria Obth. 822.
Mongola Alph. 89 f.
Mongoliania Butl. 763.
Mongoliata Stgr. 3407.
Mongolica Stgr. 173 a.
 „ Stgr. 192 e (Melitea).
 „ Ersch. 318 a (Erebia).
 „ Obth. 333 (Oeneis).
 „ Alph. 432 (Coenonymph.).
 „ Stgr. 1446 b (Mamestra).
 „ Stgr. 1535 c (Dianthoe.).
 „ Stgr. 1733 a (Onococen.).
 „ Stgr. 1836 (Rhizogram.).
 „ Stgr. 2530 b (Plusia).
 „ Stgr. 2633 a (Leucania).
 „ Stgr. 2885 c (Euchloris).
 „ Alph. 4223 (Arctia).

- Mongolica (Stgr.) Rbl. 4346 c
(*Zygaena*).
Mongolicus Ersch. 4681 (Holco-
cerus).
Moniliaria Hb. 2951.
Moniliata F. 2951.
Monochoria HS. 3183 c.
Monochroma Esp. 1824.
Monodii Th.-Mieg. 3155.
Monoglypha Hufn. 1690.
Monogramma Alph. 2560 e
(*Plusia*).
, Hb. 2583 (*Metoptria*).
Monolitha Gn. 2054 b.
Monolitha Stgr. 2054 a.
Monotoma Stgr. 416 a.
Monotonia Schilde 392 a.
Monspeliacus Stgr. 4591.
Montana Leech 256 b (*Melanarg.*).
,, Hormuz. 392 f (*Pararge*).
,, M.-Dir. 637 a (*Lycaea*).
,, Stgr. 1001 a (*Dendrolim.*).
,, HS. 1671 (*Hadena*).
Montana M.-Dir. 513 a (*Chrysoph.*).
,, Frr. 1167 (*Agrotis*).
,, Brem. 2008 (*Caradrina*).
,, Heyl. 4513 a (*Epichnopt.*).
Montanaria Tr. 3363.
Montanaria Schiff. 3363.
Montanella Heyl. 4513 b.
Montanus Brem. 716.
Montanus Alph. 4 e (*Papilio*).
,, Prun. 290 (*Erebia*).
Montela Gray 7 b.
Monticola Stgr. 644 a (*Lycena*).
,, Gr. Gr. 4701 (*Dyspessa*).
Monticola Th.-Mieg. 372 (*Satyr.*).
,, Dup. 1514 a (*Mamestr.*).
Monticularia HS. 3361 a.
Montium Obth. 92 (*Colias*).
,, B. 1942 b (*Leucania*).
Montivaga Gn. 1098 a.
Montivagaria HS. 3267.
Montivagata Dup. 3267.
Mopsos Stgr. 300 a.
Morawitzi Mén. 1929.
Morio L. 879 (*Hypogymna*).
Morio Ev. 1621 (*Celaena*).
Morosa Ld. 1992 (*Caradrina*).
,, Butl. 2788 (*Hydrillod.*).
Morosa Bell. 1763 c (*Aporophyl.*).
,, Alph. 1993 c (*Caradrina*).
Morosaria HS. 2943.
Morosina HS. 4298.
Morphens Pall. 651 et add.
(*Heteropterus*).
,, Hufn. 2016 (*Caradr.*).
Morrisii Morris 2034 a (*Petilamp.*).
Morrisii Tutt 1920 (*Tanipostol.*).
Mortua Stgr. 1455 (*Mamestra*).
,, Stgr. 4186 c (*Diacrisia*).
Mortuaria Stgr. 3994 b.
Morula Spr. 283 b.
Mosquensis Heyne 3050.
Motschulskyi Brem. 383 a.
Mucida Gu. 1778 a.
Mucida Esp. 1423.
Mucidaria Hb. 3951.
Mucidaria var. Gn. 3951 a.
Mucidata Tr. 3948.
,, Frr. 3948 a.
,, Tr. 3951.
Mucus Chr. 4661.
Mughusaria Gmpbbg. 4001 b.
Mulla Stgr. 331.
Mulla Elw. 331 a.
Multangula Hb. 1221.
Multiuspis Ev. 1334.
Multifida Ld. 1389.
Multiflorata Mill. 3507 a.
Multilinea Warr. 3276.
Multilineata Mn. 3620.
Multiplicata Stgr. 3199.
- Multipunctata Stgr. 3357.
Multisignata Chr. 2481.
Multistrigaria Hw. 3356.
Munda Esp. 2073 (*Taeniocamp.*).
,, Chr. 2401 (*Thalpochar.*).
Munda Hb. 2122 (*Orthosia*).
Mundana L. 4264.
Mundata Stgr. 3213 (*Anaitis*).
Mundata Hb. 4070 (*Aspilates*).
Mundataria Cr. 4070.
Mundulata Gn. 3214.
Munita Hb. 2590.
Munitalis Mn. 2811.
Mundaria HS. 3327.
Munitata Hb. 3327.
Muralis Forst. 1599.
Muraria Curt. 3891 a.
Muricata Hufn. 2952.
Murina Auriv. 1118 b (*Arsi-
lonche*).
Hb. 4275 (*Paidia*).
Murina Frr. 1308 (*Agrotis*).
,, Obth. 2655 (*Pseudophia*).
Klug 4452 (*Amictia*).
Murinaria (S.V.) F. 4038 (*Eu-
bolia*).
Murinaria Bkh. 3809 (*Anisopt.*).
Dup. 4038 a (*Eubolia*).
Murinata Sc. 3183.
Murinella Dup. 4518.
Murrhina Graes. 1069 a.
Mus Stgr. 741 (*Sphingulus*).
,, Obth. 1073 a (*Demas*).
,, Alph. 1311 a (*Agrotis*).
Musageta Gr. Gr. 27 a.
Musauaria Frr. 3293 a.
Muscaeformis View. 4605.
Muscaformis HS. 4586.
,, Esp. 4587.
Muscella F. 4472.
Muscella Dup. 4478.
Muscerda Hufn. 4314.
Muscipatra Chn. 3372.
Muscossa Stgr. 1772 (*Epunda*).
,, Butl. 2875 (*Aracima*).
Muscosaria Chr. 3395.
Muscosata Donz. 3410.
,, Gn. 3410 a.
Muscata Stgr. 4277 (*Nudariida*).
,, Stgr. 4295 (*Lithosia*).
Muscula Stgr. 1055 (*Drepana*).
Musculana Ersch. 4127.
Muscularia Stgr. 3057 (*Acidalia*).
,, Stgr. 3744 (*Gonodontis*).
Musculata Stgr. 3215 (*Anaitis*).
,, Stgr. 3469 (*Larentia*).
Musculina Stgr. 1540.
Musculosia Hb. 1913.
Musculus Stgr. 1305 (*Agrotis*).
,, Mén. 2600 et add. (*Zethes*).
Musicalis Dup. 1701 (*Hadena*).
,, Esp. 2183 (*Xylomyges*).
Musiva Hb. 1248.
Musivula Stgr. 1249.
Mustelata Rbr. 3034.
Mustelina Chr. 1365.
Mutaria Dup. 3069.
Mutata Tr. 3069.
Mutica Chr. 1627.
Mutilata Stgr. 2945 (*Acidalia*).
,, Stgr. 3947 (*Gnophos*).
,, Stgr. 4599 (*Sesia*).
Mutillaeformis Lasp. 4557.
Muzaffar Gr. Gr. 542.
Mya Hb. 2549.
Myodea Rbr. 1914.
Myopaeformis Bkh. 4557.
Myops Stgr. 431.
Myosaria Esp. 4038.
Myriacea Gn. 1098 b.
Myricaria Cooke 3255.
Myrmecias Chr. 590 a.
Myrmidone Esp. 114 et add.
- Myrmidone* ab. HS. 114 a.
,, var. Ld. 115.
Myrmidonella Brd. 4512.
Myrmosaeformis HS. 4635.
Myrrha HS. 608.
Myrhina Stgr. 608 a.
Myrtle Klug 472.
Myrtillata Thmbg. 3965.
Myrtilli L. 2283.
Mysia Hb. 172; 174.
Mysiniformis Rbr. 4609.
Mysticus Stgr. 4055.
- Nadeja Obth. 2539 a.
Naemata Hedem. 3316.
Feld. 3317.
Naevaria Hb. 3700.
Nagyagensis Frr. 1313.
Namanganus Stgr. 25 f.
Nana Stgr. 186 b (*Melitaea*).
,, Stgr. 3781 (*Satyrus*).
,, Stgr. 979 (*Lasiocampa*).
,, Stgr. 1203 a (*Agrotis*).
,, Rott. 1547 (*Dianthoezia*).
,, Stgr. 1608 b (*Thaumasta*).
,, Stgr. 1904 (*Coenagria*).
,, Stgr. 2617 (*Palpangular*).
Nana Rühl 347 a (*Satyrus*).
,, (Hufn.) Tutt 1487.
,, Gn. 1496 (*Mamestra*).
,, var. Weir. 1547 b (*Dian-
thoezia*).
Nanaria HS. 3634.
Nanata Hb. 3634.
Naneola Ragusa 4305 a.
Nanna Mén. 334 et add.
Napaea Hb. 210 a et add.
Napaea Dup. 210 e (*Argynnis*).
Gr. Gr. 597 d (*Lycaena*).
Napaea Esp. 52 a.
Napi L. 52 et add.
Napi Hb. 52 c.
Nara Koll. 532.
Narcaea Frr. 49.
Nareda Koll. 383.
Narica Hb. 410.
Naricina Stgr. 410 a.
Naruensis Stgr. 2256.
Narzanica Alph. 3187 a.
Nashreddini Chr. 393.
Nastes B. 88.
Natty Frr. 2598.
Naubidensis Ersch. 417.
Navarina Selys 191 b.
Nazira Moore 589.
Neapolitana Mill. 3344 b.
Neapolitana Calb. 4327 g.
Nebularia HS. 3399.
Nebulata Tr. 3399.
Nebulata Dup. 3356 (*Larentia*).
,, (Hw.) Stph. 3575 (*Tephro-
clysta*).
Nebulos Obth. 95 a (*Colias*).
,, Hufn. 1452 (*Mamestra*).
,, Butl. 4184 (*Phytiarioides*).
Nebulosa Hb. 1281 (*Agrotis*).
Nebulosaria Frr. 3359.
Nebulosus Alph. 4733.
Necessaria Z. 3824.
Necessarius Ld. 3824.
Nedroma Obth. 4388 p.
Neera F. d. W. 185 g.
Neglecta Stgr. 2676 (*Catocala*).
Neglectata Stgr. 3279.
Nelamus B. 261 e.
Neleus Frr. 320.
Nelymna Stgr. 4093.
Nemoralis F. 2768.
Nemoria Hb. 3077.
Nemoria Frr. 3078.
Nemoriata Stgr. 2896.

- Nemorivaga* Schultz 342 add.
Nemorosa Esp. 4743.
Nemorum Obth. 2463.
Neogena F. d. W. 968.
Neomiris God. 354.
Neonympha Esp. 2698.
Neoridas B. 293.
Neoridas Frr. 296 a.
Neoza Lang 418 a.
Nepalensis Dbd. 45 f.
Nepaleusis Gr. Gr. 45 e.
Nepetata Mab. 3608.
Nephete HS. 208 a (Argynnis).
 Hb. 440 (Coenonymph.).
Nephelata Stgr. 3609.
Neriaria HS. 2879 a.
Nerie F. d. W. 99.
Nerii L. 733.
Nerine Frr. 283.
Nerippe Feld. 233.
Nero Stgr. 310.
Nervosa Motsch. 449 et add.
 (Triphysa).
 F. 1115 (Simyra).
Nervosa Esp. 1894 a (Nonagria).
Nesimachus Obth. 499 c.
Neurbouaria Obth. 3421.
Neurica Hb. 1896.
Neurica Hb. 1897.
 Dup. 1897 a.
Neurodes HS. 2118.
 Hb. 2167.
Neustria L. 956 et add.
Nevadaea Obth. 1059 a.
Nevadaria Rbr. 3355.
Nevadensis Obth. 14 e (Parnass.).
 Rbr. 4327 h (Zygaena).
Nevadensis Stgr. 320 c (Erebia).
Nexa Hb. 1891 (Nonagria).
Nexa Dup. 1977 (Mythimna).
Nexaria HS. 2923.
Nexata Hb. 2923.
Ni Hb. 2571.
Nicea Prun. 750 (Deilephila).
 Stgr. 4387 b (Zygaena).
Nicæa Obth. 750 a (Deilephila).
Nichollii Obth. 285 a.
Nickerlii Frr. 1619.
Nictitans Esp. 1715 a (Hadena).
 Bkh. 1877 (Hydroecia).
Nictitans Dup. 1877 a (Hydroecia).
Nictymera B. 1260.
Nielseni Hedem. 2959.
Niger Heyne 4.
Nigerrima Stndf. 1039 a (Aglia).
Nigra Frr. 931 a (Lymantria).
 Hb. 1765 (Aporophyla).
 Ersch. 2490 a (Emmelia).
Nigra Tutt 1107 a (Cramiophor.).
 Stgr. 1737 a (Agrotis).
 Heyl. 3832 a (Amphidasis).
 Th.-Mieg. 3903 a (Boarmia).
Nigrescens Leech 716 a (Thanaos).
 Höfn. 1323 b (Agrotis).
 Stgr. 1539 b (Dianthoece.).
 Stgr. 4452 a (Amicta).
Nigrescens Eim. 1 (Papilio).
Nigricans Stgr. 16 a (Parnass.).
 L. 1370 (Agrotis).
 Stgr. 1895 a (Nonagria).
 Auriv. 2295 a (Anarta).
 Stgr. 4470 a (Oreopsych).
Nigricans Tr. 1693 (Hadena).
 Hb. 1765 (Aporophyla).
 Obth. 4032 a (Phasiane).
 Curt. 4451 (Pachytelia).
Nigricaudella Brd. 4451.
Nigricaria Hb. 3797 a.
Nigricarius Backhaus 4001 a.
Nigricaria Fuchs 3891 b.
Nigricornis Alph. 4146 d.
Nigricostata Stgr. 1397 (Agrotis).
Nigricostata Stgr. 1906 c (Senta).
 " Graes. 2746 a (Toxocampa).
Nigricula Ev. 1730.
Nigridens Fuchs 2124.
Nigrina Weym. 138 a (Limenitis).
Nigrina Stgr. 1384 (Agrotis).
Nigripennata Stgr. 925.
Nigritriata Stgr. 1906 d.
Nigrita Graes. 1138 (Agrotis).
 B. 2293 (Anarta).
Nigrita Dup. 2292 (Anarta).
Nigritaria Stgr. 3632.
Nigritula Stgr. 4696.
Nigrobarbata Stgr. 3006.
Nigrocincta Tr. 1786 a (Polia).
 Spr. 4306 a (Lithosia).
Nigrocincta Dup. 1786.
 HS. 1786 b (Polia).
 Fuchs 3900 (Boarmia).
Nigrodentata Fuchs 2123.
Nigrofasciaria Gozee 3500.
Nigrofasciaria Gr. Gr. 95 b (Colias).
 Schönen 3700 b (Abrax.).
Nigrofasciata Pack. 3377 (Larentia).
Nigrofasciatus Rothke 4.
Nigrofasciata Graes. 2851.
Nigrofutea Esp. 1121.
Nigrolimbatus Stgr. 345 a.
Nigrolucidella Brd. 4504.
Nigrolunata Pack. 2287.
Nigromaculata Petersen 876 a
 (Thamnatomopoea).
 " Graes. 1171 (Agrotis).
Nigromaculata Schmidt 1906 a.
Nigronotaria Brem. 3781.
Nigropunctata Chant. 3661 a
 (Chloroclystis).
Nigropunctata Ld. 3086 (Acidal.).
Nigroramosa Chr. 805.
Nigrosericata Hw. 3660 c.
Nigrosignata Graes. 1908.
Nigrozonaria Leech 3372.
Niko Chr. 3761 a.
Nili Baker 1356.
Nilotica Rghfr. 4128.
Nimbata Alph. 3926.
Nimbosa Gu. 1452 d.
Ningpoona Feld. 860.
Niobe L. 231.
Niobe HG. 231 a.
 " Hb. 231 b.
 " Ld. 231 f.
Niphona Butl. 191 k (Melitaea).
 Butl. 4347 (Zygaena).
Niphonica Jans. 295 a (Erebia).
 Butl. 3316 (Larentia).
Niphonica Butl. 3762.
Niphonius Butl. 915.
Nisaria Chr. 3467.
Nitus Germ. 1554.
Nivis HS. 1553 a.
Nitida F. 2130 (Orthosia).
Nitida Graes. 1070 (Aplectoid.).
Nitidita HS. 3041.
Nitidilla Hb. 4527.
Nivalis Stgr. 905 (Dasychira).
Nivalis Butl. 1716 (Hadena).
Nivearia Schiff. 3195.
Niveata Sc. 4065 (Cleogene).
Niveata Tr. 3195 (Lithostege).
 Stph. 3465 (Larentia).
Niveola Motsch. 1068 et add.
Niveomaculatus Obth. 659.
Niveonitens Graes. 1116.
Nivescens Kef. 610 b (Lycaena).
 Stgr. 1786 b (Polia).
Niveus Mén. 4165.
Nivitinea Leech 4125.
Nivosa Hb. 923.
Nixa Gr. Gr. 157 d.
Nobilariaria HS. 3394.
Nobilis Stgr. 696 (Hesperia).
 " Alph. 3891 g (Boarmia).
 " Stgr. 4432 (Phrixolepia).
 " Stgr. 4671 (Holocerous).
Nobilitaria Stgr. 3362.
Nobilitata Stgr. 3654.
Noctis Butl. 4316.
Noctivaga Bell. 2005 b.
Noctivolens Butl. 3909.
Noctualis Hb. 2431.
Nocturna Stgr. 2972.
Nocturnata Fuchs 4032 a.
Nocturnella Alph. 4502.
Nocturnella var. Stgr. 4521.
Nodosalis HS. 2763.
Nogeti Frr. 499 a.
Nogelli HS. 499 (Thestor).
Nogelli Ld. 4194 b (Oenogyna).
Nogelli Lang 499 (Thestor).
Nolalaria Hb. 3112 c.
Nolekeni Ersch. 430.
Nomadeiformis Lasp. 4554.
 Hb. 4566.
Nomadaria HS. 3216.
Nomas Ld. 695 a (Hesperia).
 Ersch. 1239 (Agrotis).
Nominulus Stgr. 15 a.
Nomion F. d. W. 15.
Nomion Tr. 14 a.
Nomius Gr. Gr. 15 b.
Nonagrioides Lef. 1925.
Nooraria Brem. 3877.
Nora Stgr. 945 biss add.
Norax Bon. 437.
Norbertaria Rössl. 2918 a.
Nordmanni Mén. 35.
Noricana Wagner 3976.
Normanniana Grote 1169 a.
Normata Alph. 3789.
Norma Thmbg. 325 et add.
Norna Hb. 323.
 Quens. 326.
 var. Thmbg. 325 a.
Norvegica Auriv. 192 d (Melitaea).
 Stgr. 1374 (Agrotis).
Norvegica Schöyen 4524.
Nostrodamus F. 680.
Notata L. 3782 (Semiorthisa).
 Z. 4408 (Ino).
Notata (var.) Stgr. 3790 b (Semiorthisa).
Notataria (S. V.) Esp. 3782.
Notum Hb. 2856.
Nouna Lue. 80 a.
Novarae Obth. 14.
Nubeculosus Esp. 1808.
Nubifer Ld. 4729.
Nubigena Woll. 2920 (Hemithea).
 Ld. 4333 f (Zygaena).
Nubigena Birchall 4323.
Nubigena HS. 2326.
Nubila Stgr. 2500 (Metoponia).
 Stgr. 4720 (Zeuzera).
Nubilaria Hb. 3194.
Nubilaris Grasl. 2039.
Nubilata Bhtsch. 3543 a (Tephroclystia).
 Fuchs 3935 b (Gnophos).
Nubilata Tutt 2849 (Polyploca).
 Pack. 3295 (Lygris).
Nubilosa Stgr. 4273 (Nudina).
Nubilosus Chr. 36 b (Parnass.).
Nuda Chr. 2417 (Thalpochares).
 Hb. 4264 (Nudaria).
Nudaria Chr. 2992.
Nudella O. 4506 (Rebelia).
Nudella Dup. 4488 (Sterrhoptix).
Nudilimbaria Mab. 2897 a.
Numantiaria HS. 3148.
Numerata F. 4017.
Numerica B. 2468.
Numida Obth. 4254 (Hypeuthina).

- Numida* Aust. 1033 (Saturnia).
 , Lue. 2428 b (Thalpoch.).
Numidaria Lue. 2936 (Acidalia).
 , HS. 3226 (Anaitis).
Numidata Gn. 3226.
Numidiata Stgr. 3405.
 , Numi-ma Stgr. 2467.
Nummosa Ev. 1544.
Numosa Frr. 1544.
Nun atrum Hb. 2062.
Nupera Lintner 2180 a.
Nupta L. 2678.
Nupta Hmps. 2678 a.
 , Stgr. 2678 b.
Nuptaria Brem. 3779.
Nuptialis Stgr. 2678 b.
Nurag Ghil. 403.
Nurus Hb. 2670.
Nutrix Graes. 2711.
Nux Frr. 1707.
Nycthemeraria HG. vide Nycthemeraria.
Nyctea Gr. Gr. 919 a.
Nyeteis Mén. 130 et add.
Nyctemera Dup. 3847.
Nycthemera HG. 1260.
Nycthemeraria HG. 3847.
Nycticans Mén. 4178.
Nyctinera Gn. 1260.
Nyctymera Dup. 1260.
Nyctymerina Stgr. 1261.
Nymph Butl. 2884.
Nymphaea Esp. 2697.
Nymphaeata Stgr. 3508.
Nymphaeoides HS. 2701.
Nymphagoga Esp. 2715.
Nymphalis Spr. 683.
Nymphala Stgr. 2701.
Nymphulata Gn. 3509.
- Obductata* Möschl. 3444 a.
Obelisca Hb. 1387.
Obelisca HS. 1387 b.
Obeliscata HS. 3306 c.
Obeliscata Hb. 3306 c.
Oberthüri Stgr. 581 a (Lycaena).
 , Stgr. 821 (Notodonta).
 , Stgr. 1853 (Polyphaen.).
 , Alph. 3177 (Kuldscha.).
 , Hедем. 3260 a (Triphosa).
 , Obth. 4204 c (Arctia).
 , Stgr. 4426 a (Pseudopsche).
 , Heyl. 4462 (Amictia).
Oberthüri Aust. 23 d (Parnass.).
 , Stgr. 485 (Zephyrus).
 , Gr. Gr. 579 (Lycaena).
 , Baker 4884 (Zygaena).
Oberthüri Allard 2307 (Omnia).
 , Aust. 2671 (Catocala).
Obesà B. 1408 (Agrotis).
Ev. 1873 et add. (Nyssoen.).
Obesalis Tr. 2816.
Obfuscaria Hb. 3965 a.
Obfuscata Dup. 3965.
 , Tr. 3965 a.
Objectionaria Stgr. 3918 b.
Obliqua Stgr. 2796.
Obliquaria Moore 3745 (Gonodontis).
Obliquaria (S. V.) Bkh. 3230.
 , var. Gn. 3230 c (Chesias).
Obliquata Klug 987 (Chileana).
Obliquata Tr. 3230 (Chesias).
Obliquilimbata Graes. 2054 a.
Obliteraria Leech 2958 a.
Obliterata Rbr. 2455 (Erastria).
 , Mén. 2707 (Catocala).
 , Hufn. 3474 (Larentia).
 , Stgr. 4028 a (Phasiane).
Obliterata Esp. 837 (Ochrostigm.).
 , Zett. 1985 (Anomogyna).

- Obliterata* Wlk. 2921 (Hemithea).
Oblongata Thnbg. 3511.
Oblongula Stgr. 1157.
Obotritica Schmidt 1355 b.
Obutaria HS. 3604.
Obscure Rätsler 276 b (Erebia).
 , Stgr. 368 d (Satyrus).
 , Rühl 428 a (Coenonym.).
 , Rühl 499 a (Thestor).
 , Rühl 514 a (Chrysophan.).
 , Frey 640 a (Lycaena).
 , Zett. 904 a (Dasychira).
 , Heuäcker 999 a (Gastrop.).
 , Stgr. 1003 a (Dendrolim.).
 , Brahm 1143.
 , Stgr. 1358 a.
 , Frr. 1396 a (Agrotis).
 , Stgr. 1514 b (Mamestra).
 , Stgr. 1560 a (Bombycia).
 , Tutt 1599 a (Bryophilila).
 , Obth. 2054 a (Amphyipyra).
 , Obth. 2558 a (Plusia).
 , Stgr. 2627 b.
 , Brem. & Grey 2643 add.
(Leucania).
 , Fuchs 2968 a (Acidalia).
 , Baker 4084 a (Perconia).
 , Z. 4417 (Ino).
Obscura Aust. 89 e (Colias).
 , Fenton 169 a (Araschn.).
 , Kruhl. 175 (Melitaea).
 , Schöyen 212.
 , Nick. 230 add. (Argynnis).
 , Ström. 1098 a (Acronicta).
 , Hb. 1347.
 , Stgr. 1371 (Agrotis).
 , Th.-Mieg. 1690 a (Hadena).
 , Tutt 1986 a (Grammessa).
 , Auriy. 2098 a (Calymnia).
 , Carad. 2174 a (Xylina).
 , Lutzau 2182 add. (Calocampa).
 , Tutt 2848 (Cymatophora).
 , Mill. 2983 a (Acidalia).
 , Baker 3881.
 , Fuchs 3900 (Boarmia).
Obscuraria Stgr. 3913 a (Tephron.).
 , Hb. 3931 (Gnophos).
 , Baker 3994 a (Fidon.).
Obscuraria Vill. 3839 (Nyctioid.).
 , var. Mill. 3931 a (Gnoph.).
Obscurata Stgr. 523 b (Cigaritis).
 , Stgr. 645 a (Lycaena).
 , Stgr. 905 a (Dasychira).
 , Stgr. 1256 a (Agrotis).
 , Stgr. 1449 a (Mamestra).
 , Stgr. 1932 a (Leucania).
 , Stgr. 2628 (Leucania).
 , Obth. 2678 a (Catocala).
 , Stgr. 2722 a (Apopestes).
 , Stgr. 3197 a (Lithostege).
 , Stgr. 3380 a.
 , Stgr. 3387 a.
 , South. 3437 a (Larentia).
 , Stgr. 3802 a (Hybneria).
Obscurata Mc. Lachl. 211 b (Argynnis).
 , Schöyen 3228 (Anaitis).
 , Stgr. 3634 a (Tephrocl.).
 , Tr. 3931 (Gnophos).
Obscurior Stgr. 697 a (Hesperia).
 , Stgr. 870 a (Pygaera).
 , Stgr. 1265 a.
 , Stgr. 1375 b (Agrotis).
 , Stgr. 3908 a (Boarm.).
Obscurior Stgr. 346 (Satyrus).
Obsitalis Hb. 2818.
Obsitaria Ld. 3224.
Obsoleta Tutt 261 c (Erebia).
 , Stgr. 728 a (Smerinth.).
 , Klug 988 (Nadiasa).
 , Hb. 1936 (Leucania).
Obsoleta Tutt 1093 (Acronicta).
Obsoleta Reuter 4114 (Nola).
Obsoletaria Rbr. 3010 (Acidal.).
 , Zett. 4000 a (Ematurg.).
Obsoletaria Bd. 2997 a (Acidal.).
 , Leech 3891 d (Boarm.).
Obstinate Stgr. 3149.
Obtrita Stgr. 4316.
Obtusa HS. 4315 (Pelosia).
Obtusa Spr. 1169 a (Agrotis).
Obumbrata Stgr. 1265 c.
Obvallata Ld. 3423.
Obvia Ev. 1486.
Occataria Ersch. 3304.
Occecata Stgr. 252 a.
Occidentalis Stgr. 1856 (Melitaea).
 , Bell. 1120 a (Agrotis).
Occidentalis Feld. 153 a (Pyrameis).
 , Lintn. 780 (Cerura).
Occitanaria Dup. 3861.
Occitanica Stgr. 180 a (Melitaea).
 , Vill. 4389 (Zygaena).
Occitanica var. Rbr. 4389 a.
Occulta Hb. 1820.
Occulta L. 1422.
Occularia Stgr. 3110.
Ocellaris Stgr. 301 a (Erebia).
 , Bkh. 2152 (Xanthia).
Ocellata L. 726 (Smerinthus).
 , Friv. 3105 (Probleps.).
 , L. 3304 (Larentia).
Ocellata Leech 3890 (Boarmia).
Ocellatus Butl. 401 b.
Ocellina Hb. 1240.
Ocellina Hb. 1241.
Ochimus HS. 503.
Ochracea Stgr. 10 c (Thais).
 , Edw. 443 h (Coenonym.).
 , Brem. 673 (Augiades).
 , Hw. 1553 b (Dianthoec.).
 , Stgr. 1608 a (Thaumast.).
 , Hb. 1887 (Gortyna).
 , Ersch. 2495 (Metoponia).
 , Brem. 4276 (Nudaria).
Ochracea Aust. 36 (Parnassius).
 , Trybom 62 e (Euchloe).
 , Auriy. 325 (Oeneis).
 , Rühl 349 c (Satyrus).
 , Tutt 1118 (Arislonche).
 , Ld. 4261 (Stigmatorph.).
Ochracea Stgr. 3951 c.
Ochracea Stgr. 3052 a (Acidal.).
 , Stgr. 3199 b (Lithostege).
 , Stgr. 3756 (Angerona).
Ochracea Brem. 4310.
Ochrage Esp. 2143.
Ochraria F. 2934.
Ochraria St. 2934.
Ochrea Gregs. 1547 a (Dianthoec.).
Ochrea Mill. 4156 (Dysauxes).
Ochreago Hb. 2079.
Ochrearia Stgr. 3340 c (Larentia).
 , Rossi 4077 (Aspilates).
Ochrearia Dup. 2933.
 , Hb. 2934.
 , var. Fir. 2933 (Acidal.).
Ochreatia Stgr. 3303.
Ochreola Stgr. 1878 (Hydroecia).
 , Stgr. 2432 a (Thalpoch.).
Ochreola Hb. 4292 (Lithosia).
Ochreomaculata Gr. Gr. 12 a.
Ochrina Stgr. 1351.
Ochrofasciata Stgr. 3942.
Ochroleuca Esp. 1670.
Ochroleuca Stgr. 4140.
Ochroleucaria HS. 3008 ; 3059.
Ochroleucata HS. 3008 (Acidal.).
 , Auriy. 3358 a (Larentia).
Ochrolimba Stgr. 882.
Ochropoda Ev. 927.
Ochrostigma Ev. 1530 b.
Ochrovittata Chr. 3579.
Ochsenheimeri Stgr. 53 (Pieris).

Ochsenheimeri Z. 4352 e (Zygæna).
 Oenus Ev. 318.
 Octo Gn. 2487.
Octodurensis Favre 3826.
Ocogenes Esp. 2844.
Octogesima Hb. 2844.
Octogesima Butl. 2840.
Otomaculata Brem. 4391.
Octopunctata B. 4718.
Ocularis Frr. 2067 (Taeniocamp.).
 „ Gn. 2844 (Cymatoph.).
Oculata Germ. 2170.
Oculea Gn. 1715.
Ocypete Brem. 790.
Odessaria B. 3196 a.
Odessaria B. 3197 a.
Odiosa Stgr. 1458.
Odora Gn. 2258 a.
Odyneriformis HS. 4580 a.
Oedippus F. 425.
Oedipus O. 425.
Oeme Hb. 278.
Oeme var. Esp. 275.
Oeno Scud. 327.
 „ B. 328.
Oenone Cr. 168.
 „ Hb. 168 a.
Oenotherae Schiff. 765.
Oertzeni Ld. 4239.
Oestriformis Rott. 4555.
Ofirmitata Grentzb. 3571.
Okakaria Pack. 3073.
Okakensis Pack. 1166.
Olibaria Mill. 3356 a.
Obienna HG. 1527 (Dianthoe.).
 HS. 2193 (Calophasia).
Oldenlandiae F. 755.
Oleagina (S. V.) F. 1614.
Oleracea L. 1464 (Mamestra).
Oleracea Mohr 1677 b (Hadena).
Olga Stgr. 4089 (Cimelia).
Olga Rom. 115 (Colias).
 „ Gerh. 366 (Satyrus).
 „ Obth. 903 (Dasychira).
 „ ab. Rom. 115 a (Colias).
Olgaria Obth. 3827.
Oliva Stgr. 2207.
Olivacea Stpl. 1797 a (Polia).
Olivacea Tutt 1107 a (Cranioph.).
 „ Morris 1567 (Miana).
 „ Leech 2467 (Erastria).
Olivaria Graes. 2322 (Heliothis).
Olivaria Tr. 3332.
 „ Dup. 3340 b (Larentia).
Olivata (S. V.) Bkh. 3332.
Olivea Hb. 2453.
Oliveirata Mab. 4003 e.
Olivieri B. 477.
Olivieri var. Ersch. 4372.
Olivina Stgr. 1401 a (Agrotis).
 HS. 2206 (Cleophana).
Oloria Rössl. 2995.
Olympiaria HS. 2900.
Olympico Ld. 614 f.
Olympius Stgr. 17.
Omar Obth. 1727.
Omicronaria (S. V.) Hb. 3111.
Ommatophoraria Gn. 3105.
Omphale Klug 506 a (Chrysoph.).
Omphale Butl. 2696 (Catocala).
Omphissa Moore 585.
Oneraria Gn. 3932.
Onobrychia Schiff. 4388.
 B. 4388 b.
Onomaria Fuesl. 2859.
Ononensis Brem. 1392.
Ononis Mill. 4383 a (Zygæna).
Ononis Gn. 2320 (Heliothis).
Ononis F. 2320.
Onopordi Rbr. 703 c.
Onustaria HS. 3932.
Onychina HS. 1566 b.

Oo L. 2085.
Oo var. Frr. 2085 a.
Opaca Stgr. 1944.
Opacaria Hb. 4082.
Opacaria var. Gn. 4082 a.
Opacella HS. 4446.
Opalina Esp. 2194.
Operaria Hb. 3971.
Operaria Curt. 3965 a.
Operosa Hb. 2186.
Ophiogramma Esp. 1561.
Ophiogramma ab. Snell. 1561 a.
Ophioniformis Hb. 4573.
Ophthalmicida Ld. 3933.
Opificata Ld. 3225.
Opima Hb. 2071 et add.
Opipara Mort. 1368 a.
Opis Butl. 3700 c.
Opisoleuca Stgr. 1148.
Opposita Ld. 2217.
Oppositaria Mn. 3913.
Ops Gr. Gr. 655.
Optabilis B. 1734.
Optata God. 2690.
Optilete Knoch 563.
Optima Alph. 1523 (Haderon).
 „ Stgr. 2688 (Catocala).
Opulenta Chr. 2809.
Opulentaria Stgr. 4073.
Or (S. V.) F. 2843.
Orana Stgr. 875 a (Thaumatopt.).
 „ Luc. 1743 (Heliophobus).
 „ Dup. 4388 o (Zygæna).
 „ Aust. 4415 (Ino).
Orana Baker 4399 (Ino).
Oranaria Stgr. 3915 (Tephron.).
 „ Luc. 4239 (Pseudosterra).
Oranula Frr. 500 b.
Orbata Gr. Gr. 728.
Oribicularia Hb. 3109.
Oribulosa Esp. 1615.
Oribifer Hb. 699.
Orbitulinus Stgr. 581 b.
Orbitulus Prun. 581.
Orbitulus var. Obth. 581 a.
Orbona Gr. Gr. 581 c (Lycaena).
 „ Hufn. 1153 (Agrotis).
Orbona F. 1154 (Agrotis).
 „ Hb. 2156 (Ornithia).
Ordossi Alph. 441 c.
Oreas Gr. Gr. 108 a.
Oreophila Stgr. 1934.
Oribasius HS. 4370.
Orihalcea Humps. 2541.
 „ HB. 2542.
Orientalis Rom. 2 a (Papilio).
 „ Obth. 48 b.
 „ Alph. 56 b (Pieris).
 „ Brem. 62 c (Euchloe).
 „ Stgr. 86 h.
 „ Gr. Gr. 109 c add. (Colias).
 „ HS. 175 m.
 „ Mén. 191 g (Melitaea).
 „ Alph. 231 d (Argynnis).
 „ Stgr. 392 d (Pararge).
 „ Murr. 480 (Zephyrus).
 „ Stgr. 513 c (Chrysoph.).
 „ Stgr. 607 b (Lycaena).
 „ Fixs. 865 a (Pygaera).
 „ Stgr. 888 e (Orgyia).
 „ Mn. 1092 (Aeronicta).
 „ Alph. 1531 (Dianthoe.).
 „ Stgr. 2673 a (Catocala).
 „ Stgr. 2830 a (Hyperon.).
 „ Stgr. 3698 a (Abraxas).
 „ Stgr. 3702 a (Bapta).
Orientalis Butl. 735 (Protoparc.).
 „ HS. 1763 c (Apophrypha).
 „ Heden. 3755 (Angerona).
Orientaria Stgr. 4000 c (Ematurga).
 „ Alph. 4075 a (Aspilat.).
Orientata Stgr. 3434 a (Larent.).

Orientata Stgr. 3597 c (Tephrocl.).
Orientis Obth. 52 g (Pieris).
 „ Alph. 1330 b (Agrotis).
Orion Pall. 574 (Lycaena).
 HS. 4327 d (Zygæna).
Orion Esp. 1069 (Diphthera).
Orithya Gr. Gr. 574 b.
Orleansi Obth. 30.
Ormuzd Gr. Gr. 678.
Ornata Chr. 180 e (Melitaea).
 „ Stgr. 231 e (Argynnis).
 „ Stgr. 574 a.
 „ Stgr. 589 e (Lycaena).
 „ Obth. 834 (Spatula).
 „ Stgr. 2032 (Hydrella).
 „ Brem. 2552 (Plusia).
 „ Sc. 3095 (Acidalia).
 „ Stgr. 4211 (Arctia).
Ornata HS. 1502 (Mamestra).
Ornataria Hb. 3095.
Ornatissima Walk. 2556 (Plusia).
Ornatissima Leech 232 g (Argynnis).
 „ Alph. 4131 (Sinna).
Ornatix HG. 2138.
Ornatula Chr. 2468 a.
Ornatus Brem. 652 a.
Ornithopus Hein. 2177.
Ornitopus Rott. 2177.
Orobi Hb. 4348 b (Zygæna).
Orobi Dup. 2735 (Toxocampa).
Orountia HS. 2200.
Orphnata Blhtsch. 3604 b.
Ortaliidiformis Ld. 4586 b.
Orthogrammaria Gn. 3365.
Oryssiformis HS. 4626.
Oscaris Ev. 205.
Osmiaeformis HS. 4617.
Ossaria Hb. 3040.
Osseata F. 3040.
Oseola Stgr. 1885.
Ossianus Hbst. 202 b.
Ossianus Stgr. 202 a.
 B. 202 c.
Ossiculata Ld. 2946.
Ossmar Gerh. 614 f.
Ostrina Hb. 2428.
Ostrina var. Rbr. 2428 b.
 „ var. HS. 2428 c.
Ostrinaria Hb. 3016.
Osyria Gn. 4044.
Osyris Dalm. 754.
Othello Blachier 959 a.
Ottomania Röber 230 b (Argynn.).
 HS. 320 g (Erebia).
Ottomanus Lef. 501 (Chrysoph.).
Ottonis Alph. 1237.
Otus Drury 1004.
Ouanquemetaria Obth. 3445.
Ovulata Borgmann 3287.
Oxalina Hb. 2077.
Oxianda Gr. Gr. 512 b.
Oxyacanthae L. 1813.
Oxybeliformis HS. 4586 b.
Oxybiaria Mill. 3435.
Oxybiata Mill. 3435.
Oxybiensis Mill. 1578 c.
Oxybiensis Mill. 1578 d.
Oxycedrata Rbr. 3643.
Oxydata Tr. 3600 d.
Oxydraria Dup. vide *Oxyce-*
draria.
Oxygenaria Püng. 3916.
Oxygramma Hb. 2568.
Oxytropis B. 4361.

Pahulatricula Brahm 1717.
Pachnoboides Stgr. 1133.
Parciaria Butl. 1462.
Packardaria Möschl. 4013 c.
Pacta L. 2692.
Pacta (S. V.) Esp. 2669.

- Pacta Suecica* Esp. 2692.
Pacuriaria Obth. 3667.
Paeulaetus Chr. 1736.
Pagoda Alph. 1805.
Palaearctica Stgr. 46 a (Pieris).
 " Stgr. 3274 (Photocotos).
 " Stgr. 4093 (Nossa).
Palaearcticus Stgr. 338 b (Satyr.).
Palaemon Pall. 653.
Palaeno L. 86.
Palaeno O. 86 c.
 " Frr. 86 d.
 " Esp. 98.
 " ab. HS. 86 f.
Palaestinae (Stgr.) Hmps. 4147 a.
Palaestinensis Stgr. 78 a (Teracolus).
 " Stgr. 254 c (Melanarg.).
 " Stgr. 972 c (Lasiocamp.).
 " Kalchb. 1197 b (Agrot.).
 " Stgr. 1637 (Segetia).
 " Stgr. 2641 a (Leucania).
 " Stgr. 3419 a (Larentia).
 " Calb. 3960 (Gnophos).
Palaestinica Stgr. 1948 a.
Palaestrina Stgr. 952 b.
Palamedes Gr. Gr. 198.
Palariformis Ld. 4569.
Paleacea Esp. 2099.
Paleaceata Gn. 2983 b.
Paleiferella Brd. 4450.
Pales Schiff. 210 et add.
Pales HG. 210 a.
Pallas Stgr. 198 a.
Palleago Hb. 2150.
Pallens Stgr. 1471 b (Mamestra).
 " L. 1935.
 " Frr. 1938 (Leucania).
Pallens Th.-Mieg. 402 (Epineph.).
 " Obth. 1868 (Brotolom.).
 " Mill. 4281 b (Endrosa).
Palleola Hb. 4302 b.
Pallescens Butl. 232 g (Argynn.).
 " Chr. 1180 a (Agrotis).
 " Stgr. 1877 c (Hydroec.).
 " Butl. 2063 (Taeniocamp.).
 " Stgr. 3200 (Lithostege).
Palliatella Hmps. 4302.
Pallistota Stgr. 2748.
Pallida Stgr. 99 b (Colias).
 " Schöyen 154 b (Pyrameis).
 " Stgr. 200 b (Melitea).
 " Elw. 212 a (Argynnis).
 " Stgr. 351 b (Satyrus).
 " Stgr. 670 c (Augiaides).
 " Wlk. 869 a (Pygaera).
 " Stgr. 1400 a (Agrotis).
 " Stgr. 2048 a (Amphyra).
 " Stgr. 2070 b (Taenio).
Lampa 2070 b (Taenio).
 " Stgr. 2117 b (Cirrhoedia).
 " Stgr. 2494 (Metoponia).
 " Alph. 2673 b (Catocala).
 " Hemed. 3775 (Calcaritis).
 " Stgr. 4186 a (Diacrisia).
 " Brem. 4271 (Miltochrist.).
Pallida Tutt. 166 b (Polygonia).
 " Tutt. 1553 b (Dianthoea).
 " Fuchs 1690 (Hadena).
 " Calb. 1761 b (Aporophyl.).
 " Stgr. 2070 c (Taenio).
 " Tutt. 2182 a (Calocampa).
 " Moore 3252 (Brabira).
 " Butl. 4249 (Coscinia).
Pallidago Stgr. 2149.
Pallidaria Stgr. 4003 b (Selidosema).
 " Stgr. 4024 a (Phasiane).
Pallidaria Hb. 2934.
 " Tr. 2990 (Acidalia).
Pallidata (S.V.) Bkh. 2990 (Acid.).
 " Stgr. 3152 a (Orthol.).
 " Stgr. 3220 a (Anaitis).
 " Stgr. 4690 (Dyspessa).
- Pallidior* Stgr. 1569 e (Miana).
 " Stgr. 2070 c.
 " Stgr. 2072 a (Taeniocamp.).
 " Chr. 4197 a (Ocnogyna).
Pallidula HS. 2438.
Pallidula Ev. 2443.
Pallifrons Z. 4307.
Pallotalis Hb. 4103.
Pallustris Hb. 2024.
Palmata Stgr. 3012.
Palpalis Hb. 2815 (Hypena).
Palpalis Butl. 2021 (Caradrina).
Palpata Pack. 3562.
Palpina L. 849.
Paludata Thnbg. 3228 (Anaitis).
Paludata L. 3095 (Acidalia).
Paludicola Hb. 1895; 1895 a.
Paludis Tutt. 1877.
Palumbaria (S. V.) Tr. 3151.
Palumbata Hb. 3151.
Palustraria Dbd. 3627.
Palustris Hb. vide *Pallustris*.
Palustris Tr. 2024 (Hydrella).
 " Obth. 4348 (Zygaena).
Pamira Gr. Gr. 102 a (Colias).
 " Stgr. 197 (Melitea).
 " Stgr. 2297 b (Hypsophila).
Pamiri Rühl 102 a (Colias).
Pamirus Stgr. 360 (Satyrus).
Pampilia Hb. 440 b.
Paphilus L. 440.
Panaceorum Mén. 2364.
Panaeigides Stgr. 565 a.
Panagaea HS. 564.
Paneratii Cyr. 1435.
Pandora Schiff. 240.
Panessacara Trimoulet 3940 a.
Panicus F. 653.
Panlaeroixii Obth. 883.
Pannonica Frr. 2423.
Panonica Frr. 2423 a.
Panope Ev. 572.
Panoptes Hb. 573 b.
Pausa Chr. 327 a.
Pantaria L. 3699.
Pantellaria Mill. 3613.
Pantherata Hb. 3698.
Panthirina Hb. 4689.
Panthrinus O. 4689.
Paphia L. 237 et add.
Paphia Hb. 237 a.
Paphiooides Butl. 237.
Papilonaria L. 2866.
Paprytaria Marsh. 4164.
Par Hb. 1599 b.
Paradisea Butl. 2424.
Paradoxa Rbr. 4320 (Heterogenys).
 " HS. 4655 (Paropta).
Paradoxa HS. 4319 (Heterogenys).
Paradoxaria Stgr. 3248.
Paradoxella Brd. 4320.
Paralellaria Schiff. 3764.
Paralias Nick. 749 a.
Paralias Stgr. 749 f.
Parallela Stgr. 956 a (Malacosoma).
 " Frr. 2413 (Thalpoch.).
Parallelangula Alph. 1056.
Parallelaria Bhtsch. 3638 a.
 " Schiff. vide *Paralellaria*.
Parallelaria Vill. 3360 (Larent.).
Parallelaris Hb. 2646.
Paramegaura Hb. 390 b.
Paranymptha L. 2696.
Parasita Hb. 4194.
Parree Stgr. 250.
Pardalina Püng. 4200.
Parietaria Obth. 1719.
Parilis Hb. 2579.
Parisatis Koll. 375.
Parmenio Böb. 322.
Parnassia Stgr. 637 e.
- Parnassiphila* Stgr. 1286.
Parrhasius F. 540 e.
Parthenia L. 2854.
Parthenias Esp. 2856.
Parthenie var. God. 2858.
Parthenie Bkh. 193 et add.
Parthenie Hbst. 192.
 " ab. Ersch. 198.
Parthenoides Kef. 193.
Parthenos Harris 4213.
Parthica Ld. 378 i (Satyrus).
 " Ld. 4571 (Sesia).
Partita Gu. 2486.
Partitaria Hb. 4028.
Parva Hb. 2429 (Thalpochares).
Parva Dup. 2433 (Thalpochares).
 " Hede. 3736 (Hydrochroa).
Parviguitta Chr. 4156 e.
Parvipuncta Fuchs 650 a.
Parvula Leech 1055 (Drepana).
Parvula Ld. 1395 (Agrotis).
Parvularia HS. 3658 b (Tephroclystia).
Parvularia B. 2925 (Acidalia).
Parvulata Stgr. 3462.
Pascuaria Brahm. 3874.
Pascuea (Curt.) Gu. 1763 a.
Pasimelas Stgr. 405 b.
Pasiphae Esp. 424.
Pasiphae Hb. 424.
Paspala Püng. 1860 add.
Passeraria Frr. 3320 b.
Passerinalis Graes. 2812.
Passerinaria HS. 3185.
Passetii Th.-Mieg. 1422 a (Agrot.).
Passetii Th.-Mieg. 2854 (Brephos).
 " Th.-Mieg. 3715 (Numeria).
 " Th.-Mieg. 3904 (Boarmia).
Pastumum Fr. 2741.
Pastoraria Joan. 3064.
Pastrana Ld. 952.
Pastrana Chr. 952 a.
Pasythea Hb. 2713.
Patricia Stgr. 1394.
Paucimacula Schultz 4215.
Paula Hb. 2431.
Pauli Stgr. 1017 b (Lemonia).
 " Stgr. 2136 a (Orthosia).
 " Stgr. 2203 (Cleophana).
Paulina Stgr. 1602 (Bryophil.).
 " Stgr. 2536 a (Plusia).
Paulina Nordm. 236 (Argynnis).
Paupera Alph. 380 (Satyrus).
 " Stgr. 1109 (Cranioph.).
 " Chr. 2110 (Dyschorist.).
 " Chr. 4413 (Ino).
Pauperaria Ev. 3185.
Paupercule Ragusa 240 a.
Paupermata Chr. 3327 b.
Pauxillaria B. 3634 a.
Pauxillaria HS. 3658.
Pauxillata Mab. 3657; 3658 b.
Paveli Uhrik 4516.
Pavida B. 1665 b (Hadena).
Pavida Gu. 1467 a (Mamestra).
Pavonia L. 1037 (Saturnia).
Pavonia Voelschow. 405 add. (Epinephele).
 " major L. 1034.
 " media Esp. 1035.
 " minor L. 1037 (Saturnia).
Pawlowskyi Mén. 271.
Peas Ha. 378 c.
Pecharia Stgr. 3023 a.
Pechi Stgr. 64 (Euchloe).
 " Stgr. 4579 (Sesia).
Pechmanni Hartm. 730 e.
Pecten Gn. 1989.
Pectinata Stgr. 4633 (Bembecia).
Pectinata Alph. 1976 (Monostol.).
Pectinataria Koch 3333.
Pectinella (S. V.) F. 4518 (Psychidea).

- Pectinella* Hb. 4506 a (Rebelia).
Pectinicornis Stgr. 2218.
Pectitalis Hb. 2803.
Peculiaris Stgr. 1500 (Mamestræ).
Peculiaris Butl. 2141 (Xanthia).
Pedaria F. 3812.
Pedemontaria Stgr. 3996 c.
Peltieraria Dup. 4066.
Pelias Leech 714.
Pelidne B. 87.
Pelidneides Stgr. 86 i.
Pellagraria Gu. 3714.
Pellez Hb. 2673.
Pellonaria (Stgr.) Chr. 3130 a.
Pellucida Chr. 175 c (Melitæa).
Murray 679 (Parnara).
" Stgr. 3988 (Egea).
Pelopea Klug 363.
Pelopea HS. 368.
Pelopia Bkh. 231 a.
Peloria Hew. 42.
Peltaria B. 4026.
Peltigera Schiff. 2325.
Pendularia Cl. 3108.
Penella Hb. 4319.
Penelope Stgr. 238 a.
Penia Frr. 66 a.
Penicillata Graes. 2090 (Calymn.).
Penicillata Gn. 2210 (Cleophana).
Pennaria L. 3746.
Pennella HS. 4319.
Pennigeraria Hb. 3998.
Penthima Ersch. 2474.
Penulataria Hb. 4057.
Pepli Hb. 1097 a.
Pepsiformis Ld. 4628 a.
Perandidata Chr. 3505 b.
Percentatrix Auri. 2559 a.
" Tr. 2560 a.
Percursaria Weaver 3381 a.
Perdita (Butl.) Stgr. 3936 (Gnophos).
" Stgr. 4370 a (Zygaena).
Peregrina Tr. 1493.
Perezuria Obth. 3123.
Perfidata Mn. 3523.
Perluia F. 2053.
Perforata Brem. 2266.
Perfumaria (Newman) Knaggs 3876 a.
Perfumata Reuter 3072 b.
Perfusa Hb. 2055.
Perfuscata Lah. 3320.
Perfuscata Hw. 3319 a.
Pergrata Rbr. 2389 c.
Peribolaria Tr. 3159.
Peribolata Hb. 3159.
Periculosa Gn. 1869.
Perigrinata Püng. 1124.
Perla F. 1600.
Perlana HG. 2433.
Perlina Stgr. 1600 b.
Perloidea Gn. 1599 d.
Perlucidella Brd. 4518 a.
Perplidis Chr. 749 d.
Permista Stgr. 2407 (Thalpoch.).
Permista HG. 1467 (Mamestræ).
Permixtaria HS. 3430.
Permutterata Stgr. 3065.
Permutataria Hb. 3707; 3707 a (Stegania).
Frr. 4026 (Phasiane).
Pernis HG. 1674 a.
Pernotata Gn. 3595 a.
Pernyi Guer. 1025.
Perochraria F. 2933.
Perpetuata Ld. 3227.
Perplexa Hb. 1553.
Perplexaria Stgr. 3173.
Perpusillaria Ev. 2926.
Perry Butl. 206.
Persa Alpha. 1460 (Mamestræ).
Persa Gr. Gr. 250 a (Melanarg.).
- Persea* Koll. 185 d.
Perseis Ld. 426 b.
Persephatta Alph. 636.
Persephone Esp. 285 a (Erebia).
" Hb. 349 (Satyrus).
Persica Stgr. 363 a (Satyrus).
" Bien. 604 e (Lycaena).
" Mén. 357 a (Ouarteryx).
" Koll. 4153 (Symnotis).
Persica Neuburger 12 add. (Hymenoptera).
" Bien. 57 b (Pieris).
" Chr. 363 b (Satyrus).
" Bien. 506 (Chrysophaen.).
" Stgr. 1146 (Agrotis).
Persicariae L. 1456.
Persicus Aust. 4663.
Persimilis Butl. 2832 (Mimeusemia).
Persimilis Butl. 786 (Stauropus).
Persona Hb. 4245 e.
Perspersaria Dup. 4050 a.
Perspersata Tr. 3927.
Perspicillaris L. 1840.
Pertinax Stgr. 1993.
Pertundulus Swinhoe 723.
Peruvagata Chr. 3495.
Perversaria B. 3864.
Perversaria HS. 3864 a.
Pervaria Ld. 4045.
Petasitis Dbd. 1880.
Peterseni Chr. 1837.
Petersi Chr. 1428.
Petilaria Chr. 2903.
Petraea Tngstr. 2008.
Petraea Hb. 4023.
Petrea Gn. 1576.
Petreola Gn. 4302 c.
Petri Alph. 782 a.
Petricolus Ld. 1589.
Petricaria Tr. 3845.
Petricata Tr. 2172 (Xylina).
" Hb. 355 (Hemerophila).
Petricosa Hb. 2172.
Petrorhiza Tr. 1833.
Peucedani Esp. 4358 e.
Pexa Stgr. 1651.
Pexata Grote 2174 a.
Peyerimhoffata Mill. 3629.
Phacea Hb. 4389.
Phaedra Leech 132 i (Apatura).
" L. 381 (Satyrus).
" Esp. 422 (Epinephele).
Phaeoleucaria Ld. 3856.
Phaeosoma Butl. 4201.
Phaeton Frr. 503.
Phaiosata Stgr. 3323.
Phantasma Ev. 2720 a.
Phantasos Stichel 651 add.
Phantomata Dalm. 785 c.
Phantomata HS. 785 b.
Phantomaria Graes. 3836.
Pharaonis Stgr. 536.
Pharte Hb. 269.
Phartina Stgr. 269 a.
Phasidaria Rghfr. 3839 d.
Phasma Butl. 3470.
Phagea L. 4146 (Syntomis).
Phagea Bkh. 321 (Erebia).
" Hb. 4146 a; 4146 c.
" var. Esp. 4146 b (Syntomis).
Phageus Esp. 4146 a.
Phareclus Gr. Gr. 582 a.
Pheres Stgr. 582 a.
Pheretes Hb. 583.
Pheretiades Ev. 582.
Pheretimus Stgr. 583 a.
Pheretulus Stgr. 582 c.
Pheretus Gr. Gr. 582 a.
Pherusa B. 259.
Phiala Gr. Gr. 535.
Phicomone Esp. 91.
Philaea Hb. 433 d.
- Philaearia* Brabant 3143.
Philanthiformis HS. 4604.
" Lasp. 4605.
" Rbr. 4607.
Philea Frr. 433 c.
Phileuphorbia Müttzell 745 a.
Philias L. 530 not.
Philippina Aust. 424 a (Epineph.).
Aust. 2627 a (Leucanitis).
Philippi Caspari 1402 a.
Philolaches Obth. 3134.
Philomela Esp. 301 (Erebia).
" Johanssen 382 (Ypthima).
Philomena Hb. 86.
Dup. 86 f.
Philopolis Grasl. 1981 a (Stilbia).
Philopalus Donz. 1018 (Lemonia).
Philoxenus Esp. 443 a.
Philyra Mén. 147.
Philyroides Stgr. 148.
Phisadia God. 78.
Phlaeas L. 512.
Phlaeas var. Esp. 512 a.
Phlaeoïdes Stgr. 512 e.
Phlebophora Ld. 2347.
Phlogophagus Grote & Rbs. 2321 b.
Phlomidis HS. 698 (Hesperiæ).
Phlomidis (Gn. 2396 (Thalpochar.).
Pflueneri Waequant 4146.
Phoca Möschl. 1536.
Phocas Rott. 513.
Phocata Möschl. 3354.
Phoebe Knock 180 (Melitæa).
" Siebert 823 (Notodontæ).
Phoebe Esp. 186 b (Melitæa).
Phoebearia Ersch. 3106.
Phoebus Pran. 20.
F. 20 b.
Phoenicea Stgr. 4337 g.
Phoeniceata Rbr. 3641.
Phoenicurus Ld. 520.
Phoenissa Kalchb. 69 b (Euchloe).
" Rghfr. 936 b (Lymantr.).
" Ld. 2427 (Thalpocharæ).
Phorcys Frr. 276 a.
Photophila Gn. 1271.
Phragmiticola Stgr. 1898.
Phragmitidis Hb. 1929.
Phryganea Rbr. 3253.
Phryne Pall. 448.
Phrynis Stgr. 606.
Phyllis Chr. 623.
Phyllides Stgr. 595.
Picata Hb. 3439.
Picearia HG. 3992.
Piceata Stph. 3367 a.
Piceipennis Butl. 719.
Picta Stgr. 2091 (Calymnia).
" Chr. 2624 (Leucanitis).
" Butl. 2648 (Synpa).
Picta Stgr. 2624 a (Leucanitis).
Pictaria Curt. 3702 (Bapta).
Pictaria Thnbg. 3897 (Boarmia).
Picteti Stgr. 2299.
Picticollis Zett. 1666.
Picturata Alph. 1532.
Pierretaria Guill. 3222.
Pierretti Rbr. 4193.
Pierrettii Bugnion 1748.
Pigra Hufn. 870.
Pilosaria (S. V.) Hb. 3812.
" var. Barr. 3812 b.
Pilosellae Esp. 177 (Melitæa).
Esp. 4323 (Zygaena).
Pilzii Stndf. 3816 a.
Pimpinellaria HS. 3553.
Pimpinellata Hb. 3553.
Pimpinellata Gn. 3571.
" Frr. 3575.
" var. Gn. 3567.
Pimplæformis Obth. 4537.
Pinastri L. 736 (Hyloicus).

- Pinastri* L. 1827 (Dipterygia).
Pinetaria Hb. 4018.
Pineti Stgr. 1574.
Pingi Obth. 4556.
Pinguedinaria HS. 2995.
Pinguedinata Z. 2995.
Pini L. 1001.
Piniarius L. 4001.
Pinicolaria Bell. 3721.
Piniperda Panz. 2074.
Pinivora Tr. 876.
Pinnaria Chr. 3171.
Piperata Stph. 3604 (Tephrocl.).
Piperita Obth. 916 (Euprotictis).
Piperitaria Obth. 3902.
Pipiziformis Ld. 4562.
Pirata Esp. 343 b.
Pirene Hb. 279.
Pirthous L. 530.
Pisi L. 1471.
Pisidice Klug 373.
Pistacina F. 2127.
Pitho Hb. 288 a.
Pityata Rbr. 3956 a.
Pityocampa Schiff. 875.
Placens Stgr. 1562.
Placida Friv. 4169.
Placida Mill. 4168 b.
Placidaria Fr. 3415.
Plagiata L. 3220.
Plagifera Wilk. 1006.
Planorbis Siebold 4496.
Planorum Alph. 544 d.
Plantaginis L. 4177.
Plantaginis Hb. 2019 (Caradrina).
 " Esp. 4177 a.
 " Hb. 4177 c (Parasemias).
Plantilla Hb. 145.
Planus Wilk. 726 d.
Platinea Tr. 1673.
Platyptera Esp. 2195.
Platyzona Ld. 2793.
Plebeja Obth. 828 (Allodontia).
 " Stgr. 2112 (Dyschorist.).
Plebeja Hb. 1452.
Plecta L. 1242.
Plesaura Bell. 259 a.
Plexippus L. 243.
Plotina Brem. 196.
Plumaria Esp. 3812 (Phigalia).
 " (S. V.) Hb. 4003 (Selidosema).
Plumbaria F. 3151.
Plumbata Curt. 3305 a.
Plumbea Alph. 1277 (Agrotis).
Plumbea Butl. 2847 (Cymatoph.).
Plumbearia Stgr. 3940 a.
Plumbeata Stgr. 3230 b.
Plumbeola Stgr. 1583 (Bryophil.).
 " Stgr. 1788 (Polia).
Plumbeola HS. 4296 (Lithosia).
Plumbeolata Hw. 3623.
Plumbodescripta Chr. 3019.
Plummella HS. 4505 (Rebelia).
Plummella Schiff. 4513.
 " O. 4513 c (Epichnopt.).
Plumifera O. 4478.
Plumiferella Brd. 4478.
Plumigeria (S. V.) Esp. 852.
Plumigerella B. 4481.
Plumistarria Vill. 3999.
Plumistrea Hw. 4513.
Plumistrebla Hb. 4481.
Plumosella Brd. 4463 b.
Plumularia Frr. 3145 (Lythria).
 " B. 3983 (Anthomethra).
Plurilinearis Moore 3478.
Plurimacula Chr. 691 a.
Plusibia A. 2891.
Plusina Stgr. 2350.
Plusiotis Obth. 832.
Plusiotis Stgr. 831.
Pluto Esp. 285 b (Erebina).
Pluto O. 4323 b (Zygaena).
Pluto B. 4323 (Zygaena).
Podalarinus Obth. 1 g.
Podalirius L. 1.
Podarce O. 378 a.
Podevinaria HS. 3340.
Poderina Mab. 536.
Poeas Hb. vide Peas.
Poecila Alph. 1268.
Poecilata Püng. 3611.
Poenitens Stgr. 943 a.
Poeta Obth. 23 d.
Poggearia Ld. 3959.
Poggei Ld. 690.
Polaria HS. 3382.
Polaria Stgr. 157 h (Vanessa).
 " Gr. 185 h bis add. (Met. taea).
 " B. 213 (Argynnus).
 " Stgr. 277 c (Erebina).
 " Stgr. 4565 (Sesia).
Polata Dup. 3382.
Polata Westv. 3381 a.
Potti Gn. 1677 b.
Potianus Stgr. 1800.
Polidamus Prun. 2.
Poliographus Motsch. 98 d.
Polita Hb. 2165 e (Orrhodia).
Polita Alph. 1264 (Agrotis).
 " Dup. 2165 a (Orrhodia).
Poliania Hb. 3031.
Politata Hb. 3031.
Politina Stgr. 2165 g.
Pollinaria Chr. 3940 c.
Polluta Esp. 2138.
Pollutaria Hb. 3700 a.
Pollux Esp. 319 a.
Polona HS. 613 c.
Polonus Z. 613 c.
Polychloros L. 161.
Polycommata (S. V.) Hb. 3236.
Polydon Hb. 1444 (Mamestra).
 " L. 1690.
 " var. Barr. 1690 a (Hadena).
Polygalae Esp. 4323 a.
Polyglypha Stgr. 1691.
Polygona F. 1121.
Polygonides Stgr. 1371 a.
Polygramma Dup. 2417.
Polygrammata Bkh. 3666.
Polygrammatia Z. 3666 a.
Polygrapharia B. 3361.
Polymeda Hb. 401; 401 a.
Polymita L. 1775 (Polia).
Polymita Hb. 1542 (Dianthoec.).
Polyrnia Mill. 10 c.
Polyodon Cl. 1840 (Chloantha).
Polyperchen Berg. 540 c.
Polyxena Schiff. 10.
Pomerana Schulz 1472 d.
Pomoeraria Ev. 3373.
Pomona Stgr. 4219 a.
Pomonia Hb. 3816.
Pomonia Lef. 3817.
Pomoniaria Mill. 3816.
Poneformata Stgr. 3219.
Pontibrillantella Brd. 4513 a.
Pontica Gn. 4092.
Pontica Stgr. 849 b (Pterostoma).
 " Stgr. 1085 (Aconicta).
 " Stgr. 1212 a (Agrotis).
 " Stgr. 2135 a (Orthosia).
Pontica Heyne-Rühl 353.
 " Fr. 362 a (Satyrus).
Ponticum Stgr. 4541 b (Sciapter.).
Ponticus Auriv. 1017 a (Lemonia).
Pontissularia Brd. 3331 a.
Popoviana Nordm. 713 c.
Popularis F. 1439.
Populata L. 3293 (Lygris).
Populata Cl. 3300 (Larentia).
 " var. Gn. 3293 a (Lygris).
Populeti Bien. 725 a (Smerinth.).
Populeti Tr. 2067 (Taeniocamp.).
Populetorum Stgr. 725 b.
Populi L. 136 (Limenitis).
 " L. 725 (Smerinthus).
 " L. 962 et add. (Poeciloc.).
Populi Auriv. 2067 (Taenioc.).
 " var. Esp. 136 a.
 " transit. Carad. 136 b (Limenitis).
Populifolia Esp. 999.
Poraria Tr. 3113.
Porata F. 3113.
Porcellus L. 761.
Porima O. 169 a.
Porosa Ev. 2061.
Porphyria HS. 3147 c.
Porphyrea Esp. 1661 (Hadena).
Porphyrea Hb. 1119 (Agrotis).
Porphyrina Frr. 2428 c.
Porriaria HS. 2906.
Porrinata Z. 2906.
Poseidon HS. 627.
Poseidonides Stgr. 627 c.
Postera Stgr. 2230.
Posthuma Hb. 2694 a (Catocala).
Posthumus Chr. 623 a (Lycena).
Postpositoria Stgr. 3353 a.
Potanini Alph. 44 a.
Potatoria L. 990.
Potentillaria Frr. 3393.
Pouilliere Bell. 725 c.
Praecana Chr. 1582 (Bryophil.).
 " Ev. 2235 (Cucullia).
Praecanaria Ev. 3133.
Praecanaria Stgr. 3071.
Praecellens Stgr. 4494.
Praecepis Hb. 1418.
Praecipua Stgr. 1393 (Agrotis).
 " Stgr. 1448 (Mamestr.).
Praecisaria Stgr. 3133 a.
Praeclarula Graes. 1108.
Praeclarata Püng. 3907.
Praeclarus Püng. 4674.
Praecox L. 1418.
Praecox Hb. 1400.
Praecurrens Stgr. 1419.
Praedita Hb. 1504.
Praeduncula Hb. 1567.
Praeformata Hb. 3218.
Praeligaminosa Stgr. 2721 c.
Praesignata Stgr. 3351.
Praesignata Bitsch. 3639.
Praetexta Esp. 2145.
Praeuastria Mn. 3038 a.
Prasina F. 1420 (Agrotis).
 " L. 4141 (Hylophil.).
Prasinaria Ev. 2885 b (Euchloris).
 " Hb. 3720 b (Ellopia).
Pratana F. 3994.
Prataria B. 3056.
Pravarria Ev. 3984.
Pravata Hb. 3984.
Prazonoffskyi Gn. 2553.
Prenanthia B. 2220.
Pressaria Chr. 3790 a.
Pretiosa Stgr. 475 a (Thecla).
 " Alph. 2300 (Ala).
 " Stgr. 4221 (Arctia).
Pretiosa Stgr. 1838 (Anthia).
Pretiosaria Stgr. 2911.
Prieuri Pier. 348.
Prima Stgr. 959 b.
Primigena Stgr. 1009 (Taragam.).
 " (Stgr.) Meyr. 3810 (Anisopteryx).
Primordiata Rätzen 3388 c.
Primulace Esp. 1207.
Primulae Mill. 3563 a.
Princeps Honr. 26 a (Parnassius).
 " Obth. 454 (Polycaena).
Princeps Gr. Gr. 18 c (Parnass.).
 " Stgr. 4436 (Parasa.).
Prisca Stgr. 887 (Orgyia).

- Prisca* Stgr. 47 b (Pieris).
Privata Stgr. 592 c.
Privataria Bastelberger 3116 b.
Probaria HS. 334 a.
Proboscidialis L. 814.
Proboscidata HS. 2826.
Procax Hb. 2746.
Procellata (S. V.) F. 3443.
Procera Stgr. 1916.
Processionea L. 874.
Procida Hbst. 46 c.
Proc-piana Hormuz. 277 b.
Proditoria Brem. 3791.
Prodromaria Schiff. 3826.
Produta Ld. 1798.
Profana Ev. 2656.
Profesta Chr. 2596.
Progennaria Hb. 3799.
 Tr. 3809.
Progné Cr. 165 not. (Polygonia).
 Gr. Gr. 316 a (Erebia).
Prolifica Wlk. 2670.
Prolongata Rbr. 2987 (Acalalia).
 Z. 3585 (Tephroclyst.).
Proluaria Fir. 3607.
Prometheus Gr. Gr. 691 c.
Promissa Esp. 2684.
Promutata Gn. 3064.
Pronoe Esp. 288.
Pronoë HG. 288 a.
Pronuba L. 1152.
Pronuba Esp. 1152 a.
Propagata Chr. 3402.
Propinquia Stgr. 1850 a (Polyphænias).
 Ev. 2207 (Cucullia).
Propinquaria (B.) Gn. 3852 b.
Propinquius Chr. 2599 (Zethes).
Propignaria Tr. 3374.
Propignata (S. V.) F. 3374.
 var. Gn. 3374 a.
Prorsa L. 169 b.
Prosaparia L. 3720.
Prosecura Ersch. 643.
Prosequa Tr. 1154 b.
Proserpinus Pall. 765 (Pterogen.).
 Stgr. 4243 (Euarcia).
Proserpina Schiff. 340 (Satyrus).
Prospiciformis O. 4629.
 HS. 4629 a.
Prospectus Hb. 1850.
Protea (S. V.) Bkh. 1825 (Dryobata).
Proteus Stgr. 691 b (Hesperia).
Proto Esp. 688.
Protomedia Men. 194 et add.
Protomyphya B. 296 a.
Protracta Chr. 1579.
Provincialis B. 1751.
Proviciatis HS. 175.
Proviciata Mill. 3045.
Proxemeta Alph. 2695.
Proxima Stgr. 989 (Chileana).
 Hb. 1530 (Dianthoec.).
 Rbr. 2009 a (Caradrina).
 Chr. 2798 (Hermimia).
 Ld. 4519 (Psychidea).
Proxima Aust. 755 (Chærocampa).
 Frr. 1487 a (Mamestra).
Proximaria Rbr. 3158.
Proximata Stgr. 4582.
Pruinaria Ev. 3228.
Pruinosa Hufn. 2860.
Pruinosa Butl. 2177.
Pruinosaria Brem. 4047.
Pruinosata Stgr. 2865.
Prunaria L. 3754.
Prunaria Kuoch 3754 a.
Prunaria L. 3291.
Pruni L. 466 (Thecla).
 L 1099 (Odontodes).
 Schiff. 4402 (Ino).
Prunoïdes Stgr. 467 (Thecla).
- Prunoïdes* Stgr. 1000 a (Odontest.).
Pryeri Moore 1424 (Linénitidis).
 Butl. 143 (Néptis).
 Janson 164 a (Polygonia).
 Murray 649 (Lycaena).
Pryeri Leech 1987 (Grammes.).
 Butl. 3488 (Larentia).
Przewalskii Alph. 29 (Parnass.).
 Alph. 784 (Dianuruna).
 Alph. 4533 (Trochilium).
Psammodia Stgr. 1354.
Pseudabietis Bntl. 909 not.
Pseuderos Moore 597 f.
Pseudocorallus Schauf. 735.
Pseudogaliata Stgr. 3435 a.
Pseudogaliata Stgr. 3596 a.
Pseudononiion Christ 14 a.
Psi L. 1090.
Psilogramma Ld. 2415.
Psiitacus HS. 531.
 Allard 532.
Psiitacata Schiff. 3313.
Psodea Hb. 277 a.
Psodea Fir. 278 b.
Psuraliata Mill. 3876; 3901 a.
Psorcaria Ev. 4058 a.
Psyche Gr. Gr. 4712 (Stygia).
Psyche Hb. 258; 258 a (Melanarg.).
Psychidion Stgr. 4711.
Psychina Obth. 4425 a.
Psychinaria Roseuh. 3983.
Psyloria Fir. 588.
Pteridis F. 1846.
Pterographia Pouj. 2834 b.
Ptochica Pling. 1482.
Pudens Lue. 4174.
Pudibunda L. 908.
Pudibunda var. HS. 908 a.
Pudica Stgr. 1263 (Agrotis).
 Esp. 4238 (Euprepia).
Pudica Stgr. 909 (Dasychira).
Pudicaria Stgr. 4137.
Pudicaria (Motsch.) Stgr. 3076.
Pudicaria Chr. 3362.
Pudorina Stgr. 2417 a (Thalpocharas).
 Stgr. 4589 (Sesia).
Pudorina Hb. 1932 (Lencania).
 Esp. 4314 (Pelosia).
Puella Esp. 2858 (Briophos).
 Stgr. 4173 (Phragmatob.).
Puerpera Giorna. 2673.
Pugnax Alph. 1645 (Pseudohad.).
Punax Hb. 1495 (Mamestra).
Pulchella Feld. 418 (Epineph.).
 Stph. 3522 (Tephrocl.).
 L. 4. 57 (Deipoea).
Pulchella Gr. Gr. 419 (Epineph.).
Pulchellus Heyne 4727 a (Hepialus).
Pulcherrima Moore 812 (Hypodontata).
 Stgr. 4270 a (Miltochrist.).
Pulcherrima Obth. 1853.
Pulcherrinata Fuchs 3115.
Pulchera Feld. 418 a (Epineph.).
 Leech 655 (Pamphilus).
 Stgr. 258 (Euchloris).
Pulchra Ev. 2317 (Heliothis).
 Schiff. 4257 (Deipoea).
 Butl. 4270 (Miltochrista).
Pulchraria Ev. 3472.
Pulchrata Alph. 32-2.
Pulchrina Hw. 2559.
Pulchripes Butl. 1046.
Pulla Hb. 2184 (Scotocrosta).
 Esp. 4513 (Epichnopter.).
Pulla var. Barr. 4513 a.
Pullaria HS. 3935.
 Hb. 3935 a.
Pullata (S. V.) Tr. 3935.
Pullata Dup. 3931 b.
 Mill. 3935 c.
- Pulletta* Brd. 4513.
Pulliparcella Brd. 4513.
Pullularia HS. 3933 a.
Pulmonariae Hb. 2020.
Pulmonaris Esp. 2020.
Pulveraria L. 3715.
Pulverata Chr. 62 d (Euchloe).
 Thnbg. 3689 (Epiranthis).
Pulverea Hb. 2167.
Pulverulenta Esp. 2066 (Taenio-campa).
 Alph. 4168 c (Phragmatobia).
Pulverulentus Püng. 4673 (Holocerous).
Pulgigera Stgr. 779 a.
Punicaria Ld. 4044.
Punicosa HG. 1787.
Pumila Stgr. 335 a (Oeneis).
 Stgr. 892 (Dasorgia).
Pumila Gr. Gr. 893 (Dasorgia).
Pumilaria HS. 3658.
 Dup. 3658 a.
Pumilata Hb. 3658.
Pumilio Hfsgg. 680.
Pumilus Feld. 338 (Satyrus).
Pumilus Elw. 338 a.
Punctana Hb. 4126.
Punctaria L. 3115 (Ephyra).
 Leech 4085 a (Perconia).
 Cr. 4159 d (Spilosoma).
Punctaria Dup. 3078 (Acalalia).
 (S. V.) Hb. 3113 (Ephyra).
Punctata Sc. 3078 (Acalidia).
 F. 4150 d (Dysauxes).
Punctata Auriv. 1172 (Agrotis).
 Mén. 2613 (Palpungula).
 F. 3704 (Bapta).
 Z. 4156 d (Dysauxes).
Punctatissima Stgr. 3356 a.
Punctifera Obth. 613 d.
Punctigera Frr. 4251 b (Coscinia).
Punctigeria Teich. 913 (Euprotis).
Punctistrigaria Chr. 3179.
Punctosa Tr. 1946.
Punctularia Hb. 3910.
Punctulata (S. V.) Tr. 3910.
Punctum O. 4333.
Punica Obth. 180 b.
Punicea Hb. 1132.
Puniceago B. 2332.
Pupillana Stgr. 4138.
Pupillaria Hb. 3112.
 Mill. 3112 a.
 Z. 3116.
Pupillata Thnbg. 3451.
Pura Hb. 2437.
Purpuralis Biümlich 4323.
Purpararia L. 3147.
Purparavia Esp. 3147 a.
Purpurascens Tausch. 2317.
Purpurascens Ld. 2318.
Purputata Stgr. 2315 a (Heliothis).
 L. 4179 (Rhyparia).
Purpurata Ld. 2428 (Thalpoch.).
Purpurea L. 4179.
 var. Hb. 4179 a (Rhyparia).
Purpureofasciata Piller 1846.
Purpureomarinata Bhtsch. 2965.
Purpurina Hb. 2426 (Thalpocharas).
Purpurina Esp. 2357 (Pyrrhia).
Purpurissata Grote 1446 e.
Purpurites Tr. 2357.
Pusaria L. 3713.
Pusaria Barr. 3713 a.
Pusilla var. Barr. 4513 b.
 (Thergelia).
 View. 2460 (Erastria).

- Pusilla* Spr. 4498 (Apterona).
Pusilla Ev. 2114 (Thalpochares).
 " Graes. 2751 (Aventiola).
Pusillaria Hb. 3020 (Acidalia).
 HS. 3555 (Tephroc.).
Pusillata (S. V.) F. 3555.
Pustulata Hufn. 2879 (Euchloris).
Pustulata Ev. 2248 (Cucullia).
Puta Hb. 1345.
Puta B. 1345.
Putata L. 2917.
Putataria L. 2917.
 Esp. 2918.
Putli Koll. 539 a.
Putnami Grote 2547.
Putrescens Hb. 1947.
Putrida Stgr. 1948.
Putridaria HS. 3429.
Putridaria HS. 3344 d.
Putridus Chr. 4648.
Putris L. 1346 (Agrotis).
Putris Hb. 1706 (Hadena).
Puziloi Ersch. 3141 (Timandra).
Puziloi Ersch. 8 (Luehdorfia).
Puziloi Pryer 8 a.
Pygmaea Rbr. 1990 a (Caradr.).
 " Graes. 4713 b (Phragmataecia).
Pygmaea Stgr. 1798 (Polia).
Pygmaearia Hb. 2925.
Pygmaeata Hb. 3627.
Pygmaeola Dbd. 4306 b.
Pygmaeus Cyr. 680 (Parnara).
Fyhaevaerae Hoffm. 1097 a.
Pylaon F. d. W. 551.
Pylarge Hb. 425.
Pyratilia (S. V.) Hb. 3300.
Pyratidiformis Hb. 1059.
Pyratina View. 2087.
Pyrami Rghfr. 2794.
Pyramidea L. 2054.
Pyrausta Graes. 2086.
Pyrenaea Obth. 3980 a (Psodos).
Pyrenaea Obth. 282 a (Erebia).
 " Obth. 342 (Satyrus).
 " Obth. 1600 (Bryophil.).
Pyrenaearia Obth. 3334 b (Larentia).
 " B. 4003 a (Selidosema).
Pyrenaella HS. 4467.
Pyrenaetus HS. 4737 (Hepialis).
Pyrenaica Gr. Gr. 113 c (Colias).
 " HS. 261 d.
 " Rühl 279 b.
 " Stgr. 280 a (Erebia).
 " B. 581 g (Lycaena).
 " Obth. 1441 b (Mamestr.).
 " (Grasl.) Gmpfbg. 3191 a (Odezia).
Pyrenaica Stgr. 280 a.
 " Heyne-Rühl 320 b (Erebia).
Pyrenaicus Donz. 4737 (Hepialus).
Pyrene Swains. 84 (Catopsilia).
 Esp. 279 (Erebia).
Pyreneata Mab. 3521.
Pyrethri HS. 2271.
Pyretorum Westw. 1032.
Pyri Schiff. 1034.
Pyrina L. 4718.
Pyromelas Frr. 161 b.
Pyronia Hb. 191 a.
Pyropata Hb. 3299.
Pyrophila F. 1256.
Pyrothoë Ev. 67.
Pyrrho F. 275.
 " Macabaeas Frr. 275 a.
Pyrrhomena Hb. 161 a.
Pyrrhula Frey 275 c.
Pythia Hb. 4323 b.
 " Frr. 4333 c.
Pythius Esp. 13.
Pythonissa Mill. 135.

- Quadra* L. 4290 (Oeonistis).
Quadra Graes. 2757 (Epizeuxis).
Quadrangula Zett. 1310.
Quadrangula Ev. 1157.
Quadrangularis Chr. 4452.
Quadratum Hb. 1201.
Quadrinotata Hw. 3434.
Quadrifaria Sulz. 3980.
Quadrifasciaria Cl. 3368.
Quadrifasciaria Tr. 3373.
Quadrinunaria Esp. 3735.
Quadrinuncula Hatchett 3773 a.
Quadrivposita Zett. 1484.
Quadrivpunctaria Fuchs 3996 a (Fidonia).
 " Poda 4248 (Callimorph.).
Quadrivpunctaria Esp. 3798 (Hybernia).
Quadrivpunctata F. 2000 (Caradr.).
Quadrivpunctata Tutt 589 g (Lycaena).
 Bienert 3506 (Asthena).
Quadrivirgula Mab. 2193.
Quenselii Payk. 4232.
Quenselii Hb. 4232 a.
 var. Mill. 4233; 4234.
Quercana Schiff. 4142.
Quercaria Hb. 3731.
Quercifolia L. 998.
Quercifoliata B.-Haas 3648 a.
Quercimontaria Bastelberger 3114.
Quercinaria Hufn. 3726.
Quercinaria Bkh. 3730 a.
Quercivora Stgr. 486.
Quercus L. 482 (Zephyrus).
 " Schiff. 718 (Smerinth.).
 " L. 970 (Lasiocampa).
Quercus Hb. 482 a.
 " Obth. 482 b (Zephyrus).
 " HG. 970 a.
 " Esp. 970 e (Lasiocamp.).
Querna (S. V.) F. 804.
Quieta Hb. 2295 (Anarta).
Quieta Tr. 1848 (Calopistria).
Quinquaria Hb. 4018.

Rabdia Butl. 223 a.
Rablensis Mn. vide Raiblensis.
 Z. 3996 a.
Rada B. 2622.
Rado Ev. 2624.
Radapicta Stgr. 2624 a.
Raddéi Brem. 6 b (Papilio).
 " Brem. 151 et add. (Neptis).
 " Chr. 941 (Oenaria).
 " Chr. 1322 a (Agrotis).
Raddéi Stgr. 915 (Euprostis).
Radians Stgr. 316 (Erebia).
 Wlk. 773 (Hemaris).
Radiata Brem. 1960 (Leucania).
Radiata Hw. 4032 c (Phasiene).
 Hw. 4159 b (Spilosoma).
Radiatalis Hb. 2819 a.
Radicaria Lah. 3674.
Radice Hb. 1690.
Radiella Curt. 4513.
Radiosa Graes. 1699 (Hadena).
 Esp. 1839 (Chloantha).
Ragusa Frr. 2415.
Ragusae Failla-Ted. 2139.
Ragusana Frr. 2415.
Ragusaria Mill. 3839 c.
Railbensis Mn. 4522.
Ramburaria B. 3690.
Ramburi Stgr. 4600 (Sesia).
Ramburi Kirb. 4320 (Heterogynis).
Ramburi Ld. 4352 f (Zygaea).
Ramburi Mab. 888 d (Orygia).
 " Rbr. 2660 (Anophia).
Ramosa Fsp. 2187 (Lithocampa).
 " F. 4281 b (Endrosa).
- Ramosa* Frr. 4281 a (Endrosa).
Ramosana Hb. 4126 f.
Ramosa Stgr. 2187 a (Lithocampa).
 " Stgr. 4318 (Pelosia).
Ramulanus Curt. 4126 f.
Ranula Ld. 1253 a.
Rapae L. 48 et add.
Rapha Butl. 4094.
Raphaelis Obth. 490 (Zephyrus).
 " Obth. 1955 (Acronicta).
Raphani Esp. 57 b.
Rajtricula Hb. 1578.
Rasdolina Stgr. 2036.
Rasilis Püng. 2727.
Ratamae HS. 976 c.
Rattus Alph. 1309.
Rauaria Frr. 4059 c.
Rava HS. 1310.
Ravalis HS. 2824.
Ravaria Ld. 3386.
Ravida Hb. 1143.
Ravula Hb. 1588.
Ravulahis Stgr. 2822.
Ravulata Stgr. 3263.
Reaumuraria Mill. 3994.
Rebecca Stgr. 1784.
Rebeli Stgr. 2005 d (Caradrina).
 " Bhtsc. 3586 (Tephroc.).
Recepticula Hb. 1587.
Recessaria Gn. 3008.
Recictaria B. 3658.
Reclusa F. 870.
Recta Brem. 2745 (Toxocampa).
Recta F. 2455 (Aestria).
Rectilas Ev. 2762.
Rectangula F. 1229.
Rectangula B. 1221 a.
 Dup. 1229 a.
Rectangularis HS. 3660.
Rectangularis HG. 2733.
Rectangulata L. 3660.
Rectifasciaria Ld. 3365.
Rectifasciata Graes. 2649.
Rectilinea Esp. 1828.
Rectilinealis Graes. 2791.
Rectistrigaria Ev. 3141.
Rectistrigata Ev. 3087.
Recussa Hb. 1369.
Reducta Stgr. 135 a.
Refulgens Gr. Gr. 627 c.
Regalis Moore 3838.
Regelaria Tngstr. 3254.
Regeli Alph. 357.
Regia Gr. Gr. 104 (Colias).
 " Stgr. 2588 (Euclidia).
 " Stgr. 4722 (Zeuzera).
Regina Stgr. 2105 (Cosmia).
 " Stgr. 3732 (Eumera).
Regina Rühl 544 d (Lycaena).
 " Stgr. 1026 (Caligula).
Regius Stgr. 4725 (Phassus).
Regula Stgr. 4585 (Sesia).
Regularis Hb. 2602.
Regulus Stgr. 358 (Satyrus).
Reibellii Obth. 4688.
Reichenstettsian Rühl 166 a.
Reichlini HS. 283 a.
Rejecta F. d. W. 2682.
Rejectaria Stgr. 3497.
Reikjavikaria Stgr. 3624 a.
Relegata Püng. 3387 b.
Remissa Tr. 1712 a (Hadena).
 " Stgr. 2674 (Catocala).
Remota Püng. 1662 (Hadena).
 " Wlk. 4427 (Pidorus).
Remotata Gn. 3009.
Remutaria Hb. 3074.
Remutata Tr. 3074.
Renago Hw. 2085 a.
Renalis Hb. 2492 (Haemerosia).
Renalis Alph. 1878 (Hydroecia).

- Renardi* Ev. 2527 (*Plusia*).
Renardi Ld. 2528 (*Plusia*).
Renardii B. 1679 (*Hadena*).
Renataria Obth. 2948.
Renati Obth. 1472.
Renifera Frr. 2492.
Reniformis Grote 1876 a.
Renigera Stph. 1259 a.
 " Hb. 1299 (*Agrotis*).
Renigera Dup. 2492 (*Haemerosia*).
Renitens Hb. 1345; 1345 a.
Renitidaria HS. 3686.
Renitidita Hb. 3686.
Renularia Hb. 3002.
Renulata Rbr. 3002.
Repanda Hb. 1007.
Repanoria Esp. 3891.
Repandata L. 3891.
Repressus Grote 2047.
Reputida Stgr. 2675.
Repugnans Stgr. 670 f.
Residuata Nolek. 3538.
 " Hb. 3574.
Respersa (S. V.) Hb. 2014 (*Caradrina*).
 " Hb. 2403 (*Thalpoch.*).
Respersaria Hb. 3927.
Respersaria Hb. 4079.
Restituta Wlk. 2091.
Retamae HS. vide *Ratamae*.
Retamae Rbr. 976 c.
Reticella Newman 4515.
Reticularis Feld. 4131.
Reticularia Vill. 1499 (*Mamestra*).
 " (S. V.) Thnbg. 3287
 (Lygris).
 " Piüng. 4717 (*Phragmataecia*).
Reticulata Chr. 4217 d (*Aretia*).
Reticulatella Brd. 4523.
Retiella Newman 4515.
Retina Frr. 1857.
Retusa L. 2114.
Revayana Sc. 4126.
Revayana Dup. 4126 d; 4126 g.
 " var. Dup. 4126 b; 4126 e.
Reversaria Dup. 3025.
 " HS. 3026.
Reversata Tr. 3026.
Revocaria Stgr. 4078.
Revolutalis Ld. 2824 b.
Reynaldia Rouast. 2971.
Rhadama Mill. 2140.
Rhadamanthus Esp. 4360.
Rhadamanthus HS. 4360 a.
Rhaetica Frey 192 c (*Melitaea*).
 " Stgr. 1175 a (*Agrotis*).
Rhamnata Schiff. 3281.
Rhamni L. 124.
Rhamnusia Frr. 405 f.
Rhea Gr. Gr. 224 a (*Argynnus*).
Rhea Hb. 127 (*Charaxes*).
Rhena HS. 351; 367.
Rheticaria Lah. 3145.
Rhingiaeformis Hb. 4538 b.
Rhizolita Tr. 2177.
Rhizolitaria Rbr. 3843.
Rhodina Chr. 1459 b.
Rhodina HS. 4269.
Rhoidites Ev. 2346.
Rhodius Horv. 23 a.
Rhodocomma Piüng. 1951 a add.
Rhodogastra Stgr. 4372 a.
Rhodopepsis Frr. 178 a (*Melitaea*).
 " Stgr. 292 d (*Erebina*).
Rhodophila Wlk. 4260.
Rhombodaria (S. V.) Hb. 3876.
 " Dup. 3879.
 " var. Gn. 3876 a.
Rhombodea Tr. 1195.
Rhusia Piüng. 1624 b.
Rhymnus Ev. 473.
Ribearia L. 3883.
- Ribeata* Cl. 3883.
Ribesata Stgr. 3697 a.
Ribesiaria B. 3291.
Rica Frr. 4275.
Richardsoni Curt. 2289.
Rickuchina Butl. 673.
Ridens F. 2853 (*Polyloca*).
Ridens Hb. 1775 (*Polia*).
Riffelensis Fallou 4278 e.
Riguata Hb. 3417.
Riguata ob. Alph. 3417 a.
Rimata Now. 3344 a.
Rimicola Hb. 963.
Rimosa Pack. 808.
Rimula Frr. 2254.
Rinaldus Hbst. 204 b.
Rinda Mén. 441 a et add.
Ripae Hb. 1355.
Ripagina HG. 2179.
Riparia Rbr. 1955 (*Leucania*).
 " HS. 3618 (*Tephroclyst.*).
Ripartii Frr. 619 a.
Ripertii HG. 619 a.
Rippertaria Dup. 4024.
Rippertaria Ersch. 4025.
 " var. Gn. 4024 a.
Rippertii B. 4251 a (*Coscinia*).
Rippertii B. 619 a (*Lycaena*).
Rivaria Frr. 3436.
Rivata Hb. 3436.
Rivata Dup. 3437.
Rivinata Z. 3455.
Rivosa Ström. 1552.
Rivosulata Dietze 3595 b.
Rivularia HS. 3456.
Rivularis Mén. 4240.
Rivulata (S. V.) Hb. 3456.
Rivulorum Gn. 2224.
Rizana Moore 157 m.
Rizolita Esp. 2177.
Robertsi Butl. 749 d (*Deilephila*).
Roberti Butl. 185 d (*Melitaea*).
Robiginata Stgr. 3036.
Robiginosa Stgr. 1382 (*Agrotis*).
 " Stgr. 2758 (*Parascot.*).
 " Stgr. 2778 (*Zanclogn.*).
Robinaria Frings 3826.
Roboraria Schiff. 3894.
Roboraria var. Mén. 3894.
Roboticella Brd. 4527; 4529.
Roboris Esp. 457 (*Laeosopis*).
 " Schrk. 970 c (*Lasiocamp.*).
 " B. 1821 et add. (*Dryobotia*).
Roborowskii Alph. 4716 (*Phragmataecia*).
Roborowskii Alph. 45 bis (*Pieris*).
Robsoni Collins 1452 a.
Robusta Alph. 771 b (*Hemaris*).
 " Ev. 1414 (*Agrotis*).
Roda HS. 2622.
Roederaria Stndf. 3525.
Roederi Stndf. 1595 (*Bryophil*).
Roederi Stgr. 4360 c (*Zygæna*).
Roeslerstanmia Stgr. 3777 a.
Roessleraria Stgr. 3297.
Rogata Stgr. 3496.
Rogationis Gn. 2557.
Rogenhoferi Möschl. 1451 (*Mamestra*).
 " Bhtsch. 2647 (*Grammodes*).
Rogenhoferi Graes. 3433 (*Larentia*).
Rognada B. 4370.
Rognada Gr. Gr. 558 a (*Lycaena*).
 " Stgr. 1429 (*Phleboeis*).
Romana Calb. 62 a (*Euchloe*).
Romana Calb. 185 d (*Melitaea*).
Romania Mill. 3066 c.
Romanovi Gr. Gr. 16 d (*Parnass.*).
 " Gr. Gr. 101 (*Colias*).
 " Gr. Gr. 188 (*Melitaea*).
 " Chr. 497 (*Thestor*).
- Romanovi* Chr. 1353 (*Agrotis*).
 " Alph. 4069 (*Astrepheph.*).
 " Gr. Gr. 4227 (*Arctia*).
Romanovi Stgr. 732 (*Ampeloph.*).
Romeo Dup. 4327 f.
Roraria F. 3997.
Roraria Esp. 3996.
Rorida HS. 2069.
Rosacea Aust. 532 a (*Lampides*).
 " Brem. 4267 (*Miltochrist.*).
 " Rom. 4334 a (*Zygæna*).
Rosacea Stgr. 724 a (*Smerinth.*).
 " Butl. 4160 (*Spilosoma*).
Rosalia Stgr. 2514.
Rosaria Butl. 4266 a.
Roschana Gr. Gr. 94 a.
Rosicaria (S. V.) Esp. 4279.
Roscidaria Hb. 3992 a.
Rosea Hb. 2425 (*Thalpochares*).
 " Aust. 2673 c (*Catocala*).
 " Stgr. 2723 a (*Apopestes*).
Rosea Rühl 532 a (*Lampides*).
 " Obth. 3143 a (*Sterrhia*).
 " Esp. 4266 (*Miltochrista*).
Roseafasciata Koch 755.
Rosearia Tr. 3144 e.
Rosearia HS. 3144 c.
Roseata Ersch. 3122.
Roseipennis Butl. 722 b.
Roseiventer Snell. 4159 d.
Roseofasciata Chr. 3027.
Roseomarginata Calb. 2363 a.
Roseonitens Obth. 1647 b.
Rosina Hb. 2425 (*Thalpochares*).
 " Stgr. 4705 (*Stygia*).
Rosmarinata Mill. 3640.
Rossi Stefan. 48 c add. (*Pieris*).
 " Fn. 340 (*Satyrus*).
Rössica Stgr. 1373 a (*Agrotis*).
 " Koll. 4245 b (*Callimorph.*).
Rossii Gn. 88 a (*Colias*).
 " Curt. 305 (*Erebia*).
 " Curt. 901 (*Dasychira*).
Rossii Elw. 305 a (*Erebia*).
Rostralis L. 2819.
Rotaria F. 3147 a.
Rotthlieb Stgr. 443 a.
Rotundaria Hw. 3713 b.
Rotundella Brd. 4517 a.
Rouasti Heyl. 4528 (*Fumea*).
Rouasti Alph. 4521 (*Psychidea*).
Roxandra HS. 388 a.
Rozane Gr. Gr. 311 b (*Erebia*).
 " Feld. 408 (*Epinephele*).
 " Gr. Gr. 544 g (*Lycaena*).
Roxelana Cr. 389.
Rubea (S. V.) F. 944.
Rubecula Tr. 2079.
Rubefacta Mab. 2429 a.
Rubella Dup. 1624.
Rubellata Rbr. 2939.
Rubellina Stgr. 1601 b (*Bryophila*).
 " Stgr. 1738 b (*Episema*).
Rubens Stgr. 2116 a.
Rubentaria Rbr. 4057.
Ruberaria HS. 3487.
Ruberata Frr. 3487.
Rubesens Garbowksi 749 a.
Rubetra Esp. 2127 c.
Rubenacula Donz. 1568.
Rubi L. 476 (*Callophys*).
 " L. 982 (*Macrothylacia*).
 " View. 1201 (*Agrotis*).
Rubicapria Hb. 2859 (*Aplasta*).
Rubicunda Hb. 4266 (*Miltochrist.*).
Rubicundus Hb. 4322 (*Zygæna*).
Rubidata (S. V.) F. 3502.
Rubiginata Hufn. 3053 (*Acidal*).
Rubiginata (S. V.) Hb. 3305 (*Larentia*).
Rubiginea F. 2167.
Rubiginosa Brem. & Grey 732.

Index der Arten etc.

- Rubigo* Rbr. 2167.
Rubra Stgr. 13 a (Doritis).
 " Stgr. 4082 a (Perconia).
 " (B.-Haas) Rbl. 465 b (*Zygaea*).
Rubra Hmps. 983 (Metanastria).
Rubraria Stgr. 3044 (Acidalia).
 " Stgr. 3920 (Gnopharini).
Rubrescens Stgr. 4509 a.
Rubricans Esp. 1370 a.
Rubricaria Hb. 3053.
Rubricata F. 3053.
 " var. Dup. 3054 (Acidalia).
Rubricollis L. 4259.
Rubricosa F. 1423.
Rubricosa Barr. 1423 a.
Rubrirena Tr. 1686.
Rudolphii Lamp. 3-43.
Rudra Moore 234 b.
Rueckbeili Stgr. 413 (Epineph.).
 Graes. 969 (Eriogast.).
Rühl Krul. 646 a.
Ruta Tutt 1125 a (Agrotis).
 " Hw. 1423 a (Pachnobia).
Rufa Obth. 2655.
Rufaria Hb. 2938 (Acidalia).
Rufata F. 3230 (Chesias).
Rufeola Rbr. 4274.
Rufescens Stgr. 1729 a (Oncoch.).
 Brullé 4181 (Rhypharia).
Rufescens Obth. 10 a (Thais).
 " Fuchs 725 (*Sinernthus*).
 Cockerel 2072 (*Taenioch.*).
 " Mén. 2176 (*Xylina*).
 " Butl. 2658 (*Pseudophia*).
 " Gmppbg. 3293 (*Lygris*).
 " Butl. 3540 (*Tephrocyt.*).
Rufescutaria Motsch. 3740.
Rufa L. 1057.
Rufellaria HS. 3116.
Ruficincta HS. 1778 (Polia).
 " Gn. 3387 (Larentia).
Ruficinctaria Stgr. 340 b.
Ruficollis F. 2850.
Ruficornis Auriv. 807.
Rufostata Zi. 3011 a.
Rufi-asciata Wd. 3658 a.
Rufillaria HS. 3010.
Rufina Obth. 604 c (*Lycena*).
Rufina Hb. 2125; 2127 c (*Orthos.*).
Rufinaria Stgr. 3052 a.
Rufinularia Stgr. 3052 b.
Rufipennaria Fuchs 3799.
Rufipennis Butl. 1973.
Rufociliaria Brem. 3052 a.
Rufocincta HG. 1778.
Rufofasciata Hw. 3658.
Rufopasciata Esp. 3720.
Rufolimbaria Hedem. 2915.
Rufomixtata Rbr. 3066 d.
Rufostriga Pack. 1935.
Rufula Stgr. 2102 a.
Rufularia HS. 3010.
 " Ev. 3052 a (Acidalia).
Rufuncula Hw. 1569 b.
Rugifrons Mab. 1409.
Rukavaarae Hoffm. 1471 a.
Rumicis L. 1102.
Rumina L. 11.
Rumina Esp. 10.
 " Hb. 11 b.
 " Luc. 11 a.
 " alba Esp. 10 a.
 " anstrata Esp. 11 b.
Ruminata Mill. 2971.
Runica Schiff. 1816.
Rupestralis Hb. 2287 b.
Rupestraria HS. 3398.
Rupestrata Stph. 3241 (Lobophora).
 " (S.V.) Bkh. 3398 (Larentia).
Rupestris Rbr. 890 (*Orgyia*).
Rupestris Hb. 2287 b (*Anarta*).
Rupicapra Stgr. 2128 (*Orthosia*).
Rupicarpa Ld. 1952 (*Lencania*).
Rupicaparia (S. V.) Hb. 3794
 (Hibernia).
Rupicapraria Hb. 3812 (*Phigalia*).
Rupicola Hb. 2304 (Hebodes).
 " Gr. 4250 (Arctia).
Rupicola Woll. 3366 (Larentia).
Rupta Hb. 3491.
Rurea F. 1706.
Ruris Hb. 1387 a.
Rustiana Motsch. 235.
Russaria Lah. 3319.
Russariaria HS. 3484.
Russata (S. V.) Hb. 3319.
 " Hb. 3319 a.
 " Stgr. 3320.
 " var. Stgr. 3320 a.
 " var. Stgr. 3320 b.
 " var. Stgr. 3320 c.
Russiae Esp. 59.
Russiana Dup. 4126 g.
Russua L. 4186.
Rustana Koll. 715.
Rustica Hb. 4158 a (*Spilosoma*.).
Rus-ica HS. 1370 (Agrotis).
Rusticanus Butl. 716.
Rusticaria Dup. 3034.
Rusticata (S. V.) F. 3034.
Ruta Ev. 1398.
Ruticilla Esp. 2120.
 " (S. V.) Hb. 2358.
Rutilans Stgr. 567.
Rutilifrons Wlk. 2553 add.
Rutilus Wernb. 508 a.

Saadi Koll. 438.
Sabaudaria Frr. 3258.
Sabaudiana Dup. 3258.
Sabinae HG. 2178 a.
Sabinae HG. 2178.
Sabinata HG. 3235.
Sabinii Curt. 3447 a.
Sabuletorum B. 1384.
Sabulifera Gu. 2504.
Sabulorum Alph. 1459.
Sabulosa Rbr. 1313 (Agrotis).
 " Graes. 1811 (Miselia).
 " Stgr. 2241 (Cueullia).
Sabina Mab. 1431.
Saburraria Ev. 4034.
Sacchori Woll. 1925.
Sacelli Stgr. 1807.
Sacra Stgr. 2690 a (Pericyma).
Sacra Stgr. 1727 a (Metopocer.).
Sacraia L. 3143 (Sterrha).
 " Stgr. 3953 (Gnophos).
Sacraia Ev. 3144 a.
 " var. HS. 3143 a.
 " var. Ev. 3144c (Sterrha).
Saepestrata Hew. 488.
Saepestrata HS. 4405 a.
Saga Stgr. 216 b (*Argynnis*).
 " Butl. 1832 (*Rhizogram*).
Sagana Dibd.-Edw. 236.
Sagartia Ld. 120.
Sagina Aust. 121 g (*Colias*).
 " Rühl 365 a (*Satyrus*).
S. gitta HS. 1358 b.
Sagittata Stgr. 1358 b (Agrotis).
 " F. 504 (Larentia).
Sagittifera Horm. 508 b (*Chrysophanus*).
Sagittifera Hb. 1253 (Agrotis).
 " Gmppbg. 3447 a (Larent.).
Saharæ Obth. 4 b.
Sajana Stgr. 271 a (Erebia).
Sajana Rühl 58. (*Lycena*).
Saisanaria Stgr. 3517.
Saisani Stgr. 2634.
Saissani Rom. 2634.
Salicalis Schiff. 2790.
Salicaria Dup. 3340.
 " HS. 3340 a; 3340 b.
Salicata Hb. 3340.
Salicata Gn. 3340 b.
Saliceti Bkh. 1560.
Saliceola Ev. 4692.
Salicicella Bkh. 4530.
Salicifolia Stgr. 998 d.
Salicis L. 925 (*Stilpnoptia*).
 Curt. 1102 a (*Acroneita*).
Salicis Hb. 726 (*Smerinthus*).
Salmachus Hufn. 4552.
Salmacis Stph. 589 f.
Salomonis Stgr. 971.
Salsolae Rbr. 1493.
Salensis Schöyen 781 b.
Saluwa Spr. 3072.
Salubraria Stgr. 2957.
Salutaris Chr. 2956.
Samarita Stgr. 946.
Sambucaria L. 3757.
Sambucata Dup. 3757.
Samonica Riesen 191 a.
Samundra Moore 558 c.
Sana Stgr. 2594 a.
Sancta Stgr. 1554 a (*Dianthoec.*).
 " Stgr. 1620 c (*Apamea*).
 " Stgr. 2382 (*Acontiola*).
 " Stgr. 2651 a (*Pseudoph.*).
Sancta Butl. 3704 (*Bapta*).
Sanctaria Stgr. 2964.
Sanctiflorentis B. 2483.
Sandahli Lamp. 109 b.
Sandbergi Lamp. 3380.
Sandosaria HS. 411.
Sangaica Moore 780 b (*Cerura*).
Sangaica Moore 922 (*Laelia*).
Sangaicum Hmps. 4179 d (*Spilos.*).
Sanguinaria Esp. 3143 a (*Sterrhia*).
 " HS. 3148 (*Lythria*).
Sanguinaria Hb. 2952 (*Acidalia*).
Sanguinea Stgr. 4288 (*Chionae-ma*).
Sanguinea Th.-Mieg. 3124 (*Rhodostrophia*).
Sanguinolenta Ld. 4544.
Santolinae Rbr. 2249.
Santolinata Mab. 3602.
Santonici Hb. 2258.
Sao Hb. 700.
Saphirina Stgr. 481.
Sapho Mill. 4501.
Sapiens Stgr. 971 a.
Saponaria Bkh. 1499.
Saporta Dup. 637.
Saportae Dup. 1823 (*Dryobotia*).
Saportae HG. 639 (*Lycæna*).
 " Frr. 2120 (*Orthosia*).
 " B. 4321 (*Zygaena*).
Sappho Mill. vide *Sappho*.
Sardanapalus Stgr. 1021.
Sardoa Stgr. 156 c (*Vanessa*).
 " Stgr. 4188 a (*Oenogyna*).
 " Mab. 4388 i (*Zygaena*).
 " Stgr. 4610 a (*Sesia*).
Sareptae Graes. 1635 (*Segetia*).
 " Gn. 2042 (*Amphipyra*).
Sareptana Stgr. 1751 (*Melitaea*).
 " HS. 1190 (Agrotis).
 " Alph. 1740 (*Episema*).
Sareptanaria Stgr. 3792 a (*Semiothisa*).
Sareptanaria Frr. 3142 (*Ochodon-tia*).
Sareptaria Ev. 3142.
Sareptensis Stgr. 98 e (*Colias*).
 " (Stgr.), Rbl. 4233 d
 " (*Zygaena*).

- Sareptensis* Stgr. 1751 (Melitaea).
Sarmata Rbr. 1153.
Sarmnitis Gr. Gr. 589 d.
Sarpedon Hb. 4328.
Sarpedon HS. 4328 a.
 " Hb. 4331.
 " var. Rbr. 3328 a.
 " var. Grasl. 4328 b.
 " var. Obth. 4333 b.
Sarta Alph. 606.
Sartaria HS. 3940 b.
Sartata Alph. 3164 (Ortholitha).
 Tr. 3929 (Gnophos).
Sartha Rühl 81 b (Leptidia).
 " Stgr. 346 b (Satyrus).
 " Stgr. 4215 b (Arctia).
Sartha Rühl 81 (Leptidia).
 Gr. Gr. 344 a (Satyrus).
 " Gr. Gr. 412 (Epinephele).
Sartharia Stgr. 2985.
Sarthularia Stgr. 2985 a.
Sarthus Stgr. 519.
Sartus Ersch. 928.
Sassanides Koll. 471.
Satanella Alph. 1476.
Satellitia L. 2169.
Satellitia Esp. 2169 a.
 " Stgr. 2169 b.
Satrapis Stgr. 507 b.
Satura Hb. 1661.
Saturata Stgr. 180 c (Melitaea).
 " Wlk. 842 (Lophopter.).
 " Stgr. 1922 a (Tapinot.).
 " Stgr. 2098 b (Calymnia).
Saturata Röder 225 (Argynnis).
 " Schultz 2138 add. (Orthothisa).
 " Stph. 3319 (Larentia).
Saturatior Stgr. 1915 a.
Saturniaria Graes. 3890.
Saturnina Obth. 4248 a.
Satyraria Hs. 3595.
Satyra Hb. 3595.
Satyrion Esp. 433 d.
Sauberi Graes. 1613.
Saucia Hb. 1402.
Saxatilis Chr. 183.
Saxicola Chr. 4700.
Saxicolata Ld. 3403.
Saxicella Brd. 4524.
Scabiosae Butl. 1049 (Drepana).
Scabiosae Z. 774 (Hemaris).
 " Scheven. 4327 (Zygaena).
Scabiosae Hb. 4324.
 " B. 4327 c.
 " ab. Esp. 4327 b.
 " var. B. 4327 b.
 " var. Rag. 4346 g.
Scabiosata Bkh. 3604.
Scabiosata Dup. 3580.
Scabra Stgr. 2137.
Scabria Tr. 3358.
Scabrata Hb. 3358.
Scabriuscula L. 1827.
Scacea Hb. 290.
Scalaria Chr. 3852.
Scalettaria Mill. 3970 a.
Scalptata Chr. 3516.
Scandinavia Stgr. 4003 d.
Scandinavia Stgr. 192 d.
Scapulosa Hb. 2594.
Scapulosa Lue. 2594 b.
Scaramangae Alph. 1392.
 " Graes. 1393.
Schaefferaria Lah. 3116.
Schaefferi Brem. 3714 a.
Schahrudensis Stgr. 363 b.
Schakra Koll. 392 h.
Schaknheensis Stgr. 368 e (Satyrus).
 " Heyl. 4456 b (Amicta).
Schamylia Chr. 4724.
Schenki Stgr. 1030 a.
- Schernhammeri* Rühl 2425 a.
Shesti Capronnier 925.
Schiefereri Btshch. 3543 a.
Schiffmilleri Stgr. 4482.
Schildei Stgr. 86 a (Colias).
 " Stgr. 1677 a (Hadena).
Schildei Stgr. 2119 a (Crassia).
Schillei Klem. 3903 a.
Schizoceriformis Kol. 4587 a.
Schlosseri Voelschow 405 add.
Schmidti Dietze 3584.
Schmidtii Frr. vide Schmidtii-formis.
 " Gerh. 512 a (Chrysophanus).
Schmidtii Z. 4922; 4629 a (Sesia).
Schmidtiiiformis Frr. 4629 a.
Schneideria Ld. 3339.
Schneideri Stgr. 1508 (Mamestra).
 " Sandberg 3319 b (Larentia).
Schneideri Lampo 3380 a (Larentia).
Schoenherri Gn. 1177 a (Agrotis).
 " HS. 1985 (Anomogyna).
 " Stgr. 2290 b.
 " Zett. 2295 (Anarta).
Schöyeni Sparre-Schneider 3073 a.
Schrenckii Mén. 129 (Apatura).
 " Mén. 395 et add. (Pararge).
 " Mén. 2050 et add.
 " (Amphipyra).
Sciaphila Stgr. 2056 a.
Scilla Chrét. 1745.
Seincula Hb. 1051 a.
Scintillans Chr. 520 a.
Scipio B. 284.
Scirpi Dup. 1942.
Scita Hb. 1865.
Scitaria Wlk. 1061.
Scitula Rbr. 2449.
Scitularia Stgr. 3459.
Scoliaeformis Bkh. 4545.
Scolopacina Esp. 1709.
Scolopax Alph. 2631.
Scoparia Butl. 295 a.
Scopariae Mill. 1168 a (Agrotis).
 " Dorfmeister 2272 (Cucullia).
Scopariae Mill. 970 f (Lasiocamp.).
Scopariata Rbr. 3597.
Scopariata Mab. 3597 b.
Scopula F. d. W. 2277.
Scopularia Auriv. 3910.
Scopulata Fuchs 3923 a.
Scoriacea Esp. 1741.
Scoriata Stgr. 3656 c.
Scortea Stgr. 2166 a (Orrhodia).
Scortea HS. 1713; 1714 (Hadena).
Scoteata Stgr. 3672.
Scortina Stgr. 2165 b.
Scourtum Chr. 2699.
Scotica Stgr. 443 b (Coenonym.).
 " Tutt 2843 a (Cymatoph.).
 " Stgr. 3306 b (Larentia).
Scotica Tutt 1093 (Acronicta).
 " Tutt 2852 a (Polyploca).
Scotochroma Röb. 1454.
Scotophila Hb. 2049.
Scotosia Butl. 180 h.
Scotosiata Gn. 3678.
Scovitzii Mén. 4371.
Scripta Gosse 2834 a (Habrosyne).
Scripta Hb. 1560.
 " var. Hw. 1560 a (Bombycia).
Scriptaria HS. 3616.
Scriptaria Frr. 1763 b.
Scripturaria Frr. 3399.
Scripturata Hb. 3415.
Scripturosa Ev. 1433.
Serophilariae Capieux 2222.
Serophilariphaga Rbr. 2226.
- Serophilariphila* Stgr. 2223.
Sculderii Möschl. 545.
Sculda Ev. 335.
Sculda Graes. 335 a.
Scutatus Stgr. 2324.
Scutosa Schiff. 2323.
Scutularia Dup. 4026 (Phasiane).
Scutularia Hb. 2953; 3026 (Acalid.).
Scutulata Bkh. 2953.
Sectyla Obth. 631.
Scytus Alph. 1408 a.
Sebdouensis Aust. 2164 c.
Seighana Aust. 1990.
Sebrus B. 633.
Seicalina Hb. 1715.
Seocalis (L.) Bjerkander 1715.
Secunda Ersch. 2372 (Armada).
 " Stgr. 2426 a (Thalpochar.).
Secundaria (S. V.) Esp. 3882.
Sedakovii Men. 20 b (Parnass.).
Sedi Gn. 1761 b (Aporophyla).
 " F. 4380 (Zygaena).
Sedi Dup. 4388 b (Zygaena).
Seboldi Stgr. 1518 (Mamestra).
 " Stgr. 1518 bis add. (Saragossa).
Seboldiatia Rössl. 3013.
Segetis Hb. 1400.
Segetum Schiff. 1400 (Agrotis).
Segetum Esp. 1405 (Agrotis).
 " Esp. 2000 (Caradrina).
Segnitis B. 1375 h.
Segregata Butl. 1001 b (Dendrol.).
 " Butl. 1562 (Miana).
Se juncta Graes. 1555 a.
 " HS. 1556.
Selecta B. 2690.
Selenaria (S. V.) Hb. 3901.
Selenaria HS. 3901 a.
Selene Schiff. 204 (Argynnis).
 " Hb. 1022 (Actias).
Selene Hb. 204 a.
 " var. HS. 204 a; 204 b (Argynnis)..
Selenia Frr. 204.
Seleniaca F. d. W. 891.
Selenis Ev. 203.
Selenis Graes. 203 a.
Selenitica Esp. 900.
Selenophora Stgr. 893.
Selinimus Dup. 1375 h.
Selinata HS. 3572.
Selinii B. 2005.
Selinoides Bell. 1997.
Semele L. 352.
Semele Hb. 352 b.
Semenovi Alph. 446 (Coenonym.).
 " Gr. Gr. 896 (Dasorygia).
 " Alph. 3445 (Larentia).
Semiargentea Alph. 2519 a.
Semiargus Rott. 637.
Semibrunnea Hw. 2170 (Xylina).
Semibrunnea Mill. 614 (Lycaena).
Semicostis Warr. 3518 a.
Semicanaria Frr. 4009.
Semicirrula Graes. 1973.
Semicolon Stgr. 661.
Semides Say. 328.
Semigrapharia HS. 3608.
Semigraphata Brd. 3608.
Semilutata Ld. 4047.
Semioscara Th.-Mieg. 929 a.
Semiorbicula Chr. 3682.
Semiramis Stgr. 4230.
Semistrigata Chr. 3473.
Semitinctaria Mab. 3647.
Semivirga Tutt. 1074 b.
Semo Gr. Gr. 287 a add.
Sempionaria Rätzer. 344 a.
Senata Chr. 3205.
Senecta Graes. 965 b.
Senectaria HS. 3408.

- Senescens Stgr. 1159 (Agrotis).
 " Stgr. 3280 (Scotocia).
 " Stgr. 4357a (Zygaena).
Senescens Ev. 2200 (Calophas.).
Senex HG. 1768 (Ammoconia).
 " Hb. 4286 (Comacia).
 " Stgr. 4446a (Acanthopsych.).
Senex Butl. 3888 (Boarmia).
Senica Ev. 1075.
Senilis Stgr. 1159a (Agrotis).
 " Gr. Gr. 4602 (Sesia).
Senna HG. 1139.
Sennaarensis Feld & Rghfr. 2597b.
Sennina Stgr. 1145a.
Sentinaria Hb. 3052.
Separata Gr. Gr. 121b (Colias).
 " Leech 912 not. (Numenes).
 " Stgr. 1845 (Xylomoia).
 " Frr. 2717a (Catocala).
 " Stgr. 4371a (Zygaena).
Separata Th.-Mieg. 3124 (Rhodostrophia).
 " Thnbg. 3500 (Larentia).
 " Stgr. 3518 (Tephroclyst.).
Sephyrus Friv. 552.
Sepiaria Hufn. 3911.
Sepii Hb. 2016.
Sepium B. 4405a (Ino).
 " Spr. 4531 (Baeotia).
Septaria Gn. 3973.
Septentrionalis Möschl. 1407
 (Agrotis).
Septentrionalis Hoffm. 1665 (Hadena).
Septularia Tr. 2392.
Sequax Stgr. 2632a.
Sequistria Ev. 2636.
Sequistriataria Knoch 3723.
Sera Wiskott 4454.
Serarum Obth. 1321 (Apatura).
 " Gr. Gr. 4224 (Arctia).
Serena Alph. 1349a (Agrotis).
 " (S.V.) F. 1514 (Mamestra).
Serenaria Stgr. 4020.
Serenata Stgr. 3595b.
Serenides Stgr. 2702a.
Seres Gr. Gr. 121b.
Sergei Stgr. 2045a.
Sergia Obth. 2530a.
Seriaria Motsch. 3685.
Seriata Schrk. 2983.
Seriatopunctata Motsch. 4100.
Serica Alph. 4567.
Sericaria Alph. 3966.
Sericata Esp. 1850 (Polyphaen.).
 " Butl. 3260 (Triphosa).
Sericata Spr. 2017a (Caradrina).
 " Gregson 4300 (Lithosia).
 " Butl. 4431 (Phrixolepia).
Sericata Frr. 715 (Thaiana).
 " Butl. 2155 (Hoporina).
Sericata Sc. 2475.
Sericearia Curt. 3883a (Boarmia).
Sericearia Bkh. 3796 (Hybernia).
Sericata Hb. 2949.
Sericetum Butl. 2659 (Pseudophia).
Sericetus Gr. Gr. 4667 (Holocerous).
Sericina Hb. 1110; 1111 (Oxycesta).
 " Esp. 1850 (Polyphaen.).
Serina Esp. 2127b.
Seriziata Obth. 4349.
Serotina O. 2156.
Serotinaria (S. V.) Hb. 3962.
Serpentina Tr. 1774.
Serpentinata Ld. 3329.
Serpulii Hb. 2120.
Serraria Stgr. 2890 (Euchloris).
 " Z. 3322 (Larentia).
 " Costa 3848 (Hemerophilila).
 " Gn. 3932a (Gnophos).
Serraria Calb. 3332 (Gnophos).
Serraria Tr. 2204 (Cleophaena).
 " Brem. 3755 (Angerona).

- Serrata* Heyne-Rühl 377 (Satyrus).
 " Frr. 2202 (Cleophaena).
Serraticornis Stgr. 1352a.
Serriformis Frr. 4538.
Serratilinea Tr. 1444.
Serratula Stgr. 2257 (Cleophaen.).
Serratulae Rbr. 701 (Hesperia).
Serratulae var. HS. 701a.
Serrula Gn. 972.
Serrularia Ev. 3856.
Serrularia Ld. 3854.
Sertata Hb. 3240.
Sertoria Hffsgg. 700.
Serva Hb. 4156.
Servula Berce 4156b.
Sesia Hb. 769.
Sesiaformis Feld. 4391.
Sesquilina Stgr. 2632.
Sebastina Frr. 2561.
Sexatula Vil. 3244.
Sexalitata Hb. 3244.
Sexmaculata Pack. 3787a.
Sexiata Mill. 3556.
Sezoluta Hb. 3244.
Shandura Marshal 347a.
Shangaisaria Wlk. 3784.
Shawii Bat. 43.
Shetlandica Weir. 3363d.
Shipkee Moore 97.
Sibilla L. 138.
Sibilla var. Hb. 138a.
Sibina Alph. 181.
Sibirata Gn. 3940d.
Sibirica Nordm. 14g et add.
 (Parnassius).
 " Gr. Gr. 111a (Colias).
 " Stgr. 175g (Melitaea).
 " Ersch. 203a.
 " Stgr. 219a (Argynnis).
 " Stgr. 320f (Erebia).
 " Stgr. 350a.
 " Stgr. 381a (Satyrus).
 " Stgr. 563a.
 " Stgr. 625b (Lycaena).
 " B. 1404 (Agrotis).
 " Alph. 1640 (Heterogr.).
 " Stgr. 1767a (Ammocon.).
 " Stgr. 2125a (Orthosia).
 " Alph. 2291c (Anarta).
 " Stgr. 4251c (Coscinia).
 " Alph. 4686 (Hypopta).
Sibirica Ld. 116 (Colias).
 " Rühl 185k.
 " Stgr. 195b (Melitaea).
 " Stgr. 426a (Coenonympha).
 " Rühl 476 (Callophrys).
 " Stgr. 1256a (Agrotis).
 " Fuchs 3754a (Angerona).
Sibiriscus Alph. 829.
Sibo Alph. 317.
Sibylla L. vide Sibilla.
Sica Graes. 2523.
Sicanaria Z. 3123.
Sicania Gn. 1400.
Sicca Butl. 2762.
Siccanorum Stgr. 1517.
Sichaea Ld. 371a.
Sichefiella Brd. 4473.
Sicielia Hb. 4483.
Siciliae Obth. 14d.
Sicula Stgr. 392e (Pararge).
 " Stgr. 888e (Orgyia).
 " Stgr. 970g (Lasiocamp.).
 " Tr. 1940 (Leucania).
 " Calb. 4346g. (Zygaena).
Sicida Hb. 1050.
 " Esp. 1053 (Drepana).
 " B. 1400 (Agrotis).
 " Stgr. 1982 (Stibbia).
Siculella Brd. 4490a.
Sidae Esp. 693.
- Sidemiata* Stgr. 3872 (Boarmia).
Sidemiata Obth. 2465 (Erastria).
Siderigera Chr. 1609.
Sideritaria Obth. pag. 289 not.
Sidifera (Nordm.) Ev. 2533.
Sieboldii B. 772.
Sieboldii Reutti 4513c.
Sieversi Gr. Gr. 93 (Colias).
 " Chr. 346a (Satyrus).
 " Chr. 559 (Lycaena).
 " Alph. 738 (Kentrochrys.).
 " Mén. 839 (Odontosia).
 " Stgr. 863 (Pygaera).
 " Rom. 2069a (Taeniocamp.).
 " Chr. 3125 (Rhodostroph.).
 " Gr. Gr. 4228 (Arctia).
 " Alph. 4392 (Artona).
Sifanica Gr. Gr. 52h (Pieris).
 " Gr. Gr. 93 (Colias).
 " Gr. Gr. 210g (Argynnis).
 " Gr. Gr. 404 (Epinephele).
 " Gr. Gr. 544e (Lycaena).
 " Gr. Gr. 4177f (Parasemia).
Sifanicus Gr. Gr. 703 (Hesperia).
Sigillata Mén. 2388.
Sigma Hb. 1122.
 " Esp. 1169.
Signalis Tr. 2488.
Signaria Hb. 3785.
Signata Stgr. 1178a.
 " Stgr. 1288a (Agrotis).
 " F. 2554 (Plisia).
 " Bkh. 4278a (Endrosa).
Signata Klem. 2164 (Orrhodia).
 " Leech 2555 (Plisia).
 " Z. 4278c (Endrosa).
Signatoria Chr. 943.
Signifera F. 1330.
Signum F. 1122.
Sikkimensis Moore 4e (Papilio).
 " Elw. 23 (Parnass.).
 " Stgr. 338a (Satyrus).
Sikkimensis Moore 1841 (Chloantha).
Silaceata (S. V.) Hb. 3489.
Silaceata Hb. 3489a; 3489b.
Silago Hb. 2146.
Silenaria HS. 3596.
Silenata Stndf. 3596.
Silene Hb. 2159.
 " Gn. 2159a.
 " (var.) HS. 2160 (Orrhodia).
Silenes Hb. 1556 (Dianthoecia).
Silenicolata Mab. 3542.
Silenides Stgr. 1503.
Silenes Stgr. 340.
Silesiac Wck. 4513a.
Siliginis Gn. 1375a.
Siliquana HS. 4134.
Silphella Mill. 4471.
Silvicolae Ev. 1687.
Silvius Knoch 654.
Similata Thnbg. 2933.
Similiaria Mén. 2607 et add.
Similis Fuessl. 919. (Forthesia).
 " Stgr. 1264 (Agrotis).
 " Stgr. 1854a (Trachea).
Similis Krul. 48a (Pieris).
 " Hw. 1097 (Acronicta).
Simiola Püng. 2620.
Simo Gray 24.
Simo Gr. Gr. 24a.
Simoda de l'Orza 98d.
Simonius Stgr. 24a.
Simonyi Rghfr. 1593 (Bryophil.).
 " Rbh. 2899 (Eucrostes).
Simularia Frr. 3072a.
Simplex Stgr. 1795 (Polia).
 " Stgr. 2729 (Appoestes).
 " Alph. 2860b (Pseudoterpna).
 " Butl. 4085 (Perconia).
Simplex Frr. 2179 (Xylina).

- Simpliciata* Tr. 3222.
Simplicior Butl. 4184.
Simplonia Frr. 62c (Euchloë).
 ? HG. 1302 (Agrotis).
Simplonia Frr. 4217b (Arctia).
Simponica Wackerz. 3264 a
 (Eucosmia).
 B. 4217b (Arctia).
Simulans Hufn. 1256.
Simularia Gn. 3306 c.
Simulata Hb. 3308.
 " Stph. 3321.
Simulator Stgr. 24 b.
Simulatricula Gu. 1580 a.
Simulatrix Hb. 1260.
Simyrides Stgr. 1113.
Sinapis L. 81.
Sincera HS. 1175.
Sincerii Frr. 1396.
Sindura Alph. 199 b.
Sinelinea Farn. 1899 a.
Sinensis Alph. 475 (Thecla).
 " Alph. 3166 (Ortholitha).
 " Wilk. 4425 (Iliberis).
Sinensis Moore 924 (Arctornis).
Singularia HS. 3623.
 Nolck. 3630.
Singulariata Hw. 3575.
Singularis Stgr. 1320 (Agrotis).
Singularis Butl. 1965 (Leucania).
 Koll. 2633 (Leucanitis).
Sinica Alph. 445 (Coenonymph.).
 " Moore 850 (Pterostoma).
 " Moore 4438 (Parasa).
Sinica Stgr. 4437 (Parasa).
Sinicaria Wilk. 3791.
Sinicus Butl. 711 b (Hesperia).
Sinina Gr. Gr. 994 b (Epignapt.).
Sinina Gr. Gr. 598 (Lycaena).
 " Gr. Gr. 713 c (Thaumas).
Sintenisii Stgr. 369 (Satyrus).
 " Stgr. 3396 (Larentia).
 " Stdf. 4152 (Syntomis).
Sinuata (S. V.) Hb. 3432.
Sinuosa Stgr. 2635.
Sinuosaria Ev. 3652.
Siphax Lue. 526.
Sipora Moore 2101.
Sireciformis Esp. 4532 a.
Siri Ersch. 1646.
Siriphormis Luc. 4578.
Siterata Hufn. 3313.
Siticulosa Ld. 2405.
Skiafota HS. 2433 b.
Skraelingia HS. 1485.
Smaragdalaria F. 2885.
Smaragdina Brem. 477.
Smaragdina Leech. 478.
Smaraqdinaria Z. 4134.
Smaraqdularia Stgr. 2889.
Smirnovi Rom. 4072 (Aspilates).
 Chr. 4335 (Zygaea).
Smyrnensis Eim. 1b.
Snelleni Chr. 3930 (Gnophos).
Snelleni Stgr. 916 (Euproctis).
 " Stgr. 1654 (Sidemia).
 " Hедем. 3741 (Zethenia).
Sobrina Gn. 1131.
Sobrina Dup. 1131 a.
Sobrinaria HS. 3656.
Sobrinata Hb. 3656.
Socia Rott. 2172.
Sociabilis Gras. 1481.
Sociaria Hb. 3853.
Sociaria Dup. 3853 b.
Sociata Bkh. 3437.
Socordis Frr. 4736.
Sodae Rbr. 1478.
Sodalitaria HS. 2981.
Sodalis Butl. 2507.
Sodorensium Weir 3891 e.
Sofia Streck. 272 b et add.
Softa Stgr. 1494.
- Sogdiana* Ersch. 4371.
Sohni Rühl 614.
Solana Stgr. 4409 b.
Solaris Esp. 2378; 2378 a.
Soldaria Tur. 3507.
Solida Ersch. 1383.
Solidaginis Hb. 2182 et add.
Soliferaria Rbr. 3858.
Solieri B. 1664.
Solitaria Frr. 873 (Thaumatop.).
 " Stgr. 2750 (Aventina).
 " Chr. 3138 (Rhodostroph.).
Solitaria Stgr. 910 (Dasychira).
Solitaria Dup. 873.
Sollers Stgr. 1265.
Solona Alph. 200 d.
Solskyi Ersch. 504.
Sommeri Lef. 1666.
Sommeri Mill. 1666 a.
Somniculosa Hering 2176 a.
Songariae Alph. 1886.
Songarica Alph. 3885.
Sophia Quens. 303.
Sophiae Favre 4358.
Sordaria Thmbg. 3963.
Sordescens Stgr. 1211 (Agrotis).
 " Stgr. 2408 (Thalpochar.).
Sordiata Fuessl. 3754 a.
Sordida Ersch. 988 (Chilema).
 " Stgr. 1601 a (Bryophila).
 " Bkh. 1679 (Hadena).
 " Hb. 4170 (Phragmatob.).
Sordida Butl. 3691 a (Archanna).
Sordidaria Zett. 3147 a.
Sordidaria F. 3485 (Larentia).
Sordidaria Gu. 3754 a (Angerona).
Sordidaria Rbr. 4305.
Sorditaria Hb. 3797 a.
Soror Rbr. 4408.
Sororecula Hufn. 4311.
Sororiania HS. 3228.
 " Fr. 3228 b.
Sororiatu Dup. 3159 (Ortholitha).
 " Hb. 3228.
 " Tr. 3228 b (Anaitis).
Sorrentina Stgr. 4356 a.
Spadicea Hb. 2164 a.
Spadicea Hw. 2165 a.
Spadicearia Blkh. 3369 a.
Spadicearia (S. V.) Frr. 3369.
Spalax Alph. 1445.
Spangbergi Lampa 3754 b.
Spargani Esp. 1893.
Sparsaria Hb. 4015 (Thamnomoma).
Sparsaria Hb. 3665 (Collix).
Sparsata Tr. 3665.
Spartiaria Hb. 3997.
Spartiaria Tr. 3997.
Spartiaria Frr. 3229.
Spartii Hb. 970 f.
Spartii Frr. 970 g.
Speciosa Hb. 1177 (Agrotis).
 " Brem. 1654 (Sidemia).
 " Möschl. 4234 (Arctia).
Spectabilis Hb. 2268 (Cueullia).
 " Tausch. 4235 (Arctia).
Spectrum Esp. 2720.
Speculum Schirk. 651.
Speneai B. 2513.
Sperchius Mén. 719.
Spergulariae Ld. 2321 a.
Speyeri Stgr. 146 (Neptis).
 " Stgr. 702 (Hesperia).
 " Aust. 4719 (Zeuzera).
Speyeri Husz 592 (Lycaena).
Spheciiformis Gerning 4546.
Sphegiiformis F. 4546.
Sphinx Hufn. 1809.
Sphinx Hb. 1808.
Sphyrus Hb. 4 b.
Spicae Stgr. 4356 b.
 " Hb. 4359.
- Spicula* Esp. 1818.
Spilogramma Rbr. 1612 et add. (Valeria).
Spilogramma Rbr. 1873 add. (Nyssocnemis).
Spilota Ersch. 2612 a.
Spinii Schiff. 460 (Thecla).
 " Schiff. 1035 (Saturnia).
Spinifera Hb. 1344.
Spinifera Chr. 1334.
Spinosa Stgr. 1334.
Spinosa Gerh. 492.
Spinula Schiff. 1057 (Cilix).
 " Esp. 1399 (Agrotis).
Spiraeae Esp. 734 a.
Spissa Stgr. 1341.
Spissilibaria Mab. 2955.
Spissilinea Stgr. 1342.
Spissilinearia HS. 3620.
Spissilineata Metzner 3620.
Splendens Stgr. 509 (Chrysophanus).
 " Hb. 1463 (Mamestrina).
 " Stgr. 4403 (Diptera).
Splendens Moore 1067 (Diptera).
Splendida Obth. 856 (Nadata).
 " Rbr. 891 (Orgyia).
 " Stgr. 1116 (Simyra).
 " Cr. 2280 (Cucullia).
 Butl. 2522 (Plasia).
Splendidum Stgr. 4542 (Sciapteron).
Spodia Stgr. 275 b (Erebia).
 " Püng. 1182 a (Agrotis).
Spodiaria Lef. 4009.
Spoliata Stgr. 3048 a.
Spoliaticula Hb. 1592.
Sponsa L. 2682.
Sponsa God. 2684.
 " var. God. 2681.
Sponsaria Brem. 2870.
Spurcaria Rbr. 4185.
Spurcaria Lah. 3970 a.
Spurcopyga Alph. 2096.
Spuria Hb. 2558.
Spuriaria Chr. 3052.
Squalens Ld. 2595 a.
Squalida Gu. 1147 (Agrotis).
 " Stgr. 4123 (Nola).
Squalida Ev. 1384.
 " Ev. 1403 (Agrotis).
 " Stgr. 2443 (Thalpochar.).
Squalidaria Stgr. 2994.
Squalidior Stgr. 1317 a.
Squalorum Ev. 1317.
Squamosa Butl. 915.
Stabilis View. 2068.
Stabulorum Rienert 1149.
Stagnicola Tr. 1981 (Stiblia).
 " Dup. 2035 (Acosmet.).
Standfussi Gr. Gr. 516 (Chrysophanus).
 " Wisk. 1630 (Luperina).
Standfussi Gr. Gr. 113 (Colias).
Standfussii HS. 4489 (Sterrhopt.).
Statices L. 4414.
Statilinus Hufn. 370.
Statiformis Frr. 4573.
Staudingeraria Martorell 3853.
Staudingeri Bang-Haas 25 e (Parnassius).
 " Alph. 2100 (Cosmia).
 " Grasl. 2167 b (Orrhodia).
 " Auriv. 2290 b (Anarta).
 " Stndf. 2471 (Erastria).
 " Alph. 3131 (Rhodostrophia).

- Staudingeri* Alph. 3176 (Kuldscha).
 „ Ersch. 3207 (Lithostege).
 „ Chr. 3250 ('essophora).
 „ Bhtsch. 3534 (Tephroclystia).
 „ Aust. 4321a (Zygaena).
 „ Heyl. 4449 (Chalia).
 „ Heyl. 4507 (Rebelia).
 „ Failla 4613 (Sesia).
Staudingeri Aust. 725c (Smerinth.).
 „ Alph. 360 (Phalera).
 „ Gras. 210c et add. (Orrhodia).
Steenevi Tr. 611a.
Steinerti Casperi 1082a.
Stelidiformis Frr. 4598.
Stelidiformis Z. 4617.
Stellata Moore 2021.
Stellatarum L. 768.
Steliana Curo 283.
Stemmataria Ev. 3934.
Stenoptera Stgr. 1909a (Meliaria).
 „ Stgr. 2064 (Taenioicamp.).
Stenosemus Hour. 25 k.
Stenotaenia Honr. 138 b.
Stentzi Ld. 1245 (Agrotis).
Stentzi Frr. 4346a (Zygaena).
Stentzi HS. 4346 f.
Steparia B. 3199.
Steropes Schiff. 651.
Sterria Stgr. 2501.
Sternaria Stgr. 4074.
Sertzi Püng. 449.
Stetinella Brd. 4433a.
Stetinensis Hering 4483a.
Steverania B. 3922.
Stevensata Webb 3056.
Shestomyo Gras. 319 b.
Stheno Gr. 379 (Satyrus).
Sihen Hb. 304 (Erebria).
Stieberi Gerh. 510 e.
Stigma Stgr. 667 (Adopaea).
 „ Ev. 1903 (Coenobia).
Stigmatica Hb. 1195 (Agrotis).
Stigmatica Gu. 1659 (Hadena).
Stigmatica Chr. 3345.
Stigmosa Chr. 1479.
Stipitaria Obth. 3902.
Stipitaria Swinh. 766.
Stiziformis HS. 4539.
Stiziformis var. Ld. 4539 a.
Stoechadis Bkh. 4351.
Stoechadis HS. 4351 b; 4356 b;
 4358 g.
 B. 4360 b.
Stollezkana Moer 105e (Colias).
 „ Feld. 599 (Lycaena).
 „ „ Feld. 1030 et add.
 (Saturnia).
Stoliczkanus Feld. 251 (Parnass.).
Stolida Schild. 426 a (Coeno-nymph).
 F. 2642 (Leucanitis).
Stomoxella B. 4477.
Stomoxyformis Hb. 4564.
Strabonaria Z. 3117 a.
Stragularia Lah. 3306 a.
Stragulata Hb. 3306 a.
Stramen Gu. 2361.
Stramentacealis Brem. 2774.
Stramentalis Brem. 2774.
Stramentata Ev. 3038.
Straminaria HS. 2997.
Straminaria Tr. 2997.
Straminea Tr. 1938 (Leucania).
 „ Stgr. 2441 (Thalpochar.).
Straminea Butl. 3711 (Stegania).
Stramineae Failla 1454 a.
Stramineae Dbd. 4294 a.
Stratatoria Hufn. 3826.
Stratonicie Cr. 3693.
Streckeri Stgr. 737 (Kentrochr.).
Streckeri Stgr. 2710 (Catocala).
Streckeri Gr. Gr. 88 (Colias).
Streckjussi Honr. 802.
Striaria Hb. 3713; 3714.
Striata Stgr. 1578d (Bryophil.).
 „ Stgr. 1905 (Doerriesa).
 „ Stgr. 191 (Argyropisla).
 „ Stgr. 1926a (Sesamia).
 L. 4249 (Coscinia).
Striata Bkh. 4249 a (Coscinia).
Striopunctata Obth. 4. 60.
Striatura Elw. 448 c.
Striata Esp. 1560.
Strictaria Ld. 3855.
Strigaria Hb. 3083.
Strigata Müll. 2019 (Hemithea).
 „ Stgr. 3122 a (Rhodostrophia).
Strigata Thnbg. 3474 (Larentia).
Strigatus Aust. 4664 (Holocerus).
Strigilaria Hb. 3086.
Strigilata Tr. 2086.
Strigilis Cl. 1567.
Strigillaria Hb. 4079.
Strigilaria Esp. 4079 a.
Stringosa F. 1084 (Acronicta).
 „ Stgr. 1893 a (Nouagr.).
Stringosa Butl. 170 (Araschnia).
 F. 4232 (Arctia).
Stringula Thnbg. 1119 (Agrotis).
 Schiff. 4105 (Nola).
Stringula Bkh. 1587.
 „ Dup. 1592 a (Bryophila).
Stringulata Hb. 4105.
Stringularia Stph. 3904.
Stringulosa Stgr. 4102.
Striolata Stgr. 2973.
Strioliger Alph. 4672 (Holocerus).
Strioligera Ld. 1731 (Oneocnem.).
Strobiliaria HS. 3538.
Strobilata Bkh. 3538.
 „ Stph. 3658.
 „ Ragusa 1715 c.
Struvei Ragusa 1715 c.
Styx Gr. 4720.
Stschuvorfsky Ersch. 4073.
Stubbendorf Elw. 273 (Erebria).
Stubbendorf Mén. 37 (Parnass.).
Stubbendorff Mén. 273 a (Erebria).
Stuebeli Calb. 2610.
Stulta Stgr. 374.
Stupenda Butl. 1247.
Stupenda Obth. 1247.
Stupida HS. 2642 a (Leucanitis).
 „ Alph. 3370 a (Larentia).
Stupidum Stgr. 1010 (Taragama).
Stygia Butl. 2464 b.
Stygiana Butl. 2806 (Bomolocha).
Stygianus Butl. 512 b (Chrysophanus).
Stygialta Brnd. 4706.
Stygne O. 279.
Stygne Hb. 289.
 „ F. D. W. 295.
 „ var. Meyer-Dür 279 a.
Styx Stgr. 25 b (Parnassius).
 „ Westw. 717 a (Acheront.).
 „ HS. 2044 (Amphyra).
Styx Frr. 283 a (Erebria).
Suasa Bkh. 1467.
Suava Stgr. 872 (Pygopteryx).
 Hb. 2391 (Eublemma).
Suava Stgr. 2389 c (Eublemma).
Suavata Chr. 3316.
Suaveola Stgr. 476 a (Callophry.).
 „ Stgr. 2786 (Pangrapta).
Suavis Stgr. 1497 (Mamestra).
 „ Stgr. 1766 (Ammogrotis).
 „ Stgr. 2360 (Erythroph.).
 „ Stgr. 4703 a (Dyspessa).
Subaerata Hb. 3660 a.
Subalbida Stgr. 2195 a.
Subalpina Spr. 513 a (Chrysoph.).
 „ Calb. 4327 b (Zygaena).
Subalpina Gumpbb. 277 b.
 „ Gumpbb. 288 (Erebria).
Subangulata Stgr. 3438 a.
Subaquila Graes. 1697.
Subarcta Stgr. 1566 a.
Subarschanica Stgr. 1520.
Subatrata Stgr. 3595 a.
Subbreviata Stgr. 3649.
Subbrunneata Stgr. 3601 a.
Subcaeca Heyne-Rühl 443 d.
Subcaerulea Stgr. 1123 a (Agrotis).
 „ Graes. 1797 b (Polia).
 „ Stgr. 2278 a (Cucullia).
Subcæstanea Stgr. 2126 a.
Subclamydula Stgr. 4111.
Subciliata Gn. 3^o 1.
Subconspicua Stgr. 1361.
Subcontigua Ev. 1469 a.
Subcordaria HS. 3778 a.
Subcordicea Stgr. 1395.
Subdecora Stgr. 1287.
Subdecora Stgr. 1283.
Subdetusa Stgr. 1834.
Subdita Möschl. 15 4.
Subdupticaria Costa 3360.
Suberifolia Dup. 997.
Suberis B. 1824 a.
Subfalcaria Chr. 3182.
Subfalcata Mén. 2601 et add.
Subfasciata Boh. 3463 a.
Subfasciata Klug. 953 (Chondrostega).
Subfasciata Reuter 3270 (Eucosm.).
Subfenestrata Stgr. 3590.
Subfervidum Stgr. 4541 a.
Subflava Brem. 914 (Europictis).
 „ Ev. 2 43 a (Xanthia).
 „ Ersch. 2499 (Metoponia).
 „ Moore 2833 (Zalissa).
 „ var. Obth. vide Piperita.
Subflavaria Mill. 3876 b.
Subflavella Mill. 4545.
Subfulvaria var. HS. 3600 c.
Subfulvata Hw. 3600 c.
Subfumata Stgr. 2493 a.
Subfuscata Chr. 2723 d.
Subfuscata Stgr. 3885.
Subfuscata Stgr. 3196 d (Lithostegi).
Subfuscata Hw. 569 (Tephroclystia).
Subgothica Hw. 1375 e.
Subgrisea Stgr. 81 c (Leptidea).
 „ Stgr. 1173 (Agrotis).
Subgriseata Stgr. 3431 b.
Subhastata Nolek. 3447 a.
Subherbariata Rössl. 2954.
 „ Stgr. 3020 a,
Subhyalina Brem. & Grey 672 (Augiades).
Subhyalina Elw. 27 (Oeneis).
Subjecta Dup. 2118.
Subjuncta Grote & Rob. 1466.
Sublatoria Fuchs 40 5.
Subligaminosa Stgr. 2721 b.
Sublimbatis Püng. 2041.
Sublongaria Stgr. 2988.
Sublubrica Stgr. 2740 a.
Sublunaria Stph. 3734.
Sublunaria Stgr. 2052.
Sublustris Esp. 1701.
Sublustris Esp. 1700.
Subluteda Graes. 2257.
Submarmorata Fuchs 3874.
Submissa Tr. 1712 a.
Submolesta Püng. 1348.
Submundulata Stgr. 3214 a.
Submutata Tr. 3068.
Subnigra Hw. 2165 (Orrhodia).
 „ Mill. 4168 (Phragmatob.).
Subnotaria HS. 3580.

- Subnotata* Hb. 3580 (Tephroclystia).
Subnotata Warr. 3703. (Bapta).
Subocellaria Stgr. 311c.
Subochracea Stgr. 2495a (Metoponia).
Subochracea White 432 (Zygaena).
Subochria Stgr. 2935.
Subornata Stgr. 1696.
Suboxydata Stgr. 3601.
Subplumbea Stgr. 1278.
Subpulchrata Alph. 3514.
Subpunctaria HS. 3078 (Acidalia).
" HS. 3118 (Ephyra).
Subpurpurea Stgr. 2963.
Subpurpurea Butl. 983.
Subrectangularis Stgr. 1221a.
Subrepandata Stgr. 3895.
Subrepandata Alph. 3891f.
Subrosea Stph. 1123.
Subrosea HS. 1123a.
Subroseata Stgr. 3144e.
Subroseata Hw. 3090.
Subruberaria Stgr. 3920a.
Subrubaria Stgr. 2961.
Subruqua Hw. 3669.
Subsacraea Stgr. 3144a.
Subsaturnata Gu. 2954.
Subseparata Chr. 3510.
Subsequa (S. V.) Hb. 1153a.
Subsequa Hb. 1153.
" Esp. 1154.
Subsequa HS. 3583.
Subsericata HS. 1851 (Polyp.).
Subsericata Stgr. 3260 (Triphosa).
Subsericeata Hw. 2995 (Acidalia).
Subsignaria Stgr. 3951b.
Subsolana Stgr. 4409a (Ino).
Subsolana Ev. 544 (Lycæna).
Subspadicea Stgr. 216a.
Subspadiceana Stgr. 2165f.
Substituta Butl. 132g.
Substriaria Stgr. 3084.
Substrigula Stgr. 2440a.
Subtilata Chr. 309a.
Subtilaria Brem. 2884.
Subtilis Stgr. 2107 (Cosmia).
" Mab. 2606 (Rabinopt.).
Subtristata Hw. 3437.
Subtristis Stgr. 4396.
Subtusa F. 2115.
Subumbraria B. 3535.
Subumbra Tr. 3523.
" Hb. 3535.
" (S. V.) Gn. 3604.
Subvariegata Stgr. 3949a.
Subvenata Stgr. 2447.
Subversaria Läh. 3047.
Subvicinaria Stgr. 3168.
Succentaria HS. 3600.
Succenturiata L. 3600.
Succenturiata Dup. 3600d.
" Hb. 3653.
Succincta Graes. 1721.
Succinea Esp. 1910.
Succulenta Alph. 303a.
Suda HG. 1789.
Sudataria Hb. 2859.
Sudewata Leech 2786.
Suedica Stgr. 202a.
Suecica Auriv. 1142.
Suellus Stgr. 761a.
Suffumata (S. V.) Hb. 3367.
Suffuruncia Tr. 1566.
Suffusa Tutt 1090a.
" Tutt 1093a (Acronict.).
" Tutt 1119b (Agrotis).
" Tutt 1609a (Bryophil.).
" Tutt 2173a (Xylina).
Suffusa Tutt 232 (Argynnis).
" Hb. 1399 (Agrotis).
" Tutt 2284a (Anarta).
" Carrington 442 (Larentia).
- Suffusata* Tr. 3046.
" Gn. 3047.
Suidanaria Alph. 3805.
Sulfumata Stgr. 766a.
Sulfuraria Chr. 3863.
Sulerfera Chr. 1200.
Sulitehra Aur. 109a.
Sulphurago F. 2144.
Sulphuralis L. 2490.
Sulphuraria Fr. 3039.
Sulphurea Schøyen 52d (Pieris).
" Lampa 88c (Colias).
" Auriiv. 992a (Cosmotr.).
Sulphurea Esp. 2490 (Emmelia).
Sulphureotincta Renter 52d.
Sultanensis Stgr. 189.
Sultaneata Stgr. 189.
Sultani Stgr. 517.
Sunbeca Ev. 447.
Sundevalli Lampa 1107a.
Superas Butl. 3837a (Amraica).
Superas Butl. 3107 (Probleps.).
" Graes. 3337 (Amraica).
Superba Stgr. 600 (Lycaena).
" Alph. 1760 (Raphia).
Superba Stgr. 1268 (Agrotis).
Superbus Aust. 16c (Parnass.).
Supergressa Butl. 3437b.
Superstes Tr. 2015.
Supinaria Mn. 3940b.
Supinata Gu. 3940b.
Suplata Fr. 3331a.
Supproximaria Stgr. 3165.
Suppumeta Stgr. 2104.
Supnemaria Z. 3118.
Suppura Stgr. 2439.
Suriens (Reutti) Mill. 4504.
Surientella Brd. 4504.
Surnia Feld. & Rghfr. 2054b.
Surtur HS. 1656.
Susanna Stgr. 917.
Suspecta Hb. 2109 (Dyschorista).
" Stgr. 4410 (Ino).
Suspectata Möschl. 3319d (Larentia).
Suspectata Dietze 3636b (Tephroclystia).
Sutiliata Chr. 3584.
Sutteja Moore 597f.
Sutschana Stgr. 4315a.
Sutschana Stgr. 185k.
Suttadra Moore 4206a.
Suwarrowius Obth. 249e.
Sybilla Ld. 137 (Linneitus).
" Stgr. 3585a (Tephroclyst.).
Syfanius Obth. 6c.
Syllius Hbst. 258.
Sylpha Butl. 4141.
Sylvanaria HS. 3769a.
Sylvanus Esp. 671.
Sylvaria Fr. 3471 (Larentia).
" Curt. 4018 (Thamnomon.).
Sylvata Sc. 3698 (Abrazas).
Sylvata (S. V.) Hb. 3471 (Larentia).
Sylvatica Brem. 669 (Adopea).
" Bell. 1665c (Hadenia).
Sylvatica Hw. 3436 (Larentia).
Sylvestriata Dup. 2937.
" Hb. 2997; 3081; 3083.
" HS. 3082 (Acidalia).
Sylvestrata Tr. 3081.
" Bkh. 3085 (Accidalia).
Sylvicola Aust. 371c (Satyrus).
" Ev. 1687 (Hadena).
Sylvina L. 4272.
Sylvius O. 654.
Sympathica Alph. 3140.
Sympitha Ld. 442.
Sympyta Ld. vide Sympitha.
Synagriformis Rbr. 4538b.
- Syngrapha* Kef. 614b.
Syntomida Stgr. 4157.
Syra Gr. Gr. 782 bis add.
Syracusiae Z. 4348c.
Syriaca Obth. 251b (Melanarg.).
" Stgr. 341a (Satyrus).
" Ld. 762 (Metopsilus).
" Stndf. 949a (Albarac.).
" Stgr. 1981c (Stiblia).
" Stgr. 1995b (Caradrina).
" Bugnion 2651b (Pseudophia).
" Gn. 3772 (Venilia).
Syriaca Rühl 362 (Satyrus).
Obth. 4352f (Zygaena).
Syriacalis Stgr. 2824b.
Syriacaria Stgr. 3792b (Semi-othisa).
" Stgr. 4003c (Selidosema).
Syriacata Stgr. 3518a.
Syringaria L. 3736.
Syrinx Bkh. 232.
Syrphiformis Hb. 4554.
Syrtna Mab. 2252.
Syrticola Stgr. 2349.
Systrophaeformis Hb. 4573.
Szechenyi (i) Friv. 28.
- Tabenella* Brd. 4467.
Tabaniformis Rott. 4538.
Tabanivincella Brd. 4488.
Tabidaria Z. 3124a.
Tabora Stgr. 1591.
Tabulella Gn. 4531.
Tacetaria Fr. 3485b.
Taczanowskia Obth. 3495.
Taczanowskii Obth. 787.
Tadjika Gr. Gr. 50 (Pieris).
" Gr. Gr. 344a (Satyrus).
Taeditiformis Fr. 4592.
Taenialis Hb. 2827.
Taenaria Fr. 3124.
Taeniata Stph. 3324 (Larentia).
" Fixs. 4263 (Eugoa).
Taeniolaria Hb. 4005.
Taeniolata Ev. 3681.
Tages L. 713.
Tagis Hb. 63.
Tagis Trybom 62e.
" B. 63a.
Tamara Chr. 4365 (Zygaena).
Tamara Nordm. 118 (Colias).
Tamarisciata Fr. 3636a.
Tamerlana Stgr. 89e (Colias).
" Stgr. 452 (Polycæna).
" Stgr. 2297e (Hypsophila).
Taminaria Hb. 3703.
Taminata (S. V.) Hb. 3703.
Tanaceti Schiff. 2244 (Cucull.).
Tanaceti Esp. 1833 (Rhizogram.).
Tancarea Stgr. 4025.
Tancrei Aust. 100a (Colias).
" Gr. Gr. 357a (Satyrus).
" Graes. 546 (Lycaena).
" Stgr. 739 (Dolbina).
" Graes. 1522 (Haderonia).
" Graes. 1812 (Miselia).
" Stgr. 2570 (Plusia).
" Graes. 2842 (Cymatophor.).
" Graes. 2882 (Euchloris).
" Stgr. 4242 (Pericallis).
" Püng. 467a (Holcocerus).
Tangutica Gr. Gr. 474c.
Tanguitica Stgr. 474b.
Tantillaria B. 3535a.
Taochata Ld. 3258b.
Tapinus Püng. 4638.
Tapio Salib. 216.
Taprobanes Feld. 3719.
Taras Bergstr. 709a.
Tarasoides Höfn. 701.

- Taraxaci Esp. 1015 (*Lemonia*).
 ", Hb. 2018 (*Caradrina*).
Taraxacoides Bell. 957 a.
Tarbagata Stgr. 365 c.
Tarnierella Gr. 4512.
Tarpiae Pall. 336.
Tarquinius Curt. 211 b.
Tarsicrinialis Knoch 2767.
Tarsicrinialis Hb. 2766.
Tarsipennalis Tr. 2766.
Tarsioplumalis Hb. 2765.
Tartarius Stgr. 3828.
Tartarus Stgr. 581 c.
Tatara Krul. 180.
Tatarinovii Brem. & Grey 729.
Tau L. 1039.
Tau var. Esp. 1039 a.
Tauaria Stgr. 3348.
Tauensis Fuchs 1484.
Taunicata Hb. 3447.
Taurica Röber 231 d.
Taurica Stgr. 125 b (*Gonepteryx*).
 ", Stgr. 232 d (*Argynnis*).
 ", Stgr. 1091 a (*Acronicta*).
 ", Stgr. 1276 a (*Agrotis*).
 ", Stgr. 1919 (*Tapinolobus*).
 ", Stgr. 33 9 a (*Larentia*).
 ", Stgr. 4148 a (*Syntomis*).
 ", Stgr. 4388 h (*Zygaea*).
Taurica Röber 251 b (*Melanargia*).
 ", HS. 2354 (*Chariclea*).
Tauricus Heyne 507 a.
Taxila Brem. 479.
Taygete Hb. 326 a.
Taygete HS. 327.
Tecta Hb. 1166.
Tectata Fuchs 3380 a.
Tedaldii Heyl. 4455.
Teichi Krul. 209 a.
Tekessana Alph. 582 b.
Tekkeana Chr. 618 a.
Tekkearia Chr. 4060.
Tekkensis Chr. 231 c (*Argynn*.).
 ", Heyne 431 a (*Coenon*).
Telamon Don. 7.
Telaria HS. 3133.
Telemachus Stgr. 7 e.
Telephassa Hb. 361.
Telephassa Dup. 362.
Telephii Esp. 574.
Telicanus Lang 530.
Telifera Donz. 1369.
Telmessia Z. 402 c.
Telmona Gray 7 a.
Temera Hb. 1707.
Temeraria Hb. 3704.
Temerata (S. V.) Hb. 3704.
Temir Gr. Gr. 452 b.
Temiri Gr. Gr. 770.
Temperata Ev. 3923.
Tempestivata HS. 3337.
Tempestivata Z. 3658 a.
Templi Thmbg. 1802.
Tendinosa HS. 1114.
Tendinosaria Brem. 3837.
Teneates Mén. 254 a.
Teneates Ld. 248.
 ", Stgr. 254 b.
Tenebriaria Hb. 3150 b (*Ortholith*.).
 ", Esp. 3973 (*Dasydia*).
Tenebrata Sc. 2302.
Tenebriocosa Möschl. 2294 a.
Tenebrioniformis Esp. 4532 b.
Tenebrosa Hb. 2037 (*Rusina*).
 ", HS. 3597 (*Tephroclyst*).
Tenedius Ev. 31.
Tenella Spn. 4479.
Tenella Püng. 4480.
Tenera Stgr. 2639 (*Leucanitis*).
 ", Stgr. 3468 (*Larentia*).
Tenera Hb. 2195 (*Calophasia*).
Teneraria Stgr. 3987 (*Egea*).
Teneraria Hb. 3900 (*Boarmia*).
Tenerata Chr. 3249 (*Leptostegna*).
 ", Stgr. 3257 (*Cheimatob*).
Tengstroemis Rbr. 4591.
Tengstroemi Ersch. 474.
Tengyraformis HS. 4544.
Tenietaria Stgr. 3867.
Tentacularis (S. V.) Hb. 2801.
Tentacularia L. 2801.
Tenthrediniformis Lasp. 4587.
Tenuata Fuchs 970 d.
Tenuialis Rbl. 2775.
Tenuaria Graes. 2880 (*Euchlor*).
 ", Stgr. 3860 (*Boarmia*).
Tenuaria HS. 3630.
Tenuata Hb. 3630 (*Tephroclyst*).
 ", Stgr. 3792 c (*Semiothisa*).
Tenuicornis Alph. 1794 (*Polia*).
 ", Z. 4406 (*Ino*).
Tenuis Stgr. 2450 (*Eumegethes*).
 ", Butl. 4424 (*Illeiboris*).
Tenuis Grote 774 (*Hemaris*).
Tephra B. 1313 (*Agrotis*).
 ", HG. 1771 a (*Eupunda*).
Tephria B. 4015.
Tephrina Stgr. 1347 d.
Tephroleuca B. 1543.
Tephroantha Püng. 811 add.
Terebellum Hb. 4706.
Terebinthi Frr. vide *Terebynthi*.
Terebra (S. V.) F. 4650.
Terebynthi Frr. 939.
Terebynthina Stgr. 940.
Teredo B. 4685.
Terentius Baker 2967.
Teriolensis Speyer 4346 e (*Zygaea*).
Terminalis Hw. 1569 a.
Teroliensis Stgr. 4622 b (*Sesia*).
Terrago Alph. 1995 a.
Terranea Frr. 1401 b.
Terpane Frr. 1401.
Terrarius Weymer 3826 a.
Terrea Frr. 2010.
Terrea HS. 2010 a.
Terreni HS. 976 f.
Terrestraria Ld. 3130.
Terrickularis Hb. 2804 a.
Terrifica Schiff. 791.
Terrigena Graes. 1088 (*Acronicta*).
 ", Chr. 2597 a (*Pandesma*).
Territa Stgr. 4714.
Terrosa Graes. 2843 b.
Terrulenta Chr. 2653.
Tersa Hb. 1737.
 ", B. 1737 a.
Tersata (S. V.) Hb. 3674.
Tersina Stgr. 1737 a.
Tersilata Stgr. 3674 a.
Tesselloides HS. 699.
Tesellum Hb. 695.
Tesellum O. 694.
Tessalensis Aust. 424 a.
Tessellata (St.) Tutt. 191.
Tessellaria B. 3051 a.
Tessellata Moore 4436.
Tessularia Metzner 3991 a.
Testacea Hb. 1618.
Testacea var. Gn. 1618 a.
Testacea Don. 3471 (*Larentia*).
Testacea Hb. 3674 (*Phibalapter*).
Testaceolata Stgr. 3481 a.
Testaria F. 3184.
Testata L. 3292.
Testata var. Hoffm. 3292 a.
Testudinaria Hb. 4440.
Testudinaria Fourc. 4208.
Testudo Esp. 161 a (*Vanessa*).
Testudo Dahlström 160; 160 b add.
 ", (Vanessa).
 ", Schiff. 4440 (*Cochlidion*).
Tetra F. 2048.
Tetragonaria Curt 3906.
Tetralunaria Hufn. 3735.
Tetrica Graes. 1470.
Tetricata Gn. 3674 b.
Texta Esp. 1623.
Textaria Ld. 2982.
Textilia Wilk. 3685.
Textilis Stgr. 3685 a.
Texturata Alph. 1498.
Thalassina Rött. 1468.
Thalia Hb. 204 a.
Thatia Esp. 104 b.
Thalictri Bkh. 2507.
Thapsiphaga Tr. 2225.
Thaumasia Hufn. 662.
Thaumasia Stgr. 3806.
Thaxter Grote 2176 b.
Theano Tausch. 273 a.
Thebana Stgr. 537.
Thedani Lampa 3368.
Theletus Mén. 4154.
Themis Leech 150 (*Neptis*).
 ", Gr. Gr. 549 (*Lycaena*).
Theophila Stgr. 2305.
Theophrastes Luc. 532.
Theophrastus F. 532.
Therapne Rbr. 700 c.
Theresiae Korb 4091.
Therevaformis Ld. 4606.
Therinata Bastelberger 3110 a.
Thersamon Esp. 506.
Thersites Gerh. 604 a.
Thetis Klug 502 (*Chrysophan*).
Thetis Leech 150 (*Neptis*).
 ", Hb. 257 (*Melanargia*).
 ", Esp. 604; 610 (*Lycaena*).
Thetys Mén. 684.
Thevestis Stgr. 4331 c.
Thia Hb. 13.
Thianschanica Stgr. 1303 a.
Thibetana Gr. Gr. 39 a (*Aporia*).
 ", Obth. 69 c (*Euchlöe*).
 ", Obth. 672 a (*Augiades*).
 ", Aust. 712 a add. (*Aero-machus*).
Thibetana Aust. 157 i (*Vanessa*).
Thibetanus Obth. 711 a (*Hesper*).
Thibetanus Rühl 380 (*Satyrus*).
Thibetaria Obth. 3187.
Thingvallata Stgr. 3320 a.
Thisbe Mén. 150.
Thisoa Mén. 106.
Thoracaria Obth. 3834.
Thore Hb. 217.
Thrax Ld. 675.
Thrips Hb. 4682.
Thulea Dalm. 4214.
Thulearia HS. 3448.
Thulei Stgr. 1207 c.
Thules Prout 3344 c.
Thules Weir 3465 a.
Thuleus Crotch 4726 a.
Thymaria L. 2914 (*Thaleria*).
 ", Gn. 2919 (*Hemithea*).
Thymula Mill. 4108.
Thynniformis Z. 4563 a.
Thyreiformis HS. 4592.
Thysidea Stgr. 440 c.
Thyrsis Frr. 439.
Tianschanica Alph. 232 h (*Argynnis*).
 ", Alph. 3352 (*Larentia*).
Tianschanica Rühl 39 a (*Aporia*).
 ", Rühl 318 e (*Erebia*).
Tibetana Elw. 166 d (*Polygon*).
 ", Stgr. 1163 (*Agrotis*).
 ", Stgr. 2577 a (*Plutias*).
Tibetanum Stgr. 1801 (*Dasyst*).
Tibetaria Stgr. 3134 a.
Tibialata Hb. 3192.
Tibile Esp. 3192.
Tibiaria Rbr. 3957.

- Tigelius Bon. 390 b.
Tigerina Esp. 2167.
Tigrina Vill. 4204 a.
Tigrinota Chr. 3290.
Tiliae L. 730.
Tiliaria Hb. 3730 a.
Tiliaria Bkh. 3727.
Timida Stgr. 1669.
Timon Hb. 861.
Timonides Brem. 862.
Timoniorum Brem. 862.
Timozaria Const. 3428.
Timur Stgr. 452 a (Polycaena).
 Gr. Gr. 4535 (Trochilium).
Tincta Brahm. 1449 (Mamestra).
Tincta Kane 1571 (Miana).
Tinctaria Hb. 4064.
Tineiformis Esp. 4634.
Tiphon Rott. 443.
Tiphon var. Elw. 443 d.
Tiphonides Stgr. 4424.
Tiphus Esp. 614.
Tipuliformis Cl. 4552.
Tipuliformis var. Esp. 4557.
Tirais Cr. 448.
Triesias Rott. 540.
 Hb. 540 c.
Tirhaca Cr. 2657.
Tirrhaca Hmps. 2657.
Tirrhaca Tr. 2657.
Tisiphone Esp. 285 b.
Titania Calb. 254 d (Melanarg.).
 Esp. 2377 (Acontia).
Titania Hb. 219 (Argynnis).
 Frr. 2378 a (Acontia).
Titea Klug 254.
Tithaea Ld. 254 b.
Tithonus L. 422.
Tithonus L. 422 (Epinephele).
Tithonus Hb. 597 (Lycaena).
Tithymali M. 746.
Tithymali Bellier 747.
 Obth. 747 a.
Tityus L. 774.
Tmolia Ld. 2715 b.
Togaria HS. 3539.
Togata Hb. 3539 (Tephroclyst.).
Togata Esp. 2146 (Xanthia).
Togatalus Hb. 4098.
Tokionis Butl. 1397.
Tomyris Chr. 65 (Euchloë).
Tomyris Hbst. 202 (Argynnis).
 Gr. Gr. 544 b (Lycaena).
Tophaceata HS. 3393.
Tophacea (S. V.) Hb. 3393.
Torgouta Alph. 555 a.
Torosa Gn. 1115 a.
Torruda Ld. 2168.
Torva Hb. 823; 824.
Torvaria Hb. 3973.
Trabealis Sc. 2490.
Tragopoginis L. 2047.
Trajanus Hormuz. 275.
Transalpina Esp. 4356.
Transalpina Hb. 4351 b.
 O. 4352 e.
Trasapennina Calb. 4327 e.
Transbaicalensis Stgr. 2573 a
 (Plusia).
Transbaikalensis Stgr. 1933 a
 (Leucania).
Transaspica Stgr. 66 c (Enchloë).
 Chr. 118 c (Colias).
 Stgr. 249 d (Melanarg.).
 Stgr. 390 c (Pararge).
 Stgr. 523 a (Cigaritis).
 Stgr. 625 d (Lycaena).
Transaspica Gr. Gr. 4714 (Phrag-
 mataecia).
Transcaucasianum Stgr. 4541 c.
Transixa Wlk. 2568.
Transiens Heyne 277 e (Erebia).
 Stgr. 518 a (Chrysophan.).
Transiens Stgr. 888 b (Orgyia).
 Stgr. 1240 a (Agrotis).
 Stgr. 4281 a (Endrosa).
 Stgr. 43881 (Zygaena).
Transiens Aust. 25 d (Parnass.).
 Th. -Mieg. 931 a (Lymant.).
Transiliidae Butl. 4428.
Transmittens Chr. 2400 b.
Transmutata Rbr. 2065.
Transversa Stgr. 1923 c (Tapi-
 nostola).
Transversa Moore 1792 a (Polia).
Transversata Rott. 3281 (Scotosis).
 Thnbg. 3444 (Larentia).
Transylvanica HS. 1369.
Trapezaria B. 3749 a.
Trapezina L. 2098.
Trapezina var. Frr. 2098 a.
Trapezoides Stgr. 2106.
Treitschkei B. 1495 (Mamestra).
 Frv. 2354 (Chariclea).
Treitschkei Hb. 1477 (Mamestra).
Tremula Cl. 803 (Pheosia).
Tremula Hb. 825 (Notodontia).
Tremula Esp. 136 a (Limenitis).
 F. d. W. 724 (Smerinth.).
Tremulifolia Hb. 995.
Trepida Esp. 825.
Trepidaria Hb. 3978.
Trepidata Dup. 3977.
Triangularis Moore 1248 a (Agro-
 tis).
Triangularis Hb. 2644 (Grammod.).
Triangulum Hufn. 1169 (Agrotis).
Triangulum F. 167 (Polygona).
Costa 2378 (Acontia).
Triannuliformis Frr. 4593.
Tribunaria HS. 3550.
Triclaris Hb. 202 c.
Tricolor Ld. 4709.
Tricuspis Esp. 1438 a.
Tridens Schiff. 1089.
Tridens var. Newman 1089 a.
Trifasciata Bkh. 3486.
Trifida F. d. W. 1429.
Trifolii (S. V.) Esp. 976 (Lasio-
 campa).
 Rott. 1477 (Mamestra).
 Esp. 4348 (Zygaena).
Trifolii Dup. 976 a.
 Panz. 976 b.
 Hb. 976 c (Lasiocamp.).
 Esp. 4348 a.
 var. Rbr. 4348 c.
 var. Tr. 4327 e (Zygaena).
Trifolium Alph. 2845.
Trifurca Ev. 1412.
Trifurca HS. 1414.
Trifurcula Stgr. 1417.
Trigeminata Hb. 3026.
Trigonalis Gn. 2809 (Dichromia).
Trigonalis Esp. 1411 (Agrotis).
Trigonitis Wd. 3464.
Trigonolae Esp. 4358 c.
Trigonica Alph. 1183.
Trigopheras B. 888.
Trigopheras Obth. 888 a.
Trigonomma Hufn. 1986.
Triguttata Esp. 2070.
Trilinea Baker 1573 (Miana).
Trilinea Hb. 1986 (Grammesia).
Trilinealis Brem. 2779.
Trilinearia Hb. 2929 (Acidalia).
 Bkh. 3117 (Ephyra).
Trilineata Sc. 2929.
Trimacula Esp. 806 (Drymonia).
Trimacula Esp. 806 a (Drymonia).
 Frr. 1737.
 HS. 1737 a; 1737 c.
 Hb. 1737 b (Episema).
Trimaculata Brem. 2838 (Thya-
 tira).
 Vill. 3707 (Stegania).
- Trimaculata* Esp. 4328 (Zygaena).
Trimenda HG. 1493.
Trinotaria HS. 3780.
Trinotata Metzner 3780 (Eilieri-
 nia).
Trinotata Don. 3246 (Lobophora).
Triopes Spr. 292 b.
Triops Fuchs 392 b.
Tripartita Hufn. 2517.
Triphysina Stgr. 570.
Triplasia L. 2515.
Triplasia Hb. 2517.
Tripterygia Esp. 1827.
Triptolemus HS. 4327 b.
 Frr. 4327 d; 4327 e.
 " Hb. 4337.
 " ab. HS. 4327 e.
Tripunktata Butl. 2169 b (Scopelo-
 soma).
Tripunktata Frr. 1761 (Aporophyl.).
Tripunktata Brem. 2817.
Tripunktaria 3567.
Tripunktata Crewe 3567.
Triquetra F. 2391.
Trisignaria HS. 3573.
Trisignata Mén. 1660 (Hadena).
Trisignata HS. 3573 (Tephroclyst.).
Tristalis Ld. 2817.
Tristata L. 3449.
Tristata Snell. 3449.
 Hb. 3450.
Tristigma Tr. 1187.
Tristis Gr. Gr. 274 b.
 Brem. 308 (Erebia).
 Stgr. 865 b (Pygaera).
 Stgr. 1376 (Agrotis).
 Brem. 2030 (Hydrilla).
 Obth. 4337 d (Zygaena).
 Brem. 4395 (Ino).
 Stgr. 4621 (Sesia).
Tristis HS. 265 (Erebia).
 Gr. Gr. 409 (Epinephele).
 Gerh. 638 (Lycaena).
 Stgr. 828 (Allodonata).
 Gr. Gr. 881 (Orgyia).
 Teich. 2035 a (Acosmetia).
 Hb. 2287 b (Anarta).
 Th.-Mieg. 4001 a (Bupalus).
Tristriata Stgr. 3000.
Tritici L. 1375.
Tritici B. 1375 a.
 Hb. 1405.
Tritomata F. d. W. 3778 a.
Tritophus Esp. 824 et add.
Tritophus (S. V.) F. 823.
Trivena Moore 134.
Trivena Gr. Gr. 134 a.
Trivia Schiff. 186.
Trivia Esp. 174.
 var. HS. 185 c; 185 d; 185 f.
Trivittata Spr. 3448 (Zygaena).
 Z. 4614 (Sesia).
Trochilus Frr. vide Trochylus.
Trochilus HS. 539.
Trochylus Frr. 529.
Troglohyda Graes. 864 (Pygaera).
Troglohyda Frr. 1588 a (Bryophil.).
Troglohydaria HS. 3010 d.
Truchmena Ev. 4375.
Truclenta Ld. 1332.
Truncata Hufn. 3319.
Trux Hb. 1401.
Trux var. Gn. 1401 a; 1401 b.
Tsermosaria Obth. 3492.
Tscherskii Gr. Gr. 449 a add.
Tschudica HS. 74 a.
Tschudica HS. 74.
Tuberculatus Mi. 4109.
Tullia Hb. 443.
Tundra Stgr. 298 a.
Tunga Stgr. 329.
Tungusa Herz 180 f (Melitaea).

- Tungusa* Graes. 2663 (Hypocala).
Tunicata Graes. 2147.
Turana Stgr. 1299 a (Agrotis).
Turana Gr. Gr. 4135 (Earias).
Turanica Ersch. 274 (Erebia).
 „ Stgr. 1102 b (Acronicta).
 „ Ersch. 2605 (Rhabinopt.).
 „ Stgr. 4119 (Nola).
 „ Ersch. 4627 a (Sesia).
Turanica Stgr. 1-5 g (Melitaea).
 „ Rühl 405 e (Epimephela).
 „ Heyne-Rühl 512 b (Chrysophanus).
 „ Rühl 604 e (Lycaena).
Turanicus Stgr. 3829 (Microbist.).
Turatii Stndf. 1298 (Agrotis).
 „ Stndf. 4339 a (Zygaea).
 „ Stgr. 4486 (Psyche).
Turbans Stgr. 1324 (Agrotis).
 „ Chr. 4233 (Arctia).
Turbaria Stph. 3455 a.
Turbaria Tr. 3334.
Turbata Hb. 3334.
Turbida Hb. 1207 (Agrotis).
 „ Höfn. 1513 (Mamestrina).
 „ Hb. 1951 (Leucania).
Turbidaria HS. 3054.
Turbulata Stndf. 3455.
Turbulentaria Stgr. 3054 a.
Turca L. 1969.
Turella L. Stgr. 1969 a.
Turcia Stgr. 157 e (Vanessa).
 „ B. 246 d (Melanargia).
 „ Ld. 891 c (Orgyia).
Turcoides Stgr. 157 f.
Turcic Gerh. 512 b (Chrysoph.).
Turcomana Stgr. 2047 a.
Turcomanica Chr. 2040.
Turcomannia Chr. 4683.
Turensis Ersch. 4172 (Phragmatobia).
Turensis Rühl 607 c (Lycaena).
Turfosalis Wck. 2-31.
Turkestania Gr. Gr. 365 b.
Turpis Stgr. 1758.
Turritis O. 69 a.
Turturaria B. 4059 a.
Turturaria HS. 4061.
Tusciaria Bkh. 3748.
Tutti Rbl. 4352 d.
Tydeus Leech 445.
Tyndarus Esp. 320 et add.
Tyndarus forma I Obth. 320 b.
 „ var. Elw. 320 e.
Typhae Thnbg. 1894.
Typhae var. Esp. 1894 a.
Typhaeformis Bkh. 4559.
Typhon Hw. 443.
Typhonia Mill. 1782 a.
Typica L. 1871 et add. (Naenia).
Typica Hb. 1499 (Mamestrina).
Typicata Gn. 2971.
Tyrannus Gn. 2666.
Tyrianthina Butl. 455 a.
Tytia Gray 244.
- U aureum* Gn. 2572.
Uhangonis Obth. 348 a.
Uhi Kovats 98.
Uliata Stgr. 3637.
Ulicata Rbr. 321 a.
Ulicata Dup. 3306 c.
Ulicis Stgr. 2103.
Uliginosa B. 2023.
 „ HS. 2028.
Ulmaria Hb. 3698.
Ulmata F. 3698.
Ulm Stgr. 730 c (Dilina).
 „ Schiff. 789 (Exaereta).
Ulmifolia Henäcker 998 c.
Ulmivora Graes. 4422.
Ultimaria B. 3628.
- Ultimaria* Webb 3656.
Ultramarina Fixs. 479.
Ulula Bkh. 4689.
Ulva Hb. 1906.
Umbelaria Hb. 3085.
Umbra Stgr. 332 a (Oeneis).
 „ Huffn. 2358 (Pyrrhia).
Umbrab Hb. 1122.
 „ Stgr. 1196 (Agrotis).
Umbraria Hb. 3386.
Umbrata Pack. 1-10.
Umbratica Goeze 2037 (Rusina).
 „ L. 2245 (Cucullia).
Umbratula Stgr. 1052 b.
Umbrifera Alph. 1-62 (Agrotis).
 „ Koll. 1642 (Pseudohadena).
 „ Stgr. 4597 (Sesia).
Umbristriga Alph. 2259.
Umbrosa Lint. 165 a (Polygonia).
 „ Stgr. 791 a (Hoplitis).
 „ Hb. 1199 (Agrotis).
Umbrosalis Stgr. 2777.
Umbrosaria Motsch. 3489 b.
Umovii Ev. 1596.
Ungularia HS. 3438.
Ungangulata Hw. 3438.
Unamimis Tr. 1713.
Unea Schiff. 2454.
Uncinata Püng. 3392.
Uncinula Bkh. 1052 a.
Uncinalis Stgr. 2476.
Uncetus Chr. 1430 et add. et 1431 a
add.
Uncula Cl. 2454 (Erastria).
 „ Stgr. 4445 (Heterogenea).
Uncula Hb. 105 a (Drepana).
Undans Wlk. 1002.
Undata Klug 985 (Nadiasa).
 „ Stgr. 3181 (Mesotype).
Undata Frr. 3616.
 „ Bhtsch. 621 (Tephroclyst).
Undecimlineata Em. 1.
Undina Gr. Gr. 166 c.
Undosa Hb. 2848.
Undosata Dietze 3551.
Undu'ana Hb. 4126.
Undulata Stgr. 972 b (Lasiocamp.).
 „ L. 3270 (Eucosmia).
Undulata Brem. 104- (Brahmaea).
Undulatus Gerh. 494 (Thestor).
Undulella F. R. 4516.
Unduliger Butl. 2584.
Undulosa Alph. 3276.
Undonotata Mab. 3638.
Unguicula Hb. 1053.
Unica Frr. 1571.
Unicata Gn. 3431.
Unicincta HS. 4598.
Unicolor Brem. & Grey 652 (Heteropterus).
 „ Frr. 713 a (Thanaos).
 „ Stgr. 939 a (Oenaria).
 „ Tutt 1446 a.
 „ Stgr. 1456 a.
 „ Alph. 1499 a (Mamestrina).
 „ Dup. 1737 d (Episema).
 „ Stgr. 2088 a (Calymna).
 „ Stgr. 2117 a (Cirrhoed.).
 „ Tutt 2167 a (Orrhodia).
 „ Tutt 281 b (Hypera).
 „ Huffn. 4450 (Pachytelia).
Unicolor Gr. Gr. 387 (Pararge).
 „ Horm. 646 (Lycaena).
 „ Obth. 1002 a (Dendrol.).
 „ Th.-Mieg. 3155 (Ortholith.).
Unicolora (Mén.) Mot. s 5 b (Leucodonta).
Unicoloraria Stgr. 4000 b (Ematurga).
 „ Obth. 4029 b (Phasiane).
 „ Rbr. 4051 (Eneonista).
Unicoloraria Horm. 3754 c (Angeirona).
- Unicolorata* Stgr. 3122 b (Rhodostrophia).
 „ Stgr. 3324 c (Larentia).
Seebold 4077 a (Aspilates).
Unicolorata Hb. 3183 (Minoa).
 „ Teich. 3714 (Delimia).
Unicolonata Esp. 3730 b.
Uniculata Wlk. 2678 a.
Unidentaria Hw. 3370.
Unifasciata Hw. 3459 (Larentia).
Unijasciata Mén. 2296 (Schönenia).
Uniformata Weym. 169 a (Hadena).
 „ Bell. 3412 (Larentia).
Uniformis Stgr. 1530 e (Dianhoezia).
 „ Stgr. 2165 c et add. (Orrhodia).
 „ Stgr. 2442 (Thalpochares).
 „ Stgr. 2993 (Acidalia).
 „ Stgr. 3937 a (Gnophos).
Unijaga Wlk. 2679 a.
Unlobata Hw. 3434.
Unimacula Stgr. 1242 c.
Unimaculata Auriv. 2843.
Unio Obth. 3695.
Untula Rbr. 4301.
Unipuncta Hw. 1962.
Unipunctata Stgr. 4304.
Unispiris Butl. 3478.
Unita Hb. 4302.
Unita B. 4302 b.
 „ Esp. 4-11.
Unitaria HS. 3612 (Tephroclystia).
 „ Stgr. 3-53 a (Synopsis).
Unostrigata Baker 3015.
Upina Alph. 799.
Upsilon Barr. 2111.
Uralensis Stgr. 172 b (Melitaea).
 „ Stgr. 277 d (Erebia).
 „ Ev. 2529 (Plusia).
 „ Frr. 4460 (Amicta).
 „ Gr. Gr. 4735 (Hepialus).
Uralensis Obth. 14 g (Parnass.).
 „ Ev. 178 (Melitaea).
 „ Bell. 2528 a.
 „ Ev. 2529.
 „ Stgr. 2530 (Plusia).
 „ Heyne 4202 (Arctia).
 „ Gr. Gr. 4414 a (Ino).
Uralensis Frr. 2529.
Uania Friv. 2376.
Urbanii Hirschke 172 c add.
Uribicola Stgr. 930 a.
Urda Ev. 332.
Uredo Frr. 47-6.
Uroceria B. 781 a.
Uroceriformis Tr. 4576.
Urticina God. 137 v.
Urticae L. 157 (Vanessa).
 „ Esp. 4164 (Sipilosoma).
Urticae Stgr. 157 h (Vanessa).
 „ Hb. 2517 (Astromola).
 „ ab. Hb. 157 b (Vanessa).
Urticoides F. D. W. 157 c.
Urticoides Alph. 157 f.
Usgentaria Chr. 3204.
Usgenovata (Stgr.) Rühl 316.
Ustata Butl. 2872.
Ussuriaria Brem. 2921.
Ussuriensis Stgr. 1363 (Limenitis).
 „ Rbl. 2477 (Troctoptera).
 „ Brem. 2584 (Remigia).
 „ Graes. 4680 (Holcocerus).
Ustata Chr. 3234.
Ustirena B. 2010 b.
Ustula Frr. 2191.
Ustulata Butl. 2173 b (Xylina).
Ustulata HG. 2191 (Epimecia).
Ustulata Chr. 3711.
Uxor Hb. 2670; 2713; 2715.

- Vaccinii L. 2164.
Vaccinii Esp. 2164 a; 2164 b.
 „ var. Gu. 2167.
Vacillans HS. 1313.
Vacuna Gr. 336.
Vaga Stgr. 1358 d.
V-album F. 158 (Vanessa).
 „ Bkh. 167 (Polygonia).
Valdensis Esp. 225 a.
Valentini Brd. 4330.
Valerianaria HS. 3626.
Valerianata Hb. 626.
Valerianata F. R. 3623.
 „ Stgr. 3624.
 „ Tr. 3625.
Valesiaca Elw. 279 a (Erebia).
 „ Streckf. Rühl 694 b
 (Hesperia).
Valesiaca HS. 1318 (Agrotis).
Valesiana Meyer-Dür 261 a.
Valesiaria Püng. 3022 a.
Valesicola Gn. 1952.
Valesiella Mill. 4478 a.
Valesina Esp. 237 a.
Valida F. R. & Rghfr. 2874 (Megalochora).
Valida Hb. 1665 (Hadena).
Vallantinaria Obth. 3420.
Vallantini Obth. 1016 (Lemonia).
 „ Obth. 2716 (Catocala).
 „ Aust. 4176 (Phragmatob.).
Vallesiaca Stt. 1179.
 „ Frr. 1317.
Vallesiaria Lah. 3403.
Valligera Hb. 1411.
Vanadis Dalm. 4342 a.
Vanda Aust. 325 e add.
Vandaliecia Mill. 951.
Vandalusia Obth. 342 a.
Vandalusia Dup. 1588 b.
Vandalusica Ld. 460 a (Thecla).
 „ HS. 1585 b (Bryophil.).
Vareni Holmgren 232 add.
V. argentum Esp. 2549.
Varia Meyer-Dür 193 a (Melitaea).
 „ Alph. 1375 f (Agrotis).
 „ Chr. 2662 a (Catephia).
Varia Lampa 192 d (Melitaea).
 „ Heden. 3266 (Eucosmia).
Varialbilis Bell. 2009 b (Cardrini).
 „ Piller 2530 (Plisia).
 „ Brem. 4732 (Hepialus).
Variago Stgr. 2083.
Variolis Fuchs 2766.
Varians Stgr. 4733.
Variaria var. HS. 3306 a.
Variata Schiff. 3306.
Variata Hb. 3306 a.
 „ Hatchett 3308.
Variegaria HS. 3948.
Variegata Stgr. 200 c (Melitaea).
 „ Aust. 1464 a (Mamestra).
 „ Obth. 1563 (Miana).
 „ Stgr. 1693 a (Hadena).
 „ Obth. 2093 (Calymnia).
 „ Stgr. 3671 b (Phibalapter.).
 „ Dup. 3948 (Gnophos).
Variegata Hw. „ 551 (Tephroclystia).
 „ Dup 3951 a (Gnophos).
Varicollis Delahaye 1425.
Variolaria Stgr. 3884.
Variolata Stgr. 3307.
Variostrigata Alph. 3598.
Varius Stgr. 4731.
Vasava Butl. 2783 add.
Vashiti Butl. 3269.
Vastaria Chr. 3135 (Rhodostroph.).
 „ Stgr. 3939 (Gnophos).
Vata Hw. 3659.
Vau-album Nicév. 158 (Vanessa).
- Vau-album* Esp. 167 (Polygonia).
Vaulogeri Stgr. 2215 (Cleophana).
 „ Stgr. 4090 (Cimelia).
 „ Stgr. 4657 (Hypotha).
Vau punctatum Esp. 2159.
Vauvenum Gn. 259.
Vega Chr. 224.
Velata Stgr. 1135.
Velitaris Rott. 836.
Velleda Hb. 4730.
 „ B. 4730 a.
Velocior Stgr. 2394 a.
Velox Hb. 2394 (Thalpochar.).
Velox Herz 301 e (Erebia).
 „ Tr. 2395 (Thalpochar.).
Velum Germ. 1120.
Velutina Obth. 846 (Lophopter.).
 „ Ev. 1950 (Leucania).
Venata Leech 40 a (Aporia).
 „ Leech 141 a (Limenitis).
 „ Brem. 6716 (Augiades).
 „ Stndf. 957 b (Malacosoma).
 „ Butl. 4283 (Melanaearna).
Venerata Chr. 3792 b; 3792 c.
Veneris Butl. 3759.
Veneraria Hb. 3982.
Venosa Chr. 2348 (Aedophron).
Venosa Hb. 1118 (Arisloneche).
 „ Hb. 1871 (Naenia).
Venosata F. 3543.
Venosata var. Weir 3543 a.
Venosa Stgr. 2190.
Venosa Moore 532.
Venula Hb. 662.
Venulata Obth. 3288.
Venus Stgr. 598 (Lycaena).
Venus Herz 597 (Lycaena).
 „ Stgr. 1849 (Callopistr.).
Venusta B. 1785.
Venustata Stgr. 3146.
Venustula Hb. 2458.
Vepretaria Spr. 3933 a.
Veratraria HS. 3591.
Verbasci F. 776 (Cerura).
 „ L. 2221 (Cucullia).
Verberata Sc. 3398.
Verdanza Stgr. 325 e et add.
Verecunda Püng. 1314.
Veris Stgr. 51 a.
Vermetensis Obth. 4328 b.
Verna Gr. Gr. 47 c.
Vernalis Stgr. 47 a (Pieris).
 „ Graes. 8 a (Leptidia).
 „ Stgr. 3148 a (Lythria).
Vernalis Horm. 508 a.
Vernana Hb. 4133.
Vernaria Hb. 2867 (Geometra).
Vernaria Esp. 2919 (Hemitheia).
Vernetaria Obth. 3160 a.
Vernetaria Obth. 342.
Veronicae Hb. 2158 et add. (Ornithodia).
Veronicae Dorfm. 192 b (Melitaea).
 „ Bkh. 4358 f (Zygaena).
Versicolor Stgr. 1754 (Margelan.).
 „ Stgr. 2216 a (Cleophana).
 „ Obth. 2472 (Estronia).
Versicolor Heyne-Rühl 611.
 „ Stgr. 611 b (Lycaena).
Versicoloria L. 1014 (Endromis).
Versicoloraria Chr. 3741.
Vericillata Gn. 2557.
Vertumnaria Lef. 3816.
Vespertalis Hb. 2496 (Metopomia).
 „ Stgr. 2728 (Apopestes).
Vespertaria (S. V.) Bkh. 3360
 (Larentia).
Vespertaria Thmbg. 3764 (Epione).
 „ Esp. 4003 (Selidosema).
Vesperata Hb. 3360.
Vespertilio Esp. 742.
Vesperilioides B. 742 a.
Vespertina Tr. 2496.
- Vespertinalis* Rbh. 2496.
Vesperugo Ev. 1676.
Vespiiformis L. 4555.
Vespiiformis Esp. 4573.
Vestalina Stgr. 941 a.
Vestalis Stgr. 2448 (Thalpochar.).
 „ Stgr. 4002 (Bupalus).
 „ Stgr. 4506 a (Rebelia).
Vestalis HG. 2697 (Catocala).
Vestigialis Rott. 1411.
Vesigialis Stgr. 1396.
Vestita Heden. 2875 (Aracima).
 „ Hb. 4275 (Paidia).
 „ Esp. 4450 (Pachytelia).
Vesubiata Mill. 2970.
Vesubiella Mill. 4466.
Veterata Gregson 2995.
Veverata Stgr. 3265.
Veterina Ld. 1702.
Veterinata Stgr. 3265.
Veterina Chr. 2168.
Vetulata Schiff. 3278.
Vewella Rbh. 4457.
Vetusta Hb. 2180.
Vetustata Stgr. 3278 a.
Vexilliger Chr. 2356.
Viadrina Stgr. 4484.
Vibicaria Cl. 3122.
Vibicaria var. Gu. 3122 b.
Viburni Gn. 97 f.
Viduaria (S. V.) Bkh. 3896.
Vicarius Wlk. 4643.
Viciae Hb. 2742 (Toxocampa).
 „ Hb. 4337 a (Zygaena).
Viciae Schrnk. Fuessl. 4346 (Zygaeña).
Viciaria Moore 573.
Viciella Schiff. 4483 (Psyche).
Viciella Hb. 4451 (Pachytelia).
Vicina Alph. 1665 d (Hadena).
 „ Stgr. 1995 (Cardrina).
Vicina Rom. 1993 (Cardrina).
Vicinaria Dup. 3169.
Victorina Sodof. 2353.
Vidua Stgr. 1188 (Agrotis).
 „ Stgr. 1490 (Mamestra).
 „ Stgr. 4620 (Sesia).
Vidua Hb. 2287.
 „ Frr. 2293 (Anarta).
Viduata Stgr. 3422.
Viertlii Bhtsch. 3875.
Villica L. 4203.
Viliu var. Bell. 4263 b.
Villiersii Gn. 1387 b.
Villosella O. 4451.
Villosus Alph. 1434.
Viliuensis Mén. 107 (Colias).
 „ Mén. 443 f (Coenonym.).
Viminata F. 1560.
Viminata Dild. 3626.
Vinctaria Z. 4012.
Vinctuncula Hb. 1569 c.
Vincularia Hb. 4008.
Vinculata Stgr. 3325.
Vindelicia Frr. 1880.
Vinula L. 785.
Viola Stgr. 2306 (Stemmaphor.).
Viola Frr. 2311 (Janthinea).
Violacea Butl. 2057 (Hyperrena).
Violacea HS. 2313 (Janthinea).
Violacealis Stgr. 2776.
Violacearia Stgr. 3010 a (Acidal.).
 „ Graes. 3715 a (Numeria).
Violaceus Stgr. 509 a (Chrysophanus).
Violata Thmbg. 3097.
Violentaria Chr. 4085.
Violetta Stgr. 1280 (Agrotis).
 „ Stgr. 2417 (Thalpochar.).
Viperata Alph. 3329 a.
Viribus HS. 378 d.

Index der Arten zum Theil I

- Virenda* Butl. 2876.
Virens Butl. 1421 (Agrotis).
 L. 1927 (Lucria).
Virens Stgr. 1068 (Diptera).
 Hb. 1927a (Lucria).
Viretata Hb. 3246.
Viretata Hofm. 3245.
Virga Tutt 1089a.
Virgata Rott. 3180 (Mesotype).
Virgata Tutt 3305a.
 Clark 3381 (Larentia).
Virgatus Butl. 1c (Papilio).
Virgaureae L. 509 (Chrysophan.).
 B. 2237 (Cucullia).
Virgaureata Dbd. 3571.
Virgaureola Stgr. 509c.
Virginialis Obth. 2438c.
Virginea Obth. 911 (Dasychira).
 Alph. 3330a (Larentia).
Virginea Gn. 2415 (Thalpochar.).
 Delahaye 4266 (Miltochr.).
Virgininiensis Dru. 155.
Virgo Tr. 2513 (Telesilla).
Virgo Hb. 4202 (Arctia).
Virgula Hb. 661.
Virgularia Hb. 2983.
Viridana Walch. 1815.
Viridaria Cl. 2482 (Prothymnia).
 F. 3333 (Larentia).
Viridaria Hb. 2904 (Nemoria).
Viridata L. 2904.
Viridicincta Frr. 1771a.
Viridicinctaria Peyer. 3335a.
Viridifasciola Esp. 3720b.
Viridimacula Graes. 1684.
Viridimixta Brem. 794.
Viridis Stgr. 2339 (Isochlora).
 Stgr. 2412 (Thalpochar.).
 Stgr. 2531a (Plusia).
Viridisquama Gn. 2381.
Viridissima Stgr. 2339a.
Viridissima Alph. 2340.
Viridula Stgr. 1683 (Hadena).
 Gn. 2434 (Thalpochar.).
Viridulata Stet. 3314.
Viscariae Gn. 1548a.
Viscosa Frr. 1634.
Visperaria Fuchs 3113a.
Vitalba Frr. 1622 et add.
Vitalbata (S. V.) Hb. 3671.
Vitellina Moore 230c.
Vitellina Hb. 1961 (Leucania).
 Tr. 4302a (Lithosia).
Vitellina B. 4301; 4307 (Lithosia).
Vitellinaria Ev. 3059a.
Vitosata Frr. 3306a.
Vitis Frr. 4394.
Vitrella Hb. 4463.
Vitrina Stgr. 4331b. (Zygaena).
Vitrina HS. 1060 (Thyris).
Vitta Hb. 1379.
Vitta Esp. 1375c.
 var. HS. 1375.
Vittata Tr. 1622.
Vittaria Hb. 2927.
Vittata Obth. 621a (Lycaena).
 Stgr. 802 (Drymonia).
 Stgr. 1162 (Agrotis).
 Bkh. 3379 (Larentia).
V. Minus Obth. 2563.
V. nigra Hw. 4013.
V. nigrum F. 923.
Vogesiaca Christ 275d.
Volgaria Gu. 2885b.
Volgensis Möschl. 4412a (Ino).
 Chr. 4676 (Holocer.).
Volitans Butl. 3238.
Volitaria Joan. 2960.
Vorax Butl. 232f.
Vulcania God. 153a.
Vulgata Hw. 3569.
Vnlpeca Ev. 1968 (Leucania).
- Vulpes* Ld. 2153 (Xanthia).
Vulpina Stgr. 1753 (Catasema).
Vulpina Ev. 2153 (Xanthia).
Vulpinaria HS. 3034a.
Vulturina Frr. 1665.
Vulturina HS. 1665.
- Wagneri* HS. 407 (Epinephele).
 HS. 2432 (Thalpochar.).
 Mill. 4338 (Zygaena).
Wähbergi Lampo 3977.
W album Knoch. 461.
W. album O. 461.
Walkeri Curt. 4163a.
Walkyria Fixs. 333a.
Wanda Gr. Gr. 105d.
Wanga Brem. 308.
Warionis Obth. 871 (Pygaera).
 Obth. 2209 (Cleophana).
Wauaria L. 4013.
Wavaria Esp. 4013.
Webbianus Brüllé 534.
Weileri Stgr. 4388d.
Weissenbornii Frr. 1355b.
Wendlandti Fuchs 3444.
Wendlandti Fuchs 3700a.
Werdandi Zett. 88b.
Werdandi HS. 86; 86f.
Westermanni Stgr. 1246.
Westwoodii Voll. 4428.
Whitelyi Butl. 3696 (Abraxas).
Whitelyi Butl. 772 (Hemaris).
Wiedemannia Mén. 4388m.
Wikinski Ersch. 359a.
 Gr. Gr. 359c.
Wimanii Holmgren 230 add.
Wimmeri Tr. 2455.
Wiskotti Stgr. 121 (Colias).
 Röber 254b (Melanarg.).
 Stndf. 1297 (Agrotis).
 Stgr. 2457 (Erastria).
 Stgr. 4201a (Arctia).
Wiskotti Obth. 14 (Parnassius).
 Stgr. 96 (Colias).
 Calb. 4388g (Zygaena).
Wismariensis Schmidt 1906b.
Wiströmi Lampo 2287a.
Witzemannii Stndf. 2126 (Orthosia).
 Stndf. 3202 (Lithosteg.).
W. latinum Bkh. 1466.
Wockearia Stgr. 3973a.
Wockei Möschl. 1192 (Agrotis).
 Stndf. 4464 (Hyalina).
Wolfenbergeri Frey 172a.
Wollaston Butl. 45c (Pieris).
 Baker 1869bis (Brotonia).
 Baker 3100 (Acalidia).
 Baker 3881a (Boarmia).
Wosnesenskii Mén. 581d (Lycaena).
Wosnesenskii Mén. 32 (Parnass).
Wyssi Christ 371b.
- Xanthe* Hb. 506; 506a.
 F. 513.
 Bell. 513a.
Xanthene Germ. 1881.
Xanthiana Stgr. 2343.
Xanthindyma B. 2503.
Xanthoceros Hb. 2853.
Xanthochloris B. 1852.
Xanthocyma Hb. 1542a.
Xanthodippe Fixs. 232e.
Xanthographa F. 1197 (Agrotis).
Xanthographa F. 1197 (Agrotis).
 Germ. 4356c (Zygaena).
Xanthoides Peyer. 513.
Xanthomelas Esp. 160 et add.
Xanthomelas var. Stgr. 160a.
- Xanthomista* Hb. 1786.
Xanthoptera Obth. 4249.
Xarippe Butl. 2696b.
Xena Stgr. 1526.
Xenia Frr. 249b.
Xerampelina Hb. 2117.
Xeranthemi B. 2265.
Xerxes Stgr. 625f.
Xipa Gr. Gr. 232h.
Xiphia F. 386.
Xiphia B. 386a; 390.
Xiphioides Stgr. 386a.
X-signata Stgr. 1101.
Xuthulus Brem. 5a.
Xuthus L. 5.
Xyliniformis Gn. 1828a.
Xylinoides Gn. 1828a.
- Yamamai* Guer. 1025a.
Yaminaria Obth. 4083.
Yarkandensis Moore 604.
Yokohamae Butl. 3433.
Ypsilon Rott. 1399 (Agrotis).
Ypsilon Bkh. 2111 (Dyschorist.).
 " -Graecum Goze 2843
 (Cymatophor.).
Yvanii Dup. 2214.
Yvanii Rbr. 2216.
- Zacharia* Stgr. 3924.
Zachii Bhtsch. 1474.
Zalmunnia Butl. 2669a.
Zancala Z. 1a.
Zapateri Obth. 294.
Zargi Baker 3099.
Zatima Cr. 4159b.
Zea Dup. 1945.
Zebra Dup. 3991.
Zeituna Stgr. 1301a.
Zeitunaria Stgr. 3931c.
Zelleratis Wck. 2771.
Zelleraria Frr. 3968.
Zelleri Ld. 676 (Parnara).
 Chr. 1639 (Heterograph.).
 Mn. 4447 (Acanthopsych.).
Zelleri HS. 1175 (Agrotis).
 Ld. 4617 (Sesia).
Zelleriana F. D. W. 4105.
Zellerietta Brd. 4447.
Zelotypa Ld. 2141.
Zenobia Leech 238.
Zephyrata Mill. 3023.
Zephyrinus Chr. 552a.
Zephyrus HS. 551; 552.
Zermattensis Fallou 500d (Chrysophanus).
 Frey 4480 (Scioptera).
Zeta Tr. 1674.
Zetina Stgr. 1674c.
Zetterstedti Stgr. 2291.
Zibellinaria Chr. 3627a.
Ziczac L. 815.
Ziegleri Stichel 185 add.
Zilla Butl. 2805.
Zimmermanni Graes. 885 (Orgyia).
 Hedem. 2868 (Geometra).
 Graes. 4031 (Phasiane).
 Ld. 4625 (Sesia).
Zinckenii Tr. 2176b.
Zohra Donz. 525.
Zollikoferi Frr. 1625.
Zollikoferi Dup. 1625.
Zona Mab. 711b.
Zonaria Schiff. 3819.
Zonata Thmbg. 3243a.
Zonaida Grasl. 4196.
Zosimi Hb. 2540.
Zuleima Pier. 4325.
Zumsteinaria Lah. 3169.
Zygophylli O. 744.

Index der Arten, Varietäten, Aberrationen und deren Synonyme

zum

Theil II.

(Die Zahlen bezeichnen die Nummern, unter welchen die betreffenden Arten etc. im Catalog angeführt sind. Die als Kategorien behandelten Varietäten und Aberrationen sind durch einen Buchstaben hinter der Zahl kenntlich. Namen in Cursiv bedeuten ein Synonym.)

Abacana Ersch. 2047.
Abaliniella Zett. 4620.
Abbreviatella Stt. 3537.
Abdialis Chr. 825 b.
Abdominalis Z. 2410.
Aberrata Gn. 891.
Abiectella Chr. 3208.
Abiegana Dup. 1998.
Abiegiana Z. 1998.
Abietana Hb. 1448.
Abietana Dup. 1446 a.
F. R. 1448 c.
Abietella (S. V.) F. 700.
Abietella Dup. 698.
Abietisana Frtr. 1983.
Abildgaardia Froel. 1455.
Ablutalis Ev. 1224 a.
Ablutella Z. 203.
Abnormalella Rag. 273.
Abnormella HS. 2882.
Abrasana Dup. 1629.
Abrasara Z. 4114.
Abruptella Woll. 4538.
Abscissana Bldb. 1955.
Absconditalis Chr. 956.
Absconditana Lah. 2104.
Absynthiana Hb. 2042.
Absynthiella HS. 3298.
Absinthii Hein.-Wck. 3865 (Co-lephora).
Gartner 4264 (Bucculat.).
„ *Absinthivora* Frey 3299.
Abstersella Z. 255.
Acacia Wlsghm. 2997.
Acaciella Z. 4197.
Acaciella HS. 4181.
Acanthella God. 3538.
Acanthodactyla Hb. 1339.
Acarnella Wlsghm. 1367.
Acarpa Meyr. 3567.
Acceptana Snell. 2122.
Accolalis Z. 1189.
Accurata Kenn. 1603 bis add.
Acerana Hb. 1514.
Acerella Tr. 4549.
Aceriana Dup. 2008.
Acerifoliella Z. 4111; 4112.
Aceris Frey 4317.
Acerella HS. 2705 (Gelech. [Lita]).
Dup. 4111 (Lithocoll.).
Acervella Ersch. 680.

Acetosae Stt. 4339.
Achaenivora Hofm. 3884.
Acharis Butl. 1946.
Achatana F. 1943 (Olethreut.).
Achatana Hb. 2055 (Notocelia).
Achatina Butl. 833 (Aglossa).
Butl. 840 (Pyralis).
Achatinella Hb. 466.
Achrestella Rbl. 3024.
Achroella Rag. 233.
Acinacidaella Hb. 2484.
Acomptella Rag. 535.
Acontialis Stgr. 1257.
Acraspedella Stgr. 580.
Acrisella Mill. 3720.
Actinodactyla Chrét. 1370.
Acuminatana Z. 2298.
Acuminatella Stt. 977 (Scoparia).
„ Sirecom 2688 (Gelech. [Lita]).
Acuminatus Stgr. 2945.
Acuminella Hb. 191.
Acupediella Frey 2546.
Acutalis Gn. 1074.
Acutana Frr. 1860 (Olethreut.).
Ev. 2020 (Bactra).
Acutangulella Hein. 2810.
Acutangulellus HS. 38.
Acutellus Chrét. 112 (Crambus).
Ev. 1074 (Calamochr.).
Adactyla Hb. 1424.
Adamantana Gn. pag. 115 not.
Adamass Const. 1356.
Additana Kenn. 1716 bis add.
Adelalis Gn. 1129.
Adelana Rbl. 1877 a.
Adelphella F. 622.
Adenocarpella Stgr. 4234.
Adenocarpi Rag. 2168 (Graphol.).
Stgr. 4205 (Lithocoll.).
Adiippellus Heyd. 4476.
Adjippellus Tr. 123.
Adjunctana Kenn. 2172 bis add.
Adjunctana Tr. 1576.
Adjunctella Hodgk. 3848.
Adornatella Tr. 416.
Adscitella Stt. 3978.
Adspersana Dup. 1471.
Adspersa Koll. 3214 (Depress.).
Hein. 4500 (Diplodoma).
Adspersella HS. 2381 (Prays).

Adultella Z. 544.
Adulterinana Kenn. 1559 bis add.
Adumbratella Snell. 2851.
Adustana Hb. 1978 a.
Adustana Snell. 1978.
Adustella Rag. 388 (Stauding.).
„ Wlsghm. 3062 a (Blasto-basis).
Advenella Zk. 756 (Rhodoph.).
Advenella Dup. 718; 719 (Pterothrix).
Adversella HS. 4654.
Aechmiella Dup. 2336.
Aedemana Const. 1685.
Aegitalis Mill. 1125 a.
Aegrotalis Z. 1041.
Aemulana Schläg. 2031.
Aemulana Gartn. 2032.
Aemulella Hb. 3335.
Aenealis Schiff. 1037.
Aeneana Hb. 1810.
Aeneella Hein. 4292 (Neptic.).
„ Hein. 4663 (Incurv.).
Aeneella Hb. 498 (Hypochalc.).
Aeneociliellus Ev. 64.
Aeneofasciata Frey 4322.
Aeneofasciella HS. 4322.
Aeneopersella Rössl. 3462.
Aequalella Chr. 3869.
Aequidentella Hofm. 3414.
Aerariella Stt. 2394 (Argyrest.).
„ HS. 3430 (Seythris).
Aeratella Z. 3618.
Aerealis Hb. 1224.
Aerealis HS. 1224 b.
Aereella Tr. 4217 a.
Aereinitidella Mill. 2325.
Aeriferana HS. 1527.
Aeripennella Rbl. 4669.
Aeripennis Hein.-Wck. 3670.
Aerosana Ld. 1599.
Aerosellus Z. 4691 a.
Aeruginalis Hb. 1053.
Aestiva Wlsghm. 1764 bis add.
Aestivella HS. 2491; 2496.
Aethiopella Dup. 475.
Aethiops Westw. 2690 (Gelech. [Lita]).
„ Hein.-Wck. 3671 (Co-lephora).
Aetnaealis Dup. 931.

- Aetodactylus* Dup. 1372.
Affectana Keun. 2030 bis add.
Affiniella HS. 489 (Hypochalcia).
Affinella Zett. 2726 (Gelech.).
 [Lita].
Affinis Dgl. 2531.
Affinitana Snell. 1475 (Acalla).
 Dgl. 1684 (Conchyliis).
Affinitana Wd. 1683.
Affinitella Stev. 2483 (Cerostom.).
 (B.-Haas) Rbl. 4639
 (Mymecozela).
Afflatella Mn. 261.
Afflietella Rag. 440.
Afra Baker 180.
Africalis Gn. 1164.
Agilana Tngstr. 2289.
Agilletta Z. 4198.
Aglaella Dup. 4775.
Aglossana Kenn. 1603.
Agnatana Chr. 2083.
Agrammella Wood 3849.
Agraphella Rag. 310 (Syria).
 Rag. 2502 (Metzneria).
Arestiana Tr. 2075.
Agricolella Fuchs 3905.
Agrimonias Frey 4379.
Agrimonias HS. 4379.
Agroruma HS. 1475.
Ahenella (S. V.) Hb. 498 (Hypochalcia).
 Hein. 3667 (Coleoph.).
Ahrensiiana Hb. 1912.
Aillyella Hb. 2326.
Airae Stt. 3946.
Alacella Dup. 2785.
Alaternella Const. 4250.
Alaudella Dup. 4083.
Alba Hb. 185 (Sciopophaga).
 Tutt 954 b (Scoparia).
Albana Wd. 1972.
Albariella Z. 612 (Salebria).
Albariella HS. 659.
 Knaggs 660 (Nephopter.).
Albarracinella Rag. 3161.
Albatella Rag. 243.
Albedinella Z. 4248.
Albella Z. 2344 (Calantica).
 Ev. 4219 b (Lyonefia).
 Stt. 4255 (Buculatr.).
Albellus Clem. 113 (Crambus).
Albersana Hb. 2155.
Albescentia Rbl. 2391 (Hofmannia).
 Z. 3013 (Pterolonche).
Albescentia Hmps. 1176.
Albiapicella HS. 3614.
Albicanelia Z. 3023.
Albicans Hein. 2547 (Gelechia).
 Z. 3885.
 HS. 3891.
 Frey 3893 (Coleophora).
Albicapilla Z. 4560.
Albwaptina Cooke 1662.
Albicupulana Chr. 1465.
Albicella Const. 3888.
Albiceps Z. 2886.
Albicietella Stgr. 377.
Albiciliellus Stgr. 4709 a.
Albicilia HS. 672.
Albieinetella Mn. 4736.
Albicipulana Chr. 2886.
Albicometella HS. 4560 (Tinea).
Albicometta Hein.-Wck. 4355
 (Neptiula).
Albicornella (Koll.) Now. 4404.
Albicosta Stgr. 336 (Heterographis).
 Hw. 3768 (Coleophora).
Albicosta HS. 3757.
Albicostalis Hmps. 230 (Lodiana).
 Hmps. 1124 (Metasia).
Albicostana Sand 1441 e.
Albicostella Dup. 3712 (Coleoph.).
- Albicostella* Dup. 2325 (Glyphipt.).
Albidella Hb. 1154.
Albidina Hb. 1556.
Albidella Rag. 97 (Aencylosis).
 Snell 2973 (Nothris).
 (B.-Haas) Rbl. 3021 (Epidoia).
 Stt. 3537 (Scythris).
 HS. 3800 (Coleophora).
 Tngstr. 3994 (Elachista).
Albidorsella Stgr. 2462 (Cerostoma).
 Stgr. 3571 (Heinemannia).
Albidulana HS. 082.
Albifaciella Hein. 2560.
Albifasciella Hein. 4408 a.
Albifemorella Hofm. 2608.
Albifontella Hb. 3032 (Elachist.).
Albifrontella Hein. 2716 (Gelech.).
 [Lita].
 Hein. 2845 (Anacamps.).
Albifuscalis Hmps. 1177.
Albifuscella Z. 3708.
Albigutella Mill. 4247.
Albilabris Z. 3373.
Albilineella Stgr. 660.
Albimaculana Teich. 1881.
Albimaculea Hw. 3374.
Albimaculella Hein. 2335.
Albinotella Rag. 381.
Albiocellata Stgr. 3290.
Albipalpana Z. 1751.
Albipalpella Hb. 2837.
Albipedella Hofm. 4271.
Albipennella Stgr. 3801.
Albipes Meig. 1308.
Albipuncta Zett. 2313.
Albipunctata Stph. 1441 a.
Albipunctella Rag. 451 (Euzoph.).
 Hb. 3288 (Depress.).
 Hw. 4557 (Tinea).
Albiramella Mn. 2463.
Albiramosella Chr. 2505.
Albiricella HS. 667.
Albisinuata Pack. 946.
Albisquamella Hs. 3660.
Albistria Hw. 2403.
Albistria Wd. 2407.
Albistriana Hw. 1446 m.
Albistriga Ersch. 788.
Albistrigata Stgr. 636.
Albitarsella Z. 3772.
Albizonialis Hmps. 1279.
Alboeciliaria HS. 1489.
Alboinctella Dup. 2873.
Albocostalis Hulst. 564.
Albosascalis Tr. 1263.
Albogilvella Rag. 452.
Albohamulana Rbl. 2100.
Alborivulalis Ev. 1261.
Alborivulella Rag. 399.
Alborivittana Stph. 1441 b.
Albuginana Gn. 2231.
Albulina Frey 3901.
Albulana Tr. 1644.
Albunculella Stgr. 397 (Epischid.).
 Rag. 415 (Psorosa).
Albumanea Z. 2079.
Alburnella Dup. 2735.
Alchiimiella Sc. 1040.
Aleyonippenella Koll. 3674.
Aleella Schulze 174 (Conchyliis).
Aleella F. 2615 (Gelechia).
 Wd. 2886 (Stenolechia).
Alexandriensis Baker 19.
Alfacarellus Stgr. 119 a.
Algerialis Hmps. 818.
Algeriella Baker 255 (Gelechia).
 Baker 3097 (Pleurota).
 Rag. 4774 (Micropter.).
Algida Möschl. 1497.
Algidiella Stgr. 3841.
- Algiralis* Luc. 920 (Nymphula).
 Allard 1042 b (Phlyctenodes).
Algiriella (B.-Haas) Rbl. 2485
 Paraplatella).
 Rbl. 4640a (Myrmecozela).
Alienalis Ev. 472 (Ratasa).
 HS. 474 (Hyporatas).
Alienella Tr. 3134 (Semiocrop.).
Alienellus Zk. 121 (Crambus).
Alismana Rag. 1679.
Allardala Obth. 1016.
Allionella F. 4765.
 var. Z. 4766.
Allisella Stt. 3172.
Allotriella HS. 474.
Allutella Rbl. 4623.
Alnetana Gn. 2010 a.
Alnetella Stt. 4348.
Atnetella Hein. 4349.
Alniella Z. 4118.
Alnofiella Dup. 4118.
Alnivorella Rag. 4127.
Alpella Schiff. 2473.
Alpestralis F. 1009.
Alpestrana HS. 2296.
Alpestrella Hein. 4430.
Alpherakii Stgr. 190 (Schoenob.).
 Rag. 532 (Megasis).
Alpherakylla Rag. 464.
Alphonisia Dup. 1886.
Alpicella HS. 2379 (Swammerd.).
Alpicella HS. 2390 (Hofmannia).
Alpicola Frey 2604 a (Gelechia).
 Hein.-Wck. 3832 (Coleophora).
 Wck. 4093 (Ormix).
Alpicolana Hb. 1632.
Alpicolella Z. 477 (Asarta).
 Hein. 2510 a (Bryotroph.).
Alpigena Frey 3245.
Alpigenera Hein. 2304.
Alpigenera Dup. 659.
Alpina Stt. 963 (Scoparia).
 Frey 4119 (Lithoclet.).
 Frey 4274 (Buculatr.).
Alpina Hb. 1009 (Oremaia).
Alpinalis Schiff. 1232.
Alpinalis Stph. 1231.
Alpinana Tr. 2285 (Dichroramph.).
Alpinana HS. 2005 (Steganoptycha).
 Wilk. 2286 (Dichroramph.).
Alpinella Meyer 3942 (Elachista).
Alpinellus Hb. 147 (Platytes).
Alsaticana Peyer. 2143 a.
Alseriella Tur. 3463.
Alsinella Z. 2716.
Alstroemerella Tr. 3226.
Alstroemeriana Cl. 3226.
Altaica Z. 3275.
Altaicus Stgr. 104.
Altensis Wck. 683.
Alternaria Tr. 2318.
Alternaria Stph. 1812 (Euxanth.).
Alternaria Wilk. 1905.
 Wd. 1929 (Olethreut.).
Alternaria Stgr. 2376.
Alternella Wilk. 1621 (Cnephias.).
 Tr. 1638 (Cheimatoph.).
 Hb. 2615 (Gelechia).
Altheana Mn. 1968.
Alticolalis Chr. 1298.
Alticolana HS. 1622 a (Cnephias.).
Alticolana Stph. 2001 (Steganopt.).
Alticolella Z. 3843.
Alcearia F. 3.
Amadana HS. 1833.
Amanilla Mn. 3119.
Amanthicella Hein. 3215.
Amaryllana Mill. 1952.
Amasialis Stgr. 1207.

Amasiana Rag. 1808.
Amasiella Stgr. 3261a (Depressaria).
 " Hb. 3376 (Borkhaus.).
 " Stt. 3694 (Coleophor.).
 " Stgr. 4780 (Micropter.).
Amasina Stgr. 3141 (Psecadia).
Amasina Mn. 3211 (Depressaria).
Amatella Stgr. 4721a.
Ambigualis Tr. 949.
Ambigualis HS. 950.
Ambiguana Tr. 1661.
 " Froel. 1671 (Conchyl.).
 " Dup. 1669 (Steganopt.).
Ambiguella Hb. 1706 (Conchyl.).
Ambiguelus Tr. 949 (Scoparia).
Ambustana Hb. 1573.
Ambustula Rag. 419.
Amentella Z. 4756.
Americana Tr. 1507.
Amethystana Peyer. 1854.
Amethystinella Rag. 3678.
Amiantana Hb. 1805.
Amiantella Z. 2433.
Amissella Mill. 974.
Ammanella HS. 4766.
Ammanella Z. 4765.
Amoena Kenn. 1776 (Conchyl.).
Amoenana Hb. 2063 (Notocelia).
Amoenella Z. 616 (Salebria).
 " Chr. 2452 (Cerostom.).
 " Frey 2857 (Epithect.).
Amoenella Joan. 2871 (Aristot.).
Amoenialis Chr. 937.
Amphibilla Gn. 3850.
Amphonycella HG. 3422.
Amplana Hb. 1588 (Tortrix).
 " 2260 (Carpocaps.).
Amphilatella Hein. 545 (Epischin.).
 " Stt. 4105 (Ornix).
Amurialis Hmps. 892.
Amurensis Rag. 752a (Myelois).
 " Hmps. 804 (Macalla).
 " Chr. 1373 (Pselloph.).
 " (Stgr.) Alph. 4721a
 " (Adela).
Amygdalana Dup. 2231a.
Amyotella Dup. 4109.
Anaemicalis Hmps. 1301.
Anapiella Z. 150.
Anapillus HS. 155.
Anarygrana Rag. 1794 b.
Anarygrana Chré. 169.
Anartalis Stgr. 1034.
Anastomosis Hw. 4063.
Anatipennella Hb. 3799.
Anchusella Now. 3298.
Ancillana Kenn. 1563.
Ancipitella Lah. 949.
Ancyrensis Hofm. 1099 a.
Andalusica Stgr. 3160 (Psecad.).
Andalusica Stgr. 1206b (Pyrausta).
Andalusella (Stgr.) Rbl. 4647.
Anderreggana Gn. 1914.
Andereggella Dup. 4423.
Andereggialis HS. 1008.
Andereggiana HS. 1948.
Andereggella Dup. 2423.
Anderidae Fletcher 4126.
Anderschella Hb. 4760.
 " HS. 4766; 4767.
Andorrana Mill. 1707.
Anella Schiff. 15 (Lamoria).
 " Hb. 3134 (Semiocrop.).
Anella Zk. 4.
Angellicella Hb. 3242.
Anglicella Stt. 4097.
Anguinialis Hb. 1260.
Anguinella HS. 2765.
Anguinolesa Z. 304.
Angulana Hw. 2129.
Angulata Kenn. 2154 bis add.
Angulatellus Dup. 53.

Angulifasciella Stt. 4381.
Anguliferella Z. 4104.
Angusta Stgr. 313 (Syria).
Angusta Hw. 283 (Ephesitia).
Angustalis Schiff. 903 (Cledeob.).
Angustalis Hb. 893 (Cledeobia).
 " Hw. 1136 (Pionea).
Angustana Hb. 1827 (Euxanth.).
Angustana Hb. 2313 (Choreut.).
Angustea Stph. 978.
Angustella Hb. 303 (Alispa).
 " Hein.-Wck. 4375 (Nepiticula).
Angustella Hein. 2594 (Gelech.).
 " Wd. 3372 (Borkhaus.).
Angustellus Stph. 119 (Cramb.).
Angusticolella Dup. 4216.
Angusticottella Z. 4216 (Tischer.).
 " Z. 4605 (Tinea).
Angustifiorana Hw. 1502.
Angustipennella Hb. 3565.
Angustipennis HS. 4574.
Ankerella Mn. 4541.
Annae Z. 4698.
Annelexa Z. 3234.
Annulatella Zett. 683 (Polopeustis).
 " Curt. 2448 (Plutella).
 " Rag. 4687 (Nemophor.).
Annulatella Tngstr. 3904 (Coleophora).
Annulatellus Wd. 2447 (Plutell.).
Annullicornis Stph. 2762.
Anomalella Goeze 4202.
Anomaloptera Stgr. 3439.
Anserana Hein. 2028.
Anserinella Z. 4015.
Anserinella HS. 4003.
Anseripennella Hb. 3802.
Antennariella HS. 3634.
Antennella Hb. 2472.
Anthemidane Wilk. 1771.
Anthemidella Wck. 2936.
Anthophaga Stgr. 3057.
Anthracina Bkh. 4511.
Anthracinalis Sc. 4511.
Anthracinella Hb. 4511.
Anthriscella Brown 3178.
Anthyllidella Hb. 2835.
Anticella Ersch. 3252.
Antiopella Zk. 579.
Antiquana Hb. 1945.
Antiquella HS. 540 (Eucarph.).
 " Zett. 3137 (Semiocrop.).
Antirrhinella Mill. 2774.
Aorsella Chr. 3057.
Apheliana Kenn. 2088ter add.
Aphitodes Meyr. 2849.
Apicalis Z. 3440 (Seythris).
Apicalis Westv. 1570 (Tortrix).
Apicella Stt. 3854 (Coleophor.).
Apicella (S.V.) Hein. 2267 (Anyclis).
 " Don. 2367 (Swammerd.).
 " Stt. 4409 (Nepiticula).
Apicinella Hb. 1466 a.
Apiciguttella Chr. 3496.
Apicinpunctella Stt. 3930.
Apicistrigella Stgr. 3489 (Seythris).
Apicistrigella HS. 2741 (Gelech. [Teleia]).
Apicella Hb. 3306.
Apludellus Ld. 2956.
Apolectella Wlsglm. 2600bis add.
Apollina Mill. 1355.
Apparella HS. 4202.
Appendiculata Esp. 4450.
Applana F. 3233.
Appanella F. R. 3233.
Appositella Ld. 1215.
Apricana Kenn. 1777.
Aprilaea HS. 2498.
Aquana Hb. 2062.

Aquilana Hb. 1446 e.
Aquilella Hb. 61 d.
Aquitellus Tr. 61; 61 b.
Aquilonalis Tngstr. 1253.
Arabescalis HS. 1142.
Arabescana Ev. 2040.
Arbutana Hb. 1897.
Arbutella L. 1897.
Arcella F. 4543.
Arceuthinga Z. 2428.
Arcigera Tngstr. 2216.
Arctana Stgr. 1966.
Arcticana Moschl. 1511.
Arcualis Hb. 1160.
Arcuana L. 1896.
Arcuata Frey 4383.
Arcuatalis Hmps. 1302.
Arcuatella Rag. 450 (Euzoph.).
 " HS. 4383 (Neptic.).
 " Stt. 4548 (Tinea).
Arcuella Cl. 1896 et add.
Ardeaeppennella Scott 3794 (Coleophora).
 " Tr. 4063 (Gracilar.).
Ardeliella Hb. 2771.
Ardiosella Const. 3355.
Ardosiella Rag. 423.
Arefactella Stgr. 3876.
Arenana Lah. 1899.
Arenariella Z. 3726.
Arenella Rag. 179 (Talis).
 " Schiff. 3204 (Depress.).
Arenicola Rag. 311.
Arenosella Stgr. 312.
Areolana Hb. 1645.
Argentalis Chr. 192.
 " Hmps. 870.
Argentana Cl. 1607.
Argentarius Stgr. 131.
Argentella Cl. 4024 (Elachista).
Argentella Z. 2437 (Onerostom.).
Argentifasciella Höfn. 3931.
Argentilibella Mill. 3715.
Argentimaculella Stt. 4610.
Argentipedella Z. 4369.
Argentipedella Meyr. 4370.
Argentipennella Dup. 3688.
Argentisignella HS. 4272 a.
Argentistrigella Mn. 3102 a.
Argentistrigellus Rag. 62.
Argentistrigellus Leech 32.
Argentomixtana Stgr. 1826.
Argentula Z. 3881.
Argillacealis Z. 1076.
Argillaceulus Pack. 127.
Argillella Z. 4661.
Argillosetta HS. 2509.
Argutana Chr. 2059.
Argyra Hb. 2226 (Pamene).
Argyra Stph. 2103 (Epiblem.).
 " Tr. 2217 (Graphol.).
 " Dup. 2231 (Pamene).
Argyrella (S.V.) F. 589 (Selagia).
 " HS. 3785 (Coleoph.).
Argyreus Stph. 68.
Argyria Butl. 981 bis add.
Argyrogrammos Z. 433 (Metallosticha).
 " Z. 3564 (Pyroderc.).
Argyrogutella Rag. 2324.
Argyroneurellus Stgr. 3011.
Argyropeza Z. 4409.
Argyropeza HS. 4402.
Argyrophorus Butl. 130 bis add.
Argyrostigma Frey 4410.
Arida Z. 1406 b.
Aridalis Hmps. 50.
Aridella Mn. 3196 (Depressar.).
Aridella Hein. 3950 (Elachista).
Aridellus HS. 28.
 " Z. 34 (Crambus).
Ariella HS. 4343.
Arietella Z. 3341.

- Aristella L. 3102.
 Aristotelis Mill. 2592.
Armatella HS. 3426.
Armenialis Ld. 900.
Armeniana Joan. 1814.
Armeniella Rag. 217.
Arnicella Heyd. 4476.
Arquataana Kenn. 1567 bis add.
Artemisiae Nick. 3302 (Depress.).
 " Mühlig 3895 (Coleoph.).
 HS. 4261 (Bucculatrix).
Artemisiæ HS. 3864 (Coleoph.).
Artemisia Z. 1951.
Artemisiocella Brd. 3891.
Artemisiella Tr. 2639 (Gelech. [Lita]).
 " Scott 3892 (Coleoph.).
Artemissella Stt. 454 (Euzoph.).
 HS. 4261 (Buccul.).
Artificiana HS. 1491.
Artificella HS. 2901.
Aruncella Sc. 4779.
Arundinalis EV. 921.
Arundinella Z. 3967.
Arundinetella Stt. 2813.
Arundinella HS. 3967.
Arundinis HS. 3967.
Arvernia Peyer. 1402.
Asinella Hb. 2972.
Asiana Kenn. 1756.
Asiatica Ersch. 825 b.
Asiaticalis Rag. 1014 a.
Asinalis Hb. 1221.
Asinana Hb. 1557 (Eulia).
Asinana Hw. 1621 (Cnephias).
Askoldana Chr. 1567.
Aeskoldella Mill. 4714.
Asmodella Mill. 3490.
Aspera Hw. 2731.
Asperana F. 1455 a.
Asperana (S. V.) Tr. 1458 b.
Asperella L. 2475.
Aspergella Rag. 562.
Asperginella Chr. 3867.
Asperipunctella Brd. 2349.
Aspersana Hb. 1471.
Aspersella Const. 3182.
Asphodeliella Lah. 948.
Aspidiscana Hb. 2049 (Semas.).
Aspidiscana Wd. 2258 (Carpo-capsa).
Aspilatella Rag. 340.
Aspodilana HS. 1582.
Aspretella Ld. 2494.
Asseclana Hb. 2139 (Epiblem.).
Asseclana Stph. 2118 (Epiblem.).
 " Hb. 2171 (Grapholith.).
Assetcella Z. 4480.
Assimilella Tr. 3193 (Depress.).
 " Z. 4406 (Nepticula).
Associatella Z. 4715.
Asterella Tr. 2824.
Asteris Stgr. 555 (Epischニア).
 " Mühlig 3894 (Coleoph.).
Astériscella Mill. 553.
Asthena Const. 3638.
Astragalana Stgr. 2029.
Astragalella Z. 3775.
Astragalis Stgr. 2575.
Astrana Gm. 1903.
Astrantia Hein. 3244.
Astrella HS. 4498.
Atagina Hein.-Wck. 4257.
Aterrima Wck. 4394.
Aterrinctella Rbl. 2573.
Atlanticella Rag. 1842 (Carpos.).
 " Rbl. 3852 (Coleoph.).
Atlanticum Baker 1153.
Atlanticus Woll. 47 (Crambus).
Atmoriella Bnks. 2430.
Atomalis Chr. 824 (Precopia).
 " (Dbl.) Stt. 949 b (Scoparia).

- Atomella* (S. V.) Hb. 3200 (Depressaria).
Atomella Hb. 3135 (Semioscop.).
 " Z. 3201 (Depressaria).
Atopalis Wlk. 928bis add.
Atra var. Hw. 3573.
Atralis Hb. 1307 (Helithela).
Atrais F. 1273 (Pyrausta).
Atratella Stgr. 4592.
Atrella Hw. 2820 (Xystophor.).
Atrella Stph. 3404 (Phaular.).
 " Stph. 4497 (Narycia).
Atribasulta Hmps. 806.
Atricapilla Wck. 4777.
Atricapitana Stph. 1663.
Atricapitella Hw. 4293.
Atricapitella Meyr. 4294.
Atricollis Stt. 4380.
Atricomella Stt. 3938.
Atricornella Mn. 3222.
Atrifasciella Rag. 697 (Elegia).
 " Stgr. 4573 (Tinea).
Atrifrontella Stt. 4288.
Atriciliella F. 2642.
Atrisparsella Rag. 570.
Atrisquamalis Hmps. 137 (Crambus).
 " Hmps. 861 (Constant.).
Atrisquamella Rag. 738.
Atrisquamosa Stgr. 3923.
Atromargana Wd. 2226.
Atroupunktana Zett. 1875.
Atropundelle Thbg. 3169.
Atropurpura Wd. 2228.
Atrosanguinalis EV. 1256.
Atrosgnana HS. 1481.
Atrosignata Chr. 2317.
Attalicella Z. 3732.
Attributana Kenn. 1951 ter add.
Attritellus Stgr. 3008.
Aucuparia Frey 4308.
Audouiniana Dup. 1570.
Augustana Hb. 2003.
Augustella Hb. 3372.
Auralis Peyer. 1206 a.
Aurana F. 2222 (Grapholitha).
Aurana Hb. 2254 (Pamene).
Aurantiaca Woll. 3066.
Aurantiacalis F. 992.
Aurantiana Koll. 2222a (Graphol.).
 " Stgr. 2234 (Pamene).
Auranticilliella Rag. 695.
Aurantiella Tutt 3269 (Depress.).
Aurantiella Friv. 4514 (Euplocamus).
Aurantium Peyer. 4085 a.
Aurata Sc. 1253 (Pyrausta).
 " Wck. 4671 b (Incurvar.).
Auria Stgr. 3092 (Pleurota).
Aureatella Sc. 4765.
Aureliellus F. 71.
Aurella Stgr. 589 b (Selagia).
 " F. 4333 (Nepticula).
Aurela HS. 4340.
 " Z. 4346 (Nepticula).
Aureocapitella Mill. 4305.
Aureolana Tngstr. 2211.
Aureopunctana Rag. 1807.
Aureoviridella Höfn. 4764.
Aurescellus F. R. 71.
Aureus Butl. 182.
Auricella F. 3809 (Coleophora).
Auricella Zett. 579 a (Catastia).
 " Z. 3813 (Coleophora).
Auricellus Rag. 4701 (Nemotois).
Aurichalcanea Brem. 1565.
Auriciliella Dup. 579 a.
Auriciliella Hb. 579 a.
Auriferella Hb. 145.
Aurifullula Hb. 3171.
Aurifrontella Hb. 3597 (Spuler).
Aurifrontella Rag. 4216 (Tischer).
 " Dup. 4744 (Adela).

- Aurimaculella* Stt. 4270 e (Bucculatrix).
Aurimaculella Höf. 2820 (Xystophora).
Auripulverella Ev. 4756.
Auritella Hb. 4280.
Auritella Stph. 4282.
Aurithoracalis Chr. 1252.
Aurivittella Wd. 2420.
Aurofasciana Mn. 1742 (Conchyl.).
Aurofasciana Hw. 1965 (Exart.).
Aurofinitella Dup. 2367.
Auroguttella Stt. 3916 (Goniod.).
 " Stph. 4069 a (Gracil.).
Auroguttella F.R. 3914 (Goniod.).
 " Stph. 4071 (Gracil.).
Auromaculata Frey 3548.
Auromarginella Richardson 4329.
Auropulverella Ev. 4756.
Auropulverella Hw. 4750.
Auroralis Z. 1242 b.
Aurorella Chr. 418 (Pempelia).
Aurorella Frey 2972 (Nothris).
Aurotaenialis Chr. 834 b.
Aurulentella Stt. 2412.
Austautalis Obth. 858.
Australis HS. 4733 (Adela).
Australis Z. 2311 a (Choreutis).
Austriaco Esp. 893 (Cleobobia).
 " Frey 3318 (Anchin.).
Austriacalis HS. 1229.
Autumnana Stph. 1446 f.
Autumnana Hb. 1466.
Autunnella Stph. 4217 a.
Autunnitella Curt. 4484.
Avellanella Hb. 3136 (Semiose.).
 " Stt. 4098 (Ornix).
Azosterella HS. 2839.
- Bacillella* Rag. 266.
Bactrana Kenn. 2029 ter add.
Badensis Nolck. 193.
Badialis Tr. 1066.
Badiana Hb. 1749 (Conchylis).
Badiana Dup. 2264 (Ancylis).
Badiella Hb. 3268.
Badiopennella Dup. 3635.
Badioumbrellata Sauber 4718.
Bagriotella Dup. 2611.
Bakeri Wlsghm. 2354.
Balcanica Rag. 496.
Baliella Rag. 575.
Baliodesactyla Z. 1361.
Ballotella F. 3703.
Balteata Hmps. 992.
Balteolella F. 2340.
Baltica Hering 3970.
Balucella HS. 3120.
Banghaasi Kenn. 2154 ter add.
Bankesella Richardson 554.
Baphialis Ld. 1281.
Baptella Rag. 269.
Baptodactyla Z. 1380.
Barbarana Wlsghm. 1625.
Barbarella (Stgr.) Rbl. 4153.
Barbata Wlsghm. 3011 bis add. (Cynnia).
 " Chr. 4527. (Morophag.).
Barbatella Ersch. 323 (Gymnanc.).
Barbatellus Z. 4709 (Nemotois).
Barbella F. 3125 (Topentis).
Barbella Hb. 145 (Platytes).
 " Ld. 306 (Ancylosis).
Barbellus (S.V.) Hb. 2958 (Ypsol.).
Barcinonella Mill. 3020.
Basalella Stt. 4374.
Basalis Stgr. 2908.
Basalticola Stgr. 1449.
Basaltinella Z. 2535.
Basella Ev. 4731.
Basifasciella Rag. 4582.
Basifuscella Stgr. 4252.

- Basiguttella* Hein. 2547 (Gelech.).
Hein. 4297 (Neptic.).
Basileana Fettig 1446 k.
Basinaeucella Mn. 3682.
Basipunctalis Brem. 995.
Basispunctella HS. 2545.
Basiradiella Chr. 4732.
Basistrigalis Knaggs 950.
Basistrigella Stgr. 3460.
Basochesella Hb. 4710.
Baumaniana Schiff. 1744.
 Hb. 1758.
Beatalae Klchbrg. 887.
Beaticella Wlsghm. 1651.
Beckmanni Hein. 3292.
Bedellia Sircim 3962.
Begrandlera Dup. 3390.
Behenella Const. 2682.
Bella Hb. 149 (Eromene).
Bella Baker 865 (Constant.).
Bellana Curt. 1614 a.
Belotella Stgr. 4161.
Bennetii Curt. 1429.
Bentleyana Don. 1912.
Berberidella HS. 1841.
Bergiella Teich 2591 (Gelechia).
Bergiella Rtb. 2431 (Argyrest.).
Bergmanniana L. 1568.
Bergsträsserella F. 2323.
Bergunensis Z. 1136 a.
Bertrami Roessl. 1329.
Berytalis Rag. 907.
Berytella Joan. 4776.
Berytta Stt. 4457.
Besseri Now. 1524.
Betulae Göze 608 (Salebria).
 Stt. 4103 (Ornix).
 Z. 4182 (Lithocollet.).
Betulae Wood 3627 (Heliozelata).
 HS. 4182 (Lithocoll.).
Betulaetana Hw. 1866.
Betulea Hw. 2580.
Betulella Hein.-Wek. 3797 (Co-leophora).
 Curt. 4481 (Acrolep.).
Betulella HS. 4183 (Lithocoll.).
 HS. 4480 (Acrolepia).
Betuletana Hein. 1866.
 HS. 1867.
Betudetella Stt. 4481.
Betulicola Stt. 4356.
Betulifolia Hein. 1529.
Betulifolia Stt. 3649.
Betulinella Hb. 3051.
Beyruthella Brd. 4697.
Biarecua Stph. 2273.
Biareatella Erseh. 2919.
Biamricus Tngstr. 106 et add.
Biatomella Stt. 4000.
Bichordella Rag. 346.
Bicinctana Tngstr. 1894 (Olethr.).
 Dup. 1950 (Polychr.).
Bicingulata Z. 2448 a.
Bicolorella Hein. 435 (Metallost.).
 Stt. 3662 (Coceph.).
Bicolorella Tr. 2615 (Gelechia).
Bicostella Cl. 3116.
Bienerti Stgr. 4516.
Bjerkandrella Thnbg. 2311.
Bifariella Hb. 3487.
Bifasciata Gn. 1028 (Evergest.).
Bifasciata Heeger 987 (Ercta).
Bifasciana Hb. 1570 (Tortrix).
 Hw. 1929 (Olethr.).
Bifasciata Stgr. 3032a (Symmoc.).
Bifasciata Dup. 402 (Psorosa).
Bifasciella Tr. 3974 (Elachista).
Bifasciella Stph. 3050 (Oegocon.).
Bifidana Wd. 1473.
Bifissella Hofm. 3458.
Biflexa Ld. 315.
Biforella Stgr. 3514.
Biformellus Rbl. 29.
- Bifractella* Dgl. 2898.
Bifrondella Wlsghm. 3653.
Bigella Z. 459.
Bigeranera Kenn. 1685 ter add.
Bigutta Esp. 1090.
Biguttella HS. 2830.
Bilbaensis Rössl. 1647 (Lozopera).
 Rbl. 3918 (Atachia).
Bilbainella Rössl. 2977.
Biligulella Rag. 360.
Bilinea Baker 879.
Bilineatella Z. 3718.
Bilineella Rag. 578 (Auxacia).
 HS. 3715 (Coleophor.).
Billunana Hw. 2128.
Bimaculana Schläg. 1986 (Stenoprycta).
 Don. 2135 (Epiblem.).
Bimaculella Hw. 3596 (Chrysoc.).
Bimaculella F. R. 4747 (Adela).
Bimerdella Stgr. 3524.
Binaevella Hb. 250.
Binderella Koll. 3661.
Binderella Z. 3662; 3663.
Binella HS. 3974.
Bingeranera Kenn. 1685 ter add.
Binotanda Wek. 1986.
Binotapennella Dup. 3696.
Binotapennella Stt. 3697.
Binotatana Hein. 1986.
Binotatella Z. 3696.
Binotella Thnbg. 3070 (Hypat.).
Binotellus F. 3006 (Megacrasp.).
Binotiferella Rag. 3459.
Bipartitana Kenn. 2220 bis add. (Grapholitha).
Bipartilana Clem. 1931 (Olethr.).
Bipartitella Rag. 4538.
Bipartitella Hmps. 1041 (Pachyzanca).
 Dup. 1058 (Phlyct.).
 HS. 1169 (Pionea).
Bipunctata F. 1933 (Olethr.).
Bipunctatus Z. 4 (Melissohl.).
Bipunctella F. 3143 (Psecadia).
 Rag. 4626 (Tineola).
Bipunctella Hb. 3116 (Pleurota).
Bipunctidactyla Hw. 1406.
Bipunctosa (Curt.) Stt. 3181 a.
Birdella Curt. 4469.
Biscutana Wk. 2136.
Biselliella Hummel 4624.
Biseriatella Stgr. 3748.
Bisiniella Rag. 458 (Euzoph.).
 Ersch. 3386 (Borkh.).
Biskraella (B.-Haas) Rbl. 4627.
Bisontella Z. 4468.
Bistictella Tngstr. 3975.
Bistriana Wd. 1466.
Bistriella Const. 3101.
Bistriga Hw. 794.
Bistrigella Hw. 4620 (Phyllop.).
Bistrigella Dup. 498 (Hypochoal.).
Bistrimaculella Heyd. 4407.
Bisutella Z. 3985.
Biternalis Mn. 1209.
Bithynella Z. 734.
Bitrabilicella Tr. 3102.
Bituminella Mill. 401.
Biventrella Rössl. 3527.
Biviana Dup. 1728.
Biviella Z. 289.
Bivittella Chr. 290 (Aneylosis).
Bivittellus Klem. 61 a (Cramb.).
Bivittella Stgr. 3771 (Coceph.).
Bivittella Dup. 402 (Psorosa).
Bizonella Rag. 281.
Blancardella F. 4144.
Blandella Gm. 1012.
Blandana Ev. 1825.
Blandella Rag. 353 (Heterogr.).
 Chr. 2480 (Cerostoma).
- Blandella* Dgl. 2700 (Gelech.).
 [Lita].
Blandulella Tutt. 2701.
Blattariella Hb. 2776.
Blepharana HS. 2309.
Bleuseana Obth. 2076.
Bleusei Obth. 909 (Cledeobia).
 Obth. 914 (Nymphula).
Blockiana HS. 2248.
Blundii Curt. 3261.
Boberana Stph. 2119 a.
Boeticella Rag. 422.
Bohemella Zett. 4540.
Bohemanni Wallgr. 1324.
Bohemiella Nick. 2943.
Boiceella Fr. 3177.
Boisduvaliana Dup. 1917.
Boisduvaliella Gn. 564.
Boletella F. 4522.
Boleti F. 4520.
Boleti F. 4522.
Bollii Frey 4321 (Nepticula).
Bollii Frey 1338 (Platyptilia).
Bombycalis Schiff. 893.
Bombycalis Hb. 903.
Borealis Pack. 1236 (Pyraust.).
 Wek. 1400 a (Stenoptil.).
 Wek. 4422 (Talaepor.).
Borealis Lef. 946.
 Tngstr. 965 b.
Boreana Rbl. 1913 (Olethr.).
Boreana Zett. 1605 (Cnephas.).
Boreasella Clem. 4087.
Boreella Dgl. 2596.
Borgialis Dup. 890.
Borgmanni Rössl. 1328 a.
Borkhausenella HS. 2340.
Borkhausenii Z. 3384.
Bornicensis Fuchs 3831 (Coleoph.).
Bornicensis Fuchs 1206a (Pyraust.).
Borreonella Mill. 4617.
Boscana F. 1457.
Boscana Stph. 1452 a.
Botaurella HS. 3707.
Botrana Schiff. 1949.
Bouchardana (Dblt.) Wilk. 2000.
Bourjotalis Dup. 1066.
Boyerella Dup. 4248.
Brabantia Rag. 830.
Bracatana Rbl. 1545.
Bracatella Stgr. 4048.
Brachiana Fr. 1473 a.
Brachydaetylus Tr. 1372.
Bracteella Hb. 3333.
Bractella L. 3333.
Brahmiella Heyd. 2694.
Branderiana L. 1902.
Braschiella Hofm. 3530.
Bremeri Wek. 991.
Bremella Frey 4121.
Brephiella Stgr. 613.
Breviella Const. 3076.
Brevipalpella Chrét. 2450 bis add. (Phrealcia).
 Rbl. 2514 (Bryotri.).
 Wek. 8311 (Coleoph.).
Brevipinella Z. 3085.
Breviuscula Stgr. 3872.
Briantiella Tur. 3325.
Brigenis Frey 3900.
Britannicella HS. 3352.
Brizella Tr. 2861.
Brockeella Tr. 2421.
Brougniardellum F. 4082.
Bruandella Gn. 492 (Hypoch.).
 Rag. 3401 (Borkh.).
Brucella Stgr. 609 a.
Brucinella Mn. 2745.
Bruguieralis Dup. 930.
Brunella Clem. 2775.
Brunnea Schöye 2373 a.
Brunnealis Tr. 885.
Brunneana Stph. 1441 d.

- Brunneella Ev. 500 (Hypoche.).
Rag. 3270 (Depress.).
Brunneella HS. 2779 (Tachypt.).
Brunneodactylus Mill. 1319.
Brunnichiana (S. V.) Froel. 2150.
Brunnichiana Dup. 2103.
Brunnichiella L. 3920.
Bubalella Hb. 4466.
Bubulcellus Stgr. 2979.
Bucephala Snell. 4493.
Büttneri Rössl. 3798.
Bufofella Mill. 2818.
Bugnionana Dup. 3202.
Buoliana Schiff. 1851.
Bupthalmi Hofm. 1394 a.
Bunpleurella Hein. 3263.
Buraetica Stgr. 1635.
Burgundiella Rag. 493.
Buringerana Hb. 1446 a.
Burkhunella Rag. 601.
Byringerana Hb. 1446 b.
Byssinella Hb. 2466.
Byzacaenicalis Rag. 884.
Byzacaenicella Rag. 303.
- Cacaleana* HS. 2300.
Caehritis Stgr. 3256.
Cacuminalis Ev. 1091.
Cacuminiana Kenn. 1922 d add.
Cacuminellus Z. 105.
Cacuminum Frey 2677.
Caecana Schläg. 2169.
Caecimaculana Hb. 2093 (Epiblema).
Caecimaculana Dup. 2051 (Semas.).
Caelaletta Z. 4087.
Caelebipennella Z. 3778.
Caementana Chr. 2078.
Caenobitella Hb. 2380.
Caernilipennis Ersch. 4604.
Caesarealis Rag. 857.
Caesareaana Joan. 1582.
Caesarilla Rag. 320.
Caesia Snell. 1408.
Caesialis HS. 1010.
Caesiella Hb. 2368 (Swammerd.).
Caesiella Hb. 2369.
,, Stt. 2372 (Swammerd.).
,, Tr. 2397 (Argyresth.).
Caesipitifilla Z. 3845.
Caflischiana Frey 1991.
Caflischella Frey 2377.
Cahiriella Z. 271.
Caidalis Hmps. 868 (Constant.).
,, Obth. 928 (Duponchel.).
Calaminthae Frey 1339 b.
Calastomella Chr. 2859.
Calcaria Ld. 1363.
Calcarella Rag. 383.
Calcella Rag. 242.
Caledoniana Sph. 1474.
Caledoniella Stt. 4183 (Lithocoll.).
,, Griffith 4758 (Eriocer.).
Calicatella Rag. 762.
Calidella Gn. 257.
Caliginella Mn. 3025.
Caliginosalis Rag. 1149.
Caliginosana Tr. 2288.
,, Dup. 2298.
Callipterella Rag. 598.
Callosana HS. 1687.
Calodactylus F. 1339.
Calonella Rag. 256.
Calthella L. 4782.
Cathella var. Z. 4781.
Calycotomella Stt. 3823.
Cambridgei Z. 156.
Caminariella Ersch. 506.
Camisardella Chrét. 4581.
Campella Hb. 108.
Campestrella Chrét. 3301.
Camphorosmella Const. 3903.
- Campicolella* Ersch. 427 (Pemphelia).
,, Mn. 2884 (Ptocheu.).
Compolidiana Tr. 2118.
Cana Hw. 2086.
Cana Sc. 2067.
Canalella Ev. 4742.
Canariella Rbl. 246 (Homeeos.).
Canariella HS. 3751 (Coleophora).
,, Stt. 4659 (Incurvar.).
Canariensis Rbl. 47 a (Cramb.).
,, Rbl. 1425 (Agdist.).
,, Rbl. 1594 a (Tortr.).
Cancelia Hb. 3323.
Canceliana Z. 1642.
Cancelatana Kenn. 2287 bis add.
Candefacta Ld. 4453.
Candefactella Rag. 252.
Candelisequella Ev. 483.
Candidana Lah. 1616.
Candidata F. 918.
Candidatella Ld. 368.
Candidulana Nolek. 2080.
Candidillus HS. 129.
Canella (S. V.) Hb. 322 (Gymnanula).
Canella Tngstr. 4101 (Ornix).
Canescana Gn. 1616.
Canescens Stgr. 3483.
Canifusalis Hmps. 872.
Canisella Rag. 248.
Cantabrigella Chrét. 4263.
Cantenerella Dup. 516.
Cantiellus Tutt. 54.
Canisalis Mill. 927.
Canisiana Mill. 2020.
Canisella Mill. 3146 a.
Capella Möschl. 4473.
Capitalis Ersch. 3421.
Capitella Cl. 4666.
Capitella Tr. 4671.
Capnella Const. 2512.
Capnodactyla Z. 1327.
Capparidana Z. 2196.
Capparidis Chr. 1086.
Capraeella Nicelli 4134.
Caprealis Hb. 831.
Capreana Hb. 1864.
Capreana Dup. 1865; 1866.
Caprella Stt. 3239.
Capreolana HS. 1900.
Capreolella Z. 3239.
Capreotella HS. 3211.
Caprimulgella HS. 4558.
Caprigerana Kenn. 1507 bis add.
Capsophilella Chrét. 2716 bis add.
Captivella HS. 2847.
Capucinella Hb. 2951.
Caramani Stgr. 3534.
Carbonana (Dbl.) Barr. 1888.
Carbonariella F. R. 642.
Carbonella Hb. 2451 a.
Carbonifera Wlgshn. 4619.
Carchariella Z. 2786.
Carduana Z. 1669 (Conchyliis).
,, Gn. 2086 (Epiblema).
Carduella Hb. 3209.
Cardui Hw. 766.
Caretellus Z. 144.
Carentellus Chr. 72 a.
Caricis Stt. 3998.
CarioSELLA Tr. 4475.
Carlinella Stt. 2496.
Carmelitella Hb. 2920.
Carnea Hw. 645.
Carnealis Tr. 1123.
Carnealis HS. 1126 (Metasia).
,, Dup. 1222 (Pyrausta).
Carnieana Gn. 1671.
Carnella L. 645.
Carnoella Esp. 1234.
Carphodactylus Hb. 1394.
Carpinella Frey 4096 (Ornix).
- Carpinella* Hein. 4393 (Nepticul.).
Carpinella Hb. 1547.
Carpiniecola Stt. 4151.
Carpophila Stgr. 1666.
Cartereaua Jourdeheuille 1438.
Cartilaginella Chr. 3767.
Casanella Ev. 4632.
Caspia Ld. 1349.
Cassandrella Stgr. 4464.
Cassazae Broisi 796.
Cassentiniellus Z. 109 a.
Cassiterella Snell. 3425.
Castalis Tr. 1246.
Castaneana Hw. 1451.
Castanella Rag. 502 (Hypoche.).
,, Stt. 4377 (Nepticula).
Castilliana Rag. 1644 a.
Castiliella Möschl. 2489.
Castillalis Gn. 893 b.
Castillella Rag. 548.
Catalaamalia Dup. 1072.
Catalaunielus HS. 143.
Catenulella Chr. 3175.
Catharticella Stt. 4396.
Catilialis Hmps. 1220.
Catoptrelles Z. 89 a.
Caucasicia Alph. 88 (Crambus).
,, Rag. 498 a (Hypoche.).
,, Chr. 3276 (Depress.).
,, Stt. 3693 (Coleoph.).
,, Rbl. 4683 (Nemoph.).
Caucasicana Kenn. 1874 bis add.
Caucasiella Rag. 722.
Caudana F. 1440 a.
Caudana F. R. 1440.
,, Hb. 1440 b.
Caudella L. 2484 (Theristis).
Caudellus Sph. 188 (Schoenob.).
Caudiferella Rag. 4156.
Caudulatella Z. 4106.
Caulligenella Schmid 2721.
Cautella Wilk. 271 (Ephestia).
Cautella Z. 2539 (Gelechia).
Cavella Z. 4132.
Cebiana Hb. 1696.
Cedestella Z. 3042.
Celerella Stt. 2559.
Celeusi Frey 1321 a.
Celticola Stgr. 737.
Celtidella Rondani 4194.
Cembrae Hw. 948.
Cembralis Gn. 948.
Cembrella Sph. 948 (Scoparia).
,, Tngstr. 4441 (Solenob.).
Centäureana Stgr. 1667.
Centifoliella Z. 4352.
Centrana Hs. 1839.
Centrovittella Sph. 14461.
Centunculella Mn. 736.
Centurialis Gn. 946.
Centuriella Schiff. 946.
Cephalonica Stt. 2.
Cephella Rag. 294.
Cerasana Hb. 1540 a.
Cerasicolella HS. 4141.
Cerasiella Hb. 2374.
Cerasinella Reutti 4171.
Ceratoniae Z. 787.
Ceratonella F. R. 787.
Cerealella Olivier 2902.
Cerealis Z. 1237.
Cereana L. 11.
Cerella F. 11.
Cerisoellea Peyer. 4148.
Certella Z. 2429.
Cerusana Hb. 1457.
,, Dup. 1459.
Cerusella Hb. 4008 (Elachista).
Cersellus Schiff. 145 (Platyt.).
Cervariella Const. 3218.
Cervicina HS. 3278.
Cervinella Ev. 2922.
Cespitalis Schiff. 1241.

- Cespitalis* HS. 1241 a.
Cespitana Hb. 1927.
Cespitellus Hb. 111 a.
Cetratana Kenn. 2032 bis add.
Chaerophyllea Goeze 3416.
Chaerophyllyi Z. 3296.
Chalcana Pack. 1752.
Chalcedonella HS. 517; 521; 522.
Chalcochrysellus Mn. 4709.
Chaleogrammella Z. 3683.
Chalybeella Brem. 4727 (Adela).
Chalybeella Costa 3676 (Coleoph.).
Chalybella Ev. 470 (Lymphaia).
Chamaedryella Stt. 3815.
Chamomillana HS. 1723.
Chamylella Stgr. 176.
Chanova (Kenn.) Stgr. 2072 et add.
Chapmani Tutt 1330.
Characteralis Frt. 1221.
Characterana Snell. 1637 (Doloploca).
Characterana Hb. 1513 (Cacoec.).
Characterella Hb. 3138 (Epigr.).
 Tr. 3224 (Depress.).
Charoniella Wlk. 944.
Charpentieriana Hb. 1938.
Chavanneana Lah. 2294.
Chazariella Mn. 2469.
Chellalalis Hmps. 894.
Chellalis (B.-Haas) Rbl. 4641.
Chenopodiella Hb. 3516.
Chermesinalis Gn. 1251 a.
Chiclanella Stgr. 4201.
Chiclanensis Stgr. 681.
Chilonella Tr. 2983.
Chimaera Hb. 4447; 4450.
Chinganella Chr. 2969.
Chionaealis Gn. 1248.
Chionella Mn. 4023.
Chionope Meyr. 1816.
Chironella Const. 3217.
Chondrillana HS. 1539.
Choragellus Z. 4520.
Chordodactyla Stgr. 1368.
Christella Frr. 608 (Salebria).
 Frr. 696 (Trachon.).
Christiernana L. 3322.
Christiernella Hb. 3322.
Christophana Möschl. 2243.
Christophorella Rag. 577.
Christophori Rag. 566.
Chrysanthaea Dup. 1621.
Chrysanthemana HS. 1621.
Chrysanthemella Hofm. 2684
 (Gelechia [Lita]).
 Rbl. 4246 (Buccel.).
Chrysanthemella Hofm. 3837.
Chrysargyrella HS. 3599.
Chrysella Const. 4188 (Lithocoll.).
Chrysella Tr. 72 (Crambus).
Chrysidella Peyer. 2408.
Chrysitana Dup. 1588.
 Hb. 1591.
Chrysitella Tr. 4490.
Chrysocomae Rag. 1395.
Chrysodesmella Z. 3983.
Chrysographella Koll. 167bis add.
Chrysolepidella Z. 4755.
Chrysounuchella Hb. 109.
Chrysounuchellus Sc. 108.
Chrysopterella HS. 4598.
Chrysopyga HS. 3157.
Chrysopygalis Stgr. 1266.
Chrysopygella Kol. 3162.
Chrysorrhœtta Zk. 782.
Ciacadella Z. 3533.
Cicatricella Zett. 4750 (Eriocr.).
Cicatricellus Hb. 161 (Chilo).
Cicerella Rondani 2447.
Ciconiella HS. 3859.
Cicatella Hb. 3233.
Cidarella Z. 4239.
- Ciliialis* Hb. 1183 (Pyrausta).
Ciliatis HS. 1074 (Calamochr.).
Ciliaria Hb. 1480 a.
Ciliarella Brd. 4505.
Ciliaris O. 4505.
Ciliariivicinella Brd. 4505.
Ciliatella Z. 333 (Heterogr.).
 HS. 2518 (Bryot.).
Ciliicella Stgr. 476 (Asarta).
Ciliicellus Rbl. 39 (Crambus).
Ciliella Hb. 1781 (Conchyliis).
 Stt. 3234 (Depressar.).
Cinareana Chrét. 1623.
Cinctalis Tr. 1043.
Cinctata Schiff. 1556.
Cinctella Hb. 2841 (Anacamps.).
 Z. 3978 (Elachista).
Cincticulella HS. 2842.
Cinctipalpella Chr. 770.
Cinctipunctella Ersch. 2610.
Cineralis Hb. 1188.
Cinerana Zett. 1498 (Dichelia).
Cinerana Zett. 2295 (Dichror.).
Cinerariea Nolek. 1961 (Polychr.).
Cinerariea Mill. 1396 (Pteroph.).
Cinerariella Stgr. 781 (Myelois).
 Mn. 3356 (Borkh.).
Cineraria Tr. 158 a (Scirphoph.).
Cinerea Hw. 4083 (Coriscium).
Cinarella Cl. 2771 (Acompsia).
Cinarella Stt. 370 (Heterophr.).
 Dup. 521 (Bradyrh.).
Cinereobasella Rag. 549.
Cinereola Hb. 3.
Cinereopunctella Hw. 3935.
Cinereoviridana Kenn. 1693.
Cinerosana HS. 2299.
Cinerosella Z. 454 (Euzopher.).
 Tngstr. 2524 (Bryot.).
Cingulella Frey 3976.
Cingulella Z. 609 (Salebria).
 HS. 3976 (Elachista).
Cingulata Hb. 1262.
Cingulata L. 1262.
Ciniflonella Z. 3221.
Cinnamomea Stgr. 1326 (Platypt.).
 Z. 3369 (Borkhaus.).
Cinnamomeana Tr. 1541.
Cinnamomella Dup. 298.
Circularis Motsch. 833.
Circulella Zett. 4665 a.
Circumclusana Chr. 1534.
Circumdatella Ld. 765.
Circumfluxana Chr. 2058.
Cirritella Costa 157.
Cirrhoenemia Ld. 3166.
Cirrigerella Zk. 777.
Cirtiana Z. 2144.
Cirtensis Rag. 627.
Cistella Mill. 725.
Cisti Stt. 2743 (Gelech. [Teleia]).
 Stgr. 2974 (Nothris).
Cisticolella Stt. 4035.
Cistiflorella Const. 2641.
Cistivora Peyer. 4418.
Cistorum Mill. 3479 (Scythris).
 Peyer. 3874 (Coleoph.).
Citrälis HS. 1205 a.
Citrana Hb. 2035.
Citri Mill. 2582.
Citrinella Sc. 3322.
Citrinella Rag. 309 (Syria).
Citrinellum Z. 4085 (Coriscium).
Cladiella Stt. 2326 a.
Clanculana Tngstr. 2179.
Clandestinella Z. 4421 a.
Clarella Tr. 2960.
Clathralis Hb. 1052.
Clathralis Dup. 1049.
Clathrana Stgr. 1695.
Clathratana Stgr. 1691.
Clathrella F. 4437.
Clathrella Tngstr. 4441.
- Clausalis* Chr. 1212.
Claustratiana Ritzb. 1941.
Clavana Const. 1718.
Clavella Z. 3501 (Seythris).
Clavela HS. 3390 (Borkhaus.).
Claviculana Mn. 1819.
Clematella Stph. 4543.
Cleopatrella Rag. 666.
Clerckella Tr. 4217 (Lyonet.).
 Stph. 4236 (Cemiosc.).
Clerkella L. 4217.
Claoacella Hw. 4556.
Claoacella HS. 4544.
Clothella Mill. 261.
Clusinella Z. 724.
Clypeiferella Hofm. 3698.
Cneorella Hb. 3319.
Cnicana Dbd. 1750.
Cnicella Tr. 3248.
Cnicolana Z. 2149.
Coagulana (Z.) Kenn. 2085 bis add. (Epiblema).
Coagulana Chr. 1699 (Conchyl.).
Coarcitalis Gn. 978.
Coarcitala Z. 978.
Coarcittelis Rag. 278 (Ephesia).
 Rbl. 3380 (Borkhaus.).
Coarcittelis Stgr. 3795 (Coleophor.).
Coccinatis Hb. 1248.
Cocecana HS. 2169.
Coenalis Hmps. 1201.
Coenosana Mn. 1722.
Coenosella Rag. 684.
Coenulentella Z. 668.
Coenulentella HS. 2942.
Coercitana Stgr. 1788.
Coeruleoicta Chr. 3375.
Coffella Zett. 4086.
Cognata Stgr. 783.
Cognatana Barr. 2190.
Cognatella Hein. 2558 (Gelech.).
Cognatellus Hb. 2365 (Yponom.).
Colchicalis HS. 867.
Colchicellus Ld. 86.
Collella Const. 2878.
Collicolana Hein. 1990.
Collina Frey 3878.
Collitella Dup. 4001.
Colon Chr. 445.
Colonalis Brem. 923.
Colonella Ersch. 4589 (Tinea).
Colonella L. 8 (Aphonia).
Coloratana Kenn. 1714.
Colquhounana (Dbd.) Barr. 1614 b.
Columbariella Wck. 4585.
Columbella Stgr. 2342.
Columnella Mn. 3342.
Colutella F. 3755.
Comari Wck. 4363.
Comariana Z. 1470.
Combinella Hb. 2367.
Combinellus Schiff. 24.
Combustalis F. 844.
Combustana Hb. 1446 h.
Combustana Dup. 1441 b.
Combustella HS. 607.
Comedonella Stgr. 2742.
Comitalis Hb. 1099.
Comitana Schiff. 2111 (Epipl.).
 Hb. 2255 (Tmetoc.).
Comitella Ld. 3179.
Commatalis Chrél. 1200.
Commixtalis Wlk. 1237.
Commodestanana Rössl. 2098.
Communana HS. 1622 (Cneaphas.).
 Wd. 1978 (Steganopt.).
Compar Stgr. 4451 a.
Comparalis Hb. 1275 (Tegost.).
Comparalis Hb. 885 (Actenia).
Comparana Hb. 1469 a.
Comparella Z. 4204 (Lithocoll.).
Comparella HS. 4209 (Tischer.).
Complanella Hb. 4209.

- Complettella Stgr. 4761.
Composana Dup. 2194.
Compositella Tr. 687 (Brepht.).
 ", 2194 (Graphol.).
Compressella HS. 2384.
Comptalis Frr. 1055.
Comptalis Ld. 1052.
Comptana Froel. 2270.
Comptella Hb. 2367.
Compunctella HS. 2373.
Concatenalis Ld. 862.
Concessoralis Ersch. 895.
Conchana Hb. 1918.
Conchella Hb. 83.
Conchellus Schiff. 82.
Conchetus Tr. 87.
 ", Dup. 89.
Conchylialis Chr. 1282.
Conchyliatalis Rag. 807.
Conchylidella Hornf. 2905 (Copepteryx).
 ", Snell. 3388 (Borkh.).
Conchylidiella Szt. pag. 237 not.
Conchylidella Rag. 356.
Conciliatella Rbl. 3223.
Cocinella Curt. 976 b (Scopar.).
 Chr. 2439 (Eidophas.).
Concineratella Rag. 651.
Cincinnalis Chr. 1287.
Cincinnana Ld. 1851 a.
Concoloralis Obth. 932 (Stenia).
 Ld. 1046 (Phlyctaen.).
Concolerella Rag. 457 (Euzophr.).
Concolerella Tngstr. 4727 (Buccel.).
Concolellus Chr. 21 (Cramb.).
Concomitella Binks. 4143.
Concretana Wek. 1924.
Confertella Fuchs 4286.
Confictana Kenn. 2015 bis add.
Confinalis Ld. 1138.
Confiniella Z. 520.
Confinis Stt. 2527 a (Bryotroph.).
Confinis B. 4448 a (Atychia).
Confinitana Stgr. 1988.
Confixana Hb. 1448 a.
Confliuella Rbl. 3773 (Coleoph.).
 ", Rössl. 3971 (Elachist.).
Confliuens Stgr. 3493 a (Scythr.).
 Wek. 4761 a (Incurvar.).
Conformana Mn. 2175.
Conformella Z. 4747.
Confusa Stgr. 3738 (Coleoph.).
Confusa HS. 1345 a (Alucita).
Confusana HS. 2103.
Confusella Hein. 2567 (Gelech.).
 ", (B.-Haas) Rbl. 3144
 (Psecadia).
 ", Wood 4392 (Neptic.).
 ", HS. 4569 (Tinea).
Confusella Lah. 954 (Scoparia).
Confusella Stgr. 96 (Cramb.).
Congelatella Cl. 1641.
Congeneralis Gu. 1223 a.
Congenerana Hb. 1507.
Congeriella Stgr. 3765.
Congressariella Brd. 2963.
Congruella F. 4725.
Congruentana Kenn. 1529 bis add.
Conicella Lah. 949.
Conicolana Heyl. 2178.
Conicolella (-um) Const. 430.
Coniferana Rtz. 2187.
Coniodatylus Stgr. 1395.
Conjugana Z. 2245.
Conjugellula Z. 2393.
Conjunctana Mn. 1697 (Conchyl.).
 ", Möschl. 2171 b (Graph.).
Conjunctella Steud. 4142.
Connectalis Hb. 901.
Connexella Z. 4177.
Conquisitalis (Gu.) Lue. 1165.
Consanguinella HS. 2984.
Conscriptella Hb. 2506.
Consecratalis Ld. 896.
Consequana HS. 1966 (Acrocl.).
Consequana Z. 2171 a (Graph.).
Conserstellus Chr. 2946.
Consimilana Stph. 1441 h (Acalla).
 ", Tr. 1518.
 ", Hb. 1528 (Cacoecia).
Consocialis Ld. 1000.
Consciella Hb. 741 (Acrobas.).
Consciella Dup. 756 (Rhodoph.).
Consortalis HS. 1240.
Consortana Wlk. 2291.
Consortella Stt. 3398 (Elachist.).
Consortella Hb. 188 (Schoenob.).
 ", Frey 3954 (Elachist.).
Conspectana Ld. 2215.
Conspersana Dgl. 1613.
Conspersella Tngstr. 2375 (Swam-merdamia).
 HS. 2804 (Xystoph.).
Conspiculalis Hodgk. 949 c.
Conspicuella Z. 3786.
Conspurcatis Lah. 1005.
Conspurcatella Hein. 2566 (Ge-lechia).
 Z. 4427 (Bankes.).
Conspurcatella Stt. 4426.
Constanti Rag. 786 (Myelois).
 ", Rag. 1385 (Pterophor.).
 ", Rbl. 1490 (Dichelia).
 ", Wlsghm. 3434 (Scythr.).
Constantina Baker 2937.
Constantinella (Stgr.) Rbl. 4024 a
 (Elachista).
 ", Baker 4703 (Nemot.).
Constitella Frey 4012.
Contaminana Hb. 1480.
Contaminatella Z. 3997.
Contaminellus Hb. 54.
Contaminellus Dup. 55.
Contectella Z. 720.
Conterminana HS. 2051.
Conterminella Z. 3230.
Contignatella Chr. 3106.
Contigua Hw. 2705.
Contigua HS. 671.
Continella Z. 2597 (Gelechia).
 ", Stt. 4351 (Nepticula).
Contortalis Hmps. 988.
Contractana Z. 1791.
Contrariana Chr. 2006.
Contrasignata Chr. 2145.
Contristatella Mn. 3093.
Contritella Z. 167.
Contubernalis Hb. 611.
Contubernalia Stgr. 2779.
Conturbatella Hb. 3576.
Convergens Ersch. 789.
Conversalis Dup. 1291.
Convexella Ld. 377.
Convolutella Hb. 468.
Convolutella Folgone 4107.
Conwayana F. 1569.
Conyzae Z. 3818.
Copiosella Frey 2437 a.
Coprana Wlsghm. 1456.
Coprodactyla Z. 1402.
Coricapennella Hb. 3664.
Corycerala HS. 453.
Coriacana Rbl. 1596.
Coriacella HS. 2468 (Cerostom.).
Coriacella Hb. 2924 (Rhinosia).
Cornella F. 2416.
Cornucopiae Tngstr. 2199.
Cornuta Stt. 3647.
Corollana Hb. 2181.
Coronana Thmb. 1446 a.
Coronatella Gt. 710.
Coronillae Z. 3754.
Coronillana Z. 2217.
Coronillella Tr. 2829 (Anacamps.).
Coronilleda HS. 3754 (Coleoph.).
Corpulentana Kenn. 1977 bis add.
Corsica Mn. 467.
Corsicalis Dup. 1126 (Metasia).
Corsicalis Gu. 835 (Pyralis).
Corsicana Wlsghm. 1701.
Corsicella Rag. 719 (Pterothr.).
 ", Wlsghm. 3896 (Coleoph.).
Corsicellus Dup. 92 (Crambus).
 ", HS. 2948 (Mesophl.).
Cortella Const. 415.
Corticallis Schiff. 819.
Corticana Hb. 1865 (Olethreut.).
Corticella Curt. 4544 (Tinea).
Corticella Hw. 4657 (Incurvar.).
Corticinella Rag. 623 (Salebr.).
 Z. 3282 (Depress.).
Coryfoliella Hw. 4182.
Corylana F. 1538 (Pandemis).
Corylana Hb. 2364 (Ancylis).
Coryella HS. 4150.
Corylli Nicelli 4150.
Corylifolia HS. 4183.
Cosmella Const. 2985.
Cosmodactyla Hb. 1342.
Cosmophorana Tr. 2184.
Costaemaculalis Chr. 3210.
Costaemaculella Chr. 3260.
Costalis F. 834 (Hypsopygia).
 ", Ev. 1179 (Pionaea).
Costana F. 1520 (Caceocea).
 Dup. 1974 a (Steganopt.).
Costella Westw. 2706 (Gelech.).
 [Lital].
Costella F. 2467 (Cerostoma).
Costiguttella Z. 2917 a.
Costimacula Wk. 1446 i.
Costimaculana Wd. 1469 a.
Costistrigella Rag. 348.
Costivittella Rag. 441.
Costosa Hw. 3177.
Cotoneastris Nick. 3238.
Cottiana Chré. 1615.
Couleruana Dup. 2116.
Coulonellus Dup. 25.
Cracella Valet 3782.
Cramerella F. 4115 (Lithocoll.).
Cramerella Cr. 3330 (Alabonia).
Crassana Dup. 1466.
Crassicervicella Chret. 3556.
Crassicornella Z. 4622.
Crassipalpella Rag. 398.
Crassiscutula HS. 3454.
Crassiveniana Kenn. 1858 bis add.
Crassiventrella Rbl. 3219.
Crataegalis Gu. 975.
 Dup. 976.
Crataegana Hb. 1512 (Cacoec.).
Crataegana Frr. 1600 (Tortrix).
Crataegella Hb. 975.
Crataegella HS. 976.
Crataegi Z. 4242.
Crataegifolia Dup. 4242.
Crategella L. 2350.
Craterellus Sc. 109.
Craticulella Rag. 391.
Cremonana Rag. 1731.
Cremoricosta Rag. 226.
Crenana Hb. 2133 (Epiblema).
Crenana Dup. 2273 (Ancylis).
Crepidinella Z. 3709.
Crepusculella Ld. 689 (Adelos.).
 ", Teich. 2715 (Gelechia
 [Lital]).
 Z. 4282 (Opostega).
Cretacea Butl. 816.
Cretacea Kenn. 2170 (Graph.).
Cretacea Curt. 1613 (Cnephias.).
 Hb. 2128 (Epiblema).
Cretacella Rössl. 239.
Cretaciella Mn. 550.
Cribellalis Ersch. 878.
Cribratella Z. 767.
Cribrella Hb. 766.

- Cibrium Schrk.* 766.
Cibrillum Hb. 766.
Criella Tr. 3126.
Crinella HS. 3126 (*Topeutis*).
 Tr. 4624 (*Tineola*).
Crinellina HS. 3125.
Criptella Hb. 425.
Cristalana Don. 1441 f.
Cristalella Z. 4272.
Cristalis Sc. 3319.
Cristana F. 1441.
Cristana Wd. 1441.
 HS. 1441 d.
 " Hb. 1441 f; 1455.
 " Froel. 1446 h.
Cristella Hb. 696.
Cristella Stph. 709.
Criticana Kenn. 1513 bis add.
Crocealis Hb. 1141 (*Pionea*).
Crocealis Dup. 992 (*Sylepta*).
Croceana Hb. 1575.
Crocina Sorh. 4190 a.
Crocogrammos Z. 3822.
Croesella Sc. 4717.
Cruciana L. 2003.
Cruciferorum Z. 2447.
Crudalis Ld. 1087.
Crudella Z. 716.
 HS. 722.
Cruentalis Hb. 1066.
Cruentana HS. 1827.
Cruentella Dup. 743 (*Rhodoph.*).
Cruentella HS. 716 (*Pterothrix*).
Cryptella Stt. 4412.
Cryptogamorium Mill. 3047.
Cubicellula Stgr. 4590.
Cuculipennella Hb. 4083.
Cucullifera Rag. 551.
Cuencalis Hmps. 136 (*Cramb.*).
 " Rag. 1127 (*Metasia*).
Cuencana Kenn. 1644 c.
Cuencana (B.-Haas) Rbl. 3429.
Culicetilla HS. 3189.
Culmana Peyer. 1597.
Culmella Hb. 61 a.
Culmella Hb. 61.
Culmellus L. 114.
Culminella Gn. 479.
Culminicolella Stgr. 2677.
Cultana Ld. 1698.
Culturais Stgr. 1182.
Cultrella Hb. 2484.
Cumulana Gn. 2091.
Cuncatis HS. 1094.
Cuneatella Dgl. 2542.
Cuneolellus (Rag.) Chrét. 146.
Cupedilia HS. 4074.
Cuphana Dup. 1992.
Cupulhana HS. 1993.
Cupidinana Stgr. 1575.
Cupariella Z. 3677.
Cuprealis Hb. 831.
Cupreella Stgr. 3441.
Cupreella (S. V.) Thnbg. 4712.
Cupressana Dup. 1552.
Cupressivirana Stgr. 1622 d.
Cupriacellus Hb. 4696.
Cupralinis Rag. 1211.
Cuprotaeniella Chr. 462.
Curonella Stndf. 2987.
Curucipennella Z. 3791.
Cursoriella Z. 4408.
Curtella Tugst. 4638.
Curtisella Dup. 4082 (*Corisc.*).
Curtisellus Don. 2380 (*Prays*).
Curvana Z. 2269.
Curvela Rag. 753 (*Rhodoph.*).
Curvela Stt. 2416 (*Argyresth.*).
Curvibasella Rag. 321.
Curvistrigana Wilk. 1672.
Cuspida Hw. 2119 b (*Epibl.*).
 " Westw. 2270.
 " Wd. 2273.
- Cuspida* Tr. 2276 (*Ancylis*).
Cuspida Schiff. 3487.
Cyanalis Lah. 1181.
Cyaneana Peyer. 1463.
Cyaneimarmorella Mill. 2396.
Cyanella Z. 4743.
Cydoniella (S. V.) F. 4140.
Cydoniella Dup. 4144.
Cygnella Tr. 4024.
Cygnipennella Hb. 4024.
Cylindrella Stph. 3516.
Cymatodactyla Z. 1439.
Cymindella Rag. 799.
Cynicella Chr. 655.
Cynosbana Dup. 2060 (*Notocel.*).
 " Hw. 2138 (*Epiblema*).
Cynosbatella Wilk. 1872 (*Olethr.*).
 " L. 2138 (*Epiblema*).
Cypriacella Dup. 4696.
Cypriacellus Z. 4706.
Cyrenacellus Rag. 107.
Cyriella Ersch. 602.
Cyrtilli Z. 157.
Cyrmella Mn. 3103.
Cythisella Hein. 2624.
Cytisana Z. 2239.
Cytisella Tr. 2624 (*Gelechia*).
 " Curt. 2942. (Paltod.).
 " Rbl. 4180 (*Lithocoll.*).

Daghestanica Chr. 1086 a.
Dahlia Tr. 402.
Dahniella Sorh. 4112.
Daldorflana Hw. 2254.
Daleana Dbd. 1905.
Dalecarliana Gn. 1881.
Dalella Stt. 2449.
Dalmatana Rbl. 2117.
Dalmatinellus Hmps. 39 (*Cramb.*).
Dalmatinellus Mn. 4697 (*Nemotois*).
Damasalis Wilk. 928 bis add.
Damoala Wilk. 1217 bis add.
Damonella Mill. 2519.
Danubiella Mn. 4640.
Daphne Stgr. 4222.
Daphnella (S. V.) Hb. 3315.
Dardoinella Mill. 4502.
Dattinella Rag. 600.
Dattini Rag. 821.
Dauella Peyer. 3413 (*Eperm.*).
Dauella Tr. 3306 (*Depressar.*).
Dauqvirella Rag. 3267.
Davisiella Newm. 660.
Dealbata Froel. 2010.
Dealbatella Ersch. 236 (*Homoeos.*).
 Z. 2345 (*Calantica*).
Deaurana Peyer. 1648.
Deauratella Z. 3679 (*Coleoph.*).
Deauratella HS. 3050 (*Oegocon*).
Decemguttella Hb. 3147.
Decentella Rag. 354 (*Heterogr.*).
 HS. 4400 (*Nepticula*).
Deceptella Lah. 1183.
Deceptricula Stgr. 4028.
Decidua Wck. 4211.
Decimana Schiff. 1745.
Decimella Stt. 2413.
Decipiens Ld. 1357 (*Alucita*).
 " Wlsgm. 1832 ter add.
 " Phtheochroa.
Decipiens Stgr. 510 (*Etiella*).
Declaratella Stgr. 2064.
Declivana Kenn. 1722 bis add.
Decorolana Frr. 2090.
Decorolla Rag. 347 (*Heterogr.*).
 " Hb. 508 (*Hypochalcia*).
 " Hein. 2576 (*Gelechia*).
 " Woll. 3059 (*Blastobas.*).
 " Hein.-Wck. 3968 (*Elach.*).
Decorolæra HS. 2790 (*Xystoph.*).
Decorana Hb. 2119 b (*Epiblem.*).
Decorana Zett. 2316 (*Simaetha*).

Decoratella Stgr. 2872.
Decorella Stph. 3580 (*Mompha*).
Decorella Stt. 966 (*Scoparia*).
 " Hw. 2749 (*Gelechia*).
 " [Teleia].
Decosseana Rossi. 1450.
Decrepidella HS. 2511.
Decrepitalis HS. 1172.
Decrepitana HS. 1929.
Decretana Tr. 1510.
Decuriella Mn. 2766 (*Gelech.*).
 " [Teleia].
Decuriella Dup. 698.
 " Hb. 700 (*Dioryctry*).
Decurtella Hb. 2871.
Defectalis Sauber 1150.
Defectana Ld. 1801.
Defectella Wlk. 271.
Defessana Mn. 1704.
Defessella HS. 3758.
Definitana Kenn. 2102 ter add.
Deflectivulus HS. 2953.
Deflexana HS. 2213.
Deflexella Stt. 4142.
Defoliella Const. 4432.
Deformella Möschl. 644.
Degeerella L. 4721.
Degreyana Mc. Lachl. 1782.
Dejectella Stgr. 2876.
Delagrangella Rag. 4513.
Deleta Stgr. 4169.
Delibutella Chr. 3702.
Delicatana Chr. 1443.
Delicatella Möschl. 343 (*Heterographis*).
 " (B.-Haas) Rbl. 3538 b
 " (*Scythris*).
Delicatellus Z. 115.
Deliellus Hb. 59.
Delimitella Rag. 337.
Delineata Lucas 239.
Delitana Stgr. 1920 (*Olethr.*).
 F. 1970 (*Steganopt.*).
Delitella Z. 4168.
Delphinatalis Gn. 969.
Delphinatella Const. 2728.
Delyhinensis Brd. 1426.
Deltagrammella Rag. 686.
Demaison Rag. 4702.
Demarniana F. 2115.
Demaryella Dup. 4244.
Demissana Kenn. 1871 bis add.
 " (Olethreutes).
 " Kenn. 2029 bis add.
 " (Semasia).
Denigratana Kenn. 2086 bis add.
Denigratella HS. 3471.
Denisella (S. V.) F. 2920.
Densua Frr. 1466.
Densiornella Hodgk. 3982.
Dentalis Schiff. 1089.
Dentana Lah. 2266 (*Ancylis*).
 Hb. 2318 (*Simaethis*).
Dentella Z. 3404 (*Phaulernis*).
Dentella F. 2482 (*Cerostoma*).
Dentifascialis Chr. 1299.
Dentilineella Rag. 635.
Dentinella Brem. 537.
Dentosella HS. 3411.
Denudatella Z. 2405 a.
Depauperatella (Chr.) Rag. 438.
Depictella HS. 4760.
Depositella Zk. 322.
Depressella Hb. 3261.
Depressella HS. 3239.
Depunctella Hb. 3177.
Derasana Hb. 2263 (*Ancylis*).
Derasana Dup. 2004 (*Steganopt.*).
 Wd. 2266 (*Ancylis*).
Derivana Lah. 1622 c.
Derivatella Z. 3851.
Derogata F. 995.
Deruptana Keun. 2113 bis add.

Desertalis Hb. 1304.
Desertana Stgr. 2131.
Desertarum Woll. 3061.
Desertella Dgl. 2513 (*Bryotrich.*).
 " (B.-Haas) Rbl. 2656
 (Gelech. [Lital]).
Desertellus Ld. 49.
Deserticola Stgr. 333.
Deserticolella Stgr. 2669.
Desertorum Z. 1371.
Desfontainiana F. 1441 c.
Desidella Ed. 3538 c.
Desidella Ld. 3539.
Desideratella Dup. 2336.
Desiderella F. R. 2336.
Designatalis Chr. 1204.
Designatalis HS. 3032.
Designella HS. 3033.
Desmodactyla Z. 1432.
Despectana Kenn. 1694.
Desperatella Frey 4313.
Despoliatella Ersch. 3262.
Destruktor Stph. 4624.
Desuetella Wilk. 271.
Detersella Z. 2906.
Detrimentella Stgr. 3347.
Deutschiana Zett. 1752.
Devilla Z. 3650.
Devoniella Frey 4095.
 Stt. 4098.
Devotella Heyd. 3545 (*Catapl.*).
 Rbl. 4656 (*Incurvar.*).
Dewitziella Sorh. 4417.
Diaconia Ld. 4454.
Diana Kenn. 1806 (*Euxanthis*).
 Hb. 2316 (*Sinaitheis*).
Diana Dup. 2223 (*Grapholitha*).
Dianthi HS. 3860.
Dianthi HS. 3855.
Diaphana Stgr. 713.
Diaphanella Z. 2909.
Dibaphiella Hb. 624.
Dibeliana Hb. 2017.
Dichroactydes Mühlig 1328.
Dichroramphana Kenn. 2250 bis
 add.
Dictamnella Tr. 3311.
Dictyodana Stgr. 1804.
Didaetus L. 1319.
Didymella Chret. 3816.
Diederichsella Hering 3939.
Diffficilana (B.-Haas) Wlsghm.
 2208 bis add.
Diffidalis Gn. 891 b.
Diffinis Hw. 2611 (*Gelechia*).
 Stgr. 3819 (*Coleophor.*).
 Wck. 4335 (*Nepticula*).
Diffluenta Hein. 2676 (*Gelech.*
 [Lital]).
Diffluelta Hein. 2365 (*Yponom.*).
Diffusa Stgr. 417.
Diffusalis Gn. 1222.
Diffusana Kenn. 1493 (*Dichel.*).
Diffusana HS. 2209 (*Graphol.*).
Diffusella Chr. 469.
Digitalitana Mühlig 1891.
Digitellus HS. 37.
Dignella Hb. 501.
Dilatata Chr. 178.
Dilectana Kenn. 1831 bis add.
Dilectella Z. 2425.
Diloretta HS. 4620.
Dilucida Stgr. 612 a.
Dilucidana Stph. 1655.
Dilucidella Dup. 525 a.
Dilitatalis HS. 1048 (*Phlycten.*).
 Gn. 1168 (*Pionea*).
Dilutana Kenn. 1689 et add.
Dilutella Hb. 416 (*Pempelia*).
Dilutella Tr. 298 (*Aencylosis*).
 Dup. 629 (*Salebris*).
Dimidiiana Froel. 1480 b (*Acalla*).
 Sodof. 1875 (*Olethr.*). •

Dimidiata Hw. 833.
Dimidiatana Kenn. 2220 ter add.
Dimidiatella Z. 4276 (*Opogona*).
Dimidiatella HS. 4342 (*Neptic.*).
Dimidiella Schiff. 2917.
Diminutana Hw. 2276.
Diminutella Z. 2670.
Dimorphellus Stgr. 95.
Diniana Gn. (*Diniana*) 1977.
Dionysia V. 632.
Diplogrammus Z. 32.
Dipottana Tr. 1728.
Dipotella Hb. 1728.
Dipsaceana Dup. 1778.
Directella Z. 3866.
Dirempetella Rag. 296.
Discella Rag. 196.
Discinaacaulis Hmps. 1194.
Discipunctella HS. 3282 (*Depress.*).
 Rbl. 4449 (*Setom.*).
Disclesella Rag. 586.
Discognitta HS. 3186.
Discolorana Kenn. 1721.
Discomaculella Rag. 673.
Disconigrellum Klem. 4082.
Discontinuella Rbl. 2598.
Discopunctata Ev. 1699.
Discordella Z. 3716.
Discrepitella Rbl. 3170.
Discretana Wek. 2210.
Discretella Rbl. 2965.
Disemella Z. 4016.
Disertana HS. 1910.
 Hein. 1926.
Disertella HS. 4003.
Disjectella Stgr. 2659.
Disjunctella Z. 482.
Dispar HS. 4451.
Disparalis HS. 1276.
Disparana Kenn. 1515 bis add.
Disparella Hb. 166 (*Anelyolom.*).
 Rag. 279 (*Ephestia*).
 Tngstr. 3451 (*Scythris*).
Dispelligra Rag. 674.
Dispersalis Mn. 1029 a.
Dispersana Kenn. 1754.
Dispilella Z. 4019.
Dispositella Frey 3973.
Dispunctalis Gn. 1169.
Dispunctella Dup. 4020 (*Elach.*).
Dispunctella HS. 482 (*Hypochale*).
Disquei Kenn. 2073 bis add.
Dissimilana Tr. 2135.
Dissimillella Rag. 585 (*Selagia*).
 HS. 3523 (*Seychr.*).
Dissimillella Tr. 2611.
Dissipatalis Chr. 944.
Dissitella Z. 3461.
Dissoluta Stgr. 3041.
Dissolutalis Stgr. 1233 b.
Dissolutana Stange 1932 (*Olethr.*).
Dissolutana HS. 1669 (*Conchyl.*).
Dissonana HS. 1463.
Dissonella HS. 2875.
Distans Z. 1314.
Distentella Z. 4154.
Distigmatella Ersch. 3151 (*Pseudocadia*).
Distigmatella Frey 4019 (*Elach.*).
Distinalis Rag. 912 a.
Distinctana Hein. 2290 (*Dichror.*).
Distinctana Wilk. 2112 (*Epibl.*).
 Barr. 2291 (*Dichror.*).
Distinctella Z. 2559 (*Gelech.*).
 Nolk. 4091 (*Ornix*).
Distinctellus Leech 134 bis add.
Distinctus HS. 1392.
Distinguenda Hein. 4360.
Distortana Gn. 2004.
Didella Z. 3772.
Diurneana Gn. 1614.
Divariicella Rag. 514.
Divellana Hb. 2126.

Diversa Hb. 1192 (*Pyrausta*).
 Glitz 4385 (*Nepticula*).
Diversalis Hb. 1073 a.
Diversana Hb. 1601 (*Tortrix*).
Diversana Hb. 1800 (*Euxanth.*).
Dives Butl. 1793.
Divisana Hb. 1446 b (*Acalla*).
Divisana Dup. 2209 (*Graphol.*).
Divisella Dup. 667 (*Nephopt.*).
 Dgl. 2800 (*Xystoph.*).
Divisella HS. 3580 (*Mompha*).
Divisellus Joan. 46 (*Cramb.*).
Divisus Wlsghm. 3068.
Divitella Const. 3603.
Dodecadactyla Hb. 1433.
Dodecatella Stgr. 3029.
Dodecella L. 2762.
Dodecella Wd. 2757.
Dodonaea Stt. 4210.
Doerriesi Stgr. 940.
Dohrniana HS. 1592 c.
Dohrnii Z. 3602.
Doliodes Meyr. 2899.
Dolomiella Mn. et Rghfr. 3317.
Dolosana Kenn. 1760 bis add.
 (Conchylis).
 Kenn. 1927 bis add.
 (Olethreutes).
 HS. 2319 (*Millieria*).
Dolosellus Z. 3001.
Domalis Gn. 831.
Domestica Hw. 2533.
Domesticalis Z. 837.
Domesticella Sorh. 4142 a.
Donelana Carpenter. 1578.
Donzelatus Gn. 1229.
Donzellettus Dup. 4752.
Dorcalis Alph. 1041 a.
Dormoyana Dup. 1965.
Dormoyella Dup. 3133 a.
Doronicella Wck. 3191.
Dorsana Stt. 2214 (*Grapholitha*).
Dorsana Ritzb. 2190 ; 2204.
 Stph. 2193.
 Dup. 2207.
 Tr. 2209.
 Hb. 2210.
 Wilk. 2216 (*Graph.*).
Dorsigulata Ersch. 4684.
Dorsilunana Ersch. 2213.
Dorsipunctalis Rbl. 1041 a.
Dorsivittana HS. 1985.
Dorsivittata Moore 1217 bis add.
Doryciella Mill. 3478.
Dotalis Chr. 1243.
Doubleyada Barr. 1928.
Douglasella Stt. 3294.
Douglasii Stt. 4425.
Druwella Stt. 3557.
 F. 3559.
Druryella Z. 3559 (*Cosmopter.*).
Druryella Cr. 3333 (*Alabonia*).
 HS. 3557 (*Cosmopt.*).
Dryadella Rag. 363 (*Heterogr.*).
 Z. 2534 (*Bryotroph.*).
 Hofm. 4330 (*Neptic.*).
Dryadella Frey 2338 (*Tinagm.*).
Dryadis Stgr. 2338.
Drymidis Mn. 3853.
Dubia Baker 160.
Dubiella Baker 3898 (*Coleoph.*).
Dubiella Dup. 624 (*Salebria*).
 Stt. 4584 (*Tinea*).
Dubiosella Hein.-Wck. 4181.
Dubitalis Hb. 964.
Dubitalis Stph. 949.
 var. Fryer 954 b.
Dubitana Hb. 1658.
Dubitella HS. 4136.
Dubrisana Curt. 1732 b.
Dulcella Z. 750 (*Rhodophaea*).
 Hein. 4350 (*Nepticula*).
Dulcinalis Tr. 1077.

- Dumeritania* Dup. 1502.
Dumeriliellus Dup. 4710.
Dumetana Tr. 1600.
Dumetella Rag. 359 (Heterogr.).
Dumetella Hb. 117 (Cramb.).
Dumicolana Z. 1522.
Dumicolella Peyer. 4657.
Dunningiella Stt. 4185.
Duplana Hb. 1844.
Duplicana Zett. 2204.
Duponcheliana Dup. 1832.
Duratella Heyd. 1642.
Durhamellus Stt. 2954.
Dzieduszyczkii Now. 2609 (Gelechia).
Dzieduszyczkii Now. 2398 (Argyr.).
- Eatoni* Wlsghm. 2501.
Eatoniana Rag. 1554.
Eburneana Kenn. 1713.
Eburnella Chr. 2998.
Echidnias Meyr. 3955.
Echiella Hb. 3143.
Echii HS. 2341.
Echinacea Meyr. 1098.
Echinatis HS. 1291 a.
Echinella Stgr. 3776.
Ectinalis Hmps. 1193.
Ectypana Hb. 1571 a.
Ectypella Rag. 576.
Edleriana Cr. 1896.
Effoetella Mn. 517.
Efractana Froel. 1440 b.
Efractana Hb. 1440 a.
Efractella Z. 465.
Effusana Ld. 2220.
Egenana Kenn. 2020 bis add.
Egenella HS. 2506.
Egentalis Chr. 1160 a.
Egeriella Mill. 459.
Eglanteriella Mn. 4489.
Egregialis HS. 817.
Egregiellus Dup. 2353.
Ehrenbergiana Z. 1374.
Ekelbladella Bjaerk. 4209.
Elachia Butl. 839.
Elachistella Stt. 2846.
Elatella HS. 2606 (Gelech.).
Elatella Z. 4157 (Lithocoll.).
Electana Kenn. 1895 bis add.
Electella Z. 2613.
Elegans Butl. 804 ter add. (Mallaca).
 " Stt. 3118 (Pleurota).
 " Frey 3934 (Elachist.).
 " Stt. 4772 (Micropter.).
Elegantana Kenn. 2078 bis add.
Eleochariella Stt. 3999.
Elongana F. 1724.
Elongella Hein. 2815 (Xystoph.).
 " L. 4056 (Gracilaria).
Elongella Hb. 232 (Homoeos.).
Elutalis Schiff. 1154 (Pionaea).
Elutalis Hb. 1027 (Evergestis).
Elutana Kenn. 2029 quatt. add. (Semasia).
Elutana Dup. 1860 (Olethreutes).
Elutella Hb. 283.
Elwesi Stgr. 1225.
Emargana F. 1440.
Emarginata Snell. 1419.
Emberizaepennella Bouché 4192.
Emeritella Stt. 3283.
Emichi Anker 3502.
Emiralis Obth. 1059.
Emortuella Z. 4544.
Emyella Dup. 4212.
Endryella Mn. 4156.
Enerviana Ersch. 1915.
Engadinella HS. 3371.
Ensigerella Hb. 128.
Epelydella Z. 754.
- Ephedrana* Chr. 2030.
Ephedrella HS. 369' (Heterogr.).
 " Chr. 2454 (Cerostom.).
Ephippiana Wd. 2240.
 " Hb. 2241.
Ephippella F. 2404.
Ephippialis Zett. 1102.
Epicachritis Rag. 3257.
Epilinana Z. 1779.
Epilobiella Roemer 3594 (Anyb.).
Epilobiella Schlr. 3586 (Momph.).
Epineurus Meyr. 35.
Epischniella Stgr. 635.
Epithymella Stgr. 2635.
Epomidella Tngstr. 2748.
Epomynta Meyr. 1093.
Eppelsheimi Stgr. 2895.
Equitella Sc. 2331.
Equitella var. HS. 2332.
Erastralla Rag. 747.
Erberi Mn. 616.
Erebana Gn. 1448 b.
Erebella Rag. 508 a.
Erebina Butl. 991.
Erectana Barr. 2193.
Eremana Meyr. 2657.
Ericella Dup. 3117 (Pleurota).
Ericellus Hb. 124 (Crambus).
Ericellus Wd. 119 (Crambus).
Ericetana Westw. 1944 (Olethr.).
 " HS. 1990 (Steganopt.).
Ericetella var. Hein. 1989 (Steganoptycha).
 " Hein. 3433 (Seychr.).
Ericetella Hb. 2580 (Gelechia).
 " Hein. 3433 (Seychr.).
Ericetorum Z. 1318.
Ericinella Dup. 2870.
Ericivorella Rag. 3447.
Erigalis F. 903.
Erigerana Wlsghm. 1769.
Erigerana Wlsghm. 1769 add.
Erinaceella Stgr. 3310.
Eriosita F. 984.
Erralis Gn. 948.
Erschoffia Rag. 647.
Erschoffia Rag. 290 (Ancylos.).
 " Chr. 1535 (Caeocia).
 " Frey 2750 (Gelech.).
 " (Teleia).
Erubescens Chr. 1280.
Erucalis Hb. 1025.
Erutana HS. 1452 a; 1469.
Erxlebella F. 4490.
Erxlebeniella HS. 4490.
Eryngiana Heyd. 1652.
Eryngiella Mill. 3300.
Erythrana Tngstr. 1899 a.
Erythrella Snell. 3237.
Escherichi Hofn. 1292.
Esmarkella Wek. 4723.
Esperella Hb. 3419.
Estreyeriana Gn. 2132.
Etilla Tr. 510.
Euchromiella Rag. 142.
Euclastella Rag. 392.
Euphorbiana Fr. 1947.
Euphorbiella Stt. 4416 (Neptic.).
Euphorbiella Z. 667 (Nephopt.).
Euratella HS. 2755.
Eurema (Durr.) Tutt 4415.
Euryptera Meyr. 800.
Euthesalus Hulst. 831.
Evanidana Kenn. 1514 bis add.
Eversmanni Stgr. 1064 (Phyt.).
 " (Sgr.) Kenn. 2074 bis
 " add. (Epiblema).
Evonymella Sc. 2365.
Evonymellus L. 2366.
Evonymi Z. 2365.
Exactella HS. 3954.
Exartemana Kenn. 2967 bis add.
Exasperata Stgr. 682.
Exasperatana Chr. 1711.
- Excavana* Hw. 1440.
Excavatalis Rag. 1059.
Excellentana Chr. 1747.
Excelscella Chr. 2678.
Excelsellula Stgr. 2352.
Excentricana Ersch. 1839.
Excisella Ld. 2457.
Excoecana HS. 2003.
Exiguana Lah. 1604.
Exiguella Frey 3963.
Exilis (Ev.) HS. 4448 a.
Eximia Ld. 3105 (Pleurota).
 " Hw. 3557 (Cosmopter.).
Eximiella Rbl. 2346 (Procal.).
 " Chr. 4066 (Gracilar.).
Eximiella Z. 4748 (Micropter.).
Exoletella Hb. 65 (Crambus).
Exoletellus Ersch. 3010 (Megaceraspedus).
Expallidana Hw. 2088.
Expalolidella Rag. 594.
Expansalis Ev. 1007.
Expeditana Snell. 1923.
Expiatalis Chr. 1186.
Explicatalis Chr. 1210.
Explicatana Kenn. 1992 bis add.
Expressana Chr. 2145.
Exquisitana Chr. 1973 (Stegan.).
 " Rbl. 2180 (Graphol.).
Exsectella Chr. 141.
Exsueana Kenn. 1480 bis add.
Exsuealis Ld. 827.
Exsueella Ersch. 4487.
Exsulana Ld. 1748 a.
Extensa Stgr. 1763.
Extensisella Stgr. 3964.
Externa Ev. 2134.
Extimalis Sc. 1025.
Extinctalis Chr. 1235.
Extinctellus Z. 125 b.
Extremella Wek. 3608.
Exustella Rag. 245 (Homoeos.).
 " Z. 2986 (Sophronia).
- Fabriciana* L. 2318 (Simeth.).
Fabriciana Hb. 1760 (Conchyl.).
Fabriciella Vill. 3680.
Facetana Kenn. 1619 bis add.
Facetella Z. 4766.
Fadella Mill. 3993.
Faecella Z. 641.
Faganella Schiff. 3323.
Faganella Tr. 3323.
Fagella F. 3133 (Chimabache).
Fagella HS. 4393 (Nepticula).
 " var. HS. 3133a (Chimab.).
Fagetella Z. 2403.
Fagi Frey 4393.
Fagiglandana Z. 2258.
Faginella Z. 4149.
Fagivora Frey 4095.
Falcana Hb. 2271.
Faleatalis Gn. 1249.
Faleella (S. V.) Hb. 2481.
Falella Stph. 2478.
Falcoformis Hw. 3406.
Falcoigerella Chr. 3692.
Falconipennella Hb. 4050.
Faleulella Ersch. 2476.
Fallacella Schläg. 3426.
Fallax Stgr. 669 (Nephopter.).
 " Mn. 3012 (Chilopseph.).
 " Stgr. 4460 (Atychia).
Fallouella Rag. 742.
Falsellus Schiff. 99.
Falsiarella B.-Haas 4608.
Familliella Peyer. 4749.
Farfarella Z. 1334.
Farinalis L. 836.
Farimatella F. 2436.
Farinella Dup. 2436.
Farinosa Teich. 2561 (Gelech.).

- Farinosae Stt. 2808 (Xystoph.).
 Farinosana HS. 1709.
Farrella Curt. 564.
 Farreni Wlsg hm. 3541.
Fascelinellus Hb. 34.
Fascialis Gr. 982 (Zinckenia).
 „ Hb. 1259 (Pyrausta).
Fascialis Dup. 1262 (Pyrausta).
Fasciana Wallgr. 1645.
Fasciapennella Stt. 2389.
Fasciapennella Frey 2390.
Fasciata Butl. 850 (Sacada).
 „ Stt. 3073 (Hypatima).
 „ Stgr. 4461 (Atychia).
 „ Stgr. 4565 (Tinea).
Fasciatella Stgr. 499 (Hypoch.).
Fasciculellus Stph. 3416.
Fasciellus Hb. 2952 (Ypsoloph.).
 „ F. 4704 (Nemotois).
Fasciolana Hb. 1901.
Fastuosella Z. 4752a.
Fathmella Obth. 380 et add.
Fatigatella Heyd. 4256.
Fauna Mill. 1379.
Faunistella Z. 344.
Favillacea Hb. 1504 (Capua).
Favillacea Hb. 1464 (Acalla).
Favillana Stgr. 1725.
Favillaticella Z. 2762.
Favirinella Z. 377.
Femoralis Stgr. 2759.
Femorella Wlsg hm. 3684.
Fenestralis Chr. 990.
Fenestratella Heyd. 4531.
Fentonii Butl. 1161 bis add.
Feraellea Z. 2616.
Ferchaultella Stph. 4436.
Ferralis Dup. 1137a.
Ferra Ere 2797.
Ferrealis Hmps. 933 (Steinia).
 „ Hmps. 1143 (Pionea).
Ferrugalis Hb. 1151.
Ferrugana (S. V.) Tr. 1473.
Ferrugana Hb. 1562.
Ferrugella Schiff. 2924.
Ferruginea Wlsg hm. 1758bis add.
 (Conchylis).
 „ Tngstr. 1905c (Olethr.).
Ferruginella Hb. 4533 (Monop.).
Ferruginella HS. 2924 (Rhinos.).
Ferugalis Hb. 1166.
Ferugana Hb. 1549.
Ferulae Z. 3258.
Feruliphila Mill. 3216.
Fervida Z. 2092.
Fervidella Mn. 2897.
Fessana Mn. 2068.
Festaliella Hb. 3405.
Festivana Hb. 2015.
Festivella Schiff. 3570.
Festivella Z. 3572 (Heinemann.).
Festicella HS. 36 (Crambus).
Festucicolella Z. 4027.
Fibularis Chr. 1250.
Fibulella (S. V.) F. 4748.
Ficella Dougl. 257.
Ficki Chr. 805.
Fictana Kenn. 1951bis add.
Ficulella Barn. 258.
Fidella Reutti 4045a.
Figulella Stgr. 2512.
Figulifella Gregson 258.
Filaginella Fuchs 3838.
Filana HS. 2208.
Filiella Stgr. 3348.
Filigerula Mn. 3077.
Filipendulae Wck. 4334.
Finana Snell. 2203.
Fimbrialis S. V. 834 (Hypsopyg.).
 „ Stph. 1188 (Pyrausta).
Fimbriana Thnbg. 1450 (Acalla).
 „ Hw. 2225 (Pamene).
- Fimbriata Wlsg hm. 4751.
Fimbriatella Dup. 1139.
Fimbriatella Z. 723.
Fimbriosa HS. 3775.
Fingalana Mill. 1643.
Finitimana Dbld. 2113.
Finitimella Z. 4099.
Fischerana Tr. 1963.
Fischerella Tr. 2718.
Fischeri Z. 455 (Euzophera).
 „ Z. 1337 (Platyptilia).
Fischerella Z. 2336.
Fissana Froel. 2209.
Fissella Hb. 2466.
 „ Dup. 2467.
Flabella Mn. 3506.
Flabellifer Rbl. 2965.
Flagella Ld. 439.
Flagellalis Dup. 1048.
Flagellana Dup. 1652.
Flagellana HS. 1646.
 „ var. HS. 1650.
Flammeealis Schiff. 808.
Flameana Hb. 1898.
Flammella Rag. 291 (Aencylos.).
Flammella Tr. 2926 (Rhinosia).
Flammeolana Tngstr. 1783.
Flava Stgr. 4041.
Flavaginella Z. 3908.
Flavaginella Schmid 3909.
Flavalia Schiff. 1205.
Flavana Hb. 1494 (Dichelia).
 „ Dup. 1528 (Cacoecia).
 „ Hb. 1585.
 „ Hb. 1585b (Tortrix).
Flavedinella F. R. 2929.
Flavella Dup. 2925 (Rhinosia).
 „ Hb. 3181 (Depressar.).
Flacella Dup. 232 (Homoeos.).
Flavecola Rag. 204.
Flavescentella Hw. 4584.
Flavianella Tr. 3155.
Flavianella Tr. 3157.
 „ Ev. 3162.
Flaviapicella Z. 4562.
Flaviaciput Hw. 3597.
Flaviciliiana Wilk. 1780.
Flavicilliella HS. 694.
Flavicomella Z. 2572 (Gelech.).
Flavicomella Stt. 3936 (Elach.).
Flavidana Gn. 1707.
Flavidorsana Knaggs 2284a.
Flaviella Mn. 3733.
Flavifasciella Rag. 406.
Flavifrontella Hb. 3350 (Borkh.).
Flavifrontella (S. V.) Hein. 4659
 (Incurvaria).
Flavilaterella Fuchs 3446.
Flavimaculata Chr. 2933.
Flavimaculata Stt. 3547.
Flavimitrella Hb. 4651.
Flavimitrella Dup. 4666.
Flavipalpana HS. 1927.
Flavipalpella Tngstr. 2523.
Flavipennella HS. 3643.
Flavipunctalis Hmps. 936.
Flavipunctana Chr. 2192.
Flavipunctella Hw. 4654.
Flavipulpana HS. 1673.
Flavissimella Mn. 3327.
Flavitibiella HS. 3162.
Flaviventrella HS. 3437.
Flavofasciata Brem. 811.
Flavofasciata Woll. 3553.
Fletcheri Tutt 4303.
Flexana Z. 2249.
Flexulana Dup. 1990.
Flexuosa Fologne 4371.
Florala Hb. 1291.
Florella Mn. 681 (Pristophor.).
 „ Stgr. 4746 (Adela).
Floricolana Hb. 2245.
Floridella Mn. 3305.
- Floslactella Hw. 4390.
Flos-lactis Hw. 4013.
Fluctigerana HS. 2273.
Fluxana Kenn. 1528bis add.
Focella Const. 3481.
Foedellus Z. 6.
Foederatana Kenn. 1503bis add.
Foeneana Tr. 2154.
Foemella L. 2154.
Forficalis L. 1163.
Forficella Hb. 3121 (Holoscol.).
 „ Sc. 3329 (Harpella).
Forficellus Thnbg. 188.
Formosa Hw. 624.
Formosana Hb. 1551 (Eulia).
Formosana Curt. 1890 (Olethr.).
Formosella Hb. 2926 (Rhinos.).
 „ (S. V.) F. 3387 (Borkh.).
Forskaleana L. 1564.
Forskaleana Tr. 1564.
Forskoaleana Hb. 1564.
Forsterana F. 1576.
Forsterella F. 2334.
Foucarti Rag. 224.
Fovealis Z. 927.
Fovealis Obth. 928.
Foviferalis Hmps. 1067.
Fractella HS. 3929.
Fractifasciana Hw. 1992 (Steganoptyla).
Fractifasciana Stph. 2271 (Anctylis).
Fractifasciella Rag. 386.
Fractilinealis Ersch. 1084.
Fragaria Stt. 4097.
Fragariella Heyd. 4323.
Fragosana Z. 1611.
Francilliana F. 1646.
Francilliana Hein. 1652.
 „ var. Stph. 1655.
Francillonana Wlsg hm. 1646.
Francikella Hb. 4040.
Frangulella Goeze 4258.
Frankeniae Z. 1420 (Agdistis).
 „ Wlsg hm. 2864 (Aristot.).
Frankii Schmid 3882.
Fraterna Butl. 836.
Fraternana Hw. 2112.
Fraternella Rag. 426 (Pempel.).
 „ Dgl. 2702 (Gelech.).
 „ [Lita].
Fraudulentana Kenn. 1900bis
 add. (Olethr.).
 „ Kenn. 2045 bis
 add. (Semasia).
Fraudulentella HS. 4547.
Frauenfeldi Mn. 1736.
Fraxinana Peyer. 2230.
Fraxinella Z. 4128.
Frequentella Stt. 976.
Fretella Z. 3746.
Freyella Heyd. 4372.
Freyeriana F. R. 1972.
Freyi Stgr. 3990.
Fribergensis Fritzsch 4047.
Frigidana Gn. 1102.
Frigidana Gn. 1664 (Conchyl.).
 „ Pack. 1870 (Olethr.).
Frigidiarella HS. 4221.
Frigidella Gn. 479b (Asartod.).
 „ Pack. 642a (Salebr.).
Frigidella Pack. 4583 (Tinea).
Fringilella Dup. 4059.
Fringillella Z. 3737.
Frischella L. 3676 (Coleophor.).
Frischella Curt. 4691 (Nemot.).
 „ Hb. 4741.
 „ HS. 4741a. (Adela).
Froelichella Z. 4187.
Fronticornella HS. 396.
Fructicassiella Rag. 10.
Frumentalis L. 1014.
Frustalis HS. 1223a.

Frutetana Hb. 2129.
Fucantana Snell. 1727.
Fucatalis Tr. 1256.
Fucatellus Chr. 133.
Fuchsiana Rössl. 2140.
Fucosana Kenn. 1588 bis add.
Fuesslinaria Esp. 4511.
Fuesslinella Sulz. 4511.
Fuesslinella HS. 4512.
Fugacella Z. 2747.
Fugitivella Z. 2746.
Fulcrialis Sauber 1180.
Fulgens Ersch. 3549 (Lepidot.).
 Chr. 4591 (Tinea).
Fulgens Stt. 4374 (Nepticula).
Fulgidana Gn. 1940.
Fulgidellus Hb. 73.
Fulgorita F. d. W. 4448.
Fulgoritella Rag. 3612.
Fulicella HS. 3594.
Fuligana Hb. 1889 (Olethreut.).
 Hw. 1955 (Polychros.).
Fuliginella Dup. 509.
Fuliginosella Hein. 463 (Euzoph.).
 „ Snell. 2528 (Bryot.).
 Z. 4579 (Tinea).
Fulluella Chrét. 4102.
Fulminella Mill. 2537.
Fultana Z. 2075.
Fulvalis Hb. 1146.
Fulvana F. 1803 (Euxanthis).
 Stph. 2084 (Epiblema).
Fulvana Wilk. 1507.
Fulvelta Dup. 2466.
Fulvescens Hw. 3586.
Fulviceps Wek. 4485.
Fulvicoloralis Hmps. 1184.
Fulvifascialis Chr. 1004.
Fulvifasciana Const. 1702.
Fulvifrontana Pack 1869 (Olethr.).
 Z. 2252 (Pamene).
Fulvifusalis Hmps. 138.
Fulviguttella Z. 3547.
Fulvilinealis Hmps. 186.
Fulvitritana Hein. 1847.
Fulvimirrella Sodof. 4540.
Fulvipunctana Hw. 1898.
Fulvistilella Rbl. 2827.
Fulvittana Stph. 1441 f.
Fulvobasella Rag. 349.
Fulvocilialis Dph. 846.
Fulvocristana Stph. 144 c.
Fulvomacularis Hein. 1249 not.
Fulvomixtana Stph. 1458 c.
Fulvosquamella Rag. 497 (Hy-
 pochalia).
 HS. 3877 (Coleoph.).
Fulvostrigana Const. 2069.
Fulvostrigella Ev. 396.
Fumatella Dgl. 2559.
Fumella Ev. 621.
Fumidella Wek. 3142 a.
Fumipalpellus Mn. 125 a.
Fumociliella Mn. 4477.
Fumosana Kenn. 2018 bis add.
Fumosella Rag. 679 (Pristoph.).
 Hein. 4440 (Solenob.).
Fundella F. 2415.
Funebrana Tr. 2159.
Funebrella Hein. 2349.
Funebrata Ström. 1273 (Pyraust.).
 Feisth. 4455 (Atychia).
Funerella F. 3146.
Funestella Hb. 2621 (Gelechia).
 Dup. 3374 (Borkhaus.).
Funiculella Ev. 152.
 Tr. 157.
Furcatella HS. 277 (Ephestia).
Furcatellus Zett. 78 (Crambus).
Furciferis Hmps. 85.
Furfurana Hw. 2020 (Bactra).
Furfurana HS. 1911 (Olethr.).
Furfurella Stgr. 2661.

Furia Swinh. 183.
Furiosa Hmps. 1089 b.
Furiosa Kenn. 1896 a add.
Furvalis Ev. 1238 a (Pyraust.).
Furvalis Hb. 1037 (Evergest.).
Furvella Tr. 3259.
Furvicomella HS. 3965.
Fusca Hw. 642 (Salebria).
 Hofm. 1320 a (Oxyptil.).
Fusca Stt. 2385 (Zelleria).
Fuscalis Schiff. 1188 (Pyraust.).
Fuscalis Hb. 1061 (Phlyctaenod.).
Fuscanella Z. 4646.
Fuscantella Hein. 2582.
Fuscantella Tngstr. 4675.
Fuscinedilla Z. 3663.
Fuscinedillus Stph. 61 c.
Fuscescens Hw. 3360.
Fuscescenella Stt. 4580.
Fuscicornis Z. 3675.
Fuscicostella Mn. 764 (Myelois).
 Chr. 3277 (Depress.).
Fuscifrontella Const. 3354.
Fuscipennis Westw. 2942.
Fuscipunctella Hw. 4583.
Fusciseptalis Hmps. 869.
Fuscoaneha Hw. 3444.
Fuscoarella Hw. 3341.
Fuscobasalis Rag. 810.
Fuscocochrella Frey 4032.
Fuscocilialis Rag. 934.
Fuscociliella Z. 3762.
Fuscociliella Stt. 3669.
Fusco-cuprea Hw. 3454.
Fuscocuparella Hw. 3669 (Co-
 leophora).
Fuscocuparella Hw. 4490 (Rösslert.).
Fuscodactylus Hw. 1414.
Fuscofasciata Stt. 3486.
Fuscolimbalis Rag. 843.
Fuscolineata Wlsglm. 3839.
Fuscomaculella Rag. 3060.
Fuscomarginata Baker 919.
Fusconeverella Rag. 330.
Fuscoviolacea Rag. 4603.
Fuscoviridella Hw. 2325.
Fusculana Z. 2106.
Fucus Rezt. 1414.
 „ var. Z. 1415.
Fyesella F. 2326.

Gadesalis Rag. 888.
Gaditana Rag. 1486.
Gaditana Stgr. 2658.
Galactodactylus Hb. 1344.
Galacticella Stgr. 3107.
Galbanella Z. 2594.
Galiana Curt. 1578 a.
Gallarum Gallerius 2231 a.
Gallerius Rag. 173.
Gallica Peyer. 962.
Gallicana Gn. 2223.
Gallicana HS. 2171.
Gallicella Const. 2634.
Gallicola Stgr. 607.
Gallicolana Z. 2231.
Gallinocella Mn. 2655.
Gallinella Tr. 2580.
Gallipennella Hb. 3753.
Gallipennella Tr. 3754.
Gammalina Mn. 2206.
Gangabella Z. 3984.
Ganomella Tr. 4596.
Garnoniella Curt. 193.
Gaunacella Dup. 4214.
Geerella Hb. 4721.
Gei Wek. 4324.
Gelatana Hb. 1641.
Gelatella L. 1641.
Gelechiella Wek. 3359.
Getida Mc. Lachl. 1227.

Gelidana Möschl. 1497 a.
Gemmella Z. 2283.
Gemina Hw. 232.
Geminana Stph. 2281 a (Rhoph.).
Geminana Zett. 2204 (Graphol.).
 Don. 2273 (Agnylis).
Geminatella HS. 3927.
Geminella Ev. 658 (Nephopter.).
 Frey 4337 (Neptic.).
Gemmanna Hb. 1851.
Gemmella L. 2887.
Gemmiferana Tr. 2166.
Generosana Chr. 2198.
Generosella (B.-Haas) Rbl. 3104.
Gengisella Rag. 653.
Geniatella Z. 2445.
Geniculana Lah. 2210.
Geniculella Rag. 4112.
Geniculella Rag. 4112 a.
Geniculeus Hw. 53.
Genistae Stt. 3717 (Coleophor.).
Genistae Stt. 2996 (Anarsia).
Genistella Dup. 660 (Nephopt.).
 „ (Stgr.) Rbl. 4206
 (Lithocletis).
Gensanellus Leech 160 ter add.
Gentiana Hb. 1878.
Gentiana Dup. 1874.
Gentianaeana Hb. 1878.
Gentianana Tr. 1878.
Geoffrella L. 3330.
Geoffrella (S.V.) Hb. 3331.
Geoffroyella Wd. 3330.
 „ Hb. 3331.
Germana HS. 2352 (Pamene).
 Dup. 2307 (Lipopt.).
Germanicus Nolek. 193.
Germanara Froel. 1452 a (Acalla).
Germanara Wilk. 2162 (Gra-
 pholitha).
 „ Hb. 2252 (Pamene).
 Tr. 2298 (Dichror.).
Germarella Dup. 495.
 „ Zk. 508 (Hypochalc.).
 „ Nolek. 2890.
 „ Hb. 2893 (Argyritis).
Germimana Hb. 2252.
Gerningana Schiff. 1482.
Gerronella Z. 2916.
Getica Mn. 4738.
Geyeriana HS. 1678.
Ghilianii Stgr. 505.
Gianelliella Rag. 490 (Hypoche.).
 Rag. 2330 (Glyphipt.).
Gibbiferella Z. 3579.
Gibbosella Z. 2507.
Gigantalis Stgr. 1123 a.
Gigantana Kenn. 1581 et add.
 (Tortrix).
Gigantana Gn. 1812 (Euxanth.).
 HS. 1940 (Olethreut.).
Gigantea Wek. 1089 a (Cynaeda).
 Chr. 4629 (Tinea).
Gigantella Hb. 4522 (Scardia).
Gigantellus Schiff. 187 (Schoe-
 nobius).
Gigantellus Stph. 162 (Chilo).
Giganteus Mn. 1386 (Pteroph.).
Gigas Rbl. 2361.
Gilvalis Hb. 1048.
Gilvana Ev. 1519.
Gilyata F. 1073 a.
Gilyella Rag. 572 (Anoristia).
 Rössl. 4365 (Neptic.).
Gilvella Hb. 3204 (Depressar.).
Gilveolella Tr. 515.
Gilvibasella Rag. 714.
Gilviciliella Stgr. 2161.
Gilvicomana Z. 1673.
Gimmerthaliana Z. 2002.
Giraudi Rag. 3790.
Gitonella Druce 254.
Glabralis Hb. 939.

Glabratella Z. 2432.
Glabrella Hein. 2521 (Bryotrich.).
Glabrella O. 4423 (Talaeporia).
Glacialis Frey 3464 (Scythris).
Glacialis Pack. 1158 (Pionea).
Glaciana Möschl. 1930.
Glaucana Kenn. 2250 ter add.
Glaucella Stgr. 739.
Glaucicolella Wood. 3844.
Glaucinalis L. 845 (Herculia).
Glaucinalis Hb. 1275 (Tegost.).
Glaucinella Z. 2308.
Glebana Shell. 2024.
Glebicolella Ersch. 2522.
Gleichenia Stph. 3229.
Gleichenella F. 3229.
Gliriella Heyd. 4551.
Glitzella Stgr. 3124 (Protasis).
 „ Hofm. 3658 (Coleoph.).
Gloriosa HS. 1832.
Glutinosae Stt. 4362.
Glyceratis Stgr. 1083.
Glycerella Stgr. 725.
 „ HS. 739.
Glyphella Rag. 558.
Gnaphaliella Tr. 4267 (Buccul.).
Gnaphaliella HS. 3871 (Coleoph.).
 „ HS. 4261a (Buccul.).
Gnaphaliell Z. 3871.
Gnidia Mill. 796.
Gnomana Cl. 1495 (Dichelia).
Gnomana Wd. 1473 (Acalia).
 „ Hb. 1520 (Cacoecia).
Goedartella L. 2420.
Gonodactyla Schiff. 1332.
Gouana L. 1607.
Graefii Z. 1336 a.
Grabowiella Stgr. 3607.
Gracialis Brem. 1144.
Gracilatis (Bild.) Stt. 963.
Gracilella Rag. 352 (Heterogr.).
 „ Hein.-Wek. 3476 (Seythris).
Graciella Stt. 2688 (Gelech., [Lita.]).
 „ Frey 4272 a (Buccul.).
Graciell Buti. 1210.
Gradana Chr. 2156.
Gradatella HS. 4080.
Graeca Stgr. 2205 (Grapholitha).
 „ Stgr. 3077 a (Pleurota).
Graecalis Stgr. 1138 a (Pionea).
Gracalis Dup. 891 (Cledeobia).
Graeseri Sauber 904 (Cledeob.).
 „ Stgr. 1269 (Pyrausta).
Graeseriella Sorh. 4131.
Gramineana Curt. 1927.
Graminicolella Hein.-Wek. 3857.
Grammana Const. 2095.
Grammicellus Luc. 51.
Grammodactyla Z. 1434.
Granatalis Stgr. 1052 a.
Grandaevana Z. 2067.
Grandipennis Hw. 3428.
Grandis Stt. 3316 (Anchinia).
 „ Desvignes 3398 (Borkh.).
Granella L. 4555.
Granella var. Dup. 4544; 4556;
 4556 a.
Granigerella Stgr. 4420.
Granita HS. 1999.
Granitella Tr. 4486.
Granulatella Z. 3885 (Coleoph.).
 „ HS. 4571 (Tinea).
Granulosella Stgr. 3890 (Coleophora).
Granulosella Stt. 3211 (Depress.).
Graphana Tr. 2105.
Graphellus Const. 45.
Graphodactyla Tr. 1412.
Graslinella Stgr. 3371 a.
Gradana Lah. 1628.
Gratiosalis Chr. 1080.
Gratiosana Lah. 1672.

Gratiosella Stt. 4340.
Gratiosella Glitz 4359.
Gravatella Z. 3466.
Gravatella var. Z. 3467.
Gregariella Ersch. 547.
Gregella Ev. 650.
Gregoni Stt. 3950.
Grevillana Curt. 1871.
Grisealella Stgr. 941 a (Psammot.).
 „ Hups. 1071 (Lepidon.).
Griseana Stph. 1682.
Griseana Wilk. 1679.
 „ Wek. 1681.
Griseata Butl. 927.
Griseella Hein. 2795 (Xystoph.).
 „ Z. 3972 (Elachista).
Griseella Rag. 785 (Myelois).
Wlsghm. 4714 (Adela).
Grisella F. 3.
Griseoanella Rag. 507.
Griseocapitella Stt. 2369 a.
Griseofumalis Hmps. 1196.
Griseolana Z. 2070.
Griseolella Rag. 584.
Griseomixtella Rag. 327.
Griseosericeella Rag. 3043.
Griseostrialis Sauber 1026.
Grisescens Rag. 538 (Emporia).
 „ Frey 3318 (Anchinia).
 „ Stt. 3628 (Heliozela).
 „ Wek. 3952 (Elachist.).
Groenlandica B.-Haas 1884.
Grossana Hw. 2258.
Grossepunctella HS. 4001.
Grossulariana Stph. 1540.
Grossulariella Tr. 468.
Grotiana F. 1494.
Grummi Chr. 1022.
Gruneriana HS. 2305.
Gruneriella HS. 3330.
Gruneriana Dup. 1609.
Gruenewaldia Bouché 3648.
Gueneiana Dup. 74.
Güntheri Tngstr. 2124.
Guerini Stt. 3566.
Gueriniana Dup. 2196.
Guidensis Wlk. 854.
Guidiana Hb. 2194.
Gurdella Chr. 3518.
Guttatis Schiff. 1273.
Guttea Hw. 4086.
Guttella Nolck. 3921.
Guttiferella Dup. 4086.
Guttosalis Chr. 880.
Guttosalis HS. 1090 a.
Gutturalis Stgr. 1185.
Guyonella Gn. 3016.
Gylenhaliella Thmbg. 4086.
Gyltenhaliana Wallgr. 2003.
Gypsellula Rag. 262 (Ephestia).
 „ Const. 2662 (Gelech.).
 „ [Lita].
Gypsophilae Stt. 2723 (Gelech.).
 „ [Lita].
Gysseleeniella Chr. 3777 (Coleoph.).
Gysseleeniella Dup. 2435.
Gysseleeniella Z. 2435.
Gysseleeniella Dup. 2435.

Haasi Stgr. 2446 (Plutella).
 „ (Stgr.) Rbl. 4172 (Litho-colletis).
 „ Rbl. 4593 (Tinea).
Habenella Rag. 276.
Haberhaueri Rag. 523 (Bradyrr.).
 „ (Stgr.) Kenn. 2085 ter
 „ add. (Epiblema).
Haematalis Hb. 1242 a.
Haemorrhoidella Ev. 3154.
Halimodendri Chr. 2995.
Halonella HS. 2686.
Halophilana Chr. 1719.

Halymella Mill. 2651.
Hamalis Thnbg. 1268.
Hamana L. 1800.
Hamana Cl. 1802.
Hamatana Kenn. 2215 bis add.
Hamella Hb. 2479 (Cerostoma).
Hamelius Thnbg. 128 (Cramb.).
Hammoniella Sorh. 3627.
Hampsori Rbl. 910.
Hannoverella Glitz 4403.
Hansoni Stph. 193 a.
Haraldusalis Wlk. 805.
Harmoniella Rag. 361.
Harpana Hb. 2280.
Harpeana Frey 2294.
Harpeila Schiff. 2482.
Hartigiana Rtzb. 1964.
Hartmanni Stgr. 4223.
Hartmanniana Cl. 1744 (Conch.).
Hartmanniana L. 1862 (Olethr.).
Hastana Hb. 2016.
Hastiana L. 1446.
Hastiferella Rag. 656.
Hawkeriana Stt. 1966.
Haworthiana Stph. 2329.
Headleyella Stt. 4410.
Hebetella Rag. 3113.
Hedemannia Rbl. 1382 (Gypsoch.).
 „ Snell. 1409 (Stenopet.).
 „ Rbl. 4006 (Elachista).
 „ Rbl. 4067 (Gracilar.).
 „ Rbl. 4570 (Tinea).
 „ Chr. 4722 (Adela).
Hedemanniana Snell. 1755.
Hederarum Mill. 4471.
Heegerana Wilk. 2181.
Heegeriana Dup. 2287.
Heegeriella Z. 4117.
Heinemanni Möschl. 3499 (Seythris).
 „ Frey 4029 (Elachista).
 „ Wek. 4213 (Tischer.).
Helena Stgr. 1030.
Heleniella Mill. 3480 (Seythri.).
Heleniella Z. 4484 (Acrolepi.).
Heliacella HS. 2866.
Helianthemella Mill. 3689 (Coleophora).
 „ HS. 4113 (Lithocoll.).
 „ HS. 4368 (Nepticul.).
Helicella Frr. 2360.
Helichrysella Const. 4268.
Heliothalia Stgr. 1111.
Hellenica Stgr. 341.
Hellerella Dup. 3575.
Helwigella Wd. 4760.
Helotella Stgr. 2633.
Helveolellus Stgr. 2978.
Helvetica Hein. 2411 (Argyrest.).
Helvetica Frey 3933 (Elachista).
Helvetica HS. 1006.
Helveticana Heyd. 1652 (Lozop.).
 „ Dup. 1940 (Olethr.).
Helveticella Z. 475.
Helvimana Kenn. 1899 bis add.
Helvolana Kenn. 1689 add. (Conchylis).
Helvolana Hb. 1597 (Tortrix).
Helychrysana Rag. 1962.
Hamarygella (Koll.) Hein. 4373.
Hemerobiella Sc. 3802.
Hemidactylella (S. V.) F. 4046.
Hemidactylella HS. 4045.
Heparana Schiff. 1547.
Hepariella Stt. 2385.
Hepatariana HS. 2101.
Hepatariella Z. 3247.
Hepaticana Tr. 2099.
Hepaticella Rag. 488 (Hypochal.).
Hepaticella Hb. 3319 (Anchinia).
Heptialia Kenn. 1911 bis add.
Heracleana Wd. 3280.
Heracleella HS. 3280.

zum Theil II

349

- Heraclella* Hb. 3207.
Heracliana De Geer 3280.
Heraciella Dup. 3206.
 Tr. 3207.
Herbana Gn. 1922 b.
Herbichi Now. 2632.
Herbosana Barr. 2306.
Herbosella HS. 3428.
Herculeana Kenn. 1950 bis add.
Hercyniae Hein. 87.
Hercyniana Tr. 1941.
Hercyniana Froel. 2111.
Heringi Ld. 3397 (Borkhausen.).
 Rbl. 4004 (Elachista).
Heringi Richardson 4534.
Heringiellus HS. 122.
Hermannella F. 2896.
Hermannia Wlsghm. 3873.
Hermineana Dup. 1573.
Herminia Tutt 4499.
Herminia Hering 3552.
Heroldella Tr. 2369.
Herrickiana Hein. 2237 a et add.
Herrickiella HS. 4036.
Herricki Frey 3958.
Hesperiulus Hmps. 1096.
Hesperideria Hb. 2444.
Hesperiella Stgr. 4167.
Hessleriellus Rössl. 3005.
Heterodactylus Vill. 1321.
Heterogenalis Brem. 1038.
Hexadactyla L. 1437.
Hexadactyla Hb. 1438.
Heydeni Z. 3303.
Heydeniana HS. 1770.
Heydeniana Hein. 1771 (Conchyl.).
 HS. 1892 (Olethr.).
Heydeniella F. 3604.
Heydenii Z. 1422 (Agdistis).
Heydenii Z. 4196 (Lithocollet.).
Heydenreichiella HS. 3111 b.
Hibernana Stgr. 1956.
Hibernella Stgr. 3469.
Hieracii Z. 1816.
Hieracii Greening 1321.
Hierochunticus Z. 18.
Hieroglyphella Rag. 408.
Hieronella Z. 3681.
Hilaralis Chr. 1179.
Hilarana HS. 1712.
Hilarata Zett. 4129.
Hilaripennella Tr. 4040.
Himimphofenella HS. 3206.
Hippocastanella Dup. 4238.
Hippomathri Nick. 3255.
Hippomenella Rag. 168.
Hippophaeana Heyden 1453.
Hippophaëlla Schrk. 2545.
Hircuella Tngstr. 4468.
Hirsutella Const. 2780.
Hirticurvis Peyer. 2352.
Hirtipalpis Z. 3309.
Hispanella Stgr. 625.
Hispanicella HS. 773 (Myelois).
 Möschl. 3821 (Coleoph.).
Hispaniella HS. 625.
Hispida Chr. 1445.
Histrionana Froel. 1523.
Histrionana Rtz. 1524.
Histrionella Hb. 2604.
Hodgkinsoni Sst. 4353 (Neptic.).
Hodgkinsonii Gregson 1405 (Stenoptilia).
Hodinsalis Wlk. 1131.
Hoffmanniana Teich. 1922 a.
Hofmanni Sst. 3284.
Hofmanniella Schleich 4077.
Hofmannseggi Hb. 1569.
Hofmannseggi Möschl. 1323.
Hohenwartiana Gn. 2085.
Hohenwartiana (S. V.) Tr. 2086.
Holdenella Sst. 3933.
Holmiana L. 1479.

- Holopyrrhella* Rag. 511.
Holosericatis Hb. 1105.
Holosericella HS. 2558 (Gelech.).
Holosericella F. R. 608 (Salebr.).
Homaloma Stgr. 4735.
Homochroella Ersch. 3213.
Honestalis Tr. 883.
Honorana HS. 2244 a.
Honorella Hb. 3111.
Hornigi Stgr. 2812.
Hornigiana Ld. 2091.
Hornigii Ld. 324 (Spermat.).
 Z. 3513 (Scythris).
Horridana Hb. 1538.
Horridella Tr. 2478.
Hortella F. 4110.
Horticola Tngstr. 2448.
Horticolella Rössl. 2646.
Horticolla Peyer. 2708.
Hortuella Wd. 2539 (Gelechia).
Hortuellus Hb. 111 (Crambus).
Hortuellus Dup. 111a.
Hortulata Snell. 943.
Hostilis Stph. 662 (Nephopt.).
Hostilis Hein. 622 (Salebr.).
Hübnerella Don. 2506 (Chelar.).
Hübnerella HS. 4340; 4342 (Nepitula).
Hübneri Wallgr. 1438 (Orneod.).
 Hw. 2698 (Gelech. [Lita]).
Hübneri Z. 1424 (Agdistis).
Hübneriana Z. 2073.
Hufnageli Z. 2443.
Huguenini Frey. 2422.
Humeralis Z. 2749.
Humerana Peyer. 1622 e.
Humerella Schiff. 2988 (Sophron.).
Humerella Dup. 3254 (Depress.).
Humidana HS. 1674.
Humidula Ld. 1187.
Humiliella HS. 4266 (Elachista).
Humiliella HS. 3966 (Elachista).
Humiilis Z. 3966.
Humillimella Stgr. 3473.
Hungariae Stgr. 2556.
Hungaricana HS. 1994.
Hungaricellum Z. 4528.
Hyalimis Hb. 942.
Hyalinella Stgr. 4535.
Hybridalis Hb. 1039.
Hybridana Hb. 1643 (Anisot.).
Hybridana Dup. 1630 (Cnephias.).
 Wilk. 1644 (Anisot.).
Hybridella Hb. 1669.
Hydryargyrana Ev. 1794 a.
Hydrygyrella Steud. 3427.
Hyemana Hb. 1638.
Hyemella Tr. 1638.
Hyperana Mill. 1500.
Hymenalis Gn. 1116.
Hyoscyamella Sst. 2707.
Hyperborealis Möschl. 1173.
Hypericana Hb. 2022.
Hypericella Tr. 3229.
 Hb. 3230.
Hypomarathri Hein. 3255.
Hyrcanella Rag. 534.
Hyrciniana Wilk. 2111.
Hystricella Möschl. 3312.

Jaceana HS. 2084.
Jacquiniana Hw. 2285.
Jaculana Snell. 1715.
Janthinana Dup. 2224.
Janthinella Hb. 587 (Selagia).
 Dup. 642 (Salebr.).
Jaspidana Chr. 2057.
Jaxartella Ersch. 153.
Ibericalis Rag. 1121.
Ibieanca HS. 2088.
Ibipennella Z. 3796.
Itipennella Sst. 3797.

Imperodactyla Tr. 1388.
Icelusalis Wlk. 811.
Ichorella Ld. 212.
Icosiella Rag. 280.
Itella Hb. 3568.
Iterana Froel. 1585 b.
Iterella Rag. 645 b (Salebr.).
Itericana Hw. 1608.
Iterinella Mn. 3385.
Iterodactyla Mn. 1358.
Itipennella Tr. 3568.
Idaeella Hofm. 3656.
Idaei Z. 3569.
Idolias Meyr. 4170.
Idotatana Kenn. 2088 bis add.
Jeorana Kenn. 1548.
Ignavana Chr. 1639.
Ignella Tngstr. 2504.
Ignibasella Rag. 345.
Ignicomella HS. 4559.
Ignobiliella Hein. 2832 (Anacampsis).
 Sst. 4359 (Neptic.).
Ignobiliella HS. 4373.
Ignorantella HS. 2577.
Ignoratana Stgr. 1501.
Jivaarana Hoffm. 1912 a.
Ilicifoliella Z. 4155.
Ilicivora Peyer. 4290.
Iligenna Z. 525.
Ilepidana Hein. 1919 bis add.
Iligerella Hb. 3406.
Ilotana Kenn. 1497 bis add.
Ilotella Z. 552.
Illuminatella Wlsghm. 2430.
Illustrella Hb. 2991.
Ilutalis Gn. 1168.
Ilutana HS. 2189.
Illyriella Z. 710.
Ilmatariella Hoffm. 2595.
Imbecillana Hein. 1685 bis add.
Imbutella Chr. 3183.
Imella Hb. 4529.
Imitatella Rag. 688 (Brepchia).
 HS. 4273 (Bucell.).
Imitatix Z. 3336 (Oecophor.).
Imitatix HS. 3117 (Pleurota).
Imitella Rag. 299.
Immaculana Wachtl. 1524 a.
Immaculata Wck. 4748 a (Adela).
Immaculata Fuchs 3446 (Scyth.).
Immaculatella Rag. 761 (Myelois).
 Rbl. 4575 (Tinea).
Immaculatella Dgl. 2821 (Xystophora).
Immaturellus Chr. 135.
Immolatella Z. 4031.
Immundana F. 2132 (Epiblem.).
Immundana Ev. 1993 (Stegan.).
Immundella Rag. 461 (Enzoph.).
 Z. 4287 (Trifurcula).
Impar Stgr. 1640.
Imparella Lah. 961 b.
Imparella Wek. 963 (Scoparia).
Imparellus F. 3007 (Megacraspi.).
Imperfectana Ld. 1590 et add.
Imperfectoria Rag. 442 (Euzoph.).
 Stgr. 4771 (Micropt.).
Imperialella Rag. 654 (Nephopt.).
 Mn. 4076 (Gracilar.).
Imperialatella Sst. 4077.
Imperialis (Stgr.) Rbl. 4728.
Imperitella Stgr. 2516.
Implicalis Gn. 1014.
Implicitana Wck. 1771 (Conchylis).
 Chr. 2191 (Graph.).
Impròvisella Stgr. 4424.
Impura Stgr. 2392.
Impurana Mn. 1725.
Impurella Dup. 718 (Pterothr.).

- Impurella* Tr. 3231 (Depress.).
Inaequalis Hein. 4355.
Inauratella Tngstr. 2410 a (Argyresthia).
Inauratella Peyer. 4701.
 Dup. 4710 (Nemot.).
Incana Z. 2046.
Incanella Tngstr. 3804 (Coleophora).
 HS. 3959 (Elachista).
Incanella Ev. 454 (Euzophera).
Incarnaria Hw. 2010.
Incarnata Stgr. 206.
Incarnatalis Z. 847.
Incarnatana Hb. 2063 (Notoc.).
Incarnatana Dup. 1871 (Olethr.).
Incarnatella Rag. 200 (Anerast.).
 „ Steud. 2450 (Plutellula).
 Z. 3210 (Depressaria).
Incensella Stgr. 745.
Incerta Chr. 4492 (Röslerst.).
 Mill. 4503 (Penestogl.).
Incortalis Dup. 949.
 Z. 951.
Incertana Tr. 1624.
Incertella HS. 2927 (Rhinosia).
Incertella Frey 3950 (Elachista).
Incertellus HS. 94 (Crambus).
Incertellus Hein. 96.
Incinerana Const. 2050.
Incisalis Tr. 2314.
Incisana HS. 2224.
Inclusella Ld. 3497.
Incoloralis Gn. 1197.
Incolorella Const. 3346.
Incommoda Kenn. 1759bis add.
Incompta Z. 780.
Incomptella Lah. 2270 a.
Incomptella HS. 2550.
Inconditana Kenn. 1492 bis add.
Incongruella Stt. 3540.
Inconspicuella Stt. 4446 (Solenobia).
Inconspicuella Wood 4756 (Eriocrania).
Inconstans HS. 4052.
 Stt. 4056.
Incrédibilis Stgr. 692.
Incretana Ld. 1699.
Incurvata HS. 2310.
Indecorana Zett. 1440 b.
Indentella Rag. 793.
Indica Saunders 997.
Indignana Chr. 1561.
Indignella Stgr. 2517.
Indistinctella (B.-Haas) Rbl. 2559 a.
Individiosana Kenn. 2088 quat.
 add.
Inductella Stgr. 259.
Indusiana Z. 1959.
Ineptana Kenn. 1765 bis add. (Conchylis).
 „ Kenn. 1902 bis add. (Olethreutes).
Inertella Z. 3539.
Infans Stgr. 4254.
Infantana Kenn. 1787.
Infantella Ersch. 4711.
Infantella HS. 3631.
Infanta Rag. 642.
Infernalis HS. 2581.
Infernella HS. 2581.
Infessana Wlsglm. 2068ter add.
Infestella Rbl. 2588.
Infibulatella Hofm. 3761.
Infidalis Mn. 1126.
Infidana Hb. 2074.
Infimella HS. 4556.
Infirmalis Stgr. 1030.
Infirmana Kenn. 2030 ter. add. (Semasia).
Infirmana Ld. 1935 (Olethreut.).
- Inflamatella* Rag. 345 a (Heterographis).
 Chr. 2499 (Metzneria).
Inflatæ Stt. 3850.
Infulalis Ld. 876.
Infumatalis Ersch. 905.
Infumatella Rag. 284.
Infumella Rag. 202.
Infuscata Stgr. 2438 a (Eidoph.).
 Frey 3957 (Elachista).
Infuscata Stgr. 77 (Myelois).
Infuscatana Kenn. 2100 bis add.
Infuscatella Ioan. 4607 (Tinea).
Infuscata HS. 716 (Pterothr.).
Ingens Chr. 1423.
Ingentana Chr. 1508.
Inglorialis Hmps. 1082.
Ingloriella Hein. 2693.
Ingrata Butl. 860.
Ingratalis Gn. 953.
Ingratana Hodgk. 1910.
Ingratella Z. 953.
Ingratella Knaggs 954.
Ingnatana Kenn. 2093 bis add.
Inimica Butl. 804 bis add.
Iniquellus Wck. 3411.
Injunctella Chr. 752.
Innocens Snell. 1391.
Inopella Z. 2879.
Inopella Stt. 2880.
Inopiana Hw. 1839.
Inopinata Kenn. 1547bis add.
Inornata Stgr. 171.
Inornatana HS. 2274.
Inornatella Dgl. 2914.
Inquiline Ersch. 3435.
Inquinatalis Z. 1158.
Inquinatana Hb. 2212.
Inquinatana Dup. 2204.
Inquinatella Rag. 235 (Homoeos.).
 Chr. 4061 (Gracil.).
 Z. 4594 (Tinea).
Inquinatella Hb. 55 (Crambus).
Inquinatella Schiff. 42 (Cramb.).
Inquinatellus Z. 40.
 Stph. 53 (Cramb.).
Inscriptella Chr. 2734.
Insecurella Stt. 3410.
Insignata HS. 1455 b.
Insignatana Stgr. 1804 a.
Insignella Mn. 657.
Insignipennella Stt. 2385.
Insignis Chr. 4677.
Insignitella Z. 4124.
Insolata HS. 1608a (Cnephias).
Insolata Luc. 1573 (Tortrix).
Insolatella HS. 3318.
Insuperatella Nick. 4089.
Inspersa Stgr. 3014.
Inspersella Hb. 3525.
Instabilella Mn. 2458 (Cerost.).
 Dgl. 2647 (Gelech.).
 [Lita].
Instabilella Hein. 2648.
Institalis Hb. 1137.
Institalis Stph. 1170.
Instratana Kenn. 2213 bis add.
Instratella Rbl. 4644 a.
Insuadella Rag. 501 a.
Insulana Gn. 2238.
Insularis Woll. 3630 (Asynch.).
 Rbl. 4644 (Dysmas.).
Insularis Stgr. 2668 (Gelech.).
 [Lita].
Insulella Wlsglm. 2441 (Eidoph.).
 „ Hein. 2668 (Gelech. [Lita]).
 „ Stgr. 3526 (Seythris).
Intaminatella Stt. 2787.
Integrella Stgr. 414.
Interalbicella HS. 2600.
Interfusella Rag. 266 bis add.
Interjunatalis Gn. 902.
Intermedia Stgr. 3326 b.
- Intermedialis* Dup. 1241 a.
Intermedia HS. 1585a (Tortr.).
 „ Kenn. 2045ter add. (Semasia).
Intermediella Stt. 3337 (Oecoph.).
 „ Hein. 4667 (Incurvar.).
Intermediella Stt. 3306 (Depress.).
Internistana Clem. 1868.
Internana Gn. 2193.
Internella Z. 2875.
Interpunctalis Hb. 1058.
Interpunctella Hb. 253.
Interruptalis Pryer 913 bis add.
Interruptana HS. 2204.
 „ Wilk. 2213.
Interruptella Rag. 574 (Anorist.).
 „ Hb. 2587 (Gelech.).
 „ Zett. 4087 (Ormix).
Interruptella Sph. 2586 (Gelech.).
Interscindana Möschl. 2186.
Interstratella Chr. 2889.
Intervacatalis Chr. 929.
Intestinella Mn. 2487.
Intimella Z. 4397.
Intimella HS. 4395.
Intricata EV. 1268.
Intricatella Rag. 615.
Inulae Z. 1393 (Pterophorus).
 „ Hein.-Wck. 3830 (Coleoph.).
Inulana Const. 1790.
Inulella Hb. 2510 (Bryotrophia).
 „ Curt. 2880 (Ptocheusana).
Inunbratana Chr. 1579.
Inunctella Z. 3071.
Inundana Schiff. 1859.
Inustalis Rag. 1118.
Inustella Rag. 241 (Homoeos.).
 HS. 2630 (Gelech. [Lita]).
Invisella Const. 2938.
Joannisella Rag. 3000.
Joannisiana Rag. 1487.
Jolinatis Ld. 987 bis add.
Jordana Hmps. 812.
Jordanis Rag. 12.
Jourdehinelilla Rag. 3381.
Joviella Const. 4159.
Iranella Rag. 292.
Irradiella Scott. 4122 a.
Irriguana HS. 1905 a.
Irrorana Hb. 1458 e.
Irrorana Stgr. 1458 b.
Irrorata Stgr. 3178.
Irroratella Rag. 260 (Ephest.).
 Stgr. 3365 (Borkh.).
Irroratella Chr. 4714 (Adeia).
Irrorella Woll. 4601 (Tinea).
Irrorellus Hb. 2358 (Yponom.).
Isabella Z. 2909.
Isabellina Costa 3600.
Isabellina Klem. 3243.
Isatidalis Dup. 1303.
Ischnodactyla Tr. 1370.
Insertana F. 1978.
Isidis Z. 648.
Islandica Stgr. 1407.
Isobasella Stgr. 4781.
Isochroa Meyr. 1953.
Isodactyla Z. 1331.
Isodactyla Degraaf 1336 a.
Issicella Stgr. 3094.
Issykkulensis Sanber 1247.
Isthmicalis Ld. 898.
Istrella Mn. 2614.
Istrianellus HS. 4697.
Itallellus Costa 109 a.
Italogallilicea Mill. 420.
Itysalis Wilk. 1173.
Jucundana Dup. 1716.
Jucundella Mn. 412 (Pimpel.).
Jucundellus HS. 36 (Cramb.).
Judechiella Rtz. 2467.
Jugicola Hein.-Wck. 4275.
Juglandella Mn. 4057.

zum Theil II

351

- Jugurthella (Gn.) Luc. 3279.
Juliana Curt. 2237.
Julieniella Frey 3987.
Juncicolella Stt. 3631.
Junctalis Warr. 1033 bis add.
Junctana HS. 2056.
Junctella Dgl. 2711.
Junctella HS. 2699.
Junctistrigana Wlsghm. 2014 bis add.
Junctivitella Chr. 2993.
Jungiana Dup. 2204.
 „ Froel. 2214.
 „ Z. 2215.
Juniperana Mill. 2185.
Juniperellus L. 2957.
Junoniella Z. 4158.
Jurassicella Frey 3581.
- Kacheticalis* Chr. 849.
Kadeniella HS. 3120.
Kaekertiniana L. 3181.
Kalischella Stgr. 657 a.
Kaltenbachii Wood 4759.
Kerfersteiniella Z. 2939.
Kentealis Stgr. 1251 c.
Kenteana Stgr. 2026.
Kenteella Stgr. 4636.
Kenteriella Rag. 582.
Khorgosalis Rag. 823.
Kiesenwetteri Hennacker 2568.
Killiari Frey. 2751.
Kilmunella Stt. 3941.
Kilmunella Nolck. 3940.
Kindermannia Z. 31 (Crambus).
 „ HS. 3332 (Alabonia).
Kindermannia Tr. 1753.
Kindermanniella HS. 3505.
Kiningerella HS. 2717.
Kinkerella Snell. 2903.
Kleemannella Z. 4190.
Klemannella F. 4190.
Klugiana Frr. 2014.
Knaggsiella Stt. 2699.
Knevi Now. 2917 a.
Knochella F. 3492.
Knochella Tr. 3493.
Knochella HS. 3492.
Kobelti Salmüller 93.
Kochiana HS. 2107.
Kochiella HS. pag. 161 not.
Koernerella Z. 4673.
Kokeilana Frr. 2231 a.
Kollarana Hb. 2177.
Kollarella Costa 2929.
Kollaris Stt. 1312.
Kollariana HS. 2093.
Kollarilla Z. 4079.
Komaroffi Rag. 617.
Korgosella Rag. 473.
Krausiana Stndf. 2183.
Kreithneriana Hornig 1948.
Kroesmanni Stt. 4540.
Kroesmanniana Hein. 1980.
Kroesmanniella HS. 2698.
Kroneella Fuchs 3637.
Krupperella Stgr. 3338.
Kuehniella Z. 254.
Kuhlweiniana F. 1746.
Kukunorensis Sauber 1244 (Pyrausta).
 „ Sauber 1306 (Noctuel.).
 „ Sauber 4719 (Adela).
Kuldgensis Rag. 798.
Kyffhusana Petry 3887.
- Labiocella* Tr. 3125.
Labradorella Clem. 4672.
Labradorica Möschl. 2772.
Labradoriella Clem. 2618.
Labradoriensis Chr. 102.
Laburnella Stt. 4229.
Labutonialis Ld. 1182.
Labyrinthicae Chr. 2041.
Lacerettella Z. 2697.
Lacerettella Z. 4071.
Lacordairana Dup. 1463.
Lactana F. 2280.
Lacteana Tr. 2081.
Lacteella Schiff. 3051 (Endros.).
 „ Stph. 3579 (Mompha).
Lacteostella Rag. 351.
Lactiferalis Wlk. 981 bis add.
Lacunaeocella Dup. 3845.
Lacunana Dup. 1922 et add.
Lacunicolella Z. 3845.
Laeta Stgr. 4458.
Laetalis Hmps. 1070 (Diasem.).
Laetilia Gn. 973 (Scoparia).
Laetana F. 2280 (Ancylis).
Laetana Stgr. 1970 (Steganopt.).
Laetella Z. 973 (Scoparia).
Laetella HS. 3191 (Depressaria).
Laetidactylus Brd. 1314 a.
Laetifica (Stgr.) Rag. 663 a.
Laetus Z. 1314 a.
Laevigatana Schiff. 1514.
Laevigatella HS. 2434.
Laevigatellus Ld. 67 (Cramb.).
 „ HS. 4518 (Rhodobat.).
Lafauryana Rag. 1516.
Lafauryella Rag. 379 (Heterogr.).
Lafauryella Const. 564 (Epischn.).
Lagopellus HS. 3009.
Lamana Z. 2020.
Lambdella Don. 3391.
Lambessa (Stgr.) Rbl. 4642.
Lambessana Baker 1656.
Laminella HS. 3477.
Lamprostoma Z. 2848.
Lampyrella Const. 3442.
Lancealini Schiff. 939.
Lanceolana Hb. 2017 (Bactra).
Lanceolano Wld. 2171a (Graphol.).
Lanceolella Hb. 188 (Schoenob.).
Lanceolellus Z. 3005 (Megacrasp.).
Lancerotella Rbl. 164.
Langeana Klchbg. 1809.
Langiella Hb. 3594.
Languentana Schr. 1990 a.
Languidalis Ev. 1142.
Languidana Mn. 1761.
Languidella Z. 70.
Lantanella Schr. 4157.
Lantoscanus Mill. 1314.
Lantosquella Mill. 3786.
Lapella Hb. 4596.
Lapicidella Z. 4435.
Lapideana HS. 1891.
Lapidella Goeze 4435.
Lapidicella Gn. 4435.
Lappella L. 2491 (Metzneria).
Lappella Hw. 4596 (Tinea).
Laponana Tugstr. 1499.
Laponana Wck. 4391.
Laqueatella Z. 4717 a.
Lardatella Ld. 4524.
Largella Ld. 3078.
Laricella Hb. 3633.
Lariciana Hein. 2255 a.
Larinella Rtz. 3633.
Laripegnella Zett. 3904.
Lasciviana Chr. 1967 et add.
Laserpitilla Pfaffenzeller 3544.
Laserpitii Nick. 3266 a.
Laspereylla Hb. 3572.
Laspereysiella HS. 3572.
Lassella Stgr. 3846.
Lastrella Chrét. 4022.
- Lata* Stgr. 158.
Latella HS. 2510.
Laterella Schiff. 3207.
Laterella Ev. 525.
Lathomiana Hb. 1799.
Lathoniellus Zk. 120.
Lathyra Froel. 2182.
 „ HS. 2207.
 „ Hb. 2213 (Graphol.).
Lathyri Stt. 2856.
Lathyrioliella Stt. 4232.
Laticinctella Wlk. 646 (Triaenoneura).
Laticinctella Wd. 2776 (Tachypt.).
Laticostella Mn. 3735.
Latidactyla Hb. 185.
Latifasciana Hw. 1965 (Exart.).
Latifasciana Hw. 1469 (Accalla).
Latifasciella HS. 4340.
Latifoliella Mill. 4072.
Latiornata HS. 2031 (Semasia).
 „ Stt. 1520 (Cacocacia).
Latiorella Mn. 4504.
Latipennella HS. 3937.
Latipennis Möschl. 1933 (Acentr.).
Latiatrius Warr. 1195 (Pyraust.).
Latiatus Hw. 74.
Latiuscula Hein. 2794.
Latiusculella Stt. 3072 (Hypat.).
 „ Stt. 4600 (Timea).
Lativitella Sorh. 4130.
Latiolliella Mill. 3373.
Latreillella Curt. 3616a (Pancal.).
Latreillellus F. 4693 (Nemot.).
Lativitella Ersch. 3710.
Laureolella HS. 3320.
Laurocistella Chrét. 2770.
Lautella Z. 4122.
Lavalis HS. 1043.
Lavandulae Mn. 3354.
Lavaterana Mill. 1968.
Lavaterella Mill. 4250.
Laverella Wlsghm. 3058.
Laviceana Dup. 1576.
Lecheana L. 1533.
Ledereri Rag. 526 (Megasisia).
 „ Stgr. 1264 (Pyrausta).
 „ HS. 2348 (Distagmos).
 „ Z. 3225 (Depressaria).
Ledereriella Z. 3562 (Batracendra).
Ledereriella HS. 304 (Ancylosis).
Ledi Stt. 3668 (Coleophora).
 „ Wck. 4218 (Lyonetia).
Ledi Stt. 3667 (Coleophora).
Lediana L. 1880 (Olethreutes).
Lediana Hb. 1833 (Phtheochr.).
 „ Hw. 2224 (Graphol.).
Lediella Schleich 4332.
Lefebriana Dup. 1441.
Lefebriana Dup. 4421 (Talaepor.).
 „ Dup. 4484 (Acrolep.).
Legatella Hb. 755 (Rhodoph.).
Legatella Stph. 709 (Phycita).
Leguminana Z. 2213.
Lemnella Schiff. 922.
Lemmata L. 922.
Lemniscatana Kenn. 1871 quat.
 „ add.
Lemniscella Z. 2976.
Lemnellus Z. 4705.
Lennigiella Fuchs 3192 a.
Lentiginosana Kenn. 1812 bis add.
Lentiginosella Z. 2583.
Leonalis Obth. 852.
Leonuri Stange 1320.
Leopoldella Costa 4616.
Lepidalis HS. 1286.
Lepidona HS. 1553.
Lepidella Rag. 619 (Salebria).
 „ Chr. 3190 (Depress.).
Lepidella Z. 2887 (Stenolechia).

Index der Arten etc.

- Lepidulana* Snell. 2198.
Leplastriana Curt. 2196.
Leprosana Froel. 1446 a.
Lerinensis Mill. 1422.
Lerneana Tr. 2037.
Lenacrinella Z. 758 (Glyptot.).
Lenacrinella HS. 672 (Nephopt.).
Leucalimna Hmps. 1044.
Leucanthane Const. 1775.
Leucanthemella Const. 4262.
Leucapennella Hb. 3708 (Coleop.).
Leucapennella Stph. 4085 (Corisc.).
Leucatella Cl. 2873.
Leucocephala Stgr. 334 (Heter.).
 , Snell. 3271 (Depress.).
Leucocerella Sc. 4747.
Leucocrella HS. 590.
Leucochryrella Mill. 3399.
Leucostella Rag. 480.
Leucodactyla Hb. 1365.
Leucogaster Mn. 3443.
Leucogramma Hofm. 2176.
Leucogramma HS. 3889.
Leucographalis Hmps. 881.
Leucographa Z. 4152.
Leucoloma HS. 565.
Leucomelanella Z. 2726.
Leucomela Quens. 2618.
Leucomixtella Rag. 567.
Leuconotella Snell. 2470.
Leucopalpella HS. 2837.
Leucopalealis Hmps. 1178.
Leucophaea Z. 2453 a.
Leucophaealis Hb. 1156.
Leucophaleratana Pack. 2268.
Leuwenhoeckella L. 3616.
Libanotidella Schläg. 3266.
Libertinella Z. 2893.
Libidinosa Stgr. 2548.
Libycella Rag. 3152.
Licarsialis Wlk. 1040.
Lichenalis Hmps. 1013.
Lichenella Z. 4442.
Lichenella Dup. 4438.
Lienigialis Z. 838.
Lienigiana Hein. 1879.
 , Z. 1880 (Olethreutes).
Lienigianus Z. 1889 (Pteroph.).
Lienigia Z. 3550 (Cosmopt.).
Lienigielus Z. 103 (Crambus).
Lignaea Snell. 2034.
Lignea Wlsgm. 3062.
Lignella Hb. 495.
Lignella Hb. 501.
 , EV. 507.
Ligulana Stgr. 2292.
Ligulella Z. 2841.
Liguriella Mill. 4595.
Liguistrella Rössl. 4345.
Limbatis Gn. 1033 (Evergestis).
 , Hb. 1043 (Phlyctaen.).
 , (S.V.) Tr. 1073 (Mecyna).
Limbata L. 1033.
Limbella Z. 208.
Limbipunctella Stgr. 2975.
Limbopunctula HS. 1223.
Limatalis Chr. 1258.
Limoniana Mill. 1954.
Limoniella Stt. 3916.
Limosella Z. 4060 (Gracilar.).
Limosellus Schl. 2953 (Ypsol.).
Limospennella Dup. 3641.
Linearifella Z. 3833.
Lineata Wlsgm. 1634.
Lineatella Rag. 319 (Hedem.).
 , Z. 2940 (Paltodora).
 , Z. 2999 (Anarsia).
 , Tngstr. 3828 (Coleoph.).
Linneella Z. 3595.
Linneana Hb. 2323.
Linneella Cl. 3595 (Chrysoc.).
Linneella Hb. 2323 (Glyptot.).
 , F. R. 3596 (Chrysoc.).
Lineola Curt. 971.
Lineotalis Gn. 971.
Lineolea Hw. 3892.
Lineolella Z. 2912.
Linognyridella Fuchs 3829.
Lipsiana Schiff. 1461.
Liratana Chr. 1517.
Literalis Tr. 1068.
Literana L. 1458.
Literana Hein. 1068.
Literella Hw. 2420 a.
Lithargyra HS. 1476.
Lithargyrella HS. 3625 (Helioz.).
Lithargyrellus Tr. 60.
 , Stph. 68a (Cramb.).
Lithargyrinella Z. 3646.
Lithodactylus Tr. 1383.
Lithosiana Kenn. 1488.
Lithospermella Hb. 3142.
Lithoxylana Dup. 2005.
Lithoxylodactylus Dup. 1383.
Litigiosella Mill. 2495.
Littoralis Hb. 1068.
Litterata Sc. 1068.
Litterella Rag. 597.
Littoralis (Curt.) Westw. 1956.
Litorana Const. 1966 a.
Littorella Dgl. 2877.
Liturella Hb. 3229.
Liturella (S. V.) Tr. 3181.
Liturosella Ersch. 317.
Ljungiana Thnbg. 1905 b.
Lividella Rag. 358.
Livoniana Sodof. 1495.
Livonica Z. 965 b.
Livoniella Teich. 2716 a.
Livorella Ersch. 591.
Lixella Z. 3685.
Lixiviella Ersch. 524.
Lobarzewskia Now. 2232.
Lobella Schiff. 3314.
Locuspelta Hb. 1795.
Locrispelta F. R. 3598.
Loderana Tr. 2207.
Loeftingiana L. 1571.
Loewiana Z. 1608.
Loewii Z. 1405.
Loganella Stt. 4090.
Logiana Schiff. 1452.
Logiana Hb. 1452 a.
Lombardica Hering 4534.
Longoptera Stgr. 3018.
Longalis Hw. 939.
Longana Hw. 1608.
Longipartita Brd. 1446 l.
Longiciliatella Rbl. 4215.
Longicornella Const. 3913.
Longicornis Curt. 2604.
Longicostella Stt. 3730.
Longipalpana Snel. 1467.
Longipalpella Teich. 2571.
Longipedalis Curt. 931.
Longipennis Frey 3943 (Elach.).
 , Ersch. 4634 (Deuterot.).
Longobardella Rag. 491.
Lonicerarum Frey 4307.
Lophotalis Hmps. 803.
Lorana Fuchs 1720 a.
Loranus Fuchs 1321 b.
Loricatella Tr. 2320.
Loriculana (Gn.) Luc. 1739.
Loriolella Frey 4064.
Lorquinialis Gn. 901 a (Cleob.).
Lorquinialis Gn. 931 (Stenia).
Lorquiniana Dup. 1481.
Lotella Hb. 199 (Anerastia).
 , Stt. 4235 (Cemiostoma).
Lotellus Const. 2970.
Louisella Sircm 4399.
Loxiana HS. 2247.
Loxiella Rag. 795.
Loxogramma Stgr. 395.
Lubricana Mn. 1478.
Lucana Gn. 1925.
Lucasella Dup. 2334.
Lucella F. 2472 (Cerostoma).
Lucellus HS. 110 (Crambus).
Lucentana Kenn. 1705.
Lucentella Peyer. 2821.
Lucida Warr. 342.
Lucidalis Ev. 842 (Pyralis).
 , Tr. 844 (Stemmat.).
 , Dup. 847.
 , Hb. 848 (Herculia).
Lucidana Tr. 1466.
Lucidicella Stph. 2814.
Lucivagana Z. 1925.
Luciferella HS. 2618 (Gelechia).
Luciferellus Hb. 90 (Cramb.).
Lucifera Hb. 2617.
Luctualis Hb. 1192.
Luctuella Hb. 2620 (Gelechia).
Luctuella Dup. 2618 (Gelechia).
 , Wd. 2761 (Gel. [Teleia]).
Luctuella HS. 90 (Crambus).
Luctuosalis Gn. 991 et add.
Luctuosana Dup. 2144 (Epib.).
Luctuosana HS. 2065 (Nofocel.).
Luctuosa HS. 3146 b (Pseacad.).
 , Dup. 3374 (Borkh.).
Luculella Hb. 2761.
Luculentella Rag. 447.
Luedersi Sauber 1109.
Luedersiana Sorh. 2236.
Luella Ld. 3128.
Lugdinana Gn. 1950.
Lugdinella Mill. 794 (Cryptobl.).
Lugdunella Mill. 144 (Platytes).
Lugdunensis Frey 4007.
Lugduniella Stt. 3782.
Lugen Stgr. 754 a.
Lugubralis Ld. 1005 (Orenaia).
 , Leech 1160 bis add.
 , (Pionea).
Lugubrana Tr. 2066.
Lugubrella F. 2617 (Gelechia).
Lugubrella Dup. 3314 (Enicost.).
Lugubrina Esp. 1105.
Lugubris Stgr. 3164 (Pseacad.).
 , Hb. 4505 et add. (Mela-
 sina).
Lugubris var. Mill. 4505 a add.
Lugubresella Brd. 4505.
Lunaedactylus Hw. 1378.
Lunana Thnbg. 1484.
Lunaris Hw. 3390.
Lunatella Zett. 2617.
Lundama F. 2264.
Lunulana Hb. 2214.
Lunulana Costa 453.
Lupulina Hein. 1218.
Lupulinialis Gn. 1218.
Luridobatana HS. 1608 a.
Luridialis F. R. 901.
Luridana Gregson 1681 (Con-
 chylis).
 , Wlk. 2316 (Simaeth.).
Luridella Hein. 716.
 , Z. 718.
Luridella Chr. 3328 (Lecithoc.).
 , Z. 4507 (Hapsifera).
Luridella Teich. 2686.
Luridicella HS. 3361.
Lusana HS. 1592.
Luscana F. 2255.
Lusciniaeppenella Z. 3648; 3661.
Lustratella HS. 4237.
Lustrella Snell. 4265.
Lutarea Hw. 2372.
Lutarella Hb. 2466 (Cerostoma).
 , Stph. 3340 (Borkh.).
Lutatella HS. 2910.
Lutatella Stgr. 3728.
Lutealis Hb. 1170 (Pionea).
 , Dup. 1205 a (Pyraust.).

- Luteella Hein. 2790 (Xystoph.).
 „ Hein. 3343 (Borkh.).
 „ Stt. 4364 (Nepticula).
Luteella Dup. 2929 (Enteles).
Luteellus Schiff. 65 (Crambus).
 „ Motsch. 160 (Chilo).
Luteiciliella Tngstr. 4240.
Luteicornella HS. 3326.
Lutellus Stph. 42 (Crambus).
Luteocinerea Snell. 1411.
Luteola Lah. 517.
Luteolana Hb. 1505 (Oenopht.).
 „ Stph. 1732 (Conchyl.).
Lutéolella Stgr. 3907.
Luteopictana Kenn. 1729 bis add.
Lutescens HS. 1403 (Stenoptil.).
 „ Const. 2511 a (Bryotr.).
Luticiliella Ersch. 3368.
Luticomella Z. 2936.
Luticornella Rag. 759 (Myelois).
 „ 3326 (Lecithocera).
Luticostana Chr. 1580.
Lutilabrella Mn. 2589.
Lutipennella Z. 3640.
Lutiplaga Rbl. 1448 c.
Lutisignella Mn. 318.
Lutosa Hw. 2315.
Lutosalis Mn. 1081.
Lutosana Kenn. 1866 bis add. (Olethreutes).
Lutosana Hb. 1608 (Cnephas.).
Lutosella HS. 3232 (Depress.).
 „ Ev. 4628 (Tineola).
Lutulentalis Ld. 1216.
Lutulentana HS. 1752.
Lutulentella Z. 2799.
Luzella Hb. 4655.
Luzella Fr. 4655.
Luzialis Gn. 965 a.
Lyciella Wlsglm. 2694 bis add.
Lydella Ld. 563.
Lyellana Curt. 2266.
Lyellella Westw. 2749.
Lyrana Snell. 2054.
Lythargyrellus Hb. 60.
- Mabilliana* Rag. 1550.
Maccana Tr. 1449.
Macedonielia Rag. 411.
Maceralis Chrét. 828.
Macilentana Kenn. 2237 bis add.
Macra Stgr. 460.
Macrobela Const. 3880.
Macrodontella Rag. 530.
Macropodella Ersch. 4635.
Macrosella (Stgr.) Rbl. 3095.
Mactana Rbl. 1544.
Maculalis Zett. 105.
Maculana Stph. 2123.
Maculata Stgr. 2767 (Gelech. {Teleia}).
Maculata Stgr. 668 (Nephopt.).
Maculatella Hb. 2623.
Maculatus Const. 1317.
Maculea Hw. 2700.
Maculella Wd. 2700.
Maculifera Stgr. 300.
Maculiferana Kenn. 2133 bis add.
Maculifera Dgl. 2708.
Maculifera Stt. 2709.
Maculipennis Curt. 2447.
Maculipunctana Costa 1447.
Maculivittella Rag. 217.
Maculosa Tngstr. 2393.
Maculosana Hw. 1738.
Maculosella HS. 2774 a (Acomps.).
 „ Chrét. 4014 (Elach.).
Maderaea Woll. 2197.
Maderensis Baker 1152 (Pionea).
Maderensis Stt. 3061 (Blastob.).
Maeniacea Stt. 3909.
Maestana Kenn. 1766.
- Magister* Wlsglm. 1743 bis add.
Magna Z. 4686 a.
Magnana Hb. 1607.
Magnatella Ersch. 2321.
Magnesiella Rag. 215.
Magnetella Stgr. 2622.
Magnifica Stt. 4068.
Magnificalis Chr. 1095.
Magnificana HS. 1536.
Magnificella Tngstr. 3927 (Elach.).
Magnicella Z. 3920 (Stephens.).
Mahalebella Mühlig. 4141 (Lithocoll.).
Mahalebellus Gn. 2364 (Yponom.).
Majorella Hein. 2332 (Glyphypt.).
Majorella Schiss. 3328 (Harppella).
Malacella Stgr. 409 (Pempelia).
Malacella Dup. 130 (Crambus).
Malacodactyla Z. 1366.
Malella Stt. 4378.
Malinellus Z. 2363.
Malitiosana Kenn. 2054 bis add.
Malivorana Rag. 1464.
Malvella Hb. 2593.
Mancipiana Mn. 2077.
Mancuniella Hodgk. 4555.
Mandarina Wlsglm. 2264 bis add.
Mandschurica Chr. 952 (Scopar.).
 „ Chr. 4053 (Gracilar.).
Mandschuricus Chr. 134.
Mangalis Ersch. 1031.
Manicata Stgr. 1424.
Manifestalis Gn. 958.
Manifestana Kenn. 1720 bis add.
Manifestella HS. 958.
Maniholita Gn. 840.
Manniana F. 1681.
Manniella Stgr. 2465 (Cerost.).
Manniella HS. 4138 (Lithocoll.).
Mannii Z. 1418 (Stephonia).
 „ Ld. 3396 (Borkhausenia).
 „ Z. 4138 (Lithocoll.).
 „ Z. 4438 (Solenobia).
Mansuetella Z. 4763.
Manualis Hb. 1238.
Maracandella Rag. 556.
Maracandica Rbl. 3165.
Marcella Rbl. 3297.
Marceidalis Fuchs 1206 b.
Marcedana Kenn. 1608 bis add.
Marcedina Curt. 4482.
Marcunella (Stgr.) Rbl. 4561.
Mardinalis Stgr. 1294.
Margaritis Schiff. 1025 (Everg.).
 „ Hb. 1607 (Cnephas.).
Margaritana Hb. 1796 (Euxanth.).
Margaritana Hw. 1728 (Conchyl.).
Margaritellus Hb. 79.
Margarotana Dup. 1732 a (Conchylis).
 „ HS. 1853 (Evetria).
Margarotana HS. 1732 c (Conch.).
 „ Hein. 1854 (Evetr.).
Margelana Baker 1108.
Marginalis Schiff. 579.
Marginana Hw. 1877.
Marginatella HS. 3712.
Marginata Schiff. 579 (Catastia).
 „ Hw. 4212 (Tischeria).
Marginella F. 2960 (Nothris).
Marginella Dup. 579 (Catastia).
Marginellus Z. 1328 (Oxyptil.).
Marginepunctella Stph. 4499.
Marginicolella Stt. 4346.
Maria Frey 2609.
Marianella Rag. 512.
Marinella Hodgk. 3654.
Marinella Mill. 702.
Maritima Stt. 4245 (Bucculatr.).
Maritima Tngstr. 240 (Homoeos.).
 „ Humphr. & Westw. 2080
 „ (Epiblema).
Maritimana Gn. 1733.
- Maritimella* (Stt.) Machin 3829.
Marmorana Westw. 1449 (Acalla).
 „ Hb. 1943 (Olethreut.).
Marmorata Alph. 640 (Salebr.).
 „ Frey. 2426 (Argyr.).
Marmoratana Curt. 1732.
Marmorea Hw. 754 (Rhodoph.).
 „ Hw. 2713 (Gelech. [Lit]).
Marmorea HS. 2711.
 „ var. Tutt. 2709.
Marmorosella Woll. 3064 (Blast.).
Marmorosella Wck. 2449 (Plutella).
 „ Rbl. 3060 (Blastob.).
Marmóella Frey 3250.
Marpty Chr. 1362.
Martini Hofm. 3991.
Maschukella Alph. 4762.
Mascarella Hb. 4674.
Massilialis Dup. 873.
Masticella Rag. 542.
Matricellus Tr. 57.
Matronalis Grote 1236.
Matronella Stgr. 3485.
Mattiacea Rössl. 3448.
Matutinellum Z. 2337 a.
Maurana Hb. 1902.
Maurella (S. V.) F. 4495 (Lypusa).
Maurellus Stph. 2451 a (Cerost.).
Mauretanica Baker 3098.
Mauricandella Obth. 2778.
Mauritanica Wlsglm. 1649 (Lozopera).
 „ Baker 4599 (Tinea).
Maxima Höfn. 3937.
Mayrana Hb. 14461.
Mayrella Z. 3680 ; 3681.
Mazzolella Hb. 4739.
Mazzolella Dup. 4733.
Medialis Wlk. 1131.
Medianata Hb. 2222.
 „ var. HS. 2222 a.
Medicaginis HS. 3763.
Mediella Const. 3521 (Scyth.).
Medjella Chrét. 2853 bis add. (Epithectis).
Mediellus Curt. 4520 (Scardia).
Medinalis Gn. 987 bis add.
Medinella Stgr. 3403.
Mediopallidum Wlsglm. 3049 bis add.
Mediostrigata Frey 3899.
Mediterranea Baker 4523.
Mediterranella Mill. 265.
Medullana Stgr. 2071.
Medusatis Mill. 817.
Megadactyla Hb. 1332.
Megerella Stt. 3978.
Melagonella Const. 2840.
Meiajeucalis EV. 1001.
Melaleucana Dup. 2126.
Melaleucella Const. 2609.
Melana Friy. 4505 a et add.
Melanatella Brd. 4505 a.
Melancholica Frey 3977.
Melanella Hein. 2691 (Gelech. [Lit]).
Melanella Tr. 495 (Hypochale).
 „ Hw. 4497 (Narycia).
Melanochreella Rag. 605.
Melanophis Stgr. 800.
Melanophlebia Rag. 13.
Melanosella Brd. 4505.
Melanostictella Rag. 2738.
Melanotaeniella Rag. 664.
Melanotephrella Ersch. 2720.
Melanotypella Mn. 2602.
Melas B. 4505.
Melantha Koll. 1295.
Meleagrisalis Wlk. 1291 b.
Meliella Mn. 706.
Meliolella Scott. 3676.
Melinodactylus HS. 1839.
Mellonella L. 11.

Mendacella Stgr. 702.
 Mendica Hw. 2397.
 Mendicella Stgr. 1130.
 Mendicella Hb. 4552 (Tinea).
Mendicella Wd. 2397 (Argyr.).
 Mendiculana Tr. 2141.
Mendosana Lah. 1910.
 Mendosella Z. 3036.
 Menetriesi Hmps. 175.
 Mengeland Fern. 1185.
 Mengeli Fern. 1416.
 Mensella Wlsglm. 4614.
 Menthinella Mn. 4279.
 Mercedella Stgr. 3392.
Mercurialis Gn. 974.
Mercuria Hw. 976.
Mercurella Stph. 976.
Mercurellus Tr. 974.
Mercuriana Hb. 2001.
Merdella Z. 4584.
Meretrix Stgr. 308.
Meridiana Stgr. 1819.
Meridiolana Ryt. 1818 et add.
Meridionalis Stgr. 1253 b (Pyrausta).
 „, Stgr. 1361 a (Alucita).
 Z. 1421 (Agdistis).
Meridionalis Wek. 1073a (Mecyna).
Meridionella HS. 2941 (Paltod.).
Meridionella Möschl. 4156 (Lithocletis).
Mersinella Stgr. 2739.
Mesobaphella Rag. 513.
Mesopilella HS. 4653.
Mespilella Hb. 4147.
Mespilella HS. 4143.
 „, Hw. 4144.
Mespiliocula Frey 4343.
Messaniella Z. 4165.
Messingiana F. 2034.
Messingiella F. 2438.
Metallella Stph. 3618.
Metallicana Hb. 1905.
Metallicana Dup. 1908.
Metallicula Dup. 3623.
 „, Stt. 3626 (Heliozela).
 Hodgk. 3663 (Coleoph.).
Metallieus Poda 4691.
Metalliferana HS. 1908.
Metamelana Hmps. 665.
Metaxanthalis Hmps. 1113.
Metaxella Hb. 4689.
Metricella Z. 3086.
Metznerella Tr. 3390.
Metzneri Z. 705 (Phycita).
 „, Z. 1383 (Platypilia).
Metzneriana Tr. 2043.
Metzneriella Stt. 2497 (Metzner.).
Metzneriella HS. 3391 (Borkh.).
Miantodactylus Z. 1398.
Micaceana Const. 2171 a.
Micalis Mn. 2311 a.
Micana Hb. 1916.
Micana Tr. 1907.
 „, Hw. 1922.
Micantana Kenn. 1537 bis add.
Micella Schiff. 2824 (Xystoph.).
Micella Hb. 2870 (Aristotelia).
Micradelpha Wlsglm. 2694 ter add.
Microdactylus Hb. 1397 (Pteroph.).
Microdactylus Stph. 1322 (Oxypt.).
 „, Zett. 1396 (Pteroph.).
Microgrammana Gn. 2174.
Microtheriella Stt. 4354.
Mictodactylus var. Z. 1400.
Midas Butl. 922 bis add.
Miegi Rag. 877.
Millefolii Z. 3861.
Milleri Z. 258.
Millierana Peyer. 1668.
Millierella Rag. 779 (Myelois).
 „, Rag. 3915 (Gonioid.).

Millierella Stgr. 4194 (Lithocoll.).
Millierellus Stt. 2955 (Ypsoloph.).
Millieridactylus Brd. 1400.
Milvipennis Z. 3639.
Mimeticella Stgr. 527.
Minitatana Stgr. 1850.
Minimellus (S. V.) Z. 4708.
Miniosella Zk. 199.
Ministrana L. 1562.
Minor Moore 4465.
Minorana HS. 1624 a (Cnephas.).
Minorana Tr. 2010 (Gypsonom.).
Minorella Rbl. 2773 (Acomps.).
Minorella Hein. 2520 (Bryotr.).
 „, Dup. 4421a (Talaepor.).
Minusculella Z. 1624 a.
Minusculella HS. 4309.
Minutalis Spr. 1263 a.
Minutana Hb. 2007.
Minutella L. 3382 (Borkhaus.).
 „, Snell. 4688 (Nemoph.).
Minutella Stph. 3547 (Cataplect.).
Minutissima Stgr. 2343.
Minutula Ersch. 4449.
Mirabella Stgr. 2904.
Mirabilis Chr. 2860.
Miraculosa Snell. 850.
Miridella Rag. 675.
Mirificana Peyer. 2023.
Miscella Schiff. 3589.
Misella Z. 4580.
Miserella Stgr. 3906 (Coleoph.).
Miserella HS. 3294 (Depressar.).
Mistralella Mill. 275.
Mitterbacheriana Schiff. 2277 (Anelycis).
Mitterbacheriana Wd. 2005 (Steganoptycha).
Mitterpacheriana Tr. 2121.
Mixtana Hb. 1451.
Mnemosynella Mill. 3053.
Moderiana Wd. 1518.
Moderatalis Chr. 1203.
Modesta Stgr. 2992.
Modestalis Chr. 1101.
Modestana Tr. 1558 (Eulia).
 „, Dup. 1644 (Anisot.).
 „, Wilk. 2031 (Semias.).
 „, HS. 2097.
 „, Seeb. 2098 (Epiobl.).
Modestella Ld. 274 (Ephesia).
 „, Dup. 3629 (Asychna).
Modicana Z. 2097.
Modicella Chr. 2915.
Moeniella Rössl. 4568.
Moerens Snell. 1341.
Moeschleri Chr. 1278 (Tegost.).
 „, Kenn. 1871 ter add.
 „, (Olethreutes).
Moeschleri Rom. 1093 (Titano).
 Rom. 1286 (Tegost.).
Moeschleriana Wek. 1497.
Moestatis Dup. 1251 b.
Moestana Wlk. 1864.
Moestella HG. 3372 (Borkhaus.).
Moestetus Wlk. 102 (Crambus).
Mognutiana Rössl. 1768.
Moldavica Esp. 891.
Moldavicalis Dup. 891.
Moldovanaya Carad. 2219.
Mollellana Hb. 4707.
Molliculana Z. 1657.
Mollitana Z. 2102.
Molybdana Const. 2261.
Monachana F. R. 2133.
Monachella Hb. 4536.
Monastricella F. 2921.
Monedula Esp. 1106.
Monetellus Rd. 4512.
Monetulana Hb. 2086.
Mongetella Chrét. 3714.
Mongolica Rbl. 3159.
Mongolicana Rag. 1824.

Mongolicella Chr. 3198.
Monialis Ersch. 1132.
Monilifera (Geoffr.) Froure. 4497.
Monocentra Meyr. 3563.
Monoceralis Rag. 1284.
Monochrella Rag. 3535.
Monochromana Hein. 1612.
Monochromella Rag. 227 (Polyochoa).
 „, Const. 2590 (Gelech.).
Monochromellas HS. 69 (Cramb.).
Monodactyla Hw. 1331 (Platyp.).
Monodactylus L. 1387 (Pteroph.).
Monogrammos Z. 746.
Monosemiella Rössl. 3996.
Monostictella Rag. 376 (Heterographis).
Monostictella HS. 3122 (Protas.).
Monotaeniellus HS. 75.
Monospessulalnis Dup. 479.
Monospessulanella Fuchs 4137.
Monospessuletta HS. 479.
Montana Tr. 1922 (Olethreutes).
 „, Hb. 2284.
 „, Dup. 2296 (Dichror.).
Montandonella Dup. 3405.
Montanella Wck. 3951 (Elach.).
Monticola Wlsglm. 4429 (Bankesia).
Monticolalis Lah. 1231.
Monticolana Frey 1558 a (Eulia).
Monticolana Dup. 2001 (Steganoptycha).
 „, Hein. 2296 (Dichror.).
Morbidalis Gn. 906.
Morbosella Stgr. 382.
Morella Dup. 4525.
Moribundana Stgr. 1759.
Moritzella Hb. 2695.
Morosa Mühlig 2806 (Xystoph.).
 „, Z. 4650 (Incurvaria).
Morosalis Saalmüller 628.
Morosana Kenn. 1665.
Morosella Steud. 4409.
Morphochroma Wlsglm. 2863.
Motacillanda Z. 2238.
Motacillella Z. 3910.
Mouffetella Schiff. 2850 (Epi-thectis).
Mouffetella L. 2752 (Gelechia (Teleia)).
 „, Hb. 3070 (Hypatima).
Mucidanum Peyer. 1477.
Mucosalis HS. 1056.
Mucronatella Chrét. 2723 ter add.
Mucronella Sc. 2484 (Theristis).
Mucronella Hb. 2472 (Cerostom.).
Mucronellus Schiff. 191 (Dona-caula).
Muehligella Hein.-Wck. 3875.
Muehligella Frey 4033 (Elach.).
Muehligiella Stt. 3909 (Coleoph.).
Mülleria Mn. 3495.
Mughiana Z. 1849 a.
Mulinella Z. 2586.
Mulsantina Mill. 1966.
Mulsantina Ritzb. 1847.
Multifasciana Kenn. 1734.
Multiforella Rag. 768.
Multiguttalis Stgr. 1092.
Multigutella Rag. 4510.
Multilinealis Gn. 995.
Multiplicella Ersch. 3236.
Multipunctella Dup. 4657.
Multistrigella Rag. 2883.
Mundalis Gn. 1036.
Mundana Chr. 2200.
Mundella Dgl. 2525.
Muralis Gn. 969.
Murana Curt. 969.
Murariella Stgr. 4625.
Murcialis Rag. 1202.
Murcideilla Chr. 3174.

- Muricella Chrét. 3028.
 Muricella Fuchs 4572.
 Murina Pack. 1861.
 Murinalis F. 1228.
 Murinana Hb. 1524.
 Murinella HS. 2679 (Gelechia [Lita]).
 „ Tngstr. 3805 (Coleoph.).
 Murinella Hein. 687 (Brepbia).
 Murinipennella Dup. 3840.
 Mus Wlsgm. 3482.
 Muscalella F. 4674.
 Muscidella Rag. 560.
 Muscosella Z. 2541.
 Musculana Hb. 1525.
Musculana Hoffm. 1525 a.
 Musculene Mühlig 3745.
 Musculina Stgr. 3049.
 Musculinana (Stgr.) Kenn. 1525 a.
 Mussehiana Tr. 1677.
 Mutillata Stgr. 4043.
Mutilla Z. 1042.
Myella Hb. 589 (Selagia).
Myellus Hb. 87 (Crambus).
Mygindana Schiff. 1898.
Myllerana F. 2313.
Myller Hw. 2313.
Myricae Rag. 4243.
Myricariella Frey. 2758 (Gelech. [Teleia]).
Myricariella Mill. 609 (Salebria).
Myrtetella Z. 4773.
Myrtillana Tr. 2266 (Aencylis).
Myrtillana Westw. 1987 (Steganoptycha).
Myrtillella Stt. 4386.
Mytilellus Hb. 84.
- Nelliella Rag. 456.
Nemausalis Dup. 1076.
Nemoralis Sch. 984 (Agroterea).
 „ Z. 1336 (Platyptil.).
Nemoralis HS. 1335.
Nemorana Hb. 2314.
Nemorella L. 2479 (Cerostom.).
Nemorellus Hb. 120 (Crambus).
Nemorivaga Tngstr. 2113.
Nemorum Hein. 3793.
Neophyla Meyr. 816.
Nephelodactyla Ev. 1347.
Nephodeella Rag. 708.
Nepticulalis Hofm. 1291 a.
Nervosa Stt. 3130 (Apiletria).
 „ Hw. 3306 (Depress.).
Nervosalis Luc. 938.
Nervosella Rag. 559.
Netricalis Hb. 891.
 „ Dup. 893 b.
Neuricella Z. 268.
Neuropterella Rag. 225 (Polyoch.).
 „ Z. 2503 (Metzneria).
Nevadalis Stgr. 1106 a.
Newa Kolenati 193.
Nicaeella Möschl. 2328.
Nicellii Stt. 4185.
Nickerlii Nik. 3605 (Stagmat.).
 „ Hein. 4445 (Solenob.).
Niepoldalisi Ld. 1253 a.
Nigra Hb. 2539.
Nigrabellla Z. 4550 (Tinea).
Nigrabellla Hw. 2888 (Stenolech.).
Nigralis F. 1265.
Nigrata Sc. 1260.
Nigrella Hw. 3950.
Nigrella Frey 3958.
 „ HS. 3961; 3962.
Nigrescentella Logan 4121.
Nigribasella Rag. 778.
Nigricana HS. 2108 (Epiblema).
 „ Stph. 2160 (Graphol.).
Nigricans Sorh. 1978 c (Steganoptycha).
Nigricans Hein. 2562 (Gelech.).
 „ Z. 3120 (Aplota).
Nigricantella Mill. 4530.
Nigricella Stph. 3664.
Nigricilialis Rag. 1043 a.
Nigricomella Z. 4270.
Nigricornis Hein.-Wek. 3632.
Nigricostana Hw. 1887.
Nigricostella Dup. 2855.
Nigricostella Dgl. 2856.
Nigrifimbriatus Chr. 2362.
Nigrigranella Rag. 677.
Nigrilimbellia Rag. 231.
Nigritella Z. 2888.
Nigripalpella Chr. 772 (Myelois).
Nigripalpella Hein. 2691 (Gelech. [Lita]).
Nigripedella Rbl. 3167.
Nigripunctella Stgr. 375 (Heterographis).
 „ Hw. 4567 (Tinea).
Nigripunctella Heyd. 4645 (Dysmasia).
Nigrisparsella Rag. 604.
Nigrisquamella Rag. 749.
Nigristrigella Wck. 2549.
Nigritana Mn. 2221.
Nigritella Z. 2828.
Nigritella (Dgl.) Stt. 2835.
Nigrociliaria Kenn. 1660.
Nigrociliellus Z. 135.
Nigrocyanella Const. 434.
Nigromaculana Hw. 1972.
Nigromaculata Woll. 4065.
Nigromaculella Mill. 2665 (Gelechia [Lita]).
 „ Rag. 3031 (Symmoca).
Nigropunctalis Brem. 999.
Nigrostigmata Heeger 3803.
- Nigrostriana Snell. 2202.
Nigrostriatella Heyl. 3415.
Nigrovittana Stph. 2017 a.
Nigrovittella Dup. 2887.
Niloticus Z. 189.
Nimbana HS. 2237.
 „ Hein. 2237 a.
Nimbella Z. 248.
Nisella Cl. 2119.
Nitens Stgr. 3092 (Pleurota).
 „ Fologne 4325 (Neptic.).
Nitidalis F. 845 (Hercula).
 „ Hein. 1230 (Pyrausta).
Nitidana F. 2250.
Nitidella Rag. 238 (Homoeos).
 „ F. 2405 (Argyresth.).
 „ Hein. 4304 (Neptic.).
Nitidicostella Rag. 201.
Nitidula Stt. 2865.
Nitidulana Z. 1899.
Nitidulella HS. 4021.
Nivaliensis Rbl. 699.
Nivalis Schiff. 918.
Nivea Hb. 2887.
Niveatis Hb. 918.
Niveana F. 1459.
Niveicinctella Hofm. 3889.
Niveicinctella Rag. 748.
Niveicostella Rag. 335 (Heterogr.).
 „ Z. 3711 (Coleoph.).
Niveifascialis Rag. 1309.
Niveipunctella HS. 3594.
Niveistrigella Hein.-Wek. 3741 (Coleophora).
Niveistrigella Hein. 4610 (Meessia).
Nivella Wd. 2700.
Niveosana Pack. 1605 a.
Niveus Oliv. 193.
Niveus Ritsema 193 a.
Niviferella Chr. 3227.
Nivabella Rag. 763.
Nobilella Rag. 630 (Salebria).
 „ Rbl. 3111 a (Pleurota).
 „ Z. 3928 (Elachista).
 „ Hein.-Wek. 4376 (Neptic.).
Nobiliana Stgr. 1552 a.
Nobilis Chr. 4729.
Nocticorella Rag. 670.
Noctileucella Rag. 531.
Noctivaga Stgr. 618.
Noctalis Ev. 472.
Noctuella Schiff. 1039 (Nomoph.).
Noctuella Hb. 174 (Talis).
Nocturnella Stgr. 2680.
Nodiforella Mill. 3241.
Nodosella Mn. 3616 a.
Nodulana Möschl. 1823.
Nördlingerana Rtzb. 1982.
Nölkenella Mill. 3133 a.
Nölkeni Tngstr. 1404 (Stenopt.).
Nölkeni Bienert 3396 (Borkh.).
Nomadalis Ld. 1024.
Nomadana Ersch. 1820.
Nomadella Z. 2798.
Nomiella Rag. 571.
Noricana HS. 1882.
Noricella Z. 3522.
Normalis Hb. 1099.
Norvegicana Schöven 1890.
Norvegiellum Wck. 4084.
Norvichiana Hb. pag. 115 not.
Notata Westw. 2245.
Notatella Hb. 2755.
Notulana Z. 1680.
Nougartana Chrét. 2165.
Novaki Rbl. 3074.
Novana Gn. 2143.
Novembryis Hw. 3132.
Nubeculella Rag. 3269 a (Swam-merdamia).
Nubiferana Hw. 1872 a.
Nubigerella Rag. 529.

- Nubilalis Hb. 1218.
Nubilana Hb. 1630 (Cnephias.).
Nubilana Dup. 1886 (Olethr.).
Nubilosella HS. 3363.
Nubivagella Z. 3742.
Nucleolella Möschl. 403.
Nudalis Hb. 1058.
Nugatricella Rbl. 2907.
Numeralis Hb. 1167.
Numidalis Hmps. 871.
Numidella Rag. 610.
Nutanella Mühlig & Frey 3850.
Nyctemeritis Hb. 1268.
Nyctemerana 1455a.
Nylandriella Tngstr. 4316.
Nymphalis Tr. 912.
" Hb. 913.
Nymphaea L. 913.
- Obatralis* Chr. 802.
Obatricostella Rag. 234.
Ocacea Rag. 2169a.
Obductella Z. 629.
Oberthüriella Mill. 4616.
Obesana Kenn. 2102 bis add.
(Epiblema).
Obesana Lah. 1855 (Evetria).
Obfuscata Sc. 1256.
Oblinatana Kenn. 1576 ter add.
Obliqua Z. 725.
Obliquana Ev. 2039.
Obliquella Hein. 4385 (Neptic.).
Obliquella Wlk. 11 (Galleria).
" Rag. 2841 (Anacamps.).
" Stt. 3978 (Elachista).
Oblitatis Dup. 1136.
Oblitana Dup. 2121.
Oblitella Z. 370.
Obliterana HS. 1528.
Obliterella Ersch. 638 (Salebr.).
Obliterella Stgr. 734 (Acrobas.).
Oblongana Hw. 1877.
Obnubilalis Chr. 816.
Obrutella Chr. 727.
Oscenella HS. 3885.
Obscura Rag. 552a (Episch.).
" Schöyen 1540b (Pandem.).
" Stgr. 3516a (Seythris).
Obscura Warr. 1107 (Titano).
Obscurana Stph. 2013 (Sphaerocaea).
" HS. 2147 (Epibem.).
Obscurana Don. 1480a (Acalla).
" (Stph. ?) Wlk. 2231 (Pamea).
Obscurinera Nolck. 2527.
Obscurifasciana Hein. 2010a.
Obscurella Hein. 2520a (Bryot.).
" Sc. 3419 (Scythris).
Obscurella F. R. 2783 (Tachyp.).
" Stt. 3966.
" HS. 3969 (Elachista).
" Klem. 4256 (Buccul.).
Obscurellus Min. 119 (Crambus).
Obscuripunctella Stt. 3919.
Obscuribasella Rag. 652.
Obscuripennis Frey 2966.
Obscurus Tngstr. 193 (Acentr.).
" Z. 1322 (Oxyptilus).
Obsolleta Stgr. 980 (Seoparia).
" Sauber 1305a (Noctui.).
" Z. 1345a (Alucita).
" Chr. 2492 (Metzneria).
" Bnks. 3558a (Cosmopt.).
Obsoletella Mn. 833.
Obsoletana Kenn. 1618 bis add.
(Cnephias.).
Obsoletana Stph. 1446f (Acalla).
" Stph. 1533 (Cacoec.).
" Stph. 1627 (Cnephias).
Obsoletella F. 2652 (Gelechia [Lita]).
Oboletella Hein. 794 (Cryptobl.).
Obstinatinga Kenn. 2102 quat. add.
Obtectella Z. 3835.
Obtusalis Chr. 182.
Obtusana Hw. 2004 (Stegopt.).
Obtusana Ev. 1462; 1463 (Acalla).
Obtusella Hb. 726 (Acrobasis).
" Stt. 3847 (Coleophora).
Obtusella Zk. 608 (Salebria).
Obtusellus Stt. 17 (Crambus).
Obumbrata Sorh. 4191.
Obumbratana Z. 2088.
Ocataella Stgr. 3911.
Occidentalis Frey 3988.
Occulta Dgl. 1979.
Occultella Hein. 4357 (Neptic.).
Occultella Dgl. 3966 (Elachista).
Ocellana F. 2255 (Timetocera).
" F. 3224 (Depressaria).
Ocellana Hb. 2138 (Epiblema).
Ocellata Boyd. 2646.
Ocellea Hw. 157.
Ocellea Meyr. 157.
Ocelliferalis Rag. 875.
Ochraceata Stgr. 371 (Heterogr.).
Ochracea Hw. 4044 (Gracilaria).
Ochraceana Stph. 1504.
Ochraceara Curt. 3588 (Momph.).
" Tngstr. 4637 (Myrmec.).
Ochreata Hw. 3688.
Ochrealis Schiff. 945 (Scopar.).
Ochrealis Dup. 1140.
" Hb. 1141 (Pionea).
Ochreana Hb. 1549 (Eulia).
Ochreana var. Dup. 1575 (Tortr.).
Ochrealla Rag. 602a (Tephritis).
Ochreella Stt. 4030 (Elachista).
Ochreella Hb. 65 (Crambus).
" Hb. 2467 (Cerostoma).
Ochreocapitalis Rag. 1226.
Ochreomaculella Mill. 3412.
Ochreopalpella Woll. 3063.
Ochreostrigella Baker 3088.
Ochriocolor Ersch. 3339.
Ochriocostella Rag. 302.
Ochrifascialis Chr. 1117.
Ochrifasciella Rag. 404.
Ochripalpella Frey 2565.
Ochripenella Z. 3642.
Ochrisignella Nolck. 2577.
Ochrostrigella Rag. 3756.
Ochroabapheta Rag. 605.
Ochrodactyla Hb. 1328.
Ochrodactylus Tngstr. 1329.
Ochroleucana Hb. 1874.
Ochreocella Stgr. 685.
Ochrotella Stgr. 3486.
Ochromela Gn. 1875.
Ochropilla Rbl. 519.
Ochrostriana Kenn. 1735.
Ochrotaeniella Rag. 365.
Ochsenheimerella Hb. 4726.
Ochsenheimeriana Z. 2247.
Oenerostomella Stt. 2341.
Octavianella Mn. 949a.
Octogenalis Ed. 1114.
Otomaculatis Tr. 1273.
Otomaculana Curt. 1617.
Otomaculata L. 1273.
Otonella Z. 961a.
Oculatalis Rag. 908.
Oculatana Kenn. 2047 bis add.
Oculatella Rag. 568 (Episch.).
Oculatella Z. 2334 (Glyphipt.).
Oculella Thnbg. 3134.
Ocymoidea Wlsghm. 2723 bis add.
Ocymoidea Rondani 3744.
Odontella Rag. 690.
Odorariella Mühlig & Frey 3863.
Oeconomelus Mn. 2.
Oecophila Stgr. 3067.
Oehlmanniella Tr. 4668.
- Oenophila* Stgr. 3026.
Oertertia HS. 979.
Oinochroa Tur. 3251.
Olbiadactyla Mill. 1381.
Olbiælla Mill. 2584.
Olbiensis Gn. 1125.
Olbiensis Mill. 2584.
Olibanana Gn. 2166.
Oleaginella Stndf. 2432.
Oleastrella Mill. 2387.
Oleella Wd. 3919 (Perittia).
Oleellus F. 2381 (Prays).
Olerella Z. 3287.
Oliniana Snell. 1757.
Olivacealis Brem. 985.
Olivacella Stt. 3645.
Olivalis Schiff. 1175 (Pionea).
Olivalis Hb. 1053 (Phlyctaen.).
Olivana Dup. 1910.
" Tr. 1916.
Olivella F. 3335 (Oecophor.).
Olivella Boyer 2381 (Prays).
" Wd. 3334 (Oecoph.).
Olivierella Rag. 3017.
Omachella Obth. 2744.
Omissella Stt. 4073.
Onerata Butl. 806 bis add.
Oneratella Z. 4051.
Onobrychiella Z. 3727.
Onomidella Mill. 3760 (Coleoph.).
Ononidella HS. 4075 (Gracilar.).
Ononis Z. 1311 a (Trichopt.).
" Z. 4075 (Gracilaria).
Ononiella Dup. 4075.
Onopordella Z. 3705.
Onosmella Brahm 3820.
Onustella Hb. 4045.
Onzella Chr. 2994.
Opacalis Hb. 1224 b.
Opacana Hb. 1448 b.
Ophialis Tr. 1128.
Ophisa Cr. 4514.
Ophthalmicana Hb. 2123.
Ophthalmicella Chr. 797.
Opiifella Mn. 2685.
Oporana Hb. 1506.
Oppletella HS. 2562.
Oppositella Hein.-Wck. 3948
(Elachista).
" Stgr. 4253 (Buccul.).
Oppositella Hb. 3382 (Borkh.).
Oppressana Tr. 1975.
Opulentana Chr. 2047 (Semas.).
" Mill. 2186 (Graphol.).
Opulentella HS. 3600.
Orana F. 1503.
Oranella Baker 3112.
Orcibentralis Chr. 1161.
Oribipunctella Rag. 494.
Orbitella Z. 3652.
Orbitella HS. 3654.
Orbonata Frr. 4448.
Orbonella Hb. 3334.
Orcella Rag. 634.
Oricalcea Stt. 3559.
Oricalcella Sodof. 589.
Orientalis Ev. 1018.
Orientana Alph. 1609 a.
Orientella Rag. 717 (Pteroth.).
" Rbl. 3139 (Epigr.).
" Stgr. 4738 (Adela).
Orientellus HS. 26 (Crambus).
Origanella Schläg. 629.
Originalis HS. 1100.
Oriolella Z. 3734.
Ornata Hb. 2157.
Ornatula Dup. 987.
Ornatella Schiff. 425 (Pempel.).
Ornatellus Leech 130 ter add.
(Crambus).
Ornatipennella Hb. 3687.
Ornatipennella Stph. 3685.
Ornithopodella Frey 3926.

Orobana Tr. 2216.
Orobi Stt. 4231.
Orontellus Rag. 20.
Orotavensis Rbl. 3713.
Orphnella Rbl. 3048.
Orsoviella Hein. 3326.
Orthogonella Stgr. 2805.
Ossea Hw. 2405 a.
Osseana Sc. 1605.
Osseana Lah. 1606.
Ossealis Stgr. 1126.
Osseatella Tr. 449.
Osseella Rag. 775 (Myelois).
" Stt. 2882 (Ptocheusa).
Ossellus Hmps. 44 (Crambus).
Ossianella Mill. 3491.
Ossicolor Rag. 776.
Osteala Rag. 237.
Osteodactylus Z. 1396.
Ostrinalis Hb. 1251 b.
Ostrinana Gn. 1785.
Ostrinella Lah. 213.
Osyridellus Stt. 2383.
Otidipennella Hb. 3829.
Otitaes Z. 3879.
Ovulana Tngstr. 2242.
Oxodontalis Hmps. 882.
Oxyacanthae Frey 4145.
Oxyacanthana HS. 1560 (Eulia).
Oxyacanthana Hb. 1514 (Cacoec.).
Oxyacanthella Stt. 4312 (Neptic.).
Oxyacanthella L. 2318 (Smaeth.).
" Dup. 2372 (Swammerd.).
Oxybialis Mill. 143 (Platytes).
" Mill. 1140 (Pionea).
Oxybiana Mill. 1878.
Oxybiella Mill. 3035 (Symmoca).
Oxybiella Mill. 143 (Platytes).
Oxycedrana Mill. 2185.
Oxycedrella Mill. 2768.
Oxydactylus Stgr. 1375.
Oxydelta Rag. 503.

Pabulella Z. 3746.
Pachycerata Hmps. 1208.
Pachyceras Wlsgm. 4615.
Packardiana Clem. 2130.
Pactolana Z. 2190.
Padana Z. 1980.
Padella Glitz 4139 (Lithocoll.).
Padellus L. 2359 (Yponom.).
Padzi Z. 2366.
Padifoliella Hb. 4219 a.
Padifoliella Stt. 4219 b.
Paediscana Stgr. 2007.
Paelopyga Stgr. 3436.
Paetulaena Kenn. 2043 bis add.
Pagenstechera Heyd. 4611.
Palaestinensis (B.-Haas) Rbl. 4508
(Hapsifera).
" Rbl. 4631 (Deuterot.).
Paleacalia Gn. 996.
Palealis Schiff. 1042.
Paleana Hb. 1585.
Paleatellus Z. 40.
Paleella Hb. 61 b.
Palermitalis Gn. 891 a.
Palermitta Lah. 2667.
Palleana Tr. 1585.
Pallens Rag. 328.
Pallescens Stgr. 4055.
Pallescentella Stgr. 2482 a (Cerostoma).
" Stt. 4588 (Tinea).
Palliatella Zk. 3794.
Pallicornella Stgr. 3326 a.
Pallida Stgr. 332 (Heterogr.).
" Stph. 979 (Scoparia).
" Stgr. 3044 (Symmoca).
" Stgr. 4431 (Bankesia).
Pallida Bnk. 974 (Scoparia).
Pallidactyla Hw. 1328.

Pallidalis Hmps. 181 (Talis).
" Hmps. 1075 (Calamochr.).
Pallidatis Tr. 1199 (Pyrausta).
Pallidana Z. 1662.
Pallidana HS. 1671.
Pallidella Hein. 2673 (Gelech. [Lita]).
" (B.-Haas) Rbl. 3079 a
(Pleurota).
" Z. 4284 (Trifurcula).
Pallidellus Dup. 143 (Platytes).
" Chr. 4515 (Euploc.).
Pallidibasella Rag. 2784.
Pallidipalbellus (B.-Haas) Rbl. 4519.
Pallidulella HS. 4284 (Trifure.).
" HS. 4665 (Incurvar.).
Pallidus Strand 106 add.
Pallifrontana Z. 2208.
Pallipenella Tr. 3794.
Pallipalpella Snell. 2563.
Pallipedella Rag. 769.
Pallorana Ld. 1813.
Pallorella Z. 3187.
Pallorella HS. 3181 a.
Palodactyla Z. 1435.
Palpana Rag. 1730.
Palpella Schiff. 172 (Ancylo).
" Hw. 3120 (Aplotha).
Paludana Barr. 2265.
Paludata F. 916.
Paludellus Hb. 17.
Paludicola Wallgr. 1415.
Paludicola Stt. 3848.
Paludicolella Z. 4737.
Paludum Z. 1310 (Trichoptil.).
" Frey 3998 (Elachista).
Palumbella (S.V.) F. 611 (Sebre.).
Palumbella Hb. 663 (Nephopt.).
Palumbiella Rondani 607.
Palustralis Hb. 1234.
Palustrana Z. 1910.
Palustrella Bgl. 2801 (Xystoph.).
Palustrella Frey 4363 (Neptic.).
Palustrellus Rag. 118 (Cramb.).
Palustris Z. 3474.
Pancaliella Stgr. 2867.
Panchalella Stgr. 4277.
Pandalis Hb. 1136.
Pandorella Mill. 4618.
Panicensis Frey 4736.
Panormitanella Mn. 4576.
Pantherellus (Gn.) Luc. 4695.
Panzerella Stph. 3344 (Borkh.).
" Hb. 4680 (Nemoph.).
Pappiferella Hfm. 3838.
Paradiseana Wlsgm. 1442 et add.
Paradoxa (Frey) Hein. 4304.
Paradoxella Stgr. 4633.
Paralia Z. 1427.
Paraliana Z. 1622 c.
Paralis Hmps. 1277.
Paranthesella L. 2467 (Cerost.).
Paranthesella Hw. 2928 (Sphron.).
Parasitella Stgr. 272 (Ephest.).
" Hb. 4545 (Tinea).
Parcella Ld. 4509.
Pardaliana Kenn. 1729.
Parella HS. 960.
" Z. 961.
" HS. 969.
Paralis Tr. 2315.
Pariana Cl. 2315.
Parietariella HS. 4645.
Parilella Tr. 3254.
Parilella Z. 3253.
" var. Z. 3245.
Paripennella Z. 3665.
Paripunctella Thmbg. 2575.
Parisiana Gn. 1457 a.
Parisiella Wek. 4163.
Patmatana F. R. 2125.
" Hb. 2125 a; 2125 b.

Parreyssiana Dup. 1794.
Parreyssiana Frr. 1794 b.
Parryana Curt. 1996.
Partellus Swinh. 160 bis add.
Parthenica Meyr. 3750.
Parthica Ld. 1364.
Partitana Chr. 2278.
Partitella Rag. 384 (Stauding.).
" Chr. 2737 (Gelechia [Teleia]).
" Z. 3766 (Coleophora).
Parvella HS. 3475.
Parvidactylus Hw. 1322.
Parvifoliella Rag. 4207.
Parvulana Wilk. 2085 a.
Parvulella HS. 3954.
Pascualis Z. 1170.
Pascuana Hb. 1627.
Pascuella Z. 3465.
Pascuellus L. 125.
Pascuicola Stgr. 2574.
Pasivana Hb. 1627.
Passutella Barr. 271.
Pastinacella Dup. 3268.
" Brd. 3280.
" Stt. 3283.
Pastorella Z. 4199.
Patrella Mn. 2825.
Paucipunctalis Snell. 981 bis add.
Paucipunctella Rag. 211 (Hypsotropa).
" Z. 2487 (Metzner.).
Paucipunctella Dgl. 2497 (Metzner.).
Paullella HS. 3472.
Paupella Z. 2880.
Pauperalis Stgr. 1190.
Pauperana Dup. 1971 (Steganoptycha).
Pauperana Curt. 2017.
" HS. 2020 (Bactra).
Pauperculana Stgr. 1976.
Pauperella Hein. 2686 (Gelech. [Lita]).
Pauperellus Tr. 81 (Crambus).
Pavonana Don. 2119 a.
Pavoniella Z. 4078.
Paykullella F. 4770.
Paykulliana Wilk. 1974.
Pechi Baker 3691 (Coleophora).
Pechi Baker 1015 (Evergestis).
Pectigerella Rag. 216.
Pectinalis HS. 874.
Pectinana Hb. 1432.
Pectinatella Z. 170 (Ancylo).
" Rag. 331 (Heterogr.).
Pectinea Hw. 4676.
Pectinella Dup. 4455 (Luffia).
" Stph. 4676 (Incurvar.).
Pectodactylus Stgr. 1395.
Pedella L. 3565.
Pedemontana Stgr. 1643 a.
Pedisequella Hb. 2850.
Pedisignella Rag. 711.
Pedriolellus Dup. 28.
" Stt. 34.
Pelidnodactyla Stein 1400.
Peliella Tr. 2578.
Petiella Meyr. 2579.
Pellicalis Stgr. 1245.
Pellionella L. 4584.
Peloritanella Z. 3240.
Peltalis Ev. 1063.
Pempeliella Rag. 593.
Penicillalis Chr. 815.
Penicillata Chrét. 3450 bis add.
(Scythris).
" Hein.-Wck. 4344
(Nepticula).
Penkleriana F. 2121 (Epiblem.).
Penkleriana Tr. 2277 (Aencylis).
Pentactinana Mn. 1723.
Pentadactyla L. 1348.

- Pentadalis Ld. 1079.
 Pentagonana Kenn. 2135 bis add.
 Penthinana Gn. 1892.
 Pentodontalis Ersch. 1285.
 Penzia Thunb. 1614.
Penzia Wd. 1614 a.
Peramplana Tr. 1588.
Perangustana Snell. 2114.
Perdicellum Z. 2337.
Peregrinalis Ev. 1258.
Peregrinana Möschl. 1968.
Perfervidalis Hmps. 1147.
Perfidana Kenn. 1728 bis add.
Perfiella Zk. 624.
Perfusana Gn. 1690.
Peritella Const. 2754.
Perlellus Sc. 68.
Perlepida Hw. 2207.
Perlepiddella Stt. 4455.
Perleuidalis Hw. 1200.
Permixtana Hb. 1963.
Permixtella Rag. 400 (*Thospia*).
 HS. 3321 (*Cacoph.*).
Permictellus Klchbg. 52.
Permutata Dup. 1454.
Permutatella HS. 1454.
Permutatella HS. 3582 (*Mompha*).
Permutatellus HS. 91 (*Cramb.*).
Pernigrella Dgl. 2781.
Perochealis Chr. 1145.
Perocheana HS. 1574.
Perpendiculalis Dup. 993.
Perpetuella HS. 2599.
Perplexana Barr. 1468.
Perplexella Z. 955 (*Scoparia*).
 Stt. 3946 (*Elach.*).
Perpulchrana Kenn. 1576bis add.
Perpusillula HS. 4342.
Perritodactylus Stgr. 1435.
Persicella (S. V.) F. 2474.
Persimilana Rbl. 1543.
Persimulalis Hmps. 864.
Personatana Kenn. 1624 bis add.
Perspersella Wk. 2605.
Perspicuana Kenn. 1872bis add.
Perterana (Gn.) Dbd. 1613.
Perturbana Kenn. 1767bis add.
Pertusalis Hb. 859.
Perversalis HS. 842.
Petasitae Hein. 2588 (*Gelechia*).
 Hein. 3203 (*Depress.*).
Petasitella Stgr. 2588.
Petasitis Pfaffensteller 2588 (*Gelechia*).
 Stndf. 3203 (*Depress.*).
Petiginella Mn. 2588.
Petiolella Frey 4094.
Petiitejanii Obth. 1295.
Petiverana Tr. 2824.
Petiverella L. 2284.
Petractyla Hb. 1335.
Petrana Hb. 2119 a.
Petrella HS. 250.
Petricella Hb. 24.
Petrificellus Dup. 23.
Petrinella HS. 4643.
Petrobiella Z. 2351.
Petrophila Stndf. 964.
Petrusella Heyl. 3409.
Petry Hofm. 2724 (*Gelech. [Lita.]*).
 Martini 3621 (*Antispila*).
Petulantana Kenn. 2245 bis add.
Peucedanana Rag. 1717.
Pecenedella Mill. 3197.
Pfaffensteller Frey 4088.
Pfeifferella Hb. 3619.
Pfeifferellus Hb. 4692.
Pflugiana Hw. 2143.
Phacana Wk. 2218.
Phaeodactyla Hb. 1378.
Phaeoleuca Z. 960.
Phaeoleuca Stt. 976 a.
Phaeoleucalis Gn. 960.
- Phaeoneuralis* Hmps. 1050.
Phaginatella Const. 2649.
Phalaridella Const. 3947.
Phaleratana HS. 1784.
Phaleratana HS. 1679.
Phantasmella Hb. 185.
 var. Frr. 185 a.
Pharaonana Koll. 2233.
Phasianipennella Hb. 4069.
Phagophagella HS. 4149.
Philomenella Mill. 261.
Phillyrella Mill. 2386.
Phlomidina Stgr. 1876.
Phlomidella Chr. 3706.
Phlomidis Stgr. 1346 (*Alucit.*).
 Stt. 3729 (*Coleoph.*).
Phoealis Hmps. 886.
Phoebusella Mill. 2534.
Phoenixalis F. R. 1249.
Phoenixella Rag. 195.
Phragmitella Stt. 3592 (*Limnaec.*).
Phragmitellus Hb. 162 (*Chilo*).
Phryganea Hb. 193 a.
Phryganella Hb. 3132.
Phryganilugubrella Brd. 4505.
 Mill. 4505 add.
Phrygialis Hb. 1106.
Phycidella Z. 3054.
Pica Wlsglm. 3069.
Pican Froel. 1865.
Picarella Cl. 4549.
Picarella Hb. 4548.
Piceana L. 1506 (*Cacoecia*).
Piceana Hb. 2111 (*Epiblema*).
Picipennella Z. 4052.
Pictalis Curt. 839.
Pictana Lah. 2146.
Pictella Z. 2890.
Pictella Hein. 2893.
Pierretana Dup. 2105.
Pietruskii Now. 2323a (*Glypht.*).
Pietruskii Now. 2103 (*Epiblem.*).
Pigerella HS. 3917.
Pillella F. 4686.
Pillella Tr. 4685.
Piliopennella Zett. 3577.
Pilleriana Schiff. 1505.
Pilosella Z. 314.
Pilosellae Z. 1315.
Pilulella Hb. 4685.
Pimpinella Z. 3264.
Pinarodactyla Ersch. 1401.
Pinastrella Mill. 4435.
Pineae Stgr. 703.
Pineal L. 83.
Pinetatis Zett. 1171.
Pinetana Schläg. 2246 (*Pamene*).
Pinetana Hb. 1912 (*Olethreutes*).
 Westw. 1983 (*Steganopt.*).
Pinetella Tr. 83.
 Hb. 89.
Pineti Z. 4441.
Pinguinalis L. 825.
Pinguinalis var. Rbl. 825 b.
Pinguinella Tr. 2538.
Pinguis Hw. 455.
Pinianna HS. 1843.
Piniariella Z. 2437 (*Ocnerost.*).
Piniariella HS. 3561 (*Batrach.*).
Pinicola Dbd. 1851 a (*Evetr.*).
Pinicola Z. 1977 (*Steganopt.*).
Pinicolella Dup. 3561.
Pinivorana Z. 1848.
Piperatella Stgr. 4034.
Pisana Gn. 2160.
Piscean Hw. 2126.
Pistaciiana Rag. 1550.
Pistaciella Rondani pag. 208 not.
Pistrianiella Rag. 536.
Pistrinana Ersch. 1837.
Placens Butl. 847 bis add.
Placidianna Stgr. 2038.
Plagicoellella Stt. 4358.
- Plagiodesactyla* Stt. 1406 a.
Plagiodesctylus Snell. 1413.
Plagosana Clem. 2275.
Planella Stgr. 3079.
Plantaginella Stt. 2643.
Plantariella Tugstr. 2523.
Platani Stgr. 4166.
Platycerella Rag. 218.
Platypuga Stgr. 3453.
Plebeialis Chr. 1297.
Plebejana Z. 1968.
Plebejella Z. 2515.
Pleurotelata Stgr. 3123.
Plumbaganra Tr. 2295.
Plumbana Sc. 2309 (*Lipopt.*).
Plumbana Hb. 1571 (*Tortrix*).
Plumbatana Z. 2228.
Plumbatella Rag. 357.
Plumbella Stgr. 2388.
Plumbella Rag. 557 (*Epischn.*).
 Hein. 2822 (*Xystoph.*).
Plumbellus Schiff. 2357 (*Ypon.*).
Plumbeofascialis Rag. 1023.
Plumbeolana Brem. 1537.
Plumbifera Chr. 1281.
Plumbiferana Stgr. 2172.
Plumbosana Sph. 1452 a.
Pluripunctella Chré. 3810.
Pluripunctella Rag. 771.
Plusiana Kenn. 1797 (*Euxanth.*).
Plusiana Stgr. 2292 (*Dichror.*).
Plusiella Const. 3783.
Plutelliformis Stgr. 2584.
Plutonella Rag. 504.
Pneumonanthes Schleich 1413.
Poae Stt. 3944.
Podælla Don. 4717.
Podana Sc. 1507.
Podevinella Dup. 4778.
Poecilana Gn. 2103.
Poggei Mn. 1372 a.
Pokornii Hein. 3402.
Pokornyi Nick. 3402.
Policolana Gn. 1631.
Poliellus Tr. 58.
Politalis Schiff. 1029.
Politalis Hb. 1029 a; 1033.
Politana Hw. 1553 (*Eulia*).
Politana Gn. 2285 (*Dichror.*).
Politella Rag. 436 (*Enzoph.*).
 Stt. 2519 (*Bryotry.*).
 O. 4421 (*Talaepor.*).
Politiella Scott 3663 (*Coleoph.*).
Pollinalis Schiff. 1090.
Pollinariella Z. 4005.
Pollinariella Stt. 4003.
Pollinella Chr. 561.
Pollinis Mill. 1846.
Pollutella HS. 4025.
Pollutissima Stgr. 4026.
Polonicella Z. 3784.
Polydactyla Hb. 1437.
Polygonalis Hb. 1073.
Polygonalis Hb. 1073 a.
 HS. 1073 a.
Polygrammella Wck. 4092.
Polyperi Esp. 4522.
Polyptychella Rag. 676.
Polyxenella Mill. 463.
Pomella Vaughan 4289.
Pomerana Frey 3945.
Pomifoliella Z. 4143; 4144.
 " Meyer. 4145.
Pomonae Harding 4436.
Pomonana Schiff. 2257.
 Dup. 2257 a.
Pomonella L. 2257 (*Carpocaps.*).
Pomonella HS. 4139 (*Lithocoll.*).
Pomposella Z. 3606.
Pontana Stgr. 1685.
Pontana Stgr. 1206 b.
 " Chr. 1207.
Pontificella Hb. 3408.

- Populana F. 2241.
 Populanea Cl. 2776 (*Tachyptil.*).
 „ (Frey) HS. 4404a (*Neptic.*).
Populella Hb. 2538 (*Gelechia*).
Populetorum Z. 4054.
Populifolia Tr. 4200.
Populifoliella Tr. 4203.
Porella Hein. 2674.
Porcellanellus Motsch. 133.
Porculana Mn. 1737a.
Porphyralis Schiff. 1248.
Porphyralis Hb. 1253.
Porphyra Hb. 1886.
 „ Lah. 1905a.
Porphyrella Dup. 729 (*Acrob.*).
Porphyrella Tngstr. 4468 (*Ochsenheimeria*).
Porrectaria Z. 1958.
Porrectella L. 2444.
Portlandica Dale 976a.
Portlanicella Richardson 2525.
Portosanctana Stt. 2645.
Posteraana Z. 1661.
Posticana Zett. 1847.
Postremana Z. 1892.
Potamogalis Hb. 912.
 „ Tr. 913.
Potamogala L. 913.
Potentillae Z. 3457 (*Scythris*).
 „ Elisha 3666 (*Coleoph.*).
Potentilla Glitz 4357.
Potentillana Cooke 1470.
Poteriella Z. 707.
Poterii Stt. 4336.
Praeangusta Hw. 3560.
Praecana Kenn. 1498 bis add.
Praeclarana Kenn. 1589.
Praeclarella HS. 2564.
Praeclarella Hein. 2559.
Praecocella Z. 2427.
Praecultaria Rbl. 1078.
Praecurrella Z. 3834.
Praeditella Rbl. 3362.
Praefloratana Kenn. 1540bis add.
Praefractana Kenn. 2107 bis add.
Praegallina Frey 1308.
Praelata Sc. 185.
Praelatella Schiff. 4655.
Praelongana Gn. 1867.
Praelatis Ld. 1214.
Praefectilia Hb. 1033.
Praetextella Chr. 606.
Praetoriella Chr. 4609.
Praeviella Ersch. 1636 et add.
Prangana Kenn. 1792 bis add.
Pratalis Z. 1171.
Pratana Hb. 1605.
Pratella Z. 3826 (*Coleophora*).
Pratella Hb. 117 (*Crambus*).
Pratellus L. 119 (*Crambus*).
Pratellus HS. 63 (*Crambus*).
Praticolella Chr. 2663.
Pretiosa Stgr. 2400 (*Argyr.*).
 „ Hein. 4320 (*Neptic.*).
Pretiosana Kenn. 1479 bis add.
 (Acalla).
 „ Dup. 2311a (*Choreut.*).
Pribitzeri Rbl. 2603a.
Primariana Wilk. 1869.
Principes Butl. 841.
Proavittella Rbl. 9.
Probolias Meyr. 1354.
Proboscidea Sulz. 3329.
Procerana Ld. 1703.
Procerella Schiff. 3400.
Proclivella Fuchs 2640.
Prodigellus Z. 4700.
Prodigellus Hein. 4701.
Prodromana Hb. 1484.
Prodromella Hb. 549 (*Epischn.*).
Prodromella Dup. 533 (*Megasis*).
Productana Z. 1528.
- Productella* Z. 3420.
Profanana F. 1441h.
Profuxellus Chr. 27.
Profugella Stt. 3542.
Profundana F. 1886 (*Olethr.*).
Profundana Hb. 2150 (*Epibl.*).
Prognathana Snell. 2256.
Promissa Stgr. 4405.
Promptella Stgr. 2672.
Promubana Hb. 1573.
Promubella Schiff. 4491.
Propinqua Stgr. 3781.
Propinquella Tr. 3205 (*Depress.*).
 „ Stt. 3578 (*Mompha*).
Propinquella Ev. 483 (*Hypoch.*).
Propulsatella Rbl. 4553.
Prostrotaria Const. 3188.
Proteana HS. 1470.
Proteella Stgr. 3083 (*Pleurota*).
Proteella Frey 4054 (*Gracilaria*).
Protosella Stgr. 3115.
Provectella Heyd. 4660.
Provincialis Dup. 893a.
Provinciana Peyer. 1451a.
Proviciella Stt. 2712.
Proxima Hw. 2708.
Proximalis Chr. 860.
Proximana HS. 2112 (*Epiblem*).
Proximana Wilk. 2160 (*Graph.*).
Proximella Hb. 2752.
Prūnosana Stgr. 1446d.
Prūnosella Z. 2852.
Prunalis Schiff. 1156.
Pruneticolana Z. 1873a.
Prunetorum Stt. 4342.
Pruniana Hb. 1873.
Pruniella Don. 2401.
 „ Hb. 2404.
 „ Tr. 2405 (*Argyr.*).
 „ Hb. 2874 (*Recurvar.*).
Prunivoltella HS. 4142 (*Lithocoll.*).
Prunivoltella Hb. 4219.
Prunivorana Rag. 2158.
Prunoidalis Stgr. 1146a.
Pryerella Vaughan 787.
Psamatias Meyr. 2900.
Psammittenella Z. 631.
Pseudobombycella Hb. 4423.
Pseudolella Chr. 2730.
Pseudolimbella Rag. 307.
Pseudopeltella Peyer. 4687.
Pseudoplaniella Rag. 4112a.
Pseudopunctella Rag. 220.
Pseudospretella Stt. 3358.
Psilella HS. 2632.
Psoralella Mill. 2835.
Psorana Froel. 1446c.
Psychidella Mill. 4670.
Pterodactyla L. 1414 (*Stenopt.*).
Pterodactyla Hb. 1387 (*Pteroph.*).
Pterodactylella Hb. 2477.
Ptilodactyla Hb. 1414.
Pubicornis Hw. 4659.
Pudendana HS. 1848.
Pudibundellus HS. 33.
Pudicalis Dup. 1288.
Pudicana HS. 2223.
Pudicella Zk. 198 (*Epidauria*).
Pudicella Mn. 2947 (*Mesophl.*).
Pudorana Stgr. 1789.
Pudorella Dup. 743.
 „ Hb. 744 (*Rhodoph.*).
 „ Hb. 3315 (*Anchinia*).
Pudorina Wk. 2928.
Puelia Hb. 3226.
Puerilana Hein. 1906.
Pulchella Rag. 443 (*Euzoph.*).
 „ Z. 2395 (*Argyresth.*).
Pulchella Stt. 3966 (*Elachista*).
 „ Ev. 4748 (*Adela*).
Pulchellalis Stgr. 1097 (*Titanio*).
Pulchellalis Mill. 841 (*Pyralis*).
Pulcherrimella Stt. 3293 (*Depressaria*).
 „ Chambr. 3354 (*Cosmopteryx*).
Pulcherrimus Stgr. 177.
Pulchra Chr. 1399 (*Stenoptil.*).
 „ Woll. 2714 (*Gelechia Lita*).
Pulicella Stgr. 3532.
Pullana Kenn. 1951 quat. add.
Pullatalis Chr. 1271.
Pullatella Tngstr. 2710 (*Gelechia Lita*).
Pullatella Hb. 2099 (*Anarsia*).
Pullelle HS. 3950.
Pullicomella Z. 3965.
Pulmonariella Rag. 3673.
Pulveralis Hb. 941.
Pulverana HS. 1462 (*Acalla*).
Pulverana Ev. 1597 (*Tortrix*).
Pulveratella HS. 2787.
Pulverealis Hmps. 826.
Pulverella Hb. 199 (*Anerastia*).
 „ Tr. 3200.
 „ F.R. 3201 (*Depressaria*).
Pulverellus Const. 2979 (*Holcopogon*).
Pulverisquamis Wlsglm. 3354.
Pulverosa Chr. 154.
Pulverosella Hein. 3353 (*Borkh.*).
 „ Stt. 4411 (*Nepticula*).
Pulverosellus Rag. 163 (*Chilo*).
Pulverulenta Rag. 639 (*Salebr.*).
 „ Z. 3015 (*Pterolonche*).
Pulverulentella Z. 4220.
Pulvillana HS. 1834.
Pumicana Z. 1628.
Pumicosa Ld. 760.
Pumila O. 4447.
Pumilana HS. 1671.
Punctalis Schiff. 931 (*Stenia*).
Punctalis Snell. 903 (*Cledeob.*).
Punctata Stgr. 2666 (*Gelechia Lita*).
 „ HS. 4506 (*Melasina*).
Punctatella Stgr. 2788 (*Xystoph*).
Punctatella Brd. 4506 (*Melasin*).
Punctella Tr. 219 (*Ematheud.*).
 „ Costa 3122 (*Protas*).
Puncticostata Wd. 2252.
Puncticostella HS. 4057.
Punctidactyla Hw. 1342.
Punctiferana Rag. 1699.
Punctigerellus Sph. 187.
Punctinervis Const. 1359.
Punctipennella Tngstr. 3908.
Punctitivella Costa 3493.
Punctulana Schiff. 1633 (*Dolopl.*).
Punctulana Kenn. 1825 (*Euxanth.*).
Punctulatana Kenn. 1825.
Punctulatella Z. 3902.
Punctulella Tr. 1633.
Pungitiella HS. 3091.
Punicalis Hb. 1251.
 „ Tr. 1253.
Pupillana Cl. 2042 (*Semasia*).
 „ Wk. 3180 (*Depress.*).
Pupillana Hw. 2084.
 „ Hb. 2085 (*Epiblema*).
Pupillatella Rag. 528.
Purana Gn. 1700.
Purbeckensis Buks. 954b.
Purgatana Tr. 1737.
Purpuralis L. 1251.
Purpuratis Dup. 1251a.
Purpurana Hw. 1899a (*Olethreut.*).
 „ Mill. 3323a (*Carcina*).
Purpurascenella Stt. 2405.
Purpuratana HS. 1786.
Purpuratella Z. 4741a.
Purea Hw. 3228.
Pureana Const. 2253.
Purpurella Hw. 4758 (*Eriocr.*).

- Purpurella* Coquebert 1740 (Conchylis).
var. Z. 4753 (Eriocr.).
Purpureus Stt. 4699.
Purpurissatana Kenn. 1886 bis add.
Purulentella Stt. 3129.
Pusiella Roemer 3142.
Pussilla Ev. 4448.
B. 4455.
Pussilla Peyer. 2110.
Pusillella Rbl. 2671.
Pustulalis Hb. 1065.
Pustulatella Z. 4564.
Putaminana Stgr. 2257 a.
Putridella Schiff. 3197.
Putripennella Z. 3573.
Pygmaealis Dup. 1256.
Pygmaeana Hb. 2012 (Asthen.).
Hw. 4484 (Acrolepia).
Pygmaeana Wilk. 1998 (Steganoptycha).
Pygmaeella Rbl. 2333 (Glyphipt.).
Hb. 2419 (Argyresth.).
Hein. 2692 (Gelechia).
[Lita].
Hw. 4291 (Neptic.).
Pygmaeus Sph. 145.
Pyralella Hb. 954.
Pyramidana Stgr. 1767.
Pyramidelius Tr. 80.
Pyrastrana Hb. 1507.
Prausta Pall. 3169.
Prausta Hb. 3171.
Praustella Dup. 3171.
Praustoides Ersch. 159.
Pyrella Villers 2374.
Pyrenaialis Dup. 951 (Scopar.).
Dup. 1103 (Titanio).
Pyrenaicalis Gn. 951.
Pyrethrella HS. 350.
Pyri Glitz 4311.
Pyricola Wck. 4314.
Pyriorana Rag. 1464.
Pyrovirella Bnks. 4146.
Pyrocoma Meyr. 4648.
Pyrolana Wck. 1881.
Pyropella Schiff. 3081 (Pleurot.).
Pyropella Hb. 2944 (Mesophl.).
Z. 3086 (Pleurot.).
Pyrophagella Koll. 2902.
Pyrotana Degraaf 1881.
Pyrhella Rag. 3034.
Pyrhulipennella Z. 3770.
- Quadrana* Hb. 1997.
Quadrella Hb. 3921 (Elachista).
Quadrella Schiff. 145 (Platyf.).
F. 2621 (Gelechia).
IV-lla Hw. 2423.
Quadrifariella Mn. 3046 (Symmoca).
Stgr. 3736 (Coleoph.).
Quadrifellus Ld. 64.
Quadrilobella HS. 3598.
Quadrimalalis Brem. 1000.
Quadrimalaculana Snell. 1936.
Quadrimalaculana Wd. 1945.
Quadrimalaculella Boh. 4419 (Scoliaula).
Quadrimalaculella Höfn. 4653 (Incurvaria).
Quadrinellus HS. 2954.
Quadrinotella Mn. 3150.
Quadrinpuncta Hw. 3050 (Oegoc.).
Quadrinpuncta Wd. 4650 (Incurv.).
Quadrinpunctalis Schiff. 1272.
Quadrinpunctana Wd. 1605.
Quadrinpunctata Wck. 3212.
Quadrinpunctella Ev. 3153 (Psec.).
Quadrinpunctella Sph. 4650 (Incurvaria).
- Quadrigrisignella* Z. 4070.
Quadruprella Z. 4069 a.
Quaectionana Z. 2286.
Quaectionella HS. 2807.
Quaggana Mn. 1960.
Quaggana Mill. 1961.
Quaggella Chr. 3583.
Queketana Curt. 1992.
Quercana F. 3323.
Quercella Schiff. 174.
Quercetum Z. 4082.
Quercicolella HS. 4554.
Quercifoliella Z. 4164.
Quercina Z. 1477.
Quinqueguttella Stt. 4160.
Quinqueella Bedell 4401.
Quinuemaculana Brem. 1587 et add. (Tortrix).
Quinuemaculana Brem. 1531 add. (Cacoecia).
Quinquenotella Frey 4171.
Quinquepunctella HS. 2877.
- Rablensis* Z. 4769.
Raddaeillus Hb. 4694.
Raddeellus Chr. 4690.
Raddei Rbl. 4690.
Raddellus Hb. 4694.
Radiana Hb. 1446 g.
Radiana Dup. 1444.
Radiatella Stgr. 3313 (Depressar.).
O. pag. 231 not. (Phycod.).
Radiata Esp. 1089 (Cynaeda).
Chr. 4462 (Atychia).
Radiatella Don. 2466.
Radilius Hb. 77.
Radilius Curt. 78.
Radiolana Ev. 2027.
Radiolata Stgr. 4463.
Radiolellus HS. 78.
Radiosalis Möschl. 1714.
Radiosella Ersch. 2913.
Radiosquamella Wlsglm. 3289.
Ragatzana Heyd. 1453.
Ragonotella Mill. 267 (Ephest.).
Const. 3379 (Borkh.).
Ragonoti Chr. 814 (Endotrich.).
Rbl. 3246 (Depress.).
(B.-Haas) Rbl. 4501
(Diplodoma).
Ragusella Wck. 4542.
Rajella Z. 4118; 4120.
Ramalis Hb. 1290.
Ramana HS. 1974 (Steganopt.).
Tr. 2280 (Ancylis).
Ramburialis Dup. 1069.
Ramburiella Dup. 152.
Ramella L. 1974 (Steganopt.).
Ramella Wilk. 2250 (Ancylis).
Ramosella HS. 715 (Arsissa).
Stt. 3199 (Depress.).
Ramosella Z. 3829 (Coleoph.).
Ramoselus Z. 35 (Crambus).
Ramostriana Stph. 1446 g.
Ramulosella Rag. 207.
Rancidella HS. 2683.
Raphiodactyla Rbl. 1360.
Rasa Chr. 4462.
Rasata Stgr. 4462 a.
Raschiella Z. 3577.
Rasdolmyana Chr. 1981.
Rasilella HS. 2918.
Ratana Hb. 2125 b.
Ratella HS. 2930.
Ratisbonensis Stt. 4261 a.
Ratzeburgiana Rtz. 1983.
Ravana Kenn. 2096 bis add.
Ravelia HS. 516.
Ravulana HS. 2013.
Reaumuriana Hein. 2259 a.
Reaumurella Peyer. 4679 (Nemophora).
- Reaumurella* Dup. 4713 (Adela).
Rebeli Wlsglm. 3584 (Momph.).
Klem. 4062 (Gracilaria).
Recisella Stgr. 2769.
Reconditana HS. 2010 a.
Recreatana Kenn. 2223 bis add.
Rectella Stgr. 3500.
Rectifascialis Sauber 1254.
Rectifasciana Hw. 1644.
Rectilineella F. 3739.
Recurvalis F. 982.
Recurvella Zk. 982.
Redimitana Gm. 2250.
Redimitella Z. 4652.
Redlenbacheri Mn. 4068.
Reductella Mn. 263.
Regalis Schiff. 841.
Regiana Z. 2244.
Regiella HS. 4318.
Regularis Peyer 917.
Reichlini Hein. 3265.
Rejectana Lah. 2301.
Relicina HS. 4577.
Religatella Z. 4717 b.
Reliquana Tr. 1949 (Polychr.).
Hb. 1963 (Lobesia).
Reliquella Z. 4278 a.
Remissana Fuchs 1925 a.
Remissella Z. 2833.
Remotella Mn. 520 (Bradyrrhoa).
Remotellum Hein. -Wck. 4085 a (Coriscium).
Remyana HS. 1887 a.
Renatalis Obth. 1015.
Renigerellus Z. 2950.
Repandalis Schiff. 1119 (Pyraust.).
Repandalis Hb. 1014 (Evergest.).
Repandana Kenn. 2273 bis add.
Repandella Hb. 4543.
Repentella Sph. 4160.
Repetitella Mn. 4734.
Resinalis Gn. 972.
Resinana F. 1855.
Resinea Hw. 972.
Resinella L. 1855.
Resinella Wd. 1848.
Respersella Tr. 3200.
Respirantana Stgr. 1685.
Resplendana Hein. 2303.
Resplendella Stt. 3626.
Restigerella Z. 3512.
Respinatana Kenn. 1997 bis add.
Retextana Ersch. 1710.
Reticulana Hb. 1503 (Capua).
Reticulana Wd. 1464 (Acalla).
Reticularis L. 1068.
Reticulata Stt. 1546 (Pandem.).
Stgr. 2399 (Agyr.).
Reticulata Ström. 1480 (Acalla).
Reticulella Hd. 4475.
Retiferana Stt. 1559 (Tortrix).
Wck. 1854 (Evteria).
Retiferella Z. 3202.
Retinalis Ld. 986.
Retinella Z. 2414.
Retowskyi Möschl. 1198.
Retusana Wd. 2277.
Retusella Rbl. 2793.
Reussiella Htz. 2762.
Reuttiiana Frey 3969.
Reuttiella Hein. 2540 (Gelech.).
Reuttiella (Frey) HS. 4358 (Nept.).
Reversana Stgr. 1762.
Revinctella Z. 3980.
Reynana Stgr. 1606.
Rhabdalies Hmps. 1054.
Rhaetica Frey 3371.
Rhaeticana Frey 2293.
Rhaeticella HS. 4651.
Rhagensis Ld. 4459.
Rhamnella HS. 4299.
Rhamniella Z. 3575 (Blastod.).
HS. 4249 (Buccul.).

- Rhamnifoliella* Tr. 4258.
Rhediana Tr. 2254.
Rhediella Cl. 2254 (Pamene).
Rhediella Stph. 2155 (Graphol.).
Rhenanella Heyd. 2232 (Xystoph.).
Rhenanella Fuchs 265 (Ephest.).
Rhenella Zk. 663 (Nephopter.).
Rhenella HS. 662 (Nephopteryx).
 " Dup. 742 (Acrobasis).
 " Stph. 756 (Rhodopha.).
Rheticana Lah. 1712.
Rhizobiella Stgr. 773.
Rhodinella HS. 4042.
Rhodobaphialis Rag. 1135.
Rhodochrella HS. 342 (Heterogr.).
 " HS. 3206 a (Depress.).
Rhododactyla (S. V.) F. 1325.
Rhododendrana HS. 2109.
Rhododendri Hofm. 3655.
Rhododendronalis Dup. 1233.
Rhodophana HS. 1559.
Rhodoptera Mn. 2625.
Rhombana Stph. 1480 b (Acalla).
 " Hb. 1578 (Tortrix).
Rhomphella Schiff. 2543.
Rhombelliformis Stgr. 2544.
Rhombellus Z. 82. (Crambus).
Rhombicana HS. 1483.
Rhombicana HS. 1531.
Rhomboidella Curt. 2506.
Rhynchospora HS. 3994.
Rhypodactyla Stgr. 1376.
Ribearia Hb. 1540.
Ribesiella Joan. 2386 bis add.
Richardsonia Wlsglm. 4613.
Richteriana F. 1765.
Rieseana HS. 2116.
Rigaella Sodof. 4549.
Rigana Sodof. 1558.
Riganella HS. 4549.
Rigidana Snell. 2089.
Rimosana Chr. 2152.
Rippertella Z. 533.
Rivellia Rondani 3622.
Rivillei St. 3622.
Rivalalis Dup. 911.
Rivulana Sc. 1918.
Robertsonia Curt. 2996.
Robinella Mill. 541.
Roborana (S. V.) Tr. 2062 (Notocelia).
Roborana Hb. 1512 (Cacoecia).
Roborella Zk. 709.
Roboriforiella Dup. 4108.
Roboris Z. 4108.
Robustana Chr. 2018.
Robustella Stgr. 2796 (Xystoph.).
 " Fuchs 3856 (Coleoph.).
Roesella L. 3615 (Helioidines).
Roesella Wd. 3596 (Chrysoc.).
Roeslerella Hein.-Wck. 3961
 (Elachista).
 Heyd. 4563 (Tinea).
Roessleri Hein.-Wck. 3764.
Rogana Gn. 1592.
Rogenhoferi Rbl. 809 (Endotrich.).
 " Mn. 1584 (Pterophor.).
Rogenhoferi Stgr. 2866.
Rolandriana L. 1598.
Romanella Mill. 728.
Romanoffella Rag. 620.
Romanovi Rag. 484 (Hypoch.).
 " Kenn. 1794 bis add.
 " (Euxanthis).
Rooana Degraaf 1922 c.
Rorella L. 109 (Crambus).
Rorellus Hb. 2360 (Yponom.).
Roridana Mn. 1741.
Rosaceana Harr. 1511 (Cacoec.).
Rosaceana Schläg. 1899 a (Ole-threutes).
Rosaecolana Dbd. 2061.
Rosalabella Folegne 2607.
- Rosana* L. 1514 (Cacoecia).
Rosana Hb. 1568 (Tortrix).
Roscidianna Hb. 1460.
Roscidiella Z. 3052.
Roscipennella Hb. 4057.
Roscipennella Tr. 4056.
Rosealis Rag. 1122 (Metasia).
Rosealis Wilk. 811 (Endotricha).
Roseana Hw. 1773.
Roseella Zett. 2696.
Roseistrigella Rag. 213 a.
Rosella Sc. 744.
Rosenbergerella Nolck. 4606.
Roseofasciana Mn. 1774.
Roseomaculana HS. 1879.
Roserana Froel. 1706.
Rosetana Hb. 1899.
Roseticolana Z. 2162.
Rosmarinana Mill. 1949.
Rosmarinella Wlsglm. 3609.
Rossiana F. 1441.
Rostellula Lah. 69.
Rostrella Hb. 3075.
Rothenbachii Frey 4767.
Rotundana Snell. 2151 (Epibl.).
Rotundella Dgl. 3240.
Rouxella Const. 3520.
Roxburgii Gregson 285.
Rubella Swinh. 860.
Rubellana Hb. 1773; 1781.
Rubescana Const. 2049 a.
Rubescens Hein. 4349 (Neptic.).
Rubescens Hein. 3201 (Depress.).
Rubetralis Gu. 1140.
Rubicundana HS. 1496.
Rubidalis Schiff. 848 (Hercul.).
Rubidella Dup. 844 (Stemmato-ph.).
Rubidana HS. 1473 b.
Rubidella Rag. 735 (Acrobasis).
Rubidella Dup. 3242 (Depress.).
Rubiella Bjerkander 4657.
Rubigana Tr. 1749.
 " Hein. 1750.
Rubiginalis Hb. 1166.
Rubiginella Tr. 486.
Rubiginella HS. 496.
Rubiginosana HS. 2000.
Rubiginosella Rbl. 3056.
Rubivora Wck. 4382.
Rubralis Hmps. 825 b.
Rubrana Sodof. 1547.
Rubricana Peyer. 1676.
Rubricella Mill. 3235.
Rubricetella HS. 437.
Rubricosella Stgr. 479 a.
Rubrifasciella Hw. 4760.
Rubrocilialis Stgr. 834 a.
Rubrofascia Chr. 4730.
Rubrotibiella F. R. 730.
Rudectella Stt. 4010.
Rueckbeili Sauber 1267.
Rufa Tutt. 1921 a (Ole-threutes).
Rufa Hw. 283 (Ephestia).
Rufana Schiff. 1466 (Acalla).
 " Sc. 1899 (Ole-threutes).
Rufana Hb. 1476 (Acalla).
Rufella Dup. 716 (Pterothrix.).
Rufella Tugstr. 2409 (Argyr.).
Rufella Z. 4404 (Nepticula).
Rufescens Hw. 2909.
Rufescella Chrét. 4587.
Ruficapitella Chrét. 4294.
Ruficapitella Hw. 4294.
Ruficeps Hein. 2380 a (Prays).
 " HS. 4485 (Acrolepia).
Ruficiliella Hw. 1781.
Ruficiliella Wilk. 1782.
Ruficostalis Ld. 1197.
Ruficostana Curt. 1441 g.
Ruficostella Rag. 14.
Rufifrontella Tr. 4744.
Rufillana Stt. 2223.
- Rufimitralis* Hb. 1037.
Rufimitrana HS. 1982.
Rufimitrella Sc. 4741 (Adela).
Rufimitrella Hb. 4673 (Incurv.).
Rufimitrellus Z. 2355 (Yponom.).
 " Wd. 2466 (Cerostom.).
Rufipennella Hb. 4058.
Rufizonella Rag. 733.
Rufocinerata Hw. 4013.
Rufocirinalis Zett. 3131.
Rufosignana Kenn. 1670.
Rufoterminalis Chr. 813.
Rufifella Snell. 2803.
Rugosana Hb. 1829.
Rumicetella Hofm. 2811.
Rumicivorella Mill. 2585.
Ruminella Lah. 467.
Rupella Schiff. 4671 (Incurv.).
Rupella Hw. 4540 (Tinea).
 " var. Z. 4671 b (Incurv.).
Rupestralis Hb. 1008.
Rupestrana Dup. 1926.
Rupestrana Hein. 1926.
Rupicaprialis Ld. 1085.
Rupicola Curt. 1674.
Rupicola Hb. 1106.
Ruptella Const. 2569.
Ruptifasciella Rag. 678.
Ruralis Sc. 994.
Rurestrana Dup. 1926.
Ruricolella Stt. 4556 a.
Ruscinonella Rag. 596.
Russulalis Chr. 1289.
Russulatalis Hmps. 1217.
Rustica Hw. 2380 a.
Rusticalis Hb. 1073.
Rusticana Tr. 1597 (Tortrix).
Rusticana Hb. 1901 (Ole-threutes).
 " Hw. 2150 (Epiblema).
Rusticella Hb. 4537.
Rutana F. 3202.
Rutella F. 3202.
Ruticola Chr. 3281.
Rutilana Hb. 1740.
Rutilella Snell. 2819 (Xystoph.).
 " Chrét. 3601 (Stigmato-phora).
Rutilella Z. 794.
 " HS. 795.
- Sabellina* Hmps. & Rag. 1.
Sabinella Z. 2971.
Sabulicola Wlsglm. 1769 add.
Sabulosella Stgr. 374.
Saginella Z. 2722.
Sagitatella Ersch. 3488.
Saharae Obth. 2653.
Salaciella Tr. 4278.
Salebrana Mn. 1659.
Salicana Schiff. 1857.
Salicella L. 1857 (Ole-threutes).
 " Hb. 3131 (Dasystoma).
Salicetana Prittewitz 2295.
Salicicola Sircorn 4134.
Salicis Stt. 4387 (Nepticula).
Salicis Tngstr. 3975 (Elachist.).
Salicorniae Hering 2703 (Gelech.).
 " (Lital).
 " Hein.-Wck. 3697 (Co-leophora).
Salictella Z. 4135.
Saligna Z. 4226.
Salignella HS. 4226.
Salinella Z. 2664 (Gelech. [Lita]).
 " Stt. 3912 (Coleophor.).
Salinellus Tutt. 55.
Salopiella Stt. 4754.
Salatiarella F. 4037.
Saltenella Schöyen 2644.
Saltenella Mn. 587 a.
Saltum Z. 2753.
Salvana Stgr. 2235 (Pamene).

Salvana Rbl. 2188 (Graphol.).
Salvensis Frey 3245 a.
Salviella HS. 3081.
Samadensis Paffenneller 2648.
Samaritanella Z. 362.
Sambucus Schiff. 1191.
Samiatella HS. 4296.
Samiatella Z. 4294.
Sancta Hmps. 1133.
Sanctalis Hmps. 866.
Sangiella Stt. 2831.
Sangii Wood 4757.
Sanguinalis L. 1242.
Sanguinaria Tr. 1758.
Sanguinella Hb. 645 a.
Sanguisorbae Wek. 4300.
Sanguisorbana HS. 1705.
Santolinae Stgr. 2990.
Santolinana Stgr. 1764.
Santolinella Const. 3817 (Coleophora).
 „ Wlsgm. 4269 (Buccul.).
Saponariella Heeger 3744.
Saportella Dup. 4110.
Saracenia Wek. 1336 a.
Sarcitella Stph. 3051.
Sardinialis Gn. 1223.
Sareptana HS. 2021.
Sarepta HS. 306.
Sareptensis Möschl. 3173.
Sarmatiana Chr. 2064.
Sarthamella Z. 2845.
Sarracenella Rössl. 3249.
Sarrothamella Hein. 2845.
Sartalisa Hb. 1094.
Sartana Rag. 1521.
Satanas Mill. 1426.
Satanella Rag. 693.
Satellitella Stgr. 2456.
Saturatella Stt. 3719.
Satureiella Mill. 412.
Saturnis Tr. 987.
Saturnana Gn. 2307.
Saturnana Hein. 2306.
Satyrella Stgr. 3484.
Saunderiana Sorh. 1507 a.
Sauciana Hb. 1871.
Sauciana Dup. 1877.
Sauteriella Z. 2620.
Saxicella Z. 521.
Saxicola Vaughan 248 a.
Saxicolatis Mn. 1010.
Saxifragae Stt. 2390.
Saxonellus Zk. 72.
Scabida Z. 661.
Scabidella Z. 2611.
Scabidulana Ld. 1732 c.
Scabioidactylus Gregson 1406 a.
Scabiosana Kenn. 1812 ter add.
Scabiosella Dgl. 4195 (Lithocoll.).
Scabiosellus Sc. 4691 (Nemotois).
Scabra Stgr. 2532.
Scabrand (S. V.) Hb. 1446.
 „ HS. 1446 a; 1446 g.
 „ Stph. 1457 a.
Scabrella L. 2477.
Scabrosella Tngstr. 4468.
Scalariella Z. 1081.
Scalaris Chr. 1051.
Scalella Sc. 2615 (Gelechia).
Scalella Z. 3142 (Pseccadia).
Scandinavia Gn. 1102.
Scardonactyla Becker 1389.
Scardonactylus Hb. 1388.
Schaefferana HS. 1911.
Schaefferella L. 3394 (Borkh.).
Schaefferella Dup. 3595 (Chrysoclysta).
Schalleriana L. 1469.
Schefferiana F. R. 1911.
Schiffmillerella (S. V.) Hb. 1704.
Schinera Now. 4219 b.
Schlaegeriella Z. 3099.

Schleichi Chr. 2719.
Schleichiella Z. 3504 (Scythris).
 „ Frey 4384 (Nepticula).
Schlemmerella Hb. 1633.
Schmidella Frey 3558.
Schmidella Heyd. 2954.
Schmidella Saalmüller 3377.
Schmidella Z. 3191 (Depress.).
 „ Tr. 3616 (Pancalia).
Schmidtiana HS. 1942.
Schneideri Z. 3444.
 „ Fuchs 3446.
Schoenerrhanda Gn. 1905 b.
Schoenerrella Zett. 4664.
Schoenicella Stt. 2336.
Schrankella Hb. 3598.
Schrankiana Hohenw. 1105.
Schrankiana Stgr. 1106 a.
Schreberella F. 4191.
Schreberella Z. 4132.
Schreberiana L. 1856.
Schreibersiana Froel. 1838.
Schrencki Brem. 4724.
Schützeella Fuchs 701.
Schulziana F. 1912.
Schwartzana Panz. 2896.
Schwarzella Hb. 4682.
Sciaphilites Lah. 960.
Scintillana Chr. 2201.
Scintillella F. 2779.
Scintillula Tr. 2313.
Scintillula Hb. 2313.
Scipionella Stgr. 3508.
Sicrpana HS. 2020.
Sicrpelus Lah. 125 a.
Sciri Stt. 3995.
Sirrhosella HS. 1840.
Scissella Hw. 3405.
Scitella Z. 4236.
Scitulana Ld. 1895.
Scitulella Z. 4162.
Sciurana HS. 2126 a (Epiblem.).
Sciurana Tngstr. 1848 (Evetr.).
Scopulacina Wallgr. 3870.
Scopariana HS. 2182.
Scopariella Hein. 3201 (Depress.).
 „ Z. 4175 (Lithocoll.).
Scopolella Hb. 3515 (Scythris).
Scopolella Hb. 2621 (Gelechia).
Scopoliana Hw. 2085.
Scopoliana Wilk. 2086.
Scorialis Z. 1157.
Scoriana Gn. 1908.
Scoriella Woll. 967.
Scotana Stph. 1459 a.
Scotica White 948.
Scoticella Stt. 4101 (Ornix).
Scoticella HS. 4244 (Buccul.).
Scotinella HS. 2568.
Scriabilla Z. 3551.
Scriptana Hb. 1862.
Scriptella Hb. 2733.
Serophulariana HS. 1578 a.
Sculpturella HS. 2464.
Scurella HS. 3407.
Scutalis Hb. 1240.
Scutana Const. 2087.
Scutulana Dup. 2139.
 „ Tr. 2143.
 „ F. R. 2144.
Scutulatella Stt. 4103 a.
Sedacovella Ev. 694.
Sedacowialis Ev. 1057.
Sedana Const. 1619.
Seedula Tr. 2356.
Seboldi Rag. 205 (Anerastia).
 „ Hofm. 1340 (Platypt.).
 „ Rössl. 2033 (Semasia).
Seboldiana Rössl. 1485.
Seboldiella Rag. 3585 (Mompha).
Seboldiella Kriethner 3060
 (Blastobasis).
Segetalis HS. 1012.

Segetana Z. 1609.
Segefello Z. 2925.
Segmentana HS. 2004.
Segnalis Leech 991 add.
Segnella Z. 3055.
Sejunctella Chr. 583.
Selaginella Mn. 2500.
Selasana HS. 1473 c.
Selasellus Hb. 63.
Selectana Chr. 2251.
Selenalis Hb. 1042 a.
Selenana Z. 2215 (Graphol.).
 „ Gn. 2269 (Aneylis).
Selini Hein. 3253.
Selinella Z. 3423.
Sellana Gn. 1877.
Selliferana Kenn. 2215 quat. add.
Semialbana Gn. 1518.
Semiassana Kenn. 1860 bis add.
Semicarella Wd. 4217 a.
Semibruneata Joan. 1609 b.
Semicamella Const. 3114.
Semicinctana Kenn. 2215 ter add.
Semicinerarea Stgr. 3769.
Semicolorata Eplsh. 4324 a.
Semicostella Stgr. 2760 (Gelech. [Telega]).
 „ Hb. 2982 (Sophron.).
Semicremana Chr. 1883.
Semidecandrella (Stt.) Thretfall 2709.
Semifascia Hw. 4052.
Semifasciana Hw. 1860.
Semifasciella Stph. 2419.
Semiflavella Chr. 2406.
Semifulvella Hw. 4597.
Semifusca Hw. 2401.
Semifuscana Stph. 2126.
Semilugubrella Brd. 4505.
Semilunana Froel. 2125.
Semimaculana Hb. 2125.
Semiodactyla Mn. 1343.
Semipictella Steud. 4404 a.
Semipurpurella Stph. 4756 (Eriocrania).
Semipurpurella Stph. 2401.
 „ Hein. 2407 (Argyresth.).
Wood 4757 (Eriocran.).
Semirosellata Rag. 214.
Semirubella Sc. 645.
Semirubella Leech 645 a.
Semirufa Hw. 286.
Semirufana Chr. 2142.
Semispilotella Strand 4537.-
Semitessella Mn. 2461.
Semitestacella Curt. 2407.
Semitestacea Wd. 2403.
Senecionana Stgr. 2099 a (Epibl.).
Senecionana Hb. 1597 (Tortrix).
Senecionis Nick. 3250 (Depress.).
Senecionis Vaughan 239 (Homoeosoma).
Senectana Gn. 2297.
Senectella Z. 2520.
Senescens Stt. 3449 (Scythris).
Senescens Hein. 687 (Brepchia).
Senicalis Stgr. 1257 a.
Seniculella Chr. 2455.
Seniella Stgr. 522.
Seniella Zett. 2449.
Senticella Stgr. 2967.
Separatalis Leech 913 bis add.
Separatana Hs. 2187.
Separatellus F. 3003.
Sepicolella HS. 2809.
Sepiella Steud. 2911.
Seppella F. 4778 (Micropter.).
Seppella Hb. 2326 (Glyphipt.).
Septembrella Stt. 4395.
Septempunctata Chr. 3149.
Septentrionalis Tngstr. 1237.
Septentrionana Curt. 1869.
Septentrionana Möschl. 1913.

- Septentriionum* Stgr. 2449.
Septicella Snell. 3198.
Septodactyla Tr. 1383.
Sepulchrella Stt. 4017.
Sequula Hb. 2282.
Sequa Hw. 2741.
Sequelle Cl. 2453.
Sequellea HS. 2453a.
Serella Const. 3455 (Seythr.).
 „ Stt. 4327 (Nepticula).
Serenella Z. 3722.
Seriana Kenn. 2167 bis add.
Sericana Kenn. 2308 bis add.
 (Lipoptyla).
Sericana Hb. 1441 c (Acalla).
Sericatilis HS. 1104.
Sericalis Hb. 1106.
Sericella Hw. 3623.
Sericinella Z. 4681.
Sericopeza Z. 4399.
Seriniapennella Chr. 3701.
Serizeita Stgr. 1017.
Serizatalis Obth. 1274.
Serotinalis Joan. 1040.
Serotinella HS. 4285.
Serotinus Z. 1406.
Serpylletorum Hering 3812 (Coccoidea).
Serpylletorum Z. 413 (Pempelia).
Serratalis Hmps. 889 (Actenia).
 „ Stgr. 1021 (Evergest.).
Serratella Rag. 637 (Salebria).
 „ Tr. 3610 (Stagmatoph.).
Serraticornella Z. 649.
Serricornis Hmps. 16.
Serratulella HS. 3814.
Serricornis Stt. 3986.
Serrulatella Tngstr. 2524.
Servella Z. 2797.
Servillana Dup. 2173.
Sestertiella HS. 2729.
Setiella Z. 3505.
Setipalpella Stgr. 3808.
Settari Wck. 3868.
Severana Kenn. 1544 bis add.
Severella Chr. 4578.
Sexguttula Mn. 4566.
Sexmaculata Fologne 1273.
Sexpunctata Chrét. 1083.
Sexpunctella Hb. 3140.
Shepherdana Stph. 1472.
Sibirialis Mill. 990.
Sibirica (Chr.) Alph. 119 b
 (Crambus).
 „ Ld. 959 (Scoparia).
 „ (Stgr.) Rbl. 3075 a
 (Pleurota).
Sicanella Z. 4770.
Sicariella Z. 2898.
Siccalis Gn. 1083.
Siccella Z. 3529.
Siccfolia Stt. 3649.
Siceliota Z. 1311.
Sichotella Chr. 3617.
Siciliana Rag. 1555.
Sicutella Dup. 1291 a.
Siculana Hb. 2267.
Siculella Wck. 3324 (Lecithoc.).
Siculellus Dup. 56 (Crambus).
Siderana Tr. 1904.
Siderana Dup. 1903.
Siderella Z. 4499.
Sieversi Chr. 592 (Christoph.).
Sieversi Stgr. 2584 (Gelech.).
Sieversiana Nolck. 1934.
Siewersiellus Chr. 2584.
Signaria Tngstr. 1446 c (Acalla).
 „ HS. 2017 (Bactra).
Signatana Dgl. 1980.
Signatella HS. 3030.
Signella Hb. 3022 (Symmoca).
Signella Teich. 949 a (Scoparia).
 „ HS. 3023 (Symmoca).
- Signella* Hb. 3224 (Depressar.).
Signicostalis Stgr. 832.
Significantana Kenn. 2083 bis add.
Signipennella Hb. 4056.
Signosella Rag. 301.
Silacealis Hb. 1218.
Silacella Hb. 945 (Scoparia).
 „ Wd. 2491 (Metzner.).
Silacellus Hb. 2944.
Silenella HS. 3855.
Silerella Stt. 3220.
Silerinella Z. 3543.
Sileris Pfaffenzeller 3245.
Silesiacia Hein. 3304.
Siliceania Hb. 2119.
Siliquella Const. 3724.
Silphana Mill. 1929.
Silvalis Joan. 1155.
Silvulus Hb. 123.
Similana Hb. 2135 (Epiblema).
Similana Wilk. 1877 (Olethreut.).
 „ Tr. 2139 (Epiblema).
Similella ZK. 671 (Nephopter.).
 „ Hb. 2367 (Borkhaus.).
Similiadactyla Stt. 1331 (Platypt.).
 „ Dale 1383 (Pteroph.).
Similis Stt. 2527 (Bryotroph.).
 „ Stgr. 3779 (Coleophor.).
Similia Butl. 1506 (Cacoecia).
Similisana Hb. 1931.
Simillima Stgr. 3780.
Simillimella Fuchs 3886.
Simoniana Stgr. 1686.
Simonyi Rbl. 1542.
Simplana F. 1969.
Simplex Butl. 180 bis add. (Chilo).
 „ Stgr. 3109 (Pleurota).
Simplexialis Brem. 1088.
Simplecilla Chr. 2327 (Glyphipt.).
 „ Hein. 4414 (Neptic.).
 „ HS. 4605 (Tinea).
Simplecilla Hein. 672 (Nephopt.).
 „ Lah. 1167 (Pionea).
 „ HS. 2380 a (Prays).
 „ Hein. 2580 (Gelech.).
Simplecillata Chr. 829.
Simpleciana Hw. 2288.
Simpleoniatis HS. 1103.
Simpleoniata Dup. 2146.
Simpleoniella F. 4065 (Gracilar.).
Simpleoniella Dup. 24 (Cramb.).
Simulantana Stgr. 2009.
Sinapina Butl. 1526.
Sineana Frr. 1576.
Sinensis Feld. & Rghfr. 3496.
Singula Stgr. 2626.
Singulana HS. 1835.
Singularis Stgr. 728.
Sinusalis Hmps. 139.
Sinuana Stph. 1626 (Cnephas.).
 „ Hb. 2125 a (Epiblema).
Sinuella F. 232.
Sirecomella Stt. 4241 b (Buceul.).
Sircometta Stt. 2821 (Xystoph.).
Simeynthrella Tr. 2451.
Simeathmanniana F. 1760.
Simulatella Mill. 4478.
Suelleni Nolck. 4281.
Sobiella Stgr. 3110.
Sociella L. 8 (Aphomia).
Sociella Hb. 15 (Lamoria).
Sodalella Z. 740.
Sodaliana Hw. 1833.
Sodalis Butl. 1163.
Solandriana L. 2125 (Epiblem.).
Solandriana F. 2055 (Notocel.).
 „ Hein. 2127 (Epibl.).
Solanella B. 2636.
Solaris Ersch. 2312.
Solaniella Chr. 1270.
Solemnella Chr. 2777.
Solenella Stgr. 3787.
- Solicitana* Wlk. 2130.
Solidaginella Stgr. 3806.
Solidaginis Stgr. 4488.
Solitaria Stgr. 2536.
Solitariella Z. 3644.
Solitariella HS. 3646.
Solskyi Chr. 685.
Solutella Z. 2603.
Sommulentella Z. 4107.
Sophialis F. 1011.
Sophroniellus Rbl. 2980.
 „ Stt. 4366 (Lithocoll.).
Sorbi Frey 4139 (Lithocoll.).
 „ Stt. 4366 (Nepticula).
Sorbianna Hb. 1515.
Sorbiella Tr. 2417.
Sorbioliella HS. 4139.
Sordicomana Stgr. 2096.
Sordida Stgr. 633 (Salebri.).
 „ Stgr. 3351 (Borkh.).
Sordidalis Hb. 1241.
Sordidana Hb. 2127.
Sordidana Dup. 2125 b.
Sordidatella Tngstr. 3302.
Sordidella Hb. 2923.
Sorhageni Sauber 1305.
Sorhageniella Lüders 4225.
Soriana Kenn. 1602.
Soritella Ld. 543.
Sororeculana Zett. 1867.
Sororeculella Rag. 424 (Pempel.).
 „ Hb. 2570 (Gelechia).
Sororialis Heyd. 1230.
Sororiania HS. 1876.
Sororiella Z. 412.
Spadicanea Hw. 1441 d (Acalla).
Spadicanea Dup. 1844 (Evetria).
Spadicella Hb. 587.
Sparella Ld. 3090.
Sparangiella Tr. 2486.
Sparmannella Bosc. 4750.
Sparmanniana F. 3181 a.
Sparmanniata Wd. 3181.
Sparmanniata HS. 3187.
Sparsana Stgr. 1692 (Conchyli.).
Sparsana Froel. 1446 (Acalla).
Sparsella Joan. 3038 (Symmoca).
Sparsellus Chr. 2959 (Ypsoloph.).
Sparsicellula Barr. 2835.
Spartanella Thnbg. 2486.
Spartiana Hb. 3177.
Spartiella Schrk. 2996 (Anara.).
Spartiella Rondani 510 (Etilla).
Spartifoliella Hb. 4228.
Sparulana Stgr. 2262.
Spatulella HS. 4283.
Speciosa Frey 4347.
Speciosalis Chr. 822.
Speciosella Teich. 2508.
Specifasciella Rag. 390.
Specrana Dup. 1457 a (Acalla).
 „ Tr. 1520 (Cacoecia).
Spectrella Frey 3960.
Speculalis Hb. 89.
Speculiferella Chr. 2322.
Speyeri Hein.-Wck. 3445 (Seythr.).
Speyeri Z. 4713 (Adela).
Sphegiella Hb. 4713.
Spilodactyla Curt. 1345.
Spilotella Tugstr. 4537 a.
Spiniana Dup. 2240.
Spinicella Stt. 4142.
Spinicella HS. 4136.
Spinella Z. 2402 (Argyresth.).
Spinella Hb. 2368 (Swammerd.).
Spiniferalis Stgr. 1019.
Spinifella Dup. 4129.
Spiraeae Stgr. 2687.
Spirana Kenn. 1817.
Spissicella F. 709.
Spissicornis Hw. 3680.
Spindana Hb. 2259.
Spindella Hb. 4533.
Spindens Stgr. 1112 a (Titanio).

Splendens Stgr. 2826 (Anacamps.).
Splendidalis HS. 1002.
Splendidella HS. 698 (Dioryctry.).
Splendidella Hein. 4662 (Incurv.).
Splendidella HS. 455 (Euzoph.).
 Z. 3629 (Asychna).
Splendidellus Chr. 132 (Cramb.).
Splendidissima Frey 4328.
Splendidissimella HS. 4328.
Splendulana Gn. 2228.
Splendidus Stgr. 4700.
Spodiella Tr. 2771.
Spoliatrix Chr. 7.
Sponsana F. 1464.
Spretella (S. V.) Z. 4583.
Spumosella Stgr. 3789.
Spurcatus Wilk. 187.
Spurcella HS. 2553.
Spuria Hw. 4674.
Spurianna HS. 1914.
Spuriellus Hb. 28.
Squatalidus Hb. 1171.
Squatidana HS. 1887.
Squallidella Chr. 732.
Squalorella Z. 3699.
Squamana F. 1458 b.
Squamatella Stt. 4287.
Squamella Const. 3725.
Squamosa Mn. 3184.
Squamosella Stt. 3897 (Coleoph.).
 HS. 4011 (Elachist.).
squamulana Hb. 1458 b; 1458 f.
Squamulella Peyer. 2732.
Stabilis Stph. 2127.
Stabilella Frey 3956.
Stachelinella Wlsglm. 3836.
Stachydalis Germ. 1159 (Pionea).
 Frey 1342a (Platyptil.).
Staechadella Const. 3045.
Stagnalis Frey 3940 (Elachist.).
Stagnalis Gn. 912 (Nymphula).
Stagnata Don. 912.
Staintoni Woll. 4048 (Gracilar.).
 Wlsglm. 4426 (Banks.).
Staintoni Sircom 3590 (Mompha).
Staintoniana Barr. 1871 a.
Staintoniella Baker 3096 (Pleurotata).
 Z. 3331 (Alabonia).
 Stt. 3417 (Epermen.).
 Stt. 4176 (Lithocoll.).
Staminella Chr. 329.
Standfussiella Z. 4649.
Stangeana Teich. 1918 a.
Stangei Hering 2644.
Staniella HS. 2355.
Stannana Gn. 2005.
Stanneella F. 3624 (Heliozeloa).
Stannella HS. 3624.
Stannellus Thmbg. 2355 (Yponomeuta).
Stateriella Heyd. 3546.
Staticeana Mill. 1957.
Staticella Mill. 2862.
Statices Stgr. 2981.
Statics Mill. 1430.
Staudingeria Rag. 863 (Constantia).
 Mab. 957 (Scopar.).
Staudingerella Chr. 4720 (Adela).
Staudingerella Rag. 772 (Myeloid).
Staudingeri Z. 97 (Crambus).
 Rag. 481 (Hypochalcia).
 Chr. 1300 (Noctuelia).
 Kenn. 1440 bis add.
 (Acalla).
 Rbl. 3158 (Psecadia).
 Chr. 3176 (Pantelamp.).
Staudingeri Chr. 344 (Heterogr.).
 Baker 1107 (Titania).
Stefanii Joan. 3700.
Steineriana Hb. 1591.

Steineriana HS. 1592.
Steiniiana Sorh. 1978 b.
Steinkellnerella Tr. 3138.
Steinkellneriana Schiff. 3138.
Stellaris Z. 2313 a.
Stelliferella F. R. 4497.
Stelyiana Wck. 4331 (Neptic.).
Stilivana Mill. 1605 (Cnephias.).
Stenoptycha HS. 459.
Stenota Woll. 966.
Stenziellus Tr. 82.
Stephensi Stt. 3590.
Stenipennella Zett. 3845.
 Wallgr. 3908.
Stettinella HS. 4189.
Stettiniensis Nicelli 4189 (Lithocelletis).
Stettinensis Hein. 4309 (Neptic.).
Stedeliella Frey 2629.
Stibiana Snell. 1566 (Tortrix).
 Gn. 1907 (Olethreutes).
Sticticalis L. 1061.
Sticticana Stph. 2143.
Stigma Stgr. 3019.
Stigmatana Ev. 1586.
Stigmatella F. 4044 (Gracilar.).
Stigmatella Rag. 203 (Anerast.).
Stigmatodactyla Z. 1417.
Stigmosalis HS. 935.
Stipeila Hb. 2894 (Chrysopora).
 L. 3364 (Korphausenia).
Stolidella Gregson 2527 a.
Stragulana Tngstr. 2242.
Stramentalis Hb. 1027.
Stramentana Gn. 1644 b.
Stramentella Z. 3751.
Straminalis Hb. 1027.
Straminea Hw. 1811 (Euxanth.).
Straminea Butl. 182 (Acropent.).
Straminealis Hmps. 1045.
Stramineana HS. 1531a (Cacoec.).
Stramineana Zett. 1597 (Tortr.).
Stramineella Stt. 4056.
Straminella Stph. 3185 (Depress.).
Straminella Hb. 114 (Crambus).
Stratana Z. 1608.
Stratiotatis Schiff. 916.
Striatata L. 916.
Streetfieldii Curt. 825 a.
Streliella HS. 2627.
Strelitzia Hein. 2627.
Striana Hw. 1441 b (Acalla).
 Schiff. 1901 (Olethreut.).
Striata Butl. 805.
Striatana Rag. 1481 a.
Striatella Rag. 444 a (Euzoph.).
 Stgr. 389 a (Selagia).
 (S.V.) Hb. 2935 (Paltodor.).
Striatella HS. 2936 (Paltodora).
 Hb. 2960 (Nothris).
Striatipennella Z. 3827.
Striatopunctella Rbl. 2792.
Strictella Mn. 350 (Heterograph.).
 Mn. 403 (Psorosa).
Strictellus Wck. 3414 (Epermen.).
Strigana Hb. 1531 et add.
 (Cacoecia).
Strigana Hw. 2285 (Dichror.).
Strigata Stgr. 712.
Strigatalis Hmps. 140.
Strigelus Tr. 161.
Strigiferalis Hmps. 983.
Strigiferella Snell. 3862.
Strigifella Thmbg. 4333.
Strigosa Stgr. 197.
Strigulana (S. V.) F. 3135.
Strigulatana Kenn. 2167.
Strigulatula Z. 4120.
Striolana Rag. 1530.
Striolatella Z. 3747 (Coleoph.).
Striolatella Hein. 2559 (Gelech.).
Strobilana Hb. 2177 (Graphol.).
 Dup. 2295 (Dichror.).
 Submoutana Frey 2418.
Submundialis Mill. 1036.
Subnervosa Obth. 3307.
Subnigrella Dgl. 3949.
Subnitidella Rag. 444 (Euzoph.).
 Z. 4298 (Nepticula).
Subnobilella Rössl. 3928 a.
Subobscurana Kenn. 1663 bis add.
Subocella Stph. 4002.
Subocellana Don. 2118.
Subocellea Stph. 2875.
Subochreatis Rag. 865.
Subochrella HS. 588.

- Subochrellus* HS. 588.
Subolvacea Rag. 249.
Subolivalis Obth. 901 b.
Subornatella Dup. 413.
Subquadrella Rag. 3922.
Subpallorella Stgr. 3186.
Subpropinquella Stt. 3206.
Subpurpurella Hw. 4752.
Subpyropella Stgr. 3082.
Subrosea Wd. 2761.
Subroseana Hw. 1772.
Subroseana Wilk. 1781.
Subrubiginella Rag. 487.
Subruvana Snell. 1508.
Subseliniella Hein.-Wck. 3424.
Subsequentialis HS. 1219.
Subsequana Hw. 1998 (Steganoptycha).
Subsequana HS. 1966 (Aeroctlit.).
 „ Wd. 2001 (Steganopt.).
Subsequella Hb. 2783 (Tachypt.).
Subsequella Tr. 2573 (Gelechia).
Subsignella Rbl. 2932.
Subsortitella Rag. 691.
Substraminea Rag. 1815.
Substratella Chr. 326.
Substriana Stph. 1441 h.
Substriga Hw. 4082.
Subterminana Ersch. 2053 et add. et 2141 bis add.
Subtileta Fuchs 4617.
Subtripunctata Stph. 1471.
Subuncana Wd. 2277.
Subustralis Ld. 851.
Subvittana Stgr. 2086 a (Epibl.).
Subvittana Stph. 1441 a (Acalla).
Succedana (S. V.) Froel. 2171.
Succinctella Z. 2763.
Succineana Kenn. 2063 bis add.
Succisa Rössl. 3456.
Succursella HS. 3864.
Sudana Dup. 1811.
Sudetana Studf. 1905 d.
Sudetica Z. 965.
Sudeticalis Dup. 965.
Sudetiana HS. 1905 d.
Sudoviana Hb. 1461.
Suffusalis Tr. 1224 b.
Suffusana Z. 2060.
Suffusana Hb. 288 (Ephestia).
 „ Dgl. 2817 (Xystoph.).
 „ Z. 4224 (Phyllocoen.).
Suffusella Z. 4225.
Suifunella Chr. 4443.
Sulcatella Chr. 316.
Sulcella Stgr. 2962.
Sulphuralis Hb. 1047.
Sulphurana Chr. 2036 (Semasia).
Sulphurana Hb. 1233 (Pyrausta).
 „ Gm. 1707 (Conchyliis).
Sulphurea Stgr. 1348 a.
Sulphurella F. 3334 (Oecoph.).
Sulphurella Hb. 2474 (Cerostoma).
 „ Wd. 3335 (Oecoph.).
 „ Hb. 3364 (Borkhaus.).
Sulphurellum Hw. 4085.
Sulphurosa Kenn. 1792 ter add.
Sultanalis Stgr. 1112.
Sultschana Rag. 915.
Sultzella Dup. 4717.
Sutella Schiff. 4717.
Sulzerella Z. 4717.
Sumptuosella Ld. 3613.
Suumiana Hoffm. 2052.
Superba Ffr. 1295.
Superbalis HS. 1295.
Superbella Z. 155 (Eromene).
 „ Z. 2892 (Argyritis).
Superbella Frey 2893.
Superfetella Peyer. 2555.
Suppandalis Hb. 1115.
Suppelilla Wlsghm. 2579.
Suppositana Kenn. 1671 bis add.
- Susinella* HS. 4227.
Suspectana Z. 2229.
Suspectella Hein. 2557 (Gelech.).
 „ Chrét. 4009 (Elachist.).
Suspectellus Z. 53 (Crambus).
Sutschana Hmps. 925.
Suttneriana Schiff. 1572 a.
Swammerdammella L. 4678.
Swederella Thmbg. 4040.
Syenitella HS. 2440.
Sylvana Tr. 1553 (Eulia).
 „ Hb. 2125 b (Epiblema).
Sylvaticella Wood 3842.
Sylvella L. 2471 (Cerostoma).
 „ Hw. 4111 (Lithocoll.).
Sylvestrana Curt. 1846.
Sylvestrella Ratzb. 698; 700.
Sylvicola Hein. 2308.
Sympodactyla Alph. 1436.
Syriaca Wlsghm. 1832 bis add. (Phtheochroa).
 „ Stgr. 3100 (Pleurota).
 „ Ld. 4630 (Deuterotin.).
Syriacalis Rag. 853.
Syriacella Rag. 210 (Hypsotr.).
 „ Rag. 3039 (Symmoca).
Syringella F. 4063.
Syrtialis Rag. 865.
Syrtana Rag. 1831.
Syrtella Rag. 339.
Syrticola Stgr. 2540.
Syrticolalis Rag. 820.
- Tabacella* Rag. 2636.
Tabescentella Stgr. 3438.
Tabidella Mn. 785 (Myelois).
 „ HS. 3432 (Scythris).
Tabulella Rag. 564 a.
Tacapealis Rag. 856.
Tacapela (-um) Rag. 432.
Taeniadactyla Soult. 1335 a.
Taeniadactyla Stt. 3981 (Elach.).
Taeniadelta Teich. 949 b (Scopar.).
Taeniellus Z. 25.
Taeniipennula HS. 3830.
Taeniolella Z. 2844.
Taganrogana Kenn. 1756 bis add.
Talebella Obth. 791 et add. et 295 add.
Tamaricalis Mn. 801.
Tamariciella Z. 2740.
Tamaricus Z. 1428.
Tamerlana Rag. 1821.
Tanacetella Schrk. 2935.
Tanaceti Stt. 2306 (Lipotyph.).
 „ Mühlig 3883 (Coleophor.).
Tanaceti Rössl. 3764 (Coleoph.).
Tancrei Sauber 471 (Pogonotr.).
 „ Sauber 4716 (Adela).
Tangerensis Stt. 3517 (Scyth.).
 „ Stt. 4175 (Lithocoll.).
Tapetella Z. 4539.
Tapetzella L. 4539.
Tapezella Hb. 4539.
Tarandana Möschl. 2048.
Tarandella Wck. 2601.
Tarquinella Stt. 2891.
Taurella Schiff. 4467.
Taurella Hb. 4472.
Taurellus Hw. 4468.
Tauriana Kenn. 1675.
Tauricella Wck. 721 (Pterothr.).
 „ Stgr. 2442 (Eidophas.).
 „ Stgr. 3740 (Coleoph.).
 „ Stgr. 4483 (Acrolepia).
Taxella HS. 2385.
Taxi Frey 2385.
Technica Meyr. 4433.
Teetella HS. 2526.
Tedella Cl. 2111.
Tegulella HS. 2531.
- Teliferana* Chr. 2025.
Teligerella Stgr. 3117.
Telphusalis Wilk. 987 ter add.
Temerella Z. 2781.
Temperatella Ld. 3486.
Tendinosalia Brein. 1241.
Tenebrana Chr. 2164.
Tenebrella Hb. 2818.
Tenebricosa Z. 3285.
Tenebrionellus Mn. 2934.
Tenebrosa Z. 428.
Tenebrosana Z. 2160.
 „ Dup. 2162.
Tenebrosella Z. 2818.
Tenella Z. 4116.
Tenerana Schläg. 1935 (Ole-threutes).
Tenerana Dup. 1983 (Steganopt.).
Tengstroemi Nolck. 4361.
Tengstroemiella Ersch. 410.
Tentaculella Hb. 165.
Tentaculellus Z. 167.
Tenuialis Mn. 1222.
Tenuilla Mn. 2791.
Tenuicornis Stt. 4658.
Tenuigranella Rag. 372 et add. et 380 add.
Tenuisquamata Stgr. 3511.
Tenuivittella Stt. 3510.
Tephradactylus Hb. 1390.
Tephriditella Dup. 2551.
Tephrinana Z. 2130.
Tephrinella Ld. 265.
Terebinthella Rondan 4208.
Terebinthella HS. 2612.
Terebrella (-um) Zk. 429.
Terrella (S. V.) Hb. 2510.
Tergana Ev. 1746.
Tergestella Rag. 407.
Tergestinella Z. 3467.
Teriadalis Gn. 1073 a.
Terminalis Ersch. 1333.
Terminella Westw. 3599.
Ternatella Stgr. 2931.
Terrealis Tr. 1187.
Terreana Tr. 1504.
Terrela F. R. 2909. - 3510
Terrenella Z. 3470.
Terrestrella Z. 2564 (Gelechia).
Terrestrellus Chr. 22 (Cramb.).
Terrellus Ld. 48.
Terstrigana Rag. 2195.
Terstrigella Chr. 366.
Tessaradactyla L. 1337.
Tessaradactyla Tr. 1332.
 Zett. 1335.
Tesselalis Gn. 1052 a.
Tessellana Hb. 1743.
Tessella Hb. 2621.
Tessellana Pack. 1868.
Tessellatella HS. 3590.
Tessellea Hw. 4423.
Tesserana Tr. 1743.
Tesserulalis Chr. 1239.
Tessulatana Stgr. 1852.
Tessulatella Z. 4521.
Testacea Butl. 1151.
Testacealis Hmps. 184 (Neoschoenobia).
 „ Z. 1140 (Pionea).
Testacea Ev. 1509.
Testaceila Hb. 3416.
Testulalis HG. 1038 bis add.
Tetradactyla L. 1365.
Tetragonana Stph. 2065.
Tetragonella Stt. 2816 (Xystoph.).
 „ HS. 3925 (Elachista).
Tetragrammana Stgr. 2195.
Tetralicella Hofm. 1339 a.
Tetraplana Möschl. "2045.
Tetrapodella Z. 2397.
 „ Stph. 2404.
Tetraquetra Hw. 2129.

Tetrazonella Ersch. 3587.
 Tetricana Mn. 1726.
 Tetricella (S.V.) F. 782.
Teuchrosella Teich. 2559.
 Teucrini Jordan 1321.
Textana HG. 1890 (Olethreut.).
 " Hb. 1538 (Pandemis).
 " Dup. 1940 (Olethreut.).
Textellus Chr. 32.
Thapsia HS. 3216.
Thapsiana Z. 2137.
Thapsiella Z. 3216.
Therinella Tngstr. 3825.
Thiana Stgr. 1830.
Thoracella Thnbg. 4238.
Thoracica Ld. 3206a.
Thorencella Mill. 3345.
Thrasonella Sc. 2326.
Thuleana Vaughan 1828.
Thuleella Stgr. 2529.
Thunbergana F. 3314.
Thunbergella F. 4760.
Thuriticana Ld. 1851 b.
Thuringiaca Martini 3688 a.
Thymetella Stgr. 4039.
Thymiella Z. 626.
Thymifoliella Const. 2637.
Thyrididella Ld. 924.
Tibialana Hb. 2154.
Tiedemaniania Z. 1937.
Tigrella Hb. 3364.
Tigrina Chr. 2736.
Tigurinellus Dup. 121.
Tiliella Frey 4306.
Tiliella Z. 3799.
Timidella Wck. 2780.
Tinctella Hb. 3340.
Tinctoriella Coverdale 3719.
Tineana Hb. 2268.
Tischerana Tr. 1811.
Tischeriella Z. 2727.
Tithonialis Z. 1243.
Titryella Stt. 4374.
Tofosella Rbl. 3040.
Tombacinalia HS. 4740.
Tomiana Z. 2013.
Tomentilla Bks. 4327.
Tomentillella HS. 4326.
Torminalis Wood 4319.
Torminella Frey 4147.
Tornella Wlsglm. 1650.
Torquatella Z. 2384.
Torquilella Z. 4100.
Torusulella Rbl. 2493.
Torrifana Ld. 2016.
Torrifida Mn. 2490.
Tortricella Hb. 1638.
Torvalis Möschl. 1227.
Tostella Hb. 2486.
Trabeatellus HS. 41.
Tractella Z. 3743.
Traducalis Z. 986.
Tragicella Heyd. 2548.
Transbaicalis Stgr. 1175 a.
Transitana Gn. 1601.
Transversana Chr. 1939.
Transversariella Z. 194.
Transversella Dup. 401 (Oxybia).
 " Z. 2339 (Douglasia).
Trapezana F. 2125 b.
Trapezella Dup. 521.
Trapeziella Stt. 3924.
Trauniara Schiff. 2245.
Trauniara Hw. 2244.
Trauniella Z. 2619.
Treitschkeana Tr. 1492.
Treitschkeella Stgr. 3156 (Psecadia).
Treitschkeella Sodof. 34 (Gramb.).
 " Frr. 161 (Chilo).
Treitschkiella F. 3620.
Tremella Wd. 2733.
Tremulae Z. 4203.

Tremulella Dup. 2776 (Tachyp.).
 " HS. 4203 (Lithocoll.).
Treuariana Hb. 1549.
Triangulana Tr. 1746.
Triangulella Rag. 251 (Homoeosoma).
 " Rag. 3538a (Scythr.).
Triangulifera Tngstr. 4665.
Triamularella HS. 2911.
Triatomae Mühlig 2853 (Epiptethes).
 " Hw. 4018 (Elachista).
Tribunella (S.V.) Hb. 8.
Tributella Z. 3468.
Trichodactylus Hb. 1319.
Trichonella Mn. 2460.
Trichostomus Chr. 100.
Tricolella Wlsglm. 3686.
Tricolorana Hw. 1458 d.
Tricolorella Hw. 2705.
Tricuneana Kenn. 2221 bis add.
Tridactylus Stph. 1361.
Trentella Chr. 3721.
Trifariella Z. 3731.
Trifasciana HS. 1951.
Trifasciata Stgr. 2424 (Argyresthia).
 " Wck. 4470 (Ochsenh.).
Trifasciella Rag. 367 (Heterogr.).
 " Hw. 4196 (Lithocoll.).
 " Stgr. 4745 (Adela).
Trifasciella Tngstr. 3329 (Elach.).
Triforella Peyer. 4179.
Trifoliania HS. 1944.
Trifoliella Const. 2782.
Trifolii Curt. 3676.
Trigeminana Stph. 2103.
Trigeminella Fuchs 3636.
Trigeminella Rbl. 3637.
Trigonana Stph. 1452.
Trigutta Chr. 3370 (Borkhaus.).
Trigutta Esp. 1273 (Pyrausta).
Triguttella Dup. 3515 (Scythris).
 " Stt. 4149 (Lithocoll.).
Trijugella Ersch. 2764.
Triniceella Rag. 599.
Trimaculalis Stgr. 1255.
Trimaculana Döb. 2005 (Steganoptycha).
Trimaculana Hw. 2060 (Notocel.).
Trimaculella Hw. 4404 (Neptic.).
 " HS. 4653 (Incurvar.).
Trimaculella Pack. 2597 (Gelech.).
 " Dup. 3383 (Borkh.).
Trimadotactyla Chr. 1377.
Trinacriana Ld. 2066.
Trinalis Schiff. 1206.
Tringipennella Z. 4059.
Trinotella Thnbg. 3360 (Borkh.).
Trinotellus HS. 2949 (Mesoph.).
Triparella Z. 2757.
Tripoliana Barr. 2032.
Tripoliana Hodgk. 3858.
Tripunktia Hw. 3383.
Tripunktalis Obth. 1206 b.
Tripunktana Hb. 1473 a (Acalla).
 " (S.V.) F. 2138 (Epib.).
Tripunktana Wd. 1874 (Olethreut.).
Tripunktella Schiff. 2774
 (Acompisia).
 " Snell. 2802 (Xystoph.).
 " Stgr. 3148 (Psecadia).
Tripunktella Wd. 3383 (Borkh.).
Triquetrella Hb. 1974 (Steganopt.).
 " Stph. 2132 (Epiblem.).
Triquetrella F. 4439.
Triquetrella Tr. 4437.
Tririvella Stgr. 3611.
Triseriatella Stt. 4020.
Trisignana Nolck. 2148.
Trisignella Z. 3383.
Tristana Hb. 1452.
 " Stph. 1464.

Tristatella Stgr. 3093.
Tristella (B.-Haas) Rbl. 2488
 (Metzneria).
 " Stgr. 3723 (Coleoph.).
Tristella Teich. 2559 (Gelechia).
 " Hein. 2716 (Gelech. [Lita]).
 " Tr. 3516 (Scythris).
Tristellus (S.V.) F. 61 (Cramb.).
Tristictella (Rag.) Seeb. 3108.
Tristictella Tngstr. 3950.
Tristigella Nicelli 4185.
Tristis Butl. 854 (Bostra).
 " Z. 1313 (Oxyptilus).
 " Wck. 4310 (Nepticula).
 " Stgr. 4452 (Atychia).
Tristis Alph. 621 (Salebria).
Tristrialis Brem. 989.
Tristrama Wlsglm. 1620.
Tristrigella Stph. 954 a (Scopar.).
 " Hw. 4193 (Lithocoll.).
Tristrigella Stph. 608 (Salebria).
 Hein. 3791 (Coloph.).
Tristrigellus Rag. 77 a.
Tritalis Chr. 1148.
Triticici Lindemann 3859.
Trochilana Hein. 2116.
Trochilella Hein. 2675 (Gelech. [Lita]).
Trochilella Dup. 3825 (Coleoph.).
Trochilopennella Costa 3680.
Troglodytella Dup. 3829.
Truncatella Frey 3962 (Elachist.).
Truncatellus Zett. 103 (Cramb.).
Truncicolella Stt. 974 (Scopar.).
 " Tngstr. 4532 (Monop.).
Tubulosa Retz. 4423.
Tuerkheimella Sorh. 787.
Tumidana Schiff. 730.
Tumidana Stph. 731.
Tumidella Zk. 731.
 " Dup. 741.
Tumorifica Amerling 4676.
Tunbergella F. 4760.
Tundrana Kenn. 2044 bis add.
Tunesiella Rag. 221.
Tuneta Stgr. 1351.
Tuoniana Hoffm. 969 a.
Turanicalis Rag. 899.
Turaniella Rag. 293.
Turatiella Mill. 4546.
Turati Stndf. 4251.
Turbatalis Chr. 926.
Turbatella Tr. 2871.
Turbidalis Tr. 1048.
Turbidana Tr. 2153.
Turbidella Rbl. 3555 (Cosmopt.).
 " Z. 4402 (Nepticula).
Turbidella Nolck. 2550 (Gelech.).
Turbulentella Glitz. 3211.
Turcomanica Chr. 1283.
Turdipennella Tr. 3560.
Turenis Rag. 595.
Turfosana HS. 1893.
Turfosella Frey 3942.
Turicella HS. 4373.
Turicensis Frey 4373.
Turionana Hb. 1849.
Turionana Wd. 1851 a.
Turionella Wilk. 1849.
 " Curt. 1851 a.
Turmatis Grote 1173.
Turpetta HS. 2538.
Turturella Z. 421.
Tussilaginana HS. 2067.
Tussilaginella Hein. 2660.
Tussilaginella Frey 2660.
Tutti Wlsglm. 3002.
Tylosteagal Hmps. 981.

Udana Gn. 1679.
Uddmanniana L. 2055.
Udmanniana Hb. 2055.

- Uhangoni Seeb. 1582 a.
Ulceratalis Ld. 1274.
Ulicana Gn. 2309.
Ulicella HS. 660.
Ulicetana Hw. 2171 a.
Ulicetella Stt. 3192.
Ulicicolella Stt. 4174.
Ulicinella Stgr. 2854.
Ulinata F. 922.
Ulinigina HS. 3994.
Ulinigonalis Stph. 1231.
Ulininosana Westw. 1481.
Uliniginoles Glitz 3651 (Coleoph.).
Uliniginoles Z. 126 (Crambus).
Ulmanna Hb. 1645 (Anisotaen.).
Ulmana Dup. 1457 a (Acalla).
Ulmariae Wck. 4338.
Ulmariana Z. 2005.
Ulmella Knaggs 949 c (Scopar.).
" Z. 4241 (Bucculatrix).
Ulmifoliella Hb. 4125.
Ulmella Z. 4191.
Ulmivora Folgone 4341.
Ulodactylus Zett. 1342.
Ultimella Stt. 3308.
Ululana Rössl. 3295.
Umbellana Stph. 3192.
Umbraulana Ev. 2074 a.
Umbralis Hb. 1175.
Umbrana Hb. 1444.
Umbratana Stgr. 2094.
Umbratella Tr. 774.
Umbratrica Dup. 549.
Umbrifasciella Rag. 569.
Umbriferella HS. 2320.
Umbrosalis F. 1020.
Umbrosana Frr. 1919.
Umbrosella Stgr. 446 (Euzoph.).
" Ersch. 643 (Salebr.).
" Z. 2530 (Bryotroph.).
Uncana Hb. 2272.
Uncelle Hein. 2272.
Uncinatana Kenn. 1820 bis add.
Uncinatella Rag. 325.
Unculana Wd. 2263.
Undalis F. 1003.
Undecimpunctella Mn. 3041.
Undulana Wlsgm. 1456 et add.
Undulatana Kenn. 1778.
Unguicula L. 2271.
Unicolor Stgr. 5 (Mellissobli.).
" Baker 1653 (Lozopera).
" Tngstr. 3268 a (Depress.).
" Wck. 4479 (Acrolepia).
" Stgr. 4526 (Morophaga).
Unicolorolla Dup. 1582.
Unicolorrella Stgr. 282 (Ephest.).
" Dup. 2821 (Xystoph.).
Unicolorella Mill. 2339 (Dougl.).
Unifasciana Dup. 1528.
Unifasciella Tngstr. 4186.
Uniformella (B.-Haas) Rbl. 3027.
Uniformis Hein. 4295.
Unigutta Esp. 1192.
Unimaculella Zett. 4753.
Unionalis Hb. 998.
Unionana Kenn. 1839 bis add.
Unipunctata Dup. 1058.
Unipunctana Tngst. 1578 b (Tortrix).
Unipunctata Hw. 2281 (Rhopob.).
Unipunctella Rag. 209 (Hypsot.).
" (Stgr.) Rbl. 3498
" Scythris.
" Z. 3803 (Coleoph.).
Unipunctella Stph. 4217 (Lyonet.).
Unistratiellus Pack. 76 (Cramb.).
Unitana Hb. 1578.
Unitella Stgr. 250 a (Homoeos.).
" Hb. 3341 (Borkhaus.).
Univittella Stgr. 3752.
Upupaepennella Hb. 4044.
Upupana Tr. 2279.

- Uraticella* HS. 483.
Urbana Kenn. 2022 bis add.
Uribicella Ersch. 362.
Urelta HS. 4468.
" F. R. 4469.
Urinella Chrét. 3979.
Urticata Hb. 943.
Urticana Hb. 1921 (Olethreut.).
Urticana Dup. 1922 (Olethreut.).
" Hb. 2318 (Simaethis).
Urticata L. 943.
Ussurialis Brem. 1182.
Ussuriensis Rbl. 2347.
Ustella Rag. 295 et add. et 791
add. (Aencylosis).
Ustella Hw. 4533 (Monopsis).
Ustomaculana Curt. 1985.
Ustrinalis Chr. 1059.
Ustulana Hb. 2120 (Epiblem.).
Ustulana Hw. 1889 (Olethreut.).
" Tr. 2279 (Aencylosis).
Ustulatella Stgr. 2631.
Ustulellus F. 2951.
Utonella Frey 3992.
Uxorialis Ld. 897.
- Vaccilans Snell. 1410.
Vaccinella Hb. 3228.
Vacciniana Z. 1987.
Vacciniella Z. 581 (Metriostol.).
" HS. 3657 (Coleoph.).
Vacciniella Stt. 4158 (Lithocoll.).
Vaccuella F. 4472.
Vafifera Swinh. 802.
Vagabundula Ersch. 1032.
Vagabundella HS. 3450.
V-albana Don. 1829.
Valdensiana HS. 1742.
Valeriella Snell. 4474.
Valesiaca Frey 4260.
Valesialis Dup. 961.
Valesianella Z. 3783.
Valesiella Stgr. 2628.
Validiella Chr. 385.
Vallicolellus Costa 116.
Vana Kenn. 2201 bis add.
Vandaliella HS. 972.
Vandalusialis HS. 1304.
Vanella Frey 3593.
Vapidella Mu. 287.
Variolata Z. 2359 (Yponom.).
" Hein. 3206 (Depress.).
Variális Brem. 1195.
Varicella Rag. 222.
Variegalis F. 1011.
Variegana Schiff. 1455 (Acalla).
" Hb. 1872 (Olethreut.).
Variegata Tngstr. 2371.
Variella Stph. 3528 (Seytris).
Variella Hb. 2466 (Cerostoma).
" Tr. 4657 (Incurvaria).
Variolosana Chr. 1836.
Vasconicella Rössl. 2654.
Vastalisa Chr. 1213.
Vectifer Z. 75 a.
Vectisana Westw. 1683.
Vectisana Wilk. 1677.
Velocella Dup. 2573.
Velox Stgr. 3273.
Venenicella Z. 3272.
Venenicella HS. 3272.
Veneratela Stgr. 1139 a.
Venosa Z. 228 (Polyocha).
Venosia Stph. 2486 (Orthoael.).
Venosatis (Lienig) Nolek. 1183.
Venosana Z. 2019.
Venosella Moore 573.
Venosuelle Möschl. 3194.
Ventifuga Wlsgm. 3824.
Ventosella Reutti 3222.
Venustalis Ld. 1098 (Titanio).
- Venustalis* Warr. 813 (Endot.).
Venustana Dgl. 1956 (Polychr.).
" Hb. 1965 (Exarate).
Vennstella Rag. 614 (Salebria).
" Chr. 3389 (Borkh.).
Verpretila Z. 2554.
Verbascalis Schiff. 1160.
Verbasca Hb. 1136.
Verbasca Chr. 1584.
Verbascella Hb. 2961.
Verellus Zk. 98.
Verhuella Brd. 4496.
Verhuellella Stt. 4496.
Vernana Knaggs 2227.
Vernella Const. 4428.
Verrucella Rag. 603 (Tephritis).
Verrucella Hb. 730 (Acrobasis).
" Schiff. 3319 (Anchin.).
Versicolorella Rag. 389.
Versurella Z. 3905.
Verticalis L. 1043 (Phlyctenod.).
Verticalis Schiff. 994 (Sylepta).
Vesperella Ev. 485 (Hypochalc.).
" Z. 4478 (Acrolepia).
Vespertalis HS. 1296.
Vestalella Stgr. 3749.
Vestaliella Ersch. 561.
Vestalis Rag. 1134 (Epimetis.).
" Hmps. 1162 (Pineoa).
Vestianella Stph. 4537.
Vesuntialis Gn. 960.
Vetulana Chr. 1618.
Vetulella Zett. 4665.
Vetustella Stt. 4241 a (Buccel.).
Vetustella HS. 2833 (Anacamps.).
V-flavum Hw. 4621.
Vibicella Hb. 3788.
Vibicigerella Z. 3774.
Vibicennella Tr. 3788.
Vibrana Hb. 2311.
Vibratoriella Mn. 4038.
Viburnana F. 1578.
Viburniana F. 1578.
Vicina Gn. 2160.
Vicinana Mn. 1654 (Lozopera).
" Rag. 1858 (Olethreut.).
Vicinella Dgl. 2725 (Gelechia).
" [Lita].
" Z. 3759 (Coleophora).
Vicinella HS. 2711 (Gelech. [Lita]).
Vidua Stgr. 3163.
Viduana Hb. 1902.
Viduella F. 2618.
Vigiliiana HS. 2249.
Vigiliella Dup. 4480.
Vigens Butl. 133.
Vigintipunctatus Retz. 2356.
Vilella Z. 2509.
Viminetella Z. 3654 (Coleoph.).
Viminetella HS. 4133 (Lithocoll.).
Vimineticola Frey 4389.
Viminetorum Stt. 4133.
Viminella Stt. 4178.
Vinaceella (-um) Rag. 431.
Vinella Bnks. 2836.
Vinetella F. 539.
Vinetella HS. 4612.
Vinculana Tr. 1520.
Vinculella Z. 152 a (Eromene).
" HS. 4611 (Meessia).
Vinculella Richardson 4613.
Vinolentella HS. 3574.
Violacea Tngstr. 2581.
Violacella Rbl. 4602 (Tinea).
Violacella HS. 4758 (Eriocran.).
Violaceus Chr. 4517.
Violella Tr. 4740 (Adela).
Violellus Z. 4706 (Nemotois).
Virescalis Gn. 1049.
Virescens Rbl. 970.
Virgata Reutti 1183.
Virgatalis Chr. 1183.

Virgatella Z. 3813.
Virgaurea Stt. 3893.
Virgaureana Tr. 1622 b.
Virgella Thnbg. 2604.
Virginialis Dup. 1242 c.
Virginiana Kenn. 1610.
Virginialis Rag. 1119.
Viridana L. 1572.
Viridatella HS. 3422.
Viridella Sc. 4713 (Adela).
Viridella Hb. 4691 (Nemotois).
Viscariella Stt. 2704.
Vicerella Stt. 4301.
Vitella L. 2451.
Vitella Hb. 2451.
Vitellinella Stgr. 4598.
Vitilella Chr. 3519.
Vitiosella Z. 3037.
Vitisella Gregson 3659.
Vitivorana Riley 1949.
Vitreosa Warr. 859 a.
Vittalba Stgr. 3084.
Vittalbella Chr. 3145.
Vittalis Brem. 917.
 " Lah. 1262 a.
Vittana Stph. 1441 d.
Vittata Woll. 3591.
Vittatella Rag. 394.
Vittella Hb. 2449.
Vittellinella Rag. 223.
Volgensis Möschl. 1350.
Voitinella Chrét. 2689.
Vorticella Sc. 2841.
Vulgella Hb. 2731.
Vulnerariae Z. 3757.
Vulneratana Zett. 1748.
Vulneratella Z. 213.
Vulpecalis Rag. 855.
Vulpecula Z. 3695.
Vulpisana HS. 1547 a.

Wachtlia Rghfr. 2745 bis add.
Wagae Now. 2756.
Wagnerella Fir. 659.
Wahlbaumiana Dup. 1622.
Wahlbomiana L. 1622.
Wahlbomiana var. Tr. 1627.
Wailesella Stt. 4230.
Walckenaeriana Dup. 2929.
Walkerana Curt. 1484.
Walkerella Dgl. 2942.
Walsinghamella Mill. 2408.
Walsinghami Rbl. 1845.
Waltavaarana Hoffm. 1984.
Warringtonellus Stt. 68 a.

Weaveri Stt. 4398.
Weirana Dgl. 2249.
Weirella Stt. 3291.
Weissenbornii Fir. 859.
Wellensiana Hb. 1886.
Welseriella Z. 264.
Wernickei Wck. 1369.
Westermannella Zett. 3366.
Westwoodiana Zett. 1880.
Willkella L. 2890.
Wilkinsoni Scott. 3652.
Williana Brahm. 1732 c.
Wimmerana Tr. 2044 (Semasia).
Wimmerana Wilk. 2080 (Epibl.).
Wockeella Z. 151 (Eromene).
 " Rag. 373 (Heterogr.).
 " Stgr. 3418 (Epermen.).
 " Z. 3704 (Coleophora).
 " Hein. 4413 (Nepticul.).
Wockei Stgr. 4768.
Wockiana Brösi 796.
Wockii Hein. 4444.
Woeberiana Schiff. 2157.
Woliniana Schleich 1720.
Wollastonii Baker 968 (Scopar.).
 " Wlsglm. 2843 (Anacampsis).
Woodiana Barr. 1863.
Woodiella Curt. 3393.
Woolholpiella Stt. 4370.

Xanthocephala Stgr. 720.
Xanthodactyla Tr. 1353.
Xanthogramma Stgr. 751.
Xanthopygella Stgr. 3509.
Xanthosoma (Stgr.) Rbl. 3349.
Xantotricha Stgr. 257.
Xenias Meyr. 3357.
Xerodactylus HS. 1345 a.
Xylinana Kenn. 2154 quat. add.
Xylinella Stgr. 378.
Xylosteana L. 1513 (Cacoecia).
Xylosteana Hb. 1506 (Cacoecia).
 " Hb. 1851 (Evetria).
 " var. F. R. 1512 (Cacoecia).
Xylostella L. 2482 (Cerostom.).
Xylostella Hb. 2447 (Plutella).
Xylotoma Meyr. 1577.

Yaminalis Obth. 1293.
Yatesana Wd. 3222.
Yeatiiana F. 3222.
Yeatiella Hb. 3205.
Yokohamae Buttl. 132.

Zachana Tr. 2309.
Zachlora Meyr. 1110.
Zanclaeilla Z. 4233.
Zapateri Rag. 478.
Zeae Fitch 253.
Zealis Gn. 1218.
Zebeana Rtzb. 2163.
Zebrana Tr. 1696.
Zebrauskii Now. 1905.
Zebrella Tr. 2604.
Zelicella Obth. 549 bis add. et
790 et add.
Zellerana Borgmann 2255 a.
Zellerella Sorh. 787 (Myelois).
Zellerellas Stgr. 101 (Crambus).
Zelleri Rag. 731 (Aerobasis).
 " Wck. 947 (Scoparia).
 " Chr. 1798 (Euxanthis).
 " Stgr. 3274 (Depressar.).
 " Chr. 3395 (Borkhaus.).
 " Stgr. 3503 (Scythris).
Zelleri Knaggs 948 (Scoparia).
 " Brem. 991 (Sylepta).
 " Now. 3803 (Coleophor.).
Zelleriana Ersch. 1999 (Olethr.).
Zelleriana Schläg. 2153 (Epibl.).
Zelleriella Hein. 3792 (Coleophor.).
 " Snell. 4367 (Neptic.).
Zephyrana Tr. 1732.
Zephyrella Dup. 1728.
Zephyrella Hb. 3211 (Depress.).
Zephyrella Tr. 2510 (Bryotroph.).
Zermattensis Frey 66.
Zetterstedti Z. 1335.
Ziczac Sauber 1062.
Zieglerella Hb. 3557.
Zimmermannii Now. 2378.
Zinckeella Hb. 2896.
Zinckenana Tr. 1912.
Zinckenella Tr. 510 (Etiella).
Zinckenellus Tr. 121 (Crambus).
Zinckenii Z. 4676.
Zoegana L. 1802.
Zohrella Obth. 792 et add.
Zonalis Lah. 1164.
Zonariella Tungstr. 3985.
Zonella Z. 152 (Eromene).
 " Zett. 2329 (Glyptipter.).
Zonellus Swinh. 160 bis add.
 (Chilo).
Zonodactyla Z. 1431.
Zophodactyla Dup. 1405.
Zophodiella Rag. 546.
Zosteriella Rag. 270.

Ende Mai erscheint die III. Auflage von

Hofmann, Die Schmetterlinge Europas.

Der Text wird von Herrn **Dr. Spuler** vollständig neu bearbeitet u. die systematische Anordnung des Textes den modernen Standpunkt vertreten, auch die Nomenklatur dem Staudinger-Rebel'schen Katalog folgen. Die Tafeln werden sämmtlich einer Correctur unterworfen, sowie ca. 20 neue Tafeln dazu hergestellt, auf welchen grössttentheils **Kleinschmetterlinge** abgebildet werden.

Lieferung 1 mit Prospekt kann jede Buchhandlung zur Ansicht besorgen.

Stuttgart.

C. Hoffmann'sche Verlagsbuchhandlung.

A. Bleil.

R. Friedländer & Sohn in Berlin.

In unserem Verlage erschien:

L. Sorhagen

Die Kleinschmetterlinge der Mark Brandenburg und einiger angrenzenden Landschaften.

Mit besonderer Berücksichtigung der Berliner Arten.

1886. gr. 8. 378 Seiten. Preis 6 Mark.

Der durch seine biologischen Arbeiten auf dem Gebiete der Mikrolepidopterologie vortheilhaft bekannte Verfasser bietet in dem vorliegenden Werke eine übersichtliche Zusammenstellung einer der reichsten Mikrolepidopteren-Faunen Europas. Ausführliches Referat von Herrn F. A. Wachtl in der Wiener entomologischen Zeitung.

Zu ermässigten Preisen ist von uns zu beziehen:

A. Werneburg

Beiträge zur Schmetterlingskunde.

(Kritische Bearbeitung der wichtigsten entomologischen Werke des 17. und 18. Jahrhunderts bezüglich der darin abgehandelten Europäischen Schmetterlinge.)

2 Bände von 606 und 354 Seiten. gr. 8. 1864.

Ermässigter Preis 5 Mark (Ladenpreis 12 Mark).

Inhalt: Kritische Bearbeitung der Europäischen Schmetterlinge in der entomologischen Litteratur von 1602—1808. d. i. Kritik und Synonymie der in 68 Werken beschriebenen Lepidoptera. — Revision der Werke von Goedart, Merian, Petiver, Ray, Réaumur, Swammerdam, Sepp, Roesel, Wilkes, de Geer, Poda, Schäffer, Harris, Fabricius, Esper, Ernst, Scopoli, Hübner etc. — Vergleichende Uebersicht der Hufnagelschen Tabellen und der Werke von Linné, Clerk, Scopoli; Vergleichung der Werke von Fabricius mit dem Systematischen „Verzeichniss der Schmetterlinge der Wiener Gegend“ — etc.

Von uns ist noch in einigen Exemplaren zu beziehen:

J. P. Maassen, G. W. Weymer und A. Weyding

Beiträge zur Schmetterlingskunde. Familie der Saturniden.

5 Hefte mit 50 colorirten Tafeln (Abbildungen von 126 Arten)
und 4 Seiten Text, in-folio. 1869—1885. Preis 140 Mark.

Mehr ist von diesem wenig bekannt gewordenen Werk nicht erschienen. Die sorgfältig colorirten Tafeln bieten Abbildungen der hervorragendsten und seltensten Arten von Saturniden.

Verlag von R. Friedländer & Sohn in Berlin.

Das Tierreich.

Eine Zusammenstellung und Kennzeichnung der recenten Tierformen.

In Verbindung
mit der Deutschen Zoologischen Gesellschaft

herausgegeben

von der Kgl. Preussischen Akademie der Wissenschaften
zu Berlin.

General-Redacteur: Franz Eilhard Schulze.

Erschienen 1897—1901

14 Lieferungen. (Lfg. 1—12, 14, 15), davon Lieferung 14

Lepidoptera

Redacteur: A. Seitz.

Libytheidae

bearbeitet von

Dr. A. Pagenstecher,

Geh. Sanitätsrat in Wiesbaden.

IX und 18 Seiten mit 4 Abbildungen. Gross Lexicon-8.

Einzelpreis: 2 Mark.

Die übrigen erschienenen Lieferungen enthalten: Lieferung 1 (Aves) **Podargidae, Caprimulgidae, Macropterygidae**, bearbeitet von **E. Hartert** (Tring). 1897 II. Preis 7 Mark. — Lieferung 2 (Aves) **Paradiseidae**, bearbeitet von **W. Rothschild**. 1898 IV. Preis Mark 3,60. — Lieferung 3 (Acarina) **Oribatidae**, bearbeitet von **A. D. Michael** (London). 1898 VII. Preis Mark 6,80. — Lieferung 4 (Acarina) **Eriophyidae (Phytoptidae)**, bearbeitet von **A. Nalepa** (Wien). 1898 VIII. Preis 5 Mark. — Lieferung 5 (Protozoa) **Sporozoa**, bearbeitet von **A. Labb  ** (Paris). 1899 VII. Preis 12 Mark. — Lieferung 6 (Crustacea) **Copepoda I, Gymnoplea**, bearbeitet von **W. Giesbrecht** (Neapel) und **O. Schmeil** (Magdeburg). 1898 XII. Preis 11 Mark. — Lieferung 7 (Acarina) **Demodicidae** und **Sarcoptidae**, bearbeitet von **G. Canestrini** (Padua) und **P. Kramer** (Magdeburg). 1899 IV. Preis 12 Mark. — Lieferung 8 (Arachnoidea) **Scorpiones** und **Pedipalpi**, bearbeitet von **K. Kraepelin** (Hamburg). 1899 III. Preis 17 Mark. — Lieferung 9 (Aves) **Trochilidae**, bearbeitet von **E. Hartert** (Tring). 1900 II. Preis 16 Mark. — Lieferung 10 (Vermes) **Oligochaeta**, bearbeitet von **W. Michaelsen** (Hamburg). 1900 X. Preis 35 Mark. — Lieferung 11 (Orthoptera) **Forficulidae** und **Hemimeridae**, bearbeitet von **A. de Bormans** (Turin) und **H. Krauss** (T  bingen). 1900 X. Preis 9 Mark. — Lieferung 12 (Arachnoidea) **Palpigradi** und **Solifugae**, bearbeitet von **K. Kraepelin** (Hamburg). 1901 II. Preis 11 Mark. — Lieferung 15 (Aves) **Zosteropidae**, bearbeitet von **O. Finsch** (Leiden.) 1900 IV. Preis Mark 4,80.

Unter der Presse:

Lieferung 13 (Acarina) **Hydrachnidiae** und **Halacaridae**, bearbeitet von **R. Piersig** (Annaberg) und **H. Lohmann** (Kiel). — Lieferung 16 (Mollusca) **Cyclophoridae**, bearbeitet von **W. Kobelt** (Schwanheim).

R. Friedländer & Sohn in Berlin.

Wir offerieren die folgenden Werke von

B. C. Zeller

zu ermässigten Preisen:

Chilonidarum et Crambidarum Genera et Species.

56 pag. in-4. 1863. (Ladenpreis 4 Mark) für Mark 1,50.

Beiträge zur Kenntniss der nordamerikanischen Nachtfalter.

3 Theile. 407 Seiten mit 7 Tafeln (125 Abbild.) 8. 1872—74. Ermässigter Preis 8 Mark.

Exotische Microlepidoptera.

(Von v. Nolcken auf seiner Reise nach Bogotá gesammelte Arten.) 2 Theile.

491 Seiten mit 6 colorirten Tafeln (172 Abbildungen). gross-8. 1877.

Ermässigter Preis 20 Mark.

Columbische Chinoliden, Crambiden und Phycideen.

103 Seiten mit 2 colorirten Tafeln (52 Abbildungen). gross-8. 1881.

Ermässigter Preis 6 Mark.

In unserm Verlage erschien:

Neue experimentelle Untersuchungen und Betrachtungen über das Wesen und die Ursachen der Aberrationen in der Faltergruppe Vanessa

von E. Fischer, Zürich.

67 Seiten gross-8. mit 12 Abbildungen auf 2 Tafeln in Lichtdruck. 1896. Preis Mark 2,50.

Ferner:

Transmutation der Schmetterlinge

infolge Temperaturveränderungen.

Experimentelle Untersuchungen über die Phylogenie der Vanessen.

Von E. Fischer.

36 Seiten. Gr. 8. 1895. Preis Mark 1,20.

Entwicklung der Raupenzeichnung und Abhängigkeit der letzteren von der Farbe der Umgebung

Von Christoph Schröder.

67 Seiten mit 1 lithographirten Tafel. Gr. 8. 1894. Preis 2 Mark.

Wir besitzen noch einige wenige vollständige Exemplare der abgeschlossenen Reihe der

Entomologische Nachrichten

begründet (1875) von Dr. F. Katter in Putbus,
herausgegeben (seit 1884) von Prof. Dr. F. Karsch in Berlin.
26 Jahrgänge, 1875—1900, mit zahlreichen Abbildungen und Tafeln. 8.

Preis eines vollständigen Exemplars in 26 Bänden 125 Mark.

Die früheren Jahrgänge sind zum grossen Theil vergriffen, es konnten daher durch Erwerbung aus zweiter Hand nur noch einige vollständige Exemplare zusammengestellt werden.

Die Jahrgänge 1884 bis 1900 können noch einzeln geliefert werden; den Preis eines jeden dieser Jahrgänge ermässigen wir bis auf Weiteres auf 3 Mark (statt 6 Mark).

Berlin.

R. Friedländer & Sohn.

R. Friedländer & Sohn in Berlin.

In unserem Verlage erschien:

Catalogus etymologicus Coleopterorum et Lepidopterorum.

Erklärendes und verdeutschendes Namenverzeichniss
der Käfer und Schmetterlinge für Liebhaber und wissenschaftliche
Sammler

systematisch und alphabetisch zusammengestellt von Prof. Dr. L. Glaser.

1887. 8°. 396 S. Preis brosch. 4 M. 80 Pf., elegant in Leinenband gebunden 5 M. 60 Pf.

Dr. K. Lampert schreibt in „Humboldt“ (Jahrg. VI, Heft 12) über das vorliegende Werk: „Bei der in der heutigen zoologischen Litteratur nicht selten zu Tage tretenden Erscheinung, dass neugebildete wissenschaftliche Bezeichnungen den einfachsten Sprachgesetzen widersprechen (man denke an die halb griechischen, halb lateinischen Zwickerbildungen!) ist ein Buch wie vorliegendes freudig zu begrüssen; denn es ist nicht nur für den philologisch nicht gebildeten Entomologen ein empfehlenswerthes Nachschlagebuch zur Orientirung über die Etymologie der Fremdnamen, sondern trägt vielleicht auch dazu bei, bei Neubildungen sich nicht allzusehr mit der Philologie in Confliet zu setzen . . . Das Buch wird sich besonders dem Anfänger sehr nützlich erweisen, indem dieser mit seiner Hülfe sich zugleich mit dem Fremdnamen dessen Ursprung und Bedeutung merkt, wird aber auch von jedem Entomologen häufig zu Rath gezogen werden. Auch die stets beigegebene deutsche Bezeichnung der Gattungen und Arten wird manche Freunde finden.“

In unserm Verlage erschien:

Leitfaden für das Studium der Insekten

und

Eintomologische Unterrichtstafeln.

Von Prof. Dr. G. Rörig,

Vorsteher der Biologischen Abtheilung am Kais. Gesundheitsamt zu Berlin.

1894. 43 Seiten, Gross-Oktav, mit 8 lithographirten Tafeln [90 Abbildungen].

Preis 3 Mark.

Vorliegender Leitfaden hat den Zweck, demjenigen, der sich für die Organisation der Insekten interessiert, das Studium derselben zu erleichtern und ihn mit den Grundzügen dieser Wissenschaft vertraut zu machen, die von Tag zu Tag mehr an praktischer Bedeutung gewinnt. Die entomologischen Unterrichtstafeln sollen sowohl für den Lehrer ein Hülfsmittel sein, als auch dem Schüler, der vielleicht nicht imstande ist, die von ersterem an der Tafel gezeichneten Figuren in ihrer charakteristischen Form zu copieren, es ermöglichen, mit ungeteilter Aufmerksamkeit dem Vortrage zu folgen, ohne dieselben entbehren zu müssen. Für den Selbstunterricht wird die gleichzeitige Benutzung von Text und Tafeln ebenso förderlich sein, wie die Ausführungen des Lehrers an Leben und Anschaulichkeit gewinnen, wenn sie von bildlichen Darstellungen begleitet sind.

Die Abbildungen selbst sind zum grössten Teile Originalzeichnungen des Verfassers; einige wenige sind dem trefflichen Werk Kolbe's entnommen, das den heutigen Stand unserer Wissenschaft wohl am besten repräsentiert, und welches zum Teil dem ersten Abschnitte des Leitfadens zu Grunde gelegt wurde.“

Ortner's Comptoir für den entomologischen Bedarf

Wien, XVIII., Dittesgasse 11.

Magasin pour les articles nécessaires à l'Entomologie. — Office for all Entomological Requisites.

FOR NORTH-AMERICA:

Noyes Brothers & Cutler, Saint Paul, Minn. 396-408 Sibley Street.

Größtes Lager aller Geräthschaften für Fang, Zucht, Präparation und Conservirung der Insecten, Erfordernisse zur Aufstellung von Sammlungen sowie optischen Hilfsmittel.

Wir versenden hierüber folgende Verzeichnisse:


Katalog Nr. 6 über entomologische Bedarfsartikel aller Art mit 122 Abbildungen, enthaltend ca. 300 Artikel;

1. Nachtrag (1900) hiezu, mit über 50 Abbildungen und 100 Artikel;
2. Nachtrag (1901), illustriert, enthaltend zahlreiche weitere Neuheiten.

Le plus grand dépôt de tous les outils employés à la conservation des insectes, ainsi que différents articles appliqués à l'optique.

Le catalogue principal propre à l'explication ainsi 1 et 2 suppléments avec 180 illustrations, qui contient 450 articles à usage et d'application pour l'Entomologie peut être envoyé sans frais et franc de port.

Des grands filets pour les papillons,
1 m' d'étendue, affiné avec des clous d'acier pourvu d'un arrangement de fixation facultative pour chaque baguette et clicot, avec une bourse de gaze de soie fine ou de Linon vert.
(Le meilleur lâçis existant.)
Figure et prix ci-contre.



Largest stock of all implements for the capture, breeding, and preparation of insects. Optical expedients for entomological research.

Large catalogue together with supplements Nos. 1—2 containing 180 illustrations of 450 different articles for the use of entomologists will be sent anywhere post-free on application.

Large butterfly nets,
1 meter in circumference with steelspring and capture snap for use with any form of stick. Bags of silk gauze, or green Linon
(the best existing form of net).
Illustration and price below.

Grosses Schmetterlingsfangnetz, 1 Meter Umfang, Sack entsprechend lang, Stahlbügel vernickelt, vierfach zusammenlegbar und an jedem Stocke schnell und absolut sicher zu befestigen. (Das beste derzeit existirende Netz.)

Nr. 61, wie oben, aus Seidengaze Mk. 5·80 Nr. 111, wie oben, aus grünem Linon Mk. 2.70,
franco gegen Einsendung des Betrages.

Insectennadeln zu Originalfabrikspreisen.

Sämmtliche sind 38 mm lang, werden aber auch, wenn gewünscht, in der Länge von 35 mm geliefert.

Des épingles à insectes à un prix de fabrique original (réduit), toutes longues de 38 mm. A souhait on les peut confectionner d'une longueur de 35 mm.

Insect-pins at the original factory prices all being 38 mm long; when desired, pins 35 mm long can be obtained.

Echte Karlsbader Nadeln, weiss oder schwarz.

Des véritables épingle de Carlsbad blanches ou noires.

Nr.	00	0	1, 2, 3, 4	5, 6	7, 8, 9, 10	19	20
Per 1000	Mk.	2.—	1.85	1.70	1.55	1.35	1.70

Genuine Carlsbad pins black or white.

Wiener Insectennadeln, weiss oder schwarz.

Epingles Vienoises d'une couleur blanche ou noire.

Nr.	000	00	0, 1	2, 3, 11, 12	4, 5, 9, 10	6, 7, 8
Per 1000	Mk.	2.40	2.05	1.85	1.70	1.55

Vienna Insect-pins black or white.

Stahlnadel „Ideal“, schwarz lackirt mit Nickellöpfen, sehr sorgfältiges, ausgezeichnetes Fabrikat.

Epingles d'acier „Idéale“ vernies en noir avec de têtes en nickel, un produit excellent et soigneusement fabriqué.

Steel pins "Ideal" black varnished with nickel heads, this is a most carefull excellent fabrication.

000	00, 0	1, 2, 3, 4, 5, 6
Per 1000	Mk.	5.—

Stahlnadeln „Patent Kläger“.

Epingles d'acier brevetées marque „Kläger“.

000	00, 0	1, 2, 3, 4, 5, 6
Per 1000	Mk.	5.—

Steel pins "Patent Kläger".

Minutennadeln aus Stahl schwarz lackirt per 1000	Mk. 5.—
Hartnickel	3.40

Steckklötzchen aus Sonnenblumenmark	2.80
---	------

Aufbewahrungsschränke für Insectensammlungen in allen Größen und Ausführungen musterhaft gearbeitet.

**Ortner's Buchhandlung für Entomologie
Wien, XVIII., Dittesgasse 11.**

Librairie spéciale pour les ouvrages d'Entomologie.

Entomological Book-shop.

Nous sommes en état de fournir des différents et complets ouvrages d'Entomologie à un prix original en prenant en même temps d'éditions anciennes en échange. Nous achetons aussi des ouvrages séparément ainsi que des bibliothèques complètes contre payment au comptant.

Nous acceptons aussi l'échange contre outils et ustensiles conformément à notre catalogue.

En automne 1901 paraît un catalogue volumineux contenant la littérature entomologique et lequel peut être exigé par ceux qui en portent l'intérêt.

Wir liefern sämmtliche entomologische Werke zu Originalpreisen und nehmen auch ältere Ausgaben in Tausch, kaufen einzelne Werke, Separata, sowie ganze Bibliotheken gegen Barzahlung.

Auch Tausch gegen Utensilien und Geräthschaften laut unseres Kataloges.

Im Herbst 1901 erscheint ein umfangreiches Verzeichniss über entomologische Literatur, welches Interessenten abverlangen wollen.

We supply all the known works on Entomology at published prices. We also take over old editions in exchange for newer ones and buy single works as well as complete sets or libraries.

We also take such in exchange for implements or utensils according to our catalogue prices.

In the autumn of 1901 a large catalogue of entomological literature will be published and all interested in this science are requested to apply for the same.