

# Using Free/Libre and Open Source Software in the Geological Sciences

Dieter MADER<sup>1\*)</sup> & Bettina SCHENK<sup>1)2)</sup>

<sup>1)</sup> Department of Lithospheric Research, University of Vienna, Althanstrasse 14, 1090 Vienna, Austria;

<sup>2)</sup> Department of Palaeontology, University of Vienna, Althanstrasse 14, 1090 Vienna, Austria

<sup>\*</sup> Corresponding author: dieter.mader@univie.ac.at

**KEYWORDS** Free Software; Open Source Software; Linux; Geological Sciences

## Abstract

In the Geological Sciences, as in any other academic field, computers and software aided work are essential tools. Although Free and Open Source software is largely used in academic institutions for several purposes it is not yet state-of-the-art for the everyday usage. The usage of free and open source software is, besides the freedom of its ease of use, distribution, and modification, also recommended due to the increasing financial burden. There are many suited and effective alternative free software applications to the most common used proprietary commercial ones. Many common work steps can even be done entirely with the free operating system Linux. A selection of free software applications is compiled which are useful for geoscientific data evaluation and presentation. The provided information aims to lower the threshold of reservations against a potential migration and gives an overview about currently available alternative software useful in the Geological Sciences.

In den geologischen Wissenschaften, wie auch in allen anderen Disziplinen, sind Computer, sowie softwareunterstützte Tätigkeiten, längst unverzichtbare Werkzeuge. Obgleich Freie und Open Source Software in vielen speziellen Einsatzgebieten verbreitet ist, wird diese noch nicht umfassend für den täglichen Gebrauch benutzt. Die Verwendung von Freier und Open Source Software ist, neben der Freiheit sie uneingeschränkt nutzen, verteilen und modifizieren zu können, auch wegen zunehmender budgetärer Einschränkungen zu empfehlen. Mit diesem Artikel möchten wir die geologische Gemeinschaft auf die vielen geeigneten Programme hinweisen, die als Alternativen zu den üblicherweise häufig benutzten proprietären, kommerziellen Programmen existieren. Viele alltägliche computergestützte Aufgaben können auch zur Gänze mit dem freien Betriebssystem Linux durchgeführt werden, ohne Einbußen in Funktionalität oder Professionalität befürchten zu müssen. Eine ausgewählte Liste geowissenschaftlich interessanter freier Anwendungen wird durch Referenzen ergänzt. Dieser Artikel soll über die Möglichkeiten freier alternativer Software informieren, die Zurückhaltung vor einer eventuellen Migration mindern, sowie einen Überblick über die aktuell verfügbare freie geowissenschaftliche Software geben.

## 1. Introduction

Scientific computing and therefore software applications for data processing and visualization and the preparation of manuscripts or presentations are essential workflows in geoscientific institutions and companies. Nearly every task needs computer and software aided facilities. Although free and open source software may be accepted for some special analytical tasks, it seems not widely recognized or accepted yet as an effective and productive tool for every-day work. Commonly, proprietary commercial software is preferred for most purposes.

For closed source software there is no access to the source code, but it needs not to be commercial. A lot of free proprietary software exists under the term "freeware" or "shareware". Open source software means open source code, but not necessarily free of costs. The differences between Free Software and Open Source Software are discussed in Stallman (2009). In this article the combined term "Free/Libre and Open Source Software" (FLOSS, see, e.g., Stallman, 2013) is used. FLOSS is not necessarily license-free, but commonly released under the GNU General Public License (GPL) and similar ones.

A lot of reviews exist about FLOSS in general (e.g., Fuggetta, 2003; Joode et al., 2006; Henley and Kemp, 2008; Wheeler,

2015). Several public administrations or municipalities worldwide are planning to migrate or have already migrated to FLOSS or prefer open standards (e.g., Simon, 2005; Joode et al., 2006; Cassell, 2008; Ghosh et al., 2010; Karjalainen, 2010; Comino et al., 2011; Oram, 2011; Rojas and Polzer, 2011; Rossi et al., 2012; Hillenius, 2013; Bouras et al., 2014; van Loon and Toshkov, 2015; Silic and Back, 2015). Well known examples are the municipality of Munich, the Italian military, or the French Interior Ministry (URL 1).

In education FLOSS is increasingly implemented and recommended (e.g., Lin and Zini, 2008). Several free software packages, mainly in combination with open educational resources, exist for schools. One Austrian example is the platform "desktop4education" (URL 2). An increasing amount of publications show the rising importance of FLOSS in academic institutions (e.g., Kneitschel and Geisemeyer, 2010; Gröschel, 2012; Wilson and Tchantchaleishvili, 2013; Mellor, 2014; Hudson, 2015a). Even producers of commercial software are providing Open Source software for academic research (URL 3). The usage of FLOSS is discussed in many disciplines (e.g., Feigelson and Murtagh, 1992; Tufto and Cavallini, 2005; Field et al., 2006; Faccioli et al., 2009; Weiner et al., 2009; O'Boyle et

al., 2011; Ducke, 2012). For a couple of years now the European Geosciences Union (EGU) is taking attention to this topic with an own session at the annual general assembly. Mainly geoinformatics and specific geospatial software applications are concerned so far.

Scientists, students and technical staff at Geological Science institutes, as well as geotechnical staff, need to use a variety of software applications to do their tasks efficiently. Although specific FLOSS is used, or even developed at universities, only a few people are generally working with FLOSS in their daily basic work flow. The common every-day desktop tasks for administrative work, for teaching and publishing by text processing, presentation and spreadsheet usage, and graphical manipulation is still mainly done with the most popular commercial software applications. However, it is getting more and more complicated to finance all the necessary software applications.

Several articles or special issues (e.g. Butler, 1999; Grunsky, 2002a) consider some particular software applications but there is no general overview about FLOSS and its possibilities for the Geological Sciences. This article is not a software evaluation, but it is intended to show an overview of free alternatives to commercial software which are currently available for doing all necessary tasks without losing usability or effectiveness. Its scope is to demonstrate that there exist more than the common used software for professional work and that they are increasingly successfully applied. Here is not enough space to explain or compare all listed software programs in detail. Only a few essential programs for every-day work and common problems are shortly discussed. The small selection of cited references provides more detailed information about the applications.

## 2. FLOSS as alternative software applications

Many people do not have any problem to use different applications for one task (e.g., different browsers, multimedia players or image viewers). The usage of alternative office or image processing software, however, is a quite different story, due to year-long habits or popular beliefs. Alternatives for some most needed or used software applications are indicated in Table 1. Due to the still preferred offline usage, we do not include web applications. All listed programs are desktop applications. We are aware that scientists increasingly use mobile devices such as tablets or smartphones for their research and that a lot of applications are progressively available for that (e.g., Takeuchi and Kennelly, 2010; Weng et al., 2012; Fershter and Coops, 2013; Lee et al., 2013, 2015; Wolniewicz, 2014; Bui et al. 2015; Muir, 2015; Hansen et al. 2016), but this is beyond the scope of this article. Most of the software applications listed in Table 1 are platform independent and can be used on every common operating system. Not all programs in the tables are free software, some are proprietary freeware, but even so an alternative to commercial software. A small selection of the listed programs are shortly mentioned in the following paragraphs.

### 2.1 Office suites (texts, spreadsheets, presentations)

*Microsoft Office* is the indisputable most used office suite also in academic institutions. The most popular alternatives to *MS Office* are *Apache OpenOffice* and *LibreOffice*. In this article we call these suites by the combined term *Open/LibreOffice*. These office suites have all applications that *MS Office* offers (in parentheses), and even some more: *Writer (Word)*, *Calc (Excel)*, *Impress (Powerpoint)*, *Base (Access)*, the vector drawing application *Draw* and the formula editor *Math*. During common productive work *Open/LibreOffice* is a proper alternative to *MS Office*. Only in a few specialized workflows there might be drawbacks, but this is also true vice versa (URL 4). One strong limitation is the usage of complex *Excel*-macros within *Open/LibreOffice*. And for extensive *Powerpoint* users who need a lot of animations or exotic fonts *Impress* might not be satisfactory. Just for making simple slides without complex dynamic actions it is, however, very appropriate. Furthermore, many users prefer *Latex Beamer* (URL 5) or online tools such as *Prezi* (URL 6) or *impress.js* (URL 7) for impressive presentations. A huge amount of extensions enriches the possible functions and possibilities of those office suites (URLs 8, 9). Experiences with a large-scaled migration to *OpenOffice.org* are discussed by, e.g., Rossi et al. (2006); Karjalainen (2010).

Another common free office suite is *SoftMaker FreeOffice* which has less functionality than the commercial *SoftMaker Office* version, or compared to *Open/LibreOffice*. Contrary to the latter its compatibility with the *MS Office* formats is currently better. Schools and universities can get the version *SoftMaker Office* 2016 for free (URL 10). If the hardware is too old for using the latest version of such large office suites, or if there is no need for all their functions, the text processing program *AbiWord* and the spreadsheet program *Gnumeric* are recommended. Generally, word processing software is not recommended for writing large documents. For larger manuscripts or books in technical and natural sciences *Latex* is very efficient, but very complex and learn-intensive for many users. It should be noted, however, that after learning the basics much time for manuscript preparation can be saved. The application *LyX* (e.g., Xu, 2000; Wendl and Dooling, 2003; von Hagen, 2013; Hudson, 2015b) provides a common familiar word processing window with the strength of *Latex*. Apart from this possibility to use *Latex* without much markup language programming skills it also provides the function of "track changes". A similar solution is *TeXmacs* (van der Hoeven et al. 2013, Gubinelli et al. 2014).

### 2.2 Images and illustrations

*Adobe Photoshop* is a widely used editor for professional raster graphic and image processing. Non-professional graphic users do not need all of its plenty and complex functions. A great many work steps can be done partly or totally with free alternatives (Table 1). A popular free alternative to *Photoshop* is the *GNU image manipulation program (GIMP)*. Its usefulness for scientific publishing and a comparison to *Photoshop* is documented by Solomon (2009). A detailed feature comparison

<b>Office Suite: MS Office ...</b>		<b>W</b>	<b>M</b>	<b>L</b>
Calligra	<a href="https://www.calligra.org/">https://www.calligra.org/</a>	x	x	x
LibreOffice	<a href="http://www.libreoffice.org/">http://www.libreoffice.org/</a>	x	x	x
OnlyOffice	<a href="https://www.onlyoffice.com/apps.aspx">https://www.onlyoffice.com/apps.aspx</a>	x	x	x
OpenOffice	<a href="http://www.openoffice.org/">http://www.openoffice.org/</a>	x	x	x
Softmaker FreeOffice	<a href="http://www.freeoffice.com/">http://www.freeoffice.com/</a>	x		x
WPS Office	<a href="http://www.wps.com/">http://www.wps.com/</a>	x		x
<b>Email; Project management: MS Outlook; MS Project ...</b>		<b>W</b>	<b>M</b>	<b>L</b>
Claws Mail	<a href="http://www.claws-mail.org/">http://www.claws-mail.org/</a>	x	x	x
EssentialPIM	<a href="http://www.essentialpim.com/">http://www.essentialpim.com/</a>	x		
Evolution	<a href="https://wiki.gnome.org/Apps/Evolution">https://wiki.gnome.org/Apps/Evolution</a>			x
GanttProject	<a href="http://www.ganttproject.biz/">http://www.ganttproject.biz/</a>	x	x	x
Lightning Calendar	<a href="https://www.mozilla.org/en-US/projects/calendar/">https://www.mozilla.org/en-US/projects/calendar/</a>	x	x	x
Opera Mail	<a href="http://www.opera.com/computer/mail">http://www.opera.com/computer/mail</a>	x	x	x
ProjectLibre	<a href="http://www.projectlibre.org/">http://www.projectlibre.org/</a>	x	x	x
SeaMonkey	<a href="http://www.seamonkey-project.org/">http://www.seamonkey-project.org/</a>	x	x	x
Thunderbird	<a href="https://www.mozilla.org/en-US/thunderbird/">https://www.mozilla.org/en-US/thunderbird/</a>	x	x	x
<b>Portable Document Format: Adobe Acrobat ...</b>		<b>W</b>	<b>M</b>	<b>L</b>
Adobe Reader	<a href="http://get.adobe.com/de/reader/otherversions/">http://get.adobe.com/de/reader/otherversions/</a>	x	x	
Foxit Reader	<a href="http://www.foxitsoftware.com/Secure_PDF_Reader">http://www.foxitsoftware.com/Secure_PDF_Reader</a>	x		x
Master PDF Editor	<a href="https://code-industry.net/free-pdf-editor/">https://code-industry.net/free-pdf-editor/</a>			x
PDFCreator	<a href="http://www.pdfforge.org/pdfcreator">http://www.pdfforge.org/pdfcreator</a>	x		
PDFsam	<a href="http://www.pdfsam.org/">http://www.pdfsam.org/</a>	x	x	x
PDF Shaper	<a href="http://www.glorylogic.com/pdf-shaper.html">http://www.glorylogic.com/pdf-shaper.html</a>	x		
PDF-Xchange Editor	<a href="https://www.tracker-software.com/product/pdf-xchange-editor">https://www.tracker-software.com/product/pdf-xchange-editor</a>	x		
PDF-Xchange Viewer (discontinued)	<a href="http://www.tracker-software.com/product/pdf-xchange-viewer">http://www.tracker-software.com/product/pdf-xchange-viewer</a>	x		
Sumatra	<a href="http://www.sumatrapdfreader.org/">http://www.sumatrapdfreader.org/</a>	x		
<b>Raster graphics: Adobe Photoshop, Corel Photopaint ...</b>		<b>W</b>	<b>M</b>	<b>L</b>
Artweaver	<a href="http://www.artweaver.de/en">http://www.artweaver.de/en</a>	x		
Darktable	<a href="http://www.darktable.org/">http://www.darktable.org/</a>		x	x
Fiji	<a href="http://fiji.sc/">http://fiji.sc/</a>	x	x	x
GIMP	<a href="http://www.gimp.org/">http://www.gimp.org/</a>	x	x	x
ImageJ	<a href="http://imagej.net/">http://imagej.net/</a>	x	x	x
ImageMagick	<a href="http://www.imagemagick.org/">http://www.imagemagick.org/</a>	x	x	x
IrfanView	<a href="http://irfanview.tuwien.ac.at/">http://irfanview.tuwien.ac.at/</a>	x		
Krita	<a href="https://krita.org">https://krita.org</a>	x	x	x
Paint.NET	<a href="http://www.getpaint.net/index.html">http://www.getpaint.net/index.html</a>	x		
Photivo	<a href="http://photivo.org/">http://photivo.org/</a>	x	x	x
PhotofiltreLX	<a href="http://www.photofiltre-lx.org/">http://www.photofiltre-lx.org/</a>	x	x	x
Pinta	<a href="http://pinta-project.com/">http://pinta-project.com/</a>	x	x	x
ScanTailor	<a href="http://scantailor.sourceforge.net/">http://scantailor.sourceforge.net/</a>	x		x
Seashore	<a href="http://seashore.sourceforge.net/">http://seashore.sourceforge.net/</a>		x	
XnViewMP	<a href="http://www.xnview.com/en/xnviewmp/">http://www.xnview.com/en/xnviewmp/</a>	x	x	x
<b>Vector graphics: Adobe Illustrator, Corel Draw ...</b>		<b>W</b>	<b>M</b>	<b>L</b>
Dia	<a href="https://wiki.gnome.org/Apps/Dia">https://wiki.gnome.org/Apps/Dia</a>	x	x	x
(Open/LibreOffice) Draw	see link above (Office)	x	x	x
Inkscape	<a href="http://www.inkscape.org/">http://www.inkscape.org/</a>	x	x	x
(Calligra) Karbon	see link above (Office)	x	x	x
sK1	<a href="http://sk1project.net/">http://sk1project.net/</a>	x		x
yEd Graph Editor	<a href="http://www.yworks.com/products/yed">http://www.yworks.com/products/yed</a>	x	x	x
<b>Computer Aided Design: AutoCAD ...</b>		<b>W</b>	<b>M</b>	<b>L</b>
BRL-CAD	<a href="http://brlcad.org/">http://brlcad.org/</a>	x	x	x
FreeCAD	<a href="http://www.freecadweb.org/">http://www.freecadweb.org/</a>	x	x	x
LibreCAD	<a href="http://librecad.org/cms/home.html">http://librecad.org/cms/home.html</a>	x	x	x
Salome	<a href="http://www.salome-platform.org/">http://www.salome-platform.org/</a>	x		x
Teigha File Converter	<a href="https://www.opendesign.com/guestfiles/TeighaFileConverter">https://www.opendesign.com/guestfiles/TeighaFileConverter</a>	x	x	x
<b>Database systems: Oracle Database, MSSQL Server, MS Access ...</b>		<b>W</b>	<b>M</b>	<b>L</b>
Apache Derby	<a href="https://db.apache.org/derby/">https://db.apache.org/derby/</a>	x	x	x
Firebird	<a href="http://www.firebirdsql.org/">http://www.firebirdsql.org/</a>	x	x	x
(Open/LibreOffice) Base	see link above (Office)	x	x	x
MariaDB	<a href="https://mariadb.org/">https://mariadb.org/</a>	x		x
MS SQL Server Express	<a href="https://www.microsoft.com/en-au/sql-server/sql-server-editions-express">https://www.microsoft.com/en-au/sql-server/sql-server-editions-express</a>	x		
MySQL Community Edition	<a href="https://www.mysql.de/">https://www.mysql.de/</a>	x	x	x
PostgreSQL	<a href="https://www.postgresql.org/">https://www.postgresql.org/</a>	x	x	x
SQLite	<a href="https://sqlite.org/">https://sqlite.org/</a>	x	x	x

**Table 1:** A selection of alternative software of the mostly used software programs (also free proprietary closed software included; some of that freeware might only be used for non-commercial or academic purposes). W = Windows, M = Mac, L = Linux.

Reference manager: EndNote, ProCite ...		W	M	L
Bibus	<a href="http://bibus-biblio.sourceforge.net">http://bibus-biblio.sourceforge.net</a>	x	x	x
Colwiz	<a href="https://www.colwiz.com">https://www.colwiz.com</a>	x	x	x
Docear	<a href="http://www.docear.org/">http://www.docear.org/</a>	x	x	x
KbibTeX	<a href="http://home.gna.org/kbibtex/">http://home.gna.org/kbibtex/</a>	x		x
JabRef	<a href="http://jabref.sourceforge.net/">http://jabref.sourceforge.net/</a>	x	x	x
MayLib	<a href="http://paleopolis.rediris.es/cg/1506/">http://paleopolis.rediris.es/cg/1506/</a>	x	x	x
Mendeley	<a href="http://www.mendeley.com/">http://www.mendeley.com/</a>	x	x	x
Qigga	<a href="http://www.qigga.com/">http://www.qigga.com/</a>	x		
ReadCube	<a href="https://www.readcube.com/">https://www.readcube.com/</a>	x	x	
Zotero	<a href="https://www.zotero.org/">https://www.zotero.org/</a>	x	x	x
GIS and Remote Sensing: ArcGIS, IDRISI, ENVI, ERDAS Imagine ...		W	M	L
DIVA-GIS	<a href="http://www.diva-gis.org/">http://www.diva-gis.org/</a>	x		
efoto	<a href="http://www.efoto.eng.uerj.br/en">http://www.efoto.eng.uerj.br/en</a>	x		x
GRASS	<a href="http://grass.osgeo.org/">http://grass.osgeo.org/</a>	x	x	x
gvSIG	<a href="http://www.gvsig.com/en">http://www.gvsig.com/en</a>	x	x	x
ILWIS	<a href="http://www.ilwis.org/">http://www.ilwis.org/</a>	x		
KOSMO	<a href="http://www.opengis.es/">http://www.opengis.es/</a>	x		x
Map Window	<a href="http://www.mapwindow.org/">http://www.mapwindow.org/</a>	x		
OpenEV	<a href="http://openev.sourceforge.net/">http://openev.sourceforge.net/</a>	x		x
OpenJump	<a href="http://jump-pilot.sourceforge.net/">http://jump-pilot.sourceforge.net/</a>	x	x	x
Opticks	<a href="https://www.opticks.org/">https://www.opticks.org/</a>	x		x
OSSIM	<a href="http://trac.osgeo.org/ossim/">http://trac.osgeo.org/ossim/</a>	x	x	x
PolSARpro	<a href="https://earth.esa.int/web/polsarpro">https://earth.esa.int/web/polsarpro</a>	x		x
QGIS	<a href="http://qgis.org/">http://qgis.org/</a>	x	x	x
SAGA	<a href="http://www.saga-gis.org/">http://www.saga-gis.org/</a>	x		x
uDig Spatial data viewer/editor	<a href="http://udig.refractory.net/">http://udig.refractory.net/</a>	x	x	x
Whitebox GAT	<a href="http://www.uoguelph.ca/~hydrogeo/Whitebox/">http://www.uoguelph.ca/~hydrogeo/Whitebox/</a>	x	x	x
Numeric/symbolic computations, statistics, data analysis, data visualization: Mathematica, Matlab, SigmaPlot, Origin, SPSS ...		W	M	L
Anaconda	<a href="https://www.continuum.io/why-anaconda">https://www.continuum.io/why-anaconda</a>	x	x	x
DataExplore	<a href="http://dmnfarrell.github.io/pandastable/">http://dmnfarrell.github.io/pandastable/</a>	x	x	x
DataMelt	<a href="http://iwork.org/dmelt/">http://iwork.org/dmelt/</a>	x	x	x
Enthought Canopy Express	<a href="https://www.enthought.com/products/epd/free">https://www.enthought.com/products/epd/free</a>	x	x	x
Fityk	<a href="http://fityk.nieto.pl/">http://fityk.nieto.pl/</a>	x	x	x
FreeMat	<a href="http://freemat.sourceforge.net/">http://freemat.sourceforge.net/</a>	x	x	x
GNU Data language (GDL)	<a href="http://gnudatalanguage.sourceforge.net/">http://gnudatalanguage.sourceforge.net/</a>		x	x
Gnumeric	<a href="http://www.gnumeric.org/">http://www.gnumeric.org/</a>	x		x
GnuPlot	<a href="http://www.gnuplot.info/">http://www.gnuplot.info/</a>	x	x	x
GGobi	<a href="http://www.ggobi.org">http://www.ggobi.org</a>	x	x	x
JASP	<a href="https://jasp-stats.org/">https://jasp-stats.org/</a>	x	x	x
Julia	<a href="http://julialang.org/">http://julialang.org/</a>	x	x	x
LabPlot	<a href="http://labplot.sourceforge.net/">http://labplot.sourceforge.net/</a>			x
Mathics	<a href="http://www.mathics.org/">http://www.mathics.org/</a>	x		x
Maxima	<a href="http://maxima.sourceforge.net/">http://maxima.sourceforge.net/</a>	x	x	x
Mondrian	<a href="http://www.theusrus.de/Mondrian/">http://www.theusrus.de/Mondrian/</a>	x	x	x
Octave	<a href="https://www.gnu.org/software/octave">https://www.gnu.org/software/octave</a>	x	x	x
Orange	<a href="http://orange.biolab.si/">http://orange.biolab.si/</a>	x	x	x
PSP	<a href="https://www.gnu.org/software/pspp">https://www.gnu.org/software/pspp</a>	x	x	x
PySpread	<a href="https://manns.github.io/pyspread/">https://manns.github.io/pyspread/</a>	x		x
Python(x,y)	<a href="http://python-xy.github.io/">http://python-xy.github.io/</a>	x	x	x
Qtiplot (free only version < 0.9.8.9)	<a href="http://www.qtiplot.com/">http://www.qtiplot.com/</a> (Ubuntu Software Center etc)	x	x	x
R	<a href="http://cran.r-project.org/">http://cran.r-project.org/</a>	x	x	x
RLPlot	<a href="http://rlplot.sourceforge.net/">http://rlplot.sourceforge.net/</a>	x		x
SageMath	<a href="http://www.sagemath.org/">http://www.sagemath.org/</a>	x	x	x
SciDAVis	<a href="http://scidavis.sourceforge.net/">http://scidavis.sourceforge.net/</a>	x	x	x
Scilab	<a href="http://www.scilab.org/">http://www.scilab.org/</a>	x	x	x
Spyder	<a href="https://github.com/spyder-ide/spyder">https://github.com/spyder-ide/spyder</a>	x	x	x
Veusz	<a href="http://home.gna.org/veusz">http://home.gna.org/veusz</a>	x	x	x
WinPython	<a href="https://winpython.github.io/">https://winpython.github.io/</a>	x		
Word processing: MS Word; Writer ...		W	M	L
Abiword	<a href="http://www.abiword.org/">http://www.abiword.org/</a>	x	x	x
LyX	<a href="http://www.lyx.org/">http://www.lyx.org/</a>	x	x	x
TeXMacs	<a href="http://www.texmacs.org/">http://www.texmacs.org/</a>	x	x	x

Table 1 continued

between *GIMP* and *Photoshop* is available by Czajka (2013). Only graphic professionals would miss some particular features in *GIMP*. Moreover, there are a lot of plug-ins that increase

the functionality (*PSPI*, *G`MIC*, *GIMP Plugin Registry*; URLs 11, 12, 13). Additionally, for many years the software *ImageJ* is used in numerous research groups for image processing (e.g.,



Collins, 2007; Schneider et al., 2012; Schindelin et al., 2015; Rueden et al., 2017).

The arguments used for raster graphic editors can also be applied for vector graphic editors. Illustrations for manuscripts, posters or presentations are currently mostly drawn by *Corel Draw* and *Adobe Illustrator*. Nonetheless, most if not any simple geoscientific figure or map can also be done with *Inkscape* or even with *Open/LibreOffice Draw*. Numerous tutorials for *Inkscape* provide helpful tips for users in general but also for geoscientists (e.g., Dockner, 2012; Easterbrook, 2013). *Inkscape* has become very powerful and is able to import many proprietary formats. However, for better compatibility, proprietary file formats should be avoided and replaced by using open standard formats, e.g., the Open Raster format (ora) or the Scalable Vector Graphics format (svg). Finally, selected free alternatives to commercial Computer Aided Design (CAD) software are also listed in Table 1.

### 2.3 Portable document format

*Adobe Acrobat* is not the only application to create, edit, modify and save PDF-files. *Open/LibreOffice* allows the export to the PDF format and is able to create interactive PDF-forms, PDF/A-files for storage or hybrid PDF files. With the latter it is possible to open and modify simple tasks in a PDF-file (as the original ODT-file is embedded in the PDF). A less known fact is the ability of editing and modifying simple PDF-files by *Draw* (also possible with *Inkscape*). In addition, there are various free PDF creators with which any file can be exported into the PDF format. Finally, simple PDF manipulation such as making notes, using the type-writer function or text marking can be done with many free PDF tools (see a selection in Table 1).

### 2.4 Database systems and reference management

For small amounts of data many geoscientists commonly use spreadsheets as a kind of database. Nonetheless, the efficient work with large datasets requires a database system. In Table 1 some free alternative database systems can be found.

One important database application is the managing of references. Bibliographic database managers are an essential tool for writing. What kind of reference manager is used depends on the workflow or personal preferences (e.g., Ovadia, 2011; Vaidhyanathan et al., 2012; Zhang, 2012; Perkel, 2015a). Some useful free alternatives are listed in Table 1. Very popular and comfortable is the *Mozilla Firefox* add-on *Zotero* which allows importing a citation from online databases with just one click (e.g., Trinoskey et al., 2009; Fernandez, 2011; Murimboh and Hollingdale, 2012). It can be integrated both in *MS Word* and *Open/LibreOffice*. A plenty of common journal styles can be downloaded via the *Zotero Style Repository* (URL 14). *Zotero* is also available for other browsers (Chrome, Safari, Opera) and as a standalone program, too.

### 2.5 Statistics, data analysis and visualization

For data processing, calculations and statistics, many geoscientists use spreadsheets, and here mainly *MS Excel*. The alter-

native applications *Calc* or *Gnumeric* were already mentioned before. Considering the particular working tasks, the statistical reliability and preferred graphical output, also a variety of proprietary numeric and statistical programs are commonly used (e.g., *Origin*, *SigmaPlot*, *Statgraphics*, *SPSS*, *Matlab*, *Mathematica*). As in every category, a variety of free alternatives exist also here (Table 1). The increasingly popular programming language *Python* is recommended for scientific use (e.g., Bassi, 2007; Pérez et al., 2011; Ayer et al., 2014; Shen, 2014; Perkel, 2015b), and especially also in the geosciences (Lin, 2012). The language of the free software GNU *Octave* is very similar to *Matlab* (Eaton, 2012). A very modern programming language for scientific computing is *Julia* (Bezanson et al., 2012, 2014). Although already in use for several years (e.g., Tippmann 2014; Amirtha 2014) a more and more frequently used application for statistical data processing and creating plots is *R* (R Core Team, 2017). Those who do not like working in a terminal can select from a variety of graphical user interfaces (e.g., Williams, 2009; Valero-Mora and Ledesma, 2012; Racine, 2012). A lot of people are motivated for many reasons to contribute to *R* (Mair et al., 2015). Currently, more than 10500 packages for different tasks and calculations exist. The *R* statistical environment is very appropriate for the Geological Sciences (e.g., Grunsky, 2002b; Janoušek et al., 2006, 2016; Pebesma et al. 2012; Wu, 2016). Particularly mentionable is the *GeoChemical Data toolkit* (*GCDkit*, Janoušek et al., 2006, 2016). It was programmed for whole-rock data analysis of igneous rocks, but is also generally helpful for geochemical statistics and creation of publishable plots. Contrary to *R* itself the *GCDkit* package is currently running only on Windows. A selection of interesting *R* packages for the geosciences are listed in Table 2.

### 2.6 Specific geoscientific software

Many geoscientists develop source codes or scripts for models within their working groups but provide them not always for the whole community (see e.g. Barnes 2010; Lees 2012; Easterbrook 2014; David et al. 2016; Gil et al., 2016). Nevertheless, an enormous amount of free software exist for geoscientific research or for geotechnical engineering offices. Thus, beside the basic alternatives to common proprietary software (in Table 1), it is also necessary to present some special free tools which facilitates the handling of geoscientific data (Table 3). References to published articles of particular applications provide details about the suitability. We excluded some interesting free programs as they are dependent on proprietary environments, such as *Excel* or *Matlab*. Only such scripts or add-ins are included which run under *Open/LibreOffice* or the freely available *Matlab Compiler Runtime*. Compilations of various alternative geoscientific software can be found on several websites (see Table 4). Alternative free Geographic Information System (GIS) and remote sensing software is more popular and a lot of reviewing literature exist for that (e.g., Steiniger and Bocher 2009; Neteler et al. 2012; Moreno-Sanchez 2012; Steiniger and Hunter 2013; Leidig and

analogue: Analogue and Weighted Averaging Methods for Palaeoecology	<a href="http://CRAN.R-project.org/package=analogue">http://CRAN.R-project.org/package=analogue</a> (Simpson, 2007)
astrochron: A Computational Tool for Astrochronology	<a href="http://CRAN.R-project.org/package=astrochron">http://CRAN.R-project.org/package=astrochron</a>
ClamR: Time Series Modeling for Climate Change Proxies	<a href="http://CRAN.R-project.org/package=ClamR">http://CRAN.R-project.org/package=ClamR</a> (Wang et al., 2015)
CoinCalc	<a href="https://github.com/JonatanSiegmund/CoinCalc">https://github.com/JonatanSiegmund/CoinCalc</a> (Siegmund et al., 2017)
detzrcr: Compare Detrital Zircon Suites	<a href="https://CRAN.R-project.org/package=detzrcr">https://CRAN.R-project.org/package=detzrcr</a>
EMMAgeo: End-Member Modelling of Grain-Size Data	<a href="http://CRAN.R-project.org/package=EMMAgeo">http://CRAN.R-project.org/package=EMMAgeo</a>
forams: Foraminifera and Community Ecology Analyses	<a href="http://CRAN.R-project.org/package=forams">http://CRAN.R-project.org/package=forams</a>
fossil: Palaeoecological and Palaeogeographical Analysis Tools	<a href="http://CRAN.R-project.org/package=fossil">http://CRAN.R-project.org/package=fossil</a> (Vavrek, 2011)
G2Sd: Grain-Size Statistics and Description of Sediment	<a href="https://CRAN.R-project.org/package=G2Sd">https://CRAN.R-project.org/package=G2Sd</a> (Fournier et al., 2014)
geologyGeometry	<a href="http://www.joshuadavis.us/software.html">http://www.joshuadavis.us/software.html</a>
geomorph: Geometric Morphometric Analyses of 2D/3D Landmark Data	<a href="https://CRAN.R-project.org/package=geomorph">https://CRAN.R-project.org/package=geomorph</a> (Adams and Otárola-Castillo, 2013)
geoscale: Geological Time Scale Plotting	<a href="http://CRAN.R-project.org/package=geoscale">http://CRAN.R-project.org/package=geoscale</a>
geotech: Geotechnical Engineering	<a href="https://CRAN.R-project.org/package=geotech">https://CRAN.R-project.org/package=geotech</a>
ggtern: An Extension to 'ggplot2', for the Creation of Ternary Diagrams	<a href="http://CRAN.R-project.org/package=ggtern">http://CRAN.R-project.org/package=ggtern</a>
hydrogeo: Groundwater data presentation and interpretation	<a href="http://CRAN.R-project.org/package=hydrogeo">http://CRAN.R-project.org/package=hydrogeo</a>
IsoplotR: Statistical Toolbox for Radiometric Geochronology	<a href="http://CRAN.R-project.org/package=IsoplotR">http://CRAN.R-project.org/package=IsoplotR</a>
Isoread	<a href="https://github.com/sebkopf/isoread">https://github.com/sebkopf/isoread</a>
LAND-SE	<a href="https://github.com/maurorossi/LAND-SE">https://github.com/maurorossi/LAND-SE</a> (Rossi and Reichenbach, 2016)
Luminescence: Comprehensive Luminescence Dating Data Analysis	<a href="http://CRAN.R-project.org/package=Luminescence">http://CRAN.R-project.org/package=Luminescence</a> (Kreutzer et al., 2012)
matlab: MATLAB emulation package	<a href="http://CRAN.R-project.org/package=matlab">http://CRAN.R-project.org/package=matlab</a>
marmap: Import, Plot and Analyze Bathymetric and Topographic Data	<a href="https://CRAN.R-project.org/package=marmap">https://CRAN.R-project.org/package=marmap</a> (Pante and Simon-Bouhet, 2013)
NORRRM: Geochemical Toolkit for R	<a href="http://CRAN.R-project.org/package=NORRRM">http://CRAN.R-project.org/package=NORRRM</a> (González-Guzmán, 2016)
paleoMAS: Paleoecological Analysis	<a href="https://CRAN.R-project.org/package=paleoMAS">https://CRAN.R-project.org/package=paleoMAS</a>
paleotree: Paleontological and Phylogenetic Analyses of Evolution	<a href="http://CRAN.R-project.org/package=paleotree">http://CRAN.R-project.org/package=paleotree</a> (Bapst, 2012)
paleoTS: Analyze Paleontological Time-Series	<a href="https://CRAN.R-project.org/package=paleoTS">https://CRAN.R-project.org/package=paleoTS</a>
palinsol: Insolation for palaeoclimate studies	<a href="http://CRAN.R-project.org/package=palinsol">http://CRAN.R-project.org/package=palinsol</a>
provenance: Statistical Toolbox for Sedimentary Provenance Analysis	<a href="http://CRAN.R-project.org/package=provenance">http://CRAN.R-project.org/package=provenance</a> (Vermeesch et al., 2016)
R.matlab: Read and Write MAT Files and Call MATLAB from within R	<a href="https://cran.r-project.org/package=R.matlab">https://cran.r-project.org/package=R.matlab</a>
RockFab: Rock fabric and strain analysis tools	<a href="http://CRAN.R-project.org/package=RockFab">http://CRAN.R-project.org/package=RockFab</a>
shapeR: Collection and Analysis of Otolith Shape Data	<a href="http://CRAN.R-project.org/package=shapeR">http://CRAN.R-project.org/package=shapeR</a> (Libungan and Pálsson, 2015)
soilprofile: A package to consistently represent soil properties along a soil profile	<a href="https://CRAN.R-project.org/package=soilprofile">https://CRAN.R-project.org/package=soilprofile</a>
spMC: Continuous-Lag Spatial Markov Chains	<a href="http://CRAN.R-project.org/package=spMC">http://CRAN.R-project.org/package=spMC</a> (Sartore et al., 2016)
strap: Stratigraphic Tree Analysis for Palaeontology	<a href="http://CRAN.R-project.org/package=strap">http://CRAN.R-project.org/package=strap</a> (Bell and Lloyd, 2015)
stratigraph: Toolkit for the plotting and analysis of stratigraphic and palaeontological data	<a href="http://CRAN.R-project.org/package=stratigraph">http://CRAN.R-project.org/package=stratigraph</a>
tgcd: Thermoluminescence Glow Curve Deconvolution	<a href="http://CRAN.R-project.org/package=tgcd">http://CRAN.R-project.org/package=tgcd</a> (Peng et al., 2016)
TLdating: Tools for Thermoluminescences Dating	<a href="https://CRAN.R-project.org/package=TLdating">https://CRAN.R-project.org/package=TLdating</a> (Strebler et al., 2017)
treeclim: Numerical Calibration of Proxy-Climate Relationships	<a href="http://CRAN.R-project.org/package=treeclim">http://CRAN.R-project.org/package=treeclim</a> (Zang and Biondi, 2015)
XLConnect: Excel Connector for R	<a href="http://CRAN.R-project.org/package=XLConnect">http://CRAN.R-project.org/package=XLConnect</a>
CRAN Task View: Analysis of Spatial Data	<a href="https://CRAN.R-project.org/view=Spatial">https://CRAN.R-project.org/view=Spatial</a>
CRAN Task View: Handling and Analyzing Spatio-Temporal Data	<a href="https://CRAN.R-project.org/view=SpatioTemporal">https://CRAN.R-project.org/view=SpatioTemporal</a>

**Table 2:** Selected R packages useful for geological sciences.

Teeuw, 2015; Brovelli et al. 2017). Nevertheless, some convenient geospatial and remote sensing applications are included in Tables 1 - 3.

### 3. The free operating system Linux

In the previous chapter we mentioned selected alternative free software applications which can be used on the most popular operating systems. Besides the most widely used platforms like Microsoft Windows or Apple MacOS a variety of other platforms exist, such as Oracle Solaris, BSD or Linux. From those platforms Linux is the most popular one for many years. Therefore, the free Linux operating system is discussed here in detail.

Basically, Linux is not an operating system. Linux itself is only the kernel, the core of the operating system. The associated system and user applications which form the operating system are mostly an enormous amount of, generally, GNU General Public License (GPL) licensed software: GNU/Linux.

It is used in many scientific and educational institutions and organizations for particular tasks (e.g., in CERN, DESY, ESA, NASA or Fermilab). Although Linux is already the most successful operating system for mobile or embedded systems, for super computers, or servers, it is still only marginally accepted as a valuable desktop environment. The huge variety of distributions seem to be deterrent and confusing to many new Linux users. But this variety is a chance to get just that working environment which provides the best benefit. All the available distributions are mainly just variations in design, structure, or the available pre-installed software. But not only the different distributions are confusing to new users, also the various desktop environments which are available for most of the distributions seem to be a barrier. The main desktop environments are currently KDE, Gnome, Unity, Enlightenment, XFCE, Cinnamon, Mate, LXDE, and Pantheon. Some need more resources, suitable for newest hardware (e.g., KDE, Gnome, Unity), and some are adapted for older hardware (e.g., XFCE, LXDE).

Many distributions have a fast version upgrade. For stability reasons it is recommended to use Long Term Support (LTS) versions (about 3-5 years support). The regular versions of various distributions do not have a long support period (generally only 6-12 months), but on the other hand provide more recent software applications. More experienced users might prefer to install a Rolling Release version which is constantly updated and upgraded without a required re-installation. An easy way to test Linux without any risk is by using so-called Live-DVDs (or USB flash drives). The necessary ISO-files are available from any distribution (see e.g., Distrowatch; URL 15). Linux can run from within Windows, or vice versa, by virtual machines (e.g., Virtual box; URL 16). It is possible to use some Linux applications in Windows by *Cygwin* (URL 17). Contrariwise Windows programs can run on Linux by using *WINE/PlayOnLinux* (URLs 18, 19) or *Crossover Linux* (URL 20). Linux can also easily be installed parallel to Windows. So the user can decide during the starting process which operating sys-

tem to use (dual boot). The usage and advantages, but also problematic issues of Linux in the academic world are pointed out in Coyle (2008), Yalta and Lucchetti (2008), Tchantchashvili and Schmitto (2011) and Ovadia (2013, 2014a).

### 4. Problems, clarifications and solutions

Beside the positive financial and efficiency aspects and the freedom of use we also have to mention some problems of migration to FLOSS. Many users are afraid of changing applications, or even the system, they are used to (see, e.g., Gallego et al., 2008, 2015; Kim et al., 2014). Not all alternatives are free of weaknesses (e.g. Mellor, 2014) or are seen as too risky in terms of user skills or costs (e.g., Goode, 2005; Lemley and Shafir, 2011; Rojas and Polzer, 2011; Silic and Back, 2015). The different unfamiliar applications might not be the main problem for a migration. Many of them (e.g., *Firefox*, *Thunderbird*, *VLC Player*, or *Moodle*) are already applied without scepticism or aversion for many years. The graphical user interface is changing also during versions upgrades of the commonly used proprietary commercial applications. Possible issues by using the uncommon environment provoke some new Linux users to stop the attempts. But there is no operating system without limitations. Even the commercial platforms had and have unquestionably some problems and they are nevertheless still used anyway.

#### 4.1 Openness to alternative software

The huge amount of suitable alternative software applications (for any platform) or their professional abilities seem to be not well-known to many geoscientists. Even if they are known, rarely one wants to "waste time" to try those alternatives. It probably worked all perfect with the common proprietary software (pushing any previous shortcomings aside), and rarely one wants to change the routine workflows. Unfortunately, some users also quickly share the popular myth that free software can not be a stable and sufficient tool, often even though without own experience. Particularly those arguments, and the fear to lose time, hinder most people to change their applications or to try additional ones which might be even better suitable for some work steps. Considering that most users are utilising some applications successfully for several years it might be reasonable. But a try if other software might solve the tasks more effectively should always be considered. At universities proprietary software is used also with the idea that the knowledge of certain software applications is needed for the future carrier. By using such arguments it is ignored that users should not just have the skills of knowing which buttons in a certain application have to be clicked in which order, but rather to know how things can be solved in general. That means users need to understand the basics about, e.g., image or word processing and not just knowing the functions of, e.g., *Photoshop* or *Word*.

A disfavour against FLOSS is often justified by telling that if the software development is stopped the continuation of using the files is not assured. This argument is unjustified. Many



<b>Statistics, numerical calculations, plotting</b>		<b>W</b>	<b>M</b>	<b>L</b>
ArAR	<a href="http://group18software.asu.edu/">http://group18software.asu.edu/</a> (Mercer and Hodges, 2016)	x	x	x
AvoPlot	<a href="http://code.google.com/p/avoplot/">http://code.google.com/p/avoplot/</a> (Peters, 2014)	x		x
CoDaPack	<a href="http://www.compositionaldata.com/">http://www.compositionaldata.com/</a> (Comas-Cufi and Thio-Henestrosa, 2011)	x	x	x
DensityPlotter	<a href="http://www.ucl.ac.uk/~ucfbpve/densityplotter/">http://www.ucl.ac.uk/~ucfbpve/densityplotter/</a> (Vermeesch, 2012)	x	x	x
DisChart	<a href="http://80.251.40.59/eng.ankara.edu.tr/akiska/dischart/">http://80.251.40.59/eng.ankara.edu.tr/akiska/dischart/</a> (Akiska, 2015)	x		
ET_Redux	<a href="http://cirdles.org/projects/et_redux/">http://cirdles.org/projects/et_redux/</a> (McLean et al., 2016)	x	x	x
GCDkit	<a href="http://www.gcdkit.org/">http://www.gcdkit.org/</a> (Janoušek et al., 2006, 2016)	x		
Hf-INATOR	<a href="http://link.springer.com/article/10.1007/s12145-017-0303-9">http://link.springer.com/article/10.1007/s12145-017-0303-9</a> (Giovanardi and Lugli, 2017)	x	x	x
MorphoJ	<a href="http://www.flywings.org.uk/MorphoJ_page.htm">http://www.flywings.org.uk/MorphoJ_page.htm</a> (Klingenberg, 2011)	x	x	x
OpenChrom	<a href="https://www.openchrom.net/">https://www.openchrom.net/</a> (Wenig and Odermatt, 2010)	x	x	x
OpenGeoSys	<a href="http://www.opengeosys.org/home">http://www.opengeosys.org/home</a> (Kolditz et al., 2012)	x	x	x
OpenMS	<a href="http://www.openms.de/">http://www.openms.de/</a> (Röst et al., 2016)	x	x	x
PAST	<a href="http://folk.uio.no/ohammer/past/">http://folk.uio.no/ohammer/past/</a> (Hammer et al., 2001)	x	x	
Petrograph	<a href="http://accounts.unipg.it/~maurip/SOFTWARE.htm">http://accounts.unipg.it/~maurip/SOFTWARE.htm</a> (Petrelli et al., 2005)	x		
PHREEQC	<a href="https://wwwbrr.cr.usgs.gov/projects/GWC_coupled/phreeqc/">https://wwwbrr.cr.usgs.gov/projects/GWC_coupled/phreeqc/</a> (Parkhurst and Appelo, 2013)	x	x	x
PmagPy	<a href="https://github.com/PmagPy/PmagPy">https://github.com/PmagPy/PmagPy</a> (Tauxe et al., 2016)	x	x	
PuffinPlot	<a href="http://puffinplot.bitbucket.org/">http://puffinplot.bitbucket.org/</a> (Lurcock and Wilson, 2012)	x	x	x
PyXRD	<a href="https://github.com/mathijs-dumon/PyXRD">https://github.com/mathijs-dumon/PyXRD</a> (Dumon & Van Ranst, 2016)	x	x	x
Rcrust	<a href="http://www.sun.ac.za/english/faculty/science/earthsciences/rcrust">http://www.sun.ac.za/english/faculty/science/earthsciences/rcrust</a> (Mayne et al., 2016)	x	x	x
RGeostats	<a href="http://cg.enscm.fr/rgeostats">http://cg.enscm.fr/rgeostats</a>	x	x	
SGeMS	<a href="http://sgems.sourceforge.net/">http://sgems.sourceforge.net/</a> (Remy et al., 2009)	x		
SpectraFox	<a href="http://www.spectrafox.com/">http://www.spectrafox.com/</a> (Ruby, 2016)	x		
Spekwin32	<a href="http://www.ffmpeg2.de/spekwin">http://www.ffmpeg2.de/spekwin</a>	x	x	x
Theriak/Domino	<a href="http://titan.minpet.unibas.ch/minpet/theriak/theruser.html">http://titan.minpet.unibas.ch/minpet/theriak/theruser.html</a> (de Capitani and Petrakakis, 2010)	x	x	x
THERIAK_D add-on	<a href="http://www.min.uni-kiel.de/~ed/theriakd/">http://www.min.uni-kiel.de/~ed/theriakd/</a> (Duesterhoeft and de Capitani, 2013)	x	x	x
t-lgpet	<a href="https://sites.google.com/site/tsigpetteaching/">https://sites.google.com/site/tsigpetteaching/</a> (Carr and Gazel, 2016)	x	x	
TriAngle	<a href="http://geo-consulting.warnsloh.com/triangle/">http://geo-consulting.warnsloh.com/triangle/</a> (Warnsloh, 2015)	x	x	x
uFREASI	<a href="http://www.ipgp.fr/~tharaud/uFREASI">http://www.ipgp.fr/~tharaud/uFREASI</a> (Tharaud et al., 2015)	x	x	x
<b>Stereographic projections, structural geological data</b>		<b>W</b>	<b>M</b>	<b>L</b>
Garcmb	<a href="http://www.kueps.kyoto-u.ac.jp/~web-bs/tsg/software/GArcmb/">http://www.kueps.kyoto-u.ac.jp/~web-bs/tsg/software/GArcmb/</a> (Yamaji, 2016)	x	x	x
InnStereo	<a href="http://innstereo.github.io/">http://innstereo.github.io/</a>	x		x
MARD	<a href="http://dx.doi.org/10.1016/j.cageo.2012.07.012">http://dx.doi.org/10.1016/j.cageo.2012.07.012</a> (Munro and Blenkinsop, 2012)	x	x	x
Open Plot Pj.	<a href="http://www.openplot.altervista.org/">http://www.openplot.altervista.org/</a> (Tavani et al., 2011)	x	x	x
OpenStereo	<a href="http://www.igc.usp.br/index.php?id=openstereo">http://www.igc.usp.br/index.php?id=openstereo</a> (Grohmann and Campanha, 2012)	x	x	x
Orient	<a href="http://www.frederickvollmer.com/orient/">http://www.frederickvollmer.com/orient/</a>	x	x	x
OrientXplot	<a href="http://www.rossangel.com/text_orientxplot.htm">http://www.rossangel.com/text_orientxplot.htm</a> (Angel et al., 2015)	x		
SG2PS	<a href="http://www.sg2ps.eu/">http://www.sg2ps.eu/</a> (Sasvári and Baharev, 2014)	x		
Slicken	<a href="http://www.geociencias.unam.mx/~afns/Slicken_1.0.jar">http://www.geociencias.unam.mx/~afns/Slicken_1.0.jar</a> (Xu et al., 2016)	x	x	x
Stereonet3D	<a href="http://www.ux.uis.no/~nestor/work/programs.html">http://www.ux.uis.no/~nestor/work/programs.html</a> (Cardozo and Allmendinger, 2013)		x	
y-gRaph	<a href="https://dl.dropboxusercontent.com/u/41688281/yR_toPaper/yRdiagram.zip">https://dl.dropboxusercontent.com/u/41688281/yR_toPaper/yRdiagram.zip</a> (Calvin et al. 2014)	x	x	x
<b>Image processing, data visualisation</b>		<b>W</b>	<b>M</b>	<b>L</b>
AERYN	<a href="http://www.tcd.ie/Geology/staff/crowleyq/AERYN/">http://www.tcd.ie/Geology/staff/crowleyq/AERYN/</a> (Mouchi et al., 2016)	x		
Avogadro	<a href="http://avogadro.cc/">http://avogadro.cc/</a> (Hanwell et al., 2012)	x	x	x
Binary Traverser	<a href="http://www.geo.umass.edu/climate/lewis/analysis/">http://www.geo.umass.edu/climate/lewis/analysis/</a> (Lewis et al., 2010)	x	x	x

**Table 3:** Selection of Free and Open Source Software for particular geoscientific tasks (also some freeware included, see caption of Table 1). W = Windows, M = Mac, L = Linux.



FLOSS are applying international standardized file formats. Furthermore, FLOSS is, with exceptions, mainly developed

collaboratively by globally distributed programmers. If some, or all, do not continue to contribute, others might and will

BoneJ	<a href="http://bonej.org/">http://bonej.org/</a> (Doube et al., 2010)	x	x	x
EBS-Image	<a href="http://www.ebsd-image.org/">http://www.ebsd-image.org/</a> (Pinard et al., 2011)	x	x	x
FAME	<a href="http://peternell.org/archive.html">http://peternell.org/archive.html</a> (Hammes and Peternell, 2016)	x		
GPlates	<a href="http://www.gplates.org">http://www.gplates.org</a> (Williams et al., 2012)	x	x	x
Gwyddion	<a href="http://gwyddion.net/">http://gwyddion.net/</a> (Nečas and Klapetek, 2011)	x	x	x
JMicroVision	<a href="http://www.jmicrovision.com">http://www.jmicrovision.com</a> (Roduit, 2015)	x	x	x
Jpor (ImageJ plug-in)	<a href="http://www.geoanalysis.org/jPOR.html">http://www.geoanalysis.org/jPOR.html</a> (Grove and Jerram, 2011)	x	x	x
Micro-Manager	<a href="https://micro-manager.org/">https://micro-manager.org/</a> (Edelstein et al., 2010, 2014)	x	x	x
ParaViewGeo	<a href="http://paraviewgeo.objectivity.ca/">http://paraviewgeo.objectivity.ca/</a>	x		x
surfit	<a href="http://surfit.sourceforge.net/">http://surfit.sourceforge.net/</a>	x		
ScatterJn	<a href="http://dx.doi.org/10.5281/zenodo.22167">http://dx.doi.org/10.5281/zenodo.22167</a> (Zeitvogel and Obst, 2016)	x	x	x
xyscan	<a href="http://rhig.physics.yale.edu/~ullrich/software/xyscan/">http://rhig.physics.yale.edu/~ullrich/software/xyscan/</a>		x	x
Vespucci	<a href="https://github.com/dpfoose/Vespucci">https://github.com/dpfoose/Vespucci</a> (Foosse and Sizemore, 2016)	x	x	x
VESTA	<a href="http://jp-minerals.org/vesta/en/">http://jp-minerals.org/vesta/en/</a> (Momma and Izumi, 2011)	x	x	x
XCrySDen	<a href="http://www.xcrysden.org/">http://www.xcrysden.org/</a> (Kokalj, 2003)	x	x	x
YaDiV	<a href="http://www.welfenlab.de/en/yadiv">http://www.welfenlab.de/en/yadiv</a> (Frieze et al., 2013)	x	x	x
<b>Stratigraphic plots</b>		<b>W</b>	<b>M</b>	<b>L</b>
CoreWall	<a href="http://www.corewall.org/">http://www.corewall.org/</a> (e.g., Conze et al., 2010)	x	x	
Polito	<a href="http://sourceforge.net/projects/polito">http://sourceforge.net/projects/polito</a> (Stremtan and Tudor, 2010)	x	x	x
PSICAT	<a href="http://portal.chronos.org/psicat-site/">http://portal.chronos.org/psicat-site/</a> (Reed et al., 2006)	x	x	x
SedLog	<a href="http://www.sedlog.com/">http://www.sedlog.com/</a> (Zervas et al., 2009)	x		
TimeScale Creator	<a href="https://engineering.purdue.edu/Stratigraphy/tscreator/index/index.php">https://engineering.purdue.edu/Stratigraphy/tscreator/index/index.php</a>	x	x	x
<b>Spatial data</b>		<b>W</b>	<b>M</b>	<b>L</b>
DigiFract	<a href="https://sites.google.com/site/digifract/">https://sites.google.com/site/digifract/</a> (Hardebol and Bertotti, 2013)	x	x	x
GMT	<a href="http://gmt.soest.hawaii.edu/">http://gmt.soest.hawaii.edu/</a> (Wessel et al., 2013)	x	x	x
GeoCube	<a href="http://www.mediafire.com/file/7dn243zky7d3oy6/GeoCube.rar">http://www.mediafire.com/file/7dn243zky7d3oy6/GeoCube.rar</a> (Li et al., 2016)	x		
GeoDA	<a href="http://geodacenter.github.io/">http://geodacenter.github.io/</a> (Anselin et al., 2006)	x	x	x
<b>Geophysics, seismic data</b>		<b>W</b>	<b>M</b>	<b>L</b>
APASVO	<a href="https://github.com/jemromerol/apasvo">https://github.com/jemromerol/apasvo</a> (Romero et al., 2016)	x	x	x
Madagascar	<a href="http://www.ahay.org/">http://www.ahay.org/</a> (Fomel et al., 2013)	x	x	x
OpenTect	<a href="http://www.opentect.org/">http://www.opentect.org/</a>	x	x	x
pynoddy	<a href="https://github.com/flohorovic/pynoddy">https://github.com/flohorovic/pynoddy</a> (Wellmann et al., 2016)	x	x	x
Seismic Toolkit	<a href="http://seismic-toolkit.sourceforge.net/">http://seismic-toolkit.sourceforge.net/</a>	x		x
<b>Uncategorized</b>		<b>W</b>	<b>M</b>	<b>L</b>
ADFNE	<a href="http://alghalandis.net/products/adfne">http://alghalandis.net/products/adfne</a> (Fadakar, 2017)	x	x	x
Dose rate calculator (DRc)	<a href="http://www.ims.demokritos.gr/download/DRcalculator.exe">http://www.ims.demokritos.gr/download/DRcalculator.exe</a> (Tsakalos et al., 2016)	x		
GrainSizeTools	<a href="http://marcoalopez.github.io/GrainSizeTools/">http://marcoalopez.github.io/GrainSizeTools/</a> (Lopez-Sanchez and Llana-Fúnez, 2015)	x	x	x
RDSS	<a href="http://rdss.sourceforge.net/">http://rdss.sourceforge.net/</a> (Apopei et al., 2015)	x	x	x
Survex	<a href="http://survex.com/">http://survex.com/</a>	x	x	x
Therion	<a href="https://therion.speleo.sk/">https://therion.speleo.sk/</a>	x	x	x
Virtual Petrographic Microscope	<a href="http://eps.mq.edu.au/vpm/">http://eps.mq.edu.au/vpm/</a> (Tetley and Daczko, 2014)	x	x	

Table 3 continued

do, especially if the consumers demand and interest is high. A commercial company on the other hand, which gives up because of various reasons, rarely provide the public with all the programming codes in order to continue the development. A lot of prominent software vanished due to brand competition in the past. If the source codes of abandoned applications would not made public, many files would be not easily accessible in future. A fact which is getting important with the increasing demand for open data, data archiving and reproducibility (see e.g., Lees 2012; Davis et al., 2016; Gil et al., 2016). Vendor lock-in is one of the main reasons for keeping the common proprietary software. When data is saved in a proprietary file-format, which is not convertible loss-free, it needs very concise evaluation if it is better to keep locked-in to a particular software or to risk the migration to a new format. In many cases FLOSS is able to import most of the important proprietary file formats without any serious loss. In the case of data reproducibility open source software fulfils a more reliable check of data than closed software (e.g., Stallman 2005; Ince et al., 2012; Lees 2012; Easterbrook 2014; Gezelter 2015). FLOSS, with non-proprietary data file formats, provide the more likely ability to reuse data loss-free from old or possibly vanished applications.

#### 4.2 Manuscript preparation and submission

To our experience, the main threshold of migration are the office suite as well as the graphic editor and their interoperability for collaborative writing and editing. By preparing a scientific manuscript with several co-authors it is usually sent via email to all collaborative partners. Every co-author must be able to open, read, modify, and save the various files, be it a text, spreadsheet or graphic file. Most scientists are accustomed to *Word* for writing their manuscripts and expect this also from their collaborative authors, because of compatibility.

Of course, many users cannot resign of *MS Office*, be it because of some complex macros or special forms. But there is no reason not to install *Open/LibreOffice* in addition. By working with proprietary software it is more or less expected that all collaborative colleagues have access to the same applications. Regarding collaborations with colleagues at institutions with lower budgets it is rather unfair to insist on expensive software instead to use the free available versions (see also e.g., Lees 2012). FLOSS can be installed several times on different PCs, it can be copied (or the link can be sent) to collaborative colleagues worldwide to have the same work flow. In some cases an alternative to an additional office installation is the usage of WebODF (URL 21). With this Mozilla Firefox-add-on it is possible to open, modify and save Open Document files.

An often overlooked compatibility problem occurs due to the usage of commercial or unusual fonts, or due to different spacing, which distorts some document layouts. Liberation is a TrueType font collection (from Red Hat) which is compatible to the largely used font types Arial, Times new Roman and Courier. The standard fonts in *MS Office* are currently the pro-

prietary fonts Calibri or Cambria which are not available on Linux. Due to such compatibility problems Google developed similar free fonts (Carlito and Caladea; URL 22, 23) which can easily be installed on Linux. The possibility of embedding fonts into a document seems also not widely be known or used. Moreover, many users are rarely aware of the difference between the layout and just the content. It seems to be common to copy and paste between different documents without considering the taking over of possibly different formats and fonts. Many users do direct formatting in text documents instead of the recommended use of style sheets. A lot of time is consumed just by repairing and reformatting the whole document at the end.

Another main reason to defend the use of particular commercial software is the file format for manuscript submissions requested by most publishers of journals or books. For submission of text manuscripts mainly a proprietary file format like DOC/DOCX is mandatory, some publishers accept also PDF or TEX-files (see, e.g., Tchantchaleishvili and Schmitto, 2011; Krewinkel and Winkler, 2017). For archiving or scientific documentation an ISO-certified file format like Open Document Text would be much more appropriate (e.g., Weir, 2009; Park and Oh, 2012; Wilson and Tchantchaleishvili, 2013). In some European administrations it is partially already mandatory, see, for example, information on "Open Document Format (ODF): guidance for UK government" (URL 24). The final print layout is anyway done by the publishers themselves, basically they only require the correct structure of the text. In fact, word processors like *Word* or *Writer* have many disadvantages for preparing large structured text documents. Instead of using the classic word processors, or even the typesetting program *Latex*, which is limited in collaborative exchange (in its offline state), many scientists use already web-based tools for publishing multi-author-manuscripts (e.g., Perkel, 2014). Furthermore, beside compatibility issues due to different office versions of the co-authors, the constant reformatting of repeated submissions of a manuscript before acceptance in a journal is wasting time (Brischoux and Legagneux, 2009; Budd, 2017; Krewinkel and Winkler, 2017). Those authors suggest better to concentrate on the scientific content and structure, and to format the manuscript according to the journals guidelines only after acceptance. Preparing manuscripts by a lightweight markup language is one excellent solution to do this, at least for not too complex contents. Many authors already use a more lightweight markup language such as Markdown (URL 25), particularly if publishing the same content in different formats as in printed or web-based publications (see e.g., Ovadia, 2014b; Krewinkel and Winkler, 2017). Text in Markdown can be written in any text editor and with a converter such as *Pandoc* (URL 26) exported to nearly any format, mainly to HTML, ODT or PDF. The useful viable track changes feature can currently be used with *CriticMarkup* (URL 27), but there will surely be many more innovative solutions in the future. The general capability of FLOSS for preparing, submitting and publishing manuscripts is documented by several

authors (e.g., Zaritski 2003; Faccioli et al., 2009; Tchantchaleishvili and Schmitto, 2011; Wilson and Tchantchaleishvili, 2013). Furthermore, thoughts on future geoscientific publishing should be considered (Gil et al., 2016).

### 4.3 Productive work with Linux

Many Windows users which are familiar with some free software applications are often surprised when they learn that those programs were always a part of Linux. Thus, if people have already used free alternatives on Windows they will not experience so many changes after migration. The so-called user-friendly environment of Windows is often rather due to its familiarity of long-time usage since the first encounter with computers.

One example of the usefulness of Linux is the much faster installation process compared to Windows. With a nowadays easy installation of most Linux distributions, which in many cases

can be finished within half an hour, nearly all the necessary software packages for general usage are already installed. This is contrary to Windows, where after the installation of the operating system all the necessary software have to be added separately. The drivers for most of the common hardware are already implemented in the Linux kernel, thus usually no extra installation of drivers are necessary. Actually, Linux has a much broader driver support than Windows, especially when using old(er) hardware. If older hardware is not supported by Windows anymore, it would most probably still work with Linux. Only most recent or unusual exotic hardware might cause a problem.

Linux is especially useful and comfortable if mainly basic tasks like writing and reading texts, viewing images or performing Internet research is done and old PCs or notebooks are wanted to be in continued use. Depending on the desktop environment only marginal changes in usage are recognizable. The home-directory is comparable with the familiar "My

General (Free Software alternative collections, manuals)
<p> <a href="http://awesomecow.com/">Awesomecow</a> (<a href="http://awesomecow.com/">http://awesomecow.com/</a>)  <a href="http://debianlinux.net/science.html">debianlinux - Scientific Software</a> (<a href="http://debianlinux.net/science.html">http://debianlinux.net/science.html</a>)  <a href="http://en.flossmanuals.net/">FLOSSmanuals</a> (<a href="http://en.flossmanuals.net/">http://en.flossmanuals.net/</a>)  <a href="https://freeopensourcesoftware.org">Free Open Source Software</a> (<a href="https://freeopensourcesoftware.org">https://freeopensourcesoftware.org</a>)  <a href="https://directory.fsf.org">Free Software Directory</a> (<a href="https://directory.fsf.org">https://directory.fsf.org</a>)  <a href="http://www.linuxalt.com/">Linux Alternative Project</a> (<a href="http://www.linuxalt.com/">http://www.linuxalt.com/</a>)  <a href="http://www.linuxlinks.com/article/2007070111340544/Equivalents.html">Linux Equivalents to Windows Software</a> (<a href="http://www.linuxlinks.com/article/2007070111340544/Equivalents.html">http://www.linuxlinks.com/article/2007070111340544/Equivalents.html</a>)  <a href="http://statistiksoftware.com/free_software.html">List of free statistical software</a> (<a href="http://statistiksoftware.com/free_software.html">http://statistiksoftware.com/free_software.html</a>)  <a href="http://www.opensourcealternative.org/">Open Source Alternative</a> (<a href="http://www.opensourcealternative.org/">http://www.opensourcealternative.org/</a>)  <a href="http://www.opensource-dvd.de">Opensource-DVD</a> (<a href="http://www.opensource-dvd.de">http://www.opensource-dvd.de</a>)  <a href="https://informatik.univie.ac.at/studierende/info/software/opensource/">Open Source Software &amp; Freeware</a> (<a href="https://informatik.univie.ac.at/studierende/info/software/opensource/">https://informatik.univie.ac.at/studierende/info/software/opensource/</a>)  <a href="https://opensourcesoftwaredirectory.com/">Open Source Software Directory</a> (<a href="https://opensourcesoftwaredirectory.com/">https://opensourcesoftwaredirectory.com/</a>)  <a href="http://www.datamation.com/open-source/open-source-software-list-ultimate-list-1.html">Open Source Software List: The Ultimate List</a> (<a href="http://www.datamation.com/open-source/open-source-software-list-ultimate-list-1.html">http://www.datamation.com/open-source/open-source-software-list-ultimate-list-1.html</a>)  <a href="http://www.osalt.com/">osalt - open source as alternative</a> (<a href="http://www.osalt.com/">http://www.osalt.com/</a>)  <a href="http://oss-watch.ac.uk/">OSS Watch</a> (<a href="http://oss-watch.ac.uk/">http://oss-watch.ac.uk/</a>)  <a href="http://sourceforge.net">SourceForge</a> (<a href="http://sourceforge.net">http://sourceforge.net</a>)  <a href="https://help.ubuntu.com/community/UbuntuScience/AlternativesToProprietarySoftware">UbuntuScience</a> (<a href="https://help.ubuntu.com/community/UbuntuScience/AlternativesToProprietarySoftware">https://help.ubuntu.com/community/UbuntuScience/AlternativesToProprietarySoftware</a>)  <a href="https://en.wikipedia.org/wiki/Portal:Free_and_open-source_software">Wikipedia Portal: Free and open-source software</a> (<a href="https://en.wikipedia.org/wiki/Portal:Free_and_open-source_software">https://en.wikipedia.org/wiki/Portal:Free_and_open-source_software</a>) </p>
Software Compilations and Informations for Geoscientists
<p> <a href="http://all-geo.org/volcan01010/2011/11/all-the-software-a-geoscientists-needs-for-free/">All the software a geoscientist needs. For free!</a> (<a href="http://all-geo.org/volcan01010/2011/11/all-the-software-a-geoscientists-needs-for-free/">http://all-geo.org/volcan01010/2011/11/all-the-software-a-geoscientists-needs-for-free/</a>)  <a href="http://serc.carleton.edu/NAGTWorkshops/petrology/plot_programs.html">Geochemical Plotting Programs</a> (<a href="http://serc.carleton.edu/NAGTWorkshops/petrology/plot_programs.html">http://serc.carleton.edu/NAGTWorkshops/petrology/plot_programs.html</a>)  <a href="http://www.geoforge.org/">Geoforge</a> (<a href="http://www.geoforge.org/">http://www.geoforge.org/</a>)  <a href="http://www.geoengineer.org/software/home">Geotechnical Engineering Software Database</a> (<a href="http://www.geoengineer.org/software/home">http://www.geoengineer.org/software/home</a>)  <a href="http://en.wikipedia.org/wiki/List_of_free_geology_software">List of free geology software</a> (<a href="http://en.wikipedia.org/wiki/List_of_free_geology_software">http://en.wikipedia.org/wiki/List_of_free_geology_software</a>)  <a href="http://www.ontosoft.org">OntoSoft</a> (<a href="http://www.ontosoft.org">http://www.ontosoft.org</a>)  <a href="http://www.openscience.org">OpenScience</a> (<a href="http://www.openscience.org">http://www.openscience.org</a>)  <a href="https://babelflysch.wordpress.com/software/">Open Source and Free Software and Resources for Geoscientists</a> (<a href="https://babelflysch.wordpress.com/software/">https://babelflysch.wordpress.com/software/</a>)  <a href="http://www.grss-ieee.org/open-source-software-related-to-geoscience-and-remote-sensing">Open Source Software related to Geoscience and Remote Sensing</a> (<a href="http://www.grss-ieee.org/open-source-software-related-to-geoscience-and-remote-sensing">http://www.grss-ieee.org/open-source-software-related-to-geoscience-and-remote-sensing</a>)  <a href="https://github.com/usgs">USGS Github Repositories</a> (<a href="https://github.com/usgs">https://github.com/usgs</a>) </p>
Scientific/Educational Linux distributions
<p> <a href="http://www.archeos.eu/">ArcheOS</a> (<a href="http://www.archeos.eu/">http://www.archeos.eu/</a>   <a href="http://doc.archeos.it/">http://doc.archeos.it/</a>)  <a href="http://environmentalomics.org/bio-linux/">BioLinux</a> (<a href="http://environmentalomics.org/bio-linux/">http://environmentalomics.org/bio-linux/</a>)  <a href="https://labs.fedoraproject.org/de/scientific/">Fedora Scientific</a> (<a href="https://labs.fedoraproject.org/de/scientific/">https://labs.fedoraproject.org/de/scientific/</a>)  <a href="http://www.mathbuntu.org/">Mathbuntu</a> (<a href="http://www.mathbuntu.org/">http://www.mathbuntu.org/</a>)  <a href="http://live.osgeo.org/en/index.html">OSGeo-Live</a> (<a href="http://live.osgeo.org/en/index.html">http://live.osgeo.org/en/index.html</a>)  <a href="http://uberstudent.org/">Uberstudent</a> (<a href="http://uberstudent.org/">http://uberstudent.org/</a>)  <a href="http://zorin-os.com/">Zorin OS Educational</a> (<a href="http://zorin-os.com/">http://zorin-os.com/</a>) </p>

**Table 4:** Useful weblinks to alternative software.

Documents" from Windows. Data can only be saved in the home folder, which is more secure than the possible spreading over different (even system) folders commonly done in Windows. Linux users are, on default, not allowed to do anything outside of the home folder. Programs are generally not executed with administrative rights. Thus, it is not so easy to damage the system by inappropriate usage. With Linux it is not urgently necessary to install firewall and anti-virus software on desktop-PCs and notebooks. This saves a lot of memory and handling time. Also, defragmenting, which is often ignored by Windows users anyway, is, due to a different file management, less urgently needed. Many Linux distributions compiled for general educational or scientific use are available, and some distributions are even developed for particular academic disciplines (Table 4). As it is easy to quickly install any available specific software (e.g., via the software centre of the distribution repositories), any distribution which is more comfortable for the user might be preferred.

Although Linux provides an effective desktop system for general and professional usage it should not be seen just as a replacement but as an alternative to Windows or MacOS. Some task or device or some needed proprietary software better works on Windows or MacOS. Compared to MacOS many similarities with Linux can be found as both platforms are UNIX based. In many institutions or offices, but also during external collaboration, both Windows and Mac co-exist for a long time, despite some issues. Curiously, the coexistence of Linux with Windows and Mac is questioned. This might stem from one possible reason: when Windows or Mac fails or crashes it is ordinary inconvenience, the troubles are annoying but have to be taken for granted. Does the same happen with Linux this is hastily interpreted as confirmation that it is unprofessional free junk, and rarely any attempts are accepted to search for possible solutions. Unfortunately, free is often interpreted as ineffective, a speculation that confirms new users that the software is not suitable for professional usage. Our own subjective experience is that using Linux and open source software is less time consuming, with fewer issues. There is less maintenance needed, regarding, e.g., security, system cleaning, system crashes, driver problems, or individual software installations and updates.

#### 4.4 Reasons for migration to FLOSS

According to van Loon and Toshkov (2015) a migration to FLOSS in European municipalities rarely occurs for financial reasons, this more likely happens in companies, but rather due to top-down decisions. At universities a top-down decision for a migration to FLOSS, or to any specific software products, would be counterproductive as it would hinder unhampered science workflow and creativity. Nevertheless, some hints within and between research institutions to successful usage of FLOSS would possibly lower the threshold of unease about a migration to free alternative software. More and more recent scientific articles definitely state the particular usage of FLOSS in the methodology part.

At universities geoscience graduate students need, and mostly get, access to a desktop computer during their thesis work. Most commercial software licences, however, are strictly only available for staff members. Unfortunately, that fact might undermine a legal PC installation. One strong argument for using FLOSS, at least for student PCs, is that students can use in any case the same applications at home because they are freely available. Students would not be dependent on the PCs at the universities. Not only students, also scientific, technical, and possibly administrative, staff could use free software, or even straightaway Linux.

One good reason to keep on some proprietary software for, e.g., PCs of analytical devices, is the technical support, which is in those particular cases rather more needed than for simple everyday office applications. Academic work cannot be compared with industrial production or service companies which depend on more or less the same programs and workflows. Depending what kind of research projects are currently done some programs are not used regularly in geoscience institutes. As most proprietary software applications at the universities nowadays are not bought, but rented for a certain time, paying rent for some expensive applications is not warrantable for many institutes when the application is not constantly used. As universities are public institutions, it will be irresponsible against the public to waste enormous amounts of money for software applications which are not irreplaceable for most uses in lab work, research or administration. All academic institutions should take the possibility to do their research without the obstacle of expensive proprietary commercial, even monopolistic, software (see e.g., Nature, 2000; or Lees, 2012). But also geotechnical engineering offices might benefit by avoiding vendor lock-in with their software applications.

#### 5. Concluding remarks

Many academic institutions worldwide already use FLOSS because of the lack of sufficient commercial software for certain research tasks but also due to reasons of costs and freedom of own adjustments. It is not recommended replacing commercial software in general, many of those fit excellently for their purpose. But there is no reason to rent expensive office suites, graphic editors or calculation software when there are free alternatives which provide the same, or possibly better, efficiency and usability. This article intends to demonstrate that plenty of equivalent free alternatives to proprietary programs exist for the most used operating systems. Getting familiar with this alternatives in relatively short time is generally not a big issue, similar to relearning new upgrade versions of used proprietary software. At least, everyone can try the alternatives to check if they provide the needed functions and work steps for their productivity. As there is a huge amount of different specialized geoscientific topics there are also as many ways of computing workflows. This article is far from being a complete overview of FLOSS for the geosciences, but it should help to decrease the threshold to evaluate or use



such alternatives if necessary. There is no need just to take only what is available in the commercial software sector. There is the freedom to choose what fits the best for a purpose - for one user alone or in collaboration with others.

## Acknowledgements

First of all the contributors of any FLOSS are thanked for their afford, innovations, and work. This manuscript was prepared on Linux (Xubuntu, Mint and Zorin OS), using the following software: Mozilla *Firefox* and *Zotero* for literature research and management, *gedit* and *ReText* for writing, structuring and exporting a document, and finally *LibreOffice Writer* for finalizing the manuscript and tables suitable for submission. Comments by Robert Marschallinger (Salzburg), Gerd Rantitsch (Leoben) and Michael Wagreich (Vienna) helped to improve the manuscript.

## References

- Adams, D.C. and Otárola-Castillo, E., 2013. geomorph: an R package for the collection and analysis of geometric morphometric shape data. *Methods in Ecology and Evolution*, 4, 393–399. <http://dx.doi.org/10.1111/2041-210X.12035>
- Askisa, S., 2015. DisChart: a new application for building and drawing discrimination diagrams using digitize method. *Earth Science Informatics*, 8, 799–807. <http://dx.doi.org/10.1007/s12145-015-0209-3>
- Amirtha, T., 2014. How The Rise Of The “R” Computer Language Is Bringing Open Source To Science. Fast Company. <http://www.fastcompany.com/3028381/how-the-rise-of-the-r-computer-language-is-bringing-open-source-to-science> (accessed on 29 January 2017).
- Angel, R., Milani, S., Alvaro, M. and Nestola, F. (2015) OrientXplot: a program to analyse and display relative crystal orientations. *Journal of Applied Crystallography*, 48, 1330–1334. <http://dx.doi.org/10.1107/S160057671501167X>
- Anselin, L., Syabri, I. and Kho, Y., 2006. GeoDa: An Introduction to Spatial Data Analysis. *Geographical Analysis*, 38, 5–22. <http://dx.doi.org/10.1111/j.0016-7363.2005.00671.x>
- Apopei, A. I., Buzgar, N. and Buzatu, A., 2015. Raman Data Search and Storage (RDSS): A Raman spectra library software using peak positions for fast and accurate identification of unknown inorganic compounds. <http://rdss.sourceforge.net> (accessed on 29 January 2017).
- Ayer, V.M., Miguez, S. and Toby, B.H., 2014. Why scientists should learn to program in Python. *Powder Diffraction*, 29, S48–S64. <http://dx.doi.org/10.1017/S0885715614000931>
- Bapst, D.W., 2012. paleotree: an R package for paleontological and phylogenetic analyses of evolution. *Methods in Ecology and Evolution*, 3, 803–807. <http://dx.doi.org/10.1111/j.2041-210X.2012.00223.x>
- Barnes, N., 2010. Publish your computer code: it is good enough. *Nature*, 467, 753–753. <http://dx.doi.org/10.1038/467753a>
- Bassi, S., 2007. A Primer on Python for Life Science Researchers. *PLoS Computational Biology*, 3, e199. <http://dx.doi.org/10.1371/journal.pcbi.0030199>
- Bell, M.A. and Lloyd, G.T., 2015. strap: an R package for plotting phylogenies against stratigraphy and assessing their stratigraphic congruence. *Palaeontology*, 58, 379–389. <http://dx.doi.org/10.1111/pala.12142>
- Bezanson, J., Karpinski, S., Shah, V.B. and Edelman, A., 2012. Julia: A Fast Dynamic Language for Technical Computing. arXiv:1209.5145 [cs].
- Bezanson, J., Edelman, A., Karpinski, S. and Shah, V.B., 2014. Julia: A Fresh Approach to Numerical Computing. arXiv:1411.1607 [cs].
- Bouras, C., Filopoulos, A., Kokkinos, V., Michalopoulos, S., Papadopoulos, D. and Tseliou, G., 2014. Policy recommendations for public administrators on free and open source software usage. *Telematics and Informatics*, 31, 237–252. <http://dx.doi.org/doi:10.1016/j.giq.2015.11.001>
- Brischoux, F. and Legagneux, P., 2009. Don't Format Manuscripts. *The Scientist*, 23, 24–24.
- Brovelli, M.A., Minghini, M., Moreno-Sanchez, R. and Oliveira, R., 2017. Free and open source software for geospatial applications (FOSS4G) to support Future Earth. *International Journal of Digital Earth*, 10, 386–404. <http://dx.doi.org/10.1080/17538947.2016.1196505>
- Budd, J., 2017. Publishing: Reformatting wastes public funds. *Nature*, 543, 40–40. <http://dx.doi.org/10.1038/543040e>
- Bui, D.T., Tran, C.T., Pradhan, B., Revhaug, I. and Seidu, R., 2015. iGeoTrans – a novel iOS application for GPS positioning in geosciences. *Geocarto International*, 30, 202–217. <http://dx.doi.org/10.1080/10106049.2014.902114>
- Butler, J.C., 1999. From Punch Cards to Applets - The Daniel F. Merriam Legacy of Geosciences Shareware and Freeware. *Computers & Geosciences*, 25, 319–320. [http://dx.doi.org/10.1016/S0098-3004\(98\)00134-4](http://dx.doi.org/10.1016/S0098-3004(98)00134-4)
- Calvin, P., Santolaria, P., Tierz, P., Muñoz, A., Casas, A., Arlegui, L. and Zapata, M.A., 2014. y-gRaph: An OpenOffice application to reconstruct paleostress fields from striated faults. *Computers & Geosciences*, 67, 24–30. <http://dx.doi.org/10.1016/j.cageo.2014.02.008>
- de Capitani, C. and Petrakakis, K., 2010. The computation of equilibrium assemblage diagrams with Theriak/Domino software. *American Mineralogist*, 95, 1006–1016. <http://dx.doi.org/10.2138/am.2010.3354>
- Cardozo, N. and Allmendinger, R.W., 2013. Spherical projections with OSXStereonet. *Computers & Geosciences*, 51, 193–205. <http://dx.doi.org/10.1016/j.cageo.2012.07.021>
- Carr, M.J. and Gazel, E., 2017. Igpet software for modeling igneous processes: examples of application using the open educational version. *Mineralogy and Petrology*, 111, 283–289. <http://dx.doi.org/doi:10.1007/s00710-016-0473-z>
- Cassell, M., 2008. Why Governments Innovate: Adoption and Implementation of Open Source Software by Four European Cities. *International Public Management Journal*, 11, 193–213. <http://dx.doi.org/10.1080/10967490802095680>
- Collins, T.J., 2007. ImageJ for microscopy. *BioTechniques*, 43, 25–30.
- Comas-Cufí, M. and Thió-Henestrosa, S., 2011. CoDaPack 2.0: a

- stand-alone, multi-platform compositional software. In: Egozcue, J.J., Tolosana-Delgado, R., Ortego, M.I. (eds.), *CoDaWork'11: 4th International Workshop on Compositional Data Analysis*. Sant Feliu de Guíxols, 10 pp.
- Comino, S., Manenti, F.M. and Rossi, A., 2011. Public intervention for Free/Open Source Software. *Revue d'économie industrielle*, 89–108. <http://dx.doi.org/10.2139/ssrn.1628566>
- Conze, R., Krysiak, F., Reed, J., Chen, Y.-C., Wallrabe-Adams, H.-J., Graham, C., the New Jersey Shallow Shelf Science Team, Wennrich, V. and the Lake El'gygytgyn Science Team, 2010. New Integrated Data Analyses Software Components. *Scientific Drilling*, 9, 30–31. <http://dx.doi.org/10.2204/iodp.sd.9.08.2010>
- Coyle, K., 2008. Learning to Love Linux. *The Journal of Academic Librarianship*, 34/1, 72–73. <http://dx.doi.org/10.1016/j.acalib.2007.11.002>
- Czajka, S., 2013. GIMP 2.8.0 vs. Photoshop CS5.5 Extended. *GIMP Magazine – Issue #3*. <https://issuu.com/gimpmagazine/docs/whitepaper-gimp-vs-ps> (accessed on 29 January 2017).
- David, C.H., Famiglietti, J.S., Yang, Z.-L., Habets, F. and Maidment, D.R., 2016. A decade of RAPID-Reflections on the development of an open source geoscience code. *Earth and Space Science*, 3, 226–244. <http://dx.doi.org/10.1002/2015EA000142>
- Dockner, M., 2012. Inkscape für wissenschaftliche Poster. [https://phaidra.univie.ac.at/detail\\_object/o:291621](https://phaidra.univie.ac.at/detail_object/o:291621) (accessed on 29 January 2017).
- Doube, M., Klosowski, M.M., Arganda-Carreras, I., Cordelières, F.P., Dougherty, R.P., Jackson, J.S., Schmid, B., Hutchinson, J.R. and Shefelbine, S.J., 2010. BoneJ: Free and extensible bone image analysis in ImageJ. *Bone*, 47, 1076–1079. <http://dx.doi.org/10.1016/j.bone.2010.08.023>
- Ducke, B., 2012. Natives of a connected world: free and open source software in archaeology. *World Archaeology*, 44, 571–579. <http://dx.doi.org/10.1080/00438243.2012.743259>
- Duesterhoeft, E. and de Capitani, C., 2013. THERIAK\_D: An add-on to implement equilibrium computations in geodynamic models: Technical Brief. *Geochemistry, Geophysics, Geosystems*, 14, 4962–4967. <http://dx.doi.org/10.1002/ggge.20286>
- Dumon, M. and Van Ranst, E., 2016. PyXRD v0.6.7: a free and open-source program to quantify disordered phyllosilicates using multi-specimen X-ray diffraction profile fitting. *Geoscientific Model Development*, 9, 41–57. <http://dx.doi.org/10.5194/gmd-9-41-2016>
- Easterbrook, L., 2013. Digitising a hand drawn geological map using Inkscape. <https://blogs.otago.ac.nz/si-geology/training-for-staff-and-students/digitising-a-hand-drawn-map-using-inkscape> (accessed on 29 January 2017).
- Easterbrook, S.M., 2014. Open code for open science? *Nature Geoscience*, 7, 779–781. <http://dx.doi.org/10.1038/ngeo2283>
- Eaton, J.W., 2012. GNU Octave and reproducible research. *Journal of Process Control*, 22, 1433–1438. <http://dx.doi.org/10.1016/j.jprocont.2012.04.006>
- Edelstein, A., Amodaj, N., Hoover, K., Vale, R. and Stuurman, N., 2010. Computer Control of Microscopes Using  $\mu$ Manager. *Current Protocols in Molecular Biology*, 14.20.1–14.20.17. <http://dx.doi.org/10.1002/0471142727.mb1420s92>
- Edelstein, A.D., Tsuchida, M.A., Amodaj, N., Pinkard, H., Vale, R.D. and Stuurman, N., 2014. Advanced methods of microscope control using  $\mu$ Manager software. *Journal of Biological Methods*, 1, e10. <http://dx.doi.org/10.14440/jbm.2014.36>
- Faccioli, N., Perandini, S., Barillari, M., D'Onofrio, M. and Mucelli, R.P., 2009. How to create Radiology Papers and Presentations in Windows with Open-Source Software. *Journal of Digital Imaging*, 22, 589–597. <http://dx.doi.org/10.1007/s10278-008-9159-3>
- Fadakar Alghalandis, Y., 2017. ADFNE: Open source software for discrete fracture network engineering, two and three dimensional applications. *Computers & Geosciences*, 102, 1–11. <https://dx.doi.org/10.1016/j.cageo.2017.02.002>
- Feigelson, E.D. and Murtagh, F., 1992. Public software for the astronomer - an overview. *Publications of the Astronomical Society of the Pacific*, 104, 574–581.
- Fernandez, P., 2011. Zotero: information management software 2.0. *Library Hi Tech News*, 28, 5–7. <http://dx.doi.org/10.1108/07419051111154758>
- Ferster, C.J. and Coops, N.C., 2013. A review of earth observation using mobile personal communication devices. *Computers & Geosciences*, 51, 339–349. <http://dx.doi.org/10.1016/j.cageo.2012.09.009>
- Field, D., Tiwari, B., Booth, T., Houten, S., Swan, D., Bertrand, N. and Thurston, M., 2006. Open software for biologists: from famine to feast. *Nature Biotechnology*, 24, 801–803. <http://dx.doi.org/10.1038/nbt0706-801>
- Fomel, S., Sava, P., Vlad, I., Liu, Y., and Bashkardin, V., 2013. Madagascar: open-source software project for multidimensional data analysis and reproducible computational experiments. *Journal of Open Research Software*, 1, e8. <http://doi.org/10.5334/jors.ag>
- Foose, D.P., and Sizemore, I.E.P., 2016. Vespucci: A Free, Cross-Platform Tool for Spectroscopic Data Analysis and Imaging. *Journal of Open Research Software*, 4, e4. <http://doi.org/10.5334/jors.91>
- Fournier, J., Gallon, R.K. and Paris, R., 2014. G2Sd: a new R package for the statistical analysis of unconsolidated sediments. *Géomorphologie: relief, processus, environnement*, 1, 73–78. <http://dx.doi.org/10.4000/geomorphologie.10513>
- Friese, K.I., Cichy, S.B., Wolter, F.E. and Botcharnikov, R.E., 2013. Analysis of tomographic mineralogical data using YaDiV—Overview and practical case study. *Computers & Geosciences*, 56, 92–103. <http://dx.doi.org/10.1016/j.cageo.2013.01.021>
- Fuggetta, A., 2003. Open source software - an evaluation. *Journal of Systems and Software*, 66, 77–90. [http://dx.doi.org/10.1016/S0164-1212\(02\)00065-1](http://dx.doi.org/10.1016/S0164-1212(02)00065-1)
- Gallego, M.D., Luna, P. and Bueno, S., 2008. User acceptance model of open source software. *Computers in Human Behavior*, 24, 2199–2216. <http://dx.doi.org/10.1016/j.chb.2007.10.006>
- Gallego, M.D., Bueno, S., José Racero, F. and Noyes, J., 2015. Open source software: The effects of training on acceptance. *Computers in Human Behavior*, 49, 390–399. <http://dx.doi.org/10.1016/j.chb.2015.03.029>
- Gezelter, J.D., 2015. Open Source and Open Data Should Be Standard Practices. *The Journal of Physical Chemistry Letters*,

- 6, 1168–1169. <http://dx.doi.org/10.1021/acs.jpcclett.5b00285>
- Ghosh, R.A., Glott, R., Schmitz, P.-E. and Boujraf, A., 2010. Guideline on public procurement of Open Source Software. European eGovernment Services. <https://joinup.ec.europa.eu/elibrary/document/guideline-public-procurement-open-source-software> (accessed on 29 January 2017).
- Gil, Y., David, C.H., Demir, I., Essawy, B.T., Fulweiler, R.W., Goodall, J.L., Karlstrom, L., Lee, H., Mills, H.J., Oh, J.-H., Pierce, S.A., Pope, A., Tzeng, M.W., Villamizar, S.R. and Yu, X., 2016. Towards the Geoscience Paper of the Future: Best Practices for Documenting and Sharing Research from Data to Software to Provenance. *Earth and Space Science*, 3, 388–415. <http://dx.doi.org/10.1002/2015EA000136>
- Giovanardi, T. and Lugli, F., 2017. The Hf-INATOR: A free data reduction spreadsheet for Lu/Hf isotope analysis. *Earth Science Informatics*, 1–7 (Online First Article). <http://dx.doi.org/10.1007/s12145-017-0303-9>
- González-Guzmán, R., 2016. NORRRM: A Free Software to Calculate the CIPW Norm. *Open Journal of Geology*, 6, 30–38. <http://dx.doi.org/10.4236/ojg.2016.61004>
- Goode, S., 2005. Something for nothing: management rejection of open source software in Australia's top firms. *Information and Management*, 42, 669–681. <http://dx.doi.org/10.1016/j.im.2004.01.011>
- Gröschel, M., 2012. Entscheidungsfaktoren zum Einsatz von Open-Source-Software an Hochschulen. In: Fritzlar, H., Huber, A., Rudl, A. (eds.), *Open Source im öffentlichen Sektor: Flexibler, Sicherer, Günstiger*. Verlag Werner Hülsbusch, Boizenburg, pp. 79–88. [http://www.opensourcepublicsector.de/BUCH\\_Fritzlar\\_Huber\\_Rudl\\_\(2012\)\\_Open\\_Source\\_im\\_Public\\_Sector.pdf](http://www.opensourcepublicsector.de/BUCH_Fritzlar_Huber_Rudl_(2012)_Open_Source_im_Public_Sector.pdf) (accessed on 29 January 2017).
- Grohmann, C.H. and Campanha, G.A.C., 2010. OpenStereo: open source, cross-platform software for structural geology analysis. AGU Fall Meeting, San Francisco, CA., Abstract IN31C-06, 2 pp.
- Grove, C. and Jerram, D.A., 2011. jPOR: An ImageJ macro to quantify total optical porosity from blue-stained thin sections. *Computers & Geosciences*, 37, 1850–1859. <http://dx.doi.org/10.1016/j.cageo.2011.03.002>
- Grunsky, E.C., 2002a. Shareware and Freeware in the Geosciences II. A special issue in honour of John Butler. *Computers & Geosciences*, 28, 1129–1130. [http://dx.doi.org/10.1016/S0098-3004\(02\)00030-4](http://dx.doi.org/10.1016/S0098-3004(02)00030-4)
- Grunsky, E.C., 2002b. R: a data analysis and statistical programming environment—an emerging tool for the geosciences. *Computers & Geosciences*, 28, 1219–1222. [http://dx.doi.org/10.1016/S0098-3004\(02\)00034-1](http://dx.doi.org/10.1016/S0098-3004(02)00034-1)
- Gubinelli, M., van der Hoeven, J., Poulain, F. and Raux, D., 2014. GNU TEXMACS towards a Scientific Office Suite. In: H. Hong and C. Yap (eds.), *Mathematical Software – ICMS 2014. Lecture Notes in Computer Science*, 8592, Springer Berlin Heidelberg, pp. 562–569. [http://dx.doi.org/10.1007/978-3-662-44199-2\\_85](http://dx.doi.org/10.1007/978-3-662-44199-2_85)
- von Hagen, W., 2013. Create LaTeX documents graphically with LyX. <http://www.ibm.com/developerworks/library/os-lyx/index.html> (accessed on 29 January 2017).
- Hammer, Ø., Harper, D.A.T. and Ryan, P.D., 2001. Past: Paleontological statistics software package for education and data analysis. *Palaeontologia Electronica*, 4, 9 pp.
- Hammes, D.M. and Peternell, M., 2016. FAME: Software for analysing rock microstructures. *Computers & Geosciences*, 90, 24–33. <http://dx.doi.org/10.1016/j.cageo.2016.02.010>
- Hansen, M., Petersen, M.N., Kokfelt, T.F., Stensgaard, B.M., 2016. aFieldWork – an Android app for offline recording of geological information and data display. Review of Survey activities 2015. Geological Survey of Denmark and Greenland Bulletin, 35, 99–102. [http://www.geus.dk/DK/publications/geol-survey-dk-gl-bull/35/Documents/nr35\\_p99-102.pdf](http://www.geus.dk/DK/publications/geol-survey-dk-gl-bull/35/Documents/nr35_p99-102.pdf) (accessed on 29 January 2017).
- Hanwell, M.D., Curtis, D.E., Lonie, D.C., Vandermeersch, T., Zurek, E. and Hutchison, G.R., 2012. Avogadro: an advanced semantic chemical editor, visualization, and analysis platform. *Journal of Cheminformatics*, 4, 17. <http://dx.doi.org/10.1186/1758-2946-4-17>
- Hardebol, N.J. and Bertotti, G., 2013. DigiFract: A software and data model implementation for flexible acquisition and processing of fracture data from outcrops. *Computers & Geosciences*, 54, 326–336. <http://dx.doi.org/10.1016/j.cageo.2012.10.021>
- Henley, M. and Kemp, R., 2008. Open Source Software: An introduction. *Computer Law and Security Review*, 24, 77–85. <http://dx.doi.org/10.1016/j.clsr.2007.11.003>
- Hillenius, G., 2013. Free and open source software across the EU. *International Free and Open Source Software Law Review*, 5, 153–164. <http://dx.doi.org/10.5033/ifosslr.v5i2.90>
- van der Hoeven, J., Grozin, A., Gubinelli, M., Lecerf, G., Poulain, F. and Raux, D., 2013. GNU TEXmacs: A Scientific Editing Platform. *ACM Commun. Comput. Algebra*, 47, 59–61. <http://dx.doi.org/10.1145/2503697.2503708>
- Hudson, J.R., 2015a. Free and Open Source Software in academia. [http://johnrhudson.me.uk/computing/FOSS\\_in\\_academia.pdf](http://johnrhudson.me.uk/computing/FOSS_in_academia.pdf) (accessed on 29 January 2017).
- Hudson, J.R., 2015b. LyX for Academia. [http://johnrhudson.me.uk/computing/LyX\\_for\\_academia.pdf](http://johnrhudson.me.uk/computing/LyX_for_academia.pdf) (accessed on 29 January 2017)
- Ince, D.C., Hatton, L. and Graham-Cumming, J., 2012. The case for open computer programs. *Nature*, 482, 485–488. <http://dx.doi.org/10.1038/nature10836>
- Janoušek, V., Farrow, C.M. and Erban, V., 2006. Interpretation of Whole-rock Geochemical Data in Igneous Geochemistry: Introducing Geochemical Data Toolkit (GCDkit). *Journal of Petrology*, 47, 1255–1259. <http://dx.doi.org/10.1093/petrology/egl013>
- Janoušek, V., Moyen, J.-F., Martin, H., Erban, V. and Farrow, C., 2016. Geochemical Modelling of Igneous Processes – Principles And Recipes in R Language. Springer Berlin Heidelberg, Berlin, Heidelberg, 346 pp. <http://dx.doi.org/10.1007/978-3-662-46792-3>
- Joode, R. van W. de, Lin, Y. and David, S., 2006. Rethinking free, libre and open source software. *Knowledge, Technology and Policy*, 18, 5–16. <http://dx.doi.org/10.1007/s12130-006-1001-y>
- Karjalainen, M., 2010. Large-scale migration to an open source office suite: An innovation adoption study in Finland. PhD Thesis, University of Tampere, Finland, Acta Electronica Uni-

- versitatis Tampereensis 997, 234 pp. <https://tampub.uta.fi/handle/10024/66646>
- Kim, H.-W., Chan, H.C. and Lee, S.-H., 2014. User Resistance to Software Migration: The Case on Linux. *Journal of Database Management*, 25, 59–79. <http://dx.doi.org/10.4018/jdm.2014010103>
- Klingenberg, C.P., 2011. MorphoJ: an integrated software package for geometric morphometrics. *Molecular Ecology Resources*, 11, 353–357. <http://dx.doi.org/10.1111/j.1755-0998.2010.02924>.
- Kneitschel, G. and Geisemeyer, N., 2010. Freie und Open Source-Software im universitären Lehrbetrieb. BRaln - Potsdamer Beiträge und Reportagen aus den Informationswissenschaften. <http://brain.fh-potsdam.de/?p=778> (accessed on 29 January 2017).
- Kokalj, A., 2003. Computer graphics and graphical user interfaces as tools in simulations of matter at the atomic scale. *Computational Materials Science*, 28, 155–168. [http://dx.doi.org/10.1016/S0927-0256\(03\)00104-6](http://dx.doi.org/10.1016/S0927-0256(03)00104-6)
- Kolditz, O., Bauer, S., Bilke, L., Böttcher, N., Delfs, J.O., Fischer, T., Görke, U.J., Kalbacher, T., Kosakowski, G., McDermott, C.I., Park, C.H., Radu, F., Rink, K., Shao, H., Shao, H.B., Sun, F., Sun, Y.Y., Singh, A.K., Taron, J., Walther, M., Wang, W., Watanabe, N., Wu, Y., Xie, M., Xu, W. and Zehner, B., 2012. OpenGeoSys: an open-source initiative for numerical simulation of thermo-hydro-mechanical/chemical (THM/C) processes in porous media. *Environmental Earth Sciences*, 67, 589–599. <http://dx.doi.org/10.1007/s12665-012-1546-x>
- Kreutzer, S., Schmidt, C., Fuchs, M. C., Dietze, M., Fischer, M. and Fuchs, M., 2012. Introducing an R package for luminescence dating analysis. *Ancient TL*, 30, 1–8. [hdl:10013/epic. 44194](https://doi.org/10.1007/s12665-012-1546-x)
- Krewinkel, A. and Winkler, R., 2017. Formatting Open Science: agilely creating multiple document formats for academic manuscripts with Pandoc Scholar. *PeerJ Computer Science*, 3, e112. <https://doi.org/10.7717/peerj-cs.112>
- Lee, S., Suh, J. and Park, H., 2013. Smart Compass-Clinometer: A smartphone application for easy and rapid geological site investigation. *Computers & Geosciences*, 61, 32–42. <http://dx.doi.org/10.1016/j.cageo.2013.07.014>
- Lee, S., Suh, J. and Park, H.-D., 2015. BoreholeAR: A mobile tablet application for effective borehole database visualization using an augmented reality technology. *Computers & Geosciences*, 76, 41–49. <http://dx.doi.org/10.1016/j.cageo.2014.12.005>
- Lees, J.M., 2012. Open and Free: Software and Scientific Reproducibility. *Seismological Research Letters*, 83, 751–752. <http://dx.doi.org/10.1785/0220120091>
- Leidig, M. and Teeuw, R., 2015. Free software: A review, in the context of disaster management. *International Journal of Applied Earth Observation and Geoinformation*, 42, 49–56. <http://dx.doi.org/10.1016/j.jag.2015.05.012>
- Lemley, M.A. and Shafir, Z., 2011. Who Chooses Open-Source Software? *The University of Chicago Law Review*, 78, 139–164. <http://dx.doi.org/10.2139/ssrn.1495982>
- Lewis, T., Francus, P., Bradley, R.S. and Kanamaru, K., 2010. An automated system for the statistical analysis of sediment texture and structure at the micro scale. *Computers & Geosciences*, 36, 1374–1383. <http://dx.doi.org/10.1016/j.cageo.2010.03.018>
- Li, R., Wang, G. and Carranza, E.J.M., 2016. GeoCube: A 3D mineral resources quantitative prediction and assessment system. *Computers & Geosciences*, 89, 161–173. <http://dx.doi.org/10.1016/j.cageo.2016.01.012>
- Libungan, L.A. and Pálsson, S., 2015. ShapeR: An R Package to Study Otolith Shape Variation among Fish Populations. *PLoS ONE*, 10, e0121102. <http://dx.doi.org/10.1371/journal.pone.0121102>
- Lin, J.W.-B., 2012. Why Python Is the Next Wave in Earth Sciences Computing. *Bulletin of the American Meteorological Society*, 93, 1823–1824. <http://dx.doi.org/10.1175/BAMS-D-12-00148.1>
- Lin, Y.-W. and Zini, E., 2008. Free/libre open source software implementation in schools: Evidence from the field and implications for the future. *Computers & Education*, 50, 1092–1102. <http://dx.doi.org/10.1016/j.compedu.2006.11.001>
- Lindsay, J.B., 2016. Whitebox GAT: A case study in geomorphometric analysis. *Computers & Geosciences*, 95, 75–84. <http://dx.doi.org/10.1016/j.cageo.2016.07.003>
- van Loon, A. and Toshkov, D., 2015. Adopting open source software in public administration: The importance of boundary spanners and political commitment. *Government Information Quarterly*, 32, 207–215. <http://dx.doi.org/10.1016/j.giq.2015.01.004>
- Lopez-Sanchez, M.A. and Llana-Fúnez, S., 2014. GrainSizeTools: a Python script for estimating the dynamically recrystallized grain size from grain sectional areas. *Solid Earth Discussions*, 6, 3141–3196. <http://dx.doi.org/10.5194/sed-6-3141-2014>
- Lurcock, P.C. and Wilson, G.S., 2012. PuffinPlot: A versatile, user-friendly program for paleomagnetic analysis. *Geochemistry, Geophysics, Geosystems*, 13, Q06Z45. <http://dx.doi.org/10.1029/2012GC004098>
- Mair, P., Hofmann, E., Gruber, K., Hatzinger, R., Zeileis, A. and Hornik, K., 2015. Motivation, values, and work design as drivers of participation in the R open source project for statistical computing. *Proceedings of the National Academy of Sciences*, 112, 14788–14792. <http://dx.doi.org/10.1073/pnas.1506047112>
- Mayne, M.J., Moyon, J.-F., Stevens, G. and Kaislaniemi, L., 2016. Rcrust: a tool for calculating path-dependent open system processes and application to melt loss. *Journal of Metamorphic Geology*, 34, 663–682. <http://dx.doi.org/10.1111/jmg.12199>
- McLean, N., Bowring, J. and Gehrels, G., 2016. Algorithms and software for U-Pb geochronology by LA-ICPMS. *Geochemistry, Geophysics, Geosystems*, 17, 2480–2496. <http://dx.doi.org/10.1002/2015GC006097>
- Mellor, H., 2014. Saving research money by switching to free software: Lab on a shoestring. *Biochemist*, 36, 31–32. <http://www.biochemist.org/bio/03602/0031/036020031.pdf>
- Mercer, C.M. and Hodges, K.V., 2016. ArAR — A software tool to promote the robust comparison of K–Ar and <sup>40</sup>Ar/<sup>39</sup>Ar dates published using different decay, isotopic, and monitor-



- age parameters. *Chemical Geology*, 440, 148–163. <http://dx.doi.org/10.1016/j.chemgeo.2016.06.020>
- Momma, K. and Izumi, F., 2011. VESTA 3 for three-dimensional visualization of crystal, volumetric and morphology data. *Journal of Applied Crystallography*, 44, 1272–1276. <http://dx.doi.org/10.1107/S0021889811038970>
- Moreno-Sanchez, R., 2012. Free and Open Source Software for Geospatial Applications (FOSS4G): A Mature Alternative in the Geospatial Technologies Arena. *Transactions in GIS*, 16, 81–88. <http://dx.doi.org/10.1111/j.1467-9671.2012.01314.x>
- Mouchi, V., Crowley, Q.G. and Ubide, T., 2016. AERYN: A simple standalone application for visualizing and enhancing elemental maps. *Applied Geochemistry*, 75, 44–53. <http://dx.doi.org/10.1016/j.apgeochem.2016.10.012>
- Muir, R. J., 2015. Digital field mapping—making the change from paper to touchscreen technology. *Geology Today*, 31, 232–236. <http://dx.doi.org/10.1111/gto.12120>
- Munro, M.A. and Blenkinsop, T.G., 2012. MARD—A moving average rose diagram application for the geosciences. *Computers and Geosciences*, 49, 112–120. <http://dx.doi.org/10.1016/j.cageo.2012.07.012>
- Murimboh, J.D. and Hollingdale, C.R., 2012. Zotero: A Reference Manager for Everyone. *Journal of Chemical Education*, 89, 173–174. <http://dx.doi.org/10.1021/ed1010618>
- Nature, 2000. In praise of open software. *Nature*, 403, 229. <http://dx.doi.org/10.1038/35002141>
- Nečas, D. and Klapetek, P., 2011. Gwyddion: an open-source software for SPM data analysis. *Open Physics*, 10, 181–188. <http://dx.doi.org/10.2478/s11534-011-0096-2>
- Neteler, M., Bowman, M.H., Landa, M. and Metz, M., 2012. GRASS GIS: A multi-purpose open source GIS. *Environmental Modelling & Software*, 31, 124–130. <http://dx.doi.org/10.1016/j.envsoft.2011.11.014>
- O'Boyle, N.M., Guha, R., Willighagen, E.L., Adams, S.E., Alvarsson, J., Bradley, J.-C., Filippov, I.V., Hanson, R.M., Hanwell, M.D., Hutchison, G.R., James, C.A., Jeliaskova, N., Lang, A.S., Langner, K.M., Lonie, D.C., Lowe, D.M., Pansanel, J., Pavlov, D., Spjuth, O., Steinbeck, C., Tenderholt, A.L., Theisen, K.J. and Murray-Rust, P., 2011. Open Data, Open Source and Open Standards in chemistry: The Blue Obelisk five years on. *Journal of Cheminformatics*, 3, 1–15. <http://dx.doi.org/10.1186/1758-2946-3-37>
- Oram, A., 2011. Promoting Open Source Software in Government: The Challenges of Motivation and Follow-Through. *Journal of Information Technology & Politics*, 8, 240–252. <http://dx.doi.org/10.1080/19331681.2011.592059>
- Ovadia, S., 2011. Managing Citations With Cost-Free Tools. *Behavioral & Social Sciences Librarian*, 30, 107–111. <http://dx.doi.org/10.1080/01639269.2011.565408>
- Ovadia, S., 2013. Linux for Academics, Part I. *Behavioral & Social Sciences Librarian*, 32, 252–256. <http://dx.doi.org/10.1080/01639269.2013.837800>
- Ovadia, S., 2014a. Linux for Academics, Part II: The Advantages of Free and Open-Source Software. *Behavioral & Social Sciences Librarian*, 33, 47–51. <http://dx.doi.org/10.1080/01639269.2014.866024>
- Ovadia, S., 2014b. Markdown for Librarians and Academics. *Behavioral & Social Sciences Librarian*, 33, 120–124. <http://dx.doi.org/10.1080/01639269.2014.904696>
- Pante, E. and Simon-Bouhet, B., 2013. marmap: A Package for Importing, Plotting and Analyzing Bathymetric and Topographic Data in R. *PLoS ONE*, 8, e73051. <http://dx.doi.org/10.1371/journal.pone.0073051>
- Park, E.G. and Oh, S., 2012. Examining Attributes of Open Standard File Formats for Long-term Preservation and Open Access. *Information Technology and Libraries*, 31, 44–65. <http://dx.doi.org/10.6017/ital.v31i4.1946>
- Parkhurst, D.L. and Appelo, C.A.J., 2013. Description of input and examples for PHREEQC version 3 — A computer program for speciation, batch-reaction, one-dimensional transport, and inverse geochemical calculations: U.S. Geological Survey Techniques and Methods, book 6, chap. A43, 497 p., available only at <https://pubs.usgs.gov/tm/06/a43/>.
- Pebesma, E., Nüst, D. and Bivand, R., 2012. The R software environment in reproducible geoscientific research. *Eos, Transactions American Geophysical Union*, 93, 163–163. <http://dx.doi.org/10.1029/2012EO160003>
- Peng, J., Dong, Z. and Han, F., 2016. tgcd: An R package for analyzing thermoluminescence glow curves. *SoftwareX*, 5, 112–120. <http://dx.doi.org/10.1016/j.softx.2016.06.001>
- Pérez, F., Granger, B.E. and Hunter, J.D., 2011. Python: An Ecosystem for Scientific Computing. *Computing in Science Engineering*, 13, 13–21. <http://doi.ieeecomputersociety.org/10.1109/MCSE.2010.119>
- Perkel, J.M., 2014. Scientific writing: The online cooperative. *Nature*, 514, 127–128. <http://dx.doi.org/10.1038/514127a>
- Perkel, J.M., 2015a. Eight ways to clean a digital library. *Nature*, 527, 123–124. <http://dx.doi.org/10.1038/527123a>
- Perkel, J.M., 2015b. Programming: Pick up Python. *Nature*, 518, 125–126. <http://dx.doi.org/10.1038/518125a>
- Peters, N., 2014. AvoPlot: An extensible scientific plotting tool based on matplotlib. *Journal of Open Research Software*, 2, e1. <http://doi.org/10.5334/jors.ai>
- Petrelli, M., Poli, G., Perugini, D. and Peccerillo, A., 2005. PetroGraph: A new software to visualize, model, and present geochemical data in igneous petrology. *Geochemistry, Geophysics, Geosystems*, 6, Q07011. <http://dx.doi.org/10.1029/2005GC000932>
- Pinard, P.T., Lagacé, M., Hovington, P., Thibault, D. and Gauvin, R., 2011. An open-source engine for the processing of electron backscatter patterns: EBSD-image. *Microscopy and Microanalysis: The Official Journal of Microscopy Society of America, Microbeam Analysis Society, Microscopical Society of Canada*, 17, 374–385. <http://dx.doi.org/10.1017/S1431927611000456>
- Racine, J.S., 2012. RStudio: A Platform-Independent IDE for R and Sweave. *Journal of Applied Econometrics*, 27, 167–172. <http://dx.doi.org/10.1002/jae.1278>
- R Core Team, 2017. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. <http://www.R-project.org>

- Reed, J.A., Cervato, C. and Fils, D., 2006. CHRONOS's PSICAT: a graphical core-logging tool for the 21st century. *GeoSpec-trum*, 5, 33–34.
- Remy, N., Boucher, A. and Wu, J., 2009. *Applied Geostatistics with SGeMS: A User's Guide*. Cambridge University Press, Cambridge. 288 pp. <https://doi.org/10.1017/CBO9781139150019>
- Roduit, N., 2015. JMicroVision: Image analysis toolbox for measuring and quantifying components of high-definition images. Version 1.2.7. <http://www.jmicrovision.com> (accessed on 29 January 2017).
- Röst, H.L., Sachsenberg, T., Aiche, S., Bielow, C., Weisser, H., Aicheler, F., Andreotti, S., Ehrlich, H.-C., Gutenbrunner, P., Kenar, E., Liang, X., Nahnsen, S., Nilse, L., Pfeuffer, J., Rosenberger, G., Rurik, M., Schmitt, U., Veit, J., Walzer, M., Wojnar, D., Wolski, W.E., Schilling, O., Choudhary, J.S., Malmström, L., Aebersold, R., Reinert, K. and Kohlbacher, O., 2016. OpenMS: a flexible open-source software platform for mass spectrometry data analysis. *Nature Methods*, 13, 741–748. <http://dx.doi.org/10.1038/nmeth.3959>
- Rojas, M. and Polzer, T., 2011. Einsatz von Freier Software auf der kommunalen Ebene. Implementierungsstand und Erfahrungen dreier Vorreiter-Städte im deutschsprachigen Raum. *Verwaltung & Management*, 17, 144–155. <http://dx.doi.org/10.5771/0947-9856-2011-3-144>
- Romero, J.E., Titos, M., Bueno, Á., Álvarez, I., García, L., Torre, Á. de la and Benítez, M.C. (2016) APASVO: A free software tool for automatic P-phase picking and event detection in seismic traces. *Computers & Geosciences*, 90, 213–220. <http://dx.doi.org/10.1016/j.cageo.2016.02.004>
- Rossi, M. and Reichenbach, P., 2016. LAND-SE: a software for statistically based landslide susceptibility zonation, version 1.0. *Geoscientific Model Development*, 9, 3533–3543. <http://dx.doi.org/10.5194/gmd-9-3533-2016>
- Rossi, B., Scotto, M., Sillitti, A. and Succi, G., 2006. An Empirical Study on the Migration to OpenOffice.org in a Public Administration: *International Journal of Information Technology and Web Engineering*, 1, 64–80. <http://dx.doi.org/10.4018/jitwe.2006070105>
- Rossi, B., Russo, B. and Succi, G., 2012. Adoption of free/libre open source software in public organizations: factors of impact. *Information Technology & People*, 25, 156–187. <http://dx.doi.org/10.1108/09593841211232677>
- Ruby, M., 2016. SpectraFox: A free open-source data management and analysis tool for scanning probe microscopy and spectroscopy. *SoftwareX*, 5, 31–36. <http://dx.doi.org/10.1016/j.softx.2016.04.001>
- Rueden, C.T., Schindelin, J., Hiner, M.C., DeZonia, B.E., Walter, A.E., Arena, E.T. and Eliceiri, K.W., 2017. ImageJ2: ImageJ for the next generation of scientific image data. *arXiv:1701.05940 [cs, q-bio]*.
- Sartore, L., Fabbri, P. and Gaetan, C., 2016. spMC: an R-package for 3D lithological reconstructions based on spatial Markov chains. *Computers & Geosciences*, 94, 40–47. <http://dx.doi.org/10.1016/j.cageo.2016.06.001>
- Sasvári, Á. and Baharev, A., 2014. SG2PS (structural geology to postscript converter) – A graphical solution for brittle structural data evaluation and paleostress calculation. *Computers & Geosciences*, 66, 81–93. <http://dx.doi.org/10.1016/j.cageo.2013.12.010>
- Schindelin, J., Rueden, C.T., Hiner, M.C. and Eliceiri, K.W., 2015. The ImageJ ecosystem: An open platform for biomedical image analysis. *Molecular Reproduction and Development*, 82, 518–529. <http://dx.doi.org/10.1002/mrd.22489>
- Schneider, C.A., Rasband, W.S. and Eliceiri, K.W., 2012. NIH Image to ImageJ: 25 years of image analysis. *Nature Methods*, 9, 671–675. <http://dx.doi.org/10.1038/nmeth.2089>
- Shen, H., 2014. Interactive notebooks: Sharing the code. *Nature*, 515, 151–152. <http://dx.doi.org/10.1038/515151a>
- Siegmund, J.F., Siegmund, N. and Donner, R.V., 2017. CoinCalc—A new R package for quantifying simultaneities of event series. *Computers & Geosciences*, 98, 64–72. <http://dx.doi.org/10.1016/j.cageo.2016.10.004>
- Silic, M. and Back, A., 2015. Technological Risks of Open Source Software Adoption in the Organizational Context Linux in Munich (LiMux) Case. *SSRN Electronic Journal*. Available at SSRN: <http://ssrn.com/abstract=2633005> or <http://dx.doi.org/10.2139/ssrn.2633005> (accessed on 29 January 2017).
- Simon, K.D., 2005. The value of open standards and open-source software in government environments. *IBM Systems Journal*, 44, 227–238. <http://dx.doi.org/10.1147/sj.442.0227>
- Simpson, G.L., 2007. Analogue Methods in Palaeoecology: Using the analogue Package. *Journal of Statistical Software*, 22/2, 29 pp. <http://dx.doi.org/10.18637/jss.v022.i02>
- Solomon, R.W., 2009. Free and open source software for the manipulation of digital images. *AJR. American Journal of Roentgenology*, 192, W330–334. <http://dx.doi.org/10.2214/AJR.08.2190>
- Stallman, R., 2005. Free Community Science and the Free Development of Science. *PLoS Med*, 2, e47. <http://dx.doi.org/10.1371/journal.pmed.0020047>
- Stallman, R., 2009. Viewpoint: Why "open source" misses the point of free software. *Communications of the ACM*, 52, 31–33. <http://dx.doi.org/10.1145/1516046.1516058>
- Stallman, R., 2013. FLOSS and FOSS. GNU Operating System. <https://www.gnu.org/philosophy/floss-and-foss.en.html> (accessed on 29 January 2017).
- Steiniger, S. and Bocher, E., 2009. An overview on current free and open source desktop GIS developments. *International Journal of Geographical Information Science*, 23, 1345–1370. <http://dx.doi.org/10.1080/13658810802634956>
- Steiniger, S. and Hunter, A.J.S., 2013. The 2012 free and open source GIS software map – A guide to facilitate research, development, and adoption. *Computers, Environment and Urban Systems*, 39, 136–150. <http://dx.doi.org/10.1016/j.compenvurbsys.2012.10.003>
- Strebler, D., Burow, C., Brill, D. and Brückner, H., 2017. Using R for TL dating. *Quaternary Geochronology*, 37, 97–107. <http://dx.doi.org/10.1016/j.quageo.2016.09.001>
- Stremtan, C. and Tudor, A., 2010. POLITO- A new open-source, platform independent software for generating high-quality

- lithostratigraphic columns. *Studia UBB, Geologia*, 55, 67–70. <http://dx.doi.org/10.5038/1937-8602.55.2.6>
- Takeuchi, K. and Kennelly, P.J., 2010. iSeismometer: A geoscientific iPhone application. *Computers & Geosciences*, 36, 573–575. <http://dx.doi.org/10.1016/j.cageo.2009.09.012>
- Tauxe, L., Shaar, R., Jonestrask, L., Swanson-Hysell, N.L., Minnett, R., Koppers, A.A.P., Constable, C.G., Jarboe, N., Gastra, K. and Fairchild, L., 2016. PmagPy: Software package for paleomagnetic data analysis and a bridge to the Magnetism Information Consortium (MagIC) Database. *Geochemistry, Geophysics, Geosystems*, 17, 2450–2463. <http://dx.doi.org/10.1002/2016GC006307>
- Tavani, S., Arbues, P., Snidero, M., Carrera, N. and Muñoz, J.A., 2011. Open Plot Project: an open-source toolkit for 3-D structural data analysis. *Solid Earth*, 2, 53–63. <http://dx.doi.org/10.5194/se-2-53-2011>
- Tchantchaleishvili, V. and Schmitto, J.D., 2011. Preparing a scientific manuscript in Linux: Today's possibilities and limitations. *BMC Research Notes*, 4, 434. <http://dx.doi.org/10.1186/1756-0500-4-434>
- Tetley, M.G. and Daczko, N.R., 2014. Virtual Petrographic Microscope: a multi-platform education and research software tool to analyse rock thin-sections. *Australian Journal of Earth Sciences*, 61, 631–637. <http://dx.doi.org/10.1080/08120099.2014.886624>
- Tharaud, M., Gardoll, S., Khelifi, O., Benedetti, M.F. and Sivry, Y., 2015. uFREASI: user-FRIENDly Elemental dAta procesSing. A free and easy-to-use tool for elemental data treatment. *Microchemical Journal*, 121, 32–40. <http://dx.doi.org/10.1016/j.microc.2015.01.011>
- Tippmann, S., 2014. Programming tools: Adventures with R. *Nature*, 517, 109–110. <http://dx.doi.org/10.1038/517109a>
- Trinoskey, J., Brahmi, F.A. and Gall, C., 2009. Zotero: A Product Review. *Journal of Electronic Resources in Medical Libraries*, 6, 224–229. <http://dx.doi.org/10.1080/15424060903167229>
- Tsakalos, E., Christodoulakis, J. and Charalambous, L., 2016. The Dose Rate Calculator (DRC) for Luminescence and ESR Dating—a Java Application for Dose Rate and Age Determination. *Archaeometry*, 58, 347–352. <http://dx.doi.org/10.1111/arc.12162>
- Tufto, J. and Cavallini, P., 2005. Should wildlife biologists use free software? *Wildlife Biology*, 11, 67–76. [http://dx.doi.org/10.2981/0909-6396\(2005\)11%5B67:SWBUFS%5D2.0.CO;2](http://dx.doi.org/10.2981/0909-6396(2005)11%5B67:SWBUFS%5D2.0.CO;2)
- Vaidhyanathan, V., Moore, M., Loper, K.A., Van Schaik, J. and Goolabsingh, D., 2012. Making Bibliographic Researchers More Efficient: Tools for Organizing and Downloading PDFs, Part 1. *Journal of Electronic Resources in Medical Libraries*, 9, 47–55. <http://dx.doi.org/10.1080/15424065.2012.651576>
- Valero-Mora, P.M. and Ledesma, R., 2012. Graphical User Interfaces for R. *Journal of Statistical Software*, 49, 1–8. <http://dx.doi.org/10.18637/jss.v049.i01>
- Vavrek, M.J., 2011. fossil: Palaeoecological and palaeogeographical analysis tools. *Palaeontologia Electronica*, 14, 1T, 16 pp. [http://www.palaeo-electronica.org/2011\\_1/238/index.html](http://www.palaeo-electronica.org/2011_1/238/index.html)
- Vermeesch, P., 2012. On the visualisation of detrital age distributions. *Chemical Geology*, 312–313, 190–194. <http://dx.doi.org/10.1016/j.chemgeo.2012.04.021>
- Vermeesch, P., Resentini, A. and Garzanti, E., 2016. An R package for statistical provenance analysis. *Sedimentary Geology*, 336, 14–25. <http://dx.doi.org/10.1016/j.sedgeo.2016.01.009>
- Wang, T., Surge, D. and Lees, J.M., 2015. ClamR: A statistical evaluation of isotopic and temperature records in sclerochronologic studies. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 437, 26–32. <http://dx.doi.org/10.1016/j.palaeo.2015.07.008>
- Warnsloh, J.M., 2015. TriAngle: A Microsoft Excel spreadsheet template for the generation of triangular plots. *Neues Jahrbuch für Mineralogie - Abhandlungen*, 192, 101–105. <http://dx.doi.org/10.1127/0077-7757/2014/0267>
- Weiner, B.J., Blanton, M.R., Coil, A.L., Cooper, M.C., Davé, R., Hogg, D.W., Holden, B.P., Jonsson, P., Kassin, S.A., Lotz, J.M., Moustakas, J., Newman, J.A., Prochaska, J.X., Teuben, P.J., Tremonti, C.A. and Willmer, C.N.A., 2009. Astronomical Software Wants To Be Free: A Manifesto. *arXiv:0903.3971 [astro-ph.IM]*.
- Weir, R., 2009. OpenDocument Format: The Standard for Office Documents. *IEEE Internet Computing*, 13, 83–87. <http://dx.doi.org/10.1109/MIC.2009.42>
- Wellmann, J.F., Thiele, S.T., Lindsay, M.D. and Jessell, M.W., 2016. pynoddy 1.0: an experimental platform for automated 3-D kinematic and potential field modelling. *Geoscientific Model Development* 9, 1019–1035. <http://dx.doi.org/10.5194/gmd-9-1019-2016>
- Wendl, M.C. and Dooling, D.J., 2003. Open-source answer to bibliography problem. *Nature*, 424, 995–995. <http://dx.doi.org/10.1038/424995c>
- Weng, Y.-H., Sun, F.-S. and Grigsby, J.D., 2012. GeoTools: An android phone application in geology. *Computers & Geosciences*, 44, 24–30. <http://dx.doi.org/10.1016/j.cageo.2012.02.027>
- Wenig, P. and Odermatt, J., 2010. OpenChrom: a cross-platform open source software for the mass spectrometric analysis of chromatographic data. *BMC Bioinformatics*, 11, 1–9. <http://dx.doi.org/10.1186/1471-2105-11-405>
- Wessel, P., Smith, W.H.F., Scharroo, R., Luis, J. and Wobbe, F., 2013. Generic Mapping Tools: Improved Version Released. *Eos, Transactions American Geophysical Union*, 94, 409–410. <http://dx.doi.org/10.1002/2013EO450001>
- Wheeler, D.A., 2015. Why Open Source Software / Free Software (OSS/FS, FLOSS, or FOSS)? Look at the Numbers! [http://www.dwheeler.com/oss\\_fs\\_why.html](http://www.dwheeler.com/oss_fs_why.html) (accessed on 29 January 2017).
- Williams, G.J., 2009. Rattle: A Data Mining GUI for R. *The R Journal*, 1, 45–55. [https://journal.r-project.org/archive/2009-2/RJournal\\_2009-2\\_Williams.pdf](https://journal.r-project.org/archive/2009-2/RJournal_2009-2_Williams.pdf)
- Williams, S.E., Dietmar Müller, R., Landgrebe, T.C.W. and Whitaker, J.M., 2012. An open-source software environment for visualizing and refining plate tectonic reconstructions using high-resolution geological and geophysical data sets. *GSA Today*, 22, 4–9. <http://dx.doi.org/10.1130/GSATG139A.1>
- Wilson, M.L. and Tchantchaleishvili, V., 2013. The Importance of Free and Open Source Software and Open Standards in

- Modern Scientific Publishing. Publications, 1, 49–55. <http://dx.doi.org/10.3390/publications1020049>
- Wolniewicz, P., 2014. SedMob: A mobile application for creating sedimentary logs in the field. *Computers & Geosciences*, 66, 211–218. <http://dx.doi.org/10.1016/j.cageo.2014.02.004>
- Wu, X.Z., 2016. Implementing statistical fitting and reliability analysis for geotechnical engineering problems in R. *Georisk: Assessment and Management of Risk for Engineered Systems and Geohazards*, 11, 173–188. <http://dx.doi.org/10.1080/17499518.2016.1201577>
- Xu, M., 2000. LyX: Another Scientific Word Processor. *Optics and Photonics News*, 11, 42–43. <http://dx.doi.org/10.1364/OPN.11.11.000042>
- Xu, H., Xu, S., Nieto-Samaniego, Á.F. and Alaniz-Álvarez, S.A., 2016. Slicken 1.0: Program for calculating the orientation of shear on reactivated faults. *Computers & Geosciences*. Published online 25 July 2016. <http://dx.doi.org/10.1016/j.cageo.2016.07.015>
- Yalta, A.T. and Lucchetti, R., 2008. The GNU/Linux Platform and Freedom Respecting Software for Economists. *Journal of Applied Econometrics*, 23, 279–286. <http://dx.doi.org/10.1002/jae.990>
- Yamaji, A., 2016. Genetic algorithm for fitting a mixed Bingham distribution to 3D orientations: a tool for the statistical and paleostress analyses of fracture orientations: GA for mixed Bingham distribution. *Island Arc*, 25, 72–83. <http://dx.doi.org/10.1111/iar.12135>
- Zang, C. and Biondi, F., 2015. treeclim: an R package for the numerical calibration of proxy-climate relationships. *Eco-graphy*, 38, 431–436. <http://dx.doi.org/10.1111/ecog.01335>
- Zaritski, R.M., 2003. Using Open Source Software for Scientific Simulations, Data Visualization, and Publishing. *Journal of Computing Sciences in Colleges*, 19, 218–222.
- Zeitvogel, F. and Obst, M., 2016. ScatterJn: An ImageJ Plugin for Scatterplot-Matrix Analysis and Classification of Spatially Resolved Analytical Microscopy Data. *Journal of Open Research Software*, 4, e5, <http://dx.doi.org/10.5334/jors.89>
- Zervas, D., Nichols, G.J., Hall, R., Smyth, H.R., Lüthje, C. and Murtagh, F., 2009. SedLog: A shareware program for drawing graphic logs and log data manipulation. *Computers & Geosciences*, 35, 2151–2159. <http://dx.doi.org/10.1016/j.cageo.2009.02.009>
- Zhang, Y., 2012. Comparison of Select Reference Management Tools. *Medical Reference Services Quarterly*, 31, 45–60. <http://dx.doi.org/10.1080/02763869.2012.641841>
- URL 1 [https://de.wikipedia.org/wiki/Open-Source-Software\\_in\\_öffentlichen\\_Einrichtungen](https://de.wikipedia.org/wiki/Open-Source-Software_in_öffentlichen_Einrichtungen) (accessed on 06 February 2017)
- URL 2 <http://d4e.at/> (accessed on 06 February 2017)
- URL 3 <http://research.microsoft.com/en-us/projects/opensource/> (accessed on 06 February 2017)
- URL 4 [https://wiki.documentfoundation.org/Feature\\_Comparison:\\_LibreOffice\\_-\\_Microsoft\\_Office](https://wiki.documentfoundation.org/Feature_Comparison:_LibreOffice_-_Microsoft_Office) (accessed on 06 February 2017)
- URL 5 <https://www.ctan.org/pkg/beamer> (accessed on 06 February 2017)
- URL 6 <https://prezi.com/> (accessed on 06 February 2017)
- URL 7 <https://github.com/impress/impress.js> (accessed on 06 February 2017)
- URL 8 <http://extensions.openoffice.org/> (accessed on 06 February 2017)
- URL 9 <http://extensions.libreoffice.org/> (accessed on 06 February 2017)
- URL 10 <http://www.softmaker.com/en/education> (accessed on 06 February 2017)
- URL 11 <http://the-tml.net/gimp/pspi.html> (accessed on 06 February 2017)
- URL 12 <http://gmic.eu/> (accessed on 06 February 2017)
- URL 13 <http://registry.gimp.org/> (accessed on 06 February 2017)
- URL 14 <https://www.zotero.org/styles> (accessed on 06 February 2017)
- URL 15 <http://distrowatch.com/> (accessed on 06 February 2017)
- URL 16 <https://www.virtualbox.org/> (accessed on 06 February 2017)
- URL 17 <https://www.cygwin.com/> (accessed on 06 February 2017)
- URL 18 <https://www.winehq.org/> (accessed on 06 February 2017)
- URL 19 <https://www.playonlinux.com/> (accessed on 06 February 2017)
- URL 20 <https://www.codeweavers.com/products/crossover-linux/> (accessed on 06 February 2017)
- URL 21 <http://webodf.org/> (accessed on 06 February 2017)
- URL 22 <https://fontlibrary.org/> (accessed on 06 February 2017)
- URL 23 <https://wiki.debian.org/SubstitutingCalibriAndCambriaFonts> (accessed on 06 February 2017)
- URL 24 <https://www.gov.uk/guidance/open-document-format-odf-guidance-for-uk-government> (accessed on 06 February 2017)
- URL 25 <http://daringfireball.net/projects/markdown/> (accessed on 06 February 2017)
- URL 26 <http://pandoc.org/> (accessed on 06 February 2017)
- URL 27 <http://criticmarkup.com/> (accessed on 06 February 2017)

Received: 19 September 2016

Accepted: 05 May 2017

Dieter MADER<sup>1\*)</sup> & Bettina SCHENK<sup>12)</sup>

<sup>1)</sup> Department of Lithospheric Research, University of Vienna, Althanstrasse 14, 1090 Vienna, Austria;

<sup>2)</sup> Department of Palaeontology, University of Vienna, Althanstrasse 14, 1090 Vienna, Austria;

<sup>\*)</sup> Corresponding author, dieter.mader@univie.ac.at



# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Austrian Journal of Earth Sciences](#)

Jahr/Year: 2017

Band/Volume: [110\\_1](#)

Autor(en)/Author(s): Mader Dieter, Schenk Bettina

Artikel/Article: [Using Free/Libre and Open Source Software in the Geological Sciences 142-161](#)