

Digital supplementary material to

WITTMAN, S.E. 2014: Impacts of invasive ants on native ant communities (Hymenoptera: Formicidae). – Myrmecological News 19: 111-123.

Appendix S1: Summary of studies that quantify differences in resident ant species density in invaded and uninvaded habitat. Mean species density values were taken from the text or estimated (~) from figures. Table notes if study occurred within disturbed habitat, if disturbance may have contributed to the decline in resident ant diversity, and if resident community was comprised of native and / or introduced ants.

Invasive ant	Location	Collection technique	Approach	Invasive status	No. sites	Total no. of species in site	Mean loss of spp. (%)	Mean no. of species per sampling unit	Mean loss of species (%)	Disturbed habitat?	Disturbance effects on diversity?	Native ants?
Author(s)	Habitat	Sampling period										
Anoplolepis gracilipes												
ABBOTT & al. 2007	Tokelau	Pitfall	Sample uninvaded and invaded islands with different A. gracilipes haplotypes					within island		some	possible	introduced
	Tropical coral atolls	Once		uninvaded	2 islands	10		6				
				haplotype A invaded	4 islands	15	+ 50%	7.8	+ 30%			
				haplotype D invaded	3 islands	7	30%	4.7	22%			
SARTY & al. 2007	Tokelau	Pitfall and Baits	Sample uninvaded and invaded islands	uninvaded	3 islands			plot		some	unspecified	introduced
	Tropical coral atolls	Once		invaded	5 islands			4.5				
								3.5				
BOS & al. 2008	Indonesia	Canopy fogging	Compare trees with and without A. gracilipes							yes	unspecified	unspecified
	Cacao agro-forests	Once		uninvaded trees	58			~ 4				
				invaded trees	14			~ 3				
HOFFMANN & SAUL 2010	NT, AUS	Pitfall	Paired invaded and uninvaded plots	savanna				plot		no	no	native ants
	Savanna, vine thicket, rain-forest	Once		absent	3			~ 21				
				present	3			~ 16	24%			
				vine thicket								
				absent	3			~ 12				
				present	3			~ 7	42%			
				rainforest								
				absent	2			~ 10				
				present	2			~ 8	20%			
DRESCHER & al. 2011	Malaysian Borneo	Baits	Transects through supercolony boundary					transect		yes	unspecified	native and introduced
	Secondary forest, forest edge, plantation, park	Once		outside SC	6	40		~ 3.4				
				boundary SC	6	28	30%					
				within SC	6	14	65%	~ 0.8	76%			

BERMAN & al. 2013	New Caledonia	Pitfall	Paired plots in burned and unburned sites	<u>burned</u>			<u>plot</u>		some sites	yes, greater impact in disturbed sites	native and introduced
	Rainforest and Maquis shrubland	Once		uninvaded	4		~ 7.9				
				invaded	2		~ 4.2	47%			
				<u>unburned</u>							
				uninvaded	5		~ 5				
				invaded	3		~ 10.2	+ 104%			
				<i>Lasius neglectus</i>							
NAGY & al. 2009	Hungary	Pitfall	Paired supercolony and uninvaded sites			<u>plot</u>		yes	no	native ants	
	Suburban habitat	Every two weeks for seven months		uninvaded	3		9.8				
				invaded	3		6.3				33%
<i>Linepithema humile</i>											
WARD 1987	CA, USA	Litter, Baits, and Visual search	Sample invaded and uninvaded site			<u>litter</u>		some	no	native ants	
	Valley riparian woodland	Once		uninvaded	10		4.9				
				invaded	12		1.9				61%
							<u>baits</u>				
				uninvaded	10		3.1				
				invaded	12		1				68%
							<u>visual</u>				
				uninvaded	10		8.7				
				invaded	12		3.1				64%
HUMAN & GORDON 1996	CA, USA	Honey traps and Visual search	Monitor entire preserve	uninvaded	40 total		<u>sample</u>		relatively undisturbed	unspecified	native ants
	Mixed grassland, chaparral, forest, riparian	Every 4 months for 18 months		invaded			3.65				
							0.05	99%			
HOLWAY 1998	CA, USA	Pitfall and Baits	5 pairs invaded and uninvaded sites	uninvaded	5		~ 10		relatively undisturbed	no	native ants
	Riparian corridor	4 samples over 6 months		invaded	5		~ 3	70%			
KENNEDY 1998	CA, USA	Pitfall	5 transects along single invasion boundary	uninvaded	50 traps		1.7		relatively undisturbed	unspecified	unspecified
	Riparian woodland	Once		invaded	37 traps		1.2	29%			
SUAREZ & al. 1998	CA, USA	Pitfall and Visual search	40 scrub habitat fragments of different size		40 total		<u>per array</u>		yes, of varying degree	possible	native
	Scrub habitat	3 seasons		uninvaded			~ 7				
				invaded				~ 1.86 %			
HETERICK & al. 2000	Perth, AUS	Pitfall	Sample invaded and uninvaded gardens	uninvaded	5		10		yes	unspecified	native and introduced
	Suburban gardens	Once		invaded	4		3.25	68%			
TOUYAMA & al. 2003	Japan	Visual search	Sample uninvaded and invaded urban parks	uninvaded	6		<u>sample</u>		yes	unspecified	native
	Urban parks	Once		invaded	6		5.8				
							3.5	39%			
							<u>per site</u>				
							12.2				
							8.3	32%			

HOLWAY 2005	CA, USA	Pitfall	Paired uninvaded and invaded sites	uninvaded	5 pairs			~ 6		no	no	native	
	Riparian-scrub boundary	3 samples every 2 months		invaded				~ 1	83%				
WETTERER & al. 2006	Portugal	Visual search	General survey	uninvaded	85			2		yes	unspecified	native	
	Variety of habitats	Once		invaded	28			1.2	45%				
TILLBERG & al. 2007	CA, USA	Pitfall	Follow spread of invasion	uninvaded		23		~ 7.5		relatively undisturbed	no	native	
	Coastal scrub	Annual search over 8 years		invaded		2	91%	~ 1.1	85%				
COOLING & al. 2012	New Zealand	Visual search	Resample sites with known history of invasion					plot		unspecified	unspecified	native and introduced	
	Communities around Auckland	Once		never invaded				11	~ 5				
		recovering invasion		27				~ 3.7	26%				
		currently invaded		23				~ 3	40%				
Myrmica rubra													
GARNAS 2004	ME, USA	Pitfall and Litter	Paired invaded and uninvaded sites			pitfall		pitfall		unspecified	no	native and introduced	
	Mount Desert Island	Once		uninvaded	4	18		~ 6.8					
				invaded	4	3	83%	~ 0.7	90%				
						litter		litter					
				uninvaded		8		~ 2.1					
				invaded		2	75%	~ 0.5	76%				
Nylanderia fulva													
LEBRUN & al. 2013	TX, USA	Pitfall	Sample high- and moderate-density invasion front	moderate density invasion		species accumulation curve				yes	unlikely	native and introduced	
	Disturbed coastal prairie	Twice annually		N. fulva scarce		~ 8							
				N. fulva abundant		~ 6	25%						
				high density invasion									
				N. fulva scarce		~ 11							
				N. fulva abundant		~ 8	27%						
				moderate density invasion		total collected							
				N. fulva scarce		9							
				N. fulva abundant		8	11%						
				high density invasion									
				N. fulva scarce		13							
				N. fulva abundant		10	23%						
Pachycondyla (= Brachyponera) chinensis													
GUÉNARD & DUNN 2010	NC, USA	Pitfall	Paired invaded and uninvaded sites	uninvaded	21	total collected	pitfalls		no	no		native	
	Mature mesic deciduous forest	Twice annually		invaded	21	48		3.5					
						36	25%	2.1	40%				
				uninvaded		Chao1 estimate		plots					
				invaded		13.1		13.1					
						8.9	32%	8.9	32%				

Pheidole megacephala													
HOFFMANN & al. 1999	NT, AUS	Pitfall, Foliage beats, Litter	Sample invaded and uninvaded sites along rainforest boundary					pitfall		relatively undisturbed but along rainforest edge	unspecified	native	
	Intact rainforest patches	Once		uninvaded	3			~ 2.3					
				invaded	3			~ 0.3	87%				
								foliage					
				uninvaded				~ 3.5					
				invaded				~ 0.4	88%				
								litter					
				uninvaded				~ 3.7					
				invaded				~ 0.6	84%				
MAY & HETERICK 2000	Perth, AUS	Pitfall	Sample uninvaded and invaded gardens					plot		yes	unspecified	native and introduced	
	Suburban gardens	Once		uninvaded	8			9					
				invaded	4			3.5	61%				
HOFFMANN & PARR 2008	NT, AUS	Pitfall	Resample invasion 9 years later					site		relatively undisturbed	unlikely	native	
	Intact rainforest patches	Once			uninvaded	4	10		~ 0.3				
					invaded	4	1	90%	~ 8.5				96%
BURWELL & al. 2012	Capricorn and Bunker group islands, AUS	Pitfall, Malaise, Visual search	Sample uninvaded, moderately invaded, and heavily invaded cays					within island		some	unspecified	native and introduced	
	Coral cays	Once			uninvaded	3 islands			~ 8.3				
					mod invasion	6 islands			~ 5.3				36%
					heavy invasion	5 islands			~ 1.8				78%
Solenopsis invicta													
PORTER & SAVIGNANO 1990	Brackenridge Field Laboratory, TX, USA	Pitfall, baits, and litter	Paired invaded and uninvaded sites					pitfall		relatively undisturbed	no	native	
	Mixture of wooded areas and grassy fields	Once			uninvaded	5	16		16.0				
					invaded	5	6	63%	5.0				69%
									litter				
					uninvaded				2.1				
					invaded				1.4				33%
									baits				
					uninvaded				7.5				
					invaded				1.1				85%
MORRIS & STEIGMAN 1993	Blackland Prairie, TX, USA	Pitfall and Baited vials	Sample invaded and uninvaded sites					pitfall		relatively undisturbed	unspecified	native	
	Native and disturbed prairie	3 samples, 2 months apart			uninvaded	5	12		4.2				
					invaded	5	3	75%	1.6				62%
									baited vials				
									3.5				
									1.4				60%
KASPARI 2000	Brackenridge Field Laboratory, TX, USA	Arboreal pitfall	Sample trees in invaded and uninvaded sites					per tree		relatively undisturbed	unspecified	native	
	Forest patches	Once			uninvaded	14 trees	4		1.4				
					invaded	14 trees	1	75%	0.3				79%
KING & TSCHINKEL 2008	FL, USA	Pitfall	Experimentally create soil disturbance and add S. invicta	control				plot		experimentally disturbed habitat	yes	mostly native	

	Pine flatwoods	3 years		no <i>S. invicta</i>	5			~ 26					
				add <i>S. invicta</i>	5			~ 24	8%				
				<u>mow</u>									
				no <i>S. invicta</i>	5			~ 27					
				add <i>S. invicta</i>	5			~ 24	11%				
				<u>plow</u>									
				no <i>S. invicta</i>	5			~ 24					
				add <i>S. invicta</i>	5			~ 21	13%				
LEBRUN & al. 2012	TX, USA	Pitfall and baits	Sample high and low abundance invasions in four habitat types	<u>dry disturb</u>		<u>species accumulation curve</u>			disturbed and undisturbed sites		no	native	
	Ranchland	3 times over 2 years		low abund		15							
				high abund		19	+ 26%						
				<u>dry undisturb</u>									
				low abund		17							
				high abund		16	6%						
				<u>wet disturb</u>									
				low abund		11							
				high abund		11	0%						
				<u>wet undisturb</u>									
				low abund		16							
				high abund		13	19%						
Wasmannia auropunctata													
WALKER 2006	Gabon	Sweep net, Soil samples, Visual search	Sample forests with 3 different ages of infestation			<u>total collected</u>		<u>site</u>		some	no	native	
	Mature forest, immature forest, and forest patches	Once		absent		71		10.34					
				~ 5 years		15	79%	1.63	84%				
				> 10 years		3	96%	0.50	95%				
						ICE							
				absent		52							
				~ 5 years		9	83%						
				> 10 years		2	96%						
LE BRETON & al. 2003	New Caledonia	Pitfall	Sample through invasion boundary	uninvaded				~ 9		no	possible edge effect	unspecified	
	Pristine rain-forest edge	2 samples 8 months apart	invaded				~ 1.5	83%					
VONSHAK & al. 2010	Israel	Pitfall and Baits	Sample uninvaded sites and low- and high-density invasions					<u>pitfall</u>		yes	unspecified	native and introduced	
	Public gardens	Once		absent	6			9.5					
				low invasion	6			10.2	+ 7%				
				high invasion	6			3.5	63%				
								<u>baits</u>					
				absent				3.17					
				low invasion				4.2	+ 32%				
				high invasion				0.83	74%				

Appendix S2: Summary of studies that report negative effects of invasive ants on specific co-occurring ant species. Note most species listed are native but some are introduced. Table is organized by genera of negatively affected species and then by invasive ant.

Species impacted during invasion	Subfamily	Invasive ant	Location	Reference
<i>Amblyopone</i> spp.	Amblyoponinae	<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Dorymyrmex pyramicus albemarlensis</i>	Dolichoderinae	<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Forelius mccooki</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Forelius mccooki</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	PORTER & SAVIGNANO 1990
<i>Forelius mccooki</i>		<i>Solenopsis invicta</i> (monogyne)	Texas, USA	LEBRUN & al. 2012
<i>Iridomyrmex purpureus</i>		<i>Linepithema humile</i>	Western Australia, AUS	MAJER & FLUGGE 1984
<i>Iridomyrmex</i> spp.		<i>Anoplolepis gracilipes</i>	Northern Territory, AUS	HOFFMANN & SAUL 2010
<i>Iridomyrmex</i> spp.		<i>Linepithema humile</i>	Western Australia, AUS	HETERICK & al. 2000
<i>Iridomyrmex</i> spp.		<i>Linepithema humile</i>	South Australia, USA	WALTERS 2006
<i>Iridomyrmex</i> spp.		<i>Pheidole megacephala</i>	Queensland, AUS	HETERICK 1997
<i>Iridomyrmex</i> spp.		<i>Pheidole megacephala</i>	Northern Territory, AUS	HOFFMANN & al. 1999
<i>Iridomyrmex</i> spp.		<i>Pheidole megacephala</i>	Western Australia, AUS	HETERICK & al. 2000
<i>Iridomyrmex</i> spp.		<i>Pheidole megacephala</i>	Western Australia, AUS	MAY & HETERICK 2000
<i>Iridomyrmex</i> spp.		<i>Pheidole megacephala</i>	Queensland, AUS	VANDERWOUDE & al. 2000
<i>Iridomyrmex</i> spp.		<i>Pheidole megacephala</i>	Western Australia, AUS	CALLAN & MAJER 2009
<i>Iridomyrmex</i> spp.		<i>Pheidole megacephala</i>	Queensland, AUS	BURWELL & al. 2012
<i>Iridomyrmex</i> spp.		<i>Pheidole megacephala</i>	Queensland, AUS	HETERICK 1997
<i>Liometopum occidentale</i>		<i>Linepithema humile</i>	California, USA	WARD 1987
<i>Liometopum occidentale</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Liometopum</i> spp.		<i>Linepithema humile</i>	California, USA	HOLWAY 1998
<i>Ochetellus</i> spp.		<i>Pheidole megacephala</i>	Capricorn & Bunker Group Islands	BURWELL & al. 2012
<i>Tapinoma ambiguum</i>		<i>Lasius neglectus</i>	Hungary	NAGY & al. 2009
<i>Tapinoma melanocephalum</i>		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Tapinoma sessile</i>		<i>Linepithema humile</i>	California, USA	WARD 1987
<i>Tapinoma sessile</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 1998
<i>Tapinoma sessile</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Tapinoma</i> spp.		<i>Pheidole megacephala</i>	Capricorn & Bunker Group Islands	BURWELL & al. 2012
<i>Neivamyrmex</i> spp.	Ecitoninae	<i>Linepithema humile</i>	California, USA	SUAREZ & al. 1998
<i>Rhytidoponera victoriae</i>	Ectatomminae	<i>Linepithema humile</i>	Victoria, AUS	ROWLES & O'DOWD 2009
<i>Rhytidoponera</i> spp.		<i>Pheidole megacephala</i>	Queensland, AUS	HETERICK 1997
<i>Anoplolepis custodiens</i> , <i>A. steingroeveri</i>	Formicinae	<i>Linepithema humile</i>	South Africa	BOND & SLINGSBY, 1984
<i>Brachymyrmex</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Calomyrmex</i> spp.		<i>Pheidole megacephala</i>	Northern Territory, AUS	HOFFMANN & al. 1999
<i>Camponotus chloroticus</i>		<i>Anoplolepis gracilipes</i>	Tokelau	LESTER & TAVITE 2004
<i>Camponotus cruentatus</i>		<i>Linepithema humile</i>	Spain	ROURA-PASCUAL & al. 2010
<i>Camponotus maculatus</i>		<i>Anoplolepis gracilipes</i>	Christmas Island	ABBOTT 2006
<i>Camponotus planus</i>		<i>Wasmannia auropunctata</i>	Galápagos	CLARK & al. 1982
<i>Camponotus planus</i>		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Camponotus scratius</i> , <i>C. terebrans</i>		<i>Pheidole megacephala</i>	Western Australia, AUS	CALLAN & MAJER 2009
<i>Camponotus semitestaeus</i>		<i>Linepithema humile</i>	California, USA	SANDERS & al. 2001

<i>Camponotus</i> sp. cf. <i>semitestaceus</i>	Formicinae	<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Camponotus</i> spp.		<i>Anoplolepis gracilipes</i>	Northern Territory, AUS	HOFFMANN & SAUL 2010
<i>Camponotus</i> spp.		<i>Linepithema humile</i>	South Australia, AUS	WALTERS 2006
<i>Camponotus</i> spp.		<i>Pheidole megacephala</i>	Northern Territory, AUS	HOFFMANN & al. 1999
<i>Camponotus</i> spp.		<i>Pheidole megacephala</i>	Capricorn & Bunker Group Islands	BURWELL & al. 2012
<i>Formica cunicularia</i> , <i>F. sanguinea</i>		<i>Lasius neglectus</i>	Hungary	NAGY & al. 2009
<i>Formica gagates</i>		<i>Linepithema humile</i>	Spain	ROURA-PASCUAL & al. 2010
<i>Formica moki</i>		<i>Linepithema humile</i>	California, USA	WARD 1987
<i>Formica moki</i>		<i>Linepithema humile</i>	California, USA	SANDERS & al. 2001
<i>Formica</i> spp.		<i>Linepithema humile</i>	California, USA	HOLWAY 1998
<i>Lasius japonicus</i>		<i>Linepithema humile</i>	Japan	TOUYAMA & al. 2003
<i>Lasius niger</i>		<i>Lasius neglectus</i>	Hungary	TARTALLY 2006
<i>Lasius niger</i>		<i>Lasius neglectus</i>	Hungary	NAGY & al. 2009
<i>Lasius</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Nylanderia nesiotis</i>		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Nylanderia obscura</i>		<i>Pheidole megacephala</i>	Western Australia, AUS	MAY & HETERICK 2000
<i>Nylanderia</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Oecophylla smaragdina</i>		<i>Anoplolepis gracilipes</i>	Northern Territory, AUS	HOFFMANN & SAUL 2010
<i>Oecophylla smaragdina</i>		<i>Pheidole megacephala</i>	Northern Territory, AUS	HOFFMANN & al. 1999
<i>Paratrechina longicornis</i>		<i>Anoplolepis gracilipes</i>	Tokelau	LESTER & TAVITE 2004
<i>Paratrechina longicornis</i>		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Plagiolepis pygmaea</i>		<i>Lasius neglectus</i>	Hungary	NAGY & al. 2009
<i>Polyrhachis</i> spp.		<i>Anoplolepis gracilipes</i>	Northern Territory, AUS	HOFFMANN & SAUL 2010
<i>Polyrhachis</i> spp.		<i>Pheidole megacephala</i>	Northern Territory, AUS	HOFFMANN & al. 1999
<i>Prenolepis imparis</i>		<i>Linepithema humile</i>	California, USA	SANDERS & al. 2001
<i>Prenolepis</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Aphaenogaster rudis</i>	Myrmicinae	<i>Pachycondyla chinensis</i>	North Carolina, USA	RODRIGUEZ-CABAL & al. 2012
<i>Aphaenogaster</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Cardiocondyla emeryi</i> , <i>C. nuda</i>		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Cardiocondyla</i> spp.		<i>Pheidole megacephala</i>	Capricorn & Bunker Group Islands	BURWELL & al. 2012
<i>Crematogaster coarctata</i>		<i>Linepithema humile</i>	California, USA	HUMAN AND GORDON 1996
<i>Crematogaster hespera</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Crematogaster lineolata</i>		<i>Solenopsis invicta (mongyne)</i>	Georgia, USA	STUBLE & al. 2009
<i>Crematogaster scutellaris</i>		<i>Linepithema humile</i>	Spain	ROURA-PASCUAL & al. 2010
<i>Cyphomyrmex</i> sp.		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Messor andrei</i>		<i>Linepithema humile</i>	California, USA	HUMAN AND GORDON 1996
<i>Messor andrei</i>		<i>Linepithema humile</i>	California, USA	SUAREZ & al. 1998
<i>Messor pergandei</i>		<i>Linepithema humile</i>	California, USA	ERICKSON 1971
<i>Monomorium floricola</i>		<i>Anoplolepis gracilipes</i>	Samoa	SAVAGE & al. 2009
<i>Monomorium floricola</i>		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Monomorium</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Myrmecina</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Myrmica sabuleti</i>		<i>Lasius neglectus</i>	Hungary	NAGY & al. 2009
<i>Pheidole capensis</i>		<i>Linepithema humile</i>	South Africa	BOND & SLINGSBY 1984

<i>Pheidole constipata</i> , <i>P. dentata</i> , <i>P. lamia</i>	Myrmicinae	<i>Solenopsis invicta</i> (polygyne)	Texas, USA	PORTER & SAVIGNANO 1990
<i>Pheidole dentata</i>		<i>Solenopsis invicta</i>	Florida, USA	WOJCIK & al. 2001
<i>Pheidole dentata</i> , <i>P. morrisi</i>		<i>Solenopsis invicta</i> (monogyne)	Florida, USA	KING & TSCHINKEL 2008
<i>Pheidole grallipes</i>		<i>Linepithema humile</i>	California, USA	ERICKSON 1971
<i>Pheidole indica</i> , <i>P. noda</i>		<i>Linepithema humile</i>	Japan	TOUYAMA & al. 2003
<i>Pheidole lami</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	MORRISON 2002
<i>Pheidole oceanica</i>		<i>Anoplolepis gracilipes</i>	Tokelau	SARTY & al. 2007
<i>Pheidole oceanica</i>		<i>Anoplolepis gracilipes</i>	Tokelau	LESTER & TAVITE 2004
<i>Pheidole pallidula</i>		<i>Linepithema humile</i>	Spain	CARPINTERO & al. 2007
<i>Pheidole pallidula</i>		<i>Linepithema humile</i>	Spain	ROURA-PASCUAL & al. 2010
<i>Pheidole</i> spp.		<i>Pheidole megacephala</i>	Queensland, AUS	HETERICK 1997
<i>Pheidole</i> spp.		<i>Pheidole megacephala</i>	Northern Territory, AUS	HOFFMANN & al. 1999
<i>Pheidole</i> spp.		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Pheidole vistana</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Pheidole williamsi</i>		<i>Wasmannia auropunctata</i>	Galápagos	CLARK & al. 1982
<i>Pogonomyrmex barbatus</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	HOOK & PORTER 1990
<i>Pogonomyrmex californicus</i>		<i>Linepithema humile</i>	California, USA	ERICKSON 1971
<i>Pogonomyrmex californicus</i> , <i>P. subnitidus</i>		<i>Linepithema humile</i>	California, USA	SUAREZ & al. 1998
<i>Pogonomyrmex subnitidus</i>		<i>Linepithema humile</i>	California, USA	ZEE & HOLWAY 2006
<i>Pyramica</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Solenopsis geminata</i>		<i>Solenopsis invicta</i>	Florida, USA	WHITCOMB 1972
<i>Solenopsis geminata</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	PORTER & al. 1988
<i>Solenopsis geminata</i>		<i>Solenopsis invicta</i> (monogyne)	Florida, USA	TSCHINKEL 1988
<i>Solenopsis geminata</i>		<i>Solenopsis invicta</i> (polygyne)	Florida, USA	PORTER 1992
<i>Solenopsis geminata</i>		<i>Solenopsis invicta</i>	Florida, USA	WOJCIK & al. 2001
<i>Solenopsis geminata</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	MORRISON 2002
<i>Solenopsis geminata</i> , <i>S. (Diplorhoptrum)</i> sp.		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	PORTER & SAVIGNANO 1990
<i>Solenopsis geminata</i> , <i>S. geminata</i> x <i>xyloni</i>		<i>Solenopsis invicta</i> (monogyne)	Texas, USA	LEBRUN & al. 2012
<i>Solenopsis geminata</i> , <i>S. xylonia</i>		<i>Solenopsis invicta</i>	Southeastern USA	WILSON & BROWN 1958
<i>Solenopsis geminata</i> , <i>S. xylonia</i>		<i>Solenopsis invicta</i>	Southeastern USA	HUNG & VINSON 1978
<i>Solenopsis globularia</i> <i>pacifica</i>		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Solenopsis</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Solenopsis xyloni</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Solenopsis xyloni</i>		<i>Linepithema humile</i>	California, USA	GLENN & HOLWAY 2008
<i>Solenopsis xyloni</i>		<i>Solenopsis invicta</i>	Arkansas, USA	ROE 1973
<i>Strumigenys</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Temnothorax nevadensis</i> , <i>T. rugatulus</i>		<i>Linepithema humile</i>	California, USA	SANDERS & al. 2001
<i>Temnothorax</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Tetramorium bicarinatum</i>		<i>Anoplolepis gracilipes</i>	Tokelau	SARTY & al. 2007
<i>Tetramorium bicarinatum</i>		<i>Linepithema humile</i>	Western Australia, AUS	HETERICK & al. 2000
<i>Tetramorium bicarinatum</i>		<i>Pheidole megacephala</i>	Western Australia, AUS	HETERICK & al. 2000

<i>Tetramorium bicarinatum</i> , <i>T. simillimum</i>	Myrmicinae	<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Tetramorium caespitum</i>		<i>Linepithema humile</i>	Spain	ROURA-PASCUAL & al. 2010
<i>Tetramorium</i> cf. <i>caespitum</i>		<i>Lasius neglectus</i>	Hungary	NAGY & al. 2009
<i>Tetramorium lanuginosum</i>		<i>Anoplolepis gracilipes</i>	Tokelau	LESTER & TAVITE 2004
<i>Tetramorium simillimum</i>		<i>Pheidole megacephala</i>	Western Australia, AUS	MAY & HETERICK 2000
<i>Tetramorium tsushimae</i>		<i>Linepithema humile</i>	Japan	SUNAMURA & al. 2007
<i>Hypoponera</i> spp.	Ponerinae	<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Leptogenys elongata</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	PORTER & SAVIGNANO 1990
<i>Leptogenys</i> sp.		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Odontomachus simillimus</i>		<i>Anoplolepis gracilipes</i>	Bird Island	GERLACH 2004
<i>Odontomachus simillimus</i>		<i>Anoplolepis gracilipes</i>	Christmas Island	ABBOTT 2006
<i>Odontomachus ruginodis</i>		<i>Linepithema humile</i>	Bermuda	WETTERER & WETTERER 2004
<i>Odontomachus ruginodis</i>		<i>Pheidole megacephala</i>	Bermuda	WETTERER & WETTERER 2004
<i>Odontomachus bauri</i>		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Ponera</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010

Appendix S3: Summary of studies that report ant species that persist within invaded habitat. Note most listed co-occurring species are native but some are introduced. Table is organized by genera of persisting species and then by identity of invasive ant.

Species persist during invasion	Subfamily	Invasive ant	Location	Reference
<i>Doleromyrma darwiniana</i>	Dolichoderinae	<i>Pheidole megacephala</i>	Western Australia, AUS	CALLAN & MAJER 2009
<i>Dorymyrmex bureni</i>		<i>Solenopsis invicta</i> (mongyne)	Florida, USA	KING & TSCHINKEL 2008
<i>Dorymyrmex flavus</i>		<i>Solenopsis invicta</i> (mongyne)	Texas, USA	LEBRUN & al. 2012
<i>Dorymyrmex insanus</i>		<i>Linepithema humile</i>	California, USA	SUAREZ & al. 1998
<i>Dorymyrmex insanus</i>		<i>Linepithema humile</i>	California, USA	HOLWAY & al. 2002
<i>Dorymyrmex insanus</i>		<i>Linepithema humile</i>	California, USA	DIGIROLAMO & FOX 2006
<i>Dorymyrmex insanus</i>		<i>Solenopsis invicta</i>	Louisiana, USA	MARKIN & COLLINS 1974
<i>Dorymyrmex insanus</i>		<i>Solenopsis invicta</i>	Texas, USA	SUMMERLIN & al. 1977
<i>Dorymyrmex</i> sp.		<i>Wasmannia auropunctata</i>	Galápagos	CLARK & al. 1982
<i>Forelius mccooki</i>		<i>Linepithema humile</i>	California, USA	HOLWAY & al. 2002
<i>Forelius mccooki</i>		<i>Solenopsis invicta</i> (mongyne)	Texas, USA	JONES & PHILLIPS 1990
<i>Forelius pruinosus</i>		<i>Solenopsis invicta</i>	Louisiana, USA	MARKIN & COLLINS 1974
<i>Forelius pruinosus</i>		<i>Solenopsis invicta</i> (mongyne)	Texas, USA	HELMS & VINSON 2001
<i>Liometopum microcephalum</i>		<i>Lasius neglectus</i>	Hungary	TARTALLY 2006
<i>Ochetellus</i> spp.		<i>Pheidole megacephala</i>	Queensland, AUS	VANDERWOUDE & al. 2000
<i>Tapinoma nigerrimum</i>		<i>Linepithema humile</i>	Portugal	CAMMELL & al. 1996
<i>Tapinoma nigerrimum</i> , <i>T. hispanicum</i>		<i>Linepithema humile</i>	Portugal	WAY & AL. 1997
<i>Tapinoma simrothi</i> , <i>T. nigerrimum</i>		<i>Linepithema humile</i>	Corsica	BLIGHT & al. 2009
<i>Tapinoma</i> spp.		<i>Pheidole megacephala</i>	Northern Territory, AUS	HOFFMANN & al. 1999
<i>Rhytidoponera "metallica"</i>	Ectatomminae	<i>Pheidole megacephala</i>	Queensland, AUS	VANDERWOUDE & al. 2000
<i>Acropyga</i> sp.	Formicinae	<i>Anoplolepis gracilipes</i>	Northern Territory, AUS	HOFFMANN & SAUL 2010
<i>Brachymyrmex heeri</i>		<i>Linepithema humile</i>	Bermuda	WETTERER & WETTERER 2004

<i>Brachymyrmex heeri</i>	Formicinae	<i>Pheidole megacephala</i>	Bermuda	WETTERER & WETTERER 2004
<i>Brachymyrmex depilis</i>		<i>Solenopsis invicta</i> (mongyne)	Georgia, USA	STUBLE & al. 2009
<i>Camponotus aeneopilosus</i>		<i>Pheidole megacephala</i>	Queensland, AUS	HETERICK 1997
<i>Camponotus pennsylvanicus</i>		<i>Solenopsis invicta</i> (mongyne)	Georgia, USA	STUBLE & al. 2009
<i>Camponotus</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Camponotus</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	RODRIGUEZ-CABAL & al. 2012
<i>Camponotus vitosus</i>		<i>Linepithema humile</i>	Japan	TOUYAMA & al. 2003
<i>Camponotus vitosus</i>		<i>Linepithema humile</i>	Japan	MIYAKE & al. 2002
<i>Cataglyphis floricola</i>		<i>Linepithema humile</i>	Spain	CARPINTERO & al. 2007
<i>Cataglyphis tartessica</i>		<i>Linepithema humile</i>	Spain	ANGULO & al. 2011
<i>Formica cunicularia</i>		<i>Lasius neglectus</i>	Hungary	TARTALLY 2000
<i>Formica rufibarbis</i>		<i>Lasius neglectus</i>	Hungary	TARTALLY 2000
<i>Formica rufibarbis</i>		<i>Lasius neglectus</i>	Hungary	NAGY & al. 2009
<i>Formica</i> sp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	RODRIGUEZ-CABAL & al. 2012
<i>Formica</i> spp.		<i>Pachycondyla chinensis</i>	North Carolina, USA	GUÉNARD & DUNN 2010
<i>Lasius fuliginosus</i>		<i>Lasius neglectus</i>	Hungary	TARTALLY 2006
<i>Lasius grandis</i>		<i>Linepithema humile</i>	Madeira	WETTERER & al. 2006
<i>Lasius grandis</i>		<i>Pheidole megacephala</i>	Madeira	WETTERER & al. 2006
<i>Melophorus</i> sp. (<i>wheeleri</i> complex)		<i>Pheidole megacephala</i>	Western Australia, AUS	CALLAN & MAJER 2009
<i>Melophorus</i> spp.		<i>Anoplolepis gracilipes</i>	Northern Territory, AUS	HOFFMANN & SAUL 2010
<i>Nylanderia arenivaga</i>		<i>Solenopsis invicta</i>	Louisiana, USA	BARONI URBANI & KANNOWSKI 1974
<i>Nylanderia sakurae</i>		<i>Linepithema humile</i>	Japan	TOUYAMA & al. 2003
<i>Nylanderia sakurae</i>		<i>Linepithema humile</i>	Japan	MIYAKE & al. 2002
<i>Nylanderia</i> spp.		<i>Pheidole megacephala</i>	Queensland, AUS	VANDERWOUDE & al. 2000
<i>Nylanderia terricola</i>		<i>Solenopsis invicta</i>	Texas, USA	STEIN & THORVILSON 1989
<i>Nylanderia terricola</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	PORTER & SAVIGNANO 1990
<i>Nylanderia terricola</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	MORRIS & STEIGMAN 1993
<i>Paraparatrechina minutula</i>		<i>Anoplolepis gracilipes</i>	Christmas Island	ABBOTT 2006
<i>Paratrechina longicornis</i>		<i>Anoplolepis gracilipes</i>	Christmas Island	ABBOTT 2006
<i>Paratrechina longicornis</i>		<i>Anoplolepis gracilipes</i>	Samoa	SAVAGE & al. 2009
<i>Paratrechina longicornis</i>		<i>Solenopsis invicta</i>	Florida, USA	WOJCIK & al. 2001
<i>Plagiolepis alluaudi</i>		<i>Pheidole megacephala</i>	Capricorn and Bunker Group Islands	BURWELL & al. 2012
<i>Plagiolepis pygmaea</i>		<i>Linepithema humile</i>	Spain	OLIVERAS & al. 2005
<i>Plagiolepis pygmaea</i>		<i>Linepithema humile</i>	Spain	ROURA-PASCUAL & al. 2010
<i>Plagiolepis pygmaea</i> , <i>P. schmitzii</i>		<i>Linepithema humile</i>	Portugal	CAMMELL & al. 1996
<i>Prenolepis imparis</i>		<i>Linepithema humile</i>	California, USA	WARD 1987
<i>Prenolepis imparis</i>		<i>Linepithema humile</i>	California, USA	HUMAN & GORDON 1996
<i>Prenolepis imparis</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 1998
<i>Prenolepis imparis</i>		<i>Linepithema humile</i>	California, USA	SUAREZ & al. 1998
<i>Prenolepis imparis</i>		<i>Linepithema humile</i>	California, USA	DIGIROLAMO & FOX 2006
<i>Prenolepis imparis</i>		<i>Linepithema humile</i>	California, USA	GLENN & HOLWAY 2008
<i>Prenolepis imparis</i>		<i>Linepithema humile</i>	North Carolina, USA	ROWLES & SILVERMAN 2010
<i>Prenolepis imparis</i>		<i>Linepithema humile</i>	California, USA	FITZGERALD & GORDON 2012
<i>Stigmacros</i> sp.		<i>Pheidole megacephala</i>	Queensland, AUS	HETERICK 1997

<i>Heteroponera imbellis</i>	Heteroponerinae	<i>Linepithema humile</i>	Victoria, AUS	ROWLES & O'DOWD 2009
<i>Heteroponera</i> sp.		<i>Linepithema humile</i>	South Australia, AUS	WALTERS 2006
<i>Myrmecia</i> sp.	Myrmeciinae	<i>Linepithema humile</i>	South Australia, AUS	WALTERS 2006
<i>Acanthomyrmex</i> sp. 2		<i>Anoplolepis gracilipes</i>	Borneo, Malaysia	DRESCHER & al. 2011
<i>Adlerzia froggatti</i>	Myrmicinae	<i>Linepithema humile</i>	Perth, AUS	MAJER & FLUGGE 1984
<i>Apaeanogaster 'rudis'</i>		<i>Linepithema humile</i>	North Carolina, USA	ROWLES & SILVERMAN 2010
<i>Aphaenogaster senilis</i>		<i>Linepithema humile</i>	Spain	ANGULO & al. 2011
<i>Aphaenogaster pallipes</i>		<i>Pachycondyla chinensis</i>	North Carolina, USA	RODRIGUEZ-CABAL & al. 2012
<i>Cardiocondyla nuda</i>		<i>Linepithema humile</i>	Perth, AUS	MAJER & FLUGGE 1984
<i>Cardiocondyla nuda</i>		<i>Linepithema humile</i>	Perth, AUS	HETERICK & al. 2000
<i>Cardiocondyla</i> spp.		<i>Pheidole megacephala</i>	Northern Territory, AUS	HOFFMANN & al. 1999
<i>Carebara sodalis</i>		<i>Wasmannia auropunctata</i>	New Caledonia	LE BRETON & al. 2003
<i>Carebara</i> sp.		<i>Pheidole megacephala</i>	Queensland, AUS	HETERICK 1997
<i>Crematogaster scutellaris</i>		<i>Linepithema humile</i>	Portugal	CAMMELL & al. 1996
<i>Crematogaster scutellaris</i>		<i>Linepithema humile</i>	Portugal	WAY & al. 1997
<i>Cyphomyrmex rimosus</i>		<i>Solenopsis invicta</i> (mongyne)	Georgia, USA	STUBLE & al. 2009
<i>Cyphomyrmex</i> sp. (<i>rimosus</i> complex)		<i>Wasmannia auropunctata</i>	French Guiana	GRANGIER & al. 2007
<i>Mayriella</i> sp.		<i>Pheidole megacephala</i>	Queensland, AUS	HETERICK 1997
<i>Meranoplus peringueyi</i>		<i>Linepithema humile</i>	South Africa	DE KOCK 1990
<i>Monomorium chinense</i>		<i>Linepithema humile</i>	Japan	SUNAMURA & al. 2007
<i>Monomorium clavicorne</i>		<i>Wasmannia auropunctata</i>	Israel	VONSHAK & al. 2010
<i>Monomorium ergafogyna</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 1999
<i>Monomorium ergafogyna</i>		<i>Linepithema humile</i>	Santa Cruz Island, CA, USA	WETTERER & al. 2000
<i>Monomorium ergatogyna</i>		<i>Linepithema humile</i>	California, USA	DIGIROLAMO & FOX 2006
<i>Monomorium ergatogyna</i>		<i>Linepithema humile</i>	Galápagos	WETTERER & al. 2001
<i>Monomorium floricola</i>		<i>Nylanderia fulva</i>	Columbia	ZENNER-POLANIA 1994
<i>Monomorium minimum</i>		<i>Solenopsis invicta</i>	Louisiana, USA	HOWARD & OLIVER 1979
<i>Monomorium minimum</i>		<i>Solenopsis invicta</i>	Texas, USA	STEIN & THORVILSON 1989
<i>Monomorium minimum</i>		<i>Solenopsis invicta</i> (mongyne)	Texas, USA	JONES & PHILLIPS 1990
<i>Monomorium minimum</i>		<i>Solenopsis invicta</i> (mongyne)	Texas, USA	HELMS & VINSON 2001
<i>Monomorium minimum</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	PORTER & SAVIGNANO 1990
<i>Monomorium minimum</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	MORRIS & STEIGMAN 1993
<i>Monomorium</i> sp.		<i>Pheidole megacephala</i>	Queensland, AUS	HETERICK 1997
<i>Monomorium</i> sp.		<i>Solenopsis invicta</i>	Louisiana, USA	BARONI URBANI & KANNOVSKI 1974
<i>Monomorium</i> spp.		<i>Pheidole megacephala</i>	Western Australia, Australia	CALLAN & MAJER 2009
<i>Monomorium sydneyense</i>		<i>Linepithema humile</i>	Victoria, AUS	ROWLES & O'DOWD 2009
<i>Monomorium talpa</i>		<i>Pheidole megacephala</i>	Northern Territory, AUS	HOFFMANN & PARR 2008
<i>Ocymyrmex cilliei</i>		<i>Linepithema humile</i>	South Africa	WITT & GILIOME 1999
<i>Pheidole dentata</i>		<i>Solenopsis invicta</i> (mongyne)	Texas, USA	JONES & PHILLIPS 1990
<i>Pheidole dentata</i>		<i>Solenopsis invicta</i> (polygyne)	Texas, USA	MORRIS & STEIGMAN 1993
<i>Pheidole moerens</i>		<i>Solenopsis invicta</i>	Florida, USA	WOJCIK & al. 2001
<i>Pheidole pallidula</i>		<i>Linepithema humile</i>	Portugal	CAMMELL & al. 1996
<i>Pheidole pallidula</i>		<i>Linepithema humile</i>	Portugal	WAY & al. 1997
<i>Solenopsis</i> [<i>Diplorhoptrum</i>] sp.		<i>Anoplolepis gracilipes</i>	Northern Territory, AUS	HOFFMANN & SAUL 2010

<i>Solenopsis carolinensis</i>	Myrmicinae	<i>Linepithema humile</i>	North Carolina, USA	ROWLES & SILVERMAN 2010
<i>Solenopsis carolinensis</i>		<i>Solenopsis invicta</i> (mongyne)	Georgia, USA	STUBLE & al. 2009
<i>Solenopsis fugax</i>		<i>Lasius neglectus</i>	Hungary	NAGY & al. 2009
<i>Solenopsis krockowi</i>		<i>Solenopsis invicta</i> (mongyne)	Texas, USA	HELMS & VINSON 2001
<i>Solenopsis latastei</i>		<i>Linepithema humile</i>	Chile	STACEY 2011
<i>Solenopsis molesta</i>		<i>Linepithema humile</i>	California, USA	HUMAN & GORDON 1997
<i>Solenopsis molesta</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 1998
<i>Solenopsis molesta</i>		<i>Linepithema humile</i>	California, USA	SUAREZ & al. 1998
<i>Solenopsis molesta</i>		<i>Linepithema humile</i>	Santa Cruz Island, CA, USA	WETTERER & al. 2000
<i>Solenopsis molesta</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Solenopsis molesta</i>		<i>Linepithema humile</i>	California, USA	DIGIROLAMO & FOX 2006
<i>Solenopsis molesta</i>		<i>Linepithema humile</i>	California, USA	GLENN & HOLWAY 2008
<i>Solenopsis molesta</i>		<i>Linepithema humile</i>	California, USA	HOLWAY & al. 2002
<i>Solenopsis molesta</i>		<i>Linepithema humile</i>	California, USA	TILLBERG & al. 2007
<i>Solenopsis molesta</i>		<i>Linepithema humile</i>	Galápagos	WETTERER & al. 2001
<i>Solenopsis</i> sp.		<i>Linepithema humile</i>	Bermuda	WETTERER & WETTERER 2004
<i>Solenopsis</i> sp.		<i>Linepithema humile</i>	Victoria, AUS	ROWLES & O'DOWD 2009
<i>Solenopsis</i> sp.		<i>Pheidole megacephala</i>	Queensland, AUS	HETERICK 1997
<i>Solenopsis</i> sp.		<i>Pheidole megacephala</i>	Bermuda	WETTERER & WETTERER 2004
<i>Solenopsis</i> sp.		<i>Pheidole megacephala</i>	Capricorn and Bunker Group Islands	BURWELL & al. 2012
<i>Solenopsis</i> spp.		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Solenopsis xyloni</i>		<i>Solenopsis invicta</i>	Louisiana, USA	BARONI URBANI & KANNOVSKI 1974
<i>Stenamma californicum</i> , <i>S. diecki</i> , <i>S. punctatoventre</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 1998
<i>Stenamma diecki</i> , <i>S. californicum</i>		<i>Linepithema humile</i>	California, USA	WARD 1987
<i>Stenamma</i> sp. cf. <i>punctatoventre</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Strumigenys</i> sp.		<i>Linepithema humile</i>	South Australia, AUS	WALTERS 2006
<i>Strumigenys</i> sp.		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Strumigenys</i> sp.		<i>Wasmannia auropunctata</i>	New Caledonia	LE BRETON & al. 2003
<i>Temnothorax andrei</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Temnothorax andrei</i>		<i>Linepithema humile</i>	California, USA	HUMAN & GORDON 1997
<i>Temnothorax andrei</i>		<i>Linepithema humile</i>	California, USA	SUAREZ & al. 1998
<i>Temnothorax andrei</i>		<i>Linepithema humile</i>	California, USA	HOLWAY & al. 2002
<i>Temnothorax andrei</i>		<i>Linepithema humile</i>	California, USA	GLENN & HOLWAY 2008
<i>Temnothorax andrei</i> , <i>T. nitens</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 1998
<i>Temnothorax crassispinus</i>		<i>Lasius neglectus</i>	Hungary	NAGY & al. 2009
<i>Temnothorax racovitzae</i>		<i>Linepithema humile</i>	Spain	ROURA-PASCUAL & al. 2010
<i>Temnothorax racovitzae</i> , <i>T. unifasciatus</i>		<i>Linepithema humile</i>	Portugal	CAMMELL & al. 1996
<i>Temnothroax andrei</i>		<i>Linepithema humile</i>	California, USA	TILLBERG & al. 2007
<i>Tetramorium</i> cf. <i>caespitum</i>		<i>Lasius neglectus</i>	Hungary	TARTALLY 2006
<i>Tetramorium lanuginosum</i>		<i>Anoplolepis gracilipes</i>	Tokelau	SARTY & al. 2007
<i>Tetramorium quadrispinosum</i>		<i>Linepithema humile</i>	South Africa	BOND & SLINGSBY 1984

<i>Tetramorium quadrispinosum</i>	Myrmicinae	<i>Linepithema humile</i>	South Africa	WITT & GILIOME 1999
<i>Tetramorium simillimum</i>		<i>Linepithema humile</i>	Perth, AUS	HETERICK & al. 2000
<i>Tetramorium simillimum</i>		<i>Solenopsis invicta</i>	Florida, USA	WOJCIK & al. 2001
<i>Hypoponera "punctatissima"</i>	Ponerinae	<i>Pheidole megacephala</i>	Capricorn and Bunker Group Islands	BURWELL & al. 2012
<i>Hypoponera opaciceps</i>		<i>Linepithema humile</i>	Bermuda	WETTERER & WETTERER 2004
<i>Hypoponera opaciceps</i>		<i>Pheidole megacephala</i>	Bermuda	WETTERER & WETTERER 2004
<i>Hypoponera opacior</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 1998
<i>Hypoponera opacior</i>		<i>Linepithema humile</i>	California, USA	HOLWAY 2005
<i>Hypoponera pruinosa</i> , <i>H. sp. A</i>		<i>Wasmannia auropunctata</i>	New Caledonia	LE BRETON & al. 2003
<i>Hypoponera sp.</i>		<i>Anoplolepis gracilipes</i>	Northern Territory, AUS	HOFFMANN & SAUL 2010
<i>Hypoponera sp.</i>		<i>Wasmannia auropunctata</i>	Galápagos	CLARK & al. 1982
<i>Hypoponera sp.</i>		<i>Wasmannia auropunctata</i>	Galápagos	LUBIN 1984
<i>Hypoponera spp.</i>		<i>Linepithema humile</i>	California, USA	HOLWAY & al. 2002
<i>Hypoponera spp.</i>		<i>Pheidole megacephala</i>	Northern Territory, AUS	HOFFMANN & al. 1999
<i>Odontomachus bauri</i>		<i>Wasmannia auropunctata</i>	Galápagos	VON AESCH 2006
<i>Odontomachus brunneus</i>		<i>Solenopsis invicta</i>	Florida, USA	WOJCIK & al. 2001
<i>Proceratium silaceum</i>	Proceratiinae	<i>Solenopsis invicta</i> (mongyne)	Georgia, USA	STUBLE & al. 2009

References

- ABBOTT, K.L. 2006: Spatial dynamics of supercolonies of the invasive yellow crazy ant, *Anoplolepis gracilipes*, on Christmas Island, Indian Ocean. – Diversity and Distributions 12: 101-110.
- ABBOTT, K.L., GREAVES, S.N.J., RITCHIE, P.A. & LESTER, P.J. 2007: Behaviourally and genetically distinct populations of an invasive ant provide insight into invasion history and impacts on a tropical ant community. – Biological Invasions 9: 453-463.
- ANGULO, E., CAUT, S. & CERDA, X. 2011: Scavenging in Mediterranean ecosystems: effect of the invasive Argentine ant. – Biological Invasions 13: 1183-1194.
- BARONI URBANI, C. & KANNOWSKI, P.B. 1974: Patterns in the red imported fire ant settlement of a Louisiana pasture: some demographic parameters, interspecific competition and food sharing. – Environmental Entomology 3: 755-760.
- BERMAN, M., ANDERSEN, A.N. & IBANEZ, T. 2013: Invasive ants as back-seat drivers of native ant diversity decline in New Caledonia. – Biological Invasions 14: 1295-1304.
- BLIGHT, O., ORGEAS, J., RENUCCI, M., TIRARD, A. & PROVOST, E. 2009: Where and how Argentine ant (*Linepithema humile*) spreads in Corsica? – Comptes Rendus Biologies 332: 747-751.
- BOND, W. & SLINGSBY, P. 1984: Collapse of an ant-plant mutualism: the Argentine ant (*Iridomyrmex humilis*) and myrmecochorous Proteaceae. – Ecology 65: 1031-1037.
- BOS, M.M., TYLIANAKIS, J.M., STEFFAN-DEWENTER, I. & TSCHARNTKE, T. 2008: The invasive yellow crazy ant and the decline of forest ant diversity in Indonesian cacao agroforests. – Biological Invasions 10: 1399-1409.
- BURWELL, C.J., NAKAMURA, A., MCDUGALL, A. & JOHN NELDNER, V. 2012: Invasive African big-headed ants, *Pheidole megacephala*, on coral cays of the southern Great Barrier Reef: distribution and impacts on other ants. – Journal of Insect Conservation 16: 777-789.
- CALLAN, S.K. & MAJER, J.D. 2009: Impacts of an incursion of African big-headed ants, *Pheidole megacephala* (FABRICIUS), in urban bushland in Perth, Western Australia. – Pacific Conservation Biology 15: 102-115.
- CAMMELL, M.E., WAY, M.J. & PAIVA, M.R. 1996: Diversity and structure of ant communities associated with oak, pine, eucalyptus and arable habitats in Portugal. – Insectes Sociaux 46: 37-46.
- CARPINTERO, S., RETANA, J., CERDA, X., REYES-LÓPEZ, J. & ARIAS DE REYNA, L. 2007: Exploitative strategies of the invasive Argentine ant (*Linepithema humile*) and native ant species in a southern Spanish pine forest. – Environmental Entomology 36: 1100-1111.
- CLARK, D.B. 1982: The tramp ant *Wasmannia auropunctata*: Autecology and effects on ant diversity and distribution on Santa Cruz Island, Galapagos. – Biotropica 14: 196-207.
- COOLING, M., HARTLEY, S., SIM, D.A. & LESTER, P.J. 2012: The widespread collapse of an invasive species: Argentine ants (*Linepithema humile*) in New Zealand. – Biology Letters 8: 430-433.
- DE KOCK, A.E. 1990: Interactions between the introduced Argentine ant, *Iridomyrmex humilis* MAYR, and two indigenous fynbos ant species. – Journal of the Entomological Society of Southern Africa 53: 107-108.

- DI GIROLAMO, L.A. & FOX, L.R. 2006: The influence of abiotic factors and temporal variation on local invasion patterns of the Argentine ant (*Linepithema humile*). – *Biological Invasions* 8: 125-135.
- DRESCHER, J., FELDHAAR, H. & BLÜTHGEN, N. 2011: Interspecific aggression and resource monopolization of the invasive ant *Anoplolepis gracilipes* in Malaysian Borneo. – *Biotropica* 43: 93-99.
- ERICKSON, J.M. 1971: The displacement of native ant species by the introduced Argentine ant *Iridomyrmex humilis* MAYR. – *Psyche* 78: 257-266.
- FITZGERALD, K. & GORDON, D.M. 2012: Effects of vegetation cover, presence of a native ant species, and human disturbance on colonization by Argentine ants. – *Conservation Biology* 26: 525-538.
- GARNAS, J. 2004: European fire ants on Mount Desert Island, Maine: population structure, mechanisms of competition and community impacts of *Myrmica rubra* L. (Hymenoptera: Formicidae). – MSc thesis, University of Maine, ME, 157 pp.
- GERLACH, J. 2004: Impact of the invasive crazy ant *Anoplolepis gracilipes* on Bird Island, Seychelles. – *Journal of Insect Conservation* 8: 15-25.
- GLENN, S. & HOLWAY, D. 2008: Consumption of introduced prey by native predators: Argentine ants and pit-building ant lions. – *Biological Invasions* 10: 273-280.
- GUÉNARD, B. & DUNN, R.R. 2010: A new (old), invasive ant in the hardwood forests of eastern North America and its potentially widespread impacts. – *Public Library of Science One* 5: e11614.
- HELMS, K.R. & VINSON, S.B. 2001: Coexistence of native ants with the red imported fire ant, *Solenopsis invicta*. – *The Southwestern Naturalist* 46: 396-400.
- HETERICK, B. 1997: The interaction between the coastal brown ant, *Pheidole megacephala* (FABRICIUS), and other invertebrate fauna of Mt Coot-tha (Brisbane, Australia). – *Australian Journal of Ecology* 22: 218-221.
- HETERICK, B.E., CASELLA, J. & MAJER, J.D. 2000: Influence of Argentine and coastal brown ant (Hymenoptera: Formicidae) invasions on ant communities in Perth gardens, Western Australia. – *Urban Ecosystems* 4: 277-292.
- HOFFMANN, B.D., ANDERSEN, A.N. & HILL, G.J.E. 1999: Impact of an introduced ant on native rain forest invertebrates: *Pheidole megacephala* in monsoonal Australia. – *Oecologia* 120: 595-604.
- HOFFMANN, B.D. & PARR, C.L. 2008: An invasion revisited: the African big-headed ant (*Pheidole megacephala*) in northern Australia. – *Biological Invasions* 10: 1171-1181.
- HOFFMANN, B.D. & SAUL, W.-C. 2010: Yellow crazy ant (*Anoplolepis gracilipes*) invasions within undisturbed mainland Australian habitats: no support for biotic resistance hypothesis. – *Biological Invasions* 12: 3093-3108.
- HOLWAY, D.A. 1998: Effect of Argentine ant invasions on ground-dwelling arthropods in northern California riparian woodlands. – *Oecologia* 116: 252-258.
- HOLWAY, D.A. 1999: Competitive mechanisms underlying the displacement of native ants by the invasive Argentine ant. – *Ecology* 80: 238-251.
- HOLWAY, D.A. 2005: Edge effects of an invasive species across a natural ecological boundary. – *Biological Conservation* 121: 561-567.
- HOLWAY, D.A., SUAREZ, A.V. & CASE, T.J. 2002: Role of abiotic factors in governing susceptibility to invasion: a test with Argentine ants. – *Ecology* 83: 1610-1619.
- HOOK, A.W. & PORTER, S.D. 1990: Destruction of harvester ant colonies by invading fire ants in south-central Texas (Hymenoptera: Formicidae). – *The Southwestern Naturalist* 35: 477-478.
- HOWARD, F.W. & OLIVER, A.D. 1979: Field observations of ants (Hymenoptera: Formicidae) associated with red imported fire ants, *Solenopsis invicta* BUREN, in Louisiana pastures. – *Journal of Georgia Entomological Society* 14: 259-263.
- HUMAN, K.G. & GORDON, D.M. 1996: Exploitation and interference competition between the invasive Argentine ant, *Linepithema humile*, and native ant species. – *Oecologia* 105: 405-412.
- HUMAN, K.G. & GORDON, D.M. 1997: Effects of Argentine ants on invertebrate biodiversity in northern California. – *Conservation Biology* 11: 1242-1248.
- JONES, S.R. & PHILLIPS, S.A. 1990: Resource collecting abilities of *Solenopsis invicta* (Hymenoptera: Formicidae) compared with those of three sympatric Texas ants. – *The Southwestern Naturalist* 35: 416-422.
- KASPARI, M. 2000: Do imported fire ants impact canopy arthropods? Evidence from simple arboreal pitfall traps. – *The Southwestern Naturalist* 45: 118-122.
- KENNEDY, T.A. 1998: Patterns of an invasion by Argentine ants (*Linepithema humile*) in a riparian corridor and its effects on ant diversity. – *The American Midland Naturalist* 140: 343-350.
- KING, J.R. & TSCHINKEL, W.R. 2008: Experimental evidence that human impacts drive fire ant invasions and ecological change. – *Proceedings of the National Academy of Sciences of the United States of America* 105: 20339-20343.
- LE BRETON, J., CHAZEAU, J. & JOURDAN, H. 2003: Immediate impacts of invasion by *Wasmannia auropunctata* (Hymenoptera: Formicidae) on native litter ant fauna in a New Caledonian rainforest. – *Austral Ecology* 28: 204-209.
- LEBRUN, E.G., ABBOTT, J. & GILBERT, L.E. 2013: Imported crazy ant displaces imported fire ant, reduced and homogenizes grassland ant and arthropod assemblages. – *Biological Invasions* 15: 2429-2442.
- LEBRUN, E.G., PLOWES, R.M. & GILBERT, L.E. 2012: Imported fire ants near the edge of their range: disturbance and moisture determine prevalence and impact of an invasive social insect. – *Journal of Animal Ecology* 81: 884-895.
- LESTER, P.J. & TAVITE, A. 2004: Long-legged ants, *Anoplolepis gracilipes* (Hymenoptera: Formicidae), have invaded Tokelau, changing composition and dynamics of ant and invertebrate communities. – *Pacific Science* 58: 391-402.

- LUBIN, Y.D. 1984: Changes in the native fauna of the Galapagos Islands following invasion by the little red fire ant, *Wasmannia auropunctata*. – Biological Journal of the Linnean Society 21: 229-242.
- MAJER, J.D. & FLUGGE, R. 1984: The influence of spraying on Argentine (*Iridomyrmex humilis*) and native ants (Hymenoptera: Formicidae). – Western Australian Institute of Technology School of Biology Bulletin No. 8.
- MARKIN, G.P., O'NEAL, J. & COLLINS, H.L. 1974: Effects of Mirex on the general ant fauna of a treated area in Louisiana. – Environmental Entomology 3: 895-898.
- MAY, J.E. & HETERICK, B.E. 2000: Effects of the coastal brown ant *Pheidole megacephala* (FABRICIUS), on the ant fauna of the Perth metropolitan region, Western Australia. – Pacific Conservation Biology 6: 81-85.
- MIYAKE, K.-S., KAMEYAMA, T., SUGIYAMA, T. & FUMINORI, I. 2002: Effects of Argentine ant invasions on Japanese ant fauna in Hiroshima prefecture, Western Japan: A preliminary report (Hymenoptera: Formicidae). – Sociobiology 39: 465-474.
- MORRIS, J.R. & STEIGMAN, K.L. 1993: Effects of polygyne fire ant invasion on native ants of a blackland prairie in Texas. – The Southwestern Naturalist 38: 136-140.
- MORRISON, L.W. 2002: Long-term impacts of an arthropod-community invasion by the imported fire ant, *Solenopsis invicta*. – Ecology 83: 2337-2345.
- NAGY, C., TARTALLY, A., VILISICS, F., MERKL, O., SZITA, É., SZÉL, G., PODLUSSÁNY, A., RÉDEI, D., CSÖSZ, S., POZSGAI, G., OROSZ, A., SZÖVÉNYI, G. & MARKÓ, V. 2009: Effects of the invasive garden ant, *Lasius neglectus* VAN LOON, BOOMSMA & ANDRÁSFALVY, 1990 (Hymenoptera: Formicidae), on arthropod assemblages: pattern analyses in the type supercolony. – Myrmecological News 12: 171-181.
- OLIVERAS, J., BAS, J.M., CASELLAS, D. & GOMEZ, C. 2005: Numerical dominance of the Argentine ant vs native ants and consequences on soil resource searching in Mediterranean cork-oak Forests (Hymenoptera: Formicidae). – Sociobiology 45: 1-16.
- PORTER, S.D. & SAVIGNANO, D.A. 1990: Invasion of polygyne fire ants decimates native ants and disrupts arthropod community. – Ecology 71: 2095-2106.
- PORTER, S.D., VAN EIMEREN, B. & GILBERT, L.E. 1988: Invasion of red imported fire ants (Hymenoptera: Formicidae): microgeography of competitive replacement. – Annals of the Entomological Society of America 81: 913-918.
- RODRIGUEZ-CABAL, M.A., STUBLE, K.L., GUÉNARD, B., DUNN, R.R. & SANDERS, N.J. 2012: Disruption of ant-seed dispersal mutualisms by the invasive Asian needle ant (*Pachycondyla chinensis*). – Biological Invasions 14: 557-565.
- ROWLES, A.D. & O'DOWD, D.J. 2009: Impacts of the invasive Argentine ant on native ants and other invertebrates in coastal scrub in south-eastern Australia. – Austral Ecology 34: 239-248.
- ROWLES, A.D. & SILVERMAN, J. 2010: Argentine ant invasion associated with loblolly pines in the southeastern United States: minimal impacts but seasonally sustained. – Environmental Entomology 39: 1141-1150.
- SANDERS, N.J., BARTON, K.E. & GORDON, D.M. 2001: Long-term dynamics of the distribution of the invasive Argentine ant, *Linepithema humile*, and native ant taxa in northern California. – Oecologia 127: 123-130.
- SARTY, M., ABBOTT, K.L. & LESTER, P.J. 2007: Community level impacts of an ant invader and food mediated coexistence. – Insectes Sociaux 54: 166-173.
- SAVAGE, A.M., RUDGERS, J.A. & WHITNEY, K.D. 2009: Elevated dominance of extrafloral nectary-bearing plants is associated with increased abundances of an invasive ant and reduced native ant richness. – Diversity and Distributions 15: 751-761.
- STACEY, L.M. 2011: The impacts and spread of the argentine ant (*Linepithema humile*, MAYR) invasion in coastal sclerophyllous forests of Chile. – PhD thesis, University of Washington, Seattle, WA, 118 pp.
- STEIN, M.B. & THORVILSON, H.G. 1989: Ant species sympatric with the red imported fire ant in southeastern Texas. – Southwestern Entomologist 14: 225-231.
- STUBLE, K.L., KIRKMAN, L.K. & CARROLL, C.R. 2009: Patterns of abundance of fire ants and native ants in a native ecosystem. – Ecological Entomology 34: 520-526.
- SUAREZ, A.V., BOLGER, D.T. & CASE, T.J. 1998: Effects of fragmentation and invasion on native ant communities in coastal southern California. – Ecology 79: 2041-2056.
- SUMMERLIN, J.W., HUNG, A.C.F. & VINSON, S.B. 1977: Residues in nontarget ants, species simplification and recovery of populations following aerial applications of mirex. – Environmental Entomology 6: 193-197.
- SUNAMURA, E., NISHISUE, K., TERAYAMA, M. & TATSUKI, S. 2007: Invasion of four Argentine ant supercolonies into Kobe Port, Japan: Their distributions and effects on indigenous ants (Hymenoptera: Formicidae). – Sociobiology 50: 659-674.
- TARTALLY, A. 2000: Notes on the coexistence of the supercolonial *Lasius neglectus* VAN LOON, BOOMSMA & ANDRÁSFALVY 1990 (Hymenoptera: Formicidae) with other ant species. – Tiscia 32: 43-46.
- TARTALLY, A. 2006: Long term expansion of a supercolony of the invasive garden ant, *Lasius neglectus* (Hymenoptera: Formicidae). – Myrmecologische Nachrichten 9: 21-25.
- TILLBERG, C.V., HOLWAY, D.A., LEBRUN, E.G. & SUAREZ, A.V. 2007: Trophic ecology of invasive Argentine ants in their native and introduced ranges. – Proceedings of the National Academy of Sciences of the United States of America 104: 20856-20861.
- TOUYAMA, Y., OGATA, K. & SUGIYAMA, T. 2003: The Argentine ant, *Linepithema humile*, in Japan: Assessment of impact on species diversity of ant communities in urban environments. – Entomological Science 6: 57-62.
- TSCHINKEL, W.R. 1988: Distribution of the fire ants *Solenopsis invicta* and *S. geminata* (Hymenoptera: Formicidae) in northern Florida in relation to habitat and disturbance. – Annals of the Entomological Society of America 81: 76-81.
- VANDERWOUDE, C., LOBRY DE BRUYN, L.A. & HOUSE, A.P.N. 2000: Response of an open-forest ant community to invasion by the introduced ant, *Pheidole megacephala*. – Austral Ecology 25: 253-259.
- VON AESCH, L. 2006: Introduced ants in Galápagos (Florea Island): Importance of competition, coexistence, and aggressive behaviors. – PhD thesis, University of Lausanne, 88 pp.

- VONSHAK, M., DAYAN, T., IONESCU-HIRSH, A., FREIDBERG, A. & HEFETZ, A. 2010: The little fire ant *Wasmannia auropunctata*: a new invasive species in the Middle East and its impact on the local arthropod fauna. – *Biological Invasions* 12: 1825-1837.
- WALKER, K.L. 2006: Impact of the little fire ant, *Wasmannia auropunctata*, on native forest ants in Gabon. – *Biotropica* 38: 666-673.
- WALTERS, A.C. 2006: Invasion of Argentine ants (Hymenoptera: Formicidae) in South Australia: Impacts on community composition and abundance of invertebrates in urban parklands. – *Austral Ecology* 31: 567-576.
- WARD, P.S. 1987: Distribution of the introduced Argentine ant (*Iridomyrmex humilis*) in natural habitats of the lower Sacramento Valley and its effects on the indigenous ant fauna. – *Hilgardia* 55: 1-16.
- WAY, M.J., CAMMELL, M.E., PAIVA, M.R. & COLLINGWOOD, C.A. 1997: Distribution and dynamics of the Argentine ant *Linepithema (Iridomyrmex) humile* (MAYR) in relation to vegetation, soil conditions, topography and native competitor ants in Portugal. – *Insectes Sociaux* 44: 415-433.
- WETTERER, J.K., ESPADALER, X., WETTERER, A.L., AGUIN-POMBO, D. & FRANQUINHO-AGUIAR, A.M. 2006: Long-term impact of exotic ants on the native ants of Madeira. – *Ecological Entomology* 31: 358-368.
- WETTERER, J.K., WARD, P.S., WETTERER, A.L., LONGINO, J.T., TRAGER, J.C. & MILLER, S.E. 2000: Ants (Hymenoptera: Formicidae) of Santa Cruz Island, California. – *Bulletin of the Southern California Academy of Sciences* 99: 25-31.
- WETTERER, J.K. & WETTERER, A.L. 2004: Ants (Hymenoptera: Formicidae) of Bermurda. – *The Florida Entomologist* 87: 212-221.
- WETTERER, J.K., WETTERER, A.L. & HEBARD, E. 2001: Impact of the Argentine ant, *Linepithema humile* on the native ants of Santa Cruz Island, California. – *Sociobiology* 38: 709-722.
- WHITCOMB, W.H., DENMARK, H.A., BHATKAR, A.P. & GREENE, G.L. 1972: Preliminary studies on the ants of Florida soybean fields. – *The Florida Entomologist* 55: 129-142.
- WILSON, E.O. & BROWN, W.L. 1958: Recent changes in the introduced population of the fire ant *Solenopsis saevissima* (FR. SMITH). – *Evolution* 12: 211-218.
- WITT, A.B.A. & GILIOME, J.H. 1999: Soil-surface temperatures at which six species of ants (Hymenoptera: Formicidae) are active. – *African Entomology* 7: 161-164.
- WOJCIK, D.P., ALLEN, C.R., BRENNER, R.J., FORYS, E.A., JOUVENAZ, D.P. & LUTZ, R.S. 2001: Red imported fire ants: impacts on biodiversity. – Nebraska Cooperative Fish & Wildlife Research Unit, Staff Publications. Paper 47: <http://digitalcommons.unl.edu/ncfwrustaff/47>.
- ZEE, J. & HOLWAY, D. 2006: Nest raiding by the invasive Argentine ant on colonies of the harvester ant, *Pogonomyrmex subnitidus*. – *Insectes Sociaux* 53: 161-167.
- ZENNER-POLANIA, I. 1994: Impact of *Paratrechina fulva* on other ant species. In: WILLIAMS, D.F. (Ed.): *Exotic ants: biology, impact, and control of introduced species*. – Westview Press, Boulder, CO, pp. 121-132.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Myrmecological News = Myrmecologische Nachrichten](#)

Jahr/Year: 2013

Band/Volume: [19](#)

Autor(en)/Author(s): Wittman S. E.

Artikel/Article: [Digital supplementary: Impacts of invasive ants on native ant communities \(Hymenoptera: Formicidae\) - Myrmecological News 19 111-123](#)