

**Biogeographical classification of Austria based on
hierarchical cluster analysis of vascular plant distributions**

Angelika BILLENSTEINER & Harald NIKLFELD

(Neilreichia 12: 199–218)

Electronic Supplement




Fig. S1: Cluster dendrogram based on Ward method and Euclidean distance. Blue rectangles indicate clusters at cutlevel 25.




Fig. S2: Cluster dendrogram based on Complete Linkage method and Euclidean distance. Blue rectangles indicate clusters at cutlevel 25.




Fig. S3: Cluster dendrogram based on Complete Linkage method and Jaccard index. Blue rectangles indicate clusters at cutlevel 25.




Fig. S4: Cluster dendrogram based on Complete Linkage method and Dice index. Blue rectangles indicate clusters at cutlevel 25.




Fig. S5: Geographic delimitation of clusters identified at cutlevel 25 based on Ward method and Euclidean distance.




Fig. S6: Geographic delimitation of clusters identified at cutlevel 25 based on Complete Linkage method and Euclidean distance.




Fig. S7: Geographic delimitation of clusters identified at cutlevel 25 based on Complete Linkage method and Jaccard index.




Fig. S8: Geographic delimitation of clusters identified at cutlevel 25 based on Complete Linkage method and Dice index.




Fig. S9: NbClust diagram, Krzanowski and Lai Index (Ward method, Euclidean distance).

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Neilreichia - Zeitschrift für Pflanzensystematik und Floristik Österreichs](#)

Jahr/Year: 2021

Band/Volume: [12](#)

Autor(en)/Author(s): Billensteiner Angelika, Niklfeld Harald

Artikel/Article: [Biogeographical classification of Austria based on hierarchical cluster analysis of vascular plant distributions S1-S6](#)