

Tausch-Catalog

der deutschen malakozoologischen Gesellschaft.

(NB. Die Preise in Reichsmark per Stück.)

	<i>RM</i>		<i>RM</i>
Murex nigrospinosus, Rve.		Oliva todosina, Ducl.	
Oc. ind.	1,50	Andaman-I.	0,60
— uncinarius, Lam.		— ispidula, L. Philippinen	0,15
Cap d. g. H.	0,50	Olivella mutica, Say	
— foliatus, Gmel. Californ.	2,50	Pto cabello	0,10
— haustellum, L.		Voluta vespertilio, L.	
Ind. orient.	1-1,50	Oc. ind.	0,70
Pleurotoma tigrina, Lam.		Mitra melongena, Lam.	
Andaman-I.	1,50	Philippinen	1,50
— nodifera, Lam. China	0,50-1	— (columbella) scripta,	
— albomaculata, D'Orb.		Lm. Oc. ind.	0,10-30
Antillen	0,05	Marginella formiculata, Lm.	
— ornata, D'Orb. Antillen	0,05	Tasmania	0,80
— cancellata, Gray Antill.	0,05	— conoidalis, Lm. W.-Ind.	0,35
Bullia vittata, L. Oc. ind.	0,50	Columbella Duclosiana, Sow.	
— melanoides, Desh.		Burmah	0,30
Cochinch.	1,—	— Terpsichore, Leath.	
Phos senticosus, L.		lebend Burmah	0,30
Andaman-I.	0,75	— do. todt, als Schmuck	
— Blainvillei, „	0,80	gebraucht Carolinen	0,05
Nassa gaudiosa, Hnds.		— pardalina, Lm. v. lac-	
Andaman-I.	0,25	tescens, Sow. Andaman	0,30
— Thersites, L. „	0,30	— pardalina, Lm. v. Anda-	
— bimaculosa, Rve.		manica, Neville	
Andaman-I.	0,50	Andaman	0,30
— ambigua, Pult.		— philippinarum, Rve.	
St. Thomas	0,30	Andaman	0,70
Purpura persica, Lam.		Harpa costata, L. Mauritius	5,50
Ind. or.	1-1,30	Cassis achatina, Lam.	
— mancinella, L.		Algoa-Bay	1,50
Andaman-I.	1,—	Terebra nebulosa, Sow.	
— squamosa, Lam.		Andaman	0,70
Algoa-Bai	0,10	— affinis, Gray Mauritius	0,30
Cuma tiarella, Lam.		— aciculata, Lm. Antillen	0,10
Burmah	0,80	— maculata, L. Ind. or.	0,50-1

	<i>Mf.</i>		<i>Mf.</i>
Calpurnus verrucosus, L.		Neritina cornucopia, Bens.	
Andaman	0,75	Burmah	0,35
Cerithium septemstriatum,		— lugubris, Lam. u. var.	
Say N.-America	0,10	Mauritius	0,25
— gallopaginis, ? Ceylon	0,35	Navicella porcellana, L. u. v.	
Vertagus asper, L.		Mauritius	0,20
Austral. Oc.	0,35	Phasianella variegata, Lm.	
Melania ? sp. Burmah	0,20-60	Mauritius	0,30
— tuberculata, Müll.		Turbo porphyriticus, Martyn.	
Burmah	0,30	Andaman	1,—
— variabilis, Benson		— setosus, Gmel. Mauritius	0,60
Calcutta	0,30	Rotella vestiaria, L.	
— lineata, Gray „	0,25	Andaman	0,10
Litorina angulifera, Lam.		Monodonta australis, Desh.	
Cochin Ch.	0,25	Bengalen	0,80
— novae Zelandiae, ?		Haliotis varia, L. Andaman	75-1,—
Andaman-I.	0,35	— asinina, L. China	0,60
— melanostoma, Gml.		Tectura fluviatilis, Blfd.	
Rangoon-Mündg.	0,40	Rangoon	0,30
— scabra, L. Mauritius	0,30	Patella sacharina, L.	
Paludina dissimilis v. de-		Andaman	0,40
cussatula, Blnfd.		Siphonaria ? sp. 56	
Burmah	0,30	Andaman-I.	0,30
— Remossii, Bens. (Phil.)		— ? sp. 57 „	0,25
Bangalore	0,60	Atys cylindrica, Hlbg.	
— Bengalensis, Lam.		Andaman	0,50
Calcutta	0,40	Streptaxis solidus, Stoliczka	
— — v. doliaris ? Gld.		Burmah	2-2,50
Burmah	0,50	Vitrina pellucida, Müll	
— — var. 2 „	0,50	Bayern	0,10
Paludomus ornatus, Bens.		— — grosse, England	0,15
Burmah	0,40	— elongata, Drp.	
Turritella terebra, L. Oc. ind.	1,—	Engl. u. Bayern	0,15
Onustus solaris, L. Ind. or.	3-6,—	Nanina attegaia, Bens.	
Nerita praecognita, C. B. Ad.		Burmah	0,50
var. minor. Panama	0,05	— citrina, L. var.	
— plicata, L. Ceylon	0,30	Madagascar	1,—
Neritina obtusa, Bens.		Sophina discoidalis, Stol.	
Rangoon	0,25	Burmah	0,50

	<i>Alt.</i>		<i>Alt.</i>
Zonites croaticus, Prtsch.		Buliminus tauricus, Lang	
Croatien	0,50	Balkan	0,35
— compressus, Zgl. „	0,50	— eburneus, Pfr. Syrien	0,35
Helix sepulchralis, Fér. helle		— niso, Risso Dalmatien	0,20
u. dkle. V. Madagasc.	0,50	Stenogyra decollata L. var.	
— inversicolor, Fér. und		truncata, Ziegl. Syrien	0,25
var. Mauritius	0,40	Pupa modiola, Fér. u. var.	
— leucostyla Pfr. u. var.		Mauritius	0,40
Mauritius	0,35	— palanga, Morel, u. var.	
— ? sp. 76 „	0,35	Mauritius	0,40
— aspersa, Müll „	0,30	— fusus, Lam. „	0,60
— philyrina, Morelet		— sulcata, Müll. var. „	0,80
Mauritius	0,40	— pagoda, Fér. etw. bes.	
— cretica, Fér. Athen	0,30	Mauritius	1,—
— nummus, Ehrbg.		— Sterri, Voith Baiern	0,35
Jerusalem	0,50	Clausilia Boissieri, Charp.	
— candicans, Ziegl.		Syrien	0,35
Alexandretta	0,30	— agnata Partsch Croatien	0,30
— Krinikji, Andrz.		— orthostoma, Menke	
Caucasus	0,40	Berchtg.	0,20
— atrolabiata, Kryn. do.	0,50	— Villae, Mühlf. Italien	0,20
— triaria, Friv. Banat	0,30	— plicatula, Drp. Krain	0,10
— Banatica, Partsch, do.	0,45	— pumila, Ziegl. Regensb.	0,20
— trizona, Ziegl. do.	0,45	— styriaca, A. Schm.	
— caerulans, Mühlf.		Styria	0,30
Croatien	0,40	Succinea semicerica, Gld.	
— cingulata, Stud. var.		Rangoon	0,70
Tyrol	0,30	Melampus boholensis, Adms.	
— foetens, Stud. v. Achates,		Mauritius	0,25
Schm. Tyrol	0,40	— ? sp. 36 „	0,20
— ciliata, Venez Tyrol	0,10	— coffea, L. (albus) „	0,25
— akoutoungensis, Theob.		— ? sp. 47 „	0,20
Burmah	1,—	Pedipes affinis, Jusseau	
— bolus, Benson „	0,50	Mauritius	0,20
— Andersoni, Bldf. „	2,—	Pythia plicata, Fér. Burmah	80-1,—
— pachystoma, Theob. v.		Limnea rufescens, Gray do.	0,40
minor Burmah	1,—	— longula, Küster Mysore	0,30
Bulimulus domina, Bens.		Truncatella Guerini, Villa	
Bengalen	1,—	Mauritius	0,15

	<i>Mf.</i>		<i>Mf.</i>
Rhiostoma Haughtoni, Bens.		Solen ? sp. Burmah	0,50
Burmah	1,30	Tellina bimaculata L. (bunt)	
Alycaeus umbonalis, Bens.		Ind. oc.	0,20
Pegu	0,70	— -- var. (weiss) do.	0,20
Hybocistis gravida, Bens.		Tivela mactroides, Born	
Burmah	4,50	Pto. cabelolo	0,80
— do. juvenes, sehr in-		Meretrix meretrix, L. var.	
teressant	2,—	China	0,80
Cyclophorus foliaceus, Chm.		Crista divaricata, Chm. do.	0,70
Andaman	0,40-80	Circe corrugata, Ch. Suez	0,45
Raphaulus chrysalis, Pfr.		Tapes indica, Hnley. China	0,40
Burmah	1,50	Cypriocardia rostrata, Lm.	
Otopoma haemastomum, Ant.		u. v. Mauritius	1,—
u. var. Mauritius	0,75	— guineaica, Lm. Maurit.	2,—
Cyclostomus articulatus,		— angulata, Lm. Tahiti	2,25
Gray u. v. Mauritius	1,20	Cyrena ? sp. Burmah	0,25
— Barclayanus, Pfr. u. var.		Tridacna crocea, Lam.	
Mauritius	1,50	Philippinen	2,—
— carinatus, Born u. var.		Hippopus maculatus, Lm.	
Mauritius	1,80	Ind. or.	75-1,50
— Listeri, Gray u. varie-		Mytilus ? sp. Ind. or.	0,25
tates Mauritius	1,50	Pleuronectia pleuronectes,	
— Bensoni, Pfr. Ind. or.	1,50	L. China	1,—
— Madagascariensis, Gray		— japonica, Gmel Japan	1,50
Madagascar	3,50	Placunanomia abnormalis	
Helicina arkanensis, Blfd.		Low. auf Xenophora	
Adaman-I.	0,25	conchyliophora, Born.	
— andamanica, Bens. do.	0,35	Letztere mit Oper-	
Aspergillum javanum, Lam.		culum; Beide voll-	
Java	1,50	kommen und schön	12,—

Der Tauschverein sucht gegen baar

oder im Tausch zu erlangen alle Arten Daudebardien, Vitrina Heyne-
manni, Koch; Hyalina margaritacea Schmidt; Helix plebeia, Drp.-
Pupa Gredleri, Cless.; P. Ronnebyensis, West.; P. ovoidea, West.; arc-
tica v. Wall.; pineticola West.; Genesii Gdlr.; tumida, West.; collina,
West.; otostoma, West.; gravida, West. Clausilia Silesiaca, Schm.; Pla-
norbis limophilus, West.; Pl. Malmi, West.; Gredleri, Bielz; Clessini,
West. Hydrobia vitrea Drp.; H. Scholtzi, Schm.; Valvata frigida, West.;
ambigua, West.; minuta, Drp. Pisidium curvatum, Blz.; Scholtzi, Cless.
Unio Mülleri, Rssm.; platyrhynchus, Rssm. Dreissena cochleata, Kickx.
T. A. Verkrüzen, Frankfurt a. M.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Nachrichtenblatt der Deutschen Malakozoologischen Gesellschaft](#)

Jahr/Year: 1877

Band/Volume: [9](#)

Autor(en)/Author(s): Verkrüzen T.A.

Artikel/Article: [Tausch-Catalog 12-15](#)