

NEUE ENTOMOLOGISCHE NACHRICHTEN

ISSN 0722-3773

A

Systematic and Synonymic List
of the
Lepidoptera
of the
Maltese Islands

by

PAUL M. SAMMUT

D - 7538 Keltern, 20. 10. 1984
Einzelpreis DM 20,-

13

Author: Paul M. Sammut
"Fawkner 2"
Dingli Road
Rabat
MALTA

NEUE ENTOMOLOGISCHE NACHRICHTEN

Gegründet Mitte 1982 (ISSN 0722-3773). Eine Zeitschrift mit wissenschaftlichen Beiträgen zur Entomologie.

Verlag Erich Bauer, Siedlung 15, D-7538 Keltern

Herausgeber: Erich Bauer und Clemens Brandstetter.

Satz und Gestaltung: Erich Bauer

Druck: Ducke Offsetdruck GmbH, Darmstadt

Bindearbeiten: Willi Hofmann, Darmstadt.

Erscheinungsweise: unregelmäßig; Jahresumfang ca. 350 S.

Jahresbezugspreis: DM 75,- einschl. Porto. Einzelhefte: Preis unterschiedlich.

Bankverbindung: Postscheckamt Karlsruhe 189400-756

Überweisungen aus dem Ausland: nur auf dem Postweg!

Bestellungen und Schriftwechsel: z.Z. an folgende Anschrift:
Erich Bauer, Am Bienenpfad 6 a, D 6845 Groß-Rohrheim.

SCHRIFTENTAU SCH ERWÜNSCHT!

to my mother

PREFACE

The Mediterranean is the heart and the focus of the western part of the Old World. Its coasts and countless islands, belonging to two Continents, house a glorious, varied and rich fauna of Lepidoptera, greedily observed, collected and studied for over two centuries by amateur and professional Lepidopterists alike.

The Maltese Islands are situated at the very centre of this region, with a Lepidopterous fauna of their own, not too abundant as to the number of species, but non the less fascinating because of its adaptations to the hot and arid insular conditions.

Islands have special attraction to many people, so much so that the term "islomania" has been coined for this inclination. This attachment to the island life, flora and fauna also affected many a Lepidopterist and not in the least the undersigned. What makes the islands so fascinating? For the Lepidopterist it is clearly their isolation that accentuates so much the peculiarities of their inhabitants, animals and plants alike, making them so well equipped for survival through their bionomics and endemisms.

This colourful insular world of Lepidoptera however, is far from completely known and many facts about them still have to be discovered. An indespensable tool for this research are surveys of the local fauna. It is surprising therefore, to notice how few of the Mediterranean islands can boast of such local lists. Although many species may have been recorded or described individually, an exhaustive faunistic list is often lacking.

In this respect the Maltese Islands form a favourable exception: here exist popular guides of the butterflies and moths by Mr. Valletta, a Maltese Lepidopterist of long standing.

But the general study of Lepidoptera is a dynamic science, being in continuous progress. New discoveries of taxonomy and nomenclature are being made daily asking for revision of older works.

The appearance of the present systematic and synonymic list of the Maltese Lepidoiptera by Mr.P.M.Sammut, is good news for Lepidopterists. May his effort prove to be a worthy continuation of earlier work and a welcome addition to our knowledge of the Maltese fauna of these insects.

Dr.A.Diakonoff
Rijksmuseum van Natuurlijke
Historie, Leiden, Holland.

INTRODUCTION

A systematic and synonymic list is something new to the literature on Maltese Lepidoptera.

Since the publications of Valletta (1972,1973), the nomenclature has undergone many changes, new species have been added and one or two new taxa have been described.

This list is a systematic arrangement of all the species which have been recorded in print as having been collected or observed in the Maltese Islands, irrespective whether the taxon has been recorded in error or not. Certain species, especially those listed by Paul Borg (1932) are obviously listed in error. But since the collections of Borg and other contemporary Lepidopterists like Caruana-Gatto are no longer extant, it is difficult to single out those species which have been truly collected in Malta. Newly recorded species and errors of misidentifications of the more recent Lepidopterists are also referred to in the appendix.

The basis of this list follows the two recent works by Valletta - The Moths of the Maltese Islands and The butterflies of the Maltese Islands. Personal communication with local collectors and the viewing of private collections have added a small number of species new to us. All the works listed in the Bibliography on Maltese Lepidoptera have been consulted personally.

The systematics and synonymy, where applicable follows largely LERAUT (1980). The systematics of the species not listed in Leraut, (generally N.African and endemic species) have been established by personal communications with the various foreign specialists in their particular field and to whom I feel deeply indebted. In the choice of synonyms, besides those names used for the species mentioned in Maltese literature, a selected number of the more-often used names have been included.

A word of thanks goes to the following specialists who have kindly reviewed, corrected and updated this list: Dr.P.Hattenschwiler (Psychidae), Dr.L.Gozmany (Tineidae, Lyonetiidae, Oecophoridae, Blastobasidae, Symmocidae, Cosmopterigidae, Gelechiidae, Glyphipterigidae, Yponomeutidae, Sesiidae, Choreutidae and all of the Tortricoidea), Dr.G.Baldizzone (Coleophoridae), Dr.W.Sauter (Pyraloidea), Dr.C.Gielis (Pterophoroidea), Dr.D.S.Fletcher (Geometridae), and Dr.B.Skule (Noctuidae).

A special word of thanks goes to Dr.A.Diakonoff, who has been kind enough to go over all the manuscript, suggesting final changes; for writing the Preface and for his constant help and encouragement throughout. The same goes to Mr.A.Valletta for supplying most of the references, for placing his rich collection at my disposal and for his constant help; and to Mr.C.Brandsteter for looking up references which could not be obtained here and for his help in contacting many of the above specialists.

In the list cross reference is made to the check-lists of

Valletta. In Microlepidoptera and Heterocera, the number in bracket refer to the number preceeding the species in Valletta -The Moths of the Maltese Islands. In Rhopalocera, reference is made to the page since the species are not numbered.

The number in a square bracket following a species refer to the appendix. Unless otherwise stated, in the appendix, Borg refers to Paul Borg, The Lepidoptera of the Maltese Islands (1932).

Doubtlessly not long after publication this list will be out of date. Nomenclature never stops changing. Furthermore new species will be recorded for Malta. There is still so much to discover as regards the resident and migratory species in Malta.

Finally I hope that this list will be of some use to both local and foreign students of Lepidoptera and that it will stimulate local students of Entomology to publish similar lists for the other insect Orders. Such lists are very much needed since they constitute the basic tools for the study of the Entomofauna of our Island.

Paul.M.Sammut
Rabat: 2.x.83.

CONTENTS

PREFACE	5.
INTRODUCTION	6.
SYSTEMATIC and SYNONYMIC LIST	9.
ADDENDA & CORRIGENDA	80.
APPENDIX (1)	82.
APPENDIX (2) Present Status of Endemic Lepidoptera.	91.
REFERENCES	98.
INDEX	110.

HEPIALOIDEA
HEPIALIDAE
HEPIALUS Fabricius,1775
HEPIOCUS Illiger,1801
TEPHUS Wallengren,1869

1. *H. humuli* Linneaus,1758 [1]

NANNOLEPIDOPTERA

NEPTICULOIDEA
TISCHERIIDAE
TISCHERIA Zeller,1839

2. *T. angusticollella* Duponchel,1843 (413)
cynosbatella sensu Vallot,1802
caesiella Vallot,1850, nec Hübner,[1813]
aurifrontella Ragonot,1874

INCURVARIINA

INCURVARIOIDEA
INCURVARIIDAE
ERIOCOTTINAE
ERIOCOTTIS Zeller,1847

3. *E. fuscanella* Zeller,1847 (410)

ADELINAE

ADELA Latreille,1796

4. *A. latreillella* Fabricius,1798 (411)
raddaella auct.

5. *A. raddaella* Hübner,1793 (412)

HELIOZELINAE

HOLOCACISTA Walsingham & Durrant,1909

6. *H. rivillei* Stainton,1855 [2]
vitella Vallot,1822, nec Fabricius,1775
uvella Vallot,1838, nec Vallot,1822
rivillella Rondani,1877

DITRYSIA

COSSOIDEA
COSSIDAE
ZEUZERINAE

ZEUZERA Latreille,1804
AEGOLIA Billberg,1820
LATAGIA Hübner,[1820]

7. Z.pyrina Linnaeus,1761 (14)
 aesculi Linnaeus,1767
 hilaris Geoffroy in Fourcroy,1785

COSSINAE

COSSUS Fabricius,1793
TRYPANUS Rambur,1866

8. C.cossus Linnaeus,1758 [3]
 unguiculatus Fabricius,1793
 ligniperda Fabricius,1794

TINEOIDEA

PSYCHIDAE
LYPUSINAE

PENESTOGLOSSA Roghenhofer,1875
PSILOTHRIX Wocke,1871, nec Kuester,1850
DYSELPISTIS Meyrick,1938
ULOTHRIX Rebel,1940

9. P.dardoinella Millière,1865 (166)
 incerta Millière,1886
 symmathetica Meyrick,1938

TALEPORIINAE

SCIOPETRIS Meyrick,1891

10. S.melitensis Rebel,1919 [4]

OIKETICINAE

APTERONA Millière,1857
COCHLIOTHECA Rambur,1866
COCHLOPHANES Staudinger & Wocke,1871
COCHLOPHORA Siebold,1871

11. A.helicinella Herrich-Schäffer,1846 [5]

PHALACROPTERIX Hübner,[1825]
PHALACROPTERYX Agassiz,1846
ARCTUS Rambur,1866
STENOPHANES Heylaerts,1881

12. *P.apiformis* Rossi,1790 (166a)
 fucella Hübner,1793
 apiformella Bruand,1853
- OIKETICOIDES* Heylaerts,1881
 AMICTA auct.
 AMICTOIDES Gerasimov,1937
13. *O.tedaldii* Heylaerts,1882 (165a)
- TINEIDAE
 SCARDIINAE
- MOROPHAGA* Herrich-Schäffer,1853
 MICROSCARDIA Amsel,1952
14. *M.choragella* Denis & Schiffermüller,1775 (390)
 boleti Fabricius,1777
 fungella Thunberg,1794
 mediella Hübner,1796
15. *M.morella* Duponchel,1838 (391)
- MYRMECOZELINAE
- ATELIOTUM* Zeller,1839
 DYSMASIA Herrich-Schäffer,1852
16. *A.insulare* Rebel,1896 [6]
- RHODOBATES Ragonot,1895
17. *R.tibulella* Rebel,1936 (405)
- NEMAPOGONINAE
- HAPLOTINEA Diakonoff & Hinton,1956
18. *H.ditella* Pierce & Metcalfe,1938 (400)
 misella sensu Pierce & Metcalfe,1935
- ANTITINEA Amsel,1955
19. *A.deluccae* Amsel,1955 (401)
- PROTEROSPASTIS Meyrick,1937
 PARATINEA Peterson,1937
20. *P.merdella* Zeller,1847 (402)

NEMAPOGON Schrank,1802
DIAPHTHIRUSA Hübner,[1825]
LONGIDUCTUS Zaguljaev,1964
PARANEMAPOGON Zaguljaev,1964

21. N.granella Linnaeus,1758 (395)
fenestrella Scopoli,1763
?nebulosella Geoffroy in Fourcroy,1785
tesserella Fabricius,1794

PREACEDES Amsel,1954

22. P.thecophora Walsingham,1908 (394)
deluccae Amsel,1954

TINEINAE

MONOPIS Hübner,[1825]
BLABLOPHANES Zeller,1852
HYALOSPILA Herrich-Schäffer,1853

23. M.ferruginella Hübner,[1813] [7]
splendella Hübner,[1813]
ustella sensu Haworth,1828

24. M.rusticella Hübner,1796 (408)
saturella Haworth,1828
vestianella sensu Stephens,1834

25. M.crocicapitella Clemens,1859 (407)
hyalinella Staudinger,1870
lombardica O.Hering,1889
heringi Richardson,1893

26. M.nigricantella Millière,1872 (406)
f.zelleri Caradja,

27. M.imella Hübner,[1813]

FERMOCELINA Hartig,1950

28. F.cubiculella Staudinger,1859 (403)

29. F.mauritanica Baker,1895 (404)
melitensis Amsel,1950

TRICHOPHAGA Ragonot,1894

30. T.tapetzella Linnaeus,1758 (392)

31. T.abruptella Wollaston,1858 (393)
bipartitella Ragonot,1892
desertella Mabille,1907

TINEOLA Herrich-Schäffer, 1853

32. T.bisselliella Hummel, 1823 [8]
 ?melanopis Geoffroy in Fourcroy, 1758
 vestianella auct.
 crinella Sodoffsky, 1830
 destructor Stephens, 1834
 lanariella Clemens, 1859
 biselliella auct. (error)
- NIDITINEA G.Petersen, 1957
TINEIDIA Zaguljaev, 1960
33. N.fuscipunctella Haworth, 1828 (399)
 ?spretella Denis & Schiffermüller, 1775
 ignotella Walker, 1864
 eurinella Zaguljaev, 1952
 distans Gozmány, 1959
- TINEA Linnaeus, 1758
TINAEA Geoffroy, 1762 nomen reject.
AUTOSES Hübner, [1825]
DYSTINEA Borner, 1925
34. T.pellionella Linnaeus, 1758 (396)
 ?albella O.G.Costa, [1836], nec, Thunberg, 1788
35. T.murariella Staudinger, 1859 (398)
 bipunctella Ragonot, 1874
36. T.basifasciella Ragonot, 1895 (397)
 f.palaestinella Amsel,
37. T.atomosella Walker, 1863 [9]

LYONETIIDAE
BEDELLIINAE

BEDELLIA Stainton, 1849

38. B.somnulentella Zeller, 1847 (386)

GRACILLARIIIDAE
GRACILLARIINAE

DIALECTICA Walsingham, 1897
EUTRICHOCNEMIS Spuler, 1910

39. D.scalariella Zeller, 1850 (385)

GELECHIOIDEA

ETHMIIDAE

ETHMIA Hübner, [1819]
PSECADIA Hübner, [1825]
ANESYCHIA Hübner, [1825]
MELANOLEUCA Stephens, 1829
AEDIA Duponchel, 1837, nec Hübner, [1823]
CHALYBE Duponchel, 1837

40. E.bipunctella Fabricius, 1775 [10]
echiella Denis & Schiffermüller, 1775
hochenwartiella Rossi, 1790

OECOPHORIDAE
OECOPHORINAE

BATIA Stephens, 1834
DISCOLATA Spuler, 1910
CHIROCOMPA Meyrick, 1914
CHIROCAMPA auct. (error)

41. B.lunaris Haworth, 1828 (345)
metznerella Treitschke, 1835
begrandella Duponchel, 1842
clavella Herrich-Schäffer, 1854

ESPERIA Hübner, [1825]
DASYCERUS Haworth, 1828, nec Brongniart, 1800
DASYCERA Stephens, 1829
STENOPTERA Duponchel, 1838
GNAPHALODOCERA Blanchard, 1840
HERMIONA Blanchard, 1845

42. *E.sulphurella* Fabricius,1775 (344)
annulifera Geoffroy in Fourcroy,1785
orbonella Hübner,[1813]
ambiguellus O.G.Costa,[1836]
EPICALLIMA Dyar,1902
43. *E.formosella* Fabricius,1787 (340)
- DEPRESSARIINAE
- DEPRESSARIA Haworth,1811
VOLUCRUM Berthold in Latreille,1827
VOLUCRA Latreille in Cuvier,1829
SCHISTODEPRESSARIA Spuler,1910
44. *D.marcella* Rebel,1901 (338)
cuprinella Walsingham,1907
chneouriella D.Lucas,1940
45. *D.veneficella* Zeller,1847 (339)
46. *D.depressana* Fabricius,1775 [11]
depressella Fabricius,1798
bluntii Curtis,1828
- AGONOPTERIX Hübner,[1825]
EPELEUSTIA Hübner,[1825]
PINARIS Hübner,[1825]
DREPANULA Frölich,1828
AGONOPTERYX Busck,1908
47. *A.thapsiella* Zeller,1847 (335)
thapsiae Herrich-Schäffer,1854
feruliphila Millière,1866
48. *A.adspersella* Kollar,1832 (334)
athamaniticella Heinemann,1870
amanthicella Staudinger,1901
sabulatella Turati,1919
49. *A.propinquella* Treitschke,1835 (332a)
50. *A.rutana* Fabricius,1794 (332)
retiferella Zeller,1850
51. *A.yeatiana* Fabricius,1781 (336)
albidana Donovan,1806
yeatsana Stephens,1834
ventosella Reutti,1853
altricornella Mann,1855
oglatella Chrétien,1915

52. *A.subpropinquaella* Stainton,1849 (333)
 rhodochrella Herrich-Schäffer,1854
 sublutella Staudinger,1859
 amilcarella D.Lucas,1951
53. *A.assimilella* Treitschke,1832 (337)
 irrorella Stephens,1834

PTEROLONCHIDAE

PTEROLONCHE Zeller,1847

54. *P.albescens* Zeller,1847 (373)
55. *P.pulverulenta* Zeller,1847 (374)
56. *P.vallettae* Amsel,1955 (375)

COLEOPHORIDAE

COLEOPHORA Hübner,1822
 EUPISTA Hübner,[1825]
 HAPLOPTILIA Hübner,[1825]
 APISTA Hübner,[1825]
 PORRECTARIA Haworth,1828
 DAMOPHILA Curtis,1832
 ASTYAGES Stephens,1834
 METALLOSETIA Stephens,1834
 CASAS Wallengren,1881
 CASIGNETA Wallengren,1881,nec Brunner v.Wattenwyl,1878

57. *C.conyzae* Zeller,1868 [12]
 mellechella Toll,1962
 angustilinea Toll,1962
58. *C.calycotomella* Stainton,1869 (382)
 sarothamni Rössler,1877
59. *C.versurella* Zeller,1849 (383)
 pallorella Benander,1939
 constantii Hering,1942
 klimeschi Vlach,1942
60. *C.crepidinella* Zeller,1849 [13]
 betae Falkovitsh,1978
61. *C.binotapennella* Duponchel,1843 (384)
 binotatella Zeller,1849

BLASTOBASIDAE

BLASTOBASIS Zeller,1855
 AGNOEA Walsingham,1907

62. *B.phycidella* Zeller,1839 (346)

HOLCOPOGONIDAE

OECIA Walsingham,1897

63. *O.oecophila* Staudinger,1876 (347)

SYMMOCIDAE

APATEMA Walsingham,1900

64. *A.mediopallidum* Walsingham,1900 (352)

minor Rebel,1916

bifasciatum Chrétien,1922

proteroclina Meyrick,1938

fasciata auct.

melitensis Amsel,1952

OECOGONIA Stainton,1854

65. *O.quadripunctata* Haworth,1828 (348)

bifasciella sensu Stephens,1834

66. *O.deluccai* Amsel,1952 (349)

SYMMOCA Hübner,[1825]

67. *S.sparsella* de Joannis,1891 (341)

68. *S.signatella* Herrich-Schäffer,1855

ssp.melitensis Amsel,1954 (342)

PANTACORDIS Gozmány,1954

69. *P.pallida* Staudinger,1876 (343)

BATRACHEDRIDAE

BATRACHEDRA Herrich-Schäffer,1853

EUSTAINTONIA Spuler,1910

70. *B.phragmitidella* Mariani,1936 (377)

COSMOPTERIGIDAE

COSMOPTERIGINAE

COSMOPTERIX Hübner,[1825]

COSMOPTERYX Zeller,1839

71. *C.parietariae* M.Hering,1931 (380,

72. *C.coryphaea* Walsingham,1901 (379)
 donatellae Mariani,1933
 formosa Amsel,1935
- PYRODERCES Herrich-Schäffer,1853
73. *P.argyrogrammos* Zeller,1847 (378)
- ETEOBALEA Hodges,1962
 PARASTAGMATOPHORA Reidl,1965
74. *E.serratella* Treitschke,1833 (376)
 sareptensis Walsingham,1907
 cinereocapitella von Caradja,1920
- GELECHIIDAE
 ANOMOLOGINAE
- METZNERIA Zeller,1839
 CLEODORA Stephens,1834, nec Peron & Lesmeur,1810
 PARASIA Duponchel,[1846]
 ARCHIMETZNERIA Amsel,1936
75. *M.aestivella* Zeller,1839 (364)
 carlinella Stainton,1851
 selaginella Mann,1855
 torridella Mann,1859
76. *M.castiliella* Moschler,1866 (362,363) [14]
 eatonii Walsingham,1899
- APODIA Heinemann,1870
77. *A.bifractella* Duponchel,1843 (371)
- EULAMPROTES Bradley,1971
 LAMPROTES Heinemann,1870, nec Reichenbach,Leipzig.1817
 ARGYRITIS Heinemann,1870, nec Hübner,[1821]
78. *E.atrella* Haworth,1829 (406)
 nigritella Zeller,1847
- PTOCHEUUSA Heinemann,1870
 SYNEUNETIS Wallengren,1881
79. *P.paupella* Zeller,1847 (356)
 inulella Curtis,1850
- GELECHIINAE
- EPIDOLA Staudinger,1859
80. *E.melitensis* Amsel,1955 (372)

MEGACRASPEDUS Zeller, 1839

81. M.lativalvellus Amsel, 1954 (369)
TELEIODES Sattler, 1960
TELEIA Heinemann, 1870, nec Hübner, [1825]
TELPHUSA auct.
CARPATOLECHIA Căpușe, 1964
82. T.paripunctella Thunberg, 1794 (354)
triparella Zeller, 1839
83. T.tamariciella Zeller, 1850 (353)
ORNATIVALVA Gozmány, 1955
84. O.heluanensis Debski, 1913 (352a)
PHTHORIMAEA Meyrick, 1902
85. P.operculella Zeller, 1873 (360)
terrella Walker, 1864, nec Denis & Schiffermüller, 1775
solanella auct.
SCROBIPALPA Janse, 1951
86. S.ocellatella Boyd, 1858 (359)
ocellatella Stainton, 1859
submissella Stainton, 1859
PECTINOPHORA Busck, 1917
87. P.gossypiella Saunders, 1843 (358)
THYRSOSTOMA Meyrick, 1907
88. T.guerini Stainton, 1858 (381)
UNCUSTRIODONTA Agenjo, 1952
89. U.trinotella Herrich-Schäffer, 1856 (361)
STOMOPTERYX Heinemann, 1870
90. S.basalis Staudinger, 1876 (357)
oxychalca Meyrick, 1937
91. S.mitrella Walsingham, 1905 (370)
SCHUTZEIA Spuler, 1910
92. S.polychromella Rebel, 1902 (365)

CHELARIINAE

SITOTROGA Heinemann, 1870

93. S.cerealella Olivier, 1789 (366)

PLATYEDRA Meyrick, 1895

94. P.subcinerea Haworth, 1828 (355)
vilella Zeller, 1847

ANARSIA Zeller, 1839

ANANARSIA Amsel, 1959

95. A.lineatella Zeller, 1839 (351)
albilineella Bruand, 1859

DICHOMERINAE

ONEBALA Walker, 1864

DECTOBATHRA Meyrick, 1904

96. O.lamprostoma Zeller, 1847 (368)

GLYPHIPTERIGIDAE

GLYPHIPTERIX Hübner, [1825]

HERIBEIA Stephens, 1829

AECHMIA Treitschke, 1833

GLYPHIPTERYX Zeller, 1839, nec Curtis, 1827

GLYPHOPTERYX Agassiz, 1846

ANACAMPSOIDES Bruand, [1851]

97. G.equitella Scopoli, 1763 [15]
pernicipennella O.G.Costa, [1836]
?angulosella O.G.Costa, [1836]
majorella Heinemann, [1876]

YPONOMEUTOIDEA

YPONOMEUTIDAE

YPONOMEUTINAE

PRAYS Hübner, [1825]

PEPILLA Guenée, 1845

98. P.oleae Bernard, 1788 (360)
oleellus Fabricius, 1794
oliviella Boyer, 1837
adspersella Herrich-Schäffer, 1851

99. P.citri Millière, 1873 (387a)

PLUTELLINAE

PLUTELLA Schrank,1802
EUOTA Hübner,[1825]
CREAGIA Sodoffsky,1837

100. P.xylostella Linnaeus,1758 (388)
cinerea Geoffroy in Fourcroy,1785
maculipennis Curtis,1832
cruciferarum Zeller,1843

RHIGOGNOSTIS Staudinger,1857
CAUNACA Wallengren,1880
SUBEIDOPHASIA Weber,1938

101. R.megapterella Bentinck,1934 (389)

SESIODEA

SESSIIDAE
SESIINAE
AEGERIINI

BEMBECIA Hübner,[1819]
PYROPTERON Newman,1832
PYROPTERUM Agassiz,1846
SANNINA Walker,1856
DIPSOSPHECIA Spuler,1910

102. B.scopigera Scopoli,1736 [16]
ichneumoniformis Denis & Schiffermüller,1775
rhagioniformis Hübner,1796
ophioniformis Hübner,[1813]
systrophaeformis Hübner,[1813]
statuiformis Freyer,1836
?oxybeliformis Boisduval,1840

CHAMAESPHECIA Spuler,1910

103. C.aerifrons Zeller,1847 [17]

104. C.cruentata Mann,1859 (330)

105. C.anthraciformis Rambur,1832 (331)

CHOREUTIDAE

TEBENNA Billberg,1820
PROPE Hübner,[1825]:414, nec 373

106. *T.bjerkandrella* Thunberg,1784 (310)
 cardui Ström,1783, nomen oblitum
 vibrana Hübner,[1813]
 fibrana Hübner,[1825]

CHOREUTIS Hübner,[1825]
EUTROMULA Frölich,1828
MACROPIA O.G.Costa,(1836)
HEMEROPHILA auct.
ORCHEMIA auct.
ENTOMOLOMA Ragonot,1875
ALLONONYMA Busck,1904

107. *C.nemorama* Hübner,[1799] (309)
 incalis Treitschke,1829

TORTRICOIDEA

TORTRICIDAE
TORTRICINAE
ARCHIPINI

ARCHIPS Hübner,1822
CACOECIA Hübner,[1825]
ARCHIPPUS Freeman,1958

108. *A.rosana* Linnaeus,1758 [18]
 avellana Linnaeus,1758
 ameriana Linnaeus,1758
 laevigana Denis & Schiffermüller,1775
 oxycaudata Hübner,[1799]
 acerana Hübner,[1799]
 nebulana Stephens,1834

CACOECIMORPHA Obraztsov,1954

109. *C.pronubana* Hübner,[1799] (283)
 ambustana Frölich,1830
 hermineana Duponchel,1835
 perochreana Herrich-Schäffer,1856

APHELIA Hübner,[1825]

110. *A.amplana* Hübner,[1813] (282)
 peramplana Hübner,[1825]

- 110a. *A.amplana* Hübner,[1813] f.*vallettai* Bradley,1953 (282)

CLEPSIS Guenée,1845
SICLOBOLA Diakonoff,1947
PSEUDOAMELIA Obraztsov,1954

111. *C.unicolorana* Duponchel,1835 [19]
 aspodelana Herrich-Schäffer,1851
 labatiana Breignet,1890
 iberica von Kennel,1910
112. *C.consimilana* Hübner,[1817] (279)
 flavana Duponchel,1835, nec Hübner,[1799]
 unifasciana Duponchel,1842
113. *C.neglectana* Herrich-Schäffer,1851 [20]
 betulifoliana Lederer,1859
 striolana Ragonot,1879
- HASTULA Milliere,1858
114. *H.hyerana* Millière,1858 (278)
 reynana Staudinger,1861

CNEPHASIINI

- CNEPHASIA Curtis,1826
 SCIAPHILA Treitschke,1829
 PERIBROSCA Gistel,1848
 HYPOSTEPHANUNCIA Real,1951
 ANOPLOCNEPHASIA Real,1953
 BRACHYCNEPHASIA Real,1953

115. *C.longana* Haworth,[1811] (280)
 ictericana Haworth,[1811]
 eganana Haworth,[1811]
 expallidana Haworth,[1811]
 capillana Guenée,1845
 loewiana Zeller,1847
 stratana Zeller,1847
 gratana de la Harpe,1860

116. *C.gueneana* Duponchel,1836 (281)
 segetana Zeller,1847

117. *C.orientana* Alphéraky,1876 [21]

TORTRICINI

- ACLERIS Hübner,[1825]
 PERONEA Curtis,1824, nec Rafinesque,1815
 LOPAS Hübner,[1825]
 RHACODIA Hübner,[1825]
 ECLECTIS Hubner,[1825]
 TELEIA Hübner,[1825]
 OXIGRAPHA Hübner,[1825]
 AMELIA Hübner,[1825]

106.

- PERONAEA Stephens, 1829, nec Poli, 1791
LEPTOGRAMMA Stephens, 1829
GLYPHISIA Stephens, 1829
CHEIMATOPHILA Stephens, 1829
TERAS Treitschke, 1829
PHLOIOPHILA Duponchel, 1834
PHLOEOPHILA Duponchel, 1834
GLYPHIPTERA Duponchel, 1835
ACALLA auct.

118. A.variegana Denis & Schiffermüller, 1775 [22]

asperana Fabricius, 1777

osbeckiana Thunberg, 1784

107.

nyctemerana Hübner, [1817]

blandana Hübner, [1825]

cirrana Curtis, 1835

albana Humphreys & Westwood, 1845

insignana Herrich-Schäffer, 1851

OLETHREUTINAE

OLETHREUTINI

HEDYA Hübner, [1825]

EPISAGMA Hübner, [1825]

PENDINA Treitschke, 1829

PENTHINA Treitschke, 1830

108.

119. H.nubiferana Haworth, 1811 (294)

variegana Hübner, [1799], nec Denis &

Schiffermüller, l

LOBESIA Guenée, 1845

120. L.botrana Denis & Schiffermüller, 1775 (295)

rosmarinana Millière, 1865

109.

121 L.porrectana Zeller, 1847 [23]

BACTRA Stephens, 1834

APHELIA Stephens, 1829, nec Hübner, [1825]

LEPTIA Guenée, 1845

122. B.robustana Christoph, 1872 (301)

110

scirpicolana Pierce & Metcalfe, 1935

123. B.lancealana Haworth, (1799) (299)

110:

pauperana Haworth, [1811]

dibeliana Hübner, [1819]

lanceolana Hübner, 1822

nigrivittana Stephens, 1852

B.furfurana Haworth,[1811] (302)
lamana Lienig & Zeller,1846
canuisana Milliere,1847
lacteana von Caradja,1916

B.venosana Zeller,1847 (300)

EUCOSMINI

GYPSONOMA Meyrick,1895

G.dealbana Frolich,1828 (303)
incarnana sensu Haworth,1811
alnetana Guenée,1845

PELOCHRISTA Lederer,1859
PSEUDOECOSMA Obraztsov,1946

P.praefractana Kennel,1901 (296)

SPILONOTA Stephens,1829

S.ocellana Denis & Schiffermüller,1775 [24]

PSEUDOCOCCYX Swatschek,1958
SUBEPIBLEMA Agenjo,1955 nomen invalid.

P.tessulatana Staudinger,1871 (285)

RHYACIONIA Hübner,[1825]

R.buoliana Denis & Schiffermüller,1775 (284)
gemmana Hübner,[1819]

LASPEYRESIINI

SELANIA Stephens, 1834

131. *S.leplastriana* Curtis, 1831 (307b)
gueriniana Duponchel, 1836
leplestrierana, error.

132. *S.capparidana* Zeller, 1847 (306)

PAMMENE Hübner, [1825]

- PALLA Billberg, 1820, nec Hübner, [1819]
HEMIMENE Hübner, [1825]
PSEUDOTOMIA Stephens, 1829
HEUSIMENE Stephens, 1834
PYRODES Guenée, 1845, nec Audinet-Serville, 1832
HEMEROSIA Stephens, 1852
PHTHOROBLASTIS Lederer, 1859
SPHAEROECA Meyrick, 1895, nec Lauterborn, 1849
METASPHAEROECIA Fernald, 1908

133. *P.fasciana* Linnaeus, 1761 (308)

- juliana Stephens, 1835
nimbana Herrich-Schäffer, 1851
herrichiana Heinemann, 1854

CYDIA Hübner, [1825]

- LASPEYRESIA Hübner, [1825], nec
Reichenbach, Liepzig, 1817
EUCELIS Hübner, [1825]
CARPOCAPSA Treitschke, 1829
TRYCHERIS Guenée, 1845
ORCHEMIA Guenée, 1845
CERATA Stephens, 1852
CROBYLOPHORA von Kennel, 1910, nec Meyrick, 1880
KENNELIOLA Paclt, 1951
PHANETOPREPA Obraztsov, 1968

134. *C.pomonella* Linnaeus, 1758 (304)

- pomona Fabricius, 1775
pomonana Denis & Schiffermüller, 1775
nitens Geoffroy in Fourcroy, 1785
aeneana de Villers, 1789

135. *C.molybdana* Constant, 1884 (305)

136. *C.dorsana* Fabricius, 1775 (307a)

137. *C.compositella* Fabricius, 1775 (307)
quadratella Geoffroy in Fourcroy, 1785
gundiana Hübner, [1799]
composana Duponchel, 1836

COCHYLIDAE

TRACHYSMIA Guenée,1845

HYSTEROSIA Stephens,1852

IDIOGRAPHIS Lederer,1859

PROPIRA Durrant,1914

139. T.rectangulana Chrétien,1915 (289)

140. T.duponchelana Duponchel,1843 (293)
gloriosana Herrich-Schäffer,1851
syriaca Walsingham,1900

STENODES Guenée,1845

COCHYLIMORPHA Razowski,1960

EUXANTHOIDES Razowski,1860

BLESZYNSKIELLA Razowski,1960

141. S.chamomillana Herrich-Schäffer,1851 (288)
pentactinana Mann,1855

142. S.straminea Haworth,1811 (292)
tischerana Treitschke,1830
sudana Duponchel,1836
substraminea Ragonot,1895

PHALONIDIA Le Marchand,1933

PIERCEA Filipjev,1940

143. P.contractana Zeller,1847 (287)
manifestana von Kennel,1900

AETHES Billberg,1820

PHALONIA Hübner,[1825]

CHLIDONIA Hübner,[1825]

DAPSILIA Hübner,[1825]

CHROSIS Guenée,1845

CIRRIAETHES Razowski,1962

144. A.bilbaensis Rössler,1877 (291)
loxopterooides Walsingham,1903
mediterranea Rebel,1906

145. A.deaurana H.de Peyerimhoff,1877 [26]

146. A.francillana Fabricius,1794 (286)
francillonana Humphreys & Westwood,1845
ferulae Müller-Rutz,1920

COCHYLIDIA Obraztsov,1956

147. *C.heydeniana* Herrich-Schäffer,1851 (290)
 pudorana Staudinger,1859
 erigerana Walsingham,1891
 sabulicola Walsingham,1900

ACROCLITA Lederer,1859

148. *A.subsequana* Herrich-Schäffer,1851 (297)

CROCIDOSEMA Zeller,1847

149. *C.plebejana* Zeller,1847 (298)

ALUCITOIDEA

ALUCITIDAE

ALUCITA Linnaeus,1758

~~ORNEODES~~ Latreille,1796 nomen reject.

 EUCHIRADIA Hübner,[1825]

 ALUCITINA Heydenreich,1851

150. *A.hexadactyla* Linnaeus,1758 [27]
 polydactyla Hübner,[1813]

151. *A.grammodactyla* Zeller,1841 (329)
 perittodactyla Staudinger,1859

PYRALOIDEA

PYRALIDAE

CRAMBINAE

EUCHROMIUS Guenée,1845

 EUROMENE Hübner,[1825], nec Hübner,[1821]

 OMMATOPTRYX Kirby,1897

152. *E.cambridgei* Zeller,1867 (174)
 luciella Chrétien,1907

153. *E.ocellea* Haworth,1811 (173)
 funiculella Treitschke,1832

AGRIPHILA Hübner,[1825]

154. *A.trabeatella* Herrich-Schäffer,(1848) (170,171) [28]
 divisellus de Joannis,1889
- PEDIASIA Hübner,[1825]

155. *P.siculella* Duponchel,1836 (172)

ANCYLOLOMIA Hübner,[1825]

156. A.tentaculella Hübner,1796 (175)
tentaculea Haworth,1811
irakella Amsel,1949

157. A.pectinatella Zeller,1847 (176)

158. A.minutella Turati,[1926] [29]

SCOPARIINAE

- SCOPARIA Haworth,1811
EUDOREA Curtis,1827
CHOLIUS Guenée,1845
EUDORIA Chapman,1912

159. S.pyralella Denis & Schiffermüller,1775 [30]

- arundinata Thunberg,1792
dubitalis Hübner,1796
dubitá Haworth,1811
pyralea Haworth,1811
tristigella Stephens,1834
dubitella Duponchel,[1845]
pyralalis Guenée,1845

- EUDONIA Billberg,1820
BOIEA Zetterstedt,[1839]
WITLESIA Chapman,1912
DIPLEURINA Chapman,1912
EUDORIA sensu Marion,1959

160. E.angustea Curtis,1827 (251)

- coarctata Zeller,1846
coarctalis Guenée,1854
napolitalis Millière,1870
vafra Meyrick,1913

CYBALOMIINAE

- HYPERLAIS Marion,1959
HYPOLAIS Guenée,1854, nec Kaup,1829
CYBALOMIA auct

161. H.nemausalis Duponchel,1834 [31]

NYMPHULINAE

- PARAPOYNX Hübner,[1825]
PARAPONYX auct.
PSEUDOPARAPONYX Patocka,1950

162. *P.stagnata* Donovan,1806 (247)
stagnalis Guenée,1854

EVERGESTINAE

- EVERGESTIS Hübner,[1825]
MESOGRAPHE Hübner,[1825]
HOMOCHROA Hübner,[1825]
SCOPOLIA Hübner,[1825]
OROBENA Guenée,1854
PIONEA auct.
CORNIFRONS Lederer,1858
VENTOSALIS Marion,1957

163. *E.renatalis* Oberthür,1887 (257)

164. *E.desertalis* Hübner,[1841] (258)

165. *E.ulceratalis* Lederer,1858 (270)

166. *E.isatidalis* Duponchel,1833 (259)

167. *E.pallidata* Hufnagel,1767 [32]
staminalis Hübner,1793
elutalis sensu Hübner,1796
stramentalis Hübner,[1825]

ODONTIINAE

- CYNAEDA Hübner,[1825]

168. *C.dentalis* Denis & Schiffermüller,1775 (266)

- APORODES Guenée,1854

169. *A.floralis* Hübner,[1809] (272)
siculalis Duponchel,1833
conversalis Duponchel,1834

- TEGOSTOMA Zeller,1847

170. *T.comparalis* Hübner,1796 (271)

171. *T.subditalis* Zeller, [33]

172. *T.erubescens* Christoph,1876-1877 (276)

GLAPHYRIINAE

- HELLULA Guenée,1854

- OEOBIA Hübner,[1825], nomen reject.,1959

173. *H.undalis* Fabricius,1781 (256)

PYRAUSTINAE

PYRAUSTA Schrank,1802

BOTYS Latreille,[1802]

PYRAUSTES Billberg,1820

SYLLYTHRIA Hübner,[1825]

PERILYPA Hübner,[1825]

PORPHYRITIS Hübner,[1825]

HAEMATIA Hübner,[1825]

ENNYCHIA Treitschke,1828

HERBULA Guenée,1854

RHODARIA Guenée,1854

174. *P.aurata* Scopoli.1763 [34]

punicealis Denis & Schiffermüller,1775

175. *P.sanguinalis* Linnaeus,1767 (274)

haematalis Hübner,[1819]

176. *P.cespitalis* Denis & Schiffermüller,1775 (273)

sordidalis Hübner,1796

intermedialis Duponchel,1834

177. *P.meridionalis* Staudinger,1880 (275)

URESIPHITA Hübner,[1825]

178. *U.limbalis* Denis & Schiffermüller,1775 (265)

gilvata Fabrcius,1794

polygonalis auct.

diversalis auct.

ACHYRA Guenée,1849

178. *A.nudalis* Hübner,1796 (261)

interpunctalis Hübner,1796

unipunctalis Duponchel,1833

bipunctalis Duponchel,1833

180. *A.emiralis* Oberthür,1888 (263)

EURRHYPARA Hübner,[1825]

181. *E.hortulata* Linnaeus,1758 [35]

urticata Linnaeus,1761

urticalis Denis & Schiffermüller,1775

hortulana Geoffroy in Fourcroy,1785

PERINEPHELA Hübner,[1825]

182. *P.lancealis* Denis & Schiffermüller,1775 [36]
 glabralis Fabricius,1794
 longalis Haworth,1811
- EBULEA Doubleday,1849
183. *E.testacealis* Zeller,1847 (268)
 rubetralis Guenée,1854
 oxybiellus Millière,1872
184. *E.crocealis* Hübner,1796 [37]
 ochrealis auct.
- UDEA Guenée,1845
 HAPALIA auct.
 SCOPULA sensu Guenée,1854
185. *U.lutealis* Hübner,[1809] [38]
 pascualis Lienig & Zeller,1846
 etialis Guenée,1854
186. *U.ferrugalis* Hübner,1796 (269)
 martialis Guenée,1854
- MECYNA Doubleday,1849
187. *M.asinalis* Hübner,[1819] [39]
 NOMOPHILA Hübner,[1825]
 STENOPTERYX Guenée,1854, nec Agassiz,1846
188. *N.noctuella* Denis & Schiffermüller,1775 (260)
 hybridalis Hübner,1796
- DOLICHARTHRIA Stephens,1834
 STENIA Guenée,1845
189. *D.bruguieralis* Duponchel,1833 (249)
 DUPONCHELIA Zeller,1874
190. *D.fovealis* Zeller,1847 (248)
 canuisalis Millière,1868
- ANTIGASTRA Lederer,1863
191. *A.catalaunalis* Duponchel,1833 (264)
 DIASEMOPSIS Munroe,1957
192. *D.ramburialis* Duponchel,1834 (263)

METASIA Guenée, 1854

CLASPERIA Hartig & Amsel, 1952

193. M.corsicalis Duponchel, 1833 (267)
infidalis Mann, 1855

HYDRIRIS Meyrick, 1885

SPANISTA Lederer, 1863, nec Foertser, 1862

ERCTA auct.

ANTIERCTA Amsel, 1956

194. H. ornatalis Duponchel, 1834 (253)
saturnalis Treitschke, 1835
pulchellalis Mabille, 1879, nec Millière, 1873

ARNIA Guenée, 1848

195. A.nervosalis Guenée, 1848 (250)

PLEUROPTYA Meyrick, 1890

HARITALA sensu Marion, 1957

LYPOTIGRIS auct.

NOTARCHA auct.

SYLEPTA auct.

196. P.ruralis Scopoli, 1763 (254)
verticalis sensu Denis & Schiffermüller, 1775
?perpendicularis Duponchel, 1833

PALPITA Hübner, [1808]

DIAPHANIA Hübner, 1818

HAPALIA Hübner, 1818

CONCHIA Hübner, 1821

EUDIOPTIS Hübner, [1825]

MARGARONIA Hübner, [1825]

MARGARODES Guenée, 1854, nec Sandberger, 1842

197. P.unionalis Hübner, 1796 (255)

198. P.incoloralis Guenée, 1854 [40]

SPOLADEA Guenée, 1854

199. S.recurvalis Fabricius, 1775 (252)

EUCLASTA Lederer, 1855

200. E.splendidalis Herrich-Schäffer, 1848 [41]

PYRALINAE

SYNAPHE Hübner,[1825]

CLEDEOBIA auct.

BOTYS auct.

201. *S.punctalis* Fabricius,1775 [42]
angustalis Denis & Schiffermüller,1775

ACTENIA Guenée,1854
202. *A.brunnealis* Treitschke,1829 (244)

PYRALIS Linnaeus,1758
ASOPIA Treitschke,1828
203. *P.farinalis*,Linnaeus,1758 (243)
erecta Geoffroy in Fourcroy,1785

THERAPNE Ragonot,1890
204. *T.obsoletalis* Mann,1864 (242)
corsicalis Guenée,1854, nec Duponchel,1833

AGLOSSA Latreille,1796
205. *A.caprealis* Hübner,[1809] (241)
capreolatus Haworth,1811
cuprealis auct.
206. *A.pinguinalis* Linnaeus,1758 (240)
marmorella Geoffroy in Fourcroy,1785
mormoratella de Villers,1789
streatfieldii Curtis,1833

ULOTRICHA Lederer,1863
207. *U.egregialis* Herrich-Schäffer,1838 (238)

DATTINIA Ragonot,1887
CONSTANTIA Ragonot,1887, nec Dybowski,1874
208. *D.staudingerialis* Ragonot,1891 (245)
209. *D.ocelliferalis* Ragonot,1887 (246)

ENDOTRICHA Zeller,1847
210. *E.flammealis* Denis & Schiffermüller,1775 (239)
flameatus Haworth,1809

HYPOTIA Zeller,1847
211. *H.corticalis* Denis & Schiffermüller,1775 (239)

GALLERIINAE

GALLERIA Fabricius, 1798

CERIOCLEPTA Sodoffsky, 1837

VINDANA Walker, 1866

212. *G.mellonella* Linnaeus, 1758 (169)

cereana Linnaeus, 1767

cerella Fabricius, 1775

cerea Haworth, 1811

cerealis Hübner, [1825]

austrinia Felder, 1874

ACHROIA Hübner, [1819]

MELIPHORA Guenée, 1845

213. *A.grisella* Fabricius, 1794 (167)

aluearia Fabricius, 1798

cinereola Hübner, [1803]

alvea Haworth, 1811

alveariella Guenée, 1848

CORCYRA Ragonot, 1885

214. *C.cephalonica* Stainton, 1866 (166a)

LAMORIA Walker, 1863

HORNIGIA Ragonot, 1885

215. *L.anella* Denis & Schiffermüller, 1775 (168)

PEORIINAE

HYPNOTROPA Zeller, 1848

216. *H.vulneratella* Zeller, 1847 (180)

EMATHEUDES Zeller, 1867

217. *E.punctella* Treitschke, 1833 (181)

PHYCITINAE

ANERASTIA Hübner, [1825]

PRINANERASTIA Hampson, 1918

218. *A.lotella* Hübner, [1813] (177)

miniosella Zincken, 1818

ephestiella Viard, 1915

219. *A.gilvella* Ragonot, 1887 (178)

- EMMALOCERA Ragonot,1888
220. E.palaearctella Turati,1916 (179)
- CRYPTOBLABES Zeller,1848
221. C.gnidiella Millière,1867 (235)
- PEMPELIA Hübner,(1825)
RHODOPHAEA Guenée,1845
SALEBRIA Zeller,1846
222. P.brephiella Staudinger,1880 (218)
223. P.hispanella Staudinger,1859 (220)
224. P.dionysia Zeller,1846 (219)
- NEPHOPTERIX Hübner,[1825]
NEPHOPTERYX Zeller,1839
225. N.divisella Duponchel,1842 (225)
euphorbiella Zeller,1846
226. N.coenulentella Zeller,1849 (226)
227. N.cleopatrella Ragonot,1887 (228)
BRADYRRHOA Zeller,1848
228. B.cantenerella Duponchel,1836 (222)
229. B.confiniella Zeller,1848 (223)
- PHYCITA Curtis,1828
PHYCIS Fabricius,1798, nec Walbaum,1792
230. P.roborella Denis & Schiffermüller,1775 (227)
spissicella Fabricius,1777
spissicornis Haworth,1811
legatea Haworth,1811
cristea Haworth,1811
231. P.diaphana Staudinger,1870 (233)
DIORYCTRIA Zeller,1846
232. D.sylvestrella Ratzeburg,1840 (232)
splendidella Herrich-Schäffer,1848
233. D.mendacella Staudinger,1859 (230)
maritanella Millière,1876

234. *D.pineae* Staudinger,1859 (231)
EPISCHNIA Hübner,[1825]
235. *E.illotella* Zeller,1839 (224)
236. *E.peroni* Agenjo,1948 (217)
ETIELLA Zeller,1839
RHAMPHODES Guenée,1845
237. *E.zinckenella* Treitschke,1832 (221)
etiella Treitschke,1835
PTEROHRIXIDIA Amsel,1954
PTEROHRIX Ragonot,1888, nec Ness,1834
238. *P.rufella* Duponchel,1836 (236)
crudella Zeller,1848
corsicella Ragonot,1893
ABREPHIA Amsel,1953
BREPHIA von Heinemann,1865, nec Hübner,[1825]
239. *A.compositella* Treitschke,1835 (229)
PEMPELIELLA von Caradja,1916
PEMPELIA auct.
240. *P.sororiella* Zeller,1839 (259)
?inscriptella Duponchel,1836
serpylletorum Zeller,1839
satureiella Millière,1873
241. *P.dilutella* Hübner,1796 (211)
adornatella Treitschke,1835
subornatella Duponchel,1836
integrella Staudinger,1859
242. *P.italogallicella* Millière,1882 (210)
CATACROBASIS Gozmány,1958
243. *C.obtusella* Hübner,1796 [43]
noctuana auct.
OXYBIA Ragonot,1901
244. *O.transversella* Duponchel,1836 (208)
ECTOMYELOIS Heinrich,1956
SPECROBATES sensu Roesler,1965

245. *E.ceratoniae* Zeller,1839 (234)

pryerella Vaughan,1870

phoenicis Durrant,1915

METALLOSTICHODES Roesler,1967

METALLOSTICHA sensu Lhomme,[1935]

246. *M.nigrocyanella* Constant,1865 (212)

chalcocyanella Staudinger & Wocke,1871

EUZOPHERA Zeller,1867

STENOPTYCHA Heinemann,1865, nec Zeller,1863

MELIA Heinemann,1865, nec Curtis,1828, nec

 Billberg,182

247. *E.bigella* Zeller,1848 (215)

stenoptycha Herrich-Schäffer,1855

bisinuella Ragonot,1887

immundella Ragonot,1901

angulella Chrétien,1922

248. *E.lunulella* O.G.Costa,[1836] (213)

corcyrella Herrich-Schäffer,1851

EUZOPHERODES Hampson,1901

DELATTINIA Roesler,1965

249. *E.vapidella* Mann,1857 (198)

250. *E.subcribellia* Ragonot,1887 (214)

NYCTEGRETIS Zeller,1848

251. *N.ruminella* de la Harpe,1860 (216)
 corsica Mann,1867

ANCYLOSIS Zeller,1839

252. *A.oblitella* Zeller,1848 (200)

253. *A.nigripunctella* Staudinger,1879 (207)

254. *A.faustinella* Zeller,1867 (206)

255. *A.subcandidatella* Ragonot,1887 (205,204) [44]
 gracilella Ragonot,1887
 monosticella Ragonot,1887

256. *A.mabilleela* Lucas,1909 (203)

257. *A.harmoniella* Ragonot,1887 (202)

258. *A.convexella* Lederer,1855 (201)

HOMOEOSOMA Curtis,1833
PHYCIDEA Zeller,1839
LOTRIA Guenée,1845

259. *H.sinuellum* Fabricius,1793 (182)
 sinuatus Fabricius,1794
 gemina Haworth,1811
 elongella Hübner,[1813]
 flavella Duponchel,1836

260. *H.nimbella* Duponchel,1836 (184)
 snellenella Bentinck,1930

261. *H.inquinatella* Ragonot,1887 ssp.*ravonella* Pierce,1937 (186)

262. *H.lacteella* Rothschild,1915 ssp.*bentinkella* Pierce,1937
(187)

PARAROTRUDA Roesler,1965

263. *P.nesiotica* Rebel,1911 (189)

PHYCITODES Hampson,1917
ROTRUDA Heinrich,1956

264. *P.carlinella* Heinemann,1865 (183)
 cretacella Rössler,1866
 senecionis Vaughan,1870

265. *P.binaevella* Hübner,[1813] (188)

266. *P.saxicola saxicola* Vaughan,1870 (190)

266a. *P.saxicola vallettae* Amsel,1951 (185)

PLODIA Guenée,1845

267. *P.interpunctella* Hübner,[1813] (191)
interpunctalis Hübner,[1825]

EPHESTIA Guenée,1845

268. *E.kuehniella* Zeller,1879 (193)

269. *E.welseriella* Zeller,1848 (197)
modestella Lederer,1863
tephrinella Lederer,1870
rhenanella Fuchs,1877
capricola Hampson,1927

270. *E.elutella* Hübner,1796 (196)
?chocolatella Vallot,1802
semirufa Haworth,1811
angusta Haworth,1811
rufa Haworth,1811
elutea Haworth,1811
sericarium Scott,1859
roxburghii Gregson,1873

CADRA Walker,1864

271. *C.abstergella* Zeller,1847 (199)
ragonotella Millière,1881
habenella Ragonot,1887

272. *C.figulilella* Gregson,1871 (194)
ficulella Barrett,1875

273. *C.cautella* Walker,1863 (195)
defectella Walker,1864
desuetella Walker,1866
cahiritella Zeller,1867
passulella Barrett,1875
formosella Wileman & South,1918

274. *C.calidella* Guenée,1845 (192)
ficella Stainton,1858
xanthotricha Staudinger,1859
bizonella Ragonot,1888

CEUTHOLOPHA Zeller,1867

275. *C.isidis* Zeller,1867 [45]

PTEROPHOROIDEA

PTEROPHORIDAE

AGDISTINAE

AGDISITIS Hübner, [1825]

ADACTYLUS Curtis, 1833

ADACTYLA Zeller, 1841

ERNESTIA Tutt, 1907, nec Robineau-Desvoidy, 1830

HERBERTIA Tutt, 1907, nec Howard, 1894

276. A.frankeniae Zeller, 1847 (311)

lerensis Millière, 1875

lerinensis auct. (error)

bahrlutia Amsel, 1955

fiorii Bigot, 1960

tondeuri Bigot, 1963

rupestris Bigot, 1974

277. A.meridionalis Zeller, 1847 (313)

staticis Millière, 1875

portlandica Tutt, 1906

tyrrhenica Amsel, 1951

prolai Hartig, 1953

278. A.tamaricis Zeller, 1847 (312)

bagdagiensis Amsel, 1949

279. A.melitensis Amsel, 1954 (314)

280. A.symmetrica Amsel, 1955 (315)

281. A.satanas Millière, 1875 [46]

nanus Turati, 1924

pseudosatanus Amsel, 1952

PLATYPTILIINAE

CROMBRUGGHIA Tutt, 1906

282. C.laetus Zeller, [1847] (325)

loetidactyla Bruand, 1859

andryalae Millière, 1863

andryaladactylus Millière, 1863

AMBLYPTILIA Hübner, [1825]

283. A.acanthadactyla Hübner, [1813] (317)

odontodactyla Charpentier, 1821

calaminthae Frey, 1886

PLATYPTILIA Hübner,[1825]
GILLMERIA Tutt,1905
FREDERICINA Tutt,1905
MARIANA Tutt,1906

284. *P.taprobanes* Felder & Roghenhofer,1875 (316)
brachymorpha Meyrick,1888

STENOPTILIA Hübner,[1825]
MIMAESEOPTILUS Wallengren,1862
MIMESEOPTILUS Zeller,1867
DOXOSTERES Meyrick,1886
ADKINIA Tutt,1905
RICHARDIA Buszko,1978, nec Robineau-Desvoidy,1830

285. *S.pelidnodactylus* Stein,[1837] (321)
mictodactylus Zeller,1841
millieridactyla Bruand,1859
borealis Wocke,1864

286. *S.zophodactylus* Duponchel,[1840] (319)
lowii Zeller,1847
nyctidactylus Herrich-Schäffer,1855
canalis Walker,1864
semicostatus Zeller,1873

287. *S.bipunctidactyla* Scopoli,(1763) (318)
mictodactyla Denis & Schiffermüller,1775
aridus Zeller,1847
plagiодactylus Stainton,1851
serotinus Zeller,1852
hodgkinsonii Gregson,1868
scabiodactylus Gregson,1869
hirundodactylus Gregson,1871
hodgkinsonellus Morris,1872
scabiosae Jordan,1882

PTEROPHORINAE

PTEROPHORUS Schäffer,1766
ACIPTILIA Hübner,[1825]
ACOPTILIA Agassiz,1846
ALUCITA auct.
MERRIFIELDIA Tutt,1905
PORRITTIA Tutt,1905
WHELLERIA Tutt,1905
CALYCIPHORA Kasy,1960

288. *P.malacodactylus* Zeller,1847 (323)
spicidactyla Chrétien,1923
insularis Bigot,1961

289. *P.ischnodactyla* Treitschke,[1835] (328)
actinodactyla Chrétien,1891
290. *P.galactodactyla* Denis & Schiffermüller,1775 [47]
PSELNOPHORUS Wallengren,1881
CRASIMETIS Meyrick,1890
291. *P.olbiодactylus* Millière,1859 (324)
ADAINA Tutt,1905
292. *A.microdactyla* Hübner,[1813] (326)
LEIOPTILUS Wallengren,1862
OVENDENIA Tutt,1905
HELLINSIA Tutt,1905
293. *L.carphodactyla* Hübner,[1813] (322)
citridactylus Stephens,1834
bupthalmi Hofmann,1898
294. *L.inulae* Zeller,[1852] (327)
EMMELINA Tutt,1905
PTEROPHORUS auct.
295. *E.monodactyla* Linnaeus,(1758) (320)
bidactyla Hochenwarth,1785
didactyla Geoffroy in Fourcroy,1785
albodactyla Fabricius,1794
pterodactyla Hübner,1805
pterodactylus Zeller,1841
cineridactylus Fitch,1854
naevosidactylus Fitch,1854
pergracilidactylus Packard,1873
barberi Dyar,1903
pictipennis Grinnell,1908

HESPERIOIDEA

HESPERIIDAE

HESPERIINAE

GEGENES Hübner,[1819]

PHILODUS Rambur,1842

296. G.pumilio Hoffmannsegg,1804 (p56)

pygmaeus Cyrilli,1787, nec Fabricius,1775

lefebvrei Rambur,1842

lefebvrei,error

PAPILIONOIDEA

PAPILIONIDAE

PAPILIONINAE

PAPILIO Linnaeus,1758

PTEROURUS Scopoli,1777

AERNAUTA Berge,1842

297. P.machaon Linnaeus,1758 (pl4)

reginae Retzius,1783

umbellatarum Fabricius,1807

alpicae Verity,1911

emisphyrus Verity,1919

bigeneratus Verity,1919

meridionalis Rocci,1919, nec Rothschild,1897

gorganus Fruhstorfer,1922

bojorum Fruhstorfer,1922

pseudobigeneratus Verity,1940

IPHICLIDES Hübner,[1819]

298. I.podalirius Scopoli,1763 [48]

sinon Poda,1761 nomen reject.

flammaeus Geoffroy in Fourcroy,1785

inalpina Verity,1911

pseudopersicus Rocci,1926

PIERIDAE

DISMORPHIINAE

LEPTIDEA Billberg,1820

LEUCOPHASIA Stephens,1827

LEPTOSIA auct.

LEPTIDIJA,error

299. L.sinapis Linnaeus,1758 [49]

candidus Retzius,1783

diniensis Boisduval,1839

umbratica Trimoulet,1858

pseudodonponcheli Verity, 1908
stabiarum Stauder, 1914
patunae Stauder, 1922
lathyricana Verity, 1952

COLIADINAE

COLIAS Fabricius, 1807

ZERENE Hübner, [1819]

EURYMUS Horsfield, [1829], nec Rafinesque, 1815
COLIASTES Hemming, 1931, nec Scudder, 1875

300. *C.hyale* Linnaeus, 1758 [50]
 calida Verity, 1916

301. *C.crocea* Geoffroy in Fourcroy, 1785 (p25)
 edusa Fabricius, 1787, nec Fabricius, 1777

GONEPTERYX Leach, [1815]

RHODOCERA Duponchel & Lecomte, [1830]

EARINA Speyer, 1839

GONIAPTERYX Westwood, 1840, nec Perty, 1833

GONOAPTERYX, error

302. *G.cleopatra* Linnaeus, 1767 (p26)
 mauritanica Rober, 1907

303. *G.rhamni* Linnaeus, 1759 [51]
 transiens Verity, 1913

PIERINAE

APORIA Hübner, [1819]

LEUCONIA Donzel, 1837

304. *A.crataegi* Linnaeus, 1758 [52]
 hyalina Rober, 1907
 minor Verity, 1907

PIERIS Schrank, 1801

GANORIS Dalman, 1816

ANDROPODUM Hübner, 1822

TACHYPTERA Berge, 1842

305. *P.brassicae* Linnaeus, 1758 (pl7)
 ARTOGEIA Verity, 1947

306. *A.rapae* Linnaeus, 1758 (p20)
 napaeae Esper, 1805
 metra Stephens, 1827

307. *A.napi* Linnaeus,1758 [53]
leovigilda Fruhstorfer,1909

ANAPHAEIS Hübner,1819

308. *A.aurota* Fabricius,1793 [54]
mesentina Cramer,1777

PONTIA Fabricius,1807

309. *P.daplidice* Linnaeus,1758 (p22)

EUCHLOE Hübner,[1819]

310. *E.belemia* Esper,1799 (p24)

NYMPHALIDAE

NYMPHALINAE

NYMPHALIS Kluk,1802

SCUDDERIA Grote,1873, nec Stål,1873
EUVANESSA Scudder,1889

311. *N.polychloros* Linnaeus,1758 [55]

INACHIS Hübner,[1819]

312. *I.io* Linnaeus,1758 [56]

VANESSA Fabricius,1807

PYRAMEIS Hübner,[1819]

313. *V.atalanta* Linnaeus,1758 (p40)

CYNTHIA Fabricius,1807

314. *C.cardui* Linnaeus,1758 (p41)

AGLAIS Dalman,1816

ICHNUSA Reuss,1939

315. *A.urticae* Linnaeus,1758 [57]

POLYGONIA Hübner,[1819]

EUGONIA Hübner,[1819]

316. *P.egea* Cramer,[1775] (p43)

317. *P.c-album* Linnaeus,1758 [58]

CLOSSIANA Reuss,1920

318. *C.dia* Linnaeus,1767 [59]

MELITAEA Fabricius,1807
SCHOENIS Hübner,[1819]
CINCLIDIA Hübner,[1819]
DIDYMAEFORMIS Verity,1950

319. *M.cinxia* Linnaeus,1758 [60]

320. *M.didyma* Esper,[1779] [61]
rubida Verity,1919
armicana Oberthür,1904

SATYRINAE

HIPPARCHIA Fabricius,1807
EUMENIS Hübner,[1819]
NYTHA Billberg,1820

321. *H.semele* Linnaeus,1758 [62]
danae Hufnagel,1766
cadmus Fruhstorfer,1908
teres Fruhstorfer,1908
rutenica Varin,1958
vasconica Varin,1958

322. *H.aristeus* Bonelli,1826 ssp. *algirica* Oberthür,1876 (p37)
f.vallettae De Lattin,1952

MANIOLA Schrank,1801
EPINEPHELE Hübner,[1819]

323. *M.jurtina* hyperhispulla Thomson,1973 (p35)

PYRONIA Hübner,[1819]
TISIPHONE,auct.

324. *P.tithonus* Linnaeus,1771 [63]
pilosellae Fabricius,1775, nec Rottemburg,1775
herse Denis & Schiffermüller,1775
amaryllis Geoffroy in Fourcroy,1785, nec Stoll in
Cramer,1784
tithone Hübner,[1819]
paratransiens Verity,1937

COENONYMPHA Hübner,[1819]
CHORTOBUS Dunning & Pickard,1858
SICCA Verity,1953

325. *C.pamphilus* Linnaeus,1758 (p34)

325a. *C.pamphilus* pamphilus Linnaeus,1758 *f.lyllus* Esper,1805

PARARGE Hübner,[1819]

326. *P.aegeria* Linnaeus,1758 (p32)
eageria Ochsenheimer,1807
sardoa Verity,1908
cameona Fruhstorfer,1909

LASIOMMATA Humphreys & Westwood,1841

327. *L.megera* Linnaeus,1767 (p31)
megaera, error
vividior Verity,1923

328. *L.maera* Linnaeus,1758 [64]
hiera Fabricius,1777
adrasta Illiger,1807

DANAINEAE

- DANAUS Klug,1802
DANAIDA Latreille,1804
DANAIS Latreille,1807
ANOSIA Hübner,1816

329. *D.chrysippus chrysippus* Linnaeus,1758 (p28)

- 329a. *D.chrysippus alcippus* Cramer,1779 (p28)

LYCAENIDAE

LYCAENINAE

- CALLOPHRYS Billberg,1820
LYCUS Hübner,[1819], nec Fabricius,1787

330. *C.rubi* Linnaeus,1758 [65]

- LYCAENA Fabricius,1807
RUMICIA Tutt,[1906]
THERSAMONIA, auct.
HELLEIA Verity,1943
DISPARIA Verity,1943, nec Nagano,1916

331. *L.phlaeas* Linnaeus,1761 (p53)
virgaureae Geoffroy in Fourcroy,1785, nec
eleus Fabricius,1798
initia Tutt,1906

Linnaeus,185

- SYNTARUCUS Butler,1881
LANGIA Tutt,[1906], nec Moore,1872
RAYWARDIA Tutt,[1908]

332. *S.pirithous* Linnæus,1767 (p50)
telicanus Lang,1789

LAMPIDES Hübner,[1819]
COSMOLYCE Toxopeus,1927
LAMPIDELLA Hemming,1933

333. *L.boeticus* Linnaeus,1767 (p52)
pisorum Geoffroy in Fourcroy,1785

ZIZEERIA Chapman,1910

334. *Z.knysna* Trimen,1862 [66]

CELASTRINA Tutt,1906
LYCAENOPSIS auct.

335. *C.argiolus* Linnaeus,1758 (p49)
cleobis Sulzer,1776
acis Fabricius,1787, nec Drury,[1773]

PLEBEJUS Kluk,1802
PLEBEIUS Kirby,1871, nec Tschudi,1846

336. *P.argus* Linnaeus,1758 [67]
aegon Denis & Schiffermüller,1775

ARICIA Reichenbach,Liepzig,1817
GYNOMORPHIA Verity,1929

337. *A.agesis* Denis & Schiffermüller,1775 (p46)
medon Hufnagel,1766, nec Linnaeus,1763
alexis Rottemburg,1775, nec Poda,1761
astrarche Bergstrasser,[1779]

LYSANDRA Hemming,1933
ARGUS Scopoli,1763, nec Bohadsch,1761
URANOPS Hemming,1929, nec Fitzinger,1843

338. *L.bellargus* Rottemburg,1775 [68]
thetis Rottemburg,1775, nec Drury,[1773]
adonis Denis & Schiffermüller,1775

POLYOMMATUS Latreille,1804

339. *P.icarus* Rottemburg,1775 (p47)
argus sensu Geoffroy in Fourcroy,1785
fusciolus Geoffroy in Fourcroy,1785
alexis auct., nec Poda,1761
pusillus Gerhardt,1851
zelleri Verity,1919

LASIOCAMPIDAE

POECILOCAMPA Stephens, 1828

340. *P.populi* Linnaeus, 1758 [69]

MALACOSOMA Hübner, [1820]
TRICHODIA Stephens, 1827
CLISIOCAMPA Curtis, 1828

341. *M.neustria* Linnaeus, 1758 (18)
annularis Geoffroy in Fourcroy, 1785
bilineatus Haworth, 1803

LASIOCAMPA Schrank, 1802
PACHYGASTRIA Hübner, [1820]
LASIOCAMPUS Boitard, 1843
IREOCAMPA Rambur, 1866
ERIOCAMPA Rambur, 1866

342. *L.trifolii* Denis & Schiffermüller, 1775 (17)
medicaginis Borkhausen, 1793

343. *L.quercus* Linnaeus, 1758 (16)
roboris F.J.A.D. in Borkhausen, 1793
spartii Hübner, [1803]
guillemotii Trimoulet, 1858
sicula Staudinger, 1861
scopariae Millière, 1865
burdigalensis Gerhardt, 1882
meridionalis Tutt, 1901

GASTROPACHA Ochsenheimer, 1810
PHYLLOMA Billberg, 1820

344. *G.quercifolia* Linnaeus, 1758 (15)
alnifolia Ochsenheimer, 1810

ATTACIDAE

ATTACINAE

SATURNIA Schrank, 1802
NYCTAON Billberg, 1820

345. *S.pyri* Denis & Schiffermüller, 1775 [70]

EUDIA Jordan, 1911

346. *E.pavonia* Linnaeus, 1758 [71]
pavoniella Scopoli, 1763
carpini Denis & Schiffermüller, 1775

GEOMETROIDEA
GEOMETRIDAE
GEOMETRINAE
THALERINI

CHLORISSA Stephens, 1831

347. *C.viridata* Linnaeus, 1758 [72]
herbacea Geoffroy in Fourcroy, 1785
viridaria Hübner, [1799]
348. *C.pulmentaria* Guenée, 1857 (118)
349. *C.faustinata* Millière, 1868 (119)
- EUCROSTES Hübner, [1823]
350. *E.indeginata* de Villers, 1789 (117)
fimbriolaria Hübner, [1817]
virginalis O.G.Costa, (1841), nec Geoffroy in
Fourcroy, 1785
nudilimbaria Mabille, 1880

STERRHINAE
CYCLOPHORINI

CYCLOPHORA Hübner, 1822
COSYMBIA Hübner, 1823
LEUCOPHTHALMIA Hübner, 1823
CODONIA Hübner, 1823
EPHYRA Duponchel, 1829
ZONOSOMA Lederer, 1853

351. *C.puppillaria* Hübner, [1799] [73]
mirtalis O.G.Costa, 1834
352. *C.porata* Linnaeus, 1767 (142)
poraria Le Peletier & Serville, 1825

SCOPULINI

SCOPULA Schrank, 1802
CALOTHYSANIS Hübner, 1823
ACIDALIA Treitschke, 1825, nec Hübner, 1819
LEPTÖMERIS Hübner, [1825]
CRASPEDIA Hübner, [1825]
DOSITHEA Duponchel, 1829
CYMATIDA Sodoffsky, 1837
SIDONIA Duponchel, 1842
PYLARGE Herrich-Schäffer, 1856

353. *S.ornata* Scopoli,1763 (122)
instilata Hufnagel,1767
interrupta Goeze,1781
intersecta Geoffroy in Fourcroy,1785
ornataria Hübner,[1799]

354. *S.rubiginata* Hufnagel,1767 [74]
rubicata Denis & Schiffermüller,1775
vittata Thunberg,1784
domialla Geoffroy in Fourcroy,1785
variata de Villers,1789, nec Denis &
rubicaria Hübner,[1799] Schiffermüller,177

355. *S.marginepunctata* Goeze,1781 (120)
conjugata Borkhausen,1794
contiguaria auct.
immutaria auct,
immutataria Duponchel,1830
puellaria Boisduval,1840
promutata Guenée,1857
promutaria Morris,1861

356. *S.imitaria* Hübner,[1799] (121)
imitata Curtis,1826

357. *S.emutarria* Hübner,[1809] [75]
subroseata Haworth,1809

358. *S.minorata* Boisduval,1833 ssp.*ochroleucaria*
Herrich-Schäffer,1851 (126.126a)
ochroleucata ,error

359. *S.flaccata* Staudinger,1898 (124)

360. *S.vigilata* (Mann,M.S.), Prout,1913 (123)
GLOSSOTROPHIA Prout,1913

361. *G.confinaria* Herrich-Schäffer,1847 [76]
luridata Stainton,1871

362. *G.asellaria* Herrich-Schäffer,1847 (141)
IDAEA Treitschke,1825
STERRHA Hübner,[1825]
ARRHOSTIA Hübner,[1825]
PTYCHOPODA Curtis,1826
HYRIA Stephens,1829
ANIA Stephens,1831
ANTESIS Warren,1900

363. *I.determinata* Staudinger,1876 [77]
geministrigata Fuchs,1901
364. *I.ochrata* Scopoli,1863 (135)
ochraria Fischer von Röslerstamm,1836
ochrearia Bruand,1846
365. *I.vulpinaria* Herrich-Schäffer,1851 (129)
rusticata auct.
rusticaria auct.
366. *I.filicata* Hübner,[1799] [78]
filicaria Duponchel,1830
367. *I.laevigata* Scopoli,1763 (134)
laevigaria Hübner,[1799]
renularia Hübner,[1809]
lividellaria H.de Peyerimhoff,1863
renalata Rambur,1866
368. *I.attenuaria* Rambur,1833 (136)
369. *I.elongaria* Rambur,1833 (138)
aridata Zeller,1847
zephyrata Millière,1872
370. *I.obsoletaria* Rambur,1833 [79]
rufularia Herrich-Schäffer,1847
371. *I.biselata* Hufnagel,1767 [80]
bisetata error
bisetaria error
dilutaria sensu Haworth,1809
scutularia sensu Duponchel,1830
fimbriolata Stephens,1831
reversaria auct.
372. *I.inquinata* Scopoli,1763 (132)
herbariata Fabricius,1798
pusillaria Hübner,[1799]
microsaria Boisduval,1840
373. *I.seriata* Schrank,1802 (131)
incanata Denis & Schiffermüller,1775, nec
Linnaeus,1758
virgularia sensu Hübner,(1799)
incanaria auct.
374. *I.infirmitaria* Rambur,1833 f.aquitanaria Constant,1865 (139)
ledererata Guenée,1857
nigrobarbata Staudinger,1859
attenuata Rambur,1866

375. *I.trigeminata* Haworth,1809 [81]
 bisetata auct.
 reversaria Duponchel,1830
 trigeminaria Morris,1861
376. *I.ruficostata* Zeller,1847 (125)
 incarnaria Herrich-Schäffer,1848
377. *I.albitorquata* Püngeler,1909 [82]
378. *I.manicaria* Herrich-Schäffer,1852 (137)
379. *I.fatimata* Staudinger,1895 (133)
380. *I.fractlineata* Zeller,1847 (130)
381. *I.subrufaria* Staudinger,1900 (140)
382. *I.emarginata* Linnaeus,1758 [83]
 erosata Hufnagel,1766
 demandata Fabricius,1775
 marginata Fabricius,1787
 emarginata Hübner,(1799)
 dimidiata Haworth,1809
383. *I.degeneraria* Hübner,[1799] (128)
 BRACHYGLOSSINA Wagner,1914
384. *B.culoti* Wehrli,1930 [84]

RHODOMETRINI

RHODOMETRA Meyrick,1892
385. *R.sacraria* Linnaeus,1767 (127)
 sacralis Thunberg,1794
 sanguinaria Esper,1799
 lividaria O.G.Costa,1848
- LARENTIINAE
XANTHORHOINI
- SCOTOPTERYX Hübner,[1825]
 ORTHOLITHA auct.
 ONYCHIA Hübner,[1825], nec Blainville,1823
 PHASIANE Duponchel,1829
 EUBOLIA Duponchel,1829
 EUSEBIA Duponchel,[1845]

CIDARIINI

NEBULA Bruand, [1846]
COENOTEPHRIA Prout, 1914

393. *N.salicata salicata* Hübner, 1799 [87]
 salicaria Haworth, 1809
 podevinaria Herrich-Schäffer, 1848
- 393a. *N.salicata ablutaria* Boisduval, 1840 (152)
 olivaria sensu Dupnochel, 1830
394. *N.ibericata* Staudinger, 1871 [88]
 alfacariata Rambur, 1866, nomen invalid.
- ECLIPTOPERA Warren, 1894
DIACTINIA Warren, 1898
395. *E.silaceata* Denis & Schiffermüller, 1775 [89]
 insulata Haworth, 1809
 cuneata Donovan, 1810
 silacearia Boisduval, 1840
- THERA Stephens, 1831
CORYTHEA Duponchel, [1845]
396. *T.firmata* Hübner, [1822] [90]
 cosnobrinata Curtis, 1834
 firmaria Doubleday, 1849
- ELECTROPHAES Prout, 1923
397. *E.corylata* Thunberg, 1792 [91]
 ruptata Hübner, [1799]
 albocrenata Curtis, 1836
 ruptaria Boisduval, 1840
- RHEUMAPTERINI
- COENOCALPE Hübner, [1825]
398. *C.lapidata* Hübner, [1809] [92]
 subrufaria Haworth, 1809
 lapidaria Boisduval, 1840
- HORISME Hübner, (1825)
PHIBALAPTERYX auct.
399. *H.tersata* Denis & Schiffermüller, 1775 (143)
 tersaria Boisduval, 1840
 radicaria de La Harpe, 1855
400. *H.scorteata* Staudinger, 1901 (144)
401. *H.exoletata* Herrich-Schäffer, 1838 (145)

PARAULYPE *Herbulot*, 1951

402. *P.berberata* Denis & Schiffermüller, 1755 [93]

OPEROPHTERINI

OPEROPHTERA Hübner, [1825]

OPEROPHTHERA Hübner, [1826]

403. *O.brumata* Linnaeus, 1758 [94]
grisearia de Villers, 1789
brumaria Esper, 1800
vulgaris Stephens, 1829

EUPITHECIINI

EUPITHECIA Curtis, 1825

TEPHROCLYSTIA Hübner, [1825]

DYSCYMATOGE Hübner, [1825]

TARACHIA Hübner, [1825]

LEUCOCORA Hübner, [1825]

ARCYONIA Hübner, [1825]

EUCYMATOGE Hübner, [1825]

HYPEPIRRITIS Hübner, [1825]

DIETZEA Schutze, 1956

PETERSENIA Schutze, 1958

BOHATSCHIA Schutze, 1960

404. *E.irriguata* Hübner, [1813] [95]

variegata Haworth, 1809, nec Scopoli, 1763

irriguaria Boisduval, 1840

405. *E.venosata* Fabricius, 1787 (155)

insignata Hübner, 1789

decussata Donovan, 1799

venosaria Boisduval, 1840

406. *E.centaureata* Denis & Schiffermüller, 1775 (154)

oblongata Thunberg, 1784

boloniensis Geoffroy in Fourcroy, 1785

centaurearia Boisduval, 1840

407. *E.breviculata* Donzel, 1837 (153)

408. *E.impurata* Hübner, [1813] [96]

modicata Hübner, [1813]

modicaria Boisduval, 1840

impuraria Boisduval, 1840

409. *E.semigraphata* Bruand, [1851] (156)

semigrapharia Herrich-Schäffer, 1852

410. *E.innotata* Hufnagel,1767 (158)
innotaria Boisduval,1840

411. *E.dodoneata* Guenée,1857 [97]
dodonearia Morris,1861
quercifolia Haas,1875

412. *E.phoeniceata* Rambur,1834 (157)
phoenicearia Boisduval,1840

GYMNOSELIS Mabille,1868

413. *G.rufifasciata* Haworth,1809 (150)
bistregata Haworth,1809, nec Borkhausen,1790
pumilata Hübner,[1813]
strobilata sensu Stephens,1829
recictaria Boisduval,1840
pumilaria Boisduval,1840
tempestivata Zeller,1847
rufifasciaria Doubleday,1849
globulariata Millière,1861
incertata Millière,1876

CHESIADINI

APLOCERA Stephens,1827
ANAITIS Duponchel,1829
LARISSA Curtis,1830

414. *A.plagiata* Linnaeus,1758 [98]
duplicata Fabricius,1775
triplicata Geoffroy in Fourcroy,1785
plagiaria Boisduval,1840

415. *A.efformata* Guenée,1857 (146)

ASTHENININI

ASTHENA Hubner,[1825]

416. *A.albulata* Hufnagel,1767 [99]
candidata Denis & Schiffermüller,1775
candidaria Hübner,[1799]
candidulata Haworth,1809
albularia Boisduval,1840

BOARMIINAE

ABRAXINI

ABRAXAS Leach,[1815]

ZERENE Treitschke,1825, nec Hübner,[1819]

CALOSPILOS Hübner,[1825]

417. A.grossulariata Linnaeus,1758 [100]

grossulariaria Hübner,[1799]

grossularia Boisduval,1840

SEMIOTHISINI

SEMIOTHISA Hübner,1818

CHIASMIA Hübner,1823

MACARIA Curtis,1826

SPERANZA Curtis,1828

HERCYNA Stephens,1829, nec Treitschke,1829

PHILOBIA Duponchel,1829

ARTE Stephens,1829

STRENIA Duponchel,1829

GODONELA Boisduval,1840

PSEUDOISTURGIA Moucha,1957

418. S.aestimaria Hübner,[1809] (160)

TEPHRINA Guenée,1845

419. S.arenacearia Denis & Schiffermüller,1775 (159)

ENNOMINI

PLAGODIS Hübner,[1823]

ANAGOGA Hübner,[1823]

ANAGOGE, error

AZINEPHORA Stephens,1827

EURYMENE Duponchel,1829

NUMERIA Duponchel,1829

420. P.pulveraria Linnaeus,1758 [101]

BISTONINI

ERANNIS Hübner,[1825]

HYBERNIA Berthold in Latreille,1827

HIBERNIA ,error

LAMPETIA Stephens,1829, nec Meigen,1800

421. E.defoliaria Clerck,1759 [102]

ZAMACRA Meyrick,1892

422. Z.flabellaria Haeger,1838 (161)

BOARMIINI

NENOPHRA Moore,1887

HEMEROPHILA Stephens,1829, nec Hübner,1817

423. N.japygiaria O.G.Costa,1849 [103]
rhizolitharia Rambur,1866

ALCIS Curtis,1826

424. A.jubata Thunberg,1788 [104]
glabrarria Hübner,[1799]
teneraria Hübner,[1813]
semitrothisata Lenz,1917

CLEORODES Warren,1894

425. C.lichenaria Hufnagel,1767 [105]
pictaria Thunberg,1788
lichenearia Bruand,1846

ASCOTIS Hübner,[1825]

426. A.selenaria Denis & Schiffermüller,1775 [106]

ECTROPIS Hübner,[1825]
TEPHROSIA Boisduval,1840

427. E.bistortata Goeze,1781 [107]
biundulata de Villers,1789
biundularia Borkhausen,1794
bistortae Vallot,1802
strigularia Stephens,1831
laricaria Doubleday,1847

GNOPHINI

GNOPHOS Treitschke,1825

SCOTOPTERIX Hübner,[1825]

CHARISSA Curtis,1826

GNOPHUS Agassiz,1846

SCIADION Prout,1904

LYCOGNOPHOS Wehrli,1951

KEMTROGNOPHOS Wehrli,1951

COSTIGNOPHOS Wehrli,1951

RHOPALOGNOPHOS Wehrli,1951

EUCHROGNOPHOS Wehrli,1951

428. G.obscuratus Denis & Schiffermüller,1775 [108]
obscuraria Hübner,[1799]
quadripustulata Donovan,1808
pullata sensu Duponchel,1830

429. *G.variegatus* Duponchel,1830 (162)
cymbalariata Millière,1869
corneliata Millière,1873

430. *G.mucidarius* Hübner,[1799] (163)
mucidata Treitschke,1827

ASPITATES Treitschke,1825
ASPILATES Treitschke,1827
PARALLELA Sodoffsky,1837

431. *A.gilvaria* Denis & Schiffermüller,1775 (164)

432. *A.ochrearia* Rossi,1794 (165)
citraria Hübner,[1799]
trifoliaria Haworth,1809

SPHINGOIDEA

SPHINGIDAE
SPHINGINAE

AGRIUS Hübner,[1819]
HERSE Agassiz,1846

433. *A.convolvuli* Linnaeus,1758 (8)

ACHERONTIA Laspeyres,1809
BRACHYGLOSSA Boisduval,[1828]

434. *A.atropos* Linnaeus,1758 (7)

MACROGLOSSINAE

HEMARIS Dalman,1817
HEMERIA Billberg,1820
HAEMORRHAGIA Grote & Robinson,1865

435. *H.fuciformis* Linnaeus,1758 [109]
bombyliformis sensu Ochsenheimer,1808

MACROGLOSSUM Scopoli,1777
MACROGLOSSA Ochsenheimer,1808

436. *M.stellatarum* Linnaeus,1758 (10)
stellarum Geoffroy in Fourcroy,1785

DAPHNIS Hübner,[1819]
DEILEPHILA auct.
HYSTRIOSPHINX Vary,1976

437. *D.nerii* Linnaeus,1758 (9)

HYLES Hübner, [1819]
CELERIO Agassiz, 1846

438. *H.euphorbiae* Linnaeus,1758 (11)
439. *H.lineata* livornica Esper,1780 (12)
- HIPPOTION Hübner,[1819]
440. *H.celerio* Linnaeus,1758 (13)
albolineata Montrouzier,1864

NOTODONTOIDEA

DILOBIDAE

DILOBA Boisduval, 1840
EPISEMA auct

441. D.caeruleocephala Linnaeus, 1758 (56)

NOCTUOIDEA

LYMANTRIIDAE

ORGYIA Ochsenheimer, 1810
NOTOLOPHUS Germar, 1811
CLETHROGYNA Rambur, 1866
THYLACIGYNA Rambur, 1866
MICROPTEROGYNA Rambur, 1866

442. O.trigotephra Boisduval, 1829 ssp. sicula Staudinger, 1887 (6)

EUPROCTIS Hübner, [1819]
LIPARIS Ochsenheimer, 1810, nec Scopoli, 1777
NYGMIA Hübner, [1820]
PORTHESIA Stephens, 1828

443. E.chrysorrhoa Linnaeus, 1758 [110]
phaeorrhoeus Haworth, 1803
phaeorrhaea auct.

ARCTIIDAE

LITHOSIINAE

EILEMA Hübner, [1819]
SYSTROPHA Hübner, [1819]
PIESTA Billberg, 1820
ILEMA Hampson, 1900
COLINIA Agenjo, 1977, nec Cossmann, 1906, nec
Nuttall, 1832

444. E.caniola Hübner, [1808] (2)

445. E.pygmaeola Doubleday, 1847 [111]

LITHOSIA Fabricius, 1798
LITHOSIS Billberg, 1820
LICHENIA Sodoffsky, 1837
OEONISTIS auct

446. L.quadra Linnaeus, 1758 [112]
flava Muller, 1764
quadrata Walckenaer, 1802

ARCTIINAE

SPIRIS Hübner,[1819]

CALLOPIS Billberg,1820

CTENIA Le Peletier & Serville,1825

EULEPIA Curtis,1825

EMYDIA Boisduval,(1828)

447. S.striata Linnaeus,1758 [113]

grammica Linnaeus,1758

palladia Geoffroy in Fourcroy,1785

UTHETHEISA Hübner,[1819]

DEIOPEIA Stephens,1829

DEJOPEIA ,error

448. U.pulchella Linnaeus,1758 (5)

pulchra Denis & Schiffemüller,1775

ARCTIA Schrank,1802

EYPREPPIA Ochsenheimer,1810

ZOOTE Hübner,[1820]

EPICALLIA Hübner,[1820]

CHELONIA Godart,1823, nec Brongniart,1800

449. A.villica Linnaeus,1758 [114]

CYMBALOPHORA Rambur,1866

TYMPANOPHORA Laboulbene,1865, nec White in Grey,18

EUPREPPIA Ochsenheimer,1810

450. C.pudica Esper,1884 (4)

tesselata de Villers,1789

ulmi de Villers,1789

PHRAMMATOBIA Stephens,1828

ARCTINIA Eichwald,1830

451. P.fuligonoza Linnaeus,1758 ssp.melitensis O.B.Haas,1927

CTENUCHIDAE

DYSAXES Hübner,[1819]

NACLIA Boisduval,1840

452. D.punctata Fabricius,1781 ssp.hyalina Freyer,1845 (1)

453. D.famula Freyer,1836 [115]

ragusaria Zickert,1904

semidiaphana Stauder,1921

herthina Stephens,1921

NOLIDAE

NOLA Leach,(1815)

ROESELIA Hübner,[1825]

NOLITES Bruand,1846

CELAMA Walker,1865

454. N.cristatula Hübner,1793 [116]

cristulalis Duponchel,(1796)

cristulana Hübner,[1825]

NOCTUIDAE

NOCTUINAE

EUXOA Hübner,[1821]

METAXYJA Hübner,[1821]

EXARNIS Hübner,[1821]

BROTIS Hübner,[1821]

MIMETES Hübner,[1821], nec Eschscholtz,1818

TELMIA Hübner,[1821]

CHLORIZAGROTIS Smith,1890

455 E.robusta Eversmann,1856 [117]

456. E.tritici Linnaeus,1761 [118]

brunnea Hufnagel,1767

venosus Haworth,1803

pupillatus Haworth,1803

pusillus Haworth,1803

albilinea Haworth,1809

lineolata Haworth,1809

hortorum Stephens,1829

cuneigera Stephens,1829

AGROTIS Ochsenheimer,1816

SCOTIA Hübner,[1821]

AGRONOMA Hübner,[1821]

GEORYX Hübner,[1821]

NOCTUA Boisduval,1828, nec Linnaeus,1758

PSAMMOPHILA Stephens,1850

457. A.spinifera Hübner,[1808] (27)

458. A.dirempta Staudinger,1859 ssp.afflouensis Corti,1931 (25)

dirempta Staudinger ssp.afflouensis Corti,1931,error

459. A.segetum Denis & Schiffermüller,1775 (26)

sordida Hübner,[1803]

catenatus Haworth,1803

pectinatus Haworth,1803

monileus Haworth,1803

connexus Haworth,1803

subatratus Haworth,1803
nigricornutus Haworth,1803

460. *A.exclamationis* Linnaeus,1758 [119]
 murina Goeze,1781
 bimaculata Geoffroy,1785
 picea Haworth,1809
 plaga Stephens,1835
461. *A.trux* Hübner,[1824] (28)
462. *A.ipsilon* Hufnagel,1766 (31)
 ypsilone, error
 suffusa Denis & Schiffermüller,1775
 apinula Esper,1786, nec Denis & Schiffermüller,1775
 spinifera de Villers,1789
463. *A.puta* Hübner,[1803] (28)
 radius Haworth,1803
 radiola Stephens,1829
464. *A.obesa* Boisduval,1829 [120]
 lipara Rambur,1848

 POWELLINIA Oberthür,1912
465. *P.lasserei* Oberthür,1881 (28)

 OCHROPLEURA Hübner,[1821]
466. *O.leucogaster*,Freyer,1831 (32)

 NOCTUA Linnaeus,1758
 TRIPHAENA Ochsenheimer,1816
 LAMPRA Hübner,[1821]
 EUSCHESIS Hübner,[1821]
467. *N.pronuba* Linnaeus,1758 (34)
 innuba Treitschke,1825
468. *N.comes* Hübner,[1813] [121]
 subsequa auct.
469. *N.fimbriata* Schreber,1759 [122]
 domiduca Hufnagel,1766
 fimbria Linnaeus,1767
470. *N.janthina* Denis & Schiffermüller,1775 [123]

 PERIDROMA Hübner,[1821]

471. *P.saucia* Hübner,[1808] (30)
margaritosa Haworth,1809
majuscula Haworth,1809
aequa Hübner,[1813]

DIARSIA Hübner,[1821]

472. *D.dahlii* Hübner,[1818] [124]
dahli, error

XESTIA Hübner,[1818]
AMATHES Hübner,[1821]
MEGASEMA Hübner,[1821]
LYTAEA Stephens,1829
SEGETIA Stephens,1829

473. *X.xanthographa* Denis & Schiffermüller,1775 (35)
tetragona Haworth,1809

HADENINAE

DICESTRA Hampson,1905
SALACIA Boie,1839, nec Lamouroux,1816
SCOTOGRAMMA auct.

474. *D.trifolii* Hufnagel,1766 (36)
chenopodii Denis & Schiffermüller,1775
infriana Haworth,1809
contribulis Duponchel,1827

MAMESTRA Ochsenheimer,1816
LACANOBIA Billberg,1820
MELANCHRA Hübner,[1820]
BARATHRA Hübner,[1821]
DIATARAXIA Hübner,[1821]
CERAMICA Guenée,1852
HECATERA Guenée,1852
PEUCEPHILA Hampson,1909

475. *M.brassicae* Linnaeus,1761 [125]
omicron Geoffroy,1785
albidilinea Haworth,1809

476. *M.persicariae* Linnaeus,1761 [126]
graphica Geoffroy,1785
sambuci Hufnagel,1766

477. *M.blenna* Hübner,[1824] [127]
peregrina Treitschke,1825
trimenda Geyer,1832

478. *M.corsica* Rambur,1832 ssp.*weissi* Draudt,1931 (37)
bicolorata Hufnagel,1766 ssp. *weissi* Draudt,1931.
misidentificatio
479. *M.cappa* Hübner,[1809] (37a)
- HADENA Schrank,1802
MISELIA Ochsenheimer,1816
ZETEOLYGA Billberg,1820
HARMODIA Hübner,[1820]
EPIA Hübner,[1821]:214, nec Hübner,[1821]:188
DIANTHOECIA Boisduval,1834
DIANTHAECIA , error
EUTERPIA Boisduval,1852
ANEPIA Hampson,1918
480. *H.syriaca* Osthelder,1933 (40)
481. *H.silenes* Hübner,[1822] (41)
sejuncta Herrich-Schäffer,1849
482. *H.luteago* Denis & Schiffermüller,1775 (38)
argilacea Hübner,[1813]
dignensis Turner,1933
- BRITHYS Hübner,[1821]
COCYTIA Treitschke,,1835
GLOTTULA Guenée,1837
BRITHYA Boisduval,1840
483. *B.encuasta* Hübner,[1808] (42)
- ORTHOSIA Ochsenheimer,1816
ORTHOA Billberg,1820
MONIMA Hübner,[1821]
CUPHANOA Hübner,[1821]
SEMIOPHORA Stephens,1829
TAENIOCAMPA Guenée,1839
484. *O.cruda* Denis & Schiffermüller,1775 [128]
pulverulenta Esper,1786
ambigua sensu Hübner,[1803]
nanus Haworth,1803
485. *O.stabilis* Denis & Schiffermüller,1775 [129]
?cerasi Fabricius,1775
junctus Haworth,1803
pallida Haworth,1809
rufannulata Haworth,1809

MYTHIMNA Ochsenheimer,1816
PHILOSTOLA Billberg,1820
ALETIA Hübner,[1821]
HYPHILARE Hübner,[1821]
HYPERIODES Warren,1910
PSEUDOALETIA Franclemont,1951

Sub-Genus: *Mythimna* Ochsenheimer,1816

486. M.(M.)*unipuncta* Haworth,1809 (48)
 extranea Guenée,1852
487. M.(M.)*vitellina* Hübner,[1808] [130]
488. M.(M.)*l-album* Linnaeus,1767 (44)
489. M.(M.)*sicula* Treitschke,1835 (47)
490. M.(M.)*prominens* Walker,1852 [131]
 hispanica Bellier,1863

Sub-Genus: *Leucania* Ochsenheimer,1816

491. M.(L.)*putrescens* Hübner,[1824] ssp.*vallettae* Boursin,1953 (46)
492. M.(L.)*punctosa* Treitschke,1825 (45)

Sub-Genus: *Acantholeucania* Rungs,1853

493. M.(L.)*loreyi* Duponchel,1827 (43)

CUCULLINAE

PSEUDOCOPICUCULLIA Dumont,1928

494. P.*syrtana* Mabille,1888 (50)
495. P.*biskrana* Oberthür,1918 (49)

CUCULLIA Schrank,1802
EUDERAEA Hübner,[1821]
EUCALIMIA Hübner,[1821]
CALLAENIA Hübner,[1821]
ARGYRITIS Hübner,[1821]
ARGYROGALEA Hampson,1906

496. C.*chamomillae* Denis & Schiffermüller,1775 (51)
 fissina Haworth,1809
 chrysanthemi Hübner,[1822]
 calendulae Treitschke,1835

497. *C.wredowi* Costa 1836 (54)
leucanthemii Rambur, 1858
499. *C.thapsiphaga* Treitschke, 1826 (52)
lanceolata de Villers - nomen oblitum
499. *C.lychnitis* Rambur, 1833 [132]
500. *C.verbasci* Linnaeus, 1758 (53)
- CALOPHASIA* Stephens, 1829
CLEOPHANA Boisduval, Rambur & Graslin, 1832
501. *C.charbordis* Oberthür, 1876 [133]
502. *C.platyptera* Esper, 1788 (55)

EPISEMA Ochsenheimer, 1816
CLEOCERIS Boisduval, 1836
DERTHISA Walker, 1857
503. *E.grueneri* Boisduval, 1832 [134]

APOROPHYLA Guenée, 1841
APOROPHILA, error
504. *A.nigra* Haworth, 1809 (58)
lunula Ström, 1768, nec Hufnagel, 1766
aethiops Ochsenheimer, 1816
505. *A.chioleuca* Herrich-Schäffer, 1845 (57)
ssp. *mioleuca* Rambur, 1866, nec Treitschke, 1835
corticosa Lederer, 1857

XYLENA Ochsenheimer, 1816
XYLITES Reichenbach, Leipzig, 1817
XYLINA Treitschke, 1826
CALOCAMPA Stephens, 1829
506. *X.exsoleta* Linnaeus, 1758 (59)
exoleta, error

VALERIA Stephens, 1829
SYNVALERIA Butler, 1890
507. *V.oleagina* Denis & Schiffermüller, 1775 [135]

DRYOBOTODES Warren, 1910
508. *D.tenebrosa* Esper, 1789 [136]
saportae Duponchel, 1826
accipitrina auct., nec Esper, 1796

BLEPHARITA Hampson, 1907
EUMICHTIS auct.

509. *B.spinosa* Chrétien, 1911 (60) [137]
solieri Boisduval, 1840 - misidentification.

510. *B.vallettae* DeLaever, 1981 [138]

POLYMXIS Hübner, [1820]

ANTITYPE auct.

CRYSEDRA Warren, 1910

511. *A.canescens* Duponchel, 1826 (61)

JODIA Hübner, 1818

XANTHIA Boisduval, 1828, nec Ochsenheimer, 1816

LAMPETIA Curtis, 1830, nec Meigen, 1800

XANTHOLEUCA Stephens, 1831

HOPORINA Blanchard, 1840

HOSPORINA, error

OPORINA Agassiz, 1846

512. *J.croceago* Denis & Schiffermüller, 1775 [139]

CONISTRA Hübner, [1821]

ORRHODIA Hübner, [1821]

GLOIA Hübner, 1822

GLAEA , error

513. *C.rubiginea* Denis & Schiffermüller, 1775 [140]

AGROCHOLA Hübner, [1821]

ANCHOSCELIS Guenée, 1839

ALEXIA DeLaever, 1979, nec Stephens, 1833, nec

Leach, 1817

514. *A.lychnidis* Denis & Schiffermüller, 1775 (62)

pistacina Denis & Schiffermüller, 1775

rubetra Esper, 1791

canaria Esper, 1791

serina Esper, 1791

lineola Donovan, 1801, nec Panzer, 1785

sphaerulatina Haworth, 1809

ferrea Haworth, 1809

venosa Haworth, 1809:232, nec Haworth, 1809:218

ACRONICTINAE

CRYPHIA Hübner, [1818]

Sub-Genus: Euthales Hübner, [1820]

515. C.(E.)*algae* Fabricius,1775 (69)
degener Denis & Schiffermüller,1775
calligrapha Borkhausen,1792
mendacula Hübner,[1813]

516. C.(E.)*pallida* Bethume-Baker,1894 (70a)

Sub-Genus: *Bryophila* Treitschke,1825

517. C.(B.)*rapticula* Denis & Schiffermüller,1775 (70)
divisa Esper,1791

518. C.(B.)*domestica* Hufnagel,1766 (67)
perla Denis & Schiffermüller,1775

Sub-Genus: *Bryopsis* Boursin,1970

519. C.(B.)*muralis* Forster,1771 (68)

SCYTHOCENTROPUS Speiser,1902
CENTROPUS Christoph,1889
HUGONIA Alpheraky,1908
CENTROPODIA Hampson,1908
SCYTHOCENTROPIA Oberthür,1912

520. S.*inquinata* Mabille,1888 (33)

AMPHIPYRINAE

PHLOGOPHORA Treitschke,1825
SOLENOPTERA Duponchel,1845, nec Audinet-serville,1832
HABRYNTHIS Lederer,1857
BROTOLOMIA Lederer,1857
RACOPTERA Scott,1858

521. P.*meticulosa* Linnaeus,1758 (65)

CALLOPISTRIA Hübner,[1821]
LAGOPUS Reichenbach,Liepzig,1817, nec Brisson,1760
ERIOPUS Treitschke,1821
CALLOPISTRIA ,error

522. C.*latreillei* Duponchel,1827 (66)

ACTINOTIA Hübner,[1821]
CHLOANTHA Boisduval, Rambur & Graslin,1836
CLOANTHA, error

523. A.*hyperici* Denis & Schiffermüller,1775 (23)

LUPERINA Boisduval,1828
PALLUPERINA Hampson,1920

524. *L.dumerili* Duponchel,1827 (64)
dumerili ,error

GORTYNA Ochsenheimer,1816
CNEPHOZETA Billberg,1920
OCHRIA Hübner,[1821]
XANTHOECIA Hampson,1908

525. *G.xanthenes* Germar,1842 ssp.orientalis Oberthür,1918 (79)
fransiscae Turati,1913

526. *G.leucographa* Borkhausen,1792 (80)

ORIA Hübner,[1821]
SYNIA Duponchel,1845
TAPINOSTOLA Lederer,1857

527. *O.musculosa* Hübner,[1808] (82)

SESAMIA Guenée,1852

528. *S.cretica* Lederer,1857 (81)
gracilis Rebel,1898

SPODOPTERA Guenée,1852 (72)
LAPHYGMA Guenée,1852
PRODENIA Guenée,1852

529. *S.cilium* Guenée,1852 (72)

530. *S.exigua* Hübner,[1808] (73)

531. *S.littoralis* Boisduval,1833 (71)
retina Freyer,1845
litura auct.

HOPLODRINA Boursin,1937

532. *H.ambigua* Denis & Schiffermüller,1775 (75)

CARADRINA Ochsenheimer,1816
ATHETIS Hübner,[1821]

Sub-Genus: Platyperigea Smith,189

533. C.(P.)germainii Duponchel,1835 (74)
laciniosa Donzel,1847

Sub-Genus: Paradrina Boursin,193

534. C.(P.)flavirena Guenée,1852 (76)
infusca Constant,1900:female, nec Constant,1900:male

535. C.(P.)clavipalpis Scopoli,1763 (77)
quadripunctata Fabricius,1775
cubicularis Denis & Schiffermüller,1775

536. C.(P.)flava Oberthür,1876 [141]
approximans Rothschild,1920

RHABINOPTERYX Christoph,1889

537. R.subtilis Mabille,1888 (63)

SYNTHYMIA Hübner,[1823]
METOPTRIA Guenée,1845
SYNTHIMIA ,error

538. S.fixa Fabricius,1787 (83)
monogramma Hübner,[1808]

AEGLE Hübner,[1823]

539. A.vespertalis Hübner,[1813] (84)

HELIOTHINAE

HELIOTHIS Ochsenheimer,1816
CHLORIDEA Duncan & Westwood,1841

540. H.peltigera Denis & Schiffermüller,1775 (20)
straminea Donovan,1793

541. H.nubigera Herrich-Schäffer,1851 (19)

HELICOVERPA Hardwick,1965

542. H.armigera Hübner,[1808] (21)
obsoleta auct.

PROTOSCHINIA Hardwick,1970
MELICLEPTRIA Hübner,[1823]

543. *P.scutosa* Denis & Schiffermüller,1775 (22)

ACONTIINAE

METACHROSTIS Hübner,[1820]

LEPTOSIA Guenée,1841, nec Newmann,1840

544. *M.velox* Hübner,[1813] (86)
anomala Rambur,1829

EUBLEMMA Hübner,[1821]

PORPHYRINIA Hübner,[1821]

EROMENE Hübner,[1821]

TROTHISA Hübner,[1821]

ANTOPHILA ,error

THALPOCHARES Lederer,1853

MELIPOTIS auct.

545. *E.ostrina* Hübner,[1808] (87)
carthami Herrich-Schäffer,1845

546. *E.parva* Hübner,[1808] (88)
minuta sensu Duponchel,1836

547. *E.suava* Hübner,[1813] (85)

COCCIDIPHAGA Spuler,1907

ZONESTHIOUSA Thierry-Mieg,1907

548. *C.scitula* Rambur,1833 (89)
exasperata Lederer,1855

PSEUDOZARBA Warren,1913

549. *P.bipartita* Herrich-Schäffer,1846 (91)

EMMELIA Hübner,[1821]

EROTYLA Hübner,[1822]

AGROPHILA Boisduval,1840

550. *E.trabealis* Scopoli,1763 (92)
sulphuralis Linnaeus,1767
sulphurea Denis & Schiffermüller,1775
arlequinetta Geoffroy,1785

ACONTIA Ochsenheimer,1816

TARACHE Hübner,[1823]

DESMOPHORA Stephens,1829

EUPHASIA Stephens,1830

551. *A.lucida* Hufnagel,1766 (93)
 solaris Denis & Schiffermüller,1775
 albicollis Fabricius,1781
 insolatrix Hübner,[1822]
 triangulum Costa,1882

ZEBEEBA Kirby,1892

552. *Z.falsalis* Herrich-Schäffer,1839 (90)

EUTELIINAE

EUTELIA Hübner,[1823]
EURPHIPIA Boisduval,1828

553. *E.adulatrix* Hübner,[1813] [142]

CHLOEPHORINAE

EARIAS Hübner,[1825]

554. *E.clorana* Linnaeus,1761 (95)
 chlorana ,error

555. *E.insulana* Boisduval,1833 (94)

XANTHODES Guenée,1852

556. *X.albago* Fabricius,1794 (96)
 malvae Esper,1796

PLUSIINAE

ABROSTOLA Ochsenheimer,1816
UNCA Oken,1815, rejected name.
HABROSTOLA Sodoffsky,1837
UNCA Lhomme,1929

557. *A.triplasia* Linnaeus,1758 (107)
 tripartita Hufnagel,1766
 urticae Hübner,1817

558. *A.asclepiadis* Denis & Schiffermüller,1775 (106) [143]

PLUSIA Ochsenheimer,1816
CHRYSASPIDIA Hübner,[1821]

559. *P.festucae* Linnaeus,1758 [144]

AUTOGRAPHA Hübner,[1821]

560. *A.gamma* Linnaeus,1758 (104)

561. *A.jota* Linnaeus,1758 [145]

TRICHOPLUSIA McDunnough,1944

562. *T.ni* Hübner,[1803] (102)

563. *T.orichalcea* Fabricius,1775 (105)

CHRYSODEIXIS Hübner,[1821]

564. *C.chalcites* Esper,1789 (103)
chalcites ,error.

CATOCALINAE

CATOCALA Schrank,1802

HEMIGEOMETRA Haworth,1809

ASTIOTES Hübner,[1823]

MORMONIA Hübner,[1823]

565. *C.elocata* Esper,1788 (97)
marita Hübner,[1813]
nurus Hübner,[1822]

566. *C.conjuncta* Esper,1788 [146]
conjuga Hübner,[1803]

567. *C.nymphagoga* Esper,1788 [147]
EPHESIA Hübner,[1818]

568. *E.nymphaea* Esper,1788 (98)
OPHIUSA Ochsenheimer,1816
OPHIOGENES Reichenbach Liepzig,1817

569. *O.tirhaca* Cramer,1777 (99)
CLYTIE Hübner,[1813]

570. *C.illunaris* Hübner,[1813] (101)

571. *C.sancta* Staudinger,1897 [148]
DYSGONIA Hübner,[1823]
PRODOTIS John,1910
PARALLELIA auct.

572. *D.algira* Linnaeus,1767 (100)
triangularis Hübner,[1803]

573. *D.torrida* Guenée,1852 [149]
 albivitta Guenée,1852
 festiva Walker,1858
 olympia Swinhoe,1855

GRAMMODES Guenée,1852

574. *G.bifasciata* Petagna,1787 [150]
 geometrica auct., nec Fabricius,1775

575. *G.stolida* Fabricius,1775 [151]
 cingularis Hübner,[1803]

OPHIDERINAE

- TYTA Billberg,1820
DYSTHYMIA Newman,1863
ACONTIA auct.

576. *T.luctuosa* Denis & Schiffmüller,1775 (108)
 italica Fabricius,1781
 astroites Geoffroy,1785

AUTOPHILA Hübner,[1823]

577. *A.maura* Staudinger,1888 (110)
 roseata Rothschild,1912

578. *A.dilucida* Hübner,[1808] (111)

- TATHORHYNCHUS Hampson,1894
TATHORHYNCUS ,error

579. *T.exsiccata* Lederer,1855 (112)
 vinctalis Walker,1866

RIVULA Guenée,1845

580. *R.sericealis* Scopoli,1763 (109)
 leeana sensu Fabricius,1777

HYPENINAE

- MACROCHILO Hübner,[1825]
CHYTOLITA Grote,1873

581. *M.cribromalis* Hübner,1793 [152]
 cribralis Hübner,1796

NODARIA Guenée,1854

582. *N.nodosalis* Herrich-Schäffer,1851 (113)
hispanalis Guenée,1854

HERMINIA Latreille,1802
HERMINEA ,error
ZANCLOGNATHA Lederer,1857

583. *H.crinalis* Treitschke,1835 [153]

PARACOLAX Hübner,[1825]

584. *P.derivalis* Treitschke,1796 [154]
derivatus Haworth,1809

HYPENA Schrank,1802

Sub-Genus: Bomolocha Hübner,[1825]

585. *H.(B.)crassalis* Fabricius,1787 [155]
frontis Thunberg,1788
fontis ,error
achatalis Hübner,1796
crassatus Haworth,1809
achatatus Haworth,1809

Sub-Genus: Hypena Schrank,1802

586. *H.(H.)rostralis* Linnaeus,1758 [156]
radiatalis Hübner,1796
rostratus Haworth,1809
vittatus Haworth,1809

587. *H.(H.)proboscidalis* Linnaeus,1758 [157]
proboscidatus Haworth,1809

588. *H.(H.)obsitalis* Hübner,[1813] (116)

589. *H.(H.)lividalis* Hübner,1796 (114)

SCHRANKIA Hübner,[1825]

590. *S.costaestrigalis* Stephens,1834 (115)

after 13 add:

PACHYTHELIA Westwood,1848
CANEPHORA Heydenreich,1851

13a. P.villosella Ochsenheimer,1810 [158]

nigricans Curtis,1828
cinerella Duponchel,1843
nigricantella Bruand,1853
magniferella Bruand,1853

after 37 add:

37a. T.pallescentella Stainton,1851 [159]

nigrifoldella Gregson,1856
coarcticella Zagulayev,1954

37b. T.cubiculella Staudinger, [160]

after 50 add:

50a. A.vendettella Chretien,1908 [161]
kotalella Amsel,1972

after 61 add:

61a. C.luteolella Staudinger,1880 [162]

after 63 add:

HOLCOPOGONIDAE

HOLCOPOGON Staudinger,1879
CYRNIA Walsingham,1900

63a. H.helveolellus bubulcellus Staudinger,1859 [163]
pulverellus Constant,1965
barbata Walsingham,1900

after 121 add:

ENDOTHENIA Stephens,1852

121a. E.marginana Haworth,1811 [164]
snellana sensu Pierce & Metcalfe,1922

after 217 add:

PEORIINAE

LYMIRA Ragonot,1884

217a. L.semiluteella Chretien,1922 [165]

after 245 add:

GYMNANCYLA Zeller,1848

245a. G.canella Denis & Schiffermüller,1775 [166]
depositella Zincken,1818
canellaris Hübner,[825]

after 275 add:

ANCYLODES Ragonot,1887

275a. A.pallens Ragonot,1887 [167]

after 281 add:

281a. A.manicata Staudinger,1859 [168]

after 455 add:

445a. E.distinguenda Lederer,1857 [169]
siepii Oberthür,1907
donzelii Bang-Haas,1910
cleui Boursin,1926

after 553 add:

SARROTHRIPINAE

SARROTHRIPUS Curtis,1824

553a. S.nilotica Roggenhofer,1882 [170]

after 568 add:

CEROCALA Boisduval,1828

568a. C.insana Herrich-Schäffer,1850 [171]

APPENDIX 1

1. Appears only in the 'Repertorio' by Gulia 1889. Has not been observed since.
2. Listed by Borg as having caused damage to the vines in the second half of the last century. He also added that it appeared to be extinct by his times.
3. Has been observed only, once by Gervase-Mathew in 1898
4. see note on endemic Lepidoptera (Appendix 2)
5. Recorded for the first time by Caruana-Gatto as frequent. Has also been collected recently by Mr.Valletta and myself.
6. Has been collected once by A.Bezzina in November 1978
7. A single example has been collected by the author from Rabat on September 20th.,1982.
8. Listed only by Borg. Has not been observed by others.
9. One example collected by M.Zammit from Poala.
10. Has been collected by Valletta from B'Kara in September 1974
11. Listed by Borg as 'rare'. Has not been collected since.
12. One example taken from Rabat in August 1981 at light by the author.
13. Two examples taken at light from Rabat in April 1983
14. *M.eatoni* Walsingham (Valletta no.362) is to be removed from our list as it is only a junior synonym of *M.castiliella* Moschler,1866 (Valletta no.363). The synonymy is on the authority of Dr.Gozmany.
15. Has been taken once from Rabat by the author in 1981.
16. Has been collected in small numbers by Valletta from Wardija in 1975
17. Has been taken in small numbers by Valletta from Mellieha in July 1979
18. Recorded by Borg under the name *T.rosana* Hb. Valletta gives it as *T.rosaria* in the appendix.
19. Has been collected once from Benghisa in April 1973

20. A single example has been collected from Rabat in October 1982.
21. Has been taken from Marsaxlokk in October 1975.
22. A single specimen was taken at light from Rabat during March 1983.
23. A single example has been taken by the author on July 18th., 1982.
24. Listed by Borg as having collected by John Borg from pear trees. Has not been observed again.
26. A single example of this species has been collected by the author at light from Rabat on April 10th., 1982.
27. Recorded by Borg as 'Not rare in the neighbourhood of honeysuckle'. Has not been observed again.
28. *A.divisellus* de Joannis, 1889 is to be removed from our list as it is only a synonym of *A.trabeatella* Herrich-Schaffer, [1848]. The synonymy is on the authority of Dr.W.Sauter.
29. A short series was collected from Bahrija by the author on September 11th., 1983
30. Recorded by Borg. Included by Valletta in appendix.
31. Has been collected by the author in small numbers from Rabat.
32. Recorded by Borg. Included by Valletta in appendix.
33. Collected by Valletta from Benghisa on October 7th., 1973.
34. Recorded by Borg. Included by Valletta in appendix.
35. Taken only once by Briffa in 1980. The specimen is in the collection of Mr.Valletta.
36. Recorded by Borg. Included by Valletta in appendix.
37. Recorded by Borg. Included in appendix by Valletta.
38. Recorded by Borg. Included by Valletta in appendix.
39. Has been collected in small numbers by Mr.Valletta and myself
40. One example has been taken from Rabat by the author at light on September 30th., 1983.

41. Has been taken by beating from Ghar Lapsi in October 1974 by A.Valletta. A further specimen was collected by the author from Rabat at light on May 30th., 1983.
42. Recorded by Borg. Included by Valletta in appendix.
43. Recorded by Borg. Included by Valletta in appendix.
44. *A.monosticella* Ragonot, is to be removed from our list as it is only a synonym of *A.subcandidatella* Ragonot. The synonymy is on the authority of Dr.Sauter.
45. A short series has been taken by the author from Rabat at light during late August 1983.
46. Malta has been included in the range of this species by Mr.Arenberger in 'Die palaearktischen Agdistis-Arten' in Beitr.naturk.Forsch.Scdw. Dtsl. Band 36 pp 185-226. 1977. An Agdistis specimen collected from Rabat on August 26th., 1983 has been confirmed by genitalic study to belong to this species.
47. Recorded only by Borg as frequent in houses and gardens.
48. Recorded by Angas (1842) and by Gulia (1858). In Borg it is listed as 'very rare'. Has not been observed since.
49. Recorded only by Borg as 'rare'.
50. Recorded by Borg as 'very common'. Not recorded again.
51. Recorded by Borg as 'frequent at Buskett and along the cliffs near Dingli.' Has not been observed again since then.
52. Listed in Borg as 'a rare occational visitor'. Has not been included in any of the more recent lists.
53. Listed by Borg as 'very common throughout the whole year.' Definitely an error of identification as it has never been collected by others.
54. Recorded by Caruana-Gatto as having been taken once by H.Harford at San Anton Gardens.
55. Recorded by Borg. Has not been recorded by other collectors.
56. One example collected by J.Doublet in the first week of March from Floriana.
57. T.B.Fletcher records that a specimen was seen by G.F.Mathews on March 23rd.,1892. It has not been observed by others.
58. Recorded by Borg as 'rare'. Has not been taken since.

59. About this species Borg writes 'rare and has been observed at Argotti Botanical Gardens.' Has not been observed again.

60. According to Borg 'rare but can be met with in May and June at Blata il-Bajda.' Has not been observed since.

61. Caruana-Gatto records that a specimen was seen by H.Harford at Sliema in July 1910.

62. One example seems to have been taken by H.Harford at St.Julians on the 10th.September 1910

63. Borg comments that 'it can be taken in large numbers during summer'. Has never been actually collected since his times.

64. In Caruana-Gatto 'one specimen seen by G.F.Mathews on January 3rd., 1897 at Zurrieq.'

65. Recorded as being taken by John Borg at Wied Encita.

66. Has been collected twice; in 1966 at Wied Zembaq by V.Portelli, and in 1978 at Ghadira by G.Bonett.

67. Collected only once from Manoel Is. in 1975 by J.Cilia

68. Listed in Borg as 'common'. Has not been collected since.

69. Recorded by Gulia. Listed in Borg on the same authority.

70. Recorded by Gulia as an accidental importation. Has not been collected after his times.

71. Included only by Gulia in his Repertorio.

72. First recorded by Borg. Has recently been also taken by Valletta and myself.

73. Recorded by Caruana-Gatto from a specimen taken from Attard in summer.

74. Recorded only by Borg.

75. Recorded by Borg as 'frequent in summer'. Has not been collected since.

76. Recorded only by Andres.

77. Has been taken twice by Mr.Valletta.

78. Recorded by T.B.Fletcher from an example taken on May 16th.,1901. Has not been collected again.

79. Recorded in Caruana-Gatto as being common in houses and gardens from May till July. Has not been recorded by others.
80. Recorded only by Borg.
81. Recorded only by Borg.
82. Listed only by Andres.
83. Recorded only by Borg.
84. Listed in error by myself. Examination by D.S.Fletcher of the B.M.(Nat.Hiat.) showed that in fact the series consisted of a small form of *Idaea fractilineata* Zeller.
85. Has been taken twice by Valletta at light from Benghisa in 1974.
86. Borg records it as frequent. Mathew took a female in 1897. Has not been observed since.
87. Recorded in Borg. Only the variety *ablutaria* Bsdv., is met with.
88. Recorded only by Andres.
89. Taken once by Valletta from benghisa in 1974
90. Recorded only by Borg.
91. Recorded only by Borg.
92. Taken by Valletta from Benghisa in 1972.
93. Recorded only by Borg.
94. Recorded by Borg as being injurious to pear trees. J.Borg describes its habits in 'The Cultivations of Fruit Trees....'
95. About this species Borg writes 'this species is much attracted to lights. Larva feeds on *Quercus ilex* L.' Has not been observed recently.
96. Listed only by Andres.
97. Recorded by Borg as common at light. Has not been recorded recently.
98. Listed by all the older Lepidopterists. This taxon is not represented in our islands; only *eformata* Gn., is present.
99. Recorded only by Borg.

100. About this species Borg records Observed once at Sliema.
probably an accidental visitor.'

101. Recorded by Borg as rare. Not recorded by others.

102. Recorded by J.Borg as being destructive to young leaves and
blossoms of the pear. Not recorded by others.

103. Taken twice by the author.

104. Recorded only by Borg.

105. Recorded by Borg as not being rare in certain localities.

106. Has been taken in small numbers by the author. This species
has been identified by Dr.Riley of the B.M.(N.H.).

107. Borg records this species as being frequent in summer. Has
not been collected by others.

108. Recorded by Borg as being frequent in summer. Not recorded
by others.

109. Recorded in Borg as 'very rare.'

110. Three examples taken by the author at UV light from Gnejna
Bay on July 27th., 1983.

111. A single specimen taken from Rabat on June 12th., 1983

112. Collected once by L.Cassar from Ghadira.

113. Recorded by Mathews. Has not been observed again.

114. Recorded only by Mathews.

115. This taxon should replace D.punctata hyalina Freyer.
(Valletta pers.comm.)

116. A very short series has been taken by the author from Rabat.

117. Collected twice by the author, from Rabat and from Ghadira.

118. Recorded by Borg as rare. Not recorded by others.

119. Recorded by Borg as 'frequent'.

120. Recorded by Andres.

121. Recorded by Borg. Has been recently collected by M.Zammit of
Paola.

122. Recorded by Borg. A further specimen has been taken by S.Cortis from Buskett on August 30th., 1983.

123. Taken by S.Cortis from Buskett by beating on August 30th., 1983.

124. Recorded only by Borg.

125. Recorded by Borg as 'rather too common'. A single example has been recently collected by Valletta.

126. Listed only by Borg.

127. Collected once by the author from Ghadira in April 1974.

128. Recorded only by Borg.

129. Recorded only by Borg as 'rare'. Not collected by others.

130. A short series has been taken by the author at light from Rabat during April 1983.

131. Has been collected by Valletta, Cassar and myself from various localities.

132. Appears in the lists of Valletta and Delucca. Valletta is of the opinion that this species is not represented in Malta.

133. The f.albicans has been collected once by the author from Rabat.

134. Collected once at light by the author from Ghadira in early October 1982.

134. One example has been taken by the author in 1973 from Rabat. The species has been identified by Dr.Delucca.

136. Collected once from Benghisa by Valletta in October 1979.

137. This taxon is not represented in the Maltese Islands. DeLaever separated our population of Blepharita as a new species Blepharita vallettai sp.n.

138. Endemic species which replaces B.s.spinosa Chret.

139. Has been recorded only by Borg.

140. Has been recorded only by Borg.

141. Taken twice by the author from Rabat.

142. Collected once from San Gwann in May 1974

143. Recorded both by Valletta and Delucca. All specimens examined belong to *A.triplasia* L.

144. Borg records this species as rare. Has not been collected by others.

145. Recorded only by Borg.

146. A short series has been taken from Buskett.

147. Has been collected from Buskett.

148. Collected once by Briffa from Luqa Airport in September 1980.

149. Has been collected by Delucca, Valletta and myself.

150. Has been collected by Valletta, Cassar and myself in 1982.

151. Collected once from Benghisa by Valletta.

152. Recorded only by Borg.

153. Recorded by Borg. Has been recently taken by Valletta and myself.

154. Recorded only by Borg.

155. Recorded only by Borg as 'very rare'.

156. Recorded only by Borg.

157. Listed by Borg as common. Not collected by others.

158. Taken by Mr.Valletta for the first time from B'Kara on September 7th., 1943 (Valletta - 1950a)

159. Collected once at light at Sliema on May 18th., 1948 (Darlow -1950)

160. About ten specimens recovered by beating from Buskett on April 10th., 1949 (Delucca -1950b)

161. Collected once at light from Rabat by the author on the 10th. May 1983.

162. Collected once by the author from Rabat on May 10th.,1983.

163. Two specimens taken at light during late August 1949 from Maddliena (Delucca -1951b)

164. Collected once from Rabat at light by the author on September 4th., 1982

165. Collected once at light by the author from Rabat on the 10th., May 1983.

166. Taken by beating at Wied Encita on May 22nd., 1949 (Valletta- 1951a)

167. Recorded once from Rabat by the author on March 29th., 1983

168. Recorded once by the author from Rabat on March 29th., 1983.

169. Collected once by the author from Zebbug on November 3rd., 1983.

170. Collected once at light from Rabat by the author on September 30th., 1983.

171. Collected once by the Rev.F.Caruana from St.Joseph Institute Hamrun on October 23rd.,1944. This ex-Conti specimen is now housed in the collections of Mr.L.Cassar.

The Present Status of our Endemic Lepidoptera

The Lepidoptera of the Maltese Islands are largely of a South European nature with a small admixture of North African species. The degree of endemism in Maltese Lepidoptera is about 3% and if we do not take into account certain species which are listed only by Paul Borg, those which may not have been collected in Malta at all, the degree of endemism would be slightly higher. Besides quite a good number of our lepidopterous fauna is migratory and this lowers the percentage of the endemics when compared to the resident species. This small degree of endemism is something to be expected since the Maltese Islands were cut off from the South European and North African mainland at a relatively late period.

Without going into much detail as how endemic forms and species are produced, it is sufficient to say that our flora and fauna, being cut off from other populations evolved independently producing forms different from those of S.Europe and N.Africa. This is true especially in the flora, and in those animals which are sedentary, flightless or capable of flying for short distances only. Thus we have an endemic lizard, few endemic land snails and numerous endemic insects and other invertebrates.

The following is a list of endemic species and forms of Lepidoptera. Since very little work has been done, especially on Microlepidoptera, the present status of many of the endemic species cannot be fully assessed. Furthermore with the destruction of much of the habitat a good percentage of the endemic forms could already be extinct. On the other hand new endemic species still await discovery. In nearly all the cases, the early stages have not as yet been worked out.

PSYCHIDAE (Taleporiinae)

Sciopetris melitensis Rebel, 1919

Described from a single male by H.Rebel from material collected by Adolf von Andres. Redescribed again by G.Amsel from another male collected from Ghargħur on January 31st., 1953 by Anthony Valletta. Has not been collected since. Early stages still undescribed.

TINEIDAE (Nemapogoninae)

Antitinea deluccae Amsel, 1954

Originally described from a male collected by the late Dr.C.Delucca from Xlendi, Gozo on September 9th., 1953. Female undescribed. Early stages and foodplant unknown.

Praeacedes deluccae Amsel, 1954

Originally described by G.Amsel from material collected by Dr.Delucca from Ghargħur in 1951. Later Amsel

himself placed *P.deluccae* in synonymy with *Tinea thecophora* Walsingham,1907 which is not endemic to Malta.

PTEROLONCHIDAE

Pterolonche vallettae Amsel,1955

Originally described from two male examples collected by Mr.A.Valletta, one from Mistra on August 5th.,1953 and the other from Lippija on April 29th., of the same year. Early stages and foodplant unknown. Female undescribed. No further specimens have been taken since.

COLEOPHORIDAE

Coleophora mellechella Toll,1962

Described from material collected from Ghargħur by Dr.C.Delucca. Dr.G.Baldizzone, the specialist in Coleophoridae relegated *C.mellechella* Toll, to a synonym of *Coleophora conyzae* Zeller,1868. *C.conyzae* is not endemic to Malta. *Coleophora coyzae* Zeller, is here recorded for Malta for the first time.

SYMMOCIDAE

Apatema fasciata melitensis Amsel,1952

The ssp.*melitensis* was originally described from two males collected by Dr.Delucca from Salina Bay on October 9th., 1950. The holotype (or what is left of it) is in the collection of Dr.Delucca and the paratype in that of Dr.Amsel.

Dr.L.Gozmany, who is the authority on Symmocidae has placed *A.fasciata melitensis* Amsel, in synonymy with *Apatema mediopallidum* Walsingham,1900 which is a very variable circummediterranean species and consequently not endemic. The synonymy here is on the authority of Dr.L.Gozmany.

Oecogonia deluccai Amsel,1952

Originally described from a male collected by Dr.Delucca from Salina Bay on October 21st.,1950. Female undescribed. Early stages and foodplant unknown. Probably extinct.

Symmoca melitensis Amsel,1954

Originally described from two males collected by Dr.Delucca from Xwieki on June 16th.,1949. Holotype is in the collection of Dr.Delucca and paratype in that of Dr.Amsel. Collected again in 1955. Early stages and foodplant still unknown

S.melitensis Amsel, is now considered to be a subspecies of *Symmoca signatella* Herrich-Shaffer,1855. This revised nomenclature is on the authority of Dr.L.Gozmany.

GELECHIIDAE (Gelechiinae)

Epidola melitensis Amsel,1955

Originally described from material taken by Dr.Delucca from Gnejna on November 3rd.,1953 and from Wied il-Lunzjata, Gozo on the 10th of the same month. Early stages and foodplant not yet worked out.

Megacraspedus lativalvellus Amsel,1954

Originally described from material collected by Dr.Delucca from Salina Bay on March 16th.,1952. The holotype is in the collection of Dr.Delucca. Early stages and foodplant unknown.

TORTRICIDAE (Tortricinae)

Aphelia amplana Hubner,[1825] f.vallettai Bradley,1953

Originally described from a male and female bred by Mr.Valletta and emerging on January 28th.(male), and January 20th.(female). Types are in the collection of the British Museum (Nat.hist.) This endemic form is widely distributed in small well established colonies. Larva feeds on *Urinea maritima* (L) Baker. Parasitized by a number of different dipterous insects. Early stages have been worked out by Mr.Valletta and others.

PYRALIDAE (Phycitinae)

Phycitodes saxicola Vaughan,1870 ssp.vallettae Amsel,1951

Originally described by Amsel as *Homoeosoma vallettae* from material collected from Misra by Mr.Valleta on October 7th.,1950. Holotype and allotype are in the collection of Mr.Valetta. Female and early stages not yet worked out. The new nomenclature is on the authority of Dr.W.Sauter of Zurich.

PTEROPHORIDAE (Agdistinae)

Agdistis symmetrica Amsel,1955

Originally described from a male collected by Mr.Valletta and bearing data: Malta, Bahar ic-Cagħaq, 20 viii 53. Type is in the collection of Mr.Valletta. Female and early stages not yet described. Foodplant unknown. This species is easily mistaken for the other commoner *Agdistis* and its present status cannot be fully assessed.

Agdistis melitensis Amsel,1954

Originally described by Dr.Amsel from a pair taken in summer of 1952 by Mr.Valletta. Further specimens were taken in October of '53 from Salina Bay. A short series of *Agdistis* taken from Rabat during '82 by the author has been identified by Dr.W.Sauter of Zurich as belonging to this species.

(Pterophorinae)

Aciptilia spicidactyla Chretien,1923 f.insularis Bigot,1961.

Described from a short series collected by Dr.Delucca

from Gnejna, Ghargħur and Mellieha. Type (male) bears data label: Malta, Gnejna, 3 ix 53 leg. Delucca, and is in the collection of L. Bigot. Allotype bears data: Malta, Mellieha, 16 vi 59., leg. Delucca, and is in the collection of Dr. Delucca

The revised nomenclature for this species should now read: *Pterophorus malacodactyla* Zeller, 1847 of which *spicidactyla* Chretien, 1923 is a synonym. The name *insularis* Bigot, 1961 has also been placed in synonymy of *malacodactyla* Zeller. The species is therefore not endemic to us.

PAPILIONIDAE

Papilio machaon Linnaeus, 1758 ssp. *melitensis* Eller, 1936

Originally described from 3 male examples taken in September. I agree with authors who consider our race of *machaon* as belonging to the ssp. *sphyrus* Hubner, 1823 which inhabits the South of Europe, Sicily, Malta and North Africa and which therefore is not endemic.

PIERIDAE

Gonepteryx cleopatra Linnaeus, 1767 ab. *vallettai* Howarth, 1977

Originally described from two male examples, one bred ex-ova by Mr. Valletta and the other collected on the wing by the author from Buskett on June 13th., 1971. The holotype is in the collection of Mr. Valletta while the paratype is in that of the author. This aberration, which is considered to be genetical, is restricted to the male.

SATYRIDAE

Hipparchia aristaeus algirica Oberthur, 1870

f. *vallettai* De Lattin, 1952

Described from a single male collected from Naxxar on May 23rd., 1939. The holotype is in the collection of Mr. Valletta. Has never been collected again.

Maniola jurtina hyperhispulla Thomson, 1973

Originally described from material collected from Buskett in 1969 and 1971 by Mr. Valletta. The holotype, a male is in the collection of Dr. G. Thomson of Scotland. This subspecies is very common from May till late September in an extended single brood. Larva feeds on grasses.

ARCTIIDAE (Arctiinae)

Phragmatobia fuliginosa melitensis O. Bang-Haas, 1927

The ssp. *melitensis* is generally very common. Larva is polyphagous on a number of low herbs such as *Plantago* sp.

NOCTUIDAE (Noctuinae)

Mythimna putrescens vallettai Boursin, 1952

Originally described from material collected by

Mr.Valletta from Mriehel, Malta during October and November of 1948. The type is in the collection of Mr.Valletta. This subspecies is common during September-November.

(Cucullinae)

Blepharita vallettai DeLaever,1981

Originally described from material collected by Mr.Valletta in 1980. DeLaever separated our population of Blepharita (until then referred to as *B.solieri spinosa* Chret.) as a new species and named it *B.vallettai* sp.n. Blepharita vallettai DeLaever is as yet known only from the Maltese Islands. The early stages have been worked out by the author. Larva feeds well in captivity on *Sonchus tenerimus* L. The species is fairly well established, sometimes even common.

REFERENCES

- AMSEL,H.G.(1950): Neue microlepidoptera aus Marocco, Malta und dem Lebanon, Bulletin de la Societe de sciences naturelle du Maroc. Tom.30:178.
- (1951): Eine neue maltisische Homoeosoma.Mitt. Muncher Ent. Gesellschaft. XLI(1951):248-250
- (1952): Two new microlepidoptera from Malta. Ent.85:172-174
- (1954): Neue Pterophoridae, Gelechiiden und Tineiden aus Palastina und Malta. Bull.Soc.Fouad. 1er. Entom.XXXVIII:51-57
- (1955): Über Mediterrane Microlepidoptera und Einige Transcaspische Arten. Institut Royal des Sciences Naturelle de Belgique. Bull. Tom.31.No.83
- ANDRES,von A.(1916): Verzeichnisdar wahrend meiner Kreigsgesfangeschaft von mir auf Malta gesamelten Lepidoptera. 1916. Entomologische Rundschau 33:(9):43-45, (10):48-49, (11):50
- BALDIZZONE,G.(1982): Contributi alla Conoscenza dei 'Coleophoridae' XXVII. Riv.Piem.St.Nat.3 (1982):145-161
- BANG-HAAS,O.(1927): Horae Macrolepidoptera Palaeartica. I:57 t8,f8.
- BIGOT,L.(1961): Une nouvelle variete d'Aciptilia: A.spicidactyla insularis nova. Lambillionea 61:(7-8):49-51
- BORG,P.(1932): The Lepidoptera of the Maltese Islands. Government Printing Press pp v+25
- BOURSIN,C.(1952): A new subspecies of Leucania putrescens Hubner. Ent.85:132
- BRADLEY,J.D.(1953): A new form of Tortrix amplana Hb. from Malta. (Lep. Tortricidae) Ent.86:67
- De LATTIN,G.(1952): Two new species of Hipparchia semele L. Ent.Rec. 64:335-336
- De LAEVER,E.(1980): Consideration sur le Genre Blepharita Hampson et Blepharita vallettai species nova. SHILAP: Revta lepid. Vol.8 No.31(1981):197-200
- ELLER,K.(1936): Die Rassen von Papilio machaon L. Abhdl. Bayerischen Akad. Wiss 36:42
- HOWARTH,T.G.(1977): A Remarkable aberration of Gonepteryx cleopatra L., from Malta. Ent.Rec.99:72

REBEL,H.(1919): Iris. 42:96-97

THOMSON,G.(1973): Geographical variation of Maniola jurtina (L.)
Tidjechrift voor Ent. deel 116 afl.12:185-226

TOLL,S.(1962): Materialien zur Kenntnis der palaeartischen
Coleophoriden. Acta Zool.Cracov. 7:577-720

VALLETTA,A.(1973): The Moths of the Maltese Islands. Progress
Press.pp.120

©Entomologisches Museum Dr. Ulf Eitschberger, download unter www.zobodat.at
Bibliography on Maltese Lepidoptera

- AMSEL H.G.(1950): Neue microlepidopteron aus Marocco, Malta und dem Lebanon. Bull. Soc. Sc. Nat. Maroc.30:178
- (1951): Eine neue maltesische Homoeosoma. Mitt.Munchener Ent. Gesellschaft.XLI(1951):248-250
- (1952): Two new Microlepidoptera from Malta. Entomologist.85:172 -174
- (1954): Neue Pterophoridae, Gelechiiden und Tineiden aus Palastina und Malta. Bull.Soc.Fouad.1er.Entom.XXXVIII:51-57.
- (1955): Über Mediterrane Microlepidopteren und Einige Transcaspische Arten. Institut Royal des Sciences Naturelle de Belgique. Bull. Tome XXXI No.83 pp.64
- ANDRES, Adolf v.(1916): Verzeichnis der wahrend meiner Kreigsgefangenschaft von mir auf Malta gesammelten Lepidoptera. Ent.Rundsch.33:(9):43-45, (10):48-49, (11):50
- ANGAS,G.F.(1842): A Ramble in Malta and Sicily in autumn of 1841 pp.vii+168. Smith,Elder and Co., Cornhill.1842.
- AQUININA.C.(1890a): Unusual visit by the Short-Tailed Blue. Potamon.4:39
- (1980b): New foodplant for Oak Eggar (*Lasiocampa quercus* L.) Potamon:4:45
- (1980c): Pre-pupation behaviour in the larva of *Convolvulus* Hawk-moth. Potamon.5:54
- (1980d): On the appearance of a specimen of *Inachis io* L., in Malta. Potamon.5:56
- (1981a): A mis-identified specimen of *Gonepteryx cleopatra* L., from Malta. Bull.Amat.Ent.Soc.40 (333):169.
- (1981b): The first record of *Zizeeria knysna* Tr., from Malta. Bull.Amat.Ent.Soc. 40 (333):170-171
- (1981c): On an alleged specimen of *Polygonia c-album* captured in Malta. Bull.Amat.Ent.Soc.40 (333):173
- (1981d): Three interesting butterflies in the collection of the Natural History Museum, Mdina. Potamon.7:78-79
- BALDACCHINO,A.E.(1976): Il-Friefet fi Gzirritna. Pronostku Malti 179-185

- (1983a): Looking at Butterflies. 'Civilization.' 4:97-100
- (1983b): Il-Friefet.'It-Tieqa.' Gunju 1983 No.51:9
- BALDIZZONE,G.(1982): Contributi alla conoscenza dei Coleophoridae XXVII. Riv.Piem. St.Nat.1982 (3):145-161
- BANG-HAAS,Otto.(1927): Horae Macrolepidoptera Palaeartica 1:57.t.8.f.8.
- BIGOT,L.(1961): Une nouvelle variete d'Aciptilia: A.spicidactyla insularis nova. Lambillionea 61.(7-8):49-51
- BOFFA,C.J.(1980): Il-Friefet fil-Gzejjer Maltin. Torca.10 ii 80 p.15. The same article appeared in an issue of 'Il-Mara tal-Lum'
- BONETT,G.(1972): Records of animal life from Bahar ic-Cagħaq. Maltese Naturalist. December'72
- (1976a): Butterflies in Industrialized areas. Times of Malta. March 22nd.
- (1976b): Moth species from Marsa Industrial Estate. Times of Malta. June 28th.
- (1976c): Studies on the Lepidoptera of the Maltese Islands. Times of Malta. Oct.18th., Oct.25th., Nov.1st.
- (1976d): Why breed Lepidoptera. Times of Malta. Dec.13th.
- (1978): Zizeeria knysna Trimen, an additional species of butterfly to the Maltese Islands. Ent.Rec.90:265-266
- (1979): Danaus chrysippus L., in Malta. Ent.Rec.91:142-143
- BORG,John.(1898): Carpocapsa pomonella L. Daily Malta Chronicle, Dec.29th.
- (1899): Mamestra brassicae L. Daily Malta Chronicle, Jan.9th.
- (1922): Cultivation and Diseases of Fruit Trees in the Maltese Islands. Government Printing Press. Malta p.vii+622
- (1939): Our Insect Visitors. Archivum melitense vol.X.(4):196
- BORG,Paul.(1932): The Lepidoptera of the Maltese Islands. Government Printing Press. p.v + 25.
- BOURSIN,C.(1952): A New Maltese sub-species of Leucania putrescens Hb., Entomologist 85:132

BRADLEY,J.D.(1953) A new form of *Tortrix amplana* Hb., from Malta.
(lep.Tortricidae) Entomologist.86:67

BRIFFA,C.(1980): Some caterpillar defence mechanisms I have seen.
Potamon.4:38-39

-(1984): A new foodplant for the Death's Head Hawkmoth
Caterpillar. Potamon.12:63

BUTLER,T.(1952): Rare Butterfly. Sunday Times of Malta. 20 iv 52.

CARUANA-GATTO,A.(1891a): Notes on the Lepidoptera of Malta.
The Mediterranean Naturalist. p85-88, 106-107.

-(1891b): Prima contribuzione alla Fauna Lepidotteroologica
dell'Isola di Malta. Rivista Italiana di Scienze Naturali. Anno
XI (5):2-8

-(1892a): *Deiopeja pulchella* L. Med.Naturalist. Sept. p.239

-(1892b): *Sph.convolvuli*, *Ach.atropos*, *Sph.euphorbiae*,
Sph.celerio. Med.Naturalist. Dec. p.287.

-(1905): Seconda contibuzione alla Fauna Lepidotteroologica
dell'Isola di Malta. Eteroceri. Tipografia del'Malta'. Valletta
pp.32

-(1925): Di Alcune Specie di Farfalle Erratiche Catturate o
Osservate in Malta. Archivum melitense vo.VI.(4):155-159

CASSAR,L.F.(1975): Ghadira Camp Report. MOS publication.

-(1976): The Death's Head Hawk Moth. Times of Malta, July 19th.

-(1981): *Lithosia quadra* at Ghadira. Potamon.6:72

CILIA,J.L.(1973): Courtship behaviour of some Maltese
Butterflies. Maltese Naturalist, December Issue.

-(1975): Insect visitors to the sea-side Squill. Maltese
Naturalist. December Issue.

-(1976): The Insects - a true perspective. Times of Malta. March
29th.

-(1979): *Plebejus argus* L., in Malta. Proc.Brit.Ent.Nat.Hist.Soc.
12(3/4):76

CILIA,J.L.& GATT,P.(1975): Gymnandromorphismy in the Bath White.
Maltese Naturalist. June Issue

DANIEL,F.(1970): RASSENANALYTISCHE UNTERSUCHUNGEN BEI
phragmatobia fuliginosa L., und Phragmatobia amurensis Seitz
(Lep.ARCTIIDAE) Zeitschr.der Arbeitsgemeinschaft Osterr.
Entomologen,22.Jhg.1,1970 p.2-16

DARLOW,H.M.(1950): Additions to the list of the Lepidoptera of
Malta. Entomologist 83:269-271

DARLOW,H.M. & VALLETTA,A.(1950): Catocala elocata Esp., in Malta.
Entomologist.83:96

De LAEVER,E.(1980): Considerations sur le Genre Blepharita
Hampson et Blepharita vallettae species Nova. SHILAP; Revta.
lepid. Vol.8.31(1980):197-200

De La GARDE,PH.(1892): Mediterranean Lepidoptera. Med.
Naturalist. February 1892:133-134

-(1898): Mediterranean Lepidoptera. Entomologist 82:8-11

De LATTIN,Gustav(1952): Two new species of Hipparchia semele L.
Ent.Rec. 64:335-336

DELUCCA,C.(1948a): Some species of Crambinae observed in Malta.
Entomologist.81:228.

-(1948b): Naclia punctata L., in Malta. Ent.Mon.Mag.84:107

-(1948c): Notes on some moths observed in Malta.
Ent.Mon.Mag.84:192.

-(1949a): Microlepidoptera new to the Maltese Islands.
Entomologist.82:148

-(1949b): Further moth captures from Malta. Ent.Mon.Mag.85:96

-(1949c): Further notes on the Lepidoptera Heterocera from Malta
Ent.Mon.Mag.85:115

-(1950a): Casual Immigrant Rhopalocera in Malta.
Entomologist.83:64-65

-(1950b): Additional records of Microlepidoptera from Malta.
Entomologist. 83:249

-(1950c): A contribution to the list of Maltese Lepidoptera.
Ent.Mon.Mag.86:232

-(1951a): Notes on the biology of Cnephasia gueneana Dup.
(Lep.Tortricidae) Entomologist. 84:205

-(1951b): New additions to the Lepidoptera of Malta.
Entomologist. 84:258

-(1953): Additions to the list of Maltese Microlepidoptera.
Entomologist. 89:129

-(1956): New additions to the Lepidoptera of the Maltese Islands.
Entomologist. 89:253-256

-(1965): The place of the Lepidoptera in the Zoogeography of the
Maltese Islands. Rapports et Proces-verbaux de reunions de la
C.I.E.S. M.M., 18(2):511-515

-(1969): Lepidoptera from the Maltese Islands. Ent.Rec.81:137-140

ELLER,K.(1936): Die Rassen von Papilio machaon L.,
Abhdl. Bayerischen Akad.Wiss.36:42

FLETCHER,T.B.(1904-05): A Preliminary list of the Lepidoptera of
Malta. Entomologist.(37):273-276, 315-319.,(38):18-20

-(1905): A Preliminary list of the Lepidoptera of Malta.
Daily Malta Chronicle, March 10th.,14th.,1905.

GREENWOOD,J.A.C.(1968): Brief Visits to Austria, Malta and Sicily
in 1967. Ent.Rec.80:29-32

GULIA,G.(1858): Corso elementare di Entomologia Maltese dato nel
Palazzo di Sant'Antonio. Lezione quarta. Classe sesta.
Lepidoptera.

-(1889): Repertorio di Storia Naturale. pp.129

HERBULOT,Ch.(1950): On the presence of middle spurs in the hind
tibiae of a male Scopula from Malta. Entomologist. 83:255

HOWARTH,T.G.(1977): A Remarkable Aberration of Gonopteryx
cleopatra L., from Malta. Ent.Rec.99:72

LANFRANCO,G.(1954a): Butterflies of Malta - Resident species.
part.1. Times of Malta 21 ix 54

-(1954b): Butterflies of Malta - Migratory species. part.2.
Times of Malta. 5 x 54

-(1954c): Butterflies of Malta. Some extreme rarities found.
part.3. Times of Malta. 18 xi 54.

-(1955): Local Hawkmoths. Times of Malta 11 iii 55.

-(1960): The Hawkmoths of Malta. Il-'Kewba'. March 1960.

- (1961a): Friefet ta' Malta. Pronostku Malti 1961:103-112
- (1961b): Il-Bahrija Sfingida ta' Malta. Tajjeb li tkun Taf. DOI April, 17th.
- (1963): Il-Bahrija. Pronostku Malti. 1963:97-104
- (1964a): Lepidoptera of the Maltese Islands. News & Views. N.H. Soc. Publn.
- (1964b): Unusual numbers of White Butterflies. News & Views. N.H. Soc. Publn.
- (1964c): The Swallowtail butterfly of Malta. Times of Malta. 16 vii 64.
- (1964d): The Cabbage white. Times of Malta. 30 vii 64 p.9
- (1964e): The Bath White. Times of Malta. 14 viii 64 p.11
- (1964f): Two other Pierids. Times of Malta. 28 viii 64 p.11
- (1964g): Red Admiral Butterfly. Times of Malta. 11 ix 64 p.11
- (1964h): Painted Lady. Times of Malta. 26 ix 64 p.12
- (1964i): Brown Argus. Times of Malta. 9 x 64 p.11
- (1964j): Blue Butterfly. Times of Malta. 23 x 64 p.5
- (1964k): Clouded Yellow Butterfly. Times of Malta. 27 xi 64. p.11
- (1964l): Wall Brown Butterfly. Times of Malta. 11 xii 64. p.11
- (1965a): Countryside Creatures (1) Times of Malta. 7 x 65 p.9
- (1965b): Holly Blue without Holly. Times of Malta. 4 x 65 p.9
- (1965c): Two Long-Tailed Blues. Times of Malta. 30 xii 65. p.11
- (1966a): Two different butterflies. Times of Malta. 27 i 66.
- (1966b): The Speckled Wood Buttefly. Times of Malta. 24 ii 66. p.4
- (1966c): The Pancratium Moth. Times of Malta. 10 iii 66 p.9
- (1966d): The small Copper butterfly. Times of Malta. 14 iv 66 p.4
- (1970): Euchloe belemia Esp., in Malta. Malt. Naturalist. Dec. Issue.

- (1974): Butterflies of Malta. Malt.Naturalist. Dec.Issue.
- (1980): Il-Friefet fil-Gzejjer Maltin. 'Saghtar' 67:21-23
- (1981): Il-Bahrija ta Ras il-Mewt. 'Saghtar' 82:8
- MATHEW,G.F.(1898): Notes on the Lepidoptera from the Mediterranean..Entomologist. 31:77-84, 108-116,141
- PROUT,L.B.(1903): On some Geometridae collected in the Mediterranean. Entomologist. 36:204-206
- SALIBA,L.J.(1963): Insect Pests of Crops in the Maltese Islands. pp35. Dept. of Information, Malta.
- SAMMUT,P.M.(1982a): Eine Revision über die Tagfalterfauna (Lepidoptera Rhopalocera) der maltesischen Inselgruppe. Ent.Nachr.81:71-78
- (1982b): A Sexual Mosiac of *Gonepteryx cleopatra* L. Potamon.10:131
- (1982c): Further notes on *Aphelia peramplana* Hb., Potamon.10:147
- (1983a): History of Butterfly Collecting. The Times June 29th.pp6-7.
- (1983b): Die Geometriden der Maltesischen Inseln.(Lepidoptera-Geometridae) Neue Ent.Nachr. 6:61-64
- SAMMUT,P.M. & VALLETTA,A.(1983): Die Praimaginalstadien von *Gegenes pumilio* Hoffmannsegg,1804. (Lepidoptera - Hesperiidae) Neue.Ent.Nachr. 6:58-60
- SCHEMBRI,P.J.(1975): Why are the Maltese Islands Unique. Times of Malta. Oct.27th
- SCHEMBRI,S.(1975): Abnormal antennae in the Clouded Yellow. Maltese Naturalist, June Issue.
- (1984): First record of *Danaus chrysippus* L. for 1983 Potamon.12:54
- (1977): A Review of the Lepidoptera(Papilionoidea) of the Maltese Islands. Lepidoptera Group of 1968 Supplement.
- SCIORTINO,J.C.(1892): Maltese Lepidoptera. Med.Naturalist. February.329-330
- TESTA C.(1960): IL-Farfett. Tajjeb li tkun Taf. DOI. February.

THOMSON,G.(1973): Geographical variation of *Maniola jurtina* (L.).
Tidjschrift voor Ent. deel 116 afl.12

TOLL,S.(1962): Materialien zur Kenntnis der palaeartischen
Coleophoriden. Acta Zool. Cracov. 7:577-720

VALLETTA.A.(1945a): Taghrif fuq il-friefet tal-passa. Il-bidwi,
15 iii 45 p.3

-(1945b): Il-Friefet u l-pjanti. Il-Bidwi, 15 vi 45 p.4

-(1946a): Il-Bahrija b'Ras ta Mewt. Il-Bidwi. 15 i 46.

-(1946b): *Acherontia atropos* L. in Malta. Entomologist. 79:131

-(1948a): *Syntarucus telicanus* Lang., in Malta.
Entomologist.81:100

-(1948b): A noisy moth - *Euprepia pudica* Esp. Entomologist.81:102

-(1948c): *Polygonia egea* Cramer, in Malta.
Entomologist.82:150-151

-(1948d): Butterfly Find. Times of Malta. 23 iii.48.

-(1948e): Lepidoptera in Malta. Times of Malta, 30 viii 48.

-(1949a): *Gegenes pumilio* Hoffm., in Malta. Entomologist. 82:190

-(1949b): Additions to the list of Lepidoptera Heterocera of the
Maltese Islands. Entomologist. 82:208-209

-(1950a): Recent additions to the known Lepidoptera Heterocera of
the Maltese Islands. Entomologist. 83:253.

-(1950b): Moths taken at light 1948-1949. Ent.Mon.Mag. 86:304-306

-(1951a): Additions to the list of Lepidoptera Heterocera of the
Maltese Islands. Entomologist.84:64.

-(1951b): Recent additions to the known Lepidoptera Heterocera of
the Maltese Islands. Entomologist.84:255.

-(1952a): Alien moth Pest. The Times, London.April,3rd. p.5

-(1952b): Rare Butterfly. Sunday Times of Malta, April,13th.

-(1952c): *Vanessa cardui* L.,and other migrants in Malta. Ent.Rec.
64:279-280

-(1953a): Additions to the known Lepidoptera of the Maltese
Islands. Entomologist. 86:8

- (1953b): *Danaus chrysippus* L., var. *alcippus* Cramer, revisits Malta. Entomologist. 86:57
- (1953c): Recent additions to the Microlepidoptera of the Maltese Islands. Entomologist. 86:200
- (1953d): Habits of *Cucullia verbasci* L. Entomologist. 86:291
- (1953e): A Century of Butterfly hunting in Malta. 'The Link', Candlemas, 1953
- (1954a): *Coenonympha tullia* in Malta?
Bull. Amat. Ent. Soc. 13, (164):84
- (1954b); An unusual pairing between *Pieris* and *Colias*.
Entomologist. 87:38
- (1955): Further additions to the List of the Lepidoptera of the Maltese Islands. Ent. Mon. Mag. 91:247.
- (1956): Bibliography of the Lepidoptera of the Maltese Islands.
Melita Historica. Vol. 2. no. 1.
- (1957): An unusual courting: *P. icarus* male x *L. phlaeas* female.
Entomologist. 91:269.
- (1959): A habit of *Macroglossa stellatarum* L. Ent. Rec. 71:114
- (1961a): The Holly Blue makes its appearance. Sunday Times of Malta, 30 iv 61.
- (1961b); *Lycaenopsis argiolus* L., in Malta. Entomologist. 94:127
- (1962): *Utetheisa pulchella* L., in Malta. Ent. Rec. 74:73.
- (1965): *Celerio livornica* Esp., in Malta. Ent. Rec. 77:260
- (1966a): The Butterflies of the Maltese Islands.
Ent. Rec. 78:38-42.
- (1966b): Unwelcome Visitors. Times of Malta. March, 3rd.
- (1966c): A mass migration of *Celerio livornica* Esp.
Ent. Rec. 78:105.
- (1970a): Some observations on the habits of *Gonepteryx cleopatra* L. Ent. Rec. 82:111-112
- (1970b): *Euchloe belemia* Esp., visits Malta. Ent. Rec. 82:215
- (1970c): New species of butterfly visits Malta. Times of Malta, June, 28th.

- (1972a): The butterflies of the Maltese Islands. pp.64. G.Muscat Press.
- (1972b): The sea-side Squill - a host to Lepidoptera. Maltese Naturalist, 1972:3-5
- (1972c): The Death's Head Hawkmoth. 'Malta Life', Aug.1972, p.7.
- (1973): The Moths of the Maltese Islands. Progress Press, pp.120
- (1974a): Butterflies ofthe Maltese Islands.Times of Malta. April 2nd.
- (1974b): The Butterflies of the Maltese Islands. Ent.Rec.86:196
- (1974c): After the rains (a migration of *Vanessa cardui* L.) Times of Malta, 17 x 74.
- (1974d): The Bath White Butterfly. Maltese Naturalist Dec.Issue.
- (1975): The vapourer Moth. Maltese Naturalist. June Issue.
- (1978): *Aphelia peramplana* Hb., in Malta. Ent.Gaz.29:289-2
- (1979): *Polygonia agea* Cr., in Malta. Ent.Rec. 92:97
- (1980a): The butterflies of the Maltese Islands and thier dwindling habitat. Nota Lepid.2 (4):165-166
- (1980b): The Discovery of the Red Underwing. Potamon.5:49-50
- (1981a): *Danaus chrysippus* L., revisiting Malta. Ent.Rec.80:210-212
- (1981b); Pre-pupation behaviour in Hawkmoth larvae. Potamon.6:64
- (1981c): On the occurance of the Peacock butterfly (*Inachis io* L.) in Malta. Potamon.6:66-67.
- (1982): A welcome visitor - *Danaus chrysippus* L. Potamon.9:126

VERITY.R.(1940 et seq.): Le farfalle diurne d'Italia. Vol.1-5.
Casa Editrice Marzocco S.A. Firenze. (passim references only.)

WARING.G.(1843): Letters of a Naturalist from Malta and Sicily.

ZAMMIT,M.(1981a): The Humming Bird Hawkmoth. Potamon.7:75

-(1981b): Galleria mellonella L.Potamon 8:94

-(1981c): Hymenia recurvalis F. Potamon 8:99

-(1982a): The Maltese Ruby Tiger Moth. Potamon 10:132-133

-(1982b): Butterflies attracted to light. Potamon. 10:149

ZAMMIT-MAEMPEL,G.(1981): Discovery of larval case of
Proterospastis merdella Z., in association with spider's web at
Ghar Dalam, Malta. Ent.Rec.93(9/10):192-193,pl.V fig.1-2.

-(1983): Observations on the Lepidoptera of Ghar Dalam (cave)
Malta. Ent.Rec. 95:73-75

Additional References

BEIRNE,B.P.(1954): British Pyralid and Plume Moths. pp.208
Frederick Warne & Co.,London.

FLETCHER,D.S.(1979): The Generic Names of Moths of the World. 3.
Geometroidea. Trustees Br.Mus. nat.Hist.,pp.xx+243. 2pl.phot.

HEMMING,A.F.(1967): The Generic Names of the Butterflies.
Bull.Br.Mus.nat.Hist.(Ent.) Suppl. 9. London.

HIGGINS,L.G.(1975): The Classification of European Butterflies.
pp.320. Collins, London.

LERAUT,P.(1980): Liste systematique et synonymique des
lepidopteres de France, Belgique et Corse. - Supplement a
Alexanor. pp.336

NYE,I,W,B.(1975): The Generic Names of Moths of the World. 1.
Noctuoidea (part), Noctuidae, Agaristidae and Nolidae. Trustees
Br.Mus.nat.Hist.(Ent.),pp 568.,12 fig.

RICHARDS & DAVIES.(1977): IMM's General Textbook of Entomology.
Ed.X.Vol.1-2. Chapman & Hall, London.

SEITZ,A.(1903 et seq.): Macrolrpidoptera of the World. Vol.1-4 et
suppl. Fritz Lehmann Verlag, Stuttgart.

SOUTH, R. (1961): The Moths of the British Isles. Vol. 1-2
pp. 427; 379. Frederick Warne, London

-(1962): The Butterflies of the British Isles. pp. xii+212
Frederick Warne, London

INDEX

ablutaria Bsdv.	56	AETHES Billb.	27	alveariella Gn.	35
ABRAXAS Leach	59	afflouensis Corti	65	amaryllis Geoff.	47
ABRAXINI	58	aflouensis Corti	65	AMATHES Hb.	67
ABREPHIA Amsel	37	AGDISTIS Hb.	41	ambigua D & S	73
ABROSTOLA Ochs.	76	AGDISTINAE	41	ambigua Hb.	68
absoleta auct.	74	agestis D & S.	49	ambiguellus Costa	15
abstersella Z.	40	AGLAIS Dalman	46	ambustana Frolich	22
abruptella Woll.	12	AGLOSSA Latr.	34	AMBLYPTILIA Hb.	41
ACALLA auct.	24	AGNOEA Wals.	16	AMELIA Hb.	23
acanthadactyla Hb.	41	AGONOPTERIX Hb.	15	ameriana L.	22
ACANTHOLEUCANIA Rungs	69	AGONOPTERYX Busck	15	AMICTA auct.	11
accipitrina auct.	70	AGRIPHILA Hb.	28	AMICTOIDES Geras.	11
acerana Hb.	22	AGRIUS Hb.	61	amilcarella Lucas	16
achatalis Hb.	79	AGROCHOLA Hb.	71	AMPHIPYRINAE	72
achatatus Haw.	79	AGRONOMA Hb.	65	ANACAMPSOIDES Bruand	20
ACHERONTIA Lasp.	61	AGROPHILA Bsdv.	75	ANAGOGA Hb.	59
ACHROIA Hb.	35	AGROTIS Ochs.	65	ANAGOGE error	59
ACHYRA Gn.	31	albago F.	76	ANAITIS Dup.	58
ACIDALIA Treit.	51	albana Humphr.	25	ANANARSIA Amsel	20
ACIPTILIA Hb.	42	albella Costa	13	ANAPHAEIS Hb.	46
acis F.	49	albescens Z.	16	ANARSIA Z.	20
ACLERIS Hb.	23	albicinctata Haw.	56	ANCHOSELIS Gn.	71
ACONTIA auct.	78	albicollis F.	76	ANCYLODES Rag.	81
ACONTIA Ochs.	75	albidana Don.	15	ANCYLOLOMIA Hb.	29
ACONTIINAE	75	albidilinea Haw.	67	ANCYLOSIS Z.	39
ACOPTILIA Aga.	42	albilinea Haw.	65	ANDROPODIUM Hb.	45
ACROCLITA Led.	28	albilineela Bruand	20	andryaladactylus Mil	41
CRONICTINAE	71	albitorquata Pung.	54	andryalae Mill.	41
ACTENIA Gn.	34	albivitta Gn.	78	anella D & S.	35
actinodactyla Chret.	43	albocrenata Curt.	56	ANEPIA Hamps.	68
ACTINOTIA Hb.	72	albodactyla F.	43	ANERASTIA Hb.	35
ADACTYLA Z.	41	albolineata Montr.	62	ANESYCHIA Hb.	14
ADACTYLUS Curt.	41	albularia Bsdv.	58	angulella Chret.	38
ADAINA Tutt	43	albulata Hufn.	58	angulosella Costa	20
ADELA Latr.	9	alcippus Cr.	48	angusta Haw.	40
ADELINAE	9	ALCIS Curtis	60	angustalis D & S.	34
ADKINIA Tutt	42	ALETIA Hb.	69	angustata Haw.	55
adonis D & S.	49	ALEXIA DeLaever	71	angusticollella Dup.	9
adornatella Treit.	37	alexis auct.	49	angustilinea Toll	16
adrasta Ill.	48	alexis Rott.	49	ANIA Stph.	52
adspersella Kollar	15	alfacariata Rbr.	56	annularis Geoff.	50
adspersella H-S	20	algea F.	72	annulifera Geoff.	15
adulatrix Hb.	76	algira L.	77	anomala Rbr.	75
AECHMIA Treit.	20	algirica Obth.	47	ANOMOLOGINAE	18
AEDIA Dup.	14	ALLONONYMA Busck	22	ANOPLOCNEPHASIA Real	23
aegeria L.	48	alnetana Gn.	25	ANOSIA Hb.	48
AEGERIINI	21	alnifolia Ochs.	50	ANTESIS Warren	52
AEGLE Hb.	74	alpicae Vrty.	44	anthraciformis Rbr.	21
AEGOLIA Billb.	10	altricornella Mann	15	ANTIERCTA Amsel	33
aegon D & S.	49	ALUCITA auct.	42	ANTIGASTRA Led.	32
aeneana Vill.	26	ALUCITA L.	28	ANTITIEA Amsel	11
aequa Hb.	67	ALUCITIDAE	28	ANTITYPE auct.	71
aerifrons Z.	21	ALUCITOIDEA	28	ANTOPHILA error	75
AERRAUTA Berge.	44	ALUCITINA Heyd.	28	APATEMA Wals.	17
aesculi L.	10	aluearia F.	35	apiiformella Bruand	11
aestimaria Hb.	59	alvea Haw.	35	apiiformis Rossi	11
aestivella Z.	18				

APHELIA Hb.	22	ASTYAGES Stph.	16	bipartita H-S.	75
APHELIA Stph.	24	atalanta L.	46	bipartitella Rag.	12
apinula Esp.	66	ATELIOTUM Z.	11	bipunctalis Dup.	31
APISTA Hb.	16	athamanticella Heine.	15	bipunctella F.	14
APLOCERA Stph.	58	ATHETIS Hb.	74	bipunctella Rag.	13
APODIA Heine.	18	atomosella Walker	13	bipunctidacyla Sc.	42
APORIA Hb.	45	atrella Haw.	18	biselata Hufn.	53
APORODES Gn.	30	atropos L.	61	biselliella error	13
APOROPHILA error	70	ATTACIDAE	50	bisetaria error	53
APOROPHYLA Gn.	70	ATTACINAE	50	bisetata auct.	54
approximans Roths.	74	attenuaria Rbr.	53	bisetata error	53
APTERONA Mill.	10	attenuata Rbr.	53	bisinuella Rag.	38
aquitanaria Const.	53	aurata Scop.	31	biskrana Obth.	69
ARCHIMETZNERIA Amsel	18	aurifrontella Rag.	9	bisselliella Humm.	13
ARCHIPINI	22	aurota F.	46	BISTONINI	59
ARCHIPPUS Freeman	22	austrinia Fldr.	35	bistortae Vallot	60
ARCHIPS Hb.	22	AUTOGRAPHA Hb.	76	bistortae Goeze	60
ARCTIA Schrank	64	AUTOPHILA Hb.	78	bistregata Haw.	58
ARCTIIDAE	63	AUTOSES Hb.	13	biundularia Borkh.	60
ARCTIINAE	64	avellana L.	22	biundulata Villers	60
ARCTINIA Eichwald	64	AZINEPHORA Stph.	59	bizonella Rag.	40
ARCTUS Rbr.	10	BACTRA Stph.	24	bjerkandrella Th.	22
ARCYONIA Hb.	57	bagdagiensis Amsel	41	BLABLOPHANES Z.	12
arenacearia D & S.	59	bahrlutia Amsel	41	blandana Hb.	24
argilacea Hb.	68	BARATHRA Hb.	67	BLASTOBASIDAE	16
argiolus L.	49	barbata Wals.	80	BLASTOBASIS Z.	16
argus Geoff.	49	barberi Dyar	43	blenna Hb.	67
argus L.	49	basalis Stgr.	19	BLEPHARITA Hamps.	71
ARGUS Scop.	49	basifasciella Rag.	13	BLESZYNKIENNA Rag.	27
ARGYRITIS Heine.	18	BATIA Stph.	14	bluntii Curtis	15
ARGYRITIS Hb.	69	BATRACHEDRA H-S.	17	BOARMIINAE	58
ARGYROALEA Hamps.	69	BATRACHEDRIDAE	17	BOARMIII	60
argyrogrammos Z.	18	BEDELLIA Stt.	14	boeticus L.	49
aridata Z.	53	BEDELLIINAE	14	BOHATSCHIA Schutz.	57
aridus Z.	42	begrandella Dup.	14	BOIEA Zettert.	29
ARICIA R.L.	49	belemia Esp.	46	bojorum Fruhst.	44
Aristeus Bonelli	47	belargus Rott.	49	boleti F.	11
arlequinetta Geoff.	75	BEMBECIA Hb.	21	boloniensis Geoff.	57
armigera Hb.	74	bentinkella Pierce	39	BOMBYCOIDEA	50
armoricana Obth.	47	berberata D & S.	57	bombyliformis Ochs.	61
ARNIA Gn.	33	betae Falkovitch	16	BOMOLOCHA Hb.	79
ARHOSTIA Hb.	52	betulifoliana Led.	23	borealis Wocke	42
ARTE Stph.	59	bicolorata Hufn.	68	BOREMIA error	55
ARTOGEIA Vrty.	45	bidactyla Hoch.	43	botrana D & S.	24
arundinata Thung.	29	bifasciella Stph.	17	BOTYS auct.	34
asclepiades D & S.	76	bifasciata Petagna	78	BOTYS Latr.	31
ASCOTIS Hb.	60	bifasciatum Chret.	17	BRACHYCNEPHASIA Re.	23
asellaria H-S.	52	bifractella Dup.	18	BRACHYGLOSSA Bsdv.	61
asinalis Hb.	32	bigella Z.	38	BRACHYGLOSSINA Wag.	54
asperana F.	24	bigeneratus Vrty.	44	brachymorpha Meyr.	42
aspodelana H-S.	23	bilbaensis Rossler	27	BRADYRRHOA Z.	36
ASPILATES Treit.	61	bilineata L.	55	brassicace L.	45
ASPITATES Treit.	61	bilineatus Haw.	50	brassicace L.	67
assimilella Treit.	16	bilinearia Bsdv.	55	BREPHIA Heine.	37
ASTIOTES Hb.	77	bimaculata Geoff.	66	brephiella Stgr.	36
ASTHENA Hb.	58	binaevella Hb.	39	breviculata Donz.	57
ASTHENINI	58	binotapennella Dup.	16	BRITHYA Bsdv.	68
astrarche Bergst.	49	binotatella Z.	16	BRITHYS Hb.	68
astroites Geoff.	78			brocatella Geoff.	55

BROTIS Hb.	65	caprealis Hb.	34	CHIASMIA Hb.	59
BROTOLOMIA Led.	72	capricola Hamp.	40	chioleuca H-S.	70
bruguieralis Dup.	32	cardui L.	46	CHIROCAMPA error	14
brumaria Esp.		cardui Strom	22	CHIROCOMPA Meyr.	14
brumata L.		CARADRINA Ochs.	74	CHLIDONIA Hb.	27
brunnea Hufn.	65	carlinella Heine.	39	CHLOANTHA Bsdv.	72
brunnealis Treit.	34	carlinella Stt.	18	CHLOEPHORINAE	76
BRYOPHILA Treit.	72	CARPATOLECHIA Cap.	19	chlorana error	76
BRYOPSIS Boursin	72	carphodactyla Hb.	43	CHLORIDEA Dun. & West.	74
bubulcellus Stgr.	80	carpini D & S.	50	CHLORISSA Stph.	51
buoliana D & S.	25	CARPOCAPSA Treit.	26	CHLORIZAGROTIS Smith	65
buphthalmi Hofm.	43	carthami H-S.	75	chneouriella Lucas	15
burdigalensis Gerh.	50	CASAS Wallgn.	16	chocolatella Vallot	40
CACOECIA Hb.	22	CASIGNETA Wallgn.	16	cholius Gn.	29
CACOECIMORPHA Obr.	22	castiliella Moschl.	18	choragella D & S.	11
cadmus Fruhst.	47	CATACROBASIS Gozm.	37	CHOREUTIDAE	21
CADRA Walker	40	catalaunalis Dup.	32	CHOREUTIS Hb.	22
caeruleocephala L.	63	catenatus Haw.	65	CHORIOBUX Durr.	47
caesiella Vall.	9	CATOCALA Schrank	77	CHROSIS Gn.	27
cahiritella Z.	40	CATOCALINAE	77	chrysanthemi Hb.	69
calaminthae Frey.	41	CAUNACA Wallgn.	21	CHRYSASPIDIUM Hb.	76
c-album L.	46	cautella Walker	40	chrysippus L.	48
calendulae Treit.	69	CELAMA Walker	65	CHYSODEIXIS Hb.	77
calida Vrty.	45	CELASTRINA Tutt.	49	chrysorrhoea L.	63
calidella Gn.	40	CELERIO Aga.	62	CHYTOLITA Grote	78
CALLAENIA Hb.	69	celerio L.	62	chalcocyanella Stgr.	38
calligrapha Borkh.	72	centaurearia Bsdv.	57	CIDARINI	55
CALLOPHRYS Billb.	48	centaureata D & S.	57	cilium Gn.	73
CALLOPISTRIA Billb.	64	CENTROPEDIA Hamps.	72	CINCLIDIA Hb.	47
CALLOPISTRIA Hb.	72	CENTROPUS Christ.	72	cinerata Geoff.	55
CALOCAMPA Stph.	70	cephalonica Stt.	35	cinerea Geoff.	21
CALOPHASIA Stph.	70	CERAMICA Gn.	67	cinereocapitella Car.	18
CALOSPILOS Hb.	59	CERATA Stph.	26	cinereola Hb.	35
CALOTHYSANIS Hb.	51	ceratoniae Z.	3°	cineridactylus Fitch.	43
CALYCIPHORA Kasy	42	cerea Haw.	35	cingularis Hb.	78
calycotomella Stt.	16	cerealella Oliv.	20	cinxia L.	47
cambridgei Z.	28	cerealis Hb.	35	cirrana Curtis	24
cameona Fruhst.	48	cereana L.	35	CIRRIAETHES Raz.	27
comparalis Hb.	30	cerella F.	35	citraria Hb.	61
CAMPTOGRAMMA Stph.	55	CERIOCLEPTA Sodff.	35	citri Mill.	20
canalis Walker	42	CEROCALA Bsdv.	81	citridactylus Stph.	43
canaria Esp.	71	cespitalis D & S.	31	CLASPERIA Hartig	33
candidaria Hb.	58	CEUTHOLOPHA Z.	40	clavaria Haw.	55
candidata D & S.	58	chalcites Esp.	77	clavella H-S.	14
candidula Haw.	58	chalcytes error	77	clavipalpis Scop.	74
candidus Retz.	44	chalybe Dup.	14	CLEDEOBIA auct.	34
canella D & S.	81	CHAMAEESPHECIA Spul.	21	cleobis Sulzer	49
canellaris Hb.	81	chamomillae D & S.	69	CLEOCERIS Bsdv.	70
CANEPHORA Heyden.	80	chamomillana H-S.	27	CLEODORA Stph.	18
canescens Dup.	71	charbordis Obth.	70	cleopatra L.	45
caniola Hb.	63	CHARISSA Curtis	60	cleopatrella Rag.	36
cantenerella Dup.	36	CHEIMATOPHILA Stph.	24	CLEOPHANA Bsdv.	70
canuisalis Mill.	32	CHELARIINAE	20	CLEORODES Warren	60
canuisana Mill.	25	CHELONIA Godt.	64	CLEPSIS Gn.	22
capillana Gn.	23	chenopodiaria Haw.	55	CLETHROGYNA Rbr.	63
cappa Hb.	68	chenopodiata L.	55	cleui Boursin	81
capparidana Z.	26	chenopodiata D & S.	67	CLISIOCAMPNA Curtiss	50
capreolatus Haw.	34	CHESIADINI	58	CLOANTHA error	72
				clorana L.	76

CLOSSIANA Reuss.	46	corsicalis Gn.	34	cubiculella Stgr.	80
CLYTIE Hb.	77	corsicella Rag.	37	CUCULLIA Shrank	69
CNEPHASIA Curtis.	23	corticalis D & S.	34	CUCULLINAE	69
CNEPHASINI	23	corticosa Led.	70	culoti Whrli.	54
CNEPHOZETA Billb.	73	corylata Thung.	56	cuneata Don.	56
coarctalis Gn.	29	coryphaea Wals.	18	cuneigera Stph.	65
coarctata Z.	29	CORYTHEA Dup.	56	CUPHANO A Hb.	68
coarctella Zagul.	80	COSMOLYCE Tox.	49	cuprealis auct.	34
COCCIDIPHAGA Spul.	75	COSMOPTERIGIDAE	17	cuprinella Wals.	15
COCHLIOTHECA Rbr.	10	COSMOPTERIGINAE	17	CYBALOMIA auct.	29
COCHLOPHANES Stgr.	10	COSMOPTERIX Hb.	17	CYBALOMIINAE	29
COCHLOPHORA Sieb.	10	COSMOPTERYX Z.	17	CYCLOPHORA Hb.	51
COCYLIDIA Obraz.	27	cosnobrinata Curt.	56	CYCLOPHORINI	51
COCHYLIDAE	27	COSSIDAE	9	CYDIA Hb.	2
COCHYLIMORPHA Raz.	27	COSSOIDEA	9	CYMATIDA Sodff.	51
COCYTIA Treit.	68	COSSINAE	10	cymbalaria Mill.	61
CODONIA Hb.	51	COSSUS F.	10	CYMBALOPHORA Rbr.	64
COENOCALPE Hb.	56	cossus L.	10	CYNAEDA Hb.	30
COENONYMPHA Hb.	47	costaestrigalis Stph.	79	CYNTHIA F.	46
COENOTEPHRIA Prout	56	costavata Haw.	55	cynosbatella Vallot	9
coenulentella Z.	36	COSTIGNOPHOS Whrli.	60	CYRNIA Wals.	80
COLEOPHORA Hb.	16	COSYMBIA Hb.	51		
COLEOPHORIDAE	16	CRAMBINAE	28	dahli error	67
COLIADINAE	45	CRASIMETIS Meyr.	43	dahlii Hb.	67
COLIAS F.	45	CRASPEDIA Hb.	51	DAMOPHILA Curtis	16
COLIASTES Hemming	45	crassalis F.	79	danae Hufn.	47
COLINIA Agenjo	63	crassatus Haw.	79	DANAIDA Latr.	48
COLOPOSTRIA error	72	crataegi L.	45	DANAIDAE	48
comes Hb.	66	CREAGIA Sodff.	21	DANAIS Latr.	48
composana Dup.	26	crepidinella Z.	16	DANAUS Klug.	48
compositella F.	26	cretacella Ross.	39	DAPHNIS Hb.	61
compositella Treit.	37	cretica Led.	73	daplidice L.	46
CONCHIA Hb.	33	cribralis Hb.	78	DAPSILIA Hb.	27
confinaria H.S.	52	cribrumalis Hb.	78	dardionella Mill.	10
confiniella Z.	36	crinalis Treit.	79	DASYCERA Stph.	14
CONISTRA Hb.	71	crinella Sodff.	13	DASYCERUS Haw.	14
conjuga Hb.	77	cristulata Hb.	65	DATTINIA Rag.	34
conjugata Borckh.	52	cristea Haw.	36	dealbana Frolich	25
conjuncta Esp.	77	cristulalis Dup.	65	deaurana Peyerh.	27
connexus Haw.	65	cristulana Hb.	65	DECTOBATHRA Meyr.	20
consimilana Hb.	23	CROBYLOPHORA Kenn.	26	decussata Don.	57
constantii Hering	16	crocaego D & S.	71	defectella Walk.	40
CONSTANTIA Rag.	34	crocea Geoff.	45	defoliaria Clerck	59
contiguaria auct.	52	crocealis Hb.	32	degener D & S.	72
contractana Z.	27	crocicapitella Clem.	12	degeneraria Hb.	54
contribulis Dup.	67	CROCIDOSEMA Z.	28	DEILEPHILA auct.	61
conversalis Dup.	30	CROMBRUGGHIA Tutt	41	DEIOPEIA Stph.	64
convexalis Led.	39	cruciferarum Z.	21	DEJOPEIA error	64
convolvuli L.	61	cruda D & S.	68	DELATTINIA Roesler	38
conyzae Z.	16	crudella Z.	37	deluccae Amsel	11
CORCYRA Rag.	35	cruentata Mann.	21	deluccae Amsel	12
corcyrella H.S.	38	CRYPHIA Hb.	71	deluccai Amsel	17
COREMIA Gn.	55	CRYPTOBLABES Z.	36	demandata F.	5
corneliata Mill.	61	CRYSEDRA Warren	71	dentalis D & S.	30
CORNIFRONS Led.	30	CTENIA Le Peletier	64	depositella Zinck.	81
corsica Mann.	39	CTENUCHIDAE	64	depressana F.	15
corsica Rbr.	68	cubicularis D & S.	74	DPRESSARIA Haw.	15
corsicalis Dup.	33	cubiculella Stgr.	12	DEPRESSARIINAE	15

depressella F.	15	donzelii B-H.	81	ENNOMINI	59
derivalis Treit.	79	dorsana F.	26	ENNYCHIA Treit.	31
derivatus Haw.	79	DOSITHEA Dup.	51	ENTOMOLOMA Rag.	15
DERTHISA Walk.	70	DOXOSTERES Meyr.	42	EPELEUSTIA Hb.	15
desertalis Hb.	30	DREPANULA Frolich	15	EPHESIA Hb.	77
desertella Mab.	12	DRYOBOTODES Warren	70	EPHESTIA Gn.	40
DESMOPHORA Stph.	75	dubita Haw.	29	ephestiella Viard.	35
destructor Stph.	13	dubitalis Hb.	29	EPHYRA Dup.	51
desuetella Walk.	40	dubitella Dup.	29	EPIA Hb.	8
determinata Stgr.	53	dumerili error	73	PICALLIA Hb.	64
dia L.	47	dumrillii Dup.	73	PICLLIMA Dyar	15
DIACTINIA Warren	56	duplicata F.	58	EPIDOLA Stgr.	18
diaphana Stgr.	36	DUPONCHELIA Z.	32	EPINEPHELE Hb.	47
DIAPHANIA HB.	33	DYSAXES Hb.	64	EPISAGMA Hb.	24
DIAPHTHIRUSA Hb.	12	DYSCYMATOGE Hb.	57	EPISCHNIA Hb.	37
DIALECTICA Wals.	14	DYSELPISTIS Meyr.	10	EPISEMA auct.	63
DIANTHAECIA error	68	DYSGONIA Hb.	77	EPISEMA Ochsen.	70
DIANTHOECIA Bsdv.	68	DYSMASIA H-S.	11	equitella Scop.	20
DIARSIA Hb.	67	DYSTINEA Borner	13	ERANNIS Hb.	59
DIASEMOPSIS Munr.	32	DYSTHYMIA Newm.	78	ERCTA auct.	33
DIATARAXIA Hb.	67	EARIAS Hb.	76	erecta Goff.	34
dibeliana Hb.	24	eathiops Ochs.	70	eriguana Wals.	28
DICESTRA Hmps.	67	eatonii Wals.	18	ERIOCAMPA Rbr.	50
DICHOMERINAE 20		EBULEA Dbly.	32	ERIOCOTTINAE	9
didatyla Geoff.	43	echiella D & S.	14	ERIOCOTTIS Z.	9
didyma Esp.	47	ECLECTIS Hb.	23	ERIOPUS Treit.	72
DIDYMAEFORMIS Vrty.	47	ECLIPTOPTERA Warr.	56	ERNESTIA Tutt	41
DIETZEA Schut.	57	ECTOMYELOIS Heine.	37	EROMENE Hb.	75
dignensis Turner	68	ECTROPIS Hb.	60	EROTYLA Hb.	75
DILLOBA Bsdv.	63	edusa F.	45	erubescens Christ.	30
DILOBIDAE 63		efformata Gn.	58	ESPERIA Hb.	14
dilucida Hb.	78	eganana Haw.	23	ETEOBALEA Hodges	18
dilutaria Haw.	53	egea Cramer	46	ETHMIA Hb.	14
dilutella Hb.	37	egeria Ochsen.	48	ETHMIIDAE	14
dimidiata Haw.	54	egregialis H-S.	34	etialis Gn.	32
dionysia Z.	36	EILEMA Hb.	63	etiella Treit.	37
DIORYCTRIA Z.	36	ELECTROPHAES Prout	56	ETIELLA Z.	37
DIPPLEURINA Chap.	29	eleus F.	48	EUBLEMMA Hb.	75
DIPSOSPHECIA Spuler.	21	elocata Esp.	77	EUBOLIA Dup.	54
dirempta Stgr.	65	elongaria Rbr.	53	EUCALIMIA Hb.	69
DISCOLATA Spuler	14	elongella Hb.	39	EUCELIS Hb.	26
disjunctaria Harpe	55	elutalis Hb.	30	EUCHIRADIA Hb.	28
DISMORPHINAE 44		elutea Haw.	40	EUCHLOE Hb.	46
DISPARIA Vrty.	48	elutella Hb.	40	EUCHROGNOPHOS Whrli.	60
distans Gozm.	13	emarginata Hb.	54	EUCHROMIUS Gn.	28
distinguenda Led.	81	emarginata L.	54	EUCLASTA Led.	33
ditella Pierce	11	EMATHEUDES Z.	35	EUCOSMINI	25
diversalis auct.	31	emiralis Obth.	31	EUCROSTES Hn.	51
divisa Esp.	72	emisphyrus Vrty.	44	EUCYMATOGE Hb.	57
divisella Dup.	36	EMMALOCERA Rag.	36	EUDERAEA Hb.	69
divisellus Joannis	28	EMMELIA Hb.	75	EUDIA Jordan	50
dodonearia Morr.	58	EMMELINA Tutt	43	EUDIOPTIS Hb.	33
dodoneata Gn.	58	emutaria Hb.	52	EUDOREA Curtis	29
DOLICHARTHRIA Stph.	32	EMYDIA Bsdv.	64	EUDONIA Billb.	29
domestica Hufn.	72	encausta Hb.	68	EUDORIA Chap.	29
domilla Geoff.	52	ENDOTHENIA Stph.	80	EUDORIA Marion	29
domiduca Hufn.	66	ENDOTRICHIA Z.	34	EUGONIA Hb.	46
donatellae Mariani	18				

EULAMPROTES Brad.	18	ferrugalis Hb.	32	GALLERIA F.	35
EULEPIA Curtis	64	ferruginella Hb.	12	GALLERIINAE	35
EUMENIS Hb.	47	ferulae Mull.	27	gamma L.	76
EUMICHITIS auct.	71	feruliphila Mill.	15	GANORIS Dalm.	45
EUOTA Hb.	21	festiva Walker	78	GASTROPACHA Ochsen.	50
EUPHASIA Stph.	75	festucae L.	76	GEGENES Hb.	44
euphorbiae L.	62	fibrana Hb.	22	GELECHIIDAE	18
euphorbiella Z.	36	ficella Stt.	40	GELECHIINAE	18
EUPISTA Hb.	16	ficulella Barr.	40	GELECHIOIDEA	14
EUPITHECIA Curtis	57	figulella Gregs.	40	gemina Haw.	39
EUPITHECIINI	57	filicaria Dup.	53	geministrigata Fuchs.	53
EUPREPPIA Ochsen.	64	filicata Hb.	53	gemmana Hb.	25
EUPROCTIS Hb.	63	fimbria L.	66	gemmaria Bsdv.	55
eurinella Zagul.	13	fimbriata Schr.	66	gemma Hb.	55
EUROMENE Hb.	28	fimbriolaria Hb.	51	geometrica auct.	78
EURPHIPIA Bsdv.	76	fimbriolata Stph.	53	GEOMETRIDAE	51
EURRHYPARA Hb.	31	fontis error	79	GEOMETRINAЕ	51
EURYMENE Dup.	59	fiorii Bigot	41	GEOMETROIDEA	51
EURYMYST Hors.	45	formosa Amsel	18	GEORYX Hb.	65
EUSCHESIS Hb.	66	formosella F.	15	germainii Dup.	74
EUSEBIA Dup.	54	formosella Wileman	40	GILLMERIA Tutt	42
EUSTAINTONIA Spuler	17	fovealis Z.	32	gilvata D & S.	61
EUTELIA Hb.	76	firmata Hb.	56	gilvata F.	31
EUTELIINAE	76	firmaria Bdly.	56	gilvella Rag.	35
EUTERPIA Bsdv.	68	fissina Haw.	69	glabralis F.	32
EUTHALES Hb.	71	fixa F.	74	glabraria Hb.	60
EUTRICHOCNEMIS Spul.	14	flabellaria Haeger	59	GLAEA error	71
EUTROMULA Frol.	22	flaccata Stgr.	52	GLAPHYRIINAE	30
EUVANESSA Scudd.	46	flameatus Haw.	34	globulariata Mill.	58
EUXANTHOIDES Raz.	27	flammaeus Geoff.	44	GLOIA Hb.	71
EUXOA Hb.	65	flammealis D & S.	34	gloriosana H-S.	27
EUZOPHEROZA Z.	38	flava Muller	63	GLOSSOTROPHIA Prout	52
EUZOPHERODES Hamps.	38	flava Obth.	74	GLOTTULA Gn.	68
EVERGSTINAE	30	flavana Dup.	23	GLYPHIPTERA Dup.	24
EVERGESTIS Hb.	30	flavella Dup.	39	GLYPHIPTERIGIDAE	20
EXARNIS Hb.	65	flavirena Gn.	74	GLYPHIPTERIX Hb.	20
exasperata Led.	75	floralis Hb.	30	GLYPHIPTYERYX Z.	20
exclamationis L.	66	fluctuaria Bsdv.	55	GLYPHISIA Stph.	24
exigua Hb.	73	fluctuata L.	55	GLYPHOPTERYX Aga.	20
exoleta error	70	fluviata Hb.	55	GNAPHALOCERA Blanch.	14
exoletata H-S.	56	fractlineata Z.	54	gnidiella Mill.	36
expallidana Haw.	23	francillana F.	27	GNOPHINI	60
exsiccata led.	78	francillonana Humph.	27	GNOPHOS Treit.	60
exsoleta L.	70	frankeniae Z.	41	GNOPHUS Aga.	60
extranea Gn.	69	fransiscae Trti.	73	GODONELA Bsdv.	59
EYPREPPIA Ochsen.	64	FREDERICINA Tutt	42	GONEPTERYX Leach	45
falsalis H-S.	76	frontis Thunb.	79	GONIAPTERYX Westw.	45
famula Freyer	64	fucella Hb.	11	GONOPTERYX error	45
farinalis L.	34	fuciformis L.	61	gorganus Fruhst.	44
fasciana L.	26	fuliginosa L.	64	GORTYNA Ochsen.	73
fasciata auct.	17	funiculella Treit.	28	gracilella Rag.	39
fatimata Stgr.	54	fungella Thunb.	11	gracilis Rbl.	73
faustinata Mill.	51	furfurana Haw.	25	GRACILLARIIDAE	14
faustinella Z.	39	fuscanella Z.	9	GRACILLARIINAE	14
fenestrella Scop.	12	fusciolus Geoff.	49	galactodactyla D & S.	43
FERMOCELINA Hartig	12	fuscipunctella Haw.	13		
ferrea Haw.	71				

grammica L.	64	HEPIALUS F.	9	hyerana Mill	23
grammodactyla Z.	28	HEPIOLUS Ill.	9	HYLES Hb.	62
GRAMMODES Gn.	78	herbacea Geoff.	51	HYPENA Schrank	79
granella L.	12	herbariata F.	53	HYPENINAE	78
graphica Geoff.	67	HERBERTIA Tutt	41	hyperhispulla Thoms.	47
gratana Harpe	23	HERBULA Gn.	31	hyperici D & S.	72
grisearia de Vill.	57	HERCYNA Stph.	59	HYPEROIDES Warren	69
grisella F.	35	HERIBEIA Stph.	20	HYPERLAIS Marion	29
grossularia Bsdv.	59	heringi Richards.	12	HYPERRIRITIS Hb.	57
grossulariaria Hb.	59	HERMINEA error	79	HYPHILARE Hb.	69
grossulariata L.	59	hermineana Dup.	22	HYPOLAIS Gn.	29
grueneri Bsdv.	70	HERMINIA Latr.	79	HYPOTEPHANUNCIA Real	23
gueneana Dup.	23	HERMIONA Blanch.	14	HYPOTIS Z.	34
gueriniana Dup.	26	herrichiana Heine.	26	HYPROTROPA Z.	35
guillemotii Trim.	50	HERSE Aga.	61	HYRIA Stph.	52
gündiana Hb.	26	herse D & S.	47	HYSTROSIA Stph.	27
GYMNANCYLA Z.	81	herthina Stph.	64	HYSTRIOSPHINX Vary	61
GYNOMORPHIA Vrty.	49	HESPERIINAE	44	iberica Kennel	23
GYMNOSELIS Mab.	58	HESPERIIDAE	44	ibericata Stgr	56
GYPSONOMA Meyr.	25	HEUSIMENE Stph.	26	icarus Rott.	49
habenella Rag.	40	hexadactyla L.	28	ichneumoniformis D & S	21
HABROSTOLA Sodff.	76	heydeniana H-S.	28	ICHNUSA Reuss.	46
HABRYNTHIS Led.	72	HIBERNIA error	59	ictericana Haw.	23
HADENA Schrank	68	hiera F.	48	IDAEA Treit.	52
HADENINAE	67	hilaris Geoff.	10	IDIOGRAPHIS Led.	27
haematalis Hb.	31	HIPPARCHIA F.	47	ignotella Walker	13
HAEMATIA Hb.	31	HIPPOTION Hb.	62	ILEMA Hamps.	63
HAEMORRHAGIA Grote	61	hirundodactylus Gregs.	42	hispanalis Gn.	79
HAPALIA auct.	32	hispanella Stgr.	36	illotella Z.	37
HAPALIA Hb.	33	hispanica Bellier	69	illunaris Hb.	77
HAPLOPTILIA Hb.	16	hochenwartiella Rossi	14	imella Hb.	12
HAPLOTINEA Diak.	11	hodgkinsonellus Morr.	42	hodgkinsonii Gregs.	42
HARITALA Marion	33	HOLCOPOGON Stgr.	80	imitaria Hb.	52
HARMODIA Hb.	68	HOLCOPOGONIDAE	17	imitata Curtis	52
harmoniella Rag.	39	HOLOCACISTA Wals.	9	immundella Rag.	38
HASTULA Mill.	23	HOMOESOMA Curtis	39	immutaria auct.	52
HECATERA Gn.	67	HOMOCHROA Hb.	30	immutataria Dup.	52
HEDYA Hb.	24	HOPLODRINA Bours.	73	impuraria Bsdv.	57
helicinella H-S.	10	HOPORINA Blanch.	71	impurata Hb.	57
HELICOVERPA Hardw.	74	HORISME Hb.	56	INACHIS Hb.	46
HELIOTHINAE	74	HORNIGIA Rag.	35	inalpina Vrty.	44
HELIOTHIS Ochsen.	74	hortorum Stph.	65	incanaria auct.	53
HELIOZELINAE	9	hortulana Geoff.	31	incanata D & S.	53
HELLEIA Vrty.	48	hortulata L.	31	incarnana Haw.	25
HELLINSIA Tutt	43	HOSPORINA error	71	incarnaria H-S.	54
HELLULA Gn.	30	HUGONIA Alphrky.	72	incerta Mill.	10
heluanensis Debski	19	humuli L.	9	incertata Mill.	58
helveolellus Stgr.	80	hyale L.	45	incisalis Treit.	22
HEMARIS Dalm.	61	hyalina Freyer	64	incoloralis Gn.	33
HEMERIA Billb.	61	hyalina Rober	45	INCURVARIIDAE	9
HEMEROPHILA auct.	22	hyalinella Stgr.	12	INCURVATIOIDEA	9
HEMEROPHILA Stph.	60	HYALOSPILA H-S.	12	indeginata Villers	51
HEMEROSIA Stph.	26	HYBERNIA Berthd.	59	infidalis Mann.	33
HEMIGEOMETRA Haw.	77	hybridalis Hb.	32	infirmaria Rbr.	53
HEMIMENE Hb.	26	HYDRIRIS Meyr.	33	infriana Haw.	67
HEPIALIDAE	9			infusca Const.	74
HEPIALOIDEA	9				

initia Tutt.	48	laciniosa Donz.	74	LEPTOSIA Gn.	75
innotata Bsdv.	58	lacteana Caradja.	25	LEPTIA Gn.	24
innotata Hufn.	58	lacteella Rothschi.	39	lerinensis auct.	41
innuba Treit.	66	laetus Z.	41	lerinensis Mill.	41
inquinata Scop.	53	laevigana D & S.	22	LEUCANIA Ochsen.	69
inquinata Mab.	72	laevigaria Hb.	53	leucanthemi Rbr.	70
inquinatella Rag.	39	laevigata Scop.	53	LEUCOCORA Hb.	57
insana H-S.	81	LAGOPUS R.L.	72	leucogaster Frey.	66
inscriptella Dup.	37	l-album L.	69	leucographa Borkh.	73
insignana H-S.	24	lamana Lienig	25	LEUCONIA Donz.	45
insignata Hb.	57	LAMORIA Walker	35	LEUCOPHASIA Stph.	44
insolatrix Hb.	76	LAMPETIA Curtis	71	LEUCOPHTHALMIA Hb.	51
instilata Hufn.	52	LAMPETIA Stph.	59	lichenaria Hufn.	60
insulana Bsdv.	76	LAMPIDELLA Hemm.	49	lichenearia Bruand	60
insulare Rbl.	11	LAMPIDES Hb.	49	LICHENIA Sodff.	63
insularis Bigot	42	LAMPRA Hb.	66	ligniperda F.	10
insulata Haw.	56	lamprostoma Z.	20	limbalis D & S.	31
integrella Stgr.	37	LAMPROTES Heine.	18	limitata Scop.	55
intermedialis Dup.	31	lanariella Clem.	13	lineata L.	62
interpunctalis Hb.	31	lancealana Haw.	24	lineatella Z.	20
interpunctalis Hb.	40	lancealis D & S.	32	lineola Don.	71
interpunctella Hb.	40	lanceolana Hb.	24	lineolata Haw.	65
interrupata Goeze	52	lanceolata Villers	70	lipara Rbr.	66
intersecta Geoff.	52	LANGIA Tutt	48	LIPARIS Ochsen.	63
inulae Z.	43	LAPHYGMIA Gn.	73	LITHOSIA F.	63
inulella Curtis	18	lapidaria Bsdv.	56	LITHOSIINAE	63
io L.	46	lapidata Hb.	56	LITHOSIS Billb.	63
IPHICLIDES Hb.	44	LARENTIA Treit.	55	litralis Bsdv.	73
ipsilon Hufn.	66	LARENTIINAE	54	litura auct.	73
irakella Amsel	29	LARENTIINI	55	lividalis Hb.	79
IREOCAMPA Rbr.	50	laricaria Dbly.	60	lividaria Costa	54
irriguaria Bsdv.	57	LARISSA Curt.	58	lividellaria Peyer.	53
irriguata Hb.	57	LASICAMPUS Schrank	50	livornia Esp.	62
irrorella Stph.	16	LASICAMPIDAE	50	LOBESIA Gn.	24
isatidalis Dup.	30	LASIOMMATA Humph.	48	loetidactyla Br.	41
ischnodactyla Treit.	43	LASPEYRESIA Hb.	26	loewiana Z.	23
isis Z.	40	LASPEYRESIINI	26	lombardica Hering	12
italica F.	78	lasserei Obth.	66	longalis Haw.	32
italogallicella Mill.	37	LATYOGIA Hb.	10	longana Haw.	23
janthina D & S.	66	lathyricana Vrty.	45	LONGIDUCTUS Zag.	12
japygiaria Costa	60	lativalvellus Amsel	19	LOPAS Hb.	23
JODIA Hb.	71	latreillella F.	9	loreyi Dup.	69
jota L.	77	latreillei Dup.	72	lotella Hb.	35
jubata Thunb.	60	ledererata Gn.	53	LOTRIA Gn.	39
juliana Stph.	26	LEEANA F.	78	lowii Z.	42
junctus Haw.	68	lefebvrei error	44	loxopteroides Wal.	27
jurtina L.	47	lefebvrii Rbr.	4	lucida Hufn.	76
KEMTROGNOPHOS Whrli.	60	legatea Haw.	36	luciella Chret.	28
KENNELIOLA Paclt.	26	LEOPTILUS Wall.	43	luctuosa D & S.	78
klimeschi Vlach	16	leovigilda Fruhst.	46	lunaris Haw.	14
knysna Trim.	49	leplastriana Curtis.	26	lunula Strom.	70
kotalella Amsel	80	leplestrierana error	26	lunulella Costa	38
kuehniella Z.	40	LEPTIDEA Billb.	44	LUPERINA Bsdv.	72
labatiana Breigt.	23	LEPTIDIA error	44	luridata Stt.	52
LACANOBLIA Billb.	67	LEPTOGRAMMA Stph.	24	luteago D & S.	68
		LEPTOMERIS Hb.	51	lutealis Hb.	32
		LEPTOSIA auct.	44	luteolella Stgr.	80
				LYCAENA F.	48

LYCAENIDAE	48	mediopalidum Wals.	17	MIMETES Hb.	65
LYCAENINAE	48	mediterranea Rbl.	27	miniosella Zinck.	35
LYCAENOPSIS auct.	49	medon Hufn.	49	minor Rbl.	17
lychnidis D & S.	71	MEGACRASPEDUS Z.	19	minor Vrty.	45
lychnitis Rbr.		megaera error	48	minorata Bsdv.	52
LYCOGNOPHOS Whrli.	60	megapterella Bentnk.	21	minuta Dup.	75
LYCUS Hb.	48	MEGASEMA Hb.	67	minutella Trti.	29
lyllus Esp.	47	megera L.	48	mioleuca Rbr.	70
LYMANTRIIDAE	63	MELANCHRA Hb.	67	mirtalis Costa	51
LYMIRA Rag.	80	MELANOLEUCA Stph.	14	MISELIA Ochsen.	68
LYONETIIDAE	14	melanopis Geoff.	13	misella Pierce	11
LYPOTIGRIS auct.	33	MELIA Heine	38	mitrella Wals.	19
LYPUSINAE	10	MELICLEPTRIA Hb.	74	modicaria Bsdv.	57
LYSANDRA Hemm.	49	MELIPHORA Gn.	35	modicata Hb.	57
LYTAEA Stph.	67	MELIPOTIS auct.	75	modestella Led.	40
		MELITAEA F.	47	molydbana Const.	26
mabilleela Lucas	39	melitensis Amsel	12	monileus Haw.	65
MACARIA Curtis	59	melitensis Amsel	17	MONIMA Hb.	68
machaon L.	44	melitensis Amsel	17	monodactyla L.	43
MACROCHILO Hb.	78	melitensis Amsel	18	monogramma Hb.	74
MACROGLOSSA Ochsen.	61	melitensis Amsel	41	MONOPIS Hb.	12
MACROGLOSSINAЕ	61	melitensis Haas	64	monosticella Rag.	39
MACROGLOSSUM Scop.	61	melitensis Rbl.	10	MORMONIA Hb.	77
MACROPIA Costa	22	mellechella Toll	16	MOROPHAGA H-S.	11
maculipennis Curtis	21	mellonella L.	35	morella Dup.	11
maera L.	48	mendacula Hb.	72	mucidarius Hb.	61
magniferella Bruand	80	mensuraria D & S.	55	mucidata Treit.	61
majorella Heine.	20	merdella Z.	11	murariella Stgr.	13
majuscula Haw.	67	meridionalis Rocci	44	muralis Forster	72
malacodactylus Z.	42	meridionalis Stgr.	31	murina Goeze	66
MALACOSOMA Hb.	50	meridionalis Tutt	50	musculosa Hb.	73
MALEYNDRIS Hb.	55	meridionalis Z.	41	MYTHIMNA Ochsen.	69
malvae Esp.	76	MERRIFIELDIA Tutt	42	MYRMICOZELINAE	11
malvaria Bsdv.	55	mesentina Cramer	46	naevosidactylus Ftch.	43
malvata Rbr.	55	MESOGRAPHE Hb.	30	napi L.	46
MAMESTRA Ochsen.	67	METACHROSTIS Hb.	75	nanus Haw.	68
manicaria H-S.	54	METALLOSETIA Stph.	16	nanus Trti.	41
manicata Stgr.	81	METALLOSTICHA Lhomme	38	napaeae Esp.	45
manifestana Kenn.	27	METALLOSICOIDES Roesl.	38	napolitalis Mill.	29
MANIOLA Schr.	47	METASIA Gn.	33	nebulana Stph.	22
marcella Rbl.	15	METASPHAEROECIA Fern.	26	NEBULA Bruand	56
margaritosa Haw.	67	METAXYJA Hb.	65	nebulosella Geoff.	12
MARGARODES Gn.	33	metia Stgr.	45	neglectana H-S.	23
MARGARONIA Hb.	33	meticulosa L.	72	NEMAPOGON Schrank	12
marginana Haw.	80	METOPTRIA Gn.	74	NEMAPOGONINAE	11
marginata F.	54	METZNERIA Z.	8	nemausalis Dup.	29
marginepunctata Goeze	52	metznerella Treit.	14	nemorana Hb.	22
MARIANA Tutt	42	microdactyla Hb.	43	NEMOPHRA Moore	60
marita Hb.	77	MICROPTEROGYNA Rbr.	63	NEPHOPTERIX Hb.	36
maritanella Mill.	36	microsaria Bsdv.	53	NEPHOPTERYX Z.	36
marmoratella Vill.	34	MICROSCARDIA Amsel	11	NEPTICULOIDEA	9
martialis Gn.	32	mictodactyla D & S.	42	nerii L.	61
maura Stgr.	78	mictodactylus Z.	42	nervosalis Gn.	33
mauritanica Baker	12	millieridactyla Bruand.	42	nesiotica Rbl.	39
mauritanica Rober	45	MIMAESEOPTILUS Walln.	42	neustria L.	50
MECYNA Dbly.	32	MIMESEOPTILUS Z.	42	ni Hb.	77
medicaginis Borkh.	50			NIDITINEA Peters.	13
mediella Hb.	11				

nigra Haw.	70	obscuratus D & S.	60	orientalis Obth.	73
nigricans Curt.	80	obstipata F.	55	orientana Alph.	23
nigricantella Mill.	12	obtusella Hb.	37	ornata Scop.	52
nigricantella Bruand.	80	ocellana D & S.	25	ornatalis Dup.	33
nigricornutus Haw.	66	ocellatella Boyd.	19	ornataria Hb.	52
nigrifoldella Gregs.	80	ocellatella Stt.	19	ORNATIVALVA Gozm.	19
nigripunctella Stgr.	39	ocellea Haw.	28	ORNEODES Latr.	28
nigritella Z.	18	ocelliferalis Rag.	34	OROBENA Gn.	30
nigrivittana Stph.	24	ochraria Rossl.	53	ORRHODIA Hb.	71
nigrobarbata Stgr.	53	ochrata Scop.	53	ORTHOA Billb.	68
nigrocyanella Const.	38	ochrealis auct.	32	ORTHOLITHA auct.	54
nimbana H-S.	26	ochrearia Bruand.	53	ORTHONAMA Hb.	55
nimbella Dup.	39	ochrearia Rossi	61	ORTHONOMA error	55
nilotica Roghn.	81	OCHRIA Hb.	73	ORTHOZIA Ochsen.	68
nitens Geoff.	26	ochroleucaria H-S.	52	osbeckiana Thunb.	24
NACLIA Bsdv.	64	ochroleucata error	52	ostrina Hb.	75
NOCTUA Bsdv.	65	OCHROPLEURA Hb.	66	oxybeliformis Bsdv.	21
NOCTUA L.	66	OCHYRIA Hb.	55	OXYBIA Rag.	37
noctuana auct.	37	ODONTIINAE	30	oxybiellus Mill.	32
noctuella D & S.	32	odonodactyla Charp.	41	oxycanthana Hb.	22
NOCTUIDAE	65	OECIA Wals.	17	oxychalca Meyr.	19
NOCTUINAE	65	OECOGONIA Stt.	17	oxygrapha Hb.	23
NOCTUOIDEA	63	oecophila Stgr.	17	OVENDENIA Tutt	43
NODARIA Gn.	78	OECOPHORIDAE	14	PACHYGASTRIA Hb.	50
nodosalis H-S.	79	OECOPHORINAE	14	PAHYTHELIA Westw.	80
NOLA Leach	65	OEORIA Hb.	30	palaearctella Trti.	36
NOLIDAE	65	OEONISTIS auct.	63	palaestinella Amsel	13
NOLITES Bruand	65	oglatella Chret.	15	PALLA Billb.	26
NOMOPHILA Hb.	32	OIKETICINAE	10	palladia Geoff.	64
NOTARCHA auct.	33	OIKETICOIDES Heyl.	11	pallescentella Stt.	80
NOTODONTOIDEA	63	olbinodactylus Mill.	43	pallens Rag.	81
NOTOLOPHUS Germ.	63	oleae Bernard	20	pallida Beth-Bak.	72
nubiferana Haw.	24	oleagina D & S.	70	pallida Haw.	68
nubigera H-S.	74	oleellus F.	20	pallida Stgr.	17
nudalis Hb.	31	OLETHREUTINAE	24	pallidata Hufn.	30
nudilimbaria Mab.	51	OLETHREUTINI	24	pallidata Stgr.	55
NUMERIA Dup.	59	olivaria Dup.	56	pallorella Benand.	16
nurus Hb.	77	oliviella Boyer	20	PALLUPERINA Hamps.	72
NYCTAON Billb.	50	olympia Swinhoe	78	PAMMENE Hb.	26
NYCTEGRETIS Z.	39	omicron Geoff.	67	pamphilus L.	47
nyctemerana Hb.	24	OMMATOPTERYX Kirby	28	PANTACORDIS Gozm.	17
NYCTEROSEA Hulst.	55	ONEBALA Walker	20	PALPITA Hb.	33
nyctidactylus H-S.	42	ONYCHIA Hb.	54	PAPILIO L.	44
NYGMIA Hb.	63	operculella Z.	19	PAPILIONIDAE	44
nymphaea Esp.	77	OPEROPHTERA Hb.	57	PAPILIONINAE	44
NYMPHALIDAE	46	OPEROPHTERINI	57	PAPILIONOIDEA	44
NYMPHALINAE	46	OPEROPHTHERA Hb.	57	PARACOLAX Hb.	79
NYMPHALIS Kluk	46	OPHIDERINAE	78	PARADRINA Bour.	74
NYMPHULINAE	29	OPHIOPGENES R.L.	77	PARALLELA Sodff.	61
NYTHA Billb.	47	ophioniformis Hb.	21	PARALLELIA auct.	77
obesa Bsdv.	66	OPORINA Aga.	71	PARANEMAPOGON Za.	12
oblittella Z.	39	OPHUISA Ochsen.	77	PARAPONYX auct.	29
oblongata Thun.	57	orbonella Hb.	15	PARAPOYNX Hb.	29
obsitalis Hb.	79	ORCHEMIA auct.	22	PARARGE Hb.	48
obsoletalis Mann	34	ORCHEMIA Gn.	26	PARAROTRUDA Roesl.	39
obsoletaria Rbr.	53	ORGYIA Ochsen.	63	PARASIA Dup.	18
obscuraria Hb.	60	ORIA Hb.	73	PARASTAGMATOPHORA	18
		orichalcea F.	77		

PARATINEA Peters.	11	PHASIANE Dup.	54	PLUSIINAE	76
paratransiens Vrty.	47	PHIBALAPTERYX auct.	56	PLUTELLA Schrank	21
PARAULUE Herb.	57	PHILOBIA Dup.	59	PLUTELLINAE	21
parietariae Hering.	17	PHILODUS Rbr.	44	POECILOCAMPA Stph.	50
paripunctella Thunb.	19	PHILOSTOLA Billb.	69	podalirius Scop.	44
parva Hb.	75	phlaeas L.	48	podevinaria H-S.	50
pascualis Lienig	32	PHLOEOPHILA Dup.	24	polychloros L.	46
passulella Barr.	40	PHLOGOPHORA Treit.	72	polychromella Rbl.	19
patunae Stgr.	45	PHLOIOPHILA Dup.	24	polydactyla Hb.	28
paupella Z.	18	phoenicearia Bsdv.	58	polygonalis auct.	31
pauperana Haw.	24	phoeniceata Rbr.	58	POLYGONIA Hb.	46
pavonia L.	50	phoenicis Durrant	38	POLYMIXIS Hb.	71
pavoniella Scop.	50	PHRAGMATOBIA Stph.	64	POLYOMMATUS Latr.	49
pectinatella Z.	29	phragmiidella Mar.	17	pomona F.	26
pectinatus Haw.	65	PHTHORIMAEA Meyr.	19	pomonana D & S.	26
PECTINOPHORA Busck	19	PHTHOROBLASTIS Led.	26	pomonella L.	26
PEDIASIA Hb.	28	PHYCIDEA Z.	39	PONTIA F.	46
pelidnodactylus Stein.	42	phycidella Z.	17	populi L.	50
pellionella L.	13	PHYCITA Curtis	36	poraria Pelet.	51
PELOCHRISTA Frolich	25	PHYCITINAE	35	porata L.	51
peltigera D & S.	74	PHYCIS F.	36	PORPHYRINIA Hb.	75
PEMPELIA auct.	37	PHYCITODES Hamps.	39	PORPHYRITIS Hb.	31
PEMPELIA Hb.	36	PHYLLOMA Billb.	50	orrectana Z.	24
PEMPELIELLA Cardj.	37	picea Haw.	66	PORRECTARIA Haw.	16
PENDINA Treit.	24	pictaria Thunb.	60	PORRITTIA Tutt	42
PENESTOGLOSSA Rogh.	10	pictipennis Grinn.	43	PORTHESSIA Stph.	63
pentactinana Mann	27	PIERCEA Filipj.	27	portlandica Tutt	41
PENTHINA Treit.	24	PIERIDAE	44	POWELLINIA Obth.	66
PEORIINAE	35	PIERINAE	45	praefractana Kenn.	24
PEPILLA Gn.	20	PIERIS Schrank	45	PRAYS Hb.	20
peramplana Hb.	22	PIESTA Billb.	63	PREACEDES Amsel	12
PERCNOPTILOTA Hulst	55	pilosellae F.	47	PRINANERASTIA Hamps.	35
peregrina Treit.	67	PINARIS Hb.	15	proboscidalis L.	79
pergracilidactylus Pack.	43	pineae Stgr.	37	proboscidatus Haw.	79
PERIBROSCA Gist.	23	pinguinalis L.	34	PRODENIA Gn.	73
PERIDROMA Hb.	66	PIONEA Gn.	30	PRODOTIS John.	77
PERILUPE Hb.	31	pirithous L.	49	prolai Hart.	41
PERINEPHELA Hb.	31	pisorum Geoff.	49	prominens Walker	69
perittodactyla Stgr.	28	pistacina D & S.	71	promutaria Morris	52
perla D & S.	72	plaga Stph.	66	promutata Gn.	52
pernicipennella Costa	20	plagiaria Bsdv.	58	pronuba L.	66
perochreana H-S.	22	plagiata L.	58	pronubana Hb.	22
PERONAEA Stph.	24	plagiодactylus Stt.	42	PROPE Hb.	21
PERONEA Curtis	24	PLAGODIS Hb.	59	propinquella Treit.	15
peroni Agenjo	37	PLATYPERIGEA Smith	74	PROPIRA Durrant	27
perpendicularis Dup.	33	platyptera Esp.	70	protoocrina Meyr.	17
persicariae L.	67	PLATYPTILIA Hb.	42	PROTEROSPASTIC Meyr.	11
PETERSENIA Schut.	57	PLATYPTILIINAE	41	PROTOSCHINIA Hrdw.	74
PEUCEPHILA Hamps.	67	PLATYEDRA Meyr.	20	pyrerella Vaughn.	38
phaeorrhaea auct.	63	plebejana Z.	28	PSECADIA Hb.	14
phaorrhoeus Haw.	63	PLEBEIUS Kirby	49	PSELNOPHORUS Walln.	43
PHAESYLE Dup.	55	PLEBEJUS Kluk	49	PSAMMOPHILA Stph.	65
PHAESYLOIDES Bruand	55	PLEMYRIA Hb.	55	PSEUDOALETIA Franci.	69
PHALACOPTERYX Hb.	10	PLEROCYMIA Hb.	55	PSEUDOAMELIA Obraz.	22
PHALACOPTERYX Aga.	10	PLEUROPTYA Meyr.	33	pseudobigeneratus	44
PHALONIA Hb.	27	PLODIA Gn.	40	PSEUDOCOCCYX Swat.	25
PHALONIDIA March.	27	PLUSIA Ochsen.	76	PSEUDOCOPICUCULLIA	69
PHANETOPREPA Obraz.	26			pseudodoncheli	45

PSEUDOEUROCOSMA Obraz.	25	PYRALINAE	33	RHODOCERA Dup.	45
PSEUDOISTURGIA Moucha	59	PYRALOIDEA	28	rhodocrella H-S.	16
PSEUDOPARAPONYX Pat.	29	PYRAUSTA Schrank	31	RHODOMETRA Meyr.	54
pseudopersicus Rocci	44	PYRAUSTES Billb.	31	RHODOMETRINI	54
pseudosatanas Amsel	41	PYRAUSTINAE	31	RHODOPHAEA Gn.	36
PSEUDOTOMIA Stph.	26	pyri D & S.	50	RHOPALOGNOPHOS Whli.	60
PSEUDOZARBA Warren	75	pyrina L.	10	RHYACIONIA Hb.	25
PSILOTHRIX Wocke	10	PYRODERCES H-S.	18	RICHARDIA Busz.	42
PSYCHIDAE 10		PYRODES Gn.	26	rivillei Stt.	9
pterodactyla Hb.	43	PYRONIA Hb.	47	rivillella Rond.	9
pterodactylus Z.	43	PYROPTERON Newm.	21	RIVULA Gn.	78
PTEROLONCHE Z.	16	PYROPTEUM Aga.	21	roborella D & S.	36
PTEROLONCHIDAE 16		quadra L.	63	roboris F.J.A.D.	50
PTEROPHORIDAE 41		quadrata Walckn.	63	robusta Evers.	65
PTEROPHORINAE 42		quadratella Geoff.	26	robustana Christ.	24
PTEROPHOIDEA 41		quadripunctata F.	74	ROESELIA Hb.	65
PTEROPHORUS auct	43	quadripunctata Haw.	17	ROTRUDA Heine.	39
PTEROPHORUS Schaff.	42	quadripustulata Don.	60	rosana L.	22
PTEROTHRIX Rag.	37	quercifolia Haas	58	roseata Roths.	78
PTEROTHRIXIDIA Amsel	37	quercifolia L.	50	rosmarinana Mill.	24
PTEROURUS Scop.	44	quercus L.	50	rostralis L.	79
POCHEUUSA Heine	18	RACOPTERA Scott	72	rostratus Haw.	79
PTYCHOPODA Curtis	52	raddaella auct.	9	roxburghii Gregs.	40
puellaria Bsdv.	52	raddaella Hb.	9	rubetra Esp.	71
pudica Esp.	64	radiatalis Hb.	79	rubetralis Gn.	32
pudorana Stgr.	28	radicaria Harpe	56	rubi L.	48
pulchella L.	64	radiola Stph.	66	rubicaria Hb.	52
pulchellalis Mab.	33	ragonatella Mill.	40	rubicata D & S.	52
pulchra D & S.	64	ragusaria Zinck.	64	rubida Vrty.	47
pullata Dup.	60	rapticula D & S.	72	rubiginata Hufn.	52
pulmentaria Gn.	51	ramburialis Dup.	32	rubiginea D & S.	71
rapae L.	45. 59	ravonella Pierce	39	rufa Haw.	40
pulverellus Const.	80	RAYWARDIA Tutt	48	rufannulata Haw.	68
pulverulenta Esp.	68	recictaria Bsdv.	58	rufella Dup.	37
pulverulenta Z.	16	rectangulana Chret.	27	ruficostata Z.	54
pumilaria Bsdv.	58	recurvalis F.	33	rufifasciaria Dbly.	58
pumilata Hb.	58	reginae Retz.	44	rufifasciata Haw.	58
pumilio Hoffm.	44	renatalis Obth.	30	rufularia H-S.	53
punctalis F.	34	renalata Rbr.	53	RUMICIA Tutt	48
punctata F.	64	renularia Hb.	53	ruminella Harpe	39
punctella Treit.	35	retiferella Z.	15	rupestris Bigot	41
punctosa Treit.	69	retina Freyer	73	ruptaria Bsdv.	56
punicealis D & S.	31	reversaria auct.	53	rusticaria Hb.	56
puppillaria Hb.	51	reversaria Dup.	54	rusticaria auct.	53
pupillatus Haw.	65	reyana Stgr.	23	rusticata auct.	53
pusillaria Hb.	53	PHABINOPTERYX Christ.	74	rusticella Hb.	12
pusillus Gerh.	49	RHACODIA Hb.	23	ruralis Scop.	33
pusillus Haw.	65	rhagioniformis Hb.	21	rutana F.	15
puta Hb.	66	rhamni L.	45	rutenica Varin	47
putrescens Hb.	69	RHAMPHODES Gn.	37	sabulatella Trti.	15
pygmaeola Dbly.	63	rhenanella Fuchs	40	sabulicola Wals.	28
pugmaeus Cyrlli	44	RHEUMAPTERINI	56	sacralis Thun.	54
PYLARGE H-S.	51	RHIGOGNOSTIS Stgr.	21	sacraria L.	54
PYRAMEIS Hb.	46	rhizolitharia Rbr.	60	SALACIA Bsdv.	67
pyralalis Gn.	29	RHODARIA Gn.	31	SALEBRIA Z.	36
pyralea Haw.	29	RHODOBATES Rag.	11	salicaria Haw.	56
pyralella D & S.	29			salicata Hb.	56
PYRALIDAE 28					

sambuci Hufn.	67	SELANIA Stph.	26	SPIRIS Hb.	64
sancta Stgr.	77	selenaria D & S.	60	spissicella F.	36
sanguinalis L.	31	semele L.	47	spissicornis Haw.	36
sanguinaria Esp.	54	semicostatus Z.	42	SPHAEROCEA Meyr.	26
SANNINA Walk.	21	semidiaphana Stauder	64	sphaerulatina Haw.	71
saportae Dup.	70	semirufa Haw.	40	SPHINGIDAE	61
sardoa Vrty.	48	semigrapharia H-S.	57	SPHINGINAE	61
sareptensis Wals.	18	semigraphata Bruand	57	SPHINOIDEA	61
sarothamni Rossler	16	semiluteella Chret.	80	splendella Hb.	12
SARROTHRIPINAE	81	SEMIOPHORA Stph.	68	splendidalis H-S.	33
SARROTHRIPUS Curt.	81	SEMIOTHISA Hb.	59	splendidella H-S.	36
satanas Mill.	41	semiorthisata Lenz.	60	SPOLADEA Gn.	33
satureiella Mill.	37	SEMIOTHISINI	59	SPODOPTERA Gn.	73
saternalis Treit.	33	senecionis Vaugh.	39	spretella D & S.	13
SATURNIA Srhrank	50	seriata Schrank	53	solanella auct.	19
saturella Haw.	12	sericarium Scott	40	solaris D & S.	76
SATYRINAE	47	sericealis Scop.	78	SOLENOPTERA Dup.	72
saucia Hb.	67	serina Esp.	71	solieri Bsdv.	71
saxicola Vaugh.	40	serotinus Z.	42	somnulentella Z.	14
scabiodactylus Gregs.	42	serratella Treit.	18	sordida Hb.	65
scabiosae Jord.	42	serpylletorum Z.	37	sordidalis Hb.	31
scalariella Z.	14	SESAMIA Gn.	73	sororiella Z.	37
SCARDIINAE	11	SESIIDAE	21	stabiarum Stgr.	45
stellarum Geoff.	61	SESIINAE	21	stabilis D & S.	68
stellatarum L.	61	SESIONEDEA	21	stagnalis Gn.	30
SCHIADION Prout	60	SICCA Vrty.	47	stagnata Don.	30
SCHISTODEPRESSARIA Spuler	15	SICLOBOLA Diak.	22	staminalis Hb.	30
SCHOENIS Hb.	47	sicula Stgr.	50	staticis Mill.	41
SCHRANKIA Hb.	79	sicula Stgr.	63	statuiformis Freyer	21
SCHUTZIA Spuler	19	sicula Treit.	69	staudingerialis Rag.	34
SCIAPHILA Treit.	23	siculalis Dup.	30	STENIA Gn.	32
SCIOPETRIS Meyr.	10	siculella Dup.	28	STENODES Gn.	27
scirpicolana Pierce	24	SIDONIA Dup.	51	STENOPHANES Heyl.	10
scitula Rbr.	75	siepii Obth.	81	STENOPTERA Dup.	14
SCOPALIA Hb.	30	signatella H-S.	17	STENOPTYX Gn.	32
SCOPARIA Haw.	29	silacearia Bsdv.	56	STENOPTILIA Hb.	42
scopariae Mill.	50	silaceata D & S.	56	STENOPTYCHA Heine	38
SCOPARIINAE	29	silenes Hb.	68	stenoptycha H-S.	38
scopigera Scop.	21	sinapis L.	44	STERRHA Hb.	52
SCOPULA Gn.	32	sinon Poda	44	STERRHINAE	51
SCOPULA Shrank	51	sinuatus F.	39	stolidia F.	78
SCOPULINI	51	sinuatum F.	39	STOMOPTERYX Heine.	19
scorteata Stgr.	56	SIRENIA Dup.	59	strumentalis Hb.	30
SCOTIA Hb.	65	SITOTROGA Heine	20	straminea Don.	74
SCOTOGRAMMA auct.	67	snellana Pierce.	80	straminea Haw.	27
SCOTOPTERIX Hb.	60	snellenela Bent.	39	stratana Z.	23
SCOTOPTERYX Hb.	54	SPANISTA Led.	33	streatfieldii Curt.	34
SCROBIPALPA Janse	19	sparsella Joannis	17	striata L.	64
SCUDDERIA Grote	46	spartii Hb.	50	strigularia Stph.	60
scutosa D & S.	75	SPECTROBATES Roesler	37	striolana Rag.	23
scutularia Dup.	53	SPERANZA Curtis	59	strobilata Stph.	58
SCYTHOCENTROPIA Obth.	72	spicidactyla Chret.	42	suava Hb.	75
SCYTHOCENTROPUS Speizer	72	SPILONOTA Stph.	25	subatratus Haw.	66
segetana Z.	23	spinifera Hb.	65	subcandidatea Rag.	39
SEGETIA Stph.	67	spinifera Villers	66	subcinerea Haw.	20
segetum D & S.	56	spinosa Chret.	71	subcribella Rag.	38
sejuncta H-S	68			subditalis Z.	30
selaginella Mann.	18			SUBEIDOPHASIA Weber	21

sublutella Stgr.	16	tempestivata Z.	58	transiens Vrty.	45
submissella Stt.	19	tenebrosa Esp.	70	transversella Dup.	37
subornatella Dup.	37	teneraria Hb.	60	triangularis Hb.	77
subpropinquella Stt.	16	tentaculea Haw.	29	triangulum Costa	76
subroseata Haw.	52	tentaculella Hb.	29	TRICHODIA Stph.	50
subruafaria Haw.	56	TEPHRINA Gn.	59	TRICOPHAGA Rag.	12
subruafaria Stgr.	54	tephrinella Led.	40	TRICPLUSIA McDunn.	77
subsequa auct.	66	TEPHROCLYSTIA Hb.	57	trifoliaria Haw.	61
subsequana H-S.	28	TEPHROSIA Bsdv.	60	trifolii D & S.	50
substraminea Rag.	27	TEPHUS Wallgr.	9	trifolii Hufn.	67
subtilis Mab.	74	TERAS Treit.	24	trigeminaria Morris	54
sudana Dup.	27	teres Fruhst.	47	trigeminata Haw.	54
suffusa D & S.	66	tersaria Bsdv.	56	trigotephras Bsdv.	63
sulphuralis L.	75	tersata D & S.	56	trimenda Geyer	67
sulphurea D & S.	75	terrella Walker	19	trinotella H-S.	19
supherella F.	15	tesselata Villers	64	triparella Z.	19
SYLEPTA auct.	33	tesserella F.	12	tripartella Hufn.	76
SYLLYTHRIA Hb.	31	tessulatana Stgr.	25	TRIPHAENA Ochsen.	66
svlvestrella Ratzb.	36	testacealis Z.	32	triplasia L.	76
symmathetica Meyr.	10	tetragona Haw.	67	triplicata Geoff.	58
symmetrica Amsel	41	THALERINI	51	tristigella Stph.	29
SYMMOCA Hb.	17	THALPOCHARES	Led.	triticci L.	65
SYMMOCIDAE	17	thapsiae H-S.	15	TROTISISA Hb.	75
SYNAPHE Hb.	34	thapsiella Z.	15	trux Hb.	66
SYNEUNETIS Wallgn.	18	thapsiphaga Treit.	70	TRYCHERIS Gn.	26
SYNIA Dup.	73	thecophora Wals.	12	TRYPANUS Rbr.	10
SYNTARCUS Btlr.	48	THERA Stph.	56	TYMPANOPHORA Lab.	64
SYNTHIMIA error	74	THERAPNE Rag.	34	tyrrhenica Amsel	41
SYNTHYMIA Hb.	74	THERSAMONIA auct.	48	TYTA Billb.	78
SYNVALERIA Btlr.	70	thetis Rott.	49		
syriaca Osth.	68	THYLACIGYNA Rbr.	63	UDEA Gn.	32
syriaca Wals.	27	thyrostoma Meyr.	19	unguiculatus F.	10
srtana Mab.	69	tibulella Rbl.	11	ulceratalis Led.	30
SYSTROPHIA Hb.	63	TINEA L.	13	ulmi Villers	64
systrophaeformis Hb.	21	TINAEA Geoff.	13	ULOTRICHIA Led.	34
TACHYPTERA Berge	45	TINEIDAE	11	ULOTHRIX Rbl.	10
TAENIOPCAMPAGn.	68	TINEIDIA Zag.	13	umbellatarum F.	44
TALEPORIINAE	10	TINEINAE	12	umbratica Trim.	44
tamariciella Z.	19	TINEOIDEA	10	UNCA Lhomme	76
tamaricis Z.	41	TINEOLA H-S.	13	UNCA Oken	76
tapetzella L.	12	tirhaca Cram.	77	UNCUSTRIODONTA Agen.	19
TAPINOSTOLA Led.	73	tischerana Treit.	27	undalis F.	31
taprobanes Fldr.	42	TISCHERIA Z.	9	unicolorana Dup.	23
TARACHE Hb.	75	TISCHERIIDAE	9	unifasciana Dup.	23
TARACHIA Hb.	57	TISIPHONE auct.	47	unipunctalis Dup.	31
TATHORHYNCHUS Hamps.	78	tithone Hb.	47	unipunctata Haw.	69
TATHORHYNCUS error	78	tondeuri Bigot	41	unionalis Hb.	33
TEBENNA Billb.	21	torrida Gn.	78	URANOPS Hemm.	49
tedaldii Heyl.	11	torridella Mann.	18	URESIPHITA Hb.	31
TEGOSTOMA Z.	30	TORTRICIDAE	22	urticae Hb.	76
TELEIA Heine	19	TORTRICINAE	22	urticalis D & S.	31
TELEIA Hb.	23	TORTRICINI	22	urticata L.	31
TELEIODES Sattl.	19	TORTRICOIDEA	22	ustella Haw.	12
telicanus Lang	49	trabealis Scop.	75	UTHETHEISA Hb.	64
TELPMIA Hb.	65	trabeatella H-S.	28	uvella Vallot	9
TELPHUSA auct.	19	TRACHYSMIA Gn.	27		

- vafra Mayr. 29
 vallettae Amsel 16
 vallettae Amsel 40
 vallettae Boursin 69
 vallettae Bradley 22
 vallettae DeLaever 71
 vallettae DeLattin 47
 VALERIA Stph. 70
 VANESSA F. 46
 vapidella Mann 38
 variata de Villers 52
 variegana Hb. 24
 variegata D & S. 24
 variegata Haw. 57
 variegatus Dup. 61
 vasconica Varin 47
 velox Hb. 75
 vendettella Chret. 80
 veneficella Z. 15
 venosa Haw. 71
 venosana Z. 25
 venosaria Bsdv. 57
 venosata F. 57
 venosus Haw. 65
 ventosalis Marion 30
 ventosella Reutti 15
 verbasci L. 70
 versurella Z. 16
 verticalis D & S. 33
 vespertalis Hb. 74
 vestianella auct. 13
 vestianella Stph. 12
 vibrana Hb. 22
 vigilata Prout 52
 vilella Z. 20
 villica L. 64
 villosella Ochsen. 80
 vinctalis Walker 78
 VINDANA Walker 35
 virgaureae Geoff. 48
 virginalis Costa 51
 virgularia Hb. 53
 viridaria Hb. 51
 viridata L. 51
 vitella Vallot 9
 vitellina Hb. 69
 vittata Thun. 52
 vittatus Haw. 79
 vividior Vrty. 48
 VOLUCRA Latr. 15
 VOLUCRUM Berth. 15
 vulgaris Stph. 57
 vulneratella Z. 35
 vulpinaria H.S. 53
 weissi Draudt 68
 welseriella Z. 40
 WITLESIA Chap. 29
 WHELLERIA Tutt 42
 wredowi Costa 70
 xanthenes Cram. 73
 XANTHODES Gn. 76
 XANTHOECIA Hamps. 73
 xanthographa D & S. 67
 XANTHOLEUCA Stph. 71
 XANTHORHOE Hb. 55
 XANTHORHOINI 54
 xanthotricha Stgr. 40
 XANTHUA Bsdv. 71
 XESTIA Hb. 67
 XYLENA Ochsen. 70
 XYLINA Treit. 70
 XYLITES R.L. 70
 xylostella L. 21
 yeatiana F. 15
 yeatsana Stph. 15
 YPONOMEUTIDAE 20
 YPONOMEUTINAE 20
 epsilon error 66
 ZAMACRA Meyr. 59
 ZANCLOGNATHA Led. 79
 ZEBEEBA Kirby 76
 zelleri Caradja 12
 zelleri Vrty. 49
 zephyrata Mill. 53
 ZERENE Hb. 45
 ZERENE Treit. 59
 ZETEOLYGA Billb. 68
 ZEUZERA Latr. 10
 ZEUZERINAE 9
 zinckenella Treit. 37
 ZIZEERIA Chap. 49
 ZONEOSTHIOUSA Thierry-Mieg 75
 ZONOSOMA Led. 51
 ZOOTE Hb. 64
 zophodactylus Dup. 42

Insektenkästen Insektschränke Zubehör

Heinrich Meier Vosslerstr. 9
8000 München 21 Tel. 089/562007



Mitgliedsbetrieb des Holz und Kunststoff
verarbeitenden Handwerks

*Sie kaufen direkt beim Hersteller. Verlangen
Sie bitte meine kostenlose Preisliste!*



bioform

Handelsgesellschaft
Meiser GmbH & Co.
Bittlmairstraße 4
8070 INGOLSTADT/Do.
Telefon (0841) 7 55 83

IHR SPEZIALIST FÜR ENTOMOLOGIEBEDARF

Zu günstigen Preisen erhalten Sie bei uns

Für die Zucht

Zuchtkästen, Puppenkästen, Infrarotstrahler, Zuchtbehälter u. a.

Für den Tag- und Nachtfang

Netze, Gläser, Transportkästen
Stromaggregate, Lampen und Leuchtröhren u. a.

Für das Präparieren

Präparierbesteck, Spannbretter, Insektenadeln, Kopflupen, Chemikalien u. a.

Für die Sammlung

Insektenkästen in allen Größen mit der bewährten Moll- oder Schaumstoffeinlage,
Insektschränke aller Art u. a.

Ein umfangreiches Angebot an neuer und antiquarischer Literatur ist vorhanden. Schreiben Sie uns, oder rufen Sie uns an. Wir beraten Sie gern.

ieb
bioform

KATALOG KOSTENLOS

ieb
bioform