The problem of infrasubspecific names in some groups of Lepidoptera

W. G. Tremewan

Department of Entomology, British Museum (Natural History), Cromwell Road, London SW7 5BD, U.K.

Abstract

Problems of availability, authorship and dates of names used for geographical forms in some groups of Lepidoptera, such as European butterflies and the genus *Zygaena* FABRICIUS, 1775, are discussed. For *Zygaena*, a practical solution is proposed which, if adopted, would lead to a stable nomenclature.

Zusammenfassung

Die Problematik der Verfügbarkeit, Autorschaft und Datierung von gebräuchlichen Namen für geographische Formen gewisser Lepidopterengruppen, z.B. europäischer Tagfalter und der Gattung *Zygaena* FABRICIUS, 1775, wird diskutiert. Für *Zygaena* wird eine praktische Lösung vorgeschlagen, deren Annahme zu einer stabilen Nomenklatur führen würde.

When early specialists such as Otto Holik, Manfred Koch and Hugo Reiss described and named geographical forms of Zygaena FABRICIUS, 1775, it was customary to denote such taxa as subspecies and varieties, the latter category being a subdivision of the former (individual forms were denoted as aberrations). This system was originally introduced by Burgeff (1926a: 5; 1926b) and had it been followed consistently, the nomenclature of the group would now be relatively free of problems regarding availability, authorship and dates. However, up to the 1960s it was not uncommon for authors (specialists and non-specialists alike) to relegate subspecies to varietal level or, more frequently, to elevate varieties to subspecific rank. From the 1960s most newly described geographical forms were categorized as subspecies. because Zvgaena specialists were more aware of the provisions of the Int. Code zool. Nom. and had begun to apply them to the group. Even before the publication of the 1961 edition of the Code, DUJARDIN (1956: 252) stated "En application des Règles de la Nomenclature trinominale en vigueur, nous sommes actuellement dans l'obligation de réserver le terme de 'sous-espèce' à toute race ou forme géographique prédominante bien différenciée...".

Under the provisions of the Code, an infrasubspecific name such as a quadrinomen is unavailable. However, the question of availability, authorship and date does arise when a varietal name, originally established as quadrinominal, is raised to subspecific rank. The 1985 edition of the *Code* is more explicit than the two previous editions: Article 45 (f) (iii) states that a name is "infrasubspecific, if the author, when publishing the name, published it as an addition to a trinomen...". However, during the last three decades confusion has arisen over the availability, authorship and date of many of the names established for geographical forms, because of ambiguities in the 1961 and 1964 editions of the Code. In these editions, Article 17 (9) states that a name is or remains available even though "before 1961, it was proposed as a 'variety' or 'form'"; Article 45 (e) (i) states "Before 1961, the use of either of the terms 'variety' or 'form' is not to be interpreted as an express statement of either subspecific or infrasubspecific rank"; Article 45 (e) (ii) states "After 1960, a new name published as that of a 'variety' or 'form' is to be regarded as of infrasubspecific rank". When preparing the catalogue of Zygaena, Reiss & Tremewan (1967) were guided by these articles; fully aware of the inconsistent treatment of geographical forms by previous workers, and following current usage, they placed the majority of varieties at subspecies level and attributed the names to their original authors and dates.

Recently, Kudrna (1983), Kudrna & Balletto (1984), Balletto & Kudrna (1986) and Koçak (1984) have drawn attention to the availability/unavailability of certain names established for geographical forms of European butterflies and Zygaena.

The paper by Kudrna (1983) concerns the nominal taxa of Papilionoidea described by Verity; in the introduction (pp. 1-7), Verity's concept of species, subspecies/exerge and race, and the nomenclatural problems arising from such a system, are fully described. As pointed out by Kudrna, the most confusing category in Verity's publications is the term "race", which has been misinterpreted by subsequent workers many of whom have treated the Verity names originally proposed in this category as subspecific and thus available. Because of the widespread placement of Verity's races at subspecific level, Kudrna contends that such names should be treated as available if they were originally proposed in a trinominal combination. The views expressed by Kudrna (1983) relative to the Papilionoidea are also reflected in the paper by Balletto & Kudrna (1986), which deals exclusively with the nominal taxa of Zygaenidae described by Verity.

According to Article 45 (f) (ii) of the present *Code*, the names categorized by Verity as "race" in a trinominal combination are indeed available. However, the question of availability does arise when a name, originally established by Verity for a race, was published as a quadrinomen. For

example, having considered the two species *Zygaena rhadamanthus* (ESPER, 1794) and *Zygaena oxytropis* BOISDUVAL, [1828] to be no more than subspecies, VERITY (1920: 161) established the taxon *pyrenaea* as a race of *Zygaena rhadamanthus rhadamanthus*. When *Z. rhadamanthus* and *Z. oxytropis* were re-established as distinct species by subsequent authors, *pyrenaea* was placed as a subspecies of the former (e.g. LE CHARLES, 1934: 679).

If Articles 10 (c), 23 (j) and 50 (c) (i) of the present *Code* are followed, the name pyrenaea should be attributed to the first author who subsequently used it for a subspecies, with priority from that date. Unfortunately, the strict application of these rules to the genus Zygaena is impractical. In spite of meticulous attention to detail prior to the publication of their paper, BALLETTO & KUDRNA (1986) erroneously attributed the nominal taxa duponcheli Verity, 1921, pulcherrima Verity, 1921, pvrenaea Verity, 1920, and pyrenes Verity, 1921, to Reiss & Tremewan (1967), to cite only four examples from their list. These taxa were in fact first raised (as far as I can ascertain) to subspecies level by LE CHARLES (1934) more than 30 years before; they are mentioned here merely as examples and not as a criticism of Balletto & Kudrna's excellent work. In fact, Balletto & Kudrna (1986: 228) emphasise the futility of undertaking a thorough search of the literature published during the past 70 years, in order to ascertain who may have possibly validated a number of the 2000 names established by VERITY. Moreover, they point out the ambiguity of Article 10 (b) of the 1964 edition of the Code and state that, if broadly interpreted, any quotation of an infrasubspecific name at species or subspecies level can constitute availability of that name (this also applies to Article 10 (c) of the third edition of the Code (1985)). I fully agree with their opinion that such efforts contribute nothing to the advancement of science, especially as, in the case of Zygaena, the majority of such names will eventually be placed as synonyms.

Koçak (1984: 156-158), in one of his papers criticising the work of Leraut (1980), discusses the availability, authorship and dates of nine nominal taxa established for geographical forms of *Zygaena* species, attributing them to Tremewan (1961), Tremewan & Reiss (1964) or Reiss & Tremewan (1967). However, two of these taxa, *altalavandulae* Reiss, 1953, and *tourrettica* Reiss, 1953, were in fact cited as subspecies by Reiss in 1958, while by inference *pyrenaica* Burgeff, 1926, was raised to subspecies level by Bernardi & Viette (1959: 6). It should be mentioned that Koçak's emendation of *tourrettica* Reiss to '*tourrettica*' is unjustified as the original spelling is correct and based on the type-locality Tourrettes-sur-Loup.

The catalogue of *Zygaena* by REISS & TREMEWAN (1967) is currently being revised. The new edition will include all nominal taxa belonging to the subfamily Zygaeninae but will exclude the names of individual forms or

aberrations. It will also reflect recent research on geographical variation and a much broader concept of the subspecies category, resulting in a large number of new synonyms.

In attempting to produce a stable nomenclature, the difficulties arising from trinomina/quadrinomina are immediately apparent. If Articles 10 (c), 23 (j) and 50 (c) (i) of the present *Code* are applied to geographical forms of *Zygaena*, the enormous amount of time and effort required to search the literature cannot be justified, nor would it contribute to the advancement of science, as pointed out by Balletto & Kudra (1986); moreover, a taxonomist can never be absolutely certain that an earlier citation has not been overlooked. With regard to *Zygaena*, one solution would be to attribute to its original author and date every nominal taxon now used at subspecific level, even if first established as quadrinominal before 1961; an application should then be made to the International Commission on Zoological Nomenclature requesting them to rule that the names first established as quadrinomina should nevertheless be attributed to their original authors and dates.

The purpose of the present paper is to highlight the problem, to review what has been done to date, and to solicit opinions and possible solutions from lepidopterists other than *Zygaena* specialists.

References

- BALLETTO, E. & KUDRNA, O., 1986. An annotated catalogue of the Burnets and Foresters (Lepidoptera: Zygaenidae) named by Roger VERITY. *J. Res. Lepid.* 24 (1985): 226-249.
- Bernardi, G. & Viette, P., 1959. Deux nouvelles sous-espèces françaises du genre *Zygaena* Fabricius (Lep. Zygaenidae). *Entomologiste* 15: 3-6.
- BURGEFF, H., 1926a. Kommentar zum palaearktischen Teil der Gattung *Zygaena*FAB. des früher von Ch. Aurivillius und H. Wagner, jetzt von E. Strand herausgegebenen Lepidopterorum Catalogus. *Mitt. münch. ent. Ges.* 16: 1-86.
- BURGEFF, H., 1926b. Fam. Zygaenidae I (Generis *Zygaena* palaearctica pars). In STRAND, E., *Lepid. Cat.* 4 (33): 1-91.
- DUJARDIN, F., 1956. Description de races et formes nouvelles de Zygènes, principalement du sud-est de la France (Lep. Zygaenidae). *Bull. mens. Soc. linn. Lyon* 25: 252-263.
- KOÇAK, A. Ö., 1984. More additions and corrections to the names published in "Systematic and synonymic list of the Lepidoptera of France, Belgium and Corsica" by LERAUT, 1980. *Priamus* 3: 155-168.
- KUDRNA, O., 1983. An annotated catalogue of the butterflies (Lepidoptera: Papilionoidea) named by Roger VERITY. J. Res. Lepid. 21 (1982): 1-105, pl., text-fig.

- KUDRNA, O. & BALLETTO, E., 1984. An annotated catalogue of the Skippers (Lepidoptera: Hesperiidae) named by Roger Verity. J. Res. Lepid. 23: 35-49.
- Le Charles, L., 1934. Zygaena Fabricius, 1775, pp. 667-700. In Lhomme, L., 1923-1935, Catalogue des Lépidoptères de France et de Belgique 1 : 800 pp. Le Carriol.
- LERAUT, P., 1980. Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse 334 pp. Paris.
- REISS, H., 1958. Deuxième contribution à la faune des Lépidoptères, en particulier des Zygaenae des Alpes-Maritimes. Bull. Soc. ent. Mulhouse 1958: 45-63.
- REISS, H. & TREMEWAN, W. G., 1967. A systematic catalogue of the genus *Zygaena* FABRICIUS (Lepidoptera: Zygaenidae). *Series ent.* 2: xvi, 329 pp.
- Tremewan, W. G., 1961. A catalogue of the types and other specimens in the British Museum (Natural History) of the genus *Zygaena* Fabricius, Lepidoptera: Zygaenidae. *Bull. Br. Mus. nat. Hist.* (Ent.) 10: 239-313, pls 50-64.
- Tremewan, W. G. & Reiss, H., 1964. The *Silvicola Burgeff* group of the genus *Zygaena* Fabricius (Lep., Zygaenidae). *Entomologist's Rec. J. Var.* 76: 1-10, fig. 1 (distr. map), 46-54, 74-82.
- VERITY, R., 1920. On Zygaena rhadamanthus ESPER, with special reference to the races of its subspecies oxytropis BOISD. Entomologist's Rec. J. Var. 32: 158-162.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: Nota lepidopterologica

Jahr/Year: 1987

Band/Volume: 10

Autor(en)/Author(s): Tremewan Walter Gerald [Gerry]

Artikel/Article: The problem of infrasubspecific names in some

groups of Lepidoptera 236-240