

Fungi selecti exsiccati ex Herbario Universitatis Halensis – nos. 31–70

Uwe BRAUN

Abstract: Braun, U. 2006: Fungi selecti exsiccati ex Herbario Universitatis Halensis – nos. 31–70. *Schlechtendalia* **14**: 33–47.

The labels of four new decas (decas 4–7, nos. 31–70) of «Fungi selecti exsiccati ex Herbario Universitatis Halensis», an exsiccata distributed by the herbarium of the Institute of Geobotany and Botanical Garden, Martin-Luther-University Halle (HAL), are listed.

Zusammenfassung: BRAUN, U. 2004: Fungi selecti exsiccati ex Herbario Universitatis Halensis – Nr. 31–70. *Schlechtendalia* **14**: 33–47.

Die Etiketten von vier neuen Ausgaben (Decas 4–7, Nr. 31–70) von «Fungi selecti exsiccati ex Herbario Universitatis Halensis», ein Exsiccatenwerk herausgegeben vom Herbarium des Instituts für Geobotanik und Botanischer Garten der Martin-Luther-Universität Halle (HAL), werden aufgelistet.

«Fungi selecti exsiccati ex Herbario Universitatis Halensis» is an exsiccata distributed by the herbarium of the Institute of Geobotany and Botanical Garden of the Martin-Luther-University Halle (Germany), which is dedicated to non-lichenised fungi. Although it is not confined to selected fungal groups, special emphasis is put on microfungi in general and phytoparasitic micromycetes in particular, and the taxonomic groups of fungi which are subjects of scientific examinations at Halle will, of course, be reflected in this new series of exsiccatae. It will not be issued in traditional fascicles of 20, 25 or 50 numbers, but in sets of 10 exsiccatae (decas), each number comprising 10 duplicates, which are dispensed on an exchange basis to selected herbaria (no. 31–70 to BPI, GZU, HMAS, IMI, KR, LE, M, PDD, SMK and VPIR; an additional complete set is deposited at HAL – abbreviations according to "Index Herbariorum").

Various interesting collections are included in this issue of «Fungi selecti exsiccati», e.g., types (iso-, para- and topotypes) of some species [*Cladosporium fraxinicola*, *C. syringicola*, *Erysiphe heringeriana* ($\equiv$ *Uncinula heringeriana*), *E. scholzii*, *Pseudocercospora coprosmae*, *P. rhabdothamni*]. Some new hosts are recorded (*Fusicladium pomi* on *Sorbus alnifolia*, *Golovinomyces orontii* on *Hippuris vulgaris*, *Phragmotrichum chailletii* on *Larix decidua*, *Picea likiangensis*, *P. peuce*, *P. pungens* and *Pseudotsuga menziesii*, *Puccinia jaceae* on *Grossheimia macrocephala* and *Tilletia contraversa* on *Elytrigia $\times$ mucronata*), and the second collection of *Monodyctis capensis*, described from South Africa, is recorded from Russia.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

31. *Erysiphe abbreviata* (Peck) U. Braun & S. Takam.

Schlechtendalia 4: 4 (2000). – Syn.: *Microsphaera abbreviata* Peck, Rep. (Annual) New York State Mus. Hist. Nat. 28: 64 (1876).

USA, Tennessee, McMinnville, Tennessee State University, Nursery Research Centre. On leaves of *Quercus falcata* [Michx.] var. *pagodifolia* Elliott.

12 Oct. 2005

leg. A. Shi
det. U. Braun

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

32. *Erysiphe berberidis* DC.

Fl. franç. 2: 275 (1805). – Syn.: *Microsphaera berberidis* (DC.) Lév., Ann. Sci. Nat., Bot., 3 Sér., 15: 159, 381 (1851).

POLAND, Brama Krakowska Gate, Kraków, Botanical Garden. On leaves of *×Mahoberberis neubertii* C.K. Schneid.

23 Jul. 2004

M. Piątek

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

33. *Erysiphe bremeri* U. Braun

Mycotaxon 15: 133 (1982). – Syn.: *Erysiphe alhagi* Bremer et al., Rev. Fac. Sci. Istanbul, Ser. B, 12: 140 (1947), non *E. alhagi* Sorokīn 1889. *Trichocladia alhagi* Golovin, Trudy Sredneaz. Gos. Univ., N.S., Biol. Knigi, 14, 5: 7 (1950). *Microsphaera alhagi* (Golovin) U. Braun, Mycotaxon 14: 369 (1982).

MONGOLIA, Bayanhongor Aimak, Altaynovör gobi (Transaltay Gobi), Ehiyn gol, oasis. On leaves of *Sophora alopecuroides* L. (≡ *Pseudosophora alopecuroides* (L.) Sweet).

13 Jul. 2004

leg. E.J. Jäger
det. U. Braun

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Erysiphales

34. Erysiphe buhrii U. Braun

Česká Mykol. 32(2): 80 (1978).

GERMANY, Sachsen-Anhalt, Bad Frankenhausen, near inn ‘Weinbergtreff’.
On leaves of *Saponaria ocymoides* L.

4 June 2004

V. Kummer

Notes: Only anamorph present (with *Ampelomyces quisqualis*).

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Erysiphales

35. Erysiphe clandestina Biv.

Stirp. rar. Sicilia 3: 20 (1815). – Syn.: *Uncinula clandestina* (Biv.) J. Schröt., Pilze Schles. 2: 245 (1893).

KOREA, South Korea, Seoul, Korea University Campus. On leaves of *Ulmus pumila* L.

26 Sept. 2004

leg. V.A. Mel’nik
det. U. Braun

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Erysiphales

36. Erysiphe heringeriana (U. Braun ex Dianese & A.C. Dianese)
U. Braun & S. Takam.

Isotypus

Schlechtendalia 4: 20 (2000). – Syn.: *Uncinula heringeriana* U. Braun ex Dianese & A.C. Dianese, Mycol. Res. 99(7): 821 (1995).

BRAZIL, Distrito Federal, Estrada Taguatinga–Brazlândia. On leaves of *Qualea grandiflora* Mart. (ex herb. UB 2045).

28 June 1994

J.C. Dianese

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

37. *Erysiphe heringeriana* (U. Braun ex Dianese & A.C. Dianese) U. Braun & S. Takam.

Schlechtendalia 4: 20 (2000). – Syn.: *Uncinula heringeriana* U. Braun ex Dianese & A.C. Dianese, Mycol. Res. 99(7): 821 (1995).

BRAZIL, Distrito Federal, Brasília, near the entrance of the Botanical Garden, Serrado vegetation. On leaves of *Qualea grandiflora* Mart. (ex herb. UB 19937).

4 Aug. 2005

J.C. Dianese & U. Braun

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

38. *Erysiphe scholzii* U. Braun & Bolay

Isotypus

in Bolay, Cryptog. Helvet. 20: 71 (2005).

CHINA, NeiMongol, ca. 60 km ENE of Baotou and 50 km NE of Donghe, Jihuluntu Mt. of the Yin Shan Mountains Range, ca. 3 km NW of Wudang Lamasery (110°35'E, 40°47'N). On leaves of *Incarvillea sinensis* Lam.

31 Jul. 2004

leg. P. Scholz
det. U. Braun

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

39. *Erysiphe syringae-japonicae* (U. Braun) U. Braun & S. Takam.

Schlechtendalia 4: 14 (2000). – Syn.: *Microsphaera syringae-japoniae* U. Braun, Mycotaxon 15: 121 (1982).

GERMANY, Sachsen-Anhalt, Halle (Saale), Botanical Garden, Arboretum. On leaves of *Syringa ×chinensis* Willd.

26 Oct. 2005

U. Braun

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

40. *Golovinomyces biocellatus* (Ehrenb.) V.P. Heluta

Ukrayins'k. Bot. Zhurn. 45(5): 62 (1988). – Syn.: *Erysiphe biocellata* Ehrenb., Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 10: 211 (1821).

GERMANY, Sachsen-Anhalt, Halle (Saale), Botanical Garden, 'System'. On leaves of *Monarda citriodora* Cerv. ex Lag.

2 Aug. 2004

leg. K. Schubert
det. U. Braun

Notes: Only anamorph present; first record on this hosts from Germany.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

41. *Golovinomyces orontii* (Castagne) V.P. Heluta

Ukrayins'k. Bot. Zhurn. 45(5): 63 (1988). – Syn.: *Erysiphe orontii* Castagne, Cat. pl. Marseille: 52 (1851).

GERMANY, Sachsen-Anhalt, Burgenlandkreis, Müncherode near Freyburg (Unstrut), pond. On *Hippuris vulgaris* L.

18 Nov. 2004

leg. U. Richter
det. U. Braun

Notes: Only anamorph present; new host plant (first record of a host belonging to the Hippuridaceae).

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

42. *Phyllactinia angulata* (E.S. Salmon) S. Blumer

Beitr. Krypt.-Fl. Schweiz 7(1): 399 (1933).

USA, Arkansas, Fayetteville. On leaves of *Quercus falcata* Michx.

11 Oct. 2005

leg. A. Shi
det. U. Braun

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

43. *Phyllactinia fraxini* (DC.) Fuss

Arch. Vereins Siebenbürg. Landesk. 14(2): 463 (1878).

GERMANY, Rheinland-Pfalz, Pfälzisch-Saarländisches Muschelkalkgebiet, Pirmasens-Gersbach, Breitsitterswald, *Fraxinus-Alnus* forest. On leaves of *Fraxinus excelsior* L.

12 Sept. 2004

M. Scholler

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

44. *Podosphaera fusca* (Fr.) U. Braun & N. Shishkoff (emend.)

in Braun & Takamatsu, Schlechtendalia 4: 29 (2000). – Syn.: *Sphaerotheca fusca* (Fr.) S. Blumer, Beitr. Krypt.-Fl. Schweiz 7(1): 117 (1933). *Sphaerotheca erigerontis-canadensis* (Lév.) L. Junell, Sv. Bot. Tidskr. 60(3): 387 (1966).

GERMANY, Sachsen-Anhalt, Elster-Luppe-Aue, N Möritzsch, riverside meadow. On leaves of *Pulicaria dysenterica* (L.) Bernh. (ex herb. H. Jage, Nr. 3628/04).

2 Nov. 2004

U. Richter & H. Jage

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Erysiphales

45. *Podosphaera savulescui* (Sandu) U. Braun & S. Takam.

Schlechtendalia 4: 31 (2000). – Syn.: *Sphaerotheca savulescui* Sandu, in Sandu et al., St. Cerc. Biol., Ser. Bot., 20(1): 3 (1968).

POLAND, Wyżyna Małopolska Upland, Skorocice Reserve, ca. 7 km SW from Busko Zdrój, *Thalictrum-Salvietum pratensis*. Alt. ca. 220 m. On leaves of *Adonia vernalis* L.

12 Jul. 2004

leg. M. Piątek & J. Cabała
det. M. Piątek

Notes: New to Poland.

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

46. Cercospora apii Fresen. s. str.

Beitr. Mykol. 3: 91 (1863).

GERMANY, Baden-Württemberg, Heilbronn, Jagsthausen. On leaves of *Apium graveolens* L.

11 Aug. 2004

K. Schrameyer

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

47. Cladosporium fraxinicola K. Schub. & Mułenko

Paratypus

Schlechtendalia 14: 67 (2006).

GERMANY, Sachsen-Anhalt, Halle (Saale), corner of Neuwerk/Jägerplatz, kindergarten. On leaves of *Fraxinus excelsior* L.

2 Aug. 2004

K. Schubert

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

48. Cladosporium fraxinicola K. Schub. & Mułenko

Paratypus

Schlechtendalia 14: 67 (2006).

POLAND, Lublin, roadside. On leaves of *Fraxinus excelsior* L.

10 Aug. 2004

W. Mułenko

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Hyphomycetes

49. *Cladosporium herbarum* (Pers. : Fr.) Link

Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesamnten Naturk. 7: 37 (1816) [: Fr., Syst. mycol. 3(2): 370 (1832)].

GERMANY, Sachsen-Anhalt, Halle (Saale), Botanical Garden, Arboretum. On fruits of *Pyrus salicifolia* Pall.

17 June 2004

U. Braun

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Hyphomycetes

50. *Cladosporium phyllophilum* McAlpine

Agric. Gaz. New South Wales 7: 153 (1896). – Syn.: *Cladosporium exoasci* Lindau, in Rabenh., Krypt.-Fl., Ed. 2, 1(8): 808 (1907).

GERMANY, Sachsen, Kirchberg, garden. On *Taphrina pruni*, on fruits of *Prunus domestica* L.

25 Jul. 2004

K. Schubert

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Hyphomycetes

51. *Cladosporium phyllophilum* McAlpine

Agric. Gaz. New South Wales 7: 153 (1896). – Syn.: *Cladosporium exoasci* Lindau, in Rabenh., Krypt.-Fl., Ed. 2, 1(8): 808 (1907).

GERMANY, Sachsen-Anhalt, Halle (Saale), Botanical Garden, Arboretum. On fruits of *Malus xzumi* (Matsum.) Rehd.

14 June 2004

U. Braun

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

52. *Cladosporium syringicola* K. Schub. & U. Braun

Isotypus

Schlechtendalia 14: 80 (2006).

GERMANY, Sachsen-Anhalt, Halle (Saale), Botanical Garden, Arboretum. On
Syringa × *chinensis* Willd.

20 Aug. 2004

K. Schubert

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

53. *Cladosporium uredinicola* Speg.

Anales Mus. Nac. Hist. Nat. Buenos Aires 23: 122–123 (1912).

GERMANY, Sachsen-Anhalt, Halle (Saale), Botanical Garden. On rust sori of
Puccinis malvacearum Bertol. ex Mont. on *Alcea rosea* L.

22 June 2004

B. Heuchert

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

54. *Fusicladium cerasi* (Rabenh.) Erikss.

Meddeland. Kongl. Landbruksakad. Exp.-fält 1: 73 (1885).

GERMANY, Sachsen-Anhalt, Halle (Saale), Botanical Garden, Arboretum. On
fruits of *Prunus cerasus* L.

14 Sept. 2004

U. Braun

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

55. Fusicladium pomi (Fr.) Lind

Dan. fung.: 521 (1913). – Syn.: *Spilocaea pomi* Fr., Novit. fl. svec. 5: 79 (1819).

KOREA, South Korea, Seoul, near the Institute of Korean Culture. On leaves of *Sorbus alnifolia* K. Koch.

20 Oct. 2004

V.A. Mel'nik & H.D. Shin

Notes: New host plant.

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

56. Monodictys capensis R.C. Sinclair, Boshoff & Eicker

Mycotaxon 59: 359 (1996).

RUSSIA, St. Petersburg, Botanical Garden of the Komarov Botanical Institute. On dead wood of *Prunus padus* L.

19 Oct. 2005

V.A. Mel'nik

Notes: New to Russia (second record of this species described from South Africa).

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

57. Pseudocercospora coprosmae U. Braun & C.F. Hill

Topotypus

Australas. Pl. Pathol. 32: 88 (2003).

NEW ZEALAND, Auckland, Western Springs Park, Grey Lynn. On leaves of *Coprosma robusta* Raoul.

21 Dec. 2003

C.F. Hill

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

58. Pseudocercospora crousii U. Braun & M. Dick

New Zealand J. Forest. Sci. 32(2): 224 (2002).

NEW ZEALAND, Auckland, St. Johns. On leaves of *Eucalyptus* sp.

5 Oct. 2005

leg. C.F. Hill

det. U. Braun

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

59. Pseudocercospora rhabdothamni U. Braun & C.F. Hill

Topotypus

Australas. Pl. Pathol. 33: 489 (2004).

NEW ZEALAND, Auckland, University Campus, Princes Street. On living leaves of *Rhabdothamnus solandri* A. Cunningham.

9 Nov. 2004

C.F. Hill

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Coelomycetes

60. Phragmotrichum chailletii Kunze

in Kunze & Schmidt, Mykol. Hefte 2: 84 (1823).

RUSSIA, St. Petersburg, Botanical Garden of the Komarov Botanical Institute. On fallen cones of *Picea pungens* Engelm. (dupl. ex herb. LE 226023).

18 Mar. 2004

V.A. Mel'nik

Notes: New host species.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Coelomycetes

61. *Phragmotrichum chailletii* Kunze

in Kunze & Schmidt, Mykol. Hefte 2: 84 (1823).

RUSSIA, St. Petersburg, Botanical Garden of the Komarov Botanical Institute.
On fallen cones of *Picea likiangensis* (Franch.) Pritz. (dupl. ex herb. LE 226105).

9 Apr. 2004

V.A. Mel'nik

Notes: New host species.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Coelomycetes

62. *Phragmotrichum chailletii* Kunze

in Kunze & Schmidt, Mykol. Hefte 2: 84 (1823).

RUSSIA, St. Petersburg, Botanical Garden of the Komarov Botanical Institute.
On fallen cones of *Pseudotsuga menziesii* (Mirb.) Franco (dupl. ex herb. LE 226029).

23 Mar. 2004

V.A. Mel'nik

Notes: New host species.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Coelomycetes

63. *Phragmotrichum chailletii* Kunze

in Kunze & Schmidt, Mykol. Hefte 2: 84 (1823).

RUSSIA, St. Petersburg, Botanical Garden of the Komarov Botanical Institute.
On fallen cones of *Pinus peuce* Griseb. (dupl. ex herb. LE 226028).

5 Apr. 2004

V.A. Mel'nik

Notes: New host species.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Coelomycetes

64. *Phragmotrichum chailletii* Kunze

in Kunze & Schmidt, Mykol. Hefte 2: 84 (1823).

RUSSIA, St. Petersburg-Pushkin, ground of the All-Russian Institute for Plant Protection. On fallen cones of *Larix decidua* Mill. (dupl. ex herb. LE 226126).

13 May 2005

V.A. Mel'nik

Notes: New host species.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Platyglouales

65. *Insolibasidium deformans* (C.J. Gould) Oberw. & Bandoni

Trans. Br. Mycol. Soc. 83(4): 651 (1984). – Syn.: *Herpobasidium deformans* C.J. Gould, Iowa State Coll. J. Sci. 19: 317 (1945).

POLAND, Brama Krakowska Gate, Kraków, Botanical Garden. On leaves of *Lonicera* sp.

23 Jul. 2004

M. Piątek

Notes: New to Poland.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Uredinales

66. *Melampsora allii-fragilis* Kleb.

Jahrb. Wiss. Bot. 35: 674 (1901).

GERMANY, Baden-Württemberg, Oberrhein-Tiefland, Karlsruhe, Grünwinkel, Albsiedlung, bank of river Alb. Alt. 108 m. On leaves of *Salix* sp. (cult.).

26 Sept. 2004

M. Scholler

Notes: Some sori infected by *Eudarlucica caricis*.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Uredinales

67. *Gymnosporangium sabinae* (Dicks.) G. Winter

in Rabenh., Krypt.-Fl. Deutschl. 1(1): 232 (1881). – Syn.: *Tremella sabinae* Dicks., Fasc. pl. crypt. brit. 1: 14 (1785). *Gymnosporangium fuscum* R. Hedw., in DC., Fl. franç. 2: 217 (1805).

GERMANY, Sachsen-Anhalt, Halle (Saale), Pyra street, garden. On *Juniperus sabina* L.

28 Apr. 2004

leg. D. Seidel

det. U. Braun

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Uredinales

68. *Puccinia jaceae* G. Otth

Mitth. Naturf. Ges. Bern 1865: 173 (1866).

GERMANY, Sachsen-Anhalt, Halle (Saale), Botanical Garden. On leaves of *Grossheimia macrocephala* (Muss.-Pushk.) Sosn. & Takht.

28 Oct. 1999

leg. U. Braun & N. Ale-Agha

det. U. Braun

Notes: New host for this species.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Ustilaginales

69. *Tilletia contraversa* J.G. Kühn

in Rabenh., Fungi eur. 1896 (1874) and Hedwigia 13: 188 (1874).

POLAND, Wyżyna Małopolska Upland, Krzyżanowice Reserve, ca. 11 km SW from Busko Zdrój, Seslerio-Scorzonerietum purpureae. Alt. 220 m. On *Elytrigia × mucronata* (Opiz ex Bercht.) Prokudin (≡ *Elytrigia intermedia* (Host) Nevski × *E. repens* (L.) Desv. ex Nevski).

9 Jul. 2004

leg. M. Piątek & J. Cobała

det. M. Piątek

Notes: New host for this species.

U. Braun: Fungi selecti exsiccati (ex Herbario Universitatis Halensis)

Ustilaginales

70. *Tranzscheliella minima* (Arthur) Vánky

Mycotaxon 85: 3 (2003).

GERMANY, Sachsen-Anhalt, Kyffhäuser, between Badra and Steinhaleben.
On *Stipa capillata* L.

18 Apr. 1980

leg. H. Dörfelt
det. K. Vánky

Acknowledgements

I am grateful to N. Ale-Agha, J. Cabala, J.C. Dianese, H. Dörfelt, B. Heuchert, C.F. Hill, E.J. Jäger, H. Jage, V. Kummer, V.A. Mel'nik, W. Mulenko, M. Piątek, U. Richter, M. Scholler, P. Scholz, K. Schrameyer, K. Schubert, D. Seidel, A. Shi and H.D. Shin for collections distributed in this issue of «Fungi selecti exsiccati».

Address of the author

U. Braun, Martin-Luther-Universität, Institut für Geobotanik und Botanischer Garten,
Herbarium, Neuwerk 21, D-06099 Halle (Saale), Germany.
(E-mail: uwe.braun@botanik.uni-halle.de).

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Schlechtendalia](#)

Jahr/Year: 2006

Band/Volume: [14](#)

Autor(en)/Author(s): Braun Uwe

Artikel/Article: [Fungi selecti exsiccati ex Herbario Universitatis Halensis - nos. 31-70 33-48](#)