

New combinations in the genus *Deconica* (Fungi, Basidiomycota, Agaricales)

V. Ramírez Cruz¹, G. Guzmán² & L. Guzmán-Dávalos^{1,*}

¹ Universidad de Guadalajara, Apdo. Postal 1-139, Zapopan, Jalisco, 45101, Mexico

² Instituto de Ecología, Apdo. Postal 63, Xalapa, Veracruz, 91070, Mexico

Ramírez-Cruz V., Guzmán G. & Guzmán-Dávalos L. (2012) New combinations in the genus *Deconica* (Fungi, Basidiomycota, Agaricales). – *Syndowia* 64 (2): 217–219.

Based on phylogenetics studies on *Deconica* and *Psilocybe*, eight new combinations for *Deconica* species previously assigned to *Psilocybe* are proposed.

Keywords: Strophariaceae, non-hallucinogenic mushrooms.

The genus *Psilocybe*, as conceived by Guzman (1983, 1995) appears to be polyphyletic (Moncalvo *et al.* 2002) and should be restricted to the species with hallucinogenic properties. To avoid unwanted nomenclatural consequences, Redhead *et al.* (2007) proposed the change of the type-species from *Agaricus montanus* Pers. into *Psilocybe semilanceata* (Fr.) P. Kumm., a proposal which has been approved (Barrie 2011, McNeill *et al.* 2011, Norvell 2011). Consequently, Noordeloos (2009) reinstalled the generic name *Deconica* for the non-hallucinogenic taxa.

Three species in the present paper, viz. *Psilocybe semi-inconspicua*, *P. thailandensis*, and *P. umbrina* were originally described as hallucinogenic mushrooms without a really observable bluing reaction. Although it is well known that the bluing reaction is not the main evidence to support the presence of psilocybin (e.g. in *P. semilanceata*), chemical tests have not been made in these species, so the conclusions to transfer these species to *Deconica* are based on the study of macro- and micromorphological features. *Psilocybe semi-inconspicua* was placed in sect. *Semilanceatae*; however, the DNA sequence (Ramírez-Cruz *et al.*, unpubl.) and the analysis of macro- and micromorphological characters helped us to conclude that it belongs to *Deconica*. Furthermore, it is very similar to *D. montana* (Pers.) P. D. Orton.

Deconica umbrina and *D. thailandensis* were placed in the bluing sect. *Neocalledonicae* (Horak *et al.* 2009). However, we have observed that this section contains species of *Deconica* and *Psilocybe*, because the main difference between the two genera at this level (sect. *Neocalledonicae*) is the presence of chrysocystidia in *Deconica*, which are present in *D. thailandensis* and *D. um-*

* e-mail: lguzman@cucba.udg.mx

brina. From the other five species considered in this paper the non-hallucinogenic properties were already known.

New combinations

***Deconica aequatoriaiae* (Singer) Ram.-Cruz & Guzmán, comb. nov.**

MycoBank no.: MB 800723

Basionym. – *Psilocybe aequatoriaiae* Singer, Nova Hedwigia 29(1–2): 59, 1978 (“1977”).

***Deconica alpestris* (Singer) Ram.-Cruz & Guzmán, comb. nov.**

MycoBank no.: MB 800359

Basionym. – *Psilocybe alpestris* Singer, Fieldiana, Bot. 21: 108, 1989.

***Deconica angustispora* (A. H. Sm.) Ram.-Cruz & Guzmán, comb. nov.**

MycoBank no.: MB 800724

Basionym. – *Psilocybe angustispora* A. H. Sm., J. Elisha Mitchell Scient. Soc. 62: 193, 1946.

***Deconica pegleriana* (Guzmán) Ram.-Cruz & Guzmán, comb. nov.**

MycoBank no.: MB 800725

Basionym. – *Psilocybe pegleriana* Guzmán. Doc. Mycol. 29 (116): 43, 2000.

***Deconica pseudobullacea* (Petch) Ram.-Cruz & Guzmán, comb. nov.**

MycoBank no.: MB 800726

Basionym. – *Stropharia pseudobullacea* Petch, Ann. Roy. Bot. Garden (Peradeniya) 9(2): 128, 1924. = *Psilocybe pseudobullacea* (Petch) Pegler, Kew Bull., Add. Ser. 6: 473, 1977.

***Deconica semi-inconspicua* (Guzmán & Trappe) Ram.-Cruz & Guzmán, comb. nov.**

MycoBank no.: MB 800727

Basionym. – *Psilocybe semi-inconspicua* Guzmán & Trappe, Int. J. Medic. Mushrooms 7(4): 588, 2005.

This species was considered in the hallucinogenic sect. *Semilanceatae* by Guzmán & Trappe (2005).

***Deconica thailandensis* (E. Horak, Guzmán & Desjardin) Ram.-Cruz & Guzmán, comb. nov.**

MycoBank no.: MB 800728

Basionym. – *Psilocybe thailandensis* E. Horak, Guzmán & Desjardin, Sydowia 61(1): 30, 2009.

This species was considered in the bluing sect. *Neocalledonicae* by Horak *et al.* (2009).

Deconica umbrina (E. Horak, Guzmán & Desjardin) Ram.-Cruz & Guzmán,
comb. nov.

MycoBank no.: MB 800729

Basionym. – *Psilocybe umbrina* E. Horak, Guzmán & Desjardin, Sydowia 61(1): 28, 2009.

This species was considered in the bluing sect. *Neocalledonicae* by Horak *et al.* (2009).

Acknowledgements

We thank the curators of F and XAL that kindly provided the specimens. The first author thanks CONACYT for a scholarship for her doctoral studies.

References

- Barrie F. R. (2011) Report of the General Committee: 11. *Taxon* **60**: 1211–1214.
- Guzmán G. (1983) The genus *Psilocybe*. *Beihefte zur Nova Hedwigia* **74**: 1–439.
- Guzmán G. (1995) Supplement to the monograph of the genus *Psilocybe*. In: *Taxonomic monographs of Agaricales* (eds. Petrini O., Horak E.). *Bibliotheca Mycologica* **159**: 91–141.
- Guzmán G., Trappe J. M. (2005) The hallucinogenic and non hallucinogenic species of the genus *Psilocybe* Fayod (Basidiomycotina) in Washington state, USA: new records and new species. *International Journal of Medicinal Mushrooms* **7**: 583–589.
- Horak E., Guzmán G., Desjardin, D. E. (2009) Four new species of *Psilocybe* from Malaysia and Thailand, with a key to the species of sect. *Neocalledonicae* and discussion on the distribution of the tropical and temperate species. *Sydowia* **61**: 25–37.
- McNeill J., Turland N. J., Monro A. M., Lepšchi B. J. (2011) XVII International Botanical Congress: preliminary mail vote and report of congress action on nomenclature proposals. *Taxon* **60**: 1507–1520.
- Moncalvo J. M., Vilgalys R., Redhead S. A., Johnson J. E., James T. Y., Aime M. C., Hofstetter V., Verduin S. J. W., Larsson E., Baroni T. J., Thorn R. G., Jacobsson S., Cléménçon H., Miller Jr. O. K. (2002) One hundred and seventeen clades of euagarics. *Molecular Phylogenetics and Evolution* **23**: 357–400.
- Noordeloos M. E. (2009) The genus *Deconica* (W. G. Sm.) P. Karst. in Europe – new combinations. *Österreichische Zeitschrift für Pilzkunde* **18**: 207–210.
- Norvell L. L. (2011) Report of the Nomenclature Committee for Fungi: 16. *Taxon* **60**: 223–226.
- Redhead S. A., Moncalvo J. M., Vilgalys R., Matheny P. B., Guzmán-Dávalos L., Guzmán G. (2007) Proposal to conserve the name *Psilocybe* (Basidiomycota) with conserved type. *Taxon* **56**: 255–257.

(Manuscript accepted 25 Jun 2012; Corresponding Editor: I. Krisai-Greilhuber)

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Sydowia](#)

Jahr/Year: 2012

Band/Volume: [64](#)

Autor(en)/Author(s): Cruz V. Ramirez, Guzman Gaston, Guzman-Davalos Laura

Artikel/Article: [New combinations in the genus Deconica \(Fungi, Basidiomycota, Agaricales\). 217-219](#)