

## T R I C H O P T E R O L O G I C A L L I T E R A T U R E

This list of literature on Trichoptera is intended to be as complete as possible. Any paper which contains any information on caddisflies will be included. This means that information on general "caddisflies" or "Trichoptera larvae" etc. is omitted, but if there is at least one well-defined caddisfly taxon from which the identity of the taxon may be derived or reconstructed (e.g. "Glossosoma 1"), the paper is included. Printed papers, and any other publications available to the public (e.g. polycopied progress reports etc.) are considered. The references are arranged (1) under the year of publication, and (2) alphabetically according to the name of the (senior) author.

Please help to complete this list. If you know any publication which was not listed here, send a copy of it or at least the correct and complete reference to H.MALICKY (address at the second page). It will be added in the next number of the Newsletter.

\* \* \* \* \*

1975

- Andersen, Trond, Caddis flies (Trichoptera) from Vestfold, south-eastern Norway.-Norw.J.Ent.22:155-162.
- Anderson, N.H., Grafius, E., Utilization and processing of allochthonous material by stream Trichoptera. -Verh.IVL 19:3083-3088.
- Armitage, P.D., MacHale, Angela M., Crisp, Diane C., A survey of the invertebrates of four streams in the Moor House National Nature Reserve in Northern England.-Freshwater Biol.5:479-495.
- Benz, Georg, Über die Tanzschwärme der Köcherfliege *Hydropsyche pellucidula* Curtis (Trichoptera: Hydropsychidae).-Mitt.Schweiz.Ent.Ges.48:147-157.
- Botosaneanu, L., Les Trichoptères (Insecta: Trichoptera) de l'espace carpato-balkanique, fournisseurs de documents pour l'étude de l'évolution.-Riv. Idrobiol (Perugia) 12:119-152.
- Botosaneanu, L., Trichoptères recueillis au Maroc par M.I. Miron.-Fol.Ent.Hung.S.N.28:269-276.
- Bournaud, Michel, Eléments d'observation sur la cinématique, la dynamique et l'énergétique de la locomotion dans le courant chez une larve de Trichoptère à fourreau.-Hydrobiologia 46:489-513.
- Bouvet, Yvette, Les Trichoptères du groupe de Stenophylax: Conditions de vie et réactions aux variations des facteurs du milieu.-Ann.Spéléol.30:207-229.
- Caspers, Norbert, Untersuchungen über Individuendichte, Biomasse und kalorische Äquivalente des Makrobenthos eines Waldbaches.-Int.Rev.ges.Hydrobiol.60:557-566.
- Crosby, T.K., Food of the New Zealand trichopterans *Hydrobiosis parumbripennis* McFarlane and *Hydropsyche colonica* McLachlan.-Freshwat.Biol.5:105-114.

1975

- Décamps, H., Pujol, J.-Y., Les larves de Drusinae des Pyrénées (Trichoptères, Limnephilidae). - Ann. Limnol. 11: 157-167.
- Denning, D.G., New species of Trichoptera from Western North America. - Pan-Pac. Ent. 51: 318-326.
- Denning, D.G., New and unusual Rhyacophila (Trichoptera: Rhyacophilidae). - Can. Ent. 107: 953-962.
- Fahy, Edward, Quantitative aspects of the distribution of invertebrates in the benthos of a small stream system in western Ireland. - Freshwat. Biol. 5: 167-182.
- Fey, J.M., Analyse des Netzbauverhalts der Köcherfliege Hydropsyche sp. (Trichoptera). - Naturwiss. 62: 582.
- Flint, O.S., Jr., Studies of Neotropical caddisflies, XX: Trichoptera collected by the Hamburg South-Peruvian Expedition. - Ent. Mitt. Zool. Staatsinst. Zool. Mus. Hamburg 4(90): 565-573.
- Gallepp, Georg-W., Häcler, Arthur D., Behavior of larval caddis flies (Brachycentrus spp.) as influenced by marking. - Amer. Midl. Nat. 93: 247-254.
- Giudicelli, Jean, Analyse de l'endémisme dans la faune des eaux courantes de la Corse. - Ecologia Mediterranea 1: 133-147.
- Gordon, A. Elizabeth, Wallace, J. Bruce, Distribution of the Family Hydropsychidae (Trichoptera) in the Savannah River Basin of North Carolina, South Carolina and Georgia. - Hydrobiologia 46: 405-423.
- Hamilton, R.W., Buttner, J.K., Brunetti, R.G., Lethal levels of sodium chloride and potassium chloride for an oligochaete, a chironomid midge, and a caddisfly of Lake Michigan. - Environ. Ent. 4: 1003-1006.
- Harper, P.P., Méthot, Ginette, Goera radissonica n.sp., nouveau Trichoptère de la région de la Baie James. - Naturaliste can. 102: 593-595.
- Harper, P.P., Pilou, J.-G., Perrou, J.-M., Insectes aquatiques du nord du Québec (Ephéméroptères, Odonates, Plécoptères et Trichoptères). - Ann. Soc. Ent. Québec 20: 33-43.
- Harrison, A.D., Rankin, J.J., Forest litter and stream fauna on a tropical island, St. Vincent, West Indies. - Verh. Int. Ver. Limnol. 19: 1736-1745.
- Higler, L.W.G., Echantillonage de la faune benthique sur une coupe transversale du ruisseau La Clamouze (Haute Auvergne). - Ann. Stat. Biol. Besse-en-Chandesse 1974-75(9): 219-223.
- Higler, L.W.G., Reactions of some caddis larvae (Trichoptera) to different types of substrate in an experimental stream. - Freshwat. Biol. 5: 151-158.
- Hodgkinson, I.D., A community analysis of the benthic insect fauna of an abandoned beaver pond. - J. Anim. Ecol. 44: 533-551.
- Jenkins, R.A., Occurrence of *Lasiocephala basalis* (Kolenati) (Trichoptera: Sericostomatidae) in a river in south west Wales. - Ent. mon. Mag. 110: 83.
- Jenkins, R.A., Mold, M.D., *Triaenodes simulans* Tjeder (Trichoptera: Leptoceridae) from a river in south west Wales. - Ent. Rec. 87: 302-303.

1975

- Juberthie, Christian, Bouvet, Yvette, Exocytose des granules de neurosécrétion de type A dans l'aorte et les corpora cardiaca chez le Trichoptere *Micropterna nycterobia* en relation avec le déclenchement de la ponte.-C.R.Acad.Sci.Paris,Sér.D 28(1):101-104.
- Kachalova,O.L., Kornoukhova,I.I., Opisanie lichinki rucheynika *Hydropsyche acuta* Mart.(Trichoptera, Hydropsychidae). /Description of larva of *Hydropsyche acuta* Mart./ -Entomol.Obozr.54:412-414.
- Kelner-Pillaud, Simone, Attraction sexuelle chez un Trichoptère:*Enoicyla pusilla* Burmeister.- Bull.Soc .Ent.Fr.80:252-257.
- Komatsu,T., The seasonal and the annual changes of benthic communities of the climax in rapids of the stream.- Jap.J.Ecol.25:160-172. (in Japanese)
- Kubo,Tatsuro et al., Productivity of biotic communities in the Yurappu river.- In:Mori,S.,& Yamamoto,G., Productivity of communities in Japanese inland waters, pp.287-338. Univ.of Tokyo Press.
- Kubo,Tatsuro, Running water communities.(Concluding discussion on productivity of Japanese inland water communities).In:Mori,S.& Yamamoto,G., Productivity of communities in Japanese inland waters,pp.410-416. Univ.of Tokyo Press.
- Kumanski,Krassimir, Trichoptères recueillis à la lumière en 1964-1965 dans la région des lacs Masuriens de Pologne.-Pols.Pismo Ent.45:63-66.
- Kumanski,K., A new Balkan Potamophylax-species(Trichoptera:Limnephilidae).-Nouv.Rev.Ent.5:85-87.
- Kumanski,Krassimir, /New Trichopterological Data from Bulgaria(Insecta,Trichoptera)/.-Acta zool.bulgar. 2:58-69. (in Bulgarian)
- Kumanski,K., /Etudes sur la faune et l'écologie des Trichoptères(Trichoptera) du Rhodope/.- La faune des Rhodopes,Matériaux(Académie Bulgare des Sciences): 65-91. (in Bulgarian)
- Kumanski,Krassimir, La famille Glossosomatidae(Trichoptera) en Bulgarie.-Acta zool.Bulg. 3:48-58.
- Langford,T.E., Daffern,J.R., The emergence of insects from a British River warmed by power station cooling-water. Part I.-The use and performance of insect emergence traps in a large,spate-river and the effects of various factors on total catches, upstream and downstream of the cooling-water outfalls.-Hydrobiol.46:71-114.
- Langford,T.E., do.Part II.The emergence patterns of some species of Ephemeroptera,Trichoptera and Megaloptera in relation to water temperature and river flow, upstream and downstream of the cooling-water outfalls. -Hydrobiologia 47:91-133.
- Lavandier,P., Pujol,J.Y., Cycle biologique de *Drusus rectus* (Trichoptera) dans les Pyrénées centrales:influence de la température et de l'enneigement.- Ann.Limnol.11:255-262.

1975

- Lavandier,P., Capblancq,J., Influence des variations d'oxygène dissous sur les invertébrés benthiques d'un ruisseau des Pyrénées Centrales.- Ann.Limnol.Stn.Biol. Lac Oredon 11:101-106.
- Le Lannic,Joseph, Contribution à l'étude du développement et de la maturation de l'appareil reproducteur de *Limnephilus rhombicus* L.-Bull.Soc.Zool.France 100: 539-550.
- Levanidova,I.M.,/The caddisflies(Trichoptera) of Kamchatka(an ecological-faunistics outline)/.- Iswestija Tichookeanskogo Nauchno-issledovatel'skogo Instituta Ribnogo Chosjajstva i Okeanografii 97:83-114. (in Russian).
- McLellan,I.D., The freshwater insects. In:Kuschel,G., Biogeography and ecology in New Zealand: 537-559. Monogr.Biol 27. Junk,Den Haag.
- Malicky,Hans, Die Köcherfliegen(Trichoptera) Griechenlands. Übersicht und Neubeschreibungen.-Ann.Mus.Goulandris 2(1974):105-135.
- Malicky,H., Fünfzehn neue mediterrane Köcherfliegen, - Mitt.Ent.Ges.Basel N.F.25:81-96.
- Marinković-Gospodnetić,Mara, /Fauna Trichoptera SR Srbije/.-Rec.trav.faune ins.Serbie 1:221-236. (in SerboCroatian).
- Moretti,G.P., Cenci,G., Frati,L., Sbaraglia,G., Comparative regulation of colloidosmotic pressure by serum proteins in man and insects.-IRCS Medical Science: Biochemistry,Hematology,Physiology 3:351. (including *Hydropsyche pellucidula*,*H.dicssimulata*).
- Moretti,Giampaolo, Cianficconi,Fernanda, Pirisinu,Quirico, Facies faunistica invernale dell'ecosistema estatico del Piano Grande(Monti Sibillini - Umbria).- Riv.Idrobiol.13(1974):95-110.
- Morse,John C., A phylogeny and revision of the caddisfly genus Ceraclea(Trichoptera,Leptoceridae).- Contr. Amer.Ent.Inst.11:1-97.
- Neboiss,A., The family Oeconesidae(Trichoptera) from New Zealand and Tasmania.-Aust.cnt.Mag.2:79-84.
- Nimmo,A.P., Trichoptera, or Caddisflies.-Leaflet 443, Univrsity of Alberta,Dept.of Entomology; 6pp.
- Obr,Stanislav, Zur Kenntnis der Köcherfliegen(Trichoptera) der Tschechoslowakei III.Neue und wenig bekannte Trichopteren Nordmährens.-Acta Mus.Silosciae(Opava) A 24:127-136.
- Omorov,E.O., On the ecology of caddis-flies(Trichoptera) from mountain streams of southern Tien-Shan (The fauna of the Ak-Bura river).-Ent.Obozr.54:773-779. (in Russian).
- Otto,C., Energetic relationships of the larval population of *Potamophylax cingulatus*(Trichoptera) in a South Swedish stream.-Oikos 26:159-169.
- Panov,Alexej A., On the similarity in composition of the brain neurosecretory cells in Lepidoptera-Trichoptera and Diptera.-Zool.Anz.194:319-327.

1975

- Resh, Vincent H., A distributional study of the caddisflies of Kentucky.-*Trans.Kentucky Acad.Sci.* 36:6-16.
- Resh, Vincent H., Haag, Kim H., Neff, Stuart E., Community structure and diversity of caddisfly adults from the Salt River, Kentucky.-*Environm.Ent.* 4:241-253.
- Resh, Vincent H., The use of transect sampling in estimating single species production of aquatic insects.-*Verh.IVL* 19:3089-3094.
- Ross, Herbert H., A preliminary report on the Helicopsychidae (Trichoptera) of New Caledonia.-*Cah. ORSTOM, Hydrobiol.* 9:67-80.
- Ross, H.H., Morse, J.C., Lectotypes of the species of *Natalina* described by G.Ulmer(Trichoptera, Leptoceridae).-*Ent.Mitt.Zool.Staatsinst.Zool.Mus.Hamburg* 4:575-578.
- Roy, D., Harper, P.P., Nouvelles mentions de trichoptères du Québec et description de *Limnephilus nimmoi* sp.nov. (Limnephilidae).-*Can.J.Zool.* 53:1080-1088.
- Schmid, F., Ergebnisse der Bhutan-Expedition 1972 des Naturhistorischen Museums in Basel.Trichoptera.-*Entomologica Basiliensis* 1:77-86.
- Schnitz, Manfred, Wichard, Wilfried, Ionenabsorption an Chloridepithelien von Köcherfliegenlarven(Trichoptera).-*Ent.Germ.* 2:30-34.
- Scott, K.M.F., The value of larval stages in systematic studies of the Trichoptera, with particular reference to the Hydropsychidae from Africa south of the Sahara.-*Proc. 1.Congr.ent.Soc.sth.Afr.*:41-52.
- Sedell, James R., Triska, Frank J., Triska, Nancy S., The processing of conifer and hardwood leaves in two coniferous forest streams:I.Weight loss and associated invertebrates.-*Verh.Int.Ver.Limnol.* 19:1617-1627.
- Simanov, Lubor, Saprobitätsbestimmung nach den Larven und Puppen von Trichoptera.-*Hydrobiologia* 47:453-462.
- Statzner, Bernhard, Zur Longitudinalzonierung eines zentral-afrikanischen Fließgewässersystems, unter besonderer Berücksichtigung der Köcherfliegen(Trichoptera, Insecta).-*Arch.Hydrobiol.* 76: 153-180.
- Stout, V.M., Canterbury, Nelson, and Westland Lakes.In: Jolly, V.H., Brown, J.M.A.:New Zealand Lakes:110-122. Auckland & Oxford Univ.Press.
- Svensson, Bo W., Tjeder, Bo, Taxonomic notes on some European Trichoptera.-*Ent.scand.* 6:67-70.
- Svensson, Bo W., Tjeder, Bo, *Oxyethira boreella* n.sp. from Northern Sweden(Trichoptera, Hydroptilidae).-*Ent.scand.* 6:131-133.
- Svensson, Bo W., Tjeder, Bo, Check-list of the Trichoptera of north-western Europe.-*Ent.scand.* 6:261-274.
- Svensson, B.W., Morphometric variation of adult *Potamophylax cingulatus*(Trichoptera) reflecting environmental heterogeneity in a South Swedish stream.-*Oikos* 26:365-377.
- Szczesny, B., Caddis-flies(Trichoptera) of the River Raba. *Acta Hydrobiol.(Kraków)* 17:35-51.

1975

- Tachet, Henri, Recherches sur le comportement alimentaire et le comportement constructeur chez la larve de *Plectrocnemia conspersa* (Trichoptera, Polycentropodidae). - Thèse Dr.Sci., Univ.Claude Bernard - Lyon I, 166 pp.
- Tanida, Kazumi, A list of aquatic insects of streams in the Hakusan region, I.- (Journal unknown to me): 65-75.
- Tsuda, Matsunae, Ueda, Katsumi, Gose, Kyuemon, Maki, Iwao, Productivity of the Yochino River, Nara. In: Mori, S., & Yamamoto, G., Productivity of communities in Japanese inland waters. Univ.of Tokyo Press.
- Wallace, J.Bruce, The larval retreat and food of Arctopsyche; with phylogenetic notes on feeding adaptations in *Hydropsyche* larvae (Trichoptera). - Ann.Ent.Soc.Amer. 68: 167-173.
- Wallace, J.Bruce, Food partitioning in net-spinning Trichoptera larvae: *Hydropsyche venularis*, *Cheumatopsyche etrona*, and *Macronema zebratum* (Hydropsychidae). - Ann.Ent.Soc.Amer. 68: 463-472.
- Wallace, J.Bruce, Silk spinning as an escape mechanism in *Hydropsyche orris* larvae following removal from water (Trichoptera: Hydropsychidae). - Ann.Ent.Soc.Amer. 68: 549-550.
- Wallace, J.B., Sherberger, F.F., The larval dwelling and feeding structure of *Macronema transversum* (Walker) (Trichoptera: Hydropsychidae). - Anim.Behav. 23: 592-596.
- Watts, Elaine, The pupation of *Agraylea multipunctata* Curtis (Trichoptera, Hydroptilidae). - Ent.Mon.Mag. 11: 15-22.
- Webster, Jackson R., Wallace, J.Bruce, Productivity of southeastern stream ecosystems. - USDA Forest Service, 1975 Symposium on Trout Habitat Research and Management Proceedings: 64-78 (Asckerville, N.C.).
- Wichard, Wilfried, Zur osmoregulatorischen Anpassung von Wasserinspektoren im Neusiedlersee-Gebiet. - Nachrbl.Bayer. Ent. 24: 81-87.
- Wiggins, Glenn B., Contributions to the systematics of the caddisfly family Limnephilidae (Trichoptera). II. - Can.Ent. 107: 325-336.
- Williams, D. Dudley, Williams, N.E., A contribution to the biology of *Irenoquia punctatissima* (Trichoptera: Limnephilidae). - Can.Ent. 107: 829-832.
- Ziemann, Horst, Über den Einfluß der Wasserstoffionenkonzentration und des Hydrogenkarbonatgehaltes auf die Ausbildung von Bergbachbiozönosen. - Int.Rev.ges.Hydrobiol. 60: 523-555.
- Addendum
- Kumanski, Krassimir, Malicky, Hans, Sieben neue *Tinodes*-Arten aus dem Ägäisraum (Trichoptera, Psychomyidae). - Ent.Z. (Stuttgart) 85: 25-33.
- Malicky, Hans, Bericht über das Forschungsprojekt "Ökologische Untersuchungen an eumediterranen Fließgewässern". - Arb.Biol.Stat.Linz No. 859, 23 pp.

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Trichoptera Newsletter](#)

Jahr/Year: 1977

Band/Volume: [04](#)

Autor(en)/Author(s): Anonym

Artikel/Article: [Trichopterological Literature 13-18](#)