

## TRIBUTES AND TRICHOPTERA COLLECTIONS

Albany Museum, South Africa (AM): A large Trichoptera collection is housed in the AM in the care of Dr.K.M.F.Scott (2:4).

Döhler,Walter: Tribute on his 90th birthday by Wolfgang Tobias; collection given to the Senckenberg Museum (8:5).

Dziedzielewicz,J.: Discussion of the Dziedzielewicz collection in the Institute of Systematic and Experimental Zoology, Kraków, Poland (6:8).

Hartig,Fred (Count): The holotype of Chaetopteryx vulture Malicky from the Hartig collection is now in the British Museum (Natural History) (8:4).

Heude Museum, Shanghai, China (HM): The entomological collection of the HM has been moved to the Peking Institute of Zoology (Chinese Academy of Sciences, Peking). This collection may contain Navás types (9:8).

Martynov,A.V.: Discussion of Martynov holotypes and location of holotypes, described after ca.1915, in the Zoological Institute of the Academy of Sciences, Leningrad. Type specimens of species described by A.V.M. before 1915 were perhaps destroyed during the war. (5:5).

Navás,L. (Father): Discussion of remaining parts of the Navás collection and its deposition in the Museo de Zoologia de Barcelona, Spain (7:4); proposed bibliography (7:4).

Tjeder,Bo: Tribute on his 80th birthday by Bo.W.Svensson (9:6).

Vienna Natural History Museum (VNHM): The major part of the Theobald Krüper collection from Greece is located in the VNHM (2:7).

## T R I C H O P T E R O L O G I C A L L I T E R A T U R E

=====

Please help to complete this list. If you know any publication which was not listed here, send a copy of it or at least the correct and complete reference to H.Malicky (address at the second page). It will be added in the next number of the Newsletter.

1975 (additions)

Carpenter,F.M., Note on Bittacus validus in Baltic amber. - Psyche (Cambr.) 82:303.

1976 (additions)

Levanidova,I.M., Ephemeroptera and Trichoptera from the Chakotsk Peninsula. - Trudy biol.Inst.Vladivostok 36(139):38-56.

Tozer,W., Newhouse,S., A distributional survey of the Trichoptera fauna of Delaware County, Indiana. - Proc.Indiana Acad.Sci. 86:227.

## 1978 (additions)

- Bournaud, M., Chavonon, G., Tachet, H., Structure et fonctionnement des écosystèmes du Haut-Rhône. 5. Colonisation par les macro-invertébrés de substrats artificiels suspendus en pleine eau ou posés sur le fond. - Verh. IVL 20:1485-1493.
- Hellawell, J.M., Biological surveillance of rivers. A biological monitoring handbook. - Natural Environment Research Council, England, 332 pp.
- Perrin, J.F., Roux, A.L., Structure et fonctionnement des écosystèmes du Haut-Rhône français. 6. La macrofaune benthique du fleuve. - Verh. IVL 20:1494-1502.
- Hill, P.L., Tarter, D.C., A taxonomic and distributional study of adult limnephilid caddisflies of West Virginia (Trichoptera: Limnephilidae). - Ent. News 89:214-216.

## 1979 (additions)

- Tindall, M.J., Kovalak, W.P., Food particle size consumed by larval *Glossosoma nigrior* (Trichoptera: Glossosomatidae). - Great Lakes Ent. 12:105-108.
- Wallace, J. Bruce, Some aspects of net-spinning Trichopteran diversity. - Occ. pap. Dept. Ent., Virginia Polytechnic Inst. & State Univ., Symposium: Discovery processes and scientific productivity, pp. 45-64.

## 1980 (additions)

- Flint, Oliver S., jr., Studies on neotropical caddisflies XXVI: New species from Argentina (Trichoptera). - Rev. Soc. Ent. Argentina 39:137-142.
- Flint, Oliver S., jr., Studies on neotropical caddisflies, XXIX: The genus *Polycentropus* (Trichoptera: Psychomyiidae). - J. Wash. Acad. Sci. 70:148-160.
- Masteller, E.C., Flint, O.S., jr., Caddisfly (Trichoptera) emergence patterns from two streams of the Allegheny National Forest area of Pennsylvania. - Melsheimer Ent. Ser. 29:12-22.
- Nybom, O., Nagra foer Finland nya arter ov Trichoptera. - Not. Ent. 60:197-198.
- Petersen, C., Foote, B.A., Annotated list of Trichoptera collected along Furnace Run of the Cuyahoga Valley National Recreation Area in northeastern Ohio. - Great Lakes Ent. 13:201-205.
- Prat, N., Bautista, M.-I., González, G., Puig, M.-A., Eutrofització dels rius d'Andorra. - Butl. Inst. Cat. Hist. Nat. (Ser. Zool., 3) 45:107-114.
- Roy, D., Harper, P.P., *Oxyethira roberti* n.sp., trichoptère nouveau du sud du Québec (Hydroptilides). - Nat. Can. 107:117-119.
- Silver, S.C., Ultrasound production during stridulation by hydropsychid larvae (Trichoptera). - J. Zool. 191:323-331.
- Smith, D.H., Lehmkuhl, D.C., The larvae of four *Hydropsyche* species with the Checkerboard Head Pattern (Trichoptera: Hydropsychidae). - Quaest. Entomol. 16:621-633.
- Tarter, D.C., Hill, P.L., Adult limnephilid caddisfly records in West Virginia (Trichoptera: Limnephilidae). - Ent. News 91:170-172.
- Terra, L.S.W. da, Notas sobre os Tricópteros do Rio Ave, em Vila do Conde, e seu relacionamento com qualidade água. - Estud. Inf. Dir. - Geral Ord. Gestao Florest. (Port.) No. 287, 12 pp.

1981 (additions)

- Andrikovics, S., On the possibilities of a scanning electron microscopic examination of Ephemeroptera, Odonata and Trichoptera larvae. - *Opusc.zool.(Budapest)* 17-18:191-194.
- Bailey, P.C.E., Insect drift in Condor Creek, Australian Capital Territory. - *Aust.J.Mar.Freshw.Res.* 32:111-120.
- Bueno-Soria, J., Fauna de insectos del orden Trichoptera de Zempoala, Méx. - *Fol.Ent.Mex.* 48:67.
- Bueno-Soria, J., Estudios en insectos acuáticos de México I. Trichoptera (Leptoceridae). Cinco nuevas especies de *Oecetis* McLachlan. - *Fol.Ent.Mex.* 49:103-120.
- Carter, Patricia, Bueno-Soria, Joaquín, Tricópteros de la región de Venados, Estado de Hidalgo. - *Fol.Ent.Mex.* 48:66-67.
- Cuppen, H.P.J.J., De invloed van beeknormalisatie op de biologische waterkwaliteit en de samenstelling van de macrofauna van enkele Oost-Veluwse beken. - Regionale Milieuraad Oost-Veluwe, 32 pp.
- Cuppen, H.P.J.J.(ed.), Een onderzoek van de planten- en dierenwereld in het gebied van de Koppelsprengen te Ugchelen. - Regionale Milieuraad Oost-Veluwe, 52 pp.
- Daigle, Jerrell J., Haddock, James D., The larval description and ecological notes of a caddisfly, *Nectopsyche tavana* (Ross) from the Central Florida refugium (Trichoptera:Leptoceridae). - *Pan-Pac.Ent.* 57:327-331.
- Davydova, E.D., The composition of the neurosecretory cell groups in the medial protocerebrum of Trichoptera (Insecta). - *Dokl.Akad. Nauk SSSR* 260:750-752.
- Duffield, R.M., 2-Nonanol in the exocrine secretion of the nearctic caddisfly, *Rhyacophila fuscula* (Walker) (Rhyacophilidae:Trichoptera). - *Proc.Ent.Soc.Wash.* 83:60-63.
- Erman, N.A., Terrestrial feeding migration and life history of the stream-dwelling caddisfly, *Desmona bethula* (Trichoptera:Limnephilidae). - *Can.J.Zool.* 59:1658-1665.
- Fields, W.C., jr., New species of *Rhyacophila* from California (Trichoptera:Rhyacophilidae). - *Pan-Pac.Ent.* 57:500-503.
- Flint, O.S., jr., Trichoptera. In: S.H.Hurlbert, G.Rodríguez & N.D.Santos (eds.): Aquatic biota of tropical South America, part 1:Arthropoda: 221-226. San Diego State Univ., San Diego, Calif., XII+323pp.
- Flint, O.S., jr., Studies of neotropical caddisflies, XXVIII: The Trichoptera of the Río Limón Basin, Venezuela. - *Smithsonian Contr. Zool.* 330:1-61.
- Gore, J.A., Judy, R.D., jr., Predictive models of benthic macroinvertebrate density for use in stream flow studies and regulated flow management. - *Can.J.Fish.Aq.Sci.* 38:1363-1370.
- Gray, Lawrence J., Species composition and life histories of aquatic insects in a lowland Sonoran desert stream. - *Am.Midl.Nat.* 106:229-242.
- Haefner, J.D., Wallace, J.B., Production and potential seston utilization by *Parapsyche cardis* and *Diplectrona modesta* (Trichoptera:Hydropsychidae) in two streams draining contrasting Southern Appalachian Watersheds. - *Environ.Ent.* 10:433-441.
- Hauer, F.R., Stanford, J.A., Larval specialization and phenotypic variation in *Arctopsyche grandis* (Trichoptera:Hydropsychidae). - *Ecology* 62:645-653.

1981

- Huryn, A.D., Foote, B.A., New records of Ohio caddisflies (Trichoptera). - Ent. News 92:158-160.
- Kelley, Robert W., New species of Oxyethira (Trichoptera: Hydroptilidae) from the southeastern United States. - J. Georgia Ent. Soc. 16:368-375.
- Kiss, Ottó, Data to the Trichopteran Fauna of the Mátra mountains (Hungary) I. - Fol. Hist.-nat. Mus. Matr. 7:37-40.
- Malicky, H., (On geographical variability in *Hydropsyche contubernalis* as possible object of genetic study of differentiation process at subspecies level) (Russian only). - Ent. Obozr. 60:865-868.
- Martin, M.M., Kukor, J.J., Martin, J.S., Lawson, D.L., Merritt, R.W., Digestive enzymes of larvae of three species of caddisflies (Trichoptera). - Insect Biochem. 11:501-505.
- Moretti, G.P., Tucciarelli, F., Cianficconi, F., Composizione e consistenza del popolamento tricoterologico nell'ecosistema fluviale del medio Po (Caorso-Piacenza). - Riv. Idrobiol. 20:231-244.
- Nimmo, Andrew P., Francis Walker types of, and new synonymies for, North American *Hydropsyche* species (Trichoptera, Hydroptilidae). - Psyche 88:259-263.
- Roy, D., Harper, P.P., An analysis of an adult Trichoptera community in the Laurentian highlands of Quebec. - Holarct. Ecol. 4:102-115.
- Späh, Hartmut, Möller, Eckhard, Limnologische Untersuchungen des Oetternbaches im Bereich des "Hardisser Moores" zwischen Hardissen und Lieme (Krs. Lippe). - Ber. Naturwiss. Ver. Bielefeld 25:265-280.
- Tanida, K., Takemon, Y., Life history and growth of case-bearing caddis larvae, *Molanna angustata* Banks, at Mizoro-Ike Pond, Kyoto. - Verh. IVL 21:1626.
- Taticchi, M.I., Tiberi, O., Fauna macrobentonica e fattori fisici e chimici in prossimità dello sbocco di una piccola fogna nel Lago Trasimeno. - Riv. Idrobiol. 19:469-493.
- Tian Li-xin, Catalogue of the works of Prof. Huang Chi-lin. - Reprint, 1 p. ("190")
- Tian Li-xin, A new species of the genus *Leptocerus* Leach (Trichoptera, Leptoceridae). - J. Nanjing Agric. College 4(12):1-2 (Sep.!).
- Towns, D.R., Effects of artificial shading on periphyton and invertebrates in a New Zealand stream. - NZ J. Mar. Freshwater Research 15:185-192.
- Towns, D.R., Life histories of benthic invertebrates in a Kauri forest stream in northern New Zealand. - Aust. J. Mar. Freshwater Res. 32:191-211.
- Ujhelyi, Sándor: A Barcsi borókás recésszárnyú (Neuroptera) és tegzes (Trichoptera) faunájának alapvetése. - Dunántúli dolgozatok Term. Tud. Sor. (Pécs) 2:59-63.
- Ujhelyi, Sándor, Adatok néhány rovarvendnek az alpokalja területén való előfordulásához. - Separatum, pp. 85-87.
- Williams, D.D., Migrations and distributions of stream benthos. pp.155-207. In: Lock, M.A., Williams, D.D. (eds.): Perspectives in running water ecology. Plenum Press, NY & London.
- Williams, Nancy E., Aquatic organisms and palaeoecology: recent and future trends. pp.289-303. In: Lock, M.A., Williams, D.D. (eds.): Perspectives in running water ecology. Plenum Press, NY & London.
- Williams, W.D., Running water ecology in Australia. pp.367-392. In: Lock, M.A., Williams, D.D. (eds.): Perspectives in running water ecology. Plenum Press, NY & London.

1981:

- Winterbourn, M.J., Gregson, K.L.D., Guide to the Aquatic Insects of New Zealand. - Bull.ent.Soc.NZ 5:1-79.
- Yasuno, Masayuki, Shioyama, Fusao, Hasegawa, Junichi, Field experiment on susceptibility of macrobenthos in streams to temephos. - Jap.J.Sanit.Zool. 32:229-234.
- Yasuno, Masayuki, Okita, Junko, Saito, Katsumi, Nakamura, Yuzuni, Hatakeyama, Shigehisa, Kasuga, Seiichi, Effects of fenitrothion on benthic fauna in small streams of Mt.Tsukuba, Japan. - Jap.J.Ecol. 31:237-245.
- Yasuno, Masayuki, Fukushima, Satoshi, Shioyama, Fusao, Hasegawa, Junichi, Kasuga, Seiichi, Recovery processes of benthic flora and fauna in a stream after discharge of slag containing cyanide. - Verh.IVL 21:1154-1164.

1982 (additions)

- Alstad, D.N., Current speed and filtration rate link caddisfly phylogeny and distributional patterns on a stream gradient. - Science(NY) 216:533-534.
- Anderson, Richard L., Toxicity of Fenvalerate and Permethrin to several nontarget aquatic invertebrates. - Environment.Ent. 11:1251-1257.
- Bagge, Pauli, Caddis flies (Trichoptera) and water bugs (Heteroptera, Corixidae) of small water bodies caught by light trapping in southeastern Finland. - Notulae Ent. 62:73-81.
- Bagge, Pauli, Saarijärven pyhä-häkin kausallisuiston ja sen lähiympäristön metsäjärvien vesiperhoset (Trichoptera). - Jyväskylän yliopiston Biologian laitoksen Tiedonantoja 29:52-55.
- Barnard, P.C., Holocentropus McLachlan, 1878 (Insecta, Trichoptera, Polycentropodidae): Proposed conservation. Z.N.(S.)1591. - Bull.zool.Nom 39:293-296.
- Bass, J.A.B., Ladle, M., Welton, J.S., Larval development and production by the net-spinning caddis, Polycentropus flavomaculatus (Pictet) (Trichoptera), in a recirculating stream channel. - Aquatic Insects 4:137-151.
- Beckett, David C., Miller, Michael C., Macroinvertebrate colonization of multiplate samplers in the Ohio River: the effect of dams.- Can.J.Fish.Aquat.Sci. 39:1622-1627.
- Beckett, David C., Phenology of Hydropsyche orris (Trichoptera: Hydropsychidae) in the Ohio River: Changes in larval age structure and substrate colonization rates. - Environ.Entomology 11:1154-1158.
- Berté, Stephen B., An entomophagous fungus infecting a caddisfly. - Aquatic Insects 4:218.
- Berté, S.B., Pritchard, G., The phenomenon of egg mass liquefaction in Nemotaulius hostilis (Hagen) (Trichoptera:Limnephilidae).- Freshw.Invertebr.Biol. 1:49-51.
- Botosaneanu, L., Flint, O.S., jr., On some Trichoptera from northern Venezuela and Ecuador (Insecta). - Beaufortia 32:13-26.
- Bournaud, M., Tachet, H., Perrin, F., Les Hydropsychidae (Trichoptera) du Haut-Rhône entre Genève et Lyon.-Ann.Limnol. 18:61-80.
- Brehm, Jörg, Meijering, M.P.D., Fließgewässerkunde. Quelle & Meyer: Heidelberg, 311 pp.

1982:

- Burkhardt, Rüdiger, Tobias, Wolfgang, Ein Nachweis von *Apatania muliebris* McLachlan 1866 in Deutschland (Trichoptera: Limnephilidae). - Ent.Z.(Stuttgart) 92:313-318.
- Çakin, Fusun, Eine neue Hydropsyche aus der Türkei (Trichoptera: Hydropsychidae). - Ent.Z.(Essen) 92:351-352.
- Cartwright, David I., Dean, John C., A key to the Victorian genera of free-living and retreat-making caddis-fly larvae (Insecta: Trichoptera). - Mem.Nat.Mus.Victoria 43:1-13.
- Caspers, Hubert, Heckman, Charles W., The biota of a small standing water ecosystem in the Elbe flood plain. - Arch.Hydrobiol. 61:227-316.
- Cellot, Bernard, Cycle annuel et zonation de la dérive des macro-invertébrés du Rhône en amont de Lyon. - Thèse, Université Claude-Bernard, Lyon. 167 pp.
- Coutant, Charles C., Evidence for upstream dispersion of adult caddisflies (Trichoptera:Hydropsychidae) in the Columbia River. - Aquat.Ins. 4:61-66.
- Cuppen, H.P.J.J., Een hydrobiologisch onderzoek naar de macrofauna, de waterplanten en de biologische waterkwaliteit van het Apeldoornsch Kanaal tussen Dieren en Apeldoorn. - Regionale Milieuraad Oost-Veluwe, 52 pp.
- Dakki, Mohamed, Trichoptères du Maroc. - Bull.Inst.Sci.Rabat 6:139-155.
- Dia, A., Botosaneanu, L., Un cas de gynandromorphisme chez un trichoptère hydroptilide du Liban (Trichoptera:Hydroptilidae). - Ent.Ber.(Amsterdam) 42:140-141.
- Dratnal, E., Dumnicka, E., Composition and zonation of benthic invertebrate communities in some chemically stressed aquatic habitats of Niepołomice Forest (South Poland). - Acta Hydrobiol.(Kraków) 24:151-165.
- Dressing, S.A., Maas, R.P., Weiss, C.M., Effect of chemical speciation on the accumulation of Cadmium by the caddisfly, *Hydropsyche* sp. - Bull.Environ.Contamin.Toxicol. 28:172-180.
- Dudgeon, David, Aspects of the microdistribution of insect macrobenthos in a forest stream in Hong Kong. - Arch.Hydrobiol.Suppl. 64:221-239.
- Dudgeon, David, An investigation of physical and biological processing of two species of leaf litter in Tai Po Kau Forest stream, New Territories, Hongkong. - Arch.Hydrobiol. 96:1-32.
- Elliott, J.M., The life cycle and spatial distribution of the aquatic parasitoid *Agriotypus armatus* (Hymenoptera:Agriotypidae) and its caddis host *Silo pallipes* (Trichoptera:Goeridae). - J.Anim.Ecol. 51:923-941
- Flannagan, Patricia M., Flannagan, John F., Present distribution and the post-glacial origin of the Ephemeroptera, Plecoptera and Trichoptera of Manitoba. - Tech.Rep.(Manitoba Dept.Nat.Res., Fisheries Branch, Biol.Services) 82-1:1-79.
- Flechner, Günter, Gardarsson, Arnthór, Gíslason, Gísli Már, Halbach, Udo, Ökologische Untersuchungen in Thjórsárver, Zentral-Island. - Natur und Museum (Frankfurt) 112:49-61.
- Flint, O.S., jr., Studies of neotropical caddisflies, XXX: Larvae of the genera of South American Limnephilidae (Trichoptera). - Smithsonian Contr.Zool. 355:1-30.

1982:

- Flint, Oliver S., jr., Studies of neotropical caddisflies XXXI: Five new species from Argentina (Trichoptera). - Ent.News 93:43-47.
- Flint, Oliver S., jr., Bueno-Soria, Joaquin, Studies of neotropical caddisflies, XXXII: The immature stages of *Macronema variipenne* Flint & Bueno, with the division of *Macronema* by the resurrection of *Macrostemum* (Trichoptera:Hydropsychidae). - Proc.Biol.Soc.Wash. 95:358-370.
- Gersich, F.M., Brusven, M.A., Volcanic ash accumulation and ash-voiding mechanisms of aquatic insects. - J.Kansas Ent.Soc. 55:290-296.
- Gonzalez, Marcos A., Terra, Luis S., Una nueva especie del genero *Oxyethira*, *O. iglesiasi*, en la Península Ibérica (Trichoptera:Hydroptilidae). - Nouv.Rev.Ent. 12:299-302.
- Green, O.W., Trip to Sharp Bush Track, Waitakere Ranges, January 1982. - The Weta (Newsbulletin of the Ent.Soc.of NZ 5(2):51-53.
- Hall, T.J., Colonizing macroinvertebrates in the upper Mississippi River with a comparison of basket and multiplate samplers. - Freshwater Biol. 12:211-215.
- Hansen, Stephen R., Garton, Ronald R., Ability of Standard Toxicity Tests to predict the effects of the insecticide Diflubenzuron on laboratory stream communities. - Can.J.Fish.Aquat.Sci. 39:1273-1288.
- Harris, S.C., Lago, P.K., Scheiring, J.F., An annotated list of Trichoptera of several streams on Eglin Air Force Base, Florida. - Entomol. News 93:79-84.
- Harris, Steven C., Lago, Paul K., Holzenthal, Ralph W., An annotated checklist of the caddisflies (Trichoptera) of Mississippi and southeastern Louisiana. Part II: Rhyacophiloidea. - Proc.Ent.Soc. Wash. 84:509-512.
- Hauer, F.Richard, Stanford, Jack A., Bionomics of *Dicosmoecus gilvipes* (Trichoptera:Limnephilidae) in a large Western montane river. - Amer.Midl.Nat. 108:81-87.
- Hauer, F.Richard, Stanford, Jack A., Ecological responses of Hydropsychid caddisflies to stream regulation. - Can.J.Fish.Aquat.Sci. 39:1235-1242.
- Hauer, F.R., Stanford, J.A., Ecology and life histories of three net-spinning caddisfly species (Hydropsychidae:Hydropsyche) in the Flathead River, Montana. - Freshwater Invertebrate Biology 1:18-29.
- Havas, Magda, Hutchinson, T.C., Aquatic invertebrates from the Smoking Hills, N.W.T.: Effect of pH and metals on mortality. - Can.J.Fish.Aquat.Sci. 39:890-903.
- Holzenthal, Ralph W., Harris, Steven C., Lago, Paul K., An annotated checklist of the caddisflies (Trichoptera) of Mississippi and southeastern Louisiana, Part III: Limnephiloidea and conclusions. - Proc.Ent.Soc.Wash. 84:513-520.
- Holzenthal, Ralph W., The caddisfly genus *Setodes* in North America (Trichoptera:Leptoceridae). - J.Kansas Ent.Soc. 55:253-271.
- Howell, D.A., Voshell, J.R., jr., The effects of body weight and temperature on the metabolic rate of *Hydropsyche venularis* Banks (Trichoptera:Hydropsychidae). - Comp.Biochem.Physiol. A, 71A:401-405.
- Hwang Chi-Ling, Tian Li-xin, Trichoptera. In: Insects of Xizang, vol.II, pp.1-10(reprint).

1982:

- Illies, Joachim, Längsprofil des Breitenbaches im Spiegel der Emergenz (Ins.: Ephemeroptera, Plecoptera, Trichoptera). - Arch. Hydrobiol. 95:157-168.
- de Jalón, D. García, La larva de *Rhyacophila adjuncta* McLachlan, 1884 (Trich. Rhyacophilidae). - Bol. Asoc. esp. Entomología (Salamanca) 5:25-29.
- de Jalón, D. García, Los Trichoptera del río Lozoya. - Bol. Asoc. esp. Entomol. (Salamanca) 5:41-58.
- de Jalón, D. G., Contribución a la zoogeografía de los Tricópteros Españoles (III). - Shilap (Madrid) 10:237-244.
- Keilbach, Rolf, Bibliographie und Liste der Arten tierischer Einschlüsse in fossilen Harzen sowie ihrer Aufbewahrungsorte. - Dt. Ent. Z., N.F. 29:129-286, 301-391. (Trichoptera: 286, 301-312).
- Kelley, Robert W., Morse, John C., A key to the females of the genus *Oxyethira* (Trichoptera: Hydroptilidae) from the southern United States. - Proc. Ent. Soc. Wash. 84:256-269.
- Kiss, Ottó, A Trichoptérák rendszerezésének történeti áttekintése és a Magyarországi Trichoptera-kutatás. - Acta Acad. Paedagog. Agriensis N.S. 16:467-486.
- Krno, Il'ja, Štruktúra a dynamika makrozoobentosu riečky Ľupčianky a jej prítokov (Nízke Tatry). - Biologické Práce (Bratislava) 28(2):1-128.
- Lago, Paul K., Holzenthal, Ralph W., Harris, Steven C., An annotated checklist of the caddisflies (Trichoptera) of Mississippi and southeastern Louisiana. Part I: Introduction and Hydropsychoidea. - Proc. Ent. Soc. Wash. 84:495-508.
- Lemly, A. D., Modification of benthic insect communities in polluted streams: Combined effects of sedimentation and nutrient enrichment. - Hydrobiologia 87:229-245.
- Levanidova, I. M., Amfibiolitšheskie nasekomye gornykh oblástej dal'nego vostoka SSSR. - Leningrad: "Nauka", 214 pp.
- McElravy, Eric P., Wolda, Kenk, Resh, Vincent H., Seasonality and annual variability of caddisfly adults (Trichoptera) in a "non-seasonal" tropical environment. - Arch. Hydrobiol. 94:302-317.
- MacFarlane, M. B., Waters, T. F., Annual production by caddisflies and mayflies in a Western Minnesota plains stream. - Can. J. Fish. Aquat. Sci. 39:1628-1635.
- Mackey, A. P., Ham, Stephanie F., Cooling, D. A., Berrie, A. D., An ecological survey of a limestone stream, the River Coln, Gloucestershire, England, in comparison with some chalk streams. - Arch. Hydrobiol. Suppl. 64:307-340.
- Malicky, Hans, Zwei neue Köcherfliegen (Trichoptera) aus mediterranen Gebirgen. - Ent. Z. (Stuttgart) 92:161-163.
- Malicky, Hans, Neue Köcherfliegen (Trichoptera) aus Tunesien, Spanien und dem Iran. - Ent. Z. (Stuttgart) 92:210-216.
- Manuel, K. L., Folsom, T. C., Instar sizes, life cycles, and food habits of five *Rhyacophila* (Trichoptera: Rhyacophilidae) species from the Appalachian Mountains of South Carolina, U.S.A. - Hydrobiologia 97:281-285.
- Martin, Ian D., Mackay, Rosemary J., Interpreting the diet of *Rhyacophila* larvae (Trichoptera) from gut analyses: an evaluation of techniques. - Can. J. Zool. 60:783-789.



1982:

- Mey, Wolfram, Natürliche Hybridisierung zwischen *Anabolia furcata* Brauer und *Anabolia nervosa* Curtis an der Westgrenze des Areals von *Anabolia furcata* Brauer (Insecta, Trichoptera). - Zool.Jb.Syst. 109:1-23.
- Mey, Wolfram, Eine bilaterale Gynandromorphe von *Anabolia furcata* Brauer (Insecta, Trichoptera). - Zool.Anz. 209:394-396.
- Mey, Wolfram, Die Larve von *Philarctus bergrothi* McLachlan (Trichoptera, Limnephilidae). - Reichenbachia 20:197-201.
- Morse, J.C., Trichoptera. PP.51-71. In: Franz, R.(ed.): Invertebrates. Rare and endangered biota of Florida, vol.6. Univ.Press of Florida, Gainesville. 131pp.
- Morse, J.C., Neboiss, A., Triplectides of Australia (Insecta:Trichoptera: Leptoceridae). - Mem.Natn.Mus.Victoria 43:61-98.
- Neboiss, Arturs, The caddis-flies (Trichoptera) of South-Western Australia. - Aust.J.Zool. 30:271-325.
- Neboiss, Arturs, Genus *Setodes* (Rambur) new to Australian fauna (Trichoptera: Leptoceridae). - Mem.Nat.Mus.Victoria 43:105-107.
- O'Connor, J.P., *Ithytrichia clavata* (Trichoptera:Hydroptilidae), a caddisfly new to Ireland. - Irish Nat.J. 20:548-549.
- Parker, Charles R., Voshell, J.Reese, jr., Life histories of filter-feeding Trichoptera in Virginia. - Can.J.Zool. 60:1732-1742.
- Schmid, F., La famille des Xiphocentronides (Trichoptera: Annulipalpia) - Mém.Soc.Ent.Can. 121:1-127.
- Schmid, F., Revision des Trichoptères canadiens. II. Les Glossosomatidae et Philopotamidae (Annulipalpia). - Mém.Soc.Ent.Can. 122:1-76.
- Scullion, J., Parish, C.A., Morgan, N., Edwards, R.W., Comparison of benthic macroinvertebrate fauna and substratum composition in riffles and pools in the impounded River Elan and the unregulated River Wye, mid-Wales. - Freshw.Biol.12:579-595.
- Starmühlner, Ferdinand, Therezien, Yves, Résultats de la mission hydrobiologique austro-française de 1979 aux îles de la Guadeloupe, de la Dominique et de la Martinique (Petites Antilles). I. Étude générale de la Guadeloupe. - Rev.Hydrobiol.trop. 15:131-150.
- Statzner, Bernhard, Population dynamics of Hydropsychidae (Insecta, Trichoptera) in the N'Zi River (Ivory Coast), a temporary stream partly treated with the insecticide Chlorphoxim. - Rev.Hydrobiol.trop. 15:157-176.
- Sukatsheva, I.D., Istoritsheskoje rasvitije otrjada rutshejnikov. - Trudy paleont.Inst.A.N.SSSR 197:1-112.
- Tamm, Jochen Christian, Das jahresperiodisch trockenliegende Eulitoral der Edertalsperre als Lebens- und Ersatzlebensraum. Eine Ökosystemstudie mit terrestrischem Schwerpunkt. Teil II: Die terrestrische Fauna. - Arch.Hydrobiol.Suppl. 64:484-553.
- Tanida, Kazumi, Trichoptera captured by light traps in the Hakusan region. - A list of aquatic insects of streams in the Hakusan region, IV. - Ann.Rep.Hakusan Nature Conservation Center 8:15-29.
- Turcotte, P., Harper, P.P., The macro-invertebrate fauna of a small Andean stream. - Freshw.Biol. 12:411-419.
- Turcotte, P., Harper, P.P., Drift patterns in a high Andean stream. - Hydrobiologia 89:141-151.
- Ujhelyi, S., Ein Beitrag zur Verbreitung der Hydropsyche-Arten (Trichoptera) in Ungarn. - Fol.Ent.Hung. 43:191-203.

1982:

- Vaillant, François, The Trichoptera Beraeidae from the eastern part of France. - *Aquat. Insects* 4:253-259.
- Vaillant, François, Sur une cohabitation entre des Lépidoptères et des Trichoptères compromise par des Mollusques. - *L'Entomologiste* 38:58-64.
- Wells, A., Tricholeiochiton Kloet & Hincks and new genera in the Australian Hydroptilidae (Trichoptera). - *Aust. J. Zool.* 30:251-270.
- Welton, J. Stewart, Cooling, David A., Ladle, Michael, A comparison of two colonisation samplers with a conventional technique for quantitative sampling of benthic macroinvertebrates in the gravel substratum of an experimental recirculating stream. - *Int. Rev. ges. Hydrobiol.* 67:901-906.
- Wiggins, Glenn B., Richardson, John S., Revision and synopsis of the caddisfly genus *Dicosmoecus* (Trichoptera: Limnephilidae; Dicosmoecinae). - *Aquatic Insects* 4:181-217.
- Williams, D. Dudley, Emergence pathways of adult insects in the upper reaches of a stream. - *Int. Rev. ges. Hydrobiol.* 67:223-234.
- Winterbourn, M. J., Food utilization by a stream detritivore, *Zelandopsyche ingens* (Trichoptera: Oeconesidae). - *Int. Rev. ges. Hydrobiol.* 67:209-222.
- Wood, John R., Resh, Vincent H., McEwan, Eileen M., Egg masses of Nearctic Sericostomatid caddisfly genera (Trichoptera). - *Ann. Ent. Soc. Amer.* 75:430-434.
- Yasuno, Masayuki, Fukushima, Satoshi, Hasegawa, Junichi, Shioyama, Fusao, Hatakeyama, Shigehisa, Changes in the benthic fauna and flora after application of temephos to a stream on Mt. Tsukuba. - *Hydrobiologia* 89:205-214.
- Yasuno, Masayuki, Ohkita, Junko, Hatakeyama, Shigehisa, Effects of Temephos on macrobenthos in a stream of Mt. Tsukuba. - *Jap. J. Ecol.* 32:29-38.

1983

- Berté, Stephen B., Pritchard, Gordon, The life history of *Glyphopsyche irrorata* (Trichoptera, Limnephilidae): A caddisfly that overwinters as an adult. - *Holarctic Ecol.* 6:69-73.
- Çakin, Füsün, Eine neue Beraeidae aus der Türkei: *Ernodes abanticus* n.sp. (Trichoptera). - *Ent. Z. (Essen)* 93:94-96.
- Malicky, Hans, Atlas of European Trichoptera. Junk: The Hague, X + 298 pp.
- Malicky, Hans, Chorological patterns and biome types of European Trichoptera and other freshwater insects. - *Arch. Hydrobiol.* 96:223-244.
- Petersen, Lena B.-M., Petersen, Robert C., jr., Anomalies in hypsychid capture nets from polluted streams. - *Freshw. Biol.* 13:185-191.
- Scherf, H., Das Atemband der Schlupfwespe *Agriotypus*. - *Naturwissenschaftliche Rundschau* 36(1):29-30.
- Schröder, Peter, Streit, Bruno, Ernährungstypen einer Fließwasserzoozönose (Krebsbach bei Eigentingen/Bodenseegebiet) unter Berücksichtigung saisoneller und kleinräumiger Änderungen. - *Arch. Hydrobiol. Suppl.* 66:83-108.

(To be continued)

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Trichoptera Newsletter](#)

Jahr/Year: 1983

Band/Volume: [10](#)

Autor(en)/Author(s): Anonym

Artikel/Article: [Trichopterological Literature 21-30](#)