

TRICHOPTEROLOGICAL LITERATURE

1976 (addition)

Otto, C., Energetics, dynamics and habitat adaptation in a larval population of *Potamophylax cingulatus* (Steph.) (Trichoptera). - Dissertation, Lund University.

1977 (addition)

Winkler, O., Príspevek k poznání potoční entomofauny v Krkonoších. - *Opera corcontica* 14:143-153.

1979 (additions)

Andrikovics, S., Kertész, Gy., Presumable food relationships between some insect larvae of the lake Fertő (Hungary/Austria) on the basis of intestinal contents. - *Ann.Univ.Sci.Budapest, Sect.Biol.* XX-XXI: 185-190.

Berger, J., Kaster, J., Convergent evolution between phyla: a test case of mimicry between caddisfly larvae *Helicopsyche borealis* and aquatic snails *Physa integra*. - *Evolution* 33:511-513.

Bueno-Soria, J., Santiago de Frago, S., Una nueva especie del genero *Protophila* Banks (Trichoptera:Glossosomatidae) de Veracruz, Mexico. - *An.Inst.Biol.Univ.Nac.Auton.Mex.(Zool.)* 50:477-480.

Bueno-Soria, J., Marquez Mayandon, C., Una nueva especie del genero *Smicridea* McLachlan (Trichoptera:Hydropsychidae). - *An.Inst.Biol.Univ.Nac.Auton.Mex.(Zool.)* 50:481-484.

1981 (additions)

Andrikovics, S., On the flight patterns of some frequent aquatic insects at Lake Fertő (Hungary). - *BFB-Bericht* 42:61-67.

Andrikovics, S., Preliminary quantitative macrofaunal investigations on characteristic biotopes of Lake Fertő/Hungary. - *Ann.Univ.Sci.Budapest Sect.Biol.* XXII-XXIII:127-144.

Bueno Soria, J., Frago, S.S., Una nueva especie del género *Ochrotrichia* Mosely (Trichoptera: Hydroptilidae) dal Edo.de Hidalgo, Mexico. - *An.Inst.Biol.Univ.Nat.Autón.Mex.(Zool.)* 51:383-388.

Bueno Soria, J., Ramirez, J.P., Una nueva especie y nuevos registros para México (Trichoptera: Lepidostomatidae). - *An.Inst.Biol.Univ.Autón.Méx.(Zool.)* 51:389-394.

Harris, S.C., Carlson, R.B., Balsbaugh, E.U., jr., Ecological distribution of insects in two streams of the sandhills of southeastern North Dakota. - *North Dakota Insects* 13:1-112 (Schafer-Post Series, Fargo, North Dakota).

Petersen, L., Taxonomy, biology and ecology of the Hydropsychidae. A literature study. - Diplomarbeit, Institute of Limnology, University of Lund, 85 pp.

Tanago del Rio, M.G., de Jaion Lastra, D.G., Gonzalez Alonso, F., Estudio de la estructura biotipologica del Rio Jarama. - *Bol.Estac.Central de Ecología (Madrid)* 10(19):33-51.

1982 (additions)

Burmeister, E.-G., Burmeister, H., Beiträge zur Köcherfliegenfauna Oberbayerns (Insecta, Trichoptera). I. Die Köcherfliegen des Murnauer Moores. - *Entomofauna (Linz) Suppl.* 1:201-226.

Cooling, D.A., Records of Trichoptera from rivers in southern England. - *Ent.Gaz.* 33:123-134.

Crichton, M.I., Fisher, D.B., Records of caddisflies (Trichoptera) from Rothamsted light traps at field centres. - *Field Stud.* 5:569-579.

1982

- Dudley, T., Anderson, N.H., A survey of invertebrates associated with wood debris in aquatic habitats. - *Melandria* 39:1-21.
- Flössner, D., Untersuchungen zur Biomasse und Produktion des Makrozoobenthos der Ilm und mittleren Saale. - *Limnologica*(Berlin) 14:297-327.
- Gibon, F.-M., Quelques Trichoptères nouveaux d'Afrique occidentale. - *Revue fr.Ent.(N.S.)* 4:72-76.
- Kelley, R.W., The micro-caddisfly genus *Oxyethira* (Trichoptera:Hydroptilidae): Morphology, biogeography, evolution and classification. - Ph.Diss., Clemson University, Clemson, S.C., 432 pp.
- Klausnitzer, B., Jacob, U., Joost, W., Ausgestorbene und bedrohte rheobionte Wasserinsekten der DDR unter besonderer Berücksichtigung potamaler Arten. - *Ent.Nachr.Ber.* 26:151-156.
- Macan, T.T., The study of stoneflies, mayflies and caddisflies. - *The Amateur Entomologist* 17:1-44.
- McAuliffe, J.R., Behavior and life history of *Leucotrichia pictipes* (Banks) (Trichoptera: Hydroptilidae) with special emphasis on case reoccupancy. *Can.J.Zool.* 60:1557-1561.
- Majecki, J., Chruściki (Trichoptera) rzeki Lubrzanki w górach Świętokrzyskich. - *Acta Univ.Lodz., Fol.Limnol.* 1:51-60.
- Marlier, G., Marlier, M., Les Trichoptères de l'île de la Réunion. - *Bull.Inst. r.Sci.nat.Belg.* 54(13):1-48.
- Mey, W., Joost, W., Eine neue Polycentropodide aus dem Kaukasus (Trichoptera). - *Ent.Nachr.Ber.* 26:273-274.
- Moretti, G.P., Cianficconi, F., Aggiornamento sulla tricotterofauna cavernicola italiana. - *Lav.Soc.Ital.Biogeogr.N.S.* 7:207-237.
- O'Connor, J.P., O'Connor, M.A., *Tinodes unicolor* (Pictet) and *Metalype fragilis* (Pictet)(Trichoptera:Psychomyiidae) discovered in the Burren, Co.Clare. - *Ent.Gaz.* 33:192-194.
- Pereira, C.R.D., Anderson, N.H., Dudley, T., Gut content analysis of aquatic insects from wood substrates. - *Melandria* 39:23-33.
- Roemhild, G., The Trichoptera of Montana with distributional and ecological notes. - *Northwest Science* 56:8-13.
- Rounick, J.S., Winterbourn, M.J., Benthic faunas of forested streams and suggestions for their management. - *N.Z.J.Ecol.* 5:140-150.
- Spuris, Z., Maksteņu sastopamība abeju vainagos. - *Latvijas Entomologs* 25:59-62.
- Starmühlner, F., Therezien, Y., Résultats de la mission hydrobiologique austro-française de 1979 aux îles de la Guadeloupe, de la Dominique et de la Martinique (Petites Antilles) II. - *Etude générale de la Dominique et de la Martinique.* - *Rev.Hydrobiol.trop.* 15:325-345.
- Tolkamp, H., Microdistribution of macroinvertebrates in lowland streams. - *Hydrobiol.Bull.* 16:133-148.
- Unzicker, J.D., Resh, V.H., Morse, J.C., Trichoptera. In: A.R.Brigham, W.V.Brigham, A.Gnilka (eds.): *Aquatic insects and oligochaetes of North and South Carolina.* - Midwest Aquatic Enterprises, Mahomet, Illinois, pp. 9.1-9.138.
- Vineyard, R.N., An annotated checklist of the caddisflies (Trichoptera) of SE Alaska. - *J.Ent.Soc.Brit.Columbia* 79:71-75.
- Wiggins, G.B., Trichoptera. In: Parker, S.P.(Ed.): *Synopsis and classification of living organisms,* pp.599-612. McGraw-Hill Book Co., New York.
- Wise, K.A.J., Two new species of Trichoptera from the Murchinson Mountains, South Island, New Zealand. - *Rec.Auckland Inst.Mus.* 19:149-151.

1983 (additions)

- Andersen, T., Additions to the list of caddisflies (Trichoptera) from Vestfold, south-eastern Norway. - Fauna norv. Ser. B, 30:53-54.
- Andersen, T., Caddis Flies (Trichoptera) on sugar baits. - Fauna norv. Ser. B, 30:54-55.
- Andersen, T., The flight period of caddis-flies (Trichoptera) on the island of Osterøy, Western Norway. - Fauna norv., Ser. B 30:63-68.
- Andersen, T., Klubnes, R., The life histories of *Hydropsyche siltalai* Döhler, 1963 and *H. pellucidula* (Curtis, 1834) (Trichoptera, Hydropsychidae) in a West Norwegian river. - Aquat. Insects 5:51-62.
- Andersen, T., West Norwegian *Wormaldia*, with the description of *Wormaldia occipitalis trifida* ssp. n. (Trich., Philopotamidae). - Aquatic Insects 5:201-207.
- Armitage, B. J., Diagnostic atlas of the North American caddisfly adults. I. Philopotamidae. 99 pp. - The Caddis Press, Athens, AL.
- * Barnard, P. C., Macronematine caddisflies of the genus *Amphipsyche* (Trichoptera: Hydropsychidae). - Bull. Br. Mus. nat. Hist. (Ent.) 48(2):71-130.
- Barnes, L. E., The colonization of ball-clay ponds by macroinvertebrates and macrophytes. - Freshw. Biol. 13:561-578.
- Bass, J. A. B., Cooling, D. A., An association between a muscid, an ichneumonid and a simuliid recorded from a reservoir outfall in southern England. - Ent. Gaz. 34:125-127.
- Berté, S. B., Pritchard, G., The structure and hydration dynamics of trichopteran (Insecta) egg masses. - Can. J. Zool. 61:378-384.
- Bohle, H. W., Driftfang und Nahrungserwerb der Larven von *Drusus discolor* (Trichoptera, Limnephilidae). - Arch. Hydrobiol. 97:455-470.
- Bohle, H. W., Fischer, M., Struktur und Entstehung der Larven- und Puppengehäuse einiger Glossosomatidae und Rhyacophilidae, insbesondere bei *Synagapetus iridipennis* (Trichoptera: Rhyacophiloidea). - Ent. Gener. 9:17-34.
- Botosaneanu, L., *Hydroptila bajgirana* sp. n. d' Iran et *Cyrnus maroccanus* sp. n. du Maroc (Trichoptera). - Ent. Ber. (Amst.) 43:139-143.
- Botosaneanu, L., Histoire de la trichoptérologie. - Bull. Soc. Ent. France 88:74-81.
- Botosaneanu, L., Giudicelli, J., Une espèce nouvelle de *Drusus* Stephens (Trichoptera) des Alpes Maritimes (France). - Bull. Zool. Mus. Univ. Amsterdam 9:173-176.
- Botosaneanu, L., Wichard, W., Upper-Cretaceous Siberian and Canadian amber caddisflies (Insecta: Trichoptera). - Bijdr. Dierk. 53:187-217.
- Bournaud, M., Arens, M. F., Tachet, H., Usseglio-Polatera, P., The problem of sampling Trichoptera in a large river. - Aquat. Ins. 5:167-172.
- Bueno-Soria, J., Three new species of *Ochrotrichia* (Metrichia) from Chiapas, Mexico (Trichoptera: Hydroptilidae). - Proc. Biol. Soc. Wash. 96:79-83.
- Bueno Soria, J., Five new species of caddisflies (Trichoptera) from Mexico. - Proc. Ent. Soc. Wash. 85:450-455.
- Burmeister, E.-G., Reiss, F., Die faunistische Erfassung ausgewählter Wasserinsektengruppen in Bayern (Eintagsfliegen, Libellen, Steinfliegen, Köcherfliegen, Zuckmücken). - Informationsbericht Bayer. Landesamt für Wasserwirtschaft 7/83, 193 pp.
- Çakin, F., Some new species and records of Trichoptera in Turkey. - 5:233-249.
- Çakin, F., Malicky, H., Neue Köcherfliegen (Trichoptera) aus der Türkei und von der Balkanhalbinsel. - Ent. Z. (Essen) 93:267-270, 281-286.
- Caspers, N., Sukzessionsanalyse des Makrozoobenthos eines neu angelegten stehenden Gewässers. - Arch. Hydrobiol. Suppl. 65:300-370.
- Chantaramongkol, P., Light-trapped caddisflies (Trichoptera) as water quality indicators in large rivers: Results from the Danube at Veröce, Hungary. - Aquat. Ins. 5:33-37.

* ... published in 1984 !

1983

- Clare, P., Edwards, R.W., The macroinvertebrate fauna of the drainage channels of the Gwent Levels, South Wales. - *Freshwater Biology* 13:205-225.
- Cowley, D.R., Aquatic insects of the central North Island. - *NZ Ent.* 7:281-283.
- Denis, C., Differentiation de certains organes larvaires des Rhyacophiloidea et des Limnephiloidea (Trichoptera). - *Bull.Soc.Sci.Bretagne* 55:5=14.
- Denis, C., Données sur la biologie et les stades du développement de *Sericostoma galeatum* Rambur (Trichoptera, Sericostomatidae). - *Riv. Idrobiol.* 20(1981):425-439.
- Denning, D.G., Resh, V.H., Hogue, C.L., New species of *Phylloicus* and a new Neotropical genus of Calamoceratidae (Trichoptera). - *Aquatic Insects* 5:181-191.
- Dia, A., Botosaneanu, L., Six espèces nouvelles de Trichoptères du Liban (Insecta: Trichoptera). - *Bull.Zool.Mus.Univ.Amsterdam* 9:125-135.
- Dia, A., Recherches sur l'écologie et la biogéographie des cours d'eau du Liban Méridional. - Thèse, Univ.Aix-Marseille III, 302 pp.
- Dorn, K., Untersuchungen über die Invertebratenfauna Wittgensteiner Fließgewässer. - Diss., Univ.Bonn, 131 pp.
- Drake, C.M., Elliott, J.M., A new quantitative air-lift sampler for collecting macroinvertebrates on stony bottoms in deep rivers. - *Freshw.Biol.* 13:545-559.
- Dudgeon, D., An investigation of the drift of aquatic insects in Tai Po Kau Forest Stream, New Territories, Hong Kong. - *Arch.Hydrobiol.* 96:434-447.
- Elliott, J.M., The responses of the aquatic parasitoid *Agriotypus armatus* (Hymenoptera: Agriotypidae) to the spatial distribution and density of its caddis host *Silo pallipes* (Trichoptera: Goeridae). - *J.Anim.Ecol.* 52:315-330.
- Fey, J.M., Benthalfauna west-sauerländischer Fließgewässer (Insecta: Ephemeroptera, Plecoptera, Trichoptera). - *Natur und Heimat (Münster)* 43:11-24.
- Flint, O.S., Jr., Studies of Neotropical caddisflies, XXXIII: New species from Austral South America (Trichoptera). - *Smithson.Contr.Zool.* 377:1-100.
- Flint, O.S., Jr., Butler, W.L., *Hydropsyche brunneipennis*, new species, a member of the *scalaris* group, from the Potomac River near Washington, D.C. (Trichoptera: Hydropsychidae). - *Proc.Ent.Soc.Washington* 85:205-211.
- Fuller, R., Mackay, R., Hynes, H.B.N., Seston capture by *Hydropsyche betteni* nets (Trichoptera; Hydropsychidae). - *Arch.Hydrobiologie* 97:251-261.
- Gonzalez, M.A., Otero, J.C., Observaciones sobre los Tricópteros de la Península Iberica. IV: Tricópteros de Cáceres (Oeste de España). Descripción de *Cyrnus monserati* n.sp. (Trichoptera: Polycentropodidae). - *Nouv.Rev.Ent.* 13:117-124.
- Gonzalez, M.A., Terra, L.S.W., Observaciones sobre los Tricópteros de la Península Iberica: III. - *Boletín Asoc.esp.Entom.(Salamanca)* 6:245-248.
- Gonzalez, M.A., Botosaneanu, L., Etude d'un groupe d'espèces nettement sympatriques de *Wormaldia McLachlan* de l'Ouest de la Péninsule Ibérique (Trichoptera). - *Bull.Zool.Mus.Amsterdam* 9:165-171.
- Gotceitas, V., Clifford, H.F., The life history of *Dicosmoecus atripes* (Hagen) (Limnephilidae: Trichoptera) in a Rocky Mountain stream of Alberta, Canada. - *Can.J.Zool.* 61:586-596.

1983

- Gullefors, B., Flight movements of caddisflies (Ins.: Trichoptera) along the mouth part of a coastal stream in northern Sweden. - *Fauna Norrlandica* 3:1-13.
- Hemphill, N., Cooper, S.D., The effect of physical disturbance on the relative abundances of two filter-feeding insects in a small stream. - *Oecologia* 58:378-382.
- Honsig-Erlenburg, W., Vier Bergseen in den Gurktaler Alpen (Kärnten, Österreich). - *Carinthia* II 173/93:275-292.
- de Jalón, D.G., Contribución al conocimiento de las larvas del género *Hydropsyche* (Trichoptera) ibéricas. - *Actas 1er Congr. Iberico Entomol. (Leon)*:275-285.
- Janeček, B., Löschenkohl, A., Waringer, J., Zur Litoralfauna des Hafnersees (Kärnten). - *Carinthia* II 173/93:391-399.
- Joost, W., Mey, W., Drei für die DDR neue Köcherfliegen aus Thüringen. - *Faun. Abh. (Dresden)* 10:155-157.
- Kelley, R.W., New neotropical species of *Oxyethira* (Trichoptera: Hydroptilidae). *Proc. Ent. Soc. Wash.* 85:41-54.
- Klima, F., Klima, M., Untersuchungen zum Herbstaspekt der Trichopteren-Fauna im Oberen Osterzgebirge. - *Ent. Nachr. Ber.* 27:9-15.
- Kos, I., Favna mladoletnic (Trichoptera-Insecta) v Zgornji Savinjski Dolini. - *Zbornik poročil delovnih skupin (Ljubljana)*; Studentski raziskovalni tabor Zgornja Savinjska dolina, Luče 1983: 54-60.
- Kumanski, K., Notes on the group of sparsa of genus *Hydroptila* Dalm., with description of a new species. - *Reichenbachia* 21:15-18.
- Lago, P.K., Harris, S.C., New species of Trichoptera from Florida and Alabama. - *Ann. Ent. Soc. Amer.* 76:664-667.
- Learner, M.A., Densem, J.W., Iles, T.C., A comparison of some classification methods used to determine benthic macro-invertebrate species associations in river survey work based on data obtained from the River Ely, South Wales. - *Freshw. Biol.* 13:13-36.
- Lecureuil, J.Y., Chovet, M., Bournaud, M., Tachet, H., Description, répartition et cycle biologique de la larve d'*Hydropsyche bulgaromanorum* Malicky 1977 (Trichoptera, Hydropsychidae) dans la Basse Loire. - *Ann. Limnol.* 19:17-24.
- McAuliffe, J.R., Competition, colonization patterns, and disturbance in stream benthic communities. In: Barnes, J.R., Minshall, G.W. (Eds.): *Stream ecology, application and testing of general ecological theory*, pp. 137-155. Plenum Press, New York & London.
- McElhone, M.J., Davies, R.W., The influence of rock surface area on the microdistribution and sampling of attached riffle dwelling Trichoptera in Hartley Creek, Alberta. - *Can. J. Zool.* 61:2300-2304.
- Malicky, H., Köcherfliegen (Trichoptera) von den Kapverdischen Inseln. - *Z. Arbgem. Öst. Ent.* 34:106-110.
- Malicky, H., Caddisflies (Trichoptera) from Parakrama Samudra, an ancient man-made lake in Sri Lanka. - In: Schiemer, F. (Ed.): *Limnology of Parakrama Samudra, Sri Lanka*. Dr. W. Junk Publ., The Hague. Pp. 227-228.
- Malicky, H., Kommentar zur Gefährdungssituation der Köcherfliegen (Trichoptera) in Österreich. - In: Gepp, J. (Ed.): *Rote Listen gefährdeter Tiere Österreichs*, pp. 149-150. Bundesministerium für Gesundheit und Umweltschutz, Wien.
- Malicky, H., Trichoptères des Petites Antilles (Trichoptera). - *Ann. Naturhist. Mus. Wien* 85B:263-271.
- Malicky, H., Ant, H., Aspöck, H., de Jong, R., Thaler, K., Varga, Z., Argumente zur Existenz und Chorologie mitteleuropäischer (extramediterranean-europäischer) Faunen-Elemente. - *Entomol. Gener.* 9:101-119.

1983

- Martin, I.D., Mackay, R.J., Growth rates and prey selection of two congeneric predatory caddisflies (Trichoptera: Rhyacophilidae). - *Can.J.Zool.* 61:895-900.
- Matthias, U., Der Einfluß der Versauerung auf die Zusammensetzung von Bergbachbiozöosen. - *Arch.Hydrobiol.Suppl.* 65:407-483.
- Mey, W., Die terrestrischen Larven der Gattung *Enoicyla* Rambur in Mitteleuropa und ihre Verbreitung. - *Dt.ent.Z.N.F.* 30:115-122.
- Moretti, G.P., Tricotteri (Trichoptera). In: Ruffo, S.(Ed.): *Guide per il riconoscimento delle specie animali delle acque interne italiane*, 19:1-155.
- Neboiss, A., Checklist and bibliography of the Australian caddis-flies (Trichoptera). - *Spec.Publ.Austral.Soc.Limnol.* 5:1-132.
- Nugen, C.K., Tarter, D.C., Larval Hydropsyche and Symphitopsyche records from West Virginia (Trichoptera: Hydropsychidae). - *Ent.News* 94:18-20.
- Nybom, O., *Oxyethira klingstedti* sp.n.(Trichoptera, Hydroptilidae) from Finland. - *Notulae ent.* 63:65-66.
- Parker, C.R., Voshell, J.R., Production of filter-feeding Trichoptera in an impounded and a free-flowing river. - *Can.J.Zool.* 61:70-87.
- Peck, S.B., Recherches biospéologiques dans le Sud-Pacifique. - *Mem. Speleo-Club Paris* 9:33-38.
- Prat, N., Puig, M.A., González, G., Predicció i control de la qualitat de les aigües des rius Besòs i Llobregat, II. El poblament faunístic i la seva relació amb la qualitat de les aigües. - *Estudis i monografies (Servei del Medi Ambient, Barcelona)* 9:1-164.
- Resh, V.H., Spatial differences in the distribution of benthic macroinvertebrates along a springbrook. - *Aquat.Insects* 5:193-200.
- Resh, V.H., Rosenberg, D.M., Wiens, A.P., Emergence of caddisflies (Trichoptera) from eroding and non-eroding shorelines of southern Indian Lake, Manitoba, Canada. - *Can.Ent.* 115:1563-1572.
- Richarz, G., Limnologische Untersuchung von Bächen des Raumes Linz(Rhein) - Bad Hönningen (Rheinland-Pfalz). - *Decheniana* 136:54-70.
- Rounick, J.S., Winterbourn, M.J., Leaf processing in two contrasting beech forest streams: Effects of physical and biotic factors on litter breakdown. - *Arch.Hydrobiol.* 96:448-474.
- Ross, D.H., Wallace, J.B., Longitudinal patterns of production, food consumption, and seston utilization by net-spinning caddisflies (Trichoptera) in a southern Appalachian stream (USA). - *Holarctic Ecol.* 6:270-284.
- Särkkä, J., A quantitative ecological investigation of the littoral zoobenthos of an oligotrophic Finnish lake. - *Ann.Zool.Fenn.* 20:157-178.
- Schmid, F., Revision des Trichoptères Canadiens. III. Les Hyalopsychidae, Psychomyiidae, Goeridae, Brachycentridae, Sericostomatidae, Helicopsychidae, Beraeidae, Odontoceridae, Calamoceratidae et Molannidae. - *Mém.Soc.Ent.Canada* 125:1-109.
- Scott, K.M.F., On the Hydropsychidae (Trichoptera) of Southern Africa with keys to African genera of imagos, larvae and pupae and species lists. - *Ann.Cape Prov.Mus.(Nat.Hist.)* 14(8):299-422.
- Smock, L.A., The influence of feeding habits on whole-body metal concentrations in aquatic insects. - *Freshw.Biol.* 13:301-311.
- Späh, H., Zur Verbreitung und Ökologie der Makroinvertebratenfauna in Fließgewässern des westlichen Teutoburger Waldes. - *Forsch.ber. des Landes Nordrhein-Westfalen* 3161:1-96.
- Spuris, Z., Pervyj vsesojuznyj trichopterologitsheskij simpozium. - *Latv. PSR Zinatnu Akademijas Vestis* 1983(10):131-132.

1983

- Thorp, J.H., An evaluation of hypotheses on the evolutionary differentiation of caddisflies in net-spinning caddisflies (Hydropsychidae). - *Oikos* 40:308-312.
- Tobias, W., Tobias, D., Ergänzungen zum Verzeichnis der deutschen Köcherfliegen-Arten (Trichoptera), I. - *Ent.Z.(Essen)* 93:172-175.
- Townsend, C.R., Hildrew, A.G., Francis, J., Community structure in some southern English streams: the influence of physicochemical factors. - *Freshw.Biol.* 13:521-544.
- Wallace, I.D., Wallace, B., A revised key to larvae of the genus *Plectrocnemia* (Polycentropodidae: Trichoptera) in Britain, with notes on *Plectrocnemia brevis* McLachlan. - *Freshwat.Biol.* 13:83-87.
- Waltz, R.D., McCafferty, W.P., *Austrotinodes* Schmid (Trichoptera: Psychomyiidae), a first U.S. record from Texas. - *Proc.Ent.Soc.Washington* 85:181-182.
- Weaver, J.S., III, The evolution and classification of Trichoptera, with a revision of the Lepidostomatidae and a North American synopsis of this family. - Ph.D.Diss., Clemson University, Clemson, S.C., XXIII + 411 pp.
- Wells, A., New species in the Australian Hydroptilidae (Trichoptera), with observations on relationships and distribution. - *Aust.J.Zool.* 31:629-649.
- Wichard, W., Köcherfliegen des Dominikanischen Bernsteins. II. Fossile Arten der Gattung *Chimarra* (Trichoptera, Philopotamidae). - *Mitt. Münch.Ent.Ges.* 72:137-145.
- Wichard, W., Köcherfliegen des Dominikanischen Bernsteins. III. *Chimarra succinii* n.sp. (Stuttgarter Bernsteinsammlung: Trichoptera, Philopotamidae). - *Stuttg.Beitr.Naturk., Ser.B* 95:1-8
- Williams, D.D., The Natural History of a nearctic temporary pond in Ontario with remarks on continental variation in such habitats. - *Int.Rev. ges.Hydrobiol.* 68:239-253.
- Wise, K.A.J., Lacewings and aquatic insects of New Zealand. 2. Fauna of the northern offshore islands. - *Rec.Auckland Inst.Mus.* 20:259-271.

1984

- Corkum, L.D., Movements of marsh-dwelling invertebrates. - *Freshw.Biol.* 14:89-94.
- Dudgeon, D., Seasonal and long-term changes in the hydrobiology of the Lam Tsuen River, New Territories, Hongkong, with special reference to benthic macroinvertebrate distribution and abundance. - *Arch. Hydrobiol.Suppl.* 69:55-129.
- Jenkins, R.A., Wade, K.R., Pugh, E., Macroinvertebrate-habitat relationships in the River Teifi catchment and the significance to conservation. - *Freshw.Biol.* 14:23-42.
- Shepard, R.B., The logseries distribution and Mountford's similarity index as a basis for the study of stream benthic community structure. - *Freshwater Biol.* 14:53-71.
- Wright, J.F., Hiley, P.D., Cooling, D.A., Cameron, A.C., Wigham, M.E., Berrie, A.D., The invertebrate fauna of a small chalk stream in Berkshire, England, and the effect of intermittent flow. - *Arch. Hydrobiol.* 99:176-199.

LIST OF RESEARCH WORKERS (addition)

CIRIL KRUSNIK, Dipl.Biol.; Research Assistant.
 Inštitut za biologijo Univerze Edvarda Kardelja v Ljubljani,
 Aškerčeva 12, YU - 61000 Ljubljana, Yugoslavia.
 Present interests: Taxonomy, faunistics and ecology of any caddisflies.
 Cave-dwelling caddisflies. Geographical investigation area: Yugoslavia
 and adjacent regions.
 Willing to identify for other workers: Adults from Yugoslavia.
 Material wanted: Any adult caddisflies from Yugoslavia.
 Information wanted: Any informations dealing with taxonomy of Trichoptera
 from Europe; information about cave-dwelling Trichoptera; Laboratory
 rearing of any groups; light traps.
 Other activities and interests: Aquatic cave zoology.

TRICHOPTEROLOGICAL LITERATURE
 (additions)

1982

- Golubkov, S.M., Vlasova, V.S., Speed of energy exchange and calories
 of body of Trichoptera larva. - Inf.Bjull.Biol.vnutr.Vod. 54:
 29-34. (Russian)
 Stroot, P., Description de la larve d'Agapetus laniger (Pictet) (Trichoptera,
 Glossosomatidae). - Bull.Inst.r.Sci.nat.Belg. 54(5):1-12.

1983

- Howell, D.A., Voshell, J.R., Engebretson, J.A., A gut-marker and food
 entrainment device for evaluating food consumption by net-spinning
 caddisflies. - Freshwat.Invertebr.Biol. 2:204-207.
 Richardson, J.S., Clifford, H.F., Life history and microdistribution of
 Neureclipsis bimaculata (Trichoptera: Polycentropodidae) in lake
 outflow stream of Alberta, Canada. - Can.J.Zool. 61:2434-2445.
 Solem, J.O., Larval and pupal descriptions of Asynarchus contumax McLach-
 lan, 1880 and A.lapponicus Zetterstedt, 1840, with notes on bionomics
 in Centr.Norway (Trichoptera: Limnephilidae). - Ent.scand.
 14:439-451.
 Solem, J.O., Identification of Norwegian genera of limnephilid larvae
 with single-filament gills (Trichoptera: Limnephilidae). - Ent.scand.
 14:457-461.
 Solem, J.O., Identification of the Norwegian larvae of the genus Potamophy-
 lax Wallengren, 1891 (Trichoptera, Limnephilidae), with data
 on life histories, habitats and food in the Kongsvoll area, Dovrefjell
 mountains, Central Norway. - Fauna norv.Ser.B 30:69-76.
 Solem, J.O., Temporary pools in the Dovre mountains, Norway, and their
 fauna of Trichoptera. - Acta Ent.Fenn. 42:82-85.

1984

- Stroot, P., Faunistique et répartition longitudinale des Trichoptères
 dans une rivière salmonicole de basse montagne, en Belgique.
 - Hydrobiologia 108:245-258.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Trichoptera Newsletter](#)

Jahr/Year: 1984

Band/Volume: [11](#)

Autor(en)/Author(s): Anonym

Artikel/Article: [Trichopterological Literature 22-29](#)