

## TRICHOPTEROLOGICAL LITERATURE

1979 (additions)

Hemsworth,R.J., Brooker,M.P., The rate of downstream displacement of macroinvertebrates in the upper Wye, Wales. - Holarct. Ecol.2:130-136.

Obr,S., Fauna jako indikátor zmény prostředí na příkladu oravy. - Práce z oboru botaniky a zoologie(Brno)1978-79:15-23.

1981 (addition)

Tobias,W., Limnephilus eideli n.sp., eine neue Köcherfliegen-Art vom Mindelsee(Trichoptera:Limnephilidae). - Ent.Z.(Stuttgart)91:197-199.

1982(addition)

Juget,J., Roux,A.L., Une lone du Rhône, zone humide en position de lisière dans l'espace et dans le temps. - Bull.Ecol.13: 109-124.

1983(additions)

Burmeister,E., A preliminary study on some groups of insects collected by Spix and Martins during their Brazilian expedition, which were described by Perty and are preserved in the Zoolo-gische Staatssammlung, Munich(ZSM).- Spixiana Suppl.9:265-281.

Elias,S.A., Wilkinson,B., Late glacial insect fossil assemblages from Lobsigensee (Swiss Plateau). Studies in the late Quater-nary of Lobsigensee 3. - Rev.Paléobiol.(Genève) 2:189-204.

Irie,T., Takamatsu,Y., (Aquatic insects in the Amakusa islands). - Calanus/Aitsu Rinkajikken joho 8:1-16 (japanese).

Knöfel,B., Beiträge zur Biologie und Ernährungsbiologie einer carnivoren Insektenlarve, Rhyacophila fasciata Hagen 1859 (Trichoptera, Rhyacophilidae). - Beitr.Naturkunde Osthessen 19:91-134.

Obr,S., Chrostíci (Trichoptera) ulovení na světlo v Českoslo-vensku. - Prace z oboru bot.zool.(Brno)1980-83:77-92.

1984(additions)

Morse,J.C., Holzenthal,R.W., Trichoptera genera. In: Merritt,R.W., Cummins,K.W.(eds.): An introduction to the Aquatic Insects of North America, 2nd edition, pp.312-347. Kendall/Hunt Publ.Co., Dubuque,Iowa, 722pp.

Niederer,R., Zur Insektenfauna von Gersau-Oberholz, Kanton Schwyz: II.Trichoptera(Köcherfliegen). - Ent.Ber.Luzern 11:23-32.

Peckarsky,B.L., Sampling the stream benthos. In:Downing,J.A., Rigler,F.H.(eds.): A manual on methods for the assessment of secondary productivity in fresh waters. 2nd.ed, pp.131-160. Blackwell Sci.Publ.Oxford etc.

Petersen,L.B.-M., Petersen,R.C.,jr., Effect of kraft pulp mill effluent and 4,5,6 trichloroguaiacol on the net spinning behavior of *Hydropsyche angustipennis* (Trichoptera). - Ecol.Bull.(Stockholm) 36:68-74.

Reynolds,J.D., Invertebrates if Irish midlands raised bogs. Part 2. Odonata, aquatic Hemiptera, Trichoptera. - Bull. Ir.Biogeogr.Soc.8:98-102.

Shepard,R.B., Minshall,G.W., Role of benthic insect faeces in a Rocky Mountain stream: fecal production and support of consumer growth. - Holarct.Ecol. 7:119-127.

Späh,H., Beisenherz,W., Die Fischfauna der oberen Hunte. - Inf.Naturschutz Landschaftspflege NW-Dtd.(Wardenburg)4:11-24.

Vaughn,C.C., Ecology of *Helicopsyche borealis*(Hagen)(Trichoptera: Helicopsychidae):Life history and microdistribution. - 103pp., Diss.PhD:Order No.FAD DA84 18594.

## 1985 (additions)

- Boon, P.J., Gastric mill structure and its phylogenetic significance in larval Hydropsychidae (Trichoptera). - Zool. J. Linn. Soc. 84: 301-324.
- Bush, B., Simpson, K.W., Shane, L., Koblitz, R., PCB congener analysis of water and caddisfly larvae (Insecta: Trichoptera) in the upper Hudson River by glass capillary chromatography. - Bull. Environ. Contamin. Toxicol. 34: 96-105.
- Cargill, A.S.II, Cummins, K.W., Hanson, B.J., Lowry, R.R., The role of lipids, fungi, and temperature in the nutrition of a shredder caddisfly, *Clistoronia magnifica*. - Freshw. Invert. Biol. 4: 64-78.
- Cianficconi, F., Corallini Sorcetti, C., Moretti, G.P., Dallai, R., Ultrastructural organization of the rectal pads in adult *Stenophylax permistus* McL. (Trichoptera). - Boll. Zool. 52: 375-391.
- Dallai, R., Moretti, G.P., Cianficconi, F., Corallini Sorcetti, C., Freeze-fracture study of the rectal pads in *Stenophylax permistus* McL. (Trichoptera). - Boll. Zool. 52: 407-420.
- Deutsch, W.G., Swimming modifications of adult female Hydropsychidae compared with other Trichoptera. - Freshw. Invertebr. Biol. 4: 35-40.
- Eisenbeis, G., Wichard, W., Atlas zur Biologie der Bodenarthropoden. 2.22 Ordnung: Trichoptera-Köcherfliegen (Insecta), pp. 356-361. G. Fischer Verlag Stuttgart.
- Faessel, B., Monnier, A., Les Trichoptères. Données biologiques, éthologiques et écologiques. Clés de détermination larvaire des familles et des principaux genres de France. - Bull. Fr. Pêche Piscic. 299: 1-41.
- van Frankenhuyzen, K., Green, G.H., Koivisto, C., Direct and indirect effects of low pH on the transformation of detrital energy by the shredding caddisfly, *Clistoronia magnifica* (Banks) (Limnephilidae). - Can. J. Zool. 63: 2298-2304.
- Gregg, W.W., Rose, F.L., Influences of aquatic macrophytes on invertebrate community structure, guild structure, and microdistribution in streams. - Hydrobiologia 128: 45-56.
- Hacker, H., Dierkschnieder, S., Fetz, R., Pröse, H., Schreier, H.-P., Die nachtaktiven Schmetterlinge (Lepidoptera) und Köcherfliegen (Trichoptera) des Naturschutzgebietes "Lange Rhön" in Unterfranken. - Ber. Naturf. Ges. Bamberg 60: 131-172.
- Hamilton, S.W., The larva and pupa of *Beraea gorteba* Ross (Trichoptera: Beraeidae). - Proc. Ent. Soc. Wash. 87: 783-789.
- Hilsenhoff, W.L., The Brachycentridae (Trichoptera) of Wisconsin. - Great Lakes Ent. 18: 149-154.
- Huryn, A.D., Wallace, J.B., Life history and production of *Goerita semata* Ross (Trichoptera: Limnephilidae) in the southern Appalachian Mountains. - Can. J. Zool. 63: 2604-2611.
- Irvine, J.R., Effects of successive flow perturbations on stream invertebrates. - Can. J. Fish. Aq. Sci. 42: 1922-1927.
- Kelley, R.W., Revision of the micro-caddisfly genus *Oxyethira* (Trichoptera: Hydroptilidae). Part II: Subgenus *Oxyethira*. - Trans. Am. Ent. Soc. 111: 223-253.
- Lamberti, G.A., Resh, V.H., Distribution of benthic algae and macroinvertebrates along a thermal stream gradient. - Hydrobiologia 128: 13-21.
- Neubauer, C.P., Robertson, E.E., A description of the larva and pupa of *Glossosoma nigrior* Banks (Trichoptera: Glossosomatidae). - J. Ent. Sci. 20: 300-304.

1985 (contd.)

- Nógrádi,S.U., Ujhelyi,S., Uherkovich,A., Fundamental faunistic data on caddisflies (Trichoptera) of South Transdanubia, Hungary. - Jan.Pannon.Múz.Evkönyve 29:37-48.
- Ormerod,S.J., Jenkins,R.A., A summary of records of *Lasiocephala basalis* (Kolenati)(Trich.:Sericostomatidae) from the area administered by Welsh Water. - Ent.Rec.J.Var. 97:134-136.
- Parker,C.R., Wiggins,G.B., The nearctic caddisfly genus *Hesperophylax* Banks (Trichoptera:Limnephilidae). - Can.J.Zool. 63:2443-2472.
- Petersen,L.B.-M., Food preferences in three species of *Hydropsyche* (Trichoptera). - Verh.IVL 22:3270-3274.
- Reice,S.R., Experimental disturbance and the maintenance of species diversity in a stream community. - Oecologia 67:90-97.
- Reusch,H., Zur Kenntnis der Köcherfliegenfauna des Niedersächsischen Tieflandes (Insecta, Trichoptera). - Schriftenr.Natursch. Landschaftspfl.Niedersachsen (Hannover) Beih.13:1-31.
- Reusch,H., Limnofaunistische Untersuchungen über die Eintags-, Stein- und Köcherfliegen (Ephemeroptera, Plecoptera, Trichoptera) der Örtze (Niedersächsisches Tiefland). - Jb.naturw.Ver. Fstm.Lbg.(Lüneburg) 37:117-139.
- Rojas-Camousseight,F., Études préliminaires sur l'utilisation des Trichoptères adultes comme descripteurs écologiques. - Thèse, Univ.Claude-Bernard, Lyon, 215pp.
- Rydgård,M., Brodin,Y.W., Nilsson,A.N., Olsson,T.I., Insektsfaunan i en extremt sur sjö i Norrbottens kustland. - Ent.Tidskr. 106:133-138.
- Schmid,F., Review of Canadian Trichoptera: 2: Glossosomatidae and Philopotamidae (Annulipalpia). - Can.Transl.Fish.Aquat.Sci. 5197:1-99. (Translation from Mém.Ent.Soc.Can.122, 1982)
- Sinsabaugh,R.L., Linkins,A.E., Benfield,E.F., Cellulose digestion and assimilation by three leaf-shredding aquatic insects. - Ecology 66:1464-1471.
- Teague,S.A., Knight,A.W., Teague,B.N., Stream microhabitat selectivity, resource partitioning, and niche shifts in grazing caddisfly larvae. - Hydrobiologia 128:3-12.
- Tian Lixin, Li Yuwen, A preliminary survey of caddisflies from Fujian Province, with descriptions of two new species (Order Trichoptera). - Wuyi Science Journal 5:51-58.
- Tokeshi,M., Pinder,L.C.V., Microhabitats of stream invertebrates on two submersed macrophytes with contrasting leaf morphology. - Holarct.Ecol. 8:313-319.
- Tomaszewski,C., Das Problem der Phasengliederung von Evolutionsprozessen. - In: Leben und Evolution. Veröff.F.Schiller Univ. Jena:107-117.
- Towns,D.R., Limnological characteristics of a South Australian intermittent stream, Brown Hill Vreek. - Austr.J.Mar.Freshw. Res. 36:821-837.
- Vaughn,C.C., Evolutionary ecology of case architecture in the snailcase caddisfly, *Helicopsyche borealis*. - Freshw. Invertebr.Biol. 4:178-186.
- Wagner,R., Der Einfluß eines künstlich versandeten Bachbodens auf die qualitative und quantitative Zusammensetzung der Emergenz meromittischer Insekten des Breitenbaches. - Habil.schrift, Univ.Kassel, 89pp.+Tab.,Abb.
- Wichard,W., Köcherfliegen des Dominikanischen Bernsteins. IV. *Antillopsyche oliveri* spec.nov. (Trichoptera, Polycentropodidae). - Stud.Neotrop.Fauna Environm. 20:117-124.

1986 (additions)

- Alstad,D.N., Dietary overlaps and net-spinning caddisfly distributions. - *Oikos* 47:251-252.
- Bagge,P., Anttila,M.E., Zonation of Ephemeroptera, Plecoptera and Trichoptera in the partly acidic and eutrophicated river Kyrönjoki (Western Finland). - Proc.3rd Europ.Congr.Ent. (Amsterdam):67-70.
- Baldock,B.M., Peritrich ciliates epizoic on larvae of *Brachycentrus subnubilus* (Trichoptera): importance in relation to the total protozoan population in streams. - *Hydrobiologia* 131:125-131.
- Bärlocher,F., Porter,C.W., Digestive enzymes and feeding strategies of three stream invertebrates. - *J.N.Am.Benthol.Soc.* 5:58-66.
- Barnard,P.C., Clark,F., The larval morphology and ecology of a new species of *Ecnomus* from Lake Naivasha, Kenya (Trichoptera: Ecnomidae). - *Aquat.Insects* 8:175-183.
- Barnard,P.V., Obituary. - *Ent.Mon.Mag.* :165-175. ((Douglas Eric Kimmings))
- Basaguren,A., de Bikuna,B.G., Cacho,M., Orive,E., Ecology of several populations of insects and crustaceans in four streams of Biscay (Basque Country).- Proc.3rd Europ.Congr.Ent.(Amst.):173.
- Behmer,D.J., Hawkins,C.P., Effects of overhead canopy on macro-invertebrate production in a Utah stream. - *Freshw.Biol.* 16:287-300.
- Benke,A.C., Hunter,R.J., Parrish,F.K., Invertebrate drift dynamics in a subtropical blackwater river. - *J.N.Am.Benthol.Soc.* 5:173-190.
- Boon,P.J., Jupp,B.P., Lee,D.G., The benthic ecology of rivers in the Blue Mountains (Jamaica) prior to construction of a water regulation scheme. - *Arch.Hydrobiol.Suppl.* 74:315-355.
- Botosaneanu,L., Moretti,G.P., *Micrasema setiferum* Pictet (Trichoptera) represented in the Appennines by a new subspecies. - *Bull.Zool.Mus.Amst.* 10:193-196.
- Botosaneanu,L., Cianficconi,F., Moretti,G.P., Autumnal aspects of the caddisfly fauna (Trichoptera) of Sicily, with the description of a remarkable relict species. - *Mitt.Ent.Ges.Basel N.F.* 36:145-154.
- Böttger,K., Zur Bewertung der Fließgewässer aus der Sicht der Biologie und des Naturschutzes unter besonderer Berücksichtigung der Tieflandsbäche. - *Landschaft und Stadt (Stuttgart)*18:77-82.
- Buckland,P.C., Perry,D.W., Gislason,G.M., Dugmore,A.J., The pre-Landnam fauna of Iceland: A palaeontological contribution. - *Boreas* 15:173-184.
- Bueno Soria,J., Estudios en insectos acuaticos VII: Cinco nuevas especies de Trichopteros de Mexico y Costa Rica (Trichoptera: Hydropsychidae). - *Fol.Ent.Mex.* 68:53-65.
- Bunn,S.E., Spatial and temporal variation in the macroinvertebrate fauna of streams of the northern jarrah forest, Western Australia: functional organization. - *Freshw.Biol.* 16:621-632.
- Burkhardt,R., Untersuchungen über die Trichoptera des Vogelberges. 1.Zum Vorkommen und zur Phänologie der Arten. - *Arch.Hydrobiol.Suppl.* 74:226-258.
- Chessman,B.C., Dietary studies of aquatic insects from two Victorian rivers. - *Aust.J.Mar.Freshw.Res.* 37:129-146.
- Cianficconi,F., Zoogeografia. In: De Agostini, Enciclopedia delle scienze, 205:258-280, 206:281-293.
- Cortes,R., Tjarda de Koe, Molles,M., Comparison of the effects of organic versus mineral pollution on the macro-invertebrate communities of two rivers in northern Portugal. - Proc.3rd Europ.Congr.Ent.(Amsterdam):79-82.

1986 (contd.)

- Dewey, S.L., Effects of the herbicide atrazine on aquatic insect community structure and emergence. - *Ecology* 67: 148-162.
- Dopagne, C., Thome, J.-P., Impact de l'altération des eaux et de la pollution par les PCB sur les biocénoses d'Arthropodes aquatiques des bassins de la Haine et de la Scarpe (frontière Franco-Belge). - *Bull. Soc. Ent. Suisse* 59: 1-14.
- Erman, N.A., Movements of self-marked caddisfly larvae, *Chryranda centralis* (Trichoptera: Limnephilidae), in a Sierran spring stream, California, U.S.A. - *Freshw. Biol.* 16: 455-464.
- van Frankenhuyzen, K., Green, G.H., Microbe-mediated effects of low pH on availability of detrital energy to a shredder, *Clistoronia magnifica* (Trichoptera: Limnephilidae). - *Can. J. Zool.* 64: 421-426.
- Gaschignard-Fossati, O., Transversal and temporal distribution of benthic insects in an arm of the Rhône river (France). - *Proc. 3rd Europ. Congr. Ent. (Amsterdam)*: 83-86.
- Giudicelli, J., Legier, P., Musso, J.J., Prevot, G., Impact d'une perturbation polluante d'origine organique sur les populations et les communautés d'invertébrés benthiques et en dérive d'une rivière méditerranéenne, le Tavignano (Corse). - *Ecol. Medit.* 12: 31-61.
- Glapska, G., Chruściki (Trichoptera) rzek lessowego obrzeża Górz Świętokrzyskich. - *Fragn. Faun. (Warszawa)* 30: 25-33.
- González, M.A., Valiela, J., González, T., Observaciones sobre los Tricopteros de la Península Iberica. VII: Sierra Segundera (Noroeste de Espana). - *Trab. Compostelanos Biol.* 13: 109-118.
- Gordon, A.E., Harris, S.C., Lago, P.K., Descriptions of new species of *Cheumatopsyche* (Trichoptera: Hydropsychidae) and the presumed female of *C. helma* Ross from Alabama. - *Fla. Ent.* 69: 314-318.
- Gurtz, M.E., Wallace, J.B., Substratum-production relationships in net-spinning caddisflies (Trichoptera) in disturbed and undisturbed hardwood catchments. - *J. N. Am. Benthol. Soc.* 5: 230-236.
- Hamilton, S.W., Holzenthal, R.W., Two new species of caddisflies from Georgia (Trichoptera: Polycentropodidae, Hydroptilidae). - *Proc. Ent. Soc. Wash.* 88: 163-166.
- Harris, S.C., Hydroptilidae (Trichoptera) of Alabama with descriptions of three new species. - *J. Kansas Ent. Soc.* 59: 609-619.
- Hart, D.D., Do experimental studies of patch use provide evidence of competition in stream insects? - *Oikos* 47: 123-125.
- Hasselrot, A.T., The scraper/grazer community of the upper wind exposed littoral in Lake Erken - a preliminary study. - *Proc. 3rd Europ. Congr. Ent. (Amsterdam)*: 175.
- Higler, L.W.G., Solem, J.O., Key to the larvae of north-west European *Potamophylax* species (Trichoptera, Limnephilidae) with notes on their biology. - *Aquat. Insects* 8: 159-169.
- Hildrew, A.G., Aquatic insects: patterns in life history, environment and community structure. - *Proc. 3rd Europ. Congr. Ent. (Amsterdam)*: 35-45.
- Ito, T., Three lepidostomatid caddisflies from Nepal, with descriptions of two new species (Trichoptera). - *Kontyû* 54: 485-494.
- de Jalón, D.G., Los *Hydropsychidae* (Trichoptera) de la Cuenca del Duero. - *Bol. Asoc. esp. Entom.* 10: 127-138.
- de Jalón, D.G., Tánago, M.G., Barceló, E., Montes, C., Menés, F., Casado, C., Contribución al estudio faunístico de algunas taxocenosis de insectos acuáticos (Ephemeroptera, Plecoptera, Trichoptera, Coleoptera y Heteroptera) del Parque Natural del Lago de Sanabria y Rio Tera (Zamora). - *Actas de las 8 Josuades A e E (Sevilla)* 1: 145-156.

1986 (contd.)

- Joost,W., Klausnitzer,B., Zimmermann,W., Die Sekundärproduktion eines Thüringer Wald-Baches im Ergebnis dreijähriger Emergenz-Untersuchungen. - Limnologia(Berlin) 17:29-52.
- Kelley,R.W., Revision of the micro-caddisfly genus Oxyethira (Trichoptera:Hydroptilidae). Part III:Subgenus Holarctotrichia. - Proc.Ent.Soc.Wash. 88:777-785.
- Klima,F., Ein Beitrag zur Köcherfliegenfauna (Trichoptera) der Mark Brandenburg. - Novius 5:52-58.
- Kotsharina,S.L., Biologija trekh vidov khishtshnykh rutshejnikov primorskogo kraja. - Latv.Ent.29:134-143.
- Kovachev,S.G., Uzunov,Y.I., Formation of macroinvertebrate communities in the course of the biological self-purification of the Mesta River. - Arch.Hydrobiol.Suppl. 72:427-526.
- Kraiem,M.M., Contribution à l'étude hydrobiologique de trois cours d'eau du nord-ouest de la Tunisie. Présentation, physico-chimie et aperçu faunistique. - Bull.Mens.Soc.Linn.Lyon 55:96-104.
- Kumanski,K., A new subspecies of Polycentropus ierapetra Malicky 1972 (Trichoptera, Polycentropodidae). - Reichenbachia 23:185-186.
- Kumanski,K., On Rhyacophila furcifera Klap. and other related species from the stigmatica-group (Trichoptera,Rhyacophilidae) in the Balkan Peninsula. - Acta Zool.Bulg. 31:49-59.
- Mackay,R.J., Waters,T.F., Effects of small impoundments on hydro-psychid caddisfly production in Valley Creek, Minnesota. - Ecology 67:1680-1686.
- Malicky,H., Untersuchung des Holotypus von Cerasma cornuta McLachlan und Beschreibung einer neuen Art (Trichoptera:Sericostomatidae). - Ent.Z.(Essen) 96:233-235.
- Malicky,H., Die Köcherfliegen (Trichoptera) des Iran und Afghanistans. - Z.Arbgem.Öst.Ent. 38:1-16.
- Malicky,H., Trichopterenfunde in der Schweiz, September - Oktober 1986. - Ent.Ber.Luzern 16:147-150.
- Meineke,T., Reusch,H., Köcherfliegenfunde im südlichen Niedersachsen (Insekten, Trichoptera). - Mitt.Fauna Flora Süd-Niedersachsens 8:25-30.
- Menshtshutkina,T.V., Fauna i fenologija ljota rutshejnikov osera bajkal. - Latv.Ent. 29:108-133.
- Mey,W., Dulmaa,A., Die Larve von Asynarchus iteratus McLachlan (Trichoptera, Limnephilidae). - Reichenbachia 23:145-149.
- Mey,W., Die Trichoptera-Emergenz eines Bergbaches im Thüringer Wald. - Abh.Ber.Mus.Nat.Gotha 13:14-20.
- Mey,W., Drei neue Köcherfliegen aus Mittelasien (Trichoptera). - Dt.ent.Z.,N.F. 33:65-70.
- Mey,W., Die Köcherfliegen des Sächsischen Bernsteins (II). (Trichoptera). - Dt.ent.Z.,N.F. 33:241-248.
- Mey,W., Jung,R., Beschreibungen von neuen Köcherfliegen aus Armenien (Insecta, Trichoptera). - Dt.ent.Z.,N.F. 33:269-275.
- Mey,W., Joost,W., Wenig bekannte Köcherfliegen in der DDR (Insecta,Trichoptera), IV. - Ent.Nachr.Ber. 30:101-104.
- Mol,A.W.M., Decrease of insects in running waters in the Netherlands, caused by human impact. - Proc.3rd Europ.Congr.Ent. (Amsterdam):111-114.

1986 (contd.)

- de Moor, F.C., Invertebrates of the Lower Vaal River, with emphasis on the Simuliidae. - In: Davies, B.R., Walker, K.F. (eds.): The ecology of river systems: 135-142. Junk: Dordrecht.
- Morin, A., Harper, P.P., Phénologie et microdistribution des adultes et des larves de Trichoptères filtreurs dans un ruisseau des Basses Laurentides (Québec). - Arch. Hydrobiol. 108: 167-183.
- Moubayed, Z., Recherches sur la faunistique, l'écologie et la zoogéographie de trois réseaux hydrographiques du Liban: L'Assi, le Litani et le Beyrouth. - Thèse, Univ. Paul Sabatier, Toulouse, 496 pp.
- Neboiss, A., Identity of two caddis-fly species described by Brauer and Navás (Trichoptera). - Aquat. Insects 8: 99-104.
- Neboiss, A., Taxonomic changes in caddis-fly species from the south-west Pacific Australian region with descriptions of new species (Insecta: Trichoptera). - Mem. Mus. Vict. 47: 213-223.
- Nimmo, A.P., Preliminary annotated checklist of the Trichoptera (Insecta) of Alaska. - Contr. Nat. Sci. (Victoria B.C., Canada) 5: 1-7
- Nimmo, A.P., The adult Polycentropodidae of Canada and adjacent United States. - Quaest. Ent. 22: 143-252.
- Nógrádi, S.U., New data to the caddisfly fauna of Hungary (Trichoptera). - Fol. Ent. Hung. 47: 135-140.
- O'Connor, J.P., Dowling, C., Notes on some Iranian Trichoptera. - Ent. Gaz. 37: 214-215.
- Oláh, J., Four new Trichoptera from Tanzania. - Fol. Ent. Hung. 47: 141-147.
- Perry, S.A., Perry, W.B., Stanford, J.A., Effects of stream regulation on density, growth, and emergence of two mayflies (Ephemeroptera: Ephemeralidae) and a caddisfly (Trichoptera: Hydropsychidae) in two Rocky Mountain rivers (U.S.A.). - Can. J. Zool. 64: 656-666.
- Petr, T., Zoobenthos of the Volta system. - In: Davies, B.R., Walker, K.F. (eds.): The ecology of river systems: 185-199. Junk, Dordrecht.
- Prevot, R., Prevot, G., Musso, J.J., Les peuplements d'invertébrés benthiques de la Moyenne-Durance. Composition et structure des communautés. - Ecol. Medit. 12: 3-29.
- Resh, V.H., Houp, R.E., Life history of the caddisfly *Dibusia angata* and its association with the red alga *Lemanea australis*. - J. N. Am. Benthol. Soc. 5: 28-40.
- Reusch, H., Erstnachweis von *Orthotrichia tragetti* Mosely 1930 in Deutschland (Trichoptera: Hydroptilidae). - Ent. Z. (Essen) 96: 139-141.
- Richardson, J.S., Phenology and ecology of some Trichoptera in a low-gradient boreal stream. - J. N. Am. Benthol. Soc. 5: 191-199.
- Robinson, C.T., Minshall, G.W., Effects of disturbance frequency on stream benthic community structure in relation to canopy cover and season. - J. N. Am. Benthol. Soc. 5: 237-248.
- Rutherford, J.E., Mackay, R.J., Patterns of pupal mortality in field populations of *Hydropsyche* and *Cheumatopsyche* (Trichoptera: Hydropsychidae). - Freshw. Biol. 16: 337-350.
- Rutherford, J.E., Mortality in reared hydropsychid pupae (Trichoptera: Hydropsychidae). - Hydrobiologia 131: 97-111.
- Rutherford, J.E., Mackay, R.J., Variability in the life-history patterns of four species of *Hydropsyche* (Trichoptera: Hydropsychidae) in southern Ontario streams. - Holarct. Ecol. 9: 149-163.

1986 (contd.)

- Scheffter, P.W., Wiggins, G.B., Unzicker, J.D., A proposal for assignment of *Ceratopsyche* as a subgenus of *Hydropsyche*, with new synonyms and a new species (Trichoptera:Hydropsychidae). - *J.N.Am.Benthol.Soc.* 5:67-84.
- Scheffter, P.W., Wiggins, G.B., A systematic study of nearctic larvae of the *Hydropsyche morosa* group (Trichoptera:Hydropsychidae). - *Life Sci.Misc.Publ.(Royal Ontario Mus.)*, 94pp.
- Schmid, F., Levanidova, I.M., Quelques Trichoptères de l'Extrême-Orient Soviéтиque. - *Can.Ent.* 118:1165-1172.
- Schröder, P., Rhyacophilidae und Glossosomatidae (Trichoptera: Köcherfliegen) in den Fließgewässern um Freiburg i.Br. - *Mitt.bad.Landesver.Naturk.Naturschutz N.F.* 14:95-113.
- Sherk, T., Insect emergence from Findley Lake in the Cascade Mountains of Washington, U.S.A. - *Proc.3rd Europ.Congr.Ent. (Amsterdam)*:139-142.
- Shinn, E.A., Long, G.E., Technique for 3-D analysis of *Cheumatopsyche petiti* (Trichoptera:Hydropsychidae) swarms. - *Environ.Ent.* 15:355-359.
- Sipahiler, F., Some new species of Trichoptera from North Eastern Anatolia. - *Aquat.Insects* 8:115-121.
- Sipahiler, F., Kuzey anadolu bölgeleri Rhyacophila (Trichoptera, Rhyacophilidae) türlerinin sistematik yönünden incelenmesi. - *Doga TU Bio.D.* 10:524-540.
- Stroot, P., Lonitudinal distribution of Hydropsychidae larvae (Trichoptera) in two river systems in Belgium. - *Proc.3rd Europ.Congr.Ent. (Amsterdam)*:147-150.
- Szczęsny, B., Caddisflies (Trichoptera) of running waters in the Polish North Carpathians. - *Acta Zool.Cracov.* 29:501-586.
- Thorp, J.H., Wallace, J.B., Georgian, T.J., Untangling the web of caddisfly evolution and distribution. - *Oikos* 47:253-256.
- Tian Lixin, Li Yuwen, Four new species of the caddisflies on Hengduan Mountain, China. - *J.Nanjing Agric.Univ.* 2:50-54.
- Tobias, D., Die Trichopterenfauna einiger mittelschwedischer Inseln und Schären (Insecta:Trichoptera). - *Fauna Norrlandica* 1:1-34.
- Vaughn, C.C., The role of periphyton abundance and quality in the microdistribution of a stream grazer, *Helicopsyche borealis* (Trichoptera:Helicopsychidae). - *Freshwater Biol.* 16:485-493.
- Vlasova, V.G., Fauna rutshejnikov leningradskoj oblasti. - *Latv.Ent.* 29:85-107.
- Wagner, R., Life-cycles of Trichoptera in Breitenbach (Hesse, FRG). - *Proc.3rd Europ.Congr.Ent. (Amsterdam)*:190.
- Wagner, R., Egg development and life cycle of *Chaetopteryx villosa* (Trichoptera). - *Holarct.Ecol.* 9:294-300.
- Wallace, J.B., Vogel, D.S., Cuffney, T.F., Recovery of a headwater stream from an insecticide-induced community disturbance. - *J.N.Am.Benthol.Soc.* 5:115-126.
- Ward, J.V., Altitudinal zonation in a Rocky Mountain stream. - *Arch.Hydrobiol.Suppl.* 74:133-199.
- Waringer, J.A., A character separating the larvae of *Anabolia furcata* Brauer, 1857 and *Anabolia nervosa* Curtis, 1834 (Trichoptera:Limnephilidae). - *Zool.Anz.* 216:123-127.
- Waringer, J., The larva of *Drusus chrysotus* (Rambur, 1842) (Trichoptera:Limnephilidae:Drusinae) from an Austrian mountain brook. - *Aquat.Insects* 9:21-25.

1986 (contd.)

- Weaver,J.S.III., Morse,J.C., Evolution of feeding and case-making behavior in Trichoptera. - J.N.Am.Benthol.Soc. 5:150-158.
- Wiberg-Larsen,P., Holocentropus insignis Martynov, 1924 and Micrasema setiferum (Pictet, 1834) (Trichoptera) new to Denmark. - Ent.Meddr. 53:53-57.
- Wichard,W., Köcherfliegen des Dominikanischen Bernsteins. V. Palaehydropsyche fossilis gen.n.sp.n. (Trichoptera, Hydropsychidae). - Stud.Neotrop.Fauna Environ. 21:189-195.
- Wichard,W., Köcherfliegen des Baltischen Bernsteins. 1. Marilia altrocki sp.n.(Trichoptera, Odontoceridae) der Bernsteinsammlung Bachofen-Echt. - Mitt.Bayer.Staatsslg.Paläont.hist.Geol. 26:33-40.
- ten Winkel,E.H., Heycoop,M.J., Davids,C., Food and functional responses of Molanna angustata (Trichoptera). - Proc.3rd Europ.Congr.Ent.(Amsterdam):163-166.
- Winterbourn,M.J., Rounick,J.S., Hildrew,A.G., Patterns of carbon resource utilization by benthic invertebrates in two British river systems: a stable carbon isotope study. - Arch.Hydrobiol. 107:349-361.
- Chantaramongkol,P., Malicky,H., Beschreibung von neuen Köcherfliegen (Trichoptera, Insecta) aus Sri Lanka. - Ann.Naturhist. Mus.Wien 88/89 B:511-534.

1987

- Cartwright,D.I., Dean,J.C., Descriptions of the immature stages of Barynema costatum Banks from Australia (Trichoptera: Odontoceridae). - Aquat.Insects 9:27-32.
- Fuller,E.R.; Wiggins,G.B., A new species of Molannodes McL. from Hokkaido, Japan (Trichoptera:Molannidae). - Aquat.Insects 9:39-43.
- Malmqvist,B., Otto,C., The influence of substrate stability on the composition of stream benthos: an experimental study. - Oikos 48:33-38.
- Vinçon,G., Comparaison de la faune benthique des vallées d'Aure et d'Ossau, en vue de l'élaboration d'une méthodologie de surveillance des cours d'eau de montagne. - Thèse, Université Paul Sabatier, Toulouse, 381pp.

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Trichoptera Newsletter](#)

Jahr/Year: 1987

Band/Volume: [14](#)

Autor(en)/Author(s): Anonym

Artikel/Article: [Trichopterological Literature 38-46](#)