

- J.SCHORSCHER (F): Assessing the importance of Cheumatopsyche larvae as predators of *Simulium damnosum*, vector of river blindness in W.Africa.
- T.SHERK, G.RAU (U.S.A.): Emergence of Trichoptera from Findley Lake and two ponds in the coniferous forest of the Cascade Mountains, USA.
- G.SPINELLI BATTA, G.P.MORETTI (I): The somatometric characteristics in the pupal stage of *Mystacides longicornis* L. of Lake Piediluco (Central Appennines).
- I.SUKACHEVA (USSR): Historical development of the order Trichoptera.
- S.CZACHOROWSKI, W.SZCZEPANSKA (PL): Small temporary pools north-eastern Poland and their Trichoptera fauna. *
- F.ROJAS-CAMOUSSEIGHT (Chile), P.USSEGGLIO-POLATERA, H.TACHET, M.BOURNAUD (F): The female genitalia of some species of *Hydropsyche* (Hydropsychidae).
- TIAN LI-XIN (PR China): A review of the Chinese genus *Stenopsyche*.
- A.UHERKOVICH, S.NÓGRÁDI (H): Provisional check list of the Hungarian caddisflies (Trichoptera).
- G.VAN URK, F.C.M.KERKUM, A.BIJ DE VAATE (NL): Caddis flies of the Lower Rhine.
- T.S.VSHIVKOVA (USSR): Longitudinal distribution of the Trichoptera in a salmon river of the South Primorye. *
- I.M.LEVANDOVA, T.S.VSHIVKOVA (USSR): Introduction to the Trichoptera fauna of the Soviet Far East and preliminary list of genera.
- R.H.WAGNER (D): Life cycles of some autumn emerging caddis flies.
- J.S.WEAVER III (USA): A preliminary report on a world revision of the Lepidostomatidae.
- A.WELLS (AUS): The micro-caddisflies (Hydroptilidae) of the Malay Archipelago: a preliminary report.
- W.WICHARD (D): The evolutionary effect of the osmoregulation in Trichoptera.
- G.B.WIGGINS (Canada): Phylogeny of pupation in Trichoptera, with proposals on the origin and higher classification of the order.
- G.B.WIGGINS (Canada): Metamorphotypes in the caddisfly genus *Phanocelia* from 1200 years ago (Trichoptera: Limnephilidae). *
- N.E.WILLIAMS, C.C.JANUSZCAK, D.D.WILLIAMS (Canada): Habitat and resource partitioning amongst caddisfly larvae in a coldwater spring. *
- N.E.WILLIAMS (Canada): Interactions between northern environments and caddisflies has indicated by Southern Alaskan fossils from the last 150.000 years.
- * ... Poster

TRICHOPTEROLOGICAL LITERATURE (Additions)

- Bunn, S.E., 1988, Life histories of some benthic invertebrates from streams of the Northern Jarrah Forest, Western Australia. - Aust.J.Mar. Freshw.Res. 39:785-804.
- Hauer, F.R.; Stanford, J.A., 1986, Ecology and coexistence of two species of *Brachycentrus* in a Rocky Mountain river. - Can.J.Zool.64:1469-1474.
- Malicky, H.; Chantaramongkol, P., 1989, Einige Rhyacophilidae aus Thailand. - Ent.Z.(Essen) 99:17-24.
- Malicky, H., 1989, Odontoceridae aus Thailand. - Opusc.zool.flumin.36:1-16.
- Snoot, P.; Tachet, H.; Dolédec, S., 1988, Les larves d'*Ecnomus tenellus* et *d'E.deceptor* (Trichoptera, Ecnomidae): Identification, distribution, biologie et écologie. - Bijdr.Dierk. 58:259-269.
- Szczesny, B., 1987, Ecological characteristics of caddis flies (Trichoptera) of streams in the Gorce Mts (Southern Poland). - Acta hydrobiol. (Kraków) 29:429-442.
- Malicky, H., 1987, Anflugdistanz und Fallenfangbarkeit von Köcherfliegen (Trichoptera) bei Lichtfallen. - Acta Biol. Debrecina 19:107-129.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Trichoptera Newsletter](#)

Jahr/Year: 1989

Band/Volume: [16](#)

Autor(en)/Author(s): Anonym

Artikel/Article: [Trichopterological Literature \(Additions\) 12](#)