

Scientific publications by Fritz SCHIEMER

Compiled by Georg SCHIEMER & Lucie SCHIEMER

1965

SCHIEMER F., 1965: Diagnose von *Enchodelus microdorus* n. sp. (Nematodes, Dorylaimidae). Zool. Anz. 175, 413–415.

SCHIEMER F., 1965: Über einige Funde der Gattung *Monhystrella* (Nematoda, Monhysterinae) in binnenländischen, athalassohalinen Salzwässern. Wiss. Arb. Burgenland 34, 59–66.

1966

SCHIEMER F. & FARAHAT A., 1966: Redoxpotential und Sauerstoffverbrauch von Böden einiger Salzwässer im Gebiet des Neusiedler Sees. Sitz.-Ber. Österr. Akad. Wiss. Math.-Naturwiss. Kl. 175, 143–157.

1967

SCHIEMER F., 1967: Ein Beitrag zur Ökologie des submersen Phytals eines oligotrophen Sees unter besonderer Berücksichtigung der Nematoden und Chironomiden. Diss. Philosoph. Fak. Univ. Wien, 196 pp.

1968

SCHIEMER F., 1968: Die Generationsentwicklung einiger Chironomiden im Litoral des Lunzer Untersees. Ann. Zool. Fenn. 5, 126.

1969

SCHIEMER F., LÖFFLER H. & DOLLFUSS H., 1969: The benthic communities of Neusiedlersee. Verh. Int. Ver. Theoret. Angew. Limnol. 17, 201–208.

1970

SCHIEMER F., 1970: Das Benthos des Neusiedlersees unter besonderer Berücksichtigung der Nematoden. Hidrologiai Tajekoztato 10, 159–161.

1971

SCHIEMER F., 1971: Diagnose von *Tobrilus findeneggi* n. sp. mit Bemerkungen zur Gattung *Tobrilus* (Nematoda). Carinthia Sonderh. 31, 147–157.

1972

SCHIEMER F., 1972: Substratverhältnisse und Faunenverteilung im Profundal. Arbeitsbericht der limnologischen Exkursion Klopeiner See 1971. Carinthia II 162/82, 259–262.

SCHIEMER F. & WEISSER P., 1972: Die Verteilung der submersen Makrophyten in der schilffreien Zone des Neusiedler Sees. Sitz.-Ber. Österr. Akad. Wiss. Math.-Naturwiss. Kl. 180, 87–97.

1973

OTT J. & SCHIEMER F., 1973: Respiration and anaerobiosis of free living nematodes from marine and limnic sediments. *Neth. J. Sea Res.* 7, 233–243.

SCHIEMER F., 1973: Respiration rates of two species of gnathostomulids. *Oecologia* 13, 403–406.

SCHIEMER F., 1973: Substratverhältnisse und Faunenverteilung im Profundal. Arbeitsbericht über die limnologische Exkursion 1972 zum Längsee. *Carinthia II* 163/83, 362–365.

1974

DUNCAN A., SCHIEMER F. & KLEKOWSKI R., 1974: A preliminary study of feeding rates on bacterial food by adult females of a benthic nematode, *Plectus palustris* De Man 1880. *Pol. Arch. Hydrobiol.* 21, 249–255.

SCHIEMER F., 1974: Die Gefährdung von Gewässern. *Österr. Hochschulzeitung*, 15.12.1974, Sondernummer: Forschungen zum Umweltschutz, 2–3.

SCHIEMER F., 1974: Tiere des Seebodens - das Benthos. In LÖFFLER H. (ed.): *Der Neusiedlersee, Naturgeschichte eines Steppensees*. Molden Wien, 102–105.

SCHIEMER F. & IMHOF G., 1974: Nahrungsketten und Energiefluss im Neusiedlersee. -In LÖFFLER H. (ed.): *Der Neusiedlersee, Naturgeschichte eines Steppensees*. Molden, Wien, 140–146.

SCHIEMER F. & DUNCAN A., 1974: The oxygen consumption of a freshwater benthic nematode, *Tobrilus gracilis* (Bastian). *Oecologia* 15, 121–126.

WIESER W., OTT J., SCHIEMER F. & GNAIGER E., 1974: An ecophysiological study of some meiofauna species inhabiting a sandy beach at Bermuda. *Mar. Biol.* 26, 235–248.

1975

SCHIEMER F., 1975: Nematodes. In CURDS C.R. & HAWKES H.A. (eds.): *Ecological aspects of used-water treatment*. Academic Press, New York, 269–288.

SCHIEMER F., DOLEZAL E., GNAIGER E. & JANTSCH A., 1975: Beobachtungen über Verteilung, tageszeitlichen Wanderungen und Nahrungsaufnahmeraten von *Chaoborus flavicans* (Meigen) im Goggausee.- *Carinthia II* 165/85, 184–189. Observations on the distribution, daytime migrations and daily food intake rates of *Chaoborus flavicans* (Meigen) in the Goggausee (Translation by Freshwater Biological Association).

1976

SCHIEMER F. & PROSSER M., 1976: Distribution and biomass of submerged macrophytes in Neusiedlersee. *Aquat. Bot.* 2, 289–307.

1977

WIESER W. & SCHIEMER F., 1977: The ecophysiology of some marine nematode from Bermuda: Seasonal aspects. *J. Exp. Mar. Biol. Ecol.* 26, 97–106.

1978

SCHIEMER F., 1978: Verteilung und Systematik der freilebenden Nematoden des Neusiedler-sees. *Hydrobiologia* 58, 167–194.

SCHIEMER F., 1978: Vegetationsveränderungen im Neusiedlersee. Österr. Wasserwirtsch. 30, 252–253.

SCHIEMER F., 1978: A contribution to the phenology of chironomids of Neusiedlersee. Acta Univ. Carol. Biol., 217–226.

1979

KLEKOWSKI R., SCHIEMER F. & DUNCAN A., 1979: A bioenergetic study of a benthic nematode, *Plectus palustris* de Man 1880, throughout its life cycle. I. The respiratory metabolism at different densities of bacterial food. Oecologia 44, 119–124.

SCHIEMER F., 1979: Submerged macrophytes in the open lake. In LÖFFLER H. (ed.): Neusiedlersee: The limnology of a shallow lake in Central Europe. Junk, The Hague, 235–250.

SCHIEMER F., 1979: The benthic community of the open lake. In LÖFFLER H. (ed.): Neusiedlersee: The limnology of a shallow lake in Central Europe. Junk, The Hague, 337–384.

1980

KAJAK Z., BRETSCCHKO G., SCHIEMER F. & LEVEQUE C., 1980: Zoobenthos. In LE CREN E.D. & LOWE MCCONNELL R. (eds.): The functioning of freshwater ecosystems. Cambridge Univ. Press Cambridge, 285–307.

KLEKOWSKI R., SCHIEMER F. & DUNCAN A., 1980: Ampulla gradient diver microrespirometry. Ekol. Polska 28, 675–683.

SCHIEMER F., DUNCAN A. & KLEKOWSKI R., 1980: A bioenergetic study of a benthic nematode, *Plectus palustris* de Man 1880, throughout its life cycle. II. Growth, fecundity and energy budgets at different densities of bacterial food and general ecological considerations. Oecologia 44, 205–212.

1981

HOFER R. & SCHIEMER F., 1981: Proteolytic activity in the digestive tract of several species of fish with different feeding habits. Oecologia 48, 342–345.

SCHIEMER F., 1981: Parakrama Samudra Limnology Project - an interim review. Verh. Int. Ver. Theoret. Angew. Limnol. 21, 993–999.

1982

SCHIEMER F., 1982: Food dependence and energetics of freelifving Nematodes. I. Respiration, growth and reproduction of *Caenorhabditis briggsae* (Nematoda) at different levels of food supply. Oecologia 54, 108–121.

SCHIEMER F., 1982: Food dependence and energetics of freelifving nematodes. II. Life history parameters of *Caenorhabditis briggsae* (Nematoda) at different levels of food supply. Oecologia 54, 122–128.

SCHIEMER F., BOBEK M., GLUDOVATZ P., LÖSCHENKOHL A., ZWEIMÜLLER I. & MARTINETZ M., 1982: Trophische Interaktionen im Pelagial des Hafnersees, Kärnten. Sitz. Ber. Österr. Akad. Wiss. Math. Naturwiss. Kl. 191, 209–230.

1983

SCHIEMER F., 1983: Comparative aspects of food dependence and energetics of freelifving nematodes. Oikos 41, 32–42.

SCHIEMER F., 1983: The Parakrama Samudra Limnology Project - scope and objectives. In SCHIEMER F. (ed.): Limnology of Parakrama Samudra, Sri Lanka: a case study of an ancient man-made lake in the tropics. Dev. Hydrobiol. Junk, The Hague 12, 1–19.

SCHIEMER F. & HOFER R., 1983: A contribution to the ecology of the fish fauna of the Parakrama Samudra Reservoir. In SCHIEMER F. (ed.): Limnology of Parakrama Samudra - Sri Lanka: a case study of an ancient man-made lake in the tropics. Dev. Hydrobiol. Junk, The Hague 12, 135–154.

HOFER R. & SCHIEMER F., 1983: Feeding ecology, assimilation efficiencies and energetics of two herbivorous fish: *Sarotherodon* (*Tilapia*) *mossambicus* (Peters) and *Puntius filamentosus* (Cuv. & Val.). In SCHIEMER F. (ed.): Limnology of Parakrama Samudra, Sri Lanka: a case study of an ancient man-made lake in the tropics. Dev. Hydrobiol. Junk, The Hague 12, 155–165.

SCHIEMER F. & DUNCAN A., 1983: The Parakrama Samudra Limnology Project - a summary of main results. In SCHIEMER F. (ed.): Limnology of Parakrama Samudra, Sri Lanka: a case study of an ancient man-made lake in the tropics. Dev. Hydrobiol. Junk, The Hague 12, 201–209.

SCHIEMER F., JENSEN P. & RIEMANN F., 1983: Systematics and ecology of freelifving nematodes of the Bothnian Bay. Ann. Zool. Fenn. 20, 277–291.

1984

SCHIEMER F., 1984: *Theristus franzbergeri* n. sp., a groundwater nematode of marine origin from the Danube. Arch. Hydrobiol. 101, 259–263.

1985

SCHIEMER F., 1985: Bioenergetic niche differentiation of aquatic invertebrates. Verh. Int. Ver. Theoret. Angew. Limnol. 22, 3014–3018.

SCHIEMER F., 1985: Die Bedeutung von Augewässern als Schutzzonen für die Fischfauna. Österr. Wasserwirtsch. 37, 239–245.

1986

SCHIEMER F., 1986: Fischereiliche Bestandsaufnahmen im Bereich des Unterwassers der geplanten Staustufe Wien. Studie im Auftrag der Stadt Wien. Eigenverlag, 105 pp.

SCHIEMER F., 1986: Konzeption und Problematik von Audotationen aus limnologischer Sicht. Landschaftswasserbau 8, 101–116.

SCHIEMER F., ZWEIMÜLLER I., MUMUMBA R. & KATHIRAVELU S., 1986: Zur Verteilung und Ernährungsbiologie der Massenfischarten des Wallerseees (Flussbarsch, Laube, Rotauge). Stud. Forsch. Salzburg 2, 415–420.

1987

BOBEK M. & SCHIEMER F., 1987: Der Einsatz eines neuen Echolotes in der Fisch-Ökologie. Österr. Fisch. 40, 119–127.

SCHIEMER F., 1987: Endangered fish species of the Danube river system in Austria. In BIRO P. & PINTER K. (eds.): Fish, fisheries and natural waters. Verh. XXIX Georgikon days, Agrartudományi Egyetem Keszthely, 42–53.

FILKA H., VOCKNER W. & SCHIEMER F., 1987: Spatial distribution and feeding ecology of bleak and roach in an eutrophic lake (Wallersee, Austria). In BIRO P. & PINTER K. (eds.): Fish, fisheries and natural waters. Verh. XXIX Georgikon days, Agrartudományi Egyetem Keszthely, 102–114.

KECKEIS H., WANZENBÖCK J., WURZIAN S. & SCHIEMER F., 1987: Trophic ecology and bio-energetics of 0+ Cyprinidae. In BIRO P. & PINTER K. (eds.): Fish, fisheries and natural waters. Verh. XXIX Georgikon days, Agrartudományi Egyetem Keszthely, 142–161.

SPINDLER T. & SCHIEMER F., 1987: The ecology of fish fry in the Danube. In BIRO P. & PINTER K. (eds.): Fish, fisheries and natural waters. Verh. XXIX Georgikon days, Agrartudományi Egyetem Keszthely, 190–199.

SCHIEMER F., 1987: NEMATODA. In PANDIAN T.J. & VERNBERG F.J. (eds.): Animal Energetics. Academic Press, London, 185–215.

SCHIEMER F., WAGNER K., SCHRATT L., 1987: Limnologische Kriterien für die Gestaltung und das Management des geplanten Nationalparks Donau-Auen. Gutachten Nationalparkplanung Donau-Auen.

1988

DUNCAN A. & SCHIEMER F., 1988: Fish pressures on ecosystems: dynamic, holistic indices. -In DE SILVA S. (ed.): Reservoir fishery management and development in Asia. Proceedings series, Internat. Development Research Centre, Ottawa, 176–182.

SCHIEMER F. & DUNCAN A., 1988: The significance of the ecosystem approach for reservoir management. In DE SILVA S. (ed.): Reservoir fishery management and development in Asia. Proceedings series, Internat. Development Research Centre, Ottawa, 183–194.

SCHIEMER F., 1988: Gefährdete Cypriniden - Indikatoren für ökologische Intaktheit von Flußsystemen. Nat. Landsch. 63, 370–373.

WIESER W., FORSTNER H., SCHIEMER F. & MARK W., 1988: Growth rates and growth efficiencies in larvae and juveniles of *Rutilus rutilus* and other cyprinid species: effects of temperature and food in the laboratory and in the field. Can. J. Fish. Aquat. Sci. 45, 943–950.

1989

SCHIEMER F., KECKEIS H. & WANZENBÖCK J., 1989: Foraging in cyprinids during early development. Pol. Arch. Hydrobiol. 36, 467–474.

SCHIEMER F. & SPINDLER T., 1989: Endangered fish species of the Danube river in Austria. Regul. Rivers: Res. Managem. 4, 397–407.

SCHIEMER F., 1989: Bedeutung der Uferstruktur von Fluss und Nebenarmen für die charakteristische Fischfauna der Donau. Nationalparkplanung Donau-Auen. 84 pp.

WANZENBÖCK J. & SCHIEMER F., 1989: Prey detection in cyprinids during early development. Can. J. Fish. Aquat. Sci. 46, 995–1001.

1990

KECKEIS H. & SCHIEMER F., 1990: Consumption growth and respiration of bleak, *Alburnus alburnus* (L.), and roach, *Rutilus rutilus* (L.), during early ontogeny. J. Fish Biol. 36, 841–851.

SCHIEMER F., NOVAK R. & OTT J., 1990: Metabolic studies on thiobiotic free-living nematodes and their symbiotic microorganisms. *Mar. Biol.* 106, 129–137.

1991

OTT J.A., NOVAK R., SCHIEMER F., HENTSCHEL U., NEBELSICK M. & POLZ M., 1991: Tackling the Sulfide Gradient: A Novel Strategy Involving Marine Nematodes and Chemoautotrophic Ectosymbionts. *Mar. Ecol.* 12, 261–279.

SCHIEMER F., 1991: Fische der Donau - ihre Ökologie und Gefährdung. *DATZ* 44, 114–119.

SCHIEMER F., 1991: Fische der Donau - ihre Ökologie und Gefährdung. In *Internationales Symposium für Vivaristik, Dokumentation*, 77–80.

SCHIEMER F., 1991: Aquatische Ökosysteme: Funktionelle Gesichtspunkte und Regelmechanismen. *Landschaftswasserbau. UVP in Wasserwirtschaft und Wasserbau* 11, 163–175.

SCHIEMER F., 1991: Studienförderung Dritte Welt. *Österr. Entwicklungspolitik, Sonderh.* 1991, 36–37.

SCHIEMER F., 1991: Fish fauna in the Austrian Danube: aspects of conservation in the ecotone concept. In ZALEWSKI M., THORPE J.E. & GAUDIN P. (eds.): *Fish and Land/Inland-water Ecotones*. UNESCO MAB, 21–24.

SCHIEMER F., SPINDLER T., WINTERSBERGER H., SCHNEIDER A. & CHOVANEC A., 1991: Fish fry associations: Important indicators for the ecological status of large rivers. *Verh. Int. Ver. Theoret. Angew. Limnol.* 24, 2497–2500.

1992

IMHOF G., SCHIEMER F. & JANAUER G.A., 1992: Dotation Lobau - Begleitendes ökologisches Versuchsprogramm. *Österr. Wasserwirtsch.* 44, 289–299.

SCHIEMER F., POKORNY J., GÄTZ N., POSPISIL P. & DIRRY C., 1992: Limnologische Gesichtspunkte bei der Beurteilung von Augewässerdotationen. *Österr. Wasserwirtsch.* 44, 300–307.

KECKEIS H. & SCHIEMER F., 1992: Food consumption and growth of larvae and juveniles of three cyprinid species at different food levels. *Environ. Biol. Fish.* 33, 33–45.

SCHIEMER F., 1992: Die Uferzonen von Gewässern. In FRANZ H. (ed.): *Gewässer. Veröff. Komm. Humanökologie Österr. Akad. Wiss.* 4, 105–118.

SCHIEMER F. & WAIDBACHER H., 1992: Strategies for conservation of a Danubian fish fauna. In BOON P.J., CALOW P. & PETTS G.J. (eds.): *River Conservation and Management*, J. Wiley & Sons, Chichester, 363–382.

SCHIEMER F. & WIESER W., 1992: Epilogue: food and feeding, ecomorphology, energy assimilation and conversion in cyprinids. *Environ. Biol. Fish.* 33, 223–227.

SCHIEMER F. & ZALEWSKI M., 1992: The importance of riparian ecotones for diversity and productivity of riverine fish communities. *Neth. J. Zool.* 42, 323–335.

ZAUNER G. & SCHIEMER F., 1992: Auswirkungen der Schifffahrt auf die Fischfauna – aufgezeigt am Beispiel der österreichischen Donau. *Landschaftswasserbau 14: Schifffahrt und Umwelt*. TU Wien und ÖGNU, 135–149.

1993

DUNCAN A., GUNATILAKA A. & SCHIEMER F., 1993: Limnological Aspects of Landscape Management in Sri Lanka. In ERDELEN W., PREU C., ISHWARAN N. & MADDUMA BANDARA C.M. (eds.): Ecology and Landscape Management in Sri Lanka. Conflict or Compromise? Proc. Internat. and Interdisciplinary Symp. Ecology and Landscape Management in Sri Lanka, Margraf Sci. Books, 381–395.

HANNA N.S. & SCHIEMER F., 1993: The seasonality of zooplanktivorous fish in an African reservoir (Gebel Aulia Reservoir, White Nile, Sudan). 1. Limnological cycle and the fish community dynamics. *Hydrobiologia* 250, 173–186.

HANNA N.S. & SCHIEMER F., 1993: The seasonality of zooplanktivorous fish in an African reservoir (Gebel Aulia Reservoir, White Nile, Sudan). 2. Spatial distribution and resource partitioning in zooplanktivorous fish assemblages. *Hydrobiologia* 250, 187–199.

1994

BRUESS F., RASCHAUER B. & SCHIEMER F., 1994: Die ökologischen Auswirkungen des Binnenmarktes auf Österreich: Zusammenfassende Ergebnisse der interdisziplinären Studie. Studie im Auftrag des BM für Jugend Umwelt und Familie.

HEILER G., HEIN T. & SCHIEMER F., 1994: The significance of hydrological connectivity for limnological processes in Danubian backwaters. *Verh. Int. Ver. Theoret. Angew. Limnol.* 25. 1674–1679.

SCHIEMER F., 1994: Monitoring of floodplains: Limnological indicators. In AUBRECHT G., DICK G. & PRENTICE C. (eds.): Monitoring of Ecological Change in Wetlands of Middle Europe. Proc. Internat. Workshop 1993. Stapfia 31 & IWRB Publication 30, 95–108.

SCHIEMER F. & JANAUER G.A., 1994: Monitoring rivers and floodplains. In AUBRECHT G., DICK G. & PRENTICE C. (eds.): Monitoring of Ecological Change in Wetlands of Middle Europe. Proc. Internat. Workshop 1993. Stapfia 31 & IWRB Publication 30, 93–94.

SCHIEMER F. & WAIDBACHER H., 1994: Naturschutzerfordernisse zur Erhaltung einer typischen Donau-Fischfauna. In KINZELBACH R. (ed.): *Limnologie aktuell*, G. Fischer Verl., Stuttgart, New York 2, 247–265.

ZAUNER G. & SCHIEMER F., 1994: Auswirkungen der Schifffahrt auf die Fischfauna großer Fließgewässer. *Wiss. Mitt. Niederösterreich. Landesmuseum* 8, 271–285.

1995

HEILER G., HEIN T., SCHIEMER F. & BORNETTE G., 1995: Hydrological connectivity and flood pulses as the central aspect for the integrity of a river-floodplain system. *Regul. Rivers: Res. Managem.* 11, 351–361.

SCHIEMER F., 1995: Bottom Up vs. Top Down control in tropical reservoir management. In TIMOTIUS K.H. & GÖLTENBOTH F. (eds.): *Tropical Limnology 1*, Satya Wacana Univ. Press, 1–11

SCHIEMER F., 1995: Revitalisierungsmaßnahmen für Augewässer - Möglichkeiten und Grenzen. *Arch. Hydrobiol. Suppl.* 101 (Large Rivers 9), 383–398.

SCHIEMER F., 1995: Struktur und Dynamik als Voraussetzung für eine gesunde Au. *Perpektiven* 6/7, 42–47.

SCHIEMER F., ZALEWSKI M. & THORPE J.E., 1995: Land/Inland water ecotones: intermediate habitats critical for conservation and management. *Hydrobiologia* 303, 259–264.

1996

HEIN T., SCHAGERL M., HEILER G. & SCHIEMER F., 1996: Chlorophyll-a and hydrochemical dynamics in a backwater system of the Danube, controlled by hydrology. *Arch. Hydrobiol. Suppl.* 113 (Large Rivers 10), 463–470.

KECKEIS H., FRANKIEWICZ P. & SCHIEMER F., 1996: The importance of inshore areas for spawning nase *Chondrostoma nasus* (Cyprinidae) in a free-flowing section of a large river (Danube, Austria). *Arch. Hydrobiol. Suppl.* 113 (Large Rivers 10), 51–64.

RECKENDORFER W., KECKEIS H., WINKLER G. & SCHIEMER F., 1996: Water level fluctuations as a major determinant of chironomid community structure in the inshore zone of a large temperate river. *Arch. Hydrobiol. Suppl.* 115 (Large Rivers 11), 3–9.

SCHIEMER F., 1996: Significance of filter-feeding fish in tropical freshwaters. In SCHIEMER F. & BOLAND K.T. (eds.): *Perspectives in Tropical Limnology*, SPB Acad. Publ., Amsterdam, 65–76.

1997

FRANKIEWICZ P., ZALEWSKI M., SCHIEMER F. & DABROWSKI K., 1997: Vertical distribution of planktivorous 0+ pikeperch, *Stizostedion lucioperca* (L.), in relation to particular or filter feeding. *Fish. Managem. Ecol.* 4, 93–101.

KECKEIS H., WINKLER G., FLORE L., RECKENDORFER W. & SCHIEMER F., 1997: Spatial and seasonal characteristics of 0+ fish nursery habitats of nase, *Chondrostoma nasus*, in the river Danube, Austria. *Folia Zool.* 46, 133–150.

MORAVEC F., KONECNY R., BASKA F., RYDLO M., SCHOLZ T., MOLNAR K. & SCHIEMER F., 1997: Endohelminth fauna of barbel, *Barbus barbus* (L.), under ecological conditions of the Danube basin in Central Europe. *Academia Studie* 3/1997, 96 pp. Praha.

SCHABUSS M., KONECNY R., BELPAIRE C. & SCHIEMER F., 1997: Endoparasitic heminths of the European eel, *Anguilla anguilla*, from four disconnected meanders from the rivers Leie and Scheldt in western Flanders, Belgium. *Folia Parasitol.* 44, 12–18.

TOCKNER K. & SCHIEMER F., 1997: Ecological aspects of the restoration strategy for a river- floodplain system on the Danube river in Austria. *Global Ecol. Biogeogr. Lett.* 6, 321–329.

SCHIEMER F., TOCKNER K. & BAUMGARTNER C., 1997: Restaurierungsmöglichkeiten von Flußauen: Das Donau-Restaurierungsprogramm bei Regelsbrunn. *Schriftreihe des Bundesamtes für Wasserwirtschaft* 4, 206–224

WINKLER G., KECKEIS H., RECKENDORFER W. & SCHIEMER F., 1997: Temporal and spatial dynamics of 0+ *Chondostroma nasus* at the inshore zone of a large river. *Folia Zool.* 46, 151–168.

1998

OTT J.A., BRIGHT M. & SCHIEMER F., 1998: The ecology of a novel symbiosis between a marine peritrich ciliate and chemoautotrophic bacteria. *PSZN: Mar. Ecol.* 19, 229–243.

SCHIEMER F. & WAIDBACHER H., 1998: Zur Ökologie großer Fließgewässer am Beispiel der Fischfauna der österreichischen Donau. *Stapfia* 52, 7–22.

TOCKNER K., SCHIEMER F. & WARD, J.V., 1998: Conservation by restoration: the management concept for a river-floodplain system of the Danube River in Austria. *Aquat. Conserv. Mar. Freshw. Ecosyst.* 8, 71–86.

TOCKNER K., SCHIEMER F. & WARD J.V., 1998: The Restoration concept for a river-floodplain system on the Danube River in Austria. In HANSEN H.O. & MADSEN B.L. (eds.): *River Restoration 1996, Session Lecture Proceedings*. National Environ. Research Inst., Ministry of Environment and Energy, Denmark, 199–204.

1999

HEIN T., BARANYI C., HEILER G., HOLAREK C., RIEDLER P. & SCHIEMER F., 1999: Hydrology as a major factor determining plankton development in two floodplain segments and the River Danube. *Arch. Hydrobiol. Suppl.* 115 (Large Rivers 11), 439–452.

RECKENDORFER W., KECKEIS H., WINKLER G. & SCHIEMER F., 1999: Zooplankton abundance in the River Danube, Austria: the significance of inshore retention. *Freshw. Biol.* 41, 583–591.

SCHIEMER F., 1999: Conservation of biodiversity in floodplain rivers. *Arch. Hydrobiol. Suppl.* 115 (Large Rivers 11), 423–438.

SCHIEMER F., 1999: Restaurierungsmöglichkeiten von Flußauen am Beispiel der Donau. *Bayer. Akad. Natursch. Landschaftspfl., Laufener Seminarbeitr.* 4/99, 113–127.

SCHIEMER F., BAUMGARTNER Ch. & TOCKNER K., 1999: Restoration of floodplain rivers: the Danube restoration project. *Regul. Rivers: Res. Managem.* 15, 231–244.

TOCKNER K., SCHIEMER F., BAUMGARTNER Ch., KUM G., WEIGAND E., ZWEIMÜLLER I. & WARD J.V., 1999: The Danube restoration project: species diversity patterns across connectivity gradients in the floodplain system. *Regul. Rivers: Res. Managem.* 15, 245–258.

HEIN T., HEILER G., PENNETZDORFER D., RIEDLER P., SCHAGERL M. & SCHIEMER F., 1999: The Danube restoration project: functional aspects and planktonic productivity in the floodplain system. *Regul. Rivers: Res. Managem.* 15, 259–270.

TOCKNER K., PENNETZDORFER D., REINER N., SCHIEMER F. & WARD J.V., 1999: Hydrological connectivity and the exchange of organic matter and nutrients in a dynamic river-floodplain system (Danube, Austria). *Freshw. Biol.* 41, 521–535.

WARD J.V., TOCKNER K. & SCHIEMER F., 1999: Biodiversity of floodplain river ecosystems: ecotones and connectivity. *Regul. Rivers: Res. Managem.* 15, 125–139.

2000

CHOVANEC A., SCHIEMER F., CABELA A., GRESSLER S., GROTZER C., PASCHER K., RAAB R., TEUFL H. & WIMMER R., 2000: Constructed inshore zones as river corridors through urban zones - the Danube in Vienna: preliminary results. *Regul. Rivers: Res. Managem.* 16, 175–187.

LIU Z., HERZIG A. & SCHIEMER F., 2000: Growth of the Icefish *Neosalanx pseudotaihuensis* (Salangidae) in Xujiahe Reservoir, central China. *Environ. Biol. Fish.* 59, 219–227.

SCHIEMER F., 2000: Fish as indicators for the assessment of the ecological integrity of large rivers. Proceedings on a workshop on ecological integrity in Vienna. *Hydrobiologia* 422/423, 271–278.

SCHIEMER F., TOCKNER K. & BAUMGARTNER C., 2000: Das Donau-Restaurierungsprojekt: Rahmenbedingungen und Untersuchungskonzept. In SCHIEMER F. & RECKENDORFER W. (eds.): Das Donau-Restaurierungsprogramm bei Regelsbrunn. *Abh. Zool. Bot. Ges. Wien* 31, 1–25.

HEIN T., PENNETZDORFER D., HEILER G., BAUMGARTNER C., TOCKNER K. & SCHIEMER F., 2000: Hydrochemische Charakterisierung und Sedimentverteilung in einem dynamischen Altarmsystem der Donau. In SCHIEMER F. & RECKENDORFER W. (eds.): Das Donau-Restaurierungsprojekt. Gewässervernetzung Regelsbrunn. *Abh. Zool. Bot. Ges. Wien* 31, 27–41.

SILVA E.I.L. & SCHIEMER F., 2000: Hydraulic changes of three reservoirs (Minneriya, Udawalawe and Victoria) in Sri Lanka. *Sri Lanka J. Aquat. Sci.* 5, 75–86.

TOCKNER K., BAUMGARTNER C., SCHIEMER F. & WARD J.V., 2000: Biodiversity of a Danubian floodplain: structural, functional and compositional aspects. In GOPAL B., JUNK W.J. & DAVIS J.A. (eds.): Biodiversity in wetlands: assessment, function and conservation I, Backhuys Publ., Leiden, The Netherlands, 141–159.

2001

AMARASINGHE U.S., DUNCAN A., MOREAU J., SCHIEMER F., SIMON D. & VIJVERBERG J., 2001: Promotion of sustainable capture fisheries and aquaculture in Asian reservoirs and lakes. *Hydrobiologia* 458, 181–190.

HEIN T., BARANYI C., HEILER G., HOLAREK C., RIEDLER B. & SCHIEMER F., 2001: Plankton communities controlled by hydrology in two Danubian floodplain segments of the River Danube, Austria. *Verh. Int. Ver. Limnol.* 27, 3945–3946.

SCHIEMER F., 2001: The floodplains of Hainburg: how endangered is biodiversity. -*Verh. Int. Ver. Theoret. Angew. Limnol.* 27, 3969–3970.

SCHIEMER F., 2001: Limnological research in the Danube wetlands with emphasis on environmental management and restoration scenarios. In GRIEBLER C., DANIELOPOL D.L., GIBERT J., NACHTNEBEL P. & NOTENBOOM J.: *Groundwater Ecology - A tool for management of water resources*, Conference Proc., Europ. Commission, Brussels, 289–305.

SCHIEMER F., FLORE L. & KECKEIS H., 2001: 0+ fish as indicators for the ecological status of large rivers. *Arch. Hydrobiol. Suppl.* 135 (Large Rivers 12), 115–116.

FLORE L., KECKEIS H. & SCHIEMER F., 2001: Feeding, energetic benefit and swimming capabilities of 0+ nase (*Chondrostoma nasus* L.) in flowing water: an integrative laboratory approach. *Arch. Hydrobiol. Suppl.* 135 (Large Rivers 12), 409–424.

RECKENDORFER W., KECKEIS H., TIITU V., WINKLER G., ZORNIG H. & SCHIEMER F., 2001: Diet shifts in 0+ nase, *Chondrostoma nasus*: Size-specific differences and the effect of food availability. *Arch. Hydrobiol. Suppl.* 135 (Large Rivers 12), 425–440.

SCHIEMER F., KECKEIS H., WINKLER G. & FLORE L., 2001: Large rivers: the relevance of ecotonal structure and hydrological properties for the fish fauna. *Arch. Hydrobiol. Suppl.* 135 (Large Rivers 12), 487–508.

SCHIEMER F., KECKEIS H., RECKENDORFER W. & WINKLER G., 2001: The “inshore retention concept” and its significance for large rivers. *Arch. Hydrobiol. Suppl.* 135 (Large Rivers 12), 509–516.

KECKEIS H. & SCHIEMER F., 2001: The ecology of the early life history stages of riverine fish: New perspectives in conservation and river management. *Arch. Hydrobiol. Suppl.* 135 (Large Rivers 12), 517–522.

SCHIEMER F., KECKEIS H. & FLORE L., 2001: Ecotones and hydrology: key conditions for fish in large rivers. *Ecohydrol. Hydrobiol.* 1, 49–55.

SCHIEMER F. & OTT J., 2001: Metabolic levels and microhabitat of an interstitial cephalocarid and micro-isopod. *Mar. Ecol.* 22, 13–22.

SCHIEMER F., RECKENDORFER W. & HEIN T., 2001: Erfahrungen mit Restaurierungsprogrammen am Beispiel der Donau. In: *Donauforschung neu. Jubiläumsschrift 25 Jahre Nationalkomitee der Internat. Arbeitsgemeinschaft Donauforschung. Schriftenr. d. Bundesamtes f. Wasserwirtschaft* 12, 53–72.

SILVA E.I.L. & SCHIEMER F., 2001: Human Factor: the fourth dimension of reservoir limnology in the tropics. In DE SILVA S.S. (ed.): *Reservoir and Culture-based Fisheries. Biol. Managem., ACIAR Proc. No. 98*, 110–125.

MOREAU J., VILLANUEVA M.C., AMARASINGHE U.S. & SCHIEMER F., 2001: Trophic Relationships and Possible Evolution of the Production under Various Fisheries Management Strategies in a Sri Lankan Reservoir. In DE SILVA S.S. (ed.): *Reservoir and Culture-based Fisheries. Biol. Managem., ACIAR Proc. No. 98*, 201–214.

SCHIEMER F., AMARASINGHE U.S., FROUZOVA J., SRICHAROENDHAM B. & SILVA E.I.L., 2001: Ecosystem structure and dynamics - a management basis for Asian reservoirs and lakes. -In DE SILVA S.S. (ed.): *Reservoir and Culture-based Fisheries. Biol. Managem., ACIAR Proc. No. 98*, 215–226.

ZALEWSKI M., SCHIEMER F. & THORPE J., 2001: Fish and land-inland water ecotones - overview and synthesis. *Ecohydrol. Hydrobiol.* 1, 261–266.

2002

BARANYI C., HEIN T., HOLAREK C., KECKEIS S. & SCHIEMER F., 2002: Zooplankton biomass and community structure in a Danube floodplain system: effects of hydrology. *Freshw. Biol.* 47, 473–482.

CHOVANEC A., SCHIEMER F., WAIDBACHER H. & SPOLWIND R., 2002: Rehabilitation of a heavily modified river section of the Danube in Vienna (Austria), biological assessment of landscape linkages on different scales. *Internat. Rev. ges. Hydrobiol.* 87, 183–195.

HERZIG A. & SCHIEMER F., 2002: In memoriam Gernot BRETSCHKO (1938-2002). *Limnologica* 32, 289–292.

HIRZINGER V., BARTL E., WEISSENBACHER A., ZORNIG H. & SCHIEMER F., 2002: Habitatveränderungen durch schifffahrtsbedingten Wellenschlag und deren potentielle Auswirkung auf die Jungfischfauna der Donau. *Österr. Fisch.* 55, 238–243.

KECKEIS H. & SCHIEMER F., 2002: Understanding conservation issues of the Danube River. In FUMAN L.A. & WERNER R.G. (eds.): *The unique contributions of early life stages*, Blackwell Sci., Oxford, 272–288.

PIYASIRI S., SCHIEMER F., 2002: Food and temperature dependence on life-history strategy of *Phyllodiaptomus annae*, a tropical calanoid species. Verh. Int. Ver. Theoret. Angew. Limnol. 28, 827–830.

SCHIEMER F. & WARINGER J., 2002: Die Gewässer Niederösterreichs. In: Natur im Herzen Mitteleuropas, Band des Niederösterreich. Landesmuseums, p. 160–174.

SCHIEMER F., 2002: Fische als Bioindikatoren und Naturschutzziel von großen Fließgewässern. -Verh. Ges. Ichthyol. 3, 19–35.

SILVA E.I.L., AMARASINGHE U.S., DE SILVA S.S., NISSANKA C. & SCHIEMER F., 2002: Some aspects of photosynthetic characteristics in a set of perennial irrigation reservoirs located in five river basins in Sri Lanka. Hydrobiologia 485, 19–33.

2003

CHOVANEC A., HOFER R. & SCHIEMER F., 2003: Fish as bioindicators. In MARKERT B.A., BEURRE A.M. & ZECHMEISTER H.G. (eds.): Bioindicators and Biomonitoring, Elsevier Sci., Amsterdam, 639–675.

CHOVANEC A. & SCHIEMER F., 2003: The Danube Island in Vienna as ecological corridor? Investigation of the colonisation of newly created inshore structures in an impounded area -background and design of the project, summary of the results. Denisia 10, 27–51.

HEIN T., BARANYI C., HERNDL G.J., WANEK W. & SCHIEMER F., 2003: Allochthonous and autochthonous particulate organic matter in the floodplains of the River Danube: the importance of hydrological connectivity. Freshw. Biol. 48, 220–232.

HOFER R., SALVENMOSER W. & SCHIEMER F., 2003: Regulation of diurnal filter feeding by a novel gill structure in *Amblypharyngodon melettinus* (Teleostei, Cyprinidae). Zoo- morphology 122, 113–118.

KECKEIS S., BARANYI C., HEIN T., HOLAREK C., RIEDLER P. & SCHIEMER F., 2003: The significance of zooplankton grazing in a floodplain system of the River Danube. J. Plankt. Res. 25, 243–253.

PRCHALOVA M., DRASTIK V., KUBECKA J., SRICHAROENDHAM B., SCHIEMER F. & VIJVERBERG J., 2003: Acoustic study of fish and invertebrate behavior in a tropical reservoir. Aquat. Living Resour. 16, 325–331.

RABITSCH W. & SCHIEMER F., 2003: Chinesische Wollhandkrabbe (*Eriocheir sinensis*) in der österreichischen Donau festgestellt. Österr. Fisch. 56, 61–65.

SCHIEMER F., 2003: In memoriam Dr. Fritz Böck (1946-2003). Verh. Zool. Bot. Ges. Österr. 140, 145–148.

SCHIEMER F., KECKEIS H. & KAMLER E., 2003: The early life history stages of riverine fish: ecophysiological and environmental bottlenecks. Comp. Biochem. Physiol. A 133, 439–449.

SCHLUDERMANN C., KONECNY R., LAIMGRUBER S., LEWIS J.W., SCHIEMER F., CHOVANEC A. & SURES B., 2003: Fish macroparasites as indicators of heavy metal pollution in river sites in Austria. Parasitology 126, 61–69.

2004

DECAMPS H., PINAY G., NAIMAN R.J., PETTS G., MCCLAIN M.E., HILLBRICHT-ILKOWSKA A., HANLEY T.A., HOLMES R.M., QUINN J., GIBERT J., PLANTY-TABACCHI A.M., SCHIEMER F., TABACCHI E. & ZALEWSKI M., 2004: Riparian zones: where biogeochemistry meets biodiversity in management practice. *Pol. J. Ecol.* 52, 3–18.

HEIN T., BARANYI C., RECKENDORFER W. & SCHIEMER F., 2004: The impact of surface water exchange on the nutrient and particle dynamics in side-arms along the River Danube, Austria. *Sci. Total Environm.* 328, 207–218.

HEIN T., BARANYI C., RECKENDORFER W. & SCHIEMER F., 2004: Hydrochemische Schlüsselparameter zur Evaluierung von Restaurationsmaßnahmen in der österreichischen Donau. *Int. Ass. Danube Research* 35, 65–73.

HEIN T., SCHIEMER F. & TOCKNER K., 2004: Limnological concepts as the basis for the understanding river networks: perspectives for the Danube. In BLOESCH J., GUTKNECHT D. & IORDACHE V. (eds.): *Hydrology and Limnology - Another Boundary in the Danube River Basin. A Contribution to the IHP Ecohydrology Project* 75, 19–21.

HIRZINGER V., KECKEIS H., NEMESCHKAL H.L. & SCHIEMER F., 2004: The importance of inshore areas for adult fish distribution along a free-flowing section of the Danube, Austria. *River Res. Appl.* 20, 137–149.

PEDUZZI P. & SCHIEMER F., 2004: Bacteria and viruses in the water column of tropical freshwater reservoirs. *Environm. Microbiol.* 6, 707–715.

SCHIEMER F., GUTI G., KECKEIS H. & STARAS M., 2004: Ecological status and problems of the Danube River and its fish fauna: a review. In WELCOME R.L., PETR T. (eds.): *Proc. Second Internat. Symp. on the Management of Large Rivers for Fisheries*, FAO, 273–299.

SCHIEMER F., HEIN T. & RECKENDORFER W., 2004: Restoration concepts for larger rivers - experience from the Danube restoration project. *III Reunion Internacional sobre Experiencias en Restauracion Hidrologica de Humedales*, 171–189.

SCHIEMER F., KECKEIS H., NEMESCHKAL H., SCHLUDERMANN E., WINKLER G. & ZWEIMÜLLER I., 2004: Ontogenetic pattern in thermal adaption of fish vs. long term temperature trends in large rivers. *Internat. Congress Series* 1275, 209–217.

SCHIEMER F., RECKENDORFER W. & HEIN T., 2004: Experiences with restoration programs: example from the Danube. *Abh. Zool. Bot. Ges. Österr.* 34, 1–18.

2005

BUIJSE T., KLIJN F., LEUVEN R., MIDDELKOOP H., SCHIEMER F., THORP J.H. & WOLFERT H.P., 2005: Rehabilitation of large rivers: references, achievements and integration into river management. *Arch. Hydrobiol. Suppl.* 155 (Large Rivers 15), 715–738.

CHOVANEC A., STRAIF M., WAIDBACHER H., SCHIEMER F., CABELA A. & RAAB R., 2005: Rehabilitation of an impounded section of the Danube in Vienna (Austria) – evaluation of inshore structures and habitat diversity. *Arch. Hydrobiol. Suppl.* 155 (Large Rivers 15), 211–224.

HEIN T., SCHIEMER F. & TOCKNER K., 2005: Limnological concepts as the basis for understanding river networks: Perspectives for the Danube. In BLOESCH J., GUTKNECHT D. &

IORDACHE V. (eds.): Hydrology and Limnology – another Boundary in the Danube River Basin. A contribution to the IHP Ecohydrology Project 75, 19–21.

HEIN T., RECKENDORFER W., THORP J.H. & SCHIEMER F., 2005: The role of slackwater areas for biochemical processes in rehabilitated river corridors: examples from the Danube. Arch. Hydrobiol. Suppl. 155 (Large Rivers 15), 425–442.

RECKENDORFER W., SCHMALFUSS R., BAUMGARTNER C., HABERSACK H., HOHENSINNER S., JUNGWIRTH M. & SCHIEMER F., 2005: The integrated river engineering project for the free-flowing Danube in the Austrian alluvial zone national park: contradictory goals and mutual solutions. Arch. Hydrobiol. Suppl. 155 (Large Rivers 15), 613–630.

SCHABUSS M., KENNEDY C.R., KONECNY R., GRILLITSCH B., RECKENDORFER W., SCHIEMER F. & HERZIG A., 2005: Dynamics and predicted decline of *Anguillicola crassus* infection in European eels, *Anguilla anguilla*, in Neusiedler See, Austria. J. Helminthol. 79, 159–167.

SCHABUSS M., KENNEDY C.R., KONECNY R., GRILLITSCH B., SCHIEMER F. & HERZIG A., 2005: Long-term investigation of the composition and richness of intestinal helminth communities in the stocked population of eel, *Anguilla anguilla*, in Neusiedler See, Austria. Parasitology 130, 185–194.

2006

RECKENDORFER W., BARANYI C., FUNK A. & SCHIEMER F., 2006: Floodplain restoration by reinforcing hydrological connectivity: expected effects on aquatic mollusc communities. Journal of applied Ecology 43, 474–484.

PÖRTNER H.O., BENNETT A.F., BOZINOVIC F., CLARKE A., LARDIES M.A., LUCASSEN M., PELSTER B., SCHIEMER F. & STILLMANN J.H., 2006: Trade-offs in thermal adaptation: the need for a molecular to ecological integration. Physiological and Biochemical Zoology 79, 295–313.

SCHABUSS M., SCHIEMER F., HABERSACK H. & LIEDERMANN M., 2006: A comprehensive concept for an eco-hydrological assessment of large scale restoration programmes of floodplain rivers. In: Proceedings 36th International Conference of IAD. Austrian Committee Danube Research / IAD, Vienna. ISBN 13: 978-3-9500723-2-7.

SCHIEMER F., 2006: Ecological status and problems of the Danube and its fish fauna. In: Proceedings 36th International Conference of IAD. Austrian Committee Danube Research / IAD, Vienna. ISBN 13: 978-3-9500723-2-7.

SCHIEMER F., 2006: In memoriam Heinz LÖFFLER (1927-2006). Verh. Zool.-Bot. Ges. Österreich 143, 167–179.

SCHIEMER F., HEIN T. & PEDUZZI P., 2006: Hydrological control of system characteristics of floodplain lakes. Ecohydrology & Hydrobiology 6, 7–18

SCHIEMER F., HEIN T. & RECKENDORFER W., 2006: Restoration concepts for large rivers. Experiences from the Danube restoration project. In: 3rd International Meeting on Hydrological Restoration of Wetlands; Huelva, Spain. Ministerio de Medio Ambiente, 219–230.

ZORNIG H., WEIGELHOFER G., KUCERA-HIRZINGER V., HEIN T., GÖRNET B. & SCHIEMER F., 2006: Water enhancement scheme Lobau – a conservation strategy for an urban

floodplain in Vienna (Austria). In: Proceedings 36th International Conference of IAD. Austrian Committee DanubeResearch / IAD, Vienna. ISBN 13: 978-3-9500723-2-7.

2007

BONDAR E., KUCERA-HIRZINGER V., PREINER S., WEIGELHOFER G., SCHIEMER F. & HEIN T., 2007: The Impact of an artificial water enhancement scheme on trophic levels and the biological activity in an urban backwater system in Vienna (Austria). *International Revue for Hydrobiology* 92, 413–425.

DANIELOPOL D. & SCHIEMER F., 2007: In memoriam Heinz LÖFFLER (1927 – 2006). *Crustaceana* 80 (8), 1013–1018.

SCHABUSS M., & SCHIEMER F., 2007: Key threats to the Danube in the IAD perspective. No.1, Navigation: is there a potential for compromising the contradictory stakeholder interest. *IAD Danube News* 15, 2–4.

SCHIEMER F. & DANIELOPOL D., 2007: Heinz LÖFFLER (1927-2006). *Hydrobiologia* 569, 1–4.

SCHIEMER F. & HEIN T., 2007: The ecological significance of hydraulic retention zones. In WOOD P.J., HANNAH D.M., JONATHAN P.S (eds.): *Hydroecology and Ecohydrology: Past, Present and Future*, John Wiley & Sons Ltd., West Sussex, UK, 405–420.

SCHIEMER F., HEIN T. & RECKENDORFER W., 2007: Ecohydrology, key-concept for large river restoration. *Ecohydrology & Hydrobiology* 7, 101–111.

2008

IDEVA R.J., MACHIWA J., SCHIEMER F. & HEIN T., 2008: Effect of an impoundment on nutrient dynamics in the Kihansi River, Tanzania. *African Journal of Aquatic Science*, 33, 181–188.

PREINER S., DROZDOWSKI I., SCHAGERL M., SCHIEMER F. & HEIN T., 2008: The significance of side-arm connectivity for carbon dynamics of the river Danube, Austria. *Freshw. Biol.* 53, 238–252.

SCHIEMER F. & HERZIG A., 2008: Die system-analytische Betrachtung von Gewässern im Landschaftskontext: Eine Hommage auf Gernot Bretschko. *Schriften Verein zur Verbreitung naturwissenschaftlicher Kenntnisse* 142, 119–13.

SIMON D. & SCHIEMER F., 2008: Aquatic Ecosystems and Development: the FISHSTRAT Project. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): *Aquatic ecosystems and development: Comparative Asian perspectives*. Backhuys Publishers B.V., Leiden, The Netherlands, 1–18.

SILVA I., SIMON D. & SCHIEMER F., 2008: Catchment characteristics, hydrology, limnology and socio-economic features of three reservoirs in Sri Lanka. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): *Aquatic ecosystems and development: Comparative Asian perspectives*. Backhuys Publishers B.V., Leiden, The Netherlands, 19–44.

INGTHAMJITR S., SRICHAROENDHAM B., SIMON D., & SCHIEMER F., 2008: Catchment characteristics, hydrology, limnology and socio-economic features of Ubolratana Reservoir in Thailand. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): *Aquatic*

ecosystems and development: Comparative Asian perspectives. Backhuys Publishers B.V., Leiden, The Netherlands, 45–62.

PEREZ T., ENRIQUEZ E., GUERRERO III R.D., SIMON D. & SCHIEMER F., 2008: Catchment characteristics, hydrology, limnology and socio-economic features of Lake Taal, Philippines. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): Aquatic ecosystems and development: Comparative Asian perspectives. Backhuys Publishers B.V., Leiden, The Netherlands, 63–80.

SILVA I. & SCHIEMER F., 2008: Regulation of phytoplankton primary production in Sri Lankan reservoirs. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): Aquatic ecosystems and development: Comparative Asian perspectives. Backhuys Publishers B.V., Leiden, The Netherlands, 121–134.

PEDUZZI P. & SCHIEMER F., 2008: Bacterial dynamics, nutrients and organic matter in the water column of tropical freshwater reservoirs of Sri Lanka. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): Aquatic ecosystems and development: Comparative Asian perspectives. Backhuys Publishers B.V., Leiden, The Netherlands, 135–152.

WELIANGE W.S., AMARASINGHE U., KAKKAO M., SRICHAROENDHAM B., LOPEZ N.C. & SCHIEMER F., 2008: Trophic patterns of fish assemblages in five Asian lacustrine water bodies. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): Aquatic ecosystems and development: Comparative Asian perspectives. Backhuys Publishers B.V., Leiden, The Netherlands, 203–218.

WELIANGE W.S., AMARASINGHE U., & SCHIEMER F., 2008: Ecomorphological patterns of feeding in fish assemblages in three Sri Lankan reservoirs. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): Aquatic ecosystems and development: Comparative Asian perspectives. Backhuys Publishers B.V., Leiden, The Netherlands, 219–234.

VILLANUEVA M.C., MOREAU J., AMARASINGHE U. & SCHIEMER F., 2008: Foodweb and the trophic structure of two Asian reservoirs using ECOPATH with ECOSIM and ECOSPACE: A comparative study. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): Aquatic ecosystems and development: Comparative Asian perspectives. Backhuys Publishers B.V., Leiden, The Netherlands, 413–434.

SCHIEMER F., 2008: The limnological basis for aquatic resource management of tropical reservoirs and lakes. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): Aquatic ecosystems and development: Comparative Asian perspectives. Backhuys Publishers B.V., Leiden, The Netherlands, 435–466.

SCHIEMER F. & SIMON D., 2008: Aquatic resource management in Asia: developing a transdisciplinary approach for sustainable development. In SCHIEMER F., SIMON D., AMARASINGHE U. & MOREAU J. (eds.): Aquatic ecosystems and development: Comparative Asian perspectives. Backhuys Publishers B.V., Leiden, The Netherlands, 467–502.

TSCHELAUT J., PICHLER C., WEISSENHOFER A. & SCHIEMER F., 2008: The river network of the Piedras Blancas National Park, Costa Rica. *Stapfia* 88, 441–455.

TSCHELAUT J., WEISSENHOFER A. & SCHIEMER F., 2008: Macroinvertebrates and leaf litter decomposition in a neotropical lowland stream, Quebrada Negra, Costa Rica. *Stapfia* 88, 457–466.

RIEMERTH A., GUSENLEITNER M., DRAXLER G., WANER W. & SCHIEMER F., 2008: The role of leaf anatomy and tannins in litter decay in a tropical stream. *Stapfia* 88, 467–484.

PICHLER C. & SCHIEMER F., 2008: Ecology of fishes of Quebrada Negra, Costa Rica, a first order neotropical lowland stream. *Stapfia* 88, 495–505.

2009

AJITH-KUMARA P.A.D., AMARASINGHE U.S., SCHIEMER F., WINKLER G. & SCHABUSS M., 2009: Distribution and abundance of unexploited fish species in three Sri Lankan Reservoirs. *Asian Fisheries Science* 22, 867–884.

AJITH-KUMARA P.A.D., AMARASINGHE U.S., SCHIEMER F., WINKLER G. & SCHABUSS M., 2009: Gillnet selectivity of small cyprinids in three Sri Lankan reservoirs. *Asian Fisheries Science* 22, 885–900.

BONDAR-KUNZE E., PREINER S., SCHIEMER F., WEIGELHOFER G. & HEIN T., 2009: Effect of enhanced water exchange on ecosystem functions in backwaters of an urban floodplain. *Aquat. Sci.* 71, 437–447.

FUNK A., RECKENDORFER W., KUCERA-HIRZINGER V., RAAB R. & SCHIEMER F., 2009: Aquatic diversity in a former floodplain: remediation in an urban context. *Ecol. Eng.* 35, 1476–1484.

HEIN T., BONDAR-KUNZE E., SCHIEMER F., WELTI N. & PINAY G., 2009: Effects of ecological restoration on biochemical processes in complex riverine landscapes. In PARDUE G.H. & OLVERA T.K. (eds.): *Ecological Restoration*, New York, Nova Science Publishers, 181–207.

KUCERA-HIRZINGER V., SCHLUDERMANN E., ZORNIG H., WEISSENBACHER A., SCHABUSS M. & SCHIEMER F., 2009: Potential effects of navigation-induced wave wash on the early life history stages of riverine fish. *Aquatic Sciences* 71, 94–102.

SCHIEMER F., JUNGWIRTH M., RECKENDORFER W. & SCHABUSS M., 2009: Das ökologische Leitbild und seine Anwendung. *Österr. Ingenieur- und Architekten-Zeitschrift*, 154, 73–77.

HABERSACK H., SCHABUSS M., LIEDERMANN M., TRITTHART M., BLASCHKE A.P. & SCHIEMER F., 2009: Integratives Monitoring und Modellierung an der Donau östlich von Wien. *Österr. Ingenieur- und Architekten-Zeitschrift*, 154, 179–193.

ZAMANPOORE M., PÖCKL M., GRABOWSKI M., & SCHIEMER F., 2009: Two new sympatric species of freshwater *Gammarus* (Crustacea, Amphipoda) from southern Zagros region, Iran. *Zootaxa* 2136, 21–39.

2010

PÖRTNER H.O., SCHULTE P.M., WOOD C.M. & SCHIEMER F., 2010: Niche dimensions in fishes: an integrative view. *Physiological and Biochemical Zoology* 83, 808–826.

SCHIEMER F., HUBER W. & WEISSENHOFER A. (eds.), 2010: *Stream ecosystems of Costa Rica*. Verein zur Förderung der Tropenstation La Gamba, Vienna, Austria, 124 pp.

SKERN M., ZWEIMÜLLER I. & SCHIEMER F., 2010: Aquatic Heteroptera as indicators for terrestrialisation of floodplain habitats. *Limnologica* 40, 241–250.

ZAMANPOORE M., GRABOWSKI M., PÖCKL M. & SCHIEMER F., 2010: Two new *Gammarus* species (Crustacea, Amphipoda) from warm springs in the south-east pre-alpine area of the Zagros, Iran: habitats with physiological challenges. *Zootaxa* 2546, 31–51.

2011

WEIGELHOFER G., HEIN T., KUCERA-HIRZINGER V., ZORNIG H. & SCHIEMER F., 2011: Hydrological improvement of a former floodplain in an urban area: Potential and limits. *Ecological Engineering* 37, 1507–1514.

ZAMANPOORE M., GRABOWSKI M., PÖCKL M. & SCHIEMER F., 2011: Taxonomic review of freshwater *Gammarus* (Crustacea: Amphipoda) from Iran. *Zootaxa* 3140, 1–14.

2012

AKOLL P., FIORAVANTI M.L., KONECNY R. & SCHIEMER F., 2012: Infection dynamics of *Cichlidogyrus tilapiae* and *C. sclerosus* (Monogenea, Ancyrocephalinae) in Nile tilapia (*Oreochromis niloticus* L.) from Uganda. *Journal of Helminthology* 86, 302–310.

AKOLL P., KONECNY R., MWANJA W.W. & SCHIEMER F., 2012: Infection patterns of Nile tilapia (*Oreochromis niloticus* L.) by two helminth species with contrasting life styles. *Parasitol Res.* 110, 1461–1472. DOI 10.1007/s00436-011-2649-0

AKOLL P., KONECNY R., MWANJA W.W., NATTAJI J. K., AGOE C. & SCHIEMER F., 2012: Parasite fauna of farmed Nile tilapia (*Oreochromis niloticus*) and African catfish (*Clarias gariepinus*) in Uganda. *Parasitol Res.* 110, 315–323

AKOLL P., KONECNY R., MWANJA W.W. & SCHIEMER F., 2012: Risk assessment of parasitic helminths on cultured Nile tilapia (*Oreochromis niloticus*, L.). *Aquaculture* 356, 123–127.

SCHIEMER F. & PUNZ W., 2012: Die Begründung der Hydrobotanik an der Universität Wien. Zum 80. Geburtstag von Elsa-Lore KUSEL-FETZMANN. *Schriften Verein zur Verbreitung naturwissenschaftlicher Kenntnisse* 148-150, 157–165.

2013

FUNK A., SCHIEMER F. & RECKENDORFER W., 2013: Metacommunity structure of aquatic gastropods in a river floodplain: the role of niche breadth and drift propensity. *Freshwater Biology* 58, 2505–2516.

RECKENDORFER W., FUNK A., GSCHÖPF C., HEIN T. & SCHIEMER F., 2013: Aquatic ecosystem functions of an isolated floodplain and their implications for flood retention and management. *Journal of Applied Ecology* 50, 119–128.

SCHIEMER F. & FÜREDER L., 2013: Die Bäche La Gambas – ein Fenster in den Regenwald. In: 20 Jahre Tropenstation la Gamba, Costa Rica, 88–89.

2014

SCHIEMER F., 2014: Eine kurze Geschichte der Limnologie in Österreich. *Denisia* 33, 33–59.

2015

AUBRECHT G., GEREKEN-KRENN B.-A., SCHIEMER F., WRBKA T. & ZULKA P., 2015: Wege zu einer integrativen Biodiversitätsforschung in Österreich. *Acta ZooBot Austria* 152, 195–201.

SCHIEMER F., 2015: Roads to Transdisciplinarity: Developing a Sustainable Management approach. *Int. Journal of Multidisciplinary Studies (IJMS)* vol. 2, 1–18.

SIMON D. & SCHIEMER F., 2015: Crossing boundaries: complex systems, transdisciplinarity and applied impact agendas. *Current Opinion in Environmental Sustainability* 12, 6–11.

2016

SCHIEMER F., 2016: Building an eco-hydrological framework for the management of large river systems. *Ecohydrology and Hydrobiology* 16, 19–25.

SCHIEMER F., GRABHERR G., POPP M. & OTT J., 2016: Wege zu einer synoptischen Ökologie. In FRÖSCHL K.A., MÜLLER G.B., OLECHOWSKI T. & SCHMIDT-LAUBER B. (eds.): *Reflexive Innensichten aus der Universität. Disziplinengeschichten zwischen Wissenschaft, Gesellschaft und Politik*. University Vienna Press, 431–444.

2017

SCHIEMER F., 2017: Nachruf auf Wolfgang WIESER, 5. Juli 1924 – 3. März 2017. *Mitt. der Deutsch. Zoolog. Gesellsch.* 2017, 81.

2018

GÖTZINGER M., HOLEMY L., MARTH H. & SCHIEMER F., 2018: „AGORA“ – Marktplatz von Fortbildungsinitiativen im Bereich Biologie und Umweltkunde für Primar- und Sekundarstufen. *Schriften Verein zur Verbreitung naturwiss. Kenntnisse* 154, 85–93.

PREINER S., WEIGELHOFER G., FUNK A., HOHENSINNER S., RECKENDOFRER W., SCHIEMER F. & HEIN T., 2018: Danube floodplain Lobau. In SCHMUTZ S. & SENDZIMIR J. (eds.): *Riverine ecosystems management*, Springer, 491–507.

PUNZ W. & SCHIEMER F., 2018: Zum 85. Geburtstag von em. Univ.-Prof. DDr. Erich HÜBL. *Schriften Verein zur Verbreitung naturwiss. Kenntnisse* 154, 95–109.

SCHIEMER F., 2018: Wolfgang WIESER (1924-2017) – ein zentraler Motor der österreichischen Biologie. *Schriften Verein zur Verbreitung naturwiss. Kenntnisse* 154, 111–124.

SCHIEMER F., DRESCHER A. HAUER C. & SCHWARZ U., 2018: The Vjosa river corridor: a riverine ecosystem of European significance. In SCHIEMER F., BEQIRAJ S., GRAF W. & MIHO A. (eds.), 2018: *The Vjosa in Albania – a riverine ecosystem of European significance*. *Acta ZooBot Austria* 155/1, 1–40.

SHUMKA S., MEULENBROEK P., SCHIEMER F. & SANDA R., 2018: Fishes of the River Vjosa – an annotated checklist. In SCHIEMER F., BEQIRAJ S., GRAF W. & MIHO A. (eds.): *The Vjosa in Albania – a riverine ecosystem of European significance*. *Acta ZooBot Austria* 155/1, 163–176.

MEULENBROEK P., SHUMKA S., & Schiemer F., 2018: First reconnaissance of habitat partitioning and fish diversity in the alluvial zone of the river Vjosa, Albania. In SCHIEMER F., BEQIRAJ S., GRAF W. & MIHO A. (eds.): *The Vjosa in Albania – a riverine ecosystem of European significance*. *Acta ZooBot Austria* 155/1, 177–186.

MIHO A., BEQIRAJ S., GRAF W. & SCHIEMER F., 2018: The Vjosa river system in Albania: a summary of actual challenges and agendas. In SCHIEMER F., BEQIRAJ S., GRAF W.

& MIHO A. (eds.): The Vjosa in Albania – a riverine ecosystem of European significance. *Acta ZooBot Austria* 155/1, 377–385.

2020

SCHIEMER F., BEQIRAJ S., DRESCHER A., GRAF W., EGGER G., ESSL F., FRANK T., HAUSER C., HOHENSINER S., MIHO A. MEULENBROEK P., PAILL W. SCHWARZ U. & VITECEK S., 2020: The Vjosa River corridor: a model of natural hydro-morphodynamics and a hotspot of highly threatened ecosystems of European significance. *Landscape Ecology* 35, 953–968.

Scientific books

1983

SCHIEMER F. (ed.), 1983: *Limnology of Parakrama Samudra - a case study of an ancient man-made lake in the tropics*. *Developments in Hydrobiology*. Junk, The Hague, 236 pp.

1989

OSSE J.W.M., SCHIEMER F. & SZLAMINSKA M. (eds.), 1989: *Development, Growth and Rearing of Fish Larvae in Relation of Changing the Environmental Demands*. *Pol. Arch. Hydrobiol., Sonderh.*, 175 pp.

1992

WIESER W., SCHIEMER F., GOLDSCHMID A. & KOTRSCHAL K. (eds.), 1992: *Environmental Biology of European cyprinids*. *Kluwer Acad. Publ., Dordrecht*, 233 pp.

1994

SCHIEMER F., JUNGWIRTH M. & IMHOF G., 1994: *Die Fische der Donau - Gefährdung und Schutz (Ökologische Bewertung der Umgestaltung der Donau)*. *Grüne Reihe d. Bundesministeriums f. Umwelt, Jugend u. Familie* 5, 160 pp.

1995

SCHIEMER F., ZALEWSKI M. & THORPE J. (eds.), 1995: *The importance of aquatic-terrestrial ecotones for freshwater fish*. *Dev. Hydrobiol. Kluwer Acad. Publ., Netherlands* 105, 264 pp.

1996

GÖLTHENBOTH F., SCHIEMER F., BRETSCHKO G. & TIMOTIUS K.H., 1996: *Tropische Limnologie*. *Eigenverlag*, 181 pp.

SCHIEMER F. & BOLAND K. (eds.), 1996: *Perspectives in Tropical Limnology*. *SBP Acad. Publ., Amsterdam*, 347 pp.

2000

SCHIEMER F. & RECKENDORFER W., 2000: *Das Donau-Restaurierungsprojekt. Gewässervernetzung Regelsbrunn*. *Abh. Zool. Bot. Ges. Österr.* 31, 194 pp.

2001

SCHIEMER F. & KECKEIS H., 2001: 0+ fish as indicators for the ecological status of large rivers. Arch. Hydrobiol. Suppl. 135 (Large Rivers 12), 270 pp.

ZALEWSKI M., SCHIEMER F. & Thorpe J., 2001: Land/Water ecotones and fish communities. Int. J. Ecohydrol. Hydrobiol. 1, 266 pp.

2004

SCHIEMER F. & RECKENDORFER W., 2004: Das Donau-Restaurierungsprojekt, Ökologische Auswirkungen. Abh. Zool. Bot. Ges. Österr. 34, 185 pp.

2005

BUIJSE A.D., KLIJN F., LEUVEN R.S.E.W., MIDDLEKOOP H., SCHIEMER F., THORP J.H. & WOLFERT H.P. (eds.), 2005: Rehabilitating large regulated rivers. Arch. Hydrobiol. Suppl. 155 (Large Rivers 15), 738 pp.

2007

GAZSÓ A., GRESSLER S., SCHIEMER F. (eds.), 2007: Nano – Chancen und Risiken aktueller Technologien. Springer Verlag, Wien, New York, 246 pp.

2008

SCHIEMER F., SIMON D., AMARASINGHE U. & Moreau J. (eds.), 2008: Aquatic ecosystems and development: Comparative Asian perspectives. Backhuys Publishers B.V., Leiden, The Netherlands, 508 pp.

2010

SCHIEMER F., HUBER W. & WEISSENHOFER A. (eds.), 2010: Stream ecosystems of Costa Rica. Verein zur Förderung der Tropenstation La Gamba, Vienna, Austria, 124 pp.

2018

SCHIEMER F., BEQIRAJ S., GRAF W. & MIHO A. (eds.), 2018: The Vjosa in Albania – a riverine ecosystem of European significance. Acta ZooBot Austria 155/1, 386 pp.

Addresses:

Ass.-Prof. Dr. Georg SCHIEMER, University of Vienna, Department of Philosophy, Universitätsstrasse 7, A-1010 Vienna. E-Mail: georg.schiemer@univie.ac.at

Mag. Lucie SCHIEMER, Hofmanngasse 4/3, 1180 Wien.
E-Mail: lucie.schiemer@bildung.gv.at

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien. Frueher: Verh.des Zoologisch-Botanischen Vereins in Wien. seit 2014 "Acta ZooBot Austria"](#)

Jahr/Year: 2020

Band/Volume: [157](#)

Autor(en)/Author(s): Schiemer Georg, Schiemer Lucie

Artikel/Article: [Scientific publications by Fritz Schiemer 321-341](#)