

## KEYWORD-REGISTER

<b>A</b>			
abundance	268, 310	cambium	76
activity	296	canopy structure	768
adaptation	70	<i>Capsella bursa-pastoris</i>	82
aerated sewage ponds	652	carabid beetles	98
agricultural	132	<i>Carabidae</i>	126
- areas	632	cereals	98
- fields	98	changes	
- landscape	424, 600, 718	- in agricultural landuse	434
- landuse	132	- in the weed flora	364
- soil	282, 310	climatic factors	82
agriculture	88, 554, 566	clonal growth	54
agro-ecosystems	514	Collembola	262, 268, 302, 310
<i>Alauda arvensis</i>	216	colonization	108
angiosperms	82	- strategies	404
<i>Anguilla anguilla</i>	694	community	
annual population cycle	88	- bird breeding	216, 632
annual rate of increase	88	- herbaceous edge	336
anthropogenic habitat conditions	616	- structure	644
<i>Apoidea</i>	638	- tall herb	768
aquatic biotops	670	- trampling	616
arable land	216, 268	competition	498
<i>Arrhenatherion</i>	442	consequences of intensification	424
artificial snow	746, 758	conservation	
Athabasca Glacier (Canada)	330	- measurements	44
Austria	116, 126	- measures	222
available soil water	386	- nature	566
		- site assessment	116
		- soil	718, 736
		consolidation of farmland	210
<b>B</b>		consumption	192
banks and dikes of small brooks	410	contamination of the drinking water	536
biochemical nitrogen cycle	536	conventional farming	498
biological evaluation	126	crop rotation	514
biomass	296, 302, 478	<i>Cruciferae</i>	82
- increment	54	cultivated	
- microbial	330	- land	528
biomonitoring system	670	- plants	498
biotope		<i>Curculionidae</i>	116
- losses	434	cutting regimes	410
- quality	164	cycle	
bird		- annual population	88
- breeding community	216, 632	- data	290
- meadow	132	<i>Cygnus olor</i>	226
<i>Brassicaceae</i>	70		
breeding bird community	216, 632	<b>D</b>	
Bremen	108, 144	data-bases	236
brown hare	88, 566	decomposition	276
bumblebee	144	demographic analyses	44
Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit	710	denitrification	652
Burgenland	116, 126	density	88
		- dependent sources of regulation	184
		- dependent fertility	226
<b>C</b>		depression	210
calcareous fen	356	<i>Deschampsia caespitosa</i>	330
<i>Calthion palustris</i>	488		

different soils	268	fertility	170
Diptera larvae	282	fertilization	498, 506
distinct taste bud damages	682	fertilizers	178
distribution	200, 592, 662	field	254
- of species within the population	514	- agricultural	98
- patterns	374, 616	- clearance	316
- strategies	20	- margins	460
diversity	316	- ridges	450
- difference	316	field-track vegetation	600
dominance	336	fish	
dominant species	616	- ponds	698
dry grassland	116	- production	698
Dümmer	554	flavonoids	82
dwarf shrubs	768	flower-visiting insects	144
		forest	
<b>E</b>		- decline	76
ecological		- ecosystem	178
- and geographical differentiation	616	- edge	336
ecosystem		fragmentation	200
- forest	178	freezing	60
- grassland	768	frequency	164, 336
eco-physiology	324		
ecological farming	498	<b>G</b>	
edge communities	336	<i>Galium aparine</i>	60
eel	694	geographical	
efficiency	282	- and ecological differentiation	616
<i>Enchytraeidae</i>	192	- distribution	592
<i>Enchytraeus</i>	290	Geomorphologische Karte (GMK)	736
endangering	662	germination	30, 506
Endosulfan	302	- behaviour	70
environmental		GMK (Geomorphologische Karte)	736
- impact statement	126	grasshoppers	108
- monitoring	236	grassland	254, 442
- pollution	544	- dry	116
<i>Epilobium fleischeri</i>	30	- ecosystems	768
<i>Equisetum hyemale</i>	44	- fallows	470
erosion	398, 726, 746	- open	108
establishment	30	- moisture indicators	386
euryoecious	164	- wet	470
eutrophication	450, 566	grazing	152
evaluation	710	green areas	418
- biological	126	ground water	
extensive agricultural landuse	132	- regime	470
		- table	398
<b>F</b>		growth	
<i>Fagus sylvatica</i>	76	- clonal	54
fallow land	528	- form	30, 44, 54, 450
farming	498	grue bugs	108
- conventional	498		
- ecological	498	<b>H</b>	
- methods	424	habitat selection	222
feeding	222	<i>Halimione portulacoides</i>	54
<i>Felis silvestris</i>	200	heavy metal	310, 566
fen hay meadows	346	- pollution	624
fen-meadows	434	hedge	116
fens	478	herbaceous edge communities	336

hibernation sites	170	life	
home range utilisation	206	- cycle data	290
hop	302	- forms	450
husbandry	544	- history strategy	226
<b>I</b>		litter	
ichthyofauna	662, 670	- consumption	192
impact statement	126	- meadow	356
impoverishment		- bags	276
- in the nitrogen supply	606	lixiviation	536
		loach	682
		long distance spread	524
		long-term studies	418
		<i>Lumbricidae</i>	178, 644
		lumbricids	296
inclination	768	<b>M</b>	
incubation		macrophytic plants	710
- in the field	528	maintenance coefficient	324
indicator values	386	manure	528
industrialised agriculture	554	mapping	670
influence of climatic factors	82	marl	374
insecticide	170, 302	maximal carbon uptake rate	324
insects	108	meadow	
- flower-visiting	144	- birds	132
integration science	10	- fen	434
intensification		- fen hay	346
- consequences	424	- litter	356
intensive livestock husbandry	544	- subalpine	758
intraspecific variation	82	mechanical loads	262
inventarization	710	meltwater runoff	746
		<i>Mesenchytraeus glandulosus</i>	192
<b>K</b>		metabolic quotient	324, 330
key factors	184	metropolitan area	20
Kinzig	670	microbial	
		- biomass	330
<b>L</b>		- respiration-to-biomass	330
Lahn	694	mineralisation	
land		- nitrogen	488, 528
- cultivated	528	- rate of nitrogen	606
land use		modification of flavonoid	
- agricultural	132, 434	accumulation	82
- changes	20	moisture indicators on grassland	386
- conflicts	554	<i>Molinia caerulea</i>	356
- extensive agricultural	132	<i>Molinio-Arrhenatheretea</i>	442
landscape		monitoring	236
- agricultural	424, 600, 718	- system	682
- design	398	mowing	356
- ecology	434	museums	236
- preservation	442	mute swan	226
landuse-changes	20	mycorrhizal infection	514
- agricultural	434		
leaching	528		
leaf			
- inclination	768	<b>N</b>	
- litter	192	N-fertilization	514
- miner	184	natural	
leafhoppers	108	- diversity	398
Lepidoptera	638	- populations	70
<i>Lepus europaeus</i>	88, 566		

nature			
- conservation	566		
- conservation in urban greens	418		
- reserve	592		
neophytes	20		
nitrate lixivation	536		
nitrification	652		
nitrogen			
- delivery	528		
- input	606		
- mineralisation	488		
- mineralisation	528		
- mineralisation rate	606		
- removal	652		
- residue	528		
- supply	606		
<i>Noemacheilus barbatulus</i>	682		
North Limburg	544		
nutrient	346		
- enrichment	478		
- output	478		
<b>O</b>			
occurrence	210		
Odonata	164		
open grassland	108		
ordination	346		
<b>P</b>			
PAR distribution	768		
<i>Passer montanus</i>	210		
patterns	374, 616		
perimeter of glacier	30		
phenology	600		
photosynthesis	60		
phytosociology	460		
plant			
- available nutrients	374		
- communities	364, 592		
- cultivated	498		
- distribution	478		
- macrophytic	710		
- protection	210		
- viruses	524		
<i>Platynus dorsalis</i>	170		
<i>Poecilus</i>	98		
politics	718		
- science	236		
pollution	544, 624		
population	200		
- analysis	88		
- annual cycle	88		
- biology	10		
- dynamics	184		
- regulation	226		
- structure	30, 152		
- types	226		
potential risk			
- of natural soil erosion	736		
predators	170		
predatory mites	262		
preference for hedges or trees	632		
preservation of landscape	442		
protection			
- plant	210		
- soil	398		
- white stork	222		
protein data	290		
<i>Psammotettix putoni</i>	152		
<b>R</b>			
radio-tracking	206		
realized annual rate of increase	88		
recovery of aquatic biotops	670		
reproductive effort	54		
reproductivity	670		
<i>Rhinanthus serotinus</i>	144		
<i>Rhynchaenus populi</i>	184		
river marsh	144		
riverine marshland	132		
road shoulder	616		
roadside	606		
- management	624		
- plant communities	624		
- soils	624		
- structures	632		
- vegetation	566, 592, 600, 606		
- verges	566, 638		
<i>Robinia pseudacacia</i>	116		
root			
- bud	30		
- growth pattern	398		
rotating disc	652		
Rotmoos Ferner (Austria)	330		
runoff	726		
<b>S</b>			
Saarland (West-Germany)	200		
salt	566		
<i>Saltatoria</i>	116		
saltmarsh	152		
saprophytic bacteria	652		
<i>Schoenus ferrugineus</i>	356		
science politics	236		
<i>Sciurus vulgaris</i>	206		
seed			
- bank	404, 410		
- mixture	398		
- rain	404		
sewage sludge	310		
significance of removal	170		
ski			
- run	726		
- tourism	726		

skiing-area	758
skin papillomas	694
soil	268, 524
- agricultural	282, 310
- available water	386
- biomass	254
- characteristics	498
- chemistry	178
- columns	296
- compaction	262, 296
- conservation	718, 736
- cultivation	246, 276
- erosion	736
- fauna	246, 276
- microbial biomass	324
- oxygen concentration	746
- protection	398
- respiration	254
- root zone	330
- type	246
- washing and flotation method	282
<i>Solidago canadensis</i>	20
South Oldenburg	544
species	616
- decline	434
- distribution	670
- diversity	268
- richness	460
specific leaf	192
spider-communities	316
spiders	126
spore density	514
standardized sample method	336
<i>Stellario-Carpinetum</i>	374
straw decomposition	276
subalpine meadows	758
sublethal water pollution	682
succession	316
sugar beets	170
surface waters	524
Switzerland	718, 758
synsystematic classification	592
<i>Syrphidae</i>	638

## T

tall herb community	768
taste bud damage	682
taxonomy	236, 290
terrestrial vegetation	450
thorn savannah	20
torrent events	726
trampling communities	616
tree sparrow	210
<i>Tribulus terrestris</i>	20
trickling filter	652
<i>Trifolio-Agrimonetum</i>	336

## U

ultrastructural features	290
Universal Soil Loss Equation (USLE)	736
urban	
- environment	98
- greens	108, 418
<i>Urtica dioica</i>	336
USLE (Universal Soil Loss Equation)	736

## V

VA-mycorrhizae	514
Vechte-lowland	662
vegetation	
- change	478, 488
- development	424
- history	424

## W

waste water utilization	698
water	
- courses	710
- drinking...contamination	536
- ground...regime	470
- ground...table	398
- movement	296
- pollution	682, 694
- surface	524
weed	498
- communities	460
- species	506
- flora	364
West Lower Saxony	662
Westallgäu	478
wet grassland	470
white stork	222
windbreak	116
winter annuals	60

## X

xylem	76
-------	----

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Verhandlungen der Gesellschaft für Ökologie](#)

Jahr/Year: 1990

Band/Volume: [19\\_2\\_1990](#)

Autor(en)/Author(s): unbekannt

Artikel/Article: [Keyword-Register 781-785](#)