

## KEYWORD-REGISTER

### A

|  |                    |
|--|--------------------|
| "Ackerrandstreifen"-program                | 25, 35             |
| abandoned grassland                        | 105                |
| accumulation                               | 237, 321           |
| Acetylen-Inhibition technique              | 375                |
| acidification                              | 237                |
| acidophytes                                | 115                |
| adventure education                        | 769                |
| <i>Aeschynomene afraspera</i>              | 417                |
| afforestation                              | 49, 99             |
| agricultural land                          | 511                |
| agriculture                                | 385, 467, 521, 579 |
| agristructural development                 | 481                |
| agro-ecosystem                             | 663                |
| agro-ecosystem-model                       | 467                |
| aims of protection                         | 17                 |
| air pollution                              | 681                |
| air-borne matter                           | 393                |
| <i>Allolobophora caliginosa</i>            | 171                |
| <i>Allolobophora longa</i>                 | 171                |
| alternative agriculture                    | 49                 |
| aluminium                                  | 215, 219, 237      |
| ammonium                                   | 375                |
| animal species                             | 619                |
| anthracene                                 | 183                |
| area requirement                           | 597                |
| aromatic hydrocarbonats                    | 183                |
| arthropod fauna                            | 99                 |
| assessment                                 | 9                  |
| associative space                          | 753                |
| atmospheric CO <sub>2</sub> -concentration | 243                |
| atmospheric fall down                      | 411                |
| Attika                                     | 521                |
| Austria                                    | 455                |
| autopoiesis                                | 747                |
| availability                               | 237                |

### B

|                              |          |
|------------------------------|----------|
| beach                        |          |
| - geo-ecotop                 | 693      |
| - seedlings                  | 215      |
| - forest                     | 115      |
| - seedlings                  | 209, 219 |
| - forest                     | 699      |
| Berchtesgaden                | 619      |
| Bergisches Land              | 59       |
| bio-indicators               | 537      |
| biological equilibrium       | 763      |
| biomass production           | 397      |
| biosphere reserves           | 563      |
| bog-water                    | 321      |
| Bornhoved area               | 585      |
| <i>Brachypodium pinnatum</i> | 87       |
| breakthrough curves          | 663      |

### C

|   |               |
|---|---------------|
| cadmium                                       | 209, 427      |
| - availability                                | 209           |
| - uptake                                      | 197           |
| calcium                                       | 209, 215, 219 |
| cannibalism                                   | 719           |
| <i>Carabidae</i>                              | 163           |
| carbon partitioning                           | 307           |
| <i>Caucalido-Adonidetum</i>                   | 69            |
| Central Europe                                | 243           |
| <i>Ciconia c. ciconia</i>                     | 499           |
| change  |               |
| - of arthropod fauna                          | 99            |
| - in species composition                      | 115           |
| channelization                                | 671           |
| chaos   | 753           |
| characteristics of life                       | 747           |
| chemical                                      |               |
| - analysis                                    | 349           |
| - climate                                     | 331           |
| climatic factors                              | 681           |
| CO <sub>2</sub>                               |               |
| - concentration                               | 243           |
| - enrichment                                  | 265, 281      |
| - gas-exchange                                | 243, 265      |
| - increase                                    | 289           |
| - uptake                                      | 297           |
| coexistence                                   | 727           |
| <i>Coleoptera</i>                             | 529           |
| community structure                           | 529           |
| compartment models                            | 635           |
| compensation                                  | 503           |
| competition                                   | 243           |
| concept formation                             | 753           |
| condition                                     | 59            |
| coniferous forest                             | 385           |
| conservation                                  | 77, 597       |
| - strategy                                    | 597           |
| contribution                                  | 461           |
| controlled area selection                     | 511           |
| convertibility                                | 747           |
| cooperation of various scientific disciplines | 467           |
| Corsica                                       | 769           |
| counter-strategy                              | 727           |
| cultivated grasses                            | 197           |
| cultivation farms                             | 77            |
| cycle   | 699           |
| D   |               |
| Danube River                                  | 671           |
| data base                                     | 629           |
| decomposition                                 | 105           |
| - of leaves and needles                       | 363           |

|                               |                         |                                       |               |
|-------------------------------|-------------------------|---------------------------------------|---------------|
| denitrification losses        | 375                     | evapotranspiration                    | 265           |
| denitrifying bacteria         | 375                     | evolutionarily stable strategy (ESS)  | 719           |
| deposition rate               | 321                     | exclusion principle                   | 727           |
| desert                        | 99                      | excursion                             | 769           |
| Dichlorophenolindophenol      | 289                     | extensification                       | 511           |
| Didin                         | 375                     |                                       |               |
| Difluoro-chloro-bromo-methane | 189                     |                                       |               |
| dispersal                     | 737                     | <b>F</b>                              |               |
| distribution                  | 619                     | <i>Fagus sylvatica</i>                | 209, 215, 219 |
| disturbance                   | 709                     | fallow fields                         | 99            |
| dose-response-experiments     | 209                     | farm-model                            | 493           |
| DPCIP                         | 289                     | farmers                               | 77            |
| drinking water                | 481                     | Federal Ministry for the Environment  | 563           |
| dune geo-ecotop               | 693                     | <i>Festuca pratensis</i>              | 281           |
|                               |                         | field                                 |               |
|                               |                         | - margins                             | 37            |
| <b>E</b>                      |                         | - test                                | 163           |
| earthworm                     | 171                     | fluoride                              | 177           |
| ecological                    |                         | forest decline                        | 647           |
| - consequences                | 481                     | form of application                   | 163           |
| - development                 | 9                       |                                       |               |
| - indicator values            | 115                     |                                       |               |
| - modelling                   | 545, 699, 737           | <b>G</b>                              |               |
| - niche                       | 763                     | gas-exchange                          | 681           |
| - planning                    | 537                     | <i>Gentiana-Koelerietum</i>           | 87            |
| - point of view               | 511                     | geo-ecological mapping                | 693           |
| - stability                   | 699, 709                | geo-ecotopes                          | 693           |
| - study                       | 671                     | Geographical Information System (GIS) | 619, 647      |
| - system                      | 481                     | Germany                               | 545, 629      |
| ecology                       | 467                     | glutathione-s-transferase             | 189           |
| economical aspects            | 9, 493                  | gradient method                       | 393           |
| economics                     | 467                     | grassland                             | 105, 331, 461 |
| ecopathology                  | 445                     | Greece                                | 223, 529      |
| ecosystem                     | 331, 349, 445, 619, 747 | green manure                          | 417           |
| - research                    | 563                     | ground water                          | 467, 385      |
| - research in Germany         | 545                     | - pollution                           | 385           |
| ecotoxicological effects      | 131                     | growth analysis                       | 307           |
| Eifel                         | 59                      |                                       |               |
| <i>Eisenia foetida</i>        | 171                     |                                       |               |
| element                       |                         | <b>H</b>                              |               |
| - accumulation                | 281                     | habitat                               |               |
| - budget                      | 405                     | - evaluation                          | 597           |
| - fluxes                      | 349                     | - structure                           | 59            |
| <i>Enchytraeidae</i>          | 157                     | heavy metals                          | 229, 237, 411 |
| endangerment                  | 59                      | <i>Helix pomatia</i>                  | 177           |
| energy                        | 719                     | hierarchy conception                  | 647           |
| environment regeneration      | 499                     | Hill-reaction                         | 289           |
| environmental                 |                         | host                                  | 727           |
| - chemicals                   | 115, 157                | humic soil layer                      | 209           |
| - chemistry                   | 349                     |                                       |               |
| - consciousness               | 579                     |                                       |               |
| - education                   | 753                     |                                       |               |
| equilibration                 | 747                     |                                       |               |
| ESS                           | 719                     | <b>I</b>                              |               |
| ethics                        | 575                     | importance of ecology                 | 545           |
| evaluation                    | 59                      | income losses                         | 503           |

|  |                    |                            |                         |
|--|--------------------|----------------------------|-------------------------|
| infiltration zone                      | 215, 219           | microcosm                  | 115, 131, 143, 149, 157 |
| insecticides                           | 163, 171           | milk                       | 503                     |
| integrated assessment                  | 647                | mineral                    |                         |
| intensive agriculture                  | 467, 493           | - contents                 | 243                     |
| interdisciplinary                      | 563                | - element concentration    | 281                     |
| - approach                             | 9                  | - nutrient                 | 209, 215, 219, 321      |
| - model                                | 467, 481           | - soil layer               | 209                     |
| intracorporeal distribution of cadmium | 427                | minimum viable population  | 597                     |
| ion movement                           | 663                | model                      | 197                     |
| iron                                   | 215, 219           | - development              | 663                     |
| irrigation                             | 397, 405           | - ecosystem                | 131, 243                |
| <br><b>L</b>                           |                    | - experiments              | 663                     |
| laboratory test                        | 163                | - individuum-orientated    | 635                     |
| land reform                            | 455                | - object-orientated        | 635                     |
| landscape                              |                    | modelling                  | 579                     |
| - analysis                             | 585                | <br><b>N</b>               |                         |
| - pattern                              | 9                  | N-fertilization            | 397, 405                |
| - planning                             | 455                | Na-Pentachlorophenol       | 149                     |
| Lavrion                                | 223                | natural                    |                         |
| leaching                               | 143                | - protection               | 503                     |
| lead                                   | 223                | - woodlands                | 49                      |
| leaf                                   |                    | naturalness                | 59                      |
| - anatomy                              | 243                | nature                     |                         |
| - ontogeny                             | 307                | - conservancy              | 17                      |
| leaves                                 | 363                | - conservation             | 513, 529, 537, 563      |
| life ranges                            | 597                | needles                    | 363                     |
| Lindane                                | 131, 149           | new created oasis          | 99                      |
| linear response theory                 | 709                | nitrate                    | 331, 375, 385, 579      |
| litter input                           | 363                | - content                  | 481                     |
| <i>Lolium perenne</i>                  | 375                | nitrogen                   |                         |
| <i>Lupinus hartwegii</i>               | 183                | - concentration            | 467                     |
| lysimetric experiment                  | 411                | - dioxide                  | 321                     |
|  |                    | - fixation                 | 417                     |
| <br><b>M</b>                           |                    | nitrogen/light acclimation | 307                     |
| MAB                                    | 619                | non-equilibrium            | 727                     |
| - national committee                   | 563                | North Germany              | 585                     |
| - program                              | 545                | nuclear safety             | 563                     |
| magnesium                              | 209, 215, 219      | nutrient fluxes            | 363                     |
| Man and the Biosphere                  | 545, 563, 575, 619 | nutritional status         | 681                     |
| management                             | 513, 529           | <br><b>O</b>               |                         |
| - practices                            | 105                | Oberschwaben               | 77                      |
| - strategies                           | 9                  | open-top chambers          | 331                     |
| manganese                              | 215, 219           | order and chaos            | 753                     |
| meadow                                 | 503                | organic                    |                         |
| - ecosystems                           | 513                | - matter                   | 105                     |
| measures of development                | 17                 | - xenobiotica              | 183                     |
| Melick-Beech forest                    | 115                | oscillations               | 737                     |
| <i>Mesobromion</i>                     | 461                | osmotic potential          | 289                     |
| metabolic effects                      | 321                | overfertilization          | 467                     |
| microarthropods                        | 99                 | ozone                      | 321, 331                |
| microbial                              |                    |                            |                         |
| - biomass                              | 397                |                            |                         |
| - CO <sub>2</sub> -production          | 149                |                            |                         |

|                                    |               |                                |                    |
|------------------------------------|---------------|--------------------------------|--------------------|
| <b>P</b>                           |               |                                |                    |
| parasitoid                         | 727           | restriction of agriculture     | 503                |
| Pb-concentration                   | 223           | rice                           | 417                |
| PCP                                | 149           | river                          |                    |
| peat-bog                           | 321           | - sediment                     | 229                |
| Pentachlorophenol                  | 131, 149      | - system                       | 9                  |
| percolation experiment             | 663           | ryegrass                       | 375                |
| permanent grassland                | 397, 405      |                                |                    |
| pH                                 | 115           |                                |                    |
| - dependence                       | 197           |                                |                    |
| <i>Phaseolus vulgaris</i>          | 189, 321      | <b>S</b>                       |                    |
| phenanthrene                       | 183           | salt                           |                    |
| phosphate                          | 289           | - meadow geo-ecotopes          | 693                |
| photoperiod                        | 307           | - water inundation of polders  | 529                |
| photosynthesis                     | 189           | sand soil                      | 385, 663           |
| photosynthetic performance         | 307           | Schmidt's exchange-coefficient |                    |
| physiology                         | 243           | hypothesis                     | 393                |
| Pieniny                            | 513           | scientific disciplines         | 467                |
| pigment pattern                    | 189           | seeds                          | 35                 |
| <i>Pinus sylvestris</i>            | 297, 681      | semantic differential          | 753                |
| plant                              |               | semi-arid grassland            | 461                |
| - communities                      | 243           | sensitivity                    | 709                |
| - material                         | 349           | - training                     | 769                |
| - nutrients                        | 143           | <i>Sesbania rostrata</i>       | 417                |
| polarity                           | 747           | sheep grazing                  | 87                 |
| polders                            | 529           | side effects                   | 163, 171           |
| political measures                 | 445           | simulation                     | 481, 635           |
| pollutant interaction              | 321           | - models                       | 647                |
| pollution                          | 177, 385      | slugs                          | 177                |
| polycyclic aromatic hydrocarbonats | 183           | smokers                        | 427                |
| population                         | 445           | snails                         | 177                |
| - vulnerability analysis           | 597           | SO <sub>2</sub>                | 331                |
| potassium                          | 209, 215, 219 | - inhibiton                    | 307                |
| potential vegetation               | 49            | social sciences                | 467                |
| preservation                       | 25            | society                        | 445                |
| production                         | 243           | soil                           | 143, 177, 411, 537 |
| protection                         | 461           | - acidification                | 215, 219           |
| - of endangered weed               | 25            | - core microcosm               | 131                |
| - of species diversity             | 25            | - insecticides                 | 163                |
| protein content                    | 189           | - microbial acitivity          | 105                |
| prototrophic denitrifying bacteria | 375           | - microbial biomass            | 397                |
|                                    |               | - physics                      | 663                |
|                                    |               | - respiration                  | 149                |
|                                    |               | - compressing                  | 537                |
|                                    |               | - pH                           | 115                |
|                                    |               | - protection                   | 537                |
| <b>R</b>                           |               | sowing experiment              | 215, 219           |
| radish                             | 307           | spatial                        |                    |
| rare weeds                         | 69            | - habitat distribution         | 619                |
| rarity                             | 59            | - pattern                      | 699                |
| recultivation                      | 99            | - temporal pattern             | 737                |
| regeneration                       | 87            | species                        |                    |
| regulation                         | 445           | - composition                  | 115                |
| replaceability                     | 59            | - protection project           | 499                |
| representative sampling            | 349           | Spiekeroog                     | 693                |
| residue analysis                   | 115           | spruce-ecosystem               | 647                |
| restoration                        | 17            |                                |                    |

|                                 |               |                         |          |
|---------------------------------|---------------|-------------------------|----------|
| <i>Staphylinidae</i>            | 163           | urban                   | 229      |
| stem nodules                    | 417           | - ecology               | 537      |
| stemflow                        | 115, 215, 219 | - fauna                 | 537      |
| stomata                         | 307           | - flora/vegetation      | 537      |
| study concept                   | 585           | - forests               | 363      |
| stump                           | 219           | - gardening             | 537      |
| succession                      | 87, 99, 105   | - soils                 | 537      |
| sugar beets                     | 163           | urbanisation            | 521      |
| sulfur dioxide                  | 321           | <i>Urophora cardui</i>  | 737      |
| sustainability                  | 445           |                         |          |
| symbiosis                       | 763           |                         |          |
| system properties               | 747           |                         |          |
| <b>T</b>                        |               | <b>V</b>                |          |
| target species for conservation | 597           | valuing                 | 579      |
| terrestrial                     |               | vegetation              | 223      |
| - microcosms                    | 157           | - period                | 209      |
| - model ecosystem               | 131           | vertical fluxes         | 393      |
| thylakoids                      | 289           | vulnerability           | 597      |
| trace metals                    | 411           |                         |          |
| transpiration                   | 189           | <b>W</b>                |          |
| <i>Trifolium ssp.</i>           | 331           | wadden sea geo-ecotopes | 693      |
| <i>Trifolium pratense</i>       | 281           | water                   |          |
| <i>Trifolium repens</i>         | 289           | - courses               | 17       |
| tropical ecology                | 629           | - stress                | 289      |
| trunk base                      | 115, 215, 219 | - use efficiency        | 243, 265 |
| <b>U</b>                        |               | weed                    | 35       |
| undisturbed soil columns        | 663           | - communities           | 25       |
| UNESCO                          | 563, 575      | - flora reserve         | 69       |
|                                 |               | wetlands                | 77       |
|                                 |               | white stork program     | 499      |
|                                 |               | wind direction          | 223      |
|                                 |               | winter time             | 297      |

# ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Verhandlungen der Gesellschaft für Ökologie](#)

Jahr/Year: 1991

Band/Volume: [19\\_3\\_1991](#)

Autor(en)/Author(s): Anonymus

Artikel/Article: [Keyword-Register 776-780](#)