

- A**cculturation 303
afforestation 63
agricultural history 27
agricultural landscape 393
agriculture 127, 263, 399
agro-ecosystem 373, 385
alder carr 435
alder swampforest 435
Alnus glutinosa 435
Amaranthus 273, 329
AMOVA 101
ancient woodlands 5
anion tracer 323
aquatic ecotoxicology 399
Araneae 351, 379, 447
Araneida 349
area size 93
Artemisia annua 453
Artemisia vulgaris 411
artificial recolonisation 419
Asia 441
- B**ioindication 341
biological control 393
birds 79
bogs 447
botanical composition 139
Brassica napus 393
broadleaved forest 419
Brocken 45
- C**₃ 273, 329
4 273, 329
Calamagrostis villosa 45
calcareous grassland 71, 155
Calthion 63
Carabidae 207, 349, 351, 365
carbohydrates 295
carbon budget 117
Carpathians 365
cattle 173
cattle grazing 199
Cecidomyiidae 373
cellular automation 189
chance of extinction 461
changes in countryside 35
Chenopodium 273, 329
Chironomidae 373
chlorophyll 341
chlorophyll-fluorescence 329
chlorosis 341
CO₂ enrichment 273, 329
Collembola 427
competition 189
competition of species 335
conductance 303
- conflict between land-use and conservation 253
coniferous forest 427
Conocephalus dorsalis 213
Conocephalus dorsalis (Saltatoria) 219
countryside 35
crude protein 139
cultivated land 5
cultivation intensity 385
cultural landscape 35, 53
cutting experiment 181
deciduous forest 427
degradation 435
development 27
diaspore bank 63
diaspore rain 63
diaspores 173
diffuse sources 127
- D**iptera 373
Discriminance Analysis 213, 219
dispersal 71, 79, 173, 411
dispersal power 349
diversity 411
Dniester 365
Drömling 219
dry grassland 181
- E**arthworms 107, 419
East Frisian Islands 475
ecological evaluation 475
ecological sustainability 243
ecology 243
ecosystem management 207
ecoton 405
ecotoxicological effect assessment 317
ecotoxicology 317
ectozoochory 173
elevated O₃ levels 283
elevated CO₂ 283
elevated CO₂ concentration 295, 303
emergence traps 385
enclosure 399
endozoochory 173
energy concentration 139
establishment 165
European dimension 243
evaluation 435
evolution 79
extensive agriculture 253
extensive pasture 173
extreme habitat 447
- F**agus *sylvatica* L. 295, 303
fallow 393
fallowland 199
farm level 147
farm structure 127
fen 165, 189, 207, 219, 235
fen litter meadows 165
fenvalerate 399
fertilization 419
fertilizer 373
fertilizing decree 127
field experiment 335
field margin strips 393, 411
field study 107
flies (Brachycera) 385
flight capability 349
floodplains 349, 365
fodder quality 139
forest line 45
forest soil 419, 427
forests 323
fragmentation 173
functional plant growth analysis 283
Fuzzy Logic 219
- G**alloways 173
gas exchange 273
gene flow 101
geographic information system 213
Germany 71
grasshoppers 71, 199
grassland 117, 139, 147
gravel bars 351
grazing 173
ground beetles 365
- H**abitat size 469
Habitat-Suitability-Model 213, 219
Harz 45
hay deposit 155
Hieracium pilosella 181
history of development 93
hoefields 53
Hypoaspis aculeifer (CANESTRINI, 1883) 317
- I**mmaterial benefits of land-use 253
in situ bioassays 399
individual based computer simulation 461
integrated farming systems 411
integrated pest management 441
intensive agriculture 253

- interaction with nitrogen supply 283
 intercellular CO₂ concentration 303
 inundation 349
 irrigation meadows 53
 island theory 93
 isolation 101, 173
 isolation in space and time 85
Key factor 213
 keystone species 207
Laboratory microcosm 317
Lacerta agilis 101
 land developed and cultivated by man 27
 land use 27
 landscape planning 27, 263
 landscape specificities 263
 landscape-history 45
 landsnail 469
 late used meadows 139
 liming 419, 427
 limits of tolerance 263
 littoral sediments 227
 livestock density 127
 Lower Saxony 475
Lumbricus terrestris 107
Macroinvertebrates 399
 management 63, 199
 management of succession 165
 Mantel-test 101
 megaherbivores 5
Meligethes aeneus 393
 microclimate 405
 mineral balance 147
 mineralization 235, 311, 323
 minimum viable population (MVP) 461
 model 27
 modelling 79, 189
 moist grassland 63
 moorland 199
 mowing 199
Nabidae 405
 National Park 475
 natural succession 379
 nature conservation 27, 71, 199, 263, 357
 necrosis 341
 neighbourhood 189
Nematocephala 373
 neophyte 453
 net photosynthesis 303
Nicotiana tabacum BEL W 3 341
 nitrification 311, 323
 nitrogen 127, 147, 295
 nitrogen balance 235
 nitrogen dynamics 235
 nitrogen fertilizer 107
 nitrogen-mineralization 107
 nonpoint-source pollution 399
 nutrient balance 127
 nutrient removal 227
 nutrients 147
Oder (Germany) 349
 oilseed rape 393
 ombrotrophy 447
 open-top chamber 283
 overall guidelines 263
P, K-fertilization 427
 parasitoids 393, 411
 parathion 399
 pastures 71
 payments for ecological benefits 253
 peatlands 447
 pesticides 373, 399
 phenology 181
 phenometry 181
 phenotypic plasticity 453
 phoresy 71
 phosphorus 127, 147
 photosynthesis 273, 329
Phragmites reeds 227
 pitfall trapping 207
 pitfall traps 385
 plant vitality 341
 plant-insect communities 393, 411
 pollen-analytic data 5
Pomacea canaliculata 441
 pond 475
 population biology 165
 population dynamics 453
 population structure 101, 469
 population viability 469
 porphyry hill landscape 93
 potassium 147
 predator-prey relationship 317
 predators 411
 predictability 155
 primeval forest 85
 principal component analysis 101
 profitability of land-use 253
Pulsatilla alba 45
Quality standards 263
RAPD-analysis 101
 reflectance 341
 relative growth rate 283
 restoration 63, 155, 165, 235
Rhabditis maupasi (SEURAT, 1919) 317
 rice pest 441
 ridge and furrow fields 53
 root respiration 117, 311
 root uptake 311
 rubisco 329
 runoff 399
Saltatoria 71
 sand lizard 461
 Saxonia 35
 scenarios 263
 Sciaridae 373
 seed bank 85
 seed dispersal 85
 seed predation 85
 seed size 85
Senecio 273, 329
 set-aside 379, 385
 shepherding 71
 simulation 189
 simulation model 441
 site 27
 soil acidification 323
 soil acidifying processes 311
 soil chemical parameters 427
 soil respiration 117
 South West Germany 27
 southern Germany 199
 Southwest Germany 53
 species conservation 461
 species-area relationship 411
 spectrometry 341
 spiders 379, 447
 spruce forest 419
 starch 295
 stomata 273
 stomatal regulation 113
 stratification 181
 streams 351
Stryj 365
 subalpine belt 45
 succession 63, 189
 sucrose 295
 sugar beet 379
 sustainable development 243
 sweet wormwood 453
Target species 207
 temperature optimum 303
 terrestrial testsystem 317
 tillage 379

tobacco 341
tolerance 335
transpiration 303
transplanted soils 323
Trifolium pratense 411
Triticum aestivum 283
Trochoidea geyeri 469

Ukraine 365
unprofitability of land-use 253
Upper Lusatia 35
Upper Rhine Valley 435
UV-B 335

Variety of sites 93
vegetation change 335
vegetation density 181
vegetation structure 405

Wadden Sea Area 475
water consumption 113
water pollution 127
water relations 273
weeds 113
wet meadow 207
wetland management 227

Xerothermic vegetation 93

Yield 139

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Verhandlungen der Gesellschaft für Ökologie](#)

Jahr/Year: 1996

Band/Volume: [27_1996](#)

Autor(en)/Author(s): unbekannt

Artikel/Article: [Keyword Index 485-487](#)