

- Acclimation** 303
 afforestation 63
 agricultural history 27
 agricultural landscape 393
 agriculture 127, 263, 399
 agro-ecosystem 373, 385
 alder carr 435
 alder swampforest 435
Alnus glutinosa 435
Amaranthus 273, 329
 AMOVA 101
 ancient woodlands 5
 anion tracer 323
 aquatic ecotoxicology 399
 Araneae 351, 379, 447
 Araneida 349
 area size 93
Artemisia annua 453
Artemisia vulgaris 411
 artificial recolonisation 419
 Asia 441
- Bioindication** 341
 biological control 393
 birds 79
 bogs 447
 botanical composition 139
Brassica napus 393
 broadleaf forest 419
 Brocken 45
- C₃** 273, 329
C₄ 273, 329
Calamagrostis villosa 45
 calcareous grassland 71, 155
 Calthion 63
 Carabidae 207, 349, 351, 365
 carbohydrates 295
 carbon budget 117
 Carpathians 365
 cattle 173
 cattle grazing 199
 Cecidomyiidae 373
 cellular automation 189
 chance of extinction 461
 changes in countryside 35
Chenopodium 273, 329
 Chironomidae 373
 chlorophyll 341
 chlorophyll-fluorescence 329
 chlorosis 341
 CO₂ enrichment 273, 329
 Collembola 427
 competition 189
 competition of species 335
 conductance 303
 conflict between land-use and conservation 253
 coniferous forest 427
Conocephalus dorsalis 213
Conocephalus dorsalis (Saltatoria) 219
 countryside 35
 crude protein 139
 cultivated land 5
 cultivation intensity 385
 cultural landscape 35, 53
 cutting experiment 181
 deciduous forest 427
 degradation 435
 development 27
 diaspore bank 63
 diaspore rain 63
 diaspores 173
 diffuse sources 127
- Diptera** 373
 Discriminance Analysis 213, 219
 dispersal 71, 79, 173, 411
 dispersal power 349
 diversity 411
 Dniester 365
 Drömling 219
 dry grassland 181
- Earthworms** 107, 419
 East Frisian Islands 475
 ecological evaluation 475
 ecological sustainability 243
 ecology 243
 ecosystem management 207
 ecoton 405
 ecotoxicological effect assessment 317
 ecotoxicology 317
 ectozoochory 173
 elevated O₃ levels 283
 elevated CO₂ 283
 elevated CO₂ concentration 295, 303
 emergence traps 385
 enclosure 399
 endozoochory 173
 energy concentration 139
 establishment 165
 European dimension 243
 evaluation 435
 evolution 79
 extensive agriculture 253
 extensive pasture 173
 extreme habitat 447
- Fagus sylvatica** L. 295, 303
 fallow 393
 fallowland 199
 farm level 147
 farm structure 127
 fen 165, 189, 207, 219, 235
 fen litter meadows 165
 fenvalerate 399
 fertilization 419
 fertilizer 373
 fertilizing decree 127
 field experiment 335
 field margin strips 393, 411
 field study 107
 flies (Brachycera) 385
 flight capability 349
 floodplains 349, 365
 fodder quality 139
 forest line 45
 forest soil 419, 427
 forests 323
 fragmentation 173
 functional plant growth analysis 283
 Fuzzy Logic 219
- Galloways** 173
 gas exchange 273
 gene flow 101
 geographic information system 213
 Germany 71
 grasshoppers 71, 199
 grassland 117, 139, 147
 gravel bars 351
 grazing 173
 ground beetles 365
- Habitat size** 469
 Habitat-Suitability-Model 213, 219
 Harz 45
 hay deposit 155
Hieracium pilosella 181
 history of development 93
 hoefields 53
Hypoaspis aculeifer (CANESTRINI, 1883) 317
- Immaterial benefits of land-use** 253
 in situ bioassays 399
 individual based computer simulation 461
 integrated farming systems 411
 integrated pest management 441
 intensive agriculture 253

- interaction with nitrogen supply 283
- intercellular CO₂ concentration 303
- inundation 349
- irrigation meadows 53
- island theory 93
- isolation 101, 173
- isolation in space and time 85
- Key factor** 213
- keystone species 207
- Laboratory microcosm** 317
- Lacerta agilis* 101
- land developed and cultivated by man 27
- land use 27
- landscape planning 27, 263
- landscape specificities 263
- landscape-history 45
- landsnail 469
- late used meadows 139
- liming 419, 427
- limits of tolerance 263
- littoral sediments 227
- livestock density 127
- Lower Saxony 475
- Lumbricus terrestris* 107
- Macroinvertebrates** 399
- management 63, 199
- management of succession 165
- Mantel-test 101
- megaherbivores 5
- Meligethes aeneus* 393
- microclimate 405
- mineral balance 147
- mineralization 235, 311, 323
- minimum viable population (MVP) 461
- model 27
- modelling 79, 189
- moist grassland 63
- moorland 199
- mowing 199
- Nabidae** 405
- National Park 475
- natural succession 379
- nature conservation 27, 71, 199, 263, 357
- necrosis 341
- neighbourhood 189
- Nematocera 373
- neophyte 453
- net photosynthesis 303
- Nicotiana tabacum* BEL W 3 341
- nitrification 311, 323
- nitrogen 127, 147, 295
- nitrogen balance 235
- nitrogen dynamics 235
- nitrogen fertilizer 107
- nitrogen-mineralization 107
- nonpoint-source pollution 399
- nutrient balance 127
- nutrient removal 227
- nutrients 147
- Oder (Germany)** 349
- oilseed rape 393
- ombrotrophy 447
- open-top chamber 283
- overall guidelines 263
- P,K-fertilization** 427
- parasitoids 393, 411
- parathion 399
- pastures 71
- payments for ecological benefits 253
- peatlands 447
- pesticides 373, 399
- phenology 181
- phenometry 181
- phenotypic plasticity 453
- phoresy 71
- phosphorus 127, 147
- photosynthesis 273, 329
- Phragmites* reeds 227
- pitfall trapping 207
- pitfall traps 385
- plant vitality 341
- plant-insect communities 393, 411
- pollen-analytic data 5
- Pomacea canaliculata* 441
- pond 475
- population biology 165
- population dynamics 453
- population structure 101, 469
- population viability 469
- porphyry hill landscape 93
- potassium 147
- predator-prey relationship 317
- predators 411
- predictability 155
- primeval forest 85
- principal component analysis 101
- profitability of land-use 253
- Pulsatilla alba* 45
- Quality standards** 263
- RAPD-analysis** 101
- reflectance 341
- relative growth rate 283
- restoration 63, 155, 165, 235
- Rhabditis maupasi* (SEURAT, 1919) 317
- rice pest 441
- ridge and furrow fields 53
- root respiration 117, 311
- root uptake 311
- rubisco 329
- runoff 399
- Saltatoria** 71
- sand lizard 461
- Saxonia 35
- scenarios 263
- Sciaridae 373
- seed bank 85
- seed dispersal 85
- seed predation 85
- seed size 85
- Senecio 273, 329*
- set-aside 379, 385
- shepherding 71
- simulation 189
- simulation model 441
- site 27
- soil acidification 323
- soil acidifying processes 311
- soil chemical parameters 427
- soil respiration 117
- South West Germany 27
- southern Germany 199
- Southwest Germany 53
- species conservation 461
- species-area relationship 411
- spectrometry 341
- spiders 379, 447
- spruce forest 419
- starch 295
- stomata 273
- stomatal regulation 113
- stratification 181
- streams 351
- Stryj 365
- subalpine belt 45
- succession 63, 189
- sucrose 295
- sugar beet 379
- sustainable development 243
- sweet wormwood 453
- Target species** 207
- temperature optimum 303
- terrestrial testsystem 317
- tillage 379

- tobacco 341
tolerance 335
transpiration 303
transplanted soils 323
Trifolium pratense 411
Triticum aestivum 283
Trochoidea geyeri 469
- Ukraine** 365
unprofitability of land-use 253
Upper Lusatia 35
Upper Rhine Valley 435
UV-B 335
- Variety of sites** 93
vegetation change 335
vegetation density 181
vegetation structure 405
- Wadden Sea Area** 475
water consumption 113
water pollution 127
water relations 273
weeds 113
wet meadow 207
wetland management 227
- Xerothermic vegetation** 93
- Yield** 139

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Verhandlungen der Gesellschaft für Ökologie](#)

Jahr/Year: 1996

Band/Volume: [27_1996](#)

Autor(en)/Author(s): unbekannt

Artikel/Article: [Keyword Index 485-487](#)