

To the knowledge of Nepalese Chrysomelidae (Coleoptera)

MATTHIAS HARTMANN, Erfurt & LEV N. MEDVEDEV, Moscow

Summary

The paper gives new records of 270 species of Leaf beetles, collected during several expeditions of the Naturkundemuseum Erfurt to Nepal and kept in the museum's collection. Twelve species are new to the fauna of Nepal: *Ceratobasis bimaculata* Jacoby, *Xanthophorus seriatus* Weise, *Aulacophora impressa* Fabricius, *Exosoma tomokunii* Takizawa, *Monolepta lineata* Weise, *Monolepta pallidula* Baly, *Zangastria nitidicollis* Chen, *Chaetocnema harita* Maulik, *Hespera naini* Scherer, *Longitarsus gola* Maulik, *Orthocrepis ruficollis* Lucas, *Pentamesa haroldi* Baly. Also, the new combination *Liroetis suwai* (Takizawa) comb. nov. is proposed and transferred from the genus *Mimastra*.

Zusammenfassung

Es werden neue faunistische Daten von 270 Blattkäferarten aus der Sammlung und von Expeditionen des Naturkundemuseums Erfurt mitgeteilt. Folgende 12 Arten sind neu für die Fauna Nepals *Ceratobasis bimaculata* Jacoby, *Xanthophorus seriatus* Weise, *Aulacophora impressa* Fabricius, *Exosoma tomokunii* Takizawa, *Monolepta lineata* Weise, *Monolepta pallidula* Baly, *Zangastria nitidicollis* Chen, *Chaetocnema harita* Maulik, *Hespera naini* Scherer, *Longitarsus gola* Maulik, *Orthocrepis ruficollis* Lucas, *Pentamesa haroldi* Baly.

Die Neukombination *Liroetis suwai* (Takizawa) comb. nov. wird vorgeschlagen und aus der Gattung *Mimastra* zu *Liroetis* transferiert.

Key words: Coleoptera, Chrysomelidae, Nepal, Himalaya, faunistics, list of species, comb. nov.

Introduction

Chrysomelidae of Nepal are intensively studied in the last 30 years thanks to numerous expeditions, especial-

ly from Germany, Switzerland and Japan. A catalogue of the Chrysomelidae of Nepal (MEDVEDEV & SPRECHER 1999) includes 797 species. Since then, some additional species were reported (DACCORDI 2001, DACCORDI & MEDVEDEV 2000, KIMOTO 2001, LOPATIN 2002, MEDVEDEV 1999, 2000, in press; SPRECHER, 2000, 2002) with additional 94 species, among them 50 new species, therefore total number increased to 892 species (table 1), among them 14 endemic genera, 27 apterous genera and 250 endemic species, practically a quarter of total fauna. It is to be supposed, that the real existing number of the Nepalese Chrysomelidae will still increase by further 20%. One of the reasons of this, is that the lowlands in the south of the country are still poorly investigated and that namely there, in the rainforests, a rich abundance of species might exist, which is still undiscovered. So, about 1000 species of leaf beetles might be in Nepal.

In this paper datas of 270 species were given, which was collected by several expeditons of german entomologists in Nepal. The material is deposited into the collection of the Naturkundemuseum Erfurt, and some doubles in the collections of the different collectors or in the collection of the co-author. The localities of the expeditions of the Naturkundemuseum Erfurt are described and located for 1999 and 2001 in BAUMBACH (1999, and in press) and CLAUBEN & WEIPERT (in press).

The list of species

1. Sagrinae

Sagra carbunculus Hope:

- Dolakha, Rolwaling, Simigau village, 2000 m, 02.VI.2000, leg. J. Schmidt, 1 ex.
- Manaslu Himal, Apipal W Gorkha, 1200 m, 03.VII.2001, leg. S. Tamang, 1 ex.

2. Megalopodinae

Colobaspis septemmaculata Hope:

- Jumla, 10 km NE Jumla, Uthu, Chaudhabise Khola, 29°18'10"N, 82°13'42"S, 11.VII.1999, 2500 m,

Table 1: The Chrysomelid subfamilies in Nepal

Subfamily	Species	Genera	Endemic genera	Endemic species	Apterous genera
Sagrinae	2	1	0	0	0
Donaciinae	1	1	0	0	0
Criocerinae	34	3	0	2	0
Zeugophorinae	7	1	0	1	0
Megalopodinae	8	2	0	3	0
Clytrinae	40	11	0	7	0
Cryptocephalinae	60	6	0	21	0
Chlamisinae	8	1	0	4	0
Lamprosominae	4	2	0	2	0
Eumolpinae	88	26	0	19	0
Chrysomelinae	46	15	0	22	4
Galerucinae	246	77	1	56	3
Alticinae	265	69	13	105	20
Hispiniae	55	18	0	6	0
Cassidinae	28	9	0	2	0
Total	891	242	14	249	27

leg. A. Weigel, 1 ex.

- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. A. Weigel, 1 ex.
- Humla, 12 km S Simikot, Raya village, 2400 m, 29°52'17"N, 81°51'34"E, 08.VII.2001, leg. Kopetz, 4 exx.

3. Criocerinae

Lema balyana Jacoby:

- Dolakha, Tama Koshi valley, Bigath to Jagat, 900-1000 m, 14.V.2000, leg. J. Schmidt, 1 ex.

Lema coromandeliana Fabricius:

- Kathmandu, Kathmandu-Tal, 1300 m, 18.VI.1995, leg. Ahrens/Pommeranz, 1 ex.
- Ganesh Him, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, Santa Tamang, Ram Santa, Santa Gurung, 1 ex.
- Dolakha, Tama Koshi valley, Gongga Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 1 ex.
- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80" N, 84°29'49"E, leg. A. Weigel, 6 exx.

Lema cyanea Fabricius:

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Ganesh Him, Kari Gaon, Ankhu Khola valley,

1700 m, Barang village, 18.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 2 exx.

Lema palpalis Lacordaire:

- Dolakha, Tama Koshi valley, Gongga Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 1 ex.

Lema nigricollis Jacoby:

- Annapurna South Him, Narcheng to Kuli Kund, 1600-2000 m, 26.V.2001, leg. J. Schmidt, 1 ex.

Lema rufotestacea Linnaeus:

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 3 exx.
- Dolakha, Tama Koshi valley, Chet Chet to Gongga Khola, 1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.

Liliocerus atrilateralis Kimoto:

- Ganesh Him, SE-slope, Rupchet, 35-3600 m, 11.VI.2000, leg. Galeh, Tamang, Santa, Gurung, 1 ex.
- Manaslu Him, Apipal W Gorkha, 1200 m, 03.VII.2001, leg. Tamang, 1 ex.
- Kathmandu, 15 km S, Mt. Phulchoki, 27°35'N, 85°22'E, 1800-2000 m, deciduous forest, KL, 18.07.2001, leg. A. Kopetz, 1 ex.

Liliocerus impressa Fabricius:

- Dhaulagiri Him, Beni to Pakhapani, 1000-1450 m,

- 16.VI.1998, leg. C. Berndt & J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Biganthi to Jagat, 900-1000 m, 14.V.2000, leg. J. Schmidt, 2 exx.
 - Dolakha, Tama Koshi valley, Gonga Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 7 exx.
 - Annapurna South Himal, Dana to Ghasa, 1300-1700 m, 26.V.2001, leg. J. Schmidt, 1 ex.
 - Kathmandu, Bagmati-River, nr. Gorkhana Park, 1350 m, 27°43'22"N, 85°22'59"E, 15.VI. 2001, leg. A. Weigel, 4 exx.

Liliocercis laosensis Pic:

- Dolakha, Tama Koshi valley, Gonga Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 6 exx.
- Humla, 12 km S Simikot, Raya, 2400 m, 29°52'29"N, 81°51'57"E, 08.VII.2001, leg. F. Creutzburg, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali valley 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 3 exx.
- Humla, Raya to Simikot, 2500-2800 m, 09.-10.VII. 2001, leg. J. Weipert, 1 ex.
- Humla, Simikot, 3100 m, 10.VII.2001, 29°58'27"N, 81°49'07"E, leg. F. Creutzburg, 1 ex.
- Rapati, 2 km S Lamahi, Rapati River, 27°50'07"N, 82°32'23"E, 13.07.2001, riverbank & fields, HF/KL, leg. A. Kopetz, 5 exx.

Liliocercis subcostata Pic:

- Ganesh Himal, Kimtang, 15 km NW of Trisuli Bazar, 1600 m, 19.VI.2000, leg. J. Schmidt, 3 exx.

Oulema downesii Baly:

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.

4. Clytrinae

Aetheomorpha nitidicollis Jacoby:

- Annapurna Mts., Marsyangdi-Tal, Syangde, 1100 m, 25.VIII.1995, leg. J. Schmidt, 1 ex.

Aetheomorpha schmidtii Medvedev: **HOLOTYPE**, **PARATYPE**

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 7 exx.

Aetheomorpha suturata Jacoby:

- Bake, 15 km W Kusum, Rapati Riverside, 250 m, 28°02'15"N, 81°57'16"E, 13.VII.2001, leg. A. Weigel, 1 ex.

Aetheomorpha virgula Jacoby:

- Nawalparasi, Dumkibas, Danne 900 m, 27°33'31"N, 83°50'59"E, 14.07.2001, leg. A. Kopetz, 1 ex.

Aspidolopha melanophthalma Lacordaire:

- Dolakha, Tama Koshi valley, Bigath to Jagat, 900-1000 m, 14.V.2000, leg. J. Schmidt, 1 ex.
- Chitawan, Sauraha, Rapti River Ufer, 180 m, 14.VII.2001, 27°34'80"N, 84°29'49"E, leg. F. Creutzburg, A. Weigel, A. Kopetz, 4 exx.

Aspidolopha spilota Hope:

- Dolakha, Rolwaling, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. A. Kleeberg, 2 exx.
- Dolakha, Tama Koshi valley, Gonga Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 4 exx.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 1 ex.

Ceratobasis bimaculata Jacoby:

- Chitawan, Sauraha, Rapti River, 27°34'51"N, 84°29'30"E, 14.-15.07.2001, 180 m, HF, leg. A. Kopetz, 2 exx.

Remark. Firstly found in Nepal, was known from North India.

Diapromorpha dejeani Lacordaire:

- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, Tamang, Santa, Gurung, 1 ex.
- Dhaulagiri Himal, Beni to Pakhapani, 1000-1450 m, 16.VI.1998, leg. C. Berndt & J. Schmidt, 2 exx.
- Dolakha, Tama Koshi valley, 1400-1900 m, 08.IX. 1999, leg. J. Schmidt, 1 ex.
- Kathmandu, N, Bagmati-River, am Gorkhana-Park, 1300 m, 19.VII.2001, leg. J. Weipert, 1 ex.
- Kathmandu, 15 km S, Mt. Phulchoki, 27°35'N,

85°22'E, 1800-2000 m, deciduous forest, KL, 18.07.2001, leg. A. Kopetz, 1 ex.

Epimela trimaculata F.:

- Humla, 6 km SE Simikot, NE Chhipra, Humla-Karnali - Chuwa Khola, 29°56'33"N, 81°51'24"E, 09.07.2001, 2200 m, riverbank, HF/KF, leg. A. Kopetz, 1 ex.

Miochira gracilis Lacordaire: (det. Sprecher)

- Dolakha, Tama Koshi valley, Gonga Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 30°00'09"N, 81°46'08"E, rural landscape, 18.VI.2001, leg. A. Weigel, A. Kopetz, 2 exx.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 1 ex.
- Humla, 20 km W Simikot, NE vor Chala, 2900-3600 m, 30°00'N, 81°37'1'E, 23.VI.2001, leg. J. Weipert, 1 ex.
- Humla, 20 km W Simikot, 3 km W Chala, 3750 m, 30°00'35"N, 81°37'12"E, 24.VI.2001, leg. F. Creutzburg, M. Hartmann, 2 exx.
- Humla, 20 km W Simikot, 2 km S Chala, Kairang Khola, 3200 m N, 29°59'27"N, 81°37'30"E, 26.VI.2001, leg. F. Creutzburg, 1 ex.
- Humla, 12 km S Simikot, Raya, 2400 m, 29°52'29"N, 81°51'57"E, 08.VII.2001, rural landscape, leg. F. Creutzburg, A. Kopetz, 4 exx.
- Humla, 12-10 km S Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.VII.2001, rural landscape, leg. F. Creutzburg, A. Kopetz, A. Weigel, J. Weipert, 29 exx.
- Humla, 10-5 km SE Simikot, Humla-Karnali valley, 2100-2200 m, riverside, 29°56'N, 81°51'E, 09.VII.2001, leg. M. Hartmann, 3 exx.
- Humla, Chhipra, Humla-Karnali, 29°56'33"N, 81°51'24"E, to Simikot, 2200-3100 m, KL/HF, 10.07.2001, leg. A. Kopetz, 2 exx.
- Humla, 20 km W Simikot, env. Chala, 3750 m, 30°00'35"N, 81°37'12"E, 23.VI.2002, leg. L. Mandler & H. Grimm, 1 ex.

Miochira montana Jacoby:

- Mugu, Churchi Lagna, NNW, Pina, W, Bachtal Jhyari Khola, 24-2600 m, 29°29', 47'N, 82°07', 51'E, 23./24.VI.1999, leg. A. Weigel, 7 exx.
- Mugu, Rara Lake National Park, 2990 m, 29°37',

15'N, 82°04', 31'E, Rara Lake, Nordufer, 25.VI.1999, leg. A. Weigel, 1 ex.

- Mugu, Mugu-Karnali-Tal, Lumsa to Mangri, 1800 m, 27.VI.1999, 29°32'N, 82°11'E, leg. A. Weigel, 1 ex.
- Mugu, Mangri to Taka, W, 2100-2300 m, 29°34', 2'N, 82°23', 5'E, 28.VI.1999, leg. Hartmann, 1 ex.
- Mugu, Bachtal W Taka, 2200-2800 m, 29.VI.1999, Lagerplatz Taleingang, 29°34'43"N, 82°23'54"E, leg. A. Weigel, 1 ex.
- Jumla, Talphi, S Maharigaon, 29°20'25"N, 82°23'16"E, 07.-09.VII.1999, 3200 m Bachtal, leg. A. Weigel, 3 exx.
- Jumla, 10 km NE Jumla, Uthu, Chaudhabise Khola, 29°18'10"N, 82°13'42"S, 11.VII.1999, 2500 m, leg. A. Weigel, 3 exx.

Smaragdina minutissima Lopatin:

- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 30°00'09"N, 81°46'08"E, 18.VI.2001, leg. A. Weigel, A. Kopetz, 2 exx.
- Humla, 5 km SE Simikot, NE Chhipra, Humla-Karnali - Chuwa Khola 2200 m 29°56'33"N, 81°51'24"E, 09./10.VII.2001, riverside, leg. A. Weigel, 1 ex.

Smaragdina sikhima Jacoby:

- Annapurna Mts., Birethanti, 1100 m, 25.IV.2000, leg. A. Weigel, 1 ex.

Smaragdina tonkinensis Lefevre: (det. Schöller)

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Dolakha, Rolwaling, upp. Simigau village, 2000 m, 02.VI.2000, leg. A. Kleeberg, 1 ex.
- Bajura, 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 1 ex.
- Humla, 10 km SE Simikot, Humla-Karnali valley, 2400-2200 m, riverside, 29°56'N, 81°51'E, 09.VII.2001, leg. F. Creutzburg, A. Kopetz, 2 exx.

5. Cryptocephalinae

Coenobius fulvipes Baly:

- Myagdi, upper Bathlakharka, 2160 m, 20.VI.1998, leg. C. Berndt/Schmidt, 1 ex.
- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.

Cryptocephalus baroniurbani Lopatin:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 8 exx.

Cryptocephalus dimidiatipennis Jacoby:

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Jagat, 1200-1600 m, 09.IX.1999, leg. J. Schmidt, 1 ex.

Cryptocephalus foveatus Medvedev: **HOLOTYPUS**

- Bagmati, Kathmandu valley, S, Mt. Phulchoki, 2300-2700 m, 25.VI.1997, KLS, leg. M. Hartmann, 1 ex.

Cryptocephalus hartmanni Medvedev: **HOLOTYPUS**

- Mugu, Rara Lake National Park, 2990 m, 29°37', 15°N, 82°04', 31°E, Rara Lake, Südufer, 25.VI.1999, leg. M. Hartmann, 1 ex.

Cryptocephalus hopei Medvedev & Sprecher:

- Dolakha, Rolwaling, Simigau village, 2000 m, 02.VI.2000, leg. J. Schmidt, 1 ex.
- Dhaulagiri Himal, Beni to Pakhapani, 1000-1450 m, 16.VI.1998, leg. Berndt & Schmidt, 1 ex.

Cryptocephalus kopetzi Medvedev: **HOLOTYPUS, PARATYPEN**

- Mugu, Churchi Lagna, NNW, Bachtal, 2500 m, 29°29', 47°N, 82°07', 51°E, 23.VI.1999, leg. M. Hartmann, 1 ex.
- Jumla, 10.VII.1999, Wegrund von Talphi nach Lamri, Chaudabhise Khola, 2800-2400 m, leg. A. Weigel, 5 exx.
- Jumla, Uthu, 2600-2400 m, 29°18', 1°N, 82°13', 4°E, 11.VII.1999, leg. M. Hartmann, 1 ex.
- Humla, 500 m W Simikot, 29°58'N, 81°49'E, terrace fields 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 30°00'09"N, 81°46'08"E, rural landscape, 18.VI.2001, leg. A. Weigel, 3 exx.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 1 ex.
- Bajura, 16 km SW Simikot, N Chachaur, Kuwadi Khola, 3500 m, 06.VII.2001, 29°50', 4°N, 81°45', 0°E,

leg. A. Kopetz, 1 ex.

- Bajura 19-16 km SW Simikot, Kuwadi Khola 3500-2900 m, 06.VII.2001, riverside, leg. A. Weigel, A. Kopetz, 7 exx.
- Karnali, Humla, 12 km S Simikot, env. Raya 3200-2500 m, 29°52'17"N, 81°51'34"E 08.VII.2001, rural landscape, leg. A. Weigel, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 1 ex.

Cryptocephalus nepalensis Bryant:

- Dhaulagiri Himal, S-slope Ruyachaur Duri, 24-2700 m, 22.VI.1998, leg. Berndt & Schmidt, 2 exx.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.

Cryptocephalus ovulum Suffrian:

- Sankhuwasabha, Tumlingtar, Airport, 27°19', 15°N, 87°11', 25°E, 450 m, 26.XI.1998, leg. M. Hartmann, 1 ex.
- Kathmandu, Bagmati-River, nr. Gorkhana Park, 1300 m, 27°43'N, 85°20'E, 15.VI.2001, leg. A. Weigel, F. Creutzburg, A. Kopetz, 12 exx.

Cryptocephalus poultoni Jacoby:

- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 30°00'09"N, 81°46'08"E, 18.VI.2001, leg. A. Kopetz, A. Weigel, 25 exx.
- Humla, 14 km NW Simikot, Kermi, 2800 m, 30°02'55"N, 81°42'20"E, 19.VI.2001, leg. M. Hartmann, 1 ex.
- Humla, 12 km S Simikot, env. Raya 3400-2500 m, 20°52'17"N, 81°51'34"E, 08.07.2001, rural landscape, leg. A. Kopetz, 3 exx.
- Humla, 12-10 km S Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.VII.2001, leg. A. Weigel, rural landscape, 4 exx.
- Humla, 5 km SE Simikot, NE Chhipra, Chuwa Khola valley, 2200 m, riverside, 29°56'33"N, 81°51'24"E, 09.VII.2001, leg. A. Weigel, 3 exx.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 8 exx.
- Humla, 2 km SE Simikot, side valley to Humla-Karnali NE Chhipra, 22-2400 m 29°58'N, 81°52'E 10.VII.2001, riverside, leg. A. Kopetz, A. Weigel, 3 exx.

Cryptocephalus sikkimensis Jacoby:

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.

Cryptocephalus triangularis Hope:

- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. A. Weigel, 1 ex.
- Humla, 20 km W Simikot, 2 km S Chala, Kairang Khola, 32-3500 m, HF/KL, 20°59'27"N, 81°37'30"E, 26.06.2001, river valley, leg. A. Kopetz, 10 exx.

Stylosomus hartmanni Medvedev: **HOLOTYPUS**

- Bajura, 16 km SW Simikot, Kuwadi Khola, env. Chachaur, HF, 3500-2900 m, 06.VII.2001, riverbank, leg. A. Kopetz, 1 ex.

Stylosomus nepalicus Medvedev: **HOLOTYPUS**

- Humla, 500 m W Simikot, 29°59'N, 81°49'E, terrace fields, 16.-17.VI.2001, 3000-3200 m, leg. A. Kopetz, 1 ex.

6. Eumolpinae

Aoria nigripes Baly:

- Kathmandu, Mt. Phulchoki, 2000-2300 m, 18.VII.2001, leg. J. Weipert, 1 ex.

Basilepta fabrei Lefevre:

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.
- Rolwaling, Dugong Kharka, 27-2900 m, 17.V.2000, leg. J. Schmidt, 10 exx.
- Ganesh Himal, Kari Gaon, Ankhu Khola valley, 1700 m, Barang village, 18.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 1 ex.
- Annapurna Mts., Tikhedunga, 1500 m, 28°20'93"N, 83°44'53"E, 20.IV.2000, leg. A. Weigel, 8 exx.
- Dhaulagiri Himal, Kali Gandaki valley, Sirkung, 2700-2800 m, 28.V.2001, leg. J. Schmidt, 1 ex.
- Humla, 18 km W Simikot, Chumsa Khola (Bridge), 2900-3000 m, 30°02'25"N, 81°39'06"E, river valley, 22.VI.2001, leg. J. Weipert, 2 exx., same locality 20.-25.VI.2002, leg. Fischer & Grimm, 3 exx.

Basilepta frontalis Baly:

- Kathmandu - Tal, 1300 m, 16.-18.06.1995, leg. Ahrens/Pommeranz, 2 exx.

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 10 exx.
- Dolakha, upp. Simigau village, 2700-2800 m, 02.VI.2000, leg. A. Kleeberg, 1 ex.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 3 exx.
- Ganesh Himal, Ankhu Khola valley, Barang village, 1700 m, 18.VI.2000, leg. Tamang, Santa, Gurung, 1 ex.
- Sauraha, Rapti River, 27°34'51"N, 84°29'30"E, 14.-15.07.2001, 180 m, HF, leg. A. Kopetz, 1 ex.

Basilepta plagiosum Baly:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 6 exx.
- Kathmandu, oberhalb Godawari, Kunako Khola, gesiebt, 1750 m, 06.V.2001, leg. G. Hirthe, 3 exx.
- Dolakha, Rolwaling, Simigau village, 2800 m, 02.VI.2001, leg. J. Schmidt, 9 exx.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E, KL/HF, leg. A. Kopetz, 3 exx.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 30°00'09"N, 81°46'08"E, 18.VI.2001, leg. A. Weigel, 3 exx.
- Kathmandu, Mt. Phulchoki, 2000-2300 m, deciduous forest, 18.VII.2001, leg. A. Kopetz, A. Weigel, 3 exx.

Basilepta separatum Jacoby:

- Bheri, 15 km W Kusum 28°02'15"N, 81°57'16"E, 13.07.2001, deciduous forest, KL/HF, leg. A. Kopetz, 1 ex.

Basilepta splendens Hope:

- Kathmandu, Mt. Phulchoki, 2000-2300 m, 18.VII.2001, leg. J. Weipert, 1 ex.

Basilepta variabile Duvivier:

- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 8 exx.
- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. A. Kleeberg, 1 ex.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 7 exx.

- Annapurna Mts., Modi Khola vall., Himal Pani Lodge env., 1500 m, 10.VI.2000, leg. J. Schmidt, 1 ex.
- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 6 exx.
- Ganesh Himal, Kari Gaon, Ankhu Khola valley, 1700 m, Barang village, 18.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 1 ex.
- Chitawan, Sauraha, Rapti River Ufer, 180 m, 27°34'80" N, 84°29'49"E, 15.VII.2001, leg. A. Kopetz, A. Weigel, riverside, 10 exx.

Chrysonopa rotundicollis Jacoby:

- Dolakha, Tama Koshi valley, Jagat to Chet Chet, 1000-1300 m, 15.V.2000, leg. J. Schmidt, 2 exx.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 5 exx.
- Annapurna Mts., Jhinu village env., 1700 m, 15.VI.2000, leg. J. Schmidt, 2 exx.

Cleorina chlorina Takizawa:

- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 1 ex.
- Kathmandu, Mt. Phulchoki, 2000-2300 m, 18.VII.2001, leg. J. Weipert, A. Kopetz, 4 exx.

Cleorina jacobyi Duvivier:

- Dolakha, Tama Koshi valley, Simigau, 1700-2000 m, 15.V.2000, leg. J. Schmidt, 1 ex.

Cleorina takizawai Medvedev & Sprecher:

- Kathmandu, Mt. Phulchoki, 2000-2300 m, 18.VII.2001, leg. E. Grill, 1 ex.

Colaspoides brancuccii Medvedev.

- Nawalparasi, Dumkibas, Danne 900 m, 27°33'31"N, 83°50'59"E, 14.07.2001, leg. A. Kopetz, 1 ex.

Colasposoma auripenne Motschulsky:

- Annapurna Himal, Dhampus vill. env., 14 -1700 m, 09.VI.2000, leg. J. Schmidt, 1 ex.
- Nepalganj, Airport 16.06.2001, HF, leg. A. Kopetz, 1 ex.

Colasposoma downesii Baly:

- Dailekh, 1500 m, 18.07.1995, leg. Ahrens & Pommeranz, 1 ex.

- Dhaulagiri Himal, Beni, 1000 m, 15.VI.1998, leg. C. Berndt & J. Schmidt, 1 ex.
- Dhaulagiri Himal, Beni to Pakhapani, 1000-1450 m, 16.VI.1998, leg. C. Berndt & J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Biganthi to Jagat, 900-1000 m, 14.V.2000, leg. J. Schmidt, 1 ex.
- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. Kleeberg, 2 exx.
- Annapurna Himal, Dhampus vill. env., 14 -1700 m, 09.VI.2000, leg. J. Schmidt, 2 exx.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, Tamang, Santa, Gurung, 37 exx.
- Ganesh Himal, Kharka S Rupchet, 2000-2660 m, 10.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 5 exx.
- Ganesh Himal, Kimtang, 15 km NW of Trisuli Bazar, 1600 m, 19.VI.2000, leg. J. Schmidt, 2 exx.

Colasposoma pretiosum Baly:

- Rapati, 2 km S Lamahi, Rapti River, 27°50'07"N, 82°32'23"E, 13.07.2001, riverbank & fields, HF/KL, leg. A. Kopetz, 1 ex.

Colasposoma semicostatum Jacoby:

- Dailekh, Dungishot, Lehre Khola, 800-1000 m, 19.VII.1995, leg. Ahrens/Pommeranz, 1 ex.
- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. A. Kleeberg, 1 ex.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 12 exx.
- Ganesh Himal, Kharka S Rupchet, 2000-2660 m, 10.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 2 exx.
- Kusum, 15 km W, 28°02'15"N, 81°57' 16"E, 13.VII.2001, leg. F. Creutzburg, 1 ex.
- Rapati, 2 km S Lamahi, Rapti River, 27°50'07"N, 82°32'23"E, 13.07.2001, riverbank & fields, HF/KL, leg. A. Kopetz, 2 exx.
- Sauraha, Rapti River, 27°34'51"N, 84°29'30"E, 14.-15.07.2001, 180 m, HF, leg. A. Kopetz, 1 ex.
- Kathmandu, 6 km SSW, Taudaha Lake, 1300 m, 27°39'N, 85°09'E, 17.VII.2001, leg. M. Hartmann, 1 ex.

Macrocoma indica Jacoby:

- Humla, Simikot, 500 m W, 3100-3200 m, 29°58'25"N, 81°49'07"E, 17.VI.2001, leg. A. Weigel, 1 ex.

- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E, KL/HF, leg. A. Kopetz, 4 exx.
- Humla, 6-14 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 3 exx.
- Humla, 14 km NW Simikot, Kermi, 2800 m, 30°02'55"N, 81°42'20"E, 19.VI.2001, leg. M. Hartmann, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 3 exx.

Macrocoma rufitibialis Jacoby:

- Dolpo, Juphal, 2500 m, 31.V.1997, leg. F. Creutzburg, 1 ex.

Nodina dhadinga Medvedev:

- Myagdi, upper Bathlakharka, 2160 m, 20.VI.1998, leg. Berndt/Schmidt, 4 exx.

Nodina parvula Jacoby:

- Nepalgunj, Hotel Batika, 28°02'36"N, 81°36'35"E, 170 m, 11.-12.VII.2001, leg. A. Weigel, A. Kopetz, 5 exx.
- Bagmati, 15 km S Kathmandu, Mt. Phulchoki, bottom of N slope, 1600-1800 m, 27°35'09"N, 85°22'50"E, 18.VII.2001, deciduous forest, leg. A. Weigel, A. Kopetz, 18 exx.

Pachnephorus lewisii Baly:

- Nepalganj, Nepalganj, 200 m, 20.VI.1995, leg. Ahrens/Pommeranz, 2 exx.
- Dhaulagiri Himal, Beni to Pakhapani, 1000-1450 m, 16.VI.1998, leg. Berndt & Schmidt, 2 exx.
- Chitawan, Sauraha, Rapti River Ufer, 180 m, 27°34'80"N, 84°29'49"E, LF, 18.IV.2000, leg. Skale, 1 ex.

Pachnephorus porosus Baly:

- Nepalganj, Hotel Batika, 28°02'36"N, 81°36'35"E, 11.-12.07.2001, 170 m, townside, LF, leg. A. Kopetz, 1 ex.

Pagria signata Motschulsky:

- Sauraha, Rapti River, 27°34'51"N, 84°29'30"E, 14.-15.07.2001, 180 m, HF, leg. A. Kopetz, 1 ex.

- Kathmandu, Thamel, Hotel Norbu Linka, 1300 m, 27°43'01"N, 85°18'47"E, 19.07.2001, leg. A. Kopetz, 1 ex.

Platycorynus pyrophorus Parry:

- Dolakha, Tama Koshi valley, Shigati to Jagat, 1000-1100 m, 25.IX.1999, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, Tamang, Santa, Gurung, 5 exx.

Platycorynus speciosus Lefevre: (det. Sprecher)

- Mugu, Churchi Lagna, NNW, Bachtal, 2500 m, 29°29', 47'N, 82°07', 51'E, 23.VI.1999, leg. M. Hartmann, 1 ex.
- Dolakha, Tama Koshi valley, Jagat to Chet Chet, 1000-1300 m, 15.V.2000, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Chet Chet to Gongga Khola, 1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Gongga Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 1 ex.
- Humla, 6 km SE Simikot, NE Chhipra, Humla-Karnali - Chuwa Khola, 29°56'33"N, 81°51'24"E, 09.07.2001, 2200 m, riverbank, HF/KF, leg. A. Kopetz, 1 ex.

Scelodonta vittata Olivier:

- Rapati, 2 km S Lamahi, Rapati River, 27°50'07"N, 82°32'23"E, 13.07.2001, riverbank & fields, HF/KL, leg. A. Kopetz, 1 ex.

Trichotheca hirta Baly:

- Annapurna Mts., Sikles range, water power station, 1450 m, 10.V.1996, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Birethanti, 1100 m, 24.IV.2000, leg. A. Weigel, 1 ex.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. A. Kopetz, A. Weigel, 12 exx.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 30°00'09"N, 81°46'08"E, 18.VI.2001, rural landscape, leg. M. Hartmann, A. Kopetz, 3 exx.
- Humla, 14 km NW Simikot, Kermi, 2800 m, 30°02'55"N, 81°42'20"E, 19.VI.2001, leg. M. Hartmann, 1 ex.
- Humla, 18 km WNW Simikot, Chumsa Khola

- (Bridge), 2950 m 20.-22.06.2001, 30°02'25"N, 81°39'06"E, river valley, leg. A. Kopetz, 1 ex.
- Humla, 20 km W Simikot, 2 km SE Chala, 3500 m 29°59'27"N, 81°37'30"E, 27.06.2001, river valley, KL/HF, leg. A. Kopetz, 1 ex.
 - Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 5 exx.
 - Humla, 12 km S Simikot, Raya village, 2400 m, 29°52'17"N, 81°51'34"E, 08.VII.2001, leg. M. Hartmann, 1 ex.
 - Humla, 15-12 km S Simikot, N Malikasthan nach Raya, 3500-3000 m, 29°51'N, 81°50'E, 08.VII. 2001, coniferous-oak forest, leg. M. Hartmann, 1 ex.
 - Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 1 ex.

Trichotheca variabilis Kimoto:

- Kathmandu, Mt. Phulchoki, 2000-2300 m, 18.VII. 2001, leg. E. Grill, 1 ex.

Xanthonia dorsalis Chujo:

- Annapurna Mts., Sikles range, water power station, 1450 m, 10.V.1996, leg. J. Schmidt, 1 ex.

Xanthophorus seriatus Weise:

- Annapurna Mts., Taunja Dada, SW-slope, 2400 m, 09.V.1996, leg. J. Schmidt/Jäger, 1 ex.

Remark. Firstly found in Nepal, was described from Darjeeling.

7. Chrysomelinae

Agrosteomela indica caschmirensis Gistel:

- Annapurna Mts., N Pokhara, N Sikles, Dhara Kharaka, 2160 m, 26.IV.1996, leg. J. Schmidt, 1 ex.
- Rasuwa, Langtang Syabru Bensi - Lama Hotel, 1500-2500 m, 26.VII.1998, leg. C. Berndt, 2 exx.
- Dolakha, Tama Koshi valley, Jagat to Chet Chet, 1000-1300 m, 15.V.2000, leg. J. Schmidt, 1 ex.
- Humla, 500 m W Simikot, 29°58'N, 81°49'E, terrace fields 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 1 ex.
- Humla, Simikot, 3100 m, 29°58'25"N, 81°49'07"E, 18.VI.2001, leg. F. Creutzburg, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 30°00'09"N, 81°46'08"E, 18.VI.2001,

leg. A. Weigel, 1 ex.

- Kathmandu, Mt. Phulchoki, 2000-2300 m, 18.VII. 2001, leg. J. Weipert, 1 ex.

Ambrostoma mahesa Hope: (det. Daccordi)

- Dolakha, Tama Koshi valley, 1400-1900 m, 08.IX. 1999, leg. J. Schmidt, 1 ex.
- Kathmandu, Mt. Phulchoki, 2000-2300 m, 18.VII. 2001, leg. E. Grill, 2 exx.

Ambrostoma shuteae Daccordi: (det. Daccordi)

- Jumla, Pina, Churchi Lagna, 2600 m, 26.VI./02.VII. 1995, leg. Ahrens/Pommeranz, 40 exx.
- Jumla, Chautha, Sinja Khola, 2600-2800 m, 25.VI.1995, leg. Ahrens/Pommeranz, 18 exx.
- Mugu, Churchi Lagna, NNW, Bachtal, 2500 m, 29°29, 47'N, 82°07, 51'E, 23.VI.1999, leg. M. Hartmann, 9 exx.
- Jumla, 2400 m, 05.-10.VII.1995, leg. Ahrens/Pommeranz, 7 exx.
- Jumla, Tatopani, Tila Khola, 2300 m, 11.VII.1995, leg. Ahrens/Pommeranz, 1 ex.
- Jumla, Bumra, Nyowru Khola, Ufer, 2700 m, 29°23, 41'N, 82°08.48'E, 22.VI.1999, leg. M. Hartmann, 2 exx.
- Jumla, Lamri, Flußbaue, 29°18, 34'N, 82°16, 23'E, 3000 m, 09.VII.1999, leg. M. Hartmann, 2 exx.
- Rasuwa, Langtang Valley, Ghora Tabela- Kyangching Gompa, 3600-3700 m, I 28.VII.1999, leg. C. Berndt, 1 ex.

Chrysolina arunensis Medvedev: (det. Daccordi)

- Jumla, Jumla, N, Khari Lagna, 3500-3700 m, 23./ 24.VI./04.VII.1995, leg. Ahrens / Pommeranz, 1 ex.

Chrysolina aurata Suffrian:

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80"N, 84°29'49"E, 24.IX.1996, leg. F. Wolf, 1 ex.
- Chitawan, Sauraha, SW, Royal Chitwan Nat.-Park 27°34'51"N, 84°29'30"E, 15.07.2001, 180 m, HF/KL, deciduous forest, leg. A. Kopetz, 1 ex.
- Rapati, 2 km S Lamahi, Rapti River, 27°50'07"N, 82°32'23"E, 13.07.2001, riverbank & fields, HF/KL, leg. A. Kopetz, 11 exx.

Chrysolina conglomerata Maulik:

- Kathmandu, Gorkhana Park, Mauer am Bagmati, 27°43'N, 85°20'E, 1350 m, 17.VI.1999, leg. A. Weigel, 1 ex.
- Kathmandu, NW, Balaju, Vishnumati River, 1300 m, 17.VI.1999, leg. A. Weigel, 1 ex.

Chrysolina dhaulagirica Medvedev:

- Bajura, 19 km W Simikot, Kuwadi Khola valley, 3500 m, 05.VII.2001, 29°53'14"N, 81°38'40"E, leg. M. Hartmann, 1 ex.
- Bajura, 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 2 exx.

Chrysolina exathematica Wiedemann:

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80"N, 84°29'49"E, LF, leg. A. Skale, 1 ex.

Chrysolina inconstans Wiedemann:

- Kathmandu, NW, Bajalu, Vishnumati-River, 1300 m, 17.VI.1999, leg. A. Weigel, 1 ex.
- Annapurna Mts., Pokhara, Phewa-Lake, estuary, 850 m, 10.V.1993, leg. J. Schmidt, 1 ex.

Chrysolina vishnu Hope:

- Annapurna Mts., Lamjung Himal, W Taunja Dada, 5 km NE Sikles, 2400 m, 09.V.1996, leg. J. Schmidt, 1 ex.
- Dhaulagiri Himal, Beni to Pakhapani, 1000-1450 m, 16.VI.1998, leg. Berndt & Schmidt, 14 exx.
- Rasuwa, Langtang Syabru, Bamboo Lodge, 2160-1900 m, 14.IX.1997, leg. S. Fabrizi & D. Ahrens, 1 ex.
- Dhaulagiri Himal, Kali Gandaki valley, Beni, 15.VI.1998, leg. Berndt & Schmidt, 2 exx.
- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.
- Rasuwa, Langtang valley, Dhunche - Syabru Bensi, 1950-1450 m, 25.VII.1998, leg. C. Berndt, 1 ex.
- Manaslu Himal, Bara Pokhara Lekh, upp. Taksa vill., 2-2100 m, 01./11.IV.1999, leg. H. Lau & J. Schmidt, 5 exx.
- Kathmandu, N, Bagmati-River, nr. Gorkhana-Park, 1300 m, 17.VI.1999, leg. M. Hartmann, 1 ex.
- Dolakha, Rolwaling Himal, upp. Tama Koshi valley, Simigau village, 2000 m, 10.IX.1999, leg. J. Schmidt,

4 exx.

- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 1 ex.
- Ganesh Himal, Kimtang, 15 km NW of Trisuli Bazar, 1600 m, 19.VI.2000, leg. J. Schmidt, 10 exx.
- Ganesh Himal, Kari Gaon, Ankhu Khola valley, 1700 m, Barang village, 18.VI.2000, leg. Ghale, Tamang, Santa & Gurung, 1 ex.
- Rapati, 2 km S Lamahi, Rapati River, 150 m, 27°50'07"N, 82°81'23"E, 13.VII.2001, riverside & terrace fields, leg. A. Weigel, 4 exx.
- Kathmandu, Bagmati-River, nr. Gorkhana Park, 1350 m, 27°43'22"N, 85°22'59"E, 15.VI.2001, leg. A. Weigel, 4 exx.
- Kathmandu, 6 km SSW, Taudaha Lake, 1300 m, 27°39'N, 85°09'E, 17.VII.2001, leg. M. Hartmann, 4 exx.

Chrysolina vishnu parvati Daccordi:

(det. Kippenberg)

- Kathmandu, N, Bagmati-River, am Gorkhana-Park, 1300 m, 06.VI.1995, leg. M. Hartmann, 1 ex.
- Annapurna Mts., S Lamjung Himal, W slope, Taunja Dada, 2400 m, 06.VIII.1995, leg. Fabrici, Jäger, Schmidt, 1 ex.
- Annapurna Mts., Marsyangdi-Tal, Khudi - Ngadi, 1000 m, 26.VIII.1995, leg. J. Schmidt, 2 exx.
- Manaslu Mts., Meme Pokhari Lekh, Taksar village, 1700 m, 30.VIII.1995, leg. J. Schmidt, 1 ex.
- Manaslu Mts., Meme Pokhari Lekh, Taksar, 2100 m, 31.VIII.1995, leg. J. Schmidt, 1 ex.
- Manaslu Mts., Dudh Pokhari Lekh, upp. Jorney vill., 2100-2600 m, 15.IX.1995, leg. J. Schmidt, 2 exx.

Chrysomela populi Linnaeus:

- Jumla, Uthu, 2600-2400 m, 29°18, 1'N, 82°13, 4'E, 11.VII.1999, leg. M. Hartmann, 2 exx.
- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. A. Weigel, 1 ex.
- Humla, 18 km WNW Simikot, Chumsa Khola (Bridge), 2950 m, 20.-22.06.2001, 30°02'25"N, 81°39'06" E, river valley, leg. A. Kopetz, 1 ex.

Linnaeidea adamsi Baly:

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 2 exx.
- Annapurna Mts., Pokhara, Phewa-Lake, 900 m,

25.IV.2000, leg. F. Wolf, 1 ex.

Linnaeidea chlorina Maulik:

- Annapurna Mts., Sikles, NE Pokhara, 2000 m, 15.V.1993, leg. J. Schmidt, 2 exx.
- Annapurna Mts., Marsyangdi-Tal, Syangde, 1100 m, 30.V.1993, leg. J. Schmidt, 2 exx.
- Annapurna Mts., E Lamjun Himal, sl. Sundar Danda, 2650-2800 m, 17.V.1994, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Manang, Nar-Khola, Nl. Koto, 2700-3000 m, 08.VI.1994, leg. J. Schmidt, 1 ex.

Oreomela annapurnae Medvedev & Sprecher:

- Humla, 20 km W Simikot, 3 km W Chala, 40-4300 m, 29°59'46"N, 81°35'55"E, 24.06.2001, snow fields, HF, leg. A. Kopetz, 1 ex.

Parospides nigropunctata Jacoby:

- Annapurna Mts., Marsyangdi-Tal, Ngadi to Chamje, 1000-1400 m, 12.VI.1994, leg. J. Schmidt, 2 exx.

Phaedon kimotoi Daccordi: (det. Daccordi)

- Bagmati, Langtang, Surja Kund, 85°26'E, 28°04'N, 4400 m, 8.-9.IX.1997, leg. S. Fabrizi & D. Ahrens, 2 exx.
- Dolakha, Rolwaling, Lapchi Kang range, below Tin Sang La, 2300-2500 m, 01.IX.1999, leg. J. Schmidt, 2 exx.
- Dolakha, Rolwaling, Lapchi Kang range, below Tin Sang La, 2700 m, 03.IX.1999, leg. J. Schmidt, 1 ex.
- Dolakha, Rolwaling Himal, Simigau to Dugong Kharka, 2100 m, 16.V.2000, leg. J. Schmidt, 1 ex.
- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 4 exx.
- Dolakha, Rolwaling, upp. Simigau village, 3300 m, 28.V.2000, leg. J. Schmidt, 1 ex.
- Manaslu Himal, S of Rumche Tal lake, 3700-3800 m, 20.VI.2001, leg. S. Tamang, 3 exx.

Phaedon yodai Chujo: (det. Daccordi)

- Khandbari, above Shedua, 3000 m, 31.III.-01.V.1982, leg. A. & Z. Smetana, 1 ex.
- Koshi, Chauki vill., 27°12'N, 87°28'E, 2685 m, 24.VI.2000, leg. J. Schneider, 1 ex.

Plagiodera miniaticollis Hope:

- Dolakha, Tama Koshi valley, Biganthi, 900 m,

13.V.2000, leg. J. Schmidt, 3 exx.

Plagiodera rufescens Gyllenhal:

- Annapurna Mts., Krapa Danda, 1800 m, 26.V.1997, leg. J. Schmidt, 2 exx.

Plagiodera virescens Hope:

- Kathmandu, 1300 m, IV.1998, leg. St. Roth, 1 ex.

Phratora abdominalis Baly:

- Bajura, 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 1 ex.

Phratora flavipes Chen:

- Dhaulagiri, upp. Myagdi Khola valley, bef. Italy Camp, 34-3500 m, 04.VII.1998, leg. C. Berndt & J. Schmidt, 46 exx.
- Rolwaling, Dugong Kharka, 27-2900 m, 17.V.2000, leg. J. Schmidt, 4 exx.

Potaninia assamensis Baly:

- Annapurna Mts., Birethanti, 1100 m, 24.IV.2000, leg. A. Weigel, 1 ex.
- Manaslu Himal, S of Rumche Tal lake, 3700-3800 m, 20.VI.2001, leg. S. Tamang, 2 exx.
- Manaslu Himal, Rumche Tal lake, 3900 m, 22.VI.2001, leg. S. Tamang, 2 exx.
- Manaslu Himal, Rumche Tal, Rupina La, 4000 m, 23.VI.2001, leg. S. Tamang, 19 exx.

Sclerphaedon nepalicus Daccordi & Medvedev:

- Helambu, Sano Gopte, above Kutumang, 3000 m, 85°29'E, 27°42'N, 2.-3.IX.1997, leg. S. Fabrizi & D. Ahrens, 3 exx.

Sclerphaedon prajapati Daccordi & Medvedev:
HOLOTYPE, PARATYPE

- Annapurna Mts., S Lamjun Himal, Quellgebiet des Khudi Khola, 4000 m, 25.V.1993, leg. J. Schmidt, 1 ex.
- Annapurna Mts., S Lamjun Himal, W Taunja Dada, 10 km NE Sikles, 3600 - 4000 m, 19.V.1993, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Lamjun Him., S-slope, Namun La, N Niyardi Khola 4200 m, 18.8.1995, leg. S. Fabrizi, O. Jäger, J. Schmidt,
- Annapurna Mts., Lamjun Him., Quellg. Chhar Kho-

- la La, 4100 m, 14.8.1995, leg. S. Fabrizi, O. Jäger, J. Schmidt, 1 ex.
- Annapurna Mts., Telbrung Danda, ca. 3800 m, 09.VI.1997, leg. J. Schmidt, 7 exx.
 - Annapurna Mts., Lamjun Himal, Midim Khola Quellgeb., 3700 m, 07.VI.1997, leg. J. Schmidt, 19 exx.
 - Annapurna Mts., Taprang Danda, 3300- 3500 m, 05.VI.1997, leg. J. Schmidt, 2 exx.
 - Annapurna Mts., Mardi Himal, (W of Mardi Khola), 28°28'02"N, 83°52'05"E, 3450-3550 m, 14.V.2001, leg. J. Schmidt, 1 ex.
 - Annapurna Mts., Bele Khola Valley, E of Narcheng, 4200-4400 m, 22.V.2001, leg. J. Schmidt, 3 exx.
 - Dhaulagiri Mts., Dhaulagiri East Glacier, 3600-4100 m, 30.V.2001, leg. J. Schmidt, 3 exx.

Sclerophaedon takizawai Daccordi:

- Annapurna Mts., S Sikles, Nyauli Kharka, 2400 m, 24.IV.1996, leg. J. Schmidt, 1 ex.
- Annapurna Mts., W Pokhara, Mt. Panchhase, 2000-2300 m, 18.V.1997, leg. J. Schmidt, 3 exx.
- Ganesh Himal, Jaisuli Kund Base Camp, 4100 m, 13.-16.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 5 exx.

Semenovia daccordii Medvedev & Sprecher:

- Manaslu Mts., below Dudh Pokhari, 3700 m, 30.VI.2001, leg. S. Tamang, 3 exx.

8. Galerucinae

Agetocera hopei Baly:

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.

Aplosonyx chalybaea Hope:

- Annapurna Mts., Sikles range, water power station, 1450 m, 10.V.1996, leg. J. Schmidt, 1 ex.
- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 2 exx.
- Dolakha, upp. Simigau village, 2700-2800 m, 02.VI.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 11 exx.
- Annapurna Mts., Modi Khola vall., New Bridge to Shuwa, 11.VI.2000, 1600-2000 m, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Kimtang, 15 km NW of Trisuli Bazar, 1600 m, 19.VI.2000, leg. J. Schmidt, 2 exx.

Aplosonyx scutellatus Baly:

- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 1 ex.

Apophyllia brancuccii Medvedev & Sprecher:

- Arun-Valley, Mongmaya-Surtibari, 400 m, 01.VI.1992, leg. J.&. Probst, 2 exx.
- Annapurna Mts., Marsyangdi-Tal, Tatopani, 1100 m, 13.VI.1993, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Marsyangdi-Tal, Chamje, 1500 m, 24.VIII.1995, leg. J. Schmidt, 5 exx.
- Bagmati, Langtang valley, Syabru Bensi-Barkhu, 1500-1700 m, 20.IX.1996, leg. M. Hartmann, 2 exx.

Apophyllia crotchii Jacoby:

- Annapurna Mts., Marsyangdi-Tal, Chamje, 1500 m, 24.VIII.1995, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.

Apophyllia himalayana Medvedev

- S Kathmandu, Thamel, Hotel Norbu Linka 1300 m, 27°43'01"N, 85°18'47"E, 14.06.2001, GS, leg. A. Kopetz, 1 ex.

Apophyllia nilakrishna Maulik:

- Humla, 500 m W Simikot, 29°58'N, 81°49'E, terrace fields 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 4 exx.
- Humla, 12 km S Simikot, env. Raya, 3400-2500 m, 29°52'17"N, 81°51'34"E, 08.07.2001, rural landscape, leg. A. Kopetz, 3 exx.

Apophyllia sericea Fabricius:

- Bagmati, Langtang valley, Syabru Bensi-Barkhu, 1500-1700 m, 20.IX.1996, leg. M. Hartmann, 1 ex.

Arthrotidea nepalensis Kimoto:

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.

Arthrotus cyaneus Chujo:

- Annapurna Mts., Krapa Danda, 1800 m, 26.V.1997, leg. J. Schmidt, 2 exx.
- Annapurna Mts., Telbrung Danda, 2000 m, 15.VI.1997, leg. J. Schmidt, 2 exx.

- Dolakha, Rolwaling Himal, upp. Simigau village, 2800 m, 02.VI.2000, leg. J. Schmidt, 1 ex.

Arthrotus phaseoli Laboissiere:

- Dolakha, Tama Koshi valley, 1400-1900 m, 08.IX.1999, leg. J. Schmidt, 2 exx.
- Chitawan, Sauraha, Rapti River Ufer, 180 m, 27°34' 80"N, 84°29'49"E, 18.IV.2000, leg. Wolf, 1 ex.

Atysa marginata Hope:

- Humla, 15 km W Simikot, Dudh Lekh/Dudh Tal, 4600-4900 m, 29°56'09"N, 81°40'32"E, 02.VII.2001, stone debris & glacier lake side, leg. M. Hartmann, 1 ex.
- Humla, 19 km WSW Simikot, Kuwadi Khola valley, 3500-3700 m, 29°53'10"N, 81°38'40"E, 04.VII.2001, mountainous meadows & riverside, leg. M. Hartmann, 3 exx.
- Bajura, 19 km W Simikot, Kuwadi Khola, 3500 m, 29°53'14"N, 81°38'40"E, 04.-05.07.2001, riverbank, coniferous-birch-forest, leg. A. Kopetz, 20 exx.
- Bajura 19-16 km SW Simikot, Kuwadi Khola, 3500-2900 m 06.VII.2001, riverside, leg. A. Weigel, 6 exx.
- Bajura 16 km SW Simikot, N Chachaur, Kuwadi-Khola, 3500 m, 29°50'41"N, 81°45'00"E, 06.07.2001, coniferous-oak-forest, leg. A. Kopetz, 4 exx.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 8 exx.
- Humla, 15-12 km S Simikot, N Malikasthan to Raya, 3500-3000 m, 29°51'N, 81°50'E, 08.VII.2001, coniferous-oak forest, leg. M. Hartmann, 2 exx.

Aulacophora impressa Fabricius:

- Nepalgunj, Hotel Batika, 28°02'36"N, 81°36'35"E, 170 m, 11.-12.VII.2001, leg. A. Weigel, 1 ex.

Remark. Firstly recorded for Nepal, was known from India (Central Provinces).

Aulacophora indica Gmelin:

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80"N, 84°29'49"E, LF, leg. Skale, 1 ex.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 37 exx.

Calomicrus annapurnae Medvedev:

- Dolakha, Rolwaling, upp. Simigau village, 3300 m, 28.V.2000, leg. J. Schmidt, 1 ex.
- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 1 ex.

Calomicrus iniquus Weise:

- Annapurna Mts., S Lamjung Himal, E slope, Taunja Dada, 3900 m, 11.VIII.1995, leg. S. Fabrizi, O. Jäger, J. Schmidt, 9 exx.
- Jumla Gothichaur, 2 km W, 2800 m, 29°12, 1'N, 82°18, 56' E, Wald, 08.VI.1997, leg. M. Hartmann, 1 ex.
- Jumla, Gothichaur, 2 km W, 2700 m, 29°12, 1'N, 82°18, 56'E, 11.VI.1997, leg. M. Hartmann, 1 ex.
- Dolakha, Rolwaling Himal, upp. Simigau village, 2800 m, 02.VI.2000, leg. J. Schmidt, 1 ex.
- Humla, 16 km W Simikot, 3 km NW Sankha La, 40-4300 m, 29°57'18"N, 81°39'30"E, 29.-30.06.2001, stone-debris & alpine mats, leg. A. Kopetz, M.Hartmann, 7 exx.
- Bajura, 19 km W Simikot, Kuwadi Khola, 3500 m, 29°53'14"N, 81°38'40"E, 04.-05.07.2001, riverbank, coniferous-birch-forest, leg. A. Kopetz, 3 exx.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 2 exx.

Calomicrus yasudai Chujo:

- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. A. Kopetz, A. Weigel, 4 exx.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E, LF, leg. A. Kopetz, 1 ex.
- Humla, 14 km NW Simikot, Kermi, 2800 m, 30°02'55"N, 81°42'20"E, 19.VI.2001, leg. M. Hartmann, A. Kopetz, 3 exx.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 2 exx.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF rural landscape, leg. A. Kopetz, 4 exx.
- Humla, Chhipra, Humla-Karnali, 29°56'33"N, 81°51'24"E, to Simikot, 2200-3100 m KL/HF, 10.07.2001, leg. A. Kopetz, 2 exx.

Cneorane dohertii Maulik:

- Annapurna Mts., W Pokhara, Mt. Panchhase, 2000-2300 m, 18.V.1997, leg. J. Schmidt, 1 ex
- Annapurna Mts., Krapa Danda, 2500 m, 29.V.1997, leg. J. Schmidt, 1 ex.

Cneorane rubricollis Hope: (det. Beenen)

- Dolakha, Tama Koshi valley, below Doloakha, 1000-1400 m, 05.VI.2000, leg. J. Schmidt, 2 exx.

Cneorane rugulipennis Baly:

- Manaslu Himal, Bara Pokhari, 3000 m, 04.IV.1999, leg. H. Lau & J. Schmidt, 1 ex.
- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. A. Weigel, A. Kopetz, 8 exx.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 1 ex.
- Humla, 18 km WNW Simikot, Chumsa Khola (Bridge), 2950 m 20.-22.06.2001, 30°02'25"N, 81°39'06"E, river valley, leg. A. Kopetz, 1 ex.
- Bajura, 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 1 ex.
- Humla, 12 km S Simikot, env. Raya 3400-2500 m, 20°52'17"N, 81°51'34"E, 08.07.2001, rural landscape, leg. A. Kopetz, 2 exx.

Cneorane tibialis Chujo:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. A. Kleeberg, J. Schmidt, 2 exx.
- Annapurna Mts., Modi Khola v., Sinuwa to Dovan, 2300-2700 m, 11./12.VI.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, SE-slope, Rupchet, 35-3600 m, 11.VI.2000, leg. Galeh, Tamang, Santa, Gurung, 1 ex.
- Ganesh Himal, Ankhu Khola valley, Barang village, 1700 m, 18.VI.2000, leg. Tamang, Santa, Gurung, 1 ex.

Cneorane varipes Jacoby:

- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. A. Weigel, A. Kopetz, 8 exx.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E,

KL/HF, leg. A. Kopetz, 1 ex.

- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 1 ex.

Dercetina bretinghami Baly:

- Dolakha, Lapchi Kang range, below Khartal vill., 1700-2000 m, 06.IX.1999, leg. J. Schmidt, 5 exx.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 1 ex.

Dercetina grandis Kimoto:

- Ganesh Himal, Marmiche Sangi, S Rupchet, 3200 m, 20.IV.1999, leg. I. Ghale, & S. Gurung, 1 ex.
- Annapurna Mts., Gandruk-Birethanti, 2000 - 1100 m, 24.IV.2000, leg. A. Skale, 1 ex.

Dercetina picipes Baly:

- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 2 exx.

Dercetisoma concolor Jacoby:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 2 exx.
- Annapurna Mts., Pokhara, Phewa-Lake, Flußmündung, 800-900 m, 08.V.2001, leg. G.Hirthe, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 1 ex.
- Bajura 19-16 km SW Simikot, Kuwadi Khola 3500-2900 m, 06.VII.2001, riverside, leg. A. Weigel, 1 ex.

Dercetisoma persimilis Kimoto:

- Humla, 500 m W Simikot, 29°58'N, 81°49'E, terrace fields, 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E, KL/HF, leg. A. Kopetz, 1 ex.
- Humla, 2 km SE Simikot, side valley to Humla-Karnali NE Chhipra, 22-2400 m 29°58'N, 81°52'E, 10.VII.2001, riverside, leg. A. Weigel, 2 exx.

Exosoma tomokunii Takizawa:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 1 ex.
- Jumla, Maharigaon, N, 29°20, 24°N, 82°23, 21'E,

- 3250 m, 08./09.VII.1999, leg. M. Hartmann, 1 ex.
- Langtang, Chandan Bari, 85°21'E, 28°06'N, 3180 m, 21.-22.IX.1997, leg. Fabrizi & Ahrens, 1 ex.
- Bajura, 19 km W Simikot, Kuwadi Khola, 3500 m, 29°53'14"N, 81°38'40"E, 04.-05.07.2001, riverbank, coniferous-birch-forest, leg. A. Kopetz, 1 ex.
- Bajura, 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 14 exx.

Remark. Was described from West Sikkim, firstly recorded for Nepal.

Galeruca indica Baly:

- Humla, 500 mW Simikot, 29°58'N, 81°49'E, terrace fields, 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 1 ex.
- Bajura, 19 km WSW Simikot, Kuwadi Khola valley, 3500-3700 m, 29°53'10"N, 81°38'40"E, 04.VII.2001, mountainous meadows & riverside, leg. M. Hartmann, A. Kopetz, 3 exx.

Galerucella placida Baly: (det. Beenen)

- Annapurna Mts., Pokhara, 900 m, 13.VI.1998, leg. J. Schmidt, 1 ex.
- Kathmandu, Gorkhana Park, Mauer am Bagmati, 27°43'N, 85°20'E, 1350 m, 17.VI.1999, leg. A. Weigel, 1 ex.
- Annapurna Mts., Pokhara, Phewa-Lake, 900 m, 25.IV.2000, leg. Wolf, 1 ex.

Gallerucida longicornis Baly:

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Pothana-Deurali-Landruk, 1850-2100 m, 10.VI.2000, leg. J. Schmidt, 2 exx.

Gallerucida nigricornis Laboissiere:

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 4 exx.

Hoplasoma furcata Medvedev:

- Ganesh Himal, Kimtang, 15 km NW of Trisuli Bazar, 1600 m, 19.VI.2000, leg. J. Schmidt, 1 ex.

Hoplasoma sexmaculata (Hope):

- Jumla, Gothichaur, 2 km W, 2700 m, 08.VI.1997, leg. E. Grill, 1 ex.

- Dhaulagiri Himal, Kali Gandaki valley, Jhi village, N Beni, 1750 m, 16.VI.1998, leg. Berndt & Schmidt, 1 ex.
- Mugu, Mangri to Taka, W, 2100-2300 m, 29°34', 2'N, 82°23', 5'E, 28.VI.1999, leg. M. Hartmann, 1 ex.
- Dolakha, Tama Koshi Valley, Bhiganti to Jagat, 1000-1100 m, 25.IX.1999, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 11 exx.
- Dolakha, Rolwaling, upp. Simigau village, 2000 m, 02.VI.2000, leg. A. Kleeberg, 2 exx.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 3 exx.
- Humla, 12 km S Simikot, env. Raya 3400-2500 m, 20°52'17"N, 81°51'34"E, 08.07.2001, rural landscape, leg. A. Kopetz, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 7 exx.

Japonitata eberti Kimoto:

- Dailekh, 1500 m, 18.VII.1995, leg. Ahrens & Pommeranz, 1 ex.
- Dhaulagiri, upp. Marpha, Yakkharka, 4000-4100 m, 13.VII.1998, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Modi Khola vall., Sinuwa to Dovan, 2300-2700 m, 11./12.VI.2000, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Modi Khola vall., 3-3400 m, 12./14.VI.2000, leg. J. Schmidt, 4 exx.
- Ganesh Himal, SE-slope, 3500 m, bei Pansang La, 12.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 1 ex.

Japonitata tricostrata Chen & Jiang: (det. Beenen)

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 1 ex.

Leptarthra abdominalis Baly:

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.
- Manaslu Himal, Bara Pokhara Lekh, upp. Taksa vill., 2-2100 m, 01./11.IV.1999, leg. H. Lau & J. Schmidt, 1 ex.
- Dolakha, Rolwaling, upp. Simigau village, 2000 m, 02.VI.2000, leg. J. Schmidt, 3 exx.
- Annapurna Mts., Pothana-Deurali-Landruk, 1850-2100 m, 10.VI.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, SE-slope, Kharka S Rupchet, 2660 m, 10.VI.2000, leg. Galeh, Tamang, Santa, Gurung, 4 exx.

Liroetis suwai (Takizawa) **comb. nov.:**

- Helambu, Gopte near Tharepati, 3250 m, 85°28'E, 28°03'N, 6.IX.1997, leg. S. Fabrizi & D. Ahrens, 1 ex.
- Manaslu Himal, upp. Bara Pokhari, 3200 m, 05/06.IV.1999, leg. Lau & Schmidt, 2 exx.

Remark. This species, described in the genus *Mimastra*, has very narrow elytral epipleurae and therefore has to be included in the genus *Liroetis* Weise, 1889, which was not registered earlier for Nepal.

Macrima armata Baly:

- Annapurna Mts., Modi Khola vall., Himal Pani Lodge env., 1500 m, 10.VI.2000, leg. J. Schmidt, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E, LF, leg. A. Kopetz, 4 exx.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 14 exx.
- Humla, 18 km WNW Simikot, Chumsa Khola (Bridge), 2950 m, 20.-22.06.2001, 30°02'25"N, 81°39'06"E, river valley, leg. A. Kopetz, 2 exx.

Macrima pallida Lefevre:

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.
- Humla, 18 km WNW Simikot, Chumsa Khola (Bridge), 2950 m, 20.-22.06.2001, 30°02'25"N, 81°39'06"E, river valley, leg. A. Kopetz, 7 exx.
- Humla, 20 km W Simikot, 2 km SE Chala, 3500 m 29°58'49"N, 81°39'30"E, 27.-28.06.2001, juniper meadow-coniferous forest, LF, leg. A. Kopetz, 2 exx.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 1 ex.
- Humla, Chhipra, Humla-Karnali, 29°56'33"N, 81°51'24"E, to Simikot, 2200-3100 m KL/HF, 10.07.2001, leg. A. Kopetz, 1 ex.

Medythia suturalis Motschulsky:

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 14.VII.2001, 27°34'80"N, 84°29'49"E, LF, leg. A. Weigel, 6 exx.

Meristata pulunini Bryant:

- Helambu, Sano Gopte, above Kusumgaon, 85°29'E, 27°42'N, 2900-3000 m, 2.-3.IX.1997, leg. Fabrizi & Ahrens, 1 ex.

- Dolakha, upp. Simigau village, 3300 m, 28.V.2000, leg. J. Schmidt, 2 exx.
- Dolakha, upp. Simigau village, 2700-2800 m, 01./02.VI.2000, leg. A. Kleeberg, J. Schmidt, 9 exx.
- Annapurna Mts., Kaski, Ghorepani, 2800 m, 22.IV.2000, leg. F. Wolf, 1 ex.
- Annapurna Mts., Mardi Himal, W of Mardi Khola, 28°28'02"N, 83°52'05"E, 3450-3550 m, 14.V.2001, leg. G. Hirthe, 1 ex.

Meristata pulunini occidentalis Medvedev:

- Mugu, Rara Lake National Park, 2990 m, 29°37'15"N, 82°04'31"E, Rara Lake, 03.V.2000, leg. R. Klawitter, 1 ex.
- Humla, 500 mW Simikot, 29°58'N, 81°49'E, terrace fields, 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 1 ex.

Meristata quadrifasciata quadrifasciata Hope:

- Annapurna Mts., Sikles range, water power station, 1450 m, 10.V.1996, leg. J. Schmidt, 1 ex.
- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.
- Lapchi Kang range, upp. Barabhis, 2300 m, 31.VIII.1999, leg. J. Schmidt, 1 ex.
- Kathmandu, NW Pashupatinath, 1350 m, 27.IV.2000, leg. A. Weigel, 2 exx.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 2 exx.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 4 exx.
- Annapurna Mts., Modi Khola vall., Himal Pani Lodge env., 1500 m, 10.VI.2000, leg. J. Schmidt, 1 ex.
- Humla, 6 km W Simikot, 2300 m, Dandaphaya (Dharapuri), 30°00'09"N, 81°46'08"E, rural landscape, 18.VI.2001, leg. M. Hartmann, A. Kopetz, 4 exx.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 3 exx.
- Humla, 15-12 km S Simikot, N Malikasthan, nach Raya, 3500-3000 m, 29°51'N, 81°50'E, coniferous-oak forest, 08.VII.2001, leg. M. Hartmann, 1 ex.
- Humla, 12-10 km S Simikot, Raya - Humla-Karnali, 2400-2100 m, 09.VII.2001, leg. M. Hartmann, 1 ex.

Meristata sexmaculata Kollar & Redtenbacher:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. Kleeberg, 1 ex.

- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 1 ex.

Meristata spilota Hope:

- Mugu, Churchi Lagna, NNW, Pina, W, Bachtal Jhyari Khola, 24-2600 m, 29°29', 47°N, 82°07', 51°E, 23.VI.1999, leg. A. Weigel, 1 ex.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 3 exx.
- Annapurna Mts., Pothana-Deurali-Landruk, 1850-2100 m, 10.VI.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Kharka S Rupchet, 2000-2660 m, 10.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 3 exx.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E, KL/HF, leg. A. Kopetz, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya-Humla-Karnali valley, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 1 ex.

Mimastra gracilis Baly:

- Helambu, Sano Gopte, above Kusumgaon, 85°29'E, 27°42'N, 2900-3000 m, 2.-3.IX.1997, leg. Fabrizi & Ahrens, 1 ex.
- Annapurna Mts., Modi Khola v., Sinuwa to Dovan, 2300-2700 m, 11./12.VI.2000, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Jhinu village env., 1700 m, 15.VI.2000, leg. J. Schmidt, 2 exx.
- Humla, 14 km NW Simikot, Kermi, 2800 m 30°02'55"N, 81°42'20"E, 19.06.2001, LF, leg. A. Kopetz, 3 exx.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E KL/HF, leg. A. Kopetz, 1 ex.
- Humla, 18 km W Simikot, Chumsa Khola (Bridge), 2900-3000 m, 30°02'25"N, 81°39'06"E, river valley, 20.-22.VI.2001, leg. A. Weigel, A. Kopetz, 19 exx.
- Humla, 20 km W Simikot, 3 km W Chala, 3750 m, 30°00'35"N, 81°37'12"E, 24.VI.2001, leg. M. Hartmann, 1 ex.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 1 ex.

Mimastra unicitarsis Laboissiere: (det. Beenen)

- Jumla, Churta nach Gothichaur, 3300-2900 m, 29°12'N, 82°24'-18'E, 07.VI.1997, leg. M. Hart-

mann, 2 exx.

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 15 exx.
- Ganesh Himal, Ankhu Khola valley, Barang village, 1700 m, 18.VI.2000, leg. Galeh, Tamang, Santa, Gurung, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 4 exx.

Monolepta erythrocephala Baly:

- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 1 ex.

Monolepta laterimarginata Medvedev:

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80" N, 84°29'49"E, LF, leg. A. Skale, F. Wolf, A. Weigel, 10 exx.

Monolepta lesagei Takizawa:

- Jumla, Gothichaur, 2 km W, 2700 m, 08.VI.1997, leg. E. Grill, 1 ex.

Monolepta lineata Weise:

- Nepalganj, Nepalganj city, Hotel Batika, LF, 200 m, 30.V.1997, leg. A. Weigel, 3 exx.

Remark. Species was known from South India, firstly recorded for Nepal. Possibly this species is identical with *M. sexlineata* Chujo.

Monolepta pallidula Baly:

- Annapurna Mts., Sikles range, N Sikles, Kyojo Kharaka, 1850 m, 01.05.1996, leg. J. Schmidt, 1 ex.
- Humla, 5 km SE Simikot, NE Chhipra, Chuwa Khola valley, 2200 m, riverside, 29°56'33"N, 81°51'24"E, 09.VII.2001, leg. M. Hartmann, 1 ex.

Remark. Firstly recorded for Nepal. Known from Indochina, China and Japan.

Monolepta satoi Kimoto & Takizawa: (det. Beenen)

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.

Monolepta sexlineata Chujo:

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80" N, 84°29'49"E, LF, leg. A. Weigel, 3 exx.

Monolepta signata Olivier:

- Nepalganj, Flugplatz Umg., 13.VII.1999, 28°06'03" N, 81°40'01"E, leg. A. Weigel, 1 ex.
- Dolakha, Tama Koshi Valley, Bhiganti to Jagat, 1000-1100 m, 25.IX.1999, leg. J. Schmidt, 1 ex.
- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80" N, 84°29'49"E, LF, leg. A. Skale, A. Weigel, F. Wolf, 16 exx.

Monolepta undulatovittata Motschulsky:

- Annapurna Mts., W Pokhara, Mt. Panchhase, 2000-2300 m, 18.V.1997, leg. J. Schmidt, 1 ex.
- Nepalganj, Nepalganj city, Hotel Batika, LF, 200 m, 30.V.1997, leg. A. Weigel, 1 ex.
- Nepalganj, Nepalganj city, Hotel Batika, LF, 200 m, 28°02, 59'N, 81°36, 56'E, 12.VII.2001, leg. M. Hartmann, 1 ex.

Remark. Was known from India and Sri Lanka, but firstly recorded for Nepal.

Morphosphaera japonica Hornstedt:

- Annapurna Mts., Jhinu village env., 1700 m, 15.VI.2000, leg. J. Schmidt, 1 ex.

Morphosphaera prava Maulik:

- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 1 ex.

Nepalogaleruca angustilineata Kimoto:

- Annapurna Mts., Modi Khola vall., 12./14.VI.2000, 3-3400 m, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Ulleri-Ghorepani, 2100-2800 m, 21.IV.2000, leg. Skale, 2 exx.
- Annapurna Mts., Umg. Ghorepani, 2800 m, 22.IV.2000, leg. Skale, 1 ex.
- Annapurna Mts., Banthanti, 2300 m, 21.IV.2000, leg. Wolf, 1 ex.
- Annapurna Mts., Tikhedunga, 1500 m, 28°20'93"N, 83°44'53"E, 20.IV.2000, leg. Wolf, 1 ex.
- Annapurna Mts., Mardi Himal, (westl. Mardi Khola), 28°28'02"N, 83°52'05"E, 3450- 3550 m, 14.V.2001, leg. G. Hirthe, 3 exx.

Nepalogaleruca elegans Kimoto:

- Rolwaling, Dugong Kharka, 27-2900 m, 17.V.2000, leg. J. Schmidt, 3 exx.

Oides scutellata Hope:

- Annapurna Mts., S Lamjun Himal, slope Taunja Danda, Bakhra Kharka, 2100 m, 10.V.1996, leg. J. Schmidt, 2 exx.
- Dolakha, Tama Koshi valley, below Dolakha, 900-1000 m, 05.VI.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, SE-slope, Rupchet, 35-3600 m, 11.VI.2000, leg. Galeh, Tamang, Santa & Gurung, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 3 exx.
- Humla, Chhipra, Humla-Karnali to Simikot (29°56'33"N, 81°51'24"E), 2200-3100 m KL/HF, 10.07.2001, leg. A. Kopetz, 1 ex.

Palpoxena rufofulva Jacoby:

- Surkhet, NE Surkhet, 700-1200 m, 27.V.1998, leg. G. Miksch, 1 exx. (compared with Holotype)
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 1 ex.

Parexosoma flaviventre Baly:

- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. A. Weigel, A. Kopetz, 3 exx.

Paridea fasciata Laboissiere:

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 2 exx.

Paridea nepalica Medvedev:

- Dolakha, Rolwaling, upp. Simigau village, 2000 m, 02.VI.2000, leg. A. Kleeberg, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 2 exx.

Paridea octomaculata Baly:

- Annapurna Mts., Sikles range, water power station, 1450 m, 10.V.1996, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Modi Khola v., Sinuwa to Dovan, 2300-2700 m, 11./12.VI.2000, leg. J. Schmidt, 1 ex.
- Dolakha, Rolwaling, upp. Simigau village, 2000 m, 02.VI.2000, leg. A. Kleeberg, 1 ex.

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 3 exx.
- Ganesh Himal, Kharka S Rupchet, 2000-2660 m, 10.VI.2000, leg. Ghale, Tamang, Santa & Gurung, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E KL/HF, leg. A. Kopetz, 1 ex.
- Humla, 6-14 km W Simikot, 2300-2800 m, Dandaphaya - Kermi, 30°02'N, 81°40'E, Humla-Karnali valley, 19.VI.2001, leg. M. Hartmann, A. Kopetz, 6 exx.
- Humla, 5 km SE Simikot, NE Chhipra, Chuwa Khola valley, 2200 m, riverside, 29°56'33"N, 81°51'24"E, 09.VII.2001, leg. M. Hartmann, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 2 exx.
- Kathmandu, 6 km SSW, Taudaha Lake, 1300 m, 27°39'N, 85°09'E, 17.VII.2001, leg. M. Hartmann, 1 ex.

Pseudadimonia variolosa Hope:

- Dolakha, Lapchi Kang range, below Khartal vill., 1700-2000 m, 06.IX.1999, leg. J. Schmidt, 2 exx.

Periclitena vigorsi Hope:

- Annapurna Mts., Marsyangdi-Tal, Khudi - Ngadi, 1000 m, 26.VIII.1995, leg. J. Schmidt, 2 exx.

Sphenoraia bicolor Hope:

- Annapurna Mts., Birethanti, 1100 m, 25.IV.2000, leg. Wolf, 1 ex.
- Dolakha, Tama Koshi valley, Biganthi to Jagat, 900-1000 m, 14.V.2000, leg. J. Schmidt, 1 ex.
- Dhaulagiri Himal, Beni to Pakhapani, 1000-1450 m, 16.VI.1998, leg. Berndt & Schmidt, 1 ex.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 2 exx.
- Chitawan, Sauraha, Rapti River Ufer, 180 m, 14.VII.2001, 27°34'80"N, 84°29'49"E, LF, leg. M. Hartmann, 1 ex.
- Kathmandu, 6 km SSW, Taudaha Lake, 1300 m, 27°39'N, 85°09'E, 17.VII.2001, leg. M. Hartmann, 1 ex.

Sphenoraia rutilans Hope:

- Manaslu Mts., Bhanchok Kharka upp. Khorlak, 2950 m, 03.V.1999, leg. Galeh & Gurung, 1 ex.

Sphenoraia trifasciata Kimoto & Takizawa:

- Dolakha, Rolwaling, Lapchi Kang range, below Tin Sang La, 2700 m, 03.IX.1999, leg. J. Schmidt, 2 exx.
- Annapurna Mts., Modi Khola vall., New Bridge to Shuwa, 11.VI.2000, 1600-2000 m, leg. J. Schmidt, 2 exx.
- Ganesh Himal, Ankhu Khola valley, Barang village, 1700 m, 18.VI.2000, leg. Galeh, Tamang, Santa, Gurung, 13 exx.
- Ganesh Himal, Kimtang, 15 km NW of Trisuli Bazar, 1600 m, 19.VI.2000, leg. J. Schmidt, 1 ex.

Sphenorella maculata Kimoto & Takizawa:

- Dolakha, Rolwaling Himal, Dugong Kharka, 27-2900 m, 17.V.2000, leg. J. Schmidt, 4 exx.
- Dolakha, Rolwaling Himal, upp. Simigau village, 2800 m, 01./02.VI.2000, leg. Kleeberg, J. Schmidt, 6 exx.

Spitiella collaris Baly:

- Mugu, Churchi Lagna, NNW, Bachtal, 2500 m, 29°29, 47'N, 82°07, 51'E, 23.VI.1999, leg. M. Hartmann, 1 ex.
- Dolakha, Rolwaling, Lapchi Kang range, below Tin Sang La, 2300-2500 m, 01.IX.1999, leg. J. Schmidt, 6 exx.
- Dolakha, upp. Simigau village, 3300 m, 28.V.2000, leg. J. Schmidt, 4 exx.
- Dolakha, Rolwaling, Dugong Kharka, 27-2900 m, 17.V.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Ankhu Khola valley, Barang village, 1700 m, 18.VI.2000, leg. Galeh, Tamang, Santa, Gurung, 1 ex.
- Humla, Simikot, 3100 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. M. Hartmann, A. Kopetz, 18 exx.
- Humla, 18 km W Simikot, Chumsa Khola (Bridge), 2900-3000 m, 30°02'25"N, 81°39'06"E, river valley, 20.-22.VI.2001, leg. A. Kopetz, A. Weigel, 2 exx.

Stenoluperus minor Kimoto:

- Helambu, Gopte near Tharepati, 3250 m, 85°28'E, 28°03'N, 6.IX.1997, leg. Fabrizi & Ahrens, 2 exx.

Stenoluperus smetanai Takizawa:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 2 exx.
- Dolakha, Rolwaling, upp. Simigau village, 3300 m, 28.V.2000, leg. J. Schmidt, 1 ex.

Zangastra nepalensis Takizawa:

- Humla, 19 km WSW Simikot, Kuwadi Khola valley, 3500-3700 m, 29°53'10"N, 81°38'40"E, 04.VII.2001, mountainous meadows & riverside, leg. M. Hartmann, 1 ex.
- Bajura, 19 km W Simikot, Kuwadi Khola, 3500 m, 29°53'14"N, 81°38'40"E, 04.-05.07.2001, riverbank, coniferous-birch-forest, leg. A. Kopetz, 6 exx.
- Bajura 19-16 km SW Simikot, Kuwadi Khola 3500-2900 m 06.VII.2001, riverside, leg. A. Kopetz, A. Weigel, 6 exx.
- Humla, 15 km S Simikot, W Malikasthan, 4150 m, mountainous meadows & pastures, 29°50'38"N, 81°47'54"E 08.07.2001, leg. A. Kopetz, 1 ex.

Zangastra nitidicollis Chen:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 1 ex.

Remark. Firstly found in Nepal, was described from China (Sikang).

9. Alticinae

Altica cyanea Weber:

- Annapurna Mts., S Lamjun Himal, slope Taunja Danda, Bakhra Kharka, 2100 m, 10.V.1996, leg. J. Schmidt, 1 ex.
- Dhaulagiri Himal, Beni to Pakhapani, 1000-1450 m, 16.VI.1998, leg. Berndt & Schmidt, 12 exx.
- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 3 exx.
- Sankhuwasabha, Lamobagar, Arun Valley, 27°38, 59'N, 87°21, 26'E, 1040 m, 03.XII.1998, leg. M. Hartmann, 1 ex.
- Manaslu Himal, Bara Pokhari, 3000 m, 04.IV.1999, leg. Lau & Schmidt, 2 exx.
- Manaslu Himal, Bara Pokhara Lekh, upp. Taksa vill., 2-2100 m, 01./11.IV.1999, leg. Lau & Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, 1400-1900 m, 08.IX.1999, leg. J. Schmidt, 1 ex.

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80"N, 84°29'49"E, LF, leg. A. Skale, A. Weigel, F. Wolf, 93 exx.
- Annapurna Mts., Tikhedunga, 1500 m, 28°20'93"N, 83°44'53"E, 20.IV.2000, leg. Skale, 1 ex.
- Jumla, N, 2800 m, 05.VI.2000, leg. R. Klawitter, 1 ex.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 1 ex.
- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. E. Grill, A. Kopetz, A. Weigel, 22 exx.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E, KL/HF, leg. A. Kopetz, 2 exx.
- Humla, 14 km NW Simikot, Kermi, 2800 m, 30°02'55"N, 81°42'20"E, 19.VI.2001, leg. A. Kopetz, M. Hartmann, 5 exx.
- Humla, 18 km W Simikot, Chumsa Khola (Bridge), 2900-3000 m, 30°02'25"N, 81°39'06"E, river valley, 21.VI.2001, leg. M. Hartmann, A. Weigel, 13 exx.
- Humla, 20 km W Simikot, 2 km S Chala, Kairang Khola, 32-3500 m, HF/KL, 30°59'27"N, 81°37'30"E, 26.06.2001, river valley, leg. A. Kopetz, 2 exx.
- Humla, 20 km W Simikot, 4 km SE Chala, 3500 m N, 29°58'29"N, 81°38'23"E, 27.VI.2001, leg. M. Hartmann, juniperous meadow, 1 ex.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 2 exx.
- Humla, 15 km S Simikot, N Malikasthan nach Raya, 3800-3500 m, 29°51'N, 81°49'E, 08.VII.2001, coniferous-oak-forest, leg. M. Hartmann, 7 exx.
- Humla, 12 km S Simikot, Raya village, 2400 m, 29°52'17"N, 81°51'34"E, 08.VII.2001, leg. M. Hartmann, A. Kopetz, 3 exx.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 2 exx.
- Humla, 6 km SE Simikot, NE Chhipra, Humla-Karnali to Chuwa Khola, 29°56'33"N, 81°51'24"E, 09.07.2001, 2200 m, riverbank HF, leg. A. Kopetz, 2 exx.
- Nepalganj, Nepalganj city, Hotel Batika, LF, 200 m, 28°02, 59'N, 81°36, 56'E, 11./12.VII.2001, leg. M. Hartmann, A. Weigel, 3 exx.
- Annapurna Mts., Kali Gandaki Valley, Tatapani to Beni, 1300-1000 m, 17./18.VII.2001, leg. J. Schmidt, 1 ex.

- Kathmandu, 6 km SSW, Taudaha Lake, 1300 m, 27°39' N, 85°09'E, 17.VII.2001, leg. M. Hartmann, 1 ex.
- Bagmati, S Kathmandu, Thamel, Hotel Norbu Lin-ka, 1300 m, 27°43'01"N, 85°18'47"E 14.06.2001, LF, leg. A. Kopetz, 2 exx.

Altica himalayensis Chen:

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 3 exx.
- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80" N, 84°29'49"E, LF, leg. Wolf, 1 ex.
- Annapurna Mts., Ghorepani nach Tatapani, 2800-2500 m, 23.IV.2000, leg. Wolf, 1 ex.
- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Kharka S Rupchet, 2000-2660 m, 10.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 1 ex.
- Humla, 19 km WSW Simikot, Kuwadi Khola val-ley, 3500-3700 m, 29°53'10"N, 81°38'40"E, 04.VII.2001, mountainous meadows & riverside, leg. M. Hartmann, 4 exx.
- Helambu, Sano Gopte, above Kusumgaon, 85°29'E, 27°42'N, 2900-3000 m, 2.-3.IX.1997, leg. Fabrizi & Ahrens, 4 exx.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 2 exx.
- Humla, 18 km WNW Simikot, Chumsa Khola (Brid-ge), 2950 m, 20.-22.06.2001, 30°02'25"N, 81°39'06"E, river valley, leg. A. Kopetz, 1 ex.
- Bajura, 19 km W Simikot, Kuwadi Khola, 3500 m, 29°53'14"N, 81°38'40"E, 04.-05.07.2001, river-bank, coniferous-birch-forest, leg. A. Kopetz, 7 exx.

Amydus nepalensis Scherer: (det. Döberl)

- Bagmati, Yangri Ridge, Yangri, 4150 m, 24.IV.1981, leg. Löbl & Smetana, 1 ex.

Aphthona andrewesi Jacoby:

- Humla, 500 m W Simikot, 29°58'N, 81°49'E, ter-race fields, 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 22 exx.
- Humla, 14 km NW Simikot, Kermi, 2800 m, 30°02'55"N, 81°42'20"E, 19.VI.2001, leg. M. Hart-mann, 4 exx.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi,

2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 4 exx.

- Humla, 18 km W Simikot, Chumsa Khola (Bridge), 2900-3000 m, 30°02'25"N, 81°39'06"E, river val-ley, 22.VI.2001, leg. A. Kopetz, A. Weigel, 5 exx.
- Humla, 20 km W Simikot, 3 km W Chala, 40-4300 m, 29°59'46"N, 81°35'55"E, 24.06.2001, snow fields, HF, leg. A. Kopetz, 2 exx.
- Humla, 20 km W Simikot, 2 km S Chala, Kairang Khola, 32-3500 m, HF/KL, 30°59'27"N, 81°37'30"E, 26.06.2001, river valley, leg. A. Kopetz, 9 exx.
- Humla, 16 km W Simikot, 3 km NW Sankha La, 40-4300 m 29°57'18"N, 81°39'30"E, 29.-30.06.2001, stone-debris & alpine mats, leg. A. Kopetz, 1 ex.

Aphthona gardneri BRYANT:

- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 2 exx.

Aphthona kanaraensis Jacoby:

- Nepalganj, Nepalganj city, Hotel Batika, LF, 200 m, 28°02, 59'N, 81°36, 56'E, 12.VII.2001, leg. M. Hart-mann, 1 ex., same data, leg A. Kopetz, 1 ex.

Aphthona nigrilabris Duvivier:

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 15.VII.2001, 27°34'80" N, 84°29'49"E, LF, leg. A. Weigel, 2 exx.

Argopistes atricollis Chen:

- Annapurna Mts., Pokhara, Phewa-Lake, 900 m, 29.X.1992, leg. J. Weipert, 2 exx.

Batophila alticola Döberl: **HOLOTYPE, PARA-TYPEN**

- Dolpo, NW Chaurikot, Bavaria Lagna, 3800 m, 17.V.1995, leg. J. Weipert, 12 exx.

Batophila costata Scherer:

- Bajura, 19 km W Simikot, Kuwadi Khola, 3500 m, 29°53'14"N, 81°38'40"E, 04.-05.07.2001, river-bank, coniferous-birch-forest, leg. A. Kopetz, 8 exx.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 1 ex.

Chaetocnema birmanica Jacoby:

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80" N, 84°29'49"E, LF, leg. A. Weigel, 1 ex., same locality, but 15.VII.2001, leg. A. Weigel, 1 ex.

Chaetocnema cognata Baly:

- Humla, 500 m W Simikot, 29°58'N, 81°49'E, terrace fields 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 30°00'09"N, 81°46'08"E, 18.VI.2001, rural landscape, leg. M. Hartmann, A. Kopetz, 2 exx.
- Humla, 18 km W Simikot, Chumsa Khola (Bridge), 2900-3000 m, 30°02'25"N, 81°39'06"E, river valley, 21.VI.2001, leg. M. Hartmann, A. Kopetz, 2 exx.
- Humla, 14 km NW Simikot, Kermi, 2800 m, 30°02'55"N, 81°42'20"E, 19.VI.2001, leg. M. Hartmann, A. Kopetz, 2 exx.

Chaetocnema concinnicollis Baly:

- Dhaulagiri Himal, Kali Gandaki valley, Jhi village, N Beni, 1750 m, 16.VI.1998, leg. Berndt/Schmidt, 2 exx.
- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80" N, 84°29'49"E, LF, leg. A. Weigel, F. Wolf, 2 exx.

Chaetocnema harita Maulik:

- Chitawan, Sauraha, Rapti River, 27°34'N, 84°29'E, 180 m, 14./15.VII.2002, leg. A. Kopetz, 1 ex.

Remark. Firstly found in Nepal, but comparatively widely distributed in India.

Chaetocnema indica Weise:

- Kathmandu, NW Gorkhana, Bagmati riverside, 1350 m, 27°43'22"N, 85°22'59"E 15.06.2001, HF/KL, leg. A. Kopetz, 1 ex.

Chaetocnema kumaonensis Scherer:

- Sankhuwasabha, Lamobagar, Arun Valley, 27°38, 59'N, 87°21, 26'E, 1040 m, 03.XII.1998, leg. J. Weipert, 1 ex.
- Sankhuwasabha, Lamobagar, S, Arun-Valley, 27°38'N, 87°21'E, 1300 m, 04.XII.1998, leg. J. Weipert, 1 ex.

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 18.IV.2000, 27°34'80" N, 84°29'49"E, LF, leg. A. Skale, A. Weigel, F. Wolf, 5 exx.

Chalaenaria viridis Medvedev: **HOLOTYPE**

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.

Euphitrea subglobosa Hope:

- Annapurna Mts., Sikles range, N Sikles, Kyojo Kharaka, 1850 m, 28.IV.1996, leg. J. Schmidt, 40 exx.
- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.
- Dolakha, Lapchi Kang range, below Khartal vill., 1700-2000 m, 06.IX.1999, leg. J. Schmidt, 6 exx.
- Dolakha, Tama Koshi valley, Jagat, 1200-1600 m, 09.IX.1999, leg. J. Schmidt, 16 exx.
- Dolakha, Tama Koshi valley, Simigau, 2000 m, 02.VI.2000, leg. Kleeberg, 5 exx.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 11 exx.
- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 4 exx.
- Ganesh Himal, Kari Gaon, Ankhu Khola valley, 1700 m, Borang village, 18.VI.2000, leg. Ghale, Tamang, Gurung, 27 exx.
- Ganesh Himal, Kimtang, 15 km NW of Trisuli Bazar, 1600 m, 19.VI.2000, leg. J. Schmidt, 2 exx.

Hemipyxis fulvipennis Illiger:

- Annapurna-Mts., NE Pokhara, Madi Khola, Hogo Kharka, 1900 m, 04.V.1996, leg. J. Schmidt/Jäger, 1 ex.

Hemipyxis intermedia Jacoby:

- Annapurna Mts., Krapa Danda, 1800 m, 26.V.1997, leg. J. Schmidt, 1 ex.

Hemipyxis nigricornis Baly:

- Ganesh Himal, SW, Khading, NW, Borang, 1700-2000 m, 22.V.1996, leg. Ahrens, Kulbe, Rulik, 1 ex.

Hespera krishna Maulik:

- Mugu, Rara-Lake NP, 3000 m, 27.-29.6.1995, leg. Ahrens & Pommeranz, 1 ex.
- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.

- Humla, 18 km WNW Simikot, Chumsa Khola (Bridge), 2950 m 20.-22.06.2001, 30°02'25"N, 81°39'06"E, river valley, leg. A. Kopetz, 1 ex.
- Humla, 20 km W Simikot, 4 km SE Chala, 3500 m N, 29°58'29"N, 81°38'23"E, 27.VI.2001, leg. M. Hartmann, juniperous meadow, 2 exx.
- Bajura 19-16 km SW Simikot, Kuwadi Khola 3500-2900 m 06.VII.2001, riverside, leg. A. Weigel, A. Kopetz, 3 exx.
- Humla, 12 km S Simikot, env. Raya 3400-2500 m, 20°52'17"N, 81°51'34"E, 08.07.2001, rural landscape, leg. A. Kopetz, 1 ex.

Hespera naini Scherer:

- Humla, 12-5 km S-SE Simikot, Raya-Humla-Karnali valley, 2100-2400 m, 9.VII.2001, leg. A. Kopetz, 1 ex.

Remark. Firstly found in Nepal, was known from India (Uttar Pradesh).

Hespera nepalica Medvedev: **HOLOTYPUS, PARATYPUS**

- Humla, 12-5 km S-SE Simikot, Raya - Humla-Karnali valley, 2400-2100 m, 09.VII.2001, leg. A. Kopetz, KL/KF/HF, rural landscape, 1 ex.
- Humla, 6 km SE Simikot, NE Chhipra, Humla-Karnali - Chuwa Khola, 29°56'33"N, 81°51'24"E, 09.VII.2001, leg. A. Kopetz, 2200 m, riverbank, HF/KF 1 ex.

Hespera punctata Chen:

- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 3 exx.
- Humla, 6 km SE Simikot, NE Chhipra, Humla-Karnal - Chuwa Khola, 29°56'33"N, 81°51'24"E, 09.07.2001, 2200 m, riverbank, HF/KF, leg. A. Kopetz, 1 ex.

Hespera schawalleri Medvedev:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 4 exx.

Hespera violaceipennis Scherer:

- Myagdi, upper Bathlakharka, 2160 m, 20.VI.1998, leg. Berndt/Schmidt, 1 ex.

Hyphasis fuscipennis Weise:

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 2 exx.

Hyphasis nigricornis Baly:

- Jumla, Jumla, 2400 m, 21./22.VI.1995, leg. Ahrens/Pommeranz, 1 ex.
- Jumla, Jumla, N, Chautha Sinja Khola, 2600-2800 m, 25.VI. 1995, leg. Ahrens /Pommeranz, 2 exx.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 18.06.2001, 30°00'09"N, 81°46'08"E, LF, leg. A. Kopetz, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 3 exx.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 8 exx.
- Humla, Chhipra, Humla-Karnali, 29°56'33"N, 81°51'24"E, to Simikot, 2200-3100 m KL/HF, 10.07.2001, leg. A. Kopetz, 1 ex.

Hyphasis pallida Jacoby: (det. Döberl)

- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.

Lipromorpha variabilis Scherer:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 1 ex.

Longitarsus apricus Bryant:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 1 ex.

Longitarsus belgaumensis Jacoby:

- Myagdi, upper Bathlakharka, 2160 m, 20.VI.1998, leg. Berndt/Schmidt, 1 ex.
- Kathmandu, N, Bagmati-river, bei Pashupatinath, 1300 m, 23.XI.1998, leg. Hartmann, 1 ex.
- Dolakha, Rolwaling Himal, upp. Tama Koshi valley, Simigau village, 2000 m, 10.IX.1999, leg. J. Schmidt, 1 ex.
- Kathmandu, 6 km SSW, Taudaha Lake, 1300 m, 27°39'N, 85°09'E, 17.VII.2001, leg. M. Hartmann, 2 exx.

Longitarsus birmanicus Jacoby

- Annapurna Mts., Marsyangdi-Tal, vill. Tal, 1700 m, 22.IX.1992, leg. Hartmann, 1 ex.

Longitarsus cyanipennis Bryant:

- Jumla, Talphi, S Maharigaon, 29°20'25"N, 82°23'16"E, 07.-09.VII.1999, 3200 m, Bachtal, leg. A. Weigel, 6 exx.
- Jumla, Maharigaon, N, 3250 m, 29°20', 24'N, 82°23', 21'E, 10.VII.1999, leg. A. Weigel, 6 exx.
- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 8 exx.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 2 exx.
- Annapurna Mts., West Mardi Himal, Modi Khola, oberh. Himalpani, 1420-1480 m, 16.V.2001, leg. G. Hirthe, 3 exx.
- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. A. Weigel, 1 ex.
- Humla, 20 km W Simikot, 4 km SE Chala, 3500 m N, 29°58'29"N, 81°38'23"E, 27.VI.2001, leg. M. Hartmann, juniperous meadow, 1 ex.
- Humla, 20 km W Simikot, 2 km SE Chala, 3500 m 29°58'49"N, 81°39'30"E, 27.-28.06.2001, juniper meadow, LF, leg. A. Kopetz, 1 ex.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, leg. A. Weigel, 7 exx.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 1 ex.

Longitarsus gola Maulik:

- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali-valley, 2400-2100 m, 09.07.2001, KL, rural landscape, leg. A. Kopetz, 1 ex.

Remark. Firstly recorded for Nepal, was known from North India: Uttar Pradesh.

Longitarsus gressitti Scherer:

- Kathmandu, N, Bagmati-river, bei Pashupatinath, 1300 m, 23.XI.1998, leg. Hartmann, 1 ex.
- Dolakha, Rolwaling, upp. Simigau village, 3300 m, 28.V.2000, leg. J. Schmidt, 1 ex.
- Humla, 500 m W Simikot, 29°58'N, 81°49'E, terrace fields, 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 7 exx.

- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 2 exx.
- Humla, 20 km W Simikot, 2 km S Chala, Kairang Khola, 3200 m N, 29°59'27"N, 81°37'30"E, 26.VI.2001, leg. M. Hartmann, riverbank, 1 ex.
- Humla, 20 km W Simikot, 2 km SE Chala, 3500 m 29°58'49"N, 81°39'30"E, 27.-28.06.2001, juniper meadow-coniferous forest, KF/HF, leg. A. Kopetz, 2 exx.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 1 ex.

Longitarsus hsienweni Chen:

- Dhaulagiri, Myagdi Khola valley, Dhurkosh Khola, 2100 m, 22.VI.1998, leg. Berndt/Schmidt, 1 ex.

Longitarsus warchalowskii Scherer:

- Jumla, Maharigaon, N, Hochlager I, 3700 m, 29°21', 30'N, 82°23', 46'E, 06.VII.1999, leg. M. Hartmann, 1 ex.

Longitarsus weisei Guill.:

- Humla, 500 m W Simikot, 29°58'N, 81°49'E, terrace fields, 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 1 ex.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, HF, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 5 exx.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali, 2400-2100 m, 09.07.2001, KL/HF, rural landscape, leg. A. Kopetz, 1 ex.

Luperomorpha metallica Chen:

- Myagdi, upper Bathlakharka, 2160 m, 20.VI.1998, leg. Berndt/Schmidt, 1 ex.
- Dolakha, Rolwaling, Simigau village, 2800 m, 02.VI.2001, leg. J. Schmidt, 1 ex.

Mandarella flavipes Medvedev:

- Annapurna Mts., W Pokhara, Mt. Panchhase, 2000-2300 m, 18.V.1997, leg. J. Schmidt, 1 ex.

Mandarella violacea Medvedev:

- Manaslu Mts., Meme Pokhari Lekh, below Bara Pokhari, 2500 m, 02.IV.1999, leg. Lau & Schmidt, 1 ex.

Manobia krishna Scherer:

- Dhaulagiri Himal, Kali Gandaki valley, Sirkung, 2700-2800 m, 28.V.2001, leg. J. Schmidt, 1 ex.

Asiolestia nepalica Medvedev:

- Dolakha, Rolwaling, upp. Simigau village, 3300 m, 11.IX.1999, leg. J. Schmidt, 1 ex., same locality, but 28.V.2000, leg. J. Schmidt, 16 exx.

Asiolestia schenklingi Scherer:

- Dolakha, Rolwaling Valley, before Beding village, 3300 m, 19.V.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, NE-slope Pansang La, 3700 m, 17.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 1 ex.
- Annapurna Mts., Annapurna South Himal, Tatapani, 3300-3500 m, 18./19.V.2001, leg. J. Schmidt, 1 ex.

Nisotra gemella Erichson:

- Annapurna Mts., Sikles range, water power station, 1450 m, 10.V.1996, leg. J. Schmidt, 1 ex.
- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.
- Jumla, 10.VII.1999, Talphi to Lamri, Chaudabhise Khola, 2800-2400 m, leg. A. Weigel, 1 ex.
- Dolakha, Tama Koshi valley, Simigau, 2000 m, 15.V.2000, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Chet Chet to Gongga Khola, 1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Kari Gaon, Ankhu Khola valley, 1700 m, Barang village, 18.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 1 ex.
- Humla, 10 km SE Simikot, Humla-Karnali valley, 2100-2200 m, riverside, 29°56'N, 81°51'E, 09.VII.2001, leg. F. Creutzburg, 2 exx.
- Humla, 12-10 km S Simikot, Raya, Humla-Karnali, 09.VII.2001, leg. A. Weigel, 1 ex.

Nonarthra variabilis Baly:

- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 1 ex.

- Mugu, Rara Lake National Park, 2990 m, 29°37, 15'N, 82°04, 31'E, Rara Lake, Südufer, 25.VI.1999, leg. M. Hartmann, 6 exx.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 19.06.2001, KL/HF, leg. A. Kopetz, 1 ex.
- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. M. Hartmann, A. Kopetz, A. Weigel, 21 ex.
- Humla, 12 km S Simikot, env. Raya 3400-2500 m, 29°52'17"N, 81°51'34"E, 08.07.2001, rural landscape, leg. A. Kopetz, 2 exx.

Orestia schawalleri Medvedev: **PARATYPE**

- Dailekh, N-Dailekh, Mabu-Paß (Marbhu), 3200-3400 m, 16.VII.1995, leg. Ahrens/Pommeranz, 1 ex.
- Jumla, Gothichaur, 2 km W, 2700 m, 29°12,1'N, 82°18, 56'E, 11.VI.1997, leg. M. Hartmann, 1 ex.
- Jumla, 25 km NE Jumla, Sisne Himal, Chauke Khara Khola, 4100 m, 29°24'N, 82°24'E, 04.VII.1999, leg. E. Grill, 1 ex.
- Jumla, Maharigaon, N, Hochlager I, 3700 m, 29°21, 30'N, 82°23, 46'E, 06.VII.1999, leg. M. Hartmann, 1 ex.

Orthocrepis ruficollis Lucas:

- Bake, 15 km W Kusum, Rapati Riverside, 250 m, 28°02'15"N, 81°57'16"E, 13.VII.2001, leg. A. Weigel, 1 ex.

Remark. Firstly recorded for Nepal and Oriental region. Species was known from Mediterranean region, North Africa, wear East and Central Asia. There are also specimens from Burma (Tenasserim) and Thailand (Chiang Dao) in L. Medvedev's collection. This species was not included in the monograph of SCHERER (1969).

Parathrylea apicipennis Duvivier:

- Annapurna Mts., Pokhara, Phewa-Lake, estuary, 850 m, 10.V.1993, leg. J. Schmidt, 1 ex.

Parathrylea tuckuchensis Kimoto & Takizawa:

- Annapurna Mts., S Lamjung Himal, W Taunja Dada, 10 km NE Sikles, 2400 m, 06.VI.1995, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Krapa Danda, 1800 m, 26.V. + 30.V.1997, leg. J. Schmidt, 2 exx.

- Annapurna Mts., W Pokhara, Mt. Panchhase, 2000-2300 m, 18.V.1997, leg. J. Schmidt, 1 ex.
- Kathmandu, N, Bagmati-River, am Gorkhana-Park, 1300 m, 28.V.1997, leg. Hartmann, 13 exx.
- Manaslu Himal, Bara Pokhara Lekh, upp. Taksa vill., 2-2100 m, 01./11.IV.1999, leg. Lau & Schmidt, 2 exx.
- Annapurna Mts., Kali Gandaki valley, lower Sirkung, 2550 m, 01.VI.2001, leg. J. Schmidt, 2 exx.
- Dolakha, Rolwaling, Lapchi Kang range, Tin Sang La, E-slope, 2200 m, 05.IX.1999, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Simigau, 1700-2000 m, 15.V.2000, leg. J. Schmidt, 15 exx.
- Kathmandu, oberh. Godawari, Kumako Khola, 1750 m, gesiebt, 06.V.2001, leg. G. Hirthe, 2 exx.

Pentamesa duodecimmaculata Harold:

- Jumla, Gothichaur, 2 km W, 2700 m, 29°12, 1'N, 82°18, 56'E, 13.VI.1997, leg. M. Hartmann, 1 ex.
- Dhaulagiri Himal, Kali Gandaki valley, Sirkung, 2700-2800 m, 28.V.2001, leg. Schmidt, 1 ex.
- Humla, 14 km NW Simikot, Kermi, 2800 m, 30°02'55"N, 81°42'20"E, 19.VI.2001, leg. F. Creutzburg, 1 ex.
- Bajura, 19 km W Simikot, Kuwadi Khola valley, 3500 m, 05.VII.2001, 29°53'14"N, 81°38'40"E, leg. A. Weigel, 1 ex.
- Bajura 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 1 ex.

Pentamesa haroldi Baly:

- Bajura, 19-16 km SW Simikot, Kuwadi Khola, env. Chachaur, 2900-3500 m, 6.VII. 2001, riverbank, leg. A. Kopetz, 1 ex.

Remark. Firstly found in Nepal, was known from India (Uttar Pradesh). Possibly this species is identical with *P. guttata* Weise, 1895, already indicated for Nepal.

Phygasia silacea Illiger:

- Rasuwa, Langtang, Syabru Bensi - Lama Hotel, 1500-2500 m, 26.VII.1998, leg. C. Berndt, 1 ex.

Phyllotreta chotanica Duvivier:

- Jumla, Gothichaur, 2 km W, 2800 m, 29°12, 1'N, 82°18, 56'E, 13.VI.1997, leg. E. Grill, 1 ex.
- Manaslu Himal, Bara Pokhari, 3000 m, 04.IV.1999, leg. Lau & Schmidt, 2 exx.
- Annapurna Mts., Ghorepani, 28°24'15"N, 83°42'01"E, 2800 m, 21.IV.2000, leg. A. Weigel, 1 ex.
- Dolakha, Rolwaling, upp. Simigau village, 3300 m, 28.V.2000, leg. J. Schmidt, 2 exx.
- Humla, 20 km W Simikot, 2 km S Chala, Kairang Khola, 3200 m N, 29°59'27"N, 81°37'30"E, 26.VI.2001, leg. M. Hartmann, riverbank, 1 ex.
- Bajura, 19-16 km SW Simikot, Kuwadi-Khola, env. Chachaur, 3500-2900 m, 06.07.2001, riverbank, leg. A. Kopetz, 1 ex.

Phyllotreta striolata Fabricius:

- Kathmandu, 6 km SSW, Taudaha Lake, 1300 m, 27°39' N, 85°09'E, 17.VII.2001, leg. M. Hartmann, 1 ex.

Psylliodes altimontana Medvedev: **HOLOTYPE**, **PARATYPEN**

- Humla, 16 km W Simikot, 3 km NW Sankha La, 4250-4600 m, 29°57'19"N, 81°39'30"E, 30.VI.2001, stone debris on snow fields, leg. M. Hartmann, leg. A. Weigel, 5 exx.

Psylliodes bretinghami Baly:

- Humla, 500 m W Simikot, 3100-3200 m, 17.VI.2001, 29°58'25"N, 81°49'07"E, leg. A. Weigel, 1 ex.

Psylliodes tenebrosa Jac.:

- Humla, 500 m W Simikot, 29°58'N, 81°49'E, terrace fields, 16.-17.06.2001, 3000-3200 m, leg. A. Kopetz, 1 ex.

Sphaeroderma nigripes Chen:

- Dolakha, Tama Koshi valley, Biganthi, 900 m, 13.V.2000, leg. J. Schmidt, 1 ex.

Taizona doeberli Medvedev: **HOLOTYPE**

- Dolakha, Rolwaling Himal, upp. Simigau village, 2800 m, 01.VI.2000, leg. Kleeberg, 1 ex.

Taizonia minima Scherer: (det. Döberl)

- Bagmati, below Thare Pati 3300 m, 11.IV.1981, leg. Löbl & Smetana, 1 ex.

Trachyapthona micans Scherer:

- Helambu, Sano Gopte, above Kusumgaon, 85°29'E, 27°42'N, 2900-3000 m, 2.-3.IX.1997, leg. Fabrizi & Ahrens, 1 ex.
- Myagdi, upper Bathlakharka, 2160 m, 20.VI.1998, leg. C. Berndt/Schmidt, 1 ex.
- Dolakha, upp. Simigau village, 2700-2800 m, 01.VI.2000, leg. J. Schmidt, 1 ex.

Xuthea orientalis Baly:

- Manaslu Mts., Meme Pokhari Lekh, Taksar village, 1700 m, 30.VIII.1995, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Annapurna Mts., Modi Khola vall., Himal Pani Lodge env., 1500 m, 10.VI.2000, leg. J. Schmidt, 1 ex.
- Humla, 12-10 km S Simikot, Raya – Humla-Karnali, 2400-2100 m, 09.VII.2001, leg. M. Hartmann, A. Kopetz, 4 exx.

10. Hispinae

Agonita immaculata Gestro:

- Rasuwa, Langtang, Syabru Bensi - Lama Hotel, 1500-2500 m, 26.VII.1998, leg. C. Berndt, 1 ex.

Callispa himalayana Medvedev:

- Dolakha, Tama Koshi valley, Chet Chet to Gongga Khola, 1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.

Dactylispa asoka Maulik:

- Annapurna South Himal, Narcheng to Kuli Kund, 1600-2000 m, 26.V.2001, leg. J. Schmidt, 1 ex.
- Kathmandu, 15k m S, Mt. Phulchoki, 27°35'N, 85°22'E, 1800-2000 m, deciduous forest, KL, 18.07.2001, leg. A. Kopetz, 1 ex.

Dactylispa brevispinosa Chapuis:

- Annapurna Mts., Sikles range, water power station, 1450 m, 10.V.1996, leg. J. Schmidt, 1 ex.
- Dhaulagiri Himal, Pakhapani to Ulleri & Dwari, 1700-2000 m, 18.VI.1998, leg. J. Schmidt, 1 ex.
- Jumla, Talphi to Lamri, Chaudabhise Khola, 2800-2400 m, 10.VII.1999, leg. A. Weigel, 1 ex.

- Dolakha, Tama Koshi valley, Simigau, 2000 m, 15.V.2000, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Chet Chet to Gongga Khola, 1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Kari Gaon, Ankhu Khola valley, 1700 m, Barang village, 18.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 1 ex.
- Humla, 10 km SE Simikot, Humla-Karnali valley, 2100-2200 m, riverside, 29°56'N, 81°51'E, 09.VII.2001, leg. F. Creutzburg, 2 exx.
- Humla, 12-10 km S Simikot, Raya, Humla-Karnali, 09.VII.2001, leg. A. Weigel, A. Kopetz, 5 exx.

Dactylispa dilaticornis Duvivier:

- Chitawan, Sauraha, Rapti River, 27°34'51''N, 84°29'30''E, 14.-15.VII.2001, 180 m, HF, leg. A. Kopetz, 1 ex.

Dactylispa elegantula Duvivier:

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 5 exx.

Dactylispa lohita Maulik:

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.

Dactylispa pectinata Medvedev:

- Rapati, 2 km S Lamahi, Rapti River 27°50'07''N, 82°32'23''E, 13.07.2001, riverbank & fields, HF/KL, leg. A. Kopetz, 3 exx.

Dactylispa soror Weise:

- Chitawan, Sauraha, SW, 180 m, 17.IV.2000, 27°34'80''N, 84°29'49''E, leg. Skale, 1 ex., same locality: 14.-15.07.2001, 180 m, HF, leg. A. Kopetz, 1 ex.

Estigmena chinensis Hope:

- Rapati, 2 km S Lamahi, Rapati River, 200 m, 27°50'07''N, 87°32'23''E, 13.VII.2001, leg. A. Weigel, A. Kopetz, 8 exx.

Gonophora pulchella Gestro:

- Annapurna Mts., Kali-Gandaki-Tal, Tatopani to Beni, 1000 m, leg. J. Schmidt, 29.X.1992, 1 ex.
- Annapurna Mts., Birethanti, 1100 m, 24.IV.2000, leg. A. Weigel, 1 ex.

Lasiochila cylindrica Hope:

- Annapurna Mts., Sikles range, water power station, 1450 m, 10.V.1996, leg. J. Schmidt, 1 ex.
- Ganesh Himal, Kari Gaon, Ankhu Khola valley, 1700 m, Barang village, 18.VI.2000, leg. Ghale, Tamang, Santa, Gurung, 2 exx.
- Annapurna South Himal, Dana to Ghasa, 1300-1700 m, 26.V.2001, leg. J. Schmidt, 1 ex.

Nothoscantha maculipennis Hope:

- Humla, 5 km SE Simikot, NE Chhipra, Mündung Chuwa Khola in Humla-Karnali, 29°56'33"N, 81°51'24"E, 2200 m, 09.VII.2001, leg. A. Weigel, 2 exx.

Rhadinosa girija Maulik:

- Chitawan, Sauraha, Rapti River, 27°34'51"N, 84°29'30"E, 14.-15.07.2001, 180 m, HF, leg. A. Kopetz, 1 ex.
- Rapati, 2 km S Lamahi, Rapti River 27°50'07"N, 82°32'23"E, 13.07.2001, riverbank & fields, HF/KL, leg. A. Kopetz, 1 ex.

Rhadinosa lebongensis Maulik:

- Humla, 12 km S Simikot, Raya village, 2400 m, 29°52'17"N, 81°51'34"E, 08.VII.2001, leg. M. Hartmann, 1 ex.
- Kathmandu, NW, Gorkhana, Bagmati riverside, 1350 m 27°43'22"N, 85°22'59"E 15.06.2001, HF/KL, leg. A. Kopetz, 1 ex.

11. Cassidinae

Aspidomorpha fuscata Thunberg:

- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.

Aspidomorpha miliaris Fabricius:

- Chitawan, Sauraha, Rapti River Ufer, 180 m, 27°34'80"N, 84°29'49"E, 15.VII.2001, leg. A. Weigel, 1 ex.

Aspidomorpha sanctaecrucis Fabricius:

- Ganesh Himal, Salankhu Khola valley, Bhalche, 2000 m, 09.VI.2000, leg. Tamang, Santa, Gurung, 3 exx.
- Nepalganj, Airport 16.06.2001, HF, leg. A. Kopetz, 1 ex.
- Nepalgunj, Hotel Batika, 28°02'36"N, 81°36'35"E, 170 m, 11.-12.VII.2001, leg. A. Weigel, 1 ex.

Basiprionota decemmaculata Boheman:

- Dolakha, Tama Koshi valley, Gongga Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 1 ex.

Cassida australica Boheman:

- Kathmandu, 15 km S, Mt. Phulchoki, 27°35'N, 85°22'E, 1800-2000 m, deciduous forest, KL, 18.07.2001, leg. A. Kopetz, 1 ex.

Cassida flavoscuttata Spaeth:

- Dhaulagiri Himal, Kali Gandaki valley, Sirkung, 2700-2800 m, 28.V.2001, leg. J. Schmidt, 1 ex.

Cassida icterica Boheman:

- Annapurna Himal, Marsyangdi Khola valley, Besi Sahar to Taksar vill., 1080 m, 31.III.1999, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Chet Chet to Gongga Khola, 1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Nawalparasi, Dumkibas, Danne 900 m, 27°33'31"N, 83°50'59"E, 14.07.2001, leg. A. Kopetz, 1 ex.

Cassida nigriventris Boheman:

- Jumla, Lamri to Jumla, 2500-2400 m, 22.VI.1997, leg. M. Hartmann, 1 ex.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 30°00'09"N, 81°46'08"E, 18.VI.2001, rural landscape, leg. M. Hartmann, A. Kopetz, 2 exx.
- Humla, 14 km NW Simikot, Kermi, 2800 m, 30°02'55"N, 81°42'20"E, 19.VI.2001, leg. M. Hartmann, A. Kopetz, 26 exx.
- Humla, 18 km WNW Simikot, Chumsa Khola (Bridge), 2950 m, 20.-22.06.2001, 30°02'25"N, 81°39'06"E, river valley, leg. A. Kopetz, 1 ex.
- Humla, 10-5 km SE Simikot, Humla-Karnali valley, 2100-2200 m, riverside, 29°56'N, 81°51'E, 09.VII.2001, leg. M. Hartmann, 5 exx.
- Humla, 12 km S Simikot, env. Raya 3400-2500 m, 29°52'17"N, 81°51'34"E, 08.07.2001, rural landscape, leg. A. Kopetz, 1 ex.
- Humla, 12-5 km S-SE Simikot, Raya, Humla-Karnali valley 2400-2100 m, 09.07.2001, KL/HF rural landscape, leg. A. Kopetz, 7 exx.

Cassida obtusata Boheman:

- Annapurna Mts., Tikhedunga, 1500 m, 28°20'93"N, 83°44'53"E, 20.IV.2000, leg. A. Weigel, 1 ex.
- Dolakha, Tama Koshi valley, Jagat to Chet Chet, 1000-1300 m, 15.V.2000, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Chet Chet to Gongra Khola, 1300 m, 03.VI.2000, leg. J. Schmidt, 2 exx.
- Humla, 6 km NW Simikot, Dandaphaya (Dharapuri), 2300 m, 30°00'09"N, 81°46'08"E, 18.VI.2001, rural landscape, leg. F. Creutzburg, 2 exx.
- Humla, 14 km NW Simikot, Tuling to Kermi, 2300-2700 m, 30°02'55"N, 81°42'20"E, 19.VI.2001, leg. J. Weipert, 1 ex.
- Humla, 12-10 km S Simikot, Raya, Humla-Karnali, 09.VII.2001, leg. A. Weigel, 1 ex.
- Humla, 6 km NW Simikot, Dandaphaya - Kermi, 2300-2800 m, 30°00'09"N, 81°46'08"E, 18.VI.2001, leg. A. Weigel, 11 exx.

Cassida syratica Boheman:

- Dolakha, Tama Koshi valley, Biganthi to Jagat, 900-1000 m, 14.V.2000, leg. J. Schmidt, 1 ex.
- Dolakha, Rolwaling, upp. Simigau village, 2000 m, 02.VI.2000, leg. A. Kleeberg, 1 ex.
- Dolakha, Tama Koshi valley, Simigau to Chet Chet, 2000-1300 m, 03.VI.2000, leg. J. Schmidt, 4 exx.
- Annapurna Mts., Modi Khola vall., New Bridge to Shuwa, 1600-2000 m, 11.VI.2000, leg. J. Schmidt, 3 exx.
- Dhaulagiri Himal, Kali Gandaki valley, Sirkung, 2700-2800 m, 28.V.2001, leg. J. Schmidt, 1 ex.

Glyphocassis trilineata Hope:

- Dolakha, Tama Koshi valley, Biganthi, 900 m, 13.V.2000, leg. J. Schmidt, 1 ex.
- Dolakha, Tama Koshi valley, Gongra Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 1 ex.

Laccoptera quadrimaculata Thunberg:

- Dolakha, Tama Koshi valley, Jagat to Chet Chet, 1000-1300 m, 15.V.2000, leg. J. Schmidt, 2 exx.
- Dolakha, Tama Koshi valley, Gongra Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 2 exx.

Sindia sedecimmaculata Boheman:

- Dolakha, Tama Koshi valley, Gongra Khola to Suri Doban, 1300-1000 m, 04.VI.2000, leg. J. Schmidt, 7 exx.

Structure and peculiarities of Chrysomelid fauna in Nepal

Vertical distribution

The vertical distribution was studied with using 1000 meter steps. At an altitude till 1000 m only 300 species were found, 46 only there. This comparatively low amount is possibly connected with heavily damaged natural ecosystems and dominating agricultural areas. At an altitude of 1000-2000 m the biggest number of species was reported, that is totally 542 species and 159 only there. The following altitude of 2000-3000 m is also rich enough, with 415 species, 79 of them only in this zone. At an altitude of 3000-4000 m the number of species is distinctly decreased, only 146 with 21 species exclusively there. At last in alpin zone at more than 4000 m only 25 species were found with 7 exclusively there, most of them are apterous.

The large number of Alticinae at high altitudes is very remarkable they are mostly represented with endemic apterous genera, connected with soil and debris, and seem to be saprophagous. Almost all these genera and species are very small, between 0.5-2 mm, without humeral tubercle and basal convexity on elytra, often with small or reduced scutellum, feebly developed eyes, and strongly reduced or very variable elytral sculpture. They never were collected by netting, but in sifting they are usual and often very numerous, sometimes more than hundred in one sifting.

Horizontal distribution

The different occurrence of species is caused by the different climates in the western and eastern region. 657 species were found in the east of Nepal, half of them only there, 432 in the west, with 118 only there and 627 in the central zones, more than half only there. The east of Nepal, reaching from the Arun till Sikkim, shows a monsoon climate, while the west from Dhaulagiri till the Indian boundaries is more dry with a meso- and xerophile vegetation. In the centre of the country the climate is less moist than in the east with a coexistence of hydro- and mesophile plants. Some species are differentiated in western and eastern subspecies, for example, *Chrysolina dhaulagirica* and *Meristata pulunini occidentalis* in the west and *C. dhaulagirica arunensis* and

M. pulunini in the east. Very nice and interesting endemic genus *Nepalogaleruca* is known with 4 species, *N. angustilineata* has western distribution, *N. elegans* eastern one, 2 other species were found in the central part. *N. angustilineata*, which is found higher in the mountains, is much more melanistic than *N. elegans*, which lives in lower regions. It seems that the moist climate in the east might be more favourable for some Chrysomelid species, but endemic species are mainly connected with more dry and continental area. East Nepal has almost same set of species as Darjeeling area.


Zoogeography

It is known for Chrysomelidae that proportions of 5 main subfamilies is constant for each zoogeographical region (fig.1). In all palaearctic region dominated Alticinae (about 23%), Chrysomelinae (15%) and Cryptocephalinae (15-17%). Structure of Oriental fauna is quite different. Here dominate subfamilies Galerucinae (20%), Eumolpinae (20%),

pinae (also 20 %) and on third place is Alticinae (only 15 %). Such proportions are constant for all studied area, for example South India, Vietnam, Indonesia and Himalayan area.

In Nepal we have 30 % of Alticinae, 27 % of Galerucinae and only 10 % of Eumolpinae. It means that all 3 these groups are same as in Oriental region, but their proportions are different from typical Oriental structure, and the first place belongs to Alticinae, as in Palaearctic region. It means a definite Palaearctic influence. And if we will take a high mountain fauna on altitude more than 4000 m, we will find only 25 species, where proportions of subfamilies are as Alticinae (44 %) – Chrysomelinae (28 %) – Galerucinae (24 %). Here the first 2 dominate groups are same as in Palaearctic. It means that some palaearctic elements have to be in Nepal. Really, 6 typical palaearctic species, less than 1% were found in Nepal, they are represented partly with species known also in Europe: *Chrysomela populi*, *Phrathora vitellinae*, *Goniocete-*

Figure 1: Zoogeographical structure of different regions



na pallida and feeding on *Salix* and *Populus*, partly with Central Asian species. Besides, 17 Palaearctic genera reaching only the Himalayas and South China are recorded for Nepal and includes about 40 local species, half of them are known only from Nepal, other half more widely distributed in the Himalayas. We includes these species also in Palaearctic fauna. For example, *Galeruca indica*, known only from the Himalayas, is a nearest species or possibly even a subspecies of our European *Galeruca interrupta*. Three apterous genera have to be mentioned specially, they are *Sclerophaedon*, *Minota* and *Orestia*. All they are distributed exclusively in Alps and Karpaten, absent in more eastern regions and then appears again in Nepal. From 8 apterous and soil-inhabited genera of Alticinae 7 endemic genera demonstrate a definite origin from Palaearctic mountain genera distributed mostly in Alps and Caucasus, only 1 genus, *Clavicornaltica* is widely distributed in all Oriental region to the Philippines, but never was found in Palaearctic. According all these data, we can confirm that Nepalese fauna includes about 5% of Palaearctic elements. They are connected partly with alpine zone, partly with river valleys and agriculture landscapes.

The rich spectrum of Chrysomelid species is due to the numerous faces of the Nepalese countryside. On high altitudes there are a lot of specialized species adapted to the round mountain conditions, while pest species occur in lower regions where agricultural fields are found. Such large occurrence of endemics as it is found in Nepal is in fact quite uncommon. However, there is no doubt that in future some of them will probably be found also in other places of the Himalayan region. The isolation in the mountain regions, the extreme altitudes, and reduction of wings may explain this high number of endemic genera and species. The very high mountains and the deep river valleys, separating the region into isolated habitats, offer good conditions for isolating populations and generating new species. Therefore, Nepal might be a centre of speciation of Himalayan Chrysomelidae, which are spreading out from there into neighbouring regions.

References

BAUMBACH, H. (1999): Beobachtungen zur Flora und Vegetation der Karnali-Region (West-Nepal). - Veröff. Naturkundemuseum Erfurt **19**: 77-91.

- (in press): Vegetation und Landnutzung in der Karnali-Region (West-Nepal) unter besonderer Berücksichtigung der Distrikte Jumla, Mugu und Humla. - In: HARTMANN, M. & H. BAUMBACH (edit.) Biodiversität und Naturlausstattung im Himalaya. - Erfurt, Verein der Freunde & Förderer des Naturkundemuseums Erfurt e.V., 2003.
- CLAUBEN, C. & J. WEIPERT (in press): Zur Schwebfliegenfauna Nepals (Insecta: Diptera: Syrphidae) unter besonderer Berücksichtigung Westnepals. - In: HARTMANN, M. & H. BAUMBACH (edit.) Biodiversität und Naturlausstattung im Himalaya. - Erfurt, Verein der Freunde & Förderer des Naturkundemuseums Erfurt e.V., 2003.
- DACCARDI, M. (2001.): A new species of *Agrosteomela* Gistel, 1857 from Nepal. - Entomologica Basiliensia **23**: 89-92.
- & L.N. MEDVEDEV (2000): A study of the species of *Sclerophaedon* from the Himalaya. - Boll. soc. entom. ital. **132** (3): 219-231.
- KIMOTO, S. (2001): The Chrysomelidae collected by the Kyushu University Scientific Expedition to the Nepal Himalaya in 1971 and 1972. - Bull. Kitakyushu Mus. Nat. Hist. **20**: 17-80.
- LOPATIN, I.K. (2002): New data on the leaf-beetles of the South and East Asia. Descriptions and synonymic remarks. - Euroasian Entomological Journal **1** (1): 83-86.
- MEDVEDEV, L.N. (1999): To the knowledge of Chrysomelidae from Nepal and adjacent regions. - Veröff. Naturkundemuseum Erfurt **18**: 187-193.
- (2000): Chrysomelidae from the Nepal Himalayas, with revision of the genus *Haplosomoides*. - Stuttgarter Beitr. Naturkunde, ser. A (Biologie), Nr. 616: 1-32.
- (in press): New species of Leaf beetles (Insecta: Coleoptera: Chrysomelidae) from Nepal.- In: HARTMANN, M. & H. BAUMBACH (edit.): Biodiversität und Naturlausstattung im Himalaya. - Erfurt, Verein der Freunde & Förderer des Naturkundemuseums Erfurt e.V., 2003.
- MEDVEDEV, L.N. & E. SPRECHER-UEBERSAX (1999): Katalog der Chrysomelidae von Nepal. - Entomologica Basiliensia **21**: 261-354.
- SCHERER, G. (1969): Die Alticinae des indischen Subkontinentes (Coleoptera - Chrysomelidae). - Pacific Insect Monograph **22**: 1-251.
- SPRECHER-UEBERSAX, E. (2000): *Trachyaphthona hiunchulii*, eine neue Alticinae-Art in Nepal. - Entomologica Basiliensia **22**: 203-207.
- SPRECHER-UEBERSAX E., Zoia S. (2002): *Pyrrhalta medvedevi* sp. nov., a new species from the Nepal Himalayas. - Mitteilungen Schweizerische Entomologische Gesellschaft **75**: 161-167.

Authors adress:

Dipl.-Biol. Matthias Hartmann
Naturkundemuseum Erfurt
Große Arche 14
D-99084 Erfurt
Germany

Prof. Dr. L. N. Medvedev
Institute for Problems of Ecology
and Evolution
Russian Academy of Sciences
Leninsky prospect 33
Moscow 119071
Russia

VÁZQUEZ, X. A. (2002): European fauna of Oedemeridae (Coleoptera). - argania editio, Barcelona, 179 S., 117 Zeichnungen, 27 Farbtafeln, 90 Verbreitungskarten und Ökogramme, ISBN 84-931847-4-8, Preis: 80,- €.

In diesem Buch wird erstmals eine gesamteuropäische Bearbeitung der Oedemeridenfauna geboten. Die übersichtliche Darstellung aller bisher bekannten Arten, mit Auflistung aller Synonyme und vor allem die gut zu handhabenden Bestimmungsschlüssel machen das Buch zu einem unentbehrlichen Werk für den Coleopterologen.

Neben einer kurzen Einführung in die Morphologie der Imagines und der Larven werden auch Informationen zur Lebensweise, zum Sammeln und Präparieren gegeben. Den Hauptteil des Buches machen jedoch die Bestimmungstabellen und einzelnen Artkapitel aus.

Jede Art wird beschrieben und abgebildet, wobei die Zeichnungen und Farbtafeln am Ende des Buches einen Direktvergleich bei schwierigen Arten erleichtern. Die einzelnen Artkapitel sind zwar meist kurz, aber mit Informationen dicht gepackt. Es werden nahezu alle bisher bekannten Angaben zur Biologie aufgeführt, die Verbreitung in den europäischen Ländern per Kürzel und per Verbreitungskarte dargestellt. Besonders hervorzuheben sind die beigegebenen Ökogramme mit Zeitleisten des jahreszeitlichen Auftretens und einem Symbol für die Bruthabitate der Adulti. Die Literatur-Informationen zu vielen Arten der Oedemeridae sind nicht gerade häufig - das Quellenverzeichnis gibt insgesamt 199 Zitate an - trotzdem ist die Fülle an Einzelinformationen beachtenswert.

Die am Ende des Textes aufgeführten Zeichnungen und Farabbildungen ermöglichen die sichere Identifizierung aller Arten, auch bei schwer unterscheidbaren Gruppen sind arttypische Merkmale der Weibchen angegeben. Die Farabbildungen sind in der Qualität sehr unterschiedlich, aber durchweg zur Charakterisierung der einzelnen Arten gut geeignet. Da für viele Arten beide Geschlechter abgebildet sind, ist eine Zuordnung vielfach sehr erleichtert.

Die Gestaltung des Buches ist insgesamt hervorragend, kleinere Mängel bei der Zitatangabe der Quellen sind vernachlässigbar.

Das Werk ist informativ, leicht zu handhaben und zur

Bestimmung dieser Käferfamilie für europäische Arten einfach unverzichtbar.

Das Buch eignet sich bestens für den Aufbau einer Sammlung, da es sowohl systematisch den neuesten Stand bietet als auch die Zuordnung älteren Materials über die Synonymlisten ermöglicht. Es gehört in jede coleopterologische Bibliothek.

Matthias Hartmann

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Veröffentlichungen des Naturkundemuseums Erfurt \(in Folge VERNATE\)](#)

Jahr/Year: 2003

Band/Volume: [22](#)

Autor(en)/Author(s): Hartmann Matthias, Medvedev Lev N.

Artikel/Article: [To the knowledge of Nepalese Chrysomelidae \(Coleoptera\) 153-183](#)