

Neue Schwebfliegen-Literatur (7)

Frank Dziock und Ulrich Schmid

- Dziock, F.; Schmid, U. (2004): New literature on hoverflies (Diptera, Syrphidae) (7). – Volucella 7, 223-237. Stuttgart.
- Achterkamp, B. (2002): *Episyrphus* projekt her-nieuws in 2002. – Zweefvliegennieuwsbrief 6(1), 28-29.
- Achterkamp, B. (2002): Tussenstand *Episyrphus* projekt de maand mei. – Zweefvliegennieuwsbrief 6(2), 6-7.
- Agarwala, B. K.; Bardhanroy, P.; Yasuda, H.; Takizawa, T. (2003): Effects of conspecific and heterospecific competitors on feeding and oviposition of a predatory ladybird: a laboratory study. – Entomologia Experimentalis et Applicata 106, 219-226.
- Anderson, A.J.; McOwan, P.W. (2003): Model of a predatory stealth behaviour camouflaging motion. – Proceedings of the Royal Society Biological Sciences Series B 270(1514), 489-495.
- Arif, M.J.; Yousuf, M. (2002): Taxonomic studies of saprophagous syrphids from Pakistan. – International Journal of Agriculture and Biology 4(1), 76-77.
- Auad, A.M. (2003): Aspectos Biologicos dos Estagios Imaturos de *Pseudodorus clavatus* (Fabricius) (Diptera: Syrphidae) Alimentados com *Schizaphis graminum* (Rondani) (Hemiptera: Aphididae) em Diferentes Temperaturas. [Biological aspects of the immature stages of *Pseudodorus clavatus* (Fabricius) (Diptera: Syrphidae) fed on *Schizaphis graminum* (Rondani) (Hemiptera: Aphididae) at different temperatures.] – Neotropical Entomology 32(3), 475-480.
- Baarendregt, A. (2003): Diptera-weekend 2003 in het kroondomein Houtvesterij het loo. – De Vliegennempper 11(2), 22-29.
- Babendreier, D.; Rostas, M.; Hofte, M.C.J.; Kuske, S.; Bigler, F. (2003): Effects of mass release of *Trichogramma brassicae* on predatory insects in maize. – Entomologia Experimentalis et Applicata 108(2), 115-124.
- Baéz, M.; Barkemeyer, W. (2002): The identity of *Eumerus terminalis* Santos Abreu, 1924. – Studia dipterologica 9, 518.
- Ball, S.; Morris, R. (2003): News from the Hoverfly Recording Scheme. – Hoverfly Newsletter 36, 9-11.
- Barkalov, A. V. (2003): Description of the new Palearctic species *Volucella bella* (Diptera, Syrphidae) from the *zonaria* group. – Zoologicheskij Zhurnal 82, 1133-1137.
- Barkalov, A.V. (2002): A subgeneric classification of the genus *Cheilosia* Meigen, 1822 (Diptera, Syrphidae). – Entomologicheskoe Obozrenie 81(1), 218-234, 261. [russisch]
- Barkalov, A.V. (2002): Muchi-zhurchalki roda *Cheilosia* Meigen, 1822 (Diptera, Syrphidae) starobo sveta. – Sibirski Ordenie, Rossijskoj Akademii Nauk, Institut sistematiki i ekologii zhivotnyh, 46 pp. [russisch]
- Barkalov, A.V. (2002): Spatial distribution of hover-flies of the genus *Cheilosia* Mg. (Diptera, Syrphidae) of old world. – Evraziatskii Entomologicheskii Zhurnal 1(1), 93-99.
- Barkalov, A.V. (2002): Subgeneric classification of the genus *Cheilosia* Meigen, 1822 (Diptera, Syrphidae). – Entomological Review 82(5), 518-531. [Translated from Entomologicheskoe Obozrenie 81(1), 218-234]
- Barkalov, A.V. (2004): Possible ways of developing the fauna of the genus *Cheilosia* (Diptera, Syrphidae) in the Old World. – Zoologicheskij Zhurnal 83(6), 708-714.
- Barkalov, A.V.; Cheng, X. (2004): New taxonomic information on and distribution records for Chinese hover-flies of the genus *Cheilosia* Meigen (Diptera, Syrphidae). – Volucella 7, 89-104.
- Barkalov, A.V.; Gharaei, B. (2004): Description of

- a new species of the genus *Eumerus* (Diptera, Syrphidae) from Iran. – *Volucella* 7, 105-109.
- Barkalov, A.V.; Nielsen, T.R. (2004): On a new *Platychirus* (Diptera, Syrphidae) from Turkmenistan. – *Norwegian Journal of Entomology* 51, 123-126.
- Barkemeyer, W. (2002): Eine neue Syrphide der Gattung *Merodon* Meigen, 1822 von den Kanarischen Inseln. [A new species of the genus *Merodon* Meigen, 1822 from the Canary Islands (Diptera: Syrphidae).] – *Mitteilungen internationaler entomologischer Verein* 27, 131-136.
- Barkemeyer, W. (2002): Zur Schwebfliegenfauna der Azoren. [On the Hoverflies of the Azorean Islands.] (Diptera: Syrphidae). – *Mitteilungen internationaler entomologischer Verein* 27, 181-194.
- Barkemeyer, W. (2002): Zur Syrphidenfauna der Kapverdischen Inseln. [On the syrphids of the Cape Verde Islands.] (Diptera: Syrphidae). – *Mitteilungen internationaler entomologischer Verein* 27, 9-28.
- Barkemeyer, W.; Drewes, B.; Ritzau, C. (2003): Zum Vorkommen seltener und gefährdeter Schwebfliegen in Sachsen-Anhalt (Dipt., Syrphidae). – *Entomologische Nachrichten und Berichte* 47, 45-47.
- Baugnee, J.-Y. (1999): Observation récente de *Paragus flammeus* Goeldlin, 1971 et de quelques autres Syrphes peu connus en Belgique (Diptera, Syrphidae). – *Lambillionea* 49, 82-86.
- Baugnee, J.Y. (2002): Note sur la presence des syrphes *Paragus quadrifasciatus* Meigen, 1822 et *Cheilosia ranunculi* Doczkal, 2000 en Belgique (Diptera Syrphidae). [Note on the presence of the syrphids *Paragus quadrifasciatus* Meigen, 1822 and *Cheilosia ranunculi* Doczkal, 2000 in Belgium (Diptera Syrphidae).] – *Bulletin de la Societe Royale Belge d'Entomologie* 138(1-6), 17-19.
- Bejakovich, D.; Pearson, W. D.; O'Donnell, M. R. (1998): Nationwide survey of pests and diseases of cereal and grass seed crops in New Zealand. 1. Arthropods and molluscs. – *Proceedings of the 51st New Zealand Plant Protection Conference* 1998, 38-50.
- Belhoue, G.; Sarthou, J.-P. (2004): Inventaire faunistique de Syrphidés en Sologne (Cher, France) (Diptera, Syrphidae). – *L'Entomologiste* 60(3), 121-124.
- Bennett, F. D.; Grellin, S. M. (2003): *Xanthandrus comtus* (Harris) (Dipt. Syrphidae) new to the Isle of Man and with new prey records. – *Entomologist's Record* 115, 105-109.
- Bergsten, J.; Ekerholm, P.; Hellqvist, S.; Hilszczanski, J.; Nilsson, A.; Pettersson, R.; Werner, T. (2003): Insekter och spindeldjur från Romelsson. [Insects and arachnids of the Romelsson Island, Vasterbotten Province, Sweden.] – *Natur i Norr* 22(2), 65-87.
- Beuk, P.L.Th. (ed.) (2002): Checklist of the Diptera of the Netherlands. – 448 pp. Utrecht (KNNV Uitgeverij).
- Beuker, D. (2004): Twee moeraskniksprietten. – *Zweefvliegennieuwsbrief* 8(1), 17-18.
- Birtele, D. (2003): The succession of saproxylic insects in dead wood: a new research method. – In: Mason, F.; Nardi, G.; Tisato, M. (eds.): *Proceedings of the International Symposium "Dead wood: a key to biodiversity"*, Mantova, May 29th-31st 2003. – *Sherwood* 95, Supplement 2, 91-93.
- Birtele, D.; Sommaggio, D.; Speight, M.C.D.; Tisato, M. (2002): Syrphidae. – In: Mason F.; Ceretti P.; Tagliapietra A.; Speight M.C.D.; Zapparoli A. (eds.): *Invertebrati di una foresta della Pianura Padana, Bosco della Fontana, Primo contributo*, 115-118. Mantova (Gianluigi Arcari Editore).
- Birtele, D.; Sommaggio, D.; Speight, M.C.D. (2003): Syrphidae. – In: Cerretti, P.; Tagliapietra, A.; Tisato, M.; Vanin, S.; Mason, F.; Zapparoli, M. (eds.): *Artropodi dell'orizzonte del faggio nell'Appennino Settentrionale, Primo contributo*. – *Conservazione Habita Invertebrati* 2, 154-163. Mantova (Gianluigi Arcari Editore).
- Blatch, S.A.; Thompson, F. C.; Zumbado, M. (2003): A review of the Mesoamerican flower flies of the genus *Meromacrus* (Diptera: Syrphidae) including the description of a new species. – *Studia dipterologica* 10, 13-36.
- Blinova, I. (2002): A northernmost population of *Cypripedium calceolus* L. (Orchidaceae): Demography, flowering, and pollination. – *Selbyana* 23(1), 111-120.
- Böcher, J. (2001): Insekter og andre smådyr – i Grønlands fjeld og ferskvand. – *Forlaget Atuagkat*.
- Borges, Z. M.; Pamplona, D. M. (2003): Revision of the Neotropical *Xanthandrus* Verrall (Diptera, Syrphidae). – *Revista Brasileira de Entomologia* 47, 155-167.
- Bowie, M.; Wratten, S.; Tylianakis, J. (2003): An introduction to entomological research on Kowhai Farm - the Heinz Wattie's organic farm at Lincoln University. – *Weta* 25, 18-23.

- Bradescu, V.; Parvu, C. (2002): Recent data about some syrphids (Diptera: Syrphidae) from Maramures, Romania. – *Travaux du Museum National d'Histoire Naturelle "Grigore-Antipa"* 44, 299-303.
- Budrys, E.; Budriene, A.; Pakalniškis, S. (2003): Population size assessment using mark-release-recapture for 12 species of Orthoptera, Diptera and Hymenoptera: comparison of methods. – XXVI Nordic-Baltic Congress of Entomology. Skalupes, Latvia, July 8th to 13th, 2003. Latvia, Skalupes, 11-12.
- Burgio, G.; Speight, M.C.D.; Campadelli, G.; Crudele, G. (2000): Indagine faunistica sui Ditteri Sifridi della riserva naturale biogenetica di Campigna. – *Bollettino dell'Istituto di Entomologia "Guido Grandi"* della Università degli Studi di Bologna 54, 175-182.
- Burgio, G.; Sommaggio, D. (2003): Diptera Syrphidae caught by Malaise trap in Bologna province and new record of *Neoscasia interrupta* in Italy. – *Bulletin of Insectology* 55(1-2), 43-47.
- Bygebjerg, R. (2002): Observationer af Birkeblad-maleren *Rheumaptera hastata* (Linnaeus) (Lepidoptera, Geometridae) og svirreflue *Eristalis pseudorupium* Kanervo (Diptera, Syrphidae) ved Skagen i 2001. [Observations of the moth *Rheumaptera hastata* (Linnaeus) (Lepidoptera: Geometridae) and the hoverfly *Eristalis pseudorupium* Kanervo (Diptera, Syrphidae) near Skagen in the year 2001.] – *Flora og Fauna* 108(3), 53-55.
- Carrières, E. (2003): Espèces nouvelles et remarquables de syrphes (Diptera, Syrphidae) au Luxembourg. – *Bulletin Société des Naturalistes Luxembourgeois* 103, 79-82.
- Carver, M.; Bluethgen, N.; Grimshaw, J.F.; Bellis, G.A. (2003): *Aphis clerodendri* Matsumura (Hemiptera: Aphididae), attendant ants (Hymenoptera: Formicidae) and associates on *Clerodendrum* (Verbenaceae) in Australia. – *Australian Journal of Entomology* 42(2), 109-113.
- Carver, M.; Thompson, F. C. (2003): Two new species of Syrphidae (Diptera) from Australia. – *Studia dipterologica* 10, 37-41.
- Caskey, R.C.; McKeown, J.P. (2003): Evaluating diversity: a baseline study comparing the diversity of the order Diptera in two distinct sites in the Yucatan Peninsula of Mexico. – *Journal of the Mississippi Academy of Sciences* 48(4), 169-173.
- Cavalli, R.; Mason, F. (eds.) (2003): Techniques for re-establishment of dead wood for saproxylic fauna conservation. – *Rapporti Scientifici* 2, 1-112. [download http://europa.eu.int/comm/environment/life/result/deadwoodlifefat_it_99_6245.pdf]
- Chandler, P. J. (2003): Corrections and changes to the Diptera Checklist (9). – *Dipterists Digest* 10, 58-60.
- Chevin, H.; Cadou, D.; Elder, J-F. (2001): Les Hyménoptères Symphytes et les Diptères Syrphidés de la Réserve Naturelle du domaine de Beauguillot. Sainte-Marie-du-Mont (Manche). – *Bulletin du GRETIA* 13, 6-8.
- Chevin, H.; Livory, A.; Sagot, Ph. (2001): Une nouvelle enquête proposée aux naturalistes: le catalogue des syrphes de la Manche. Presentation, première liste. – *L'Argiope* 31-32, 54-60.
- Claußen, C.; Van de Weyer, G. (2004): Eine neue Art der Gattung *Cheilosia* Meigen (Diptera, Syrphidae) aus den Südalpen. [A new species of the genus *Cheilosia* Meigen (Diptera, Syrphidae) from the Southern Alps.] – *Volucella* 7, 61-74.
- Claußen, C.; Weipert, J. (2003): Zur Schwebfliegenfauna Nepals (Insecta: Diptera: Syrphidae) unter besonderer Berücksichtigung Westnepals. – In: Hartmann, M.; Baumbach, H. (eds.): Biodiversität und Naturlausstattung im Himalaya. Erfurt (Verein der Freunde und Förderer des Naturkundemuseums Erfurt e.V.), 343-380.
- Claußen, C.; Weipert, J. (2004): Notes on the subgenus *Paragus* (*Pandasyopthalmus*) (Diptera, Syrphidae) from Nepal, with the description of a new species. – *Volucella* 7, 75-88.
- Colignon, P.; Haubruge, E.; Gaspar, C.; Francis, F. (2003): Effects of reducing recommended doses of insecticides and fungicides on the non-target insect *Episyrphus balteatus* [Diptera: Syrphidae]. – *Phytoprotection* (Québec) 84(3), 141-148.
- Colley, M. R.; Luna, J. M. (2000): Relative attractiveness of potential beneficial insectary plants to aphidophagous hoverflies (Diptera: Syrphidae). – *Environmental Entomology* 29, 1054-1059.
- Collins, G.A. (2002): Hoverflies of Surrey: Additional records. – *Entomologist's Record and Journal of Variation* 114(2), 55-61.
- Collins, K. P.; Wiegmann, B. M. (2002): Phylogenetic relationships of the lower Cyclorrhapha (Diptera: Brachycera) based on 28S rDNA sequences. – *Insect Systematics & Evolution* 33, 445-456.
- Crellin, S.; Taylor, M. (2003): Colour forms of *Volu-*

cella bombylans (L.) on the Isle of Man, including pale form. – Hoverfly Newsletter 35, 2-4.

- Daccordi, M.; Sommaggio, D. (2002): Fascicolo 070 – Syrphidae. – Bollettino Società Entomologica Italiana 134, 192-198.
- de Jong, H. (2002): In memoriam Volkert Simon van der Goot (23 september 1928 – 31 augustus 2001). – Entomologische Berichten (Amsterdam) 62(2), 48-53.
- de Meyer, M. (2002): Biogeography, diversity and seasonality of Syrphidae (Diptera) in a guineo-congolian rain forest in Kenya. – Journal of East African Natural History 90(1-2), 87-101.
- de Oliveira, M.R.; Amancio, E.; Laumann, R.A.; Gomes, L.d. (2003): Natural enemies of *Bemisia tabaci* (Gennadius) B biotype and *Trialeurodes vaporariorum* (Westwood) (Hemiptera: Aleyrodidae) in Brasilia, Brazil. – Neotropical Entomology 32(1), 151-154.
- Deelman, A.; van Eck, A.; van der Leij, L. (2003): Rariteities. – De Vliegenmepper 11(2), 8-9.
- Delmastro, G.B.; Sommaggio, D. (2002): Contributo alla conoscenza dei Sirfidi (Diptera, Syrphidae) del Piemonte Occidentale. [Contribution to the knowledge of hoverflies (Diptera, Syrphidae) of Western Piedmont (NW Italy).] – Museo Regionale di Scienze Naturali Bollettino (Turin) 20(1), 231-268.
- Desai, J. C.; Patel, J. R. (2001): Hyperparasites of syrphids in middle Gujarat. – Indian Journal of Entomology 63, 195-196.
- Devi, L.C.; Singh, T.K.; Varatharajan, R. (2002): Role of natural enemies in the management of *Lipaphis erysimi* (Kalt.) on *Brassica juncea* var. *rugosa* (Linn.). – Journal of Biological Control 16(1), 27-30.
- Diesing, P. (2002): Aussehen und 'aggressives' Verhalten der Schwebfliege *Eristalis tenax* L. – Mikry oder Folge konvergenter Entwicklung? – Beiträge zur Naturkunde Niedersachsens 55, 123-124.
- Dirickx, H.G. (2001): Notes on the genus *Melanostoma* Schiner, 1860 (Diptera, Syrphidae) in the Malagasy Region, with descriptions of five new species. – Revue Suisse de Zoologie 108(4), 993-1029.
- Glusky, G. M., Lavrova, N. V.; Glazunova, K. P. (2002): Structure of coadaptive complex of forest entomophilous plants with broad spectrum of pollinators. – Zhurnal Obshchei Biologii 63, 122-136.
- Doczkal, D. (2004): *Xylota caeruleiventris* Zetterstedt, 1838 (Diptera, Syrphidae) found in central Europe, with remarks on identification of the female. – Volucella 7, 193-200.
- Doczkal, D.; Dziok, F. (2004): Two new species of *Brachyopa* Meigen from Germany, with notes on *B. grunewaldensis* Kassebeer (Diptera, Syrphidae). – Volucella 7, 35-59.
- Doležal, Z.; Romig, T. (2004): *Xylota caeruleiventris* Zetterstedt (Diptera, Syrphidae) is present in central Europe. – Volucella 7, 201-203.
- Duelli, P.; Obrist, M. K.; Wermelinger, B. (2002): Windthrow-induced changes in faunistic biodiversity in alpine spruce forests. – Forest, Snow and Landscape Research 77, 117-131.
- Dunk, K. von der; Doczkal, D.; Röder, G.; Ssymank, A.; Merkel-Wallner, G. (2003): Rote Liste der gefährdeten Schwebfliegen (Diptera: Syrphidae) Bayerns. – In: Bayerisches Landesamt für Umweltschutz (ed.): Rote Liste gefährdeter Tiere Bayerns. Schriftenreihe 166, 291-298. Augsburg.
- Durrant, K. (2002): An extremely rare hoverfly. – Norfolk and Norwich Naturalists Society Transactions 35(1), 40.
- Dziok, F. (2003): Life history strategies and prey specialization - A study on the predatory hoverfly genera *Melanostoma* and *Platycheirus* (Diptera, Syrphidae). – In: Stadler, J.; Hensen, I.; Klotz, S.; H. Feldmann (eds.): Biodiversity - from patterns to processes. – Verhandlungen der Gesellschaft für Ökologie Band 33, 506.
- Dziok, F. (2003): Schwebfliegen (Diptera, Syrphidae) aus der Umgebung von Kleinschmalkalden im Thüringer Wald. – Mitteilungen des Thüringer Entomologenverbandes e.V. 10(1), 7-13.
- Dziok, F.; A. Schanowski (2003): Faunistisch-ökologische Untersuchungen an Schwebfliegen (Diptera, Syrphidae) zweier Waldgebiete im Solling (Niedersachsen). – Drosera '03: 65-80; Oldenburg.
- Dziok, F.; Jentzsch, M.; Stolle, E.; Musche, M.; Pellmann, H. (2004): Rote Liste der Schwebfliegen (Diptera: Syrphidae) des Landes Sachsen-Anhalt. – Berichte des Landesamt für Umweltschutz Sachsen-Anhalt 39, 403-409.
- Eades, R. (2002): Mid-winter record of hover fly *Episyrphus balteatus*. – Yorkshire Naturalists Union Bulletin 38, 22.
- Ernst, W.H.O. (2002): Zweefvliegen in de Haarlemmermeer. – Zweefvliegennieuwsbrief 6(3), 6-8.
- Falk, S. (2002): *Cheilosia psilophthalma* Becker,

- 1894 (Diptera, Syrphidae) confirmed as present in Britain. – *Dipterists Digest* 9, 87-93.
- Farkas, L.; Kozma, E. (2003): Az orosz buza-leveltetu (*Diuraphis noxia* Mordvilko) termeszetes ellensegei. [Natural enemies of Russian wheat aphid (*Diuraphis noxia* Mordvilko).] – *Novenyvedelem* 39(1), 9-17.
- Fitzgerald, J. D.; Solomon, M. G. (2004): Can flowering plants enhance numbers of beneficial arthropods in UK apple and pear orchards? – *Biocontrol Science and Technology* 14(3), 291-300.
- Flügel, H.-J. (2004): Schwebfliegenfunde am Lebendigen Bienenmuseum Knüllwald (Diptera: Syrphidae). – *Philippia* 11(3), 239-252.
- Flügel, H.-J. (2004): *Triglyphus primus* Loew, 1840 (Diptera, Syrphidae), eine eigenwillige Zwerg-Schwebfliege. – *Philippia* 11(3), 235-238.
- Fontenelle, J. C. R.; Martins, R.P. (2002): Hunting behavior by the sand wasp *Rubrica nasuta* (Christ 1791) (Hymenoptera Sphecidae). – *Tropical Zoology* 15, 187-196.
- Gaedike, R. (2003): Bibliography of keys to European Insects (1996-2000). – *Nova Supplementa Entomologica* 16, 1-121.
- Goeldin de Tiefenau, P.; Delarze, R.; Castella, E.; Speight, M.C. (2003): Projet-pilot de gestion ecologique des forêts de Montricher (Jura vaudois, Suisse). Les insectes indicateurs. [Ecological reference-state studies for forest-reserve management in Montricher (Vaud Jura, Switzerland). Insects as indicators.] – *Memoires de la Societe Vaudoise des Sciences Naturelles* 20(2), 159-267.
- Golding, Y.; Edmunds, M. (2003): A novel method to investigate the pollen diets of hoverflies. – *Journal of Biological Education* 37, 182-185.
- Goudsmits, K. (2002): Twee belevnissen van Kees Goudsmits. – *Zweefvliegennieuwsbrief* 6(3), 11.
- Goudsmits, K. et al. (2003): Waarnemingenrubriek. – *Zweefvliegennieuwsbrief* 7(1), 13-15.
- Grabarkiewicz, A.; Pagowska, E. (2002): Obserwacje entomofauny na pszenicy objętej różnymi programami ochrony. [The observations of entomofauna in wheat protected according to different programs.] – *Progress in Plant Protection* 42(2), 427-430.
- Grayson, A. (2003): A second specimen of *Platycheirus amplus* from Yorkshire. – *Hoverfly Newsletter* 36, 13.
- Grayson, A. (2003): *Platycheirus rosarum* in Yorkshire during 2002. – *Hoverfly Newsletter* 36, 12.
- Grayson, A. (2003): Similarity of hovering males of *Eristalis horticola* to those of *Hybomitra distinguenda* (Tabanidae). – *Hoverfly Newsletter* 36, 12.
- Green, H.; McGee, K.; Westwood, B. (2003): *Volucella inanis* reaches Worcestershire. – *Hoverfly Newsletter* 35, 6.
- GRETIA (2001): Espèces observées lors du stage invertébrés forestiers de Beffou, les 21, 22 et 23 septembre 2001. *Bulletin du GRETIA* 15, 8.
- Groeneveld, H.W. (2002): 1482 zweefvliegen in één netje. – *Zweefvliegennieuwsbrief* 6(1), 24-26.
- Haarto, A. (2004): Syrphidae. – In: Kahanpää (ed.): *Draft Catalogue of Finnish Flies (Diptera: Brachycera; Cyclorhapha)*. [http://www.astro.helsinki.fi/~kahanpaa/diptera/list/FI_diptera.pdf]
- Haarto, A.; Koponen, S. (2003): Syrphid flies from southern Greenland. – *Entomologiske Meddelelser* 71, 63.
- Hansen, K.; Wacht, S.; Seebauer, H.; Schnuch, M. (2003): New aspects of chemoreception in flies. – *Annals New York Academy of Sciences* 143-147.
- Hartley, C. (2003): More *Voucella inanis* in Nottinghamshire. – *Derbyshire and Nottinghamshire Entomological Society Journal* 151, 8.
- Hermans, J.; Bolt, N.; Rademakers, F. (2002): De zweefvliegen van het Weerterbos. – *Natuurhistorisch Maandblad* 91, 307-311.
- Hindayana, D. (2001): Resource exploitation by *Episyrphus balteatus* (DeGeer (Diptera: Syrphidae) and intraguild predation. – *Dissertation Universität Hannover*.
- Horstmann, K. (2001): Revision der bisher zu *Iselixa* Förster gestellten westpaläarktischen Arten von *Phygadeuon* Gravenhorst. – *Spixiana* 24, 207-229; München.
- Horton, D. R.; Broers, D. A.; Lewis, R. R.; Granatstein, D.; Zack, R. S.; Unruh, T. R.; Moldenke, A. R.; Brown, J. J. (2003): Effects of mowing frequency on densities of natural enemies in three Pacific Northwest pear orchards. – *Entomologia Experimentalis et Applicata* 106, 135-145.
- Howarth, B.; Edmunds, M.; Gilbert, F. (2004): Does the Abundance of Hoverfly (Syrphidae) Mimics Depend on the Numbers of Their Hymenopteran Models? – *Evolution* 58(2), 367-375.
- Huo, K.K.; Zheng, Z.M. (2003): Variation of body color in *Episyrphus balteatus*. – *Entomological Knowledge* 40(6), 529-534.

- Hurasawa, K. (2001): Record of *Takaomyia johannis* Hervé-Bazin from Osaka Prefecture (Diptera: Syrphidae). – Hana Abu 12, 68. [japanisch]
- Ichige, K. (2003): Notes on *Criorhina rubripes* (Matsumura, 1916). – Hana Abu 16, 39. [japanisch mit englischer Zusammenfassung]
- Ichige, K. (2003): Notes on *Myolepta simplex* Shiraki, 1968. – Hana Abu 16, 38-39. [japanisch mit englischer Zusammenfassung]
- Ichige, K. (2003): Records of *Criorhina takaoensis* Shiraki from the low altitude area. – Hana Abu 16, 41. [japanisch]
- Ichige, K. (2003): The 2nd record of *Volucella bombylans* from Mt. Tateyama, Japan. – Hana Abu 16, 42. [japanisch]
- Ikezaki, Y. (2002): Hoverflies from Mt. Kusenbu, Kyushu. – Hana Abu 14, 6-7. [japanisch]
- Ikezaki, Y. (2002): Hoverflies from Sendai City, Miyagi Prefecture, Honshu. – Hana Abu 14, 5. [japanisch]
- Ikezaki, Y.; Nakamura, S. (2003): Hoverflies from Hiroshima Prefecture, (Diptera: Syrphidae) (VI). – Miscellaneous Reports of the Hiwa Museum for Natural History 42(3), 75-82.
- Ikezaki, Y.; Negoro, H. (2002): *Callicera aurata* from Toyama Prefecture, Honshu. – Hana Abu 14, 5. [japanisch]
- Iliff, D. (2003): Observations on the hovering habits of some syrphid species. – Hoverfly Newsletter 35, 7-8.
- Iliff, D. (2003): Variations in *Pipiza austriaca* in Gloucestershire. – Hoverfly Newsletter 35, 7.
- Ito, N. (2001): *Callicera aurata* (Macquart) recorded in Shirakawa village, Gifu Pref. Japan (Diptera: Syrphidae). – Hana Abu 12, 57-58. [japanisch]
- Ito, N. (2001): Some records of *Doros profuges* (Harris, 1780) from Honsyu. Japan (Diptera: Syrphidae). – Hana Abu 12, 58. [japanisch]
- Ito, N. (2002): *Betasyrphus nipponensis* (van der Goot, 1964) recorded in Izumo City, Shimane Pref. Japan (Diptera: Syrphidae). – Hana Abu 13, 72. [japanisch]
- Ito, N. (2002): *Chamaesyrphus japonicus* Shiraki, 1956 recorded in Hitachinaka City, Ibaragi Pref., Japan (Diptera: Syrphidae). – Hana Abu 14, 10. [japanisch]
- Ito, N. (2002): My Collection of Diptera recorded in Kanagawa Pref., Japan. – Hana Abu 13, 91-95. [japanisch]
- Ito, N. (2002): Some Records of Asilidae & Syrphidae from Tochigi Pref. Japan. – Hana Abu 13, 95-96. [japanisch]
- Ito, N. (2003): Diptera of Sayama hill, Kanto area. Part 2. Syrphidae & Asilidae. – Hana Abu 15(1), 66-76. [japanisch]
- James, D. G. (2003): Synthetic herbivore-induced plant volatiles as field attractants for beneficial insects. – Environmental Entomology 32, 977-982.
- Jarvis, C.H.; Collier, R.H. (2002): Evaluating an interpolation approach for modelling spatial variability in pest development. – Bulletin of Entomological Research 92(3), 219-231.
- Jentzsch, M. (2003): Schwebfliegen-Nachweise am Kulkwitzer See bei Leipzig. – Veröffentlichungen Naturkundemuseum Leipzig 22, 66-75.
- Jentzsch, M. (2003): Spätsommeraspekt der Schwebfliegenfauna von Bad Elster. – Veröffentlichungen Museum für Naturkunde Chemnitz 26, 123-125.
- Jentzsch, M. (2004): Folgen der Wohnsuburbansierung für die Fauna im ländlichen Raum. – Naturschutz im Land Sachsen-Anhalt 41(1), 25-36.
- Jentzsch, M.; Stolle, E. (2002): Zum Vorkommen von *Volucella zonaria* (Poda, 1761) in Sachsen-Anhalt (Diptera, Syrphidae). – Entomologische Nachrichten und Berichte 46, 191-192.
- Jessat, M. (2003): Drei für Sachsen interessante Schwebfliegen-Nachweise (Diptera, Syrphidae) am Braunkohle-Tagebaurestloch Haselbach III im Südraum von Leipzig. – Mitteilungen sächsischer Entomologen 56, 12-14.
- Jessat, M.; F. Dziöck; H. Uthleb (2002): Schwebfliegen (Diptera: Syrphidae). – In: Westhus, W.; F. Fritzlar (Hrsg.): Tier- und Pflanzenarten, für deren globale Erhaltung Thüringen eine besondere Verantwortung trägt. – Landschaftspflege und Naturschutz in Thüringen 39(4), 115.
- Karley, A.J.; Parker, W.E.; Pitchford, J.W.; Douglas, A.E. (2004): The mid-season crash in aphid populations: why and how does it occur? – Ecological Entomology 29, 383-388.
- Karrenberg, S.; Kollmann, J.; Edwards, P.J. (2002): Pollen vectors and inflorescence morphology in four species of *Salix*. – Plant Systematics and Evolution 235(1-4), 181-188.
- Katsura, K. (2001): *Hadromyia (Chrysosomidia) cimbiciformis* (Portschinsky, 1881) new to Japan. – Hana Abu 12, 51-52. [japanisch]
- Katsura, K. (2002): On "*Temnostoma apiforme*" of Kii-peninsula and shikoku, Japan (Diptera, Syrphidae). – Hana Abu 14, 22-23. [japanisch]
- Katsura, K. (2002): *Syrphus ventralis* Seguy re-discovered from Japan (Diptera: Syrphidae).

- Hana Abu 13, 30. [japanisch]
- Katsura, K.; Befu, T. (2002): On *Spilomyia abdominalis* and its allies (Diptera: Syrphidae). – Hana Abu 14, 19-21. [japanisch]
- Kawagoe, T.; Suzuki, N. (2002): Floral sexual dimorphism and flower choice by pollinators in a nectarless monoecious vine *Akebia quinata* (Lardizabalaceae). – Ecological Research 17(3), 295-303.
- Kehlmaier, C.; Maier, K. (2004): Die Schwebfliegen (Dipt., Syrphidae) des "Dresdener Heller". – Entomologische Nachrichten und Berichte 48(1), 23-30.
- Keller, S. (2002): The genus *Entomophthora* (Zygomycetes, Entomophthorales) with a description of five new species. – Sydowia 54, 157-197.
- King, M.J.; Buchmann, S.L. (2003): Floral sonication by bees: mesosomal vibration by *Bombus* and *Xylocopa*, but not *Apis* (Hymenoptera: Apidae), ejects pollen from poricidal anthers. – Journal of the Kansas Entomological Society 76(2), 295-305.
- Kleukers, R.; Reemer, M. (2003): Veranderingen in de Nederlandse ongewerveldenfauna. [Changes in the Dutch invertebrate fauna.] – Levende Natuur 104(3), 86-89.
- Krivosheina, M. G. (2003): A review of flower-flies of the genus *Hammerichmidia* in Russia with description of *H. ingrata* (Diptera, Syrphidae) larva. – Zoologicheskoy Zhurnal 82, 687-693.
- Krivosheina, M. G. (2003): To biology of flower flies of the genus *Temnostoma* (Diptera, Syrphidae) with description of larvae in four species. – Zoologicheskoy Zhurnal 82, 44-51.
- Krivosheina, M.G. (2002): To the biology of the flies of the genus *Callicera* Panzer (Diptera, Syrphidae) with the description of the larvae of *C. ziminae* Krivosheina et Kuznetsov. – Dipterological Research 13(1), 3-8.
- Krivosheina, N. P. (2002): Morphological and faunistic study of xylophilous flower-flies of the *bombylans* group of the genus *Temnostoma* (Diptera, Syrphidae). – Zoologicheskoy Zhurnal 81, 958-969. [russisch]
- Krivosheina, N. P. (2004): A review of species of the genus *Brachyopa* (Diptera, Syrphidae) from Russia with description of new species from Tarkistan. – Zoologicheskoy Zhurnal 83(5), 597-603.
- Krivosheina, N.P.; Ståhls, G. (2003): Taxonomy and distribution of *Temnostoma bombylans* (Fabricius) and *T. angustistriatum* Krivosheina (Diptera, Syrphidae) in Northern Europe. – Sahlbergia 8, 96-99.
- Kula, E. (2001): Upland seasonal dynamics of hoverflies (Diptera: Syrphidae) in forest ecosystems of the Decinska Sandstone. – Acta Universitatis Carolinae Biologica 45(1/2), 97-108.
- Kunert, G.; Weisser, W.W. (2003): The interplay between density- and trait-mediated effects in predator-prey interactions: a case study in aphid wing polymorphism. – Oecologia 135(2), 304-312.
- Kwak, M.M. (2003): Plagen voor hommels: Mimicry, parasieten, ziektes en vijanden. [Bumble-bee plagues: mimicry, parasites, diseases and enemies.] – Natura (Utrecht) 100(5), 144-147.
- Langhof, M.; Gathmann, A.; Poehling, H.M. (2003): Field study on the effects of insecticide drift on non-target arthropods: residual toxicity, effect on populations and recolonisation processes. – IOBC WPRS Bulletin 26(5), 73-82.
- Lauterbach, K.-E. (2003): Schwebfliegen in Bielefeld und Umgegend X- Volucellini und Sericomyini (Diptera - Syrphidae). – Berichte des Naturwissenschaftlichen Verein für Bielefeld und Umgegend 43, 385-407.
- Lauterbach, K.-E. (2004): Beobachtungen an Weißbandschwebfliegen (*Leucozona* Schiner, 1860) in einem feuchten Laubwald im ostwestfälischen Bergland (Diptera, Syrphidae). – Mitteilungen der Arbeitsgemeinschaft westfälischer Entomologen 20(1), 13-20. Bielefeld.
- Leite, G. L. D.; Picanco, M.; Jham, G. N.; Gusmao, M. R. (2002): Effects of leaf compounds, climate and natural enemies on the incidence of thrips in cassava. – Pesquisa Agropecuaria Brasileira 37, 1657-1662.
- Levy, E.T.; Levy, D.A. (2002): Dorset hoverfly report 2001. – Proceedings of the Dorset Natural History and Archaeological Society 123, 149-150.
- Levy, T.; Levy, D. (2003): News from the southern region. – Hoverfly Newsletter 35, 8-9.
- Livory, A. (2001): Chausey. Suite des inventaires. – L'Argiope 31-31, 35-41. [Syrphidae: 40-41]
- Löhr, P.-W. (2004): Schwebfliegen (Diptera: Syrphidae) von Erlenbach und Breitenbach im Vogelsberg. Beifänge aus Emergenz-Untersuchungen. – Beiträge zur Naturkunde in Osthessen 39, 31-43.
- Löhr, P.-W. (2004): Schwebfliegenbeifänge (Diptera: Syrphidae) aus Emergenzfallen des Hermelin-Quellsystems vom Breitenbach im Vogelsberg. – Hessische Faunistische Briefe 23(1), 1-8.

- Lonnve, O.; Nielsen, T.R. (2003): *Cheilosia chloris* (Meigen) in Norway (Diptera, Syrphidae). – Norwegian Journal of Entomology 50(1), 68.
- MacDonald, M. (2003): A record of *Parasyrphus nigrirarsis* (Zetterstedt, 1843) (Diptera, Syrphidae). – Dipterists Digest 10, 45-46.
- Mahmood, R.; Poswal, M.A.; Shehzad, A. (2002): Distribution, host range and seasonal abundance of *Sipha* sp. (Homoptera: Aphididae) and their natural enemies in Pakistan. – Pakistan Journal of Biological Sciences 5(1), 47-50.
- Marcos-García, M.A.; Rojo, S.; Pérez-Bañón, C. (2002): Family Syrphidae. – In Carles-Tolrà, M. (ed.): Catálogo des los Diptera de España, Portugal y Andorra (Insecta). – Monografias SEA 8, 132-136. Zaragoza.
- Marcos-García, M.A.; Pérez-Bañón, C. (2001): Immature stages, morphology and feeding behaviour of the saprophytic syrphids *Copestylum tamaulipanum* and *Copestylum lentum* (Diptera: Syrphidae). – European Journal of Entomology 98(3), 375-386.
- Marcos-García, M.A.; Pérez-Bañón, C. (2002): Life cycle, adult and immature stages of a new species of *Copestylum* (Diptera: Syrphidae) from Mexico reared from Cactaceae. – Annals of the Entomological Society of America 95, 432-440.
- Marcos-García, M.A.; Pérez-Bañón, C.; Rojo Velasco, S. (2002): Nuevas especies de *Paragus* Latreille, 1804 para la Península Iberica (Diptera, Syrphidae). [New species of *Paragus* Latreille, 1804 for the Iberian peninsula (Diptera, Syrphidae).] – Boletín de la Asociación Española de Entomología 26(1-2), 201-203.
- Marinoni, L.; Bonatto, S.R. (2002): Sazonalidade de tres especies de Syrphidae (Insecta, Diptera) capturadas com armadilha Malaise no Estado do Paraná, Brasil. [Seasonality of three species of Syrphidae (Insecta, Diptera) collected with Malaise traps in Paraná State, Brazil.] – Revista Brasileira de Zoologia 19(1), 95-104.
- Matsuura, M.; Koike, K. (2003): Biological notes on a hoverfly *Volucella suzukii* Matsumura, with special reference to the period of emergence. – Hana Abu 16, 5-10. [japanisch]
- McCullough, A.; Wakeham-Dawson, A.; Parker, M. J. (2002): A provisional checklist of the hoverflies (Diptera, Syrphidae) of the islands of North Uist, South Uist, Benbecula, Eriskay and Berneray in the Outer Hebrides. – Dipterists Digest 9, 95-102.
- Menten, J. (2002): Zweefvliegenonderzoek in het Dijleland. [Hoverfly studies in the Dijleland region.] – Boomklever 30, 31-33.
- Merritt, R. (2003): A possible explanation for simultaneous hovering by *Rhingia campestris*. – Hoverfly Newsletter 36, 13-14.
- Merritt, R. (2003): Observations on *Rhingia campestris*. – Hoverfly Newsletter 36, 14.
- Merritt, R.W.; Courtney, G.W.; Keiper, J.B. (2003): Diptera (Flies, Mosquitoes, Midges, Gnats). – In: Resh, V.H.; Cardé, R.T. (eds.): Encyclopedia of Insects, 324-340. Academic Press, Elsevier Science.
- Meyhoefer, R.; Klug, T. (2002): Intraguild predation on the aphid parasitoid *Lysiphlebus fabarum* (Marshall) (Hymenoptera: Aphididae): Mortality risks and behavioral decisions made under the threats of predation. – Biological-Control 25(3), 239-248.
- Michaud, J. P. (2002): Biological control of Asian citrus psyllid, *Diaphorina citri* (Hemiptera : Psyllidae) in Florida: A preliminary report. – Entomological News 113, 216-222.
- Mignon, J.; Colignon, P.; Haubruge, E.; Francis, F. (2003): Impact of field borders on lacewing populations [Neuroptera: Chrysopidae] in vegetable open fields. – Phytoprotection 84, 121-128.
- Milankov, V.; Stamenkovic, J.; Vujic, J.; Simic, S. (2002): Geographic variation of *Cheilosia vernalis* (Fallen, 1817) (Diptera : Syrphidae). – Acta Zoologica Academiae Scientiarum Hungaricae 48, 255-267.
- Mitra, B.; Parui, P.; Banerjee, D.; Mukherjee, M. (2003): First record of *Paragus bicolor* (FABR.) from India (Diptera: Syrphidae). – Bionotes 5(2), 34.
- Mitra, B.; Parui, P.; Mukherjee, M.; Sharma, R.M.; Mehta, H.S. (2003): Flower flies from the Pin Valley National Park, Himachal Pradesh. – Bionotes 5(4), 102.
- Mizuno, M.; Itioka, T.; Tatematsu, Y.; Ito, Y. (2002): Food utilization of aphidophagous hoverfly larvae (Diptera: Syrphidae, Chamaemyiidae) on herbaceous plants in an urban habitat. – Ecological Research 12, 239-248.
- Moretti, M.; Obrist, M. K.; Duelli, P. (2004): Arthropod biodiversity after forest fires: winners and losers in the winter fire regime of the southern Alps. – Ecography 27(2), 173-186.
- Morris, R. K. A. (2003): The larger Brachycera, Syrphidae and Conopidae (Diptera) of Mitcham Common. – London Naturalist 82, 173-186.

- Morris, R. K. A. (2003): Some additions and corrections to "Hoverflies of Surrey" (Diptera, Syrphidae). – *Dipterists Digest* 10, 1-3.
- Morris, R. K. A.; Ball, S. G. (2002): An introduction to British hoverflies and the Hoverfly Recording Scheme. – *British Wildlife* 14, 38-45.
- Morris, R.K.; Ball, S.G. (2003): Expansions in the range of *Volucella zonaria* (Poda, 1761) and *V. inanis* (L., 1758) (Diptera: Syrphidae). – *Bulletin of the Amateur Entomologists' Society* 62(446), 4-9.
- Morris, R. K. A.; Ball, S. G. (2003): The changing distribution of *Volucella inanis* (L.) (Diptera: Syrphidae). – *British Journal of Entomology and Natural History* 16(4), 221-228.
- Morris, R. K. A.; Ball, S. G. (2003): *Volucella zonaria* (Diptera, Syrphidae) in the London Area. – *London Naturalist* 82, 187-190.
- Mutin, V. A. (2001): Review of the *Sphegina claviventris* species-group (Diptera, Syrphidae) with description of a new species from Japan. – *Far Eastern Entomologist* 107, 1-8.
- Mutin, V. A. (2002): New and little known species of flower-flies (Diptera, Syrphidae) from the south of the Far- East. – *Novye i maloizvesnye vidy fauny Sibiri* 17, 100-106.
- Mutin, V. A. (2002): Review of the Far Eastern species of the Genus *Pipiza* Fallén, 1810 (Diptera, Syrphidae). – *Far Eastern Entomologist* 121, 1-16.
- Mutin, V.A.; Barkalov, A.V. (2002): Translation of Mutin and Barkalov's Syrphidae part in Key to the insects of Russian Far East Vol. IV Diptera and Siphonaptera Pt. 1 - Part 5, Key to Tribe Syrphini (part). – *Hana Abu* 13, 5-29.
- Neira, M.; Sylvester, E.R.; Riveros, M.; Carrillo Li R.; Cardenas, A.C. (2003): Biología reproductiva y entomofauna asociada a flores de murta (*Ugni molinae* Turcz.) y evaluación del comportamiento de los himenópteros polinizadores. [Reproductive biology and entomofauna associated with Chilean Guava flowers (*Ugni molinae* Turcz.) and behavioral study of pollinating Hymenoptera.]. – *Revista Chilena de Entomología* 29, 71-79.
- Niederegger, S.; Gorb, S. (2003): Tarsal movements in flies during leg attachment and detachment on a smooth substrate. – *Journal of Insect Physiology* 49(6), 611-620.
- Nielsen, T.R. (2002): Additions to the Norwegian Hoverfly fauna (Diptera, Syrphidae). – *Norwegian Journal of Entomology* 49(1), 18.
- Nielsen, T.R. (2003): Description of *Eupeodes biciki* spec. nov. (Diptera, Syrphidae) from northern Norway. – *Norwegian Journal of Entomology* 50, 99-103.
- Nielsen, T.R. (2004): A new *Platycheirus* of the *ambiguus* group (Diptera, Syrphidae) from Kashmir. – *Volucella* 7, 31-34.
- Nielsen, T.R. (2004): European species of the *Platycheirus ambiguus* group (Diptera, Syrphidae), with description of new species. – *Volucella* 7, 1-30.
- Nishida, K.; Rotheray, G. E.; Thompson, F. C. (2002): First non-predaceous syrphine flower fly (Diptera: Syrphidae): A new leaf-mining *Allograpta* from Costa Rica. – *Studia dipterologica* 9, 421-436.
- Notton, D.G. (2002): Recorder's report for entomology 2001. – *Reading Naturalist* 54, 29-31.
- Ôhara, K. (2002): Supplementary notes on the genus *Platycheirus* of Japan (Diptera, Syrphidae). – *Esakia* 22, 95-102.
- Ôhara, K.; Iwai, T. (2002): *Allobaccha amphithoe* (Walker, 1849), newly recorded from the Nansei-shoto Islands, Japan (Diptera, Syrphidae). – *Hana Abu* 13, 3-4. [japanisch]
- Ohishi, H. (2001): *Chalcosyrphus nigricans* new to Kyoto, Japan (Diptera: Syrphidae). – *Hana Abu* 12, 70 [japanisch]
- Ohishi, H. (2001): Observation of the migration [sic!] of Diptera on Higashiyama, Kyoto, Japan – Preliminary report 4. – *Hana Abu* 12, 53-55. [japanisch]
- Ohishi, H. (2002): Hoverflies of Kyoto (Diptera, Syrphidae). – *Hana Abu* 14, 24-44. [japanisch]
- Ohishi, H. (2002): Hoverflies of Kyoto (Diptera, Syrphidae). – *Hana Abu* 14, 24-44.
- Ohishi, H. (2002): *Xylota coquillettii* (Diptera, Syrphidae) new to Amami-Oshima Island, Japan. – *Hana Abu* 14, 52-53. [japanisch]
- Ohishi, H. (2003): On the genus *Xylota* (Diptera, Syrphidae [sic!]) of Japan. – *Hana Abu* 15(1), 37-61. [japanisch]
- Ohishi, H.; Haga, K. (2002): *Dasyrphus zinchenkoi* new to Honshyu, Japan (Diptera, Syrphidae). – *Hana Abu* 14, 4. [japanisch]
- Ohishi, H.; Hatayama, T. (2002): Uncommon hoverflies recorded from Kuta, Kyoto, Japan (Diptera; Syrphidae) Supplement. – *Hana Abu* 13, 39. [japanisch]
- Ohishi, H.; Hosada, K. (2003): *Dasyrphus friulensis* (Diptera, Syrphidae) new to Japan. – *Hana Abu* 16, 45. [japanisch]

- Ohishi, H.; Makita, J. (2002): *Microdon tuberculatus* taken in Mie, Japan (Diptera, Syrphidae). – Hana Abu 14, 51-52. [japanisch]
- Papavero, N.; Ibanez Bernal, S. (2003): Contributions to a history of Mexican dipterology. Part II. – the Biologia Centrali-Americana. – Acta Zoologica Mexicana Nueva Serie 88, 143-232.
- Patro, B.; Behera, M. K. (2002): Biology and feeding potential of *Sphaerophoria javana* Wied. (Diptera: Syrphidae) on the bean aphid, *Aphis craccivora* Koch. – Journal of Biological Control 16, 165-167.
- Pennards, G. (2003): Naamlijst van zweefvliegen (Diptera, Syrphidae) in de Achterhoek met nadruk of het Bergherbos en Montferland, met einige aantekeningen over de aanwezige zeldsame soorten. [Checklist of hoverflies (Diptera, Syrphidae) in the Achterhoek with emphasis on Bergherbos and Montferland, and some notes about rare or spectacular species that occur in this region.]. – De Vliegenmepper 11(1), 2-10.
- Pennards, G. et al. (2004): Waarnemingenrubriek. – Zweefvliegennieuwsbrief 8(1), 14-16.
- Pérez-Bañón, C.; Juan, A.; Petanidou, T.; Marcos-Garcia, M.A.; Crespo, M.B. (2003): The reproductive ecology of *Medicago citrina* (Font Quer) Greuter (Leguminosae): a bee-pollinated plant in Mediterranean islands where bees are absent. – Plant Systematics and Evolution 241, 29-46.
- Pérez-Bañón, C.; Rojo, S.; Ståhls, G.; Marcos-Garcia, M.A. (2003): Taxonomy of European *Eristalinus* (Diptera: Syrphidae) based on larval morphology and molecular data. – European Journal of Entomology 100, 417-428.
- Pérez-Bañón, C.; Rotheray, G.; Hancock, G.; Marcos-Garcia, M. A.; Zumbado, M. A. (2003): Immature stages and breeding sites of some neotropical saprophagous syrphids (Diptera: Syrphidae). – Annals of the Entomological Society of America 96, 458-471.
- Petanidou, T. (2003): Introducing plants for bee-keeping at any cost? Assessment of *Phacelia tanacetifolia* as nectar source plant under xeric Mediterranean conditions. – Plant Systematics and Evolution 238, 155-168.
- Petit, J. (2003): Chronique de la Montagne Saint-Pierre 16. *Cheilosia soror* (Zetterstedt 1843), Syrphide tres rare en Belgique et nouveau pour le site (Diptera Syrphidae). [Chronicle of Saint-Pierre Mountain 16. *Cheilosia soror* (Zetterstedt 1843), a very rare syrphid in Belgium and new to the site (Diptera Syrphidae).] – Revue Vervétoise d'Histoire Naturelle 60(2), 35-38.
- Petit, J. (2003): Sur les Dipteres Syrphides du Boulonnais (France, Pas-de-Calais) (Diptera Syrphidae). [Information on Syrphidae, Diptera of Boulonnais (France, Pas-de-Calais) (Diptera Syrphidae).] – Lambillionea 103(3), 487-492.
- Petit, J. (2003): Sur une nouvelle trouvaille de *Cheilosia caerulea* (Meigen 1828), Diptere syrphide tres rare en Belgique (Diptera Syrphidae). [A new record of *Cheilosia caerulea* (Meigen 1828), a very rare syrphid in Belgium (Diptera Syrphidae).] – Lambillionea 103(2), 240-241.
- Pierre, J.; Marsault, D.; Genecque, E.; Renard, M.; Champolivier, J.; Pham Deleugue, M.H. (2003): Effects of herbicide-tolerant transgenic oilseed rape genotypes on honey bees and other pollinating insects under field conditions. – Entomologia Experimentalis et Applicata 108(3), 159-168.
- Pinzon, F.; Guzman, C.; Navas, N. (2002): Contribucion al conocimiento de la biologia, enemigos naturales y danos del pulgon del eucalipto *Ctenarytaina eucalypti* (Homoptera: Psyllidae). [Contribution to the knowledge of biology, natural enemies and damage of *Ctenarytaina eucalypti* (Homoptera: Psyllidae).] – Revista Colombiana de Entomologia 28(2), 123-128.
- Plant, C.W. (2001): Hoverflies (Diptera: Syrphidae) in Buckingham Palace Garden. – London Naturalist Supplement 80, 259-268.
- Poulding, R. (2003): Mortality of *Melanostoma scalare* on a hybrid Wichuraiana rose. – Hoverfly Newsletter 35, 4-6.
- Reddersen, J.; Secher Jensen, T. (2002): The Syrphidae, Coccinellidae, and Neuroptera (s.lat.) of a large Danish spruce forest. – Entomologische Meddelelser 70, 113-127.
- Reemer, M. (2002): Lena's wimperzweefvlieg *Dasy-syrphus lenensis* in Nederland (Diptera: Syrphidae). [*Dasy-syrphus lenensis* in the Netherlands (Diptera: Syrphidae).] – Nederlandse Faunistische Mededelingen 17, 13-18.
- Reemer, M. (2003): Verslag vierde Nederlandse Zweefvliegendag 15 februari 2003. – Zweefvliegennieuwsbrief 7(1), 4-6.
- Reemer, M.; Goudsmits, K. (2004): Oviposition observed in *Chrysotoxum cautum*, *C. vernale* and *Merodon avidus* (Diptera, Syrphidae). – Volucella 7, 217-218.
- Reemer, M.; Smit, J. (2002): Verslag derde Nederlandse Zweefvliegendag 9 februari 2002. – Zweefvliegennieuwsbrief 6(1), 4-6.

- Reemer, M.; Smit, J. (2002): Hoe gaat het met het WAP? – Zweefvliegennieuwsbrief 6(2), 4-5.
- Reemer, M.; Smit, J. (2002): De successen van het WAP? – Zweefvliegennieuwsbrief 6(3), 4-5.
- Reemer, M.; Smit, J. (2002): Determinatiefouten in museumcollecties. – Zweefvliegennieuwsbrief 6(2), 8-11.
- Reemer, M.; Smit, J.T.; van Steenis, W. (2003): Changes in ranges of hoverflies in the Netherlands in the 20th century. – Proceedings of the 12th International colloquium European Invertebrate Survey. EIS Netherlands, Leiden, 53-60.
- Renema, W. (2002): Ecologie van zweefvliegen in 2002. – Zweefvliegennieuwsbrief 6(1), 27.
- Renema, W. (2002): Nomenclatorische zaken met betrekking tot Nederlandse zweefvliegen. – Zweefvliegennieuwsbrief 6(3), 9-10.
- Ringleb, C. (2002): Zur Hymenopteren- und Syrphidaefauna (Insecta: Hymenoptera, Diptera: Syrphidae) des Vorderhunsrücks am Beispiel der Gemeinde Boppard/Oppenheim. – Fauna Flora Rheinland-Pfalz 9, 1263-1333.
- Robertson, I.C.; Klemash, D. (2003): Insect-mediated pollination in slickspot peppergrass, *Lepidium papilliferum* L. (Brassicaceae), and its implications for population viability. – Western North American Naturalist 63(3), 333-342.
- Rojo, S.; Gilbert, F.; Marcos-García, M^aA.; Nieto, J.M.; Mier, M.P. (2003): A World Review of Predatory Hoverflies (Diptera, Syrphidae: Syrphinae) and Their Prey. Alicante (Centro Iberoamericano de Biodiversidad [CIBIO])
- Romig, T.; Hauser, M. (2004): *Copestylum melleum* (Jaennicke, 1867) (Diptera, Syrphidae) is an established neozoon on the Canary Islands. – Volucella 7, 185-191.
- Rotheray, G. E. (2003): The predatory larvae of two *Nepenthosyrphus* species living in pitcher plants. – Studia dipterologica 10, 219-226.
- Sadeghi, H.; Kayvanfar, N.; Mojtehdzadeh, K. (2002): Hover flies (Diptera: Syrphidae) fauna of Mashhad. – The Proceeding of 15th Iranian Plant Protection Congress 7-11 September 2002. Kermanshah Iran.
- Saiz, F.; Giambruno, A.; Jelves, P. (2003): Ecología de *Ctenarytaina eucalypti* (Maskell, 1890) (Hemiptera, Psyllidae), plaga de *Eucalyptus globulus* Labill. en Chile Central. [The ecology of *Ctenarytaina eucalypti* (Maskell, 1890) (Hemiptera, Psyllidae), a pest of *Eucalyptus globulus* Labill. in central Chile.] – Revista Chilena de Entomología 29, 19-28.
- Sampson, B. J.; Stringer, S. J.; Spiers, J. M. (2002): Integrated pest management for *Dasineura oxycoccana* (Diptera: Cecidomyiidae) in blueberry. – Environmental Entomology 31, 339-347.
- Sarabyik, S. (2003): *Sphiximorpha worelli* (Bradescu, 1972), (Diptera: Syrphidae) new record for the fauna of Turkey. – Journal of the Entomological Research Society 5, 13-16.
- Saure, C.; Kuehne, S.; Hommel, B.; Bellin, U. (2003): Transgener, herbizidresistenter Raps – Blütenbesuchende Insekten, Pollenausbreitung und Auskreuzung. [Transgenic, herbicide resistant rape - flower visiting insects, pollin distribution and out-crossing.] – Agrarökologie 44, 1-103.
- Schmid, U. (2004): *Cheilosia semifasciata* Becker, 1894 (Diptera, Syrphidae) – ein Kulturfolger? [*Cheilosia semifasciata* Becker, 1894 (Diptera, Syrphidae) – a synanthropic species?] – Volucella 7, 219-222.
- Schmid, U. (2004): Die Schwebfliege *Episyrphus balteatus* (DeGeer, 1776) (Dipt., Syrphidae) – Insekt des Jahres 2004. – Entomologische Nachrichten und Berichte 48(1), 1-10.
- Schmid, U. (2004): *Microdon rhenanus* and *Microdon eggeri* var. *major* (Diptera, Syrphidae) revisited. – Volucella 7, 111-124.
- Schumann, H. (2002): Erster Nachtrag zur "Checkliste der Dipteren Deutschlands". – Studia dipterologica 9, 437-455.
- Scobell, S.A.; Scott, P.E. (2002): Visitors and floral traits of a hummingbird-adapted cactus (*Echinocereus coccineus*) show only minor variation along an elevational gradient. – American Midland Naturalist 147(1), 1-15.
- Shamuratova, N.G. (2002): Entomophagues [Entomophages] of alfalfa pests in the Aral region. – Zashchita i Karantin Rastenii 10, 38-39.
- Sherratt, T. N. (2002): The evolution of imperfect mimicry. – Behavioral Ecology 13, 821-826.
- Silberbauer, L.; Yee, M.; Del Socorro, A.; Wratten, S.; Gregg, P.; Bowie, M. (2004): Pollen grains as markers to track the movements of generalist predatory insects in agroecosystems. – International Journal of Pest management 50(3), 165-171.
- Singh, M.R.; Marwaha, K.K. (2002): Feeding potential of some effective predators against maize aphid, *Rhopalosiphum maidis* (Fitch). – Shashpa 9(1), 89-91.
- Sjuts, B. (2004): Das Vorkommen von *Brachyopa insensilis* Collin, 1939 (Diptera, Syrphidae) an *Aesculus hippocastanum* L. (Sapindales,

- Hippocastanaceae) in der Stadt Leer. [The occurrence of *Brachyopa insensilis* Collin, 1939 (Diptera, Syrphidae) at *Aesculus hippocastanum* L. (Sapindales, Hippocastanaceae) in the city of Leer.] – *Volucella* 7, 211-215.
- Smit, J. (2002): *Xanthogramma pedissequum* toch slechts één soort. – *Zweefvliegennieuwsbrief* 6(2), 12-13.
- Smit, J.T. (2002): Planken Wambuis. – *Zweefvliegennieuwsbrief* 6(3), 13-14.
- Smit, J.T. (2004): Stand van zaken, e Databank Nederlandse Zweefvliegen. – *Zweefvliegennieuwsbrief* 8(1), 4-5.
- Smit, J.T. (2002): Het zweefvliegengenus *Sphegina* in Nederland (Diptera: Syrphidae). [The genus *Sphegina* Meigen, 1822 in the Netherlands (Diptera: Syrphidae).] – *Nederlandse Faunistische Mededelingen* 16, 85-90.
- Smit, J.T.; Aguiar, A.M.F.; Wakeham-Dawson, A. (2004): The hoverflies (Diptera, Syrphidae) of the Madeiran Archipelago, Portugal. – *Dipterists Digest* 11, 47-82.
- Smit, J.; Reemer, M. (2002): Stand van zaken en de introductie van het WAP. – *Zweefvliegennieuwsbrief* 6(1), 17-23.
- Sörensson, M. (2003): Faunistisk nytt om sydsvenska blomflugor (Diptera: Syrphidae). [Faunistic news on South Swedish hoverflies (Diptera: Syrphidae).] – *Occasional Papers of Insect Faunistics & Systematics in Sweden* 1, 1-12.
- Sommaggio, D.; Burgio, G. (2003): Role of Diptera Syrphidae as landscape indicators: analysis of some case studies in Northern Italy. – *Landscape Management for Functional Biodiversity*. IOBC wprs Bulletin 26(4), 145-150.
- Sorokina, V.S. (2003): Trophic preference of hoverfly adults (Diptera, Syrphidae) in Southern Trans-Urals. – *Euroasian Entomological Journal* 2(3), 197-214. [russisch mit englischer Zusammenfassung]
- Sorokina, V.S.; Chashchina, O.E. (2003): Data on the fauna of flower flies (Diptera: Syrphidae) of the South Urals. – *Russian Entomological Journal* 12(1), 93-101.
- Speight, M.C.D. (2002): An annotated list of the Syrphidae (Diptera) of Pollardstown Fen, Co., Kildare, Ireland. – *Bulletin of Irish Biogeographical Society* 26, 196-210.
- Speight, M.C.D. (2002): Two controversial additions to the Irish insect list: *Microdon myrmicae* Schönrogge et al. and *Pipiza festiva* Meigen (Diptera: Syrphidae). – *Bulletin of the Irish biogeographical Society* 26, 143-153.
- Speight, M.C.D. (2002): The last instar larval mouthparts of *Microdon mutabilis* and *M. myrmicae* (Diptera: Syrphidae). – *Entomologist's Record and Journal of Variation* 114, 203-205.
- Speight, M.C.D. (2003): Identification of priorities in conservation of European saproxylic syrphids (Diptera: Syrphidae). – In: CIBIO (eds.): Programme and Abstracts, II International Symposium on the Syrphidae: Biodiversity and Conservation, 19-20. Alicante, Spain.
- Speight, M.C.D. (2003): *Microdon myrmicae* Schönrogge et al 2002, (Dipt.: Microdontidae): presence in Ireland confirmed. – *Entomologist's Record and Journal of Variation* 115, 155-157.
- Speight, M.C.D. (2003): Species accounts of European Syrphidae (Diptera): special commemorative issue, Second International Workshop on the Syrphidae, Alicante, June 2003. – In: Speight, M.C.D.; Castella, E.; Obrdlik, P.; Ball, S. (eds.): *Syrph the Net*, the database of European Syrphidae 38, 231 pp. Dublin (Syrph the Net publications).
- Speight, M.C.D. (2003b): Species accounts of European Syrphidae (Diptera) 2003. – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Ball, S. (eds.): *Syrph the Net*, the database of European Syrphidae 39, 209 pp. Dublin (Syrph the Net publications).
- Speight, M.C.D. (2004): Towards an understanding of the development and constitution of the Irish postglacial syrphid fauna (Diptera, Syrphidae). – *Volucella* 7, 125-155.
- Speight, M.C.D.; Brown, M.J.F.; Stout, J.C. (2004): *Platycheirus aurolateralis* and *P. splendidus* (Diptera: Syrphidae) new to Ireland and their separation from related species. – *Irish Naturalists Journal* 27, 413-417.
- Speight, M.C.D.; Good, J.A. (2003): Development of eco-friendly forestry practices in Europe and the maintenance of saproxylic biodiversity. – In: Mason, F.; Nardi, G.; Tisato, M. (eds.): *Proceedings of the International Symposium "Dead wood: a key to biodiversity"*, Mantova, May 29th-31st 2003. – *Sherwood* 95, Suppl. 2, 73-77.
- Ssymank, A. (2002): Beiträge zur Faunistik und Biologie der Schwebfliegen in Bayern (I) (Diptera, Syrphidae). [Contribution to the faunistics and biology of syrphids in Bavaria (I) (Diptera, Syrphidae).] – *Entomofauna* 23(11), 125-142.
- Ssymank, A. (2002): Schwebfliegen (Diptera,

- Syrphidae) und Dickkopffliegen (Diptera: Conopidae) der Ostseeinsel Vilm. [Hoverflies (Diptera, Syrphidae) and conopid flies (Diptera: Conopidae) from the Baltic Sea island of Vilm.] – Archiv der Freunde der Naturgeschichte in Mecklenburg 41, 37-53.
- Ssymank, A. (2003): Habitatnutzung blütenbesuchender Schwebfliegen (Diptera, Syrphidae) in Wald-Offenland-Vegetationsmosaiken. – Berichte der Reinhold-Tüxen-Gesellschaft 15, 215-228.
- Ssymank, A. (2004): Hoverfly communities (Diptera, Syrphidae) in vegetation complexes of river valleys near Bonn (Germany). – Volucella 7, 157-183.
- Ståhls, G.; Hippa, H.; Rotheray, G.; Muona, J.; Gilbert, F. (2003): Phylogeny of Syrphidae (Diptera) inferred from combined analysis of molecular and morphological characters. – Systematic Entomology 28, 433-450.
- Ståhls, G.; Stuke, J.-H.; Vujic, A.; Doczkal, D.; Muona, J. (2004): Phylogenetic relationships of the genus *Cheilosia* and the tribe Rhingiini (Diptera, Syrphidae) based on morphological and molecular characters. – Cladistics 20, 105-122.
- Stallegger, P.; Dussaix, C. (2001): Liste provisoire des Diptères Syrphides (Diptera Syrphidae) de la forêt domaniale du Perche et de la Trappe (Orne). – L'Emouchet 23, 9-24.
- Stankiewicz, A. (2003): Hoverfly *Microdon myrmicae* Schönrogge et al., 2002 (Diptera: Syrphidae) in Poland. – Polskie Pismo Entomologiczne 72(2), 145-151.
- Stavenga, D. G. (2002): Colour in the eyes of insects. – Journal of Comparative Physiology A, 337-348.
- Stubbs, A. (2003): Alicante in mid June. – Hoverfly Newsletter 36, 7-9.
- Stubbs, A. (2003): Dipterists Forum Starter Pack. – Huntingdon, Biological Records Centre.
- Stubbs, A. (2003): Hair colour variation in *Heringia verrucula*. – Hoverfly Newsletter 36, 14-15.
- Stubbs, A.E.; Falk, S.J. (2002): British Hoverflies – An Illustrated Identification Guide. 2nd revised and updated edition. – British Entomological and Natural History Society.
- Stuke, J.-H.; Brückner, M. (2001): Determination of *Cheilosia*-larvae using DNA sequences (Diptera: Syrphidae). – Dipterological research 12, 151-155.
- Stuke, J.-H.; Carstensen, L. B. (2002): Die Biologie und Morphologie der dritten Larvenstadien von vier mitteleuropäischen *Cheilosia*-Arten. – Beiträge zur Entomologie 52, 283-307.
- Stuke, J.-H.; Malec, F.; Kehlmaier, C. (2004): Bemerkenswerte Schwebfliegenbeobachtungen (Diptera, Syrphidae) aus Niedersachsen und Bremen 5. [Remarkable records of hoverflies (Diptera: Syrphidae) from Lower Saxony and Bremen 5.] – Volucella 7, 205-210.
- Stuke, J.-H.; Nielsen, T. R. (2002): A new species of *Platycheirus* from the Central Caucasus (Diptera, Syrphidae). – Norwegian Journal of Entomology 49, 109-113.
- Sutherland, J. P.; Sullivan, M. S.; Poppy, G. M. (2001): Oviposition behaviour and host colony size discrimination in *Episyrphus balteatus* (Diptera: Syrphidae). – Bulletin of Entomological Research 91(5), 411-419.
- Tahira, Y. (2002): Syrphidae of Shizuoka Prefecture, Japan. Part 1. – Hana Abu 13, 97-106. [japanisch]
- Tanaka, S. (2002): Three little known hoverflies [sic!] from Yamaguchi-Pref., Honshu, Japan. (Syrphidae). – Hana Abu 14, 8. [japanisch]
- Thompson, F. C. (2003): *Austalis*, a new genus of flower flies (Diptera: Syrphidae) with revisionary notes on related genera. – Zootaxa 246, 1-19.
- Thompson, F.C.; Zumbado, M.A. (2002): Mesoamerican *Mallota* flower flies (Diptera: Syrphidae) with the description of four new species. – Studia-Dipterologica 9(1), 89-107.
- Thomsen, L.; Jensen, A. B. (2002): Application of nested-PCR technique to resting spores from the *Entomophthora muscae* species complex: implications for analyses of hostpathogen population interactions. – Mycologia 94, 794-802.
- Tóth, S. (2002): Adatok Somogy megye ketszarnyu (Diptera) faunajához. [Data to the fly fauna in Somogy county (Diptera).] – Natura Somogyensis 3, 63-88.
- Tóth, S.; Rezbanyai-Reser, L. (2002): Zur Fliegenfauna vom Monte Generoso, Kanton Tessin, Südschweiz. - 2. Schwebfliegen (Diptera: Syrphidae). [The fly fauna of Monte Generoso, Ticino canton, south Switzerland. 2. Hover flies (Diptera: Syrphidae).] – Entomologische Berichte Luzern 48, 37-86.
- Tóth, S.; Rezbanyai-Reser, L. (2003): Zur Insektenfauna der Umgebung von Lauerz, Kanton Schwyz. 1. Saegel (455 m) und Schuttwald (480 m). - V. Diptera 1: Stratiomyidae, Tabanidae, Bombyliidae, Syrphidae, Conopidae (Waffenfliegen, Bremsen, Wollschweber, Schwebflie-

- gen, Blasenkopffliegen). [The insect fauna of the area of Lauerz, canton Schwyz. 1. Saegel (455 m) und Schuttwald (480 m). - V. Diptera 1: Stratiomyidae, Tabanidae, Bombyliidae, Syrphidae, Conopidae.] - Entomologische Berichte Luzern 49, 23-44.
- Van de Weyer, G. (2002): Enkele nieuwe en merkwaardige zweefvliegen voor de Belgische fauna (Diptera: Syrphidae). [Some new and remarkable hoverflies for the Belgian fauna (Diptera: Syrphidae).] - Phegea 30(2), 48-54.
- Van de Weyer, G. (2003): *Dasysyrphus lenensis*, nieuw voor de Belgische fauna (Diptera: Syrphidae). [*Dasysyrphus lenensis*, new for the Belgian fauna (Diptera: Syrphidae).] - Phegea 31(4), 195-196.
- van Eck, A. (2003): Melanisme bij *Platycheirus europaeus* (Goeldlin). - De Vliegenmepper 11(2), 7.
- van Eck, A. (2003): Diptera uit een malaiseval in het Kaldenbroek. - De Vliegenmepper 11(1), 16-19.
- van de Meutter, F. (2003): First records of *Scaeva dignota* Rondani, 1857 (Diptera, Syrphidae) in Belgium, a species for the future? - Bulletin de la Société Royale Belge d'Entomologie 139, 203-206.
- van der Leij, L. (2004): Zweefjes in de Moerputten. - Zweefvliegennieuwsbrief 8(1), 10-11.
- van Noordwijk, T. (2003): Zweefvliegen en waterkwantiteit. [Hoverflies and amounts of water.] - Amoeba 77(1), 26-27.
- van Noordwijk, T.; Koesse, B. (2002): 56.231 vliegen in een klap. Het zweefvliegenproject in 2002. [56.231 flies with one swat. The hover fly project in 2002.] - Amoeba 76(2), 73-75.
- van Steenis, W. (2002): Zweefvliegen in de Noord-oostpolder. - Zweefvliegennieuwsbrief 6(1), 7-13.
- van Veen, M. (2003): *Chrysogaster*- en *Melanogaster*-tabel. - Zweefvliegennieuwsbrief 7(1), 9-12.
- van Veen, M. (2004): Veranderende verspreidingspatronen: vrijwilligersproject 2004 en verder. - Zweefvliegennieuwsbrief 8(1), 6-9.
- Vanhaelen, N.; Gaspar, C.; Francis, F. (2002): Influence of prey host plant on a generalist aphidophagous predator: *Episyrphus balteatus* (Diptera, Syrphidae). - European Journal of Entomology 99, 561-564.
- Velterop, J. (2004): Jan's vliegenjaar 2004 tot en met koninginndag. - De Vliegenmepper 12(1), 6-7.
- Veltman, A. (2004): Vroeg vrouwtje *Eristalis tenax* (L.). - De Vliegenmepper 12(1), 7.
- Vujic, A.; Radenkovic, S.; Nielsen, T.R.; Simic, S. (2004): A new European species of genus *Eristalis* Latreille, 1804 (Diptera : Syrphidae). - Entomologica fennica 15(2), 119-123.
- Waakie, B. (2003): Syrphidae online, www.syrphidae.com. - Zweefvliegennieuwsbrief 7(1), 7-8.
- Waitzbauer, W.; Katbeh-Bader, A. (2002): First contribution to the fauna of hoverflies (Syrphidae: Diptera) of Jordan. - Studia dipterologica 9, 613-620.
- Waldbauer, G. (2003): What Good Are Bugs? Insects in the Web of Life. - Harvard University Press.
- Watson, E.J.; Carlton, C.E. (2003): Spring succession of necrophilous insects on wildlife carcasses in Louisiana. - Journal of Medical Entomology 40(3), 338-347.
- Weems, H. V.; Thompson, F. C.; Rotheray, G.; Deyrup, M. A. (2003): The Genus *Rhopalosyrphus* (Diptera: Syrphidae). - Florida Entomologist 86, 186-193.
- Wermelinger, B.; Duelli, P.; Obrist, M.K. (2003): Windthrow stimulates arthropod biodiversity in forests. - In: Mason, F.; Nardi, G.; Tisato, M. (eds.): Proceedings of the International Symposium "Dead wood: a key to biodiversity", Mantova, May 29th-31st 2003. - Sherwood 95, Suppl. 2, 79-82.
- Wetton, B. (2003): *Platycheirus amplus*: a new hoverfly for Derbyshire. - Derbyshire and Nottinghamshire Entomological Society Journal 150, 19.
- Whiteley, D. (2002): Hoverfly recorder's report 2000. - Sorby Record 37, 50-52.
- Whiteley, D. (2002): Hoverfly recorder's report 2001. - Sorby Record 38, 80-82.
- Whiteley, D. (2002): Notes on the hoverfly *Criorhina ranunculi* in the Peak District. - Sorby Record 37, 66-67.
- Whiteley, D. (2002): The hoverfly *Brachypalpus laphriformis* rediscovered in Sherwood. - Sorby Record 38, 83.
- Wiesenborn, W.D. (2003): Insects on *Pholisma sonora* (Lennoaceae) flowers and their conspecific pollen loads. - Madrono 50(2), 110-114.
- Wilkins, P. (2002): The hoverfly *Volucella inanis* - one to look out for in 2002? - Bulletin of the Amateur Entomologists' Society 61(440), 22-23.
- Wratten, S. D.; Bowie, M. H.; Hickman, J. M.; Evans, A. M.; Sedcole, J. R.; Tylaniakis, J. M. (2003):

- Field boundaries as barriers to movement of hover flies (Diptera, Syrphidae) in cultivated land. – *Oecologia* 134, 605-611.
- Yabar, E., Gianoli, E.; Echegaray, E. R. (2002): Insect pests and natural enemies in two varieties of quinoa (*Chenopodium quinoa*) at Cusco, Peru. – *Journal of Applied Entomology/Zeitschrift für Angewandte Entomologie* 126, 275-280.
- Yang, Y.; Wang, H.; Wang, Q.; Cao, L.; Liang, D.; Zhang, Z. (2002): Control aphids in vegetable fields with syrphid flies. – *Chinese Journal of Biological Control* 18(3), 124-127.
- Yokohama, M.; Haga, K. (2003): Hoverflies collected from Kamikawa and Tokachi district, Hokkaido. – *Hana Abu* 16, 24-34. [japanisch]
- Zeegers, T. (2002): Nederlandse Namen van Zweefvliegen. – *Zweefvliegennieuwsbrief* 6(1), 14-16.

Danksagung

Wir danken allen, die uns mit Sonderdrucken versorgt oder mit anderen Hinweisen auf neue Literatur aufmerksam gemacht haben: Anatolij Barkalov, Werner Barkemeyer, Eduardas Budrys, Claus Claußen, Dieter Doczkal, Karl-Ernst Lauterbach, Matthias Jentzsch, Marina G. Krivosheina, Walter-Paul Löhr, Maria-Angeles Marcos-Garcia, Franco Mason, Valeri Mutin, Tore Nielsen, Alban Pfeifer, Menno Reemer, John Smit, Daniele Sommaggio, Vera Sorokina, Martin C.D. Speight, Gunilla Stähls, Jens-Hermann Stuke, M. Yokohama.

Frank Dziock, Umweltforschungszentrum Leipzig-Halle GmbH (UFZ), Department Naturschutzforschung, Permoser Str. 15, D-04318 Leipzig
frank.dziock@ufz.de

Ulrich Schmid, Staatliches Museum für Naturkunde Stuttgart, Rosenstein 1, D-70191 Stuttgart
ulrich.schmid.smns@naturkundemuseum-bw.de

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Volucella - Die Schwebfliegen-Zeitschrift](#)

Jahr/Year: 2004

Band/Volume: [7](#)

Autor(en)/Author(s): Dziock Franz, Schmid Ulrich

Artikel/Article: [Neue Schwebfliegen-Literatur \(7\) 223-237](#)