

Neue Schwebfliegen-Literatur (8)

Frank Dziock, Ulrich Schmid und Axel Ssymank

Dziock, F.; Schmid, U.; Ssymank, A. (2007): Neue Schwebfliegen-Literatur (8). [New literature on hoverflies.] (Diptera, Syrphidae) (8). – Volucella 8, 241-256. Stuttgart.

- Alexander, K.N.A. (2005): Observations on the larval habitat of *Pocota personata* (Harris) (Diptera, Syrphidae). – Dipterists Digest (2nd series) 12(2), 147-148.
- Ambrosino, M.D.; Luna, J.M.; Jepson, P.C.; Wratten, S.D. (2006): Relative frequencies of visits to selected insectary plants by predatory hoverflies (Diptera: Syrphidae), other beneficial insects, and herbivores. – Environmental Entomology 35(2), 394-400.
- Andrew, R. (2003): The spring hoverfly, *Cheilosia grossa*, in Orkney. – Orkney Field Club Bulletin 2003, 22-24.
- Aslan, B.; Karaca, I. (2005): Fruit tree Aphids and their natural enemies in Isparta region, Turkey. – Journal of Pest Science 78(4), 227-229.
- Astrom, H.; Haeggstrom, C.A. (2004): Generative reproduction in *Allium oleraceum* (Alliaceae). – Annales Botanici Fennici 41(1), 14.
- Auad, A.M.; Trevizani, R. (2005): Ocorrência de sirfídeos afidófagos (Diptera, Syrphidae) em Lavras, MG. [Occurrence of aphidophagous syrphids (Diptera, Syrphidae) in Lavras, MG.] – Revista Brasileira de Entomologia 49(3), 425-426..
- Banziger, H.; Aun, H.; Luo, Y.-B. (2005): Pollination of a slippery lady slipper orchid in South-West China: *Cypripedium guttatum* (Orchidaceae). – Botanical Journal of the Linnean Society 148(3), 251-264.
- Barkalov, A.V. (2004): Possible ways of formation of the Old World fauna of the genus *Cheilosia* (Diptera, Syrphidae). – Entomological Review 84(2), 250-255. [Translated from Zoologicheskii Zhurnal 83(6), 708-714.]
- Barkalov, A.V. (2005): Revision of Russian hoverflies of the genus *Cheilosia* Mg. (Diptera, Syrphidae), subgenus *Taeniochilosia* Oldenberg, 1916 (species group with completely black legs). – Evraziatskii Entomologicheskii Zhurnal 4(2), 137-158. [In Russian with English summary]
- Barkalov, A.V.; Cheng, X.-Y. (2004): A revision of the genus *Cheilosia* Meigen, 1822 (Diptera: Syrphidae) in China. – Contribution on Entomology International 5(3-4), 267-421
- Barkalov, A.V.; Nielsen, T.R. (2004): On a new *Platycheirus* (Diptera, Syrphidae) from Turkmenistan. – Norwegian Journal of Entomology 51(1), 123-126.
- Barkalov, A.V.; Nielsen, T.R. (2007): *Platycheirus* species (Diptera, Syrphidae) from Yakutia, Eastern Siberia, with description of two new species. – Volucella 8, 87-94
- Barkalov, A.V.; Ståhls, G. (2005): On the status of species of the genus *Cheilosia* Mg. (Diptera: Syrphidae) described by Hervé-Bazin. – Entomologica Fennica 16(3), 183-192.
- Barratt, B.I.P.; Moeed, A. (2005): Environmental safety of biological control: Policy and practice in New Zealand. – Biological Control 35, 247-252.
- Bartsch, H. (2000): Notes on hoverflies [hoverflies] during the 20. Finnish entomological days at Jorjala on Åland. – Sahlbergia 5(2), 41-45. [In Swedish with English summary]
- Bartsch, H. (2006): Nonor med svart bakkropp inom släktet *Platycheirus*, fotblomflugor (Diptera: Syrphidae). – Natur i Norr 25(2), 73-80. [In Swedish with English summary]
- Bartsch, H. (2007): *Scaeva excisa* Zetterstedt, 1849: a synonym of *Epistrophe ochrostoma* (Zetterstedt, 1849) (Diptera, Syrphidae). – Volucella 8, 99-101.
- Baugnée, J.-Y. (2004): Données récentes sur les *Paragus* de la faune belge (Diptera Syrphidae). [Recent data on *Paragus* of the Belgian fauna (Diptera, Syrphidae)]. – Bulletin de la Société Royale Belge d'Entomologie 140(1-6), 19-27. [In French with English summary]
- Baugnée, J.-Y. (2005): Quelques Diptères remar-

quables du camp militaire de Lagland (Arlon, province de Luxembourg, Belgique). – Notes fauniques de Gembloux 58, 3-6.

- Beaulieu, F.; Wheeler, T.A. (2005): Diptera diversity in a homogeneous habitat: Brachycera associated with sedge meadows (Cyperaceae: *Carex*) in Quebec, Canada. – Proceedings of the Entomological Society of Washington 107, 176-189.
- Becker, R.; Malt, S.; Platen, R. (2005): Evaluierung von Kriterien für das Monitoring transgener Kartoffelpflanzen mit Änderungen im Grundstoffwechsel. – Skripten des Bundesamts für Naturschutz 130, 78.
- Beers, H. (2005): Leuke vangsten van Terschelling. – Zweefvliegennieuwsbrief 9(1), 11.
- Befu, T. (2004): *Chamaesyphus japonicus* (Diptera, Syrphidae) new to shikoku. – Hana abu 17, 13-14. [In Japanese]
- Belhoute, G.; Sarthou, J.-P. (2004): Inventaire faunistique de Syrphidés en Sologne (Cher, France) (Diptera, Syrphidae). – L'Entomologiste. Revue d'Amateurs. 60(3), 121-124. Paris.
- Bennewicz, J. (2004): The hoverflies in complex landscape parks Chelminski and Nadwislanski. – Wiadomoski Entomologiczne 23 (Supplement 2), 119-120. [In Polish with English summary]
- Berendse, F.; Kleijn, D. (2004): The effectiveness of agri-environment schemes as a tool to restore biodiversity in Dutch agricultural landscapes. – In: Dieterich, M.; van der Straaten, J. [eds.]: Cultural landscapes and land use, 183-192. Dordrecht.
- Beuker, D. (2004): The syrphid *Microdon myrmicae* in the Netherlands (Diptera, Syrphidae). – Nederlandse Faunistische Mededelingen 21, 55-60. [In Dutch with English summary]
- Beuker, D. (2004): Twee moeraskniksprietten. – Zweefvliegennieuwsbrief 8(1), 17-18.
- Bhatti, M.A.; Duan, J.; Head, G.P.; Jiang, C.J.; McKee, M.J.; Nickson, T.E.; Pilcher, C.L.; Pilcher, C.D. (2005): Field evaluation of the impact of corn rootworm (Coleoptera: Chrysomelidae)-protected Bt corn on foliage-dwelling arthropods. – Environmental Entomology 34(5), 1336-1345.
- Biesmeijer, J.C.; Roberts, S.P.M.; Reemer, M.; Ohlemüller, R.; Edwards, M.; Peeters, T.; Schaffers, A.P.; Potts, S.G.; Kleukers, R.; Thomas, C.D.; Settele, J.; Kunin, W.E. (2006): Parallel Declines in Pollinators and Insect-Pollinated Plants in Britain and the Netherlands. – Science 313 (5785), 351-354.
- Boyd, G. (2005): *Sericomyia silentis* (Harris) (Diptera: Syrphidae) reported from Northamptonshire. – British Journal of Entomology and Natural History 18, 272.
- Braendle, C.; Foster, W.A. (2004): Defensive behavior in primary- and secondary-host generations of the soldier-producing aphid, *Pemphigus bursarius* (Hemiptera: Aphididae). – Journal of Insect Behavior 17(5), 663-672.
- Brewer, M.J.; Noma, T.; Elliott, N.C. (2005): Hymenopteran parasitoids and dipteran predators of the invasive aphid *Diuraphis noxia* after enemy introductions: Temporal variation and implication for future aphid invasions. – Biological Control 33(3), 315-323.
- Budrys, E.; Budriene, A.; Pakalniskis, S. (2004): Population size assessment using mark-release-recapture for 12 species of Orthoptera, Diptera and Hymenoptera: comparison of methods. – Latvijas Entomologs 41, 32-43.
- Bygebjerg, R. (2004): Fund af svirrefluger i Danmark i perioden 2000-2003 (Diptera, Syrphidae) [Records of hoverflies from Denmark in the years 2000-2003 (Diptera, Syrphidae)]. – Entomologiske Meddelelser 72(2), 81-100. [In Danish with English summary]
- Candolfi, M.P.; Brown, K.; Grimm, C.; Reber, B.; Schmidli, H. (2004): A faunistic approach to assess potential side-effects of genetically modified Bt-corn on non-target arthropods under field conditions. – Biocontrol Science and Technology 14, 129-170.
- Carrières-Kam, E.; Vallet, A. (2004): Liste provisoire des Syrphes de Lorraine: Meurthe-et-Moselle, Meuse, Moselle et Vosges (Diptera, Syrphidae). – Bulletin de la Société entomologique de France 109(2), 175-182.
- Castro, U.; Morales, A.; Peck, D.C. (2005): Population dynamics and phenology of the pasture spittlebug *Zulia carbonaria* (Lallemand) (Homoptera: Cercopidae) in the Cauca River Valley, Colombia. – Neotropical Entomology 34(3), 459-470.
- Chandler, P.J.; Wakeham-Dawson, A.; McCullough, A. (2004): Case 3257: *Eristalis Latreille*, 1804 (Insecta, Diptera): proposed confirmation that the gender is feminine: *Musca nemorum* Linnaeus, 1758, *M. arbustorum* Linnaeus, 1758 and *M. horticola* De Geer, 1776 (currently *Eristalis nemorum*, *E. arbustorum* and *E. horticola*): proposed conservation of usage of the specific names by designation of neotypes. – Bulletin of Zoological Nomenclature 61(4), 241-245.

- Chen, T.Y.; Chu, C.C.; Fitzgerald, G.; Natwick, E.T.; Henneberry, T.J. (2004): Trap evaluations for thrips (Thysanoptera: Thripidae) and hoverflies (Diptera: Syrphidae). - *Environmental Entomology* 33, 1416-1420.
- Choi, D.-S.; Ôhara, K.; Han, H.-Y. (2006): Taxonomic notes on the *Volucella pellucens* species group (Diptera: Syrphidae) with a description of one new species from the Eastern Palaearctic. - *Zootaxa* 1185, 1-19.
- Claußen, C.; Mutin, V.A. (2007): A new species of the *Sphaerophoria novaeangliae* species-group (Diptera, Syrphidae) from the Russian Far East. - *Volucella* 8, 35-43.
- Claußen, C.; Speight, M.C.D. (2007): Names of uncertain application and some previously unpublished synonyms, in the European *Cheilosia* fauna (Diptera, Syrphidae). - *Volucella* 8, 73-86.
- Claußen, C.; Ståhls, G. (2007): A new species of *Cheilosia* Meigen from Thessaly / Greece, and its phylogenetic position (Diptera, Syrphidae). - *Volucella* 8, 45-62.
- Colignon, P.; Haubruge, E.; Gaspar, C.; Francis, F. (2003): Effects of reducing recommended doses of insecticides and fungicides on the non-target insect *Episyrphus balteatus* [Diptera: Syrphidae]. - *Phytoprotection* 84, 141-148.
- Cölln, K.; Esser, J.; Jakubzik, A. (2004): Bedeutung von Refugien und Vernetzungsstrukturen für die Diversität der Entomofauna dargestellt an Beispielen aus der Eifel. - *Dendrocopos - Faunistik, Floristik und Naturschutz im Regierungsbezirk Trier* 31 (2004), 43-58.
- Corbet, G.B. (2004): Noteworthy Diptera at Dumbarnie Links Wildlife Reserve, Fife, Scotland. - *Dipterists Digest* (2nd Series) 11, 127-143.
- Damant, S. (2005): Saprophytic hoverflies at Wimpole Estate. - *Nature in Cambridgeshire* 47, 3-8.
- Datta, M.; Mukherjee, M. (2004): Insecta: Diptera: Syrphidae. - In: Alfred, J.R.B. (ed.): *Fauna of Manipur, part - 2 (insects)*. - *Zoological Survey of India, Kolkata*, i-v + 625 p., 485-501.
- de Figueiredo, R.A.; Sazima, M. (2006): Phenology and pollination biology of eight *Peperomia* species (Piperaceae) in semideciduous forests in Southeastern Brazil. - *Plant Biology. Stuttgart* (Thieme).
- De Groot, M. (2004): Faunistic notes on hoverflies (Diptera: Syrphidae) in Slovenia. - *Acta Entomologica Slovenica* 12(2), 217-228.
- Derrai, J.G.B.; Heath, A.C.G. (2005): Immature Diptera (excluding Culicidae) inhabiting phytotelmata in the Auckland and Wellington regions. - *New Zealand Journal of Marine and freshwater research* 39(4), 981-987.
- Dixon, A.F.G.; Jarosik, V.; Honek, A. (2005): Thermal requirements for development and resource partitioning in aphidophagous guilds. - *European Journal of Entomology* 102(3), 407-411.
- Dlussky, G.M.; Glazunova, K.P.; Lavrova, N.V. (2004): The flower and blossom morphology of Asteraceae correlates with composition of their pollinators. - *Zhurnal Obshchei Biologii* 65, 490-499.
- Dong, K.; Dong, Y.; Luo, Y. (2004): Study on rearing of the adults of *Syrphus corollae* Fabricius in laboratory. - *Natural Enemies of Insects* 26(3), 97-100. [In Chinese with English summary]
- Dousti, A.F.; Hayat, R. (2006): A catalogue of Syrphidae (Insecta: Diptera) of Iran. - *Journal of the Entomological Research Society* 8(3), 5-38.
- Drake, M.C. (2005): Flower visiting by the rare hoverfly *Eristalis cryptarum* (Fabricius, 1794) (Diptera, Syrphidae). - *Dipterists Digest* (2nd series) 12(2), 101-105.
- Dussaix, C. (2007): Status and rearing of *Sphiximorpha subessilis* (Diptera, Syrphidae) in the Département of Sarthe, France. - *Volucella* 8, 237-241. Stuttgart
- Dziock, F. (2005): Evolution of prey specialization in aphidophagous syrphids of the genera *Melanostoma* and *Platychirus* (Diptera: Syrphidae) - 1. Body size, development and prey traits. - *European Journal of Entomology* 102(3), 413-421.
- Dziock, F. (2006): Life-history data in bioindication procedures, using the example of hoverflies (Diptera, Syrphidae) in the Elbe Floodplain. - *International Review of Hydrobiology* 91(4), 341-363.
- Dziock, F. (2006): Wohnraumangebot meist mehr als knapp - Schwebfliegen brauchen feuchte Mulmhöhlen. - *LWF aktuell* 53, 24-25.
- Dziock, F.; Gläser, J.; Bonn, A.; Deichner, O.; Foeckler, F.; Gehle, T.; Hagen, K.; Jäger, U.G.; Klausnitzer, B.; Klausnitzer, U.; Neumann, V.; Schmidt, P.A.; Scholz, M. (2005): 5.4 Auenwald. - In: Scholz, M.; Stab, S.; Dziock, F.; Henle, K. (Hrsg.): *Lebensräume der Elbe und ihrer Auen*. - "Konzepte für die nachhaltige Entwicklung einer Flusslandschaft", Band 4, 194-233. Berlin (Weißensee Verlag, Ökologie).
- Dziock, F.; Jentzsch, M.; Stolle, E.; Musche, M.; Pell-

- mann, H. (2004): Rote Liste der Schwebfliegen (Diptera: Syrphidae) des Landes Sachsen-Anhalt. – Berichte des Landesamts für Umweltschutz Sachsen-Anhalt 39(2004), 403-409.
- Dzioczek, F.; Schmid, U.; Ssymank, A. (2007): Neue Schwebfliegen-Literatur (8). [New literature on hoverflies.] (Diptera, Syrphidae) (8). – Volucella 8, 241-256. Stuttgart.
- Edwards, M. (2005): *Sphegina sibirica* Stackelberg (Diptera: Syrphidae) in west Sussex. – British Journal of Entomology and Natural History 17(4), 211.
- Ernst, W.H.O. (2005): Stuijfmeele in de tractus van zweefvliegen (Syrphidae). – Zweefvliegennieuwsbrief 9(1), 5-7.
- Evenhuis, N.L.; Pont, A.C. (2004): The Diptera genera of Jacques-Marie-Frangile Bigot. – Zootaxa 751, 1-93.
- Falk, S. (2004): Brood dimorphism in male *Cheilosia cynocephala* Loew (Diptera, Syrphidae) and separation of the first generation from *C. vernalis* (Fallén). – Dipterists Digest (2nd series) 11(2), 123-126.
- Fathipour, Y.; Jalilian, F.; Talebi, A.A.; Moharrampour, S. (2005): Voracity of larvae of three hoverfly species (Dip.: Syrphidae) as potential biological control agents of *Myzus persicae* (Hom.: Aphididae) on greenhouse crops. – IOBC-WPRS Bulletin 28(1), 91-94.
- Fayt, P.; Dufrière, M.; Branquart, E.; Hastir, P.; Pontégnie, Ch.; Henin, J.-M.; Versteirt, V. (2006): Contrasting responses of saproxylic insects to focal habitat resources: the example of longhorn beetles and hoverflies in Belgian deciduous forests. – Journal of Insect Conservation 10(2), 129-150.
- Fischer, O.A.; Matlova, L.; Dvorska, L.; Svastova, P.; Bartos, M.; Weston, R.T.; Pavlik, I. (2006): Various stages in the life cycle of syrphid flies (*Eristalis tenax*; Diptera: Syrphidae) as potential mechanical vectors of pathogens causing mycobacterial infections in pig herds. – Folia Microbiologica 51(2), 147-153.
- Fischer, O.A.; Matlova, L.; Dvorska, L.; Svastova, P.; Bartos, M.; Weston, R.T.; Kopečna, M.; Treka, I.; Pavlik, I. (2005): Potential risk of *Mycobacterium avium* subspecies paratuberculosis spread by syrphid flies in infected cattle farms. – Medical and Veterinary Entomology 19(4), 360-366.
- Fitz Gerald, J.D.; Solomon, M.G. (2004): Can flowering plants enhance numbers of beneficial arthropods in UK apple and pear orchards? – Biocontrol Science and Technology 14, 291-300.
- Francis, F.; Colignon, P.; Haubruge, E. (2004): The abundance of Syrphidae (Diptera) in vegetable crops in relation to aphid populations. – Parasitica (Gembloux) 59(3-4), 129-139. [In French with English summary]
- Francis, F.; Fadeur, G.; Haubruge, E. (2005): Effects of herbaceous strips on populations of syrphids in large crops. – Notes Fauniques de Gembloux 56, 7-10. [In French with English summary]
- Francis, F.; Martin, T.; Lognay, G.; Haubruge, E. (2005): Role of (E)- β -farnesene in systematic aphid prey location by *Episyrphus balteatus* larvae (Diptera: Syrphidae). – European Journal of Entomology 102(3), 431-436.
- Franquinho Aguiar, A.M.; Smit, J.T.; Wakeham-Dawson, A. (2005): *Eristalis tenax* (Wiedemann, 1818) (Diptera, Syrphidae) new to Madeira Island, Portugal. – Dipterists Digest (2nd series) 12(1), 20.
- Freundt, R. (2005): Schwebfliegen (Diptera: Syrphidae) aus dem Niederrheinischen Tiefland in den Sammlungen des Zoologischen Instituts der Universität zu Köln. – Mitteilungen der Arbeitsgemeinschaft westfälischer Entomologen 20(3), 69-73.
- Freundt, R. (2006): Die Schwebfliegen (Diptera: Syrphidae) einer Naturschutzfläche am Niederrhein: Neue kommentierte Ergebnisse, einschließlich einer Zusammenstellung der bekannten Schwebfliegenfauna des Kreises Wesel. – Natur am Niederrhein (N.F.) 21(1), 12-29.
- Freundt, R.; Ssymank, A.; Standfuss, K. (2005): Schwebfliegen in Nordrhein-Westfalen (Diptera: Syrphidae). – Checkliste der seit 1980 nachgewiesenen Arten. – Mitteilungen der Arbeitsgemeinschaft westfälischer Entomologen 21, Beiheft 11, 1-18.
- Fritzler, C.J.; Mayle, C.B.; Strazanac, J.S.; Butler, L. (2006): Diversity of Syrphidae (Diptera) in central Appalachian forests. – Proceedings of the Entomological Society of Washington 108(4), 964-976.
- Gadom, S.; Barbier, Y. (2006): Données préliminaires sur les Spécies du Parc naturel régional du Vexin français (Hymenoptera: Apoidea: Spheciformes). – Courier Scientifique du Parc Naturel du Vexin français 2(2006), 41-45.
- Garcia-Zapata, M.T.; de Souza Junior, E.S.; Freitas Fernandes, F.; Santos, S.F.O. (2005): Human pseudomyiasis caused by *Eristalis tenax* (Lin-

- naeus) (Diptera: Syrphidae) in Goias. – Revista de Sociedade Brasileira de Medicina Tropical 38(2), 185-187.
- Gardner, M.G.; Schönrogge, K.; Elmes, G.W.; Thomas, J.A. (2006): Increased genetic diversity as a defence against parasites is undermined by social parasites: *Microdon mutabilis* hoverflies infesting *Formica lemni* ant colonies. – Proceedings of the Royal Society of London / B Biological Series 274, 103-110.
- Georgiev, G.; Ljubomirov, T.; Raikova, M.; Ivanov, K.; Sakalian, V. (2004): Insect inhabitants of old larval galleries of *Saperda populnea* (L.) (Coleoptera: Cerambycidae) in Bulgaria. – Journal of Pest Science 77(4), 235-243.
- Gepp, J. (2004): Migrating hoverflies (Dipt., Syrphidae) in the area of Turracher Höhe (Gurktaler Alpen) attracted by honeydew of psyllids (Sternorrhyncha) on green alders. – Carinthia II 114(2), 529-536. [In German with English summary]
- Gibbs, D. (2004): *Heringia senilis* Sack, 1938 (Diptera, Syrphidae) in Bristol region. – Dipterists Digest (2nd Series) 11(2), 147.
- Gilbert, F. (2005): Syrphid aphidophagous predators in a food-web context. – European Journal of Entomology 102(3), 325-333.
- Gittings, T.; O'Halloran, J.; Kelly, T.; Giller, P.S. (2006): The contribution of open spaces to the maintenance of hoverfly (Diptera, Syrphidae) biodiversity in Irish plantation forests. – Forest Ecology and Management 237, 290-300.
- Godfrey, A. (2003): Managing priority habitats for invertebrates. Volume 15. Syrphidae - hoverflies. – Buglife - The Invertebrate Conservation Trust, Southampton, 1-177.
- Golding, Y.; Ennos, R.; Sullivan, M.; Edmunds, M. (2005): Hoverfly mimicry deceives humans. – Journal of Zoology (London) 266(4), 395-399.
- Golding, Y.C.; Edmunds, M.; Ennos, A.R. (2005): Flight behaviour during foraging of the social wasp *Vespula vulgaris* (Hymenoptera: Vespidae) and four mimetic hoverflies (Diptera: Syrphidae) *Sericomyia silentis*, *Myathropa florea*, *Helophilus* sp. and *Syrphus* sp. – Journal of experimental Biology 208(23), 4523-4527.
- Grim, T. (2006): An exceptionally high diversity of hoverflies (Syrphidae) in the food of the reed warbler (*Acrocephalus scirpaceus*). – Biologia Bratislava (Ser. B Zoologia) 61(2), 235-239.
- Grim, T. (2006): Avian foraging studies: an overlooked source of distribution data for macro-ecological and conservation studies. – Diversity and Distributions 12(5), 630-632.
- Grosskopf, G. (2005): Biology and life history of *Cheilosia urbana* (Meigen) and *Cheilosia psilophthalma* (Becker), two sympatric hoverflies approved for the biological control of hawkweeds (*Hieracium* spp.) in New Zealand. – Biological Control 35 (2), 142-154.
- Grosskopf, G. (2006): Investigations on three species of Diptera associated with Hawkweeds in Europe and their potential for biological control of alien invasive *Hieracium* spp. in New Zealand and North America. Dissertation, Christian-Albrechts-Universität zu Kiel, 148 S.
- Haarto, A. (1995): Record of hover-flies from Finland. – Sahlbergia 2(2), 118.
- Haarto, A. (2002): *Parasyrphus groenlandicus* Nielsen (Syrphidae). – Sahlbergia 7(1), 36.
- Haarto, A. (2002): *Platycheirus ramsarensis* Goeldlin, Maibach & Speight (Syrphidae). – Sahlbergia 7(1), 35-36.
- Haarto, A. (2002): *Platycheirus subordinatus* Becker (Syrphidae). – Sahlbergia 7(1), 35.
- Haarto, A. (2002): Two trips to collect hoverflies (Diptera, Syrphidae) in the mountains of Kilpisjärvi in Finnish Lapland. – Sahlbergia 7(1), 26-32. [In Finnish with English summary]
- Haarto, A. (2002): *Xylota jakutorum* Bagatschanova (Syrphidae). – Sahlbergia 7(1), 35.
- Haarto, A. (2004): Syrphidae. – In: Kahanpää (ed.): Draft Catalogue of Finnish Flies (Diptera: Brachycera; Cyclorrhapha). Webseite: <http://astro.helsinki.fi/~kahanpaa/diptera/list/FIDiptera.pdf>
- Haarto, A.; Kerppola, S. (2004): Checklist of Finnish hoverflies (Diptera, Syrphidae). – Sahlbergia 9(2), 147-164.
- Haarto, A.; Kerppola, S.; Ståhls, G. (2007): Description of *Cheilosia naruska* Haarto & Kerppola spec. nov. from northern Europe (Diptera, Syrphidae). – Volucella 8, 63-72.
- Haenni, J.-P. (2004): Les Mouches planches d'Eugène Séguy. – Muséum d'Histoire Naturelle Neuchâtel, 1-15.
- Harusawa, K. (2005): A record of spider predator for flies (Diptera: Asilidae and Syrphidae). – Hana abu 20, 108. Kyoto. [In Japanese]
- Harusawa, K. (2005): Records of Asilidae and Syrphidae (Diptera) from Oku Islands, Shimane Pref., Japan. – Hana abu 19, 50. [In Japanese]
- Hazell, S.; S.P.; Wenlock, C.; Bachel, S.; Fellowes, M. (2005): The costs and consequences of

parasitoid attack for the predatory hoverfly, *Episyrphus balteatus*. – Evolutionary Ecology Research 7(5), 669-679.

- Hellenthal, M.; Ssymank, A. (2007): Schwebfliegen (Diptera, Syrphidae) des Wahnachtals im Bergischen Land (Nordrheinwestfalen, Deutschland). – Volucella 8, 219-236.
- Hildebrandt, J.; Dziock, F.; Boehmer, H.J.; Follner, K.; Scholten, M.; Scholz, M.; K. Henle (2005): Lebensraum "Stromlandschaft Elbe"- eine Synthese. – In: Scholz, M.; Stab, S.; Dziock, F.; Henle, K. (Hrsg.): Lebensräume der Elbe und ihrer Auen. – Bd. 4 der Reihe "Konzepte für die nachhaltige Entwicklung einer Flusslandschaft", 265-296. Berlin.
- Hildebrandt, J.; Leyer, I.; Dziock, F.; Fischer, P.; Foeckler, F.; Henle, K. (2005): Auengrünland. – In: Scholz, M.; Stab, S.; Dziock, F.; Henle, K. (Hrsg.): Lebensräume der Elbe und ihrer Auen. – Bd. 4 der Reihe "Konzepte für die nachhaltige Entwicklung einer Flusslandschaft", 234-264. Berlin.
- Hippa, H.; Ståhls, G. (2005): Morphological characters of adult Syrphidae: descriptions and phylogenetic utility. – Acta Zoologica Fennica 215, 1-72. Helsinki.
- Hironaga, T.; Maruyama, M. (2004): The myrmecophilous hoverfly genus *Microdon* (Diptera, Syrphidae, Microdontinae) in Hokkaido, Japan, with descriptions of four new species. – Bulletin of the National Science Museums Series A (Zoology) 30(2), 87-103.
- Holen, O.H.; Johnstone, R.A. (2004): The evolution of mimicry under constraints. – The American Naturalist 164(5), 598-613.
- Honek, A.; Martinkova, Z.; Hurka, K.; Stys, P. (2005): Insect community in maturing capitula of dandelion (*Taraxacum officinale*). – Biologia Bratislava (Ser. B Zoologia) 60(5), 559-565.
- Howarth, B.; Edmunds, M.; Gilbert, F. (2004): Does the abundance of hoverfly (syrphidae) mimics depend on the numbers of their hymenopteran models? – Evolution 58(2), 367-375.
- Hubbard, A. (2004): Notes on Suffolk record of the genus *Volucella* (Diptera, Syrphidae). – Suffolk Natural History 40, 113-118.
- Huo, K.-K.; Zhang, H.-J.; Zheng, Z.-M. (2004): Descriptions of three new species of Xylotini from China (Syrphidae, Xylotini). – Acta Zootaxonomica Sinica 29(4), 797-802. [In Chinese with English summary]
- Huo, K.-K.; Zheng, Z.-M. (2005): A new genus and two new species of Syrphidae from China (Diptera, Syrphidae). – Acta Zootaxonomica Sinica 30(3), 631-635. [In Chinese with English summary]
- Ichige, K. (2004): A record of *Leucozona lucorum* (Linnaeus, 1758) from Tochigi Pref., Japan. – Hana Abu 18, 35. [In Japanese]
- Ichige, K. (2004): New record of *Brachyopa violovitshi* Mutin, 1985 from Japan. – Hana Abu 18, 36-37. [In Japanese]
- Ichige, K. (2004): New record of *Callicera aurata* (Rossi, 1790) from Ibaraki Pref., Japan. – Hana Abu 18, 35. [In Japanese]
- Ichige, K. (2004): Notes on *Criorhina takaoensis* Shiraki. – Hana abu 17, 61-62. [In Japanese]
- Ichige, K. (2004): Notes on *Lejota ambigua* (Shiraki, 1968). – Hana abu 17, 59-61. [In Japanese]
- Ichige, K. (2004): Notes on the genus *Psilota* in Japan. – Hana abu 17, 63-66. [In Japanese]
- Ichige, K. (2005): *Heringia* (*Neocnemodon*) *jakutorum* (Stackelberg, 1952) new to Japan. – Hana abu 19, 28-29. [In Japanese]
- Ichige, K. (2005): *Heringia* (*Neocnemodon*) *vitripennis* (Meigen, 1822) new to Fukushima Pref., Japan. – Hana abu 19, 30-31. [In Japanese]
- Ichige, K. (2005): New record of *Azeptia shirakii* Hurkmans (Diptera, Syrphidae) from Ibaraki Pref. – Hana abu 20, 29-30. [In Japanese]
- Ichige, K. (2005): New record of *Ischyrosyrphus glaucius* (Diptera, Syrphidae) from Ibaraki Pref. – Hana abu 20, 32. [In Japanese]
- Ichige, K. (2005): Note on the Japanese *Brachyopa* Meigen (Diptera, Syrphidae). – Hana abu 20, 33-41. [In Japanese]
- Ichige, K. (2005): Notes on a species of the genus *Syrirta* from Nansei Is. (Diptera, Syrphidae). – Hana abu 20, 23-25. [In Japanese]
- Ichige, K. (2005): Notes on *Eumerus japonicus* and its related species (Part 1). – Hana abu 19, 23-26. [In Japanese]
- Ichige, K. (2005): Notes on *Lejota japonica* (Shiraki, 1930) (Diptera, Syrphidae). – Hana abu 20, 31-32. [In Japanese]
- Ichige, K. (2005): Notes on *Parhelophilus citricornis* Shiraki (Diptera, Syrphidae). – Hana abu 20, 27-28. [In Japanese]
- Ichige, K. (2005): On the color variation of the leg of *Brachypalpoides simplex* (Shiraki, 1930). – Hana abu 20, 42-43. [In Japanese]
- Ichige, K. (2005): On the genus *Eumerus* from Nansei Islands. – Hana abu 19, 17-19. [In Japanese]

- Ichige, K. (2005): The 2nd record of *Sphaerophoria scripta* from Japan. – Hana abu 20, 25-26. [In Japanese]
- Ichige, K. (2005): *Triglyphus ikezakii* S. Kuznetsov new to Shikoku. – Hana abu 19, 27. [In Japanese]
- Ichige, K. (2006): Hoverflies collected by Malaise trap in Ibaraki Pref. – Hana abu 21, 23-24. [In Japanese]
- Ichige, K. (2006): Notes on *Eumerus strigatus* and its related species in Japan (Diptera, Syrphidae) (Part 1). – Hana abu 21, 10-21. [In Japanese]
- Ichige, K. (2006): Notes on *Pipizella biglumis* (Matsumura, 1916) (Diptera, Syrphidae). – Hana abu 2, 5-7. [In Japanese]
- Ichige, K. (2006): Notes on the genus *Pipiza* Fallén (Diptera, Syrphidae) in Japan (Part 1) - Genus *Pipiza* described by Shonen Matsumura. – Hana abu 21, 25-30. [In Japanese]
- Ichige, K. (2006): On *Syrirta thompsoni* Lyneborg et Barkemeyer, 2005 newly recorded from Nansei Is. Japan (Diptera, Syrphidae). – Hana abu 21, 22-23. [In Japanese]
- Ichige, K. (2006): On the individual variability of a species of the genus *Pipiza*. – Hana abu 21, 8. [In Japanese]
- Ikezaki, Y. (2004): Essay on Hoverfly (4). – Hana abu 17, 91-92. [In Japanese]
- Ikezaki, Y. (2004): Hoverflies of Mt. Tara, Nagasaki Prefecture (2) (Diptera: Syrphidae). – Transactions Nagasaki Biological Society 57, 61-62. [In Japanese]
- Ikezaki, Y. (2004): Notes on *Mesembrius nigra* Shiraki, 1968 described from Japan. – Hana abu 17, 91. [In Japanese]
- Ikezaki, Y.; Negoro, H. (2003): Hoverflis [Hoverflies] from Toyama Prefecture, Hokuriku, Japan (II). Hoverflis [Hoverflies] in the alpine zone of Mt. Tateyama. – Bulletin of the Toyama Science Museum 26, 139-141. [In Japanese]
- Ismay, J.W. (2004): *Eriozonea syrphoides* (Fallén, 1817) (Diptera, Syrphidae) in Oxfordshire. – Dipterists Digest (2nd series) 11(2), 102.
- Ito, K.; Furukawa, K.; Okubo, T. (2005): Conservation biological control of aphids in potato fields with reduced use of insecticides in Hokkaido, Japan. – Japanese Journal of Applied Entomology and Zoology 49(1), 11-22. [In Japanese with English summary]
- Ito, N. (2004): Remarkable hoverflies and others recorded from Tokyo Met., Japan. – Hana abu 17, 82-84. [In Japanese]
- Ito, N. (2004): Some records of Syrphidae from Shizuoka Pref., Japan. – Hana abu 17, 81-82. [In Japanese]
- Jacobi, B. (2006): Schwebfliegen der Gattung *Eristalis* (Diptera, Syrphidae, Eristalini): Massennahrung für Insektenfresser oder geschützte Nachahmer von Stechimmen? Ein Diskussionsbeitrag. – Entomologie heute 18, 143-156.
- James, D.G. (2005): Further field evaluation of synthetic herbivore-induced plant volatiles as attractants for beneficial insects. – Journal of Chemical Ecology 31(3), 481-495.
- James, D.G.; Price, T.S. (2004): Field-testing of methyl salicylate for recruitment and retention of beneficial insects in grapes and hops. – Journal of Chemical Ecology 30(8), 1613-1628.
- Jankowska, B. (2004): Parasitoids of aphidophagous Syrphidae occurring in cabbage aphid (*Brevicoryne brassicae* L.) colonies on cabbage vegetables. – Journal of Plant Protection Research 44(4), 299-305.
- Jansen, J.-P.; Warnier, A.-M. (2004): Aphid specific predators in potato in Belgium. – Communications in Agricultural and Applied Biological Sciences 69(3), 151-156.
- Jauker, F.; Hirsch, M.; Nothhaft, D. (2004): Einfluss der Landnutzung auf die Diversität ausgewählter Blütenbesucherguppen. – In: Korn, H.; Feit, U. [Bearb.]: Treffpunkt Biologische Vielfalt IV, 143-148. Münster.
- Jentzsch, M. (2004): Folgen der Wohnsuburbanisierung für die Fauna im ländlichen Raum. – Naturschutz im Land Sachsen-Anhalt 41(1), 25-36.
- Jentzsch, M. (2005): Die Schwebfliegenfauna des Ziegelrodaer Forstes und seiner Umgebung im Südwesten von Sachsen-Anhalt (Dipt., Syrphidae). – Entomologische Nachrichten und Berichte 49(3-4), 228-230.
- Jentzsch, M. (2005): Fliegen aus der Sammlung Willy Schlüter et al. im Museum der Natur Gotha (Diptera: Asilidae, Athericidae, Bombyliidae, Conopidae, Hypodermatidae, Stratiomyidae und Syrphidae). – Studia dipterologica 12(2), 363-368.
- Jentzsch, M.; Katthöver, T. (2005): Zum Management von Traubeneichen-Hainbuchenwäldern auf potenziellen Buchenstandorten am Beispiel des Naturschutzgebiets "Othaler Wald" in Sachsen-Anhalt. – Natur und Landschaft 80(1), 8-15.
- Jentzsch, M.; Katthöver, T. (2005): Zur ökologischen

- Ausstattung des NSG "Othaler Wald". – Naturschutz im Land Sachsen-Anhalt 42(1), 21-29.
- Kato, M.; Tsuji, K.; Kawakita, A. (2006): Pollinator and stem- and corm-boring insects associated with mycoheterotrophic orchid *Gastrodia elata*. – Annals of the Entomological Society of America 99(5), 851-858.
- Katsura, K. (2004): A further record of *Eriozona syrphoides* (Fallén, 1817) from Gifu Pref., Japan (Diptera: Syrphidae). – Hana Abu 18, 59. [In Japanese]
- Katsura, K. (2004): New record of *Parasyrphus iraidae* Mutin, 1987 from Wakayama Pref., Japan (Diptera: Syrphidae). – Hana Abu 18, 60. [In Japanese]
- Katsura, K. (2004): Notes on a hoverfly *Chamaesyrphus japonicus* Shiraki, 1956. – Hana abu 17, 7-12. [In Japanese]
- Katsura, K.; Michimori, M. (2005): Notes on the breeding of *Mallota munda* (Violovitsh, 1955) (Diptera, Syrphidae). – Hana abu 20, 111-113. [In Japanese]
- Katsura, K.; Usuba, S. (2006): Biological notes of a species of the genus *Pipiza* (Diptera, Syrphidae) emerged from the gall of *Nurudea shirakii* (Matsumura) (Hemiptera: Pemphigidae) on *Rhus japonica*. – Hana abu 21, 5-7. [In Japanese]
- Kehlmaier, C.; Maier, C. (2004): Die Schwebfliegen (Dipt., Syrphidae) des "Dresdner Heller". – Entomologische Nachrichten und Berichte 4(2), 3-30.
- Kehlmaier, C.; Martinez De Murguia, L. (2004): Syrphidae recorded in a heterogeneous forest ecosystem at the "Finca de Artikutza" (Navarre, northern Spain) (Diptera). – Fragmenta Entomologica 36(2), 253-274.
- Keil, P.; Konvicka, M. (2005): Local species richness of Central European hoverflies (Diptera: Syrphidae): a lesson taught by local faunal lists. – Diversity and Distributions 11(5), 417-426.
- Kiefer, E.; Kehlmaier, C. (2005): Ein Beitrag zur Schwebfliegenfauna des Heidelberger Raumes (Diptera: Syrphidae) mit besonderer Berücksichtigung der blütenbiologischen Verhältnisse – In: Brandis, D.; Hollert, H.; Storch, V. [eds.]: Artenvielfalt in Heidelberg, 137-147, Heidelberg.
- Kleijn, D.; van Langevelde, F. (2006): Interacting effects of landscape context and habitat quality on flower visiting insects in agricultural landscapes. – Basic and Applied Ecology 7(3), 201-214.
- Konno, Y. (2006): Species composition of anthophilous Diptera and Hymenoptera in the Daisetsu Mountains. – Japanese Journal of Applied Entomology and Zoology (Nihon-oyo-dobutsu-konchu-gakkai-shi) 50(1), 23-25.
- Köstermeyer, H. (2004): Die Schwebfliegen (Diptera: Syrphidae) des Schmandberges bei Bellersen - Ein Beitrag zur Schwebfliegenfauna des Kreises Hörter. – Veröffentlichungen des Naturkundlichen Vereins Egge-Weser e.V. 16, 59-76.
- Köstermeyer, H.; Beinlich, B.; Beck, L. (2005): Schweineweiden als Nahrungsquelle für blütenbesuchende Insekten. – NNA-Berichte, Norddeutsche Naturschutzakademie Hof Möhr 18(2), 198-207.
- Kotthoff, U.; Schmid, U. (2005): A new fossil hoverfly (Insecta, Diptera: Syrphidae) from the Randeck Maar (Early Miocene, south-west Germany). – Palaeontology (Oxford) 48(5), 1091-1096.
- Krivosheina, M.G. (2005): The structure and role of the anal papillae in Dipteran larvae (Insecta). – Entomological Review 85(1), 1-11. [Translated from Zoologicheskii Zhurnal 84(2), 207-217.]
- Krivosheina, M.G. (2005): To biology of flower flies of the genus *Brachyopa* (Diptera, Syrphidae). – Zoologicheskii Zhurnal 84(6), 681-698. [In Russian with English summary]
- Krivosheina, M.G. (2004): A contribution to the biology of flower flies of the genus *Temnostoma* (Diptera, Syrphidae) with description of larvae of four species. – Entomological Review 84(8), 949-956. [Translated from Zoologicheskii Zhurnal 82(1) [2003], 44-51.]
- Krivosheina, N.P. (2003): Morphology of species of the *Temnostoma apiforme* and *T. vespiforme* groups. Communication 1. – Entomological Review 83(6), 751-761. [Translated from Zoologicheskii Zhurnal 82(12), 1475-1486.]
- Krivosheina, N.P. (2004): A review of species of the genus *Brachyopa* (Diptera, Syrphidae) from Russia, with description of new species from Tajikistan. – Entomological Review 84(3), 362-369. [Translated from Zoologicheskii Zhurnal 83(5), 597-603.]
- Krivosheina, N.P. (2004): Morphology of species of the genus *Temnostoma* from *apiforme* and *vespiforme* groups. Report 2. – Zoologicheskii Zhurnal 83(1), 75-92. [In Russian with English summary]
- Krivosheina, N.P. (2005): New data on the structure of the genus *Temnostoma* with redescription of *Temnostoma meridionale* (Diptera, Syrphidae). – Zoologicheskii Zhurnal 84(5), 605-610. [In

- Russian with English summary]
- Krivoshchina, N.P. (2006): The taxonomic composition of Diptera (Insecta) dendrobionts and the main trends of their adaptive radiation. – *Zoologicheskii Zhurnal* 85(7), 842-852.
- Krivoshchina, N.P.; Ståhls, G. (2003): Taxonomy and distribution of *Temnostoma bombylans* (Fabricius) and *T. angustistriatum* Krivosheina (Diptera, Syrphidae) in Northern Europe. – *Sahlbergia* 8(2), 96-99.
- Kühn, J.; Hamm, A.; Schindler, M.; Wittmann, D. (2006): Ressourcenaufteilung zwischen der oligolektischen Blattschneiderbiene *Megachile lapponica* L. (Hymenoptera, Apiformes) und anderen Blütenbesuchern am schmalblättrigen Weidenröschen (*Epilobium angustifolium*, Onagraceae). – *Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie* 15, 389-392.
- Kula, E. (2004): Seasonal dynamics of *Episyrphus balteatus* Deg. (Diptera, Syrphidae) in forest ecosystems of the Decin Sandstone Uplands. – *Folia Facultatis Scientiarum Naturalium Universitatis Masarykianae Brunensis, Biologia* 109, 193-202. (*Dipterologica Bohemoslovaca*, vol. 11)
- Kuratorium Insekt des Jahres (Red.: Ziegler, H.) (2004): Die Hain-Schwebfliege - Insekt des Jahres 2004. 8 S. Müncheberg (Deutsches Entomologisches Institut, ZALF e.V.).
- Kustov, S.Y. (2005): The problem of protecting hover-flies (Diptera, Syrphidae) in north-west Caucasus. – *Evrasiatskii Entomologicheskii Zhurnal* 4(2), 159-163. [In Russian with English summary]
- Laska, P.; Perez-Banon, C.; Mazanek, L.; Rojo, S.; Ståhls, G.; Marcos-Garcia, M.A.; Bicik, V.; Dusek, J. (2006): Taxonomy of the genera *Scavea*, *Simosyrphus* and *Ischiodon* (Diptera: Syrphidae): Descriptions of immature stages and status of taxa. – *European Journal of Entomology* 103(3), 637-655.
- Laubertie, E.A.; Wratten, S.D.; Sedcole, J.R. (2006): The role of odour and visual cues in the pan-trap catching of hoverflies (Diptera: Syrphidae). – *Annals of applied Biology* 148(2), 173-178.
- Lauterbach, K.-E. (2005): Schwebfliegen in Bielefeld und Umgebung XI. Die Arten der *Cheilosia canicularis*-Gruppe (Diptera - Syrphidae). – *Berichte des Naturwissenschaftlichen Vereins für Bielefeld und Umgebung* 45, 285-321.
- Leather, S.R. (ed.) (2005): *Insect Sampling in Forest Ecosystems*. Malden, Oxford, Carlton (Blackwell).
- Lehnebach, C.A.; Robertson, A.W. (2004): Pollination ecology of four epiphytic orchids of New Zealand. – *Annals of Botany* 93(6), 773-781.
- Liu, Z.-J.; Zhang, J.-Y.; Ru, Z.-Z.; Lei, S.-P.; Chen, L.-J. (2004): Conservation biology of *Paphiopedilum purpuratum* (Orchidaceae). – *Shengwu Duoyangxing* 12(5), 509-516. [In Chinese with English summary]
- Lohman, D.J.; Liao, Q.; Pierce, N.E. (2006): Convergence of chemical mimicry in a guild of aphid predators. – *Ecological Entomology* 31(1), 41-51.
- Londt, J.G.H. (2006): Predation by Afrotropical Asilidae (Diptera): an analysis of 2000 prey records. – *African Entomology* 14(2), 317-328.
- Lorenz, J. (2004): Die Moritzburger Kleinkuppenlandschaft und das Bahretal - zwei weitere Gebiete mit besonderer Bedeutung für die Entomofauna in Sachsen. – *Mitteilungen Sächsischer Entomologen/Entomofauna Saxonica* 68 (2004), 3-9.
- Lunau, K.; Hofmann, N.; Valentin, S. (2005): Response of the hoverfly species *Eristalis tenax* towards floral dot guides with colour transition from red to yellow (Diptera: Syrphidae). – *Entomologia Generalis* 27(3-4), 249-256.
- Lunau, K.; Hofmann, N.; Valentin, S. (2004): Dual function of floral guides for syrphid flies (*Eristalis tenax*): guidance towards the site of reward and prolongation of handling time. – *Entomologia Generalis* 249-256.
- Lyneborg, L.; Barkemeyer, W. (2005): The genus *Syritta*: a world revision of the genus *Syritta* Le Peletier & Serville, 1828 (Diptera: Syrphidae). – *Entomograph* 15, 1-224.
- Mahoro, S.; Chiba, T.; Ohishi, H. (2005): *Eupeodes latifasciatus* and *Melanogaster pollinifacies* (Diptera, Syrphidae) taken from Iwate Prefecture. – *Hana* 20, 3-10. Kyoto. [In Japanese]
- Malec, F.; Mansfeld, P.; Niehuis, M. (2006): Schwebfliegen vom Roßstein bei Dörscheid (Mittelrheintal, Rheinland-Pfalz) (Diptera, Syrphidae). – *Fauna Flora Rheinland-Pfalz* 10 (4), 1249-1265.
- Malidzan, S. (2004): The contribution to the knowledge of hoverfly (Diptera, Syrphidae) of the canyon of Mrtvica River, Montenegro. – *Natura Montenegrina* 3, 53-73.
- Marinoni, L.; Miranda, G.F.G.; Thompson, F.C. (2004): Abundance and species richness of Syrphidae (Diptera) in the interior and edges

- of forest in the State Park of Vila Velha, Ponta Grossa, Parana, Brazil. – *Revista Brasileira de Entomologia* 48(4), 553-559. [In Portuguese with English summary]
- Maruyama, M.; Hironaga, T. (2004): *Microdon katsurai*, a new species of myrmecophilous hoverfly (Diptera, Syrphidae) from Japan. – *Bulletin of the National Science Museum Series A (Zoology)* 30(4), 173-179.
- Masatoshi, N. (2005): Notes on some species in Milesiini (1). – *Hana abu* 19, 13-16. [In Japanese]
- Masatoshi, N. (2005): Notes on some species in Milesiini (2). – *Hana abu* 20, 67-70. [In Japanese]
- Masatoshi, N. (2005): Notes on some species in Milesiini (3). – *Hana abu* 20, 71-74. [In Japanese]
- Masetti, A.; Luchetti, A.; Sommaggio, D.; Burgio, G.; Mantovani, B. (2006): Phylogeny of *Chrysotoxum* species (Diptera: Syrphidae) inferred from morphological and molecular characters. – *European Journal of Entomology* 103(2), 459-467.
- Mazánek, L.; Láska, P.; Bicik, V.; Nielsen, T.R. (2004): Key to females of Norwegian species of *Eupeodes* (Diptera, Syrphidae). – *Folia Facultatis Scientiarum Naturalium Universitatis Masarykianae Brunensis, Biologia* 109, 203-213. (Dipterologica Bohemoslovaca, vol. 11)
- Mengual, X.; Ståhls, G.; Marcos-Garcia, M.A. (2004): New molecular data on Iberian *Mero-don* species (Diptera, Syrphidae). – *Cladistics* 20, 600-601.
- Merkel-Wallner, G. (2004): Schwebfliegen - allgegenwärtig und doch unbekannt. - Vogelschutz: Magazin für Arten- und Biotopschutz. 2004, Heft 2, 10-11.
- Merkel-Wallner, G. (2005): Schwebfliegen aus dem Nationalpark Bayerischer Wald (Diptera: Syrphidae). [Hoverflies from the Bavarian Forest national park (Diptera: Syrphidae).] – *Beiträge zur Bayerischen Entomofaunistik* 7, 115-129. [In German with English summary]
- Meyer, H. (2005): Langbein-, Tanz- und Schwebfliegen (Diptera: Empidoidea: Dolichopodidae, Empididae, Hybotidae; Syrphidae) im Totholz von Laubwäldern Schleswig-Holsteins. – *Faunistische Ökologische Mitteilungen* 8(9/10), 363-382.
- Milankov, V.; Stamenkovic, J.; Ludoski, J.; Ståhls, G.; Vujic, A. (2005): Diagnostic molecular markers and the genetic relationships among three species of the *Cheilosia canicularis* group (Diptera: Syrphidae). – *European Journal of Entomology* 102(2), 125-131.
- Minarro, M.; Hemptinne, J.-L.; Dapena, E. (2005): Colonization of apple orchards by predators of *Dysaphis plantaginea*: sequential arrival, response to prey abundance and consequences for biological control. – *BioControl* (Dordrecht) 50(3), 403-414.
- Moetamedinia, B.; Sahraghard, A.; Salehi, L.; Jala-li-Sendi, J. (2004): Biology of *Sphaerophoria scripta* (Dip.: Syrphidae) in laboratory conditions. – *Journal of Entomological Society of Iran* 23(2), 33-43. [In Farsi with English summary]
- Monteil, C. (2006): A Species Selection Tool for the "Syrph the Net" database. – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds): *Syrph the Net on CD, Issue 5. The database of European Syrphidae*. ISSN 1649-1917. Dublin (Syrph the Net Publications).
- Monteil, C.; Speight, M.C.D.; Sommaggio, D.; Sarthou, J.P. (2006): Guide to the use of the "Syrph the Net" Species Selection Tool. – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): *Syrph the Net, the database of European Syrphidae* 51, 40 pp. Dublin (Syrph the Net Publications).
- Morales, M.N.; Koehler, A. (2004): *Ornidia* Lepeletier & Serville 1828 (Diptera, Syrphidae) in Rio Grande do Sul, Brazil: distribution and floral preferences. – *Revista Brasileira de Zoociencias* 6(1), 93-102. [In Portuguese with English summary]
- Moretti, M.; Obrist, M.K.; Duelli, P. (2004): Arthropod biodiversity after forest fires: winners and losers in the winter fire regime of the southern Alps. – *Ecography* 27(2), 173-186.
- Morris, R.K.A. (2004): The larger Brachycera, Syrphidae and Conopidae (Diptera) of Micham Common - some corrections and revision. – *London Naturalist* 83, 159-160.
- Morris, R.K.A. (2005): Exceptionally early emergence of *Cheilosia illustrata* (Harris) and *Phasia hemiptera* (Fabricius) (Diptera, Syrphidae and Tachinidae). – *Dipterists Digest* (2nd series) 12(2), 140.
- Morris, R.K.A. (2005): Have there been changes in the frequency of *Leucozona glauca* (Linnaeus) and *L. laternaria* (Müller) (Diptera, Syrphidae) since 2000? – *Dipterists Digest* (2nd series) 12(1), 60.
- Morris, R.K.A. (2005): Is the hoverfly *Epistrophe diaphana* (Zetterstedt) (Diptera, Syrphidae) responding to climate change? – *Dipterists Digest*

- (2nd series) 12(1), 59.
- Morris, R.K.A. (2005): Massed occurrence of *Syrphus* (Diptera, Syrphidae) in July and August 2004. – *Dipterists Digest* (2nd series) 12(2), 161-164.
- Morris, R.K.A. (2005): *Platycheirus discimanus* Loew (Diptera, Syrphidae) in the East Midlands. – *Dipterists Digest* (2nd series) 12(2), 128.
- Morris, R.K.A. (2005): *Xylota segnis* (Linnaeus) (Diptera, Syrphidae): a regular flower visitor. – *Dipterists Digest* (2nd series) 12(2), 95.
- Morris, R.K.A.; Ball, S.G. (2005): Hoverflies (Diptera, Syrphidae) at Loamhole Dingle, Shropshire. – *Dipterists Digest* (2nd series) 12(2), 165-166.
- Morris, R.K.A.; Ball, S.G. (2005): Sixty years of *Volucella zonaria* (Poda) (Diptera: Syrphidae) in Britain. – *British Journal of Entomology and Natural History* 17(4), 217-227.
- Müller, M. (2006): Schwebfliegen (Diptera, Syrphidae) des Hundsredlerts und des Edertalquellgebiets (südliches Rothaargebirge). – *Decheniana* 159, 103-114.
- Mumcuoglu, I.; Akarsu, G.A.; Balaban, N.; Keles, I. (2005): *Eristalis tenax* as a cause of urinary myiasis. – *Scandinavian Journal of Infectious Diseases* 37, 942-943.
- Murza, G.L.; Davis, A.R. (2005): Flowering phenology and reproductive biology of *Drosera anglica* (Droseraceae). – *Botanical Journal of the Linnean Society* 147(6), 417-426.
- Murza, G.L.; Heaver, J.R.; Davis, A.R. (2006): Minor pollinator-prey conflict in the carnivorous plant, *Drosera anglica*. – *Plant Ecology* 184(1), 43-52.
- Mutin, V.A. (2002): The melanism of hover-flies (Diptera, Syrphidae). – *Chteniy Pamyati Aleksey Ivanovicha Kurentsova* 12, 43-49. [In Russian with English summary]
- Mutin, V.A. (2003): The Pan-Japan Sea centre of the endemism of hoverflies (Diptera, Syrphidae). – *Chteniy Pamyati Aleksey Ivanovicha Kurentsova* 14, 5-13. [In Russian with English summary]
- Nakashima, Y.; Akashi, M. (2005): Temporal and within-plant distribution of the parasitoid and predator complexes associated with *Acyrtosiphon pisum* and *A. kondoi* (Homoptera: Aphididae) on alfalfa in Japan. – *Applied Entomology and Zoology* 40(1), 137-144.
- Nia, B.M.; Sahragard, A.; Salehi, L.; Jalali-Sendi, J. (2004): Report of three species of Syrphidae (Diptera, Syrphidae) from Iran. – *Journal of Entomological Society of Iran* 24(1), 123-124. [In Farsi and English]
- Nielsen, T.R. (2007): *Platycheirus cryophilus* spec. nov. (Diptera, Syrphidae) from Kashmir. – *Volucella* 8, 95-97.
- Nieto, D.J.; Shennan, C.; Settle, W.H.; O'Malley, R.; Bros, S.; Honda, J.Y. (2006): How natural enemies and cabbage aphid (*Brevicoryne brassicae* L.) population dynamics affect organic broccoli harvest. – *Environmental Entomology* 35(1), 94-101.
- Noma, T.; Brewer, M.J.; Pike, K.S.; Gaimari, S.D. (2005): Hymenopteran parasitoids and dipteran predators of *Diuraphis noxia* in the west-central Great Plains of North America Species records and geographic range. – *BioControl* (Dordrecht) 50(1), 97-111.
- Oehlke, J.; Menzel, F. (2005): Entomologen im Land der Lemuren. Allgemeiner Bericht über eine Studienreise nach Madagaskar. – *Studia dipterologica* 12(2), 385-407.
- Ohara, K. (2005): The syrphid flies (Diptera) collected in the Akasaka Imperial Gardens and the Tokiwamatsu Imperial Villa, Tokyo, Japan. – *Memoirs of the National Science Museum* (Tokyo) 39, 325-331.
- Ohichi, H.; Ichige, K. (2004): *Pseudopocota stackelbergi* (Diptera, Syrphidae) newly recorded from Japan. – *Hana* 17, 32-35. [In Japanese]
- Ohishi, H.; Ichige, K. (2004): On *Criorhina japonica* (Diptera, Syrphidae). – *Hana* 17, 36-47. [In Japanese]
- Ohishi, H.; Katsura, K.; Ichige, K. (2004): *Criorhina aino* (Diptera, Syrphidae) new to Japan. – *Hana* 17, 27-31. [In Japanese]
- Ohishi, H.; Otobe, H. (2005): On *Syrirta orientalis* newly recorded from Japan (Diptera, Syrphidae). – *Hana* 20, 11-14. [In Japanese]
- Ohishi, H.; Sugimoto, M. (2004): *Mallota curvigator* new to Japan. – *Hana* 18, 38-47. [In Japanese with English summary]
- Ouin, A.; Sarthou, J.P.; Bouyjou, B.; Deconchat, M.; Lacombe, J.P.; Monteil, C. (2006): The species-area relationship in the hoverfly (Diptera, Syrphidae) communities of forest fragments in southern France. – *Ecography* 29(2), 183-190.
- Palmer, C. (2004): *Rhingia rostrata* (Linnaeus) (Diptera, Syrphidae) in Hampshire. – *Dipterists Digest* (2nd series) 11(1), 8.
- Parvu, C. (2004): In memoriam Syrphidologist Vladimir Bradescu (11 August 1915 - 15 July 2004). – *Travaux du Museum National d'Histoire*

- Naturelle "Grigore Antipa" 47, 401-404.
- Petanidou, T.; van Laere, A.; Ellis, W.N.; Smets, E. (2006): What shapes amino acid and sugar composition in Mediterranean floral nectars? – *Oikos. Acta oecologia scandinavica* 115(1), 155-169.
- Pita, M.; Gomes, A. (2003): Notes on the syrphid fauna of Madeira Archipelago and the Salvage Islands (Diptera, Syrphidae). – *Vieraea* 31, 33-38.
- Plowden, C.; Uhl, C.; Oliveira, F.D. (2004): *Alipumilio* (Diptera : Syrphidae) fly association with *Bursera* tree resins in the eastern Brazilian Amazon. – *Journal of Natural History* 38(15), 1941-1947.
- Pons, X.; Nunez, E.; Lumbierres, B.; Albajes, R. (2005): Epigeal aphidophagous predators and the role of alfalfa as a reservoir of aphid predators for arable crops. – *European Journal of Entomology* 102(3), 519-525.
- Pontin, D.R.; Wade, M.R.; Kehrl, P.; Wratten, S.D. (2006): Attractiveness of single and multiple species flower patches to beneficial insects in agroecosystems. – *Annals of applied Biology* 148(1), 39-47.
- Putra, N.S.; Yasuda, H. (2006): Effects of prey species and its density on larval performance of two species of hoverfly larvae, *Episyrphus balteatus* de Geer and *Eupeodes corollae* Fabricius (Diptera: Syrphidae). – *Japanese Journal of Applied Entomology and Zoology (Nihon-oyo-dobutsu-konchu-gakkai-shi)* 41(3), 389-397.
- Ramos, C.O.C.; Borba, E.L.; Funch, L.S. (2005): Pollination in Brazilian *Syngonanthus* (Eriocaulaceae) species: Evidence for entomophily instead of anemophily. – *Annals of Botany* 96(3), 387-397.
- Ramsay, A.J. (2004): *Volucella inanis* (L.) (Diptera: Syrphidae) in the West Midlands. – *Entomologist's record and Journal of Variation* 116(5), 230.
- Reader, T.; MacLeod, I.; Elliott, P.T.; Robinson, O.J.; Manica, A. (2005): Inter-order interaction between flower-visiting insects: foraging bees avoid flowers previously visited by hoverflies. – *Journal of Insect Behavior* 18(1), 51-57.
- Reemer, M. (2005): Saproxylic hoverflies benefit by modern forest management (Diptera: Syrphidae). – *Journal of Insect Conservation* 9(1), 49-59.
- Reemer, M. (2007): *Scaeva dignota* reared on Amsterdam balcony (Diptera, Syrphidae). – *Volucella* 8, 123-124
- Reemer, M.; Branquart, E. (2004): First records of the hoverfly *Sphaerophoria shirchan* for Belgium (Diptera Syrphidae). – *Bulletin de la Societe Royale Belge d'Entomologie* 140(7-12), 94.
- Reemer, M.; Hauser, M.; Speight, M.C.D. (2005): The genus *Myolepta* Newman in the West-Palaearctic region. – *Studia dipterologica* 11(2), 553-580.
- Reemer, M.; Hippa, H. (2005): The first two Oriental species of *Neoascia* Williston (Diptera, Syrphidae). – *Tijdschrift voor Entomologie* 148, 335-340.
- Reemer, M.; Renema, W. (2004): Drie soorten zweefvliegen minder op de Nederlandse lijst. – *Nederlandse Faunistische Mededelingen* 20, 127-132. [In Dutch]
- Reemer, M.; Smit, J.T. (2007): Some hoverfly records from Turkey (Diptera, Syrphidae). – *Volucella* 8, 135-146
- Renema, W.; Reemer, M. (2004): Twee soorten zweefvliegen erbij op de Nederlandse lijst. – *Nederlandse Faunistische Mededelingen* 20, 133-137. [In Dutch]
- Resende, A.L.S.; Silva, E.E.; Silva, V.B.; Ribeiro, R.L.D.; Guerra, J.G.M.; Aguiar-Menezes, E.L. (2006): First record of *Lipaphis pseudobrassicae* Davis (Hemiptera: Aphididae) and its association with predator insects, parasitoids and ants in kale (Cruciferae) in Brazil. – *Neotropical Entomology* 35(4), 551-552.
- Rojo, S.; Ståhls, G.; Perez-Banon, C.; Marcos-Garcia, M.A. (2006): Testing molecular barcodes: Invariant mitochondrial DNA sequences vs the lar-val and adult morphology of West Palaearctic *Pandasyopthalmus* species (Diptera: Syrphidae: Paragini). – *European Journal of Entomology* 103(2), 443-458.
- Roper, P. (2004): Insects from a emergence trap over a small dead oak trunk. – *British Journal of Entomology and Natural History* 17, 212-216.
- Rotheray, E.; Hancock, E.G.; Marcos-Garcia, M.A.; Zumbado, M. (2005): Early stages and breeding sites of three species of Neotropical *Ornidia* (Diptera, Syrphidae). – *Studia dipterologica* 12(2), 419-427.
- Rotheray, G.E. (2004): The early stage of *Xylota abiens* Meigen, with a key to the larvae and puparia of British *Xylota* species (Diptera, Syrphidae). – *Dipterists Digest* (2nd series) 11(2), 83-97.
- Rotheray, G.E.; Dussaix, C.; Marcos-Garcia, M.A.; Perez-Banon, C. (2006): The early stages of

- three Palaearctic species of saproxylic hoverflies (Syrphidae, Diptera). – *Micron* 37, 73-80.
- Rotheray, G.E.; Sarthou, J.P. (2007): Description of the larva and puparium of *Paragus absidatus* Goeldlin de Tiefenau, 1971 (Diptera, Syrphidae). – *Volucella* 8, 103-108
- Sadeghi, H. (2007): Response of aphidophagous hoverflies (Diptera, Syrphidae) to herbicide in winter wheat. – *Volucella* 8, 125-134
- Sagot, Ph.; Livory, A.; Lair, S.; Chevin, H. (2004): Enquête syrphes: bilan 2004. [Hoverfly survey: balance in 2004.] – L'Argiope (Manche Nature, association naturaliste et de protection de l'environnement), 46, 35-44. [In French]
- Saribiyik, S. (2004): Three new record for Turkish Milesiinae Fauna (Diptera: Syrphidae). – *Journal of the Entomological Research Society* 6(1), 19-22.
- Sarthou, J.P.; Dehondt, F.; Dussaix, C.; Libert, P.-N.; Vanappelghem, C.; van de Weyer, G. (2004): Contribution à la connaissance des Syrphes de 27 départements français; deux espèces nouvelles pour la France (Diptera, Syrphidae et Microdonidae). – *Bulletin de la Société entomologique de France* 109(2), 169-174. [In French with English summary]
- Sarthou, J.P.; Ouin, A.; Arrignon, F.; Barreau, G.; Bouyjou, B. (2005): Landscape parameters explain the distribution and abundance of *Episyrphus balteatus* (Diptera: Syrphidae). – *European Journal of Entomology* 102(3), 539-545.
- Schmid, A.; Hoehn, H.; Schmid, K.; Weibel, F.; Daniel, C. (2006): Effectiveness and side effects of glue-traps to decrease damages caused by *Byturus tomentosus* in raspberry. – *Journal of Pest Science* 79(3), 137-142.
- Schmid, U. (2007): How to find *Cheilosia rhodiolae* (Schmid, 2000) (Diptera, Syrphidae). – *Volucella* 8, 121-122.
- Schmid, U.; Moertelmaier, T. (2007): The larvae of *Brachypalpus chrysites* Egger, 1859 and *Chalcosyrphus valgus* (Gmelin, 1790) (Diptera, Syrphidae). – *Volucella* 8, 109-120.
- Schmidt, M.H.; Thewes, U.; Thies, C.; Tschartnke, T. (2004): Aphid suppression by natural enemies in mulched cereals. – *Entomologia experimentalis et applicata* (Nederlandse Entomologische Vereniging) 113(2), 87-93.
- Schönrogge, K.; Gardner, M.G.; Elmes, G.W.; Napper, E.K.V.; Simcox, D.J.; Wardlaw, J.C.; Breen, J.; Barr, B.; Knapp, J.J. (2006): Host propagation permits extreme local adaptation in a social parasite of ants. – *Ecology Letters* 9, 1032-1040.
- Schumann, H. (2004): Zweiter Nachtrag zur "Checkliste der Dipteren Deutschlands". – *Studia dipterologica* 11(2), 619-630.
- Schwartz-Tzachor, R.; Dafni, A.; Potts, S.G.; Elsi-kowitch, D. (2006): An ancient pollinator of a contemporary plant (*Cyclamen persicum*): When pollination syndromes break down. – *Flora, Jena* 201(5), 370-373.
- Schweiger, O.; Musche, M.; Bailey, D.; Billeter, R.; Diekötter, T.; Hendrickx, F.; Herzog, F.; Liira, J.; Maelfait, J.P.; Speelmans, M.; Dziock, F. (2007): Functional richness of local hoverfly communities (Diptera, Syrphidae) in response to land use across temperate Europe. – *OIKOS* (OnlineEarly Articles). doi:10.1111/j.2007.0030-1299.15372.x.
- Schweiger, O.; Maelfait, J.P.; van Wingerden, W.; Hendrickx, F.; Billeter, R.; Speelmans, M.; Augenstein, I.; Aukema, B.; Aviron, S.; Bailey, D.; Bukacek, R.; Burel, F.; Diekötter, T.; Dirksen, J.; Frenzel, M.; Herzog, F.; Liira, J.; Roubalova, M.; Bugter, R. (2005): Quantifying the impact of environmental factors on arthropod communities in agricultural landscapes across organisational levels and spatial scales. – *Journal of Applied Ecology* 42(6), 1129-1139.
- Short, B.D.; Bergh, J.C. (2004): Feeding and egg distribution studies of *Heringia calcarata* (Diptera: Syrphidae), a specialized predator of woolly apple aphid (Homoptera: Eriosomatidae) in Virginia apple orchards. – *Journal of Economic Entomology* 97, 813-819.
- Short, B.D.; Bergh, J.C. (2005): Separation of three common hover fly predators of woolly apple aphid based on the exochorionic sculpturing of eggs. – *The Canadian Entomologist* 137(1), 67-70.
- Silberbauer, L.; Yee, M.; Del Socorro, A.; Wratten, S.; Gregg, P.; Bowie, M. (2004): Pollen grains as markers to track the movements of generalist predatory insects in agroecosystems. – *International Journal of Pest management* 50(3), 165-171.
- Sivova, A.V. (2003): Ecology and trophic relations of some hoverflies entomophagous larvae (Diptera, Syrphidae) of the Russian Far East. – *Chteniya Pamyati Alekseya Ivanovicha Kurentsova* 14, 21-29. [In Russian with English summary]
- Smit, J.T. (2005): Leuke vangsten van zweefvliegen 2004. – *Zweefvliegennieuwsbrief* 9(1), 12.

- Smit, J.T.; Frankquinho Aguiar, A.M.; Wakeham-Dawson, A. (2004): The hoverflies (Diptera, Syrphidae) of the Madeiran Archipelago, Portugal. – *Dipterists Digest* (2nd series) 11(1), 47-82.
- Smit, J.T.; Zeegers, T. (2005): Overzicht van het Zweefvliegengenus *Psilota* in Nederland (Diptera: Syrphidae). – *Nederlandse Faunistische Mededelingen* 22, 113-120. [In Dutch with English summary]
- Smith, M.N. (2004): Oviposition by *Chrysotoxum cautum* (Harris, 1776) (Diptera, Syrphidae). – *Dipterists Digest* (2nd series) 11(1), 23.
- Sobota, G.; Twardowski, J. (2004): Variation in species spectrum of hoverflies (Diptera, Syrphidae) in arable crops depending on the collection method. – *Electronic Journal of Polish Agricultural Universities* 7(2) [http://www.ejpau.media.pl/series/volume7/issue2/biology/art-08.html]
- Sommaggio, D. (2006): Valutazione di Pascoli e Brughiere subalpine in Alta Savoia mediante l'utilizzo dei Syrphidae (Diptera). [Italian translation of: Speight, M.C.D.; Castella, E.: Assessment of subalpine grassland and heath sites in Haute-Savoie using Syrphidae (Diptera).] – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): *Syrph the Net, the database of European Syrphidae* 53, 42 pp. Dublin (Syrph the Net Publications).
- Sorokina, V.S.; Cheng, X. (2007): New species and new distributional records of the genus *Paragus* Latreille (Diptera, Syrphidae) from China. – *Volucella* 8, 1-33.
- Speight, M.C.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): 2005. *Syrph the Net on CD, Issue 3. The database of European Syrphidae*. ISSN 1649-1917. Dublin (Syrph the Net publications).
- Speight, M.C.D. (2004): Insect records from the Connemara (Co. Galway) and Mayo (Co. Mayo) National Parks, western Ireland. – *Irish Biogeographical Society Bulletin* 28, 31-60.
- Speight, M.C.D. (2005): An "expert system" approach to development of decision tools for use in maintenance of invertebrate biodiversity in forests. – *Environmental Encounters* 57, 133-141. Strasbourg (Concil of Europe).
- Speight, M.C.D. (2005): Species accounts of European Syrphidae (Diptera) 2005. – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): *Syrph the Net, the database of European Syrphidae* 49, 243 pp. Dublin (Syrph the Net publications).
- Speight, M.C.D. (2006): Species accounts of European Syrphidae (Diptera), Ferrara 2006. – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): *Syrph the Net, the database of European Syrphidae* 54, 252 pp. Dublin (Syrph the Net Publications).
- Speight, M.C.D.; Sarthou, J.-P. (2006): Révision de la liste des Diptères Syrphidae et Microdontinae de France métropolitaine et de Corse: 505 espèces confirmées, dont 13 nouvelles pour cette faune. – *Bulletin de la Société entomologique de France* 111(1), 11-20.
- Speight, M.C.D.; Castella, E. (2004): [Publication of the list of Syrphidae (Diptera) of Haute Savoie (France)]. – *Bulletin Romand d'Entomologie* 22(1), 23-38. [In French]
- Speight, M.C.D.; Castella, E. (2005): Assessment of subalpine grassland and heath sites in Haute-Savoie using Syrphidae (Diptera). – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): *Syrph the Net, the database of European Syrphidae* 46, 37 pp. Dublin (Syrph the Net publications).
- Speight, M.C.D.; Castella, E. (2005): Diagnostic de pelouses et landes subalpines, à l'aide des Diptères Syrphidae. – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): *Syrph the Net, the database of European Syrphidae* 47, 57 pp. Dublin (Syrph the Net publications).
- Speight, M.C.D.; Castella, E. (2005): StN Database: content and glossary of terms. 2005. – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): *Syrph the Net, the database of European Syrphidae* 50, 76 pp. Dublin (Syrph the Net publications).
- Speight, M.C.D.; Castella, E. (2006): StN Database: content and glossary of terms, Ferrara, 2006. – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): *Syrph the Net, the database of European Syrphidae* 52, 77 pp. Dublin (Syrph the Net Publications).
- Speight, M.C.D.; Monteil, C.; Castella, E.; Sarthou, J.-P. (2006): StN Ferrara 2006. – In: Speight, M.C.D.; Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): *Syrph the Net on CD, Issue 5. The database of European Syrphidae*. ISSN 1649-1917. Dublin (Syrph the Net Publications).
- Speight, M.C.D.; Verlinden, C.; Cocquempot, C. (2005) Records of Syrphidae (Diptera) from France – In: Speight, M.C.D., Castella, E.; Sarthou, J.-P.; Monteil, C. (eds.): *Syrph the Net, the database of European Syrphidae* 48, 32 pp. Dublin (Syrph the Net publications).

- Ssymank, A. (2007): Habitat use by Syrphidae (Diptera) in the valley of the river Strom – Part 2: Comparison of wet grassland and its succession stages. – *Volucella* 8, 165-184.
- Ssymank, A.; Krause, T. (2007): Schwebfliegen (Diptera, Syrphidae) in der Urdenbacher Kämpfe bei Düsseldorf. – *Volucella* 8, 185-217. [In German with English summary]
- Ståhls, G. (2006): Placement of *Cacoceria* and phylogenetic relationships of the xylotine genera of the tribe Milesiini (Diptera, Syrphidae: Eristalinae) based on molecular characters. – *Zootaxa* 1171, 17-29.
- Ståhls, G.; Stuke, J.H.; Vujic, A.; Doczkal, D.; Muona, J. (2004): Phylogenetic relationships of the genus *Cheilosia* and the tribe Rhingiini (Diptera, Syrphidae) based on morphological and molecular characters. – *Cladistics-the International Journal of the Willi Hennig Society* 20, 105-122.
- Standfuss, K.; Claußen, C. (2007): Zum aktuellen Artenbestand der Schwebfliegen (Diptera, Syrphidae) in der Ölbaumzone SO-Thessaliens/Griechenland. – *Volucella* 8, 147-164. [In German with English summary]
- Stuke, J.-H. (2006): Bemerkenswerte Zweiflügler aus Niedersachsen und Bremen (Insecta: Diptera) – 1. Teil. – *Drosera* 2006, 67-72.
- Teppner, H. (2005): Pollinators of tomato, *Solanum lycopersicum* (Solanaceae), in central Europe. – *Phyton-Annales Rei Botanicae* 45, 217-235.
- Thompson, F.C.; Marinoni, L. (2003): *Copestylum circumdatum* (Walker) (Diptera: Syrphidae): Redescription of a neotropical flower fly, with lectotype designations, and new synonyms. – *Entomological News* 114, 217-223.
- Togashi, I. (2004): Notes on some insects collected in Mt Yamabushi, the Noto Peninsula, Ishikawa Prefecture, Honshu, Japan. – *Bulletin of the Biogeographical Society of Japan* 59, 27-29. [In Japanese with English summary]
- Tolsgaard, S.; Bygebjerg, R. (2006): Svirrefluer (Diptera: Syrphidae) fra Ulvshale. Oversigt med to nye arter for Danmark. – *Entomologiske Meddelelser* 74(2), 151-163. [In Danish with English summary]
- Tooker, J.F.; Hauser, M.; Hanks, L.M. (2006): Floral host plants of Syrphidae and Tachinidae (Diptera) of central Illinois. – *Annals of the Entomological Society of America* 99, 96-112.
- Toth, S. (2004): The hoverflies fauna of the Szigetkoz (Diptera: Syrphidae). – *Folia Historico Naturalia Musei Matraensis* 28, 279-296. [In Hungarian with English summary]
- Ushimaru, A.; Hyodo, F. (2005): Why do bilaterally symmetrical flowers orient vertically? Flower orientation influences pollinator landing behaviour. – *Evolutionary Ecology Research* 7(1), 151-160.
- Valente, C.; Manta, A.; Vaz, A. (2004): First record of the Australian psyllid *Ctenarytaina spatulata* Taylor (Homoptera: Psyllidae) in Europe. – *Journal of Applied Entomology* 128(5), 369-370.
- van de Leij, L. (2004): Zweefjes in de Moerputten. – *Zweefvliegennieuwsbrief* 8(1), 10-11.
- van der Leij, L. (2005): Vijf ij vijf: 25 kilometerhokken voorzien van een stip. – *Zweefvliegennieuwsbrief* 9(1), 9-11.
- van der Leij, L. (2005): Waarnemingenrubriek. – *Zweefvliegennieuwsbrief* 9(1), 13-15.
- van der Leij, L. (Hrsg.) (2004): Waarnemingenrubriek. (2004, 2003) – *Zweefvliegennieuwsbrief* 8(1), 14-16.
- van Steenis, W. (2006): Hoverflies new to Luxembourg (Insecta, Diptera, Syrphidae). – *Bulletin Société des Naturalistes Luxembourgeois* 106, 101-104.
- van Veen, M. (2004): Veranderende verspreidingspatronen: vrijwilligersproject 2004 en verder. – *Zweefvliegennieuwsbrief* 8(1), 6-9. Leiden.
- van Veen, M.P. (2004): Hoverflies of Northwest Europe. 254 p. Utrecht (KNNV Uitgeverij).
- Vance, N.C.; Bernhardt, P.; Edens, R.M. (2004): Pollination and seed production in *Xerophyllum tenax* (Melanthiaceae) in the cascade range of central Oregon. – *American Journal of Botany* 91(21), 2060-2068.
- Velterop, J. (2004): Jan'n vliegenjaar 2004 tot en met koninginndag. – *De Vliegenmepper, Contactorgaan van de sectie Diptera van de Nederlandse Entomologische Vereniging* 12(1), 6-7.
- Veltmann, A. (2004): Vroeg vrouwtje *Eristalis tenax* (L.). – *De Vliegenmepper, Contactorgaan van de sectie Diptera van de Nederlandse Entomologische Vereniging* 12(1), 7.
- von der Dunk, K. (2006): Kommentierte Insektenliste der Abteilung Schießturmlach im Heroldsberger Forst / N-Bayern. – *Galathea* 22(3), 85-114.
- von der Dunk, K. [in Zusammenarbeit mit Doczkal, D.; Merkel-Wallner, G.; Röder, G.; Ssymank, A.] (2005): Syrphidae Bayerns – eine kommentierte Checkliste (Insecta: Diptera) [Syrphidae of Bavaria – an annotated checklist (Insecta: Diptera)]. – *Beiträge zur Bayerischen Entomofaunistik* 7, 97-114. [In German with English

- summary]
- Vujic, A.; Radenkovic, S.; Nielsen T.R.; Simic, S. (2004): A new European species of genus *Eristalis* Latreille, 1804 (Diptera: Syrphidae). – *Entomologica Fennica* 15(2), 119-123.
- Vujic, A.A.; Simic, S.D.; Radenkovic, S.R. (2003): New data on hoverflies diversity (Insecta: Diptera: Syrphidae) on the Fruska Gora Mountain (Serbia). – *Zbornik Matitse Srpske za Prirodne Nauke* 103, 91-106.
- Wakeham-Dawson, A. (2006): Records of hoverflies (Diptera, Syrphidae) from Ascension Island. – *Dipterists Digest* (2nd series) 13(1), 20-21.
- Wakeham-Dawson, A.; Franquinho Aguiar, A.M.; Smit, J.T. (2005): *Melanostoma wollastoni* Wakeham-Dawson, Aguiar, Smit, McCullough & Wyatt, 2004 (Diptera, Syrphidae): further description of arista. – *Dipterists Digest* (2nd series) 12(1): 78.
- Weipert, J.; Claußen, C. (2005): A new species of the genus *Orthonevra* Macquart, 1829 (Diptera, Syrphidae) from Nepal, with notes on the placement of two Oriental species. – *Studia dipterologica* 12(2), 319-330.
- Wetton, B. (2005): Three new species of hoverflies in Nottinghamshire. – *Derbyshire & Nottinghamshire Entomological Society Journal* 154, 24.
- Wnuk, A.; Pobożniak, M. (2004): The influence of weeding treatments in red beet crop on species composition of aphidophagous Syrphidae in colonies of *Aphis fabae* Scop. – *Journal of Plant Protection Research* 44(2), 102-109.
- Wohlers, W. (2004): Das Insekt des Jahres 2004 ist die Hain-Schwebfliege. – *Nachrichtenblatt des Deutschen Pflanzenschutzdienstes* 56, 61.
- Wohlers, W. (BMVEL & BBLF Hrsg.): Schwebfliegen nützlich und schön. – Faltblatt 1-14. Braunschweig.
- Wojciechowicz-Zytko, E. (2004): Predators occurring in *Myzocallis coryli* Goetze (Homoptera, Aphidodea) colonies on hazel (*Corylus* L.). – *Journal of Plant Protection Research* 44(3), 181-188.
- Wyss, U. & Mitarbeiter (2004): Lebensweise und Entwicklung der Schwebfliege *Episyrphus balteatus*. Entomologische Videodokumentation aus dem Institut für Phytopathologie der Christian-Albrechts-Universität zu Kiel. – DVD, Kiel (Entfilm).
- Yokohama, M. (2004): Little known hover-flies (Diptera, Syrphidae) in K. Iimijima's collection. – *Hana Abu* 18, 26-30. [in Japanese]
- Yokohama, M. (2004): The new Records of Hoverflies (Diptera, Syrphidae) from Japan. – *Hana abu* 17, 3-6. [in Japanese]
- Yokohama, M. [Mutin, V.A. & Barkalov, A.V.] (2004): Translation of Mutin and Barkalov's Syrphidae part in key to the insects of Russian Far East Vol IV Diptera and Siphonaptera Pt. 1; - Part 8, Key to the genus *Cheilosia* (part). *Psarochilosia*. – *Hana abu* 18, 9-25. [in Japanese]
- Zhang, H.-J.; Huo, K.-K. (2005): The classification systems of Syrphidae and advance in the related researches. – *Kunchong Zhishi* 42(2), 132-138. [In Chinese with English summary]
- Diakritische Zeichen sind in vielen Fällen nicht korrekt wiedergegeben.
- Wir danken H. Bartsch, J.-Y. Bagnée, R. Bygebjerg, C. Claußen, D. Doczkal, R. Freundt, M. Hauser, M. Jentzsch, C. Kehlmaier, N.P. Krivosheina, K.-E. Lauterbach, K. Lunau, G. Merkel-Wallner, T.R. Nielsen, M. Reemer, H. Schumann, M. Speight und G. Stähls für Sonderdrucke oder Hinweise.
- Anschriften der Verfasser:
- Frank Dziock, Fachgebiet Biodiversitätsdynamik terrestrischer Ökosysteme der TU Berlin, Rothenburgstr. 12, 12165 Berlin; frank.dziock@tu-berlin.de
- Ulrich Schmid, Staatliches Museum für Naturkunde Stuttgart, Rosenstein 1, 70191 Stuttgart; ulrich.schmid.smns@naturkundemuseum-bw.de
- Axel Ssymank, Bundesamt für Naturschutz, I.2.2, Konstantinstr. 110, 53179 Bonn; SsymankA@bfn.de

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Volucella - Die Schwebfliegen-Zeitschrift](#)

Jahr/Year: 2007

Band/Volume: [8](#)

Autor(en)/Author(s): Dziock Franz, Schmid Ulrich, Ssymank Axel

Artikel/Article: [Neue Schwebfliegen-Literatur \(8\) 241-256](#)