

Namen-Register.

Die in diesem Jahrgange publicirten neuen Gattungen, Arten und Varietäten sind durch fette Schrift kenntlich gemacht.

Hemiptera.

Acanthococcus aceris 7; **Agramma femoralis** 58, **laeta** 58; **Allygus abbreviatus** 61, **exemptus** 17, **furcatus** 61; **Anomia candidula** 38, **lactea** 38, **nitidula** 37, **Norgueti** 37; **Aphis quercus** 69; **Aspongopus viduatus** 166; **Asterodiaspis quercicola** 69; **Athyisanus erythrostictus** 17.

Boisduvalia piceae F. Löw 267.

Camptobrochis lutescens 59; **Camptopus lateralis** 57, 93; **Carcoporis lunula** 57; **Chermes fagi** 69; **Chionaspis salicis** 6; **Cicada atropunctata** 149, **blandula** 150, **carpini** 149, **flammea** 150, **gracilis** 150, **leporina** 147, **melanostricta** 149, **muscaeformis** 148, **nigropunctata** 149, **picta** 149, **tripunctata** 149; **Cimex inunctus** 133, 136, **neglectus** 137; **Cixius nervosus** 148; **Coccus laniger** 6, **spurius** 6, **ulmi** 6, **ulmi lanatus** 6; **Coreus hirticornis** 57, **scabricornis** 57; **Creis longipennis** 71.

Deltoccephalus Flori 37, **picturatus** 37; **Dictyophara multireticulata** 60.

Emblethis ciliata 58; **Enoplops discigera** 57; **Erythria Montandoni** 61; **Eupteryx atropunctata** 148, **aureola** 148, **binotata** 62, **carpini** 148, **melanostricta** 148; **nigropunctata** 148, **picta** 148, **tripunctata** 148; **Eurygaster integriceps** 57.

Flata leporina 148, **pallida** 147.

Gonocerus venator 57; **Gossyparia ulmi** 6.

Hyalesthes luteipes var. **Scottii** 60, **Mlokosiewiczii** 60.

Idiocerus affinis 15, **Heydeni** 15, **poecilus** 314, **rotundifrons** 15, **tibialis** 15, 314, **vittifrons** 15; **Issus coleoptratus** 61, 148, **frontalis** 61, 148, **muscaeformis** 148.

Lecanium aceris 69, **quercus** 69; **Leucaspis pini** 4, 5, **pusilla** F. Löw 3; **Livilla** 71.

Macropsis lanio 61; *scutellaris* 61; *Megalotomus limbatus* 57;
Monanthonia crispata 59; *vesiculifera* 59; *Mycterus nasutus* 61, *pallens* 61.

Nabis capsiformis 166; *Notus Ferrarensis* 62, *Montandoni* 61.

Oliarus leporinus 147, *melanochaetus* 60, *pallidus* 147, **Panzeri P. Löw** 147; **Opocrates Horváth** 136, 138, 161, *annulicornis* 136, 164, *curvidens* 136, 162, *dalmatina* 136, 162, *incerta* 136, 163, *rectidens* 136, 164; *Orsillus Reyi* 58; *Oudablis* 267; *Oxycarenus Helferi* 58; *Oxyrrhachis Delalandei* 61.

Palethrocoris disciger 57; *Pamera gracilis* 166; **Petalodera Horváth** 135, 138, *buccata* 136, 138, *dilatata* 136, 161; *Phyllophorpha laciniata* 57; *Piesma Laportei* 58, *maculata* 58; *Podops* 133, 135, 136, *annulicornis* 136, 164, *buccata Horváth* 136, 138, *curvidens* 136, 137, *dalmatina Horváth* 136, 162, *dilatata* 136, 161, *incerta Horváth* 136, 163, *inuncta* 135, 136, *rectidens Horváth* 136, 164, *Retowskii Horváth* 135, 137, *sicula* 166, *Spinolae* 166; *Psylla hippophae* 83, *phaeoptera* 83; *Pulvinaria ericae F. Löw* 115, *mesembryanthemi* 117.

Renteria Marqueti 60; *Rhynchosciara longirostris* 69.

Sciocoris terreus 137; *Scotinophara* 133, 165, *sicula* 166, var. *cornuta Horváth* 167; *Sehirus sexmaculatus* 57; *Serenthia femoralis* 58, *laeta* 58; *Stenocephalus agilis* 57, 58, *medius* 58, *neglectus* 58; *Stiphrosoma steganoides* 60; *Stomaphis* 69; *Storthecoris Horváth* 296, *nigriceps Horváth* 297; *Strachia picta* 57.

Tettigometra griseola 61; *Tetyra inuncta* 133, 137, *Tangira* 137; *Thamnotettix fuscovenosa* 61; *Therapha hyoseyami* 57; *Trioza binotata F. Löw* 83; *Typhlocyba lactea* 38, *candidula* 38, *nitidula* 37, *nivea* 39, *Norgueti* 37, *rosae* 38.

Zygina blandula 149, *flammigera* 149, *gracilis* 149, *nivea* 38, *querqus* 149.

Orthoptera.

Acridium migratorium 70.

Myrmechophana fallax 128.

Pachytulus migratorius 70; *Pezotettix baldensis* 128, *Cabellii* 128; *Pterochroza deflorata* 128.

Troglophilus cavicola 128.

Neuroptera.

Creagris plumbeus 293.

Formicaleo tetragrammicus 295.

Gymnocnemia 293.

Megistopus flavigularis 295; *Myrmecaelurus trigrammus* 291; *Myrmeleon Erberi* 289, *europaeus* 295, *formicalyx* 291, *formicarius* 295, *inconspicuus* 289.

Diptera.

Acanthiptera 319; *Acrocera globulus* 168; *Actia* 20, 64; *Actina tibialis* 160; *Alophora aurigera* 144, 145; *Ammomyia* 319; *Andrenosoma*

VIII

atrum 241; *Anthrax* 93, cingulatus 168, 169, 170, circumdatus 168, 169, claripennis 170, fenestratus 168, flavus 168, 169, 170, *halteralis* Kowarz 168, 169, 170, *Hottentotta* 170, humilis 168, *Maurus* 168, *Paniscus* 168, 169, 170; *Antocha* 199; *Aphamartania* 54, 55, 56, *Frauenfeldi* 55, polita 55, *syriaca* 55; *Argyramoeba sinuata* 168; *Aricia* 319; *Asilus* 93, crabroniformis 242; *Asynapta* 219, 220; *Atherix marginata* 110.

Beris clavipes 109, *vallata* 109; *Bibio* 30; *Bombylius* 26, 28, 108, 168, *ater* 168, *canescens* 168, *cinerascens* 168, *discolor* 168, *fimbriatus* 168, *major* 168, *medius* 168, *nubilus* 168, *pictus* 168, *undatus* 168, *variabilis* 168, *venosus* 168, *vulpinus* 168; *Brachyrhopala* 273, *maculata* Röder 274, *maculinevris* 273, *ruficornis* 273.

Calliphora erythrocephala 156, quadrimaculata 160; *Catabomba Gemellarii* 94, *pyrastri* 94; *Cecidomyia* 128, 213, 216, *abietiperda* 35, *bedeguariformans* 220, *foliorum* 220, *galiicola* 216, *hygrophila* Mik 210, 216, *ocellaris* 218, *rosaria* 220, *strobilina* 219, 220; *Ceratopogon* 160; *Ceraturgus* 54, 55, 56, *aurulentus* 54, 56, *brevis* 56, *cornutus* 56, *cruciatus* 56, *dimidiatus* 56, *lobicornis* 56, *niger* 54, 56, *nubilus* 56, *rufipennis* 56, *vitripennis* 56; *Chilosia* 284; *Chloria demandata* 160; *Chlorisops* 160, *tibialis* 160; *Chrysomyia formosa* 109; *Chrysomyza* 160, *demandata* 160; *Chrysopila aurata* 110, *erythrophthalma* 110, *nubecula* 110, *splendida* 110; *Chrysops coecutiens* 110, *quadratus* 110, *relictus* 110, *rufipes* 110; *Chrysotoxum canariense* 93, 123, *intermedium* 93, *triarcuatum* 123; *Coenomyia ferruginea* 109; *Cordylura Tiefii* 184; *Criorrhina* 28; *Ctenostylum* 65; *Culex* 28, 29, 299; *Cyrtoneura* 156, *stabulans* 156; *Cyrtopogon lateralis* 241, *maculipennis* 241, *ruficornis* 241.

Dasypteron 53, 56, *brevirostris* 53, 54, 55, 56, *cornutus* 54, *diadema* 241, *maculinevris* 273, *nubilus* 53, *teutonus* 241, *vitripennis* 53, 54, 55, 56; *Dicranoptyla* 199; *Dioctria* 56, *atricapilla* 241, *flavipes* 241, *lateralis* 241, Reinhardi 241, *rufipes* 241; *Diplosis* 218, 219, 220, *arcuata* 219, *caeomatis* 219, *coniophaga* 219, *Gollmeri* 220; *Docosia morionella* 184; *Dolichopus infuscatus* 107, *regalis* 88; *Dysmachus* 93, 241, *forcipula* 241, *fuscus* 93, *spiniger* 241, *trigonus* 241.

Echinomyia canariensis 95, *fera* 95, var. *canariensis* 95, *magnifica* 184; *Elephantomyia* 199; *Elliptera* 199, 200; *Empalia* 40; *Empheria* 40; *Endoiasimyia* 65; *Ephippium thoracicum* 109; *Epidosis* 27, 28, 30; *Epitriptus cingulatus* 242, *setosulus* 242; *Eriopogon* 56; *Eristalis tenax* 94; *Eurymyia* 66, *rhingioides* 66; *Exoprosopa capucina* 168.

Fabricia magnifica 184.

Gastrophilus equi 155; *Gymnopternus* 88, *civilis* 106, *comitialis* 107, *ministerialis* 107, *regalis* 106.

Haematopota 109, 318, *crassicornis* 109, 110, *italica* 109, 110, *nigricornis* 318, *pluvialis* 109, 110, 318, *variegata* 318; *Helophilus* 66, 94, *lineatus* 66, *modestus* 94; *Hemipenthes* 168, *Morio* 168; *Hercostomus* 88, *germanus* 88, 89; *Hexatoma pellucens* 109, 318; *Hirmoneura* 11, 15, 25, 26, 114, 208, *brevirostris* 208, *clausa* 98, *exotica* 114, *obscura* 11, 25, 26, 62, 86, 87, 208, 236; *Homalomyia canicularis* 156, 157; *Hormomyia Reaumuriana* 218; *Hyalomyia* 144, *aurigera* 144, 175, 176, *Bonapartea* 144, 146,

175, var. *aurigera* Girschner 145, 146, var. *Bonapartea* Girschner 145, 146, var. *Kriechbaumeri* Girschner 145, 146, *Helleri* 177, hemiptera 144, *Kriechbaumeri* 146, *urnifera* 144; *Hydromyza Tiefii* 184.

Isopogon 53, 54, 55, 56, 241, *brevis* 53, 54, 55, *nubilus* 54, 55, *parvulus* 53; *Itamus cyanurus* 242, *geniculatus* 242, *socius* 241, 242

Kirimyia 65.

Laphria fimbriata 241, *flava* 241, *gibbosa* 241, *gilva* 241, *ignea* 241, *marginata* 241; *Lasiopogon cinctus* 241; *Leptarthrus* 53, 54, 56, *aemulator* 56, *analis* 56, *brevirostris* 56, 241, *dives* 56, *Frauenfeldii* 56, *pictus* 56, *politus* 56, *syriacus* 56, *vitripennis* 56; *Leptis conspicua* 110, *immaculata* 110, *liteola* 110, *maculata* 110, *notata* 110, *punctata* 110, *scolopacea* 110, *strigosa* 110, *tringaria* 110, *vitripennis* 110; *Leptogaster cylindrica* 241, *guttiventris* 241; *Lestremia* 30; *Limnobia virgo* 201.

Machimus atricapillus 241, *chrysitis* 241, *rusticus* 241; *Melia* 20, 64; *Merodon* 284; *Mesembrina* 284; *Microchrysa flavicornis* 109, *polita* 109; *Mochtherus flavigornis* 242, *pallipes* 242; *Musca domestica* 156, 157; *Myobia tricolor* 184.

Nemotelus globuliceps 109, *nigrinus* 109, *pantherinus* 109, *uliginosus* 109; *Nicocles* 54, 55, 56.

Odontomyia hydroleon 109, *infuscata* 109, *microleon* 109, *tigrina* 109, *viridula* 109; *Oncodes zonatus* 168; *Onesia polita* 184; *Orimarga* 198, 199, *alpina* 201, 202, *anomala* Mik 198, 201, 202, *virgo* 202; *Orimargula* Mik 198, 199, *alpigena* Mik 198, 199; *Oxycera trilineata* 109.

Pachygaster 109, *minutissimus* 109; *Paratinia* 40, *sciarina* 39; *Pegomyia* 156; *Phalacromyia* 284; *Phasia* 146, *crassipennis* 90, *urnifera* 144; *Pthiria pulicaria* 168; *Physocephala biguttata* Roeder 94, *lacera* 94, *pusilla* 94; *Phytomyptera* 20; *Platyura* 28, 29; *Ploas virescens* 168; *Poecilobothrus* 88, 105, 107, *basilicus* 105, 106, *Bigotii* Mik 88, 90, 105, 106, 107, *comitialis* 105, 106, 107, *ducalis* 105, 106, 107, *lugens* 93, *nobilitatus* 89, 90, 105, 106, 107, *principalis* 105, 106, *regalis* 105, 106; *Pollenia rudis* 154; *Polylepta* 40; *Promachus latitarsatus* 93; *Protophanes* 241, *punctipennis* 241; *Psilocephala ardea* 242, *eximia* 242; *Psilopus* 20, 64; *Ptecticus* 28, 30; *Ptiolina* 14, *obscura* 110; *Ptychoptera* 29; *Pygostolus* 54, 55, 56.

Rhadiurgus variabilis 242; *Rhamphidia* 199; *Rhingia* 66, *muscaria* 66; *Roeselia* 20.

Sargus 29, 109, *cuprarius* 109, *nubeculosus* 109; *Scenopinus fennstralis* 242, *niger* 242; *Sciara* 217, 218, *foliorum* 218, *ocellaris* 128, 218, *tilicola* 217; *Sericomyia borealis* 155; *Silvius hirtus* 318, *vituli* 318; *Sphecolyma* 319; *Stilpnogaster aemulus* 242; *Stomoxys* 183; *calcitrans* 95; *Stratiomyia chamaeleon* 109, *equestris* 109, *furcata* 109, *longicornis* 109; *Sympetrum* 14, *crassicornis* 110, *melaena* 110; *Syrphus affinis* 235, *excisus* 235, *pyrastri* 94; *Systoechus ctenopterus* 168, *sulphureus* 168.

Tabanus 317, *apricus* 317, *ater* 317, *autumnalis* 110, 317, *borealis* 109, *bovinus* 110, *bromius* 110, *cordiger* 110, *fulvus* 110, *glaucopis* 14, 110, *graeceus* 317, *luridus* 110, *maculicornis* 110, 317, *micans* 109, Mikii 317, *montanus* 110,

plebejus 110, quatuornotatus 110, rusticus 110, solstitialis 110, spodopterus 110, sudeticus 110, umbrinus 317; *Tachina* larvarum 95, rustica 64; *Taracticus* 53, 54, 56; *Tetanocera* 80, cibrata 80; *Thaumastoptera* 199; *Thereuia* 242, amoena *Kowarz* 242, arcuata 93, 242, circumscripta 242, jugens 242, microcephala 242, nobilitata 242, pl-beja 242, superba 242, ursina 242; *Thryptocera* exoleta 64; *Tolmerus* pyragra 242; *Tropidia* 66.

Vermileo Degeeri 114; *Viviania* tricolor 184; *Volucella* 284, aperta 284, ardua 284, bombylans 284, chalybescens 284, dorsalis 284, vaga 284.

Xylophagus ater 109, cinctus 109.

Yetodesia 319.

Lepidoptera.

Acherontia Atropos 156; *Acidalia* fumata ab. simplaria 32, punctata 32; *Acipitilia* baliodactyla 34; *Acronycta* alni 246, strigosa 32; *Aglia* Tau 32; *Agrotis* candelarum 32, corticea 32, cuprea 32, 246, depuncta 32, grisescens 247, hyperborea var. carnica 246, strigula 32; *Ambleptilia* acanthodactyla 34; *Amphipyra* livida 247, perfusa 32, 247; *Anaitis* plagiata 249, praeformata 249; *Anarta* melanopa var. rupestralis 248; *Anchinia* daphnella 34; *Apatura* Iulia 190, var. clytie 190, Iris 31, 190; *Argynnis* Dia 191, Ino 31, Niobe 190, var. Eris 31, 191, Pales 31, var. Arsilache 191; *Aspilates* strigilaria 33; *Aventia* flexula 32.

Boarmia abietaria 33, 111, 112, consortaria 112, ilicaria 111, 114, secundaria 33, 111, 112, 113, *Viertlii* Bohatsch 111, 113, 114; *Boletobia* fuliginaria 32; *Bombyx* erataegi 111; *Botys* lutealis 34, nigralis 34, octomaculata 34, porphyralis 34; *Butalis* cuspidella 34.

Caradrina Morpheus 32; *Catocala* conversa var. agamos 248, promissa 32; *Charaeas* graminis 32; *Cidaria* affinitata 277, var. turbaria 33, alaudaria 277, albula 33, aptata 249, bicolorata 33, Blomeri 33, 277, 278, caesiata 250, cambrica 250, capitata 278, corylata 278, cuculata 33, designata 33, 250, ferrugata 250, flaviata 250, hastata 277, var. subhastata 277, hydrata 33, 277, incursata 33, 250, infidaria 250, Kollararia 33, luctuata 276, lugubrata 33, miata 249, minorata 33, 277, molluginata 33, munitata 33, 249, nebulata 250, pomoeraria 250, salicata 33, 249, scripturata 33, simulata 249, sordidata 278, suffumata 33, 250, testacea 277, 278, tophacea 33, 250, variata 249; *Cleogene* niveata 249; *Coenonympha* Iphis 221, Philoxenus 221, Tiphon 221; *Colias* 288, Edusa 190, Marnoi 288, Myrmidone 190, Phicomone 31; *Collix* sparsata 278; *Conchylis* cruentana 34, pallidana 34; *Crambus* falsellus 34; *Cucullia* lucifuga 32, prenanthis 247.

Deilephila euphorbiae 222, galii 32; *Deiopeia* pulchella 245; *Dianthoecia* albimacula 32, caesia 244, filigrana var. xanthocyanea 247; *Diphthera* ludifica 246.

Epichnopteryx 245; *Epinephele* Arete 221, Cassiope 221, Janira 221; *Epione* apiciaria 33; *Erebia* 31, 194, Arete 192, 193, var. albofasciata 193, Epiphron 192, var. Cassiope 191, 192, ab. *Nelamus* 191, 192, Eriphyle 31, 191, 192, Eumenis 193, Euryale 194, Gorge 194, ab. *Triopes* 194, *Hippomedusa* 193, 194, lappona 194, 245, *Ligea* 194, *Manto* 192, 193, 194,

Medusa 193, var. *Psodea* 193, *Melampus* 191, 192, 193, *Mnesträ* 192, *Oeme* 194, *Pharte* 192, 193, *Pronoë* 193, 194, var. *Pitho* 194, *Pyrrha* 192; *Eudemis* *Kreithneriana* 24; *Eupithecia* 189, abbreviata 230, *abietaria* 278, *absinthiata* 34, 228, 280, *albipunctata* 187, 228, 279, *alliaria* 186, *altenaria* 187, *arcenthata* 186, *assimilata* 228, *bergunensis* 185, *castigata* 186, 188, 279, *chloerata* 186, *conterminata* 188, *coronata* 278, *debiliata* 227, 278, *denotata* 228, *digitaliata* 34, *distinctaria* 228, *egenaria* 185, 186, *euphrasiata* 229, *exiguata* 280, *expallidata* 230, *extraversaria* 228, *extremata* 187, *glaucornictata* 187, *graphata* 227, *helveticaria* 186, 228, *immundata* 279, *impurata* 34, 279, *innotata* 228, 229, ab. *fraxinata* 229, *insigniata* 278, *inturbata* 229, *irriguata* 187, *isogrammaria* 34, 229, *lanceata* 229, 280, *laquearia* 187, *lariciata* 280, *Mayeri* 227, *millefoliata* 188, 278, *minutata* 230, 280, *modicata* 34, *nanata* 229, 279, ab. *obscureta* 279, *nepetata* 279, *oblongata* 34, 278, *pimpinellata* 280, *plumbeolata* 34, 229, 279, *pulchellata* var. *digitaliaria* 187, *pumilata* 229, *pusillata* 188, 278, *rectangulata* 34, 278, *satyrata* 279, *scabiosata* 188, 278, ab. *aequistrigata* 188, 278, ab. *orphnata* Bohatsch 188, *scriptaria* 34, 227, 244, *selinata* 228, *semigrapharia* 227, 279, *sextiata* 186, *sobrinata* 229, 280, *subciliata* 229, *subfulvata* 188, 227, 279, var. *oxydata* 227, 279, *succenturiata* 186, 227, *tenuiata* 34, 229, *togata* 34, 188, *trisignaria* 188, 230, *venosata* 34, 278, *veratraria* 34, 228, *virgaureata* 186, *vulgata* 228, 279.

Fidonia roraria 33; *Fumea* 245, *betulica* 246, *comitella* 246, *intermediella* 246, *nudella* 246, *pectinella* 246, *Sappho* 245.

Gelechia tessella 34; *Gnophos ambigua* 249, *dilucidaria* 33, 250, *glaucinaria* 33, *obfuscaria* 33, 249, var. *canaria* 249, *obscuria* 33, *ophthalmicata* 33, *pullata* 33, *serotinaria* 249, *sordaria* var. *mendicaria* 249; *Gnophria rubricollis* 32.

Hadena adusta 247, *Mailliardi* 247; *Halia brunneata* 249; *Harpella forficella* 34; *Hepialus Carna* 32, *Hecta* 32, *humuli* 32; *Hercyna alpestralis* 34; *Hypatima binotella* 34; *Hypoplectis adspersaria* 33; *Hyppa rectilinea* 247.

Jaspidea celsia 247, *Jodis alliata* 248, *lactearia* 248, *pntata* 248; *Lampronia praelatella* 34; *Lasio campa* *populifolia* 32, *pruni* 32, *tremulifolia* 32; *Leioptilus microdactylus* 34, *osteodactylus* 34; *Leucania conigera* 32; *Limenitis Camilla* 31, 190, 245, *populi* 190, *Sibylla* 31; *Lobophora viretata* 249; *Lycaena Alcon* 190, *Icarus* ab. *caerulea* 190, *Optilete* 190, *Semiargus* 190; *Lygris reticulata* 33.

Macaria signaria 249; *Macroglossa bombyliformis* 32, *fuciformis* 222; *Mamestra dentina* 247; *Mania Maura* 32; *Melitaea Athalia* 191, ab. *Navarina* 191, *Dictynna* 191, *didyma* var. *alpina* 31, *Phoebe* 191; *Mimaese o-
ptilus graphodactylus* 34; *Myelois rosella* 34.

Naclia ancilla 223; *Nemeophila plantaginis* 32, ab. *hospta* 32, ab. *matronalis* 32; *Nemophora metaxella* 34; *Nemotois lenellus* 34, *metallicus* 34; *Neptis Lucilla* 190; *Neuronia cespitis* 247; *Numeria capreolaria* 33.

Odezia atrata 33, *tibialis* 33; *Orrhodia vaccinii* 247; *Ortholitha bipunctaria* ab. *gachtaria* 33; *Oxyptilus didactylus* 34, *parvidactylus* 34.

Panthea coenobita 246; *Papilio Machaon* 189; *Pararge Hiera* 221, *Maera* var. *Adrasta* 221; *Parnassius Apollo* 31, 189, 190; *Pempelia orna-*

XII

tella 34; *Phothes des captiuncula* 32; *Pieris Daplidice* 190, *rapae* 190; *Pionea forficalis* 34; *Platyptilia Zetterstedtii* 34; *Plusia Ain* 32, 247, *bractea* 32, 247, *Chryson* 32, *Hochenwarthi* 247, *interrogationis* 32, 247, *pulchrina* 32; *Polyommatus Dorilis* 190, *Hippothoe* 190, var. *Eurybia* 190; *Prothymia viridaria* 247; *Psodos alpinata* 33, *quadrifaria* 33; *Psyche hirsutella* 245, *tenella* 245.

Satyrus Circe 221; *Scoparia crataegella* 34; *Sesia affinis* 222, 223, *annellata* 222, 223, *scoliiformis* 32, *stomoxyformis* 222, 223; *Spilosoma lubricipedus* 160, *luctuosa* 160; *Syntomis* 223, *Phegea* 223; *Syrichtus* 222, *alveus* 222, *Andromedae* 222, *cacaliae* 222, *malvae* 222, ab. *Taras* 222, *serrulae* 222.

Thecla rubi 190; *Thyris fenestrella* 32; *Toxocampa viciae* 32.

Vanessa Jo 191, *urticae* 190.

Zanclognatha grisealis 32, *tarsipennalis* 32; *Zygaena angelicae* 32, *Ephialtes* ab. *Athamanthae* 32, ab. *Medusa* 32, *hippocrepidis* 222, *meliloti* 32, *transalpina* 32, 222.

Hymenoptera.

Andricus corticis 206, *fecundatrix* 131, *Mayri* 206, *radicis* 129, 130, 173, 174, *ramuli* 132, *serotinus* 131, *Sieboldi* 130, *singularis* 206, *singulus* 206; *Aulax scorzonerae* 9.

Biorhiza aptera 206, *terminalis* 129; *Bothinostethus* 288.

Chilaspis Löwii 7, 8; *Clytochrysus* 82, *planifrons* 82; *Crabro* 81, *nigritarsus* 81, 82; *Cynips amblycera* 129, *argentea* 130, *caliciformis* 130, *calicis* 129, 131, 171, *caput Medusae* 129, 130, 173, 174, *conglomerata* 130, *coriaria* 129, 171, *glutinosa* 131, *hungarica* 129, 130, 173, *Kollaris* 130, 131, 171, *lignicola* 131, *polycera* var. *subterranea* 130, *superfetationis* 131, *tinctoria* 130, 171, *truncicola* 129, 171.

Dryophanta folii 129, 130, 131, 171, 172, *pubescens* 130, 131.

Ectemnius 82.

Hemiteles 131, 132.

Larra anathema 226; *Lochites Mayri* Wachtl 9, *papaveris* 10; *Lophyrus pini* 215; *Lyrops fluctuata* 226.

Neuroterus furunculus 23, *ostreus* 23.

Paraliris 288; *Periclistus* 132; *Pompilus chalybeatus* 49, *Hiendlmayri* Kohl 49, *trivialis* 49.

Rhodites 132, *Mayri* 23, *osthospinae* 23, *rosae* 129, 131.

Solenius 82, *nigritarsus* 81, 82, *vagus* 82; *Synergus* 132.

Tachysphex 226, *fluctuata* 226, *Panzeri* 226; *Tachytes discolor* 226, *erythropus* 226, *grandis* 226, *Panzeri* 226; *Thyreocnemus* 51, *pugillator* 50, 51; *Thyreopus* 50, 51, *alpinus* 50, *cribrarius* 50, *interruptus* 50, *Korbii* Kohl 50, 51, 52, *lactarius* 50, *peltarius* 50, 51, 52, *pterotus* 50, *pugillator* 50, 52, *rhaeticus* 50, *scutellatus* 50; *Torymus* 132, *glechomae* 128, *Heyeri* Wachtl 35.

Xylocopa 114, *Augustii* 114.

Coleoptera.

Acanthoderes modestus 298; *Adialampus* 104; *Aëlio* 104; *Aglenus major* 95; *Amblystomus dilatatus* 141, *escorialensis* 139, 142, *levantinus* Reitter 139, 140, *Macedo* 142, *majoricensis* 141, *mauritanicus* 139, 140, var. *albipes* 140, var. *ruficornis* 139, *metallescens* 139, 141, *niger* 139, 141, *picinus* 139, 142, *Raymondi* 139, 142, *rectangulus* Reitter 139, 143, *sardous* 142, *Solskyi* 140; *Anisocymnus* 67; *Anommatus* 208, *basalis* Reitter 197, *duodecimstriatus*, *Kiesenwetteri*, *pusillus* 195, 196, 197; *Anopleta excisa* 301; *Anthaxia helvetica* 87, 280, *quadripunctata* 86, 87, 280, *Artabas* 103; *Articeros stricticornis* 96; *Athous niger* 63; *Axinocerus* 207.

Bledius funestus Eppelsheim 271; *Bolitochara eximia* Eppelsheim 251; *Bryaxis Retowskii* Simon 8; *Byrrhus* 91; *Bythinus portalegrensis* 24.

Callicerus atricollis var. *fulvicornis* Eppelsheim 255; *Calopterus* 104; *Carabus acutangulus* 96, *gemellatus* 96, *imitator* 96, *separandus* 96, *Staehlini* 96, *Weisei* Reitter 1, 63, 206; *Cerambyx lusitanus* 299; *Cistela* 91; *Cladis* 67; *Clerus* 151; *Conizonia detrita* 216; *Cryptophagus betae* 96; *Cytillus* 91.

Epicares hamatooides 23; *Eretmotes Talyshensis* Reitter 143; *Euaesthetus fulvus*, *ruficapillus* 265, 266; *Exocentrus Stierlini Ganglbauer* 298.

Feronia Tieffenbachii 178.

Hesperophanes Kotschyi Ganglbauer 300; *Hetaerius grandis* Reitter 143, *Lewisi* Reitter 143; *Homalium Merkli* Eppelsheim 305; *Homalota Chyzeri* 270, *excisa* Eppelsheim 301; *Hybocephalus* 23; *Hylaia dalmatina* Kaufmann 10.

Ilyobates Merkli Eppelsheim 254.

Julodis Frey-Gessneri, *variolaris* var. *undulata* Heyden 107.

Lamia balteata 299, *modesta* 298; *Lasinus* 288; *Leptusa Bodenmeyeri* Eppelsheim 252, *Lederi* Eppelsheim 252; *Lianoe* 103; *Lucanus* 151.

Mentraphus Sharp 225, *pselaphodes Sharp* 226; *Molorchus minimus* var. *Schmidti* Ganglbauer 300; *Mychophilus* 97.

Oberea melanura, *pedemontana* 216, 280; *Ocyrsa crassa* Eppelsheim 302; *Oedichirus foveicollis* Quedenfeldt 117, *Oedipus* 118; *Orina alpestris* 239, *gloriosa* 240, *pretiosa* 240, *viridis* 240.

Pachytychius Kirschii 96; *Pardilens* 104; *Peritelus caucasicus* 96; *Phaenotherion Steindachneri* Frivaldszky 36; *Pharus Fleischeri Weise* 67, *varius* 68, *vilosulus* Weise 67, 97; *Phyllocerus herculeanus* 96; *Phytoecia detrita* 216, *fumigata* 216, *Kotschyi* 216, *orbicollis* 216, *simpliconica* 216, *volgensis* Kraatz 276; *Platycerus* 151; *Pselaphanax* 96; *Pseudophonus* 104; *Pterostichus Walteri* Reitter 224.

Rhaphitreus 288, *Rhizotrogus* 11, 26, 87, 208.

XIV

Sabienus 104; **Saperda carinata** 216, **sulphurata** 216, **vittigera** 216;
Saprinus brunnensis **Fleischer** 179; **Scaptia ophthalmica** 310; **Scymnus pharoides** 97; **Sitarobrachys Reitter**, **brevipennis Reitter** 309, 310; **Stenus excellens Eppelsheim** 303; **Syntectodes** 288; **Systenocerus** 151.

Taeniolobus 104; **Tanythrix corpulenta** 122, 256, 257, **edura** 121, 122, 256, 257, **Heydeni Hopfgarten** 119, 122, 180, 255, 256, 257, **margine-punctata** 119, 121, 122, 180, 256, **senilis** 121, 122, 256; **Taphrophorus** 24; **Tapinopterus Duponcheli** 119, 120, 180, 181, **filigranus** 119, 120, **protensus** 120, 180, 181, **punctatostriatus Heyden** 119, 180, 181; **Thanasimus** 151; **Tmesiphorus** 288, **Triarthron Cedonulli**, **Lecontei** 95; **Trichodes** 151; **Trotomidea Reitter**, **Salonae Reitter** 307.

Zeatyrus **Lawsoni** 95.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Wiener Entomologische Zeitung](#)

Jahr/Year: 1883

Band/Volume: [2](#)

Autor(en)/Author(s): Anonymous

Artikel/Article: [Namen-Register VI-XIV](#)