

# The red dwarf honey bee, *Apis (Micrapis) florea* FABRICIUS, 1787 (Hymenoptera: Apidae) discovered in Eritrea

Futsum HAGOS & Michael MADL

## Abstract

*Apis (Micrapis) florea* FABRICIUS, 1787, is recorded from Eritrea for the first time by collecting near Mendefera (Dubub Province) and oral communications of people in the region of Assab (Southern Red Sea Province). The record from Mendefera is a natural expansion of the Ethiopian population. The population of Assab was introduced by man several years ago.

Key words: *Apis florea*, *Vernonia amygdalina*, Eritrea.

## Zusammenfassung

Die asiatische Zwerghonigbiene, *Apis (Micrapis) florea* FABRICIUS, 1787, wird erstmals für Eritrea nachgewiesen. Die Nachweise erfolgten durch eine Aufsammlung bei Mendefera (Dubub Provinz) und durch mündliche Befragung von Einheimischen in der Umgebung von Assab (Südliche Region des Roten Meeres). Die äthiopische Population erreichte durch natürliche Gebietserweiterung Eritrea bei Mendefera, während es sich bei der Population von Assab um eine Einschleppung durch Menschen handelt, die vor mehreren Jahren stattgefunden hat.

## Introduction

The red dwarf honey bee, *Apis (Micrapis) florea* FABRICIUS, 1787, which is native to the Oriental region, has expanded its range westwards into the Palaearctic and Afrotropical regions naturally or has been introduced by human activity (HEPBURN & RADLOFF 2011, SILVA et al. 2020). In the Palaearctic region, *Apis florea* is known from Pakistan, Iran, Iraq, Jordan, Israel, Egypt (Sinai Peninsula), Saudi Arabia, United Arab Emirates, Oman, and Yemen (MORITZ et al. 2010, HEPBURN & RADLOFF 2011, RADLOFF et al. 2011, SHEBL 2017, summarized in SILVA et al. 2020).

In the Afrotropical region, *Apis florea* was discovered near Khartoum (Sudan) in 1985 (LORD & NAGI 1987, MOGGA & RUTTNER 1988). Today, *A. florea*, which builds a small single open comb hidden in the vegetation, is widely distributed in Sudan and exists sympatrically with a native cave-breeding subspecies of *Apis mellifera* LINNAEUS, 1758 (EL-NIWEIRI & SATTI 2015, EL-NIWEIRI et al. 2019). As the invasion could be a risk for apiculture and the native ecosystem in Sudan, several studies have been carried out. Hitherto, the invasion of *A. florea* has caused no negative impact for agriculture and biodiversity conservation (MOGGA 1994a, b, EL SHAFIE et al. 2002, EL-NIWEIRI & EL-SARRAG 2006, EL-NIWEIRI & SATTI 2015, EL-NIWEIRI et al. 2019). *Apis florea* is also free of parasitic mites (EL-NIWEIRI & EL-SARRAG 2006) and of the greater wax moth (EL-NIWEIRI et al. 2005).



Fig. 1: A worker of *Apis florea* foraging on *Vernonia amygdalina* near Mendefera.

In 2003, *A. florea* was detected in Ethiopia and became well established in the Amhara and Tigray regions (PAULY & HORA 2013, BEZABIH et al. 2014, ZEWDU et al. 2016). No alien mites have been detected in the colonies (ZEWDU et al. 2016).

In 2014, *A. florea* was discovered in Djibouti (STEINER 2017), which is the latest introduction into the Afrotropical region. No further study has been carried out in Djibouti.

Until now, the record from Kenya by ALEXANDER (1991: 148 appendix 1), who mentioned no exact data, has been overlooked in the scientific literature. This material has been examined by SILVA et al. (2020) and published without further data except the geographical coordinates in the online appendix (Diani Beach, ca. 35 km S of Mombasa). No further studies have been carried out in Kenya.

### Records

As *A. florea* was recorded near the Eritrean border (Humera, Adi Kabsu, Rama) in Ethiopia (BEZABIH et al. 2014), it was only a matter of time before this alien honey bee species would be detected in Eritrea. Michael Madl observed workers of *A. florea* and *A. mellifera* south of Mendefera foraging together on *Vernonia amygdalina* DELILE (Asteraceae), a medicinal plant in Eritrea (YEMANE et al. 2017), without any interactions. The number of workers of the latter was much higher than of the former. The specimens were collected between 9:30 and 11:00 in sunshine and photographed around 15:30, by which time there was increasing cloud cover.

**Material examined:** Eritrea, Dubub Province, 1 km S Mendefera, 14°50'58"N, 38°48'54"E, ca. 1935 m a.s.l., 6 workers on *Vernonia amygdalina*, 10.11.2019, leg. M. Madl, coll. Natural History Museum Vienna.

*Apis florea* is well known to the people in the region of Assab (Southern Red Sea Province), not far from the border with Djibouti (Department of Agricultural Extension Annual Report for 2019, unpublished).

The Eritrean records apparently represent two different introductions. The population from Mendefera (1935 m a.s.l.) is a natural expansion of the Ethiopian one. As the people from the region of Assab gather honey of *A. florea*, the bee must have been introduced incidentally or intentionally by man probably via the port of Assab several years ago.

### Acknowledgements

We would like to thank Manuela Vizek (Natural History Museum Vienna, Austria) for her assistance in the Hymenoptera collection, Michael Engel (Snow Entomological Museum, Lawrence, Kansas, U.S.A.) for sending the electronic version of the paper by SILVA et al. (2020) and for a careful review of the manuscript, Jabir Ahmed (Ministry of Agriculture of the State of Eritrea), who identified the plant, and the staff of the Forestry and Wildlife Authority of the State of Eritrea for their collaboration in the field.

## References

- ALEXANDER B.A., 1991: Phylogenetic analysis of the genus *Apis* (Hymenoptera: Apidae). – *Annals of the Entomological Society of America* 84 (2): 137–149.
- BEZABIH G., ADGABA N., HEPBURN H.R. & PIRK C.W.W., 2014: The territorial invasion of *Apis florea* in Africa. – *African Entomology* 22 (4): 888–890.
- EL-NIWEIRI M.A.A. & EL-SARRAG M.S.A., 2006: Detection of the parasitic mite (*Varroa jacobsoni*) of honeybees (*Apis mellifera*) in Sudan. – *Albuhuth, Sudan Journal of Scientific Research* 10 (1): 60–75.
- EL-NIWEIRI M.A.A., EL-SARRAG M.S.A. & SATTI A.A., 2005: Detection, distribution and incidences of insect pests and predators of honeybees (*Apis mellifera* L.) in Sudan. – *Albuhuth* 9 (1): 104–122.
- EL-NIWEIRI M.A.A., EL-SARRAG M.S.A. & SATTI A.A., 2008: Survey of diseases and parasites of honeybees (*Apis mellifera* L.) in Sudan. – *Sudan Journal of Basic Studies, Serie B (Biological Sciences)* 14: 141–159.
- EL-NIWEIRI M.A.A., MORITZ, R.F.A. & LATTORFF H.M.G., 2019: The invasion of the dwarf honeybee, *Apis florea*, along the River Nile in Sudan. – *Insects* 10 (11): 405. doi: 10.3390/insects10110405.
- EL-NIWEIRI M.A.A. & SATTI A.A., 2015: Investigation on the occurrence and population densities of honeybees in northern Sudan. – *Journal of Science* 5 (3): 163–168.
- EL SHAFIE H.A.F., MOGGA J.B.B. & BASEDOW T., 2002: Studies on the possible competition for pollen between the honey bee, *Apis mellifera sudanensis*, and the imported dwarf honey bee *Apis florea* (Hym., Apidae) in North-Khartoum (Sudan). – *Journal of Applied Entomology* 126 (10): 557–562.
- HEPBURN H.R. & RADLOFF S.E., 2011: Biogeography of the dwarf honeybees, *Apis andreniformis* and *Apis florea*. – *Apidologie* 42 (3): 293–300.
- LORD W.G. & NAGI S.K., 1987: *Apis florea* discovered in Africa. – *Bee World* 68 (1): 39–40. [not seen]
- MOGGA J.B.B., 1994a: Comparative studies of the indigenous honey bee (*Apis mellifera* L.) and the recently introduced honey bee (*Apis florea* F.) in Sudan. – PhD Thesis, Khartoum University, Khartoum. [not seen]
- MOGGA J., 1994b: Vergleich der täglichen Flugaktivität von *Apis mellifera yemenitica* R und *Apis florea* F in Khartoum. – *Apidologie* 25 (5): 490–491. [in German, English, French]
- MOGGA G.B. & RUTTNER F., 1988: *Apis florea* in Africa: source of the founder population. – *Bee World* 69 (3): 100–113. [not seen]
- MORITZ R.F.A., HADDAD N., BATAINEH A., SHALMON B. & HEFETZ A., 2010 (online: 15.08.2009): Invasion of the dwarf honeybee *Apis florea* into the near East. – *Biological Invasions* 12 (5): 1093–1099.
- PAULY A. & HORA Z.A., 2013: Apini and Meliponini from Ethiopia (Hymenoptera: Apoidea: Apidae: Apinae). – *Belgian Journal of Entomology* 16: 1–35.
- RADLOFF S.E., HEPBURN H.R. & ENGEL M.S., 2011: The Asian species of *Apis*, pp. 1–22 in: HEPBURN H.R. & RADLOFF S.E. (eds.): *Honeybees of Asia*. – Springer Verlag, Berlin, 669 pp.
- SHEBL M.A., 2017: Discovery of *Apis florea* colonies in northeastern Egypt. – *African Entomology* 25 (1): 248–249.
- SILVA D.P., CAROLLINA A., CASTRO F., VILELA B., ONG X.R., THOMAS J.C., ALQARNI A., ENGEL M.S. & ASCHER J.S., 2020 (online: 21.11.2019): Colonizing the east and the west: distribution and niche properties of a dwarf Asian honey bee invading Africa, the Middle East, the Malay Peninsula, and Taiwan. – *Apidologie* 51 (2): 75–87.
- STEINER W.E.Jr., 2017: A scientific note on the arrival of the dwarf honeybee, *Apis florea* (Hymenoptera: Apidae), in Djibouti. – *Apidologie* 48 (5): 657–659.
- YEMANE B., MEDHANIE G. & SURENDER REDDY K., 2017: Survey of some common medical plants used in Eritrean folk medicine. – *American Journal of Ethnomedicine* 4 (2): 14.

ZEWDU A., DESALEGN B., AMSSALU B., GEBREAMLAK B. & TOLERA K., 2016: Assessment of alien honeybee species (*Apis florea*) in north west and northern Ethiopia. – Greener Journal of Agricultural Sciences 6 (3): 93–101.

Authors' addresses: Futsum HAGOS, Forestry and Wildlife Authority of the State of Eritrea, P.O. Box 1048, Asmara, Eritrea.  
E-mail: fuhageb@gmail.com

Michael MADL, 2<sup>nd</sup> Zoological Department,  
Natural History Museum, Burgring 7, 1010 Vienna, Austria.  
E-mail: michael.madl@nhm-wien.ac.at

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen](#)

Jahr/Year: 2020

Band/Volume: [72](#)

Autor(en)/Author(s): Hagos Futsum

Artikel/Article: [The red dwarf honey bee, \*Apis \(Micrapis\) florea\* Fabricius, 1787 \(Hymenoptera: Apidae\) discovered in Eritrea 109-112](#)