

## Register

der im Jahrgang II besprochenen Gattungen und Spezies.

- A**bia Caprifolii 54, Cerasi 64, fasciata 54, 260, Lonicerae 55, 260, mutica 54, sericea 50, 260, spissicornis 384; **A**canthostoma 359; **A**cero cuneatum brevisetis 215; **A**chantolena spinipes 214; **A**cidia cognata 236, Heraclei 236, 237, Lychnidis 237; **A**ciura rotundiventris 237; **A**ctora aestuum 249; **A**gapostemon semiviridis 197; **A**gronomza abbreviata 340, acuticornis 339, aenea 338, affinis 340, albicornis 343, albitarsis 339, amoena 343, annulipes 342, anthracina 339, atra 340, atricornis 343, basilaris 343, bicolor 343, bimaculata 339, blanda 343, calceata 343, cœnensis 340, cunctans 340, denticornis 339, errans 340, exigna 342, exilis 342, fasciola 344, femoralis 343, flava 340, flaveola 341, flaviceps 342, flavifrons 342, flavitarsis 339, frontalis 339, fulvipes 339, geniculata 341, glabriula 340, gracilis 339, gyrans 342, hyalipennis 343, imbuta 343, incisa 342, infuscata 342, lacteipennis 342, laevigata 340, lateralis 343, latipes 340, leucoccephala 339, luctuosa 342, lutea 340, M-atrum 338, manra 343, minuta 343, mobilis 338, morosa 338, muscaria 339, muscina 340, nana 338, nigrimana 343, nigripes 338, nigritarsis 339, obscurella 342, occulta 344, orbona 342, ornata 340, pallida 343, paucum 343, pectinata 341, perpusilla 342, pinguis 339, postica 339, puella 343, pulicaria 338, pulla 341, numila 342, pusilla 342, pusio 343, pygmaea 342, reptans 338, rufipes 338, scatophagina 341, scutellata 342, signata 343, sordida 339, striata 342, tarsata 343, tibialis 340, vagans 342, variegata 341, 343, vittata 344; **A**leidamea 187, **Algathia** 392, maculiceps 393, **A**llantus arenatus 55, Dominiquei 257, flavipes 257, marginellus 55, Serophulariae 257, vespa 50, 58, 54, 260; **A**llophyla atricornis 292; **A**mauronematus Fähraei 115, fallax 125, histrio 125, humeralis 125, leucolenus 125, microphyes 13, **M**oricei 388, migratus 61, tunicatus 11, 125, variator 96, viduatus 125, vittatus 125; **A**maurosomata fasciata 214, 215 (bis), flavipes 216; **A**missega 141, **M**oesaryi 142; **A**nacampa hyalinata 223; **Anagnota** 309, bicolor 309; **A**nevula compacta 107, Cretensis 106, Holtzi 105, 106, 107, nitida 105, var. nigricornis 106, oraniensis 106, 107; **A**ndronicus 187; **A**nepsiomyia 192; **A**nomalon 360, brevicorne 366, paradoxum 368, Wesmaeli 367, 368, xanthopus 367; **A**nomoea antica 241; **A**nthidium longiorue 109, steloides 109; **A**nthomyia abyssinica 134, arcuata

## IV

129, calliphoroides 135, chalybea 130, chilensis 135, dichroma 130, fasciata 136, gemina 130, Heydeni 131, humeralis 130, limbata 131, nigrina 131, nigritarsis 136, Ostensackeni 137, pedella 132, simensis 137, spiloptera 133, tonitrui 133, Wideri 137; *Anthomyza* albimana 307, 308, 343, gracilis 308, laeta 308, nitida 308; *Anthracophaga* frontosa 317; *Anthrax* morio 192; *Aphanistes* 360, armatus 367, bellicosus 367, ruficornis 368, thoracicus 367, Wesmaeli 368; *Prosthemma* *Carpentieri* 386; *Ardis* bipunctata 118, plana 118, suseata 59, *Tiliae* 261; *Argyraatrata* 113, *carinicornis* 386, ciliaris 119, coeruleipennis 121, coeruleoescens 117, 119, enodis 117, Maclayi 55, 64, pagana 117, Rosae 117, scapularis 262, ustulata 121; *Argyromoebea* *anthrax* 192; *Asteia* amoena 302, concinna 302; *Athalia* annullata 262, colibri 115, 257, glabricollis 49, 258, lineolata 55, 262, var. cordata 59, var. liberta 262, *Scutellariae* 257; *Atherigona* humeralis 130; *Athyroglossa* glabra 296, 297; *Aulacigaster* *rufitarsis* 305; *Aulacomerus* lutescens 62.

*Balioptera* combinata 307; *Barylypa* 359; *Barymutila* *Pythia* 47, stupida 47; *Bembex* *Beutenmüllerii* 288; *Blennocampa* affinis 50, alternipes 119, puncticeps 62, pusilla 118, *pumila* 262, tenuicornis 259; *Blepharoptera* *caesia* 292, halterata 292, iners 293, *inscrita* 293, modesta 294, ruficornis 294, serrata 292, 294; *Borborus* ater 346, clunipes 348, costatus 349, crenatus 349, dentielatus 345, equinus 346, fenestralis 348, fimetarius 346, flavipes 348, glabrifrons 346, glacialis 347, *hyalinipennis* 349, incanus 347, limosus 347, lugens 347, luridus 346, modestus 346, nervosus 349, niger 346, nitidus 346, obtusus 348, ochripes 348, opacus 348, pallidiventris 346, pallifrons 347, pallipes 347, pedestris 348, pumilio 348, pusillus 347, rufipes 347, rufitarsis 345, silvaticus 347, stercorarius 346, subsultans 345, suillorum 346, varipes 346, vitripennis 347; *Braechymutila* *androgyna* 44, 46, *gynandromorpha* 44, 46.

*Caenia* *palustris* 309, 310; *Caenophanomvia* 191; *Calameuta* *filiformis* 51, 56; *Caliosyphinga* *Ulmi* 261; *Calobata* *calceata* 246, *cibaria* 246, *cothurnata* 246, *ephippium* 246, *femoralis* 246, *palustris* 246, *petronella* 245, *sellata* 246; *Camarota* *flavitarsis* 250; *Capnoptera* *melanota* 318, *phaeoptera* 318; *Carmocaris* *bucephala* 252; *Carphotricha* *guttularis* 240, *pupillata* 240 (bis); *Centor* *Cereris* 317, *elongatus* 317; *Cephaleia* *alpina* 53, *reticulata* 57; *Cephalia* *nigripes* 230, *rufipes* 230; *Cephus* *cinctus* 51, 261, *nigrinus* 51, *pygmæus* 51, 257, 261; *Ceramius* *canicola* 278, *fumipennis* 275, *Karrooensis* 282, 373, *Schulthessi* 182; *Ceratinia* *polita* 198; *Ceratomya* *acuticornis* 344, *fulvipes* 330;

*Chilosia albipila* 355, *albiseta* 355, *abitarsis* 352, *anthraciformis* 352, *antiqua* 353, *auripila* 355, *caenicularis* 350, *chalybeata* 354, *chloris* 351, *chrysocoma* 350, *coeruleoescens* 354, *curialis* 352, *flavicornis* 351, *flavimana* 355, *flavipes* 352, *fraterna* 355, *fulvicornis* 352, *funeralis* 353, *glabrata* 355, *grossa* 350, *himantopa* 352, *luctuosa* 355, *maculata* 354, *means* 351, 355, *mutabilis* 351, 354, *nigricornis* 355, *nigriua* 350, *nigripes* 350, *nitida* 355, *oestracea* 350, *pagana* 354, *pallidicornis* 354, *placida* 355, *pratensis* 354, *ruficornis* 350, *ruralis* 354, *scutellata* 351, *tropica* 353, *urbana* 352, *variabilis* 350, *vernalis* 352, *vidua* 351, *viduata* 351, *vulnerata* 352, *vulpina* 353; *Chloropisca circumdata* 317, *glabra* 317 (bis), *lucida* 320, *simplex* 320; *Chloropsis albiceps* 318, *albipalpis* 320, *albisetis* 318, *abitarsis* 320, *amoena* 337, *angustifrons* 319, *anthracina* 319, *aprica* 319, *atra* 320, *brevipennis* 319, *calceata* 316, *Cereris* 317, *cineta* 320, *cinctipes* 317, *cingulata* 316, *circumdata* 317, *cognata* 318, *confluens* 316, *cornuta* 319, *diadema* 319, *elongata* 317, *fasciata* 316, *fasciola* 318, *fascipes* 320, *femoralis* 337, *flavitaris* 320, *frit* 319, *frontella* 318, *frontosa* 317, *fumipennis* 320, *geminata* 316, *geniculata* 337, *gentilis* 316, *glaberrima* 320, *glabra* 317, *gracilis* 315, *hyalinipennis* 337, *hypostigma* 315, *interrupta* 316, *laeta* 316, *laevigata* 319, *leptida* 319, *limbata* 317, *lineata* 317, *lineella* 320, *longula* 337, *lucida* 320, *maura* 319, *messoria* 317, *minuta* 315, *nasuta* 316, *nigrita* 337, *nitida* 320, *nitidissima* 320, *notata* 316, *ornata* 318, *palposa* 318, *phaeoptera* 318, *picta* 337, *plumigera* 318, *polita* 337, *pratensis* 318, *pusilla* 319, *pygmaea* 320, *quadrivittata* 319, *ruficeps* 319, *rufipes* 318, *scalaris* 316, *simplex* 320, *socia* 318, *speciosa* 316, *strigulata* 316, *sulcicollis* 320, *taeniopus* 316, *tarsata* 317, *trilineata* 320, *vagans* 320, *varipes* 337, *vindicata* 319, *vitripennis* 318; *Chortophila limbinervis* 136; *Chrysis bisulcata* 100, 101, *ellamoides* 98, *Friesiana* 99, 101, *Genbergi* 101, *Klugi* 101, *lateralis* 101; *Chrysochlamys ruficornis* 350; *Chrysogona Alfkni* 97, *armata* 101; *Chrysomyza demandata* 247; *Chrysotimus concinnus* 286; *Chyliza atrisettis* 245, *leptogastra* 245, *vittata* 245; *Cimbex Americana* 127, *Capreae* 126, *Fagi* 49, *Laportei* 261, *lutea* 126, *quadrimaculata* 64, *violacea* 261; *Cladofucha* 389, *insolita* 389; *Cladius difformis* 50, 259, *pectinicornis* 117, 128; *Clasiopa calceata* 296, *fulgida* 297, *obscurella* 296, 297 (ter), *palliditarsis* 296, *plumosa* 297, 302; *Clavellaria Amerinae* 62, 126, *Tonkinensis* 384; *Cleptes multilooides* 91, 204; *Clidogastra nigrita* 215; *Cnemopogen apicale* 214; *Coelopa frigida* 250; *Cordylura albilabris* 213, *albipes* 213, *analis* 215, *apicalis* 214, *armipes* 213, *atrata* 213, *bilineata* 216, *biseta* 213, *ciliata* 213, *fasciata* 214, *flavicaudis* 213, *fla-*

## VI

vicornis 214, flavipes 214, fraterua 215, frontalis 216, haemorrhoidalis 214, hydromyzina 215, latipalpis 215, liturata 214, livens 215, macroceros 215, nervosa 213, nigrita 215, obscura 215, pallida 215, picipes 213, pubera 213, pudica 213, punctipes 214, rufimana 213, rufipes 213, spinimana 214, spinipes 214, striolata 213, tarsea 215, varia 215, vittata 214; *Coremaceros cinctus* 254, *marginatus* 254; *Cosmiojoppa* 395, *violaceipennis* 395; *Crassiseta cornuta* 319, 337; *Croesus septentrionalis* 50, 60; *Cryptoeamprus ater* 121, *laetus* 121, *medullarius* 121, *nodus* 127, *orbitalis* 128, *ovum* 127, *Populi* 61, *pygmaeus* 121, *saliceti* 121, *salicieola* 127, *testaceipes* 121, *vennstus* 121; *Cryptus fulvipes* 203, *tarsoleuens* 202; *Cyanojoppa* 398; *Cyclopodia oxycephala* 170, *rubiginosa* 173; *Cylindrotoma glabrata* 13; *Cyrtotomum annus* 303.

**Dacus** Oleae 254; *Dasylabris affinissima* 46, basutorum 46, inflata 45, quinquepunctata 46; *Desmonometopha* flavipes 307, latipes 340, *M-atrum* 338; *Diastata adusta* 303, *annus* 303, *apicalis* 305, *basalis* 304, *costata* 304, *diadema* 305, *frontalis* 305, *fumipennis* 304, *gracilipes* 305, *leucopeza* 305, *luctuosa* 304, *marginalis* 304, *nebulosa* 305, *nitida* 305, *obscurella* 304, *obscuripennis* 304, *ornata* 305, *punctata* 305, *rufipes* 305, *rufitarsis* 305; *Dichaeta caudata* 295; *Dineura stilata* 259, *testaceipes* 258; *Diploptera messoria* 317; *Diseomyza incurva* 299; *Dolerus cornseans* 52, *gibbosus* 52, *gonager* 49, 52, *haematodes* 53, 257, *madidus* 53, *nigratus* 49, 52, *paluster* 49, *pratensis* 52, 53, *unicolor* 56; *Doryceros graminum* 254; *Drosophilacinerella* 302, *fasciata* 301, *fenestrarum* 301, *flava* 302, *funebris* 300, *fuscula* 302, *glabra* 301, *graminum* 302, *histrio* 301, *incana* 302, *littoralis* 302, *melanogastra* 301, *nigriceps* 302, *nigrimana* 302, *obscura* 301, *phalerata* 300, *rufipes* 302, *transversa* 301, *tristis* 301, *variegata* 300, *virginea* 301; *Dryomyza aulicus* 219, *flaveola* 219 (bis), *fusicornis* 219, *praenesta* 219.

**Ecoptomera excisa** 293, *longisetis* 294, *microps* 294, *silvatica* 294; *Elaeoptera brevipennis* 319; *Emphytus braceatus* 114, *calceatus* 259, *Carpini* 258, *cinctus* 118, *Grossulariae* 51, *perla* 114, 127, *rufocinctus* 118, 120, *serotinus* 114, *tener* 259, *togatus* 114, *Viennensis* 118; *Encarsioneura Sturmi* 52; *Enicita annulipes* 230 (bis), *Entodecta Gei* 51, *pumilus* 119; *Ensina Sonchi* 240; *Epeorus Wilsoni* 201; *Ephippiomyia* 191; *Ephydra aenea* 312, *albula* 310, *annulata* 309, *aquila* 310, *basilaris* 313, *coarctata* 310, *curvicaudis* 310, *flavipes* 312, *glabriola* 311, *glauea* 311, *guttata* 312, *interstineta* 312, *lacustris* 310, *leucostoma* 311, *littoralis* 310, *longipennis* 313, *melanostoma* 312, *mieans* 310, *minuta*

312, noctula 310, obscura 309, pallipes 313, palndum 310, pa-lustris 309, pieta 312, pictipennis 311, postica 312, punctato-nervosa 312, pusilla 313, quadrata 311, quadriguttata 311, quadripunctata 310, riparia 310, rufipes 313, stagnalis 310, stictica 311, subguttata 311; *Ephydria riparia* 310, 311; *Ephydrobia* *compta* 296, *leucostoma* 296, *polita* 337; *Erigorgus* 359; *Eriocampa disjunctiva* 140; *Eriocampoides aethiops* 117, *annulipes* 113, 126, 261, *Cerasi* 64, *cinxia* 113, *limacina* 59 (bis), 63 (ter), 64, 113, 117, 119, 126, 258, „*quercus alba*“ (sic!) 114, *Rosae* 117, *varipes* 62, 113; *Eucondylops* 377, *Konowi* 377; *Euphranta connexa* 224; *Eurina elypeata* 250, *lurida* 250, *pubescens* 249; *Eutropha albiceps* 318; *Exochilum* 359, *circumflexum* 363, *giganteum* 364, *unicolor* 364.

*Fenella intercus* 62; *Fenus a hortulana* 62, *pygmaea* 114, *Rubi* 120; *Fidelia* 374, *paradoxa* 374, *villosa* 375; *Fucellia fucorum* 215.

*Gastrohalictus* 102 *osmioides* 102; *Geomyza marginella* 306, *nigrimana* 303, *obscurella* 304; *Giton a distigma* 314; *Glabellula* 191; *Gravenhorstia* 358 *pieta* 361; *Gymnomera tarsea* 215; *Gymnopa aenea* 314, *glabra* 315, *nigra* 315, *rufitarsis* 315, *subsultans* 314; *Girostigma* 14.

*Habronyx* 360 *heros* 365, *gigas* 366; *Hadrojoppa* 396 *annulitarsis* 397; *Haplegis divergens* 317, *flavitaris* 320, *rufifrons* 319; *Haplostegus discalis* 103; *Harpiphorus lepidus* 114; *He camede albicans* 295; *Helomyza affinis* 291, *atricornis* 292, *bistrigata* 291, *caesia* 292, *canescens* 292, *fenestralis* 292, *ferruginea* 294, *flava* 291, *foeda* 291, *fuscana* 294, *fuscipennis* 293, *gigantea* 290, *griseola* 292, *halterata* 292, *humilis* 293, *iners* 293, *inscripta* 293, *Kaltenbachi* 394, *laeta* 293, *longisetis* 294, *lurida* 294, *microps* 294, *modesta* 294, *nemorum* 291, *nigricornis* 294, *notata* 291, *obscura* 292, *olens* 291, *pallescens* 293, *pallida* 291, *praeusta* 291, *rufa* 291, *ruficornis* 294, *rufiventris* 293, *serrata* 292, *silvatica* 294, *similis* 291, *simplex* 294, *tigrina* 291, *umbratrica* 294, *ustulata* 292, *variegata* 291, *villosa* 292; *He mipenthes morio* 192; *Herina afficta* 225, *frondescantiae* 226, *luctnosa* 225, *lugubris* 225, *nigerrima* 225, *oscillans* 226, *palndum* 226, *pa-lustris* 226; *Heteromyza atricornis* 290, *buccata* 290, *flava* 290, *oculata* 290; *Heteroneura albimana* 313, *geomyzina* 313, *nubila* 313, *ruficollis* 313; *Heteropelma* 358 *caleator* 362; *Hippobosca albomaculata* 178, *calopsis* 162, *came-lina* 175, *Capensis* 174, *Corvi* 15, *dromedarina* 176, *maculata* var. *Aegyptiaca* 162, var. *Sivae* 162, *rufipes* 15, 177, 179, *Strigis* 15; *Hoeocryptus* 138 *undulatus* 139; *Holcochne coerulei*.

## VIII

carpa 61, crassa 126, Erichsoni 54, Jakowleffi 104; Homalura tarsata 249; Hoplocoma brevis 59, chrysorrhoea 116, flava 63, minuta 63, rutilicornis 63, testudinea 59, Xystocephala 55; Hyadina guttata 312, 313, nitida 313; Hydrellia affinis 299, albilabris 297, amoena 300, bicolor 300, discolor 296, flavidornis 296, fulviceps 296, griseola 295, 310, laticeps 297, lepida 300, litorella 299, maura 299, nigricans 296, nigriceps 295, opaca 300, ruficornis 300, rufitarsis 300; Hydroomyia dorsalis 290; Hylemyia Abessinica 134, Chilensis 135, Simensis 137.

Janus abbreviatus 127, compressus 58, cynosbati 113, integer 115, luteipes 116; Ilione fasciata 290.

Laphyctes 359; Lauxania aenea 231, albitarsis 232, atrimana 231, atripes 232, atrocoerulea 231, bivittata 232, cylindricornis 231, Elisae 231, frontalis 232, geniculata 231, glabrata 231, grisea 232, hyalinata 232, longipennis 232, lupulina 232, nigripes 232, pallida 232, seticornis 232, scutellata 231, vitripennis 231; Legnotomyia 191; Leiomyzza glabricula 340, laevigata 340; Leptocercus Auritae 121, duplex 54, ovatus 54, pectoralis 54; Leucopis albipennis 314, griseola 314, lusoria 314, puncticornis 314; Limnia albiseta 289; Limnophora tonitrua 133; Limosina arcuata 349, fulvipes 349, glabra 349, limosa 347, pusilla 347, rufipes 349, sacra 349, scutellata 349, tristis 349; Lipara lucens 249; Lipoptena dubia 159; Lisp a nuba 132; Lissa loxorina 245; Listropodia 160; Lithurgopsis 287; Lobioptera speciosa 314; Lonchaea aenea 233, albitarsis 235, chorea 232, Corsicana 234, crepidaria 234, 235, dasyops 234, ensifera 234, inaequalis 233, lasiophthalma 234, laticornis 234, latifrons 234, leucostoma 235, nigra 233, nigrimana 233, parvicornis 234, punica 235, pusilla 233, tarsata 233, vaginalis 233, 234, viridana 233, Zetterstedti 235; Lophyrus Abboti 58, abdominalis 58, Abietis 58, Americanus 58, dorsatus 57, frutetorum 57, Laricis 57, Lecontei 58, nemorun 57, pallidus 57, Pini 58, „pinus rigida“ (sic!) 58, rufus 58, socius 58, Thomsoni 57, virens 57; Loxoceros elongatus 244, fulviventris 244, ichneumoneus 244, silvaticus 244; Loxodesma lacustris 226; Lunigera Chaerophylli 256; Lyda erythrocephala 56, 58, hieroglyphica 56, 58, Laricis 53, stellata 56; Lygaeonematus biscalis 63, compressicornis 62, Doeblei 54, Laricis 54, moestus 59, mollis 262, Wesmaeli 54; Lynchia Capensis 166, lividicolor 164, maura 162, Penelopes 155, pusilla 157, rufipes 179.

Macrococcus linearis 259, satyrus 118; Macromeris honesta 3; Macropeza albitarsis 286; Macrophya

albicingula 128, punctum-album 50, 54, 114, Ribis 116; *Madarina glabra* 315; *Meckelia hortulana* 223, *Urticae* 223; *Megalodonta* 266 *Anatolicus* 325, *bucephalus* 270, 327, *cephalotes* 271, 332, *Escalerai* 269, 324, *exornatus* 269, 324, *flabellicornis* 269, 325, *flavicornis* 271, 331, *gratosus* 270, 326, *imperialis* 268, 272, *Kohli* 268, 321, *Klugi* 331, *laticeps* 271, 333, *Loewi* 268, 322, *luteiventris* 269, 326, *medius* 271, 330, *multicinctus* 268, 322, *nitens* 334, *Olivieri* 270, 327, *pectinicornis* 270, 329, *Phoenicins* 268, 321, *plagiocephalus* 271, 332, *quinquecinctus* 270, 328, *Reitteri* 269, 323, *Scorpiakowskii* 268, 271, *Spiraeae* 270, 329, *spissicornis* 54, 271, 331; *Melanopus* 334 *Fabricii* 335; *Meliera crassipennis* 223, *picta* 224; *Melipona bipunctata* var. *luteipennis* 382, *buyssoni* 383, *puncticollis* 382, *Silvestrii* 382; *Melissa pilierus* 200; *Meliturga clavicornis* 108, *spinigera* 107, 108, *spinosa* 108; *Meromyza laeta* 338, *nigriventris* 338, *pratorum* 337, *saltatrix* 338, *variegata* 337; *Mesoneura opaca* 114; *Microneurus abbreviatus* 58, 59 *Californicus* 59; *Micropeza corrigiolata* 246, *lateralis* 246; *Microprosopa haemorrhoidalis* 214; *Milichia maculata* 314, *speciosa* 314; *Miojoppa* 391 *rufa* 391; *Monochae tophora umbrarum* 256; *Monocentrus Juniperi* 53, *obsecuratus* 53; *Monophadnus albipes* 115, *cordiger* 50, *elongatus* 118, *genuiculatus* 51, 119, *monticola* 51, *Rubi* 120; *Monumetha* 187; *Morawitzia* 185 *panurguides* 186; *Mutilla Acrisione* 20, *acuticollis* 45, *Aede* 42, *Aglae* 31, *argenteiventris* 25, 48, *Bellona* 29, *bothavillensis* 19, 48, *breviuscula* 39, 45, *cataneusis* 22, *Charaxus* 22, *Cinchreis* 18, *Dejanira* 21, *Deidama* 29, *dubiosa* 40, 45, *Dumbrovia* 21, *Eavadne* 38, *Hermione* 17, *hoplocephala* 34, 45, *idonea* 44, *Illi* 42, *interrogata* 26, 48, *interrupta* 22, *leucopyga* 22, *lobognatha* 35, 47, *Marcella* 48, *Metella* 48, *notatipennis* 18, 48, *opaca* 22, *parva* 41, 45, *pectinata* 31, *pectinidorsis* 30, 44, *Peringueyi* 23, 48, *Persephone* 22, *purpurata* 33, *rufescens* 44, *septemmaculata* 37, 44, *sinuosiceps* 27, 48, *speculatrix* 24, *subfasciata* 45; *Myrmecaulus bipunctatus* 308, *varius* 215; *Myrmenis fasciata* 237.

*Nanomutilla microsoma* 43, 46; *Nematus anomalopterus* 12, *brevicornis* 12, *confusus* 12, *deficiens* 12, *erythropygus* 13, *Klugi* 139, *laevis* 11, *lepidus* 12, *microphyes* 13, *nitens* 11, *pachycerus* 11, *prototypus* 13, *stenogaster* 13, *Suessiogenesisis* 10, *V-flavum* 11, *xanthogaster* 12; *Nemopoda cylindrica* 229, *stercoraria* 230, *varipes* 230; *Neolimnophora* 94; *Neottiophilum praecustum* 219; *Neurotomia flaviventris* 56, 58, 63 (bis), *nemoralis* 63 (bis); *Nomada alboguttata* 5, *alternata* 5, *argentata* 5, *armata* 6, *atrata* 5, *bifida* 6, *borealis* 6, *brevicornis* 5, *cinnabarina* 6, *fabriciana* 6,

## X

ferruginata 6, flava 9, flavoguttata 6, fucata 6, fuscicornis 7, guttulata 7, Hoeppneri 6, Jacobaeae 7, lateralis 10, lathbriana 7, lineola 7, Marshamella 5, montana 8, mutabilis 7, obscura 7, obtusifrons 7, ochrostoma 7, Olympica 7, Phoenicea 9, roberjeotiana 7, ruficornis 9, rufipes 9, sexfasciata 9, similis 9, Solidaginis 9, succineta 9, Tormentillae 9, xanthosticta 10, zonata var. rhenana 10; *Nomadita* 8; *Norellia* armipes 213, flavicornis 214, liturata 214, nervosa 213, spinigera 214 (bis), spinimana 214, striolata 213; *Noterophilula* glabra 301; *Notiphila albicans* 295, albiceps 296, albifrons 296, albilabris 297, calceata 296, chrysostoma 295, cineraria 295, compta 296, erythrostoma 296, flaveola 295, flaviceps 297, flavicornis 298, flaviventris 297, glabra 296, glabriicula 297, griseola 295, leucostoma 296, madizans 298, marginella 298, nigella 297, nigriceps 295, nigrina 296, nigripennis 298, nitidula 298, obscura 296, obseurella 297, pallipes 296, plumosa 297, posticata 295, pulchella 297, pullula 298, pusilla 297, riparia 295, ruficeps 299, rufipes 297, tristis 297; *Nycteribiiden* 14; *Nycteribia Blasii* 161, elongata 160, fulvida 173, Mexicanica 171, oceanica 173, oxycephala 170, parvula 160.

*Ochthera* mantis 299; *Ochthiphila* albiceps 303, aridella 303, elegans 303, juncorum 303, litorella 303, nigrimana 303, polystigma 303; *Odontomutilla* Andromache 47, argenteoguttata 43, 47; *Odynerus* 287; *Oecothaea* fenestralis 292, 293; *Oedaspis* Wiedemauni 237; *Olfersia acarta* 149, bisulcata 179, Capensis 166, Courtilleri 179, erythrops 165, fusca 177, impressa 163, lividicolor 164, maura 162, Mexicana 179, minor 156, Noumeana 165, rufipes 179, rufiventris 169, sordida 164; *Ophyra* coerulea 130; *Opomyza* albimana 307, apicalis 307, atrimana 307, bicolor 309, bifasciella 305, bimaculata 307, bipunctata 308, circumdata 306, combinata 307, discoidea 306, distincta 306, flavipes 307, flavitarsis 307, florum 305, frontalis 308, germinationis 305, glabra 308, gracilis 308, grisea 308, laeta 308, leucopeza 308, marginella 306, modesta 307, nigriceps 308, nigrimana 306, nitida 308, rufipes 307, sororecula 307, tripunctata 308; *ventralis* 306, venusta 308; *Orechisia* costata 222, pictipennis 222; *Oregoceros* rufifrons 256, sticticus 255, unguicornis 256; *Ornithoeca* Andaiensis 165, 170; *Ornithoctona* Haitensis 168, Kanakorum 170, parva 180, plicata 166, 176, testacea 180; *Ornithomyia* 15, aenescens 170, fuscipennis 167, Haitensis 168, hova 166, Kanakorum 170, nitens 166, parva 180, plicata 176, rufiventris 169, testacea 180, variegata 170; *Ornithopertha* 167 nitens 167; *Ortalix* afflita 225, centralis 227, Cerasi 226, connexa 224, crassipeunis 223, formosa 224, 226, fulminans 223, gangraenosa 226, guttata

227, lacustris 226, lugubris 225, luctuosa 225, marmorea 223, nebulosa 227, nigrina 225, omissa 223, ornata 224, oscillans 226, paludum 226, palustris 226, pieta 224, pulchella 226, rivularis 225, rufipes 227, syngenesiae 226, tristis 224, Urticae 223, vibrans 226; *Orthofersia* 152 phaneroneura 153; *Orygma* luetnosa 250; *Oryssus* abietinus 49; *Oscinis* albisetata 318, fasciola 318, maura 300, palposa 318, plumigera 318, 319, rufipes 318; *Osmia* nigritula 109, parvula 109, spinulosa 4; *Oxypha Absinthii* 240, elongatula 239, parietina 239; *Oxyphora corniculata* 239, flava 239, Westermaanni 239.

**Pachycentris** 186 **Schrottkyi** 187; **Pachycerina** seticornis 232; **Pachynematus** albipennis 59, conductus 49, 51, extensicornis 51, 261, obductus 51, ocreatus 58, Ruminis 120, trisignatus 51, turgidus 51, Zaddachi 61; **Pachyprotatas** nigronotata 55, 59, Rapae 50, 257, simulans 257; **Palloptera** ambusta 222, Angelicae 222, arenata 222, modesta 307, parallela 222, saltuum 222, ustulata 222; **Pamphilus** Betulae 60, inanitus 116, lucorum 50, silvaticus 60, 64, 120, 258, stramineipes 116; **Padysehira** dubia 160, fusca 159; **Parallelomma** albipes 213, 216, vittata 214; **Pareophora** nigripes 63; **Parydra** aquila 310, coarctata 310, littoralis 310, pusilla 313; **Paururus** cyanus 58, invencus 56; **Pelina** aenea 311; **Penicillidia** fulvida 173, Mexicana 172; **Peploomyza** Baumhaneri 222, Wiedemannii 222; **Perga** chalybea 49, dorsalis 49, Försteri 49, Latreillei 49, Lewisi 49, polita 49; **Periclista** lineolata 114, melanocephala 114, pubescens 114; **Phaeomyia** nigripennis 252; **Pheribina** Coryleti 256, punctata 256; **Philotelma** (*Pseudoscatella*) nigripennis 298; **Philygria** femorata 312, flavipes 312, minuta 312, postica 312, sexmaculata 312; **Phortica** variegata 300; **Phrosia** albilabris 213; **Phylloomyza** securicornis 338, 339; **Phyllostoma** hastata 159; **Phyllotoma** microcephala 126 ochropus 62; **Phytomyza** affinis 344, agromyzina 344, albiceps 345, albipennis 344, albipes 345, annulipes 344, atra 344, atricornis 345, confinis 345, elegans 344, fasciata 345, festiva 344, flava 345, flavicornis 344, lateralis 344, marginella 345, minima 344, nigra 344, nigripennis 344, nitidicollis 345, notata 344, obscurella 344, oscinina 345, pallida 345, praecox 345, rufipes 344, scutellata 344, stylata 345, sulphuripes 344, tenuella 344, terminalis 345, viduata 345, vitripennis 345; **Piophilà** affinis 249, atrata 248, casei 247, confinis 249, distincta 249, flavitarsis 248, foveolata 248, laevigata 249, latipes 249, nigriceps 248, nigricornis 248, nigrimana 248, pusilla 249, sentellaris 248, varipes 249, vicina 249; **Pimpla** capulifera 369, laevigata 189; **Platycephala** nigra 254, planifrons 254, umbraculata 254; **Platyparea** discoidea 237,

**XII**

poeciloptera 224; *Platysoma rufipes* 247, *seminationis* 247, *umbrarum* 247; *Platystyla Hoffmannseggi* 245; *Pleroneura avingrata* 53; *Poecilosoma excisa* 127, *ignota* 50, *immersa* 120, 127, *liturata* 50, *longicornis* 259, *maculata* 50; *Pomphilus* 288 *honestus* 2; *Pontania bella* 122, *Bruneri* 128, *Californica* 128, *collactanea* 123, *desmodioides* 128, *femoralis* 122, *gracilis* 128, *Kriechbaumeri* 122, *leucosticta* 122, *parva* 128, *pedunculata* 122, *piliserris* 12, 122, *pisum* 128, *pomum* 128, *proxima* 122, *puella* 122, *resinicolor* 128, *Salicis* 122, *scotaspis* 122, *vesicator* 122, *viminalis* 122; *Priophorus Padi* 63, 64, 117, 119, 258, *tristis* 119; *Pristiphora Betulae* 62, *conjugata* 62, 126, *fulvipes* 126, *geniculata* 258, *idiota* 262, *Murtfeldtiae* 128, *pallidiventris* 50, 62, 119, *pallipes* 116, *puncticeps* 262, *punctifrons* 63, *ruficornis* 260, *Thalictri* 260, *ventralis* 64; *Prosopis* 65 *aemula* 80, *alineata* 88, *angustata* 70, 76, 88, 109, *annularis* 86, 193, 283, 285, *annulata* 70, 76, 88, *assimilis* 83, *bipunctata* 81, *blanda* 84, *brevicornis* 68, 72, 83, 109, *brevipalpis* 83, *breviventris* 83, *carbonaria* 83, *claripennis* 82, *elypearis* 65, 69, 73, 75, 84, *communis* 88, *compar* 90, 285, *confinis* 83, *confusa* 67, 74, 80, 81, *corvina* 80, *decipiens* 80, *diformis* 67, 72, 81, *dilatata* 70, 77, 90, 193, *discreta* 83, *ebenina* 88, *euryscapa* 65, 71, 77, 91, *floricola* 84, *foveolata* 81, *fumipennis* 83, *genalis* 67, 74, 80, *Gredleri* 83, *hyalinata* 66, 73, 80, 109, *immaculata* 90, *inecongrua* 80, *insignis* 80, *intermedia* 83, *Kriechbaumeri* 70, 76, 85, *Masoni* 65, 71, 77, 91, *medullaria* 109, *melanaria* 82, *meridionalis* 83, *misella* 80, *nigriceps* 81, *nigricornis* 88, *nigrita* 69, 75, 85, *obsecura* 84, *obscurata* 82, *oculata* 90, *opaca* 84, *palustris* 85, *pictipes* 68, 74, 82, *pratensis* 67, 73, 81, *punctulatissima* 67, 74, 82, *Rinki* 70, 77, 90, *rotundata* 83, *signata* 81, *siniata* 69, 75, 82, *Smithi* 90, *Styriaca* 65, 68, 74, 82, *subfasciata* 81, *submarginata* 88, *subquadrata* 80, *subtilis* 109, *tricuspidis* 109, *trimaculata* 65, 82, *variegata* 66, 71, 83, *vicina* 82; *Pseudacanthus Moravicus* 190; *Pseudagena honesta* 2; *Pseudepyrinæ* 204; *Psendopyris* 204 *paradoxa* 206; *Pseudodineura fuscula* 115, *Hepaticæ* 52; *Pseudofersia bisulcata* 179, *erythropsis* 165, *Mexicana* 179, *sordida* 164, *spinifera* 146, 179, *sulcifrons* 149; *Pseudoseps* 244, *signata* 243; *Psila atrata* 243, *atrimana* 243, *bicolor* 242, *fumetaria* 242, *fuscinervis* 243, *gracilis* 243, 248, *nigra* 243, *nigricornis* 243, *pallida* 242, *pectoralis* 242, *Rosae* 242, 243, *rufa* 242, *signata* 243, *villosula* 243; *Pteronotus brevivalvis* 124, *Capreae* 124, *eurtispinus* 124, *dilutus* 124, *dimidiatus* 61, 123, 261, *Fagi* 49, *hortensis* 116, *Hudsoni* 62, *hypoxanthus* 61, 124, *laevis* 11, *leucotrochus* 116, *melanaspis* 61, 123, *mendicus* 128, *miliaris* 61, 123, *Myosotidis* 56, 261, *nigricornis* 61, 124, *odoratus* 128, *oligospilus* 124,

pavidus 61, 123, Populi 62, Quercus 115, ribesii 116, Salicis 61, 128, simulator 125, Spiraeae 259, testaceus 124, trilineatus 116, ventralis 128, vertebratus 62; Pteropoeila lamed 226; Ptilonota centralis 227, guttata 227.

Rhadinoceaea micans 52, Reitteri 52; Rhagoletis Cerasi 238; Rhipidioceros 271; Rhogogaster punctulata 50, 127, 258, viridis 115, 127, 259; Rhopalomyia clavicornis 43, 47; Rhophites Hartmanni 381, nigripes 380; Rivellia syngenesiae 226.

Sabulicola Cirsii 8; Salius 288; Saltella scutellaris 248, 249; Sapromyza adumbrata 222, albiceps 220, ambusta 222, apicalis 220, arcuata 222, bipunctata 223, citrina 221, costata 222, decempunctata 222, dimidiata 232, fasciata 221, femorella 221, flava 220, frontalis 232, 233, hyalinata 232, illota 220, interstineta 220, inusta 222, liturata 222, longipennis 232 (bis), lupulina 232, lutea 221, marginata 222, multipunctata 223, notata 222, obesa 220, obsoleta 220, pallida 220, pallidiventris 221, 232, placida 223, plunicornis 221, praeusta 221, quadripunctata 221 (bis), rivosa 221, rorida 220, senilis 221, sexpunctata 221, spectabilis 222, trimacula 222, tubifera 221, umbellatarum 222, unicolor 222, ustulata 222; Seatella aestuans 311, paludum 310, 311, sorbillans 310, 311, stagualis 310, Stenhamnari 311; Seatophilus australis 217, bipunctata 219, 221, cineraria 217, clari-pennis 219, fucorum 219, furcata 217, fuscicornis 220, griseola 217, incisa 219, inquinata 216, lateralis 217, lutaria 216, merdaria 216, nigricans 219, Parisiensis 219, rufipes 219, scybalaria 216, spurca 217, squalida 217, 219, stercoraria 216, suilla 217, 219; Seatophilus caviceps 311, laevigata 311; Schizoceros bifidus 56, gemiuatus 116; Schizoloma 359 amicta 362, bucephala 362, capitata 363; Schönomya litarella 253 (quater) 303; Seiomyzza acuticornis 253, albiceps 253, albocostata 251, analis 252, austera 251, bifasciella 251, brunnipes 253, bucephala 252, cinerella 252, concentrica 251, defecta 253, dubia 253, fasciata 253, flaviceps 251, fuscipennis 252, glabricula 251, griseola 251, grisescens 253, limbata 252, monilis 252, nana 252, nasuta 253, nigrimana 252, nigripennis 252, notata 251, obsoleta 253, obtusa 251, pallida 250, picta 252, plumbella 253, pusilla 253, rufiventris 253, Schönherria 252, simplex 250, striata 253, ventralis 253 (bis); Sciopteryx costalis 115; Scoliocentra villosa 292; Scolioneura tenella 261; Scyphella femorella 221, flava 220, 340; Selandria cinereipes 56, Fürstenbergensis 64, morio 116, serva 53, 257, Sixii 51, 52, stramineipes 64; Selidopogon 192; Seoptera vibrans 226; Sepedon Haefferi 254, sphegens 254, spinipes 254; Sepsis annulipes 230,

## XIV

*barbipes* 229, *cornuta* 228, *cylindrica* 229, *cynipsea* 228, *flavimana* 228, *fulgens* 228, *hilaris* 228, *Leachi* 230, *nigricornis* 229, *nigripes* 229, *ornata* 229, *punctum* 229, *putris* 230, *ruficornis* 228, *rufipes* 230, *violacea* 229; *Siphonella angustifrons* 319, *aprica* 319, *nitida* 320, *sulcicollis* 320; *Sirex albicornis* 58, *gigas* 56; *Spathiohora hydromyzina* 215; *Sphaeroceros pallidiventris* 346, *subsultans* 345; *Sphenecodes fuscipennis* 8; *Sphenella marginata* 237; *Spilogaster arcuatus* 129, *calliphoroides* 132, 135, *dichromus* 130, *fasciatus* 136, *geminus* 130, *limbatus* 131, *nigrinus* 131, *nigritarsis* 136, *Ostensackeni* 137, *pedellus* 132, *spilopterus* 133, *Wideri* 137; *Spilographa Abrotani* 236, *Artemisiae* 236, *intermissa* 235, *Zoë* 235, 236; *Stegana hypoleuca* 299, *nigra* 299; *Steniolia sulfurea* 288; *Steonomutilla acuticollis* 45; *Stictia* 288; *Stilbometopa impressa* 163; *Strebla longipes* 159; *Strongylogaster annulosus* 64; *cingulatus* 64, *Desbrochersi* var. *Lepticus* 390, *Filicis* 64, *luctuosus* 113, *soriculatipes* 64, *xanthoceros* 64; *Syrista Parreyssi* 116; *Systata rivularis* 225.

*Tanypenza longimana* 245; *Tarpa albicineta* 324, *borealis* 329, *Caucasia* 321, *coronata* 325, *flabellata* 329, *Hispanica* 327, *jucunda* 321, *Klugi* 333, *leucosticta* 336, *Levallanti* 327, *megacephala* 335, *Moesaryi* 324, *orientalis* 329, *Panzeri* 333, *Ruthena* 329, *speciosa* 325, *Turcica* 329; *Taxonus abnormis* 120, *agrorum* 120, *apicalis* 120, *Equiseti* 55, 60, 120, *glabratus* 55, 59, 262, *pinguis* 261; *Tenthredo atra* 53, 55, var. *dispar* 260, *balteata* 113, *Fagi* 259, *ferruginea* 63, 113, 127, 259, *livida* 55, 113, 127, 259, 260, *mandibularis* 56, 261, *mesomelaena* 52, 60, 262, *moniliata* 55, *obscura* 49, *procera* 56, 260, *rufipes* 257; *Tenthredopsis pavida* 52 (bis); *Tephritis Arnicae* 239, *Bardanae* 239, *guttata* 239, 241, *Hyoscyami* 239, *irrotata* 240, *Leontodontis* 239, *postica* 239; *Tephrochlamys flavipes* 292, *rufiventris* 293 (bis), 294; *Tephronota rufipes* 227; *Tetanoceros aratorius* 289, *arrogans* 289, *Chaerophylli* 256, *cinctus* 254, *coryleti* 256, *cucullarius* 290, *dorsalis* 290, *elatus* 289, *ferrugineus* 256, 289, *frontalis* 290, *Hieracii* 256, *laevifrons* 289, *lineatus* 290, *marginatus* 254, *obliteratus* 256, *pratorum* 256, *punctatus* 256, *reticulatus* 256, *robustus* 289, *rufifrons* 256, *silvaticus* 289, *sticticus* 255, *umbrarum* 256; *Tetanops myopina* 241, *nasuta* 241; *Tetanura pallidiventris* 245; *Themira nigricornis* 229, *Fallenii* 230, *Leachi* 230, *putris* 230; *Therina femoralis* 345; *Theronia* 189 *laevigata* 189; *Thyreophora anthropophaga* 218, *cynophila* 218, 249, *furcata* 217; *Timia apicalis* 247; *Tomostethus fuliginosus* 115, *melanopygus* 50, *nigritus* 50; *Tremex columba* 49, 50, 58, 261, *fuscicornis* 60; *Trichioampus*

aeneus 121, viminalis 60 Ulmi 261; *Trichiosoma Latreillei* 126, *silvatica* 126, *Sorbi* 258, *Vitellinae* 126; *Tricholabodes signatipennis* 46; *Trichomma* 359 *bittuberculata* 365, *enecator* 364, *minuta* 365; *Tricopalpus punctipes* 214, *fraternus* 215; *Trigonometopus frontalis* 290; *Trimetria nigella* 297, 300, *rufipes* 297; *Tristaetus* 335 *caesariensis* 336, *judaicus* 336, *punctatus* 336; *Trypetta Abrotani* 236, *Absynthii* 239, *alternata* 235, *aprica* 238, *Arctii* 236, *Arnicae* 238, *Artemisiae* 236, *Cardui* 237, *Centaureae* 237, *cognata* 236, *colon* 240, 252, *confusa* 239, *continua* 235, *corniculata* 239, *cornuta* 237, *cuspidata* 238, *dentata* 241, *discoidea* 237, *eluta* 240, *falcata* 236, *fasciata* 237, *flavescens* 236, *flavicaudis* 239, *florescentiae* 237, *Gaedii* 241, *gemma* 239, *guttata* 241, *guttularis* 240, *Heraclei* 239, *Hyoscyami* 239, *Jaceae* 236, *intermissa* 235, *irrorata* 240, *Lappae* 236, *laticaudis* 239, *Leontodontis* 239, *Lychnidis* 237, *marginata* 237, *Onopordinis* 236, *palleus* 241, *pardalina* 240, *parietina* 239, *pugionata* 238, *pupillata* 240, *quadrifasciata* 238, *radiata* 240, *rotundiventris* 237, *Serratulae* 241, *signata* 238, *solstitialis* 238, *Sonchi* 240, *stylata* 237, *terminata* 240, *Tussilaginis* 237, *Wenigeri* 240, *Westermanni* 239, *Wiedemanni* 237, *Winthemi* 237, *Zoë* 236; *Trypetophora punctulata* 256; *Tryptochaeta basalis* 304, 305, 306, *luctuosa* 304, *obscurepennis* 304.

*Ulidia apicalis* 247, *demandata* 247, *erythrophthalma* 247, *nitida* 247; *Urellia eluta* 240, *stellata* 240; *Urophora aprica* 238, *Cardui* 237, *cuspidata* 238, *quadrifasciata* 238, *solstitialis* 238, *stylata* 238.

*Xiphosoma* 358, 361; *Xiphydria* *prolongata* 60, 120, 261.

*Zonosema alternata* 235, *Meigeui* 235.

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Zeitschrift für systematische Hymenopterologie und DipteroLOGIE](#)

Jahr/Year: 1902

Band/Volume: [2](#)

Autor(en)/Author(s): Anonymus

Artikel/Article: [Register. III-XV. III-XV](#)