© Biodiversity Heritage Library, http://www.biodiversitylibrary.org/; www.biologiezentrum.at

Register

der im Jahrgang VI besprochenen Gattungen und Arten.

Abia 401, *aenea* 411, americana 404, aurulenta 407, 416, Berezowskii 413, bifida 411, Caprifolii 406, Cerasi 405, *cuprea* 407, fasciata 406, 407, fulgens 416, Gribodoi 408, hungarica 409, imperialis 412, infernalis 414, inflata 404, iridescens 416, Jakowlewi 412, japonica 415, Kennikotti 405, Lewisi 409, Lonicerae 411, melanoceros 412, mutica 410, *nigricornis* 411, *nitens* 411, pilosa 415, *sericea* 407, sibirica 409. Abiides 272. Acanthopus excellens 117. Acorduleceros **bigrammatus** 342, **calceolatus** 339, **cervicatus** 344, **cestatus** 337, **gregalis** 341, **illotus** 338, **inglorius** 343, **lituratus** 340, **pallidus** 345, **ricatus** 343, **rudis** 341, **russatus** 342, **Schrottkyi** 343, **spathulatus** 338, **stigmaticus** 340, **tegularis** 344, **thoracalis** 337. Acrotomus alacer 86, angulatorius 222, *insidiator* 90, laetus 23, 296, laticeps 289, lucidulus 93, 94, *orbitarius* 23, 296, ridibundus 219, rubiginosus 90, sexcinctus 93, succinctus 93, 94, *xanthopus* 86. Agria 50. Alexeter *alacer* 86, melanocephalus 21, rapinator 86, ruficornis 22, **rufomaculatus** 22, testaceus 21. **Alfkenia** 89, integrator 89. Allantus **asperatus** 125, Merceti 124, *Moravitzi* 125. Amasis citrina 321, *Moricei* 321. Amictus pictus 155, pulchellus 156, strigilatus 155, tener 157, variegatus 155, **zinamominus** 155. Amphisa 50. **Amphisbetetus** 131, **affinis** 132, favillaceus 129. Anastoechus stramineus 110. Ancylorrhynchus **gummiguttus** 366. Anthoeca 53. Anthrax albifacies 273, elegans 146, gallus 146, hispanus 273, **inaequalis** 148, incanus 146, perfectus 147, rufipes 273, velutinus 146. Arenetra pilosella 85, Arge abdominalis 323, **accliviceps** 255, *aenescens* 323, *alpina* 327, *analis* 323, *anceps* 324, *assimilis* 324, *Berezowskii* 327, *borealis* 323, ciliaris 327, *cineracea* 387, clavicornis 322, *confusa* 323, coriacea 326, *cyra* 323, *fasciatipennis* 387, *flavomixta* 324, forficula 326, fuscipes 327, *Graeffei* 387, Hartigi 328, **inops** 181, *japonica* 387, laeta 322, *Mac Leayi* 323, mellina 323, *modesta* 328, *pallipes* 387, *Potanini* 327, *pretoriensis* 322, *Schmiedeknechti* 386, semicoerulea 328, **siluncula** 255, *simillima* 325, *sphinx* 323, *subtilis* 327, *virescens* 323.

© Biodiversity Heritage Library, http://www.biodiversitylibrary.org/; www.biologiezentrum.at

Argyromoëba **dentata** 148, hesperus 275, **sabulonis** 149, virgo 149. Ascia 51. Asthenara delusor 30. Athlophorus **orbitalis** 330. *Augochlora* 395. *Augochloropsis* 395, **euryale** 314, **lycorias** 313, **stheno** 313.

Barychaeta 49. Barytarbus colon 224, flavoscutellatus 224, segmentarius 224, virgultorum 95. **Bathyblepta** 123, **procer** 123. *Bertonia nigra* 348, 393. **Biglossa** 374, **aenea** 379, **armata** 379, **chalybaea** 378, **coerulescens** 378, **laticeps** 376, **marginata** 377, **similis** 377, **thoracica** 376. Bigonichaeta 51. Blennocampa brevicornis 321. Bombyliidae 13. Bombylius **alveolus** 99, basilineus 102, **Biroi** 104, **collaris** 100, *confrater* 98, consanguineus 100, cruciatus 109, discolor 98, fugax 105, fulvescens 108, **gracilipes** 106, leucopygus 107, 275, maculipennis 99, pallipes 98, pictipennis 97, pumilus 108, punctatus 97, **seminiger** 97, **separatus** 102, **striatifrons** 108, versicolor 105. **Brachyphatnus** 250, **debilicornis** 251, **Jenseni** 252, **nigriceps** 251. Braunsiola **Duckei** 181. Brullaea 52, ocypteroidea 52.

Callidiotes *coxator* 81, luridator 81, 82. Callostoma fascipennis 155. Camptopoeum **chilense** 173, **flaviventre** 174, hirsutulum 175, **minutum** 175, **Steinbachi** 174. Casinaria *claviventris* 83, petiolaris 83. Catoglyptus antilope 82, fortipes 30, *pulchricornis* 82. Caupolicana **egregia** 229, **lugubris** 229, mystica 229, **ruficollis** 229, **Steinbachi** 229. Centris Ehrhardti 117, possograndensis 117. Ceracia 51. Ceria 51. Cerioides 51. Chartergus **amazonicus** 380, **flavofasciatus** 381. Chrysochlamys 51. Cimbex *alba* 203, *Alni* 195, *alnivaga* 194, americana 202, *annulata* 200, ariana 193, *Betulae* 198, *Biguetina* 197, *brevispina* 201, Capreae 199, connata 194, *Dahlbomi* 203, *decemmaculata* 197, 203, *europaea* 196, Fagi 198, 200, femorata 194, 196, 200, 202, 204, *flavomaculata* 197, *fuscipennis* 204, Griffini 198, hudsonica 202, *Humboldti* 194, japonica 193, *Kirbyi* 204, *Klugi* 201, Laportei 203, *luctifera* 204, lutea 194, 196, 198, 200, *luteola* 194, *lutescens* 197, Macleayi 201, *montana* 194, *nigra* 196, *ornata* 194, pacifica 205, pallens 198, pallida 197, *pulla* 196, rubida 205, *russa* 197, *saliceti* 201, *salicis albae* 201, *Schaefferi* 198, semidea 202, sibirica 196, 198, silvarum 198, taucushiensis 193, *trichiosoma* 262, *tristis* 196, *Ulmi* 203, varians 197, *venusta* 198, *Viardi* 203, *villosus* 262, violacea 203, 204, *violascens* 195. Cladius **tibialatus** 256. Clairvillia 51, *ocypterina* 52, Clavellaria 266, Amerinae 267, graci-

© Biodiversity Heritage Library, http://www.biodiversitylibrary.org/; www.biologiezentrum.at

lenta 270, Konowi 269, *marginata* 267, *quadrifasciata* 267, *rufa* 267, tonkinensis 268, 269. Clytia 52. Clytiomyia 52. Colletes *Spinolae* 377. Colpotrochia affinis 293, elegantula 293. Cothonaspis **Konowi** 114, *Crabro lunulatus* 196, maculatus 197. Craticulina 49. Cteniscus gnathoxanthus 91, pictus 296. Ctenopelma rufiventris 31. Cylindromyia 52. **Cylindromyiopsis** 144. Cylindropsis 49. Cyphomelissa pernigra 116. Cyrtopogon **annulatus** 134, quadripunctatus 135. Cyrtosia nitens 113.

Dasypogon favillaceus 129. Decameria **altilis** 371, **florida** 372, **leucophaea** 372, **sandaracata** 373. **Deuterammobia** 49. Diaborus lituratorius 91, 92. Dicaelotus decipiens 89. Dimorpha *cognata* 20, evanialis 20. Dioctria flavipes 354, **ochrifacies** 353. Diplocentra fuscipennis 332. Dischistus **eximius** 111, flavibarbis 111, melanocephalus 110, unicolor 111. Disjunctio 50. Dryinus **cariniceps** 158, **trifasciatus** 335. Dyspetes praerogator 85.

Ecclinops albitarsis 21, pallidus 21. Eclytus exornatus 20. Empis abbreviata 303, adusta 213, aemula 211, aequalis 211, aestiva 302, albicans 210, algira 215, alpicola 303, alpina 213, *anfractuosa* 303, Apfelbecki 304, apicalis 213, apteropus 214, atripes 215, basalis 299, bilineata 211, borealis 213, brevicornis 215, calcarata 215, candidata 299, castellana 215, caudatula 301, chioptera 209, 304, cicinnatula 301, ciliata 209, 298, cognata 212, concisa 298, concolor 211, corvina 301, cothurnata 214, crassa 299, crassipes 210, cuneipennis 210, curta 215, dasynota 299, dasyprocta 303, decoripes 299, dedecor 297, depilis 214, digramma 211, dimidiata 211, discolor 213, dispar 213, divergens 298, divisa 212, elongata 297, erosa 215, Eversmanni 210, fallax 214, femorata 210, ferruginea 211 (bis), filata 304, fiumana 300, florisomna 300, fraterna 215, Frauscheri 212, fulvipes 216, fumosa 298, funebris 216, Gaigeri 213, gracilitarsis 301, gravipes 214, grisea 210, 302, Haemi 212, haemorrhoica 298, helophila 301, hispanica 214, Hoffmannseggi 302, Kerteszi 300, laeta 211, laevis 302, lasionota 300, lepidopus 298, 299, livida 215 (bis), longimana 213, lugubris 297, 299, lutea 211, macra 213, macropalpa 215, maculata 213, meridionalis 212, mesogramma 212, Miki 300, moerens 301, monogramma 212, morena 216, *morio* 216, *mórosa* 301, nana 210, nepticula 214, nigerrima 297, nigricans 209, 212, nigricoma 298, nigritarsis 209, 210, nitida 210, opaca 209, 214, parvula 211,

© Biodiversity Heritage Library, http://www.biodiversitylibrary.org/; www.biologiezentrum.at

Pavesi 303, pertinax 211, picipes 212, pilicornis 298, pilimana 303, pilosa 299, pittoprocta 211, podagrica 214, praepudiata 300, prodromus 304, pteropoda 212, pulchripes 214, pulicaria 302, punctata 211 (bis), pusio 302, rava 213, *rapida* 303, rufipes 216, rustica 212, scaura 301, semicinerea 210, serena 212, setigera 299, setosa 301, sibillina 216, sicula 304, simplicipes 302, stercorea 209, 211, *stigma* 211, strigata 213, styriaca 210, subciliata 214, *subpennata* 302, *sulcipes* 212, tenuipes 304, tessellata 209, 215, testacea 210, 211, trigramma 211, trilineata 216, tristis 301, unicolor 298, unistriata 210, univittata 211, variegata 213. Epeoloides **septemnotata** 172. Ephippium rufitarse 8. Ephuta **aequatorialis** 165, **angustata** 43, **bimaculata** 65, **boliviana** 74, **cayennensis** 70, **chilena** 48, **comata** 67, **ditissima** 162, **dives** 66, **expansa** 77, **flavipes** 72, **gemella** 42, **limata** 37, 42, **maculifrons** 38, 42, **mapiriensis** 72, **peruviana** 40, **punctosignata** 47, **radiata** 35, 42, **sulcifrons** 164, **triangulifera** 45, **vulnerifrons** 75, **vulnerithorax** 161. Epitomus pygmaeus 85. Erigone 52. Eriocampa alabastripes 388. Eriopogon **jubatus** 367. Eriothrix 53. Ernestia 52. Erromenus fasciatus 87. Euceros **Herbsti** 171, **nigriceps** 171. **Eudoromyia** 49. Eumenes **centralis** 128. Eumesius **castaneus** 219, *crassicornis* 219, pruinosus 219. Erygaster 52. Eurygproctus albipes 28, annulatus 18, bivinctus 29, *hilarellus* 83, mundus 29, nemoralis 28, regenerator 29, *tuberculatus* 28. Exenterus apiarius 220, cingulatorius 220, *erosus* 94, incisus 220, marginatorius 220. Exolytus laevigatus 84, splendens 84, Exomalopsis **coerulea** 169, **Herbsti** 170, **longicornis** 170. Exoprosopa **adelpha** 152, **arenacea** 152, bacha 150, **delineata** 150, grandis 151, Mayeti 151, pandora 274, **semiflavida** 274, tephroleuca 150. Exyston albocinctus 222, carinatus 21, cinctulus 21, sponsorius 22, subnitidus 90, tricolor 223.

Fabriciella 49. Fallenia fasciata 275. Ferdinandea 51. Fortisia 53.

Gasteruption **annulitarse** 59, **brachychaetum** 61, **paraguayense** 56, **parvum** 59, **Petroselini** 57, **subtropicale** 58. Gausocentrus sordidus 21. Gonatopus **maurus** 336. Gymnia **alternata** 241, **amictoriana** 242, **blanda** 192, **cultricornis** 243, **galumnata** 242, **perata** 241, **transtillata** 191.

Hadrodactylus bipunctatus 24, erythropus 27, femoralis 27, fugax 25, insignis 26, larvatus 27, nigri-

© Biodiversity Heritage Library, http://www.biodiversitylibrary.org/; www.biologiezentrum.at

coxis 27, paludicola 27, Typhae 26, xanthostigmus 24. Halictus aenigma 398, 399, **anthidioides** 397, atromarginatus 398, **banarae** 398, **Crotonis** 399, Darwini 398, difficillimus 399, **Hemidioidiae** 398, **inflaticeps** 397, jucundus 398, omissoides 396, **polybioides** 398, 399, **postscutellaris** 395. Hebia 53. **Helicobosca** 49. Hemidianeura **fucata** 189, **illisa** 190, **tenebrica** 191. Hemiteles *fulvipes* 92, nanus 92. **Hewittella** 287, **flavomaculata** 288. Himerta defectiva 29. *Himertus bisannulatus* 29, *varicornis* 29. Homalogaster 54. Homoeonychia 50. Hoplomutilla moneta 33, var. **rufonotata** 33. Hybophanes scabriculus 218. **Hyperoceros** 369, **peruanus** 370. Hypomecus 4-annulatus 19. **Hypsanthyx** 92, impressus 92.

Idia 53.

Labidarge **forficulata** 178. **galumnata** 179, **inculta** 180, **nigricollis** 179, **nigripes** 178, **pictipes** 177, **strophosa** 180, **suda** 179, torquata var. **Schrottkyi** 181. Labrossyta scotoptera 295. Lagarotus erythroceros 293. Lagodias **teratodes** 141. Lampromyia pallida 282. Lampronota melancholica 86. Lareiga **coerulea** 159. Lasiopa Manni 10. Lathroplex clypearis 19, infernalis 19. Leptidae 281. Leptis **algerica** 282. Leptocryptus spheginus 22. Leptogaster 283, **latestriatus** 285, **linearis** 284, **stramineus** 286. Lilaea 53. **Liopoeum** 176. *Liotryphon* 295. Lithurgus **laticeps** 176. Lissonota clypeator 86, *commixta* 86. Loboceros **binotatus** 368, **trinotatus** 346. Lomatia belzebul 158. Lydina 55.

Megalodontes **decussatus** 254. Megalopta ochrias 312. **Megaloptella** 312. **Melanochaeta** 50. Melina 53. Melisoneura 53. Melissa **Duckei** 119. Meloborus grisescens 81, *rufiventris* 81. Meniscus *agnatus* 86, murinus 85, nitidus 86. Mesoleptus albicruris 23, albitarsis 18, albolineatus 21, annulatus 18, antilope 82, atomator 32, bicingulatus 82, biguttulus 31, bipunctatus 24, cerinostomus 25, chrysostomus 82, cingulatus 20, cinctulus 21, coxator 82, decipiens 84, defectivus 29, delusor 30, exornatus 20, evanialis 20, facialis 19, filicornis 32, flavopictus 21, fortipes 30, fugax 25, fulvipes 25, fuscicornis 31, geniculosus 81, grisescens 81, hilaris 31, *Holmgreni* 25, infernalis 19, laetus 23, laevigatus 84, larvator 20, leptoceros 28, leucostomus 20, luridator 81, luteator 22, maurus 20, melanocephalus 21, modestus 24, montanus 30, mundus 29, narrator 19,

© Biodiversity Heritage Library, http://www.biodiversitylibrary.org/; www.biologiezentrum.at

nemoralis 28, pallidus 21, pectoralis 20, petiolaris 83, prosoleucus 25, quadriannulatus 19, regenerator 29, ruficornis 22, rufinus 28, rufiventris 31, rufocinctus 83, rufoniger 30, seminiger 32, sericeus 19, sordidus 21, spheginus 22, splendens 84, sternoleucus 81, sticticus 21, subcompressus 24, sulphuratus 30, tener 82, testaceus 21, Typhae 26, ventrator 82, vitratorius 21, xanthopsanus 25, xanthostigmus 24, Mesolius armillatorius 218, 289, aulicus 95, caligatus 95, dorsalis 292, dubius 96, facetus 95, flavocinctus 91, flavoguttatus 86, formosus 219, haematodes 96, *impressus* 290, intermedius 289, marginellus 95, melanoleucus 95, mollis 86, multicolor 91, 95, niger 85, nigrolineatus 221, opticus 96, *pleuralis* 91, *sanguinicollis* 219, sternoxanthus 217, variegatus 219. Metopisena 53, Milichia **unicolor** 333. Monoblastus exstirpatorius 289, *laevigatus* 289. Monophadnus **rivalis** 329. Mulio **delicatus** 153, holosericeus 155, marokkanus 153, **trifarius** 154. Mydaidae 276. Myiobia 53. Myxodexia 55.

Nematoneura **mitellata** 186. Nemestrina aegyptiaca 275, ruficornis 275. Nemotelus *algericus* 8, **candidus** 4, **Carthaginis** 5, dentatus 8, lasiops 8, lateralis 2, latiusculus 2, leucorrhynchus 6, longirostris 7, nigrifrons 3, **oasis** 6, plagiatus 8, **tomentosus** 3. **Neoascia** 51. Notopygus *analis* 19, narrator 19, robustus 28, rufinus 28.

Ocyptera 52. Odesia 287. Odontomyia limbata 10. Odyneropsis holosericea 115. Oediscelis 225, **albida** 228, **Herbsti** 227, minor 227, vernalis 226. Olivieria 53. Oscinis **albinervis** 335, **rugosa** 334. Otlophorus carbonarius 88, cruralis 289, **pictus** 95, vepretorum 89. Otoblastus luteomarginatus 91. Oxyceros **annulata** 11, tenuicornis 11. Oxynedis Beroni 116.

Pales 54. Pantorhaestes xanthostomus 83. Panurginus **Herbsti** 172. **Parafriesea** 118, Paralypia **lacertosa** 368, **Parammobates** 118, **brasiliensis** 118. Paraplagia 54. *Paraugochloropsis* 313. Peletieria 54. Periclista **Andrei** 329. Perilissus filicornis 32, *Gorskii* 22, limitaris 91, luteator 22, rufoniger 30, seminiger 32, sericeus 19, vernalis 30. Perispuda facialis 19, flavipes 294, sulphurata 30. **Peritta** 10, **melichlora** 11. Pexopsis 52. Phobetes atomator 32, cerinostomus 25, chrysostomus

© Biodiversity Heritage Library, http://www.biodiversitylibrary.org/; www.biologiezentrum.at

82, leptoceros 28, nigriceps 221. Phora 54. Phoroceros 54. Phorostoma 54. Phrosina 54. Phthiria Gaedi 111, pulicaria 111. Phytomyptera 54. Picroscopus ictericus 223. Plagia 55. Platylabus *albinus* 21, larvator 20, vitratorius 21. Plectocryptus arrogans var. albitarsis 18. Ploas **bella** 112, fuliginosa 112, mauritanica 112. Polybia **acutiscutis** 385, **panamaënsis** 382, **Traili** 383. Polyblastus albocinctus 292, calcator 87, carinatus 87, *mutabilis* 296, pastoralis 296, pinguis 91, praedator 91, sphaerocephalus 296, varitarsis 292. Polyoncus erythrocephalus 290. Polysphincta quadrisculpta 296. Praïa 271, Taczanowskii 271. Prionopoda stictica 21, xanthopsana 25. Procinetus *crassulus* 88, maculatus 88. Protandrena **meridionalis** 314. Protarchus rufus 221. Psaenythia 315, Bergi 315, collaris 315. **Pseudiscelis** 228, **rostrata** 228. Pseudophoenus **neotropicus** 62. Pseudogonalos Hahni 390. **Psiatholasius** 145, **bombyliformis** 145. Ptenus 182, **Gaullei** 183, **humeratus** 185, **prodigus** 184. **segrex** 185. Ptiloglossa **chalybaea** 230, **ochracea** 230. Ptychomyia 53. Pycnomalla splendens 8.

Reedia **centrolineata** 33. Rhadinoceraea nodicornis 347. Rhathymus **acutiventris** 120, **fulvus** 121, **versicolor** 120. Rhopalia algirica 276, *vittata* 276. Rhorus punctus 293. Rondania 55.

Saotis bilineata 218, flavopunctata 218. *Saotus emarginatus* 218. Sarcophaga 63, 216, haematodes 63, lusatica 63. Saropogon aegyptius 357, **clausus** 360, **distinctus** 359, frontalis 356, jugulum 357, **Lamperti** 362, **latecinctus** 364, obscuripennis 357, pollinosus 357, **Vosseleri** 363. **Schnablia** 50. Scopesus immaturus 221, nigricollis 293. Scylaticus **semizonatus** 365. Selandria *coeruleiceps* 388. Selidopogon crassus 355. Seminota marginata 393, **Taschenbergi** 390. Sericoceros **bigrammatus** 246, **calanticatus** 245, **coxalis** 249, **declivis** 246, **mammeatus** 247, **mulsus** 247, **pauxillus** 249, **procus** 248, **ricatus** 245, **ruminatus** 248, **socius** 249. Smicroplectrus quinquecinctus 94. Somoleja 55. Sphecodes **andinus** 306, **argentinus** 308, **Bruchi** 305, **capricosus** 306, **melanopus** 308, **mutillaeformis** 310, **paraguayensis** 307, **patagonicus** 307, **variabilis** 309. Spudaea leucostoma 290. *Spudaeus subimpressus* 290. Steinia 55. Stelidarge **Duckei** 253. Stiphrosomus *foveolator* 31, fuscicornis 28, 31,

© Biodiversity Heritage Library, http://www.biodiversitylibrary.org/; www.biologiezentrum.at

montanus 30. Stomatorhina 53. Stratiomyia anubis 9, Berezowskii 8, flaviventris 9, lambessiana 8, **segnis** 8. Stratiomys *auriflua* 8, flavipes 8. Strombóceros **albarius** 388, *galbanus* 388, *zonatus* 388. Stylomyia 55. Sychnoleter geniculosus 81. **Syllegomydas** 277, algiricus 277, cinctus 280, **claripennis** 279. Symplecis bicingulata 82, *facialis* 82. Syndipnus albicruris 23, *pectoralis* 81, sternoleucus 81, tenuicornis 293. Synomelix albipes 291. Systoechus acuticornis 109, autumnalis 274, exalbidus 109, sulphureus 109.

Tabanus alexandrinus 275, autumnalis 275, nemoralis 275, tomentosus 275. Tachina 55. **Tanymeles** 244, **hilarulus** 244. **Tanyphatna** 187, **catinifera** 188, **exilipalpis** 188, **mamillata** 253, **pellos** 187. Taschenbergia modesta 24. Temnosoma metallica 305. Tenthredo *Finschi* 125, **nimbata** 126, **suta** 127, **umbonigera** 331. Tenthredopsis pisinna 124. **Tesserochaeta** 50. Theronia 231, **americana** 240, Atalantae 240, **bipunctata** 318, cephalotes 316, clathrata 233, **continentalis** 236, **dubia** 320, fumata 317, **Hildebrandti** 319, **hippotigris** 234, levigata 232, **limbata** 238, lurida 318, **macrodus** 237, **maculosa** 239, maskeliyae 234, melanocephala 233, **Schmiedeknechti** 319, **Steindachneri** 320, **sulcata** 239, trivittata 318, zebra 235, **zebroides** 236. Thymaris *pulchricornis* 82, tener 82. Tilluma 33. Toxophora maculata 158. Traumatomutilla 42. **Trichardis** 136, **picta** 139, **testacea** 137. Trichiosoma 205, *aleutiana* 264, *arctica* 259, 265, *Betulae* 262, betuleti 258, 259, bicolor 265, *biverrucata* 257, crassa 265, *Crataegi* 259, Jakovleffi 259, lanuginosa 266, *lateralis* 262, Latreillei 260, lucorum 257, 258, 265, *marginalis* 262, **nigricoma** 122, 258, **opaca** 122, 261, *pubescens* 263, *pusilla* 257, *rufa* 262, *Salicis* 260, *Scalesi* 260, 261, 262, sericea 263, sikkimensis 257, silvatica 262, Sorbi 261, Taylori 265, tibialis 258, triangula 264, *unidentata* 257, Vitellinae 262. Trigonaloiden 389. Trigonalos melanoleuca 389. Trineura 54. Triplasius bivittatus 113. **Tristegus** 370, **mimarius** 371. Trophoctonus 83. Tropidomyia 55. Tryphon alacer 86, albipes 291, albocinctus 222, 292, apiarius 220, armillatorius 218, aulicus 95, bilineatus 218, brachyacanthus 295, calcator 87, caligatus 95, carbonarius 88, cephalotes 296, clypeator 86, colon 224, compunctor 85, cruralis 289, dorsalis 292, elegantulus 293, elongator 293, erythro-

© Biodiversity Heritage Library, http://www.biodiversitylibrary.org/; www.biologiezentrum.at

cephalus 290, erythroceros 293, exstirpatorius 289, fasciatus 87, flavipes 294, flavocinctus 91, flavoguttatus 86, formosus 219, gnathoxanthus 91, haematodes 96, ictericus 223, immaturus 221, impressus 92, incisus 220, integrator 89, intermedius 289, laticeps 289, leucostomus 290, lucidulus 93, luteifrons 289, luteomarginatus 90, maculatus 88, marginatorius 220, marginellus 95, melancholicus 86, melanoleucus 95, mesoxanthus 293, mollis 87, multicolor 95, murinus 85, naevius 91, nanus 92, niger 85, nigriceps 221, nigricollis 293, *nigritarsis* 92, nigrolineatus 221, nitidus 86, ochrostomus 293, opticus 96, pastoralis 296, pilosellus 85, pinguis 91, praerogator 85, pruinosus 219, quadrisculptus 296, quinquecinctus 94, rapinator 86, ridibundus 219, rubiginosus 90, rufipes 91, rufus 221, sanguinicollis 219, scabriculus 218, scalaris 91, scotopterus 295, segmentarius 224, sexcinctus 93, sexlituratorius 92, silvestris 87, sphaerocephalus 296 (bis), sternoxanthus 217, subnitidus 90, succinctus 94, tenuicornis 293, triangulatorius 222, tricolor 223, varitarsis 292, vepretorum 89, virgultorum 95.

Usia **accola** 14, angustifrons 14, atrata 16, aurata 15, forcipata 15, hyalipennis 14, **ignorata** 15, Novaki 16, versicolor 13.

Voria 55.

Zaraea 404.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: Zeitschrift für systematische Hymenopterologie und Dipterologie

Jahr/Year: 1906

Band/Volume: 6

Autor(en)/Author(s): Anonymus

Artikel/Article: Register. VII-XV