



On the karyotype of the Long-clawed mole vole, *Prometheomys schaposchnikovi* Satunin, 1901 (Mammalia: Rodentia), in Turkey

By E. ÇOLAK, N. YİĞİT, and REYHAN VERİMLİ

Department of Biology, University of Ankara, Ankara, Turkey

Receipt of Ms. 07. 04. 1998

Acceptance of Ms. 20. 11. 1998

Key words: *Prometheomys schaposchnikovi*, karyology, Turkey.

SATUNIN (1901) described *Prometheomys schaposchnikovi* from Gudaur (Georgia), examining a male specimen. VINOGRADOV and ARGYROPULO (1941), and OGNEV (1948) recorded this species from various localities in Caucasia. SPITZENBERGER and STEINER (1964) gave the first record of *P. schaposchnikovi* from Turkey. The aim of this study is to contribute to karyological characteristics of *P. schaposchnikovi*.

We collected 19 specimens from two localities (Fig. 1) (Kutul plateau of Ardanuç 7, and Ardahan 12). Five specimens from Kutul ($n = 2$) and Ardahan ($n = 3$) were karyotyped based on the technique of FORD and HAMERTON (1956).

The diploid number of chromosomes is $2n = 56$, the number of autosomal arms is $NFa = 100$, and the fundamental number is $NF = 104$. The autosomal set consists of 12 metacentrics, 34 subtelocentrics, and 8 acrocentrics. The X chromosome is a large submetacentric, and the Y chromosome is the smallest metacentric (Fig. 2).




Fig. 1. Recorded localities (●) of *P. schaposchnikovi*. 1. Ardanuç 2. Ardahan.




Fig. 2. Karyotype of a male *P. schaposchnikovi* from Ardahan.

According to ZIMA and KRAL (1984), NF_a is 70 and the Y chromosome is the smallest acrocentric, whereas in Turkish population the NF_a is 100 and the Y chromosome is the smallest metacentric. MATTHEY (1958) described the karyotype of this species from Cauca-sia. We examined a metaphase plate from his publication and found that it is similar to that of Turkish specimens.

Literature

- FORD, C. E.; HAMERTON, J. L. (1956): A colchicine hypotonic citrate, squash sequence for mammalian chromosomes. *Stain Technol.* **31**, 247–251.
- MATTHEY, R. (1958): La position des genus *Ellobius* Fischer and *Prometheomys* Satunin dans la systéma-tique des Microtinae. Le point de vue chromosomique. *Rev. suisse Zool.* **65**, 377–383.
- OGNEV, S. I. (1948): Mammals of the U.S.S.R. and adjacent countries. Vol. V. Moscowa, Leningrad.
- SATUNIN, K. A. (1901): Über ein neues Nager-Genus (*Prometheomys*) aus dem Kaukasus. *Zool. Anz.* **24**, 572–575.
- SPITZENBERGER, F.; STEINER, H. M. (1964): *Prometheomys schaposchnikovi* Satunin, 1901, in Nordost-Kleinasiens. *Z. Säugetierkunde* **29**, 116–124.
- VINOGRADOV, B. S.; ARGYROPOULOS, A. I. (1941): Fauna of the U.S.S.R. mammals: Key to Rodents. Mosco-wa, Leningrad.
- ZIMA, J.; KRAL, B. (1984): Karyotypes of European mammals II. *Acta Sc. Nat. (Brno)* **18**, 1–62.

Author's addresses: ERÇÜMENT ÇOLAK, Nuri Yiğit, and REYHAN VERİMLİ, Department of Biology, Uni-versity of Ankara, 06100 Beşevler, Ankara, Turkey.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Mammalian Biology \(früher Zeitschrift für Säugetierkunde\)](#)

Jahr/Year: 1999

Band/Volume: [64](#)

Autor(en)/Author(s): Colak Ercüment, Yigit Nuri, Verimli Reyhan

Artikel/Article: [On the karyotype of the Long-clawed mole vole, *Prometheomys schaposchnikovi* Satunin, 1901 \(Mammalia: Rodentia\), in Turkey 126-127](#)