Während nach der Sarsschen Gattungsdiagnose die Innenäste des 1. und 4. Paares 2gliedrig, des 2. und 3. Paares 1gliedrig sind, haben wir bei *Parastenocaris* am 1. Fuß einen 2gliedrigen, am 2. Fuß einen 1gliedrigen Innenast. Interessant ist der Bau des Innenastes des 4. Fußes (auch des 3.) bei beiden Gattungen. Bei *Stenocaris* sehen wir zwei langgestreckte Glieder mit einem am Ende gezähnelten Dorn, bei *Parastenocaris* einen Dorn, der zwei Schwellungen besitzt, die ganz sicher beiden Gliedern bei *Stenocaris* entsprechen, und dessen letzter Teil den befiedert ist.

Auch im Bau des 5. Fußes lassen sich Beziehungen finden. *Stenocaris* besitzt zwei starke, breite Dornen nach innen zu, 7 Borsten nach außen zu, *Parastenocaris* einen breiten Dorn und 3 Borsten. Hier ist also die Reduktion am stärksten, sie spricht sich aber deutlich auch an den andern Fußpaaren aus, die man nicht mehr, wenigstens das 3. und 4. Paar, als Schwimmfüße bezeichnen kann, sondern nur als Kriech- oder Stelzfüße, eine Anpassung an ihre Lebensweise in feuchten Moospolstern. Dafür sprechen auch die geraden, starken Apicalborsten der Außenäste.

Wie wir gesehen haben, hat die neue Gattung *Parastenocaris* Beziehungen zu den Gattungen *Cylindropsyllus* Brady und *Stenocaris* Sars; zu der letzteren sind die Beziehungen aber viel größer.

II. Mitteilungen aus Museen, Instituten usw.

Sixth List of Generic names (Birds) under Consideration in Connection with the Official List of Zoological Names.

By Dr. C. W. Stiles.

21) At the Monaco (1913) meeting of the International Zoological Congress, the Secretary of the Commission on Nomenclature was requested to resubmit to special committees the proposed official Lists of Generic Names. This is now being done, and the attention of zoologists is invited to the fact that said lists have been published as follows:

First list, paragraphs 1—3: Ixodoidea; Science, N. Y., Dec. 8, 1911, p. 812; Zool. Anz., Dec. 19, 1911, pp. 589—590.

Second list, paragraphs 4—8: Trematoda; Science, Jan. 26, 1912, p. 146; Zool. Anz., Jan. 3, 1912, pp. 62—63.

Third list, paragraphs 9—14: Cestoda, Nematoda, Gordiacea, and Acanthocephala of man, and rejected names of Trematoda, Nematoda, Gordiacea and Acanthocephala; Science, Mar. 29, 1912, pp. 507—508; Zool. Anz., May 21, 1912, pp. 557—560.

Fourth list, paragraphs 15—18: Diptera; Entomological News, May, 1912, pp. 229—232; Science, May 10, 1912, pp. 751—752; Wiener Ent. Zeitung, June 15, 1912, pp. 155—158; Zool. Anz., June 14, 1912, pp. 653—656.

Fifth list, paragraphs 19—20: Mammals (rejected); Zool. Anz., Dec. 10, 1912, pp. 90—96.

22) Zoologists are cordially invited to reexamine these lists and to send to the Secretary any objections, they may have to the action proposed in connection with said names. Shortly, after January 1, 1914, the Secretary hopes to lay lists 1 to 4 before the Commission for final action, in the form of an Opinion.

23) A special committee of ornithologists, consisting of J. A. Allen (N. Y.), E. Hartert (Tring), C. E. Hellmayr (Münich), H. C. Oberholser (Washington), C. W. Richmond, Secretary (Washington), R. Ridgeway (Washington), L. Stejneger (Washington), W. Stone (Philadelphia), has unanimously agreed upon the following list of names of bird genera as valid and to be accepted:

Aeryllium Gray, List Gen. Birds, 1840, 61. Type *Numida vulturina* Hardwicke. (Monotypy and orig. desig.)

Aechmophorus Coues, Proc. Phil. Acad., 1862, 229. Type *Podiceps occidentalis* Lawrence. (Monotypy and orig. desig.)

Aegithina Vieillot, Analyse, 1816, 44. Type *Sylvia leucoptera* Vieillot = *Motacilla tiphia* Linn. (Monotypy.)

Aegotheles Vigors & Horsfield, Tr. Linn. Soc. Lond., XV, i, 1827, 194. Type *Caprimulgus norae-hollandiae* Latham = *C. cristatus* White. (Monotypy.)

Aepyornis I. Geoffroy St.-Hilaire, Ann. Sci. Nat. (Zool.), (3), XIV, 1851, 209. Type *A. maximus* I. Geoffroy St.-Hilaire. (Monotypy.)

Aix Boie, Isis, 1828, 329. Type *Anas sponsa* Linn. (Subs. desig., Eyton, 1838; Gray, 1840.)

Alauda Linnaeus, Syst. Nat., ed. 10, I, 1758, 165. Type *Alauda arvensis* Linn. (Subs. desig., Swainson, 1827.)

Alca Linnaeus, Syst. Nat., ed. 10, I, 1758, 130. Type *Alca torda* Linn. (Tautonymy, Opinion 16.)

Alle Link, Nat.-Samml. Rostock, I, 1806, 17. Type *Alle nigricans* Link = *Alca alle* Linn. (Monotypy.)

Amandava Blyth, in White, Nat. Hist. Selborne, 1836, 44. Type *Amandava punctata* Blyth = *Fringilla amandava* Linn. (Monotypy.)

Anas Linnaeus, Syst., Nat., ed. 10, I, 1758, 122. Type *Anas boschas* Linn. = *A. platyrhynchos* Linn. (Subs. desig., Lesson, 1828.)

Anhima Brisson, Orn., I, 1760, 48 (Cf. V, 518). Type "*Anhima*" = *Palamedea cornuta* Linn., 1766. (Monotypy and tautonymy.)

Anhinga Brisson, Orn., I, 1760, 60 (Cf. VI, 476). Type "*Anhinga*" = *Plotus anhinga* Linn., 1766. (Monotypy and tautonymy.)

Anser Brisson, Orn., I, 1760, 58 (Cf. VI, 261). Type "*Anser domesticus*" = *Anas anser* Linn. (Tautonymy.)

Apaloderma Swainson, Zool. Illustr., (2), III, 1832, pl. 107. Type *Trogon narina* Stephens. (Orig. desig., and monotypy.)

Aptenodytes Miller, Various Subjects Nat. Hist., Nr. 4, 1778, pl. 23. Type *Aptenodytes patagonica* Miller. (Monotypy.)

Apteryx Shaw, Nat. Misc., XXIV, 1813, pll. 1057—1058. Type *Apteryx australis* Shaw. (Monotypy.)

Aquila Brisson, Orn., I, 1760, 28 (Cf. p. 419). Type "*Aquila*" = *Falco chrysaëtos* L. (Tautonymy; also subs. desig., Jameson, 1838.)

Aramus Vieillot, Analyse, 1816, 58. Type *Ardea scolopacea* Gmelin. (Monotypy.)

Ardea Linnaeus, Syst. Nat., ed. 10, I, 1758, 141. Type *Ardea cinerea* Linn. (Subs. desig., Gray, 1840.)

Arenaria Brisson, Orn., I, 1760, 48 (Cf. V, 132). Type "*Arenaria*" = *Tringa interpres* Linn. (Tautonymy.)

Argusianus Gray (ex Rafinesque), Cat. Gen. and Subgen. Birds, 1855, 103. Type *Phasianus argus* Linn. (Monotypy.)

Asio Brisson, Orn., I, 1760, 28 (Cf. p. 477). Type "*Asio*" = *Strix otus* Linn. (Tautonymy.)

Astrapia Vieillot, Analyse, 1816, 36. Type *Paradisea nigra* Gmelin. (Monotypy.)

Astrarchia Meyer, Zeitschr. Ges. Orn., II, 1885, 378. Type *A. stephaniae* Meyer. (Monotypy.)

Asturina Vieillot, Analyse, 1816, 24. Type *Asturia cinerea* Vieillot = *Falco nitidus* Latham. (Monotypy.)

Aulacorhynchus Gould, Mon. Ramphast., 1834, Addenda to Introd. (Cf. also text to pl. of *Pter. sulcatus*.) Type *Pteroglossus sulcatus* Swainson. (Orig. desig.)

Balaeniceps Gould, Proc. Zool. Soc. Lond., 1852, 1. Type *B. rex* Gould. (Monotypy.)

Balearica Brisson, Orn., I, 1760, 48 (Cf. V, 511). Type "*Balearica*" = *Ardea paronina* Linn. (Monotypy.)

Batrachostomus Gould, Icones Avium, Pt. II, 1838, pl. xvii. Type *Podargus auritus* Gray or Vigors. (Monotypy.)

Branta Scopoli, Annus I, 1769, 67. Type *Anas bernicla* Linn. (Subs. desig., Bannister, 1870.)

Brotogeris Vigors, Zool. Journ., II, 1825, 400. Type *Psittacus pyrrhopterus* Latham. (Monotypy.)

Bubo Duméril, Zool. Analyt., 1806, 34. Type "*Les Ducs*" = *Strix bubo* Linn. (Monotypy; taut., and subs. desig., Froriep, 1806; Opinion 46.)

Bucco Brisson, Orn., I, 1760, 42 (Cf. IV, 91). Type "*Bucco*" = *Bucco capensis* Linn., 1766. (Tautonymy.)

Buphagus Brisson, Orn., I, 1760, 32 (Cf. II, 436). Type "*Buphagus*" = *Buphaga africana* Linn., 1766. (Monotypy.)

Burhinus Illiger, Prodromus, 1811, 250. Type *Charadrius magnirostris* Latham = *C. grallarius* Latham. (Monotypy.)

Cairina Fleming, Philos. Zoology, II, 1822, 260. Type *Anas moschata* Linn. (Monotypy.)

Campephaga Vieillot, Analyse, 1816, 39. Type *C. nigra* Vieillot = *C. flava* Vieillot. (Monotypy.)

Capito Vieillot, Analyse, 1816, 27. Type *Bucco niger* Müller. (Monotypy.)

Caprimulgus Linnaeus, Syst. Nat., ed. 10, I, 1758, 193. Type *C. europaeus* Linn. (Tautonymy; Opinion 16.)

Carduelis Brisson, Orn., I, 1760, 36 (Cf. III, 53). Type "*Carduelis*" = *Fringilla carduelis* Linn. (Tautonymy.)

Cariama Brisson, Orn., I, 1760, 48 (Cf. V, 516). Type "*Cariama*" = *Palamedea cristata* Linn., 1766. (Monotypy.)

Casuarius Brisson, Orn., I, 1760, 46 (Cf. V, 10). Type "*Casuarius*" = *Struthio casuarius* Linn. (Monotypy.)

Cathartes Illiger, Prodromus, 1811, 236. Type *Vultur aura* Linn. (Subs. desig., Vigors, 1825; Swainson, 1836.)

Centrocercus Swainson, Fauna Bor.-Amer., II, 1831 (1832), 358, 496. Type *Tetrao urophasianus* Bonaparte. (Monotypy.)

Cephalopterus Geoffroy St.-Hilaire, Ann. Mus. Hist. Nat., XIII, 1809, 238. Type *C. ornatus* Geoffroy St. Hilaire. (Monotypy.)

Cepphus Pallas, Spic. Zool., Fasc. 5, 1769, 33. Type *C. lacteolus* Pallas = *Alca grylle* Linn. (Monotypy.)

Cereopsis Latham, Suppl. Ind. Orn., 1801, lxvii. Type *C. novae hollandiae* Latham. (Monotypy.)

Certhia Linnaeus, Syst. Nat, ed. 10, I, 1758, 118. Type *Certhia familiaris* Linn. (Tautonymy, Opinion 16; also subs. desig., Jardine, 1839.)

Charadrius Linnaeus, Syst. Nat., ed. 10, I, 1758, 150. Type *C. hiaticula* Linn. (Tautonymy, Opinion 16.)

Chauna Illiger, Prodromus, 1811, 253. Type *Parra chavaria* Linn. (Monotypy.)

Chrysolophus Gray, Illustr. Ind. Zool., II, 1833—34, pl. 41, f. 2. Type *Phasianus pictus* Linn. (Monotypy.)

Chunga Burmeister, Proc. Zool. Soc. Lond., 1860, 335. Type *Dicholophus burmeisteri* Hartlaub. (Monotypy.)

Cicinnurus Vieillot, Analyse, 1816, 35. Type *Paradisea regia* Linn. (Monotypy.)

Ciconia Brisson, Orn., I, 1760, 48 (Cf. V, 361). Type "*Ciconia alba*" = *Ardea ciconia* Linn. (Tautonymy.)

Cinclus Borkhausen, Deutsche Fauna, I, 1797, 300. Type *Cinclus hydrophilus* Borkh. = *Sturnus cinclus* Linn. (Monotypy and taut.)

Circaëtus Vieillot, Analyse, 1816, 23. Type *Falco gallicus* Gmelin. (Monotypy.)

Clamator Kaup, Nat. Syst., 1829, 53. Type *Cuculus glandarius* Linn. (Monotypy.)

Coccothraustes Brisson, Orn., I, 1760, 36 (Cf. III, 218). Type "*Coccothraustes*" = *Loxia coccothraustes* Linn. (Tautonymy.)

Coccyzus Vieillot, Analyse, 1816, 28. Type *Cuculus americanus* Linn. (Monotypy.)

Cochlearius Brisson, Orn., I, 1760, 48 (Cf. V, 506). Type "*Cochlearius*" = *Cancroma cochlearia* Linn., 1766. (Monotypy and taut.)

Coereba Vieillot, Ois. Amér. Sept., II, 1807 (1809?), 70. Type *Certhia flaveola* Linn. (Monotypy.)

Colaptes (Swainson MS.) Vigors, Trans. Linn. Soc. Lond., XIV, iii, 1825. 457. Type *Cuculus auratus* Linn. (Monotypy.)

Colius Brisson, Orn., I, 1760, 36 (Cf. III, 304). Type "*Colius capitis bonae spei*" = *Loxia colius* Linn., 1766. (Tautonymy.)

Collurincla Vigors & Horsfield, Trans. Linn. Soc. Lond., XV, 1827, 213. Type *C. cinerea* Vigors & Horsfield. (Monotypy.)

Columba Linnaeus, Syst. Nat., ed. 10, I, 1758, 162. Type *C. oenas* Linn. (Subs. desig., Vigors, 1825.)

Colymbus Linnaeus, Syst. Nat., ed. 10, I, 1758, 135. Type *C. cristatus* Linn. (Subs. desig., Baird, Brewer & Ridgway, 1884.)

Corvus Linnaeus, Syst. Nat., ed. 10, I, 1758, 105. Type *Corvus corax* Linn. (Tautonymy, Opinion 16.)

Cotinga Brisson, Orn., I, 1760, 32 (Cf. II, 339). Type "*Cotinga*" = *Ampelis cotinga* Linn., 1766. (Tautonymy.)

Coturnix Bonnaterre, Tabl. Enc. Méth., 1, 1791, lxxxvii; 1792, 216. Type *C. communis* Bonn. = *Tetrao coturnix* Linn. (Tautonymy.)

Crotophaga Linnaeus, Syst. Nat., ed. 10, I, 1758, 105. Type *C. ani* Linn. (Monotypy.)

Cuculus Linnaeus, Syst. Nat., ed. 10, I, 1858, 110. Type *C. canorus* Linn. (Tautonymy, Opinion 16; also subs. desig., Swainson, 1837.)

Diomedea Linnaeus, Syst. Nat., ed. 10, I, 1758, 132. Type *D. exulans* Linn. (Subs. desig., Gray, 1840.)

Dromas Paykull, K. Vet. Akad. Nya Handl., XXVI, 1805, 188. Type *Dromas ardeola* Paykull. (Monotypy.)

Dromiceius Vieillot, Analyse, 1816, 54. Type *Casuarius novae hollandiae* Latham. (Monotypy.)

Ectopistes Swainson, Zool. Journ., III, 1827, 362. Type *Columba migratoria* Linn. (Only certain species, and subs. desig., same vol., p. 614.)

Egretta Forster, Synop. Cat. Brit. Birds, 1817, 59. Type *Ardea garzetta* Linn. (Monotypy.)

Elanus Savigny, Descr. Égypte, I, 1809, 69, 97. Type *Elanus caesius* Savigny = *Falco melanopterus* Daudin. (Monotypy.)

Eurynorhynchus Nilsson, Orn. Suecica, II, 1821, 29. Type *E. griseus* Nilsson = *Platalea pygmaea* Linn. (Monotypy.)

Eurylaimus Horsfield, Trans. Linn. Soc. Lond., XIII, i, 1821, 170. Type *Eurylaimus javanicus* Horsfield. (Monotypy.)

Eurypyga Illiger, Prodromus, 1811, 257. Type *Ardea helias* Pallas. (Monotypy.)

Fratercula Brisson, Orn., I, 1760, 52 (Cf. VI, 81). Type "*Fratercula*" = *Alca arctica* Linn. (Monotypy and tautonymy.)

Fringilla Linnaeus, Syst. Nat., ed. 10, I, 1758, 179. Type *F. coelebs* Linn. (Tautonymy, Opinion 16.)

Fulica Linnaeus, Syst. Nat., ed. 10, I, 1758, 152. Type *F. atra* Linn. (Tautonymy, Opinion 16.)

Fulmarus Stephens, Shaw's General Zool., XIII, i, 1826, 233. Type *Procellaria glacialis* Linn. (Subs. desig., Palmer, 1836.)

Gallinago Koch, Syst. Baier. Zool., 1816, 312. Type *G. media* of Koch = *Scolopax gallinago* Linn. (Tautonymy.)

Gallinula Brisson, Orn., I, 1760, 50 (Cf. VI, 2). Type "*Gallinula*" = *Fulica chloropus* Linn. (Tautonymy.)

Gallus Brisson, Orn., I, 1760, 26 (Cf. p. 164). Type "*Gallus domesticus*" = *Phasianus gallus* Linn. (Tautonymy.)

Gampsonyx Vigors, Zool. Journ., II, 1825, 69. Type *G. swainsonii* Vigors. (Monotypy.)

Glareola Brisson, Orn., I, 1760, 48 (Cf. V, 141). Type "*Glareola*" = *Hirundo pratincola* Linn., 1766. (Tautonymy.)

Goura Stephens, Shaw's General Zool., XI, i, 1819, 119. Type *Columba coronata* Linn., 1766 = *C. cristata* Pallas, 1764. (Subs. desig., Gray, 1840.)

Gypaëtus Storr, Alpenreise, I, 1784, 69. Type *G. grandis* Storr = *Vultur barbatus* Linn. (Monotypy.)

Haematopus Linnaeus, Syst. Nat., ed. 10, I, 1758, 152. Type *H. ostralegus* Linn. (Monotypy.)

Haliaetus Savigny, Descr. Égypte, I, 1809, 68, 85. Type *H. nisus* Savigny = *Falco albicilla* Linn. (Monotypy.)

Haliastur Selby, Cat. Gen. and Subgen. Types Birds, 1840, 3. Type "*F. pondicerianus* auct." = *Falco indus* Bodd. (Monotypy and orig. desig.)

Heliornis Bonnaterre, Tabl. Enc. Méth., I, 1791, lxxxiv, 65. Type *Heliornis fulicarius* Bonn. = *Colymbus fulica* Bodd. (Monotypy.)

Himantopus Brisson, Orn., I, 1760, 46 (Cf. V, 33). Type "*Himantopus*" = *Charadrius himantopus* Linn. (Tautonymy.)

Ibidorhyncha Vigors, Proc. Comm. Sci. Zool. Soc. Lond., I, 1832, 174. Type *I. struthersi* Vigors. (Monotypy.)

Jynx Linnaeus, Syst. Nat., ed. 10, I, 1758, 112. Type *J. torquilla* Linn. (Monotypy.)

Lagopus Brisson, Orn., I, 1760, 26 (Cf. p. 181). Type "*Lagopus*" = *Tetrao lagopus* Linn. (Tautonymy.)

Lanius Linnaeus, Syst. Nat., ed. 10, I, 1758, 93. Type *Lanius excubitor* Linn. (Subs. desig., Swainson, 1824.)

Leistes Vigors, Zool. Journ., II, 1825, 191. Type *Oriolus americanus* Gmelin = *Emberiza militaris* Linn. (Orig. desig.)

Loxia Linnaeus, Syst. Nat. ed. 10, I, 1758, 171. Type *Loxia curvirostra* Linn. (Tautonymy, Opinion 16.)

Lunda Pallas, Zoogr. Rosso-Asiatica, II, 1811 (1826?), 363. Type *Alca cirrhata* Pallas. (Subs. desig., Gray, 1840.)

Manucodia Boddaert, Table Pl. Enl., 1783, 39. Type *M. chalybea* Bodd. = *Paradisea chalybeata* Forster, 1781. (Monotypy.)

Meleagris Linnaeus, Syst. Nat., ed. 10, I, 1758, 156. Type *M. gallopavo* Linn. (Tautonymy, Opinion 16.)

Mergus Linnaeus, Syst. Nat., ed. 10, I, 1758, 129. Type *Mergus merganser* Linn. (Subs. desig., Gray, 1840.)

Merops Linnaeus, Syst. Nat., ed. 10, I, 1758, 117. Type *Merops apiaster* Linn. (Tautonymy, Opinion 16; also Subs. desig., Swainson, 1820.)

Momotus Brisson, Orn., I, 1760, 44 (Cf. IV, 465). Type "*Momotus*" = *Ramphastos momota* Linn., 1766. (Tautonymy.)

Motacilla Linnaeus, Syst. Nat., ed. 10, I, 1758, 184. Type *M. alba* Linn. (Tautonymy, Opinion 16.)

Musophaga Isert, Schriften Gesellsch. nat. Freunde Berlin, IX, 1788, 17. Type *M. violacea* Isert. (Monotypy.)

Neophron Savigny, Descr. Égypte, I, 1809, 68, 75. Type *Vultur perenopterus* Linn. (Monotypy.)

Notornis Owen, Trans. Zool. Soc. Lond., III, v, 1848, 366. Type *Notornis mantelli* Owen. (Monotypy.)

Numenius Brisson, Orn., I, 1760, 48 (Cf. V, 311). Type "*Numenius*" = *Scolopax arquatus* Linn. (Tautonymy.)

Numida Linnaeus, Mus. Ad. Frid., 1764, 27. Type *Phasianus meleagris* Linn., 1758. (Monotypy.)

Nucifraga Brisson, Orn., I, 1760, 30 (Cf. II, 58). Type "*Nucifraga*" = *Corrus caryocatactes* Linn. (Tautonymy and Monotypy.)

Nyctea Stephens, Shaw's General Zool., XIII, ii, 1826, 62. Type *Strix erminea* Shaw = *S. nyctea* Linn. (Tautonymy; only certain species; also monotypy.)

Œdicnemus Temminck, Man. d'Orn., 1815, 321. Type *Œ. crepitans* Temm. = *Charadrius oedicnemus* Linn. (Monotypy and tautonymy.)

Opisthocomus Illiger, Prodromus, 1811, 239. Type *Phasianus cristatus* Gmelin = *P. hoazin* Müller. (Monotypy.)

Oriolus Linnaeus, Syst. Nat., ed. 12, I, 1766, 160. Type *Oriolus galbula* Linn. = *Coracias oriolus* Linn., 1758. (Tautonymy.)

Otis Linnaeus, Syst. Nat., ed. 10, I, 1758, 154. Type *Otis tarda* Linn. (Tautonymy, Opinion 16, also Subs. desig., Jardine & Selby, 1828.)

Otus Pennant, Indian Zool., 1769, 3. Type *Otus bakkamoena* Pennant. (Monotypy.)

Pachycephala Vigors, Trans. Linn. Soc. Lond., XIV, iii, 1825, 444. Type *Muscicapa pectoralis* Latham = *Turdus gutturalis* Latham. (Monotypy and Orig. desig.)

Pandion Savigny, Descr. Égypte, I, 1809, 69, 95. Type *Pandion fluvialis* Savigny = *Falco haliaetus* Linn. (Monotypy.)

Paradisaea Linnaeus, Syst. Nat., ed. 10, I, 1758, 110. Type *P. apoda* Linn. (Tautonymy, Opinion 16; also Subs. desig., Gray, 1840.)

Parotia Vieillot, Analyse, 1816, 35. Type *Paradisea sefilata* Forster, 1781. (Monotypy.)

Parus Linnaeus, Syst. Nat., ed. 10, I, 1758, 189. Type *Parus major* Linn. (Subs. desig., Gray, 1840.)

Pavo Linnaeus, Syst. Nat., ed. 10, I, 1758, 156. Type *P. cristatus* Linn. (Tautonymy, Opinion 16.)

Pelecanus Linnaeus, Syst. Nat., ed. 10, I, 1758, 132. Type *Pelecanus onocrotalus* Linn. (Tautonymy, Opinion 16.)

Perdix Brisson, Orn., I, 1760, 26 (Cf. p. 219). Type "*Perdix cinerea*" = *Tetrao perdix* Linn. (Tautonymy.)

Pezoporus Illiger, Prodromus, 1811, 201. Type *Psittacus formosus* Latham = *P. terrestris* Shaw. (Monotypy.)

Phaëthon Linnaeus, Syst. Nat., ed. 10, I, 1758, 134. Type *P. aethereus* Linn. (Subs. desig., Gray, 1840.)

Phalacrocorax Brisson. Orn., I, 1760, 60 (Cf. VI, 511). Type "*Phalacrocorax*" = *Pelecanus carbo* Linn. (Tautonymy.)

Phalaropus Brisson, Orn., I, 1760, 50 (Cf. VI, 12). Type "*Phalaropus*" = *Tringa fulicaria* Linn. (Tautonymy.)

Pharomachrus de la Llave, Registro Trimestre, I, 1832, 48. Type *P. mocinno* de la Llave. (Monotypy.)

Phasianus Linnaeus, Syst. Nat., ed. 10, I, 1758, 158. Type *P. colchicus* Linn. (Tautonymy, Opinion 16.)

Phoenicopterus Linnaeus, Syst. Nat., ed. 10, I, 1758, 139. Type *P. ruber* Linn. (Monotypy.)

Picus Linnaeus, Syst. Nat., ed. 10, I, 1758, 112. Type *P. viridis* Linn. (Subs. desig., Swainson, 1820.)

Platalea Linnaeus. Syst. Nat., ed. 10, I, 1758, 139. Type *P. leucorodia* Linn. (Subs. desig., Gray, 1840.)

Platycercus Vigors, Zool. Journ., I, 1825, 527. Type *Psittacus pennantii* Latham = *P. elegans* Gmelin. (Orig. desig.)

Plautus Brünnich, Zool. Fund., 1771, 78. Type "*Brillefuglen*" = *Alca impennis* Linn. (Monotypy.)

Pluvialis Brisson, Orn., I, 1760, 46 (Cf. V, 42). Type "*Pluvialis aurea*" = *Charadrius apricarius* Linn. (Tautonymy.)

Pluvianus Vieillot, Analyse, 1816, 55. Type *Charadrius aegyptius* Linn. (Monotypy.)

Polyplectron Temminck. Cat. Syst., 1807, 149. Type *Polyplectron argus* Temm. = *Pavo bicalcaratus* Linn. (Monotypy.)

Porphyrio Brisson, Orn., I, 1760, 48 (Cf. V, 522). Type "*Porphyrio*" = *Fulica porphyrio* Linn. (Tautonymy.)

Porzana Vieillot, Analyse, 1816, 61. Type *Rallus porzana* Linn. (Monotypy.)

Psittacus Linnaeus, Syst. Nat., ed. 10, I, 1758, 96. Type *P. erithacus* Linn. (Subs. desig., Gray, 1840.)

Psophia Linnaeus, Syst. Nat., ed. 10, I, 1758, 154. Type *P. crepitans* Linn. (Monotypy.)

Pteroglossus Illiger, Prodromus, 1811, 202. Type *Ramphastos aracari* Linn. (Subs. desig., Swainson, 1821.)

Ptiloris Swainson, Zool. Journ., I, 1825, 479. Type *P. paradiseus* Swainson. (Monotypy.)

Puffinus Brisson, Orn., I, 1760, 56 (Cf. VI, 130). Type "*Puffinus*" = *Procellaria puffinus* Brünnich, 1764. (Tautonymy.)

Querula Vieillot, Analyse, 1816, 37. Type *Muscicapa cruenta* Bodd. = *M. purpurata* Müller. (Monotypy.)

Rallus Linnaeus, Syst. Nat., ed. 10, I, 1758, 153. Type *R. aquaticus* Linn. (Subs. desig., Fleming, 1821.)

Raphus Brisson, Orn., I, 1760, 46 (Cf. V, 14). Type "*Raphus*" = *Struthio cucullatus* Linn. (Monotypy.)

Recurvirostra Linnaeus, Syst. Nat., ed. 10, I, 1758, 151. Type *R. avosetta* Linn. (Monotypy.)

Rhea Brisson, Orn., I, 1760, 46 (Cf. V, 8). Type "*Rhea*" = *Struthio americanus* Linn. (Monotypy.)

Rynchops Linnaeus, Syst. Nat., ed. 10, I, 1758, 138. Type *R. nigra* Linn. (and *R. fulca* = *nigra*). (Monotypy.)

Sarcoramphus Duméril, Zool. Analytique, 1806, 32. Type *Vultur papa* Linn. (Cf. Froriep, Anal. Zool., 1806, 33). (Subs. desig., Vigors, 1825.

Scolopax Linnaeus, Syst. Nat., ed. 10, I, 1758, 145. Type *S. rusticola* Linn. (Tautonymy, Opinion 16.)

Scopus Brisson, Orn., I, 1760, 48 (Cf. V, 503). Type "*Scopus*" = *S. umbretta* Gmelin, 1789. (Monotypy.)

Sericulus Swainson, Zool. Journ., I, 1825, 476. Type *Meliphaga chrysocephala* Lewin. (Monotypy.)

Sitta Linnaeus, Syst. Nat., ed. 10, I, 1758, 115. Type *Sitta europaea* Linn. (Monotypy.)

Somateria Leach, Annals of Philos., XIII, 1819, 61. Type *Anas mollissima* Linn. (Monotypy.)

Sphenorhynchus (Hempr. & Ehrenb. MS.) Lichtenstein, Verz. Doubl., 1823, 76. Type *Ciconia abdimii* Licht. (Monotypy.)

Spindalis Jardine & Selby, Ill. Orn., N. S., 1837, pl. IX. Type *S. bilineatus* J. & S. = *Tanagra nigricephala* Jameson. (Monotypy.)

Stercorarius Brisson, Orn., I, 1760, 56 (Cf. VI, 149). Type "*Stercorarius*" = *Larus parasiticus* Linn. (Tautonymy.)

Sterna Linnaeus, Syst. Nat., ed. 10, I, 1758, 137. Type *S. hirundo* Linn. (Tautonymy, Opinion 16.)

Strigops Gray, Gen. Birds, II, 1845, 426. Type *S. habroptilus* Gray. (Monotypy.)

Strix Linnaeus, Syst. Nat., ed. 10, I, 1758, 92. Type *S. stridula* Linn. = *S. aluco* Linn. (Tautonymy, Opinion 16.)

Struthio Linnaeus, Syst. Nat., ed. 10, I, 1758. 155. Type *S. camelus* Linn. (Tautonymy, Opinion 16.)

Sturnella Vieillot, Analyse, 1816, 34. Type *Alauda magna* Linn. (Monotypy.)

Sturnus Linnaeus, Syst. Nat., ed. 10, I, 1758, 167. Type *Sturnus vulgaris* Linn. (Tautonymy, Opinion 16; also Subs. desig., Stephens, 1817.)

Sula Brisson, Orn., I, 1760, 60 (Cf. VI, 494). Type "*Sula*" = *Pelecanus piscator* Linn. (Tautonymy.)

Surnia Duméril, Zool. Analytique, 1806, 34. Type *Strix caparoch* Müller. (Subs. desig., Froriep, 1806, and Monotypy.)

Syrrhaptes Illiger, Prodromus, 1811, 243. Type *Tetrao paradoxa* Pallas. (Monotypy.)

Tachyphonus Vieillot, Analyse, 1816, 33. Type *Tanagra rufa* Boddaert. (Monotypy.)

Talegalla Lesson, Man. d'Orn., II, 1828, 185. Type *T. cuvieri* Less. (Monotypy.)

Thamnophilus Vieillot, Analyse, 1816, 40. Type *Lanius doliatus* Linn. (Subs. desig., Swainson, 1824.)

Todus Brisson, Orn., I, 1760, 44 (Cf. IV, 528). Type "*Todus*" = *Alcedo todus* Linn. (Tautonymy.)

Trichoglossus (Vigors MS.) Stephens, General Zool., XIV, i, 1826, 129. Type *T. swainsoni* Jardine & Selby, 1831 = *haematopus* Stephens (nec *haematodus* Linn.) = *Psittacus novae hollandiae* Gmelin. (Subs. desig., Swainson, 1832.)

Tringa Linnaeus, Syst. Nat., ed. 10, I, 1758, 148. Type *Tringa ocrophus* Linn. (Tautonymy, Opinion 16.)

Troglodytes Vieillot, Ois. Amér. Sept., II, 1807 (1809 ?), 52. Type *T. aedon* Vieillot. (Subs. desig., Baird, 1858.)

Trogon Brisson, Orn., I, 1760, 42 (Cf. IV, 164). Type "*Trogon cayanensis cinereus*" = *T. strigilatus* Linn., 1766. (Subs. desig., Allen, 1907.)

Turdus Linnaeus, Syst. Nat., ed. 10, I, 1758, 168. Type *T. viscivorus* Linn. (Subs. desig., Gray, 1840.)

Upupa Linnaeus, Syst. Nat., ed. 10, I, 1758, 117. Type *U. epops* Linn. (Tautonymy, Opinion 16.)

Uratelornis Rothschild, Novit. Zool., II, 1895, 479. Type *U. chimaera* Rothschild. (Orig. desig., and Monotypy.)

Vanga Vieillot, Analyse, 1816, 41. Type *Lanius curvirostris* Linn. (Monotypy.)

Vireo Vieillot, Ois. Amér. Sept., I, 1807 (1808?), 83. Type *V. musicus* Vieillot = *Tanagra grisea* Bodd. (Subs. desig., Gray, 1840.)

Vultur Linnaeus, Syst. Nat., ed. 10, I, 1758, 86. Type *V. gryphus* Linn. (Subs. desig., Allen, 1907.)

24) Zoologists are cordially invited to examine the list and to submit to the Secretary of the Commission, before Jan. 1, 1914, any objection they have to the incorporation of any of the foregoing names in the official (accepted) list. Unless circumstances indicate that delay is advisable, the Secretary will call for the vote of the Commission early in 1914.

25) The permanent address of the Secretary is Hygienic Laboratory 25th & E. Sts., N. W., Washington, D. C. His temporary address for 1913 and 1914 is U. S. Marine Hospital, Wilmington, N. C. A letter directed at any time to either address will reach him.

III. Personal-Notizen.

J. S. Kingsley of Tufts College goes to the University of Illinois at Urbana, Ill. as Professor of Zoology in charge of Vertebrates.

Druck von Breitkopf & Härtel in Leipzig.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: Zoologischer Anzeiger

Jahr/Year: 1913

Band/Volume: 42

Autor(en)/Author(s): Stiles Charles Wardell

Artikel/Article: Mitteilungen aus Museen, Instituten usw. 520-528