


Ich habe den hier abgebildeten (von der Uhrfeder abgesehen), aus Neusilber gearbeiteten Apparat von dem Herrn Mechaniker Fr. Fa-



s ching in Graz, Bürgergasse No. 13 anfertigen lassen; welcher auch erbötig ist, denselben für 2 Gulden Ö. W. oder  $3\frac{1}{2}$  Mark herzustellen.

Ein solcher Schnittstrekker ist an jedem Schlittenmicrotom leicht anzubringen. Dazu hat man nur in den hinteren massiven Theil des zum Halten des Objectes bestimmten Schlittens ein senkrechtes dreh rundes Loch von etwa 20 mm Länge und einem der Dicke des Klemm stiftes entsprechenden Durchmesser bohren zu lassen.

Dies Loch ist, falls man das Messer annähernd quer oder mit dem äußeren Ende nach sich zu gerichtet einzuspannen pflegt, in dem rechts d. h. der Längsachse des Microtoms nahe liegenden Theile des Objectschlittens anzubringen. Pflegt man das Messer dagegen sehr schräg und mit dem äußeren Ende nach vorn gerichtet zu stellen, so hat man das Loch möglichst weit nach links zu setzen, damit das Messer den Klemmstift beim Schneiden nicht erreicht.

## 2. Linnean Society of London.

18th January 1883. — There was exhibited on behalf of Mr. Jos. Romanis a live specimen of *Pieris Rapae* which had been found fluttering on the window of his house a few days previously. — Mr. Stainton remarked that this early appearance of the insect in question might be accounted for by the fact that the eggs were often hatched on the flowers of *Tropaeolum* within doors and hence the imago would issue sooner than in out door specimens. — Mr. A. G. Bourne gave a contribution on the Anatomy of *Polynoina*, pointing out that the *Polynoe Grubiana* very common in the Mediterranean is only a variety of the *P. clava* Montague of our own coasts. The latter itself has certain constant characteristics and others much more variable. — Prof. P. M. Duncan read his »Observations on the Madrepollaria Fam. *Fungidae* with special reference to the hard structures«. The fa-

mily Fungidae of Dana was further elaborated by MM. Milne-Edwards and Jules Haime in the Hist. Nat. des Coralliaires. They described the synapticula as constituting an essential family structure, and also the absence of endothecal dissepiments. In Dr. Duncan's communication he describes the ridge of the continuous synapticula with canals between them limited by solid and also perforate septa and delineates the structures, — the synapticula are shown to have no relation to the ornamentation on the ridges of the septa. The basal wall is shown to be of synapticular origin and the foramina in it to relate to the growth of these binding structures. The anatomy of species of *Fungia*, *Herpolitha*, and *Holomitra* Dana, is given and it is shown that it is the last genus which the author considers to include *Podbacia* Eds. & H., the synapticula begin to be divided and discontinuous, leading to the condition seen in the Anabaciaceae and Lophoserinae. The microscopic value of the septa and synapticula is considered and these last structures are shown to be produced in some instances before the thin septum which very well unites to the larger one, and also it is demonstrated that the synapticular structures are not always continuous with those of the large septa, the direction of the ultimate histological elements of the two structures differs and there is connective tissue between them. The communication is one of a series. — J. Murie.

### 3. Erklärung.

Unter Hinweis auf die im Januar - Heft des Quarterly Journal of Microscop. Science veröffentlichte, eigentlich nur eine Bestätigung der früher bereits von Prof. R. Leuckart mitgetheilten Thatsachen enthaltende Arbeit des Herrn A. P. Thomas, »The Life-History of the Liver Fluke« und die darin gegebene historische Einleitung ersucht mich mein College, Herr Prof. R. Leuckart, hiermit zu constatiren, daß das Manuscript zu seiner, in No. 122 des Zool. Anzeigers vom 9. October abgedruckten zweiten Mittheilung »Zur Entwicklungsgeschichte des Leberegels« bereits am 16. August mir übergeben worden ist.

J. Victor Carus.

## IV. Personal-Notizen.

Bern. Der Professor der Anatomie an der Thierarzneischule Dr. M. Flesch hat die Venia docendi an der Universität erhalten.

Kopenhagen. An Stelle des verstorbenen Prof. J. Reinhardt ist Dr. Chr. Lütken, Inspector der ersten Abtheilung des Zoolog. Museums geworden. Die bisherige Stelle Lütken's als Assistent am Museum wurde durch Dr. J. E. V. Boas besetzt.

Wien. Am 25. Januar starb Dr. Ludw. Heinr. Jeitteles, ein durch mehrfache faunistische Arbeiten über Österreich und Ungarn bekannter Naturforscher.

### Berichtigung.

In der Notiz auf p. 56 des Zool. Anzeigers No. 130 muß der Name des Inhabers der chemischen Fabrik Kahlbaum heißen, statt Kuhlbaum.

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Zoologischer Anzeiger](#)

Jahr/Year: 1883

Band/Volume: [6](#)

Autor(en)/Author(s): Murie J.

Artikel/Article: [2. Linnean Society of London 103-104](#)