



RECENT PLECOPTERA LITERATURE

Compiled by R.W. Baumann
and R.F. Surdick

Plecoptera literature since 1950 and not included in the volumes by Illies (1966) and Zwick (1973) is listed.

- (1) AGGUS, L.R. & L.O. WARREN (1965). Bottom organisms of the Beaver Reservoir Basin: A pre-impoundment study. *J. Kans. Ent. Soc.*, 38 (2): 163-178.
- (2) ALI, S.R. (1968). Bottom fauna of the Korang Stream, Rawalpindi. *Pakistan J. Sci.*, 20 (5-6): 266-270.
- (3) _____ (1968). Bottom fauna of the streams and rivers of the Hazara District after summer rains. *Pakistan J. Sci. & Ind. Res.*, 11(2): 208-211.
- (4) _____ (1971). Bottom fauna of the streams of the southern region of Azad Kashmir in Spring. *Pakistan J. Forest.*, 21 (1): 61-66.
- (5) ANDERSON, N.H. (1966). Depressent effect of moonlight on activity of aquatic insects. *Nature*, 209 (5020): 319-320.
- (6) BAUMANN, R.W. & A.R. GAUFIN (1969). The stoneflies (Plecoptera) of the Wasatch Mountains, Utah. *Utah Acad. Proc.*, 46 (Pt. 1): 106-113.
- (7) BENEDETTO, L.A. (1971). Die plecopterenfauna des Kaltisjokk gebietes. *Ber. Ökol. Sta. Messaure*, Nr. 53.

- (8) _____ (1972). Plecopteren wanderungen in ufrenae Waldbereiche. Ent. Tidskr., 93 (4): 220-223.
- (9) _____ (1973). Growth of stonefly nymphs in Swedish Lapland. Ent. Tidskr., 94 (1-2): 15-19.
- (10) _____ (1973). Notes on North Swedish Plecoptera. Ent. Tidskr., 94 (1-2): 20-22.
- (11) BENGTSSON, J. (1972). Vækst og livscyklus hos Nemoura cinerea (Retz.) (Plecoptera). Flora og Fauna, 78 (4): 97-101.
- (12) BERTHÉLEMY, C. (1960). Note sur quelques Nemouridae (Pléoptères) du Sud-Ouest de la France. Bull. Soc. Zool. France, 85 (1): 52-58.
- (13) _____ (1963). Les Protonemura (Pléoptères) automnales des Pyrénées. Bull. Soc. Hist. Nat. Toulouse, 98 (1-2): 275-286.
- (14) _____ (1964). La zonation des Pléoptères et des Coléoptères dans les cours d'eau des Pyrénées. Gewäss. Abwäss., 34/35: 77-79.
- (15) BISHOP, J.E. (1969). Light control of aquatic insect activity and drift. Ecol., 50 (3): 371-380.
- (16) _____ (1973). Observations on the vertical distribution of the benthos in a Malaysian Stream. Freshwater Biol., 3: 147-156.
- (17) BJARNOV, N. & J. THORUP (1970). A simple method for rearing running-water insects, with some preliminary results. Arch. Hydrobiol., 67 (2): 201-209.
- (18) BRINCK, P. (1958). Parningens uppkonst och betydelse hos insekter och härstående djurgrupper. Ent. Tidskr. 78 (4): 216-264.
- (19) _____ (1970). 10. Plecoptera in Taxonomist's glossary of genitalia in insects, ed. S.L. Tuxen, 2nd Ed., Munksgaard, Copenhagen.
- (20) BRINDLE, A. (1973). Isogenus nubecula Newman in Flintshire (Plecoptera, Perlodidae). Ent. Rec., 85: 50-53.
- (21) BRITAIN, J.E. (1973). The biology and life cycle of Nemoura avicularis Morton (Plecoptera). Freshwater Biol., 3: 199-210.

- (22) BRUSVEN, M.A. (1970). Fluorescent pigments as marking aquatic insects. Northwest.Sci., 44 (1): 44-47.
- (23) BUTZ, I. (1973). Orientierungsverhalten bei Capnia atra (Plecoptera), Oikos (Suppl.) 24: 331-336.
- (24) CHASTON, I. (1969). The light threshold controlling the periodicity of invertebrate drift. J. Anim. Ecol., 38: 171-180.
- (25) CHERNOVA, O.A. (1969). Symposium A : Taxonomy, Ecology & Phylogeny of Odonata, Ephemeroptera, Plecoptera and Trichoptera. Ent. Oboz., 48 (2): 263.
- (26) CHUTTER, F.M. & R.G. NOBLE (1966). The reliability of a method of sampling stream invertebrates. Arch. Hydrob. 62 (1): 95-103.
- (27) CLAIRE, E.W. & R.W. PHILLIPS (1968). The stonefly, Acroneuria pacifica, as a potential predator on Salmonid embryos. Trans. Amer. Fish. Soc., 97(1): 50-52.
- (28) CORBET, G.B. (1962). New country records of stoneflies (Plecoptera). Scottish Natur., 70: 138-139.
- (29) _____ (1964). Records of stoneflies (Plecoptera) from Arran, Scarba and Kintyre. Scottish Natur., 71: 98-99.
- (30) CORBET, P.S. (1964). Temporal patterns of emergence in aquatic insects. Canadian Ent., 96 (1-2): 264-278.
- (31) CRISP, D.T. & T. GLEDHILL (1970). A quantitative description of the recovery of the bottomfauna in a muddy reach of a mill stream in South England after draining and dredging. Arch. Hydrob., 7(4): 502-541.
- (32) CUMMINS, K.W., W.P. COFFMAN & P.A. ROFF (1966). V. Running waters, Trophic relationships in a small woodland stream. Verh. Internat. Verein. Limnol., 16: 627-638.
- (33) DAAN, S. & K. GUSTAFSSON (1973). Midsummer night emergence of stoneflies (Plecoptera) in a Lapland Mountain Lake. Aquilo, Ser. Zool. 14.(in press).

- (34) DAHL, J. (1962). Studies on the biology of Danish stream fishes I. the food of Grayling (Thymallus thymallus) in some Jutland Streams. Meddelelser fra Danmarks Fiskeri-og Havundersøgelser 7 (8): 199-264.
- (35) EGGLESHAW, H.J. & D.W. MACKAY (1967). A survey of the bottom fauna of streams in the Scottish Highlands, Pt. III. Seasonal changes in the fauna of three streams. Hydrobiol., 30(3-4): 305-334.
- (36) ELLIOTT, J.M. (1965). Invertebrate drift in a mountain stream in Norway. Norsk Ent. Tidsskr. 13 (1-2): 97-99.
- (37) ELLIS, R.J. (1970). Ailoperla stonefly nymphs: predators or scavengers on salmon eggs and alevins? Trans. Amer. Fish. Soc., 99(4): 677-683.
- (38) FINNI, G.R. (1973). Biology of winter stoneflies in a central Indiana stream (Plecoptera). Ann. Ent. Soc. Amer., 66(6): 1243-1248.
- (39) FRANTZ, T.C. & A.J. CORDONE (1966). A preliminary checklist of invertebrates collected from Lake Tahoe, 1961-1964., Occas. Pap. Biol. Soc. Nev., No. 8, p. 1-12.
- (40) GAUFIN, A.R. (1959). Production of bottom fauna in the Provo R., Utah. Iowa St. Col. Jour. Sci., 33 (3): 395-419.
- (41) GAUFIN, A.R. (1973). Use of aquatic invertebrates in the assessment of water quality. Spec. Tech. Publ. 528, Amer. Soc. Test. & Mater., Phila., Pa.
- (42) GAUFIN, A.R. & S. HERN (1971). Laboratory studies on tolerance of aquatic insects to heated waters. Jour. Kans. Ent. Soc., 44 (2): 240-245.
- (43) GNATZY, W. & R. RUPPRECHT (1972). Die bauch blase von Nemurella picteti Klaralek (Insecta, Plecoptera). Z. Morph. Tiere 73: 325-342.
- (44) GRITSAY, I.Y. & L.A. ZHILIZOVA (1973). Contribution to the Plecoptera of Tadzikistan. Fauna & Ecol. Tadzikistan Arthrop., p. 17-38.
- (45) HALES, D.C. (1961). Stream bottom sampling as a research tool. Utah Acad. Sci., Arts & Lett., 39:84-91.

- (46) Hales, D.C. & A.R. Gaufrin (1971). Observations on the emergence of two species of stoneflies. *Ent. News*, 82: 107-109.
- (47) HARPER, P.P. (1971). Plecopteres nouveaux du Quebec (Insectes). *Canad. Jour. Zool.*, 49(5): 685-690.
- (48) HARPER, P.P. & H.B.N. HYNES (1971). The Capniidae of Eastern Canada (Insecta; Plecoptera). *Canad. Jour. Zool.*, 49(6): 921-940.
- (49) _____ (1971). The Leuctridae of Eastern Canada (Insecta: Plecoptera). *Canad. Jour. Zool.*, 49(6): 915-920.
- (50) _____ (1971). The nymphs of the Nemouridae of Eastern Canada (Insecta: Plecoptera). *Canad. Jour. Zool.*, 49(8): 1129-1142.
- (51) _____ (1971). The nymphs of Taeniopterygidae of Eastern Canada (Insecta: Plecoptera). *Canad. Jour. Zool.*, 49(6): 941-947.
- (52) _____ (1972). Life-histories of Capniidae & Taeniopterygidae (Plecoptera) in Southern Ontario. *Arch. Hydrobiol.*, Suppl. 40, vol. 3, 274-314.
- (53) HARTLAND-ROWE, R. (1964). Factors influencing the life histories of some stream insects in Alberta. *Verh. Internat. Verein. Limnol.*, 15: 917-925.
- (54) HILSENHOFF, W.L. & S.J. BILLMYER (1973). Perlodidae (Plecoptera) of Wisconsin. *Grt. Lakes Ent.*, 6(1): 1-14.
- (55) _____ & R.P. NARF (1972). Plecoptera, stoneflies in aquatic insects of the Pine-Popple River, Wisconsin by Hilsenhoff, et. al., *Tech. Bull. #54*, Dept. Nat. Res., Madison, Wisc.
- (56) HITCHCOCK, S.W. (1960). Effects of an aerial DDT spray on aquatic insects in Connecticut. *J. Econ. Ent.*, 53 (4): 608-611.
- (57) _____ (1965). Field & laboratory studies of DDT and aquatic insects. *Bull. 668*, Conn. Ag. Exp. Sta., 1-32.
- (58) HYNES, H.B.N. (1968). Further studies on the invertebrate fauna of a Welsh Mountain Stream. *Arch. Hydrobiol.*, 65(3): 360-379.

- (59) _____ (1970). The ecology of stream insects. *Ann. Rev. Ent.*
15: 25-42.
- (60) _____ & M.J. COLEMAN (1968). A simple method of assessing the
annual production of stream benthos. *Limnol. Ocean.*, 13(4):
569-573.
- (61) IKUNOMOV, P. (1971). Distribution saisonnière des Plécoptères
(Insectes) dans la rivière de Mavrovo (Montagne Distra) selon
les variations de la température. *Ann. Faculté Sci de l'Univ.*
Skopje, 24: 5-28.
- (62) _____ (1972). Distribution saisonnière des Plécoptères (Insectes) dans
les eaux de la Montagne Char. *Ann. Fac. Sci. de l'Univ. Skopje*,
25: 11-39.
- (63) KAPOOR, N.N. (1971). A recording device for measuring respiratory
movements of aquatic insects. *Proc. Ent. Soc. Ont.*, 102: 71-78.
- (64) _____ (1972). Oxygen consumption of Paragnetina media (Walker):
light-dark effect on respiratory rates. *Experientia*, 28: 1311-1312.
- (65) _____ (1972). Rearing and maintenance of plecopteran nymphs.
Hydrobiol., 40(1): 51-53.
- (66) _____ (1972). Significance of the tracheal gills of plecopteran
nymphs. *Amer. Zool.*, 12 (4): 514.
- (67) _____ (1974). Some studies on the respiration of stonefly nymph,
Paragnetina media (Walker). *Hydrobiol.*, 44 (1): 37-41.
- (68) _____ & K. ZACHARIAH (1973). Presence of specialized cellular
complexes in the tracheal gills of stonefly nymph, Paragnetina media
(Walker). *Experientia*, 29: 848.
- (69) _____ (1973). Abdominal gills in Eustheniidae (Plecoptera).
Int. J. Insect Morphol. & Embryol., 2(4): 351-355.
- (70) _____ (1973). A study of specialized cells of the tracheal gills
of Paragnetina media (Plecoptera). *Canad. J. Zool.*, 51 (9): 983-986.

- (71) MAKI, A.W., K.W. STEWART & J.K.G. SILVEY (1973). The effects of Dibrom on respiratory activity of the stonefly, Hydroperla crosbyi, Hellgrammite Corydalus cornutus and the golden shiner, Notemigonus crysoleucas. Trans. Amer. Fish. Soc., 102(4): 806-815.
- (72) MEINANDER, M. (1972). The invertebrate fauna of the Kilpisjärvi area, Finnish Lapland, 4. Plecoptera. Acta Soc. Pro Fauna et Flora Fennica, 80: 45-61.
- (73) MIRON, I. (1973). Reponse des larves de Perla burmeisteriana Claassen (Plecoptera) aux variations de la pression hydrostatique. Hydrobiol., 42 (2-3): 345-354.
- (74) _____ (1972). Note sur les Pléoptères du Maroc. Bull. Soc. Sci. Natur. Phys. du Maroc., 52 (3-4).
- (75) _____ & P. ZWICK (1972). Un nouveau genre de Plecopteres du Haut Atlas Marocain. Bull. Soc. Sci. Natur. Phy. du Maroc., 52 (3-4).
- (76) MÜLLER, K. (1970). Die drift von insektenlarven in Nord-und Mittel-Europa. Österr. Fischerei 23 (5/6): 111-117.
- (77) _____ (1970). Tages-und jahresperiodik der drift in Fließgewässern auf verschiedenen geographischen Breiten. Oikos, Suppl., 13: 21-44.
- (78) _____ (1973). Life cycles in stream insects. Aquilo, Ser. Zool., 14 (in press).
- (79) _____ Die Plasenlagen von Ivertebraten in der drift. Ber. Ökol. Stat. Messaure 28: 1-11.
- (80) _____ & E. THOMAS (1972). Bäcksländornas rytmik i Messaureområdet. Fauna och Flora, 67: 191-195.
- (81) NEBEKER, A.V. (1972). Effect of low oxygen concentration on survival and emergence of aquatic insects. Trans. Amer. Fish. Soc., 101 (4): 675-679.
- (82) NYQUIST, D. & J.D. LAPERRIERE (1973). A preliminary survey of the zooplankton and benthos of an Arctic Lake near Erudhoe Bay, Alaska. Ant. News, 84: 227-234.

- (83) PEARSON, W.D., R.H. KRAMER & D.R. FRANKLIN (1968). Macroinvertebrates in the Greer River below Flaming Gorge Dam, 1964-65 and 1967. Proc. Utah Acad. Sci. Arts & Letters., 45 (pt. 1): 148-167.
- (84) PRUNESCU-ARTON, E. & M. BALIAC (1967). Contributii la studiul hidrobiologic al Riului Someşul Cald., Hydrobiol., 8: 81-98.
- (85) SINGH, R.K. (1971). New records of two stoneflies (Plecoptera: Nemouridae) from India. Sci. & Culture, 34: 434.
- (86) _____ & R.N. TIWARY (1972). A new record of stonefly (Plecoptera: Perlidae) from India. Labdev Jour. Sci. & Tech., 10-8 (3-4): 169.
- (87) STANFORD, J.A. (1973). A centrifuge method for determining live weights of aquatic insect larvae, with a note on weight loss in preservative. Ecol., 54 (2): 449-451.
- (88) STARK, B.P. & K.W. STEWART (1973). Distribution of stoneflies (Plecoptera) in Oklahoma. Jour. Kans. Ent. Soc., 46 (4): 563-577.
- (89) WALLACE, R.R., W.F. MERRITT & A.S. WEST (1973). Dispersion and transport of rhodamine B dye and methoxychlor in running water: a preliminary study. Environ. Pollut., 5: 11-18.
- (90) WALLACE, R.R., A.S. WEST, A.E.R. DOWNE & H.B.N. HYNES (1973). The effects of experimental blackfly (Diptera: Simuliidae) larviciding with Anate, Dursban, and Methoxychlor on stream invertebrates. Can. Ent., 105: 817-831.
- (91) WISE, K.A.J. (1973). A list and bibliography of the aquatic and water-associated insects of New Zealand. Vol. 10, Rec. of the Auckland Inst. and Museum, pp. 143-187.
- (92) ZHILKOVA, L.A. (1972). The family Louctridae (Plecoptera) new for Middle Asia. Zool. J., LI (11): 1741-1743.
- (93) _____ (1972). New for the Middle Asian family Iaeniopterygidae (Plecoptera). Zool. J., LI (12): 1815-1822.

- (94) ____ (1972). On the fauna of stoneflies (Plecoptera) on the Mongolian People's Republic. The Insects of Mongolia. 1: 113-150.
- (95) ____ (1972). Paracampia Hanson a genus of stonefly (Plecoptera, Campiidae), new for the fauna of the USSR. Rev. Ent. USSR., LI (4): 832-836.
- (96) ____ (1973). The first finding of representatives of the genus Bulgaroperla (Plecoptera, Perlodidae) in the Caucasus. Zool. Newsbull., 5: 85-88.
- (97) ZOLADEK, M. & N.N. KAPOOR (1971). The periodicity of oxygen consumption in two species of stoneflies (Plecoptera). Amer. Zool. 11 (4): 257.
- (98) ZWICK, P. (1972). Notes on African Neoperla (Ins., Plecoptera). 14th Int. Cong. Ent., p. 102.
- (99) ____ (1972). Plecoptera (Ins.) aus dem Mittelmeergebiet, vor Allem aus Portugal und Spanien. Ciencia Biol. (Portugal), 1: 7-17.
- (100) ____ (1972). Protonemura zernyi Aubert (Insecta: Plecoptera), an addition to the fauna of Israel. Israel. J. Zool., 21: 49-51.
- (101) ____ (1973). Insecta: Plecoptera phylogenetisches system und katalog. Das Tierreich Berlin, Lieferung 94, 32: 1-465.
- (102) ____ (1973). On the stoneflies from Korea (Insecta, Plecoptera). Fragmenta faun., 19 (8): 149-157.
- (103) ____ (1973). Die Plecopteren-Arten Enderleins (Insecta); revision der typen. Ann. Zool., 30 (16): 471-507.
- (104) ____ (1974). Zwei neue Nemouridae (Ins., Plecoptera) aus dem Fernen Osten. Nouv. Rev. Ent., IV (1): 75-78.