



Recent Plecoptera Literature

This section includes the Plecoptera papers published since PERLA 5 was mailed as well as some additions of older literature. PERLA is published every two years and a literature section is included in every issue.

Please help us to make this section as complete and correct as possible by sending us copies of your publications and/or notes on errors found.

- ALLEN, J.D. (1982): Feeding habits and prey consumption of three setipalpian stoneflies (Plecoptera) in a mountain stream. *Ecology* 63:26-34.
- ANDERSON, N.H. (1982): A survey of aquatic insects associated with wood debris in New Zealand streams. *Mauri Ora* 10:21-34.
- ANDERSON, R.L. (1982): Toxicity of fenvalerate and permethrin to several nontarget aquatic invertebrates. *Environ. Entomol.* 11(6): 1251-1257.
- ANONYMUS. (1982): Fliessgewaesser in Nordrhein-Westfalen Richtlinien für die Ermittlung der Gewaessergueteklasse. Landesamt f. Wasser u. Abfall Nordrhein-Westfalen, Duesseldorf. 6+7 unnumbered pages.
- ANTONOVA, O.A., A.K. BRODSKI, and V.D. IVANOV. (1981): Wing-motion kinematics of five insect species. *Zool. Zhurn.* 60(4):506-519 (Russian, English summary).
- BAUMANN, R.W. (1982a): Plecoptera, pp. 278-279 in: HURLBERT, S.H. and A. VILLALOBES-FIGUEROA (eds.): *Aquatic Biota of Mexico, Central America, and the West Indies.*, San Diego State University, San Diego.
- BAUMANN, R.W. (1982b): Plecoptera, pp. 389-393 in: PARKER, S.P. (ed): *Synopsis and classification of living organisms.*, McGraw-Hill, New York.
- BENEDETTO, L. (1983): Plecoptera of Uruguay I: Paragriopteryx baratinii n. sp. Studies on Neotropical Fauna and Environment 18:19-23. (Spanish, English Abstract).
- BERTHELEMY, C. (1981): On two endemic Protonemura from the Pyrenees (Plecoptera:Nemouridae). *Annls. Limnol.* 17(3):243-249. (French, English summary).
- BERTHELEMY, C. and M. LAHOUD. (1981): Food and mouth parts of several Pyrenean Perlodids and Perlids (Plecoptera). *Ann. Limnol.* 17(1):1-24.
- BERTHELEMY, C. and A. DIA. (1982): Plecopteres du Liban (Insecta) *Ann. Limnol.* 18(2):191-214. (French, English Abstract).
- BRAASCH, D. and W. JOOST. (1981): Leuctra meyi, new species (Plecoptera, Leuctridae) from the Western Caucasus, USSR. *Entomol.*

- Nachr. 25(6):85-88. (German, English and Russian summaries).
- BRITTAINE, J.E. (1983a): The first record of the nymph of Xanthoperla apicalis (Newman) (Plecoptera:Chloroperlidae) from Scandinavia, with a key to the mature nymphs of the Scandinavian Chloroperlidae. Fauna Norv. ser. B 30:52-53.
- BRITTAINE, J.E. (1983b): The influence of temperature on nymphal growth rates in mountain stoneflies (Plecoptera). Ecology 64(3):440-446.
- BRODSKII, A.K. (1981): Evolution of the wing apparatus in stoneflies (Plecoptera): 3. Wing deformation of Isogenus nubecula during flight. Entomol. Rev. 60:25-36.
- BRUSVEN, M.A. and S.T. ROSE. (1981): Influence of substrate composition and suspended sediment on insect predation by the torrent sculpin, Cottus rhotheus. Can. J. Fish. Aquat. Sci. 38(11):1444-1448.
- BURTON, D.K. (1982): Life history strategies and Nearctic distribution of the winter stoneflies (Plecoptera: Capniidae, Taeniopterygidae, Nemouridae) found in the Whitemouth River Hadashville, Manitoba.-(abstract). 38. Ann. Meeting Entomol. Soc. Manitoba; Winnipeg, Manitoba.
- CANTON, S.P. and J.W. CHADWICK. (1983): Aquatic insect communities of natural and artificial substrates in a Montana stream. J. Freshw. Ecol. 2(2):153-158.
- CLIFFORD, H.F. (1982): Effects of periodically disturbing a small area of substratum in a brown-water stream of Alberta, Canada. Freshw. Invertebr. Biol. 1(2):39-47.
- CLINE, L.D., R.A. SHORT, and J.V. WARD. (1982): The influence of highway construction on the macroinvertebrates and epilithic algae of a high mountain stream. Hydrobiologia 96:149-159.
- CONSIGLIO, C. (1980): Plecotteri (Plecoptera) in: CONSIGLIO, C. (ed.): delle specie animali delle negre in terne Italiane. Nazionale delle Ricerche (Verona) 9,68 pp. (Italian).
- CONSIGLIO, C. (1981): 1980-Plecotteri (Plecoptera). Boll. Soc. Entomol. Ital., Genova., 113(4-7):116. (Italian).
- CORRARINO, C.A. and M.A. BRUSVEN. (1983): The effects of reduced stream discharge on insect drift and stranding of nearshore

insects. *Freshw. Invertebr. Biol.* 2(2):88-98.

CREMEANS, W.L. and D.C. TARTER. (1980): Proposed environmental impacts on the Gallipolis Locks and Dam replacement, Ohio River mile 279.2 on the benthic macroinvertebrates and fishes of Flatfoot Creek Mason County, West Virginia, USA. *Proc. W. Va. Acad. Sci.* 52:58-65.

DANIELSSON, P. and K. MUELLER. (1982): Faunistic zonation of the Ångerman estuary, Sweden. in: MUELLER, K. (ed.): *Coastal research in the Gulf of Bothnia*. *Mongr. Biol.* 45:121-132.

DAVIS, J.R. (1982): Macrofaunal diversity of Cibolo Creek, an interrupted, southcentral Texas stream. pp. 79-94 in: DAVIS, J.R. (ed.): *Proceedings of the symposium on recent benthological investigations in Texas and adjacent states*. *Texas Acad. Sci., Austin, Texas.*

DONALD, C.B. and R.A. Mutch. (1980): The effect of hydroelectric dams and sewage on the distribution of stoneflies (Plecoptera) along the Bow River. *Quaest. Entomol.* 16(3-4):657-669.

DONALD, D.B. and D.E. PATRICKIN. (1983): The wing length of lentic Capniidae (Plecoptera) and its relationship to elevation and Wisconsin glaciation. - *Can. Entomol.*, 115:921-926.

DRATNAL, E. and E. DUMNICKA. (1982): Composition and zonation of benthic invertebrate communities in some chemically stressed aquatic habitats of Niepolomice Forest (South Poland). *Acta Hydrobiol.* 24(2):95-181.

DUDGEON, D. (1982): An investigation of physical and biological processing of two species of leaf litter in Tai Po Kau Forest stream, New Territories, Hong Kong. *Arch. Hydrobiol.* 96:1-32.

DUDLEY, T. and N.H. ANDERSON. (1982): A survey of invertebrates associated with wood debris in aquatic habitats. *Melanderia* 39:1-21.

EDWARDS, R.W. and M.P. BROOKER. (1982): The ecology of the Wye. *Monographiae Biol.* 50, Dr. W. Junk Publ. The Hague 11:164.

ELLIOTT, S.T. (1981): Records of Plecoptera (Insecta) from southeastern Alaska. *Pan-Pacific Entomol.* 57(3):434-442.

FEY, M. (1983): Benthofauna west-sauerlaendisher Fliessgewässer (Insecta:Ephemeroptera, Plecoptera, Trichoptera). *Natur und Heimat*

43(1):11-24 (German).

FLANNAGAN, J.F. and D.G. COBB. (1983): New records of winter stoneflies (Plecoptera) from Manitoba with notes on their zoogeographical origins. Can. Entomol. 115:673-677.

FLANNAGAN, P.M. and J.F. FLANNAGAN. (1982): Present distribution and the post-glacial origin of the Ephemeroptera, Plecoptera and Trichoptera of Manitoba. Manit. Dept. Natur. Res. Tech. Rep. 82:1-79.

FOLSOM, T.C. and K.L. MANUEL. (1983): The life cycle of Pteronarcys scotti (Plecoptera: Pteronarcyidae) from the Southern Appalachians, U.S.A. Aquatic Insects 5(4):227-232.

FRANZ, H.P. (1980): Limnologische Untersuchung des Gewässersystems Dhron (Hunsrück). Decheniana 133:155-179.

FRIESEN, M.K., J.F. FLANNAGAN, and D.G. COBB. (1980): Emergence of Plecoptera (stoneflies) from South Duck River and Cowan Creek in the Duck Mountain Provincial Forest, Manitoba.- (abstract). 38. Ann. Meeting Entomol. Soc. Manitoba; Winnipeg, Manitoba.

GOLLADAY, S.W., J.R. WEBSTER, and E.F. BENFIELD. (1983): Factors affecting food utilization by a leaf shredding aquatic insect: Leaf species and conditioning time. Holarct. Ecol. 6(2):157-162.

GRAY, L.J. and J.V. WARD. (1983): Leaf litter breakdown in streams receiving treated and untreated metal mine drainage.- Environ. Int. 9:135-138.

GRAY, L.J., J.V. WARD, R. MARTINSON, and E. BERGEY. (1983): Aquatic macroinvertebrates of the Piceance Basin, Colorado: Community response along spatial and temporal gradients of environmental conditions. Southwest. Natur. 28(2):125-135.

HERMANN, H.R. and J.B. WALLACE. (1968): Impregnation of the trachea of adult Pteronarcys (P.) dorsata (Plecoptera: Pteronarcidae) with latex. J. Georgia Entomol. Soc. 3:131-133.

HILSENHOFF, W.L. (1982a): Arthropod fauna. pp. 41-44. in: WENTZ, D.A. and D.J. GRACZYK (eds.): Effects of a floodwater-retarding structure on the hydrology and ecology of Trout Creek in southwestern Wisconsin. U.S. Geol. Surv. Water Res. Invest. 1982-83.

HILSENHOFF, W.L. (1982b): Using a biotic index to evaluate water

quality in streams. Wisc. Dept. Natur. Res. Tech. Bull. Madison, Wisconsin 132:1-22.

HYNES, H.B.N. (1982): New and poorly known Gripopterygidae (Plecoptera) from Australia especially Tasmania. Austral. J. Zool. 30:151-158.

IKONOMOV, P. (1983): (Plecopteres (Insecta) des regions meridionales de Macedoine) Annuaire Fac. Biol. Univ. Kiril Metodij 35:29-51. (Macedonian, French summary).

ILLIES, J. (1982): Longitudinal sections of the Breitenbach (West Germany), as reflected by emergence (Insecta, Ephemeroptera, Plecoptera, Trichoptera). Arch. Hydrobiol. 95:157-168.

ILLIES, J. (1983): Oekosystemforschung an einem Mittelgebirgsbach (Emergenzanalyse) Verh. Ges. Oekol. (Mainz 1981) 10:247-253.

IVANOV, V.D. (1981): Wing-folding of live insects. Vestn. Leningr. Univ. Biol. 3:101-103. (Russian, English summary).

JACOBI, G.Z. and R.W. BAUMANN. (1983): Winter stoneflies (Plecoptera) of New Mexico. Great Basin Natur. 43(4):585-591.

JENSEN, J.W. (1983): A check on the invertebrates of a Norwegian hydroelectric reservoir and their bearing upon fish production.- Inst. Freshw. Res. Drottningholm, 60 (1982):39-50.

JOHNSON, J.H. (1983): Diel food habits of two species of setipalpian stoneflies (Plecoptera) in tributaries of the Clearwater River, Idaho.- Freshw. Biol. 13:105-111.

KACANSKI, D. and R.W. BAUMANN. (1981): Notes on the Plecoptera fauna of the Moraca River drainage, p. 304-307 in: KARAMAN, G.S. and A.M. BEETON (eds.): The biology and limnology of Lake Skader. GRO Prosveta. Belgrade, Yugoslavia.

KAPOOR, N.N. (1983): Special morphological features of the body surface of the stonefly nymph, Taeniopteryx burksi (Plecoptera: Taeniopterygidae). Microscopical Soc. Can. 10:46-47.

KAPOOR, N. and K. ZACHARIAH. (1983): Ultra-structure of the sensilla of the stonefly nymph, Thaumatoperla alpina Burns and Neboiss (Plecoptera: Eustheniidae). Int. J. Insect Morphol. and Embryol. 12(2-3):157-168.

KAYANO, Y. (1973): The groups of the living species in the river

bottoms in the city of Matsumoto and its vicinity. (Rivers: Onna-Tobagawa, Tagawa, and Usugawa). Shinano Kyoiku 1038:56-65.

KAYANO, Y. (1974): The report on the investigation of the living species in the river Yura. The insects living in the rivers in Kinki Area Investigation Report 1:1-9.

KAWAI, T. (1981): Proceedings of the Seventh International Symposium on Plecoptera, Nara Women's University, 19-22, August 1980. Biol. Inland Waters 2:19-43.

KIRCHNER, R.F. (1981): A new Allocapnia from West Virginia (Plecoptera:Capniidae). Proc. Entomol. Soc. Wash. 84:786-790.

KIRCHNER, R.F. and P.P. HARPER. (1983): The nymph of Bolotoperla rossi (Frison) (Plecoptera:Taeniopterygidae:Brachypterinae). J. Kansas Entomol. Soc. 56(3):411-414.

KITTEL, W. (1982): Stoneflies (Plecoptera) of the Lubrzanka River. Acta Univ. Lodz., Folia Limnologica 1:39-49. (Polish, English and Russian summaries).

KLAUSNITZER, B., U. JACOB, and W. JOOST. (1982): Ausgestorbene und bedrohte rheobionte Wasserinsekten der DDR unter besonderer Beruecksichtigung potamaler Arten. Entomol. Nachr. Berichte 26:151-156.

KNAUF, W. (1969): Faunistisch-Oekologische Untersuchungen an der Wiesent, einem Karstfluss der noerdlichen Fraenkischen Alb, mit besonder Berucksichtigung der Fliessgewaesserregionen. Ph-D-Thesis, Univ. Erlangen/Germany, private publication, 224 pp.

KOHNO, M. (1953): Plecoptera literature of Shiushu District. Report of Matsumoto branch, Shiushu Entomol. Soc. 43:1-9. (Japanese).

KOHNO, M. (1958): Plecoptera (Insecta) literature of Fukushima. Biol. club of Fukushima 1:11-19. (Japanese).

KOHNO, M. (1964): Holotype of Paragnetina bolivari Klapalek (Insecta, Plecoptera). Japanese Soc. Systematic Zool. Circular 31:8. (Japanese).

KOHNO, M. (1968): New description of Plecoptera imagines and nymphs and new recorded species of other insects from Aizu District, and faunal list of stoneflies of Fukushima Prefecture. Meiji 100th memorial number Aizu Biol. Club :27-44. (Japanese).

- KOHNO, M. (1982a): Notes on the lovely stoneflies of Aizu District. Insect Club of Fukushima (Fukushima Mushi nokai) 2:1-2. (Japanese).
- KOHNO, M. (1982b): Some new facts on stoneflies. Bulletin of the Aizu Biol. Club 20:3-24. (Japanese).
- KOHNO, M. (1983): Plecoptera nymphs inhabiting in hot springs and the scientific name of Neoperla nipponensis (McLachlan). Nature and Insects 18(7):56-57. (Japanese).
- KOMATSU, T. (1970): Food habits of Salvelinus leucemaenoides f. pluvius, Salmo (Oncorhynchus) mason macrostomus and Leuciscus (Tribolodon) hakonensis of the River Otabi-gawa. Collecting and Breeding 32(6):201-206.
- KONDRATIEFF, B.C. and J. REESE VOSHELL, JR. (1982): The Perlodinae of Virginia, USA (Plecoptera:Perlidae). Proc. Entomol. Soc. Wash. 84:761-774.
- KONDRATIEFF, B.C. and R.F. KIRCHNER. (1982a): Notes on the winter stonefly genus Allocapnia (Plecoptera:Capniidae). Proc. Entomol. Soc. Wash. 84(2):240-244.
- KONDRATIEFF, B.C. and R.F. KIRCHNER. (1982b): Taeniopteryx nelsoni, a new species of winter stonefly from Virginia (Plecoptera:Taeniopterygidae). J. Kans. Entomol. Soc. 55:1-7.
- KONDRATIEFF, B.C. and L.L. DESPINS. (1983): Seasonal flight pattern of Plecoptera from North Otter Creek, Virginia. Entomol. News 94(2):41-44.
- KONDRATIEFF, P.F. and G.M. SIMMONS. (1982): Nutrient retention and macroinvertebrate community structure in a small stream receiving sewage effluent. Arch. Hydrobiol. 94(1):83-98.
- KRACHT, M. (1983): Die Steinfliegen (Insecta:Plecoptera) des Vogelsberges. Erfassung der west palaearktischen Tiergruppen. Fundortkataster der Bundesrepublik Deutschland 16.: Regionalkataster des Landes Hessen 16(1):38 pp. Saarbrucken and Heidelberg.
- KRAFT, K.J. and B.M. SABOL. (1980): The stonefly, Isoperla bilineata, in Lake Superior, USA, Canada. J. Great Lakes Res. 6(3):258-259.
- KRNO, I. (1982): Structure and dynamics of makrozoobentos of the

River Lepcianka and its tributaries (the Low Tatras). Biol. Prace 28:1-126. (Czechoslovakian, English summary).

KRUEGER, C.C. and T. WATERS. (1983): Annual production of macroinvertebrates in three streams of different water quality. Ecology 64(4):840-850.

LAVANDIER, P. (1983): Developpement larvaire, regime alimentaire, production d'*Isoptera viridinervis* Pictet (Plecoptera, Perlodidae) dans un torrent froid de haute montagne. Annls. Limnol. 18(3):301-318.

LECHLEITNER, R.A. and B.C. KONDRATIEFF. (1983): The life history of *Pteronarcys dorsata* (Say) (Plecoptera:Pteronarcyidae) in southwestern Virginia. Can. J. Zool. 61(9):1981-1985.

LEHMKUHL, D.M. (1975): Field guide to aquatic insect families. Blue Jay 33(4):199-219.

LEMLY, A.D. (1982): Modification of benthic insect communities in polluted streams: Combined effects of sedimentation and nutrient enrichment. Hydrobiologia 87:229-246.

LEVEQUE, C., C. DEJOUX and A. ILTIS. (1983): Limnologie du fleuve Bandama, Cote d'Ivoire. Hydrobiologia 100:113-141.

LIGHT, R.W. and P.H. ADLER. (1983): Predicting colonization cycle of aquatic invertebrates. Freshw. Invertebr. Biol. 2(2):74-87.

LIN, Cheng-shing. (1983): Preliminary notes of the May Stream (Taiwan) aquatic insects. Quart. J. Taiwan Mus (Taipei) 35(314):167-170.

MALICKY, H. (1982): Adaptations of two stonefly species to intermittent streams in Crete. Ann. Mus. Goulandris 5:179-182. (German, Greek and English summaries).

MAQUET, B. (1983): Caracteristiques chimiques et biologiques des eaux de la Vallee du Samson. Annls. Soc. r. zool. Belg. 113(1):3-18. (French).

MASTELLER, E.C. (1983): Emergence phenology of Plecoptera from Sixmile Creek, Erie County, Pennsylvania. USA. Aquatic Insects 5:1-8.

MATTHIAS, U. and W. MEINEL. (1982): Zur anthropogenen Gewaesserversauerung im Kaufunger Wald. Phillipia 5(1):76-86.

(German, English summary).

MAURER, M.A. and M.A. BRUSVEN. (1983): Insect abundance and colonization rate in *Fontinalis neo-mexicana* (Bryophyta) in an Idaho Batholith stream, U.S.A. *Hydrobiol.* 98:9-15.

M^CCULLOUGH, J.D. and D.L. M^CCULLOCH. (1982): Community structure and productivity of the macroinvertebrate benthos in two east Texas streams. pp. 95-111. in: DAVIS, J.R. (ed.): Proceedings of the symposium on recent benthological investigations in Texas and adjacent states. Texas Acad. Sci., Austin, Texas.

M^CLELLAN, I.D. (1983): A wingless alpine stonefly from New Zealand and further information on genus *Holcoperla* (Plecoptera: Gripopterygidae). *New Zealand J. Zool.* 10:263-266.

MELVILLE, R.V. (1981): Semblis marginata (Insecta, Plecoptera): Additional steps needed to conserve this name. *Bull. Zool. Nomen.* 38:221-224.

MENDL, H. and K. MUELLER. (1981): (Stoneflies (Plecoptera) in the mouth and in the estuary of the river Angeran in the northern Bothnian Sea).- pp. 243-252 in: MUELLER, K. (ed.): Coastal Research in the Gulf of Bothnia. *Monographiae Biol.* 45.

MEYER, J.L. and J. O'HOP. (1983): Leaf-shredding insects as a source of dissolved organic carbon in headwater streams. *Am. Midl. Natur.* 109(1):175-183.

MINGO, T.M. and K.E. GIBBS. (1980): The aquatic insects of the Narraguagus River, Hancock and Washington counties, Maine. Univ. Maine Agr. Exp. Sta. Land Water Res. Cent., Orono, ME. 63 pp.

MINGO, T. (1983): An annotated checklist of the stoneflies (Plecoptera) of Maine. *Entomol. News* 94(2):65-72.

MINSHALL, W.G., J.T. BROCK, and T.W. LAPOINT. (1982): Characterization and dynamics of benthic organic matter and invertebrate functional feeding group relationship in the upper Salmon River, Idaho (USA). *Int. Revue ges. Hydrobiol.* 67(6):793-820.

MODLIN, R.F. and R.D. JAYNE. (1981): The effect of temperature on the oxygen consumption of three species of *Isoperla* (Plecoptera: Perlodidae). *J. Freshw. Ecol.* 1:299-306.

MOLLES, M.C. Jr., and R.D. PIETRUSZKA. (1983): Mechanisms of prey

selection by predaceous stoneflies: roles of prey morphology, behavior and predator hunger. *Oecologia* 57:25-31.

MORTENSEN, E. and J.L. SIMONSEN. (1983): Production estimates of the benthic invertebrate community in a small Danish stream. *Hydrobiologia* 102:155-162.

MUTCH, R.A. and G. PRITCHARD. (1982): The importance of sampling and sorting techniques in the elucidation of the life cycle of Zapada columbiana (Nemouridae:Plecoptera). *N. Am. Benthol. Soc.*, 29 Meeting:46 (abstract).

MUTCH, R.A., R.J. STEEDMAN, S.B. BERTE and G. PRITCHARD. (1983): Leaf breakdown in a mountain stream: a comparison of methods. *Arch. Hydrobiol.* 97(1):89-108.

NELSON, C.H. (1982): Notes on the life histories of Strophopteryx limata (Frison) and Oemopteryx contorta (Needham and Claassen) (Plecoptera:Taeniopterygidae) in Tennessee. *J. Tenn. Acad. Sci.* 57:9-15.

NELSON, C.H. and B.C. KONDRATIEFF. (1983): Isoperla major, a new species of eastern Nearctic Isoperlinae (Plecoptera:Perlodidae). *Annls. Entomol. Soc. Am.* 76(2):270-273.

NILSSON, C. (1981): Malformed appendages on mayfly and stonefly nymphs (Ephemeroptera and Plecoptera). *Entomol. Tidskr.* 102(213):71-72.

O'HOP, J. and J.B. WALLACE. (1983): Invertebrate drift, discharge and sediment relations in a southern Appalachian (USA) headwater stream. *Hydrobiologia* 98(1):71-84.

OTTO, C. and P. SJOSTROEM. (1983): Cerci as antipredatory attributes in stonefly nymphs. *Oikos* 41(2):200-204.

PAPADOPOL, M. and V. POPESCU-MARINESCU. (1980): Benthic fauna of upper Mures River, Romania. *Trav. Mus. Hist. Natur. Grigore Antipa* 21:145-150.

PENROSE, D.L., D.R. LENAT, and K.W. EAGLESON. (1982): Aquatic macroinvertebrates of Upper French Broad River Basin (North Carolina, USA). *Brimleyana* 8:27-50.

PETERSON, S.W. and R.W. LICHTWARDT. (1983): Capniomyces stellatus n.g., n. sp. and Simuliomyces spica: New taxa of Harpellales (Trichomycetes) from winter-emerging stoneflies.

Mycologia 75(2):242-250.

- RAVIZZA, C. and E. RAVIZZA-DEMATTÉIS. (1981): Protoneura algovia Mendi, new for Italy, in the Rhaetian Alps (Plecoptera: Nemouridae). Atti Soc. Ital. Sci. natur. Museo civ. Stor. natur. Milano 122:151-156.
- RAVIZZA, C. and E.R. AUIZZA-DEMATTÉIS. (1982): Description of the mature nymph and geonomy of Leuctra brevipennis Ravizza (Plecoptera: Leuctridae). Atti Soc. Ital. Sci. natur. Museo civ. Stor. natur. Milano 123(2-3):349-352.
- RAVIZZA, C. and P. ZWICK. (1981): A forgotten opuscule of the Italian entomological literature of the Nineteenth Century. Natura (Milan) 7:119-124. (Italian, English abstract).
- RODENDORF, B.B. (1980): Historical development of the class Insecta. Trans. Paleontol. Inst. (Moscow) 175:1-269. (Russian).
- ROUNICK, J.S. and M.J. WINTERBOURN. (1982): Benthic faunas of forested streams and suggestions for their management. N.Z.J. Ecol. 5:140-150.
- RUPPRECHT, R. (1982): Drumming signals of Danish Plecoptera. Aquatic Insects 4:93-103.
- SCULLION, J., A. PARISH, N. MORGAN, and R.W. EDWARDS. (1982): Comparison of benthic macroinvertebrate fauna and substratum composition in riffles and pools in the impounded River Elan and the unregulated River Wye, mid-Wales. Freshw. Biol. 12:579-595.
- SEPHTON, D.H. and H.B.N. HYNES. (1982a): The numbers of nymphal instars of several Australian Plecoptera. Aquatic Insects 4(3):153-166.
- SEPHTON, D.H. and H.B.N. HYNES. (1982b): Observations on the first instar nymphs of several Australian stoneflies (Plecoptera). Aquatic Insects 4(4):237-252.
- SHEPARD, R.B. (1982): Benthic insect colonization of introduced substrates in the Sangamon River, Illinois (USA). Tran. Illinois State Acad. Sci. 75(112):15-28.
- SHEPARD, W.D. and K.W. STEWART. (1983): Comparative study of nymphal gills in North American Stonefly (Plecoptera) genera and a new, proposed paradigm of Plecoptera gill evolution. Misc. Publ. Entomol. Soc. Am. 55:1-57.

- SILSBEE, D.G. and G.L. LARSON. (1983): A comparison of streams in logged and unlogged areas of Great Smoky Mountains National Park. *Hydrobiologia* 102:99-111.
- SINICHENKOVA, N.D. (1982): The taxonomic placement of the Jurassic stoneflies Mesolecta gracilis Brauer, Redt., Gangl. and Platyperla platypoda Br., Redt., Gangl. and their stratigraphic distribution. *Bull. Geol. Soc. Moscow* 57:112-124.
- SIVEC, I. (1981): Invertebrate drift in the underground Pivka River (Slovenija, Yugoslavia). *Mem. Biospeol.* 7:43-44.
- SIVEC, I. (1981): Nepal stoneflies (Plecoptera). *Aquatic Insects* 3(4):245-257.
- SIVEC, I. (1981): Results of the first and second Yugoslavian entomological expeditions to Nepal and Sri Lanka. *Biol. Vestn.* 20(2):69-74. (Slovenian, English summary).
- SIVEC, I. (1982): Notes on Himalayan stoneflies from the collection Zoologische Staatssammlung Muenchen. *Spixiana* (Munich) 5(2):181-186.
- SIVEC, I. (1982): A new apterous species of Leuctra (Plecoptera: Leuctridae) from Slovenia, Yugoslavia. *Aquatic Insects* 4:89-92.
- SKAIFE, S.H. (1979): African insect life. Country Life books, London and New York 2:1-279.
- SLOOF, W. (1983): Benthic macroinvertebrates and water quality assessment: some toxicological considerations. *Aquatic Toxicol.* (Amsterdam) 491:73-82.
- SMOCK, L.A. (1983a): The influence of feeding habits on whole body metal concentrations in aquatic insects. *Freshw. Biol.* 13:301-311.
- SMOCK, L.A. (1983b): Relationships between metal concentrations and organism size in aquatic insects. *Freshw. Biol.* 13:313-321.
- STARK, B.P. (1983a): Descriptions of Neoperlini from Thailand and Malaysia (Plecoptera: Perlidae). *Aquatic Insects* 5(2):99-114.
- STARK, B.P. (1983b): A review of the genus Soliperla (Plecoptera: Peltoperlidae). *Great Basin Natur.* 43(1):30-44.
- STARK, B.P. (1983c): The Tallaperla maria complex of eastern North

America (Plecoptera:Peltoperlidae). J. Kansas Entomol. Soc. 56(3):398-410.

STARK, B.P. and D.H. RAY. (1983): A revision of the Genus Helopicus (Plecoptera:Perlodidae). Freshw. Invertebr. Biol. 2(1):16-27.

STARK, B.P. and K.W. STEWART. (1982a): Notes on Perlinodes aurea (Plecoptera:Perlodidae). Annls. Entomol. Soc. Am. 75:84-88.

STARK, B.P. and K.W. STEWART. (1982b): Oconoperla, a new genus of North America Perlodinae (Plecoptera:Perlodidae). Proc. Entomol. Soc. Wash. 84(4):746-752.

STARK, B.P. and K.W. STEWART. (1982c): The nymph of Viehoperla ada (Plecoptera:Peltoperlidae). J. Kansas Entomol. Soc. 55(3):494-498.

STARK, B.P. and S.W. SZCZYTOKO. (1982): Egg Morphology and Phylogeny in Pteronarcyidae (Plecoptera). Annls. Entomol. Soc. Am. 75(5):519-529.

STARK, B.P., K.W. STEWART, and F. FEMINELLA. (1983): New records and descriptions of Alloperla (Plecoptera (sic!):Chloroperlidae) from the Ozark-Ouachita Region. Entomol. News 94(2):55-59.

STEWART, K.W., S.W. SZCZYTOKO, and B.P. STARK. (1982): Drumming behavior of four species of North American Pteronarcyidae (Plecoptera): Dialects in Colorado and Alaska Pteronarcella badia. Ann. Entomol. Soc. Am. 75:530-533.

STEWART, K.W., S.W. SZCZYTOKO, B.P. STARK. (1983): The language of stoneflies. Bioscience 33(2):117-118.

STEWART, K.W., S.W. SZCZYTOKO, B.P. STARK, and D.D. ZEIGLER. (1982): Drumming behavior of six North American Perlidae (Plecoptera) species. Annls. Entomol. Soc. Am. 75:549-554.

STEWART, K.W., S.W. SZCZYTOKO. (1983): Drift of Ephemeroptera and Plecoptera in two Colorado rivers. Freshw. Invertebr. Biol. 2(3):117-131.

STUMMER, C. (1982): Emergenzuntersuchungen im "Ritrodat-Areal" Jber. Biol. Stat. Lunz 5:77-97.

SUTCLIFFE, D.W. (1983): Acid precipitation and its effects on aquatic systems in the English Lake District (Cumbria). Ann. Rep. Freshw. Biol. Assoc. 51:30-62.

- TANAGO, M.G. and D.G. JALON, (1981): Estudio de la estructura
biotipologica del Rio Jarama. Bol. Estacion Central de Ecologia
10(19):33-51.
- TARTER, D.C., G.A. ADKINS, K.B. BENSON, and C.V. COVELL, JR. (1982):
A preliminary checklist of the stoneflies (Plecoptera) of
Kentucky, USA. Trans. Ky. Acad. Sci. 43:138-141.
- THEISCHINGER, G. (1982): New and little known Dinotoperline
Stoneflies from Australia (Insecta: Plecoptera: Gripopterygidae).
Mem. Queensland Mus. 20(3):489-525.
- THEISCHINGER, G. (1983): The genus Stenoperla in Australia (Insecta:
Plecoptera:Eustheniidae). Aust. J. Zool. 31(4):541-556.
- TRIAL, J.G. (1982): The effectiveness of upstream refugia for
promoting recolonization of Plecoptera killed by exposure to
carbaryl. J. Freshw. Ecol. 1(6):563-568.
- TURCOTTE, P. and P.P. HARPER. (1982a): Drift patterns in a high
Andean stream. Hydrobiologia 89:141-151.
- TURCOTTE, P. and P.P. HARPER. (1982b): The macroinvertebrate fauna of
a small Andean stream. Freshw. Biol. 12:411-419.
- TUTHILL, J.E. (1983): The bugs of winter. Science 83,
Jan./Feb.:36-40.
- WARD, J.V. (1982): Altitudinal zonation of Plecoptera in a Rocky
Mountain stream. Aquatic Insects 4:105-110.
- WINTERBOURN, M.J. (1982): The invertebrate fauna of a forest stream
and its association with fine particulate matter. New Zealand J.
Mar. Freshw. Res. 16(3/4):271-282.
- WISE, K.A.J. (1983): Lacewings and aquatic insects of New Zealand
2. Fauna of the northern offshore islands. Rec. Auckland Inst.
Mus. 20:259-271.
- WYNES, D.L. and T.E. WISSING. (1981): Effects of water quality of
fish and macroinvertebrate communities of the Little Miami River,
Ohio, USA. Ohio J. Sci. 81(5/6):259-267.
- YASUNO, J., S. FUKUSHIMA, J.H. HASEGAWA, F. SHIOYAMA, S. HATAKEYAMA.
(1982): Changes in the benthic fauna and flora after application
of temephos to a stream on Mount Tsukuba, Japan. Hydrobiologia
89(3):205-214.

- ZHILTZOVA, L.A. (1978): A new species of stonefly of the family Chloroperlidae (Plecoptera) from the Far East).- Entomol. Obozr., Leningrad, 57(3):543-548 (Russian).
- ZHILTZOVA, L.A. (1981a): The genus Capniella (Plecoptera) and its position in the system of the family Capniidae. Entomol. Rev. 59:60-64. (Russian).
- ZHILTZOVA, L.A. (1981b): New and little known species of stoneflies (Plecoptera) from the Caucasus. USSR Entomol. Rev. 60:85-90. (Russian).
- ZHILTZOVA, L.A. (1981c): Material on the stonefly fauna (Insecta Plecoptera) of the Kurile Islands. pp. 79-88. in: LEVANIDOV, V.I. I.M. LEVANIDOVA, E.A. MAKARCHENKO (eds.): Invertebrates in salmon-habitat ecosystems of the Far East. Biol. Ecol. Inst. Soviet Acad. Sci. (Vladivostok). (Russian).
- ZHILTZOVA, L.A. (1981d): New and little known species of stoneflies of the family Nemouridae (Plecoptera) from Sakhalin Island and the Kurile Islands. Vestnik Zool. 2:31-37. (Russian, English summary).
- ZHILTZOVA, L.A. (1982a): New facts about the stoneflies of Sakhalin. Biol. Freshw. Fauna Far East 115-124. (Russian).
- ZHILTZOVA, L.A. (1982b): New Plecoptera of the family Nemouridae in the Soviet Far East. Vestn. Zool. 2:37-43. (Russian).
- ZWICK, P. (1981a): Diapause development of Protonemura intricata (Plecoptera: Nemouridae). Verh. Internat. Verein. Limnol. 21:1607-1611.
- ZWICK, P. (1981b): The Mediterranean area as glacial refuge of Plecoptera. Acta Entomol. jugosl. 17(1-2):107-111. (German).
- ZWICK, P. (1982a): Contribution to the knowledge of Chinoperla (Plecoptera: Perlidae: Neoperlini). Aquatic Insects 4(3):167-170.
- ZWICK, P. (1982b): Dictyogenus alpinum (Plecoptera) in the Schreierbach, a specialized biotope in the sense of Thienemann. Arch. Hydrobiol. 95(1/4):533-548. (German, English summary).
- ZWICK, P. (1982c): Leuctra aculeata sp. n., an unusual stonefly from Turkey (Plecoptera: Leuctridae). Mitt. Schweiz. Entomol. Ges. 55:305-306. (German).

- ZWICK, P. (1982d): Notes on Plecoptera. (4). Some overlooked Philippine species, and an amendment to my revision of Phanoperla. Aquatic Insects 4:20.
- ZWICK, P. (1982e): Notes on Plecoptera. (5). Neoperla schmidti Aubert. Aquatic Insects 4(2):72.
- ZWICK, P. (1982f): Notes on Plecoptera. (6). Etrocorema nigrogeniculatum (Enderlein). Aquatic Insects 4(2):104.
- ZWICK, P. (1982g): Notes on Plecoptera. (7). Neoeuryplax: a junior synonym of Etrocorema. Aquatic Insects 4(4):236.
- ZWICK, P. (1982h): A revision of the Oriental stonefly genus Phanoperla (Plecoptera:Perlidae). Syst. Entomol. 7:87-126.
- ZWICK, P. (1982i): The stonefly collection of F. Klapalek in Prague, with notes on the Neumouridae (Plecoptera). Aquatic Insects 4:39-48.
- ZWICK, P. (1983a): The Neoperla of Sumatra and Java (Indonesia) (Plecoptera:Perlidae). Spixiana (Munich) 6(2):167-204.
- ZWICK, P. (1983b): Notes on Plecoptera (8)Nemura sumatrensis Navas. Aquatic Insects 5:16.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Perla](#)

Jahr/Year: 1982-1983

Band/Volume: [06](#)

Autor(en)/Author(s): Redaktion

Artikel/Article: [Recent Plecoptera Literature 8-24](#)