



# Recent Plecoptera Literature

This section includes the Plecoptera papers published since PERLA 5 was mailed as well as some additions of older literature. PERLA is published every two years and a literature section is included in every issue.

Please help us to make this section as complete and correct as possible by sending us copies of your publications and/or notes on errors found.

- ALLEN, J.D. (1982): Feeding habits and prey consumption of three setipalpiian stoneflies (Plecoptera) in a mountain stream. *Ecology* 63:26-34.
- ANDERSON, N.H. (1982): A survey of aquatic insects associated with wood debris in New Zealand streams. *Mauri Ora* 10:21-34.
- ANDERSON, R.L. (1982): Toxicity of fenvalerate and permethrin to several nontarget aquatic invertebrates. *Environ. Entomol.* 11(6): 1251-1257.
- ANONYMUS. (1982): Fließgewässer in Nordrhein-Westfalen Richtlinien für die Ermittlung der Gewässergruete Klasse. Landesamt f. Wasser u. Abfall Nordrhein-Westfalen, Duesseldorf. 6+7 unnumbered pages.
- ANTONOVA, O.A., A.K. BRODSKI, and V.D. IVANOV. (1981): Wing-motion kinematics of five insect species. *Zool. Zhurn.* 60(4):506-519 (Russian, English summary).
- BAUMANN, R.W. (1982a): Plecoptera, pp. 278-279 in: HURLBERT, S.H. and A. VILLALOBES-FIGUEROA (eds.): *Aquatic Biota of Mexico, Central America, and the West Indies.*, San Diego State University, San Diego.
- BAUMANN, R.W. (1982b): Plecoptera, pp. 389-393 in: PARKER, S.P. (ed): *Synopsis and classification of living organisms.*, McGraw-Hill, New York.
- BENEDETTO, L. (1983): Plecoptera of Uruguay I: Paragriopteryx baratinii n. sp. *Studies on Neotropical Fauna and Environment* 18:19-23. (Spanish, English Abstract).
- BERTHELEMY, C. (1981): On two endemic Protonemura from the Pyrenees (Plecoptera:Nemouridae). *Annls. Limnol.* 17(3):243-249. (French, English summary).
- BERTHELEMY, C. and M. LAHOUD. (1981): Food and mouth parts of several Pyrenean Perlodids and Perlids (Plecoptera). *Ann. Limnol.* 17(1):1-24.
- BERTHELEMY, C. and A. DIA. (1982): Plecopteres du Liban (Insecta) *Ann. Limnol.* 18(2):191-214. (French, English Abstract).
- BRAASCH, D. and W. JOOST. (1981): Leuctra meyi, new species (Plecoptera, Leuctridae) from the Western Caucasus, USSR. *Entomol.*

- Nachr. 25(6):85-88. (German, English and Russian summaries).
- BRITTAI, J.E. (1983a): The first record of the nymph of Xanthoperla apicalis (Newman) (Plecoptera:Chloroperlidae) from Scandinavia, with a key to the mature nymphs of the Scandinavian Chloroperlidae. Fauna Norv. ser. B 30:52-53.
- BRITTAI, J.E. (1983b): The influence of temperature on nymphal growth rates in mountain stoneflies (Plecoptera). Ecology 64(3):440-446.
- BRODSKII, A.K. (1981): Evolution of the wing apparatus in stoneflies (Plecoptera): 3.Wing deformation of Isogenus nubecula during flight. Entomol. Rev. 60:25-36.
- BRUSVEN, M.A. and S.T. ROSE. (1981): Influence of substrate composition and suspended sediment on insect predation by the torrent sculpin, Cottus rhotheus. Can. J. Fish. Aquat. Sci. 38(11):1444-1448.
- BURTON, D.K. (1982): Life history strategies and Nearctic distribution of the winter stoneflies (Plecoptera: Capniidae, Taeniopterygidae, Nemouridae) found in the Whitemouth River Hadashville, Manitoba.-(abstract). 38. Ann. Meeting Entomol. Soc. Manitoba; Winnipeg, Manitoba.
- CANTON, S.P. and J.W. CHADWICK. (1983): Aquatic insect communities of natural and artificial substrates in a Montana stream. J. Freshw. Ecol. 2(2):153-158.
- CLIFFORD, H.F. (1982): Effects of periodically disturbing a small area of substratum in a brown-water stream of Alberta, Canada. Freshw. Invertebr. Biol. 1(2):39-47.
- CLINE, L.D., R.A. SHORT, and J.V. WARD. (1982): The influence of highway construction on the macroinvertebrates and epilithic algae of a high mountain stream. Hydrobiologia 96:149-159.
- CONSIGLIO, C. (1980): Plecotteri (Plecoptera) in: CONSIGLIO, C. (ed.): delle specie animali delle negue in terme Italiane. Nazionale delle Ricerche (Verona) 9,68 pp. (Italian).
- CONSIGLIO, C. (1981): 1980-Plecotteri (Plecoptera). Boll. Soc. Entomol. Ital., Genova., 113(4-7):116. (Italian).
- CORRARINO, C.A. and M.A. BRUSVEN. (1983): The effects of reduced stream discharge on insect drift and stranding of nearshore

- insects. *Freshw. Invertebr. Biol.* 2(2):88-98.
- CREMEANS, W.L. and D.C. TARTER. (1980): Proposed environmental impacts on the Gallipolis Locks and Dam replacement, Ohio River mile 279.2 on the benthic macroinvertebrates and fishes of Flatfoot Creek Mason County, West Virginia, USA. *Proc. W. Va. Acad. Sci.* 52:58-65.
- DANIELSSON, P. and K. MUELLER. (1982): Faunistic zonation of the Angerån estuary, Sweden. in: MUELLER, K. (ed.): Coastal research in the Gulf of Bothnia. *Mongr. Biol.* 45:121-132.
- DAVIS, J.R. (1982): Macrobenthic diversity of Cibolo Creek, an interrupted, southcentral Texas stream. pp. 79-94 in: DAVIS, J.R. (ed.): Proceedings of the symposium on recent benthological investigations in Texas and adjacent states. *Texas Acad. Sci.*, Austin, Texas.
- DONALD, C.B. and R.A. MUTCH. (1980): The effect of hydroelectric dams and sewage on the distribution of stoneflies (Plecoptera) along the Bow River. *Quaest. Entomol.* 16(3-4):657-669.
- DONALD, D.B. and D.E. PATRIQUIN. (1983): The wing length of lentic Capniidae (Plecoptera) and its relationship to elevation and Wisconsin glaciation.- *Can. Entomol.*, 115:921-926.
- DRATNAL, E. and E. DUMNICKA. (1982): Composition and zonation of benthic invertebrate communities in some chemically stressed aquatic habitats of Niepolomice Forest (South Poland). *Acta Hydrobiol.* 24(2):95-181.
- DUDGEON, D. (1982): An investigation of physical and biological processing of two species of leaf litter in Tai Po Kau Forest stream, New Territories, Hong Kong. *Arch. Hydrobiol.* 96:1-32.
- DUDLEY, T. and N.H. ANDERSON. (1982): A survey of invertebrates associated with wood debris in aquatic habitats. *Melandria* 39:1-21.
- EDWARDS, R.W. and M.P. BROOKER. (1982): The ecology of the Wye. *Monographiae Biol.* 50, Dr. W. Junk Publ. The Hague 11:164.
- ELLIOTT, S.T. (1981): Records of Plecoptera (Insecta) from southeastern Alaska. *Pan-Pacific Entomol.* 57(3):434-442.
- FEY, M. (1983): Benthofauna west-sauerlaendischer Fließgewässer (Insecta: Ephemeroptera, Plecoptera, Trichoptera). *Natur und Heimat*

43(1):11-24 (German).

- FLANNAGAN, J.F. and D.G. COBB. (1983): New records of winter stoneflies (Plecoptera) from Manitoba with notes on their zoogeographical origins. *Can. Entomol.* 115:673-677.
- FLANNAGAN, P.M. and J.F. FLANNAGAN. (1982): Present distribution and the post-glacial origin of the Ephemeroptera, Plecoptera and Trichoptera of Manitoba. *Manit. Dept. Natur. Res. Tech. Rep.* 82:1-79.
- FOLSOM, T.C. and K.L. MANUEL. (1983): The life cycle of Pteronarcys scotti (Plecoptera: Pteronarcyidae) from the Southern Appalachians, U.S.A. *Aquatic Insects* 5(4):227-232.
- FRANZ, H.P. (1980): Limnologische Untersuchung des Gewaessersystems Dhron (Hunsrueck). *Decheniana* 133:155-179.
- FRIESEN, M.K., J.F. FLANNAGAN, and D.G. COBB. (1980): Emergence of Plecoptera (stoneflies) from South Duck River and Cowan Creek in the Duck Mountain Provincial Forest, Manitoba.- (abstract). 38. *Ann. Meeting Entomol. Soc. Manitoba; Winnipeg, Manitoba.*
- GOLLADAY, S.W., J.R. WEBSTER, and E.F. BENFIELD. (1983): Factors affecting food utilization by a leaf shredding aquatic insect: Leaf species and conditioning time. *Holarct. Ecol.* 6(2):157-162.
- GRAY, L.J. and J.V. WARD. (1983): Leaf litter breakdown in streams receiving treated and untreated metal mine drainage.- *Environ. Int.* 9:135-138.
- GRAY, L.J., J.V. WARD, R. MARTINSON, and E. BERGEY. (1983): Aquatic macroinvertebrates of the Piceance Basin, Colorado: Community response along spatial and temporal gradients of environmental conditions. *Southwest. Natur.* 28(2):125-135.
- HERMANN, H.R. and J.B. WALLACE. (1968): Impregnation of the trachea of adult Pteronarcys (P.) dorsata (Plecoptera: Pteronarcyidae) with latex. *J. Georgia Entomol. Soc.* 3:131-133.
- HILSENHOFF, W.L. (1982a): Arthropod fauna. pp. 41-44. in: WENTZ, D.A. and D.J. GRACZYK (eds.): Effects of a floodwater-retarding structure on the hydrology and ecology of Trout Creek in southwestern Wisconsin. *U.S. Geol. Surv. Water Res. Invest.* 1982-83.
- HILSENHOFF, W.L. (1982b): Using a biotic index to evaluate water

- quality in streams. Wisc. Dept. Natur. Res. Tech. Bull. Madison, Wisconsin 132:1-22.
- HYNES, H.B.N. (1982): New and poorly known Gripopterygidae (Plecoptera) from Australia especially Tasmania. Austral. J. Zool. 30:115-158.
- IKONOMOV, P. (1983): (Plecopteres (Insecta) des regions meridionales de Macedoine) Annuaire Fac. Biol. Univ. Kiril Metodij 35:29-51. (Macedonian, French summary).
- ILLIES, J. (1982): Longitudinal sections of the Breitenbach (West Germany), as reflected by emergence (Insecta, Ephemeroptera, Plecoptera, Trichoptera). Arch. Hydrobiol. 95:157-168.
- ILLIES, J. (1983): Oekosystemforschung an einem Mittelgebirgsbach (Emergenzanalyse) Verh. Ges. Oekol. (Mainz 1981) 10:247-253.
- IVANOV, V.D. (1981): Wing-folding of live insects. Vestn. Leningr. Univ. Biol. 3:101-103. (Russian, English summary).
- JACOBI, G.Z. and R.W. BAUMANN. (1983): Winter stoneflies (Plecoptera) of New Mexico. Great Basin Natur. 43(4):585-591.
- JENSEN, J.W. (1983): A check on the invertebrates of a Norwegian hydroelectric reservoir and their bearing upon fish production.- Inst. Freshw. Res. Drottningholm, 60 (1982):39-50.
- JOHNSON, J.H. (1983): Diel food habits of two species of setipalpiid stoneflies (Plecoptera) in tributaries of the Clearwater River, Idaho.- Freshw. Biol. 13:105-111.
- KACANSKI, D. and R.W. BAUMANN. (1981): Notes on the Plecoptera fauna of the Moraca River drainage, p. 304-307 in: KARAMAN, G.S. and A.M. BEETON (eds.): The biology and limnology of Lake Skader. GRO Prosveta, Belgrade, Yugoslavia.
- KAPOOR, N.N. (1983): Special morphological features of the body surface of the stonefly nymph, Taeniopteryx burksi (Plecoptera: Taeniopterygidae). Microscopical Soc. Can. 10:46-47.
- KAPOOR, N. and K. ZACHARIAH. (1983): Ultra-structure of the sensilla of the stonefly nymph, Thaumatoperla alpina Burns and Neboiss (Plecoptera: Eustheniidae). Int. J. Insect Morphol. and Embryol. 12(2-3):157-168.
- KAYANO, Y. (1973): The groups of the living species in the river

- bottoms in the city of Matsumoto and its vicinity. (Rivers: Onna-Tobagawa, Tagawa, and Usugawa). Shinano Kyoiku 1038:56-65.
- KAYANO, Y. (1974): The report on the investigation of the living species in the river Yura. The insects living in the rivers in Kinki Area Investigation Report 1:1-9.
- KAWAI, T. (1981): Proceedings of the Seventh International Symposium on Plecoptera, Nara Women's University, 19-22, August 1980. Biol. Inland Waters 2:19-43.
- KIRCHNER, R.F. (1981): A new Allocapnia from West Virginia (Plecoptera:Capniidae). Proc. Entomol. Soc. Wash. 84:786-790.
- KIRCHNER, R.F. and P.P. HARPER. (1983): The nymph of Bolotoperla rossi (Frison) (Plecoptera:Taeniopterygidae:Brachypterinae). J. Kansas Entomol. Soc. 56(3):411-414.
- KITTEL, W. (1982): Stoneflies (Plecoptera) of the Lubrzanka River. Acta Univ. Lodz., Folia Limnologica 1:39-49. (Polish, English and Russian summaries).
- KLAUSNITZER, B., U. JACOB, and W. JOOST. (1982): Ausgestorbene und bedrohte rheobionte Wasserinsekten der DDR unter besonderer Beruecksichtigung potamaler Arten. Entomol. Nachr. Berichte 26:151-156.
- KNAUF, W. (1969): Faunistisch-Oekologische Untersuchungen an der Wiesent, einem Karstfluss der noerdliche Fraenkischen Alb, mit besonderer Beruecksichtigung der Fliessgewaesserregionen. Ph-D-thesis, Univ. Erlangen/Germany, private publication, 224 pp.
- KOHNO, M. (1953): Plecoptera literature of Shiushu District. Report of Matsumoto branch, Shiushu Entomol. Soc. 43:1-9. (Japanese).
- KOHNO, M. (1958): Plecoptera (Insecta) literature of Fukushima. Biol. club of Fukushima 1:11-19. (Japanese).
- KOHNO, M. (1964): Holotype of Paragnetina bolivari Klapalek (Insecta, Plecoptera). Japanese Soc. Systematic Zool. Circular 31:8. (Japanese).
- KOHNO, M. (1968): New description of Plecoptera imagines and nymphs and new recorded species of other insects from Aizu District, and faunal list of stoneflies of Fukushima Prefecture. Meiji 100<sup>th</sup> memorial number Aizu Biol. Club :27-44. (Japanese).

- KOHNO, M. (1982a): Notes on the lovely stoneflies of Aizu District. Insect Club of Fukushima (Fukushima Mushi nokai) 2:1-2. (Japanese).
- KOHNO, M. (1982b): Some new facts on stoneflies. Bulletin of the Aizu Biol. Club 20:3-24. (Japanese).
- KOHNO, M. (1983): Plecoptera nymphs inhabiting in hot springs and the scientific name of Neoperla niponensis (McLachlan). Nature and Insects 18(7):56-57. (Japanese).
- KOMATSU, T. (1970): Food habits of Salvelinus leucemaenis f. pluvius, Salmo (Oncorhynchus) mason macrostomus and Leuciscus (Tribolodon) hakonensis of the River Ontabi-gawa. Collecting and Breeding 32(6):201-206.
- KONDRATIEFF, B.C. and J. REESE VOSHELL, JR. (1982): The Perlodinae of Virginia, USA (Plecoptera:Perlodidae). Proc. Entomol. Soc. Wash. 84:761-774.
- KONDRATIEFF, B.C. and R.F. KIRCHNER. (1982a): Notes on the winter stonefly genus Allocapnia (Plecoptera:Capniidae). Proc. Entomol. Soc. Wash. 84(2):240-244.
- KONDRATIEFF, B.C. and R.F. KIRCHNER. (1982b): Taeniopteryx nelsoni, a new species of winter stonefly from Virginia (Plecoptera:Taeniopterygidae). J. Kans. Entomol. Soc. 55:1-7.
- KONDRATIEFF, B.C. and L.L. DESPINS. (1983): Seasonal flight pattern of Plecoptera from North Otter Creek, Virginia. Entomol. News 94(2):41-44.
- KONDRATIEFF, P.F. and G.M. SIMMONS. (1982): Nutrient retention and macroinvertebrate community structure in a small stream receiving sewage effluent. Arch. Hydrobiol. 94(1):83-98.
- KRACHT, M. (1983): Die Steinfliegen (Insecta:Plecoptera) des Vogelsberges. Erfassung der west palaearktischen Tiergruppen. Fundort kataster der Bundesrepublik Deutschland 16.: Regionalkataster des Landes Hessen 16(1):38 pp. Saarbrucken and Heidelberg.
- KRAFT, K.J. and B.M. SABOL. (1980): The stonefly, Isoperla bilineata, in Lake Superior, USA, Canada. J. Great Lakes Res. 6(3):258-259.
- KRNO, I. (1982): Structure and dynamics of makrozoobentos of the



- River Lupcianka and its tributaries (the Low Tatras). Biol. Prace 28:1-126. (Czechoslovakian, English summary).
- KRUEGER, C.C. and T. WATERS. (1983): Annual production of macroinvertebrates in three streams of different water quality. Ecology 64(4):840-850.
- LAVANDIER, P. (1983): Developpement larvaire, regime alimentaire, production d'*Isoperla viridinervis* Pictet (Plecoptera, Perlodidae) dans un torrent froid de haute montagne. Annls. Limnol. 18(3):301-318.
- LECHLEITNER, R.A. and B.C. KONDRATIEFF. (1983): The life history of *Pteronarcys dorsata* (Say) (Plecoptera:Pteronarcyidae) in southwestern Virginia. Can. J. Zool. 61(9):1981-1985.
- LEHMKUHL, D.M. (1975): Field guide to aquatic insect families. Blue Jay 33(4):199-219.
- LEMLY, A.D. (1982): Modification of benthic insect communities in polluted streams: Combined effects of sedimentation and nutrient enrichment. Hydrobiologia 87:229-246.
- LEVEQUE, C., C. DEJOUX and A. ILTIS. (1983): Limnologie du fleuve Bandama, Cote d'Ivoire. Hydrobiologia 100:113-141.
- LIGHT, R.W. and P.H. ADLER. (1983): Predicting colonization cycle of aquatic invertebrates. Freshw. Invertebr. Biol. 2(2):74-87.
- LIN, Cheng-shing. (1983): Preliminary notes of the May Stream (Taiwan) aquatic insects. Quart. J. Taiwan Mus (Taipei) 35(314):167-170.
- MALICKY, H. (1982): Adaptations of two stonefly species to intermittent streams in Crete. Ann. Mus. Goulandris 5:179-182. (German, Greek and English summaries).
- MAQUET, B. (1983): Caracteristiques chimiques et biologiques des eaux de la Vallee du Samson. Annls. Soc. r. zool. Belg. 113(1):3-18. (French).
- MASTELLER, E.C. (1983): Emergence phenology of Plecoptera from Sixmile Creek, Erie County, Pennsylvania, USA. Aquatic Insects 5:1-8.
- MATTHIAS, U. and W. MEINEL. (1982): Zur anthropogenen Gewaesserversauerung im Kaufunger Wald. Phillipia 5(1):76-86.

(German, English summary).

- MAURER, M.A. and M.A. BRUSVEN. (1983): Insect abundance and colonization rate in *Fontinalis neo-mexicana* (Bryophyta) in an Idaho Batholith stream, U.S.A. *Hydrobiol.* 98:9-15.
- M<sup>C</sup>CULLOUGH, J.D. and D.L. M<sup>C</sup>CULLOCH. (1982): Community structure and productivity of the macroinvertebrate benthos in two east Texas streams. pp. 95-111. in: DAVIS, J.R. (ed.): Proceedings of the symposium on recent benthological investigations in Texas and adjacent states. Texas Acad. Sci., Austin, Texas.
- M<sup>C</sup>LELLAN, I.D. (1983): A wingless alpine stonefly from New Zealand and further information on genus *Holcooperia* (Plecoptera: Gripopterygidae). *New Zealand J. Zool.* 10:263-266.
- MELVILLE, R.V. (1981): *Semblis marginata* (Insecta, Plecoptera): Additional steps needed to conserve this name. *Bull. Zool. Nomen.* 38:221-224.
- MENDL, H. and K. MUELLER. (1981): (Stoneflies (Plecoptera) in the mouth and in the estuary of the river Angeran in the northern Bothnian Sea).- pp. 243-252 in: MUELLER, K. (ed.): Coastal Research in the Gulf of Bothnia. *Monographiae Biol.* 45.
- MEYER, J.L. and J. O'HOP. (1983): Leaf-shredding insects as a source of dissolved organic carbon in headwater streams. *Am. Midl. Natur.* 109(1):175-183.
- MINGO, T.M. and K.E. GIBBS. (1980): The aquatic insects of the Narraguagus River, Hancock and Washington counties, Maine. *Univ. Maine Agr. Exp. Sta. Land Water Res. Cent., Orono, ME.* 63 pp.
- MINGO, T. (1983): An annotated checklist of the stoneflies (Plecoptera) of Maine. *Entomol. News* 94(2):65-72.
- MINSHALL, W.G., J.T. BROCK, and T.W. LAPOINT. (1982): Characterization and dynamics of benthic organic matter and invertebrate functional feeding group relationship in the upper Salmon River, Idaho (USA). *Int. Revue ges. Hydrobiol.* 67(6):793-820.
- MODLIN, R.F. and R.D. JAYNE. (1981): The effect of temperature on the oxygen consumption of three species of *Isoperla* (Plecoptera: Perlodidae). *J. Freshw. Ecol.* 1:299-306.
- MOLLES, M.C. Jr., and R.D. PIETRUSZKA. (1983): Mechanisms of prey

- selection by predaceous stoneflies: roles of prey morphology, behavior and predator hunger. *Oecologia* 57:25-31.
- MORTENSEN, E. and J.L. SIMONSEN. (1983): Production estimates of the benthic invertebrate community in a small Danish stream. *Hydrobiologia* 102:155-162.
- MUTCH, R.A. and G. PRITCHARD. (1982): The importance of sampling and sorting techniques in the elucidation of the life cycle of Zapada columbiana (Nemouridae:Plecoptera). *N. Am. Benthol. Soc.*, 29 Meeting:46 (abstract).
- MUTCH, R.A., R.J. STEEDMAN, S.B. BERTE and G. PRITCHARD. (1983): Leaf breakdown in a mountain stream: a comparison of methods. *Arch. Hydrobiol.* 97(1):89-108.
- NELSON, C.H. (1982): Notes on the life histories of Strophopteryx limata (Frison) and Oemopteryx contorta (Needham and Claassen) (Plecoptera:Taeniopterygidae) in Tennessee. *J. Tenn. Acad. Sci.* 57:9-15.
- NELSON, C.H. and B.C. KONDRATIEFF. (1983): Isoperla major, a new species of eastern Nearctic Isoperlinae (Plecoptera:Perlodidae). *Annls. Entomol. Soc. Am.* 76(2):270-273.
- NILSSON, C. (1981): Malformed appendages on mayfly and stonefly nymphs (Ephemeroptera and Plecoptera). *Entomol. Tidskr.* 102(213):71-72.
- O'HOP, J. and J.B. WALLACE. (1983): Invertebrate drift, discharge and sediment relations in a southern Appalachian (USA) headwater stream. *Hydrobiologia* 98(1):71-84.
- OTTO, C. and P. SJOESTROEM. (1983): Cerci as antipredatory attributes in stonefly nymphs. *Oikos* 41(2):200-204.
- PAPADOPOL, M. and V. POPESCU-MARINESCU. (1980): Benthic fauna of upper Mures River, Romania. *Trav. Mus. Hist. Natur. Grigore Antipa* 21:145-150.
- PENROSE, D.L., D.R. LENAT, and K.W. EAGLESON. (1982): Aquatic macroinvertebrates of Upper French Broad River Basin (North Carolina, USA). *Brimleyana* 8:27-50.
- PETERSON, S.W. and R.W. LICHTWARDT. (1983): Capniomyces stellatus n.g., n. sp. and Simuliomyces spica: New taxa of Harpellales (Trichomycetes) from winter-emerging stoneflies.

Mycologia 75(2):242-250.

- RAVIZZA, C. and E. RAVIZZA-DEMATTEIS. (1981): Protonemura algovia Mendl, new for Italy, in the Rhaetian Alps (Plecoptera: Nemouridae). Atti Soc. Ital. Sci. natur. Museo civ. Stor. natur. Milano 122:151-156.
- RAVIZZA, C. and E.R. AUIZZA-DEMATTEIS. (1982): Description of the mature nymph and geonomy of Leuctra brevipennis Ravizza (Plecoptera: Leuctridae). Atti Soc. Ital. Sci. natur. Museo civ. Stor. natur. Milano 123(2-3):349-352.
- RAVIZZA, C. and P. ZWICK. (1981): A forgotten opusculum of the Italian entomological literature of the Nineteenth Century. Natura (Milan) 7:119-124. (Italian, English abstract).
- RODENDORF, B.B. (1980): Historical development of the class Insecta. Trans. Paleontol. Inst. (Moscow) 175:1-269. (Russian).
- ROUNICK, J.S. and M.J. WINTERBOURN. (1982): Benthic faunas of forested streams and suggestions for their management. N.Z.J. Ecol. 5:140-150.
- RUPPRECHT, R. (1982): Drumming signals of Danish Plecoptera. Aquatic Insects 4:93-103.
- SCULLION, J., A. PARISH, N. MORGAN, and R.W. EDWARDS. (1982): Comparison of benthic macroinvertebrate fauna and substratum composition in riffles and pools in the impounded River Elan and the unregulated River Wye, mid-Wales. Freshw. Biol. 12:579-595.
- SEPHTON, D.H. and H.B.N. HYNES. (1982a): The numbers of nymphal instars of several Australian Plecoptera. Aquatic Insects 4(3):153-166.
- SEPHTON, D.H. and H.B.N. HYNES. (1982b): Observations on the first instar nymphs of several Australian stoneflies (Plecoptera). Aquatic Insects 4(4):237-252.
- SHEPARD, R.B. (1982): Benthic insect colonization of introduced substrates in the Sangamon River, Illinois (USA). Tran. Illinois State Acad. Sci. 75(112):15-28.
- SHEPARD, W.D. and K.W. STEWART. (1983): Comparative study of nymphal gills in North American Stonefly (Plecoptera) genera and a new, proposed paradigm of Plecoptera gill evolution. Misc. Publ. Entomol. Soc. Am. 55:1-57.

- SILSBEE, D.G. and G.L. LARSON. (1983): A comparison of streams in logged and unlogged areas of Great Smoky Mountains National Park. *Hydrobiologia* 102:99-111.
- SINICHENKOVA, N.D. (1982): The taxonomic placement of the Jurassic stoneflies Mesolectra gracilis Brauer, Redt., Gangl. and Platyperla platypoda Br., Redt., Gangl. and their stratigraphic distribution. *Bull. Geol. Soc. Moscow* 57:112-124.
- SIVEC, I. (1981): Invertebrate drift in the underground Pivka River (Slovenija, Yugoslavia). *Mem. Biospeol.* 7:43-44.
- SIVEC, I. (1981): Nepal stoneflies (Plecoptera). *Aquatic Insects* 3(4):245-257.
- SIVEC, I. (1981): Results of the first and second Yugoslavian entomological expeditions to Nepal and Sri Lanka. *Biol. Vestn.* 20(2):69-74. (Slovenian, English summary).
- SIVEC, I. (1982): Notes on Himalayan stoneflies from the collection Zoologische Staatssammlung Muenchen. *Spixiana* (Munich) 5(2):181-186.
- SIVEC, I. (1982): A new apterous species of Leuctra (Plecoptera: Leuctridae) from Slovenia, Yugoslavia. *Aquatic Insects* 4:89-92.
- SKAIFE, S.H. (1979): African insect life. Country Life books, London and New York 2:1-279.
- SLOOF, W. (1983): Benthic macroinvertebrates and water quality assessment: some toxicological considerations. *Aquatic Toxicol.* (Amsterdam) 491:73-82.
- SMOCK, L.A. (1983a): The influence of feeding habits on whole body metal concentrations in aquatic insects. *Freshw. Biol.* 13:301-311.
- SMOCK, L.A. (1983b): Relationships between metal concentrations and organism size in aquatic insects. *Freshw. Biol.* 13:313-321.
- STARK, B.P. (1983a): Descriptions of Neoperlini from Thailand and Malaysia (Plecoptera:Perlidae). *Aquatic Insects* 5(2):99-114.
- STARK, B.P. (1983b): A review of the genus Soliperla (Plecoptera: Peltoperlidae). *Great Basin Natur.* 43(1):30-44.
- STARK, B.P. (1983c): The Tallaperla maria complex of eastern North

- America (Plecoptera:Peltoperlidae). J. Kansas Entomol. Soc. 56(3):398-410.
- STARK, B.P. and D.H. RAY. (1983): A revision of the Genus Helopicus (Plecoptera:Perlodidae). Freshw. Invertebr. Biol. 2(1):16-27.
- STARK, B.P. and K.W. STEWART. (1982a): Notes on Perlinodes aurea (Plecoptera:Perlodidae). Annls. Entomol. Soc. Am. 75:84-88.
- STARK, B.P. and K.W. STEWART. (1982b): Oconoperla, a new genus of North America Perlodinae (Plecoptera:Perlodidae). Proc. Entomol. Soc. Wash. 84(4):746-752.
- STARK, B.P. and K.W. STEWART. (1982c): The nymph of Viehoperla ada (Plecoptera:Peltoperlidae). J. Kansas Entomol. Soc. 55(3):494-498.
- STARK, B.P. and S.W. SZCZYTKO. (1982): Egg Morphology and Phylogeny in Pteronarcyidae (Plecoptera). Annls. Entomol. Soc. Am. 75(5):519-529.
- STARK, B.P., K.W. STEWART, and F. FEMINELLA. (1983): New records and descriptions of Alloperla (Plecoptera (sic!):Chloroperlidae) from the Ozark-Ouachita Region. Entomol. News 94(2):55-59.
- STEWART, K.W., S.W. SZCZYTKO, and B.P. STARK. (1982): Drumming behavior of four species of North American Pteronarcyidae (Plecoptera): Dialects in Colorado and Alaska Pteronarcella badia. Ann. Entomol. Soc. Am. 75:530-533.
- STEWART, K.W., S.W. SZCZYTKO, B.P. STARK. (1983): The language of stoneflies. Bioscience 33(2):117-118.
- STEWART, K.W., S.W. SZCZYTKO, B.P. STARK, and D.D. ZEIGLER. (1982): Drumming behavior of six North American Perlidae (Plecoptera) species. Annls. Entomol. Soc. Am. 75:549-554.
- STEWART, K.W., S.W. SZCZYTKO. (1983): Drift of Ephemeroptera and Plecoptera in two Colorado rivers. Freshw. Invertebr. Biol. 2(3):117-131.
- STUMMER, C. (1982): Emergenzuntersuchungen im "Ritrodat-Areal" Jber. Biol. Stat. Lunz 5:77-97.
- SUTCLIFFE, D.W. (1983): Acid precipitation and its effects on aquatic systems in the English Lake District (Cumbria). Ann. Rep. Freshw. Biol. Assoc. 51:30-62.

- TANAGO, M.G. and D.G. JALON, (1981): Estudio de la estructura biotipologica del Rio Jarama. Bol. Estacion Central de Ecologia 10(19):33-51.
- TARTER, D.C., G.A. ADKINS, K.B. BENSON, and C.V. COVELL, JR. (1982): A preliminary checklist of the stoneflies (Plecoptera) of Kentucky, USA. Trans. Ky. Acad. Sci. 43:138-141.
- THEISCHINGER, G. (1982): New and little known Dinotoperline Stoneflies from Australia (Insecta: Plecoptera: Gripopterygidae). Mem. Queensland Mus. 20(3):489-525.
- THEISCHINGER, G. (1983): The genus Stenoperla in Australia (Insecta: Plecoptera:Eustheniidae). Aust. J. Zool. 31(4):541-556.
- TRIAL, J.G. (1982): The effectiveness of upstream refugia for promoting recolonization of Plecoptera killed by exposure to carbaryl. J. Freshw. Ecol. 1(6):563-568.
- TURCOTTE, P. and P.P. HARPER. (1982a): Drift patterns in a high Andean stream. Hydrobiologia 89:141-151.
- TURCOTTE, P. and P.P. HARPER. (1982b): The macroinvertebrate fauna of a small Andean stream. Freshw. Biol. 12:411-419.
- TUTHILL, J.E. (1983): The bugs of winter. Science 83, Jan./Feb.:36-40.
- WARD, J.V. (1982): Altitudinal zonation of Plecoptera in a Rocky Mountain stream. Aquatic Insects 4:105-110.
- WINTERBOURN, M.J. (1982): The invertebrate fauna of a forest stream and its association with fine particulate matter. New Zealand J. Mar. Freshw. Res. 16(3/4):271-282.
- WISE, K.A.J. (1983): Lacewings and aquatic insects of New Zealand 2. Fauna of the northern offshore islands. Rec. Auckland Inst. Mus. 20:259-271.
- WYNES, D.L. and T.E. WISSING. (1981): Effects of water quality of fish and macroinvertebrate communities of the Little Miami River, Ohio, USA. Ohio J. Sci. 81(5/6):259-267.
- YASUNO, J., S. FUKUSHIMA, J.H. HASEGAWA, F. SHIOYAMA, S. HATAKEYAMA. (1982): Changes in the benthic fauna and flora after application of temephos to a stream on Mount Tsukuba, Japan. Hydrobiologia 89(3):205-214.

- ZHILTZOVA, L.A. (1978): A new species of stonefly of the family Chloroperlidae (Plecoptera) from the Far East.- Entomol. Obozr., Leningrad, 57(3):543-548 (Russian).
- ZHILTZOVA, L.A. (1981a): The genus Capniella (Plecoptera) and its position in the system of the family Capniidae. Entomol. Rev. 59:60-64. (Russian).
- ZHILTZOVA, L.A. (1981b): New and little known species of stoneflies (Plecoptera) from the Caucasus. USSR Entomol. Rev. 60:85-90. (Russian).
- ZHILTZOVA, L.A. (1981c): Material on the stonefly fauna (Insecta Plecoptera) of the Kurile Islands. pp. 79-88. in: LEVANIDOV, V.I. I.M. LEVANIDOVA, E.A. MAKARCHENKO (eds.): Invertebrates in salmon-habitat ecosystems of the Far East. Biol. Ecol. Inst. Soviet Acad. Sci. (Vladivostok). (Russian).
- ZHILTZOVA, L.A. (1981d): New and little known species of stoneflies of the family Nemouridae (Plecoptera) from Sakhalin Island and the Kurile Islands. Vestnik Zool. 2:31-37. (Russian, English summary).
- ZHILTZOVA, L.A. (1982a): New facts about the stoneflies of Sakhalin. Biol. Freshw. Fauna Far East 115-124. (Russian).
- ZHILTZOVA, L.A. (1982b): New Plecoptera of the family Nemouridae in the Soviet Far East. Vestn. Zool. 2:37-43. (Russian).
- ZWICK, P. (1981a): Diapause development of Protonemura intricata (Plecoptera: Nemouridae). Verh. Internat. Verein. Limnol. 21:1607-1611.
- ZWICK, P. (1981b): The Mediterranean area as glacial refuge of Plecoptera. Acta Entomol. jugosl. 17(1-2):107-111. (German).
- ZWICK, P. (1982a): Contribution to the knowledge of Chinoperla (Plecoptera: Perlidae: Neoperlini). Aquatic Insects 4(3):167-170.
- ZWICK, P. (1982b): Dictyogenus alpinum (Plecoptera) in the Schreierbach, a specialized biotope in the sense of Thienemann. Arch. Hydrobiol. 95(1/4):533-548. (German, English summary).
- ZWICK, P. (1982c): Leuctra aculeata sp. n., an unusual stonefly from Turkey (Plecoptera: Leuctridae). Mitt. Schweiz, Entomol. Ges. 55:305-306. (German).



- ZWICK, P. (1982d): Notes on Plecoptera. (4). Some overlooked Philippine species, and an amendment to my revision of Phanoperla. Aquatic Insects 4:20.
- ZWICK, P. (1982e): Notes on Plecoptera. (5). Neoperla schmidi Aubert. Aquatic Insects 4(2):72.
- ZWICK, P. (1982f): Notes on Plecoptera. (6). Etrocorema nigrogeniculatum (Enderlein). Aquatic Insects 4(2):104.
- ZWICK, P. (1982g): Notes on Plecoptera. (7). Neoeuryplax: a junior synonym of Etrocorema. Aquatic Insects 4(4):236.
- ZWICK, P. (1982h): A revision of the Oriental stonefly genus Phanoperla (Plecoptera:Perlidae). Syst. Entomol. 7:87-126.
- ZWICK, P. (1982i): The stonefly collection of F. Klapalek in Prague, with notes on the Neumouridae (Plecoptera). Aquatic Insects 4:39-48.
- ZWICK, P. (1983a): The Neoperla of Sumatra and Java (Indonesia) (Plecoptera:Perlidae). Spixiana (Munich) 6(2):167-204.
- ZWICK, P. (1983b): Notes on Plecoptera (8) Nemura sumatrensis Navas. Aquatic Insects 5:16.