



Recent Plecoptera Literature

This section includes the Plecoptera papers published since PERLA 6 was mailed as well as some additions of older literature. PERLA is published every two years and a literature section is included in every issue.

Please help us to make this section as complete and correct as possible by sending us copies of your publications and/or notes on errors found.

- ALLAN, J.D.** (1984): The size composition of invertebrate drift in a Rocky Mountain stream. *Oikos*. 43:68–76.
- ALOUF, N.J.** (1983): Studies on Lebanese streams: the biological zonation of the Nahr Qab Ilias. *Annls. Limnol.* 19(2):121–127. (French, English abstract).
- ALOUF, N.J.** (1984): Life cycle of *Marthamea beraudi* Navas in a Lebanese stream (Plecoptera). *Annls. Limnol.* 20(1–2):11–16. (French, English abstract).
- ANDERSON, R.L. and P. SHUBAT.** (1984): Toxicity of Flucythrinate to *Gammarus lacustris* (Amphipoda) *Pteronarcys dorsata* (Plecoptera) and *Brachycentrus americanus* (Trichoptera): Importance of exposure duration. *Environ. Pollut.* 35(A):353–365.
- ANON, J.** (1982): Avian predation on winter stoneflies. *Field Ornithol.* 53(1):47–48.
- ARENAS, J.N.** (1984): Plecopterans from continental Chiloe and Aysen, Chile. Plecopteros (Insecta) de Chiloe Y Aysen continentales, Chile. *Arch. Biol. Med. Exp.* 17(2):115.
- ARMITAGE, P.** (1982): The invertebrates of some freshwater habitats on the Axmouth-Lyme Regis National Nature Reserve. *Proc. Dorset Natur. Hist. Archaeol. Soc.* 10:149–154.
- ARNEKLEIV, J.V.** (1985): Seasonal variability in diversity and species richness of ephemeropteran and plecopteran communities in a boreal stream. *Fauna Norvegica, Ser. B* 32(1):1–6.
- AUBERT, J.** (1984): Allocution de clôture. (8th International Symposium on Plecoptera, Toulouse, August 17–20, 1983). *Annls. Limnol.* 20(1–2):9–10.
- AUBERT, J.** (1984): Stonefly atlas of Switzerland, with notes on the influence of pollution (Plecoptera). *Annls. Limnol.* 20(1–2):17–20. (French, English abstract).
- AUBERT, J.** (1985): *Brachyptera braueri* Klapalek 1900, Plécoptère nouveau pour la Suisse, mais espèce disparue de ce pays. *Mitt. Schweiz. Entomol. Ges.* 58(3–4):529 (French).
- AUBERT, J.** (1985): Les Plécoptères du Napf et des Préalpes de Lucerne et d'Unterwald. *Entomol. Ber. Luzern* 14:93–111. (French).
- BANARESCU, P.M.** (1983): On the affinities and derivation of the aquatic fauna of High Asia. *Rev. Roum. Biol. (Biol. Anim.)* 28(2):97–101.
- BATTEGAZZORE, M. and S. MALCEVSCHI.** (1985): Note sul macrobenthos del torrente Curone (Alessandria), con particolare riferimento al popolamento a Plecotteri. *Natura (Milano)*. 75:101–109. (1984).
- BAUMANN, R.W., and G.Z. JACOBI.** (1984): Two new species of stoneflies (Plecoptera) from New Mexico. *Proc. Entomol. Soc. Wash.* 86(1):147–154.

- BAUMANN, R.W. and C.A. OLSEN.** (1984): Confirmation of the stonefly genus *Anacroneuria* (Plecoptera: Perlidae) from the Nearctic region with the description of a new species from Arizona. *Southwest Natur.* 29:489–492.
- BAUMANN, R.W., and A.L. SHELDON.** (1984): *Capnia hornigi*, a new winter stonefly from the Western Great Basin (Plecoptera:Capniidae). *Pan-Pacific Entomol.* 60:30–32.
- BENGSSON, J.** (1984): Autecological studies of *Nemoura cinerea* (RETZ.) (Plecoptera). *Arch. Hydrobiol.* 100(3):299–309.
- BENKE, A.C., T.C. Van ARSDALL, Jr., and D.M. GILLESPIE.** (1984): Invertebrate productivity in a subtropical black water river: The importance of habitat and life history. *Ecol. Monogr.* 54(1):25–63.
- BENNETT, B.G.** (1984): Blue, red, and yellow insects. *New Zealand Entomol.* 8:88–90.
- BERTHÉLEMY, C.** (1984): The Eighth International Symposium on Plecoptera, Toulouse, August 17–20, 1983. *Annls. Limnol.* 20(1–2):3–6.
- BERTHÉLEMY, C., and M. BAENA RUIZ.** (1984): On some Plecoptera from southern Spain. *Annls. Limnol.* 20(1–2):21–24. (English, French abstract).
- BERTHÉLEMY, C., and M. GONZALEZ del TANAGO.** (1983): The Taeniopterygidae of the Duero Basin (Insecta:Plecoptera). *Annls. Limnol.* 19(1):9–16.(French, English abstract).
- BIRD, G.A. and N.K. Kaushik.** (1985): Processing of elm and maple leaf discs by collectors and shredders in laboratory feeding studies. *Hydrobiologia* 126:109–120.
- BIRD, L.M.** (1983): Records of stoneflies (Plecoptera) from rivers in Great Britain. *Entomol. Gaz.* 34:101–111.
- BOYLE, R.H.** (1984): Fisheries biologist William E. Ricker is a real Hall of Famer in his field. *Sports Illus. Nov.* 12. 61(22):126–128.
- BRITAIN, J.E.** (1983): The first record of the nymph of *Xanthoperla apicalis* (Newman) (Plecoptera:Chloroperlidae) from Scandinavia, with a key to the mature nymphs of the Scandinavian Chloroperlidae. *Fauna Norvegica* 30:52–53.
- BRITAIN, J.E.** (1983): The influence of temperature on nymphal growth rates in mountain stoneflies (Plecoptera). *Ecology* 64(3):440–446.
- BRITAIN, J.E., A. LILLEHAMMER, and R. BILDENG.** (1984): The impact of a water transfer scheme on the benthic macroinvertebrates of a Norwegian river. pp. 189–200 in:LILLEHAMMER and SALTVEIT (eds.) *Regulated Rivers.* Universitetsforlaget AS Oslo.
- BRITAIN, J.E., A. LILLEHAMMER, and S.J. SALTVEIT.** (1984): The effect of temperature on intraspecific variation in egg biology and nymphal size in the stonefly *Capnia atra* (Plecoptera). *Annls. Limnol.* 20(1–2):141. (Abstract).

- BRITAIN, J.E., A. LILLEHAMMER, and S.J. SALTVEIT.** (1984): The effect of temperature on intraspecific variation in egg biology and nymphal size in the stonefly, *Capnia atra* (Plecoptera). *J. Anim. Ecol.* 53:161–169.
- BRITAIN, J.E. and R.A. MUTCH.** (1984): The effect of water temperature on the egg incubation period of *Mesocapnia oenone* (Plecoptera) from the Canadian Rocky Mountains. *Can. Entomol.* 116:549–554.
- BRÖNMARK, Ch., J. HERRMANN, B. MALMQVIST, Ch. OTTO, and P. SJÖSTRÖM.** (1984): Animal community structure as a function of stream size. *Hydrobiologia* 112:73–79.
- BROWN, A.F. and M. DIAMOND.** (1984): The consumption of rainbow trout (*Salmo gairdneri* Richardson) eggs by macroinvertebrates in the field. *Freshwater Biol.* 14:211–215.
- BROWN, A.V. and K. BASINGER BROWN.** (1984): Distribution of insects within riffles of streams. *Freshwater Invertebrate Biol.* 5(1):2–11.
- BRUSVEN, M.A. and C.E. HORNIG.** (1984): Effects of suspended and deposited volcanic ash on survival and behavior of stream insects. *J. Kansas Entomol. Soc.* 57(1):55–62.
- BUELER, C.M.** (1984): Feeding preference of *Pteronarcys pictetii* (Plecoptera:Insecta) from a small, acidic, woodland stream. *Florida Entomol.* 67(3):393–401.
- BURKANTIS, R.T. and B.L. PECKARSKY.** (1985): Observations on the emergence and habits of adults of *Agneta capitata* and *Acroneuria carolinensis* (Plecoptera:Perlidae). *Amer. Midland Natur.* 114(1):200–204.
- BURTON, D.K.** (1984): Distribution of Manitoba stoneflies (Plecoptera). *Proc. Entomol. Soc. Manitoba.* 40:39–51.
- CAMOUSSEIGHT, M.A.** (1980): Catalogue of the types of insects in the collection of the Museo Nacional de Historia Natural (Santiago, Chile). *Publ. Ocas. Mus. Nac. Hist. Natur.* (Chile), 32:1–45.
- CANTON, S.P. and J.W. CHADWICK.** (1983): Aquatic insect communities of natural and artificial substrates in a Montana stream. *J. Freshwater Ecol.* 2(2):153–158.
- CANTON, S.P., L.D. CLINE, R.A. SHORT and J.V. WARD.** (1984): The macroinvertebrates and fish of a Colorado stream during a period of fluctuating discharge. *Freshwater Biol.* 14:311–316.
- CLAESSENS, E.E.C.M.** (1984): The stoneflies (Plecoptera) of the Netherlands. *Nieuwsbrief European Invertebrate Surv.-Nederland* 10:73–77.(1981).
- COOTER, J.** (1985): Further Herefordshire records of *Brachyptera putata* (Newman) (Plecoptera:Taeniopterygidae). *Entomol. Mon. Mag.* 121:88.

- COSTELLO, M.J., T.K. McCARTHY, and M.M. O'FARRELL.** (1984): The stoneflies (Plecoptera) of the Corrib catchment area, Ireland. *Annls. Limnol.* 20(1-2):25-34. (English, French abstract).
- COWIE, B.** (1985): An analysis of changes in the invertebrate community along a southern New Zealand montane stream. *Hydrobiologia* 120:35-46.
- COWIE, B.** (1983): Macroinvertebrata taxa from a southern New Zealand montane stream continuum. *N.Z. Entomol.* 7(4):439-447.
- COWX, I.G., W.O. YOUNG, and J.M. HELLAWEEL.** (1984): The influence of drought on the fish and invertebrate populations of an upland stream in Wales. *Freshwater Biol.* 14:165-177.
- CUFFNEY, T.F., J.B. WALLACE and J.R. WEBSTER.** (1984): Pesticide manipulation of a headwater stream: Invertebrate responses and their significance for ecosystem processes. *Freshwater Invertebrate Biol.* 3(4):153-171.
- DALL, P.C., C. LINDEGAARD, E. JÖNSSON, G. JÖNSSON and P.M. JÖNASSON.** (1984): Invertebrate communities and their environment in the exposed littoral zone of Lake Esröm, Denmark. *Arch. Hydrobiol./Suppl.* 69(4):477-524.
- DIAMOND, J.M.** (1985): Effects of selective taxa removal on biotic microinvertebrate colonization in a wooded piedmont USA stream. *J. Freshw. Ecol.* 3(2):193-201..
- DIAMOND, J.M. and S.R. REICE.** (1985): Effects of selective taxa removal on biotic microinvertebrate colonization in a wooded Piedmont USA stream. *J. Freshwater Ecol.* 3(2):193-201
- DONALD, D.B.** (1985): The wing length of *Sweltsa revelstoka* (Plecoptera:Chloroperlidae). *Can. Entomol.* 117(2):233-239.
- DOWNING, J.A. and H. CYR.** (1985): Quantitative estimation of epiphytic invertebrate populations. *Can. J. Fish. Aquatic Sci.* 42: 1570-1579.
- DRAKE, J.A.** (1984): Species aggregation: The influence of detritus in a benthic invertebrate community. *Hydrobiologia* 112:109-115.
- DUCHROW, R.M.** (1983): Effects of lead tailings on benthos and water quality of three Ozark [Missouri, USA] streams. *Trans. Mo. Acad. Sci.* 17:5-18.
- DUDGEON, D.** (1984): Longitudinal and temporal changes in functional organization of macroinvertebrate communities in the Lam Tsuen River, Hong Kong. *Hydrobiologia* 111:207-217.
- DUMONT, B.** (1984): Two additions to the French fauna: *Rhabdiopteryx thienemanni* Illies and *Leuctra pasquini* Consiglio (Plecoptera). *Annls. Limnol.* 20(1-2):35-38. (French, English abstract).

- DUNCAN, W.F.A. and M.A. BRUSVEN.** (1985): Benthic macroinvertebrates in logged and unlogged low-order Southeast Alaskan streams. *Freshwater Invertebrate Biol.* 4(3):125–132.
- EIDT, D.C.** (1985): Toxicity of *Bacillus thuringiensis* var. *kurstaki* to aquatic insects. *Can. Entomol.* 117(7):829–837.
- ELLIOTT, J.M.** (1984): Hatching time and growth of *Nemurella pictetii* (Plecoptera:Nemouridae) in the laboratory and a lake district stream. *Freshwater Biol.* 14(5):491–499.
- ENGBLOM, E. and P.E. LINGDELL.** (1984): The mapping of short-term acidification with the help of biological pH indicators. Report 61, Institute of Freshwater Research Drottingholm: 60–61.
- ERNST, M.R., T.L. BEITINGER and K.W. STEWART.** (1984): Critical thermal maxima of nymphs of three Plecoptera species from an Ozark foothill stream. *Freshwater Invertebrate Biol.* 3(2):80–85.
- ERNST, M.R. and K.M. STEWART.** (1985): Emergence patterns and an assessment of collecting methods for adult stoneflies (Plecoptera) in an Ozark foothills stream. *Can. J. Zool.* 63:2962–2968.
- ERNST, M.R. and K.W. STEWART.** (1985): Growth and drift of nine stonefly species (Plecoptera) in an Oklahoma Ozark foothills stream and conformation to regression models. *Ann. Entomol. Soc. Amer.* 78(5):635–646.
- EVERARD, L.B. and R. SWAIN.** (1983): Isolation, characterization and induction of metallothionein in the stonefly, *Eusthenia spectabilis* following exposure to cadmium. *Comp. Biochem. Physiol.* 75:275–280.
- FALK, L.** (1985): Steinfliegen (Plecoptera) aus der Pfalz und dem Hunsrück. *Mitt. Pollichia* 71:131–146.
- FARAVEL, L. and C. LANG.** (1983): Structure of the communities of benthic invertebrates and quality of water in some effluents of the lake of Geneva (Switzerland) in 1982. *Bull. Soc. Vaudoise Sci. Natur.* 76:341–351.
- FEY, M.J.** (1984): Zur Temperatur west-sauerländischer Bäche. *Decheniana* 137:125–131.
- FINK, T.J.** (1984): Errors in instar determination of mayflies (Ephemeroptera) and stoneflies (Plecoptera) using the simple frequency, Janetscheck, Cassie and Dyar's law methods. *Freshwater Biol.* 14:347–365.
- FLECKER, A.S.** (1984): The effects of predation and detritus on the structure of a stream insect community: a field test. *Oecologia* 64:300–305.
- FONTOURA, A.P.** (1984): Les communautés de macro-invertébrés du bassin hydrographique du Fleuve Lima comme indicateurs de la qualité biologique de l'eau. *Pub. Inst. Zool. "Dr. Augusto Nobre", Fac. Ciênc. Porto* 187:1–20.

- FRIESEN, M.K., J.F. FLANNAGAN and D.G. COBB.** (1984): Emergence of stoneflies (Plecoptera) from South Duck River and Cowan Creek in the Duck Mountain Region, Manitoba. *Amer. Midland Natur.* 111(1): 69–80.
- FROEHLICH, C.G.** (1984): Brazilian Plecoptera 2. Species of the *serrana* group of *Kempnyia* (Plecoptera). *Aquatic Insects* 6(3):137–147.
- FROEHLICH, C.G.** (1984): Brazilian Plecoptera 3. *Macrogynoplax veneranda* sp.n. (Perlidae:Acroneuriinae). *Anns. Limnol.* 20(1–2):39–42. (English, French abstract).
- FROEHLICH, C.G.** (1984): Brazilian Plecoptera 4. Nymphs of perlid genera from southeastern Brazil. *Anns. Limnol.* 20(1–2):43–48. (English, French abstract).
- GHETTI, P.F. and U. RAVANETTI.** (1984): The drift over one year of Plecoptera and Ephemeroptera in a small stream in Northern Italy. *Arch. Hydrobiol.* 99(4):478–488.
- GISLASON, J.C.** (1985): Aquatic insect abundance in a regulated stream under fluctuating and stable diel flow patterns. *N. Amer. J. Fish. Manage.* 5:39–46.
- GONSER, T. and J. SCHWOERBEL.** (1985): Chemische und biologische Untersuchung des Gutach-Wutach-Flußsystems zwischen Neustadt und Weizener Steg. *Beih. Veröff. Natur. Landschaftspflege Bad. -Württ.* 44:9–112.
- GONZALEZ, G., X. MILLET, N. PRAT and M.A. PUIG.** (1985): Patterns of macroinvertebrate distribution in the Llobregat river basin (NE Spain). *Verh. Internat. Verein. Limnol.* 22:2081–2086.
- GONZALEZ del TANAGO, M.** (1984): Distribution of Plecoptera in the Duero Basin (Spain). *Anns. Limnol.* 20(1–2):49–56. (English, French abstract).
- GONZALEZ del TANAGO, M. and M.G. de VIEDMA.** (1983): Considerations on the Ephemeroptera, Odonata and Plecoptera of the National Game Reserve of the Cazorla and Segura mountains. *Misc. Zool.* 7(1981):53–66.
- GRAESSER, A. and P.S. LAKE.** (1984): Diel changes in the benthos of stones and of drift in a southern Australian upland stream. *Hydrobiologia* 111:153–160.
- GRANT, D.F. and G.W. MINSHALL.** (1984): Intestinal protein dynamics in the stonefly, *Pteronarcys californica*. *J. Insect Physiol.* 30(5):441–449.
- GURTZ, M.E. and J.B. WALLACE.** (1984): Substrate-mediated response of stream invertebrates to disturbance. *Ecology* 65:1556–1569.
- HANSON, B.J., K.W. CUMMINS, A.S. CARGILL and R.R. LOWRY.** (1985): Lipid content, fatty acid composition, and the effect of diet on fats of aquatic insects. *Comp. Biochem. Physiol.* 80B(2):257–276.
- HARPER, P.P.** (1984): *Alloperla acadiana*, a new species (Plecoptera: Chloroperlidae) from New Brunswick [Canada]. *Rev. Entomol. Quebec* 29:83–85.

- HARPER, P.P. and F. HARPER.** (1984): Biogeography and associations of the winter Plecoptera of southern Quebec (Plecoptera:Capniidae and Taeniopterygidae). *Can. Entomol.* 115(11):1465–1476 (1983).
- HARPER, P.P. and F. HARPER.** (1984): Biogeography and associations of winter stoneflies in southern Quebec (Plecoptera) *Annls. Limnol.* 20(1–2):142(Abstract).
- HARPER, P.P. and R.C. WILDMAN.** (1985): A new *Paraleuctra* (Plecoptera: Leuctridae) from the Cascade and Coast ranges. *Can. J. Zool.* 63:982–983.
- HENRICHSON, J. and G. SJÖBERG.** (1984): Stream zoobenthos below two short-term regulated hydro-power dams in Sweden. pp. 211–222 in: LILLEHAMMER and SALTVEIT (eds.) *Regulated Rivers.* Universitetsforlaget, Oslo.
- HERSHEY, A.E. and S. I DODSON.** (1985): Selective predation by a sculpin and a stonefly on two chironomids in laboratory feeding trials. *Hydrobiologia* 124(3):269–273.
- HILDREW, A.G., C.R. TOWNSEND and J. FRANCIS.** (1984): Community structure in some southern English streams: the influence of species interactions. *Freshwater Biol.* 14:297–310.
- HIPPA, H., S. KOPONEN and R. MANNILA.** (1985): Invertebrates of Scandinavian caves III. Ephemeroptera, Plecoptera, Trichoptera, and Lepidoptera. *Notulae Entomol.* 65:25–28.
- HLOHOWSKYI, I. and A.M. WHITE.** (1983): Food resource partitioning and selectivity by the greenside *Etheostoma blennioides*, rainbow darter *Etheostoma caeruleum* and fantail darter *Etheostoma flabellare* (Pisces:Percidae). *Ohio J. Sci.* 83:97–108.
- HUSSAIN, M.A., R.B. MOHAMAD and P.C. OLOFFS.** (1985): Studies on the toxicity, metabolism and anticholinesterase properties of acephate and methamidophos. *J. Environ. Sci. Health, Part B Pesticide Food Contam. Agr. Wastes.* 20:129–148.
- HUUSKO, A. and K. KUUSELA.** (1985): Plecoptera caught by an application of tree-elector in a forest near a small river, eastern Finland. *Notulae Entomol.* 65(3):93–96.
- HYNES, H.B.N.** (1982): New and poorly known Gripopterygidae (Plecoptera) from Australia, especially Tasmania. *Australian J. Zool.* 30:115–158.
- HYNES, H.B.N.** (1984): Opening address (Eighth International Symposium, on Plecoptera, Toulouse, August 17–20, 1983). *Annls. Limnol.* 20(1–2):7–8.
- HYNES, H.B.N. and S.F. BUNN.** (1984): The stoneflies (Plecoptera) of Western Australia. *Australian J. Zool.* 32:97–107.

- IKONOMOV, P.** (1983): La Faune des Plécoptères (Insecta) dans la Région de Malech et Pianetz. Malech; Pianetz V - Fauna, ed. Mac. Acad. Sci. Arts, Skopje.
- IKONOMOV, P.** (1983): New plecopteran species from Macedonia [Yugoslavia] (Insecta): 3. *Fragm. Balc. Mus. Macedonici Sci. Natur.* 11:176–183.
- IKONOMOV, P.** (1984a): Nouvelle Contribution à la connaissance des Plécoptères (Insecta) de la Plaine de Skopje. *Ann. Fac. Biol. Univ. Kiril Metodij, Skopje*, 36(1983):5–20 (Macedonian, French Résumé; publ. Sept. 1984).
- IKONOMOV, P.** (1984b): Contribution à la connaissance des Plécoptères (Insecta) du bassin de la rivière Tsrna Réka. *Ann. Fac. Biol. Univ. Kiril Metodij, Skopje*, 36(1983):21–32 (Macedonian, French Résumé; publ. Sept. 1984).
- ISHIZAKI, S.** (1983): On the benthic fauna of some river systems in Nagasaki District (8) benthic community in the River Sasu after construction to prevent mine-effluent. *Jap. J. Limnol.* 44(4):263–268.
- ISOBE, Y.** (1984): The numbers of eggs and hatchability per mass of *Oyamia seminigra* (Plecoptera). *Biol. of Inland Waters* 3:39.
- JACOB, U., H. WALTHER, and R. KLENKE.** (1984): Aquatic insect larvae as indicators of limiting minimal contents of dissolved oxygen - Part II. *Aquatic Insects* 6(3):185–190.
- JANEVA, I.J. and B.K. RUSSEV.** (1985): Trends in the changes of the hydrobiological and saprobiological state of the Tundza River. II. May–November, 1981. *Hydrobiology, Sofia* 26:15–36. (Bulgarian, Russian, English summaries).
- JENSEN, C.F., F. JENSEN and E. WARNCKE.** (1983): The fresh-water fauna of some selected spring areas (helocrenes) in Jutland, Denmark. *Flora Fauna* 89:3–12.
- JENSEN, F. and C.F. JENSEN.** (1984): Responses of the benthic fauna to short-term lowerings of the water level in a lowland stream in Denmark. pp. 181–188 in: LILLEHAMMER and SALTVEIT (eds.) *Regulated Rivers*. Universitetsforlaget AS Oslo.
- JOOST, W.** (1983): Neue Steinfliegen (Insecta, Plecoptera) für die Fauna Thuringens. *Entomol. Nachr. Ber.* 27:84–85.
- JOOST, W.** (1984): Erstnachweis von *Aphelocheirus aestivalis* (F.) im Bezirk Halle (Heteroptera, Aphelocheiridae). *Entomol. Nachr. Ber.* 28:80–82. (records *Nemoura cinerea*).
- JOOST, W.** (1984): Fossile Reste aquatischer Insekten aus dem Travertin von Weimar. *Quartärpaläontologie (Berlin)* 5:321–324.
- JOP, K. and S.W. SZCZYTKO.** (1984): Life cycle and production of *Isoperla signata* (Banks) in a Central Wisconsin trout stream. *Aquatic Insects* 6(2):81–100.

- KAPOOR, N.N.** (1984): Sensilla on the antennae of the stonefly nymph, *Paragnetina media* (Walker) (Plecoptera). *Annl. Limnol.* 20(1–2):143 (Abstract).
- KAPOOR, N.N.** (1985): External Morphology and distribution of the antennal sensilla of the stonefly, *Paragnetina media* (Walker) (Plecoptera:Perlidae). *Int. J. Insect Morph. & Embryol.* 14(5):273–280.
- KAPOOR, N.N.** (1985): Electron microscopic study of cuticular and cellular structures of the body surface of the winter stonefly nymph, *Taeniopteryx burksi* Ricker and Ross (Plecoptera:Taeniopterygidae). *Can. J. Zool.* 63(6):1360–1367.
- KAPOOR, N.N. and K. ZACHARIAH.** (1984): Scanning and transmission electron microscopy of the developmental stages of the flower-shape sensillum of the stonefly nymph, *Thaumatoperla alpina* Burns and Neboiss (Plecoptera:Eustheniidae). *Int. J. Insect Morphol. and Embryol.* 13(3):177–189.
- KAWAI, T.** (1980): Stoneflies (Plecoptera). *Insect and Nature* 15(10):5–10 + 1 unnumbered page with photographs. (Japanese.)
- KAWAI, T. and Y. ISOBE.** (1984): Notes on the egg of *Scopura longa* Ueno (Plecoptera). *Annl. Limnol.* 20(1–2):57–58.
- KAZANCI, N.** (1985): *Leuctra brachyptera*, a new stonefly from Turkey (Plecoptera:Leuctridae). *Aquatic Insects* 7(1):49–52.
- KIMMEL, W.G., D.J. MURPHEY, E. SHARPE and D.R. DeWALLE.** (1985): Macroinvertebrate community structure and detritus processing rates in two southwestern Pennsylvania streams acidified by atmospheric deposition. *Hydrobiologia* 124:97–102.
- KIRCHNER, R.F. and B.C. KONDRATIEFF.** (1984): A new *Diploperla* from West Virginia (Plecoptera:Perlodidae). *Proc. Entomol. Soc. Wash.* 86(3):648–652.
- KIRCHNER, R.F. and B.C. KONDRATIEFF.** (1985): The nymph of *Hansonoperla appalachia* Nelson (Plecoptera:Perlidae). *Proc. Entomol. Soc. Wash.* 87(3):593–596.
- KISHIMOTO, T. and H. ANDO.** (1985): External features of the developing embryo of the stonefly, *Kamimuria tibialis* (Plecoptera, Perlidae). *J. Morphol.* 183:311–326.
- KITTEL, W.** (1984): Stoneflies (Plecoptera) of the Swietokrzyski National Park (Central Poland). *Annl. Limnol.* 20(1–2):59–62. (English, French abstract).
- KLUGE, H.** (1984): Lebensbedingungen für limnische Wirbellose (Invertebrata) in unterschiedlich ausgebauten Entwässerungsgräben. *Natur und Landschaft* 59(10):400–406.
- KOHLER, S.L.** (1985): Identification of stream drift mechanisms: an experimental and observational approach. *Ecology* 66(6):1749–1761.

- KOMATSU, T.** (1983): Aquatic insect communities and a survey of biological water quality of the Matsu-kawa River in Central Japan Alps. *Tenrya-gawa-sukei chubu-ryuiki no Shizen to Shakai-sogo-gakujutsu-hokokusho* 1983:125–141.
- KONDRATIEFF, B.C. and R.F. KIRCHNER.** (1984): A new species of *Nemouridae* (Plecoptera) from the Great Dismal Swamp, Virginia, USA. *Proc. Entomol. Soc. Wash.* 86(3):578–581.
- KONDRATIEFF, B.C. and R.F. KIRCHNER.** (1984): New species of *Taeniopteryx* (Plecoptera:Taeniopterygidae) from South Carolina. *Ann. Entomol. Soc. Amer.* 77(6):733–736.
- KOWNACKI, A.** (1982): Stream ecosystems in mountain grassland (West Carpathians) 8. Benthic invertebrates. *Acta Hydrobiol.* 24(4):375–390.
- KOWNACKI, A.** (1985): Spring benthic macroinvertebrate communities of selected streams in the High Caucasus (Azerbaijan SSR). *Hydrobiologia* 123:137–144.
- KRACHT, M.** (1984): Steinfliegen (Plecoptera) als Wassergüte-Indikatoren. *Das Künanz-Haus* 8:13–18.
- KRAFT, K.J. and MUNDAHL, N.D.** (1984): Effect of intermittent flow regulation on temperature and macroinvertebrate distribution and abundance in a Michigan river. *Freshwater Invertebrate Biol.* 3(1):21–35.
- KRNO, I.** (1984): Influence of pollution in the taxocenosis of early-springs (Plecoptera) of the brook Vydrica (small Carpathians). *Acta. Fac. Rerum. Nat. Univ. Comeniana Zool.* 27:41–56.
- KRNO, I.** (1984): Plecoptera des Einzugsgebietes des Flusses Bela. *Prace Lab. Ryb. Hydrobiologia* 4:159–191.
- KRNO, I.** (1985): *Leuctra pusilla* n.sp. (Plecoptera) from Slovakia. *Biologia* 40:1045–1048.
- KUUSELA, K.** (1984): Emergence of Plecoptera in two lotic habitats in the Oulanka National Park, northeastern Finland. *Annls. Limnol.* 20(1–2):63–68.
- LAKE, P.S. and T.J. DOEG.** (1985): Macroinvertebrate colonization of stones in two upland southern Australian streams. *Hydrobiologia* 126:199–211.
- LAKE, P.S., T.J. DOEG and D.W. MORTON.** (1985): The macroinvertebrate community of stones in an Australian upland stream. *Verh. Internat. Ver. Limnol.* 22:2141–2147.
- LECHLEITNER, R.A., D.S. CHERRY, J. CAIRNS Jr. and D.A. STETLER.** (1985): Ionoregulatory and toxicological responses of stonefly nymphs (Plecoptera) to acidic and alkaline pH. *Arch. Environ. Contamination Toxicol.* 14(2):179–185.
- LENAT, D.R.** (1983): Benthic macroinvertebrates of Cane Creek, North Carolina [USA], and comparisons with other southeastern streams. *Brimleyana* 9:53–68.

- LIEM, H., W. SCHMIDT and K. HONOMICHL.** (1984): Two muscle receptor organs at the mandible of *Leuctra* (Insecta, Plecoptera): Examples for non-ciliary sense organs with tubular-body-like structure. *Zoomorphology* 104(4):239–245.
- LILLEHAMMER, A.** (1984): Distribution, seasonal abundance and emergence of stoneflies (Plecoptera) in the Ovre Heimdal area of the Norwegian Jotunheimen Mountains. *Fauna Norvegica Ser. B.* 31(1):1–7.
- LILLEHAMMER, A.** (1985): Studies of shortwingedness in stoneflies (Plecoptera). *Fauna Norv. Ser B.* 32(2):58–61.
- LILLEHAMMER, A.** (1985): Temperature influence on egg incubation period and nymphal growth on the stoneflies *Leuctra digitata* and *L. fusca* (Plecoptera:Leuctridae). *Entomol. Gen.* 11:59–68.
- LILLEHAMMER, A.** (1985): The Coexistence of stoneflies in a mountain lake outlet biotope. *Aquatic Insects* 7(3):173–187.
- LILLEHAMMER, A.** (1985): Zoogeographical studies on Fennoscandian stoneflies (Plecoptera). *J. Biogeogr.* 12(3):209–222.
- LILLEHAMMER, A., J.E. BRITAIN and S.J. SALTVEIT.** (1984): Egg development, nymphal growth and distribution of Fennoscandian stoneflies (Plecoptera). *Anns. Limnol.* 20(1–2):144. (Abstract).
- LILLEHAMMER, A. and S.J. SALTVEIT.** (1984): The effect of the regulation on the aquatic macroinvertebrate fauna of the River Suldalagen, western Norway. *Regulated Rivers:* 201–210. Univ. AS Oslo.
- LUBIENECKI, B. and L. STEINBERG.** (1985): Der Einfluss des sauren Regens auf die Embryonalentwicklung der Regenbogenforelle (*Salmo gairdneri* Richardson) und auf die natürlich Brutentwicklung der Bachforelle (*Salmo trutta* f. *fario*) L.) in ausgesuchten Bachen des Sauerlandes. *Der Fischwirt* 35:51–58. (pp. 51–56 in No. 7, 57–58 in No. 8.).
- MACKAY, R.J. and K.E. KERSEY.** (1985): A preliminary study of aquatic insect communities and leaf decomposition in acid streams near Dorset, Ontario. *Hydrobiologia* 122:3–11.
- MAIWORM, M.** (1984): Die Insektenfauna sauerländischer Fließgewässer. *Decheniana* 137:203–225.
- MAKETON, M. and K.W. STEWART.** (1984): Drumming behavior in four North American Perlodidae (Plecoptera) species. *Anns. Entomol. Soc. Amer.* 77(5):621–626.
- MAKETON, M. and K.W. STEWART.** (1984): Further studies of the drumming behavior of North American Perlidae (Plecoptera). *Anns. Entomol. Soc. Amer.* 77(6):770–778.
- MALMQVIST, B. and Ch. BRÖNMARK.** (1985): Reversed trends in the benthic community structure in two confluent streams; one spring-fed the other lake-fed. *Hydrobiologia* 124:65–71.

- MALMQVIST, B. and P. SJÖSTRÖM.** (1984): The microdistribution of some lotic insect predators in relation to their prey and to abiotic factors. *Freshwater Biol.* 14:649–656.
- MARCHANT, R., A. GRAESSER, L. METZELING, P. MITCHELL, R. NORRIS and P. SUTER.** (1984): Life histories of some benthic insects from LaTrobe River, Victoria. *Aust. J. Mar. Freshwater Res.* 35:793–806.
- MARTEN, M.** (1984): The Plecoptera of the river Fulda: faunistics, longitudinal zonation and changes during the last 30 years. *Annl. Limnol.* 20(1–2):145. (Abstract).
- MARTIN, J.D.** (1985): Effects of Mount Pleasant Tungsten Mine [Canada] effluent on biota of Hatch Brook. *Can. Manuscr. Rep. Fish. Aquatic Sci.* 1805:1–7.
- MATHEWS Jr., R.C.** (1982): Predator stoneflies: Role in freshwater stream communities. *J. Tenn. Acad. Sci.* 57(3–4):82–83.
- MATTHIAS, U.** (1984): Der Einfluß der Versauerung auf die Zusammensetzung von Bergbachbiozöosen. *Mater. Bundesumweltamt.* 1/84:408–412. (German).
- MAUCH, E., F. KOHMANN and W. SANZIN.** (1985): Biologische Gewässeranalyse in Bayern. *Informationsberichte Bayer. Landesamt für Wasserwirtschaft.* 1/85, 254pp., 6 Anlagen.
- MAYDEN, R.L. and S.J. WALSH.** (1984): Life history of the least madtom *Norturus hildebrandi* (siluriformes: Ictaluridae) with comparisons to related species. *Amer. Midl. Natur.* 112:349–368.
- McKNIGHT, D.M. and G.L. FEDER.** (1984): The ecological effect of acid conditions and precipitation of hydrous metal oxides in a Rocky Mountain stream. *Hydrobiologia* 119:129–138.
- McLELLAN, I.D.** (1984): A revision of *Spaniocercoides* Kimmins (Plecoptera: Notonemouridae), and description of new species. *New Zealand J. Zool.* 11(2):167–178.
- McLELLAN J.A. and B.W.H. MACMILLAN.** (1984): The food of rainbow trout (*Salmo gairdneri*) and brown trout (*Salmo trutta*) in the Mohaka and other rivers of Hawkes Bay, New Zealand. *New Zealand J. Mar. Freshwater Res.* 18:143–158.
- MEINANDER, M.** (1984): Plecoptera. p. 10 in: HULDEN, L. (ed.): A check list of the Finnish insects; small orders. *Notulae Entomol.* 64:1–29.
- MEINEL, W. and S. KLEINER.** (1984): Zum Einfluß saurer Niederschläge auf die Zoozöosen zweier Mittelgebirgsbäche im Kaufunger Wald. *Gewässerversauerung in der Bundesrepublik Deutschland.* *Mater. Bundesumweltamt* 1/84:413–426.
- MEMBIELA IGLESIA, P.** (1984): Contribution to the knowledge of the Plecoptera of Galicia (NW Iberian Peninsula). *Annl. Limnol.* 20(1–2):145 (Abstract).

- METZELING, L., A. GRAESSER, P. SUTER, and R. MARCHANT.** (1984): The distribution of aquatic macroinvertebrates in the upper catchment of the LaTrobe River, Victoria [Australia]. *Occas. Pap. Mus. Victoria* 1:1–62.
- MICHAELIS, F.B.** (1984): The life history of *Megaleptoperla diminuta* (Plecoptera:Gripopterygidae) in Waikoropupu Springs, New Zealand. *Annl. Limnol.* 20(1–2):69–74. (English, French abstract).
- MILLER, C.** (1985): Correlates of habitat favourability for benthic macroinvertebrates at five stream sites in an Appalachian Mountain drainage basin, U.S.A. *Freshwater Biol.* 15:709–733.
- MILLS, M.J. and D. ANDREW.** (1984): *Isogenus nubecula* Newman (Plecoptera:Perlodidae) in the Welsh River Dee. *Entomol. Gazette* 35:45–51.
- MOL, A.W.M.** (1984): Limnofauna Neerlandica. Een lijst van meercellige ongewervelde dieren aangetroffen in binnenwateren van Nederland. *Nieuwsbrief Europ. Invetebr. Survey-Nederland.* 15:124pp. Plec. on pp.64–65.
- MOLLES, M.C., Jr., and R.D. PICTRUSZKA.** (1983): Mechanisms of prey selection by predaceous stoneflies: roles of prey morphology, behavior and predator hunger. *Oecologia (Berlin)* 57:25–31.
- MORSE, J.C., J.W. CHAPIN., D.D. HERLONG and R.S. HARVEY.** (1983): Aquatic insects of Upper Three Runs Creek, Savannah River Plant, South Carolina. Part II:Diptera. *J. Georgia Entomol. Soc.* 18(3):303–316.
- MOTYKA, G.L., R.W. MERRITT, M.J. KLUG, and J.R. MILLER.** (1985): Food-finding behavior of selected aquatic detritivores: Direct or indirect behavioral mechanism? *Can. J. Zool.* 63(6):1388–1394.
- MUTCH, R.A. and R.W. DAVIES.** (1984): Processing of willow leaves in two Alberta Rocky Mountain streams. *Holarctic Ecol.* 7:171–176.
- MUTCH, R.A. and G. PRITCHARD.** (1982): The importance of sampling and sorting techniques in the elucidation of the life cycle of *Zapada columbiana* (Nemouridae:Plecoptera). *Can J. Zool.* 60(12):3394–3399.
- MUTCH, R.A. and G. PRITCHARD.** (1984): The life history of *Zapada columbiana* (Plecoptera:Nemouridae) in a Rocky Mountain stream. *Can. J. of Zool.* 62(7):1282–1288.
- NARF, R.P.** (1985): Aquatic insect colonization and substrate changes in a relocated stream segment. *Great Lakes Entomol.* 18:83–92.
- NELSON, C.H.** (1984): Numerical cladistic analysis of phylogenetic relationships in Plecoptera. *Annl. Entomol. Soc. Amer.* 77(4):466–473.
- NELSON, C.H. and R.E. GARTH.** (1984): Oxygen consumption of several species of Plecoptera. *J. Tenn. Acad. Sci., (Chattanooga, TN.)* 59(1–2):27–28.
- NEUMANN, F.G. and J.L. MOREY.** (1984): A study of the rare wingless stonefly, *Riekoperla darlingtoni* (Illies). near Mt. Donna Buang, Victoria. *For. Comm. Vic., Res. Branch Rep.* 253, 7pp.(Unpublished Internal Report).

- NEWELL, R.L. and G.W. MINSHALL.** (1979): Aquatic invertebrates of Southeastern Idaho I. Plecoptera (Stoneflies). *J. Idaho Acad. Sci.* 15(1):6–20.
- NICOLAI, P.** (1982): Contribution to the knowledge of Plecoptera from Friuli-Venezia Giulia. *Gortania Atti Museo Friulano Stor. Natur.* 4:153–162. (Italian).
- NICOLAI, P.** (1982): *Perla illiesi* Braasch & Joost, New for Italy, in Friuli (Plecoptera, Perlidae). *Gortania* 3:231–234. (Italian, English abstract).
- NICOLAI, P.** (1985): On the evolution and biogeography of the *Protonemura* species of the Corsicana group, with the description of *P. helenae spini* from Sicily (Plecoptera:Nemouridae). *Aquatic Insects.* 7(4):249–256.
- NICOLAI, P. and R. FOCHETTI.** (1981): Note Faunistiche su Alcuni Plecotteri dell'Italia Centrale (Plecoptera). *Boll. Ass. Romana Entomol.* 36(1981):13–15.
- NICOLAI, P. and R. FOCHETTI.** (1983): Faunistica, Fenologia ed Ecologia dei Plecotteri dei Monti della Tolfa (Antiappennino Laziale) (Plecoptera). *Fragm. Entomol., Roma.* 17(1):51–84.
- NIKOLAYEVA, E.A.** (1984): Relations between mass and body length in larvae of three stonefly species (Plecoptera). *Biology of Fresh Waters of the Far East, Vladivostok* 1984:121–127. Russian.
- NILSSON, C.** (1981): Malformed appendages of mayfly and stonefly nymphs (Ephemeroptera and Plecoptera). *Entomol. Tidskr. (Lund)* 102:71–72. (Swedish: English abstract).
- NOVOTNY, J.F.** (1985): Effects of a Kentucky flood-control reservoir on macroinvertebrates in the tailwater. *Hydrobiologia* 126:143–153.
- OBERNDORFER, R.Y., J.V. McARTHUR, J.R. BARNES, and J. DIXON.** (1984): The effect of invertebrate predators on leaf litter processing in an Alpine stream. *Ecology* 65(4):1325–1331.
- ONDA, T.** (1984): Restoration of aquatic insect community after the flood in the stream. *Biol. of Inland Waters* 3:40–53.
- OTTO, C. and P. SJÖSTRÖM.** (1983): Cerci as antipredatory attributes in stonefly nymphs. *Oikos* 41(2):200–204.
- PAPAGEORGOU, N.C., C.N. NEOPHYTOU and C.G. VLACHOS.** (1984): Food and feeding of brown trout (*Salmo trutta fario*) in Aspropotamos stream, Greece. *Pol. Arch. Hydrobiol.* 31:277–286.
- PAWLOWSKY, E.** (1984): Limnologische Untersuchung von Fließgewässern des Siebengebirges. *Decheniana* 137:186–202.
- PEARSON, R.G. and N.V. JONES.** (1984): The River Hull, a northern English chalk stream: the zonation of the macro-invertebrate fauna with reference to physical and chemical features. *Arch. Hydrobiol. Stuttgart.* 100:137–157.

- PECKARSKY, B.L.** (1981): Do benthic stream invertebrates randomly wander the substrate or is migration dependent on benthic density? Reply to comment by Sell. *Limnol. Oceanogr.* 26(5):982–987.
- PECKARSKY, B.L.** (1982): Aquatic insect predator-prey relations. *BioScience* 32(4):261–266.
- PECKARSKY, B.L.** (1983): Biotic interactions or abiotic limitations? A model of lotic community structure. pp. 303–323 in: *Dynamics of Lotic Ecosystems.*, Ann Arbor, Michigan.
- PECKARSKY, B.L.** (1983): Use of behavioral experiments to test ecological theory in streams. pp. 79–97 in: BARNES, J.R. and G.W. MINSHALL (eds.): *Stream Ecology.*, Plenum Publishing Corp.
- PECKARSKY, B.L.** (1985): Do predaceous stoneflies and siltation affect the structure of stream insect communities colonizing enclosures? *Can. J. Zool.* 63:1519–1530.
- PECKARSKY, B.L. and K.Z. COOK.** (1981): Effect of keystone mine effluent on colonization of stream benthos. *Environ. Entomol.* 10:864–871.
- PECKARSKY, B.L. and M.A. PENTON.** (1985): Is predaceous stonefly behavior affected by competition? *Ecology* 66(6):1718–1728.
- PETTS, G.E., M. GREENWOOD and M. PHIL.** (1985): Channel changes and invertebrate faunas below Nant-Y-Moch dam, River Rheidol, Wales, U.K. *Hydrobiologia* 122:65–80.
- PISTRANG, L.A. and J.F. BURGER.** (1984): Effect of *Bacillus thuringiensis* var. *israelensis* on a genetically defined population of black flies (Diptera: Simuliidae) and associated insects in a montane New Hampshire (U.S.A.) stream. *Can. Entomol.* 116:975–982.
- PRIDMORE, R.D. and D.S. ROPER.** (1985): Comparison of the macroinvertebrate faunas of runs and riffles in three New Zealand streams. *New Zealand J. Mar. Freshwater Res.* 19:283–291.
- PUGSLEY, C.W. and H.B.N. HYNES.** (1985): Summer diapause and nymphal development in *Allocapnia pygmaea* (Burmeister), (Plecoptera: Capniidae), in the Speed River, Southern Ontario. *Aquatic Insects* 7(1):53–63.
- PUIG, M.A.** (1984): Distribution and ecology of the stoneflies (Plecoptera) in Catalan rivers (NE-Spain). *Annl. Limnol.* 20(1–2):75–80. (English, French abstract).
- PUIG, M.A. and M.F. ROMERO.** (1983): Plecoptera of the Sierra Moreno Central (Cordoba): Preliminary data. -Plecopteros de Sierra Morena Central (Cordoba): Datos preliminares. pp. 639–646 in: *Actas del 1 Congreso Iberico de Denomologia*, Leon. Publ. by: Servicio de Publicaciones, Univ. de Leon, Leon (Spain)

- RAMUSINO, M.C., B. ROSSARO and E. BIELLI.** (1983): Research on the Grua River (Italy): influence of chromium on aquatic insect populations. *Vie Milieu* 33:55–62.
- RAVIZZA, C.** (1985): A new species of Leuctridae of the Italian region: *Leuctra elisabethae* sp.n. (Plecoptera). *Atti Soc. Ital. Soc. Nat. (Milano)* 126(1–2):63–69. (Italian, English abstract).
- RAVIZZA, C. and P. NICOLAI.** (1984): The endangered species of stoneflies in the Italian region (Plecoptera). *Boll. Soc. Entomol. Ital.* 115(4–7):70–78. (Italian, English Summary) (1983).
- RAVIZZA, C. and E. RAVIZZA DEMATTEIS.** (1983): On the uninterrupted presence of adult stoneflies in a North-western Apennine brook. Stonefly-community and flight periods analysis. *Estratto Redia* 66:615–634. (Italian, English summary).
- RAVIZZA C. and E. RAVIZZA DEMATTEIS.** (1984): *Leuctra vesulensis*, New species from the Western Italian Alps (Plecoptera:Leuctridae). *Aquatic Insects* 6(1):41–44.
- RAVIZZA, C. and E. RAVIZZA DEMATTEIS.** (1985): A new species of Leuctridae of the Pennine Alps: *Leuctra auberti* sp.n. (Plecoptera). *Bull. Soc. Entomol. (Suisse)* 58:405–408. (Italian, English abstract).
- RAVIZZA DEMATTEIS, E. and C. RAVIZZA.** (1983): Elenco dei Plecotteri dell'Alta Valle del Po (Alpi Cozie) (Plecoptera) . *Atti Soc. Ital. Sci. Nat. Museo Civ. Stor. Natur. Milano.* 124(3–4):291–294.
- RAVIZZA DEMATTEIS, E. and C. RAVIZZA.** (1983): Osservazioni Preliminari sui Plecotteri della Valle Oropa (Alpi Pennine). *Atti XIII Congr. Naz. Ital. Entomol., Sestriere - Torino.*
- RAVIZZA DEMATTEIS, E. and C. RAVIZZA.** (1984): *Leuctra ligurica* Aubert, the most characteristic winter species of the Italian stonefly-fauna (Plecoptera). *Fragm. Entomol., Roma,* 17(2):221–227. (Italian, English summary).
- RAVIZZA DEMATTEIS, E. and C. RAVIZZA.** (1985): *Leuctra sesvenna* Aubert and *L. helvetica* Aubert in the high Po valley, with notes on their morphology and distribution (Plecoptera, Leuctridae). *Bull. Reg. Mus. Natur. Sci. (Torino).* 3(2):381–388. (Italian, English abstract).
- REICE, S.R.** (1985): Experimental disturbance and the maintenance of species diversity in a stream community. *Oecologia* 67:90–97.
- REUSCH, H.** (1985): Limnofaunistische Untersuchungen über die Eintags-Stein- und Köcherfliegen (Ephemeroptera, Plecoptera, Trichoptera) der Örtze (Niedersächsisches Tiefland) > *Jb. Naturw. Verein Fstrm. Lbg.* 37:117–139.
- REUSCH, H. and F. LUSZICK.** (1984): The plecoptera fauna of the lowlands of Lower Saxony [West Germany]. *Entomol. Mitt. Zool. Mus. Hamb.* 8:33–44.
- REUSCH, H. and F. LUSZICK.** (1985): Zur Plecopterenfauna des Niedersächsischen Tieflandes. *Entomol. Mitt. Zool. Mus. Hamburg.* 8:123.

- REZBANYAI-RESER, L.** (1985): Die Insektenfauna des Hochmoores Balmoos bei Hasle, Kanton Luzern. XXIII. *Plecoptera* (Steinfliegen). Entomol. Ber. Luzern. 14:112. (German).
- RIEDERER, R.A.A.** (1985): Emergence behaviour of some mayflies and stoneflies (Insecta: Ephemeroptera and Plecoptera). Verh. Internat. Verein. Limnol. 22:3260–3264.
- ROBERTSON, D.J.** (1984): The aquatic insect community in Penitentiary Glen, a portage escarpment stream in Northeastern Ohio. Ohio J. Sci. 84(3):113–119.
- RODRIGUES, C.S., D. MOLLOY and N.K. KAUSHIK.** (1983): Laboratory evaluation of microencapsulated formulations of chlorpyrifos-methyl against black fly larvae (Diptera:Simuliidae) and selected nontarget invertebrates. Can. Entomol. 115(9):1189–1201.
- ROTHERAY, G.E. and A.D. LISTON.** (1984): Predation in an adult stonefly (Plecoptera:Chloroperlidae). Entomol. Mon. Mag. 121:237.
- ROUNICK, J.S. and B.J. HICKS.** (1985): The stable carbon isotope ratios of fish and their invertebrate prey in four New Zealand rivers. Freshwater Biol. 15:207–214.
- RUPPRECHT, R.** (1983): Kommunikationssignale von Arten der Gattung *Isoperla* (Plecoptera) und deren Eignung zur Abgrenzung von Arten. Verh. Dtsch. Zool. Ges. 1983:198.
- RUPPRECHT, R.** (1984): *Isoperla grammatica* Poda, 1761—description of a neotype (Plecoptera). Anns. Limnol. 20(1–2):81–90 (German, English abstract).
- RUSSEV, B.** (1977): Die Verunreinigung und Selbstreinigung des Ossan nach den strukturellen Änderungen seiner Benthos-fauna. Hydrobiology, Sofia 6:3–22. (Bulgarian, Russian, German summaries).
- SAETTEM, L.M. and J.E. BRITAIN.** (1985): Life cycles and emergence of Ephemeroptera and Plecoptera from Myrkdalsvatn, and oligotrophic lake in western Norway. Aquatic Insects 7:229–242.
- SALTVEIT, S.J. and A. LILLEHAMMER.** (1984): Studies on egg development in the Fennoscandian *Isoperla* species (Plecoptera). Anns. Limnol. 20(1–2):91–94. (English, French abstract).
- SANCHEZ-ORTEGA, A. and J. ALBA-TERCEDOR.** (1984): Description of the mature nymph of *Leuctra andalusiaca* Aubert, 1962 (Plecoptera). Anns. Limnol. 20(1–2):95–98.
- SCHEIRING, J.F.** (1985): Longitudinal and seasonal patterns of insect trophic structure in a Florida sand-hill stream. J. Kans. Entomol. Soc. 58:207–219.

- SCHMIEDS, U.J.** (1983/1984): Ecological studies on fishes of Schierensee brook, a natural outlet of a lake in North Germany: Naturpark Westensee, Schleswig-Holstein [West Germany]: 1. The food of perch, *Perca fluviatilis*. *Faun-Oekol. Mitt.* 5:199–216.
- SCHULTE, H.** (1984): Bemerkungen zur Faunistik einiger Bayerwald-Gewässer. Gewässerversauerung in der Bundesrepublik Deutschland Mater. Bundesumweltamt 1/84:427–430. (German).
- SCULLIAN, J. and A. SINTON.** (1984): Effects of artificial freshets on substratum composition, benthic invertebrate fauna and invertebrate drift in two impounded rivers in mid-Wales. *Hydrobiologia* 107(3):261–269.
- SEPHTON, D.H. and H.B.N. HYNES.** (1983): Food and mouthpart morphology of the nymphs of several Australian Plecoptera. *Aust. J. Mar. Freshwater Res.* 34:893–908.
- SEPHTON, D.H. and H.B.N. HYNES.** (1984): The ecology of *Taeniopteryx nivalis* (Fitch) (Taeniopterygidae; Plecoptera) in a small stream in southern Ontario. *Can. J. Zool.* 62(4):637–642.
- SHARPE, W.E., W.G. KIMMEL, E.S. YOUNG and D.R. DEWALLE.** (1983): In situ bioassays of fish mortality in 2 Pennsylvania (U.S.A.) streams acidified by atmospheric deposition. *Northeast Environ. Sci.* 2:171–178.
- SHELDON, A.L.** (1985): Perlid stoneflies (Plecoptera) in an Appalachian drainage- a multivariate approach to mapping stream communities. *Amer. Midl. Natur.* 113(2):334–342.
- SHEPARD, R.B. and G.W. MINSHALL.** (1984): Role of benthic insect feces in a Rocky Mountain stream: fecal production and support of consumer growth. *Holarctic Ecol.* 7:119–127.
- SHEPARD, R.B. and G.W. MINSHALL.** (1984): Selection of fine-particulate foods by some stream insects under laboratory conditions. *Amer. Midland Natur.* 111(1):23–31.
- SIMPSON, K.W., R.W. BODE and J.R. COLQUHOUN.** (1985): The macroinvertebrate fauna of an acid-stressed headwater stream system in the Adirondack Mountains, New York. *Freshwater Biol.* 15:671–681.
- SINGH, M.P., S.M. SMITH and A.D. HARRISON.** (1984): Emergence patterns of the stoneflies (Plecoptera) from a wooded stream in Southern Ontario. *Aquatic Insects* 6(4):201–216.
- SINITSCHENKOVA, N.D.** (1985): (Jurassic Stoneflies of South Siberia and adjacent territories (Perlidae:Plecoptera)). pp. 148–171 in: RASNITSIN, A.P. (ed): (Jurassic insects of Siberia and Mongolia), 192pp., Proc. Paleontol. Inst. USSR, 2M. Moscow. (Russian).
- SINSABAUGH, R.L., A.E. LINKINS and E.F. BENFIELD.** (1985): Cellulose digestion and assimilation by three leaf-shredding aquatic insects. *Ecology.* 66(5):1464–1471.

- SIVEC, I.** (1981): Contribution to the knowledge of Nepal stoneflies (Plecoptera). *Aquatic Insects* 3(4):245–257.
- SIVEC, I.** (1981): Some notes about Nemouridae larvae (Plecoptera) from Nepal. *Entomol. Basiliensia* 6:108–119.
- SIVEC, I.** (1984): Redescription of *Neoperla klapaleki* Banks Holotype from Taiwan/Formosa (Plecoptera:Perlidae). *Biol. Vestn.* 32:105–108.
- SIVEC, I.** (1984): Study of Genus *Neoperla* (Plecoptera:Perlidae) from the Philippines. *Scopolia Ljubljana* 7:1–44.. (English, Slovenian abstract).
- SIVEC, I.** (1985): Stoneflies (Plecoptera) from the Croatian National Zoological Museum in Zagreb. *Biol. Bestn.* 33(1): 57–60.
- SJÖSTRÖM, P.** (1985): Hunting behavior of the perlid stonefly nymph *Dinocras cephalotes* (Plecoptera) under different light conditions. *Anim. Behav.* (Lund, Sweden). 33(2):534–540.
- SJÖSTRÖM, P.** (1985): Territoriality in nymphs of *Dinocras cephalotes* (Plecoptera). *Oikos* 45:353–357.
- SKINNER, W.D.** (1985): Size selection of food by cutthroat trout, *Salmo clarki* in an Idaho stream. *Great Basin Natur.* 45:327–331.
- SMOCK, L.A., E. GILINSKY and D.L. STONEBURNER.** (1985): Macroinvertebrate production in a Southeastern United States blackwater stream. *Ecology* 66(5):1491–1503.
- SPECHT, W., D.S. CHERRY, R.A. LECHLEITNER and J. CAIRNS.** (1984): Structural, functional, and recovery responses of stream invertebrates to fly ash effluent. *Can. J. Fish. Aquatic Sci.* 41:884–896.
- STARK, B.P.** (1984): *Helopicus rickeri*, A new stonefly from Tennessee (Plecoptera:Perlodidae). *Entomol. News* 95(1):21–22.
- STARK, B.P.** (1985): Notes on *Oconoperla* (Plecoptera:Perlodidae). *Entomol. News* 96(4):151–155.
- STARK, B.P. and K.W. STEWART.** (1985): *Baumannella*: a new perlodine genus from California (Plecoptera:Perlodidae). *Proc. Entomol. Soc. Wash.* 87(4):740–745.
- STARK, B.P., K.W. STEWART and J. FEMINELLA.** (1983): New records and descriptions of *Alloperla* (Plecoptera:Chloroperlidae) from the Ozark-Ouachita Region. *Entomol. News* 94(2):55–59.
- STARK, B.P. and S.W. SZCZYTKO.** (1984): Egg morphology and classification of Perlodinae (Plecoptera:Perlodidae). *Annis. Limnol.* 20(1–2):99–104. (English, French abstract).
- STARMÜHLNER, F.** (1984): Checklist and longitudinal distribution of the meso- and macrofauna of mountain streams of Sri Lanka (Ceylon). *Arch. Hydrobiol.* 101(1/2):303–325.

- STARMÜHLNER, F.** (1984): Mountain stream fauna, with special reference to Mollusca. Monog. Biol. 57:215–255.
- STEFFAN, A.W.** (1985): Physiographie und Biozönologie Bodenwasser-gespeister Bäche im Niederbergischen Land. Jber. Naturwiss. Ver. Wuppertal 38:5–11.
- STEWART, K.W. and J.A. STANGER.** (1985): The nymph of *Bisancora rutiformis* Surdick (Plecoptera:Chloroperlidae). Proc. Entomol. Soc. Wash. 87(3):525–529.
- STEWART, K.W. and J.A. STANGER.** (1985): The nymphs, and a new species, of North American *Setvena* Illies (Plecoptera:Perlodidae). Pan-Pacific Entomol. 61(3):237–244.
- STEWART, K.W. and B.P. STARK.** (1984): Nymphs of North American Perlodinae Genera (Plecoptera:Perlodidae). Great Basin Natur. 44(3):373–415.
- STEWART, K.W. and D.D. ZEIGLER.** (1984): Drumming behavior of twelve North American stonefly (Plecoptera) species: First description in Peltoperlidae, Taeniopterygidae and Chloroperlidae. Aquatic Insects 6(1):49–61.
- STEWART, K.W. and D.D. ZEIGLER.** (1984): The use of larval morphology and drumming in Plecoptera systematics, and further studies of drumming behavior. Anns. Limnol. 20(1–2):105–114. (English, French abstract).
- STROPNIK, P., D. NEUMANN and A. KURECK.** (1984): Ökologische Untersuchungen am Rotbach im nördlichen Eifelvorland. Decheniana 137:170–185.
- SURDICK, R.F.** (1985): Nearctic Genera of Chloroperlinae (Plecoptera: Chloroperlidae). Ill. Biol. Monogr. 54:1–146.
- SWAIN, R. and R.W.G. WHITE.** (1985): Influence of a metal-contaminated tributary on the invertebrate drift fauna of the King River (Tasmania, Australia). Hydrobiologia 122:261–266.
- SZCZYTKO, S.W. and K.W. STEWART.** (1984): Descriptions of *Calliperla* Banks, *Rickera* Jewett, and two new western Nearctic *Isoperla* species (Plecoptera:Perlodidae). Anns. Entomol. Soc. Amer. 77:251–263.
- TARTER, D.C., D.A. ADKINS and C.V. COVELL, Jr.** (1984): A checklist of the stoneflies (Plecoptera) of Kentucky. Entomol. News 95(3):113–116.
- THEISCHINGER, G.** (1984): A revision of the Australian stonefly genus *Austrocercella* Illies (Insecta: Plecoptera: Notonemouridae). Aust. J. Zool. 32:691–718.
- THEISCHINGER, G.** (1984): New and little known stoneflies (Plecoptera: Gripopterygidae) from Queensland and Victoria. Aust. Entomol. Mag. 10(6):93–98.
- THEISCHINGER, G.** (1984): The species of the genus *Illiesoperla* McLellan (Insecta: Plecoptera: Gripopterygidae). Aust. J. Zool. 32:573–602.

- THEISCHINGER, G.** (1985): The species of the Australian stonefly genus *Rieckoperla* McLellan (Insecta:Plecoptera:Gripopterygidae). Aust. J. Zool. 33(5):785–830.
- THORP, J.H., E.M. McEWAN, M.F. FLYNN and F.R. HAUR.** (1985): Invertebrate colonization of submerged wood in a cupress-tupelo swamp and blackwater stream. Amer. Midland Natur. 113:56–68.
- TOLKAMP, H.H.** (1984): Microdistribution of macroinvertebrates in lowland streams. Hydrobiol. Bull. 16(2–3):133–148.
- TONNER, M., V. VVRA, O. SYROVTKA and T. SOLDN.** (1983): Einfluß der Luftbespritzung gegen den Grauen Lärchenwickler (*Zeiraphera Diniana*) auf die Entomofauna des Rhithrons in Krkonose (Riesengebirge). Vest. Cs. Spolec. Zool. 47:293–303.
- TUTHILL, J.E.** (1983): The bugs of winter. Science 83(Jan./Feb.):36–40.
- UCHIDA, S.** (1983): A new species of *Calineuria* (Plecoptera:Perlidae) from Japan, with notes on the Japanese species of the genus. Kontyu, Japan. 51(4):622–627.
- UCHIDA, S.** (1984): Distribution of the large stoneflies in Tanzawa mountains. Natur. Hist. Rept. Kanagawa, Yokohama 5:17–25. (Japanese).
- UZUNOV, J.I., B.K. RUSSEV, S.G. KOVACHEV and I.Y. YANEVA.** (1981): Species composition and distribution of the macrozoobenthos of the Maritsa River. Hydrobio., Sofia 14:3–15 (Bulgarian, Russian, English summaries).
- VILLA, N.A.** (1985): Life history of the Sacramento sucker, *Catostomus occidentalis*, in Thomes Creek, Tehama County, California [USA]. Calif. Fish. Game 71:88–106.
- WAIS, I.R.** (1984): Two Patagonian basins - Negro (Argentina) and Valdivia (Chili) - as habitats for Plecoptera. Annls. Limnol. 20(1–2):115–122. (English, French abstract).
- WALDE, S.J. and R.W. DAVIES.** (1984): Invertebrate predation and lotic prey communities: Evaluation of in situ enclosure/exclosure experiments. Ecology 65(4):1206–1213.
- WALDE, S.J. and R.W. DAVIES.** (1984): The effect of intraspecific interference on *Kogotus nonus* (Plecoptera) foraging behavior. Can. J. Zool. 62(11):2221–2225.
- WALDE, S.J. and R.W. DAVIES.** (1985): Diel feeding periodicity of two predatory stoneflies (Plecoptera). Can. J. Zool. 63(4):883–887.
- WARD, J.V.** (1984): Diversity patterns exhibited by the Plecoptera of a Colorado mountain stream. Annls. Limnol. 20(1–2):123–128. (English, French abstract).
- WARD, J.V. and R.A. SHORT.** (1984): Macroinvertebrate community structure of four special lotic habitats in Colorado, U.S.A. Verh. Int. Ver. Theor. Angew. Limnol. 20(4):1382–1387.(1977)

- WATSON, J.A.L. and G. THEISCHINGER.** (1984): Regions of taxonomic disjunction in Australian Odonata and other freshwater insects. *Odonatologica* 13(1):147–157.
- WHITMAN, R.L. and W.J. CLARK.** (1984): Ecological studies of the sand-dwelling community of an East Texas stream. *Freshwater Invertebrate Biol.* 3(2):59–79.
- WILLIAMS, D.D. and K.A. MOORE.** (1985): The role of epilithon in substrate selection by stream invertebrates. *Arch. Hydrobiol.* 105(1):105–115.
- WILLIAMS, K.A., D.W.J. GREEN and D. PASCOE.** (1985): Studies on the acute toxicity of pollutants to freshwater macroinvertebrates: 1, Cadmium. *Arch. Hydrobiol.* 102:461–472.
- WINGET, R.N.** (1984): Ecological studies of a regulated stream: Huntington River, Emery County, Utah [USA]. *Great Basin Natur.* 44:231–256.
- WINTERBOURN, M.J., B. COWIE and J.S. ROUNICK.** (1984): Food resources and ingestion patterns of insects along a West Coast, South Island (New Zealand) river system. *New Zealand J. Mar. Freshwater Res.* 18(3):379–388.
- WINTERBOURN, M.J., A.G. HILDREW and A. BOX.** (1985): Structure and grazing of stone surface organic layers in some acid streams of southern England. *Freshwater Biol.* 15:363–374.
- WRIGHT, J.F., D. MOSS, P.D. ARMITAGE and M.T. FURSE.** (1984): A preliminary classification of running-water sites in Great Britain based on macro-invertebrate species and the prediction of community type using environmental data. *Freshwater Biol.* 14:221–256.
- YOON, I.B. and S.J. AW.** (1985): A taxonomic study of the stonefly (Plecoptera) nymphs of Korea. 1. Suborder Holognatha and Systellognatha. *Entomol. Res. Bull. Seoul* 11:111–139.(English, Korean Summary).
- YULE, C.** (1984): Taxonomic observations on *Dinotoperla* (Plecoptera: Gripopterygidae) from South-Eastern Australia. *Aquatic Insects* 6(4):233–243.
- YULE, C.** (1985): Comparative study of the live (*sic!*) cycles of six species of *Dinotoperla* (Plecoptera:Gripopterygidae) in Victoria. *Australian J. Mar. Freshwater Res.* 36(5):717–735.
- YULE, C. and J.P. JARDEL.** (1985): Observations on the eggs of species of *Dinotoperla* (Plecoptera:Gripopterygidae). *Aquatic Insects* 7(2):77–85.
- ZHILTZOVA, L.A.** (1966): Review of Illies:Katalog der rezenten Plecoptera. Das Tierwelt 82(1966). *Entomol. Obozr.* 45:237–238. Academy of Sciences of the USSR. Moscow, Leningrad. (Russian).
- ZHILTZOVA, L.A.** (1981): Fauna of the stoneflies of Mongolia and its zoogeographic characteristics. Indigenous conditions and resources of some regions of the Mongolian People's Republic. Theses of papers for the conference. (Irkutsk). pp.74–76. (Russian).

- ZHILTZOVA, L.A.** (1982): On the fauna of stoneflies (Plecoptera) of the Mongolian People's Republic. Fourth contribution. *Insects Mongolia* 8:61–68. (Russian).
- ZHILTZOVA, L.A.** (1983): Review of Zwick:Plecoptera (Sternfliegen). *Handb. Zool. IV/2/2 (26)(1980). Entomol Review* 62(2):423–424. Academy of Sciences of the USSR. Leningrad. (Russian).
- ZHILTZOVA, L.A.** (1984): A new species of genus *Paracapnia* Hanson (Plecoptera:Capniidae) in Primorje. *Biology of the Fresh Waters of the Far East, Vladivostok*. (Russian).
- ZHILTZOVA, L.A.** (1984): Map 73, *Nemurella pictetii* (Klapalek, 1900) on p. 4 in: GORODKOV, K.B. (ed.): (Areas of the Insects of the European Part of the USSR; Atlas). Leningrad, Maps 73–125. (Russian).
- ZHILTZOVA, L.A.** (1984): Zoogeographic features of the fauna of stoneflies of the family Nemouridae (Plecoptera) of the USSR. *Entomol. Obozr.* 63:709–715. (Russian)
- ZHILTZOVA, L.A. and E.V. POTIKHA.** (1983): Materials on the fauna of stoneflies of the Sikhote-Alin National Forest. Ecology and classification of fresh-water organisms of the Far East. (Academy of Sciences of the USSR. Far-Eastern Science Center. Biological Pedological Institute.) Vladivostok. (Russian). p. 20–26.
- ZEIGLER, D.D. and K.W. STEWART.** (1985): Age effects on drumming behavior of *Pteronarcella badia* (Plecoptera) males. *Entomol. News* 96(4):157–160.
- ZEIGLER, D.D. and K.W. STEWART.** (1985): Drumming behavior of five stonefly (Plecoptera) species from Central and Western North America. *Ann. Entomol. Soc. Amer.* 78(6):717–722.
- ZIMMERMANN, W.** (1982): Aquatische Invertebraten einiger mongolischer Habitate und ihre mögliche Bedeutung als Vogelnahrung. *Mitt. Zool. Mus. Berlin* 58(1):99–108.
- ZWICK, P.** (1983): Changes of Plecoptera research during time. Considerations after the death of Joachim Illies. *Arch. Hydrobiol.* 98(3):273–286. (German, English abstract).
- ZWICK, P.** (1983): *Eutactophlebia*, a synonym of *Kempnyia* (Plecoptera:Perlidae). *Aquatic Insects* 5(3):177–180.
- ZWICK, P.** (1983): Notes on Plecoptera. (9). *Neoperla fuscipennis* Navas. *Aquatic Insects* 5(4):255–256.
- ZWICK, P.** (1984): Geographische Rassen und Verbreitungsgeschichte von *Capnosis schilleri* (Plecoptera:Capniidae). *Dt. Entomol. Z.* 31(1–3):1–7.
- ZWICK, P.** (1984): *Marthamea beraudi* (Navas) and its European congeners (Plecoptera:Perlidae). *Annl. Limnol.* 20(1–2):129–139. (English, French abstract).

- ZWICK, P.** (1984): Notes on Plecoptera. (10). *Neoperla geniculata* (Pictet). Aquatic Insects 6(1):63–64.
- ZWICK, P.** (1984): Notes on the genus *Agnatina* (= *Phasganophora*) (Plecoptera:Perlidae). Aquatic Insects 6(2):71–79.
- ZWICK, P.** (1984): Notes on Plecoptera (11). *Neoperla niponensis* (McLachlan). Aquatic Insects 6(2):81.
- ZWICK, P.** (1984): Notes on Plecoptera (12). *Gripopteryx serrei* Navas. Aquatic Insects 6(3):148.
- ZWICK, P.** (1984): Rote Liste der Steinfliegen (Plecoptera). pp.115–116. in: BLAB, J., E. NOWAK, W. TRAUTMANN, and H. SUKOPP (eds.) Rote Liste der gefährdeten Tiere und Pflanzen in der Bundesrepublik Deutschland. Naturschutz aktuell 1, 4th ed.: Kilda Verlag, Greven. (German).
- ZWICK, P.** (1984): Stability and changes of biomass of emerging insects and their possible causes. Verh. Internat. Verein. Limnol. 22:2037–2041.
- ZWICK, P.** (1984): The genera *Tetropina* and *Neoperlops* (Plecoptera:Perlidae). Aquatic Insects 6(3):169–176.
- ZWICK, P.** (1985): Notes on Plecoptera (13). Types of the Japanese *Oyamia* (Perlidae). Aquatic Insects 7:208.
- ZWICK P. and I. SIVEC.** (1985): Supplements to the Perlidae (Plecoptera) of Sumatra. Spixiana 8(2):123–133.