



# Recent Plecoptera Literature

This section includes the Plecoptera papers published since PERLA 8 was mailed as well as some additions of older literature. PERLA is published every two years and a literature section is included in every issue.

Please help us to make this section as complete and correct as possible by sending us copies of your publication and/or notes on errors found.

**ALBA-TERCEDOR, J. and A. SANCHEZ-ORTEGA.** (1988): Plecoptera. pp. 373-381 In: Barrientos (coordinator). Bases para un curso practico de Entomologia. Asoc. Espan. Entomol. Salamanca. (Spanish).

**ALBA-TERCEDOR, J. and A. SANCHEZ-ORTEGA.** (1988): Un método rápido y simple para evaluar la calidad biológica de las aguas corrientes basado en el de Hellawell (1978). *Limnética* 4: 51-56. (Spanish).

**ALLAN, J.D. and A. FLECKER.** (1988): Prey preference in stoneflies: A comparative analysis of prey vulnerability. *Oecologia* 76: 496-503.

**ALOUF, N.J.** (1989): Cycles de vie de quelques Plécoptères (Insecta) d'un ruisseau temporaire du Liban. *Annls. Limnol.* 25(2): 139-143. (French).

**ANDRIKOVICS, S.** (1988): Faunistical investigations on Ephemeroptera and Plecoptera along the Apatkut Stream, Vieggrad Mountains, Hungary. *Folia Entomol. Hung.* 49: 5-11.

**ARENS, W.** (1989): Comparative functional morphology of the mouthparts of stream animals feeding on epilithic algae. *Arch. Hydrobiol./Suppl.* 83(3): 253-354.

**ARMITAGE, P.D., R.J.M. GUNN, M.T. FURSE, J.F. WRIGHT and D. MOSS.** (1987): The use of prediction to assess macroinvertebrate response to river regulation. *Hydrobiologia* 144(1): 25-32.

**ARSUFFI, T.L. and K. SUBERKROPP.** (1989): Selective feeding by shredders on leaf-colonizing stream fungi: comparison of macroinvertebrate taxa. *Oecologia* 79:30-37.

**AUBERT, J.** (1989): Les Plécoptères des cantons de Vaud et Fribourg. *Bull. Soc. vaud. Sci. nat.* 79(4): 237-283. (French).

**AUBERT, J., C.E. AUBERT and C. RAVIZZA.**(198?): Les Plécoptères du Tessin et du val Mesocco (Grisons). (French).

**BALTANAS, A., J. RODRIGUEZ and A.G. VALDECASAS** (1987): Preliminary key for nymphs of Plecoptera (Insecta) from the Iberian Peninsula. (In Spain) *Graellsia* 43: 111-125. (Spanish).

- BARMUTA, L.A.** (1989): Habitat patchiness and macrobenthic community structure in an upland stream in temperate Victoria, Australia. *Freshwat. Biol.* 21(2): 223-236.
- BARNUM, J.B. and R.W. BACHMANN.** (1988): Benthic macroinvertebrate habitat associations of the channelized middle Missouri River [USA]. *J. Iowa Acad. Sci.* 95: 60-65.
- BERGEY, E.A. and J.V. WARD.** (1989): Upstream-downstream movements of aquatic invertebrates in a Rocky Mountain stream. *Hydrobiologia* 185: 71-82.
- BLUM, R.** (1989): Drift postures of nemourid stonefly larvae (Insecta, Plecoptera). *Aquat. Insects* 11(4): 193-199.
- BOTOSANEANU, L.** (1986): Insecta: Plecoptera, Trichoptera. p. 619 In: Botosaneanu, L. (ed.) *Stygofauna Mundi: A faunistic, distributional, and ecological synthesis of the world fauna inhabiting subterranean waters (including the marine interstitial)*. E.J. Brill, Leiden.
- BOTTORFF, R.L. and A.W. KNIGHT.** (1988): Functional organization of macroinvertebrate communities in two first-order California streams: Comparison of perennial and intermittent flow conditions. *Verh. Internat. Verein. Limnol.* 23: 1147-1152.
- BOTTORFF, R.L., K.W. STEWART and A.W. KNIGHT.** (1989): Description and drumming of *Susulus*, a new genus of stonefly (Plecoptera: Perlodidae) from California. *Ann. Entomol. Soc. Amer.* 82(5): 545-554.
- BOULTON, A.J., G.M. SPANGARO and P.S. LAKE.** (1988): Macroinvertebrate distribution and recolonization on stones subjected to varying degrees of disturbance: An experimental approach. *Arch. Hydrobiol.* 113: 551-576.
- BRETTFELD, R.** (1988): Der Sulzbach im Südthüringer Grabfeld. *Veröff. Naturhist. Mus. Schleusingen* 3: 52-57. (German).
- BROMLEY, H.J.** (1988): A note on the Plecoptera of Israel. *Israel J. Entomol.* 12: 1-12.
- BROWN, A.F. and D. PASCOE.** (1988): Studies on the acute toxicity of pollutants to freshwater macroinvertebrates 5. The acute toxicity of cadmium to twelve species of predatory macroinvertebrates. *Arch. Hydrobiol.* 114: 311-319.

**BUNN, S.E.** (1988): Life histories of some benthic invertebrates from streams of the northern Jarrah Forest, Western Australia. *Aus. J. Mar. Freshwater Res.* 39: 785-804.

**CASADO, C., D. GARCIA DE JALON, C.M. DEL OLMO, E. BARCELO and F. MENES.** (1989): The effect of an irrigation and hydroelectric reservoir on its downstream communities. *Regulat. Rivers* 4(3): 275-284.

**CEKALOVIC, T.** (1976): Catálogo de los Plecópteros de Chile. *Bol. Soc. Biol. Concepcion* 50: 145-156. (Spanish).

**CELLOT, B.** (1989): Rythme nyctéméral et distribution verticale de la dérive des macroinvertébrés benthiques dans une grande rivière européenne. *Arch. Hydrobiol.* 115(2): 265-286. (French).

**CLEMENTS, W.H., D.S. CHERRY and J. CAIRNS.** (1988): Structural alterations in aquatic insect communities exposed to copper in laboratory streams. *Environ. Toxicol. Chem.* 7: 715-722.

**CLEMENTS, W.H., D.S. CHERRY and J. CAIRNS, JR.** (1989): The influence of copper exposure on predator-prey interactions in aquatic insect communities. *Freshwat. Biol.* 21(3): 483-488.

**COLLIER, K.J. and M.J. WINTERBOURN.** (1987): Breakdown of Kamahi leaves in four South Westland Streams. *Mauri Ora* 14: 33-42.

**CORKUM, L.D.** (1989): Patterns of benthic invertebrate assemblages in rivers of northwestern North America. *Freshwater Biol.* 21(2): 191-205.

**COSTELLO, M.J.** (1988): A review of the distribution of stoneflies (Insecta, Plecoptera) in Ireland. *Proc. Roy. Irish Acad.* 88(1): 1-22.

**COSTELLO, M.J.** (1988): Preliminary observations on wing-length polymorphism in stoneflies (Plecoptera: Insecta) in Ireland. *Irish Natur. J.* 22: 474-478.

**DARSCHNIK, S., J. RENNERICH, H. SCHUMACHER and B. THIESMEIER.** (1989): Rekonstruktion des potentiell natürlichen Gewässerzustandes als Grundlage für die ökologische Bewertung und Renaturierung von Fließgewässern im Ballungsraum. *Verhandl. Ges. Ökol.* 18: 541-547. (German).

**DAUTI, E.D.** (1987): Seasonal and regional dynamics of the population density of *Perla marginata* and *Brachyptera seticornis* along the Nerodimka River [Yugoslavia]. Acta. Biol. Med. Exp. 12: 77-82.

**DeJALON, D.G., C. MONTES, E. BARCELO, C. CASADO and F. MENES.** (1988): Effects of hydroelectric scheme on fluvial ecosystems within the Spanish Pyrenees. Regulat. Rivers: Res. Manage. 2: 479-491.

**DELUCCHI, C.M. and B.A. PECKARSKY.** (1989): Life history patterns of insects in an intermittent and a permanent stream. J. N. Amer. Benthol. Soc. 8(4): 308-321.

**DOEG, T.J., R. MARCHANT, M. DOUGLAS and P.S. LAKE** (1989): Experimental colonization of sand, gravel and stones by macroinvertebrates in the Acheron River, southeastern Australia. Freshwat. Biol. 22(1): 57-64.

**DOLEDEC, S.** (1989): Seasonal dynamics of benthic macroinvertebrate communities in the Lower Ardèche River (France). Hydrobiologia 182:73-89.

**DOSDALL, L.M. and D.M. LEHMKUHL.** (1988): The nymph of *Utacapnia trava* (Nebeker and Gaufin) (Plecoptera: Capniidae). Pan-Pacific Entomol. 64(4): 353-358.

**DOSDALL, L.M. and D.M. LEHMKUHL.** (1988): The impact of methoxychlor treatment of the Saskatchewan River system [Canada] on artificial substrate populations of aquatic insects. Environ. Pollut. 60: 209-222.

**DOSDALL, L.M. and D.M. LEHMKUHL.** (1989): Drift of aquatic insects following methoxychlor treatment of the Saskatchewan River system. Can. Entomol. 121: 1077-1096.

**DUDGEON, D.** (1989): The influence of riparian vegetation on the functional organization of four Hong Kong stream communities. Hydrobiologia 179: 183-194.

**DUMNICKA, E., H. KASZA, A. KOWNACKI, E. KRZYZANEK and T. KUFLIKOWSKI.** (1988): Effects of regulated stream on the hydrochemistry and zoobenthos in differently polluted parts of the upper Vistula River (Southern Poland). Hydrobiologia 169: 183-191.

**ELLIOTT, J.M.** (1988): Egg hatching and resource partitioning in stoneflies (Plecoptera): Ten British species in the family Nemouridae. *J. Anim. Ecol.* 57: 201-216.

**ELLIOTT, J.M.** (1988): The effect of temperature on egg hatching in *Capnia atra* Morton (Plecoptera: Capniidae) from a Scottish loch. *Entomol. Gaz.* 39: 199-206.

**ELLIOTT, J.M.** (1988): Interspecific and intraspecific variations in egg hatching for British populations of the stoneflies *Siphonoperla torrentium* and *Chloroperla tripunctata* (Plecoptera: Chloroperlidae). *Freshwater Biol.* 20: 11-18.

**ELLIOTT, J.M.** (1988): Interspecific and intraspecific variations in egg hatching for British populations of *Taeniopteryx nebulosa* and *Brachyptera risi* (Plecoptera: Taeniopterygidae). *Holarctic Ecol.* 11: 55-59.

**ELLIOTT, J.M.** (1989): The effect of temperature on egg hatching for three populations of *Dinocras cephalotes* (Plecoptera: Perlidae). *Entomol. Gaz.* 40: 153-160.

**EXTENCE, C.A. and A.J.D. FERGUSON.** (1989): Aquatic invertebrate surveys as a water quality management tool in the Anglian water region. *Regulat. Rivers* 4(2): 139-146.

**FELTMATE, B.W. and D.D. WILLIAMS.** (1989): Influence of rainbow trout (*Oncorhynchus mykiss*) on density and feeding behavior of a perlid stonefly. *Can. J. Zool. Aquatic Sci.* 46: 1575-1580.

**FELTMATE, B.W. and D.D. WILLIAMS.** (1989): A test of crypsis and predator avoidance in the stonefly *Paragnetina media* (Plecoptera, Perlidae). *Anim. Behav.* 37(6): 992-999.

**FIALKOWSKI, W.** (1989): Production estimates of *Nemoura cinerea* (Retz.) and *Nemurella pictetii* Klap. (Plecoptera) from two small lowland streams in southern Poland. *Aquat. Insects* 11(2): 101-110.

**FIALKOWSKI, W. and M.M. OLECHOWSKA.** (1987): A preliminary report on the stoneflies (Plecoptera) inhabiting main watercourses in the Gorce Mountains (Southern Poland). *Acta Hydrobiol.* 29: 443-451.

**FJELLHEIM, A., G.G. RADDUM and Ø. A. SCHNELL** (1989): Changes in benthic animal production of a weir basin after eight years of succession. *Regulat. Rivers* 3(1-4): 183-190.

**FOCHETTI, R. and P. NICOLAI.** (1987): Plecotteri di Sicilia e Sardegna. [Plecoptera of Sicily and Sardinia]. *Animalia* 14(1/3): 169-175. (Italian, English summary).

**FOCHETTI, R. and P. NICOLAI.** (1987): I plecoteri dell'alta valle del fiume Tenna (Monti Sibillini, Italia Centrale) (Plecoptera). [The Plecoptera of the high valley of Tenna River (Central Italy) (Plecoptera)]. *Boll. Assoc. Rom. Entomol.* 42: 9-18. (Italian, English summary).

**FOCHETTI, R. and G. CAMPADELLI.** (1988): Plecotteri di Romagna: nuove segnalazioni. [Contribution to the knowledge of Plecoptera in Romagna]. *Boll. Inst. Entomol. Guido Grandi Univ. Bologna* 43:63-67. (Italian, English summary).

**FREILICH, J.E.** (1989): A method for tagging individual benthic macroinvertebrates. *J. N. Amer. Benthol. Soc.* 8(4): 351-354.

**FROELICH, C.G.** (1988): Brazilian Plecoptera 5. Old and new species of *Kempnyia* (Perlidae). *Aquat. Insects* 10(3): 153-170.

**FRUTIGER, A.** (1987): Investigations on the life-history of the stonefly *Dinocras cephalotes* Curt. (Plecoptera): Perlidae). *Aquat. Insects.* 9(1): 51-63.

**FULLER, R.L. and P.A. DESTAFFAN.** (1988): A laboratory study of the vulnerability of prey to predation by three aquatic insects. *Can. J. Zool.* 66: 875-878.

**GARCIA DeJALON, D. and E. BARCELO.** (1987): Estudio sobre la alimentacion de la trucha comun en ri pirenaicos. *Ecologia* 1: 263-269. (Spanish).

**GEHRKEN, U.** (1989): Diapause termination in eggs of the stonefly *Arcynopteryx compacta* (McLachlan) in relation to dehydration and cold hardiness. *J. Insect Physiol.* 35: 377-386.

**GRACA, M.A.S., D.M. FONSECA and S.T. CASTRO.** (1989): The distribution of macroinvertebrate communities in two Portuguese rivers. *Freshwat. Biol.* 22: 297-308.

**GROOM, A.P. and A.G. HILDREW.** (1989): Food quality for detritivores in streams of contrasting pH. *J. Anim. Ecol.* 58: 863-881.

**HALL, R.J. and F.P. IDE.** (1987): Evidence of acidification effects on stream insect communities in central Ontario between 1937 and 1985. *Can. J. Fish. Aquat. Sci.* 44: 1652-1657.

**HASSAGE, R.L., R.E. DEWALT and K.W. STEWART.** (1988): Aggregation of *Pteronarcella badia* nymphs and effects of interaction with *Claassenia sabulosa* (Plecoptera). *Oikos* 53(1): 37-40.

**HASSAGE, R.L., K.W. STEWART and D.D. ZEIGLER.** (1988): Female response to computer-simulated male drumming call variations in *Pteronarcella badia* (Plecoptera: Pteronarcyidae). *Ann. Entomol. Soc. Amer.* 81:528-531.

**HILSENHOFF, W.L.** (1988): Rapid field assessment of organic pollution with a family-level biotic index. *J. N. Amer. Benthol. Soc.* 7:65-68.

**HOPKINS, P.S., K.W. KRATZ and S.D. COOPER.** (1989): Effects of an experimental acid pulse on invertebrates in a high altitude Sierra Nevada stream. *Hydrobiologia* 171: 45-58.

**HORVAT, B.** (1988): Distribution of *Dinocras megacephala* (Klapálek, 1907). (Plecoptera: Perlidae) in Yugoslavia. *Biol. Vestn.*36: 45-58.

**HUBERT, W.A. and H.A. RHODES.** (1989): Food selection by brook trout in a subalpine stream. *Hydrobiologia* 178: 225-231.

**HUMPESCH, U.H. and P.H. ANDERWALD.** (1988): Beitrag zu Faunistik der österreichischen Donau - das Makrozoobenthos bei Stromkilometer 2005. *Wass. Abwass.* 32: 41-55. (German).

**HURYN, A.D. and J.B. WALLACE.** (1987): The exopterygote insect community of a mountain stream in North Carolina, USA: Life histories, production, and functional structure. *Aquat. Insects* 9: 229-252.

**HYNES, H.B.N.** (1988): Biogeography and origins of the North American stoneflies (Plecoptera). *Mem. Entomol. Soc. Can.* 144: 31-38.

**HYNES, H.B.N.** (1989): Tasmanian Plecoptera. *Austral. Soc. Limnol. Spec. Pub. No. 8 (I-VI):* 1-82.

**IMBERT, J.B. and J. POZO.** (1989): Breakdown of four leaf litter species and associated fauna in a Basque Country forested stream. *Hydrobiologia* 182: 1-14.



**ISOBE, Y.** (1988): Eggs of Plecoptera from Japan. *Biol. Int. Wat.* 4: 27-39.

**IVERSEN, T.M.** (1988): Secondary production and trophic relationships in a spring invertebrate community. *Limnol. Oceanogr.* 33: 582-592.

**JOHANSSON, A. and A.N. NILSSON.** (1989): *Nemoura viki* Lillehammer (Plecoptera) recorded from Sweden. *Entomol. Tidskr.* 110(1-2): 58-59.

**JONES, T.S. and V.H. RESH.** (1988): Movements of adult aquatic insects along a Montana (USA) springbrook. *Aquat. Insects* 10: 99-104.

**JONSSON, E.** (1987): Flight periods of aquatic insects at Lake Esrom, Denmark. *Arch. Hydrobiol.* 110(2): 259-274.

**JOOST, W.** (1989): Revision der Plecopterensammlung ALEXANDER REICHERT, Leipzig. *Veröff. Naturk. Leipzig* 6: 23-26. (German).

**KAPOOR, N.N.** (1988): Distribution and innervation of sensilla on the mouthparts of the carnivorous stonefly nymph, *Paragnetina media* (Walker) (Plecoptera: Perlidae). *Can. J. Zool.* 67: 831-838. (English, French summary).

**KIRCHNER, R.F. and B.C. KONDRATIEFF.** (1988): A new species of *Sweltsa* from West Virginia (Plecoptera: Chloroperlidae). *Entomol. News* 99: 233-236.

**KITTEL, W. and F. WOJTAS.** (1988): Material to the knowledge of Plecoptera from Poland. *Acta Univ. Lodz., Folia Limnol.* 3: 225-238. (Polish, English summary).

**KOCHARINA, S.L., E.A. MAKARCHENKO, M.A. MAKARCHENKO, E.A. NIKOLAYEVA, T.M. TIUNOVA and V.A. TESLENKO** (1989): (Data on the invertebrates in salmon river ecosystems in the south of the Soviet Far East). *Fauna, Systematics and Biology of Freshwater Invertebrates, SSSR Academy of Sciences, Far Eastern Scientific Centre, Vladivostok*, 2: 86-108 (1988). (Russian).

**KOHNO, M.** (1985): This is the nymph of *Kamimuria tibialis* (Pictet). *Konchy Shizen, Tokyo*, 20:27.

**KOHNO, M.** (1986): Miscellaneous memories on Plecoptera. Okera Bull. Ibaraki Entomol. Soc., Mito 54: 18-24.

**KONDRATIEFF, B.C. and R. W. BAUMANN.** (1988): *Taeniopteryx* of western North America (Plecoptera: Taeniopterygidae). Pan-Pacific Entomol. 64(4): 381-390.

**KONDRATIEFF, B.C. and R.F. KIRCHNER.** (1988): A new species of *Acroneuria* from Kentucky (Plecoptera: Perlidae) and new records of stoneflies from eastern North America. J. Kans. Entomol. Soc. 61: 201-207.

**KONDRATIEFF, B.C., R.F. KIRCHNER and K.W. STEWART.** (1988): A review of *Perlinella* Banks (Plecoptera: Perlidae). Ann. Entomol. Soc. Amer. 81: 19-27.

**KUMAR, K.** (1987): Observations on seasonal variations of benthic organisms in two trout streams of Kashmir. Proc. Indian Sci. Acad. Part B, Biol. Sci. 53: 227-234.

**LANG, C., G. l'EPLATTENIER and O. REYMOND.** (1989): Water quality in rivers of western Switzerland: Application of an adaptable index based on benthic invertebrates. Aquat. Sci. 51: 224-234.

**LELAND, H.V., S.V. FEND, T.L. DUDLEY and J.L. CARTER.** (1989): Effects of copper on species composition of benthic insects in a Sierra Nevada, California, stream [USA]. Freshwater Biol. 21: 163-180.

**LEVANIDOVA, I.M., V.A. TESLENKO and T.I. LUKYANCHENKO.** (1988): Research on the ecosystems of salmon rivers of the Far East: longitudinal zonation and distribution of macrozoobenthos. Inst. Biol. Pedol. FEB USSR AS. Vladivostok, 53 pp. (Russian).

**LIEGEL, D.** (1989): Limnologische Untersuchungen der Lennefe und ihrer Nebenbäche (Bergisches Land). Decheniana 142: 124-136. (German).

**LILLEHAMMER, A.** (1985): Temperature influence on egg incubation period and nymphal growth of the stoneflies *Leuctra digitata* and *L. fusca* (Plecoptera: Leuctridae). Entomol. Gen. 11: 059-067.

**LILLEHAMMER, A.** (1985): Zoogeographical studies on Fennoscandian stoneflies (Plecoptera) J. Biogeog. 12: 209-221.

**LILLEHAMMER, A.** (1987): Diapause and quiescence in eggs of *Systellognatha* stonefly species (Plecoptera) occurring in alpine areas of Norway. *Anns. Limnol.* 23: 179-184.

**LILLEHAMMER, A.** (1988): Biological and morphological characteristics of a marginal population of *Capnia atra* in Fuldalslagen, western Norway. *Fauna Norv. Ser. B* 35: 31-34.

**LILLEHAMMER, A.** (1988): Stoneflies (Plecoptera) of Fennoscandia and Denmark. *Fauna Entomol. Scand.* 21: 1-165.

**LILLEHAMMER, A. and J.E. BRITAIN.** (1987): Longitudinal zonation of benthic invertebrate fauna in the river Glomma, eastern Norway. *Fauna Norv. Ser. A* 8: 1-10.

**LILLEHAMMER, A., J.E. BRITAIN, S.J. SALTVEIT and P.S. NIELSEN.** (1989): Egg development, nymphal growth and life cycle strategies in Plecoptera. *Holarctic Ecol.* 12: 173-186.

**LUBINI-FERLIN, V.** (1989): Hydrobiologisches Bachinventar der Stadt Zürich. *Vierteljahresschrift Naturforsch. Ges. Zürich* 134(4): 229-250. (German).

**MAES, J.M.** (1988): Catalog of the Ephemeroptera and Plecoptera of Nicaragua. *Rev. Nicarag. Entomol.* 2: 49-50. (Spanish).

**MAKETON, M. and K.W. STEWART.** (1988): Patterns and evolution of drumming behavior in the stonefly families Perlidae and Peltoperlidae. *Aquat. Insects* 10: 77-98.

**MAKETON, M., K.W. STEWART, B.C. KONDRATIEFF and R.F. KIRCHNER.** (1988): New descriptions of drumming and evolution of the behavior in North American Perlodidae (Plecoptera). *J. Kansas. Entomol. Soc.* 61: 161-168.

**MALICKY, H.** (1989): Ein ungewöhnlicher Biotop von *Nemoura cinerea* Retz. (Plecoptera). *Arbgem. Öst. Entomol.* 40(3/4): 119. (German).

**MALMQVIST, B. and P. SJÖSTROM.** (1989): The life cycle and growth of *Isoperla grammatica* and *I. difformis* (Plecoptera) in southernmost Sweden: Intra- and interspecific considerations. *Hydrobiologia* 175: 97-108.

**MARCHANT, R.** (1988): Vertical distribution of benthic invertebrates in the bed of the Thomson River, Victoria. *Aust. J. Mar. Freshwat. Res.* 39: 775-784.

**MARCHANT, R.** (1989): Changes in the benthic invertebrate communities of the Thomson River, southeastern Australia, after dam construction. *Regulat. Rivers* 4(1): 71-89.

**MARKS, J.C. and R.L. LOWE.** (1989): The independent and interactive effects of snail grazing and nutrient enrichment on structuring periphyton communities. *Hydrobiologia* 185: 9-17.

**MARTEN, M. and P. ZWICK.** (1989): The temperature dependence of embryonic and larval development in *Protonemura intricata* (Plecoptera: Nemouridae). *Freshwat. Biol.* 22(1): 1-14.

**MARTIN, J.C. and A.W. KNIGHT.** (1989): The effect of long pools on the drift of macro-invertebrates in a mountain stream. *Hydrobiologia* 185: 63-70.

**McARTHUR, J.V., J.R. BARNES and B.J. HANSEN.** (1988): Seasonal dynamics of leaf litter breakdown in a Utah alpine stream. *J. N. Amer. Benthol. Soc.* 7: 44-50.

**McCAHON, C.P., A.F. BROWN, M.J. POULTON and D. PASCOE.** (1989): Effects of acid, aluminum and lime additives on fish and vertebrates in a chronically acidic Welsh stream [UK]. *Water Air Soil Pollut.* 45: 345-360.

**MEMBIELA, P.** (1984): Primera contribución al conocimiento de los Plecópteros de Galicia: La cuenca del Tambre. [First contribution to the knowledge of the Plecoptera of Galicia: The Tambre basin]. *Limnética* 1:197-202. (Spanish, English Abstract).

**MEMBIELA, P.** (1989): Two new species of *Leuctra* of the Iberian Peninsula (Insecta, Plecoptera). *Aquat. Insects* 11(2): 81-87.

**MEMBIELA IGLESIA, P.** (1988): Descripción de las larvas de último estadio de *Protonemura globosa* Berthélemy y Terra, 1980 (Plecoptera, Nemouridae). [Description of the larvae of *Protonemura globosa* Berthélemy and Terra, 1980 (Plecoptera, Nemouridae)]. *Biol. Asoc. Esp. Entomol. Salamanca* 12: 93-98. (Spanish, English summary).

- MENDL, H.** (1985): Stelzmücken and weitere Insekten aus dem Wildmoosbach-Gebiet bei Kempten-Rothkreuz-einem sehr bemerkenswerten Biotop. (Diptera Nematocera: Limoniidae etc.; Plecoptera). Mitt. Naturwiss. Arbeitskr. Kempten 27: 39-56. (German).
- MENDL, H.** (1988): Zur Plecopteren-Fauna der "Rest-ller" zwischen Memmingen und Ulm. Mitt. Naturwiss. Arbeitskr. Kempten 28: 29-35. (German).
- MEYER, E.** (1989): The relationship between body length parameters and dry mass in running water invertebrates. Arch. Hydrobiol. 117(2): 191-203.
- MICHAELIS, F.B. and C. YULE.** (1988): Plecoptera. pp. 133-137 In: Zoological Catalogue of Australia. Australian Government Printing Service, Canberra. 316 pp.
- MILLER, M.C. and J.R. STOUT.** (1989): Variability of macroinvertebrate community composition in an arctic and subarctic stream. Hydrobiologia 172: 111-127.
- MILNER, A.M.** (1987): Colonization and ecological development of new streams in Glacier Bay National Park, Alaska. Freshwater Biol. 18: 53-70.
- MUNDAHL, N.D. and K.J. KRAFT.** (1988): Abundance and growth of three species of aquatic insects exposed to surface-release hydropower flows. J. N. Amer. Benthol. Soc. 7(2): 100-108.
- NEBOISS, A. and K. WALKER.** (1989): Types of Plecoptera (Insecta) held in the Museum of Victoria. Occas. Pap. Mus. Victoria, Melbourne Australia. 4: 43-56.
- NELSON, C.H.** (1988): Note on the phylogenetic systematics of the family Pteronarcyidae (Plecoptera), with a description of the eggs and nymphs of the Asian species. Ann. Entomol. Soc. Amer. 81: 560-576.
- NELSON, C.R. and R.W. BAUMANN.** (1988): Systematic notes and generic placement of *Utacapnia nedia* (Plecoptera: Capniidae). Entomol. News 99:72-76.

**NELSON, C. R. and R.W. BAUMANN.** (1989): Systematics and distribution of the winter stonefly genus *Capnia* (Plecoptera: Capniidae) in North America. Great Basin Natur. 49(3): 289-363 + 3 unnumbered pages.

**NELSON, C.R. and B.C. KONDRATIEFF.** (1988): A new species of *Capnia* from Rocky Mountains of Colorado (Plecoptera: Capniidae). Entomol. News 99:77-80.

**NELSON, C.R. and B.P. STARK.**(1988): The *Salmoperla* safari: Hit and run stonefly collecting in Nevada and California. Perla 8: 7-11.

**NICOLAI, P., R. FOCHETTI and R. MARINI.** (1988): Dinamica fenologica dei plecoteri di Alcune Sorgenti Abruzzesi. [Phenological dynamics of stoneflies from several springs of the Abruzzi]. Atti XV Congr. naz. ital. Entomol. L'Aquila: 137-143. (Italian, English summary).

**ORMEROD, S.J.** (1988): The micro-distribution of aquatic macroinvertebrates in the Wye River system: The result of abiotic or biotic factors? Freshwater Biol. 20: 241-247.

**ORMEROD, S.J. and R.W. EDWARDS.** (1987): The ordination and classification of macroinvertebrate assemblages in the catchment of the River Wye (Wales, UK) in relation to environmental factors. Freshwater Biol. 17: 533-546.

**OSWOOD, M.W.** (1989): Community structure of benthic invertebrates in interior Alaskan (USA) streams and rivers. Hydrobiologia 172: 97-110.

**PARDO, I.** (1989): New data on the genus *Amphinemura* Ris (Plecoptera: Nemouridae) from the Iberian Peninsula, with a description of a new species. Aquat. Insects 11(4): 209-216.

**PECKARSKY, B.L. and M.A. PENTON.** (1989): Early warning lowers risk of stonefly predation for a vulnerable mayfly. Oikos 54: 301-309.

**PECKARSKY, B.L. and M.A. PENTON.** (1989): Mechanisms of prey selection by stream-dwelling stoneflies. Ecology 70(5): 1203-1218.

**PECKARSKY, B.L. and R.S. WILCOX.** (1989): Stonefly nymphs use hydrodynamic cues to discriminate between prey. Oecologia 79: 265-270.

- PEETERS, E.T.H. and H. TACHET.** (1989): Comparison of macrobenthos in braided and channelized sectors of the Drôme River, France. *Regulat. Rivers* 4(3): 317-325.
- PETERSEN, Jr., R.C., W.C. KENNETH and G.M. WARD.** (1989): Microbial and animal processing of detritus in a woodland stream. *Ecol. Monogr.* 59(1): 21-39.
- POIRIER, D.G. and G.A. SURGEONER.** (1988): Evaluation of a field bioassay technique to predict the impact of aerial applications of forestry insecticides on stream invertebrates. *Can. Entomol.* 120: 627-637.
- PONS, L.** (1988): The genus *Tyrrhenoleuctra* (Insecta, Plecoptera) in Minorca [Spain]. *Misc. Zool.* 10: 380-382.
- PONTASCH, K.W.** (1988): Predation by *Paragnetina fumosa* (Banks) (Plecoptera: Perlidae) on mayflies: The influence of substrate complexity. *Amer. Midland Natur.* 119: 441-443.
- PONTASCH, K.W. and M.A. BRUSVEN.** (1988): Macroinvertebrate response to a gasoline spill in Wolfe Lodge Creek, Idaho, USA. *Arch. Hydrobiol.* 113: 41-60.
- POULTON, B.C. and K.W. STEWART.** (1988): Aspects of flight behavior in *Calineuria californica* (Plecoptera: Perlidae) from a Rocky Mt. lake outlet stream. *Entomol. News* 99: 125-133.
- POULTON, B.C., T.L. BEITINGER and K.W. STEWART.** (1989): The effect of hexavalent chromium on the critical thermal maximum and body burden of *Clioperla clio* (Plecoptera, Perlodidae). *Arch. Environ. Contamination Toxicol.* 18(4): 594-600.
- RADER, R.B. and J.V. WARD.** (1988): Influence of regulation on environmental conditions and the macroinvertebrate community in the upper Colorado River. *Regulat. Rivers* 2: 597-618.
- RAUER, J.** (1980): Rád Posvatky - Plecoptera, pp. 86-132 In: Rozkosny, R. (ed.) *Klic vodnich larev hmyzu. - Cesk. Akad. Ved., Prague, 1980, 521 pp.* (Czechoslovakian).
- RAVIZZA, C.** (1988): *Leuctra apenninicola*, a new species of stonefly (Plecoptera: Leuctridae) from the Apennines (Italy). *Aquat. Insects* 10: 69-72.

- RAVIZZA, C. and G. VINÇON.** (1989): *Leuctra marinettae* n. sp., Plécoptère nouveau des Alpes Françaises (Plecoptera Leuctridae). Boll. Soc. Entomol. Ital., Genova. 121(1): 19-23. (French, English and Italian summaries).
- RAVIZZA DEMATTEIS, E. and C. RAVIZZA.** (1988): Les Plécoptères de la vallée supérieure du Pó (Alpes Cottiennes). Notes faunistiques et écologiques. (Running-water Stoneflies of the High Po Valley (Cottian Alps). Faunistic and ecological notes). Anns Limnol. 24(3): 243-260. (French, English summary).
- REHNFELDT, G.** (1987): Effects of impoundments and water pollution on invertebrate communities in rivers and plains of the Harz Mountains. Arch. Hydrobiol. 111: 255-282.
- RÜHM, W. and W. PIEPER.** (1989): Simuliidenlarven und -puppen als Beute räuberisch lebender Tierarten in Alster, Bille und Seve (Diptera, Simuliidae). Entomol. Mitt. zool. Mus. Hamburg 9(136/137): 283-293.
- RUTT, G.P., N.S. WEATHERLEY and S.J. ORMEROD.** (1989): Microhabitat availability in Welsh moorland and forest streams as a determinant of macroinvertebrate distribution. Freshwater Biol. 22: 247-261.
- SALEEM, P.M. and F. AKBAR.** (1987): Some stonefly nymphs of Swat (Pakistan). Biologia (Pakistan) 33(2): 409-420.
- SANCHEZ-ORTEGA, A. and J. ALBA-TERCEDOR.** (1984): Description of the mature nymph of *Leuctra andalusiaca* Aubert, 1962 (Plecoptera). Anns Limnol. 20(1-2): 95-98.
- SANCHEZ-ORTEGA, A. and J. ALBA-TERCEDOR.** (1985): Consideraciones taxonomicas sobre *Leuctra fusca carpentieri* (Plecoptera: Leuctridae). Actas II Congr. Iber. Entomol. 3: 349-352. (Spanish, English summary).
- SANCHEZ-ORTEGA, A. and J. ALBA-TERCEDOR.** (1988): Description and life cycle of *Leuctra iliberis* sp. n. from Southern Spain (Plecoptera, Leuctridae). Aquat. Insects. 10(2): 117-123.
- SANCHEZ-ORTEGA, A. and J. ALBA-TERCEDOR.** (1988): Sobre las ninfas de *Isoperla nevada* Aubert, 1952 y *Nemoura fulviceps* Klapalek, 1902 en Sierra Nevada (Insecta: Plecoptera). Bol. Asoc. Espan. Entomol. 12: 233-238. (Spanish).



**SANTAMARINA, J. and J. GUITIAN.** (1988): Some data on the feeding of the Pyrenean desman (*Galemys pyrenaicus*) in northwest Spain. *Mammalia* 50: 301-308.

**SCHOFIELD, K., C.R. TOWNSEND and A.G. HILDREW.** (1988): Predation and the prey community of a headwater stream. *Freshwat. Biol.* 20: 85-95.

**SCHÖLL, F. and M. SCHLEUTER.** (1989): Zum Vorkommen von *Leuctra geniculata* (Stephens 1835) (Plecoptera) in Rhein und Main. *Lauterbornia* 2: 33-34. (German).

**SCHOLL, P.** (1989): Zur näheren Kenntnis des Makrozoobenthos der Fließgewässer im Nationalpark Bayerischer Wald. *Entomol. Z.* 99(18): 257-272. (German).

**SCHUMANN, H. and H. WENDT.** (1989): Zur Kenntnis der tierischen Inkluden des Sächsischen Bernsteins. *Dtsch. Entomol. Z., N.F.* 36(1-3): 33-44. (German).

**SCRIMGEOUR, G.J. and M.J. WINTERBOURN.** (1989): Effects of floods on epilithon and benthic macroinvertebrate populations in an unstable New Zealand river. *Hydrobiologia* 171: 33-44.

**SIVEC, I., B.P. STARK, and S. UCHIDA.** (1988): Synopsis of the world genera of Perlinae (Plecoptera: Perlidae). *Scopolia* 16: 1-66. (English, Yugoslavian summary).

**SIVEC, I. and P. ZWICK.** (1987): Some Neoperla from Taiwan (Plecoptera: Perlidae). *Beitr. Entomol. Berlin* 37: 391-406.

**SIVEC, I. and P. ZWICK.** (1989): Addition to the knowledge of genus *Chinoperla* (Plecoptera: Perlidae). *Aquat. Insects* 11(1): 11-16.

**SMOCK, L.A. and C.M. MacGREGOR.** (1988): Impact of the American chestnut blight on aquatic shredding macroinvertebrates. *J. N. Amer. Benthol. Soc.* 7: 212-221.

**SOLUK, D.A. and N.C. COLLINS.** (1988): A mechanism for interference between stream predators: Responses of the stonefly *Agneta capitata* to the presence of sculpins. *Oecologia* 76: 630-632.

**SOLUK, D.A. and N.C. COLLINS.** (1988): Balancing risks: Responses and non-responses of mayfly larvae to fish and stonefly predators. *Oecologia* 77: 370-374.

**SOLUK, D.A. and N.C. COLLINS.** (1988): Synergistic interactions between fish and stoneflies: Facilitation and interference among stream predators. *Oikos* 52: 94-100.

**SOWA, R. and W. FIALKOWSKI.** (1988): Diversity, abundance and zonation of stoneflies (Plecoptera) from the water system: Olszowy Potok stream - River Raba (Southern Poland). *Acta Hydrobiol.* 30(3/4): 381-391.

**STANFORD, J.A. and J.V. WARD.** (1988): The hyporheic habitat of river ecosystems. *Nature* 335(6185): 64-66.

**STANFORD, J.A. and J.V. WARD.** (1989): Serial discontinuities in a Rocky Mountain river. I. Distribution and abundance of Plecoptera. *Regulat. Rivers* 3(1-4): 169-175.

**STARK, B.P.** (1989): Oriental Peltoperlinae (Plecoptera): A generic review and descriptions of a new genus and seven new species. *Entomol. Scand.* 19: 503-525.

**STARK, B.P.** (1989): *Perlesta placida* (Hagen), an eastern nearctic species complex (Plecoptera: Perlidae). *Entomol. Scand.* 20(3): 263-286.

**STARK, B.P.** (1989): The genus *Enderleina* (Plecoptera: Perlidae). *Aquat. Insects* 11(3): 153-160.

**STARK, B.P. and D.L. LENTZ.** (1988): New species of nearctic *Neoperla* (Plecoptera Perlidae). *Ann Entomol. Soc. Amer.* 81: 371-376.

**STARK, B.P. and S.W. SZCZYTKO.** (1988): Egg morphology and phylogeny in *Arcynopterygini* (Plecoptera: Perlodidae). *J. Kans. Entomol. Soc.* 61: 143-160.

**STARK, B.P. and S.W. SZCZYTKO.** (1988): A new *Malirekus* species from eastern North America (Plecoptera: Perlodidae). *J. Kans. Entomol. Soc.* 61: 195-199.

**STARK, B.P. , S.W. SZCZYTKO and B.C. KONDRATIEFF.** (1988): The *Cultus decisus* complex of eastern North America (Plecoptera: Perlodidae). *Proc. Entomol. Soc. Wash.* 90: 91-96.

**STARK, B.P. and P. ZWICK.** (1989): New species of *Macrogynoplax* from Venezuela and Surinam (Plecoptera: Perlidae). *Aquat. Insects* 11(4): 247-255.

**STEINER, K.** (1987): Ernährungsbiologische Untersuchung an Plekopterenlarven unter besonderer Berücksichtigung von *Leuctra albida* (Leuctridae) und *Protonemura nitida* (Nemouridae). *Jber. Biol. Stn. Lunz* 10: 101-110. (German).

**STEINER, K.** (1988): Rasterelektronenmikroskopische Untersuchungen der Mundwerkzeuge von *Protonemura* und *Leuctra* (Plecoptera). *Jber. Biol. Stn. Lunz* 11: 91-105. (German).

**STEWART, K.W. and B.P. STARK.** (1988): Nymphs of North American stonefly genera (Plecoptera). *Thomas Say Foundation Entomol. Soc. Amer.* 12: 1-436.

**STEWART, K.W., S.W. SZCZYTKO and M. MAKETON.** (1988): Drumming as a behavioral line of evidence for delineating species in the genera *Isoperla*, *Pteronarcys*, and *Taeniopteryx* (Plecoptera). *Ann. Entomol. Soc. Amer.* 81(4): 689-699.

**SUTTON, M.Q.** (1985): The California salmon fly as a food source in northeastern California. *J. Calif. Great Basin Anthropol.* 7(2): 176-185.

**THEISCHINGER, G.** (1988): New and little known species of stoneflies from Australia (Insecta: Plecoptera). *Stapfia* 17: 147-157.

**TKAC, M.A., JR.** (1988): The Plecoptera of northeastern Ohio. *Ohio J. Sci.* 88(2): 8.

**TOWNSEND, C.R.** (1989): The patch dynamics concept of stream community ecology. *J. N. Amer. Benthol. Soc.* 8(1): 36-50.

**TUSA, I.** (1988): Nástin trofických pomeru v pstruhovém toku (Hucivá Desná, Hruby Jeseník). [The outline of the trophic relations in a trout stream (Czechoslovakia)]. *Cas. Slez. Muz. Opava (A)* 37: 1-16. (Czechoslovakian, English summary).

**TUSA, I.** (1988): K poznání hyporheosu a zoobentosu pstruhového toku (Hucivá Desná, Hruby Jeseník). [Distribution of the zoobenthos and hyporheos within the substratum of a trout stream (Czechoslovakia)]. *Cas. Slez. Muz. Opava (A)* 37: 193-206. (Czechoslovakian, English summary).

**UCHIDA, S.** (1986): Lotic insects from the Boso Hills, central Japan. *Bul. Biol. Soc. Chiba* 36: 1-15.

**UCHIDA, S.** (1987): Analytic studies on the distribution of some insect-groups in the Tamagawa River system and its upper reaches. pp. 23-77 In: Isahikawa, R., T. Yamasaki, J. Kojima and S. Uchida (eds.). *Plecopteran distribution in the Tamagawa River System*. Tokyo Foundation for Better Environment, Tokyo.

**UCHIDA, S. and Y. ISOBE.** (1988): *Cryptoperla* and *Yoraperla* from Japan and Taiwan (Plecoptera: Peltoperlidae). *Aquat. Insects* 10: 17-31.

**UCHIDA, S. and Y. ISOBE.** (1989): Styloperlidae, stat. nov. and Microperlinae, subfam. nov. with a revised system of the family group Systellognatha. *Spixiana* 12(2): 145-182.

**VOELZ, N.J. and J.V. WARD.** (1989): Biotic and abiotic gradients in a regulated high elevation Rocky Mountain river. *Regulat. Rivers* 3(1-4): 143-152.

**WADE, K.R., S.J. ORMEROD and A.S. GEE.** (1989): Classification and ordination of macroinvertebrate assemblages to predict stream acidity in upland Wales. *Hydrobiologia* 171: 59-78.

**WAIS, I.R., A.R. VILA and L.I. DeCABO.** (1987): Las ninfas de Plecópteros de los Parques Nacionales Nahuel Huapi y Lanín, Argentina (Insecta, Plecoptera). *Rev. Mus. Argentino Cien. Nat. Bernardino Rivadavia* 6: 15-21. (Spanish, English Abstract).

**WALLACE, J.B., G.J. LUGTHART, T.F. CUFFNEY and G.A. SCHURR.** (1989): The impact of repeated insecticidal treatments on drift and benthos of a headwater stream. *Hydrobiologia* 179: 135-147.

**WEATHERLEY, N.S. and S.J. ORMEROD.** (1989): Modelling ecological impacts of the acidification of Welsh streams: Temporal changes in the occurrence of macroflora and macroinvertebrates. *Hydrobiologia* 185: 163-174.

**WEATHERLY, N.S., S.J. ORMEROD, S.P. THOMAS and R.W. EDWARDS.** (1988): The response of macroinvertebrates to experimental episodes of low pH with different forms of aluminium, during a natural spate. *Hydrobiologia* 169: 225-232.

**WEATHERLEY, N.S., G.P. RUTT and S.J. ORMEROD.** (1989): Densities of benthic macroinvertebrates in upland Welsh streams of different acidity and land use. Arch. Hydrobiol. 115: 417-432.

**WEBBER, E.C., D.R. BAYNE and W.C. SEESOCK.** (1989): Macroinvertebrate communities in Wheeler Reservoir (Alabama) [USA] tributaries after prolonged exposure to DDT contamination. Hydrobiologia 183: 141-156.

**WHITE, M.M.** (1989): Age class and population genetic differences in *Pteronarcys proteus* (Plecoptera: Pteronarcyidae). Amer. Midland Natur. 122: 242-248.

**WIDERA, J., J. RENNERICH, B. THIESMEIER and S. DARSCHNIK.** (1989): Wiederbesiedlung eines rückgebauten Stadtbaches unter dem Einfluß von Regenauslässen. Verhandl. Ges. Ökol. 18: 569-572. (German).

**WILLIAMS, D.D. and I.D. HOGG.** (1988): Ecology and production of invertebrates in a Canadian cold water spring-springbrook system. Holarctic Ecol. 11: 41-54.

**WOLF, B. and P. ZWICK.** (1989): Plurimodal emergence and plurivoltinism of central European populations of *Nemurella pictetii* (Plecoptera: Nemouridae). Oecologia 79: 431-438.

**YAMAMOTO, E., A. GOTO, K. NAKAYA and K. AMAOKA.** (1988): Aquatic insect fauna and feeding habits of two *Cottus* species in the Daitobetsu River of southern Hokkaido [Japan]. Bull. Fac. Fish. Hokkaido Univ. 39: 237-256.

**YOUNG, D.C., B.C. KONDRATIEFF and R.F. KIRCHNER.** (1989): Description of male *Ostrocerca* Ricker (Plecoptera: Nemouridae) using the scanning electron microscope. Proc. Entomol. Soc. Wash. 91(2): 257-268.

**ZEIGLER, D.D.** (1989): Drumming behaviors of three Pennsylvania Stonefly (Plecoptera) species. Proc. Entomol. Soc. Wash. 91(4): 583-587.

**ZHILTZOVA, L.A.** (1965): "Stoneflies (Plecoptera) of Karelia." pp. 200-205 In: Fauna of the Lakes of Karelia. Invertebrates. Acad. Sci. USSR, Karelian Br., Inst. Biol. Moscow: Nauka Publishers. (Russian).

**ZHILTZOVA, L.A.** (1980): "New Species of Capniidae (Plecoptera) from the Kurile Islands." In: Levanidov, V. La., I.M. Levanidova, I.A. Chereshev, and E.A. Makarechenko (eds.). Fresh-water Fauna of the Far East. Acad. Sci. USSR, Far East Sci. Center, Biol.-Soil Sci. Center. Vladivostok. (Russian).

**ZHILTZOVA, L.A.** (1981): "New species of stoneflies (Plecoptera) from the Far East." Vol. 92:3-7 In: Skarlato, O.A. (ed.). Morphology and Systematics of Insects of the Far East. Proc. Zool.Inst., Acad. Sci. USSR 92:3-7. (Russian).

**ZHILTZOVA, L.A.** (1981): "Zoogeographical Characteristics of stoneflies of the family Capniidae of Fauna of the USSR." Questions of General Entomology. Works of the VEO (All-union Entomological Society?) 63: 40-42. Leningrad: Nauka Publishers. (Russian).

**ZHILTZOVA, L.A.** (1988): "A new species of the genus *Capniella* Klapálek (Plecoptera, Capniidae) from the coastal region". Systematics of insects and mites. Nauka, Tr. VEO, 70: 9-12 (Russian).

**ZHILTZOVA, L.A.** (1988): New and little known species of *Protonemura* (Plecoptera, Nemouridae) from the Caucasus. Aquat. Insects. 10(4): 215-219.

**ZHILTZOVA, L.A.** (1989): "New species of stoneflies (Plecoptera) of the family Perlodidae from the Far East". Fauna, Syst. Biol. Freshwater Invertebrates, Acad. Sci., Far Eastern Sci. Centre, pp 7-11. Vladivostok (1988). (Russian).

**ZHILTZOVA, L.A. and K.V. VARSHANOVA.** (1988): "Characteristics of the stonefly fauna of Mongolia". pp. 302-309 in: Gubanov, I.A., N.I. Dorofeiuk and V.M. Neronov (Eds.). Natural conditions, Plant cover, and Animal Fauna of Mongolia. Sci. Center Biol. Res. Acad.Sci. USSR. Pushchino, 350 pp. (Russian).

**ZHILTZOVA, L. A. and V.A. TESLENKO.** (1989): "Description of the nymph of the stonefly *Paragnetina flavotincta* McLachlan (Plecoptera, Perlidae) from South Coastal Area. Fauna, Syst. Biol. Freshwater Invertebrates. Acad. Sci. USSR, Far East Division, Biol. Soil Sci. Inst. Vladivostok. pp. 12-17 (1988). (Russian).

**ZWICK, P.** (1980): Plecoptera (Steinfliegen) Handb. Zool., Berlin, 4(2) 2/7: 1-115. (German).

- ZWICK, P.** (1982): *Dictyogenus alpinum* (Plecoptera) im Schreierbach, einem spezialisierten Biotop im Sinne Thienemanns. Schlitzer Produktionsbiologische Studien (52). Arch. Hydrobiol Stuttgart 95(1/4): 533-548. (German).
- ZWICK, P.** (1986): Size variation of *Leuctra prima* (Plecoptera) along a 2 km stretch of stream. pp. 167-170 in: Proc. 3rd Europ. Congr. Entomol. Amsterdam.
- ZWICK, P.** (1988): Notes on Plecoptera (15) *Kempnyia melagona* Klapálek. Aquat. Insects 10: 140.
- ZWICK, P.** (1988): Notes on Plecoptera (16). *Tylopge* Klapálek, a synonym of *Paragnetina* Klapálek. Aquat. Insects 10(4): 201-203.
- ZWICK, P.** (1989): Notes on Plecoptera (17). *Isoperla pusilla* (Klapálek, 1923), comb. n., the valid name of *Isoperla minima* Illies, 1963. Aquat. Insects 11(1): 46.
- ZWICK, P.** (1989): Notes on Plecoptera (18). *Skwala americana* (Klapálek, 1912), comb. n., the valid name for *Skwala parallela* (Frison, 1936). Aquat. Insects 11(3): 181-182.
- ZWICK, P. and H. MENDEL.** (1989): Notes on Plecoptera (19). *Isoperla lugens* (Klapálek, 1923) replaces *I. alpicola* Brinck, 1949. Aquat. Insects 11(2): 72.