

"Since we both plan to attend the Symposium in Switzerland, we would like to talk personally with any other participants about these possibilities."

3. Undergraduate research on "Cladistic Relationships of the *Neoperla clymene* Complex in North America." Submitted by Dr. Bill P. Stark, Department of Biological Sciences, Mississippi College, Clinton, MS, 39058, USA.

"Angela Smith, Mississippi College undergraduate student, is looking at the cladistic relationships of the *Neoperla clymene* complex in North America. Her research is sponsored by the Howard Hughes Medical Institute as part of an award for undergraduate research to the Mississippi College Biology Department."

4. Graduate doctoral research on "The Stoneflies of the Black Hills." Submitted by Dr. R. W. Baumann, Department of Zoology, Brigham Young University, Provo, UT, 84602, USA.

"Bret Huntsman has worked one year on a survey of the Plecoptera fauna of the Black Hills in South Dakota and Wyoming. He will actually examine the zoogeographic affinities of stoneflies in the northern United States but will use the Black Hills as a focal point between the eastern and western continental drainages."

"Please send any information or specimens of stoneflies from the Black Hills to Bret Huntsman or Dr. R. W. Baumann at the above address at Brigham Young University."

RECENT PLECOPTERA LITERATURE (CALENDAR YEAR 1994 AND EARLIER)

AUDISIO, P. A., FOCETTI, R. & P. ZWICK (1994): Brachypterinae Erichson, 1845 (Insecta, Coleoptera) and Brachypterinae Zwick, 1973 (Insecta, Plecoptera): proposed removal of homonymy. - Bull. of Zool. Nomen. 51(4): 309-311.

AZZOUZ, M. & A. SANCHEZ-ORTEGA (1992): *Capnopsis schilleri* (Rostock, 1892) (Plecoptera: Capniidae), a new species of the stonefly fauna of Morocco. - Zool. baetica 3: 201 (in Spanish).

- BAIER, B., KAPPUS, B., BÖHMER J. & H. RAHMANN (1994):** Auswirkungen von Deponiesickerwässern auf Bachbiozönosen [Effects of seeping water from garbage deposits on stream biocenoses]. - Dt. Ges. Limnol., Erweit. Zusfg. Jahrestag. 1993: 450-454.
- BAINES, D., SAGE, R.B. & M. M. BAINES (1994):** The implications of red deer grazing to ground vegetation and invertebrate communities of Scottish native pinewoods. - J. Appl. Ecol. 31(4): 776-783.
- BASAGUREN, A. & J. POZO (1994):** Leaf litter processing of alder and eucalyptus in the Aguëra stream system (Northern Spain) II. Macroinvertebrates associated. - Arch. Hydrobiol. 132(1): 57-68.
- BASAGUREN, A. & P. RIANO (1994):** Trophic structure variability of the macroinvertebrate communities in the Aguëra Stream (Northern Spain). - Verh. Internat. Verein. Limnol. 25 (3): 1727-1732.
- BATTEGAZZORE, M., GUZZINI, A. & R. PAGNOTTA (1994):** Compared use of macroinvertebrate samplers for the evaluation of water quality in rivers of different size. - Limnologica 24(1): 43-49.
- BAUMGARTNER, A. M. (1992):** Gesellschaftsstrukturen von Makrozoobenthos - Organismen in einem Bach niederer Ordnung [Structure of associations of macrozoobenthic organisms in a low order stream]. - Dt. Ges. Limnol., Erweit. Zusfg. Jahrestag. 1992: 417-421.
- BERHE, T., HARRISON, A. D. & H. B. N. HYNES (1989):** The degradation of a stream crossing the city of Addis Ababa, Ethiopia. - Trop. Freshwat. Biol. 2: 112-120.
- BLANKE, D. (1994):** Zur Eintags-, Stein- und Köcherfliegenfauna (Insecta: Ephemeroptera, Plecoptera, Trichoptera) des südniedersächsischen Baches Bremke (Nörten-Hardenberg/Kreis Northeim) [On the fauna of mayflies, stoneflies and caddisflies (Insecta: Ephemeroptera, Plecoptera, Trichoptera) of the stream Bremke in southern Lower Saxony (Nörten-Hardenberg/Northeim County)]. - Göttinger Naturkd. Schrft. 3: 97-104.
- BRANDT, S. (1994):** Untersuchungen zum Vorkommen und zur Synökologie von *Taeniopteryx nebulosa* (LINNAEUS, 1758) (Plecoptera: Taeniopterygidae) im Niedersächsischen Tiefland [Studies on occurrence and synecology of *Taeniopteryx nebulosa* (LINNAEUS, 1758) in the lowland of Lower Saxony]. - Unpublished diploma thesis of the Tierärztliche Hochschule Hannover, 100 pp. + 78 pp. in an appendix..

- BRANDT, S. & R. SCHMIDTKE (1994):** Vorkommen von *Taeniopteryx nebulosa* (LINNAEUS 1758) in der Lüneburger Heide (Niedersachsen) [Occurrence of *Taeniopteryx nebulosa* (LINNAEUS 1758) in the Lüneburg Heath (Lower Saxony)]. - *Lauterbornia* 17: 29-38.
- BREITENMOSER-WÜRSTEN, C. (1994):** Die Fliessgewässerfauna im System der Saane (Berner Oberland, Schweizer Nordalpen) als Grundlage der Nahrungsökologie der Wasserramsel (*Cinclus cinclus*). [Stream fauna in the Saane system (Upland of Bern, Swiss Northern Alps) as basis of the feeding ecology of the dipper (*Cinclus cinclus*)]. - *Mitt. Schweiz. Ent. Ges.* 67(1-2): 77-135.
- BRENEMAN, D. H. & K. W. PONTASCH (1994):** Stream microcosm toxicity tests: predicting the effects of fenvalerate on riffle insect communities. - *Toxicol. and Chem.* 13(3): 381-387.
- BREWIN, P. A. & S. J. ORMEROD (1994):** Macroinvertebrate drift in streams of the Nepalese Himalaya. - *Freshw. Biol.* 32: 573-583.
- BROWN, M. W. (1994):** Flightless insect hints at origins of flight (augmented title, noting primitive species of stonefly, *Taeniopteryx burksi*, study of stoneflies by James H. Marden). - *New York Times* (Late New York Edition) October 25, 1994: 12.
- BRUNKE, M., SCHWOERBEL J. & K. WENDLING (1994):** Die Auswirkungen eines Flußtunnels auf die Fließgewässerbiozönose: Makrozoobenthon und Fischfauna [Effects of a river tunnel on the running water biocenosis: macrozoobenthos and fish fauna]. - *Limnologia* 24(4):297-322.
- BURTON, T. M. & S. L. EGGERT (1994):** A comparison of *Acroneuria lycorias* (Plecoptera) production and growth in northern Michigan hard- and soft-water streams. - *Freshw. Biol.* 32(1): 21.
- CAMPBELL, I. C. & L. FUCHSHUBER (1994):** Amount, composition and seasonality of terrestrial litter accession to an Australian cool temperate rainforest stream. - *Arch. Hydrobiol.* 130(4): 499-512.
- CAODURO, G., OSELLA, G. & S. RUFFO (1994):** La fauna cavemicola della Regione Veronese [The cave dwelling fauna of the Region of Verona]. - *Memorie Mus. Civ. Stor. nat. Verona (II Ser.)*, Sez. A: *Biologia*: 11: 1-144.
- CICOLANI, B. & A. DI SABATINO (1992):** Effetti biologici di attività antropiche in ambiente fluviale [Biological effects of human activity on the fluvial environment]. - *Soc. Ital. Entom.*, *Atti* 14: 43-51.

- CLEMENTS, W. H. (1994):** Benthic invertebrate community responses to heavy metals in the upper Arkansas River Basin, Colorado. - J. North Amer. Benth. Soc. 13(1): 30-44.
- CLOSS, G. P. & P. S. LAKE (1994):** Spatial and temporal variation in the structure of an intermittent-stream food web. - Ecol. Monog. 64(1): 1-21.
- DeWALT, R. E., STEWART, K. W., MOULTON, S. R. II & J. H. KENNEDY (1994):** Summer emergence of mayflies, stoneflies, and caddisflies from a Colorado mountain stream. - Southw. Natur. 39(3): 249- 256.
- DOBSON, M. (1994):** Microhabitat as a determinant of diversity: stream invertebrates colonizing leaf packs. - Freshw. Biol. 32: 565-572.
- DODSON, S. I., CROWL, T.A., PECKARSKY, B. L., KATS, L. B., COVICH, A. P. & J. M. CULP (1994):** Non-visual communication in freshwater benthos: an overview. - J. North. Amer. Benth. Soc. 13(2): 268-282.
- DRAKE, C. M. (1991):** Ephemeroptera and Plecoptera in freshwater and brackish ditch systems on British grazing marshes. - Entomologist's Gazette 42:45-59.
- DUMNICKA, E. (1994):** Habitat preferences of invertebrates (especially Oligochaeta) in a stream. - Acta Hydrobiol. 36(1):91-101 (Kraków).
- EARLE, J. (1994):** New record of stoneflies (Plecoptera) from Pennsylvania. - Entomol. News 105(2): 8084.
- ECKSTEIN, R. (1994):** Untersuchungen zur Steinfliegenfauna (Plecoptera) der Hohen Rhön [Studies of the stonefly fauna of the High Rhön Mts]. - Lauterbornia 17: 89-96.
- EDELSTEIN, K. (1994):** Stoneflies and campers: teaching campers about aquatic environments. - The Camping Magazine 66(3): 39-42.
- EGGERT, S. L. & T. M. BURTON (1994):** A comparison of *Acronuria lycorias* (Plecoptera) production and growth in northern Michigan hard- and soft-water streams. - Freshw. Biol. 32: 21-31.
- FAESSEL, B., ROGER, M. C. & B. CAZIN (1993):** Incidence de rejets ponctuels et diffus sur les communautés d'invertébrés benthiques d'un cours d'eau du Beaujolais: l'Ardières [Effects of point and diffuse discharges on invertebrate communities of a stream of Beaujolais: l'Ardières]. - Anns Limnol. 29(3-4): 307-323.
- FERRITO, V. (1994):** The macrobenthic fauna of the Simeto river (Sicily) and some of its tributaries. - Ann. de Limnol. 30(1): 33-56 (in French).

- FITTKAU, E. J. (1993):** Diversität der Gewässerfauna [Diversity of aquatic fauna]. - Rundgespräche Kommission f. Ökologie, 6 (Dynamik von Flora und Fauna - Artenvielfalt und ihre Erhaltung): 55-68.
- FLECKER, A. S. & B. FEIFAREK (1994):** Disturbance and the temporal variability of invertebrate assemblages in two Andean streams. - *Freshw. Biol.* 31: 131-142.
- FLEITUCH, T. M. (1994):** Macroinvertebrate drift patterns in relation to seston dynamics in a mountain stream (southern Poland). - *Verh. Internat. Verein. Limnol.* 25 (3): 1595-1597.
- FOCHETTI, R. (1991):** Sistematica e biogeografia del complesso di specie di *Protonemoura* gr. *corsicana*: un approccio cladistico. *Atti XVI Cong. Naz. Ital. Entomol.* 23/28: 867-876.
- FOCHETTI, R. (1993):** Il genere *Isoperla* nel sistema sardo-corso: dati elettroforetici (Plecoptera, Perlodidae) [The genus *Isoperla* in Corsica and Sardinia: Electrophoretical data (Plecoptera, Perlodidae)]. - *Frag. Entomol.* 25(1): 11-19.
- FOCHETTI, R. (1994):** Biochemical systematics and biogeographical patterns of the Italian and Corsican species of the *Protonemura corsicana* species group (Plecoptera: Nemouridae). - *Aquat. Insects* 16(1): 1-15.
- FOCHETTI, R. (1994):** Osservazioni al SEM su due specie di *Nemoura* del gruppo *flexuosa-marginata*: *N. oropensis* e *N. pesarinii*. [SEM observations on two *Nemoura* species of the *flexuosa-marginata* group: *N. oropensis* e *N. pesarinii*]. - *Boll. Assoc. Romana Ent.* 48(1993): 91-98.
- FOCHETTI, R. (1994):** Plecoptera, Perlidae, Chloroperlidae, Taeniopterygidae. - *Boll. Assoc. Romana Ent.* 48(1993), *Reperiti*: 114-115.
- FOCHETTI, R. & G. VINÇON (1993):** Un nouveau Plécoptère de Corse: *Isoperla kir* n.sp. (Plecoptera, Perlodidae) [A new stonefly from Corsica: *Isoperla kir* n.sp. (Plecoptera, Perlodidae)]. - *Nouv. Revue Ent. (N.S.)* 10(4): 375-379.
- FOECKLER, F., KRETSCHMER, W., DEICHNER, O. & H. SCHMIDT (1994):** Bioindication of former floodplain waters of the lower Salzach River (Bavaria) by macroinvertebrate communities. - *Verh. Internat. Verein. Limnol.* 25 (3): 1618-1623.
- FORRESTER, G. E., CHACE, J. G. & W. MCCARTHY (1994):** Diel and density-related changes in food consumption and prey selection by brook charr in a New Hampshire stream. - *Environ. Biol. Fish.* 39(3): 301-311.

- FROEHLICH, C. G. (1994):** Brazilian Plecoptera 8. On *Paragripopteryx* (Gripopterygidae). - *Aquat. Insects* 16(4): 227-239.
- FRUTIGER, A. & J.-L. SCHIB (1993):** Limitations of FST hemispheres in lotic benthos research. - *Freshw. Biol.* 30: 463-474.
- FRYE, S., N. KASCHEK & D. GLANDT (1993):** Benthische Insektenlarven eines Flachlandbaches der Westfälischen Bucht mit Abschnitten unterschiedlicher Naturnähe [Benthic insect larvae of a lowland stream with sections of different degree of near-natural conditions in the Westfalian Bight]. - *Metelener Schriftenreihe für Naturschutz* 4: 181-190.
- GAGNEUR, J. (1994):** Flash floods and drying up as major disturbances upon benthic communities in North-African wadis. - *Verh. Internat. Verein. Limnol.* 25 (3): 1807-1811.
- GAGNIER, D. L. & R. C. BAILEY (1994):** Balancing loss of information and gains in efficiency in characterizing stream sediment samples. - *J. North Amer. Benthol. Soc.* 13(2): 170-180.
- GERHARDT, A., SVENSSON, E., CLOSTERMANN, M. & B. FRIDLUND (1994):** Monitoring of behavioral patterns of aquatic organisms with an impedance conversion technique. - *Environ. Int.* 20(2):209-219.
- GROWNS, I. O. & J. A. DAVIS (1994):** Longitudinal changes in near-bed flows and macroinvertebrate communities in a Western Australian stream. - *J. North Amer. Benthol. Soc.* 13: 417-438.
- GOWER, A. M., MYERS, G., KENT, M. & M. E. FOULKES (1994):** Relationships between macroinvertebrate communities and environmental variables in metal-contaminated streams in south-west England. - *Freshw. Biol.* 32: 199-221.
- GRIFFITH, M. B., PERRY, S. A. & W. B. PERRY (1994):** Secondary production of macroinvertebrate shredders in headwater streams with different baseflow alkalinity. - *J. North Amer. Benthol. Soc.* 13 (3): 345-356.
- GUEROLD, F., VEIN, D., JACQUEMIN, G. & J. C. MORETEAU (1993):** Impact of water course acidification on macroinvertebrate biodiversity. - *C. R. Acad. Sci., Sér. III-Sciences de la vie* 316: 1388-1392.
- GUMIERO, B. & G. SALMOIRAGHI (1994):** Response of stream macroinvertebrate drift to up-down impoundment. - *Verh. Internat. Verein. Limnol.* 25 (3): 1773-1778.
- HANSON, K., SNYDER, J. & L. KATS (1994):** *Taricha torosa* (California Newt) diet. - *Herpetol. Rev.* 25(2): 62.

- HANADA, S., ISOBE, Y. & K. WADA (1994):** Drumming behavior of two stonefly species, *Microperla brevicauda* Kawai (Peltoperlidae) and *Kamimuria tibialis* (Pictet) (Perlidae), in relation to other behaviors. - *Aquat. Insects* 16(2): 75-89.
- HARO, R. J. & M. A. BRUSVEN (1994):** Effects of cobble embeddedness on the microdistribution of the sculpin *Cottus beldingi* and its stonefly prey. - *Gr. Basin Natur.* 54(1): 64-70.
- HARO, R. J., EDLEY K. & M. J. WILEY (1994):** Body size and sex ratio in emergent stonefly nymphs (*Isogenoides olivaceus*: Perlodidae): variation between cohorts and populations. - *Can. J. Zool.* 72(8): 1371-1375.
- HARPER, P. P. (1994):** Plecoptera in J. C. Morse, Yang L. and Tian L. 1994. *Aquatic Insects of China Useful for Monitoring Water Quality.* Hohai University Press, Nanjing, P. R. China, p. 176-209.
- HARPER, P. P. & W. E. RICKER (1994):** Distribution of Ontario stoneflies (Plecoptera). - *Proc. Entomol. Soc. Ontario* (125) 43-66.
- HARPER, P. P., LAUZON. M. & F. HARPER (1994):** Life cycles of sundry stoneflies (Plecoptera) from Quebec. - *Rev. Ent. Québec* 36: 28-42.
- HARRAHY, E. A., PERRY, S. A., WIMMER, M. J. & PERRY, W. B. (1994):** The effects of diflubenzuron (dimilin(r)) on selected mayflies (Heptageniidae) and stoneflies (Peltoperlidae and Pteronarcyidae). - *Environ. Toxicol. Chemistry* 13(3): 517-522.
- HARRIS, M. A. & D. W. WEBB (1994):** The stoneflies (Plecoptera) of Illinois revisited. - *J. Kans. Entomol. Soc.* 67(4): 340.
- HENRY, R., UIEDA, V. S., AFONSO, A. A. de O. & R. M. KIKUCHI (1994):** Input of allochthonous matter and structure of fauna in a Brazilian headstream. - *Verh. Internat. Verein. Limnol.* 25 (3): 1866-1870.
- HICKEY, C. W. & M. L. VICKERS (1994):** Toxicity of ammonia to nine native New Zealand freshwater invertebrate species. - *Arch. Environ. Cont. and Toxic.* 23(3): 292-298.
- HÜTTE, M. (1994):** Die Bedeutung einer Wasserfassung für die Ökologie eines alpinen Baches unter besonderer Berücksichtigung der Auswirkungen von Wasserschwallen mit Feststofftransport, am Beispiel der Wasserfassung Klammbach (Kühtai, Tirol) [Significance of water capture for the ecology of an alpine stream, with special reference to flash floods involving transport of solids, as exemplified by the Klammbach water capture (Kühtai, Tyrol)]. - Doctoral Dissertation, University of Innsbruck: 111 pp.

- HÜTTE, M., BUNDI, U. & A. PETER (1994):** Konzept für die Bewertung und Entwicklung von Bachsystemen im Kanton Zürich [Concept for evaluation and development of stream systems in Zürich County]. - EAWAG, Dübendorf & Kanton Zürich; ISBN 3-906484-10-6 (): III + 134 + several unnumbered pages.
- IDA, M. (1994):** The life cycle of *Scopura montana* (Plecoptera: Scopuridae). - Japan. J. Limnol. 55: 23-25 (in Japanese with English abstract).
- IMAI, H. (1993):** In memoriam of Dr. Mitsuko Kohno. - Okera (Journal of the Ibaraki Entomological Society), Hitachi 58: 62-63 (in Japanese).
- IMHOF, A. (1992):** Mikrohabitatselektion der räuberischen Steinfliegenlarve *Perla grandis* RAMBUR (Plecoptera: Perlidae) [Micro-habitat selection by the predaceous stonefly larva *Perla grandis* RAMBUR (Plecoptera: Perlidae)]. - Dt. Ges. Limnol., Erweit. Zusage. Jahrestag. 1992:402-406.
- IMHOF, A. (1994):** Habitatsansprüche und Verhalten von *Perla grandis* Rambur (Plecoptera: Perlidae) und anderen räuberischen Steinfliegenlarven [Habitat requirements and behaviour of *Perla grandis* RAMBUR (Plecoptera: Perlidae) and other predaceous stonefly larvae]. - Doctoral thesis, Dissertation No. 10695, Eidgenössische Technische Hochschule Zürich, 152 pp.
- INADA, K. (1991):** List of Plecoptera in Yumesaki River (part 1). - Hyôgo Freshwater Biology, Sekinomiya 39/40: 1-4 (in Japanese).
- INADA, K. (1992):** Stoneflies of Hyôgo Prefecture (nymphs) 1. - Hyôgo Freshwater Biology, Sekinomiya 42: 1-4, pl. 1 (in Japanese).
- INADA, K. (1993):** Stoneflies of Hyôgo Prefecture (nymphs) 2. - Hyôgo Freshwater Biology, Sekinomiya 43: 1-5, pl. 2 (in Japanese).
- INADA, K. (1994):** Stoneflies of Hyôgo Prefecture (nymphs) 3. - Hyôgo Freshwater Biology, Sekinomiya 45: 25-28, pl. 3 (in Japanese).
- ISOBE, Y. (1989):** Ecological differentiation in the four species of large stonefly nymphs. - In: A. Shibatani & K. Tanida, eds.: Aquatic Insects of Japan, Speciation and Habitat Partitioning. University of Tokai Press, Tokyo, pp. 68-84 (in Japanese).
- ISOBE, Y. (1990):** List of Plecoptera from Hyôgo Prefecture (part 1). - Hyôgo Freshwater Biology, Sekinomiya 36/37: 115-120 (in Japanese).

- JACKSON, J. K., SWEENEY, B. W., BOTT, T. L., NEWBOLD, J. D. & L. A. KAPLAN (1994):** Transport of *Bacillus thuringiensis* var. *israelensis* and its effect on drift and benthic densities of nontarget macroinvertebrates in the Susquehanna River, Northern Pennsylvania. - Can. J. Fish. Aquat. Sci. 51(2):295-314.
- JANECEK, B. F. U. & O. MOOG (1994):** Origin and composition of the benthic invertebrate riprap fauna of impounded rivers. - Verh. Internat. Verein. Limnol. 25 (3): 1624-1630.
- JOHNSON, J. H. & D. S. DROPKIN (1993):** Diel variation in diet composition of a riverine fish community. - Hydrobiologia 271: 149-158.
- JOHNSON, P. D., BROWN, K. M. & C. V. COVELL, Jr. (1994):** A comparison of the macroinvertebrate assemblage in Doe Run Creek, Kentucky: 1960 and 1990. - J. North Amer. Benthol. Soc. 13: 496-510.
- KAISER, J. (1994):** A new theory of insect wing origins takes off (augmented title: work of James Marden). - Science 266: 363.
- KAPOOR, N. N. (1994):** A study of the Malpighian tubules of the plecopteran nymph *Paragnetina media* (Walker) (Plecoptera: Perlidae) by light, scanning electron, and transmission electron microscopy. - Can. J. Zool. 72(9): 1556.
- KAZANCI, N. (1994):** Beitrag zur Plecopteren-Fauna der Türkei (Insecta: Plecoptera) [Contribution to the stonefly fauna of Turkey]. - Ent. Z. 104: 341-347.
- KHMELEVA, N. & A. NESTEROVICH (1990):** [Peculiarities of reproduction of hydrobionts from spring ecosystems.] - Mechanisms of adaptation of animals to extreme environmental factors (Abstract, 6th Regional Scientific and Practical Conference, Rostov-on-Don), 1: 166.
- KHMELEVA, N., NESTEROVICH, A. & S. CZACHOROWSKI (1994):** The macroinvertebrate fauna of some Byelorussian, Karelian, and Altaian springs and its relation with certain factors. - Acta Hydrobiol. 36(1):75-90 (Kraków).
- KIRK, E. J. & S. A. PERRY (1994):** Macroinvertebrate production estimates in the Kanawha River, West Virginia. -- Hydrobiologia 281(1): 39-50.
- KISHIMOTO, T. (1984):** Structure and distribution of the chloride cells in the larvae of *Kamimuria tibialis* Pictet (Insecta: Plecoptera). - In: Proceedings of the 19th Annual Meeting of the Arthropodan Embryological Society of Japan, May 28-29, 1983, Yamada, Iwate-ken, p. 16.
- KOFUJI, H., ISOBE, Y. & T. KAWAI (1992):** Correlation between size of body parts (particularly mandibles) and wet body weight in aquatic insects. - Japan. J. Limnol. 53(2): 151-156.

- KOHNO, M. (1993):** A half of my life. (Autobiography). - Okera (Journal of the Ibaraki Entomological Society), Hitachi 58: 64-93 (in Japanese).
- KONDRATIEFF, B. C. & R. W. BAUMANN (1994):** Assault on Atlantic Canada: a stonefly collecting foray to the Canadian Maritime Provinces. - Perla 12: 16-17.
- KONDRATIEFF, B. C. & R. F. KIRCHNER (1993):** A new species of *Acroneuria* from Virginia (Plecoptera: Perlidae). - J. N.Y. Entomol. Soc. 101(4): 550-554.
- KOWARC, V. A. (1994):** Impact of sills on the structure of bedsediments and the colonization of a second order prealpine stream. - Verh. Internat. Verein. Limnol. 25 (3): 1599-1604.
- KOWNACKI, A. (1994):** Diurnal periodicity in the drift of high mountain stream invertebrates (South Tirol, Italy). - Verh. Internat. Verein. Limnol. 25 (3): 1768-1772.
- KRATZ, K. W., COOPER, S. D. & J. M. MELACK (1994):** Effects of single and repeated experimental acid pulses on invertebrates in a high altitude Sierra Nevada stream. - Freshw. Biol. 32: 161-183.
- KREJCI, V., FANKHAUSER, R., GAMMETER, S., GROTTKER, M., HARMUTH, B., MERZ P. & W. SCHILLING (1994):** Integrierte Siedlungsentswässerung Fallstudie Fehraltorf [Integrated settlement drainage Case study Fehraltorf]. - Schriftenreihe der EAWAG Nr. 8: 268 pp.
- KRNO, I. (1993):** Mayflies (Ephemeroptera) and stoneflies (Plecoptera) of the nature preserve Svatojursky-sur. - Biologia 48(5): 513-518.
- KUHARA, N., KOBAYASHI, N., NAGAYASU, Y. & T. ITO (1993):** Aquatic insect fauna of the Naibetsu River, Chitose, Hokkaido, northern Japan (A preliminary report). - Biol. Int. Wat. 8: 15-20.
- KÜRY, D. (1992):** Der Röserenbach 1935 und 1990. Biologische Momentaufnahmen an einem Mittelgebirgsbach im Schweizer Jura [The Röserenbach in 1935 and in 1990. Momentary portraits of a foothill stream in the Swiss Jura Mts]. - Dt. Ges. Limnol., Erweit. Zusf. Jahrestag. 1992: 412-416.
- KÜRY, D. (1994):** Die Wirbellosenfauna der Fließgewässer in der Region Basel [The invertebrate fauna of running waters in the region of Basel]. - Verh. naturforsch. Ges. Basel, 104: 19-44.
- LANG, C. & O. RAYMOND (1992):** Water quality in 1991 indicated by invertebrate communities of seventeen rivers of western Switzerland. - Bull. Soc. Vaudoise Sci. Nat. 82: 57-65.
- LAPERRIERE, J. D. (1994):** Benthic ecology of a spring-fed river of interior Alaska. Freshw. Biology 32(2): 349-357.

- LaVOIE, W. J. & W. A. HUBERT (1994):** Use of Drifting Invertebrates by young-of-year Brown Trout in stream-margin habitat. - J. Freshw. Ecol. 9(1):3 37-43.
- LEFF, L. G., McARTHUR, J. V., MEYER, J. L. & L. J. SHIMKETS (1994):** Effect of macroinvertebrates on detachment of bacteria from biofilms in stream microcosms. - J. North Amer. Benthol. Soc. 13(1): 74-79.
- LEVINGS, C. D., HVIDSTEN, N. A. & B. O. JOHNSEN (1994):** Feeding of Atlantic salmon (*Salmo salar* L.) postsmolts in a fjord in central Norway. - Can. J. Zool. 72(5): 834-839.
- LOSKUTOVA, O. A. & L. A. ZHILTOVA (1993):** [Stoneflies (Plecoptera) in river ecosystems of the Northern Ural]. - pp. 168-170 in [Advances of Entomology in the SSSR: Ecology and faunistics, small insect orders. Materials of the X Congress of the All-Union Entomological Association, 11-15 September 1989]. Russian Academy of Sciences, Zoological Institute, Sankt-Petersburg (in Russian).
- LUBINI, V. (1994):** Hydrobiologische Untersuchungen am Unterlauf der Thur (Kanton Zürich, Schweiz) - I. Libellen, Eintags-, Stein-, Köcher- und Schlammfliegen (Insecta: Odonata, Ephemeroptera, Plecoptera, Trichoptera, Megaloptera) [Hydrobiological studies at the lower course of the Thur river (Zürich County, Switzerland) - I. Dragonflies, Mayflies, Stoneflies, Caddisflies, and Alderflies (Insecta: Odonata, Ephemeroptera, Plecoptera, Trichoptera, Megaloptera)]. - Vierteljahrsschrift der Naturforschenden Gesellschaft in Zuerich 139(1): 23-31 (in German).
- LYNCH, J. M. & D. A. MURRAY (1994):** Fishery rehabilitation and habitat enhancement following arterial drainage in Ireland. - Verh. Internat. Verein. Limnol. 25(3): 1502-1508.
- MAIER, K.-J. (1994):** Effects of spates on the benthic macroinvertebrate community of a prealpine river (First results). - Verh. Internat. Verein. Limnol. 25(3): 1605-1608.
- MALICKY, H. (1994):** Insekten-Emergenz eines permanenten Baches des eumediteranen Klimagebietes (Trichoptera, Ephemeroptera, Plecoptera) [Insect emergence from a permanent stream of the eumediterranean climatic realm (Trichoptera, Ephemeroptera, Plecoptera)]. - Entomol. Gener. 18(3/4): 131-144.
- MALMQVIST, B. (1994):** Preimaginal blackflies (Diptera: Simuliidae) and their predators in a central Scandinavian lake outlet stream. - Ann. Zool. Fenn. 31(2): 245-255.

- MALMQVIST, B. & M. MÄKI (1994):** Benthic macroinvertebrate assemblages in north Swedish streams: environmental relationships. - *Ecography* 17: 9-16.
- MARDEN, J. H. & M. G. KRAMER (1994):** Surface-skimming stoneflies: a possible intermediate stage in insect flight evolution. - *Science* 266(5184): 427-430.
- MARGREITER-KOWNACKA, M. (1994):** Benthos reaction on some man-caused changes in alpine rivers. - *Verh. Internat. Verein. Limnol.* 25 (3): 1615-1617.
- MARTEN, M. (1994):** Faunistics of the upper Rhine River: Changes in the faunal composition caused by industrial contamination (e.g. the Sandoz accident). - *Verh. Internat. Verein. Limnol.* 25 (4): 2502-2506.
- MARTEN, M., HACKBARTH, W. & P. ROOS (1994):** Zum Verhalten ausgewählter Eintagsfliegen-, Steinfliegen- und Köcherfliegen-Larven bei Sauerstoffmangel [On the behaviour of larvae of selected mayflies, stoneflies and caddisflies during oxygen deficits]. - *Lauterbornia* 17: 39-59.
- MARUYAMA, H., ALI, I. S. & M. TAKAI (1994):** Adult stoneflies (Insecta: Plecoptera) collected from Mt. Tsurugi, Tokushima Prefecture, Shikoku. - *Bulletin of the Tokushima Prefectural Museum* 4: 91-96 (in English with Japanese summary).
- MEYER, E. I. (1994):** Wiederbesiedlungsdynamik benthischer Invertebraten nach einem Hochwasserereignis mit Geschiebetrieb [Dynamics of benthic invertebrate recolonization after a spate involving transport of bed sediments]. - *Dt. Ges. Limnol., Erweit. Zusfg. Jahrestag. 1993:* 438-442.
- MILNER, A. M. & G. E. PETTS (1994):** Glacial rivers: physical habitat and ecology. - *Freshw. Biol.* 32(2): 295-307.
- MILNER, A. M. (1994):** Colonization and succession of invertebrate communities in a new stream in Glacier Bay National Park, Alaska. - *Freshw. Biol.* 32(2): 387-400.
- MOOG, O., KONAR, M. & U. W. HUMPECH (1994):** The macrozoobenthos of the River Danube in Austria. - *Lauterbornia* 15: 25-51.
- MOREIRA, G. R. P. (1993):** Reproductive biology of the stream-dwelling stonefly *Agneta capitata* (Pictet) (Plecoptera: Perlidae). - Ph.D. Dissertation, Cornell University, Ithaca, New York.
- MOREIRA, G. R. P. & B. L. PECKARSKY (1994):** Multiple developmental pathways of *Agneta capitata* (Plecoptera: Perlidae) in a temperate forest stream. - *J. North Amer. Benthol. Soc.* 13(1): 19-29.

- MORIN, A. & P. DUMONT (1994):** A simple model to estimate growth rate of lotic insect larvae and its value for estimating population and community production. - J. North Amer. Benthol. Soc. 13 (3): 357-367.
- MORIYA, H. (1994):** Plecoptera. - In: Aquatic Insects of the Sagami-gawa River System. Board of Education, Sagami-hara City, 52-63 (in Japanese).
- MOULTON, T. P. & N. J. PARSLow (1994):** Patterns of distribution of fauna in streams, rivers and standing water at Ilha do Cardoso, Sao Paulo, Brazil. - Verh. Internat. Verein. Limnol. 25 (3): 1876-1877.
- MUOTKA, T. (1993):** Microhabitat use by predaceous stream insects in relation to seasonal changes in prey availability. - Ann. Zool. Fenn. 30(4): 287-297.
- NELSON, S. M., ROLINE, R. A. & A. M. MONTANO (1993):** Use of hyporheic samplers in assessing mine drainage impacts. - J. Freshw. Ecol. 8(2): 103-110.
- NESTEROVICH, A. I. (1989):** [Spring zoocoenoses of Belarus and their protection.] - Zoocoenoses dynamics, problems of protection and rational use of the animal world of Belarus (Abstr., 6th Zool. Conf. of Belarus), Minsk: 68 (in Russian).
- NESTEROVICH, A. I. (1990):** [Peculiarities of life cycle of stonefly *Nemurella pictetii* (Klapálek) from springs of Minsk Region.] - Actual Problems of water ecology: Abstract, All-Union Conference of Young Scientists, Kiev: 119-121 (in Russian).
- NESTEROVICH, A. I. (1992):** [Fauna and biology of spring ecosystem inhabitants] - Doctoral thesis, Zool. Inst. Akad. Nauk Republ. Belarus, Minsk, 25 pp. (in Russian).
- NISHIO, N. (1994):** Observation of mating behavior in *Scopura montana* Maruyama. - New Entomologist, Ueda 43: 70 (in Japanese).
- OHDE, R., SURHOLT, B. & D. GLANDT (1990):** Einfluß wasserbaulicher Maßnahmen auf das Vorkommen substratgebundener Insektenlarven in einem Flachlandbach des Sandmünsterlandes [Influence of stream regulatory measures on the occurrence of substrate-dependent insect larvae in a lowland stream of the Sandmünsterland]. - Wasser und Boden 2: 86-100.
- OHLIGER, K. & R. KOHL (1994):** Ökologische Untersuchungen zur Makrofauna anthropogen entstandener Waldtümpel [Ecological studies on the macrofauna of anthropogenous forest pools]. - Lauterbornia 19: 115-140.
- ORMEROD, S. J., RUNDLE, S. D., WILKINSON, S. M., DALY, G. P., DALE, K. M. & I. JUTTNER (1994):** Altitudinal trends in the diatoms, bryophytes, macroinvertebrates and fish of a Nepalese river system. - Freshw. Biol. 32 (2): 309-322.

- PALMER, C., PALMER, A., O'KEEFFE, J. & R. PALMER (1994):** Macroinvertebrate community structure and altitudinal changes in the upper reaches of a warm temperate southern African river. - *Freshw. Biol.* 32 (2): 337-347.
- PECKARSKY, B. L., COWAN, C. A. & C. R. ANDERSON (1994):** Consequences and plasticity of the specialized predatory behavior of stream-dwelling stonefly larvae. - *Ecology (Tempe)* 75(1): 166-181.
- PENNISI, E. (1994):** Did insects skim before they flew? (augmented title: research by James Marden). - *Science News.* 146: 276.
- PETER, I. (1993):** Der Einfluß hydrologischer Parameter auf die Emergenz [Influence of hydrological parameters on emergence]. - Unpublished diploma thesis, University of Regensburg, 185 pp.
- PETTS, G. E. & M. A. BICKERTON (1994):** Influence of water abstraction on the macroinvertebrate community gradient within a glacial stream system: La Borogne d'Arolla, Valais, Switzerland. - *Freshw. Biol.* 32 (2): 375-386.
- PHILLIPS, E. C. & R. V. KILAMBI (1994):** Habitat type and seasonal effects on the distribution and density of Plecoptera in Ozark streams, Arkansas. - *Ann. Entomol. Soc. Amer.* 87: 321-326.
- POR, F. D. & R. M. LOPES (1994):** The streams of the Atlantic rainforest of Brazil. - *Verh. Internat. Verein. Limnol.* 25 (3): 1871-1875.
- PRITCHARD, G., MCKEE, M. H., PIKE, E. M., SCRIMGEOUR, G. J. & J. ZLOTY (1993):** Did the first insects live in water or in air?. - *Biol. J. Linnean Soc.* 49: 31-44.
- QUINN, J. M. & C. W. HICKEY (1993):** Effects of sewage waste stabilization lagoon effluent on stream invertebrates. - *J. Aquat. Ecosyst. Health* 2(3): 205-219.
- RA, C. H., KIM, J. S., KANG, Y. W. & S. A. HAM (1994):** Taxonomic study on three families (Peltoperlidae, Perlodidae, Perlidae) of stoneflies (Plecoptera) (in Korean). - *Korean Journal of Syst. Zool.* 10(1): 1-15.
- RAVIZZA DEMATTEIS, E. & G. VINÇON (1994):** *Leuctra ravizzai*, an orophilic new species of *Leuctra* from the Western Alps (Plecoptera). - *Aquat. Insects* 16(2): 91-94.
- RAVIZZA, C. & E. RAVIZZA DEMATTEIS (1994):** *Leuctra vinconi aubertorum*, a new subspecies of *Leuctra* from the Ticino canton, Switzerland (Plecoptera Leuctridae). - *Mitt. Schweiz. Ent. Ges.* 67(1-2): 37-41.

- REED, J. L., CAMPBELL, I. C. & P. C. E. BAILEY (1994):** The relationship between invertebrate assemblages and available food at forest and pasture sites in three south-eastern Australian streams. - *Freshw. Biology* 32: 641-650.
- REYNOLDS, J. D., COOKE, D., SIMON, N., ALBOTT N. & M. BRENNAN (1994):** Macroinvertebrate communities of poorly buffered afforested and non-afforested streams in western Ireland. - *Verh. Internat. Verein. Limnol.* 25 (3): 1496-1501.
- RICHARDS, C., HOST, G. E. & J. W. ARTHUR (1993):** Identification of predominant environmental factors structuring stream macroinvertebrate communities within a large agricultural catchment. - *Freshw. Biol.* 29: 285-294.
- ROJAS, A. M. & M. L. BAENA (1993):** *Anacroneuria farallonensis* (Plecoptera: Perlidae) una nueva especie para Colombia [*Anacroneuria farallonensis* (Plecoptera: Perlidae), a new species from Colombia]. - *Bol. Mus. Ent. Univ. Valle, Cali*, 1(1):23-28.
- ROSCISZEWSKA, E. & W. JANKOWSKA (1993):** Morphological studies of the egg capsule during eclosion and of the first instar nymph of stonefly *Perla pallida* (Plecoptera: Perlidae). - *Zool. Jh.* 23: 347-352.
- SALTVEIT, S. J., BREMNES, T. & J. E. BRITAIN (1994):** Effect of a changed temperature regime on the benthos of a Norwegian regulated river. - *Regulated Rivers Research & Management* 9(2): 93-102.
- SANCHEZ-ORTEGA, A. (1993):** Ginandromorfismo en el genero *Protonemura* (Insecta: Plecoptera) [Gynandromorphism in the genus *Protonemura* (Insecta: Plecoptera)]. - *Bol. Soc. Port. Entomol., Suppl. 3 (Actas V. Congr. Iberico Entomol., Lisboa 1992):* 113-117.
- SANCHEZ-ORTEGA, A. & J. M. ROPERO-MONTERO (1993):** *Leuctra franzi paenibaetica* n. spp. del sur de la peninsula Iberica (Insecta: Plecoptera) [*Leuctra franzi paenibaetica* n. spp. from the south of the Iberian peninsula (Insecta: Plecoptera)]. - *Graellsia* 49: 119-121.
- SCARSBROOK, M. R. & C. R. TOWNSEND (1994):** The roles of grass leaf litter in streams draining tussock grassland in New Zealand: retention, food supply and substrate stabilization. - *Freshwat. Biol.* 32(2): 429-443
- SCHMIDT, T. (1994):** Die Eintagsfliegen- und Steinfliegenfauna des nördlichen Rothaargebirges [Mayfly and stonefly fauna of the Hessian part of Rothaargebirge]. - *Lauterbornia* 17: 5-17.
- SCRIMGEOUR, G. J. & J. M. CULP (1994):** Foraging and evading predators: the effect of predator species on a behavioural trade-off by a lotic mayfly. - *Oikos* 69(1): 71-79.

- SCRIMGEOUR, G. J., CULP, J. M. & K. J. CASH (1994):** Anti-predator responses of mayfly larvae to conspecific and predator stimuli. - J. North Amer. Benthol. Soc. 13(2): 299-309.
- SHEA, S. S. (1994):** The effects of water quality, epilithic algae and organic matter on communities of stone-dwelling invertebrates in a Hong Kong river. - Mitt. Internat. Verein. Limnol. 24: 327-336.
- SHIMIZU, T. (1994):** Taxonomic changes and synonyms for the East Asian species of the genus *Nemoura* (Plecoptera: Nemouridae). - Aquat. Insects 16(4): 213-225.
- SHIMIZU, T. (1994):** *Indonemoura nohirae* (Okamoto, 1922), comb. nov. (Plecoptera, Nemouridae) newly recorded from Japan, with a redescription of *Amphinemura longispina* (Okamoto, 1922). Japan. J. Entomol. 62(4): 619-627.
- SIH, A. & D. E. WOOSTER (1994):** Prey behavior, prey dispersal, and predator impacts on stream prey. - Ecology (Tempe) 75(5): 1199-1207.
- SMITH, J. J. & P. S. LAKE (1993):** The breakdown of buried and surface-placed leaf litter in an upland stream. - Hydrobiologia 271: 141-148.
- STARK, B. P. (1994):** *Anacroneuria* of Trinidad and Tobago (Plecoptera: Perlidae). - Aquat. Insects 16(3): 171.
- STARK, B. P. (1994):** Redescription of *Neoperla hubbsi* Ricker (Plecoptera: Perlidae). - J. Kans. Entomol. Soc. 67(3): 298.
- STARK, B. P. & C. R. NELSON (1994):** Systematics, phylogeny and zoogeography of genus *Yoraperla* (Plecoptera: Peltoperlidae). - Entomol. Scandinavica 25(3): 241.
- STEWART, K. W. (1994):** Theoretical considerations of mate finding and other adult behaviors of Plecoptera. - Aquat. Insects 16(2): 95-104.
- SUREN, A. M. (1994):** Macroinvertebrate communities of streams in western Nepal: effects of altitude and land use. - Freshw. Biol. 32(2): 323-336.
- TADA, M. & H. SHIRAISHI (1994):** Changes in abundance of benthic macroinvertebrates in a pesticide-contaminated river. - Japan. J. Limnol. 55(2): 165-170.
- TADA, M. & K. SATAKE (1994):** Epiphytic zoobenthos on bryophyte mats in a cool mountain stream, Toyamazawa. - Jpn. J. Limnol. 55(2): 159-164.
- TETÉ, P., ONORI, D., GIUSTINI, M. & P. F. GHETTI (1994):** Effects of a sudden variation of the carrying capacity of the Vera Stream (L'Aquila, Italy). - Verh. Internat. Verein. Limnol. 25 (3): 1779-1783.

- TIKKANEN, P., LAASONEN, P., MUOTKA, T., HUHTA, A. & K. KUUSELA (1994):** Short-term recovery of benthos following disturbance from stream habitat rehabilitation. - *Hydrobiologia* 273: 121-130.
- TIMM, T. & F. H. OHLENFORST (1994):** The groundwater-affected lowland brook. - *Limnologica* 24(3): 213-229 (in German).
- TUSA, I. (1993):** Zoobenthos of a small peat-bog stream. - Abstract, III. River Bottom Workshop Proceedings, September 28-30, 1993, Olomouc, Czech Republic: p. 69.
- UCHIDA, S. (1992):** Plecoptera. - In: Zoobenthos in Sagami-hara. Board of Education, Sagami-hara City, 31-55 (in Japanese).
- USSEGLIO-POLATERA, P. (1994):** Theoretical habitat templates, species traits, and species richness: aquatic insects in the Upper Rhone River and its floodplain. - *Freshw. Biol.* 31: 417-437.
- USSEGLIO-POLATERA, P. & H. TACHET (1994):** Theoretical habitat templates, species traits, and species richness: Plecoptera and Ephemeroptera in the Upper Rhone River and its floodplain. - *Freshw. Biol.* 31(3): 357-375.
- VINÇON, G. & I. PARDO (1994):** Contribution to the knowledge of Pyrenean stoneflies: *Leuctra joani* sp.n. and *L. clerguae* sp.n. (Insecta: Plecoptera). - *Aquat. Insects* 16(4): 205.
- WARD, J. V. (1994):** Ecology of alpine streams. - *Freshw. Biol.* 32(2): 277-294.
- WARD, J. V. & B. C. KONDRATIEFF (1992):** An illustrated guide to the mountain stream insects of Colorado. - University Press of Colorado. Niwot, Colorado. 191 pp.
- WEINZIERL, A. (1994):** Die Steinfliegen (Plecoptera) Bayerns [The stoneflies (Plecoptera) of Bavaria]. - *Lauterbornia* 17: 79-87.
- WELLNITZ, T. A., GRIEF, K. A. & S. P. SHELDON (1994):** Response of macroinvertebrates to blooms of iron-depositing bacteria. - *Hydrobiologia* 281: 1-17.
- WINTERBOURN, M. J. & P. A. RYAN (1994):** Mountain streams in Westland, New Zealand: Benthic ecology and management issues. - *Freshw. Biol.* 32(2): 259-273.
- WIPFLI, M. S. & R. W. MERRITT (1994):** Disturbance to a stream food web by a bacterial larvicide specific to black flies: feeding responses of predatory macroinvertebrates. - *Freshw. Biol.* 32(1): 91-103.

- WIPFLI, M. S. & R. W. MERRITT (1994):** Effects of *Bacillus thuringiensis* var. *israelensis* on nontarget benthic insects through direct and indirect exposure. - J. North Amer. Benthol. Soc. 13(2): 190-205.
- WOOSTER, D. (1994):** Predator impacts on stream benthic prey. - Oecologia 99(1-2): 7-15.
- WULFHORST, J. (1994):** Selected faunal elements of the hyporheos and in submerged moss clumps (bryorheal) along an acidification gradient in two brooks in the Harz Mountains, West Germany. - Verh. Internat. Verein. Limnol. 25 (3): 1575-1584.
- YANG, D. & C. YANG (1993):** New and little-known species of Plecoptera from Guizhou Province. - Entomotaxonomia 15(4): 235-238 (in Chinese, English summary).
- YOUNG, R. G., HURYN, A. D. & C. R. TOWNSEND (1994):** Effects of agricultural development on processing of tussock leaf litter in high country New Zealand streams. - Freshw. Biol. 32 (2): 413-427.
- ZHILTOVA, L. A. (1993):** [Zoogeographical particularities of the stonefly fauna of Superfamily Nemouroidea (Plecoptera) of the SSSR]. - pp. 161-162 in [Advances of Entomology in the SSSR: Ecology and faunistics, small insect orders. Materials of the X Congress of the All-Union Entomological Association, 11-15 September 1989]. Russian Academy of Sciences, Zoological Institute, Sankt-Petersburg (in Russian).