

RECENT PLECOPTERA LITERATURE (CALENDAR YEAR 1996 AND EARLIER)

- ADAMEK, Z. & I. SUKOP (1996): The impact of trout farm discharges on benthic community structure in a small karstic stream. - Acta Univ. Carolinae Biol., 40: 3-16.
- ALEXANDER, K. D. & K. W. STEWART (1996): The mate searching behavior of *Perlinella drymo* (Newman) (Plecoptera: Perlidae) in relation to drumming on a branched system. - Mitt. Schweiz. Entomol. Ges. 69: 121-126.
- ALEXANDER, K. D. & K. W. STEWART (1996): Description and theoretical considerations of mate finding and other adult behaviors in a Colorado population of *Claassenia sabulosa* (Plecoptera: Perlidae). - Ann. Entomol. Soc. Am. 89(2): 290-296.
- ANGRADI, T. R. (1996): Inter-habitat variation in benthic community structure, function, and organic matter storage in 3 Appalachian headwater streams. - J. N. Am. Benthol. Soc. 15: 42-63.
- AUBERT, J., C. E. AUBERT, C. RAVIZZA, E. RAVIZZA-DEMATTEIS (1996): Plecoptera of the canton Tessin and Mesolcina and Calanca valleys (canton of Grisons). - Mitt Schweiz. Entomol. Ges. 69(1): 9-40
- AZZOUZ, M. & A. SÁNCHEZ-ORTEGA (1994): Primera captura de *Leuctra franzi paenibaetica* Sánchez-Ortega y Rogero - Montero, 1993 (Insecta, Plecoptera: Leuctridae) en el norte de Africa. - Graellsia 50:167.
- BAGGE, P. & J. HYNYNEN (1995): Plecopteran communities and annual emergence in five forest streams and two lake outlet streams of central Finland. - Entomol. Fennica 6(2-3): 99-108
- BARTON, D. R. (1996): The use of percent model affinity to assess the effects of agriculture on benthic invertebrate communities in headwater streams of southern Ontario, Canada. - Freshwat. Biol., 36: 397-410.
- BATTEGAZZORE, M., A. GUZZINI, R. PAGNOTTA & R. MARCHETTI (1995): The importance of investigatory and analytical techniques in biological water-quality investigations. - In: HARPER, D. M. & A. J. D. FERGUSON, The Ecological Basis for River Mgmt. Vol. 16 Chichester: John Wiley & Sons, 193-209.
- BAUMANN, RICHARD W. (1996): A Review of the Stonefly Genus *Paranemoura* (Plecoptera: Nemouridae) and a New Species from the Northeast. - Proc. Entomol. Soc. Wash. 98:818-826.

- BAUMANN, RICHARD W. (1996): Three new species of *Amphinemura* (Plecoptera: Nemouridae) from eastern North America. - Entomol. News 107:249-254.
- BAUMANN, R. W. & S.A. GRUBBS (1996): Two new species of *Soyedina* (Plecoptera: Nemouridae) from the Appalachian Mountains. - Entomol. News 107(4): 220-224
- BAUMANN, RICHARD W. AND B. C. KONDRATIEFF. (1996): Plecoptera, pp. 169-174. In: J. E. Llorente Bousquets, A. H. Garcia Aldrete and E. Gonzalez Soriano (eds) Bioversidad, Taxonomia y Biogeografia de Artropods de Mexico. Universidad Nacional Autonoma de Mexico. Mexico, D. F.
- BEHNKE, R. & P. PODRAZA (1996): Auswirkungen von Niederschlagswassereinleitungen der Trennkanalisation auf die Morphologie und Makrozoobenthosbesiedlung von Waldquellbächen [Effects of input of precipitation water from separating sewers on morphology and macrozoobenthic colonization in forest spring streams]. - Deutsche Gesellschaft für Limnologie (DGL) - Tagungsbericht 1995 (Berlin) (Krefeld, 1996), 1: 451-455.
- BIJDE VAATE, A. 1995: Macroinvertebrate communities in the Grensmaas stretch of the River. - J. Freshwat. Ecol. 10: 75-82.
- BÖHME, D. (1994): Notizen zur Ephemeropteren- und Plecopterenfauna des Schmalwassers bei Tambach-Dietharz (Thüringen, Landkreis Gotha) [Notes on the Ephemeroptera- and Plecoptera-fauna of the Schmalwasser at Tambach-Dietharz (Thuringia, Gotha county)]. - Abh. Ber. Mus. Natur Gotha 18: 91-96.
- BÖHME, D. (1996): Wiedernachweis von *Micrasema longulum* McLachlan , 1876 (Insecta, Trichoptera) und *Perla burmeisteriana* (Claasen [sic!], 1936) (Insecta, Plecoptera) in Sachsen-Anhalt.[Rediscovery of *Micrasema longulum* McLachlan , 1876 (Insecta, Trichoptera) and *Perla burmeisteriana* (Claasen [sic!], 1936) (Insecta, Plecoptera) in Sachsen-Anhalt] - Entomol. Nachr. Ber., 40(3): 182-183.
- BRETTFELD, R., R. BELLSTEDT, W. JOOST & W. ZIMMERMANN (1996): Zur Limnofauna des Unterlaufs der Ulster [On the limnofauna of the lower course of the Ulster river]. - Abh. Ber. Mus. Natur Gotha 19: 3-23.
- BRIGHT, E. (1996) A new larval record of *Perlinella drymo* (Plecoptera: Perlidae) from Michigan. - Great Lakes Entomol. 29(1): 39-42
- BROWN, C. A. & J. M. KING (1995): The effects of trout-farm effluents on benthic invertebrate community structure in rivers in the south-western Cape, South Africa. - Southern African J. Aquatic Sci. 21(1-2): 3-21

- BROWN, C. A. (1996): Macroinvertebrate community patterns in relation to physico-chemical parameters measured at two land-based trout farms affecting streams in the south-western Cape, South Africa. - Arch. Hydrobiol. 138: 57-76.
- CAIN, D. J., LUOMA, S. N. & E. V. AXTMANN (1995): Influence of gut content in immature aquatic insects on assessments of environmental metal contamination. - Can. J. Fish. Aquat. Sci. 52(12): 2736-2746
- CAMARGO, J. A. & D. GARCIA DE JALON (1995): Assessing the influence of altitude and temperature on biological monitoring of freshwater quality: A preliminary investigation.. - Environ. Monit. Assess. 35: 227-238.
- CARTER, C. E. & R. B. WOOD (1995): The winter macrobenthos of the Clogh river system, Northern Ireland. - J. Freshwat. Ecol. 10(4): 361-366
- CARTER, J. L., S. V. FEND & S. S. KENNELLY (1996): The relationships among three habitat scales and stream benthic invertebrate community structure. - Freshwat. Biol. 35: 109-124.
- CASTIEN, E. & J. GOSALBEZ 1995: Diet of *Galemys pyrenaicus* (Geoffroy, 1811) in the north of the Iberian Peninsula. - Netherlands J. Zool. 45: 422-430.
- CELLOT, B. (1996): Influence of side-arms on aquatic macroinvertebrate drift in the main channel of a large river. - Freshwat. Biol. 35: 149-164.
- CHARLEBOIS, P. C. & G. A. LAMBERTI (1996): Invading crayfish in a Michigan stream: direct and indirect effects on periphyton and macroinvertebrates. - J. N. Am. Benthol. Soc. 15: 551-563.
- CLEMENTS, W. H. & P. M. KIFFNEY (1995): The influence of elevation on benthic community responses to heavy metals in Rocky Mountain streams. - Can. J. Fish. Aquat. Sci. 52(9): 1966-1977.
- CLINTON, S. M., N. B. GRIMM & S. G. FISHER (1996): Response of a hyporheic invertebrate assemblage to drying disturbance in a desert stream. - J. N. Am. Benthol. Soc. 15: 700-712.
- COLLIER, K. J. 1995: Environmental factors affecting the taxonomic composition of aquatic macroinvertebrate communities in lowland waterways of Northland, New Zealand. - N. Z. J. Mar. Freshwat. Res. 29: 453-465.
- COLLIER, K. J. & B. J. SMITH (1995) Sticky trapping of adult mayflies, stoneflies and caddisflies alongside three contrasting streams near Hamilton, New Zealand. - New Zealand Natur. Sci. 22(0): 1-9

- CREMA, S., U. FERRARESE, D. GOLO, P. MODENA, B. SAMBUGAR & R. GERECKE (1996): Ricerche sulla fauna bentonica ed interstiziale di ambienti sorgentizi in area alpina e prealpina / A research on benthic and interstitial fauna in alpine and pre-alpine springs. - Centro di Ecologia Alpina, Sardagna, Report 8: 1-105 (Italian and English).
- DEATH, R. G. (1996): The effect of patch disturbance on stream invertebrate community structure: the influence of disturbance history. - *Oecologia* 108: 567-576.
- DE-TIEFENAU, P. G. & M. SARTORI (1996): Obituary to Jacques Aubert (1916-1995). - *Mitt Schweiz. Entomol. Ges.* 69(1): 1-8
- DEWALT, R. E. & B. P. STARK (1996): Descriptions of the female, nymph, and variation in male characters of the stonefly *Leuctra szczytkoi* (Plecoptera: Leuctridae). - *Entomol. News* 107(2): 61-67
- DIETERICH, M. (1996): Methods and preliminary results from a study on the habitat function of the gravel bar interior in alluvial floodplains. - *Verhandlungen der Gesellschaft für Ökologie* 26: 363-367; German, English summary.
- DOBSON, M., A. G. HILDREW, S. ORTON & S. J. ORMEROD (1995): Increasing litter retention in moorland streams: Ecological and management aspects of a field experiment. - *Freshwat. Biol.* 33: 325-337.
- DOEG, T. & J. REED (1995): Distribution of the endangered Otway stonefly *Eusthenia nothofagi* Zwick (Plecoptera: Eustheniidae) in the Otway Ranges. - *Proc. Royal. Soc. Victoria* 107: 45-50.
- EGGLETON, M. A., E. L. MORGAN & W. L. PENNINGTON (1996): Effects of liming on an acid-sensitive southern Appalachian stream. - *Restoration Ecol.* 4(3): 247-263
- ENGLUND, G. & T. OLSSON (1996): Treatment effects in a stream fish enclosure experiment: influence of predation rate and prey movements.. - *Oikos* 77: 519-528.
- FEMINELLA, J. W. (1996): Comparison of benthic macroinvertebrate assemblages in small streams along a gradient of flow permanence. - *J. N. Am. Benthol. Soc.* 15: 651-669.
- FJELLHEIM, A. (1996): Distribution of benthic invertebrates in relation to stream flow characteristics in Norwegian River. - *Regul. Rivers: Res. Management* 12(2-3): 263-271
- FJELLHEIM, A. & G. G. RADDUM (1996): Weir building in a regulated west Norwegian river: Long-term dynamics of invertebrates and fish. - *Regul. Rivers: Res. Management* 12(4-5): 501-508

- FOCHETTI, R. & P. NICOLAI (1996): The genus *Taeniopteryx* in Italy: biochemical and morphological data with the description of *Taeniopteryx mercuryi* n. sp. (Plecoptera: Taeniopterygidae). - Mitt Schweiz. Entomol. Ges. 69: 95-106.
- FOCHETTI, R., R. ARGANO, C. BELFIORE, L. MANCINI & G. P. MORETTI (1994): Structure and composition of the macrobenthos of the River Fiora with remarks on its water quality. -- Riv. Idrobiol. 33(1-3): 105-128
- FOLTYN, S., M. SOMMERHÄUSER, & T. TIMM (1996): On mayfly and stonefly fauna of temporary brooks with loess loam substrates in the Kernmünsterland, North Rhine-Westphalia (Insecta: Ephemeroptera, Plecoptera). - Lauterbornia 27: 3-9. (German, Engl. Summary).
- FORE, L.S., J. R. KARR, & R. W. WISEMAN (1996): Assessing invertebrate responses to human activities: evaluating alternative approaches. - J. N. Am. Benthol. Soc. 15:212-231.
- FRANTZ, TED C. AND ALMO J. CORDONE (1996): Observations on the Macrobenthos of Lake Tahoe, California-Nevada. - Cal. Fish and Game 82(1):1-41.
- FROEHLICH, C.G. (1996): Two new species of *Kempnyia* from southern Brazil (Plecoptera: Perlidae). - Mitt Schweiz. Entomol. Ges. 69: 117-120.
- FRUTIGER, A. (1996): Embryogenesis of *Dinocras cephalotes*, *Perla grandis* and *P. marginata* (Plecoptera: Perlidae) in different temperature regimes. - Freshwat. Biol. 36: 497-598.
- GERECKE, R. & G. SABELLA (1996): La fauna delle sorgenti e delle acque correnti [The fauna of springs and running waters]. - Atti del Convegno su "La Fauna dei Iblei" dal' Ente Fauna Siciliana a Noto il 13 e 14 maggio 1995: 175-194.
- GHIONI, C., J. G. BELL & J. R. SARGENT (1996): Polyunsaturated fatty acids in neutral lipids and phospholipids of some freshwater insects. - Comp. Biochem. Physiol. B 114(2): 161-170
- GIBERSON, D. J., A. J. MACINNIS & M. BLANCHARD (1996): Seasonal frequency and positioning of parasitic midges (Chironomidae) on *Pteronarcys biloba* nymphs (Plecoptera: Pteronarcyidae). - J. N. Am. Benthol. Soc. 15: 529-536.
- GIBERSON, D. J. & H. L. GARNETT (1996): Species composition, distribution, and summer emergence phenology of stoneflies (Insecta: Plecoptera) from Catamaran Brook, New Brunswick. - Can J. Zool. 74(7): 1260-1267

- GIRGIN, S. & N. KAZANCI (1994): Researches on Inland Waters of Turkey: I Evaluation of water quality of Ankara Stream using physicochemical and biological parameters. - Published by N. KAZANCI and S. GIRGIN, Ankara 1994; XXIV + 184 pp.; in Turkish, English summary on pp. V-VI.
- GOELDLIN, D.E., P. TIEFENAU & M. SARTORI (1996): In memory of Jacques Aubert (1916-1995). - Bull. de la Soc. Vaudoise des Sci. Naturelles 84(1): 65-72
- GOELDLIN DE TIEFENAU, P. & M. SARTORI (1996): En mémoire de Jacques Aubert (1916-1995). - Mitt Schweiz. Entomol. Ges. 69: 1-8.
- GOSE, K. (1996): Freshwater animals in Kuroda-Tomoari's "The fauna and flora of Kumano in Kii province in 19th century". - Biol. Inland Waters 11: 75-81 (in Japanese).
- GOVEDICH, F., G. OBERLIN & D. W. BLINN (1996): Comparison of channel and hyporheic invertebrate communities in a southwestern USA desert stream. - J. Freshwat. Ecol. 11: 201-209.
- GRAF, W., U. GRASSER & A. WEINZIERL (1995): Plecoptera (Steinfliegen) [Plecoptera (Stoneflies)]. Teil 3A, 4pp.; Teil 3B, 4pp.; Teil 3C, 4pp.; Teil 3D, 4pp.; Teil 3E, pp.5-6. - in MOOG, O. (ed.) Fauna aquatica Austriaca. - Wasserwirtschaftskataster, Bundesministerium f. Land- u. Forstwirtschaft, Wien.
- GRIFFITH, M. B., E. M. BARROWS, S. A. PERRY (1996): Effects of aerial application of diflubenzuron on emergence and flight of adult aquatic insects. - J. Econ. Entomol. 89(2): 442-446
- GRUBAUGH, J. W., J. B. WALLACE & E. S. HOUSTON (1996): Longitudinal changes of macroinvertebrate communities along an Appalachian stream continuum. - Can. J. Fish. Aquat. Sci., 53: 896-909.
- GRUBBS, SCOTT A. (1996): Stoneflies (Plecoptera) of the Powdermill Nature Reserve, Southwestern Pennsylvania. - Entomol. News 107(5): 255-260.
- GRUBBS, S. A. & K. W. CUMMINS (1996): Linkages between riparian forest and shredder voltinism. - Arch. Hydrobiol. 137: 39-58.
- GUKOV, A. YU (1995): Bottom zoocenoses and evaluation of the river Low Kolyma ecological status. - Gidrobiologicheskii Zhurnal 31(4): 10-16
- HALL JR., R. O., C. L. PEREDNEY & J. L. MEYER (1996): The effect of invertebrate consumption on bacterial transport in a mountain stream. - Limnol. Oceanogr. 41: 1180-1187.
- HÄMÄLÄINEN, H. & P. HUTTUNEN (1996): Inferring the minimum pH of streams from macroinvertebrates using weighted averaging regression and calibration. - Freshwat. Biol. 36: 697-709.

- HANDSCHIN, H. (1995): Wiederansiedlungsversuche der Steinfliege (*Dinocras megacephala*) am Hochrhein bei Basel [Attempts to reestablish the stonefly (*Dinocras megacephala*) in the High Rhine at Basel]. - Sandoz-Rheinfonds: 174-176.
- HARDING, J. S. & W. L. CHADDERTON (1995): A new species of *Acroperla* (Plecoptera: Gripopterygidae) from New Zealand. - New Zealand Natur. Sci. 22(0): 11-17
- HARDING, J. S. & M. J. WINTERBOURN (1995): Effects of contrasting land use on physico-chemical conditions and benthic assemblages of streams in a Canterbury (South Island, New Zealand) river system. - N. Z. J. Mar. Freshwat. Res. 29: 479-492.
- HARRIS, S. C., B. C. KONDRATIEFF & B. P. STARK (1996): New records of Ephemeroptera, Plecoptera and Trichoptera from Alabama. - Entomol. News 107(4): 237-242
- HERRMANN, J. & K. FRICK (1995): Do stream invertebrates accumulate aluminum at low pH conditions? - Water Air Soil Pollut. 85: 407-412.
- HILSENHOFF, WILLIAM L. (1996): Effects of a catastrophic flood on the insect fauna of Otter Creek, Sauk County, Wisconsin. - Trans. Wisc. Acad. Sci., Arts and Lett. 84:103-110.
- HOFFMAN, R. L., W. J. LISS, G. L. LARSON, E. K. DEIMLING & G. A. LOMNICKY (1996): Distribution of nearshore macroinvertebrates in lakes of the Northern Cascade Mountains, Washington, USA. - Arch. Hydrobiol. 136(3): 363-389.
- HOGG, I. D. & D. D. WILLIAMS (1996): Response of stream invertebrates to a global-warming thermal regime: An ecosystem-level manipulation. - Ecology 77(2): 395-407.
- HOHMANN, M. (1996): *Capnopsis schilleri* (Rostock 1892) (Plecoptera: Capniidae) found again in Saxony-Anhalt/Germany. - Lauterbornia 27: 41-45 (German, Engl. Summary). #zz
- HOHMANN, M. (1996): Erstnachweis von *Isoptena serricornis* (Pictet 1841) in Sachsen-Anhalt (Plecoptera: Chloroperlidae) [First record of *Isoptena serricornis* (Pictet 1841) in Sachsen-Anhalt (Plecoptera: Chloroperlidae)]. - Lauterbornia 25: 47-52.
- HOLOMUZKI, J. R. (1996): Effects of substrate and predator type on microdistributions and drift of a lotic mayfly. - J. N. Am. Benthol. Soc. 15: 520-528.

- HONEK, A. & F. KOCOUREK (1990): Temperature and development time in insects: a general relationship between thermal constants. - Zool. Jb. Syst. 117: 401-439.
- HURD, M. K., S. A. PERRY & W. B. PERRY (1996): Nontarget effects of a test application of diflufenzuron to the forest canopy on stream macroinvertebrates. - Environ. Toxicol. Chem. 15(8): 1344-1351
- HURYN, A. D. (1996): An appraisal of the Allen paradox in a New Zealand trout stream. - Limnol. Oceanogr. 41: 243-252.
- INADA, K. (1995): *Neoperla* stoneflies from Ibo and Yumesaki rivers. - Tentô mushi (Journal of the Himeji Entomol. Soc.), Special Humber, Himeji, pp. 1-18.
- INADA, K. (1996): Illustrated stonefly adults (Insecta, Plecoptera) of Hyogo Prefecture, Honshu, Japan, Part 1, Peltoperlidae and Perlodidae. - Biol. Inland Waters 11: 45-74 (in Japanese with English summary).
- INADA, K. (1996): Identification of stonefly larvae with two *Paragnetina* species by the abdominal markings (preliminary report), - Hyôgo Freshw. Biol. Sekinomiya 47: 29-35 (in Japanese).
- ISOBE, Y. & S. UCHIDA 1995: SEM observation of mouthparts in Japanese Peltoperlidae (Plecoptera). - Zool. Sci. 12 (Suppl.) 36 pp.
- ITO, T. (1996): A preliminary survey of macroinvertebrates associated with submerged leaves and stems of terrestrial plants in a headwater stream of northern Japan. - Biol. Inland Waters 11: 12-19.
- JACOBI, G. Z. & S. J. CARY (1996): Winter stoneflies (Plecoptera) in seasonal habitats in New Mexico, USA. - J. N. Am. Benthol. Soc. 15: 690-699.
- JENKINS, R. K. B. and S. J. ORMEROD (1996): The influence of a river bird, the dipper (*Cinclus cinclus*), on the behaviour and drift of its invertebrate prey. - Freshwat. Biol. 35: 45-56.
- JOHNSON, J. H. 1995: Diel feeding ecology of three species of aquatic insects. - J. Freshwat. Ecol. 10: 183-188
- JOOST, W. (1996): Zur Kenntnis der Plecoptera - und Trichoptera - Fauna de Emse, einem Bergbach im nordwestlichen Thüringer Wald [To the knowledge of the fauna of Plecoptera and Trichoptera in the Emse, a mountain stream in the northwestern Thuringian Forest]. - Abh. Ber. Mus. Nat. Gotha 19: 74-87.
- KEIPER, J. B. & B. A. FOOTE (1996): A simple rearing chamber for lotic insect larvae. - Hydrobiologia 339: 137-139.
- KERANS, B. L., B. L. PECKARSKY & C. ANDERSON (1995): Estimates of mayfly mortality: Is stonefly predation a significant source? - Oikos 74(2): 315-323

- KIFFNEY, P. M. (1996): Main and interactive effects of invertebrate density, predation, and metals on a Rocky Mountain stream macroinvertebrate community. - *Can. J. Fish. Aquat. Sci.* 53: 1595-1601.
- KIFFNEY, P. M. & W. H. CLEMENTS (1996): Size-dependent response of macroinvertebrates to metals in experimental streams. - *Environ. Toxicol. Chem.* 15(8): 1352-1356
- KNISPEL, S. (1996): Aquatic fauna of the region of Geneva. VI. Plecoptera (Insecta). - *Mitt Schweiz. Entomol. Ges.* 69(1): 41-56
- KOETSIER, P. & C. F. BRYAN 1995: Effects of abiotic factors on macroinvertebrate drift in the lower Mississippi River, Louisiana. - *Amer. Midland Natur.* 134: 63-74.
- KONDRATIEFF, B. C. & R. F. KIRCHNER (1996): Two new species of *Hansonoperla* (Plecoptera: Perlidae) from eastern North America. - *Ann. Entomol. Soc. Am.* 89(4): 501-509.
- KRATZ, K. W. (1996): Effects of stoneflies on local prey populations: Mechanisms of impact across prey density. - *Ecology (Washington D C)* 77(5): 1573-1585
- KUERY, D. (1994): Die Wirbellosenfauna der Fliessgewässer in der Region Basel [The invertebrate fauna of the running waters in the region of Basel]. - *Verh. Naturforsch. Ges. Basel* 104: 19-44.
- KUUSELA, K. & A. HUUSKO (1996): Post-emergence migration of stoneflies (Plecoptera) into the nearby forest. - *Ecol. Entomol.* 21(2): 171-177
- LANCASTER, J. (1996): Scaling the effects of predation and disturbance in a patchy environment. - *Oecologia*, 107: 321-331.
- LANCASTER, J., A. G. HILDREW & C. GJERLOV (1996): Invertebrate drift and longitudinal transport processes in streams. - *Can. J. Fish. Aquat. Sci.* 53 (3): 572-582.
- LANCASTER, J., M. REAL, S. JUGGINS, D. T. MONTEITH, R. J. FLOWER & W. R. C. BEAUMONT (1996): Monitoring temporal changes in the biology of acid waters. - *Freshwat. Biol.* 36: 179-201.
- LARSEN, J., H. J. B. BIRKS, G. G. RADDUM & A. FJELLHEIM, A. (1996): Quantitative relationships of invertebrates to pH in Norwegian river systems. - *Hydrobiologia*, 328: 57-74.
- LICHTWARDT, R. W. & R. W. LICHTWARDT (1995): Biogeography and fungal systematics. - *Can. J. Bot./Rev. Can. Bot. Suppl.* 73: 731-737.
- LOWELL, R. B., J. M. CULP & F. J. WRONA 1995: Toxicity testing with artificial streams - effects of differences in current velocity. - *Environ. Toxicol. Chem.* 14: 1209-1217.

- LUBINI, V., S. KNISPEL, P. LANDOLT & M. SARTORI (1996): Geographical distribution of mayflies and stoneflies (Insecta: Ephemeroptera, Plecoptera) in Switzerland - preliminary results. - Mitt Schweiz. Entomol. Ges. 69: 127-133.
- MARTEN, M., MALZACHER, P., REUSCH, H., OTTO, C.-J., BRINKMANN, P., HACKBARTH, W. & GORKA, M. (1996): Ephemeroptera and Plecoptera in Baden-Württemberg/Germany - state of faunistical investigation. - Lauterbornia 27: 41-45 (German, Engl. Summary).
- MARTEN, M. (1996): Das Makrozoobenthos der oberen Donau, Arteninventar, Erfassungsstand, Längszonierung und saprobiologische Auswertungen [The macrozoobenthos of the upper Danube, species inventory, state of coverage and saprobiological evaluations]. - Deutsche Gesellschaft für Limnologie (DGL) - Tagungsbericht 1995 (Berlin) (Krefeld, 1996), 2: 582-586.
- MATHOOKO, J. M. (1996): Rainbow trout (*Oncorhynchus mykiss* Walbaum) as a potential natural "Drift Sampler" in a tropical lotic ecosystem. - Limnologica 26(3): 245-254.
- MATTHAEI, C. D., U. UEHLINGER, E. I. MEYER & A. FRUTIGER (1996): Recolonization by benthic invertebrates after experimental disturbance in a Swiss prealpine river. - Freshwat. Biol. 35(2): 233-248.
- MATTSON, R.A., J. H. EPLER, M. K. HEIN (1995): Description of benthic communities in Karst, spring-fed streams of north central Florida. - J. Kans. Entomol. Soc. 68(2) suppl.: 18-41.
- MCLELLAN, I. D (1996): A revision of *Stenoperla* (Plecoptera: Eustheniidae) and removal of Australian species to *Cosmioperla* new genus. - New Zealand J. Zool. 23(2): 165-182
- MCLELLAN, I. D. & P. ZWICK (1996): *Austronemoura auberti* new species and other new Chilean Notonemouridae (Plecoptera). - Mitt Schweiz. Entomol. Ges. 69: 107-115.
- MEEGAN, S. G., S. A. PERRY & W. B. PERRY (1996): Detrital processing in streams exposed to acidic precipitation in the Central Appalachian Mountains. - Hydrobiologia 229: 101-110.
- MEINEL, W., J. GRONOSTAY & I. SIEGMUND (1996): Über die Wiederbesiedlung durch Wasserinsekten in der ehemals säuregeschädigten Nieste/Fulda (Hessen) [On recolonization by water insects of the formerly acid-damaged rivers Nieste/Fulda]. - Lauterbornia 25: 31-40.
- MILLER, A. M. & S. W. GOLLADAY (1996): Effects of spates and drying on macroinvertebrate assemblages of an intermittent and a perennial prairie stream. - J. N. Am. Benthol. Soc. 15: 670-689.
- MISERENDINO, M. L. (1995): Species composition and distribution of macrozoobenthos in lotic andean-patagonic system. - Ecologia Austral. 5(2): 133-142

- MOOG, O. & U. GRASSER (1992): Makrozoobenthos-Zönosen als Indikatoren der Gewässergüte und ökologischen Funktionsfähigkeit der Unteren Traun [Macrozoobenthic coenoses as indicators of water quality and ecological functionality in the Lower Traun].- Kataloge des OÖ. Landesmuseums N. F. 54: 109-158.
- NAGASHIMA, T. & V. B. MEYER-ROCHOW (1995): Ommatidial structure of the adult stonefly, *Oyamia lugubris* (McLachlan) (Plecoptera: Perlidae). - Jap. J. Entomol., 63: 503-514.
- NELSON, C. H. (1996): Analysis of Plecopteran assemblages along an altitudinal gradient in the Great Smoky Mountains, Tennessee. - J. Tenn. Acad. of Sci. 71(2): 29-35
- NELSON, C. H. (1996): Placement of *Helopicus rickeri* Stark in *Hydroperla* Frison (Plecoptera: Perlodidae) with the description of the adult female nymph, and egg and a cladistic analysis of *Hydroperla*. - Proc. Entomol. Soc. Wash. 98: 237-244.
- NELSON, S. M. & R. A. ROLINE (1996): Recovery of a stream macroinvertebrate community from mine drainage disturbance. - Hydrobiologia 339: 73-84
- OTTO, C. L. & R. BRINKMANN (1996): Selected mayfly (Ephemeroptera) and stonefly-species (Plecoptera) from running waters in Baden-Württemberg/Germany. - Lauterbornia 27: 69-79 (German, Engl. Summary).
- PALMER, T. M. 1995: The influence of spatial heterogeneity on the behavior and growth of two herbivorous stream insects. - Oecologia 104: 476-486.
- PAPACEK, M. & T. SOLDAN (1995): The findings of aquatic insects (Ephemeroptera, Odonata, Plecoptera, Heteroptera: Nepomorpha) of the Sumava Mountains important from the biogeographical point of view. - Klapalekiana 31: 41-51.
- PAPE, S. & P. RASCH (1996): Der Einfluß kommunaler Abwässer auf die benthische Besiedlung und längszonale Gliederung eines Fließgewässers am Beispiel der "Düte" im Kreis Osnabrück (Niedersachsen) [The influence of communal waste water on the benthic colonization and longitudinal zonation of a running water as exemplified by the "Düte" in Osnabrück county (Lower Saxony)]. - Deutsche Gesellschaft für Limnologie (DGL) - Tagungsbericht 1995 (Berlin) (Krefeld, 1996), 2: 493-497.
- PECKARSKY, B. L. (1996): Alternative predator avoidance syndromes of stream-dwelling mayfly larvae. - Ecology (Washington DC) 77: 1888-1905.

- POTIKHA, E. V. & L. A. ZHILTZOVA (1996): On the fauna and ecology of stoneflies (Plecoptera) of the Sikhote-Alinski Biosphere Reserve. - Entomologitscheskoje Obozrenie [Entomological Review] 75(3): 567-573 (in Russian).
- PRAVOSUDOV, V. V., E. V. PRAVOSUDOVA & E. Y. ZIMIREVA (1996): The diet of nestling Eurasian nuthatches. - J. Field Ornithol. 67(1): 114-118
- PRITCHARD, G. HARDER, L. D. & R. A. MUTCH (1996): Development of aquatic insect eggs in relation to temperature and strategies for dealing with different thermal environments. - Biol. J. Linnean Soc. 58(2): 221-244.
- RHODES, H. A. & B. C. KONDRATIEFF (1996): Annotated list of the stoneflies (Plecoptera) of western Nebraska, U.S.A. - J. Kans. Entomol. Soc. 69(2): 191-198
- ROPERO, J. M., M.P. PEÑA & A. SANCHEZ-ORTEGA (1995): Faunistics and phenology of Plecoptera in Southern Spain (Province of Cádiz). - Boln. Asoc. esp. Ent. 19(3-4): 149-162 (Spanish, English summary)
- ROSCISZEWSKA, E. (1996): Egg capsule structure of the stonefly *Protonemura intricata* (Ris 1902) (Plecoptera: Nemouridae). - Acta Biologica Cracoviensa, Ser. Zool., 38: 41-48, plate 7.
- ROWE, J. M., S. K. MEEGAN, E. S. ENGSTROM, S. A. PERRY & W. B. PERRY (1996): Comparison of leaf processing rates under different temperature regimes in three headwater streams. - Freshwat. Biol. 36: 277-288.
- SABARTH, A. (1996): Sedimentdynamik naturnaher Fließgewässer - Wie reagiert die aquatische Biozönose ? [Sediment dynamics of near-to-natural running waters - How is the biocoenosis reacting ?]. - Deutsche Gesellschaft für Limnologie (DGL) - Tagungsbericht 1995 (Berlin) (Krefeld, 1996), 2: 607-611.
- SANCHEZ-ORTEGA, A. & J. M. TIERNO (1996): Current situation of stonefly fauna (Insecta: Plecoptera) in the Iberian Peninsula and the Balearic Islands. - Mitt Schweiz. Entomol. Ges. 69: 77-94.
- SARTORI, M. & L. RUFFIEUX (1996): On the occurrence of *Leuctra geniculata* Stephens, 1835 in Switzerland (Plecoptera, Leuctridae). - Mitt Schweiz. Entomol. Ges. 69(1): 57-60
- SARTORI, M., D. ZABRIC & B. JANN (1996): On three mayfly species new for the Swiss fauna (Ephemeroptera, Baetidae, Leptophlebiidae). - Mitt Schweiz. Entomol. Ges. 69(1): 135-139
- SCHLEUTER, D. (1996): Das Makrozoobenthos der Mosel als Indikator für die ökologische Situation [The macrozoobenthos of the Mosel as an indicator of the ecological situation]. - Deutsche Gesellschaft für Limnologie (DGL) - Tagungsbericht 1995 (Berlin) (Krefeld, 1996), 2: 612-616.

- SCHMID-ARAYA, J. M. & P. E. SCHMID (1995): Preliminary results on diet of stream invertebrate species: the meiofaunal assemblages. - Jber. Biol. Stn. Lunz 15: 23-31.
- SCHMID-ARAYA, J. M. & P. E. SCHMID (1995): The invertebrate species of a gravel stream. - Jber. Biol. Stn. Lunz 15: 11-21.
- SCHULDZ, J. A. & A. E. HERSHEY (1995): Effect of salmon carcass decomposition on Lake Superior tributary streams. - J. N. Am. Benthol. Soc. 14: 259-268.
- SHAFFER, L. R. & J. V. ROBINSON (1996): Do damselfly larvae recognize and differentially respond to distinct categories of macroinvertebrates? - J. Insect Behav. 9(3): 407-419
- SHIMIZU, T. (1996): A contribution to the knowledge of the family Nemouridae from East Asia (Insecta, Plecoptera). - PhD thesis, Tokyo Univ. of Agricul., 303 pp.
- SHUBINA, V. N. & V. G. MARTYNOV (1990): Drift of benthic invertebrates in the salmon rivers of the European north of the USSR in the cover period. - Hydrobiol. J. 26: 27-31 (in Russian).
- SIMMONS, K. R. & K. DOYLE (1996): Limestone treatment of Whetstone Brook, Massachusetts: III. Changes in the invertebrate fauna. - Restoration Ecol. 4(3): 284-292
- SIVEC, I. & A. ZHILTOVA (1996): Description of *Neoperla ussurica* sp.n. from the Russian Far East (Plecoptera: Perlidae).- Acta Entomol. Sloven. 4(1): 13-18.
- SMOCK, L. A. & S. B. GAZZERA (1996): Effects of experimental episodic acidification on a southeastern USA blackwater stream. - J. Freshwat. Ecol. 11(1): 81-90
- STARK, B. P. (1996): New species of *Macrogynoplax* (Insecta: Plecoptera: Perlidae) from Peru and Guyana. -- Proc. Biol. Soc. Wash. 109(2): 318-325
- TAVARES-CROMAR, A. F. & D. D. WILLIAMS (1996): The importance of temporal resolution in food web analysis: evidence from a detritus based stream. -- Ecological Monographs 66: 91-113.
- TIERNO, J. M. & A. SANCHEZ-ORTEGA (1994): On the spatial and temporal distribution of *Isoperla nevada*. Aubert, 1952 (Insecta: Plecoptera). - Zool. baetica 5:107-112.
- TIERNO, J. M. & A. SANCHEZ-ORTEGA (1995): Contribution to the knowledge of the fauna of stoneflies (Insecta: Plecoptera) from Extremadura. - Zool. baetica 6: 149-156 (Spanish, Engl. summary).

- TIERNO, J. M. & A. SANCHEZ-ORTEGA (1996): Revisión de la distribución y el estado de conservación de la fauna de Plecópteros (Insecta; Plecoptera) de los sistemas montañosos Andaluces, con especial referencia a Sierra Nevada [Revision of the distribution and the state of conservation of the stonefly fauna (Insecta; Plecoptera) of the Andalusian mountain systems, with special reference to the Sierra Nevada]. - In J. CHACÓN & J. L. ROSUA (eds), Actas 1a Conferencia Internacional Sierra Nevada: Conservación y desarrollo sostenible, III: 69-74.
- TIERNO DE FIGUEROA, J. M. & A. SANCHEZ-ORTEGA (1995): Confirmación de la presencia de *Leuctra alticola* Despax, 1929 en España (Plecoptera: Leuctridae) [Confirmation of the presence of *Leuctra alticola* Despax, 1929 in Spain (Plecoptera: Leuctridae)]. - Boln. Asoc. esp. Entomol. 20(1-2): 254.
- TIERNO DE FIGUEROA, J. M. & A. SANCHEZ-ORTEGA (1995): New records of stoneflies (Insecta, Plecoptera) from Spanish Pyrenees. - Boletín de la Asociación Española de Entomología 19(3-4): 194-195
- TIERNO DE FIGUEROA, J. M. & A. SANCHEZ-ORTEGA (1995): Nuevas citas de Plecópteros (Insecta, Plecoptera) en el Pirineo español [New records of stoneflies (Insecta, Plecoptera) in the Spanish Pyrenees]. - Boln. Asoc. esp. Entomol. 19(3-4): 194-195.
- TIKKANEN, P. (1995): Predator-Prey relations in northern streams: Field patterns and behavioural mechanisms. - Acta Universitatis Ouluensis Series A Scientiae Rerum Naturalium 0(270): 1-32
- TURNER, T. S., J. L. PITTMAN, M. E. POSTON, R. L. PETERSEN, M. MACKENZIE, C. H. NELSON & R. M. DUFFIELD (1996): An unusual occurrence in West Virginia of stoneflies (Plecoptera) in the Pitcher-Plant, *Sarracenia purpurea* L. (Sarraceniaceae). - Proc. Entomol. Soc. Wash. 98: 119-121.
- VELTMAN, C. J., K. J. COLLIER, I. M. HENDERSON, L. NEWTON (1995): Foraging ecology of blue ducks *Hymenolaimus malacorhynchos* on a New Zealand river: Implications for conservation. - Biol. Conserv. 74(3): 187-194.
- VENTURA, M. & D. HARPER (1996): The impacts of acid precipitation mediated by geology and forestry upon upland stream invertebrate communities. - Arch. Hydrobiol. 138: 161-173.
- VINÇON, G. (1996): Stoneflies of the French Alps (Plecoptera). - Mitt Schweiz. Entomol. Ges. 69(1): 61-75
- VINÇON, G. & C. RAVIZZA (1996): Two new *Leuctra* species in the *inermis* group: *L. garumna* from the Pyrenees and *L. ameliae* from the Western Alps (Insecta, Plecoptera). - Aquat. Insects 18(3): 149-156.

- WALLACE, J. B., J. W. GRUBAUGH & M. R. WHILES (1996): Biotic indices and stream ecosystem processes: Results from an experimental study. - *Ecol. Appl.* 6: 140-151.
- WARINGER, J. A. (1996): Phenology and abundance of Ephemeroptera, Plecoptera and Trichoptera caught by emergence traps at the Weidlingbach near Vienna, Austria. - *Int. Revue ges. Hydrobiol.* 81: 63-77.
- WICHARD, W. & W. WEITSCHAT (1996): Wasserinsekten im Bernstein [Water insects in amber]. - *Entomol. Mitt.Löbbecke-Museum + Aquazoo, Beiheft 4*: 1-122 (Düsseldorf).
- WILLIAMS, D. D. (1996): Environmental constraints in temporary fresh waters and their consequences for the insect fauna. - *J. N. Am. Benthol. Soc.* 15: 634-650.
- WILLIAMS, D. D., L. G. AMBROSE & L. N. BROWNING (1995): Trophic dynamics of two sympatric species of riparian spider (Araneae: Tetragnathidae). - *Can. J. Zool.* 73(8): 1545-1553
- WILLIAMS, D. D. & M. R. SMITH (1996): Colonization dynamics of river benthos in response to local changes in bed characteristics. - *Freshwat. Biol.* 36: 237-248.
- WOHL, D. L., J. B. WALLACE & J. L. MEYER (1995): Benthic macroinvertebrate community structure, function and production with respect to habitat type, reach and drainage basin in the southern Appalachians (U.S.A.). - *Freshwat. Biol.* 34: 447-464.
- WRIGHT, J. F. (1995): Development and use of a system for predicting the macroinvertebrate fauna in flowing waters. - *Aust. J. Ecol.* 20: 181-197.
- YANG, Chi-Kun & YANG, D. - 1994. Two new species of *Rhopalopsale* (Plecoptera: Leuctridae) from Shaanxi. - *Entomotaxonomia*, 16: 189-191.
- YANOVIK, S. P. & W. P. McCAFFERTY (1996): Comparison of macroinvertebrate assemblages inhabiting pristine streams in the Huron Mountains of Michigan, USA. - *Hydrobiologia*, 330: 195-211.
- ZAHN, S. & R. KNÖSCHE (1996): Die Entwicklung der Makrozoobenthon-Besiedlung in der Mittel-Elbe und ihre Beziehung zur fischereilichen Ertragsfähigkeit [The development of macrozoobenthic colonization in the middle Elbe and its relation to fish yield capacity]. - *Deutsche Gesellschaft für Limnologie (DGL), Tagungsbericht 1995 (Berlin)*: 440-445.

- ZANETELL, B. A. & B. L. PECKARSKY (1996): Stoneflies as ecological engineers - hungry predators reduce fine sediments in stream beds. - *Freshwat. Biol.* 36: 569-577.
- ZHILTZOVA, L. A. (1993): [Order stoneflies - Plecoptera]. - *Nasekomie Usbekistana [Insects of Usbekistan]*, Akademia Nauk Respubliki Usbekistan, Taschkent: 28-33.
- ZHILTZOVA, L. A. & P. ZWICK (1993): On the genus *Kyphopteryx* Kimmins (Plecoptera: Taeniopterygidae). - *Aquat. Insects* 15(4): 193-198.
- ZIEMANN, H. (1994): Steinfliegen (Insecta, Plecoptera) aus der Zahmen und Wilden Gera (Thüringer Wald) [Stoneflies (Insecta, Plecoptera) from the Tame and Wild Gera Rivers (Thuringian Forest)]. - *Abh. Ber. Mus. Natur Gotha* 18: 82-90.
- ZWICK, P. (1996a): Variable egg development of *Dinocras* spp. (Ins.: Plecoptera, Perlidae) and the stonefly seed-bank-theory. - *Freshwat. Biol.* 35: 81-100.
- ZWICK, P. (1996b): Notes on Plecoptera (21): Male and Larva of *Protonemura cressa*. - *Aquat. Insects* 18: 128.
- ZWICK, P. (1996c): Capacity of discontinuous egg development and its importance for the geographic distribution of the warm water stenotherm, *Dinocras cephalotes* (Insecta: Plecoptera: Perlidae). - *Annl. Limnol.* 32(3): 147-160.