

## RECENT PLECOPTERA LITERATURE (CALENDAR YEAR 1999 AND EARLIER)

Note: Unless otherwise indicated, references are to the original title in the language in which the body of the article is written. If titles are given in two languages separated by a slash, the translated title was provided by the author(s) and there is also an abstract in that same language. If the second title is in English but appears in square brackets, an editorial translation of the title was included for the convenience of readers of PERLA, but there is no English abstract.

- AAGAARD, P. (1998): The stonefly *Perlodes microcephala* (Pictet, 1833) (Plecoptera): increased distribution in River Stora, Western Jutland, Denmark. — *Flora Fauna* 104: 35-40. In Danish.
- ALFORD, M.H. (1998): New records of *Allocapnia* (Plecoptera: Capniidae) from Mississippi and Louisiana. — *Entomol. News* 109: 183-188.
- ALEXANDER, K.D.; STEWART, K.W. (1999): Revision of the genus *Suwallia* Ricker (Plecoptera: Chloroperlidae). — *Trans Amer. Entomol. Soc.* 125: 185-250.
- ANGRADI, T.R. (1999): Fine sediment and macroinvertebrate assemblages in Appalachian streams: a field experiment with biomonitoring applications. — *J. N. Am. Benthol. Soc.* 18: 49-66.
- ARTO, H. (1998): Antipredator behavior of lotic insects: responses to fish and invertebrate predators. — *Acta Univ. Ouluensis Scient. Rerum Natur.* 317
- BAKER, S.C.; SHARP, H.F. Jr. (1998): Evaluation of the recovery of a polluted urban stream using the Ephemeroptera - Plecoptera - Trichoptera index. — *J. Freshw. Ecol.* 13: 229-234.
- BARUAH, B.K.; TALUKDAR, S.; BORTHAKUR, C.R. (1998): Limnological studies of ponds in relation to pisciculture. — *Environment Ecol.* 16: 518-522.
- BAUMANN, R.W.; JACOBI, G.Z. (1998): Arden R. Gaufin, 1911-1997: Obituary and list of publications. — *Gt Basin Natur.* 58: 192-197.
- BENKE, A.C.; HURYN, A.D.; SMOCK, L.A.; WALLACE, J.B. (1999): Length-mass relationships for freshwater macroinvertebrates in North America with particular reference to the southeastern United States — *J. N. Am. Benthol. Soc.* 18: 308-343.

- BERGER, T.; KLIMA, M.; ROTHE, U. (2000): Bemerkenswerte Eintags- und Steinfliegenfunde (Insecta: Ephemeroptera, Plecoptera) in Brandenburg – Eine aktualisierte Checkliste. / Remarkable records of Ephemeroptera and Plecoptera in Brandenburg/Germany – an updated checklist. — *Lauterbornia* 37 (1999): 187-197. [published 12 Febr. 2000].
- BERGLIND, S.A. (1999): Naturally rare, threatened, or overlooked? *Semblis phalaenoides* and *S. atrata* (Trichoptera: Phryganeidae) in Sweden. — *Entomologisk Tidskrift* 120: 1-16.
- BRINKMANN, R.; OTTO, C.-J. (2000): Untersuchungen zur Litoralfauna schleswig-holsteinischer Seen – Teil II: Eintagsfliegen und Steinfliegen (Ephemeroptera et Plecoptera). / Investigations on the littoral fauna from lakes in Schleswig-Holstein (Germany) – Part II: Ephemeroptera and Plecoptera. — *Lauterbornia* 37 (1999): 237-246. [published 12 Febr. 2000].
- BRINKMANN, R.; REUSCH, H. (1998): Notes on the distribution of all known species of Ephemeroptera and Plecoptera (Insecta) in the lowland of North Germany from different biotopes. — *Braun. Naturk. Schrif.* 5: 531-540.
- BRUNKE, M.; GONSER, T. (1999): Hyporheic invertebrates - the clinal nature of interstitial communities structured by hydrological exchange and environmental gradients. — *J. N. Am. Benthol. Soc.* 18: 344-362.
- BUCKTON, S.T.; BREWIN, P.A.; LEWIS, A.; STEVENS, P.; ORMEROD, S.J. (1998): The distribution of dippers, *Cinclus cinclus* (L.), in the acid-sensitive region of Wales. — *Freshw. Biol.* 39: 387-396.
- CEREGHINO, R.; LAVANDIER, P. (1998): Influence of hydropeaking on the distribution and larval development of the Plecoptera from a mountain stream. — *Reg. Rivers Res. Mgmt.* 14: 297-309.
- CHINO, Y. (1999): A new species of the genus *Skwala* Ricker from central Japan (Nagano Pref.) (Plecoptera: Perlodidae). — *Aquatic Insects* 21: 161-167.
- CLEMENTS, W.H. (1999): Metal tolerance and predator-prey interactions in benthic macroinvertebrate stream communities. — *Ecol. Applic.* 9: 1073-1084.
- COLLIER, K.J.; WILCOCK, R.J.; MEREDITH, A.S. (1998): Influence of substrate type and physico-chemical conditions on macroinvertebrate faunas and biotic indices of some lowland Waikato New Zealand, streams. — *N.Z.J. Mar. and Freshw. Res.* 32: 1-19.
- COURTNEY, L.A.; CLEMENTS, W.H. (1998): Effects of acidic pH on benthic macroinvertebrate communities in stream microcosms. — *Hydrobiologia* 379: 135-145.
- DAHL, J. (1998): Effects of a benthivorous and a drift-feeding fish on a benthic stream assemblage. — *Oecologia* 116: 426-432.
- DAHL, J. (1998): The impact of vertebrate and invertebrate predators on a stream benthic community. — *Oecologia* 117: 217-226.

- DAHL, J.; GREENBERG L. (1999): Effects of prey dispersal on predator-prey interactions in streams. — *Freshwat. Biol.* 41: 771-780.
- DANGLES, O.; GUÉROLD, F. (1998): A comparative study of beech leaf breakdown, energetic content, and associated fauna in acidic and non-acidic streams. — *Arch. Hydrobiol.* 144: 25-39.
- DANGLES, O.; GUÉROLD, F. (1999): Impact of headwater stream acidification on the trophic structure of macroinvertebrate communities. — *Internat. Rev. Hydrobiol.* 84: 287-297.
- DEJONG, H. (1998): In search of historical biogeographic pattern in the western Mediterranean terrestrial fauna. — *Biol. J. Linn. Soc.* 65: 99-164.
- DICKMAN, M.; RYGIEL, G. (1998): Municipal landfill impacts on a natural stream located in an urban wetland in regional Niagara, Ontario. — *Can. Field Natur.* 112: 619-630.
- DINIZ-FILHO, J.A.F.; OLIVEIRA, L.G.; SILVA, M.M. (1998): Explaining the beta diversity of aquatic insects in "Cerrado" streams from central Brazil using multiple Mantel test. — *Rev. Brasil. Biol.* 58: 223-231.
- DORN, A.; WEINZIERL, A. (1999): Nochmals: Stein- und Koecherfliegen-Nachweise entlang der Muenchener Isar (Insecta: Plecoptera, Trichoptera). [Again: Records of stoneflies and caddisflies along the river Isar in Munich (Insecta: Plecoptera, Trichoptera)]. — *Lauterbornia* 36: 3-7.
- DORVILLÉ, L.F.M.; FROEHLICH, C.G. (1999): Additional characters to distinguish the nymphs of the perlid genera from southeastern Brazil (Insecta, Plecoptera) — *Aquatic Insects* 21: 281-284.
- DOSDALL, L.M.; PARKER, D.W. (1998): First report of a symphoretic association between *Nanocladius branchicolus* Saether (Diptera: Chironomidae) and *Argia moesta* (Hagen) (Odonata: Coenagrionidae). — *Amer. Midl. Natur.* 139: 181-185.
- DU, Y.; CHOU, I. (1999): Notes on Chinese species of the genus *Togoperla* Klapálek (Plecoptera: Perlidae: Perlinae). — *Entomotaxonomia* 21: 1-8. Chinese, English summary.
- DU, Y.; HE, J.; MA, Y. (1999): A preliminary study of the distribution of the family Perlidae (Plecoptera: Perloidea). — *Zool. Res.* 20: 189-195.
- DU, Y.; SIVEC, I.; HE, J. (1999): A checklist of the Chinese species of the family Perlidae (Plecoptera: Perloidea). — *Acta Entomol. Slovenica* 7(1): 59-67.
- DUCET, R.R.; GIBERSON, D.J.; POWER, G. (1999): Parasitic association of *Nanocladius* (Diptera: Chironomidae) and *Pteronarcys biloba* (Plecoptera: Pteronarcyidae): insights from stable-isotope analysis. — *J. N. Am. Benthol. Soc.* 18(4): 514-521.

- DUDGEON, D. (1999): Tropical Asian streams zoobenthos, ecology and conservation. — Hong Kong University Press, 830 pp., ISBN 962 209 469 4.
- DUDGEON, D. (1999): Indiscriminate feeding by a predatory stonefly (Plecoptera: Perlidae) in a tropical Asian stream. — *Aquatic Insects* 22: 39-47.
- EHMANN, H.; KUGELSTADT, C.; WERDING, B. (1999): Neue Funde von *Leuctra geniculata*, *Leuctra fusca* und *Perlodes microcephalus* (Plecoptera) an der Lahn. / New records of *Leuctra geniculata*, *Leuctra fusca* and *Perlodes microcephalus* (Plecoptera) in the river Lahn (Hesse, Germany). — *Lauterbornia* 36: 43-44.
- EISENDLE, U.; WARINGER, J. (1999): Faunistik und Phaenologie der Ephemeroptera, Plecoptera und Trichoptera eines Flysch-Wienerwaldbaches (Weidlingbach, Niederoesterreich) / Phenology of mayflies, stoneflies and caddisflies in a small sandstone brook of the Wienerwald area (Weidlingbach, Niederoesterreich). — *Lauterbornia* 35: 21-31.
- ELEXOVA, E. (1998): Interaction of the Danube river and its left side tributaries in Slovak stretch from benthic fauna point of view. — *Biologia (Bratislava)* 53: 621-632.
- FESL, C.; HUMPECH, U.H.; ANSCHAUER, A. (1999): The relationship between habitat structure and biodiversity of the macrozoobenthos in the free-flowing section of the Danube in Austria – east of Vienna (preliminary results). — *Arch. Hydrobiol., Suppl.* 115 (Large Rivers 11): 349-374.
- FIALKOWSKI, W.; ROSCISZEWSKA, E. (1994): Morphology of a freshly hatched larva of stonefly *Perla pallida* Guérin, 1838 (Plecoptera : Perlidae). — *Acta Biol. Cracoviensia*.
- FLORY, E.A.; MILNER, A.M. (1999): Influence of riparian vegetation on invertebrate assemblages in a recently formed stream in Glacier Bay National Park, Alaska. — *J. N. Am. Benthol. Soc.* 18: 261-273.
- FONTAN, B.; BRULIN, M.; MASSELOT, G. (1999): Redécouverte de *Neophemera maxima* (Joly, 1870) pour la France [Ephemeroptera: Neophemeridae]. / Rediscovery of *Neophemera maxima* (Joly, 1870) for the Ephemeroptera fauna of France [Ephemeroptera: Neophemeridae]. — *Ephemera* 1: 31-34.
- FRIBERG, N.; LARSEN, S.E. (1998): Microhabitat selection by stream invertebrates: importance of detritus aggregations. — *Verh. Internat. Verein. Limnol.* 26: 1016-1020.
- FRITZ, K.M.; DODDS, W.K.; PONTIUS, J. (1999): The effects of bison crossings on the macroinvertebrate community in a tallgrass prairie stream. — *Amer. Midl Natur.* 141: 253-265.
- FROEHLICH, C.G. (1999): Seven new species of *Tupiperla* (Plecoptera: Gripopterygidae) from Brazil, with a revision of the genus. — *Stud. Neotrop. Fauna Environm.* 33: 19-36.

- GARCÍA AVILÉS, J. (1990): Insectos acuáticos de Baleares (Odonata, Ephemeroptera, Heteroptera, Plecoptera, Coleoptera). — Ph.D. thesis, Biological Sciences, University Complutense de Madrid.
- GARCIA, C.F.; TOME, A.; VEGA, F.J.; ANTOLIN, C. (1999): Performance of some diversity and biotic indices in rivers affected by coal mining in northwestern Spain. — *Hydrobiologia*. 394: 209-217.
- GENITO, D.; KERANS, B.L. (1999): Effects of a diverse prey assemblage on stonefly feeding. — *J. Freshw. Ecol.* 14: 219-231.
- GRAF, W.; WEINZIERL, A. (2000): Bemerkenswerte Arten der *Leuctra prima*-Untergruppe (Insecta: Plecoptera) aus den Ostalpen. / Remarkable species of the *Leuctra prima*-subgroup (Insecta: Plecoptera) from the Eastern Alps. — *Lauterbornia* 37 (1999): 31-34. [published 12 Febr. 2000].
- GRAF, W. (2000): Check-Liste der Steinfliegen (Insecta: Plecoptera) Oesterreichs. / Checklist of Plecoptera (Insecta: Plecoptera) from Austria. — *Lauterbornia* 37 (1999): 35-46. [published 12 Febr. 2000].
- GUKOV, A.YU. (1995): [Bottom zoocoenoses and estimation of the environmental condition of the Lower Kolyma River (Far East)]. — *Hydrobiol. Zh.* 31: 10-16. In Russian.
- GUMIERO, B.; SALMOIRAGHI, G. (1998): Influence of an impoundment on benthic macroinvertebrate habit utilization. — *Verh. Internat. Verein. Limnol.* 26: 2063-2069.
- HAASE, P.; REUSCH, H. (2000): Die Eintags- und Steinfliegenfauna Niedersachsens (Insecta: Ephemeroptera et Plecoptera). / The mayfly and stonefly fauna of Lower Saxony (Insecta: Ephemeroptera et Plecoptera). — *Lauterbornia* 37 (1999): 177-186. [published 12 Febr. 2000].
- HAASE, P. (1999): Zoozoenosen, Chemismus und Struktur regionaler Bachtypen im niedersaechsischen und hessischen Bergland [Zoozoenoses, chemistry and structure of regional stream types in Lower Saxonian and Hessian foothills]. — *Oekologie und Umweltsicherung* 18: X + 158 pp., 17 pp. in appendix.
- HAM-SOON, A.; LEE-JONG, B. (1998): *Nemoura gemma*, a new species of the Nemouridae (Insecta: Plecoptera) from Korea. — *Korean J. Syst. Zool.* 14: 357-360.
- HAM-SOON, A.; LEE-JONG, B. (1999): Four new species of Nemouridae (Plecoptera: Insecta). — *Korean J. Biol. Sci.* 3: 119-125.
- HANADA, S.; TAKAI, M. (1999): Adult stoneflies crawling into the water. — *Bull. Tokushima Prefectural Museum* (In Japanese with English abstract). 9: 49-51.
- HARDING, J.S.; YOUNG, R.G.; HAYES, J.W.; SHEARER, K.A.; STARK, J.D. (1999): Changes in agricultural intensity and river health along a river continuum. — *Freshw. Biol.* 42: 345-357.

- HASEBORG, E. ter; KRAFT, C.; HAASE, P. (1999): Faunistische und strukturelle Untersuchungen an naturnahen Waldbaeichen des Weser-Leine- und des noerdlichen osthessischen Berglandes. / Faunistical and structural investigations on upper courses of near natural brooks of the Weser-Leine and northern East-Hessian mountainous area. — Goettinger Naturkundliche Schriften 5: 71-87.
- HAYASHI, Y.; ISOBE, Y.; OISHI, T. (1996): Daily emergence of *Sweltsa* sp. (Insecta : Plecoptera). (Abstract) Proc. 67<sup>th</sup> Ann. Meeting Zool. Soc. Japan. — Zool. Sci. 13 Suppl.: 60.
- HENRY, M.; STEVENS, H.; CUMMINS, K.W. (1999): Effect of long-term disturbance on riparian vegetation and in-stream characteristics. — J. Freshw. Ecol. 14: 1-18.
- HETRICK, N.J.; BRUSVEN, M.A.; BJORN, T.C.; KEITH, R.M.; MEEHAN, W.R. (1998): Effects of canopy removal on invertebrates and diet of juvenile Coho Salmon in a small stream in southeast Alaska. — Trans. Amer. Fisheries Soc. 127: 876-888.
- HICKEY C.W.; GOLDING, L.A.; MARTIN, M.L.; CROKER, G.F. (1999): Chronic toxicity of ammonia to New Zealand freshwater invertebrates: A mesocosm study. — Arch. Environmental Contamination & Toxicology: 37: 338-351.
- HUGHES, J.M.; MATHER, P.B.; SHELDON, A.L.; ALLENDORF, F.W. (1999): Genetic structure of the stonefly, *Yoraperla brevis*, populations: the extent of gene flow among adjacent montane streams. — Freshw. Biol. 41: 63-72.
- HUHTA, A.; MUOTKA, T.; JUNTUNEN, A.; YRJOENEN, M. (1999): Behavioural interactions in stream food webs: the case of drift-feeding fish, predatory invertebrates and grazing mayflies. — J. Anim. Ecol. 68: 917-927.
- HUMPESCH, U.H.; ELLIOTT, J.M. (1999): Egg hatching: one mechanism for life cycle partitioning in aquatic insects. — pp. 53-66 in WHITFIELD, M. ; MATTHEWS, J.; REYNOLDS, C. (eds), *Aquatic life cycles strategies*, ed. Marine Biological Association of the United Kingdom, Plymouth.
- HUNTSMAN, B.O.; BAUMANN, R.W. ; KONDRATIEFF, B.C. (1999): Stoneflies (Plecoptera) of the Black Hills of South Dakota and Wyoming, USA: Distribution and zoogeography affinities—Great Basin Nat. 59:1-17.
- HUTCHENS, J.J., Jr.; CHUNG, K.; WALLACE, B.C. (1998): Temporal variability of stream macroinvertebrate abundance and biomass following pesticide disturbance. — J. N. Am. Benthol. Soc. 17(4):518-534.
- INADA, K. (1999): Stoneflies from the Ibo River System, Part 1. — Hyogo Freshw. Biol. 50: 61-86. (In Japanese).
- INADA, K. SOTA, S. (1999): A preliminary report on stonefly fauna of Hiikawa River Basin, Shimane Prefecture. — Bull. Hushizaki Green Foundation, Kisuki 3: 131-140. (In Japanese with English abstract).

- INADA, K.; UENO, T.; KUGO, C. (1998): Aquatic Insects from Oya-cho, Yabugun, Hyogo Prefecture, Honshu, Part 1. — Hyogo Freshw. Biol. 49: 46-61. (In Japanese).
- INADA, K.; UENO, T.; TOMITA, K. (1998): *Megaperlodes niger* (Plecoptera, Perlodidae) from Okayama Prefecture, Honshu, Part 1. — Hyogo Freshw. Biol., 49: 39-45. (In Japanese).
- INTERNATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE (1999): Opinion 1916. Brachypterinae Zwick, 1973 (Insecta: Plecoptera): spelling emended to Brachypterainae, so removing homonymy with Brachypterinae Erichson, [1845] (Insecta: Coleoptera); Kateretidae Erichson in Agassiz, [1846]: given precedence over Brachypterinae Erichson. — Bull. Zool. Nomencl. 56: 82-86.
- JOHNSTON, T.A.; CUNJAK, R.A. (1999): Dry mass-length relationships for benthic insects: a review with new data from Catamaran Brook, New Brunswick, Canada. — Freshwat. Biol. 41: 653-674.
- JONAS, D. (1998): Effects of a benthivorous and a drift-feeding fish on a benthic stream assemblage. — Oecologia 16: 426-432.
- JOOST, W. (1998): Die Steinfliegen (Plecoptera) in der Emergenz von zwei Fallenstandorten an der Vesser 1987 [The stoneflies (Plecoptera) emerging at two trap sites on the river Vesser, 1987]. — Abh. Ber. Mus. Natur Gotha, 20: 61-72.
- JULKA, J.M.; VASISHT, H.S.; BALA, B. (1999): Distribution of aquatic insects in a small stream in northwest Himalaya, India. — J. Bombay Nat. Hist. Soc. 96: 55-63.
- KAZANCI, N. (1999): A new apterous *Leuctra* (Plecoptera) species from Turkey. — Aquatic Insects 21: 267-271.
- KIM, J.K.; BAE, Y.J.; ZHILTZOVA, L.A. (1998): Bibliographic review, systematic status, and biogeographic notes on Korean and Far East Russian stoneflies (Insecta: Plecoptera) with their new Korean records. — Korean J. Biol. Sci. 2: 419-425.
- KIRCHNER, R.F.; KONDRATIEFF, B.C. (1998): A new species of *Sweltsa* from West Virginia (Plecoptera: Chloroperlidae). — Ent. News 99: 233-236.
- KLASS, K.-D. (1999): The pregenital abdomen of a mantid and a cockroach: musculature and nerve topography, with comparative remarks on other Neoptera (Insecta: Dictyoptera). — Dtsch. Entomol. Z. 46: 3-42.
- KONAR, M. (2000): Die Larvaldetermination der Arten der Gattung *Isoperla* in Kaernten (Oesterreich). / The identification of *Isoperla*-larvae in Carinthia (Austria). — Lauterbornia 37 (1999): 57-62. [published 12 Febr. 2000].
- KONDRATIEFF, B.C.; BAUMANN, R.W. (1999): Studies on stoneflies of North Dakota with the description of a new *Perlesta* species (Plecoptera: Perlidae). — Proc. Entomol. Soc. Wash. 101: 325-331.

- KREUTZWEISER, D.P.; CAPELL, S.S.; SCARR, T.A. (1999): Acute lethal and sublethal effects of a neem-based insecticide on nontarget aquatic insects in stream channels. — *Bull. Environ. Cont. Toxicol.* 63: 365-371.
- KRNO, I.; VALACHOVA, S. (1999): Changes in macrozoobenthos of the Revuca river basin (the Velka Fatra Mountains) during the period 1971-1993. — *Ekologia-Bratislava* 18: 310-324.
- KUTSCHER, M. (1999): Bernstein [Amber]. — Ed. Verein Freunde Foerderer Nationalparkes Jasmund, Ruegendruck Putbus, 64 pp. FOSSILS.
- KUETTNER, R. (1999): Rote Liste Steinfliegen [Red List Plecoptera]. — *Materialien Naturschutz Landschaftspflege 1999*, Saechsisches Landesamt f. Umwelt u. Geologie (ed.), Dresden, 12 pp.
- KUETTNER, R.; BRAASCH, D. (1998): Das Bachsystem der Großen Mittweida - ein Gewaesser mit besonderer Bedeutung fuer die Entomofauna Sachsens (Insecta: Plecoptera). [The stream system of the Great Mittweida – a water course of special significance for the entomofauna of Saxony]. — *Mitt. Saechs. Entomol.* 41:3-5.
- LANCASTER, J. (1999): Small-scale movements of lotic macroinvertebrates with variations in flow. — *Freshwat. Biol.* 41: 605-619.
- LANG, C. (1998): Biological quality of 29 Swiss rivers in 1997 indicated by diversity of Zoobenthos. — *Bull. Soc. Vaudoise Sci. Natur.* 86: 61-71.
- LELAND, H.V.; FEND, S.V. (1998): Benthic invertebrate distributions in the San Joaquin River California in relation to physical and chemical factors. — *Can. J. Fish. Aquat. Sci.* 55: 1051-1067.
- LIETZ, J. (2000): Langfristige Veraenderungen der Eintags- und Steinfliegenfauna (Ephemeroptera, Plecoptera) in einem naturnahen Tieflandbach in Schleswig-Holstein. / Longtermed changes of mayflies and stoneflies (Ephemeroptera, Plecoptera) in a semi-natural lowland stream in Schleswig-Holstein. — *Lauterbornia* 37 (1999): 215-222. [published 12 Febr. 2000].
- LOPEZ, E.S.; FELPETO, E.; PARDO, I. (1997): Comparisons of methods to study the processing of *Alnus glutinosa* and *Eucalyptus globulus* leaves in a forested headwater stream. — In: POZO, J.; ELOSEGI, A. (eds), Litter breakdown in rivers and streams. *Limnetica* 13(2): 13-18.
- LOZANO-QUILIS, M.A.; MARTÍNEZ LÓPEZ, F.; PUJANTE, A. (1996): Estudio de los macroinvertebrados y calidad de las aguas de los pequeños rios y arroyos de las comarcas de la Provincia de Valencia: L' Horta, la Foia de Bunyol y La Ribera Alta. [Study of macroinvertebrates and water quality of the small rivers and streams in the region of the Province of Valencia: Horta, Foia de Bunyol and Ribera Alta]. — *Ecología* 10 : 137-159 ; in Spanish, untitled English summary.



- LUZÓN-ORTEGA, J.M.; TIERNO DE FIGUEROA, J.M.; SÁNCHEZ-ORTEGA, A. (1998): Faunística y fenología de los Plecópteros (Insecta: Plecoptera) de la Sierra de Huétor (Granada, España). Relación con otras áreas del sur de la Península Ibérica y norte de África [Faunistics and phenology of stoneflies (Insecta: Plecoptera) from Sierra de Huétor (Granada, Spain) and their relationship with other areas of the Iberian Peninsula and North Africa]. — Zool. Baetica 9: 91-106.
- LUZÓN-ORTEGA, J.M.; TIERNO DE FIGUEROA, J.M.; SÁNCHEZ-ORTEGA, A. (1999): Estudio de variabilidad morfológica en una población de *Leuctra maroccana* Aubert, 1956 (Plecoptera, Leuctridae). / Study of the morphological variability in a *Leuctra maroccana* Aubert, 1956 population (Plecoptera, Leuctridae). — Boln Asoc. esp. Entomol 23: 9- 13.
- LUZÓN-ORTEGA, J.M.; TIERNO DE FIGUEROA, J.M.; SÁNCHEZ-ORTEGA, A. (1999): The nymphs of *Capnioneura* Ris, 1905 (Plecoptera: Capniidae) of the Iberian peninsula and northern Africa. Description of *Capnioneura gelesae* Berthélemy and Baena, 1984 and *C. libera* (Navás, 1909) nymphs. — Ann. Soc. Entomol. Fr. (N.S.) 35(3-4): 295-301.
- MANGUM, F.A.; MADRIGAL, J.L. (1999): Rotenone effects on aquatic macroinvertebrates of the Strawberry River, Utah: a five-year summary. — J. Freshw. Ecol. 14: 125-136.
- MARCHANT, R.; HIRST, A.; NORRIS, R.; METZELING, L. (1999): Classification of macroinvertebrate communities across drainage basins in Victoria, Australia: consequences of sampling on a broad spatial scale for predictive modelling. — Freshwat. Biol. 41: 253-268.
- MARCHANT, R.; HEHIR, G. (1999): A method for quantifying hand-net samples of stream invertebrates. — Mar. Freshw. Res. 50: 179-182.
- MARTEN, M.; HACKBARTH, W.; OTTO, C.-J. (2000): Neue Ephemeroptera- und Plecoptera-Nachweise aus Baden-Wuerttemberg und Stand der derzeitigen Erfassung im Rahmen der biologischen Umweltbeobachtung an Fließgewässern. / New records of Ephemeroptera and Plecoptera in Baden-Wuerttemberg/Germany and state of faunal survey within the scope of environmental monitoring at running waters. — Lauterbornia 37 (1999): 63-86 [published 12 Febr. 2000].
- MARTINS, N.R.G. (1999): Present knowledge of Brazilian paleontomo fauna. — Rivista Soc. Entomol. Argentina 58: 71-85.
- MARUYAMA, H. (1998): Record of stoneflies in Wakayama Prefecture, Japan. — Nankiseibutsu, 40:123-127. (In Japanese with English summary).
- McINTOSH, A.R.; PECKARSKY, B.L. (1999): Criteria determining behavioural responses to multiple predators by a stream mayfly. — Oikos 85: 554-564

- McLELLAN, I.D. (1999): Plecoptera — In: Insects and other Arthropods of Hinewai Reserve, Banks Peninsula, New Zealand. — Records of the Canterbury Museum 13: 97-121.
- McLELLAN, I.D. (1999): A revision of *Zelandoperla* Tillyard (Plecoptera: Gripopterygidae: Zelandoperlinae). — New Zealand J. Zool. 26: 199-219.
- McLELLAN, I.D. (2000): Additions to New Zealand Notonemourid Stoneflies (Insecta: Plecoptera). — New Zealand J. Zool. 27: 21-27.
- MEMBIELA, P. VIDAL, M. (1998): The mating calls of *Isoperla grammatica* (Poda, 1761) (Plecoptera: Perlodidae). — Bol. Asoc. Esp. Entomol. 22: 15-21.
- MILLETT, M.C.; LEARNER, M. A. (1998): Plecoptera and Ephemeroptera species assemblages in the Usk river system, Wales. — Arch. Hydrobiol. 143: 307-334.
- MINAKAWA, N.; GARA, R.I. (1999): Ecological effects of a chum salmon (*Onchorhynchus keta*) spawning run in a stream of the Pacific Northwest. — J. Freshw. Ecol. 14: 327-335.
- MINAKAWA, N.; KRAFT, G.F. (1999): Fall and winter diets of juvenile coho salmon in a small stream and an adjacent pond in Washington state. — J. Freshw. Ecol. 14: 249-254.
- MISRA, J.K. (1998): Trichomycetes: Fungi associated with arthropods: Review and world literature. — Symbiosis 24: 179-219.
- MOCHIZUKI, A. (1998): Characteristics of digestive proteases in the gut of some insect orders. — Appl. Entomol. Zool. 33: 401-407.
- MODENUTTI, B.E.; BALSEIRO, E.; del CARMEN DIEGUEZ, M.; QUEIMALINOS, C.; ALBARINO, R. (1998): Heterogeneity of fresh-water Patagonian ecosystems. — Ecol. Austral. 8: 155-165.
- MOEBES-HANSEN, B.; WARINGER, J.A. (1998): The influence of hydraulic stress on microdistribution patterns of zoobenthos in a sandstone brook (Weidlingbach, Lower Austria). — Intern. Rev. Hydrobiol. 83: 381-396.
- MOLLOY, D.P.; VINIKOUR, W.S.; ANDERSON, R.V. (1999): New North American records of aquatic insects as paratenic hosts of *Pheromermis* (Nematoda: Mermithidae). — J. Invert. Pathol. 74: 89-95.
- MORI, C.; ORSINI, A.; MIGON, C. (1999): Impact of arsenic and antimony contamination on benthic invertebrates in a minor Corsican river. — Hydrobiologia 392: 73-80.
- NOVOKSHONOV, V.G. (1998): New insects (Insecta: Hypoperlida, Mischopterida, Jurinida) from the Lower Permian in the Middle Urals. — Paleontologicheskii Zhurnal 0: 50-57. FOSSILS.
- NOVOKSHONOV, V.G.; PANKOV, N.N. (1999): A new aquatic insect larva (Plecopteroidea) from the Lower Permian of the Ural. — N. Jahrb. Geologie Palaontologie, Monatshefte 1999(4): 193-198. FOSSILS.

- OLIVEIRA, L.G.; CONCEICAO BISPO, P. DA; SA, N.C. DE (1997): Ecologia de comunidades de insectos bentonicos (Ephemeroptera, Plecoptera e Trichoptera), em correços do parque ecologico de Goiania, Goias, Brasil. / Ecology of benthic insects communities (Ephemeroptera, Plecoptera and Trichoptera) in streams at parque ecologico de Goiania, Goias, Brazil. — Revista Brasileira de Zoologia 14: 867-876.
- PAGELS, J.F. (1998): The water shrew, *Sorex palustris* Richardson (Insectivora: Soricidae), and its habitat in Virginia. — Brimleyana 25: 130-134.
- PARDO, I.; ARMITAGE, P.D. (1997): Species assemblages as descriptors of mesohabitats. — Hydrobiologia 344: 111-128.
- PETERSEN, I.; WINTERBOTTOM, J.H.; ORTON, S.; FRIBERG, N.; HILDREW, A.C.; SPIERS, D.C.; GURNEY W.S.C. (1999): Emergence and lateral dispersal of adult Plecoptera and Trichoptera from Broadstone Stream, U.K. — Freshwat. Biol. 42: 401-416.
- PICKER, M.D.; STEVENS, D.M. (1999): Revision of *Desmonemoura* Tillyard, *Aphanicerca* Tillyard, *Afrenemoura* Illies and *Aphaniceropsis* Barnard (Plecoptera: Notonemouridae), with a key to males. — Afr. Entomol. 7: 211-223.
- PLAGUE, G.R.; WALLACE, J.B.; GRUBAUGH, J.W. (1998): Linkages between trophic variability and distribution of *Pteronarcys* spp. (Plecoptera: Pteronarcyidae) along a stream continuum. — Amer. Midl. Natur. 139: 224-234.
- POND, G.J. (1999): New records of stoneflies (Plecoptera) from Kentucky. — Entomol News. 110: 315-316.
- POTIKHA, E.V.; ZHILTOVA, L.A. (1996): On the fauna and ecology of stoneflies (Plecoptera) of the Sikhote-Alinski Biosphere Nature Reserve. — Entomol. Obozr. 75: 567-573. In Russian.
- POULTON, B.C.; CALLAHAN, E.V.; HURTUBISE, R.D.; MUELLER, B.G. (1998): Effects of an oil spill on leaf-pack-inhabiting macroinvertebrates in the Chariton River, Missouri. — Environ. Pollut. 99: 115-122.
- PRENDA, J.; GALLARDO-MAYENCO, A. (1999): Distribution patterns, species assemblages and habitat selection of the stoneflies (Plecoptera) from two Mediterranean river basins in southern Spain. — Internat. Rev. Hydrobiol. 84: 595-608.
- PUIG, A. (1999): Els macroinvertebrats dels rius catalans Guia ilustrada [The invertebrates of Catalanian streams An illustrated guide]. — Ed. by Generalitat de Catalunya, Dep. De Medi Ambient, Barcelona, ISBN 84-393-4828-2, 251 pp. (In Catalan, Spanish and English).

- QUINN, J.M.; COOPER, A.B.; DAVIES-COLLEY, R.J.; RUTHERFORD, J.C.; WILLIAMSON, R.B. (1997): Land use effects on habitat, water quality, periphyton, and benthic invertebrates in Waikato, New Zealand, hill-country streams. — *N. Z. J. Marine Freshwat. Res.* 31: 579-597.
- RA, Chul-Ho; BAIK, Soon-Ki; CHO, Young-Gwan (1991): A new species of *Pteronarcys* (Pteronarcyidae, Plecoptera, Insecta) from Korea. — *Korean J. Syst. Zool.* 7: 117-126.
- RABENI, C.F.; WANG, N.; SARVER, R.J. (1999): Evaluating adequacy of the representative stream reach used in invertebrate monitoring programs. — *J. N. Am. Benthol. Soc.* 18: 284-291.
- RADER, R.B.; BELISH, T.A. (1999): Influence of mild to severe flow alterations on invertebrates in three mountain streams. — *Reg. Riv. Res. Mgmt.* 15: 353-363.
- RAVIZZA, C.; FOCHETTI, R. (1999): I Plecotteri Taeniopterygidae della regione italiana (Plecoptera). — *Mem. Soc. Entomol. Ital.* 77(1998): 123-129. [published July, 1999].
- RAVIZZA, C.; VINÇON, G. (1999): Les Leuctridés (Plecoptera: Leuctridae) des Alpes. — *Mitt. schweiz. entomol. Ges.* 71(1998): 285-342. [published 26.01.1999].
- REHFELD, K. (1999): Neue Erkenntnisse ueber die Evolution der Flugfaehigkeit bei Insekten. [New insights in the evolution of flight ability in insects]. — *Naturw. Rdsch.* 52: 49-53.
- REUSCH, H.; WEINZIERL, A. (2000): Regionalisierte Checkliste der aus Deutschland bekannten Steinfliegenarten (Plecoptera). / Check-list of stonefly species (Plecoptera) known from different regions in Germany. — *Lauterbornia* 37 (1999): 87-96 [published 12 Febr. 2000].
- RIBEIRO-FERREIRO, A.C.; FROEHLICH, C.G. (1999): New Species of *Macrogynoplax* Enderlein, 1909 from North Brasil (Plecoptera, Perlidae, Acroneuriinae). — *Aquatic Insects* 21: 133-140.
- ROBINSON, C.T.; BURGHER, P. (1999): Seasonal disturbance of a lake outlet benthic community. — *Arch. Hydrobiol.* 145: 297-315.
- RODRIGUES, C.A. (1999): The macroinvertebrates as indicators of water quality in Pampean rivers. — *Rev. Soc. Entomol. Argentina.* — 58: 208-217.
- RODRÍGUEZ, S.E.; BÉCARES, E.; SOTO, F.; PACHO, R. (1998): Colonization of aquatic macroinvertebrates in a high mountain stream using artificial substrates. — *Verh. Internat. Verein. Limnol.* 26: 1120-1124.
- RODWAY, M.S. (1998): Habitat use by Harlequin Ducks breeding in Hebron Fiord, Laborador. — *Can. J. Zool.* 76: 897-901.

- ROSCISZEWSKA, E.; SOLDÁN, T. (1999): Morphology of accessory ovaries in adult males of *Perla marginata* (Plecoptera: Perlidae). — Eur. J. Entomol. 96: 45-51.
- RUFFIEUX, L.; ÉLOUARD, J.-M.; SARTORI, M. (1998): Flightlessness in mayflies and its relevance to hypotheses on the origin of insect flight. — Proc. R. Soc. Lond. B 265: 2135-2140.
- SÁNCHEZ-ORTEGA, A.; AZZOUZ, M. (1999): Faunistique et phénologie des Plécoptères (Insecta, Plecoptera) du Rif marocain (Afrique du Nord). Relations avec les autres aires de la région méditerranéenne occidentale [Faunistics and phenology of stoneflies (Insecta, Plecoptera) of the Moroccan Rif (North Africa). Relations with the other areas of the west mediterranean region]. — Mitt. schweiz. entomol. Ges. 71(1998): 449-460. [published 26.01.99].
- SÁNCHEZ-ORTEGA, A.; PICAZO MUÑOZ, J. (1997): *Marthamea selysii* en el sur de la Península Ibérica / *Marthamea selysii* in the South of the Iberian Peninsula. — Zool. baetica 8: 249-250.
- SANTAMARIA, S.; GIRAL, J. (1998): Two new species of *Orphella* from Spain. — Mycol. Res. 102: 174-178.
- SCHARF, R.; BRAASCH, D. (1998): Die sensiblen Fliessgewaesser und das Fliessgewaesserschutzsystem im Land Brandenburg [Sensitive running waters and the system of running water protection in the State Brandenburg]. — Studien Tagungsber., Schriftenr. Landesumweltamt. Brandenburg, 15: 132 pp.
- SCHOENBAUER, B. (1999): Spatio-temporal patterns of macrobenthic invertebrates in a free-flowing section of the River Danube in Austria. — Arch. Hydrobiol., Suppl. 115 (Large Rivers 11): 375-397.
- SELONG, J.H.; HELFRICH, L.A. (1998): Impacts of trout culture effluent on water quality and biotic communities in Virginia headwater streams.--Progressive Fish-Culturist 50: 247-262.
- SHELDON, A.L. (1999): Emergence patterns of large stoneflies (Plecoptera: *Pteronarcys*, *Calineuria*, *Hesperoperla*) in a Montana river. — Gt Basin Natur. 59: 169-174.
- SHIEH, S.-H.; KONDRATIEFF, B.C.; WARD, J.V.; RICE, D.A. (1999): The relationship of macroinvertebrate assemblages to water chemistry in a polluted Colorado plains stream. — Arch. Hydrobiol. 145: 405-432.
- SHIMIZU, T. (1998): The genus *Protonemura* in Japan (Insecta: Plecoptera: Nemouridae). — Species Diversity 3: 133-154.
- SHIMIZU, T. (1998): The group of *Amphinemura megaloba* (Plecoptera, Nemouridae). — Jap. J. Syst. Entomol. 4: 227-236.
- SHUBINA, V.N. (1998): Benthos of salmon rivers of the mountain zone of the pre-polar Urals. — Russian J. Ecol. 29: 264-269. In Russian

- SIEBERT, M.; WANGEMANN-BUDDE, M. (1999): 4.8.3 Steinfliegen (Plecoptera) [Stoneflies (Plecoptera)]. — pp. 147-157 in: Niedersaechs. Landesbetrieb Wasserwirtschaft Kuestenschutz, Betriebsstelle Verden (ed.): *Verbreitungsatlas der Fließgewässerfauna fuer den Dienstbezirk des Niedersaechsischen Landesbetriebes fuer Wasserwirtschaft und Kuestenschutz –Betriebsstelle Verden*. [Distributional atlas of running water fauna for the district of the Lower Saxonian State Office for Water Management and Coast Protection, Branch Verden] 372 pp.; Verden/Aller.
- SIVEC, I.; ZHILTZOVA, L.A. (1996): Description of *Neoperla ussurica* sp. n., from the Russian Far East (Plecoptera: Perlidae). — Acta entomol. Slovenica 4: 13-18.
- SIVEC, I.; YANK, P.; LEE, C. (1997): Name lists of insects in Taiwan — Plecoptera — Zong. Kunch. 17: 188-194.
- SMITH, A.D.; STARK, B.P. (1998): *Neoperla coosa* (Plecoptera : Perlidae), a new stonefly species from Alabama. — Entomol. News. 109: 153-158.
- SOMERS, K.M.; REID, R.A.; DAVID, S.M. (1998): Rapid biological assessments: how many animals are enough? — J. North Amer. Benthol. Soc. 17: 348-358.
- SPETH, S.; BRINKMANN, R. (2000): Zum Vorkommen seltener Eintags- und Steinfliegen in Fließgewässern Schleswig-Holsteins (Insecta, Ephemeroptera, Plecoptera). / Rare mayflies and stoneflies from running waters in Schleswig-Holstein/Germany (Insecta, Ephemeroptera, Plecoptera). — Lauterbornia 37 (1999): 223-235. [published 12 Febr. 2000].
- STARK, B.P. (1999): *Anacroneuria* from northeastern South America (Insecta: Plecoptera: Perlidae). — Proc. Biol. Soc. Wash. 112(1): 70-93.
- STARK, B.P.; SZCZYTKO, S.W.; NELSON, C.R. (1998): American stoneflies: A photographic guide to the Plecoptera. — The Caddis Press, Columbus, Ohio, IV+126 pp.; ISBN 0-9667982-0-1.
- STARK, B.P.; ZUÑIGA, M.DE C.; ROJAS, A.M.; BAENA, M.L. (1999): Colombian *Anacroneuria*: Descriptions of new and old species (Insecta, Plecoptera, Perlidae). — Spixiana 22: 13-46.
- STARK, B.P.; SIVEC, I. (1999): *Peltoperlopsis malickyi*, a new species of Oriental Peltoperlidae (Plecoptera). — Aquatic Insects 21: 235-240.
- STEVENS, D.M.; PICKER, M.D (1999): A revision of *Aphanicerella* Tillyard (Plecoptera: Notonemouridae) including the *A. barnardi* (Tillyard) species-complex. — Afr. Entomol. 7: 197-209.
- STEWART, K.D.; DUFFIELD, R.M. (1999): *Sialis vagans* (Ross) (Megaloptera: Sialidae) and *Amphinemura nigritta* (Provancher) (Plecoptera: Nemouridae) trapped by mountain laurel (*Kalma latifolia* L.) (Ericaceae) flowers. — Proc. Entomol. Soc. Wash. 101: 459-460

- SWEENEY, B.M. (1993): Effects of streamside vegetation on macroinvertebrates communities of white clay creek in Eastern North America. — Proc. Acad. Nat. Sci. Philadel. 144: 291-340.
- TAYLOR, B.W.; ANDERSON C.R.; PECKARSKY, B.L. (1999): Delayed egg hatching and semivoltinism in the Nearctic stonefly *Megarcys signata* (Plecoptera: Perlodidae). — Aquatic Insects 21: 179-185.
- TESLENKO, V.A.; MINAKAWA, N. (1999): Two new species of the genus *Stavsolus* Ricker from the Asian Far East (Plecoptera: Perlodidae). — Aquatic Insects 21: 19-32.
- THOMPSON, R.M.; TOWNSEND, C.R. (1999): The effect of seasonal variation on the community structure and food-web attributes of two streams: implications for food-web science. — Oikos 87: 75-88.
- TIERNEY, K.; KELLY, Q.M.; BRACKEN, J.J. (1998): The faunal communities of upland streams in the eastern region of Ireland with reference to afforestation impacts. — Hydrobiologia 39: 115-130.
- TIERNO DE FIGUEROA, J.M.; SÁNCHEZ-ORTEGA, A. (1999): Imaginal feeding of certain systellognathan stonefly species (Insecta: Plecoptera). — Ann. Entomol. Soc. Am. 92: 218-221.
- TIERNO DE FIGUEROA, J.M.; SÁNCHEZ-ORTEGA, A. (1999): The Male Drumming Call of *Isoperla nevada* Aubert, 1952. — Aquatic Insects 21: 33-38.
- TIMM, T. (1993): Einzigartige Biozönose. Erhalt des gering belasteten Wienbaches Herausforderung fuer den Naturschutz [A unique biocenosis. Conservation of the little charged stream Wienbach, a challenge for nature conservation]. — Landesanstalt fuer Oekologie, Landschaftsentwicklung und Forstplanung Nordrhein-Westfalen -Mitt. 4: 19-23.
- TOMITA, K. INADA, K. (1998): Records of stoneflies from Miyazaki Prefecture, Kyushu, Part 2. — Hyogo Freshw. Biol., 49: 62-67. (In Japanese).
- TONIOLLO, V.; NADOLNY, L.; DA GRACA, R. (1998): Benthic macroinvertebrates in rivers of the coastal basin of Parana State, Brazil. — Verh. Internat. Verein. Limnol. 26: 1150-1154.
- TOWNSEND, G.D.; PRITCHARD, G. (1998): Larval growth and development of the stonefly *Pteronarcys californica* (Insecta: Plecoptera) in the Crownsnest River, Alberta. — Can. J. Zool. 76: 2274-2280.
- TURAK, E.; FLACK, L.K.; NORRIS, R.H.; SIMPSON, J.; WADDELL, N. (1999): Assessment of river condition at a large spatial scale using predictive models. — Freshwat. Biol. 41: 283-298.
- UCHIDA, S.; INADA, K.; SOTA, S. (1999): Abundant occurrence of *Miniperla japonica* (Plecoptera, Perlidae) along the Hii River, Shimane Prefecture, western Honshu, Japan. — Hyogo Freshw. Biol., 50: 87-90. (In Japanese with English abstract).

- UIEDA, V.S.; GAJARDO, I.C.S.M. (1997): Macroinvertebrados perifíticos encontrados em poços e corredeiras de um riacho / Periphytic macroinvertebrates in running water stream pools and riffles. — *Naturalia* 22: 31-47.
- USSEGLIO-POLATERA, P.; THOMAS, S.; BEISEL, J.-N.; MORETEAU, J.-C. (1999): Illustration de la valeur indicatrice des caractéristiques biologiques des macroinvertébrés d'une communauté benthique à différentes échelles d'observation. / Biological trait structure of macroinvertebrate benthic communities. — *Annls Limnol.* 35: 71-80.
- VARYKHANOVA, K.V.; ZHILTZOVA, L.A. (1984): The fauna of stoneflies (Plecoptera) of the Lake Khubsugul basin in Mongolia. — 13<sup>th</sup> Internat. Sci. Conference on the results of works on the joint Mongolian-Soviet Khubsugul expedition, Ulan Bator, Theses and Abstracts pp. 21-22 (in Russian).
- VEINBERG, I.V.; KAMALTYNOV, R.M. (1998): Zoobenthos communities at stony beach of Lake Baikal, I. Fauna. — *Zool. Zhurnal.* 77: 158-165.
- VINÇON, G.; RAVIZZA, C. (1999): Three new *Protonemura* species from the Cordillera Cantabrica, Spain (Plecoptera: Nemouridae). — *Nouv. Rev. Ent. (N.S.)* 15 (1998): 249-255.
- VINÇON, G.; RAVIZZA, C. (2000): The genus *Rhabdiopteryx* in the Iberian Peninsula, with the description of *R. antoninoi* sp. n. (Plecoptera, Taeniopterygidae). — *Nouv. Rev. Ent. (N.S.)* 16: 187-193. [published 4. Febr. 2000].
- VINÇON, G.; SANCHEZ-ORTEGA, A. (1999): *Protonemura berberica*, a new species of Nemouridae from North Africa (Insecta, Plecoptera). — *Aquatic Insects* 21: 231-234.
- VINSON, M.R.; HAWKINS, C.P. (1998): Biodiversity of stream insects: Variations at local, basin, and regional scales. — *Ann. Rev. Entomol.* 43: 271-293.
- VUORI, K.M.; LUOTONEN, H.; LILJANIEMI, P. (1999): Benthic macroinvertebrates and aquatic mosses in pristine streams of the Talvajarvi region, Russian Karelia. — *Boreal Environ. Res.* 4: 187-200.
- WAGNER, F. (1998): Aufenthalt und Flugverhalten von Imagines merolimnischer Insekten mit dem Schwerpunkt Plecoptera in der Bach-Aue am Beispiel der Leutra (Thuringen) [Location and flight behaviour of adult merolimnic insects with emphasis on Plecoptera in the floodplain in the case of the Leutra (Thuringia)]. — Master Thesis, Friedrich-Schiller-Univ. Jena, 58 pp.
- WANTZEN, K.M. (1998): Effects of siltation on benthic communities in clear water streams in Mato Grosso, Brazil. — *Verh. Internat. Verein. Limnol.* 26: 1155-1159.



- WEIGELHOFER, G.; WARINGER, J.A. (1999): Woody debris accumulations - important ecological components in a low order forest stream (Weidlingbach, Lower Austria). — *Internat. Rev. Hydrobiol.* 84: 427-437.
- WEINZIERS, A. (2000): Nachweise von *Isoperla albanica*, *Brachyptera starmachi* und *Brachyptera trifasciata* (Plecoptera) aus Niederbayern. / Records of *Isoperla albanica*, *Brachyptera starmachi* and *Brachyptera trifasciata* (Plecoptera) from Bavaria Inferior. — *Lauterbornia* 37 (1999): 19-22. [published 12 Febr. 2000].
- WEISSMANN, M.J.; KONDRATIEFF, B.C. (1999): An inventory of arthropod fauna at Great Sand Dunes National Monument, Colorado. — *Univ. Kansas Nat. Hist. Mus. Spec. Publ.* 24:57-68.
- WEITSCHAT, W.; WICHARD, W. (1998): Atlas der Pflanzen und Tiere im Baltischen Bernstein. [Atlas of the animals and plants in Baltic amber]. — Verlag Dr. Friedrich Pfeil, Muenchen, ISBN 3-931516-45-8, 256 pp.
- FOSSILS.
- WESTERMANN, F. (1999): Restpopulationen von *Taeniopteryx nebulosa* (Plecoptera: Taeniopterygidae) in unbelasteten Berg- und Flachlandbaechen des Pfaelzerwaldes und Bienwaldes (Rheinland-Pfalz) / Residual populations of *Taeniopteryx nebulosa* (Plecoptera: Taeniopterygidae) in unpolluted mountain- and lowlandbrooks of the Pfaelzerwald and Bienwald in Rhineland-Palatinate. — *Lauterbornia* 35:1-7.
- WICHARD, W.; ARENS, W.; EISENBEIS, G. (1995): 2.4 Ordnung: Plecoptera – Steinfliegen. — pp. 62-83 in: *Atlas zur Biologie der Wasserinsekten [Atlas on the biology of water insects]*. — G. Fischer Verlag, Stuttgart etc., ISBN 3-437-30743-6, 338 pp. plus several unnumbered pages.
- WILLIAMS, D.D. (1998): The role of dormancy in the evolution and structure of temporary water invertebrate communities. — *Arch. Hydrobiol., Spec. Issues Advanc. Limnol.* 52: 109-124.
- WINTERBOURN, M.J. (1997): New Zealand mountain stream communities: Stable yet disturbed? — pp. 31-54 in: STREIT, B.; STAEDLER, T.; LIVELY, C.M. (eds), *Evolutionary ecology of freshwater animals*, Birkhaeuser Verlag Basel.
- WINTERBOURN, M.J. (1998): Insect faunas of acidic coal mine drainages in Westland, New Zealand. — *N. Z. Entomol.* 21: 65-72.
- WIPFLI, M.S.; HUDSON, J.; CAQUETTE, J. (1998): Influence of salmon carcasses on stream productivity: Response of biofilm and benthic macroinvertebrates in southern Alaska, USA. — *Can. J. Fish. Aquat. Sci.* 55: 1503-1511.
- WRIGHT, J.F.; MOSS, D.; FURSE, M.T. (1998): Macroinvertebrates richness at running-water sites in Great Britain: a comparison of species and family richness. — *Verh. Internat. Verein. Limnol.* 26: 1174-1178.

- YANG, D.; YANG, C.-K. (1998): Plecoptera; Styloperlidae, Perlidae and Leuctridae. — Insects of Longwangshan 1998 (8): 40-46. In Chinese, English abstract.
- YIYIT, S.; TOSUNOGLU, M.; ARIKAN, H. (1999): Feeding biology in *Bufo viridis* (Anura: Bufonidae) populations of the vicinity of Izmir. — Turkish J. Zool. 23(Suppl. 1): 279-287.
- YOSHIMURA, M.; ISOBE, Y.; OISHI, T. (1998): The incubation periods of eggs and the relation to the patterns of life cycle in some species of stonefly (Plecoptera). (Abstract) Proc. 69<sup>th</sup> Ann. Meeting Zool. Soc. Japan. — Zool. Sci 15 Suppl.: 52.
- ZHILTZOVA, L.A. (1974): [A review of Plecoptera of family Leuctridae of the USSR fauna]. — The 7<sup>th</sup> Congress of the All-Union Entomol. Soc., Abstracts, First part, Leningrad, 1974: 37-38. In Russian.
- ZHILTZOVA, L.A. (1977): [Order Plecoptera - Stoneflies]. — In: KUTIKOVA, Ya.; STAROBOGATOV, I. (eds): *Contributions to the freshwater invertebrates of the European part of the SSSR*, Leningrad, 1977: 303-319. In Russian.
- ZHILTZOVA, L.A. (1993): [Order Stoneflies - Plecoptera]. — Insects of Usbekistan, Acad. Sci. of the Usbekistan Republic, Tashkent, 1993: 28-33. In Russian.
- ZHILTZOVA, L.A. (1999): New data on the fauna of stoneflies (Plecoptera) of Sakhalin. II. — Ent. Obozr. 78: 316-323. In Russian, Engl. summary.
- ZWICK, P. (1999): Egg diapause, egg swelling and mother-child size relationships in Plecoptera (Insecta). — Arch. Hydrobiol. Spec. Issues Advanc. Limnol. 54: 373-386.
- ZWICK, P. (1999): Notes on Plecoptera (22) *Rauserodes* nom. n. Replacement Name for *Rauserella* Zwick (Plecoptera: Perlodidae). — Aquatic Insects 21(3): 168.
- ZWICK, P. (2000): Historische Dokumente zur Fauna der Elbe bei Dresden vor hundert Jahren. / Historical documents on the fauna of the river Elbe at Dresden, a hundred years ago. — Lauterbornia 37 (1999): 97-112. [published 12 Febr. 2000].