

## RECENT PLECOPTERA LITERATURE (CALENDER YEAR 2002 AND EARLIER)

- ADDO-BEDIAKO, A.; CHOWN, S.L.; GASTON, K.J. (2002): Metabolic cold adaptation in insects: a large-scale perspective. – *Functional Ecol.* 16: 332-338.
- AGUERO-PELEGRIN, M.; FERRERAS-ROMERO, M. (2002): The life cycle of *Guadalgenus franzi* (Aubert, 1963) (Plecoptera: Perlodidae) in the Sierra Morena Mountains (southern Spain): Semivoltinism in seasonal streams of the Mediterranean Basin. – *Aquatic Insects* 24: 237-245.
- AGUIAR, F.C.; FERREIRA, M.T. (2002): Relative influence of environmental variables on macroinvertebrate assemblages from Iberian basin. – *J. N. Amer. Benthol. Soc.* 21: 43-53.
- ALBA-TERCEDOR, J.; TIerno DE FIGUEROA, J.M (2002): Necrológica /Obituary. In memoriam Antonino Sánchez Ortega (1957-2002). – *Graellsia* 58: 91-96.
- ANDRIKOVICS, S.; MURANYI, D. (2001): A checklist of stoneflies with remarks of published, undocumented species. – *Folia-Entomol.-Hungarica* 62: 23-35.
- BAUMANN; R W.; JACOBI, G.Z. (2002): *Capnia caryi*, an interesting new species of winter stonefly from the American Southwest (Plecoptera: Capniidae). – *Western North American Naturalist.* 62(4): 484-486.
- BEAMISH, R. J. (2002): William Edwin Ricker OC, FRSC, LLD, DSc. – *J.Fish Biol.* 60(2): Obituary.
- BELANGER, S.E.; BOWLING, J.W.; LEE, D.M.; LEBLANC, E.M.; KERR, K.M.; McAVOY, D.C.; CHRISTMAN, S.C.; DAVIDSON, D.H. (2002): Integration of aquatic fate and ecological responses to linear alkyl benzene sulfonate (LAS) in model stream ecosystems. – *Ecotoxicol. Environ. Safety* 52: 150-171.
- BISPO, P.C.; FROEHLICH, C.G.; OLIVEIRA, L.G. (2002): Spatial distribution of Plecoptera nymphs in streams of a mountainous area. – *Brazilian J. Biol.* 62: 409-417.
- BISPO, P.C.; FROEHLICH, C.G.; OLIVEIRA, L.G. (2002): Stonefly (Plecoptera) fauna in a mountainous area of Central Brazil: composition and adult phenology. – *Revta bras. Zool.* 19 (Suppl. 1): 317-323.
- BLASIUS, B.J.; MERRITT, R. W. (2002): Field and laboratory investigations on the effects of road salt (NaCl) on stream macroinvertebrate communities. – *Environ. Pollution* 120(2): 219-231.
- BÖTTGER, K. (2001): Biodiversität in einem naturnahen, mit einem Seeabfluß beginnenden Bach des Norddeutschen Tieflandes (Unterer Schierenseebach, Schleswig Holstein). Eine ökologisch kommentierte Zusammenstellung der bislang nachgewiesenen Pflanzen- und Tierarten. [Biodiversity in a near-to-natural lake outlet of the north German lowland (Unterer Schierenseebach, Schleswig Holstein). An with ecologically commented listing of the hitherto recorded plant and animal species]. – *Faunistisch-Ökologische Mitteilungen Univ. Kiel. Suppl.* 30: 1-79.

- BRAASCH, D. (2002): *Isoperla difformis* (Klapálek, 1909) in Mecklenburg-Vorpommern (Plecoptera). [*Isoperla difformis* (Klapálek, 1909) in Mecklenburg-Vorpommern (Plecoptera)]. – Ent. Nachr. Ber. 46: 126.
- BRADY, S.J.; BRIGGS, D.E.G. (2002): New lower Permian nonmarine arthropod trace fossils from New Mexico and South Africa. – J. Paleontol. 76(3): 546-557.
- BRADLEY, C.M.; KELLY-QUINN, M.; TIERNEY, D.; MURRAY, D.A.; ASHE, P.J. (2002): Preliminary analysis of the longitudinal patterns occurring in macroinvertebrate assemblages in river catchments in Ireland. – Verh. Intern. Verein. Limnol. 28: 1576-1580.
- BRADLEY, D.C.; ORMEROD, S.J. (2002): Long-term effects of catchment liming on invertebrates in upland streams. – Freshwat. Biol. 47: 161-171.
- BRAUNS, M.W.; OFFINGER, W. (2002): Bemerkenswerte Nachweise von Wasserinsekten (Ephemeroptera, Coleoptera, Trichoptera) aus dem Nordharz, Sachsen-Anhalt. [Noteworthy records of aquatic insects (Ephemeroptera, Coleoptera, Trichoptera) from the northern Harz Mts, Sachsen-Anhalt]. – Lauterbornia 44: 73-82.
- BRIERS, R.A.; CARISS, H.M.; GEE, J.H.R. (2002): Dispersal of adult stoneflies (Plecoptera) from upland streams draining catchments with contrasting land-use. – Arch. Hydrobiol. 155: 627-644.
- BUBINAS, A.; JAGMINIENĖ, I. (2002): Bioindication of the Neris river based on the structure of Hydrobiocoenoses. – Acta Zoologica Lituanica 12(1): 42-46.
- BURGHERR, P. (2003): Biodiversität der Wirbellosenfauna in Fließgewässern des Val Roseg. [Biodiversity of invertebrate fauna in running waters of Val Roseg]. – EAWAG news 54d: 26-27.
- BURGHERR, P.; WARD, J.V.; ROBINSON, C.T. (2002): Seasonal variation in zoobenthos across habitat gradients in an alpine glacial floodplain (Val Roseg, Swiss Alps). – J. N. Amer. Benthol. Soc. 21: 561-575.
- BUSS, D.F.; BAPTISTA, D.F.; SILVEIRA, M.P.; NESSIMIAN, J.L.; DORVILLE, L.F.M. (2002): Influence of water chemistry and environmental degradation on macroinvertebrate assemblages in a river basin in south-east Brazil. – Hydrobiologia 481: 125-136.
- CAPÍTULO, A.R.; PAGGI, A.C.; OCÓN, C.S. (2002): Zoobenthic communities in relation to slope, substrate heterogeneity and urban disturbances in Pampean hill streams (Argentina). – Verh. Intern. Verein. Limnol. 28: 1267-1273.
- CÉRÉGHINO, R.; CUGNY, P.; LAVANDIER, P. (2002): Influence of intermittent hydropeaking on the longitudinal zonation patterns of benthic invertebrates in a mountain stream. – Internat. Rev. Hydrobiol. 87: 47-60.
- CHALONER, D.T.; WIPFLI, M.S. (2002): Influence of decomposing Pacific salmon carcasses on macroinvertebrate growth and standing stock in southeastern Alaska streams. – J. N. Amer. Benthol. Soc. 21(3): 430-442.
- CHALONER, D.T.; WIPFLI, M.S.; CAOUILLE, J.P. (2002): Mass loss and macroinvertebrate colonisation of Pacific salmon carcasses in south-eastern Alaskan streams. – Freshwat. Biol. 47(2): 263-273.

- COURTNEY, L.A.; CLEMENTS, W.H. (2002): Assessing the influence of water and substratum quality on benthic macroinvertebrate communities in a metal-polluted stream: An experimental approach. – *Freshwat. Biol.* 47(9): 1766-1778.
- DANGLES, O. (2002): Aggregation of shredder invertebrates associated with benthic detrital pools in seven headwater forested streams. – *Verh. Internat. Verein. Limnol.* 28: 910-913.
- DANGLES, O. (2002): Functional plasticity of benthic macroinvertebrates: implications for trophic dynamics in acid streams. – *Can. J. Fish. Aquat. Sci.* 59: 1563-1573.
- DANIELS, R.A.; RIVA-MURRAY, K.; HALLIWELL, D.B.; VANNA-MILLER, D.L.; BILGER, M.D. (2002): An index of biological integrity for northern Mid-Atlantic Slope drainages. – *Trans. Amer. Fish. Soc.* 131(6): 1044-1060.
- DE MOOR, F.C.; BARBER-JAMES, H.M.; HARRISON, A.D.; LUGO-ORTIZ, C.R. (2000): The macroinvertebrates of the Cunene River from the Ruacana Falls to the river mouth and assessment of the conservation status of the river. – *Afr. J. Aquat. Sci.* 25: 105-122.
- DEL ROSARIO, R.B.; BETTS, E.A.; RESH, V.H. (2002): Cow manure in headwater streams: tracing aquatic insect responses to organic enrichment. – *J. N. Amer. Benthol. Soc.* 21: 278-289.
- DEL ROSARIO, R.B.; RESH, V.H. (2002): Responses of caddisflies and other indicator taxa to experimental manure enrichment in streams. – *Nova Supplementa Entomologica (Proceedings of the 10th International Symposium on Trichoptera, ed. W. Mey; Goecke & Evers, Keltern)* 15: 499-506.
- DERKA, T.; KRNO, I.; STRECHAYOVA, S. (2002): New records of *Isogenus nubecula* and *Amphinemura borealis* in central Europe (Plecoptera: Perlodidae, Nemouridae). – *Entomological Problems* 32(2): 138.
- DÉTHIER, M.; CASTELLA, E. (2002): A ten years survey of longitudinal zonation and temporal changes of macrobenthic communities in the Rhône River, downstream from lake Geneva (Switzerland). – *Annl. Limnol.* 38: 151-162.
- DEWALT, R.E. (2002): *Perlesta napacola*, a new species in the *Perlesta frisoni* species group (Plecoptera:Perlidae). – *Entomol. News* 113: 173-178.
- DEWALT, R.E.; WEBB, D.W.; SOLI, A.M. (2002): The *Neoperla clymene* (Newman) complex (Plecoptera:Perlidae) in Illinois, new state records, distributions, and an identification key. – *Proc. Entomol. Soc. Wash.* 104: 126-137.
- DU, Y.; SIVEC, I.; ZHAO, M. (2001): Plecoptera. Insects of Tianmushan National Nature Reserve. – Beijing: Science Press, 69-80.
- DUGGAN, I.C.; COLLIER, K.J.; LAMBERT, P.W. (2002): Evaluation of invertebrate biometrics and the influence of subsample size using data from some Westland, New Zealand, lowland streams. – *N. Z. J. Mar. Freshw. Res.* 36(1): 117-128.

- EHLERT, T.; HERING, D.; KOENZEN, U.; POTTGIESSER, T.; SCHUHMACHER, H.; FRIEDRICH, G. (2002): Typology and type specific reference conditions for medium-sized and large rivers in North Rhine- Westphalia: Methodical and biological aspects. – *Internat. Rev. Hydrobiol.* 87: 151-163.
- ELLIOTT, J.M. (2002): A quantitative study of day-night changes in the spatial distribution of insects in a stony stream. – *J. Anim. Ecol.* 71: 112-122.
- ELLIOTT, J.M. (2002): Time spent in the drift by downstream-dispersing invertebrates in a lake district stream. – *Freshwat. Biol.* 47: 97-106.
- FAUSTO, A.M.; BELARDINELLI, M.; FOCETTI, R.; TIerno DE FIGUEROA, J.M.; MAZZINI, M. (2002): Comparative spermatology in Plecoptera (Insecta). II. An ultrastructural investigation on four species of Systellognatha. – *Arthropod Structure & Development.* 31(2): 147-156.
- FAVRET, C.; DEWALT, R.E. (2002): Comparing the Ephemeroptera and Plecoptera specimen databases at the Illinois Natural History Survey and using them to document changes in the Illinois fauna. – *Annls Entomol. Soc. Amer.* 95(1): 35-40.
- FENOGLIO, S.; MORISI, A. (2001): *Anacroneuria starki*, a new species from Nicaragua (Plecoptera: Perlidae). – *Aquatic Insects* 23: 311-314.
- FERNANDEZ J. (2002): Nuevos taxones animales descritos en la peninsula Iberica y Macaronesia desde 1994 (6a parte). [Note on new taxa for the Ibero-Balearic and Macaronesian region.] – *Graellsia* 58(1): 97-124. Spanish.
- FIALKOWSKI, W.; KITTEL, W. (2002): Widelnice Plecoptera. – In: SZWEDO, J., *Katalog fauny Polski Catalogus faunae Poloniae*. Vol. 16, Chapter 3 Warszawa: Museum i Instytut Zoologii PAN, 72 pp.; 1 map.
- FINKE, D.L.; DENNO, R.F. (2002): Intraguild predation diminished in complex-structured vegetation: Implications for prey suppression. – *Ecology* 83(3): 643-652.
- FISCHER, P.; GUSTIN, M.S. (2002): Influence of natural sources on mercury in water, sediment and aquatic biota. – *Water Air Soil Pollution.* 133: 283-295.
- FLEITUCH, T. (2001): The impact of fungi and macroinvertebrates on the breakdown of beach and ash leaves in a woodland stream. – *Pol. J. Ecol.* 49: 359-368.
- FREITAG, H.; STUBBE, M.; HEIDECKE, D. (2001): Das Makrozoobenthos in der Zönosestruktur und die Saprobie unter Einfluß des Elbe-Bibers. (The macrozoobenthos concerning coenosis structure and saprobity influenced by Elbe-Beaver). – *Säugetierkundliche Informationen, Jena* 5: 35-56.
- FRIBERG, N.; LARSEN, A.D.; RODKJAER, A.; THOMSEN, A.G. (2002): Shredder guilds in three Danish forest streams contrasting in forest type. – *Arch. Hydrobiol.* 153: 197-215.
- FRITZ, K.M.; DODDS, W.K. (2002): Macroinvertebrate assemblage structure across a tallgrass prairie stream landscape. – *Arch. Hydrobiol.* 154: 79-102.
- FROEHLICH, C.G. (2002): *Anacroneuria* mainly from southern Brazil and northeastern Argentina (Plecoptera: Perlidae). – *Proc. Biol. Soc. Washington* 115(1): 75-107.

- FROEHLICH, C.G. (2002): Two New Species of *Tupiperla* (Plecoptera: Gripopterygidae) from the missions area of Argentina and Paraguay. – *Aquatic Insects* 24(1): 37-40.
- GALDEAN, N.; STAIUCU, G. (2000): The tendency of eutrophication of the Tisa watershed (Romania) reflected in the qualitative changes of the benthic communities of some rivers. – *Verh. Internat. Verein. Limnol.* 27: 2714-2718
- GARCIA-CRIADO, F.; FERNANDEZ-ALAEZ, M.; FERNANDEZ-ALAEZ, C. (2002): Relationship between benthic assemblage structure and coal mining in the Boeza river basin (Spain). – *Arch. Hydrobiol.* 154(4): 665-689.
- GLADSO, J.A.; RADDUM, G.G. (2002): Rotenone treatment of a west Norwegian river: effects on drift of invertebrates. – *Verh. Internat. Verein. Limnol.* 28: 764-769.
- GRAF, W.; HUTTER, G.; WEICHSELBAUMER, P. (2002): Verzeichnis der Steinfliegen Vorarlbergs (Österreich) (Insecta: Plecoptera). [Inventory of the stoneflies of Vorarlberg (Austria) (Insecta: Plecoptera)]. – *Vorarlberger Naturschau* 11: 215-221.
- GRIMALDI, D.A.; ENGEL, M.S.; NASCIBENE, P.C. (2002): Fossiliferous Cretaceous amber from Myanmar (Burma): Its rediscovery, biotic diversity, and paleontological significance. – *Amer. Museum Novitates* (3361): 1-72.
- GUEORGUIEV, V.; BESCHOVSKI, V.; BESHKOV, S.; KOLAROV, J.; KUMANSKI, K.; POPOV, A.; VASSILEVA, E. (1998): Insects of Bulgaria, part 1: Odonata, Ephemeroptera, Plecoptera, Homoptera (Auchenorrhyncha), Heteroptera, Coleoptera. – In: MEINE, C. (ed.), *Bulgaria's Biological Diversity: Conservation status and needs assessment* 1: 163-209. Biodiversity Support Program, Washington
- HAAS, F. KUKALOVA-PECK, J. (2001): Dermaptera hindwing structure and folding: new evidence for familial, ordinal and superordinal relationships within Neoptera (Insecta). – *Eur. J. Entomol.* 98: 445-509.
- HABDIJA, I.; RADANOVIC, I.; MATONICKIN, R. (2000): Functional feeding structure of benthic macroinvertebrates in travertine barrier biotopes. – *Verh. Internat. Verein. Limnol.* 27: 2594-2599.
- HAMM, S.A.; BAI, Y.J. (2002): The stonefly genera *Megaleuctra* (Plecoptera: Leuctridae) new to east palearctic region, with description of *Megaleuctra saebat* new species. – *Entomol. News* 113: 336-341.
- HAWKINS, C.P.; NORRIS, R.H. (2000): Effects of taxonomic resolution and use of subsets of the fauna on the performance of RIVPACS-type models. – Pp. 217-228 in: WRIGHT, J.F.; SUTCLIFFE, D.W.; FURSE, M.T. (eds), *Assessing the biological quality of fresh waters RIVPACS and other techniques*. – *Freshwat. Biol. Assoc. Special Publ.* 8.
- HEINO, J. (2002): Concordance of species richness patterns among multiple freshwater taxa: A regional perspective. – *Biodiversity & Conservation* 11(1): 137-147.

- HEINO, J.; MUOTKA, T.; PAAVOLA, R.; HÄMÄLÄINEN, H.; KOSKENNIEMI, E. (2002): Correspondence between regional delineations and spatial pattern in macroinvertebrate assemblages of boreal headwater streams. – J. N. Amer. Benthol. Soc. 21: 397-413.
- HESS, M.; HECKES, U. (2001): Beitrag zur Wasserinsektenfauna der Bäche und Quellen im Stadtgebiet München (Ephemeroptera, Plecoptera, Heteroptera, Coleoptera, Trichoptera u.a.). [Contribution to the aquatic insect fauna of streams and springs in the Munich city area (Ephemeroptera, Plecoptera, Heteroptera, Coleoptera, Trichoptera, and other.)]. – Nachrbl. bayer. Entomol. 50(1): 113-127.
- HOGG, I.D.; EADIE, J.M.; WILLIAMS, D.D.; TURNER, D. (2001): Evaluating fluctuating asymmetry in a stream-dwelling insect as an indicator of low level thermal stress: A large-scale field experiment. – J. Appl. Ecol 38: 1326-1339.
- HORECKY J.; STUHLIK, E.; CHVOJKA P.; BITUSIK, P.; LISKA, M.; PSENAKOVA, P.; SPACEK, J. (2002): Effects of acid atmospheric deposition on chemistry and benthic macroinvertebrates of forest streams in the Brdy Mts (Czech Republic).. – Acta Societatis Zoologicae Bohemicae 66(3): 189-203.
- HUBENOV, Z.; BESHOVSKI, V.; JOSIFOV, M.; POPOV, A.; KUMANSKI, K.; SAKALIAN, V.; VIDINOVA, Y.; LYUBOMIROV, T. (2000): Entomofaunistic diversity of the Central Balkan National Park. – Pp. 319-362 in: SAKALIAN, M. (ed.), *Biological diversity of the Central Balkan National Park*, Pensoft, Sofia.
- HUBENOV, Z.; BESHOVSKI, V.; JOSIFOV, M.; POPOV, A.; KUMANSKI, K.; SAKALIAN, V.; ABADJIEV, S.; VIDINOVA, Y.; LYUBOMIROV, T. (2000): Entomofaunistic diversity of the Rila National Park. – Pp. 285-331 in: SAKALIAN, M. (ed.), *Biological diversity of the Rila National Park*, Pensoft, Sofia.
- HUCKINS, C.J.; VAN DUSEN, P.J.; FLASHPOHLER, D.J. (2001): Apparent temporal shifts in stream communities following selective logging. – Ecol. Soc. Amer. Ann. Meeting Abstracts 86: 118.
- HURYN, A.D.; BUTZ HURYN, V.M.; ARBUCKLE, C.J. (2002): Catchment land-use, macroinvertebrates and detritus processing in headwater streams: taxonomic richness versus function. – Freshwat. Biol. 47: 401-415.
- HUTCHENS, J.J., Jr.; WALLACE, J.B. (2002): Ecosystem linkages between southern Appalachian headwater streams and their banks: Leaf litter breakdown and invertebrate assemblages. – Ecosystems 5(1): 80-91.
- JACOBI, G.Z.; SMOLKA, L. R.; JACOBI, M.D. (2000): Benthic macroinvertebrate bioassessment of the Red River, New Mexico, USA. – Verh. Internat. Verein. Limnol. 27: 2719-2724.
- JENKINS; R.K.B.; ORMEROD, S.J. (2002): Habitat preferences of breeding Water Rail *Rallus aquaticus*. – Bird Study 49(1): 2-10.
- KAZANCI, N. (2002): *Brachyptera berkii*, a New Plecoptera (Taeniopterygidae) Species from Turkey. – Aquatic Insects 23 (2001!): 283-287.

- KELLER, S. (1985): Pilzkrankheiten verursacht durch Entomophthorales bei aquatischen Insekten. [Fungal diseases of aquatic insects caused by Entomophthorales]. – Bull. Soc. Entomol. Suisse 58: 527-528.
- KELLER, S. (1991): Arthropod-pathogenic Entomophthorales of Switzerland. II. Erynia, Eryniopsis, Neozygites, Zoophthora and Tarichium. – Sydowia 43: 39-122.
- KELLER, S. (2002): The genus *Entomophthora* (Zygomycetes, Entomophthorales) with a description of five new species. – Sydowia 54(2): 157-197.
- KIRCHNER, R.F.; KONDRATIEFF, B.C.; ZUELLIG, R.E. (2002): The Tennessee type locality of *Allocapnia perplexa* and a new Kentucky location for *Allocapnia cunninghami* (Plecoptera: Capniidae). – Entomol. News 113: 332-335.
- KNISPEN, S.; ROSCISZEWSKA, E.; VINÇON, G.; LUBINI, V. (2002): The status of *Perlodes jurassicus* Aubert, 1946 (Insecta: Plecoptera: Perlodidae). – Mitt. Schweiz. Entomol. Ges. 75: 183-189.
- KONDRATIEFF, B.C.; BAUMANN, R.W. (2002): A review of the stoneflies of Colorado with description of a new species of *Capnia* (Plecoptera: Capniidae). – Trans. Amer. Entomol. Soc. 128: 385-401.
- KONDRATIEFF, B.C.; KIRCHNER, R.F. (2002): *Perlesta etnieri* (Plecoptera: Perlidae), a new species of stonefly from Tennessee – Proc. Entomol. Soc. Wash. 104: 51-55.
- KONDRATIEFF, B.C.; LECHLEITNER, R.A. (2002): Stoneflies (Plecoptera) of Mount Rainier National Park, Washington. – Western N. Amer. Natur. 62(4): 385-404.
- KOVACS, T.; AMBRUS, A. (2002): Data of larvae to the mayfly, dragonfly and stonefly fauna of Őrség and Kerka-vidék (Hetés) (Ephemeroptera, Odonata, Plecoptera). – Praenorica. Folia historico-naturalia 6: 23-40.
- KOVACS, T.; AMBRUS, A.; JUHASZ, P. (2002): New and rare stoneflies (Plecoptera) from Hungary. – Folia Entomol. Hungarica 63: 43-48.
- KOVACS, T.; WEINZIERL, A.; AMBRUS, A. (2002): Ephemeroptera, Odonata and Plecoptera larvae from the river Tisza in the year of cyanid pollution (2000). – Folia Historico-Naturalia Musei Matraensis 26: 169-178.
- KUMANSKI, K. (1997): Plecoptera. – Pp. 25-29 in SAKALIAN, V. (ed.), *Endemic and relict insects in the Pirin National Park, Bulgaria*. Pensoft Publishers, Sofia – Moscow, 96 pp.
- LEDGER, M.E.; CROWE, A. L.M.; WOODWARD, G.; WINTERBOURN, M. J. (2002): Is the mobility of stream insects related to their diet?. – Arch. Hydrobiol. 154: 41-59.
- LEFEVRE, S.R.; SHARPE, W.E. (2002): Acid stream water remediation using limestone sand on Bear Run in southwestern Pennsylvania. – Restoration Ecol. 10: 223-236.
- LINHART, J.; FIURASKOVA, M. UVÍRA, V. (2002): Moss- and mineral substrata-dwelling meiobenthos in two different low-order streams. – Arch. Hydrobiol. 154: 543-560.

- LOWELL, R.B.; CULP, J.M. (2002): Implications of sampling frequency for detecting temporal patterns during environmental effects monitoring. – *Water Quality Res. J. Canada* 37(1): 119-132.
- LUZON-ORTEGA, J.M.; TIERNO DE FIGUEROA, J.M. (2002): Los Plecópteros (Insecta, Plecoptera) de Montes de Toledo (España). [The stoneflies (Insecta, Plecoptera) from Montes de Toledo (Spain)]. – *Bol. S.E.A.* 30: 175-176.
- MACNEALE, K.H.; LIKENS, G.E.; PECKARSKY, B.L. (2002): Feeding strategy of an adult stonefly (Plecoptera): implications for egg production and dispersal. – *Verh. Internat. Verein. Limnol.* 28: 1140-1146.
- MACNEALE, K.H.; PECKARSKY, B.L.; LIKENS, G.E. (2002): Stream insect populations connected through cross-stream and upstream adult flight. – *Ecol. Soc. Amer. Annual Meeting* 86:
- MALDONADO, V.; STARK, B.P.; CRESSA, C. (2002): Descriptions and Records of *Anacroneuria* from Venezuela (Plecoptera: Perlidae). – *Aquatic Insects* 23(4): 219-236.
- MALARD, F. (2003): Biodiversität in der hyporheischen Zone eines Glescherbaches. [Biodiversity in the hyporheic zone of a glacier stream]. – *EAWAG news* 54d: 24-25.
- MALICKY, H. (2002): A quantitative field comparison of different types of emergence traps in a stream: general, Trichoptera, Diptera (Limoniidae and Empididae). – *Annl. Limnol.* 38: 133-149.
- MALICKY-RUZICKA, H. M. (2002): Die Plecoptera-Sammlung im Biologiezentrum des Oberösterreichischen Landesmuseums in Linz, Österreich (Insecta, Plecoptera). [The Plecoptera-collection in the Biological Center of the Oberösterreichisches Landesmuseum in Linz, Austria (Insecta, Plecoptera)]. – *Linzer Biol. Beitr.* 34(2): 1191-1199.
- MALICKY-RUZICKA, H.M. (2002): Bemerkenswerte Steinfliegenfunde aus Oberösterreich und benachbarten Bundesländern: Teil 2 (Insecta, Plecoptera). [Noteworthy findings of stoneflies from Upper Austria and neighbouring Federal States: Part 2 (Insecta, Plecoptera)]. – *Beitr. Naturk. Oberösterreichs* 11: 405-410.
- MATHURIAU, C.; CHAUVET, E. (2002): Breakdown of leaf litter in a neotropical stream. – *J. N. Amer. Benthol. Soc.* 21: 384-396.
- MATTHAEI, C.D.; HUBER, H. (2002): Microform bed clusters: are they preferred habitats for invertebrates in a flood-prone stream? – *Freshwat. Biol.* 47: 2174-2190.
- MAZURKIEWICZ, G.; FLEITUCH, T. (2000): Patterns of benthic fauna diversity in a mountain river. – *Verh. Internat. Verein. Limnol.* 27: 2529-2534.
- MCCUTCHAN J.H. Jr.; LEWIS, W.M. Jr. (2002): Relative importance of carbon sources for macroinvertebrates in a Rocky Mountain stream. – *Limnol. Oceanogr.* 47: 742-752.
- MCCUTCHEN, N.A. (2002): The response of stonefly (Plecoptera) nymphs to seasonal increases in predation risk. – *Can. J. Zool.* 80: 967-972.



- MELLADO, A.; SUÁREZ, M.L.; MORENO, J.L.; VIDAL-ABARCA, M.R. (2002): Aquatic macroinvertebrate biodiversity in the Segura River Basin (SE Spain). – Verh. Internat. Verein. Limnol. 28: 1157-1162.
- MINAKAWA, N.; GARA, R.I.; HONEA, J.M. (2002): Increased individual growth rate and community biomass of stream insects associated with salmon carcasses. – J. N. Amer. Benthol. Soc. 21: 651-659.
- MONAGHAN, M.T.; HIEBER, M.; ROBINSON, C.T.; SPAAK, P.; WARD, J.V. (2002): Spatial patterns of Ephemeroptera, Plecoptera and Trichoptera diversity in fragmented alpine streams: – Verh. Intern. Verein. Limnol. 28: 1429-1435.
- MYERS, M.J.; RESH, V.H. (2002): Trichoptera and other macroinvertebrates in springs of the Great Basin: species composition, richness and distribution. – Western N. Amer. Natur. 62: 1-13.
- NELSON, C.H.; HAMILTON, R. IV; DUFFIELD, R.M. (2002): Confirmed records of *Leuctra variabilis* and *Alloperla usa* in Maryland (Plecoptera: Leuctridae, Chloroperlidae), with additional comments on the former species. – Entomol. News 113(2): 137-139.
- NORTH, E.G.; BAUMANN, R.; HERSCHLER, R.; KINGSLEY, K.; KONDRATIEFF, B.; NEKOLA, J.; STEVENS, L.E. (2002): Invertebrate diversity at North American springs: Biogeography and conservation status. – Ecol. Soc. Amer. Ann. Meeting Abstracts 87: 40.
- PAAVOLA, R.; MUOTKA, T.; TIKKANEN, P. (2000): Macroinvertebrate community structure and species diversity in humic streams of Finnish Lapland. – Verh. Internat. Verein. Limnol. 27: 2550-2555.
- PASS, G. (2001): Die vielen Herzen der Insekten: evolutionärer Ursprung und funktionelle Diversität. [The many hearts of insects: evolutionary origin and functional diversity]. – Mitt. Dtsch. Ges. allg. angew. Ent. 13: 293-297.
- PEPIN, D.M.; HAUER, F.R. (2002): Benthic responses to groundwater-surface water exchange in 2 alluvial rivers in northwestern Montana. –J. N. Amer. Benthol. Soc. 21(3): 370-383.
- PICCOLO, J.J.; WIPFLI, M.S. (2002): Does red alder (*Alnus rubra*) in upland riparian forests elevate macroinvertebrate and detritus export from headwater streams to downstream habitats in southeastern Alaska?. – Can. J. Fish. Aquat. Sci. 59: 503-513.
- PLAGUE, G.R.; LARSON J.H. (2002): Analysis of an apparent genetic cline in the stonefly *Pteronarcys scotti*. – J. Entomol. Sci. 37: 278-280.
- POPRAWA, I.; BARAN, A.; ROSCISZEWSKA, E. (2002): Structure of ovaries and formation of egg envelopes in the stonefly, *Leuctra autumnalis* Aubert, 1948 (Plecoptera: Leuctridae). Ultrastructural studies. – Folia Biologica (Cracow) 50(1-2): 29-38.
- POTEET, M.F. (2001): Human impacts change parasite dynamics through host reservoirs and the role of abiotic factors. – Ecol. Soc. Amer. Ann. Meeting Abstracts 86: 181.

- POTTER, K.M.; SCHABERG, R.H.; CHUBBAGE, F.W.(2002): A watershed-level ecological risk assessment of nonpoint pollution sources in North Carolina. – Ecol. Soc. Amer. Ann. Meeting Abstracts 87: 411.
- PROKOP J. (2002): An immature stonefly from Lower Miocene of the Bilina mine in northern Bohemia (Plecoptera: Perlidae).. – Acta Societatis Zoologicae Bohemicae 66(3): 235-239.
- RAVIZZA, C. (2002): Atlas of the Italian Leuctridae (Insecta, Plecoptera) with an appendix including Central European species. – Lauterbornia 45: 1-42.
- RAVIZZA, C. (2002): *Leuctra marani* Rauser, new for the Greek stonefly-fauna (Insecta, Plecoptera). – Atti Soc. it. Sci. nat. Museu civ. Stor. nat. Milano 143: 191-193.
- REICE, S.R. (2001): The effects of Hurricane Floyd on benthic community structure in piedmont North Carolina streams. – Ecol. Soc. Amer. Ann. Meeting Abstracts 86: 185.
- REISINGER, W.; BAUERNFEIND, E.; LOIDL, E. (2002): Entomologie für Fliegenfischer Vom Vorbild zur Nachahmung. [Entomology for fly fisher From model to imitation]. – Verlag Eugen Ulmer, Stuttgart, 288 pp.
- RICHARDSON, J.S. (2001): Life cycle phenology of common detritivores from a temperate rainforest stream. – Hydrobiologia 455: 87-95.
- ROBINSON, C.T.; TOCKNER, K.; BURGHER, P. (2002): Seasonal patterns in macroinvertebrate drift and seston transport in streams of an alpine glacial flood plain. – Freshwat. Biol. 47: 985-993.
- ROSI-MARSHALL, E.J.; WALLACE, J.B. (2002): Invertebrate food webs along a stream resource gradient. – Freshwat. Biol. 47: 129-141.
- RUPPRECT, R. (2002): Drumming signals of Japanese *Calineuria* species (Plecoptera:Perlidae). – Aquatic Insects 24: 81-85.
- RUZICKA, H. (2001): Bemerkenswerte Steinfliegenfunde aus Oberösterreich und benachbarten Bundesländern (Insecta, Plecoptera). [Noteworthy findings of stoneflies from Upper Austria and neighbouring Federal States (Insecta, Plecoptera)]. – Beitr. Naturk. Oberösterreichs 10: 519-514.
- SCHULTHEIS, A.S.; HENDRICKS, A.C.; WEIGT, L.A. (2002): Genetic evidence for 'leaky' cohorts in the semivoltine stonefly *Peltoperla tarteri* (Plecoptera: Peltoperlidae). – Freshwat. Biol. 47(3): 367-376.
- SCHULTHEIS, A.S.; WEIGT, L.A.; HENDRICKS, A.C. (2002): Arrangement and structural conservation of the mitochondrial control region of two species of Plecoptera: Utility of tandem repeat-containing regions in studies of population genetics and evolutionary history. – Insect Molecular Biol. 11(6): 605-610.
- SCHULTHEIS, A.S.; WEIGT, L.A.; HENDRICKS, A.C. (2002): Gene flow, dispersal, and nested clade analysis among populations of the stonefly *Peltoperla tarteri* in the Southern Appalachians. – Molecular Ecol. 11(3): 317-327.
- SCHULZ, R.; THIÈRE, G.; DABROWSKI, J.M. (2002): A combined microcosm and field approach to evaluate the aquatic toxicity of azinphosmethyl to stream communities. – Environ. Toxicol. Chem. 21(10): 2172-2178.

- SIVEC, I.; HORVAT, B. (2002): Vrbnice (Plecoptera) in vodne muhe poplesovalke (Diptera, Empididae) reke Dragonje / Stoneflies (Plecoptera) and aquatic dance flies (Diptera, Empididae) of the Dragonja River. – Nature Conservation 19: 53-58.
- SIVEC, I.; STARK, B.P. (2002): The species of *Perla* (Plecoptera: Perlidae): Evidence from egg morphology. – Scopolia 49: 1-33.
- SMITH, M. E.; ANDRIKOVICS, S. (2000): Benthic invertebrates in blackwaters: a comparison of macro- and mesofaunal assemblages in south-eastern United States and Middle Europe. – Verh. Internat. Verein. Limnol. 27: 2556-2561.
- SNOOK, D.L.; MILNER, A.M. (2002): Biological traits of macroinvertebrates and hydraulic conditions in a glacier-fed catchment (French Pyrénées). – Arch. Hydrobiol. 153: 245-271.
- SOUCEK, D.J.; DENSON, B.C.; SCHMIDT, T.S.; CHERRY, D.S.; ZIPPER, C.E. (2002): Impaired *Acroneuria* sp. (Plecoptera, Perlidae) populations associated with aluminum contamination in neutral pH surface waters. – Arch. Environ. Contam. Toxicol. 42(4): 416-422.
- SRIVASTAVA, D.S.; RUESINK, J.L. (2001): Mechanisms maintaining ecosystem function after species loss: Numerical and per capita compensation by stream insects. – Ecol. Soc. Amer. Ann. Meeting Abstracts 86: 210.
- STAGLIANO, D.M.; WHILES, M.R. (2002): Macroinvertebrate production and trophic structure in a tallgrass prairie headwater stream. – J. N. Amer. Benthol. Soc. 21: 97-113.
- STARK, B.P.; ZÚÑIGA, M.C.; SIVEC, I. (2001): Descriptions of *Anacroneuria* spp. (Plecoptera:Perlidae) from the Upper Rio Amazonas drainage, Columbia and Peru. -- Acta Entomol. Slovenica 9: 119-122.
- STEIN, B.A.; MASTER, L.L.; MORSE, L.E. (2002): Taxonomic bias and vulnerable species. – Science 297 5588): 1807.
- STEWART, K.W.; STARK, B.P. (2002): Nymphs of North American stonefly genera (Plecoptera). Second Edition. – The Caddis Press, Columbus, Ohio. xii+510pp.
- STEWART, K.W.; STARK, B. P. (2002): Review and further descriptions of eggs and females of the North American stonefly genus *Setvena* (Plecoptera: Perlodidae). – Entomol. News 113: 87-93.
- SUTCLIFFE, K.E.; TAPLIN, R.H.; DAVIS, J.A.; HALSE, S.A. (2002): Factors affecting the distribution of stoneflies (Plecoptera) in south-western Australia. – Verh. Intern. Verein. Limnol. 28: 1538-1541.
- SZCZYTKO, S.W.; STEWART, K.W. (2002): New larval descriptions of 5 Western Nearctic *Isoperla*: *I. decolorata*, *I. denningi*, *I. rougensis*, *I. katmaiensis* and *I. baumanni* and further descriptions of the male, female and ova of *I. decolorata* (Plecoptera: Isoperlinae). -- Trans. Amer. Entomol. Soc. 128: 1-22.
- THEISCHINGER, G. (2002): A new species of *Neboissoperla* McLellan from alpine New South Wales, Australia (Plecoptera: Gripopterygidae). – Linzer biol. Beitr. 34: 1507-1510.

- THOMSEN, A.G.; FRIBERG, N. (2002): Growth and emergence of the stonefly *Leuctra nigra* in coniferous forest streams with contrasting pH. – Freshwat. Biol. 47: 1159-1172.
- THOMSON, J.R. (2002): The effects of hydrological disturbance on the densities of macroinvertebrate predators and their prey in a coastal stream. – Freshwat. Biol. 47: 1333-1351.
- THOMSON, J.R.; LAKE, P.S.; DOWNES, B.J. (2002): The effect of hydrological disturbance on the impact of a benthic invertebrate predator. – Ecology (Washington D C) 83(3): 628-642.
- TIERNO DE FIGUEROA, J.M.; BELARDINELLI, M.; FAUSTO, A.M.; FOCHETTI, R., MAZZINI, M. (2001): Egg description of three Mediterranean *Isoperla* species (Plecoptera, Perlodidae). – Bol. Asoc. Esp. Entomol. 25(3-4): 67-72. Spanish
- TEIRNO DE FIGUEROA, J.M.; FAUSTO, A.M.; FOCHETTI, R.; SCAPIGLIATI, G.; SEZZI, E.; MAZZINI, M. (2002): S.E.M. and cytofluorimetric characterization of *Dinocras cephalotes* haemocytes (Plecoptera, Perlidae). – Belg. J. Zool. 132: 65-69.
- TIERNO DE FIGUEROA, J.M.; FOCHETTI, R. (2001): Male drumming call of an Italian population of *Dinocras cephalotes*. – Fragmenta Entomol. 33: 15-19.
- TIERNO DE FIGUEROA, J.M.; FOCHETTI, R. (2001): Variabilidad en la venación alar de *Dictyogenus alpinus* (Pictet, 1842) (Plecoptera, Perlodidae). [Variation in wing venation in *Dictyogenus alpinus* (Pictet, 1842) (Plecoptera, Perlodidae)]. – Zool. baetica 12: 185-188.
- TIERNO DE FIGUEROA, J.M.; FOCHETTI, R. (2002): *Sweltsa yunnan*, sp. nov.; a new stonefly from China (Plecoptera: Chloroperlidae). – Oriental Insects 36: 93-95.
- TIERNO DE FIGUEROA, J.M.; LUZON-ORTEGA, J. M.; SANCHEZ-ORTEGA, A. (2001): Fenología de los plecópteros (Insecta, Plecoptera) de Sierra Nevada (Granada, España). [Phenology of stoneflies (Insecta, Plecoptera) from Sierra Nevada (Granada, Spain)]. – Zool. baetica 12: 49-70.
- TIERNO DE FIGUEROA, J.M.; LUZON-ORTEGA, J.M.; STEWART, K. W. (2002): The drumming of *Isoperla pallida* Aubert and *Guadalgenus franzi* (Aubert) (Plecoptera, Perlodidae), and review and evolutionary considerations of southern Iberian Peninsula Perlodidae. – Zool. Science 19: 871-875.
- TIERNO DE FIGUEROA, J.M.; PALOMINO-MORALES, J.A.; LUZON-ORTEGA, J.M. (2002): La fauna de Plecópteros (Insecta, Plecoptera) de Extremadura (España). [The stonfly fauna (Insecta, Plecoptera) from Extremadura (Spain)]. – Bol. S.E.A. 30: 111-113.
- TIERNO DE FIGUEROA, J.M.; RAVIZZA, C.; FOCHETTI, R. (2000 (2001)): I Plecotteri (Insecta, Plecoptera) del Museo di Scienze Naturali di Bergamo (Italia). [The Plecoptera (Insecta, Plecoptera) of the Natural History Museum of Bergamo (Italy)]. – Riv. Mus. civ. Sc. Nat. "E. Caffi" Bergamo 20: 49-57.

- TIPPING, E.; BASS, J.A.B.; HARDIE, D.; HAWORTH, E.Y.; HURLEY, M.A.; WILLS, G. (2002): Biological responses to the reversal of acidification in surface waters of the English Lake District. – *Environ. Pollut.* 116(1): 137-146.
- TOMAN, M.J.; PODGORNIK, S. (2000): Artificial substrate colonization by macroinvertebrates in a small stream ecosystem. – *Verh. Internat. Verein. Limnol.* 27: 2567-2570.
- TOUABAY, M.; AOUAD, N.; MATHIEU, J. (2002): Etude hydrobiologique d'un cours d'eau du Moyen-Atlas: l'oued Tizguit (Maroc). [Hydrobiological study of a river from the Moyen-Atlas: the Tizguit wadi (Morocco)]. – *Annls Limnol* 38: 65-80.
- TSYRLIN, E.; CAMPBELL, I.C. (2002): Colonisation of wood by invertebrates in Australian upland streams: differences between pool and riffles. – *Verh. Internat. Verein. Limnol.* 28: 1066-1069.
- TURNBULL, D.K.R.; BARMUTA, L.A. (2002): Substrate complexity influences the preference of a predatory stonefly, *Eusthenia costalis* Banks (Plecoptera: Eustheniidae), for its prey. – *Arch. Hydrobiol.* 155: 481-492.
- VERDONSCHOT, P.F.M. (2000): Soft-bottomed lowland streams: a dynamic desert. – *Verh. Internat. Verein. Limnol.* 27: 2577-2581.
- VINÇON, G.; SANCHEZ-ORTEGA, A. (2002): The genus *Capnioneura* in the Iberian Peninsula and the Pyrenees, with the description of *C. narcea* sp. n. (Plecoptera, Capniidae). – *Nouv. Revue Ent.(N.S.)* 19(1): 2002. 73-81.
- VINÇON, G.; SIVEC, I. (2001): Contribution to the knowledge of Turkish Leuctridae (Plecoptera). – *Nouv. Revue Entomol. (N.S.)* 18: 259-285.
- VIVAS, S.; CASAS, J. J. (2002): Macroinvertebrates colonising leaf litter of contrasting quality in a travertine Mediterranean stream. – *Arch. Hydrobiol.* 154: 225-238.
- WEBB, D.W. (2002): The winter stoneflies of Illinois (Insecta:Plecoptera): 100 years of change. – *Bull. Illinois Natur. Hist. Surv.* 36(5): 195-274.
- WEIGEL, B.M.; DODSON, S.I. (2001): Ecological assessment associating stream macroinvertebrates with watershed land cover for protecting and restoring Wisconsin streams. – *Ecol. Soc. Amer. Ann. Meeting Abstracts* 86. 231.
- WEIGEL, B.M.; HENNE, L.J.; MARTINEZ-RIVERA, L.M. (2002): Macroinvertebrate-based index of biotic integrity for protection of streams in west-central Mexico. – *J. N. Amer. Benthol. Soc.* 21(4): 686-700.
- WEINZIÉRL, A.; KOVÁCS, T.; AMBRUS, A. (2001): Collection of adult stoneflies (Plecoptera) of the Mátra Museum, Hungary. – *Folia Entomol. Hungarica* 62: 37-42.
- WILLIAMS, D.D.; HAMM, T. (2002): Insect community organisation in estuaries: The role of the physical environment. – *Ecography* 25: 372-384.
- WIPFLI, M.S.; GREGOVICH, D. P. (2002): Export of invertebrates and detritus from fishless headwater streams in southeastern Alaska: implications for downstream salmonid production. – *Freshwat. Biol.* 47: 957-969.

- WOODWARD, G.; HILDREW, A.G. (2002): Body-size determinants of niche overlap and intraguild predation within a complex food web. – *J. Anim. Ecol.* 71: 1063-1074.
- WOODWARD, G.; HILDREW, A.G. (2002): Differential vulnerability of prey to an invading top predator. – *Ecol. Entomol.* 27: 732-744.
- WOODWARD, G.; JONES, J.I.; HILDREW, A.G. (2002): Community persistence in Broadstone Stream (U.K.) over three decades. – *Freshwat. Biol.* 47: 1419-1435.
- WRIGHT, A.B.; SMOCK, L.A. (2001): Macroinvertebrate community structure and production in a low-gradient stream in an undisturbed watershed. – *Arch. Hydrobiol.* 152: 297-313.
- WRIGHT, J.F.; GUNN, R.J.M.; WINDER, J.M.; WIGGERS, R.; KNEEBONE, N.T.; CLARKE, R.T. (2002): The impact of drought events in 1976 and 1977 on the macroinvertebrate fauna of a chalk stream. – *Verh. Internat. Verein. Limnol.* 28: 948-952.
- YOSHIDA, T.; UENISHI, M. (2001): Benthic fauna: c. Insects: Freshwater macroinvertebrate fauna of Nishina Three Lakes. – MARTENS, K.: Ed. *Biology of Inland Waters. Lake Kizaki: Limnology and ecology of a Japanese lake*: 325-334.
- YOUNES, Y.; GARCIA, X.F.; GAGNEUR, J. (2002): Étude de l'impact des activités touristiques sur la qualité de l'eau et l'organisation des peuplements macrobenthiques au sein des cours d'eau de la Principauté d'Andorre. [Study of the mountain tourism impact on water quality and assemblage of macrobenthic populations in the Andorran rivers]. – *J. Water Sci.* 15(1): 421-424. French.
- ZAIKA, V.V. (2000): Stonefly Insecta, Ectognatha, Plecoptera. Pages 6-39. – In: ARAKCHAA L.K. (ed.). *Atlas-key water invertebrate Tuva and West Mongolia*. – Tuvinian Institute for the Exploration of Natural Resources SB RAS, Kyzyl, 40 pp. (translation).
- ZASYPKINA I.A.; RYABUKHIN A.S. (2001): Amphibiotic insects of the northeast of Asia. – Pensoft & Backhuys Publishers, Sofia, Moscow, Leiden; *Order Plecoptera*: pp. 20-27, Map 7 (p. 136).
- ZHILTZOVA, L.A. (2002): A review of the stonefly family Capniidae (Plecoptera) of the fauna of Russia and neighbouring countries. – *Entomol. Obozr.* 81(2): 312-317.
- ZHU, F. (2002): Contribution to the taxonomy of Nemouridae from Northern China (Plecoptera: Nemouridae). – MSc Thesis, Graduate School, China Agricultural University.
- ZHU, F.; YANG, D. (2002): Three new species of *Amphinemura* from China (Plecoptera: Nemouridae). – *Acta zootaxonomica Sinica* 27(4):745-749.
- Chinese, Engl. abstract. ZHU, F.; YANG, D.; YANG, C.-K. (2002): A new species of the genus *Indonemoura* Baumann (Plecoptera: Nemouridae) from Tibet, China. – *Entomol. Science* 5(3):317-320. ZUELLIG, R.E.; KONDRATIEFF, B.C.; RHODES, H.A. (2002): Benthos recovery after an episode sediment release into a Colorado Rocky Mountain river. – *Western N. Amer. Natur.* 62: 59-69.

- ZÚÑIGA, M. del C.; STARK, B.P. (2002): New species and records of Colombian *Anacroneuria* (Insecta, Plecoptera, Perlidae). – *Spixiana* 25(3): 209-224.
- ZWICK, P.; TESLENKO, V.A. (2002): Development and life history of Far Eastern Russian *Pteronarcys* spp. (Plecoptera, Pteronarcyidae). – *Arch. Hydrobiol.* 153(3): 503-528.