

Oliver can be contacted at:

O. Zompro, c/o Max-Planck-Institute of Limnology,  
P.O.Box 165, D-24302 Plön, Germany  
e-mail: o.zompro@t-online.de

**Peter Zwick**

### **Pseudoretirement of Richard Baumann**

I will officially retire from my position at Brigham Young University on September 1, 2006. However, I will be able to maintain my workspace and research equipment at the Monte L. Bean Life Science Museum for a minimum of three years. At this time, I will work to complete many projects on stonefly systematics in concert with colleagues and friends. The stonefly collection will continue to grow and to be curated by Dr. C. Riley Nelson, Dr. Shawn Clark, and myself. I plan to be a major “player” in stonefly research in North America for many years. My contact information at the museum beginning in 2006 is the following:

Dr. Richard W. Baumann  
Curator Emeritus of Insects  
Monte L. Bean Life Science Museum  
Brigham Young University  
Provo, Utah 84602  
[Richard\\_Baumann@byu.edu](mailto:Richard_Baumann@byu.edu)  
(801) 422-5492

**RECENT PLECOPTERA LITERATURE (CALENDAR YEAR 2005 AND EARLIER.** Papers made available after March 2006 will be included in the next issue). **If papers were missed, please bring these to the attention of the Managing Editor.**

- Acuña, V., I. Muñoz, A. Giorgi, M. Omella, F. Sabater, and S. Sabater. 2005. Drought and postdrought recovery cycles in an intermittent Mediterranean stream: structural and functional aspects. *Journal of the North American Benthological Society* 24: 919-933.
- Anbalagan, S., B. Kaleeswaran, and C. Balasubramanian. 2004. Diversity and trophic categorization of aquatic insects of, Courtallam hills of Western Ghats. *Entomonograph*. 29(3): 215-220.
- Anderson, K. E., R. M. Nisbet, S. Diehl, and S. D. Cooper. 2005. Scaling population responses to spatial environmental variability in advection-dominated systems. *Ecology Letters* 8(9): 933-943.
- Argerich, A., M. A. Puig, and E. Pupilli. 2004. Effects of floods of different magnitude on the macroinvertebrate communities of Matarranya stream (Ebro River Basin, NE Spain). *Limnetica* 23 (3-4): 103-114.

- Arcsott, D. B., K. Tockner, and J. V. Ward. 2005. Lateral organization of aquatic invertebrates along the corridor of a braided floodplain river. *Journal of the North American Benthological Society* 24(4): 934-954.
- Baillie, B. R., K. J. Collier, and J. Nagels. 2005. Effects of forest harvesting and woody-debris removal on two Northland streams, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 39(1): 1-15.
- Barquin, J., and R. G. Death. 2004. Patterns of invertebrate diversity in streams and freshwater springs in Northern Spain. *Archiv für Hydrobiologie* 161: 329-349.
- Bednarek, A. T., and D. D. Hart. 2005. Modifying dam operations to restore rivers: Ecological responses to Tennessee River dam mitigation. *Ecological Applications* 15(3): 997-1008.
- Beketov, M. A. 2005. Species composition of stream insects of northeastern Altai: mayflies, caddisflies, and stoneflies (Ephemeroptera, Trichoptera, Plecoptera). *Evrzitskii Entomologicheskii Zhurnal* 4(2): 101-105.
- Benstead, J. P., L. A. Deegan, B. J. Peterson, A. D. Huryn, W. B. Bowden, K. Suberkropp, K. M. Buzby, A. C. Green, and J. A. Vacca. 2005. Responses of a beaded Arctic stream to short-term N and P fertilisation. *Freshwater Biology* 50(2): 277-290.
- Béthoux, O., A. Nel, J. Lapeyrie, and G. Gand. 2005. New data on Paleozoic grylloblattid insects (Neoptera). *Journal of Paleontology*. 79(1): 125-138.
- Bispo, P. C., C. O. Neves, and C. G. Froehlich. 2005. Two new species of Perlidae (Plecoptera) from Mato Grosso State, western Brazil. *Zootaxa* 795: 1-6.
- Bo, T., and S. Fenoglio. 2005. Age-related shift in the diet of *Perla marginata* in a woodland Apenninic creek of NW Italy (Plecoptera: Perlidae). *Entomologia Generalis* 28(2): 147-154.
- Boggero, A., and V. Lencioni. 2006. Macroinvertebrates [sic!] assemblages of high altitude lakes, inlets and outlets in the southern Alps. *Archiv für Hydrobiologie* 165: 37-61.
- Böhmer, J., C. Rawer-Jost, and A. Zenker. 2004. Multimetric assessment of data provided by water managers from Germany: assessment of several different types of stressors with macrozoobenthos communities. *Hydrobiologia* 516: 215-228.
- Boyer, L. 2004. The quantification of local substrate heterogeneity in streams and its significance for macroinvertebrate assemblages. *Hydrobiologia* 499: 161-168.
- Boyer, L., and J. Bosch. 2004. The effect of riffle-scale environmental variability on macroinvertebrate assemblages in a tropical stream. *Hydrobiologia* 524: 125-132.

- Bradley, C. M., C. McGuinness, J.-R. Baars, D. Tierney, W. Trodd, and M. Kelly-Quinn. 2005. Species-level indicators of reference conditions in Irish rivers. *Verhandlungen des Internationalen Vereins fuer Limnologie* 29: 453-456.
- Brauns, M., X.-F. Garcia, M. Pusch, and N. Walz. 2004. Contribution to the littoral fauna of large lakes in Brandenburg (Germany). *Lauterbornia* 49: 43-72.
- Briers, R. A., and J. H. R. Gee. 2004. Riparian forestry management and adult stream insects. *Hydrology and Earth System Sciences* 8 (3): 545-549.
- Briers, R. A., H. M. Cariss, R. Geoghegan, and J. H. R. Gee. 2005. The lateral extent of the subsidy from an upland stream to riparian lycosid spiders. *Ecography* 28: 165-170.
- Briers, R. A., J. H. R. Gee, and R. Geoghegan. 2004. Effects of the North Atlantic oscillation on growth and phenology of stream insects. *Ecography* 27 (6): 811-817.
- Buchwalter, D. B., and S. N. Luoma. 2005. Differences in dissolved cadmium and zinc uptake among stream insects: mechanistic explanations. *Environmental Science & Technology* 39(2): 498-504.
- Bull, E. L. 2003. Diet and prey availability of Columbia spotted frogs in northeastern Oregon. *Northwest-Science* 77: 349-356.
- Buss, D. F., D. F. Baptista, J. L. Nessimaian, and M. Egler. 2004. Substrate specificity, environmental degradation and disturbance structuring macroinvertebrate assemblages in neotropical streams. *Hydrobiologia* 518: 179-188.
- Chaffin, J. L., H. M. Valett, and J. R. Webster. 2005. Influence of elevated As on leaf breakdown in an Appalachian headwater stream. *Journal of the North American Benthological Society* 24: 553-568.
- Chala, W. P., D. M. Garcia, M. L. Mosquera, K. P. Caicedo, J. A. Palacios, A. A. Castro, and J. E. Guerrero. 2003. Diversidad de macroinvertebrados y evaluacion de la calidad del agua de la quebrada la Bendicon, municipio de Quibdo (Choco, Colombia) [Spanish]. [Diversity of macroinvertebrados and evaluation of the quality of the water of the gulch the Bendicon, municipality of Quibdo (Choco, Colombia)]. *Acta Biologica Colombiana* 8(2): 23-30.
- Chaves, M. L., P. M. Chainho, J. L. Costa, N. Prat, N., and M. J. Costa. 2005. Regional and local environmental factors structuring undisturbed benthic macroinvertebrate communities in the Mondego River basin, Portugal. *Archiv für Hydrobiologie* 163: 497-523.
- Cherchesova, S. K. 2004. Plecoptera in structure of lithorephilous fauna in basin of Terek river. *Izvestiya Timiryazevskoi Sel'Skokhozyaistvennoi Akademii* (2): 153-155.

- Chertoprud, M. V. 2005. Longitude variability of macrobenthos in the streams of Central European Russia. *Zhurnal Obshechi Biologii* 66(6): 491-502.
- Collier, K. J., and B. J. Smith. 2005. Effects of progressive catchment harvesting on stream invertebrates in two contrasting regions of New Zealand's North Island. *Marine & Freshwater Research* 56(1): 57-68.
- Cowell, B. C., A. H. Remley, and D. M. Lynch. 2004. Seasonal changes in the distribution and abundance of benthic invertebrates in six headwater streams in central Florida. *Hydrobiologia* 522: 99-115.
- Cross, W. F., B. R. Johnson, J. B. Wallace, and A. D. Rosemond. 2005. Contrasting response of stream detritivores to long-term nutrient enrichment. *Limnology & Oceanography* 50(6): 1730-1739.
- Dahl, J., R. K. Johnson, and L. Sandin. 2004. Detection of organic pollution of streams in southern Sweden using benthic macroinvertebrates. *Hydrobiologia* 516: 161-172.
- Dangles, O., and B. Malmqvist. 2004. Species richness-decomposition relationships depend on species dominance. *Ecology Letters* 7: 395-402.
- Davy-Bowker, J., J. F. Murphy, G. P. Rutt, J. E. C. Steel, and M. T. Furse. 2005. The development and testing of a macroinvertebrate biotic index for detecting the impact of acidity on streams. *Archiv für Hydrobiologie* 163: 383-403.
- De Celis, J. F., and F. J. Diaz-Benjumea. 2004. Developmental basis for vein pattern variations in insect wings. *International Journal of Developmental Biology* 47: 653-663.
- De Figueroa, J. M. T., and M. J. Lopez-Rodriguez. 2005. Biometric relationships among female size, fecundity, and flight period in *Isoperla nevada* Aubert 1962 (Plecoptera: Perlodidae). *Annales de la Societe Entomologique de France* 41 (1): 3-6.
- Dejoux, C. 1981. Plécoptères 20. Pages 483-486 in: Durand, J.-R., and C. Lévêque, eds., *Flore et faune aquatiques de l'Afrique Sahélo-Soudanienne*, vol. 2. Éditions de l'Office de la Recherche Scientifique et Technique Outre-Mer, Collection Initiations - Documentations Techniques n° 45, pp. I-VIII+393-873, Paris.
- Devyatkov, V. I. 2005. [The fauna of stoneflies (Plecoptera) in the southwest of the Altai Mounts]. pp. 280-283 in: *Gornye ekosistemy Yuzhnoi Sibiri. Trudy zapovednika Tigirekski* (2005) Issue 1. (In Russian).
- Dewalt, R. E., C. Favret, and D.W. Webb. 2005. Just how imperiled are aquatic insects? A case study of stoneflies (Plecoptera) in Illinois. *Annals of the Entomological Society of America* 98(6): 941-950.
- DeWalt, R. E., and B. D. Heinold. 2005. Summer emerging Ephemeroptera, Plecoptera, and Trichoptera of Abrams Creek, Great Smoky Mountains National Park. *Proceedings of the Entomological Society of Washington* 107(1): 34-48.

- D'Haese, C. A. 2004. Phylogenie des Hexapodes et implications pour l'hypothese de leur origine aquatique. [Hexapoda phylogeny: implications for an aquatic origin hypothesis]. *Journal de la Societe de Biologie* 198(4): 311-321.
- Dia, A., and A. Thomas. 2005. Distribution and ecology of mayflies and Elmidae beetles in southern Lebanon (Ephemeroptera & Coleoptera). *Ephemera* 5(2): 95-109.
- Dügel, M., and N. Kazanci. 2004. Assessment of Water Quality of the Büyük Menderes River (Turkey) by Using Ordination and Classification of Macroinvertebrates and Environmental Variables. *Journal of Freshwater Ecology* 19(4): 605-611.
- Earle, J. I. 2004. New records and clarifications of the Pennsylvania stonefly (Plecoptera) fauna, with an annotated list of the stoneflies of Pennsylvania, USA. *Entomological News* 115(4): 191-200.
- Edokpayi, C. A., M. O. Lawal, N. A. Okwok, and C. A. Ogunwenmo. 2004. Physico-chemical and macrobenthic faunal characteristics of Kuramo Water, Lagos, southern Nigeria. *African Journal of Aquatic Science* 29(2): 235-241.
- Englund, G. 2005. Scale dependent effects of predatory fish on stream benthos. *Oikos* 111: 19-30.
- Enting, K. 2005. Aktueller Fund von *Taeniopteryx schoenemundi* Mertens 1923 (Insecta, Plecoptera) aus der unteren Eder - Erster Nachweis für Hessen seit 1964 / [Recent finding of *Taeniopteryx schoenemundi* Mertens 1923 (Insecta, Plecoptera) in the lower Eder - First record for Hesse since 1964]. *Hessische Faunistische Briefe* 24(2): 33-40.
- Fairchild, M. P., and J. R. Holomuzki. 2005. Multiple predator effects on microdistributions, survival, and drift of stream hydroptychid caddisflies. *Journal of the North American Benthological Society* (1): 101-112.
- Fairchild, M. P., and J. R. Holomuzki. 2005. Multiple predator effects on microdistributions, survival, and drift of stream hydroptychid caddisflies. *Journal of the North American Benthological Society* 24(1): 101-112.
- Fenoglio S., T. Bo, and M. Cucco. 2005. Winter prey preferences of *Perlodes microcephalus* (Pictet, 1833) (Plecoptera, Perlodidae) nymphs in an Apenninic creek, northwestern Italy. *Entomological News* 116: 245-252.
- Fenoglio S., T. Bo, P. Agosta, and M. Cucco. 2005. Mass loss and macroinvertebrate colonisation of fish carcasses in riffles and pools of a NW Italian stream. *Hydrobiologia* 532: 111-122.
- Fenoglio, S., T. Bo, M. Battagazzore, and A. Morisi. 2005. Growth of *Oligoneuriella rhenana* (Imhoff, 1852) (Ephemeroptera, : Oligoneuriidae) in two rivers with contrasting temperatures in NW, Italy. *Zoological Studies* 44(2): 271-274.
- Ferrington, L. C. Jr, R. W. Lichtwardt, B. Hayford, and M. C. Williams. 2005. Symbiotic Harpellales (Trichomycetes) in Tasmanian aquatic insects. *Mycologia* 97(1): 254-262.
- Fonnesu, A., L. Sabetta, and A. Basset. 2005. Factors affecting macroinvertebrate distribution in a Mediterranean intermittent stream. *Journal of Freshwater Ecology* 20(4): 641-647.
- Fuereeder, L., M. Wallinger, and R. Burger. 2005. Longitudinal and seasonal pattern of insect emergence in alpine streams. *Aquatic Ecology* 39(1): 67-78.
- Fuller, R.L., B. P. Kennedy, and C. Nielsen. 2004. Macroinvertebrate responses to algal and bacterial manipulations in streams. *Hydrobiologia* 523: 113-126.
- Garcia-Criado, F., E. Becares, C. Fernandez-Alaez, and M. Fernandez-Alaez. 2005. Plant-associated invertebrates and ecological quality in some Mediterranean shallow lakes: implications for the application of the EC Water Framework Directive. *Aquatic Conservation* 15(1): 31-50.
- Genkai-Kato, M., H. Mitsuhashi, Y. Kohmatsu, H. Miyasaka, K. Nozaki, and M. Nakanishi. 2005. A seasonal change in the distribution of a stream-dwelling stonefly nymph reflects oxygen supply and water flow. *Ecological Research* 20(2): 223-226.
- Gibson, C. A., R. E. Ratajczak, and G. D. Grossman. 2004. Patch based predation in a southern Appalachian stream. *Oikos* 106: 158-166.
- Girgin, S., N. Kazanci, and M. Dügel. 2003. Ordination and classification of macroinvertebrates and environmental data of a stream in Turkey. *Water Science and Technology* 47(7/8): 133-139.
- Gjerløv, C., and J. S. Richardson. 2004. Patchy resources in a heterogeneous environment: effects of leaf litter and forest cover on colonisation patterns of invertebrates in a British Columbian stream. *Archiv für Hydrobiologie* 161: 307-327.
- González, J. M., A. Basaguren, and J. Poszo. 2004. Macroinvertebrate communities along a third-order Iberian stream. *Annals of Limnology* 39: 287-296.
- Graf, W. 2005. *Leuctra astridae*, a new species of Plecoptera from the Austrian Alps. *Illiesia* 1(8): 47-51.
- Grandjean, F., J. Momon, and M. Bramard. 2004. Biological water quality assessment of the white-clawed crayfish habitat based on macroinvertebrate communities: Usefulness for its conservation. *Bulletin Français de la Pêche et de la Pisciculture* 370-371: 115-125.
- Grubbs, S. A. 2005. Notes on *Leuctra alta* (Plecoptera : Leuctridae). *Entomological News* 116(3): 189-190.
- Grubbs, S. A. 2005. *Perlesta shawnee* (Plecoptera : Perlidae), a new stonefly species from Eastern North America. *Aquatic Insects* 27(1): 63-69.

- Grubbs, S. A. 2005. *Zealeuctra talladega*, a new species of Leuctridae (Plecoptera) from Alabama, U.S.A. *Illiesia* 1(6): 40-42.
- Grubbs, S.A., C. M. Thomas, B. T. Hutchins, and J. M. Taylor. 2005. Comparative life history study of two species of Nemouridae (Plecoptera) from an intermittent- perennial stream continuum from the central Kentucky karst region, U.S.A. *Verhandlungen des Internationalen Vereins fuer Limnologie* 29(2): 912-916.
- Guerrero-Bolano, F., A. Manjarres-Hernandez, and N. Nunez-Padilla. 2003. Los macroinvertebrados bentonicos de Pozo Azul (cuenca del rio Gaira, Colombia) y su relacion con la calidad del agua. [The benthonic macroinvertebrates of Pozo Azul (Gaira River basin, Colombia) and their relationship with water quality]. *Acta Biologica Colombiana* 8(2): 43-55. Spanish
- Habit, E., P. Victoriano, and H. Campos. 2005. Ecologia trofica y aspectos reproductivos de *Trichomycterus. areolatus* (Pisces, Trichomyeteridae) en ambientes loticos.artificiales. [Trophic ecology and reproductive aspects of *Trichomycterus. areolatus* (Pisces, Trichomycteridae) in irrigation canal.environments]. *Revista de Biologia Tropical* 53(1/2): 195-210. Spanish
- Halwas, K. L., M. Church, and J. S. Richardson. 2005. Benthic assemblage variation among channel units in high-gradient streams on Vancouver Island, British Columbia. *Journal of the North American Benthological Society* 24: 478-494.
- Hayashi F. 2004. Insecta: Introduction. pp. 372-383 in C. M. Yule, and H. S. Yong (eds): *Freshwater Invertebrates of the Malaysian Region*. Academy of Sciences Malaysia, Kuala Lumpur; ISBN 983-41936-0-2; Aura Productions, Selangor.
- Heckman, C.W. 2003. *Encyclopedia of South American aquatic insects: Plecoptera Illustrated keys to known families, genera, and species in South America*. Kluwer Academic Publishers, Dordrecht, Boston, London; VIII+330 pp.
- Heckmann, L. H., and N. Friberg. 2005. Macroinvertebrate community response to pulse exposure with the insecticide lambda-cyhalothrin using in-stream mesocosms. *Environmental Toxicology & Chemistry* 24(3): 582-590.
- Hendrik, F. 2004. Adaptations of an emergence trap for use in tropical streams. *International Review of Hydrobiology* 89: 363-374.
- Henny, C. J., J. L. Kaiser, H. A. Packard, R. A. Grove, and M. R. Taft. 2005. Assessing mercury exposure and effects to American dippers in headwater streams near mining sites. *Ecotoxicology* 14(7): 709-725.
- Hering, D., C. Meier, C. Rawer-Jost, C. K. Feld, Christian, R. Biss, A. Zenker, A. Sundermann, S. Lohse, and J. Boehmer. 2004. Assessing streams in Germany with benthic invertebrates: selection of candidate metrics. *Limnologica* 34(4): 398-415.
- Herlihy, A. T., W. J. Gerth, J. Li, and J. L. Banks. 2005. Macroinvertebrate community response to natural and forest harvest gradients in western Oregon headwater streams. *Freshwater Biology* 50(5): 905-919.
- Hieber, M., C. T. Robinson, U. Uehlinger, and J. W. Ward. 2005. A comparison of benthic macroinvertebrate assemblages among different types of alpine streams. *Freshwater Biology* 50 (12): 287-2101.
- Huebner, C. B., and M. R. Vinson. 2004. Groundwater invertebrate fauna of the Bear River Range, Utah. *Western North American Naturalist* 64: 131-134.
- Inada, K. 2005. A preliminary report on stonefly fauna of Gounokawa River system, Shimane and Hiroshima Prefecture. *Miscellaneous Reports of the Hiwa Museum for Natural History* 44: 221-228.
- Jacobi, G. Z., S. J. Cary, and R. W. Baumann. 2005. An updated list of the stoneflies (Plecoptera) of New Mexico, USA. *Entomological News* 116(1): 29-34.
- Jaimez-Cuellar, P., and J. M. Tierno De Figueroa. 2005. Local emergence distribution patterns in *Dinocras cephalotes* (Plecoptera, Perlidae). *Biologia* 60(5): 539-543.
- Jin Y. H., and Y.J. Bae. 2005. The wingless stonefly family Scopuridae (Plecoptera) in Korea. *Aquatic Insects* 27(1): 21-34.
- Jin, Y. H., and Y. J. Bae. 2005. A new wingless stonefly, *Scopura jiri* (Plecoptera: Scopuridae), from Korea. *Entomological News* 116(2): 89-92.
- Johnson, M. J., P. S. Giller, J. O'Halloran, K. O'Gorman, K., and M. B. Gallagher. 2005. A novel approach to assess the impact of landuse activity on chemical and biological parameters in river catchments. *Freshwater Biology* 50(7): 1273-1289.
- Jonsson, M., and B. Malmqvist. 2005. Species richness and composition effects in a detrital processing chain. *Journal of the North American Benthological Society* 24(4): 798-806.
- Kawabe, M. 2005. Factors of the habitat preference of Japanese wagtail, *Motacilla grandis*. *Bulletin of the Higashi Taisetsu Museum of Natural History* 27: 63-74.
- Kefford, B. J., C. G. Palmer, and D. Nugegoda. 2005. Relative salinity tolerance of freshwater macroinvertebrates from the south-east Eastern Cape, South Africa compared with the Barwon Catchment, Victoria, Australia. *Marine & Freshwater Research* 56(2): 163-171.
- Kelly, D. W., and J. T. A. Dick. 2005. Effects of environment and an introduced invertebrate species on the structure of benthic macroinvertebrate species at the catchment level. *Archiv für Hydrobiologie* 164: 69-88.
- Klausnitzer, B., and W. Zimmermann. 2004. Dr. Wolfgang Joost (3.12.1937-

- 2.4.2004) - In memoriam. OT: Dr. Wolfgang Joost (6.12.1937-2.4.2004) - zum Gedenken [German]. *Entomologische Nachrichten und Berichte* 48(2): 143-150.
- Kobayashi, S., and T. Kagaya. 2004. Litter patch types determine macroinvertebrate assemblages in pools of a Japanese headwater stream. *Journal North American Benthological Society* 23: 78-89.
- Koetsier, P. 2005. Response of a stream diatom community to top predator manipulations. *Aquatic Sciences* 67(4): 517-527.
- Koetsier, P. 2005. Response of a stream diatom community to top predator manipulations. *Aquatic Sciences* 67: 517-527.
- Kondratieff, B. C., R. F. Kirchner, and D. Lenat. 2005. Two new species of *Haploperla* Navas (Plecoptera: Chloroperlidae) from North Carolina, USA. *Proceedings of the Entomological Society of Washington* 107(4): 859-863.
- Konopova, B., and J. Zrzavy. 2005. Ultrastructure, development, and homology of insect embryonic cuticles. *Journal of Morphology* 264(3): 339-362.
- Kovács, T., and A. Ambrus. 2004. New data on *Brachyptera braueri* (Klapálek, 1900) (Plecoptera: Taeniopterygidae) from Hungary. *Folia Entomologica Hungarica* 65: 238-240.
- Kovács, T., W. Graf, and A. Ambrus. 2004. *Besdolus ventralis* (Pictet, 1841) and *Isogenus nubecula* Newman, 1833 (Plecoptera: Perlodidae) from the Austrian reaches of the Lafnitz river. *Folia Entomologica Hungarica* 65: 33-36.
- Kownacki, A. 2005. Changes in biodiversity in the River Vistula near Cracow in relation to pollution over 150 years. *Verhandlungen des Internationalen Vereins fuer Limnologie* 29: 204-207.
- Kreutzweiser, D. P., S. S. Capell, and K. P. Good. 2005. Macroinvertebrate community responses to selection logging in riparian and upland areas of headwater catchments in a northern hardwood forest. *Journal of the North American Benthological Society* 24: 208-222.
- Krno, I., and M. Holova. 2005. First record of *Leuctra bronislawi* (Plecoptera, Leuctridae) from Slovakia. *Biologia* 60(5): 512.
- Kubrakiewicz, J., I. Jedrzejowska, B. Szymanska, and S. M. Bilinski. 2005. Micropyle in neuropterid insects. Structure and late stages of morphogenesis. *Arthropod Structure & Development (APR)* 2005) 34(2): 179-188.
- Küttner R., and W. Joost. 2005. Plecoptera- Steinfliegen, Uferfliegen. pp.91-101 in B. Klausnitzer, (ed), *Exkursionsfauna von Deutschland*, Vol. 2, Wirbellose, Insekten. 10th ed., Spektrum Akademischer Verlag, Heidelberg.
- Lancaster, J., D. C. Bradley, A. Hogan, and S. Waldron. 2005. Intraguild omnivory in predatory stream insects. *Journal of Animal Ecology* 74: 619-629.

- Lauridsen, R. B., and N. Friberg. 2005. Stream macroinvertebrate drift response to pulsed exposure of the synthetic pyrethroid lambda-cyhalothrin. *Environmental Toxicology* 20(5): 513-521.
- Lecerf, A., P. Usseglio-Polatera, J.-Y. Charcosset, D. Lambrigt, B. Bracht, and E. Chauvet. 2006. Assessment of functional integrity of eutrophic streams using litter breakdown and benthic macroinvertebrates. *Archiv für Hydrobiologie* 165: 105-126.
- Ledger M. E, and A. G. Hildrew. 2001 Recolonization by the benthos of an acid stream following a drought. *Archiv für Hydrobiologie* 152(1): 1-17.
- Leman, V. N., and V. V. Chebanova. 2005. Response of lithophilic zoobenthos to changes in the granulometric composition of grounds in the metarhthal zone of a small river in the foothills of southwestern Kamchatka. *Ekologiya (Moscow)* 36(2): 120-125.
- Lencioni, V. 2004. Survival strategies of freshwater insects in cold environments. *Journal of Limnology* 63: 45-55.
- Lepori, F., D. Palm, E. Brannas, and B. Malmqvist. 2005. Does restoration of structural heterogeneity in streams enhance fish and macroinvertebrate diversity? *Ecological Applications* 15(6): 2060-2071.
- Li, W H., and D. Yang. 2005. Two new species of *Amphinemura* (Plecoptera: Nemouridae) from Sichuan, China. *Zootaxa* 1083: 63-68.
- Li, W., and D. Yang, D. 2005. Two new species of *Indonemoura* (Plecoptera: Nemouridae) from Fujian, China. *Zootaxa* 1001: 59-63.
- Li, W., D. Yang, and I. Sivec. 2005. A new species of *Amphinemura* (Plecoptera: Nemouridae) from China. *Entomological News* 116(2): 93-96.
- Li, W., D. Yang, and I. Sivec. 2005. Two new species of *Indonemoura* (Plecoptera: Nemouridae) from China. *Zootaxa* 893: 1-5.
- Lin, C., X. Tong, W. Lu, L. Yan, Y. Wu, C. Nie, C. Chu, and J. Long. 2005. Environmental impacts of surface mining on mined lands, affected streams and agricultural lands in the Dabaoshan Mine region, southern china. *Land Degradation & Development* 16(5): 463-474.
- Löhr, A. J., R. Sluik, M. M. Olaveson, N. Ivorra, C. A. M. van Gestel, and N. M. van Straalen. 2006. Macroinvertebrate and algal communities in an extremely acidic river and the Kawah Ijen crater lake (pH <0.3), Indonesia. *Archiv für Hydrobiologie* 165: 1-21.
- López-Rodríguez, M.J. & Tierno de Figueroa, J.M. 2004. Biología ninfal de *Amphinemura triangularis* (Ris, 1902) (Plecoptera, Nemouridae) en el sur de España: ciclo de vida y alimentación. [Nymphal biology of *Amphinemura triangularis* (Ris, 1902) (Plecoptera, Nemouridae)

- in a stream of Southern Spain: life cycle and diet]. *Zoologica baetica*, 15: 61-68.
- López-Rodríguez, M.J. & Tierno de Figueroa, J.M. 2005. Ciclo de vida y composición de la dieta de *Nemoura lacustris* Pictet, 1865 (Plecoptera, Nemouridae). [Life cycle and diet composition of *Nemoura lacustris* Pictet, 1865 (Plecoptera, Nemouridae)]. *Boletín de la Asociación Española de Entomología*, 29(1-2): 87-97.
- Lopez Lastra, C. C., A. C. Scorsetti, G. A. Marti, and S. Coscaron. 2005. Trichomycetes living in the guts of aquatic insects of Misiones and Tierra del Fuego, Argentina. *Mycologia* 97(2): 320-328.
- Lorenz, A., C. K. Feld, and D. Hering. 2004. Typology of streams in Germany based on benthic invertebrates: Ecoregions, zonation, geology and substrate. *Limnologica* 34(4): 379-389.
- Lorenz, A., D. Hering, C. K. Feld, and P. Rolaufts. 2004. A new method for assessing the impact of hydromorphological degradation on the macroinvertebrate fauna of five German stream stypes. *Hydrobiologia* 516: 107-127.
- Lorenz, A., L. Kirchner, and D. Hering. 2004. Electronic subsampling of macrobenthic samples: how many individual are needed for a valid assessment result? *Hydrobiologia* 516: 299-312.
- Lounaci, A., and G. Vinçon. 2005. Les Plécoptères de la Kabylie du Djurdjura (Algérie) et biogéographie des espèces d'Afrique du Nord [Plecoptera]. [The Djurdjura stoneflies (Kabylia, Algeria), and biogeography of the North-African species [Plecoptera]]. *Ephemera* 6: 109-124.
- Luzón-Ortega, J.M. & Tierno de Figueroa, J.M. 2004. Nuevos datos sobre la distribución de *Eoperla ochracea* y *Marthamea* cf. *selysii* (Plecoptera, Perlidae) en Andalucía (España). [New records on the distribution of *Eoperla ochracea* and *Marthamea* cf. *selysii* (Plecoptera, Perlidae) in Andalusia (Spain)]. *Zoologica baetica*, 15: 185-188.
- Macneale, K. H., B. L. Peckarsky, and G. E. Likens. 2005. Stable isotopes identify dispersal patterns of stonefly populations living along stream corridors. *Freshwater Biology* 50(7): 1117-1130.
- Marten, M. 2005. Revision der DIN 38410, Saprobienindex - Eine kritische Betrachtung aus Sicht von Theorie und Praxis. Deutsche Gesellschaft für Limnologie (DGL) Tagungsbericht 2004 (Potsdam), Berlin 2005: 390-394.
- Maul, J.D., J. L. Farris, C. D. Milan, C. M. Cooper, S. Testa III, and D. L. Feldman. 2004. The influence of stream habitat and water quality on macroinvertebrate communities in degraded streams of northwest Mississippi. *Hydrobiologia* 518: 79-94.
- Maxted, J. R., C. H. McCready, and M. R. Scarsbrook. 2005. Effects of small ponds on stream water quality and macroinvertebrate communities. *New Zealand Journal of Marine & Freshwater Research* 39(5): 1069-1084.
- McCutchen, N. A., and R. C. Ydenberg. 2005. Harlequin duck *Histrionicus histrionicus* distribution and stonefly nymph availability in the Maligne Valley watershed - a preliminary study. *Wildfowl* 55: 75-82.
- McIntosh, A. R., B. L. Peckarsky, and B. Taylor. 2004. Predator-induced resource heterogeneity in a stream food web. *Ecology* 85: 2279-2290.
- McLellan, I., M. Mercado, and S. Elliott. 2005. A new species of *Notoperla* (Plecoptera: Gripopterygidae) from Chile. *Illiesia* 1(5): 33-39.
- McLellan, I. 2005. The larva of *Spaniocercoides hudsoni* Kimmins (Plecoptera: Notonemouridae) from New Zealand. *Illiesia* 1(7): 43-46.
- McWilliams, L. A. 2005. Variation in diet of the Mexican free-tailed bat (*Tadarida brasiliensis mexicana*). *Journal of Mammalogy* 86(3): 599-605.
- Melo, A. S. 2005. Effects of taxonomic and numeric resolution on the ability to detect ecological patterns at a local scale using stream macroinvertebrates. *Archiv fuer Hydrobiologie* 164(3): 309-323.
- Menéndez, M., M. Martinez, O. Hernandez, and F. A. Comin. 2001. Comparison of leaf decomposition in two mediterranean river: a large eutrophic river and an oligotrophic stream (S Catalonia, NE Spain). *Internat. Rev. Hydrobiol.* 86: 475-486.
- Milner, A. M., and I. T. Gloyne-Phillips. 2005. The role of riparian vegetation and woody debris in the development of macroinvertebrate assemblages in streams. *River Research and Applications* 21(4): 403-420.
- Miyake, Y., T. Hiura, and S. Nakano, S. 2005. Effects of frequent streambed disturbance on the diversity of stream invertebrates. *Archiv für Hydrobiologie* 162: 465-480.
- Morais, M., P. Pinto, P. Guilherme, J. Rosado, and I. Antunes. 2004. Assessment of temporary streams: the robustness of metric and multimetric indices under different hydrological conditions. *Hydrobiologia* 516: 229-249.
- Morrissey, C. A., L. I. Bendell-Young, and J. E. Elliott. 2005. Identifying sources and biomagnification of persistent organic contaminants in biota from mountain streams of southwestern British Columbia, Canada. *Environmental Science & Technology* 39(20): 8090-8098.
- Motta, R. L., and V. S. Uieda. 2004. Diet and trophic groups of an aquatic insect community in a tropical stream. *Revista Brasileira de Biologia* 64(4): 809-817.
- Muranyi, D. 2004. *Capnopsis schilleri* (Rostock, 1892) (Plecoptera: Capniidae) in Croatia. *Folia Entomologica Hungarica* 65: 37-42.

- Muranyi, D. 2005. *Leuctra klapperichi*, a new stonefly species (Plecoptera: Leuctridae) from Iran with geographic affinities of related species. *Zootaxa* 1078: 59-64.
- Mykra, H., J. Heino, and T. Muotka. 2004. Variability of lotic macroinvertebrate assemblages and stream habitat characteristics across hierarchical landscape classifications. *Environmental Management* 34: 341-352.
- Nassauer, J. I., J. D. Allan, T. Johengen, S. E. Kosek, and D. Infante. 2004. Exurban residential subdivision development: effects on water quality and public perception. *Urban Ecosystems* 7: 267-281.
- Negishi, J. N., and J. S. Richardson. 2006. An experimental test of the effects of food resources and hydraulic refuge on patch colonization by stream macroinvertebrates during spates. *Journal of Animal Ecology* 75: 118-129.
- Nijboer, R. C., R. K. Hohnson, P. F. M. Verdonschot, M. Sommerhäuser and A. Buffagni. 2004. Establishing reference conditions for European streams. *Hydrobiologia* 516: 91-105.
- Nijboer, R.C., and A. Schmidt-Kloiber. 2004. The effect of excluding taxa with low abundances or taxa with small distribution ranges on ecological assessment. *Hydrobiologia* 516: 347-363.
- O'Connor, J. P. 2005. *Leuctra nigra* (Olivier) (Plecoptera, Leuctridae) discovered in south-west Ireland. *Entomologist's Monthly Magazine* 141(1691-1693): 130.
- Ofenböck, T., O. Moog, J. Gerritsen, and M. Barbour. 2004. A stressor specific multimetric approach for monitoring running waters in Austria using benthic macro-invertebrates. *Hydrobiologia* 516: 251-268.
- Ortiz, J.D., E. Martí, and M. A. Puig. 2005. Recovery of the macroinvertebrate community below a wastewater treatment plant input in a Mediterranean stream. *Hydrobiologia* 545: 289-302.
- Osoz, J., P. M. Leunda, F. Campos, M. C. Escala, C. Garcia-Fresca, and R. Miranda, R. 2005. Spring diet composition of rainbow trout, *Oncorhynchus mykiss* (Walbaum, 1792) in the Urederra River (Spain). *Annales de Limnologie* (2005) 41(1): 27-34.
- Paetzold, A., and K. Tockner. 2005. Effects of riparian arthropod predation on the biomass and abundance of aquatic insect emergence. *Journal of the North American Benthological Society* 24(2): 395-402.
- Pascoal, C., F. Cassio, A. Marcotegui, B. Sanz, B., and P. Gomes. 2005. Role of fungi, bacteria, and invertebrates in leaf litter breakdown in a polluted river. *Journal of the North American Benthological Society* 24: 784-797.
- Pascoal, C., F. Cassio, and R. Gomes. 2001. Leaf Breakdown Rates: a Measure of Water Quality?. *Internat. Rev. Hydrobiol.* 86: 407-416.
- Pliuraite, V., and V. Kesminas. 2004. Species composition of macroinvertebrates in medium-sized Lithuanian rivers. *Acta Zoologica Lituanica* (2004) 14(3): 10-25.
- Pöpperl, R. and K. Böttger. 1991. Emergenzfänge an der Kossau, einem Fließgewässer des norddeutschen Tieflandes. *Limnologische Studien im Naturschutzgebiet Kossautal (Schleswig-Holstein) I. Faunistisch-ökologische Mitteilungen* 6: 191-218.
- Pothika, E. V., and L. A. Zhiltzova. 2005. The stonefly fauna in the central Sikhote-Alin Mountains with description of new species. *Zoologitsheskii Zhurnal* 84(9): 1088-1091. In Russian.
- Potikha, E. V., and L. A. Zhiltzova. 2005. The stonefly fauna in the central Sikhote-Alin mountains with description of new species. *Zoologicheskii Zhurnal* 84(9): 1086-1091. In Russian.
- Potter, K. M., F. W. Cabbage, G. B. Blank, and R. H. Schaberg. 2004. A watershed-scale model for predicting nonpoint pollution risk in North Carolina. *Environmental Management* 34: 62-74.
- Pretty, J. L., D. J. Giberson, and M. Dobson. 2005. Resource dynamics and detritivore production in an acid stream. *Freshwater Biology* 50(4): 578-591.
- Ravizza, C. 2005. *Leuctra gardinii*, an apterous new species of Leuctridae (Plecoptera) from the western Italian Alps. *Aquatic Insects* 27(2): 95-97.
- Reisinger, W. 2005. Die Insekten der Gmundner Traun und deren Imitationen für Fliegenfischer. Rudi Heger GmbH, Traun River Products, Siegsdorf, 32 pp.
- Reynolds, J. D., and C. O'Keefe, C. 2005. Dietary patterns in stream- and lake-dwelling populations of *Austropotamobius pallipes*. *Bulletin Français de la Pêche et de la Pisciculture* 376-377: 715-730.
- Ribeiro, L. O., and V. S. Uieda. 2005. Estrutura da comunidade de macroinvertebrados bentônicos de um riacho de serra em Itatinga, Sao Paulo, Brasil [Portuguese]. [Structure of a benthic macro invertebrates community in a mountain stream in Itatinga, Sao Paulo, Brazil]. *Revista Brasileira de Zoologia* 22(3): 613-618.
- Riddell, D. J., J. M. Culp, and D. J. Baird. 2005. Behavioral responses to sublethal cadmium exposure within an experimental aquatic food web. *Environmental Toxicology and Chemistry* 24(2): 431-441.
- Rinella, D.L.J., and J. W. Feminella. 2005. Comparison of benthic macro invertebrates colonizing sand, wood, and artificial substrates in a low-gradient stream. *Journal of Freshwater Ecology* 20(2): 209-220.
- Rios, S. L., and R. C. Bailey. 2006. Relationship between riparian vegetation and stream benthic communities at three spatial scales. *Hydrobiologia* 553: 153-160.
- Robinson, C. T., C. Jolidon, and M. E. Schreiber. 2005. Leaf breakdown and the ecosystem functioning of alpine streams. *J. N. Am. Benthol Soc.* 24: 495-507.

- Roll, S. K., S. Diehl, and S. D. Cooper. 2005. Effects of grazer immigration and nutrient enrichment on an open algae-grazer system. *Oikos* 108(2): 386-400.
- Rostgaard, S., and D. Jacobsen. 2005. Respiration rate of stream insects measured in situ along a large altitude range. *Hydrobiologia* 549: 79-98.
- Sabater, S., V. Acuna, A. Giorgi, E. Guerra, I. Munoz, and A. M. Romani. 2005. Effects of nutrient inputs in a forested Mediterranean stream under moderate light availability. *Archiv fuer Hydrobiologie* 163(4): 479-496.
- Sandberg, J. B., and K. W. Stewart. 2005. Life history of the stonefly *Isogenoides zionensis* (Plecoptera: Perlodidae) from the San Miguel River, Colorado. *Illiesia* 1(4): 21-32.
- Sandberg, J. B., and K. W. Stewart. 2004. Capacity for extended egg diapause in six *Isogenoides* Klapalek species (Plecoptera: Perlodidae). *Transactions of the American Entomological Society (Philadelphia)* 130(4): 411-423.
- Sandberg, J. B., and K. W. Stewart. 2005. Holomorphology and systematics of the stonefly genus *Isogenoides* (Plecoptera: Perlodidae). *Transactions of the American Entomological Society* 131: 269-345.
- Sandberg, J. B., and K. W. Stewart. 2005. Vibrational communication (drumming) of the nearctic stonefly genus *Isogenoides* (Plecoptera: Perlodidae). *Transactions of the American Entomological Society (Philadelphia)* 131(1-2): 111-130.
- Sanderson, R. A., M. D. Eyre, and S. P. Rushton. 2005. The influence of stream invertebrate composition at neighbouring sites on local assemblage composition. *Freshwater Biology* 50(2): 221-231.
- Sandin, L., J. Dahl, and R. K. Hohnson. 2004. Assessing acid stress in Swedish boreal and alpine streams using benthic macroinvertebrates. *Hydrobiologia* 516: 1129-148.
- Santoul, F., J. Figuerola, S. Mastroiello, and R. Cereghino. 2005. Patterns of rare fish and aquatic insects in a southwestern French river catchment in relation to simple physical variables. *Ecography* 28(3): 307-314.
- Sasaki, A., A. Ito, J. Aizawa, and T. Umita. 2005. Influence of water and sediment quality on benthic biota in an acidified river. *Water Research* 39(12): 2517-2526.
- Savage, A. A., L. C. Broomfield, and R. M. Whittington. 2005. Changes in the littoral macroinvertebrate assemblages of Oak Mere from 1980 to 1998. *Journal of Natural History* 39(17): 1307-1312.
- Scarsbrook, M.R. 2002. Persistence and stability of lotic invertebrate communities in New Zealand. *Freshwater Biology* 47: 417-431.
- Schindler, H. 2005. Bewertung der Auswirkungen von Umweltfaktoren auf Struktur und Makrozoobenthos von Quellen in Rheinland-Pfalz. *Deutsche Gesellschaft für Limnologie (DGL) Tagungsbericht 2004 (Potsdam), Berlin 2005: 231-235.*
- Schmidt-Klober, A., and R. C. Nijboer. 2004. The effect of taxonomic resolution on the assessment of ecological water quality classes. *Hydrobiologia* 516: 269-283.
- Sellig, M., R. Poepperl, and E. I. Meyer. 2005. Makroinvertebraten sandgeprägter Tieflandbäche Norddeutschlands. *Deutsche Gesellschaft für Limnologie (DGL) Tagungsbericht 2004 (Potsdam), Berlin 2005: 360-364.*
- Sinitshenkova, N. D. 2005. The oldest known record of an imago of Nemouridae (Insecta: Perlida = Plecoptera) in the Late Mesozoic of Eastern Transbaikalia. *Paleontologicheskii Zhurnal* 1: 39-41.
- Sivec, I. 2005. *Cryptoperla dui*, sp. n., a new stonefly from south China (Plecoptera: Peltoperlidae). *Illiesia* 1(2): 8-9.
- Smiley, Peter C. Jr., and E. D. Dibble. 2005. Implications of a hierarchical relationship among channel form, instream habitat, and stream communities for restoration of channelized streams. *Hydrobiologia* 548: 279-292.
- Smith, B. J., and K. J. Collier. 2005. Tolerances to diurnally varying temperature for three species of adult aquatic insects from New Zealand. *Environmental Entomology* 34(4): 748-754.
- Smith, J. G., J. J. Beauchamp, and A. J. Stewart. 2005. Alternative approach for establishing acceptable thresholds on macroinvertebrate community metrics. *Journal of the North American Benthological Society* 24(2): 428-440.
- Spaenhoff, B. 2005. Seasonal decline of body mass in adults of the wood-dwelling caddisfly *Lype phaeopa* (Psychomyiidae). *Archiv fuer Hydrobiologie* 163(3): 369-382.
- Stanford, J.A., M.S. Lorang, and F. R. Hauer. 2005. The shifting habitat mosaic of river ecosystems. *Verhandlungen des Internationalen Vereins fuer Limnologie* 29: 123-136.
- Stark B. P., and J. W. Lacey. 2005. Larvae of the winter stonefly genus *Allocapnia* (Plecoptera: Capniidae) in Mississippi, USA. *Illiesia* 1(3): 10-20.
- Stark, B. P., and I. Sivec. 2005. New species of *Tyloperla* (Plecoptera: Perlidae) from Vietnam and Thailand. *Illiesia* 1(1): 1-7.
- Stark, B. P., and K. W. Stewart. 2005. Nymphs of four western nearctic *Sweltsa* species (Plecoptera: Chloroperlidae). *Trans. Amer. Entomol. Soc.* 131(1+2): 189-200.
- Stark, B. P., and R. W. Baumann. 2005. A micropterous, crenon-dwelling population of *Megarcys subtruncata* Hanson (Plecoptera: Perlodidae). *Western North American Naturalist* 65(1): 131-132.
- Storey, R. G., and D. D. Williams. 2004. Spatial responses of hyporheic invertebrates to seasonal changes in environmental parameters. *Freshwater Biology* 49: 1468-1486.

- Strongman, D. B. 2005. Synonymy of *Ejectosporus magnus* and *Simuliomyces spica*, and a new species, *Ejectosporus trisporus*, from winter-emerging stoneflies. *Mycologia* 97(2): 552-561.
- Šubrtová, R., and I. Tuša. 2005. K limnologii horské řeky s ohledem na letní povodeň v roce 1997 a provoz nové přečerpávací vodní elektrárny (Divoká a Hučivá Desná, Hrubý Jeseník, ČR) [To the limnology of a mountain river with regard to the summer flood 1997 and operation of a new pumped storage plant (Divoká and Hučivá Desná Rivers, the Hrubý Jeseník Mts, Czech Republic)]. *Čas. Slez. Muz. Opava (A)*, 54: 25-55.
- Sukacheva, I. D., and A. P. Rasnitsyn. 2004. Jurassic insects (Insecta) from the Sai-Sagul locality (Kyrgyzstan, southern Fergana). *Paleontological Journal* 38: 182-186.
- Sylvestre, S., and R. C. Bailey. 2005. Ecology of leaf pack macroinvertebrate communities in streams of the Fraser River Basin, British Columbia. *Freshwater Biology* 50(6): 1094-1104.
- Szczesny, B. 2005. Some groups of benthic invertebrates and the physico-chemical conditions in the streams of the Magurski National Park in the Beskid Niski Niski Mts (northern Carpathians). *Nature Conservation* 61(4): 9-27.
- Taira, H., and R. B. Kuranishi. 2004. Freshwater benthic macroinvertebrates at the upper reaches of the Koito-gawa River. *Journal of the Natural History Museum and Institute Chiba. Special Issue 7*: 47-86.
- Takemon, Y. 2005. Life-type concept and functional feeding groups of benthos, communities as indicators of lotic ecosystem conditions. *Japanese Journal of Ecology (Otsu)* 55(1): 189-197.
- Teder, T., and T. Tammaru. 2005. Sexual size dimorphism within species increases with body size in insects. *Oikos* 108(2): 321-334.
- Terry, M. D., and M. F. Whiting. 2003. Phylogeny of Plecoptera: molecular evidence and evolutionary trends. *Entomologische Abhandlungen* 61(2): 130-131.
- Terry, M. D., and M. F. Whiting. 2005. Mantophasmatodea and phylogeny of the lower neopterous insects. *Cladistics* 21(3): 240-257.
- Teslenko, V.A., and L. A. Zhiltzova. 2006. Nymphs of the genus *Isoperla* Banks (Plecoptera, Perlodidae) from the Eastern Palaearctic Region. *Zootaxa* 1130: 1-33.
- Tiemann, J. S., and D. P. Gillette. 2004. Effects of lowhead dams on riffle-dwelling fishes and macroinvertebrates in a midwestern River. *Transactions of the American Fisheries Society* 133: 705-717.
- Tiemann, J. S., D. P. Gillette, and M. L. Wildhaber, and D. R. Edds. 2005. Effects of lowhead dams on the ephemeropterans, Plecopterans, and trichopterans group in a North American river. *Journal of Freshwater Ecology* 20(3): 519-525.
- Tiemann, J. S., D. P. Gillette, M. L. Wildhaber, and D. R. Edds. 2005.

- Effects of lowhead dams on the Ephemeropterans, Plecopterans, and Trichopterans group in a North American river (vol 20, pg 519, 2005). *Journal of Freshwater Ecology* 20(4): 800.
- Tierno de Figueroa, J.M. & Marfil-Daza, C. 2004. Revisión de las características de los huevos de los Chloroperlidae (Plecoptera) de Europa, con la descripción del huevo de *Siphonoperla baetica* (Aubert, 1956). [A review of the eggs of European Chloroperlidae (Plecoptera), with the description of the egg of *Siphonoperla baetica* (Aubert, 1956)]. *Boletín de la Sociedad Entomológica Aragonesa*, 35: 219-224
- Tierno de Figueroa, J. M., and M. J. Lopez-Rodriguez. 2005. Biometric relationships among female size, fecundity, and flight period in *Isoperla nevada* Aubert 1952 (Plecoptera : Perlodidae). *Annales de la Societe Entomologique de France* 41(1): 3-6.
- Tierno de Figueroa, J.M, and G. Vinçon. 2005. A new West European species of the genus *Isoperla* (Plecoptera, Perlodidae). *Nouvelle Revue d'Entomologie* 22(2): 101-106.
- Tierno de Figueroa, J.M.; Marfil-Daza, C. & López-Rodríguez, M.J. 2005. *Perla bipunctata* Pictet, 1833 (Plecoptera, Perlidae) en el sur de la Península Ibérica. [*Perla bipunctata* Pictet, 1833 (Plecoptera, Perlidae) in Southern Iberian Peninsula]. *Zoologica baetica*, 16: 161-163.
- Tixier, G., and F. Guerold. 2005. Plecoptera response to acidification in several headwater streams in the Vosges Mountains (northeastern France). *Biodiversity & Conservation* 14(6): 1525-1539.
- Turner D., and D. D. Williams. 2005. Sexual dimorphism and the influence of artificial elevated temperatures on body size in the imago of *Nemoura trispinosa* (Plecoptera: Nemouridae). *Aquatic Insects* 27(4): 243-252.
- Ubero-Pascal, N., J. M. Fortuño, and M. A. Puig. 2005. New application of air-drying techniques for studying Ephemeroptera and Plecoptera eggs by scanning electron microscopy. *Microscopy Research and Techniques* 68: 264-271.
- Usseglio-Polatera P., Richoux P., Bournaud M., and H. Tachet. 2001. A functional classification of benthic macroinvertebrates based on biological and ecological traits: application to river condition assessment and stream management. *Archiv für Hydrobiologie Suppl., Monogr. Stud.* 139(1): 53-83.
- Valenti, T. W., J. L. Chaffin, D. S. Cherry, M. E. Schreiber, H. M. Valett, and M. Charles. 2005. Bioassessment of an Appalachian headwater stream influenced by an abandoned arsenic mine. *Archives of Environmental Contamination & Toxicology* 49(4): 488-496.
- van Dijk, D. E., and H. Geertsema. 2004. A new genus of Permian Plecoptera (*Afropserla*) from KwaZulu-Natal, South Africa. *African Entomology* 12(2): 268-270.

- VanDusen, P. J., C. J. F. Huckins, and D. J. Flaspohler. 2005. Associations among selection logging history, brook trout, macroinvertebrates, and habitat in northern Michigan headwater streams. *Transactions of the American Fisheries Society* 134(3): 762-774.
- Vinçon, G., C. Ravizza. 2005. A review of the French *Protonemura* (Plecoptera, Nemouridae). *Ann. Limnol. Int. J. Lim.* 41(2): 99-126; Erratum: *Ann. Limnol. Int. J. Lim.* 41(3): 221-223.
- Voelz, N. J., R. E. Zuellig, S.-H. Shieh, and J. V. Ward. 2005. The effects of urban areas on benthic macroinvertebrates in two Colorado plains rivers. *Environmental Monitoring & Assessment* 101(1-3): 175-202.
- Wagner, F. H., and C. Beisser. 2005. Does carbon enrichment affect hyporheic invertebrates in a gravel stream?. *Hydrobiologia* 544: 189-200.
- Wagner, R., H.-H. Schmidt. 2005. Yearly discharge patterns determine species abundance and community diversity: Analysis of a 25 year record from the Breitenbach. *Archiv fuer Hydrobiologie* 161(4): 511-540.
- Ward-Campbell, B. M. S., and F. W. H. Beamish. 2005. Ontogenetic changes in morphology and diet in the snakehead, *Channa limbata*, a predatory fish in western Thailand. *Environmental Biology of Fishes* 72(3): 251-257.
- Werner, D., and P. H. Adler. 2004. A faunistic review of the black flies (Simuliidae, Diptera) of the federal state of Sachsen-Anhalt, Germany. *Abhandlungen und Berichte für Naturkunde, Magdeburg* 27(2): 205-245.
- Williams, G. 2002. A taxonomic and biogeographic review of the invertebrates of the central eastern rainforest reserves of Australia (CERRA) world heritage area, and adjacent regions. *Technical Reports of the Australian Museum* 16: 1-208.
- Winterbourn, M. J. 2005. Dispersal, feeding and parasitism of adult stoneflies (Plecoptera) at a New Zealand forest stream. *Aquatic Insects* 27(3): 155-166.
- Winterbourn, M. 2005. Dispersal, feeding and parasitism of adult stoneflies at a New Zealand stream. *Aquatic Insects* 27(3): 155-166.
- Wipfli, M. S. 2005. Trophic linkages between headwater forests and downstream fish habitats: implications for forest and fish management. *Landscape & Urban Planning* 72(1/3): 205-213.
- Wood, P. J., J. Gunn, H. Smith, and A. Abas-Kutty. 2005. Flow permanence and macroinvertebrate community diversity within groundwater dominated headwater streams and springs. *Hydrobiologia* 545: 55-64.
- Wood, P. J., J. Toone, M. T. Greenwood, and P. D. Armitage. 2005. The response of four lotic macroinvertebrate taxa to burial by sediments. *Archiv fuer Hydrobiologie* 163(2): 145-162.
- Woodcock, T. S., and A. D. Huryn. 2004. Effects of roadway crossings on leaf litter processing and invertebrate assemblages in small streams. *Environmental Monitoring and Assessment* 93: 229-250.
- Yakovlev, V. A. 2005. [A faunistic review of freshwater zoobenthos of north-eastern Fennoscandia]. *Russian Academy of Sciences "Biology of Inland Waters"* 1: 16-23. Russian, Engl. Summary
- Yang, D., W. Li, and F. Zhu. 2005. Two new species of *Rhopalopsale* (Plecoptera: Leuctridae) from China. *Entomological News* 115(5) (2004): 279-282.
- Yang, D., W. Li, and F. Zhu. 2005. A new species of *Amphinemura* (Plecoptera: Nemouridae) from China. *Entomological News* 115(5): 279-282.
- Yang, D., W. Li, and I. Sivec. 2005. A new species of *Amphinemura* from South China (Plecoptera: Nemouridae). *Zootaxa* 805: 1-4.
- Yoshimura, C., T. Omura, H. Furumai, and K. Tockner. 2005. Present state of rivers and streams in Japan. *River Research & Applications* 21(2-3): 93-112.
- Zah, R., P. Burgherr, S. M. Bernasconi, and U. Uehlinger. 2001. Stable isotope analysis of macroinvertebrates and their food sources in a glacier stream. *Freshwater Biology* 46: 871-882.
- Zhiltzova, L.A. 2004. [A review of the stoneflies of family Nemouridae (Plecoptera) of the Russian Fauna and adjacent lands. In Russian. Pages 58-64 in: *Fauna, problems of ecology, morphology and evolution of amphibiotic and aquatic insects of Russia*. Voronezh State University, biological scientific centre "Venevitino" II. Russian symposium on amphibiotic and aquatic insects. Voronezh, in Russian
- Zhiltzova, L. A. 2005. A review of stoneflies of the family Perlodidae (Plecoptera) in the fauna of Russia and adjacent countries. *Zoologicheskii Zhurnal* 84(2): 272-274.
- Zhiltzova, L.A. 2005. 11 [Vesnjanki (Plecoptera)]. pp. 856-859 in Timoshkin, O.A. (ed.) [Annotated checklist of the fauna of Lake Baikal and its catchment area. In 2 Volumes. Volume 1 Lake Baikal]. Nauka, Novosibirsk.
- Zhiltzova, L. A. 2005. A review of the stonefly family Perlodidae (Plecoptera, Perlodidae) of the fauna of Russia and neighbouring countries. *Actual problems of ecology. - Materials of Russian scientific conference "Actual problems of ecology and preservation of biodiversity in Russia"*. Vladikavkaz 93-96. In Russian.
- Zhiltzova, L. A. 2005. Stoneflies (Plecoptera) of the Valdai Hills. *Entomologicheskoe Obozrenie* 84(2): 302-308. In Russian.
- Zhiltzova, L.A., and S. K. Cheresova. 2003. Descriptions of the larvae of stoneflies of the genus *Perla* Geoffr. (Plecoptera, Perlidae) from the Caucasus. *Entomologitsheskoje Obozrenije* 82(2): 321-326. In Russian

- Zhiltzova, L. A., and S. K. Cherchesova. 2004. Nymph of the Caucasian stonefly, *Isoperla bithynica* (Plecoptera, Perlodidae). Zoologitscheskii Zhurnal 83(12): 1517-1519. In Russian
- Zompro, O. 2005. Inter- and intraordinal relationships of the Mantophasmatodea, with comments on the phylogeny of polyneopteran orders (Insecta: Polyneoptera). Mitt. Geol.-Paläont. Inst. Univ. Hamburg 89: 85-116.
- Zuellig, R. E., and B. C. Kondratieff. 2005. Nebraska, U.S.A.: a new state record for the shortwing snowfly, *Allocapnia vivipara* (Plecoptera: Capniidae). Entomological News 116(2): 111-112.
- Zwick, P. 2005. In memoriam Dr. Wolfgang Joost (06.12.1937 - 02.04.2004). Lauterbornia 55: 148.
- Zwick, P., and M. Hohmann. 2005. Biological notes on *Isoptena serricornis*, an exceptional stonefly in shifting river sand (Plecoptera: Chloroperlidae). Lauterbornia 55: 43-64.